Instrument Changes

Strategic Prevention Framework for Prescription Drugs (SPF-Rx) Cross-Site Evaluation

OMB Number: 0930-0377 **Expiration Date:** 8/31/2020

This document summarizes questions removed and modified from the original SPF-Rx OMB package (0930-0377, exp. 8/31/2020). The changes are summarized below and the specific questions/rationales for revision are provided in the pages that follow. Efforts were made to streamline reporting and to reduce burden. Note that the items removed from the Grantee- and Community-Level Outcomes module are critically important to this cross-site evaluation. They were removed because equivalent modules exist in SAMHSA's Performance Accountability and Reporting System (SPARS). By having SPF-Rx grantees collect these data in SPARS, prevention-related opioid overdose outcomes reporting will be unified and the duplicative instruments eliminated.

ATTACHMENT 1: Annual Implementation Instrument (All)

Questions Removed: 33, 45-48, 74-77, 98-101, 105, 118.4, 118.5, 121-124

Questions Modified: 1, 9, 10, 12, 18, 20, 23, 24, 25, 28.1, 32, 44, 53, 65, 73, 128.16

ATTACHMENT 2: Grantee-Level Outcomes module

Questions Removed: 1.1, 1.2, 1.3, 3

- ATTACHMENT 3: Community-Level Outcomes module
 Questions Removed: 1.1, 1.2, 1.3, 3
- ATTACHMENT 4: Grantee Interview Protocol

Questions Removed: 5, 6

Questions Modified: 1, 7, 9

REMOVED INSTRUMENT: Substitute Data Request form

Questions Removed: all

Attachment 1

Annual Implementation Instrument (AII) - Deleted Questions

			· · ·		DATIONALE
QUES	STION				RATIONALE
33.	partnered with you on this pr	olders, partners, and partner org evention intervention-service ty and number or individuals who p be type from each sector. ^E	pe during the past year ? I	ndicate	Repetitive of Question 18.
	33.1. Sector ^a	33.2. Number of organizations	33.3. Number of individuals		
	⁴ Sectors will be prepopulated in this	table on the basis of response to Quest	ion 18.		
45.	process intervention-service t many were male and how ma should add up to the total of	pants who were reached or affect type during the past year (report ny were female. The number of participants reported in Question .g., 4) and not as a percentage. ^E	ted in Question 44), estim females, males, and unkno	ate how own	Demographic information not needed for indirect services. Unlikely to be accurate.
	45.1. Females:				
	45.2. Males:				
	45.3. Transgender:				
		(Specify:)	
	45.5. Gender unknown:				

46. Of the total number of <u>participants</u> were reached or affected by this community-based process intervention-service type during the past year (reported in Question 44), indicate how many were in each of the age groups listed below. The number of children, youth, young adults, adults, and unknown should add up to the total of participants reported in Question 44. This response should be written as a whole number (e.g., 4) and not as a percentage. 46.1. Children age 0 to 11:	QUES	STION	RATIONALE
46.2. Youth age 12 to 17:	46.	intervention-service type during the past year (reported in Question 44), indicate how many were in each of the age groups listed below. The number of children, youth, young adults, adults, and unknown should add up to the total of participants reported in Question 44. This	needed for indirect services.
46.3. Young adults age 18 to 25:		46.1. Children age 0 to 11:	
46.4. Adults age 26 and older:		46.2. Youth age 12 to 17:	
47. Of the total number of participants reached or affected by this community-based process intervention-service type during the past year (reported in Question 44), indicate how many were in each of the racial groups listed below. You will have an opportunity to report ethnicity in the next question. Ethnicity is counted separately from race. For example, if you reached or affected African Americans of Hispanic ethnicity, they would be counted in both the ethnicity (Hispanic) category and the race category under African American. The number of American Indian/Alaskan Native, Asian, Black, Pacific Islander, White, multiracial, other, and unknown should add up to the total of participants reported in Question 44. This response should be written as a whole number (e.g., 4) and not as a percentage. 47.1. American Indian or Alaska Native:		46.3. Young adults age 18 to 25:	
47. Of the total number of participants reached or affected by this community-based process intervention-service type during the past year (reported in Question 44), indicate how many were in each of the racial groups listed below. You will have an opportunity to report ethnicity in the next question. Ethnicity is counted separately from race. For example, if you reached or affected African Americans of Hispanic ethnicity, they would be counted in both the ethnicity (Hispanic) category and the race category under African American. The number of American Indian/Alaskan Native, Asian, Black, Pacific Islander, White, multiracial, other, and unknown should add up to the total of participants reported in Question 44. This response should be written as a whole number (e.g., 4) and not as a percentage. 47.1. American Indian or Alaska Native:		46.4. Adults age 26 and older:	
intervention-service type during the past year (reported in Question 44), indicate how many were in each of the racial groups listed below. You will have an opportunity to report ethnicity in the next question. Ethnicity is counted separately from race. For example, if you reached or affected African Americans of Hispanic ethnicity, they would be counted in both the ethnicity (Hispanic) category and the race category under African American. The number of American Indian/Alaskan Native, Asian, Black, Pacific Islander, White, multiracial, other, and unknown should add up to the total of participants reported in Question 44. This response should be written as a whole number (e.g., 4) and not as a percentage. 47.1. American Indian or Alaska Native: 47.2. Black or African American: 47.3. White: 47.4. Asian: 47.5. Native Hawaiian or Other Pacific Islander: 47.6. Multiracial:		46.5. Age unknown:	
47.2. Black or African American: 47.3. White: 47.4. Asian: 47.5. Native Hawaiian or Other Pacific Islander: 47.6. Multiracial: 47.7. Other:	47.	intervention-service type during the past year (reported in Question 44), indicate how many were in each of the racial groups listed below. You will have an opportunity to report ethnicity in the next question. Ethnicity is counted separately from race. For example, if you reached or affected African Americans of Hispanic ethnicity, they would be counted in both the ethnicity (Hispanic) category and the race category under African American. The number of American Indian/Alaskan Native, Asian, Black, Pacific Islander, White, multiracial, other, and unknown should add up to the total of participants reported in Question 44. This response should be	needed for indirect services.
47.3. White: 47.4. Asian: 47.5. Native Hawaiian or Other Pacific Islander: 47.6. Multiracial: 47.7. Other:		47.1. American Indian or Alaska Native:	
47.4. Asian: 47.5. Native Hawaiian or Other Pacific Islander: 47.6. Multiracial: 47.7. Other:			
47.5. Native Hawaiian or Other Pacific Islander: 47.6. Multiracial: 47.7. Other:			
47.6. Multiracial: 47.7. Other:			
47.7. Other:			
47.8. Race unknown:			
		47.8. Race unknown:	

QUESTION		RATIONALE
48.	Of the total number of <u>participants</u> reached or affected by this community-based process intervention-service type during the past year (reported in Question 44), indicate how many were Hispanic/Latino and how many were non-Hispanic/Latino. <i>The number of Non-Hispanic/Latino, Hispanic/Latino, and unknown should add up to the total of participants reported in Question 44. This response should be written as a whole number (e.g., 4) and not as a percentage.^E</i>	Demographic information not needed for indirect services. Unlikely to be accurate.
	48.1. Hispanic, Latino/a, or of Spanish origin:	
	48.2. Non-Hispanic, non-Latino/a, and not of Spanish origin:	
	48.3. Hispanic ethnicity unknown:	
74.	Of the total number of participants provided this problem identification and referral services during the past year (reported in Question 73), indicate how many were male and how many were female. The number of females, males, and unknown should add up to the total of participants reported in Question 73. This response should be written as a whole number (e.g., 4) and not as a percentage. 74.1. Females:	Demographic information not needed. Focusing on location of the referral and type of services the individuals were referred to.

QUESTION		RATIONALE
75.	Of the total number of participants provided this problem identification and referral services during the past year (reported in Question 73), indicate how many were in each of the age groups listed below. The number children, youth, young adults, adults, and unknown should add up to the total of new participants reported in Question 73. This response should be written as a whole number (e.g., 4) and not as a percentage. ^E	Demographic information not needed. Focusing on location of the referral and type of services the individuals were referred to.
	75.1 Children age 0 to 11:	
	75.2 Youth age 12 to 17:	
	75.3. Young adults age 18 to 25:	
	75.4. Adults age 26 and older:	
	75.5. Age unknown:	

QUESTION	RATIONALE
76. Of the total number of participants provided this problem identification and referral services during the past year (reported in Question 73, indicate how many were in each of the racial groups listed below. You will have an opportunity to report ethnicity in the next question. Ethnicity is counted separately from race. For example, if you provided services to African Americans of Hispanic ethnicity, they would be counted in both the ethnicity (Hispanic) category and the race category under African American. The number of American Indian/Alaskan Native, Asian, Black, Pacific Islander, White, multiracial, other, and unknown should add up to the total of participants reported in Question 73. This response should be written as a whole number (e.g., 4) and not as a percentage. 76.1. American Indian or Alaska Native: 76.2. Black or African American: 76.3. White: 76.4. Asian: 76.5. Native Hawaiian or Other Pacific Islander: 76.7. Other: 76.8. Race unknown:	Demographic information not needed. Focusing on location of the referral and type of services the individuals were referred to.

QUESTION		RATIONALE
77.	Of the total number of participants provided this problem identification and referral services during the past year (reported in Question 73), indicate how many were Hispanic, Latino/a, or of Spanish original and how many were not. The number of Non-Hispanic/Latino, Hispanic/Latino, and unknown should add up to the total of participants reported in Question 73. This response should be written as a whole number (e.g., 4) and not as a percentage. 77.1. Hispanic, Latino/a, or of Spanish origin:	Demographic information not needed. Focusing on location of the referral and type of services the individuals were referred to.
98.	Of the total number of participants reached by your environmental strategy during the past year (reported in Question 97), indicate how many were male and how many were female. The number of females, males, and unknown should add up to the total of participants reported in Question 97. This response should be written as a whole number (e.g., 4) and not as a percentage.E 98.1. Females: 98.2. Males: 98.3. Transgender: 98.4 Other: (Specify:)	Demographic information not needed for indirect services. Unlikely to be accurate.

QUESTION		RATIONALE
99.	Of the total number of participants reached by your environmental strategy during the past year (reported in Question 97), indicate how many were in each of the age groups listed below. The number children, youth, young adults, adults, and unknown should add up to the total of new participants reported in Question 97. This response should be written as a whole number (e.g., 4) and not as a percentage. ^E	Demographic information not needed for indirect services. Unlikely to be accurate.
	99.1 Children age 0 to11:	
	99.2 Youth age 12 to 17:	
	99.3. Young adults age 18 to 25:	
	99.4. Adults age 26 and older:	
	99.5. Age unknown:	

QUESTION RATIONALE Of the total number of participants reached by your environmental strategy during the past Demographic information not 100. year (reported in Question 97), indicate how many were in each of the racial groups listed needed for indirect services. below. You will have an opportunity to report ethnicity in the next question. Ethnicity is Unlikely to be accurate. counted separately from race. For example, if you reached African Americans of Hispanic ethnicity, they would be counted in both the ethnicity (Hispanic) category and the race category under African American. The number of American Indian/Alaskan Native, Asian, Black, Pacific Islander, White, multiracial, other, and unknown should add up to the total of participants reported in Question 97. This response should be written as a whole number (e.g., 4) and not as a percentage.^E 100.1. American Indian or Alaska Native: _____ 100.2. Black or African American: _____ 100.3. White: _____ 100.4. Asian: _____ 100.5. Native Hawaiian or Other Pacific Islander: 100.6. Multiracial: _____ 100.7. Other: 100.8. Race unknown:

QUESTION		RATIONALE
101.	Of the total number of participants reached by your environmental strategy during the past year (reported in Question 97), indicate how many were Hispanic/Latino and how many were non-Hispanic/Latino. The number of Non-Hispanic/Latino, Hispanic/Latino, and unknown should add up to the total of participants reported in Question 97. This response should be written as a whole number (e.g., 4) and not as a percentage.E	Demographic information not needed for indirect services. Unlikely to be accurate.
	101.1. Hispanic, Latino/a, or of Spanish origin:	
	101.2. Non-Hispanic, non-Latino/a, and not of Spanish origin:	
	101.3. Hispanic ethnicity unknown:	
105.	For this intervention-service type activity, did you engage in a social marketing or social norms campaign during the past year? Social marketing is using the principles of commercial marketing to develop, implement, and evaluate programs designed to influence the behavior of a target audience. Rather than dictating the way that information is to be conveyed, social marketing involves listening to the needs and desires of the target audience and building the program from there. Social norms campaigns use a variety of methods to correct negative misperceptions (usually overestimations of use) and to identify, model, and promote the healthy, protective behaviors that are the actual norm in a given population. (Select one response.)E • Yes • No	Information not germane to evaluation.
118.4	. What is the total number of unique page views that the Web sites had during the past year ? This response should be written as a whole number (e.g., 4). ^E	Information not germane to evaluation.
		I .
	Specify number of unique page views	

QUESTION	RATIONALE
 118.5. What was the average amount of time spent on the Web sites during the past year? This response should be written in the hours:minutes:seconds format (e.g., 00:14:30 means that the average amount of time spent on the Web site was 14 minutes and 30 seconds).^E Specify time spent (hours:minutes:seconds):: Do not know 	Information not germane to evaluation.
121. Of the total number of participants reached by this information dissemination service type activities during the past year (reported in Question 120), indicate how many were male and how many were female. The number of females, males, and unknown should add up to the total of participants reported in Question 120. This response should be written as a whole number (e.g., 4) and not as a percentage. ^E	Demographic information not needed for indirect services. Unlikely to be accurate.
121.1. Females:	
121.2. Males:	
121.3. Transgender:	
121.4. Other: (Specify:)	
121.5. Gender unknown:	

QUESTION		RATIONALE
122.	Of the total number of participants reached by this information dissemination service type activities during the past year (reported in Question 120), indicate how many were in each of the age groups listed below. The number children, youth, young adults, adults, and unknown should add up to the total of new participants reported in Question 120. This response should be written as a whole number (e.g., 4) and not as a percentage.E	Demographic information not needed for indirect services. Unlikely to be accurate.
	122.1. Children age 0 to 11:	
	122.2. Youth age 12 to 17:	
	122.3 Young adults age 18 to 25:	
	122.4 Adults age 26 and older:	
	122.5. Age unknown:	

QUESTION RATIONALE Of the total number of participants reached by this information dissemination service type Demographic information not 123. activities during the past year (reported in Question 120), indicate how many were in each of needed for indirect services. the racial groups listed below. You will have an opportunity to report ethnicity in the next Unlikely to be accurate. question. Ethnicity is counted separately from race. For example, if you reached African Americans of Hispanic ethnicity, they would be counted in both the ethnicity (Hispanic) category and the race category under African American. The number of American Indian/Alaskan Native, Asian, Black, Pacific Islander, White, multiracial, other, and unknown should add up to the total of participants reported in Question 120. This response should be written as a whole number (e.g., 4) and not as a percentage.E 123.1. American Indian or Alaska Native: _____ 123.2. Black or African American: _____ 123.3. White: _____ 123.4. Asian: _____ 123.5. Native Hawaiian or Other Pacific Islander: 123.6. Multiracial: _____ 123.7. Other: 123.8. Race unknown:

QUESTION	RATIONALE
124. Of the total number of participants reached by this information dissemination service type activities during the past year (reported in Question 120), indicate how many were Hispanic/Latino and how many were non-Hispanic/Latino. The number of Non-Hispanic/Latino, Hispanic/Latino, and unknown should add up to the total of participants reported in Question 120. This response should be written as a whole number (e.g., 4) and not as a percentage. 124.1. Hispanic, Latino/a, or of Spanish origin:	Demographic information not needed for indirect services. Unlikely to be accurate.

AII - Modified Questions

*Additions in red font, removed text in strikethrough.

QUESTIO	RATIONALE	
ent	pe of organization would you say you are? You should identify your organization in terms of as the ity that will be carrying out the activities of the SPF-Rx program. (Select the one response that best scribes your organization.) B, F	Clarification/accuracy language update.
	We are a community coalition. (If selected, you will skip Question 2.)	
	Local public health/mental health government agency responsible for substance abuse prevention	
	Local health/mental health care service provider or facility (e.g., local hospital, community mental health center)	
	Youth-focused local grassroots or community-based service or advocacy organization (e.g., local chapter of Students Against Destructive Decisions [SADD], local youth councils)	
	Non-youth-focused, local grassroots or community-based service or advocacy organization (e.g., substance abuse prevention organizations, YMCAs)	
	Faith-based organization	
	School or school district	
	Law enforcement organization	
	College or university	
	Tribal entity or organization	
	Other government agency, not listed above	
	Other nonprofit organization, not listed above	
	Other (Describe.)	
9. Indi	cate the population(s) you will be focusing on for your SPF Rx prevention activities. In the first	
	lumn, we would like to know if you have very specific groups of people at whom your you are	Clarification language to
	cusing on for your prevention interventions. For example, if you are delivering a prevention rervention to all middle schools in an area, then you would select only "middle school students";	capture population of
	focus.	
yo scl		
	nools. If, however, you are delivering a prevention intervention specifically designed to target high- nool-age Latinos, then you would select Hispanic and high school students. (Note: If you are	
	geting the whole community or jurisdiction, then choose that answer option [9.1], and do not	
	eck all the subpopulations.)	

QUI	ESTION		RATIONALE
10.		Ite the <u>intervening variable(s)</u> you will be targeting for SPF-Rx prevention. (Select all that apply.) ^E	Clarifying the response.
		Have not yet selected an intervening variable to target	
		Laws related to prescription drugs	
		Level of enforcement	
		Social access to prescription drugs (e.g., through friends or family members)	
		Physician/prescriber registration with prescription drug monitoring program	
		Physician/prescriber use of prescription drug monitoring program (increased queries)	
		Rate of opioid prescribing	
		Rate of high dose (>90 MME/day) opioid prescribing	
		Rate of multiple prescriber episodes for opioid pain medications (or other indicators of possible "doctor shopping")	
		Norms—perceived parent or peer attitudes or both (towards prescription drug misuse)	
		Norms—perceived peer or friend misuse of prescription drugs	
		Perceived risk of harm of prescription drug misuse	
		Perceived risk of getting caught misusing prescription drugs (e.g., by parents or law enforcement)	
		Family communication around prescription drug misuse	
		Resistance or life skills or both	
		Availability of prosocial activities	
		Other intervening variable (Describe.)	
		Other intervening variable (Describe.)	
		Other intervening variable (Describe.)	

	organization's capacity at the time the SPF-Rx grant was	awarded.) '	<u>. </u>			grantees.
curren	nuch would you agree or disagree that your organization tly has enough capacity in each of the following areas to vely implement your SPF-Rx prevention efforts?	Strongly disagree	Disagree	Agree	Strongly agree	
12.1.	Capability and experience using the 5 SPF steps					
12.2.	Experience with the target population populations of focus for prescription drug misuse prevention					
12.3.	Experience working with health care providers and pharmacists for prescription drug misuse prevention					
12.4.	Experience with relevant interventions for prevention of prescription drug misuse					
12.5.	Experience collaborating with other organizations on interventions to prevent prescription drug misuse					
12.6.	Capability to use prescription drug monitoring program (PDMP) data for prevention planning and surveillance					
12.7.	Capability to use PDMP data for prevention evaluation					
12.8.	Capability to combine PDMP with other data sources (e.g., overdose data) for prevention planning					
12.9.	Staff with the right skills to effectively implement SPF-Rx prevention efforts					
12.10.	Enough staff to effectively implement SPF-Rx prevention efforts					
12.11.	Enough fiscal/financial resources to effectively implement SPF-Rx prevention efforts					
12.12.	Capability to sustain the prevention efforts over time					

QUESTION	RATIONALE	
	tive" refers to stakeholders/partners who demonstrated support or participation in your activities linterventions during the past year.	
	g the past Federal fiscal year, approximately how often did you receive updated PDMP ts for your SPF-Rx target communities (or the closest available substate area)? <i>(Select one)</i> ^E	Clarification.
	Did not receive any PDMP data/reports in the past fiscal year	
	Once	
	Semi-annually (twice per year)	
	Quarterly	
	Every other month	
	Monthly	
	Other (Specify.)	

QU	ESTION		RATIONALE
23.	In- Duri	ing this reporting period, how have you worked to develop or enhance data infrastructure needed	Clarification.
	for	data-driven needs assessment, planning, monitoring, and evaluation? (Select all that apply.) ^E	
		Not applicable; no work was done to enhance data infrastructure during this reporting period	
		Developed or enhanced procedures for accessing prescription drug monitoring program (PDMP) data/reports	
		Developed or enhanced procedures for accessing hospital data	
		Developed or enhanced procedures for accessing data from other agencies (e.g., vital statistics, Census)	
		Developed or implemented a community-level survey data collection effort	
		Developed or implemented a community-led qualitative data collection effort (e.g., interviews, focus groups)	
		Created or enhanced a local database to house community surveillance data	
		Developed procedures for participation in a state/tribal/jurisdiction database	
		Enhanced skills or expertise of local stakeholders to use PDMP data	
		How did you enhance skills or expertise of local stakeholders to use PDMP data? (Check all that apply)	
		For development of local strategies and interventions (e.g., with medical and pharmacy communities)	
		For surveillance and performance monitoring	
		Other (Describe.)	
		Developed procedures for utilizing PDMP data provided by the state/tribal entity/jurisdiction	
		Developed or enhanced standardized prescription drug/opioid misuse surveillance reports	
		Other (Describe.)	

QUESTIO	RATIONALE	
pre	the past Federal fiscal year, how have you worked to ensure that prescription drug misuse vention intervention activities and outcomes continue after SPF-Rx funding has ended? (Select all t apply.) ^E	Clarification
	Not applicable; no work was done in the past year to ensure that prescription drug misuse prevention intervention activities and outcomes continue after SPF-Rx funding has ended.	
	Leveraged, redirected, or realigned other funding sources or in-kind resources (e.g., used the success of the SPF-Rx efforts to secure other funds)	
	Worked to ensure that prescription drug misuse prevention intervention activities are incorporated into the missions/goals and activities of other organizations (e.g., medical boards, local pharmacies, school districts, law enforcement agency)	
	Worked to ensure that prescription drug misuse prevention staff positions are integrated folded into other organizations (e.g., health departments, school districts, community agencies)	
	Worked to gain <i>formal</i> adoption of prescription drug misuse prevention intervention activities into other organizations' practices (e.g., health care provider organizations, pharmacies, medical school curriculum, school district curriculum, organizational policy change)	
	Worked to inform, help implement, or provide education related to new laws, policies, or regulations to guarantee the continuation of prescription drug misuse prevention intervention activities or outcomes	
	Worked on developing a prescription drug misuse partnership structure that will continue to function beyond the end of the SPF-Rx grant period	
	Worked to create sustainable data infrastructure and staffing to continue to monitor PDMP and other surveillance data after SPF-Rx grant ends	
	Other (Describe.)	
-	ou or your community partners deliver any SPF-Rx related prevention interventions during the Federal fiscal year? Select one response.) ^E	Clarification
	Yes	
	No (If selected, you will skip Questions 26–124.)	

QUES	TION						RATIONALE
28.1	practice outco publice with cointerving a public in a	or knowledge, is this in the ce? (A promising pract mes, but it does not you health outcomes. An elemonstrated effects.) entions that come from the come from the come from the come of th	Removal of promising practice reference and updating of the evidence-based practice, policy, and programs definition to align with other SAMHSA – CSAP instruments.				
		es					
		lo Oon't know					
	— L	OH CKNOW					
32.	preve workp reache Use of target	uestions 32.1–32.5, indention intervention-servalaces), list each setting es the whole county, you ne line to describe each population re appropriate for this	Updated terminology to be culturally sensitive to tribal grantees.				
	32.4. Target population Population of focus description business, community center) 32.4. Target population Population of focus description (Describe; 500-character limit) 32.5. What is the estimated target population population of focus number intended to reach within the area described? a described? a						
	1.						
	2.						
	3.						
	4.						
	5.						

QUESTION I								RATIONALE
	6.							
	7.							
	8.							
	9.							
	10.							
	commu 12- to : target college	unity. For example, if 10,00 20-year-old age group for t population for this prevent	0 individuals live his prevention in ion intervention target population	e in the area (i ntervention st n strategy is m on-populatio n	total population), but on trategy, your estimated to ore specific (e.g., Hispani of focus number would b	than the total population in the ly 3,000 of those are in the targe arget population is 3,000. If your ic high school students or nonce even smaller (e.g., 200). Report		

QUESTION	RATIONALE
44. Estimate the total number of individuals in your target population-population of focus who were reached (defined as served by the program) or affected by this community-based process intervention-service type during the past Federal fiscal year. Approximately how many individuals were affected by the results of this intervention-service type? (Note: Because this is a population-based intervention, you are asked to estimate the number of people reached. In most cases, this number should not exceed the sum of the target population populations of focus you reported in item 32.7 for this service type. For direct service interventions, such as prevention education, you will be asked to report the number directly served.) ^E (Prepopulate: Sum of reported target population population of focus in item 32.7 for this service type:	Updated terminology to be culturally sensitive to tribal grantees.
Enter the estimated number of individuals in the target population population of focus reached or affected by this intervention-service type. (If none, enter "0"—you will automatically proceed to the end of this sub-form.)	
53. Of the total number of <u>participants</u> served by this prevention education intervention during the past year (reported in Question 52), indicate how many were male and how many were female. The number of females, males, transgender, other, and unknown should add up to the total of participants reported in Question 52. This response should be written as a whole number (e.g., 4) and not as a percentage. ^E	Updating directions to accurately reflect responses available.
53.1. Females: 53.2. Males:	
53.3. Transgender:	
53.4. Other:)	
53.5. Gender unknown:	

QUESTION	RATIONALE
65. Of the total number of <u>participants</u> served or reached by this alternative drug-free activity during the past year (reported in Question 64), indicate how many were male and how many were female. The number of females, males, transgender, other, and unknown should add up to the total number of participants reported in Question 64. This response should be written as a whole number (e.g., 4) and not as a percentage. ^E	Updating directions to accurately reflect responses available.
65.1. Females:	
65.2. Males:	
65.3. Transgender:	
65.4. Other:(Specify:)	
65.5. Gender unknown:	
73. What was the total number of individuals for whom this-served by the problem identification and referral services were provided during the past year? This response should be written as a whole number (e.g., 4).E individuals (If none, enter "0"—you will automatically proceed to the end of this sub-form.)	Language clarification.
128.16. Stressful events affecting large portions of the target population-population of focus (e.g., natural disasters or other unexpected traumatic community events) (Describe.)	Updated terminology to be culturally sensitive to tribal grantees.

Attachment 2 Grantee-Level Outcomes – Deleted Questions

QUESTION RATIONALE Data can be collected in 1.1 **Hospital Data for Opioid Overdoses** SPARS using an equivalent module that is used by Grantees are required to report data on emergency department visits involving opioid overdose. If other grant programs. emergency department data are not available, please provide hospital admissions data. If no hospital data are available, submit a substitute data request for alternative overdose data you may have (e.g., emergency medical service data). Report data by age group and sex. If you cannot obtain outcomes by age and sex, provide an explanation after the table. If feasible, please provide information on ethnicity and race. State grantees do not need to report information in the Population (Denominator) field, as these data will be pulled from the CDC's WONDER database. Tribal and nonstate jurisdiction grantees are asked to provide the total number of residents for the Population (Denominator) field. Data Source Time Frame (Start Date and End Date) Indicate the time frame during which data for this measure were collected. Enter the start date and end date for the time period of the data you are submitting. Start Date: _____ (month/day/year) _(month/day/year) End Date: Types of Opioid For which types of opioid are you submitting data now? (You are asked to provide data for all opioids excluding heroin, and then separately for heroin. Please see the guidance manual for details on how to report the data, including the specific ICD-10 codes.) If you cannot provide the data broken out as requested, choose "other," and specify the types of opioids that are included in your data. Provide any additional relevant information about the data in the Data Comments section below. (Select One) Opioids excluding heroin Heroin Other (Specify types of opioids that are included:

QUESTION RATIONALE

Note: For the table below, provide the data you have available, and where you do not have data, leave the field blank. For example, if you do not have any data related to "sex," you would put the total number of cases in the "unavailable" category and leave the "male" and "female" cells blank. On the other hand, if the known value of an item is 0, then enter 0 in that cell. For example, if you have hospital data, which show that there were no emergency department visits involving opioid overdose, you would enter 0 in that cell.

Hospital Data for Opioid Overdoses

		Emergency	Total Emergency		
		Department	Department	Hospitalizations	Total
Demographic	Population	Visits Involving	Visits	Involving Opioid	Hospitalizations
Group	(Denominator)	Opioid Overdose	(Denominator)	Overdose	(Denominator)
Total					
Total		Numerical	Numerical	Numerical	Numerical
By age					
<18 yr	State grantees	Numerical	Numerical	Numerical	Numerical
18-24 yr	do not need to	Numerical	Numerical	Numerical	Numerical
25-34 yr	provide	Numerical	Numerical	Numerical	Numerical
35-44 yr	population	Numerical	Numerical	Numerical	Numerical
45-54 yr	data, as they	Numerical	Numerical	Numerical	Numerical
55-64 yr	will be pulled	Numerical	Numerical	Numerical	Numerical
65+	from CDC	Numerical	Numerical	Numerical	Numerical
Unavailable	WONDER	Numerical	Numerical	Numerical	Numerical
Sex					
Male		Numerical	Numerical	Numerical	Numerical
Female		Numerical	Numerical	Numerical	Numerical
Other		Numerical	Numerical	Numerical	Numerical
Unavailable		Numerical	Numerical	Numerical	Numerical
By ethnicity (if a	vailable)				
Hispanic or		Numerical	Numerical	Numerical	Numerical
Latino		Numerical	Numerical	Numerical	Numerical
Not Hispanic or		Numerical	Numerical	Numerical	Numerical
Latino			Numerical	Numerical	Numerical
Unavailable		Numerical	Numerical	Numerical	Numerical

RATIONALE

QUESTION								
Demographic Group	Population (Denominator)	Emergency Department Visits Involving Opioid Overdose	Total Emergency Department Visits (Denominator)	Hospitalizations Involving Opioid Overdose	Total Hospitalizations (Denominator)			
Total			Total					
Demographic Group	Population (Denominator)	Emergency Department Visits Involving Opioid Overdose	Emergency Department Visits (Denominator)	Hospitalizations Involving Opioid Overdose	Total Hospitalizations (Denominator)			
By race (if availal	ble)							
White		Numerical	Numerical	Numerical	Numerical			
Black or African American	Chahamantana	Numerical	Numerical	Numerical	Numerical			
Asian	State grantees do not need to	Numerical	Numerical	Numerical	Numerical			
Native Hawaiian or Other Pacific Islander	provide population data, as they will be	Numerical	Numerical	Numerical	Numerical			
American Indian or Alaska Native	pulled from CDC WONDER	Numerical	Numerical	Numerical	Numerical			
Two or more races		Numerical	Numerical	Numerical	Numerical			
Unavailable		Numerical	Numerical	Numerical	Numerical			

Data Source(s): List all data sources for your data.

Data Comments

Please provide any additional information about the data source(s) or any other information that would be useful in understanding the overdose data you have provided.

Data	Additional Information
Population	Free text

QUES	TION			RATIONALE
	Emergency Department Visits Involving Opioid Overdose	Free text		
	Hospitalizations Involving Opioid Overdose	Free text		
	Other Opioid Overdose Events (for Approved Substitute Dawnere you report any alternative opioid overdose data if you would need to submit a substitute data source request an	do not have access to hospital (data.	Data can be collected in SPARS using an equivalent module that is used by other grant programs.
	Substitute Date Source			
	[Dropdown box that lists all the approved Substitute Data S	ource Requests for this grantee]	ſ	
Indica	Data Source Time Frame (Start Date and End Date) te the time frame during which data for this measure were co	ollected. Enter the start date and	end date	
	Data Source Time Frame (Start Date and End Date) te the time frame during which data for this measure were continue to the time period of the data you are submitting.	illected. Enter the start date and	end date	
for the	te the time frame during which data for this measure were co		end date	
for the	te the time frame during which data for this measure were co time period of the data you are submitting.	r)	end date	
for the	te the time frame during which data for this measure were co time period of the data you are submitting. Date:(month/day/year	r)	end date	
For whexclud	te the time frame during which data for this measure were co e time period of the data you are submitting. Date:(month/day/year ate:(month/day/year	r) sked to provide data for all opioi dance manual for details on hov provide the data broken out as e included in your data. Provide	ds v to	
For whexclud	te the time frame during which data for this measure were continued to the data you are submitting. Date:(month/day/year are:(month/day/year are:(month/day/year are:(month/day/year are submitting data now? (You are as ing heroin, and then separately for heroin. Please see the guing your data, including the specific ICD-10 codes.) If you cannot sted, choose "other," and specify the types of opioids that are	r) sked to provide data for all opioi dance manual for details on hov provide the data broken out as e included in your data. Provide	ds v to	

QUESTION			RATIONALE
	Other (Specify types of opioids that are included:)	

Other Opioid Overdose Events (for Approved Substitute Data Source)

Demographic Group	Population (Denominator)	Other Opioid Overdose Events (optional)	Total Number Events (Denominato
Total			
Total		Numerical	Numerical
By age			
<18 yr		Numerical	Numerical
18-24 yr		Numerical	Numerical
25-34 yr	State grantees do not need to provide population data, as they will be pulled from CDC WONDER	Numerical	Numerical
35-44 yr		Numerical	Numerical
45-54 yr		Numerical	Numerical
55-64 yr		Numerical	Numerical
65+ yr		Numerical	Numerical
Unavailable		Numerical	Numerical
By sex			
Male		Numerical	Numerical
Female		Numerical	Numerical
Other		Numerical	Numerical
Unavailable		Numerical	Numerical

Data Comments

Please provide any additional information about the data source or other information that would be useful in understanding the overdose data you have provided.

QUES	STION				RATIONALE
	Popula	tion	Free text		
	Other (Opioid Overdose Events	Free text		
	Opioid Cossection, grees do not passe.		Data can be collected in SPARS using an equivaler module that is used by other grant programs.		
	Data Sou	urce Time Frame (Start Date and End Date)			
for th	e time peri	e frame during which data for this measure were collectiod of the data you are submitting(month/day/year)	cted. Enter the start date and end da	ate	
Ena L	Types of	(month/day/year)			
exclud repor reque	ding heroin t your data ested, choo	of opioid are you submitting data now? (You are asked a, and then separately for heroin. Please see the guidan a, including the specific ICD-10 codes.) If you cannot pro use "other," and specify the types of opioids that are incomments so	nce manual for details on how to by		
		Opioids excluding heroin			
		Heroin			
		Other (Specify types of opioids that are included:)		

QUESTION	RATIONALE
----------	-----------

In the table below, provide the number of opioid deaths by age and sex. If you cannot obtain outcomes by age and sex, provide an explanation after the table.

Opioid Overdose Deaths

Opiola Overdose Deati							
Demographic	Population	Opioid Overdose	Total Deaths				
Group	(Denominator)	Deaths	(Denominator)				
Total							
Total	State grantees do not ne	ed to provide these data, as WONDER	s they will be pulled from CDC				
By age							
<18 yr							
18-24 yr							
25-34 yr	State grantees do not need to provide these data, as they will be pulled from CDC						
35-44 yr	WONDER						
45-54 yr							
55-64 yr							
65+ yr							
Unavailable							
By sex							
Male							
Female	State grantees do not ne	ed to provide these data, as WONDER	s they will be pulled from CDC 				
Other		WONDER					
Unavailable							

Data Source(s): List all data sources for your data.

QUEST	ION			RATIONALE
	Data Comments			
	provide any additional provide information about the control of the overdose death data you have pro		hat would be	
	Data	Additional Information		
	Population	Free text		
	Opioid Overdose Deaths	State grantees do not need to provide this information		
	the relevant consumption outcome indicator that you Prescription Drug Misuse/Abuse Percentage of target population with any mis	Data can be collected in SPARS using an equivalent module that is used by other grant programs.		
	Percentage of target population with any mis months	use of prescription drugs during th	ne past 12	
<u> </u>	rescription Pain Reliever Misuse/Abuse			
	Percentage of target population with any mis days			
	Percentage of target population with <i>any</i> mis past 12 months	use of prescription pain relievers o	during the	

QUES	10IT	RATIONALE	
Other	Targ	eted Prescription Drug Measure Specify substance and measure:	
		Time Period (Select one): Past 30-day use Past 12-month use	
		Other time period (Specify:)	
3.2		rvey Information and Results Name of Survey:	Data can be collected in SPARS using an equivalent module that is used by other grant programs.
	b.	Survey Item/Question: Enter the source item verbatim, exactly as it appears on the survey instrument.	
		Response Option(s): Enter the entire set of response options verbatim, exactly as they appear on the survey instrument.	
		If applicable, provide the associated codes for each response that was used in analyses.	
	c.	Reported Outcome Description: Provide a description of the specific outcome you will be reporting for this measure; for example, the percentage of 9 th grade students with any misuse of prescription drugs in the past 12 months.	

											RATIONALE
ı.	Survey Popul	ation Age	e Range (or grad	les if scho	ol surv	/ey): Indica	te whe	ther th	e survey	
	population w	as define	d by age	or grad	le level, ar	nd prov	ide the app	olicable	e age ra	nge or grades.	
	Age Ran	ge. Insert	t below tl	ne lowe	er and upp	er bou	unds for the	e age ra	inge foi	r the population	
	represer	nted by th	ne survey	. The p	ossible va	lues m	ust fall bety	ween a	ges 1 a	nd 99. For a	
	commur	nity surve	y of adul	s, for e	example, y	ou wo	uld enter a	ge 18 a	s the lo	ower bound and	
	99 as the	e upper b	ound. Hc	wever,	, if you are	e repor	ting results	for a s	ubset c	of adults surveyed	
						-	_			d 25 as the upper	
	bound.	800 20 00		.,						э. до ас ало арро.	
	bouria.										
	Minimur	m		_ M	laximum_						
	■ Grades.	Select the	e grade(s) of the	e populatio	on repi	resented by	the su	ırvey ar	nd for which you	
	are repo	rting data	a. For exa	mple, i	if the surv	ey was	administe	red to g	grades	9 and 11, and the	
	current	data bein	g reporte	d are f	or grade 9	stude	nts, then se	elect gr	ade 9.		
	Select ar	plicable	grades:								
		K		3		6		9		12	
		1		4		7		10		College	
		2		5		8		11		Č	
		_		3		Ü	_				

QUEST	101		RATIONALE
	f.	Description of Sampling Design: Indicate what type of sampling was used for the survey.	
		Census	
		Convenience sample	
		Random sample	
		☐ Stratified random sample	
	g.	Data Collection Date: Provide the month and year in which the survey was conducted. If the	
		data collection took multiple months, the month at the middle of the period should be reported.	
		If it took an even number of months, report the middle month closer to the end date. If multiple	
		years of data were combined into a single estimate due to small sample size, insert the month	
		and year of the most recent survey date and check "multiple year pooled estimate" below.	
		[Note: Use of multiyear estimates must be preapproved by CSAP.]	
		Month/Year	
		Is this a multiple year pooled estimate?	
		Yes If Yes: Report the data collection years for the multiyear pooled estimate you are reporting. For example, 2016; 2017.	
		□ No	
	h.	Value Type: Select the type of number you will report in the Calculated Value field. If you are	
		reporting a value type other than those listed, select "Other," and describe the value type.	
		■ Percentage	
		□ Mean	
		Other (Describe)	
	i.	Calculated Value: Enter your actual numeric result. For example, you may enter "10" to indicate	

QUESTION	QUESTION						
	that 10% of the target population reported misuse of prescription drugs in the past 12 months.						
							
j.	Standard Error: Enter the standard error for the calculated value, computed to take account of						
	the sampling design (e.g., simple random or two-stage cluster design)						
k.	Standard Deviation: Enter the standard deviation for the calculated value, computed to take						
	account of the sampling design (e.g., simple random or two-stage cluster design).						
l.	Survey Item Valid N: Provide the total number of respondents with a valid response (i.e., not						
	missing) to the survey item (the denominator for the data you are reporting)						
m.	Comments (Maximum 1,500 characters): Provide any comments you feel may be helpful in						
	understanding the data and information you have provided.						

Attachment 3

Community-Level Outcomes - Deleted Questions

QUESTION	RATIONALE
1.1 Hospital Data for Opioid Overdoses	Data can be collected in
Grantees are required to report opioid overdose data for subrecipient communities, including data on emergency department visits involving opioid overdose. If emergency department data are not available, please provide hospital admissions data. If no hospital data are available, submit a substitute data request for alternative overdose data you may have (e.g., emergency medical service data).	SPARS using an equivalent module that is used by other grant programs.
Data Source Time Frame (Start Date and End Date)	
Indicate the time frame during which data for this measure were collected. Enter the start date and end date for the time period of the data you are submitting.	
Start Date:(month/day/year)	
End Date:(month/day/year)	
Types of Opioid	
For which types of opioid are you submitting data now? (You are asked to provide data for all opioids excluding heroin, and then separately for heroin. Please see the guidance manual for details on how to report your data, including the specific ICD-10 codes.) If you cannot provide the data broken out as requested, choose "other," and specify the types of opioids that are included in your data. Provide any additional relevant information about the data in the Data Comments section below. (Select One)	
Opioids excluding heroin	
Heroin	
Other (Specify types of opioids that are included:)	
Hospital Data for Opioid Overdoses	

RATIONALE

QUESTION					
	Population (Denominator)	Emergency Department Visits Involving Opioid Overdose	Total Emergency Department Visits (Denominator)	Hospitalizations Involving Opioid Overdose	Total Hospitalizations (Denominator)
Total	Numerical	Numerical	Numerical	Numerical	Numerical

Data Source(s): List all data sources for your data.

Data Comments

Please provide any additional information about the data source or any other information that would be useful in understanding the overdose data you have provided.

Data	Additional Information
Population	Free text
Emergency Department Visits Involving Opioid Overdose	Free text
Hospitalizations Involving Opioid Overdose	Free text

1.2 Other Opioid Overdose Events (for Approved Substitute Data Source)

This is where you report any alternative opioid overdose data for your subrecipient communities if you do not have access to hospital data. First, you would need to submit a substitute data request and get it approved.

Substitute Date Source

[Dropdown box that lists all the approved Substitute Data Source Requests for this grantee]

Data Source Time Frame (Start Date and End Date)

Indicate the time frame during which data for this measure were collected. Enter the start date and end date for the time period of the data you are submitting.

Data can be collected in SPARS using an equivalent module that is used by other grant programs.

QUESTION						RATIONALE		
Start Date:	rt Date:(month/day/year)							
End Date:			(month/day/year	·)				
Types of	Opioid							
excluding heroin report your data requested, choos	For which types of opioid are you submitting data now? (You are asked to provide data for all opioids excluding heroin, and then separately for heroin. Please see the guidance manual for details on how to report your data, including the specific ICD-10 codes.) If you cannot provide the data broken out as requested, choose "other," and specify the types of opioids that are included in your data. Provide any additional relevant information about the data in the Data Comments section below. (<i>Select One</i>)							
	Opioids ex	cluding heroin						
	Heroin							
Other O								
	Population (Denominator) Other Opioid Overdose Events (optional) Total Number of Events (Optional)							
Total		Numerical	Numerical	Numerical				
Data Cor	Data Comments							
Please provide a understanding th	1							
		Data		Additional	Information			
Populat	tion			Free tex	ĸt			
Other C	Opioid Ov	erdose Events		Free tex	ĸt			

QUESTION		RATIONALE
1.3 Opioid Ove In this section, Grantees do no pulled from the non-county sul	Data can be collected in SPARS using an equivalent module that is used by other grant programs.	
Data S	ource Time Frame (Start Date and End Date)	
	ne frame during which data for this measure were collected. Enter the start date and end date riod of the data you are submitting.	
Start Date:	(month/day/year)	
End Date:		
For which type excluding hero report your data requested, cho	of Opioid s of opioid are you submitting data now? (You are asked to provide data for all opioids in, and then separately for heroin. Please see the guidance manual for details on how to ta, including the specific ICD-10 codes.) If you cannot provide the data broken out as ose "other," and specify the types of opioids that are included in your data. Provide any vant information about the data in the Data Comments section below. (Select One) Opioids excluding heroin Heroin Other (Specify types of opioids that are included:)	

QUESTION RATIONALE Opioid Overdose Deaths In the table below, provide the total population (total number of residents in the jurisdiction), the total number of opioid deaths, and the total number of deaths. **Opioid Overdose Deaths Total Deaths Population Opioid Overdose** (Denominator) Deaths (Denominator) Total Numerical Numerical Numerical Data Source(s): List all data sources for your data. **Data Comments** Please provide any additional information about the data source or other information that would be useful in understanding the overdose death data you have provided. Additional Information Data **Population** Free text State grantees do not need to **Opioid Overdose Deaths** provide this information Targeted Outcome Measure of Consumption/Prescription Drug Misuse 3.1 Data can be collected in **Prescription Pain Reliever Misuse/Abuse** SPARS using an equivalent module that is used by Percentage of target population with any misuse of prescription pain relievers in the past 30 other grant programs. days Percentage of target population with any misuse of prescription pain relievers during the past 12 months

QUES	10IT	N Company of the Comp		RATIONALE
<u>Other</u>	Targ	eted Prescription Drug Outcome Measure		
		Specify substance and measure:	_	
			_	
		Time Period (Select one):		
		Past 30-day use		
		Past 12-month use		
		□ Other time period (Specify:)	
3.2	Su	rvey Information and Results		
	a.	Name of Survey:		
	b.	Survey Item/Question: Enter the source item verbatim, exactly as it appears on th instrument.	e survey	
		Response Option(s): Enter the entire set of response options verbatim, exactly as the survey instrument.	they appear on	
		If applicable, provide the associated codes for each response that was used in anal	yses.	
	c.	Reported Outcome Description: Provide a description of the specific outcome you	will be	
		reporting for this measure; for example, the percentage of 9 th grade students with	any misuse of	
		prescription drugs in the past 12 months.		
	d.	Survey Population Age Range (or grades if school survey): Indicate whether the su	urvey	

STION	1											RATIONALE
	pop	ulation wa	as defin	ed by age o	or grade	level, an	nd prov	ide the ap	plical	ole age ra	ange or grades.	
	☐ Age Range. Insert below the lower and upper bounds for the age range for the population represented by the survey. The possible values must fall between ages 1 and 99. For a											
		commun	ity surv	ey of adult	s, for exa	ample, y	ou wo	uld enter	age 18	as the l	ower bound and	
		99 as the	upper	bound. Ho	wever, if	you are	repor	ting result	s for a	subset	of adults surveyed	
		—e.g., а	ges 18 t	o 25—ther	ı you wo	uld ente	er age 1	L8 as the l	ower	oound ar	nd 25 as the upper	
		bound.										
		Minimur	n		_ Max	kimum_						
		Grades.	Select t	he grade(s)	of the p	opulatio	on repr	esented b	y the	survey a	nd for which you	
		are repo	rting da	ita. For exa	mple, if t	the surv	ey was	administ	ered t	o grades	9 and 11, and the	
		current o	data be	ing reporte	d are for	grade 9	stude	nts, then :	elect	grade 9.		
		Select ap	plicabl	e grades:								
			K		3		6		9		12	
			1		4		7		10		College	
			2		5		8		11			
e.		_		ptors: Desc nple, Latino	-		listingu	ishing cha	racte	ristics of	the sample, if	
f.	Des	cription o	f Samp	ling Design	: Indicate	e what t	ype of	sampling	was u	sed for t	he survey.	
		Census										
		Convenie	nce san	nple								

QUESTION	V	RATIONALE
	Random sample	
	■ Stratified random sample	
g.	Data Collection Date: Provide the month and year in which the survey was conducted. If the	
	data collection took multiple months, the month at the middle of the period should be reported.	
	If it took an even number of months, report the middle month closer to the end date. If multiple	
	years of data were combined into a single estimate due to small sample size, insert the month	
	and year of the most recent survey date and check "multiple year pooled estimate" below.	
	[Note: Use of multiyear estimates must be preapproved by CSAP.]	
	Month/Year	
	Is this a multiple year pooled estimate?	
	Yes If Yes: Report the data collection years for the multiyear pooled	
	estimate you are reporting. For example, 2016; 2017.	
	□ No	
h.	Value Type: Select the type of number you will report in the Calculated Value field. If you are	
	reporting a value type other than those listed, select "Other," and describe the value type.	
	- Deventage	
	Percentage	
	Mean	
	Other (Describe)	
i.	Calculated Value: Enter your actual numeric result. For example, you may enter "10" to indicate	
	that 10% of the target population reported misuse of prescription drugs in the past 12 months.	

QUESTION	RATIONALE	
j.	Standard Error: Enter the standard error for the calculated value, computed to take account of	
	the sampling design (e.g., simple random or two-stage cluster design)	
k.	Standard Deviation: Enter the standard deviation for the calculated value, computed to take	
	account of the sampling design (e.g., simple random or two-stage cluster design).	
I.	Survey Item Valid N: Provide the total number of respondents with a valid response (i.e., not	
	missing) to the survey item (the denominator for the data you are reporting).	
m.	Comments (Maximum 1,500 characters): Provide any comments you feel may be helpful in	
	understanding the data and information you have provided	

Attachment 4

Grantee Interview Protocol - Deleted Questions

QUESTION	RATIONALE
IF NOT BASELINE INTERVIEW, GO TO QUESTION 7. BASELINE INTERVIEW ONLY	Baseline only measure. No longer relevant.
5. Have you been able to receive any PDMP data or PDMP reports yet to use for planning or implementing your SPF-Rx effort at the state (or tribal) level?	
Yes No	
[IF YES] How do you receive the data?	
a. Do you receive summary statistics from the PDMP office?	
Yes No	
b. Do you receive a deidentified data file that you can analyze?	
Yes No	
[IF NO] Please describe the challenges or barriers to accessing any PDMP data for SPF- Rx prevention work. [SKIP TO QUESTION 7]	
6. Were you able to use PDMP data to help make decisions about selection and funding of SPF-Rx community subrecipients?	Baseline only measure. No longer relevant.
Yes No	longer relevant.
[IF YES] Please describe how you used PDMP data for decision-making about selecting and funding community subrecipients.	
[IF NO] Please describe the challenges or barriers to using PDMP data for subrecipient selection.	

Grantee Interview Protocol - Modified Questions

QUESTION	RATIONALE
 [Now that you're near the end of the grant], hHow has the SPF-Rx initiative contributed to your state's (or tribe's) planning and decision-making process for prevention of prescription drug misuse? This process might involve your Advisory Council, EOW, and EBPW. 	Removed all references to baseline.
ALL INTERVIEWS	
[INTRO IF BASELINE] Since the beginning of your SPF-Rx grant, [INTRO IF FOLLOW-UP] 7. Since our last interview in (YEAR),	Removed all references to baseline.
7. What has changed in your capacity, understanding, or ability to use PDMP data for prevention?	
PROBES	
a. Have there been any <u>significant changes in the quality</u> of the PDMP	
data? [IF YES] Please summarize the changes.	
b •Have there been any changes in <u>your access or capacity</u> to use PDMP for your prevention efforts?	
For example, this could relate to using PDMP data in new ways to monitor prescribing trends, or making more use of unsolicited reports.	
[IF YES] In what ways has your capacity improved at the grantee level?	
[IF YES] How were you able to accomplish these improvements in capacity for using PDMP data?	

QUEST	ION	RATIONALE
9.	How [are you planning to/have you been] facilitating your community subrecipients' use of PDMP data reports for prevention?	Removed all references to baseline
	PROBES	
	 Are Did you encountering any major challenges or barriers to using PDMP data reports at the subrecipient community level? Yes No	
	 [IF BASELINE PROBE] Are privacy concerns a key barrier to using PDMP-data reports at the community level? 	
	Yes No	
	b. How are were you able to address the main challenges or barriers to using PDMP data reports at the community level?	
	C. Since the start of SPF-Rx, how has capacity improved to use PDMP data at the community level?	

Removed Instrument Substitute Data Request Form

This form was removed from the OMB package because an equivalent module exists in SPARS. The form is attached to this document.

