



# Kansas Wheat Varieties

Kansas Field Office · 3705 Miller Parkway, Ste. A · Manhattan, KS 66503 · (800) 582-6443 · [www.nass.usda.gov](http://www.nass.usda.gov)  
Media Contact: Doug Bounds · Released March 4, 2022

## SY Monument is Top Variety for Fourth Consecutive Year


SY Monument, the top-planted variety since 2019, accounts for 6.8% of the State's 2022 wheat planted acres. WB Grainfield ranks second at 5.1%. Bob Dole ranks third at 3.5%. Langin and Winterhawk tie for fourth at 2.5%. SY Wolverine is the sixth most popular variety at 2.4%. Everest takes seventh place at 2.3%. T158 and Zenda are in a tie for eighth place at 2.1%. WB 4515 rounds out the top ten with 1.8% of planted acres.

Area planted with blended varieties is not included in the rankings by variety. Blends account for 13.6% of the State's planted acreage, up from 9.8% last year. Hard white varieties account for 2.4% of the State's acreage, down from 5.3% last year.

There are 1,334 positive reports summarized for this year's Wheat Varieties survey. The Kansas Wheat Commission funds data collection and publication of the *Kansas Wheat Varieties* report.

## Kansas Winter Wheat Varieties Seeded – Agricultural Statistics Districts: 2022

Percent of seeded acreage



(D) Withheld to avoid disclosing data for individual operations.

<sup>1</sup> Hard White Winter Variety.

## Kansas Winter Wheat Varieties Seeded – Agricultural Statistics Districts and State: 2022

[May not add due to rounding]

| Variety                            | North-west<br>(Percent) | West Central<br>(Percent) | South-west<br>(Percent) | North Central<br>(Percent) | Central<br>(Percent) | South Central<br>(Percent) | North-east<br>(Percent) | East Central<br>(Percent) | South-east<br>(Percent) | State<br>(Percent) |
|------------------------------------|-------------------------|---------------------------|-------------------------|----------------------------|----------------------|----------------------------|-------------------------|---------------------------|-------------------------|--------------------|
| SY Monument.....                   | 4.1                     | 1.3                       | 3.1                     | 8.1                        | 15.8                 | 7.8                        | (D)                     | 7.0                       | (D)                     | 6.8                |
| WB Grainfield.....                 | 11.4                    | 8.3                       | 6.4                     | 5.0                        | 4.2                  | 1.1                        | -                       | -                         | -                       | 5.1                |
| Bob Dole.....                      | -                       | -                         | -                       | 6.2                        | 6.5                  | 7.0                        | (D)                     | 9.0                       | (D)                     | 3.5                |
| Langin.....                        | 6.1                     | 11.1                      | 1.2                     | -                          | -                    | -                          | -                       | -                         | -                       | 2.5                |
| Winterhawk.....                    | 1.3                     | (D)                       | 11.1                    | 2.5                        | (D)                  | 1.2                        | -                       | -                         | -                       | 2.5                |
| SY Wolverine.....                  | 2.4                     | 1.1                       | 3.1                     | 4.9                        | 2.7                  | 2.1                        | 1.7                     | (D)                       | -                       | 2.4                |
| Everest.....                       | -                       | -                         | (D)                     | 1.2                        | 3.6                  | 1.4                        | 6.2                     | 7.2                       | 21.8                    | 2.3                |
| T158.....                          | (D)                     | 5.4                       | 7.1                     | -                          | (D)                  | (D)                        | -                       | -                         | -                       | 2.1                |
| Zenda.....                         | -                       | -                         | -                       | 2.0                        | 4.1                  | 3.3                        | 8.4                     | 3.7                       | 6.7                     | 2.1                |
| WB 4515.....                       | (D)                     | 3.7                       | 4.2                     | 1.5                        | 1.7                  | 1.0                        | (D)                     | -                         | 0.5                     | 1.8                |
| Joe <sup>1</sup> .....             | (D)                     | 5.2                       | 5.2                     | -                          | -                    | (D)                        | -                       | -                         | -                       | 1.6                |
| Doublestop<br>CL Plus.....         | -                       | (D)                       | (D)                     | -                          | 1.8                  | 4.5                        | -                       | -                         | (D)                     | 1.5                |
| LCS Chrome.....                    | 4.6                     | (D)                       | -                       | 0.8                        | (D)                  | 2.4                        | -                       | -                         | -                       | 1.5                |
| TAM 114.....                       | 0.3                     | 0.9                       | 5.5                     | -                          | (D)                  | 0.7                        | (D)                     | -                         | -                       | 1.3                |
| Tatanka.....                       | 0.9                     | 5.5                       | (D)                     | (D)                        | 0.8                  | (D)                        | -                       | -                         | (D)                     | 1.3                |
| WB 4699.....                       | (D)                     | (D)                       | (D)                     | 0.7                        | 4.1                  | 1.5                        | -                       | (D)                       | (D)                     | 1.3                |
| SY Grit.....                       | 6.6                     | -                         | 1.7                     | (D)                        | -                    | (D)                        | -                       | -                         | -                       | 1.2                |
| LCS Mint.....                      | (D)                     | (D)                       | 3.6                     | -                          | (D)                  | 1.5                        | -                       | -                         | (D)                     | 1.1                |
| Smith's Gold.....                  | -                       | -                         | -                       | -                          | -                    | 4.1                        | -                       | -                         | -                       | 1.0                |
| Oakley CL.....                     | 1.3                     | 4.9                       | (D)                     | -                          | (D)                  | -                          | -                       | -                         | -                       | 0.9                |
| Avery.....                         | 2.5                     | 1.7                       | 1.3                     | (D)                        | -                    | -                          | -                       | -                         | -                       | 0.8                |
| SY Rugged.....                     | -                       | -                         | 0.3                     | 1.6                        | 0.2                  | 1.8                        | -                       | -                         | -                       | 0.7                |
| TAM 112.....                       | (D)                     | (D)                       | 3.1                     | (D)                        | -                    | -                          | -                       | (D)                       | -                       | 0.7                |
| TAM 111.....                       | (D)                     | (D)                       | 2.2                     | -                          | -                    | (D)                        | -                       | -                         | -                       | 0.6                |
| WB 4721.....                       | -                       | 1.0                       | 3.2                     | -                          | -                    | -                          | -                       | -                         | -                       | 0.6                |
| WB 4792.....                       | (D)                     | 0.6                       | 2.5                     | (D)                        | -                    | 0.6                        | -                       | -                         | -                       | 0.6                |
| Byrd.....                          | 1.1                     | 2.3                       | -                       | (D)                        | -                    | -                          | -                       | -                         | -                       | 0.5                |
| Canvas.....                        | 1.3                     | 0.7                       | 0.3                     | -                          | (D)                  | -                          | -                       | -                         | -                       | 0.5                |
| KS Dallas.....                     | 2.4                     | 1.0                       | -                       | -                          | (D)                  | -                          | -                       | -                         | -                       | 0.5                |
| Gallagher.....                     | -                       | -                         | (D)                     | -                          | -                    | 1.8                        | -                       | -                         | -                       | 0.5                |
| LCS Atomic AX.....                 | -                       | -                         | -                       | -                          | 0.2                  | 1.8                        | -                       | -                         | -                       | 0.5                |
| Paradise.....                      | -                       | -                         | -                       | 1.0                        | 1.3                  | 0.7                        | -                       | -                         | -                       | 0.5                |
| WB 4401.....                       | -                       | -                         | -                       | (D)                        | 0.5                  | 1.4                        | -                       | (D)                       | -                       | 0.5                |
| Blends.....                        | 11.4                    | 11.2                      | 11.1                    | 18.9                       | 12.4                 | 17.8                       | 33.5                    | 17.0                      | 5.5                     | 13.6               |
| Other Hard White<br>Varieties..... | (D)                     | 0.7                       | -                       | -                          | (D)                  | (D)                        | -                       | -                         | 5.0                     | 0.8                |
| Other Hard Red<br>Varieties.....   | 42.3                    | 33.4                      | 22.7                    | 45.6                       | 39.4                 | 32.9                       | 50.2                    | 51.6                      | 31.0                    | 31.8               |
| All Soft Red<br>Varieties.....     | (D)                     | (D)                       | 1.1                     | (D)                        | 0.7                  | 1.6                        | (D)                     | 4.5                       | 29.5                    | 2.5                |

- No reports of variety in District.

(D) Withheld to avoid disclosing data for individual operations. Included in Other Hard Red Varieties or Other Hard White Varieties.

<sup>1</sup> Hard White Winter variety.

## Kansas Winter Wheat Varieties Seeded – State: 2013-2022

[May not add due to rounding]

| Variety                            | 2013      | 2014      | 2015      | 2016      | 2017      | 2018      | 2019      | 2020      | 2021      | 2022      |
|------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                                    | (Percent) | (Percent) | (Percent) | (Percent) | (Percent) | (Percent) | (Percent) | (Percent) | (Percent) | (Percent) |
| SY Monument.....                   | -         | -         | 0.0       | 0.5       | 2.6       | 6.6       | 7.2       | 9.7       | 9.4       | 6.8       |
| WB Grainfield.....                 | -         | 0.0       | 0.3       | 1.3       | 3.9       | 5.5       | 6.4       | 5.3       | 5.5       | 5.1       |
| Bob Dole.....                      | -         | -         | -         | -         | -         | -         | 0.1       | 0.8       | 2.4       | 3.5       |
| Langin.....                        | -         | -         | -         | -         | -         | -         | 0.9       | 1.4       | 1.9       | 2.5       |
| Winterhawk.....                    | 1.7       | 2.9       | 3.8       | 4.7       | 4.8       | 4.2       | 4.8       | 3.9       | 2.7       | 2.5       |
| SY Wolverine.....                  | -         | -         | -         | -         | -         | -         | -         | (D)       | 0.9       | 2.4       |
| Everest.....                       | 14.3      | 14.3      | 15.8      | 12.2      | 9.6       | 9.3       | 3.8       | 2.9       | 1.9       | 2.3       |
| T158.....                          | 3.4       | 5.0       | 5.1       | 5.8       | 5.9       | 6.1       | 3.8       | 2.8       | 3.1       | 2.1       |
| Zenda.....                         | -         | -         | -         | -         | -         | 1.3       | 4.7       | 6.4       | 4.7       | 2.1       |
| WB 4515.....                       | -         | -         | -         | -         | 0.3       | 0.3       | 0.3       | 1.2       | 0.8       | 1.8       |
| Joe <sup>1</sup> .....             | -         | -         | -         | -         | 0.1       | 1.9       | 2.6       | 2.3       | 2.8       | 1.6       |
| Doublestop<br>CL Plus.....         | -         | 0.1       | 0.4       | 0.9       | 1.3       | 1.3       | 1.3       | 2.3       | 1.9       | 1.5       |
| LCS Chrome.....                    | -         | -         | -         | -         | 0.2       | 0.8       | 1.4       | 2.0       | 2.4       | 1.5       |
| TAM 114.....                       | -         | -         | 0.2       | 0.1       | 0.8       | 1.8       | 2.5       | 2.6       | 2.4       | 1.3       |
| Tatanka.....                       | -         | -         | -         | -         | -         | 0.2       | 0.8       | 1.1       | 1.4       | 1.3       |
| WB 4699.....                       | -         | -         | -         | -         | -         | -         | -         | 0.1       | 0.4       | 1.3       |
| SY Grit.....                       | -         | -         | -         | -         | -         | 0.3       | 0.6       | 0.9       | 0.8       | 1.2       |
| LCS Mint.....                      | -         | -         | 0.9       | 3.2       | 4.3       | 3.5       | 3.3       | 2.6       | 1.0       | 1.1       |
| Smith's Gold.....                  | -         | -         | -         | -         | -         | -         | (D)       | 0.8       | 1.7       | 1.0       |
| Oakley CL.....                     | -         | -         | 0.0       | 0.1       | 0.3       | 1.3       | 1.4       | 1.3       | 1.1       | 0.9       |
| Avery.....                         | -         | -         | -         | -         | 0.0       | 0.5       | 1.0       | 1.1       | 0.4       | 0.8       |
| SY Rugged.....                     | -         | -         | -         | -         | -         | -         | 0.3       | 0.6       | 0.8       | 0.7       |
| TAM 112.....                       | 5.1       | 4.6       | 4.0       | 4.2       | 2.7       | 2.4       | 2.0       | 1.2       | 0.9       | 0.7       |
| TAM 111.....                       | 10.8      | 11.6      | 9.1       | 5.7       | 3.9       | 1.9       | 2.2       | 2.6       | 0.9       | 0.6       |
| WB 4721.....                       | -         | -         | -         | -         | -         | -         | 0.2       | -         | 0.1       | 0.6       |
| WB 4792.....                       | -         | -         | -         | -         | -         | -         | -         | 0.2       | 0.5       | 0.6       |
| Byrd.....                          | 0.0       | 0.0       | 0.7       | 2.0       | 2.1       | 2.8       | 2.1       | 1.7       | 1.4       | 0.5       |
| Canvas.....                        | -         | -         | -         | -         | -         | -         | -         | 0.1       | 0.1       | 0.5       |
| KS Dallas.....                     | -         | -         | -         | -         | -         | -         | -         | -         | 0.2       | 0.5       |
| Gallagher.....                     | -         | 0.2       | 1.1       | 3.3       | 2.8       | 4.0       | 2.9       | 1.6       | 1.6       | 0.5       |
| LCS Atomic AX.....                 | -         | -         | -         | -         | -         | -         | -         | -         | (D)       | 0.5       |
| Paradise.....                      | -         | -         | -         | -         | -         | -         | 0.1       | 0.4       | 0.4       | 0.5       |
| WB 4401.....                       | -         | -         | -         | -         | -         | -         | -         | -         | -         | 0.5       |
| Blends.....                        | 8.8       | 10.4      | 9.6       | 10.7      | 14.3      | 12.2      | 13.6      | 11.1      | 9.8       | 13.6      |
| Other Hard White<br>Varieties..... | 2.1       | 2.8       | 2.7       | 3.2       | 2.9       | 2.8       | 1.1       | 1.9       | 2.5       | 0.8       |
| Other Hard Red<br>Varieties.....   | 53.5      | 47.8      | 46.0      | 41.8      | 36.5      | 28.7      | 28.1      | 26.4      | 29.3      | 31.8      |
| All Soft Red<br>Varieties.....     | 0.3       | 0.3       | 0.3       | 0.3       | 0.7       | 0.3       | 0.5       | 0.7       | 1.9       | 2.5       |

- Included in Other Hard Red Varieties if variety was available.


(D) Withheld to avoid disclosing data for individual operations. Included in Other Hard Red Varieties or Other Hard White Varieties.

0.0 Less than 0.1 percent of variety.

<sup>1</sup> Hard White Winter variety.

## Winter Wheat Varieties Seeded – Kansas: 2021 and 2022

[May not add due to rounding]



<sup>1</sup> Hard White Winter variety.

### Access this publication at:

[https://www.nass.usda.gov/Statistics\\_by\\_State/Kansas/Publications/Cooperative\\_Projects/Wheat\\_Varieties/KS\\_whtvar22.pdf](https://www.nass.usda.gov/Statistics_by_State/Kansas/Publications/Cooperative_Projects/Wheat_Varieties/KS_whtvar22.pdf)

Find agricultural statistics for your county, State, and the Nation at [www.nass.usda.gov](http://www.nass.usda.gov).

NASS is the federal statistical agency responsible for producing official data about U.S. agriculture and is committed to providing timely, accurate and useful statistics in service to U.S. agriculture.

We invite you to provide occasional feedback on our products and services. Sign up at [http://bit.ly/NASS\\_Subscriptions](http://bit.ly/NASS_Subscriptions) and look for the "NASS Data User Community."

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write to USDA, Assistant Secretary for Civil Rights, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, S.W., Stop 9410, Washington, DC 20250-9410, or call toll-free at (866) 632-9992 (English) or (800) 877-8339 (TDD) or (866) 377-8642 (English Federal-relay) or (800) 845-6136 (Spanish Federal-relay).