Notice – CDC estimates the average public reporting burden for this collection of information as 60 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road, MS D-74, Atlanta, GA 30333; ATTN: PRA (0920-0214).

Assurance of Confidentiality: We take your privacy very seriously. All information that relates to or describes identifiable characteristics of individuals, a practice, or an establishment will be used only for statistical purposes. NCHS staff, contractors, and agents will not disclose or release responses in identifiable form without the consent of the individual or establishment in accordance with section 308(d) of the Public Health Service Act (42 U.S.C. 242m(d)), and the Confidential Information Protection and Statistical Efficiency Act of 2018 (CIPSEA Pub. L. No. 115-435, 132 Stat. 5529 § 302). In accordance with CIPSEA, every NCHS employee, contractor, and agent has taken an oath and is subject to a jail term of up to five years, a fine of up to \$250,000, or both if he or she willfully discloses ANY identifiable information about you. In addition to the above cited laws, NCHS complies with the Federal Cybersecurity Enhancement Act of 2015 (6 U.S.C. § 151 and 151 note) which protects Federal information systems from cybersecurity risks by screening their networks.

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	HHSTAT_C=1 Sample Children 0-17		
Universe Description:			
Question Text:	The next questions are about ^SCNAME. • Enter the line number of the person to whom you are speaking. • If Sample Child respondent refuses to participate enter CTRL-R.		
Response:	01. ^ALIASNAME[1] 02. ^ALIASNAME[2] 03. ^ALIASNAME[3] 04. ^ALIASNAME[4] 05. ^ALIASNAME[5] 06. ^ALIASNAME[6] 07. ^ALIASNAME[7] 08. ^ALIASNAME[8] 09. ^ALIASNAME[9] 10. ^ALIASNAME[10] 11. ^ALIASNAME[11] 12. ^ALIASNAME[12] 13. ^ALIASNAME[13] 14. ^ALIASNAME[14] 15. ^ALIASNAME[15] 16. ^ALIASNAME[16] 17. ^ALIASNAME[17] 18. ^ALIASNAME[18] 19. ^ALIASNAME[19] 20. ^ALIASNAME[20]		
	21. ^ALIASNAME[21] 22. ^ALIASNAME[22] 23. ^ALIASNAME[23]		

	24.^ALIASNAME[24]25.^ALIASNAME[25]RF:Refused	
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1	
Skip Instructions:	<pre><rf> if CBSTAT_A=1[goto BCK.THANKS_CB] else if OUTCOME=215 [goto BCK.THANKS_INSUF] else [goto BCK.THANKS_SUF] If CURRES_C not in Roster.FAM.KNOWSC [goto KNOAVAIL_C] Else if CURRES_C ne LNO_HHRESP AND CURRES_C Roster.FAM.KNOWSC [goto AVAIL_C] Else if CURRES_C = LNO_HHRESP AND CURRES_C Roster.FAM.KNOWSC AND CURRES_C not Roster.bREL.bPerson[PX_C].PARENTS[goto RELTIV_C] Else if CURRES_C = LNO_HHRESP AND CURRES_C Roster.FAM.KNOWSC AND CURRES_C Roster.FAM.KNOWSC AND CURRES_C Roster.FAM.KNOWSC AND CURRES_C</rf></pre>	in in in in

uestion ID: VFY.0060.00.1	Variable name: KNOAVAIL_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 ar PCNT ge 2 and PCNT18UP_C gt 0 and NC	C C
Universe:	(NOT(CURRES_C IN Roster.FAM.KNOWS	SC) OR
	(CURRES_C IN Roster.FAM.KNOWSC AN CURRES_C IN NOTKNOW_C AND KnowS	
	OR (NewResp_Flg = 1))	
Universe Description:	Sample Children 0-17 and at least one kn for selection and speaking to the initia knowledgeable OR speaking to a new respo	al respondent and they are not
Question Text:		per of available respondent from list or available or refused. ^KNOAVAIL_C_fill_2
Response:		

			
	01.	^ALIASNAME	
	02.	^ALIASNAME	
	03.	^ALIASNAME	• •
	04.	^ALIASNAME	
	05.	^ALIASNAME	
	06.	^ALIASNAME	
	07.	^ALIASNAME	
	08.	^ALIASNAME	• •
	09.	^ALIASNAME[9]	
	10.	^ALIASNAME	[10]
	11.	^ALIASNAME	[11]
	12.	^ALIASNAME	[12]
	13.	^ALIASNAME	[13]
	14.	^ALIASNAME	
	15.	^ALIASNAME	
	16.	^ALIASNAME	[16]
	17.	^ALIASNAME	
	18.	^ALIASNAME	
	19.	^ALIASNAME	
	20.	^ALIASNAME	
	21.	^ALIASNAME	
	22.	^ALIASNAME	
	23.	^ALIASNAME[23]	
	24.	^ALIASNAME[24]	
	25.	^ALIASNAME[25]	
	RF:	Refused	
Fills:	^KNOA	VAIL_C_fill	If (KnowSC_Count = ActiveNotKnow_Count) fill : "* If there are no other knowledgeable people to select then press the end key."
			ELSE
			fill : "I have recorded that ^KNOWSC ^areis_c knowledgeable about and responsible for
			^SCNAME's health care. ^WHOIS currently available
			and willing to answer these questions?"
			and winning to answer these questions?
		VAIL_C_fill_2	If (ActiveNotKnow_Count > 0)
		02	fill : "* People listed in gray have said that they are
			not knowledgeable about the SC. If you incorrectly
			set someone as not knowledgeable then you may
			select that person and continue the interview."

<01-25> [goto INTMODE_C]
<rf> if CBSTAT_A=1[goto BCK.THANKS_CB]</rf>
else if OUTCOME=215 [goto BCK.THANKS_INSUF]
else [goto BCK.THANKS_SUF]
<f9> [goto bCallback.ARRANGE_CALLBACK]</f9>

Question ID: VFY.0080.00.1	Variable name: INT	MODE_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNT PCNT ge 2 and PCNT18U	•	PCNT gt PCNTAGEGUESS and MSC ne 1
Universe:	HHSTAT_C=1 and KNOAVAIL_C in (1-25)		
Universe Description:	Sample Children 0-17 and interviewer is speaking to a new respondent		
Question Text:	 How are you contacting ^A 	KNOAVAIL_C?	
Response:	1.Personal visit2.Telephone		
Fills:	^KNOAVAIL_C	Display name of selected at KNOA	person whose line number was VAIL_C
Skip Instructions:	<pre><<p>if HHRESPSC_FLG ne 1 [goto AVAIL_C] else if HHRESPSC_FLG=1 and LNO_SCRESP not in Roster.bREL.bPerson[PX_C].PARENTS[goto RELTIV_C] else [goto VFYALL_C] <2> [goto TINTRO_C]</p></pre>		

	Va	riable name: TI	NTRO_C	Interview module: VFY(Child.VFY)
Inherited Universe:		-	-	and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1
Universe:	HHSTAT_C=1 and INTMODE_C=2			
Universe Description:	Sample Children 0-17 and interviewer is conducting a telephone interview with new respondent			
Question Text:	Hello, my name is * say your name). I'm calling from the U.S. Census Bureau. We are conducting the National Health Interview Survey on behalf of the National Center for Health Statistics, part of the Centers for Disease Control and Prevention (CDC). This is a nationwide survey about the health of both adults and children. I have some information from ^HHRESP. ^HHSEX told me that you would be a good person to talk to about the health of ^SCNAME. * Read if necessary: I believe I am calling you on a cell phone. Before we continue, I have to ask: Are you currently driving a vehicle? * Even if the respondent is using a hands-free device while driving, you must enter '1'.			
Response:	DK: RF:	Don't Know Refused		
Fills:	^HHRES	P		name of the person selected at HHRESPAVAIL
Fills:	^HHRES		Roster.HHC.	
Fills:		1E	Roster.HHC. Fill ALIAS of If GEN.SEX_ elseif GEN.S	HHRESPAVAIL

Question ID: VFY.0100.00.1	Variable name: ATTN_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	TINTRO_C=1	
Universe Description:	Sample Children 0-17 and interviewer is conducting a telephone interview with new respondent who is driving	
Question Text:	For your safety, we will call you bac	k at another time. • Enter 1 to continue.
Response:		
Skip Instructions:	<1> [goto bCallback.CB_POSSIBLE]	

Question ID: VFY.0110.00.1	Variable name: LETTER_C	Interview module: VFY(Child.VFY)
----------------------------	-------------------------	----------------------------------

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	TINTRO_C=2		
Universe Description:	Sample Children 0-17 and interviewer is conducting a telephone interview with new respondent who is not driving		
Question Text:	 If sample child respondent is a new respondent read question below, otherwise enter 1 • Read if necessary: A letter describing the National Health Interview Survey was sent to your home recently. Do you remember seeing the letter? 		
Response:	DK: Don't Know RF: Refused		
Skip Instructions:	<1,2,RF,DK> [goto S_INTRO_C]		

Question ID: VFY.0120.00.1

Variable name: S_INTRO_C

uestion ID. VF1.0120.00.1			
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 PCNT ge 2 and PCNT18UP_C gt 0	3 gt 0 and PCNT gt PCNTAGEGUESS and and NOFAMSC ne 1	
Universe:	TINTRO_C=2		
Universe Description:	Sample Children 0-17 and interviewer is conducting a telephone interview with new respondent who is not driving		
Question Text:	?[F1] * If sample child respondent is a new respondent read question below, otherwise enter 1 * Read if necessary: There are a few things I need to cover before we continue. I'd like you to know that taking part in this survey is voluntary. You may choose not to answer any questions you don't wish to answer, or end the interview at any time without penalty. We are required by Federal law to develop and follow strict procedures to protect the confidentiality of your information and use your answers only for statistical research. I can describe these laws if you wish. Except for the National Center for Health Statistics and Census Bureau employees and specially designated agents, no one can see your answers until all information that could identify you and/or your family has been removed. Only after that will your data be made available to researchers. For most children, the survey will take less than ^SCTIME minutes. I'd like to continue now unless you have any questions. * If respondent asks for more information about the privacy laws, press F1.		
Response:			
Fills:	^SCTIME If ASTA Else, fill	AT=1 and SAMEFAM_FLG=1, fill: 20 II: 30	
Skip Instructions:	<1> if HHRESPSC_FLG ne 1 [goto] else if HHRESPSC_FLG=1 Roster.bREL.bPerson[PX_C].PARE else [goto VFYALL_C]	and LNO_SCRESP not in	

Question ID: VFY.0130.00.1	Variable name: AVAIL_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NOF	-
Universe:	((CURRES_C ne LNO_HHRESP AND CUR AND KNOAVAIL_C = EMPTY) OR (KNOAVAIL_C in (1-25) AND KNOAVA TINTRO_C not in (1,DK,RF)))	
Universe Description:	Sample Children 0-17 and at least one know for section AND initial respondent wasne knowledgeable OR picked a new respondent	't the HH Resp and is
Question Text:	I have recorded that you are knowledgea ^SCNAME's health care. Is that correct?	ble about and responsible for
Response:	1. Yes 2. No RF: Refused	
Fills:	^SCNAME Fill ALIAS of HHS	STAT_C=1
Skip Instructions:	<1>If (LNO_SCRESP not in Roster.l {respondent is not a parent} [goto RELTIV_C] Else If Roster.tblName.bPerson[PX_C].C {Sample Child is on campus} [goto VFYONC/ Else [goto VFYALL_C] <2> if KNOAVAIL_Count gt 0 [goto KNOAVA Else [goto NOMORE_C] <rf> if CBSTAT_A=1[goto BCK.THANKS_C] else if OUTCOME=215 [goto BCK.THANKS_ else [goto BCK.THANKS_SUF]</rf>	NOFFCAMPUS in (1,RF,DK) AMP_C] IL_C] CB]

Question	ID:	VFY.0 ²	150.00.1

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	CURRES_C ne RF	
	AND	
	KNOAVAIL_Count gt 0 AND KNOAVAIL_C ne RF	
	AND	
	TINTRO_C not in (1,DK,RF)	
	AND	
	AVAIL_C ne RF AND AVAIL_C ne 2	
	AND	
	LNO_SCRESP not in Roster.bREL.bPerson[PX_C].PARENTS	
Universe Description:	Sample Children 0-17 where the current respondent has not refused AND at least one person is knowledgeable about and responsible for the sample child AND the respondent is not driving while on the telephone AND the respondent	
	has not refused or said he/she is not available AND the respondent was not	
	identified as a parent in the roster section	
Question Text:	What is your relationship to ^SCNAME ?	
Response:	1. Parent (Biological, adoptive, or step)	
	2. Grandparent	
	3. Aunt/Uncle	
	4. Brother/Sister	
	5. Other relative	
	6. Legal guardian	
	7. Foster parent	
	8. Other non-relative	
	9. Spouse or partner DK: Don't Know	
	RF: Refused	
Fills:		
rilis:	^SCNAME Fill ALIAS of HHSTAT_C=1	

Else [goto VFYALL_C]	Skip Instructions:	<9> [goto ERR_RELTIV_C] <4,5,8,RF,DK> [goto VFYRESP_C] <1,2,3,6,7> if Roster.tblNAME.bPerson.[PX.C].ONOFFCAMPUS IN (1,RF,DK) and HHRESPSC_FLG ne 1 [goto VFYONCAMP_C] Else [goto VFYALL_C]
----------------------	--------------------	--

Check Name: ERR_RELTIV_C

Text:	{signal ERR_RELTIV_C} The spouse or partner of the Sample Child cannot answer questions about him/her.
Hard / Soft Edit:	Soft
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	RELTIV_C=9
Skip Instructions:	If KNOAVAIL_Count gt 0 [goto KNOAVAIL_C] else [goto NOMORE_C]

Question ID: VFY.0180.00.1	Variable name: VFYRESP_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N	0
Universe:	RELTIV_C IN (4,5,8,RF,DK)	
Universe Description:	Sample Children 0-17 where person Brother/Sister, Other Relative, Other Non-	-
Question Text:	To confirm, are you RESPONSIBLE F	OR ^SCNAME's health care?
Response:		

Fills:	1. Yes 2. No DK: Don't Kno RF: Refused ^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	else [goto NOMORE_	ne.bPerson[PX_C].ONOFFCAMPUS in (1,RF,DK) [goto

estion ID: VFY.0190.00.1	Variable name: VFYONCAMP_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 ar PCNT ge 2 and PCNT18UP_C gt 0 and NC	-
Universe:	AVAIL_C=1 and Roster.HHC.tblNAM (1,RF,DK) and HHRESPSC_FLG ne 1 and	ME.bPerson.ONOFFCAMPUS in (RELTIV_C ne 9)
Universe Description:	A person who is knowledgeable or response available and the Sample Child is living in o Child respondent is not the household re spouse or partner is not the respondent	on-campus housing and the Sample
Question Text:	I want to confirm some information. Do housing or off-campus housing? *Rea includes residence halls and dorms where buildings that are owned, leased, or mana sororities are on-campus housing.	ad if necessary: On-campus housing e students live together. It also includes
Response:	1. On campus 2. Off campus DK: Don't Know RF: Refused	

Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	<1,RF,DK> [goto VFY <2> [goto NOMORE_		
tion ID: VFY.0200.00.1	Variable nam	e: VFYALL_C	Interview module: VFY(Child.VFY)
Inherited Universe:	-	PCNTunder18 gt 0 and 1 18UP_C gt 0 and NOFA	PCNT gt PCNTAGEGUESS and MSC ne 1
Universe:	KNOAVAIL_Count gt 0 AND KNOAVAIL_C ne RF AND TINTRO_C not in (1,DK,RF) AND AVAIL_C ne RF AND VFYONCAMP_C ne 2 AND (RELTIV_C ne 9)		
Universe Description:	Sample Children 0-17 where a person who is knowledgeable or responsible for the sample child's health has been identified and that knowledgeable person has not refused and the Sample Child lives on campus or refused or don't know and the Sample Child's spouse or partner is not the respondent		
Question Text:		•	t the sample child before proceeding: FORG_C, and ^RACE_C. Would you
	have recorded ^chi like to make any ch respondent "refuses" sex we mean sex at	Idvsex, ^AGE_C, ^NAT anges to this ^additior or says "don't know", er	
Question Text: Response:	have recorded ^chi like to make any ch respondent "refuses"	Idvsex, ^AGE_C, ^NAT anges to this ^additior or says "don't know", er	TORG_C, and ^RACE_C. Would you nalinfo_C? ^RACEVRBATvalue_C •
	have recorded ^chi like to make any ch respondent "refuses" sex we mean sex at 1. Yes 2. No	Idvsex, ^AGE_C, ^NAT anges to this ^addition or says "don't know", er birth. If NATO_FINAL= Latino Origin" If NATO_FINAL=2 or Latino Origin" If NATO_FINAL= Hispanic or Latino If NATO_FINAL=1	TORG_C, and ^RACE_C. Would you nalinfo_C? ^RACEVRBATvalue_C •

	^childvsex	If SEX_FINAL=1, fill: "^SCNAME is male" If SEX_FINAL=2, fill: "^SCNAME is female" If SEX_FINAL=DK, fill: "^SCNAME's sex is not known" If SEX_FINAL=RF,fill: "^SCNAME's sex was not provided"
	^AGE_C	If AGE_FINAL NE ('RF', 'DK'), fill: "^SCNAME is ^AGENO_C ^AGETP_C old"
		If AGE_FINAL IN ('RF', 'DK'), fill: "^SCNAME is under 18"
	^additionalinfo_C	See attachment for fill instructions
	^RACEVRBATvalue_C	IF GEN.HHRESPSC_FLG ne 1 and GEN.RACE_FINAL[PX_C].RACE_VRBAT_FINAL ne (empty,RF,DK), fill "* If respondent wants information on which other race ^SCNAME is listed as, say ^RACE_VRBAT."
Skip Instructions:	<1> [goto VFYDEM_C] <2> if GEN.SEX_FINAL[PX_C] IN (RF,DK) [goto SEXGUESS_C] elseif NATO_FINAL=1 [goto HISPTYPE_C]	
	elseif RACE_FINAL=6 [goto PITYPE_C]	
	elseif RACE_FINAL=7 [goto ASIANTYPE_C]	
	elseif RACE_FINAL=8 [got else [goto BMONTH_C]	o RACEOTHER_C]

Question ID: VFY.0210.00.1	Variable name: VFYDEM_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and No	0
Universe:	VFYALL_C=1	
Universe Description:	Sample children 0-17 would like to change	e demographic information
Question Text:	 Read if necessary: What should I change commas. Read if necessary: By sex we 	
Response:		

		Sex Age Hispanic or Latino Origin Race Don't Know
Skip Instructions:	SEXGUES elseif 1 IN \ elseif 2 IN \ elseif 3 IN \ elseif 4 IN \	/FYDEM_C [goto NEWSEX_C] /FYDEM_C [goto NEWAGENO_C] /FYDEM_C [goto NEWNATORG_C] /FYDEM_C [goto NEWRACE_C]
	elseif NATC elseif RACE elseif RACE elseif RACE	GEN.SEX_FINAL[PX_C] IN (DK,RF) [goto SEXGUESS_C] D_FINAL=1 [goto HISPTYPE_C] E_FINAL=6 [goto PITYPE_C] E_FINAL=7 [goto ASIANTYPE_C] E_FINAL=8 [goto RACEOTHER_C] BMONTH_C]

uestion ID: VFY.0220.00.1	Variable name: NEWSEX_C	Interview module: VFY(Child.VFY)
	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	0
Universe:	1 IN VFYDEM_C	
Universe Description:	Respondent said sample child's sex is not	t correct
Question Text:	Is ^SCNAME male or female? • Read	if necessary: By sex we mean sex at birth.
Response:	1.Male2.FemaleDK:Don't KnowRF:Refused	

Fills:	^SCNAME	Fill ALIAS of HHST	AT_C=1			
				F (.		
Skip Instructions:	if GEN.SEX_FINAL[PX_ SEXGUESS_C]	_C]=RF,DK and	NEWSEX_C=RF,DK	[goto		
	elseif 2 IN VFYDEM_C [go					
		elseif 3 IN VFYDEM_C [goto NEWNATORG_C]				
	elseif 4 IN VFYDEM_C [goto NEWRACE_C] elseif NATO_FINAL=1 [goto HISPTYPE_C]					
	elseif RACE_FINAL=6 [goto PITYPE_C]					
	elseif RACE_FINAL=7 [goto ASIANTYPE_C]					
	elseif RACE_FINAL=8 [got else [goto BMONTH_C]	0 RACEOTHER_C]				

Question ID: VFY.0230.00.1	Variable name: SEXGUESS_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and	3
Universe:	GEN.SEX_FINAL[PX_C] IN (DK,RF) (VFYDEM_C=1 and NEWSEX_C IN (RF	
Universe Description:	Sample children for whom there is respondent and did not give a sex whe Sample Child's spouse or partner is not	en asked to verify information and the
Question Text:	Enter your best guess of ^SCNAME's s	Sex
Response:	1. Male 2. Female	
Fills:	^SCNAME Fill ALIAS o	f HHSTAT_C=1
Skip Instructions:	<1,2> if 2 IN VFYDEM_C [goto NEWAGENO_ elseif 3 IN VFYDEM_C [goto NEWNATC elseif 4 IN VFYDEM_C [goto NEWRACI elseif NATO_FINAL=1 [goto HISPTYPE elseif RACE_FINAL=6 [goto PITYPE_C] elseif RACE_FINAL=7 [goto ASIANTYP elseif RACE_FINAL=8 [goto RACEOTH else [goto BMONTH_C]	DRG_C] E_C] [_C]] E_C]

Question ID: VFY.0240.01.1	Variable name: NE	WAGENO_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNT PCNT ge 2 and PCNT18U	•	PCNT gt PCNTAGEGUESS and MSC ne 1
Universe:	2 IN VFYDEM_C		
Universe Description:	Sample Children 0-17 whos	se age is not correc	xt
Question Text:	• 1 of 2 How old is ^SCN	AME? + Enter nun	nber for age.
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	goto [NEWAGETP_C]		

Question ID: VFY.0240.02.1	Variable name: NEWAGETP_C Interview module: VFY(Child.VFY)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	NEWAGENO_C=001-120	
Universe Description:	: Valid number entered at NEWAGENO_C	
Question Text:	• 2 of 2 • Enter number for age time period.	
Response:	: 1. Day(s) 2. Week(s) 3. Month(s) 4. Year(s)	

: <1,2,3,4> if 3 IN VFYDEM_C [goto NEWNATORG_C]
elseif 4 IN VFYDEM_C [goto NEWRACE_C]
elseif NATO_FINAL=1 [goto HISPTYPE_C]
elseif RACE_FINAL=6 [goto PITYPE_C]
elseif RACE_FINAL=7 [goto ASIANTYPE_C]
elseif RACE_FINAL=8 [goto RACEOTHER_C]
else [goto BMONTH_C]

on ID: VFY.0260.00.1	Variable name: NEWNATORG_C Interview module: VFY(Child.VFY)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	3 IN VFYDEM_C		
Jniverse Description:	Sample Children 0-17 whose Hispanic Origin is not correct		
Question Text:	Is ^SCNAME Hispanic or Latino?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1		
Skip Instructions:	<1,2,RF,DK> if 4 IN VFYDEM_C [goto NEWRACE_C] elseif NATO_FINAL=1 [goto HISPTYPE_C] elseif RACE_FINAL=6 [goto PITYPE_C] elseif RACE_FINAL=7 [goto ASIANTYPE_C] elseif RACE_FINAL=8 [goto RACEOTHER_C] else [goto BMONTH_C]		

Interview module: VFY(Child.VFY)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and			
	PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	4 IN VFYDEM_C			
Universe Description:	Sample Children 0-17 whose race is not correct			
Question Text:	What race or races is ^SCNAME ? Please select 1 or more of these categories: White, Black, African American, American Indian, Alaska Native, Native Hawaiian, Pacific Islander, Asian, or some other race? Enter all that apply, separate with commas.			
Response:	1.White2.Black/African American3.American Indian4.Alaska Native5.Native Hawaiian6.Pacific Islander7.Asian8.Some other raceDK:Don't KnowRF:Refused			
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1			
Skip Instructions:	if NATO_FINAL=1 [goto HISPTYPE_C] elseif RACE_FINAL=6 [goto PITYPE_C] elseif RACE_FINAL=7 [goto ASIANTYPE_C] elseif RACE_FINAL=8 [goto RACEOTHER_C] else [goto BMONTH_C]			

tion ID: VFY.0280.00.1	Variable name:	: HISPTYPE_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and P PCNT ge 2 and PCNT1	-	nd PCNT gt PCNTAGEGUESS and DFAMSC ne 1
Universe:	GEN.NATO_FINAL[PX_C]=1 and (KNOAVAIL_Count gt 0 AND KNOAVAIL_C ne RF AND TINTRO_C not in (1,DK,RF) AND AVAIL_C ne RF AND VFYONCAMP_C ne 2 AND (RELTIV_C ne 9))		
Universe Description:	knowledgeable or resp and that knowledgeable	onsible for the sample person has not rel	c Origin and a person who is ble child's health has been identified fused and the Sample Child lives on Sample Child's spouse or partner is
Question Text:	Mexican American, [,] Cuban, Dominican (I	ACHICANOA, Centr Republic), or Other	o ancestry or origin, such as Mexican, ral or South American, Puerto Rican, r Hispanic, ^LATINOA, or Spanish and e all of them. • Enter all that apply,
	separate with comma		e an or them. • Enter an that apply,
Response:	separate with command1.Mexican, M2.Central Am3.South Ame4.Puerto Rica5.Cuban6.Dominican	s. /lexican American, o herican an (Boricua) (Republic) anic, Latino(a), or S	or Chicano(a)
Response: Fills:	separate with command1.Mexican, M2.Central Am3.South Ame4.Puerto Rica5.Cuban6.Dominican7.Other HispDK:Don't Know	s. /lexican American, o herican an (Boricua) (Republic) anic, Latino(a), or S	or Chicano(a) panish (specify)
	separate with commas1.Mexican, M2.Central Am3.South Ame4.Puerto Rica5.Cuban6.Dominican7.Other HispDK:Don't KnowRF:Refused	s. Mexican American, o herican an (Boricua) (Republic) anic, Latino(a), or S v Fill ALIAS of H If SEX_FINAL if SEX_FINAL If SEX_FINAL	panish (specify) HSTAT_C=1 = 1 fill: "Chicano" = 2,DK,RF fill "Chicano or Chicana"

Skip Instructions:	<7> [goto HISPOTHER_C]			
	<1-6,RF,DK>			
	if GEN.RACE_FINAL[PX_C]=6 [goto PITYPE_C]			
	elseif GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C]			
	elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8 or			
	(HHRESPSC_FLG ne 1 and RACE_SP[PX_C] in (ZZ,RF,DK))) [goto			
	RACEOTHER_C]			
	else [goto BMONTH_C]			

Question ID: VFY.0290.00.1	Variable name: H	IISPOTHER_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCI PCNT ge 2 and PCNT18	•	nd PCNT gt PCNTAGEGUESS and FAMSC ne 1
Universe:	HISPTYPE_C=7		
Universe Description:	Sample Child is of Other	Hispanic Origin	
Question Text:	has more than one, tel Hispanic or Latino ances the following are mentio Mexican Mexican Ameri SCREEN) South American Cuban/Cuban American one other Hispanic or La	Il me all of them. stry is not on the list ned, backup to pre- ican Chicano/Chica can (REFER TO H n Dominican (Repu- atino ancestry or o	Latino ancestry or origin? If SCNAME Start typing and then select from list. If st, type "ZZ" and enter verbatim. If any of evious screen and correct the entry. ana Central American (REFER TO HELP ELP SCREEN) Puerto Rican (Boricua) blic) * If respondent provides more than rigin, select 'ZZ' from the lookup table. At panic or Latino ancestries or origins in the
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of H	HSTAT_C=1

Skip Instructions:	<zz> [goto HISPVRBAT_C]</zz>			
	<lookup selection,rf,dk="" table=""></lookup>			
	if GEN.RACE_FINAL[PX_C]=6 [goto PITYPE_C]			
	elseif GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C]			
	elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8	or		
	(GEN.HHRESPSC_FLG ne 1 and Roster.HHC.RACE_SP[PX_C]	in		
	(ZZ,RF,DK))) [goto RACEOTHER_C]			
	else [goto BMONTH C]			

Question ID: VFY.0300.00.1	Variable name: HISPVRBAT_C	Interview module: VFY(Child.VFY)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	HISPOTHER_C=ZZ	
Universe Description:	Sample Child 0-17 where some other Hispanic Ancestry is reported and this is not chosen from the picklist	
Question Text:	 Read if necessary: What is ^SCNAME's Hispanic or Latino ancestry or origin? If ^SCNAME has more than one, tell me all of them. 	
Response:	DK: Don't Know RF: Refused	
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1	
Skip Instructions:	<pre><allow 80,rf,dk=""> if GEN.RACE_FINAL[PX_C]=6 [goto PITYPE_C] elseif GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C] elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8 or (GEN.HHRESPSC_FLG ne 1 and Roster.HHC.RACE_SP[PX_C] in (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C]</allow></pre>	

estion ID: VFY.0310.00.1	Variable name: PITYPE_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	GEN.RACE_FINAL[PX_C]=6 and (KNOAVAIL_Count gt 0 AND KNOAVAIL_C ne RF AND TINTRO_C not in (1,DK,RF) AND AVAIL_C ne RF AND VFYONCAMP_C ne 2 AND (RELTIV_C ne 9))	
Universe Description:	Sample children 0-17 identified as Pacific Islanders and a person who is knowledgeable or responsible for the sample child's health has been identified and that knowledgeable person has not refused and the Sample Child lives on campus or refused or don't know and the Sample Child's spouse or partner is not the respondent	
Question Text:	or groups is ^SCNAME such as G	acific Islander. What specific ethnic group uamanian or Chamorro, Samoan, or other ore than one, tell me all of them. Enter all
Response:	 Guamanian or Chamorro Samoan Other Pacific Islander DK: Don't Know RF: Refused 	
Fills:	^SCNAME Fill ALIAS	of HHSTAT_C=1
Skip Instructions:	<pre><3> [goto PIOTHER_C] <1,2,RF,DK> if GEN.RACE_FINAL[PX_ elseif GEN.RACE_FINAL[PX_C]=8 (GEN.HHRESPSC_FLG ne 1 ar (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C]</pre>	and (NEWRACE_C=8 or

Question ID: VFY.0320.00.1

Variable name: PIOTHER_C

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	PITYPE_C=3
Universe Description:	Sample Child who is "Other Pacific Islander"
Question Text:	 Read if necessary: I have recorded that ^SCNAME is Pacific Islander. What specific ethnic group or groups is ^SCNAME? If ^SCNAME is more than one, tell me all of them. Start typing and then select from list. If Pacific Islander ethnic group is not on the list, type "ZZ" and enter verbatim. If respondent provides more than one ethnic group, select 'ZZ' from the lookup table. At the next question, enter ALL the ethnic groups in the verbatim field.
Response:	DK: Don't Know RF: Refused
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<zz> [goto PIVRBAT_C] <lookup dk="" rf,="" selection,="" table=""> if GEN.RACE_FINAL[PX_C]=7 [goto ASIANTYPE_C] elseif GEN.RACE_FINAL[PX_C]=8 and (NEWRACE_C=8 or (GEN.HHRESPSC_FLG ne 1 and Roster.HHC.RACE_SP[PX_C] in (ZZ,RF,DK))) [goto RACEOTHER_C] else [goto BMONTH_C]</lookup></zz>

Question ID: VFY.0330.00.1	Variable name: PIV	RBAT_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNT PCNT ge 2 and PCNT18UF	•	nd PCNT gt PCNTAGEGUESS and DFAMSC ne 1
Universe:	PIOTHER_C=ZZ		
Universe Description:	Sample Child are some oth from the picklist	er group of Pa	cific Islander and this is not chosen
Question Text:	· · · ·		SCNAME is Pacific Islander. What specific SCNAME is more than one, tell me all of
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of H	IHSTAT_C=1
Skip Instructions:	if GEN.RACE_FINAL[PX_C elseif GEN.RACE_FIN	AL[PX_C]=8 ne 1 and	-

Question ID: VFY.0340.00.1	Variable name: ASIANTYPE_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	GEN.RACE_FINAL[PX_C]=7 and (KNOAVAIL ne RF AND TINTRO_C not in (1,DK,RF) VFYONCAMP_C ne 2 AND (RELTIV_C ne 9))	AND AVAIL_C ne RF AND
Universe Description:	Sample Children 0-17 identified as Asian and or responsible for the sample child's health knowledgeable person has not refused and the or refused or don't know and the Sample Chi respondent	has been identified and that e Sample Child lives on campus
Question Text:	I have recorded that ^SCNAME is Asian. W is ^SCNAME such as Asian Indian, Chine Vietnamese, or Other Asian? If ^SCNAME Enter all that apply, separate with commas.	ese, Filipino, Japanese, Korean,
	Page 24 of 334	

Response:	1.Asian I2.Chines3.Filiping4.Japane5.Korear6.Vietnar7.Other IDK:Don't KRF:Refuse	se o ese n mese Asian Know	
Fills:		Fill ALIAS of HHSTAT_C	:=1
Skip Instructions:	<1-6,RF,DK> elseif GEN.RA	CE_FINAL[PX_C]=8 and _FLG ne 1 and Roster.HI RACEOTHER_C]	(NEWRACE_C=8 or HC.RACE_SP[PX_C] in

Question ID: VFY.0350.00.1	Variable name: ASIANOTHER_C Interview module: VFY(Child.VFY)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	ASIANTYPE_C=7	
Universe Description:	Sample Child who is "other Asian"	
Question Text:	What is ^SCNAME's specific Asian ethnic group or groups? If ^SCNAME has more than one, tell me all of them. Start typing and then select from list. If Asian ethnic group is not on the list, type "ZZ" and enter verbatim. If any of the following are mentioned, backup to previous screen and correct the entry. (Asian) Indian Chinese Filipino Japanese Korean Vietnamese + If respondent provides more than one ethnic group, select 'ZZ' from the lookup table. At the next question, enter ALL the ethnic groups in the verbatim field.	
Response:	DK: Don't Know RF: Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	(NEWRACE_C=EMP	on,RF,DK> FINAL[PX_C]=8 and (NEWRACE_C=8 or PTY and GEN.HHRESPSC_FLG ne 1 and E_SP[PX_C] IN (ZZ,RF,DK))) [goto RACEOTHER_C]

Question ID: VFY.0360.00.1	Variable name: AS	SIANVRBAT_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	ASIANOTHER_C=ZZ		
Universe Description:	Sample Child is some othe the picklist	er ethnic group of A	sian and this is not chosen from
Question Text:	Read if necessary: What ^SCNAME has more than		cific Asian ethnic group or groups? If hem.
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	if GEN.RACE_FINAL (NEWRACE_C=EMPTY		

Question	ID: VFY.0370.00.1
L aoonon	

Interview module: VFY(Child.VFY)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	(KNOAVAIL_Count gt 0 AND KNOAVAIL_C ne RF AND TINTRO_C not in (1,DK,RF) AND AVAIL_C ne RF AND VFYONCAMP_C ne 2 AND (RELTIV_C ne 9)) and(NEWRACE_C=8 or (NEWRACE_C=EMPTY and GEN.HHRESPSC_FLG ne 1 and ROSTER.HHC.RACE_SP[PX_C] IN (ZZ,RF,DK)))
Universe Description:	Sample Child's race was changed to "some other race" in verification section or where the Sample Child respondent is not the Household respondent and were identified by the household respondent as being "some other race" not on the roster other race picklist and a person who is knowledgeable or responsible for the sample child's health has been identified and that knowledgeable person has not refused and the Sample Child lives on campus or refused or don't know and the Sample Child's spouse or partner is not the respondent
Question Text:	What other race or races is SCNAME? Start typing and then select from list. If race is not on the list, type "ZZ" and enter verbatim. • If respondent provides more than one other race, select 'ZZ' from the lookup table. At the next question, enter ALL the other races in the verbatim field.
Response:	DK: Don't Know RF: Refused
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<zz> [goto RACEVRBAT_C] <lookup rf,dk="" selection,="" table=""> [goto BMONTH_C]</lookup></zz>

Question ID: VFY.0380.00.1

Variable name: RACEVRBAT_C

Interview module: VFY(Child.VFY)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	RACEOTHER_C=ZZ		
Universe Description:	Sample Child's race was change to include "some other race" in verification section or where the Sample Child respondent is not the Household respondent and were identified by the household respondent as being "some other race" not on the roster other race picklist and the Sample Child Respondent did not select it from the Sample Adult other race picklist.		
Question Text:	Read if necessary: What other race or races is ^SCNAME?		
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1		
Skip Instructions:	<verbatim,rf,dk> [goto BMONTH_C]</verbatim,rf,dk>		

estion ID: VFY.0410.01.1	Variable name: BMONTH_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N	-
Universe:	(RELTIV_C IN (1,2,3,6,7) OR VFYRESF (KNOAVAIL_C IN Roster.bREL. DOB_COUNT_C LT 2 and (RELTIV_C ne	bPerson[PX_C].PARENTS)) and
Universe Description:	A person who is knowledgeable or responsible or there is only one parent ove family or there are more than two adults identified as available at AVAIL_C AND fewer than 2 times and the Sample C respondent	r 18 and no other adults in the child's and one of them is a parent who was date of birth was verified as incorrect
Question Text:	 1 of 3 What is ^SCNAME's date of bit the date of birth. + Enter month of birt 	
Response:		

Response:

Skip Instructions:	<1-12,RF	,DK> [goto BDA	Y_C]	
Fills:	^SCN/	AME	Fill ALIAS of HHSTAT_C=1	
	RF:	Refused		
	DK:	Don't Know		
	12.	December		
	11.	November		
	10.	October		
	9.	September		
	8.	August		
	7.	July		
	6.	June		
	4. 5.	April May		
	3.	March		
	2.	February		
	1.	January		

stion ID: VFY.0410.02.1	Variable name: BDAY_C	Interview module: VFY(Child.VFY)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	(RELTIV_C = 1, 2, 3, 6, 7 OR VFYRESP_C = 1 OR (PCNT18UP_C gt 1 and (AVAIL_C IN Roster.bREL.bPerson[PX_C].PARENTS)) and DOB_COUNT_C LT 2 and (RELTIV_C ne 9)		
Universe Description:	A person who is knowledgeable or resp available or there is only one parent ov family or there are more than two adult identified as available at AVAIL_C ANE fewer than 2 times and the Sample respondent	ver 18 and no other adults in the child's s and one of them is a parent who was D date of birth was verified as incorrect	
Question Text:	 ◆ 2 of 3 ◆ Enter day of birth. 		
Response:	DK: Don't Know RF: Refused		

Skip Instructions:	<1-31,RF,DK> Only allow valid days for month entered. if days not valid [goto	
	ERR_BDAY_C]	
	else [goto BYEAR_C]	

Check Name: ERR_BDAY_C			
Text:	{check ERR_BDAY_C} • ^BDAY_C is not a valid day for ^BMONTH_C.		
Hard / Soft Edit:	Hard		
Fills:	^BDAY_C	Fill value from Child.VFY.BDAY_C	
	^BMONTH_C	Fill value from Child.VFY.BMONTH_C	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	Invalid dates for the month entered		

tion ID: VFY.0410.03.1	Variable name: BYEAR_C	Interview module: VFY(Child.VFY)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	(RELTIV_C = 1, 2, 3, 6, 7 OR VFYRESP_C = 1 OR (PCNT18UP_C gt 1 and (AVAIL_C IN Roster.bREL.bPerson[PX_C].PARENTS)) and DOB_COUNT_C LT 2 and (RELTIV_C ne 9)		
Universe Description:	available or there is only one parent of family or there are more than two adult identified as available at AVAIL_C AN	sponsible for the sample child's health is over 18 and no other adults in the child's lts and one of them is a parent who was ID date of birth was verified as incorrect e Child's spouse or partner is not the	
Question Text:	• 3 of 3 • Enter year of birth.		
Response:	DK: Don't Know RF: Refused		

Skip Instructions:	<1900-current year,RF,DK> if (BYEAR_C gt current year) or (BYEAR_C=current year and BMONTH_C gt current month) or (BYEAR_C=current year and BMONTH_C=current month and BDAY_C gt current day) [goto ERR_BYEAR_C]
	elseif BDAY_C=29 and BMONTH_C=2 and (BYEAR=2000 or BYEAR_C/4 remainder ne 0) [goto ERR_BDAYLEAP_C]
	elseif AGETEMP_C in (RF,DK) AND BYEAR_C in (RF,DK) [goto NOMORE_C]
	elseif ((BYEAR_C not IN (RF,DK) and AGETEMP_C not IN (RF,DK) and AGETEMP_C ne AGE_CALC_C) AND (AGETEMP_C not IN (RF,DK) and AGETEMP_C ne AGE_CALCMINUS1_C)) and DOB_COUNT_C ne 1 [goto VFYDOB_C]
	elseif (AGETEMP_C eq AGE_CALC_C or AGE_CALCMINUS1_C) or DOB_COUNT_C=1 if AGE_FINAL ge 18 [goto NOMORE_C] else [goto next section]

Check Name: ERR_BDAYLEAP_C

Text:	{check ERR_BDAYLEAP_C} • ^BDAY_C is not a valid day for ^BMONTH_C.	
Hard / Soft Edit:	Hard	
Fills:	^BDAY_C	Fill value from Child.VFY.BDAY_C
	^BMONTH_C	Fill value from Child.VFY.BMONTH_C
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	Invalid dates for the leap year	

Check Name: ERR_BYEAR_C

Text:	{check ERR_BYEAR_C} + Future date invalid.	
Hard / Soft Edit:	Hard	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	(BYEAR_C>current year) or (BYEAR_C=current year and BMONTH_C>current month) or (BYEAR_C=current year and BMONTH_C=current month and BDAY_C>current day)	
Universe Description:	Birthday is in the future	

Question ID: VFY.0430.00.1	Variable name: VFYDOB_C	Interview module: VFY(Child.VFY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N	-
Universe:	((BYEAR_C not IN (DK,RF) and A AGETEMP_C ne AGE_CALC_C) AND AGETEMP_C ne AGE_CALCMINU AGE_CALCSCSTART_C AND SCS DOB_COUNT_C ne 1 and (RELTIV_C ne	(AGETEMP_C not IN (DK,RF) and IS1_C and (AGETEMP_C ne STARTAGE_FLG ne 1))) and
Universe Description:	Sample Children whose age provided in match either age calculated from date Child's spouse or partner is not the respo	of birth information and the Sample
Question Text:	There is a difference between the age the computer calculated from ^SCNAME's date of birth of ^AGEDOB_C_fill and the age I had previously recorded of ^TEMPAGE_C. I recorded ^SCNAME's ^dateofbirth_C	
Response:		

Fills:	1.Yes2.NoDK:Don't KnowRF:Refused^TEMPAGE_C	fill value of AGETEMP_C as "(age) year(s) old" If AGETEMP_C is equal to 0, then display as "less than 1"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^AGEDOB_C_fill	Fill one age calculated from AGE_CALC_C as "(age) year(s) old" Fill two ages calculated from AGE_CALC_C and AGE_CALCMINUS1_C as "(age) or (age) year(s) old" If AGE_CALC_C or AGE_CALCMINUS1_C is equal to 0, then display as "less than 1"
	^dateofbirth_C	If BDAY_C, BMONTH_C and BYEAR_C are all valid, fill: "date of birth as ^BMONTH_C ^BDAY_C, ^BYEAR_C, is that correct?" If only BMONTH_C and BYEAR_C are valid, fill: "date of birth as ^BMONTH_C ^BYEAR_C, is that correct?" If only BDAY_C and BYEAR_C are valid, fill: "year of birth as ^BYEAR_C, is that correct?" If only BYEAR_C is valid, fill: "year of birth as ^BYEAR_C, is that correct?"
Skip Instructions:	<pre>< <1,RF,DK> if GEN.AGE_FINAL[PX_C] ge 18 [goto NOMORE_C] else [goto next section]</pre>	
	<2> if DOB_COUNT_C le 1 [goto BMONTH_C] elseif GEN.AGE_FINAL[PX_C] ge 18 [goto NOMORE_C] else [goto next section]	

estion ID: VFY.0440.00.1	Variable name	: NOMORE_C	Interview module: VFY(Child.VFY)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe:	GEN.AGE_FINAL[PX_C] GT 17 or GEN.AGE_FINAL[PX_C] in (RF,DK) or VFYONCAMP_C=2 OR (KNOAVAIL_Count = 0)				
Universe Description:	Sample child whose age is now over 17 or whose age is refused or don't know or who lives off-campus or there is no knowledgeable sample child respondent				
Question Text:	 ^SCNAME no longer meets the requirements to be sample child for this family. End this interview and begin the Sample Adult Interview. If there is no Sample Adult or the Sample Adult interview has been completed, EXIT ^auxNoMore Not everyone in our survey is asked all questions. I have all the information that I need from you about ^SCNAME. * Enter '1' to continue. 				
Response:	: 1. Enter 1 to Continue				
Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1		
	^auxNoMore		IL_Count = 0,fill "* If there is still a le respondent available, back up and erson."		
Skip Instructions:	: If there is a callback set for Sample Adult [goto BCK.THANKS_CB] else if GEN.OUTCOME IN 215 [goto BCK.THANKS_INSUF] else [goto BCK.THANKS_SUF]				

estion ID: HIS.0010.00.1	,	Variable name: Pl	ISTAT_C	Interview module: HIS(Child.HIS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe Description:	Sample Children 0-17				
Question Text:	Would you say ^SCNAME's health in general is excellent, very good, good, fair, or poor?				
Response:	1. 2. 3. 4. 5. DK: RF:	Excellent Very Good Good Fair Poor Don't Know Refused			
Fills:	^SCN/	ME	Fill ALIAS of H	HSTAT_C=1	
Skip Instructions:	<1-5,RF,I	DK> [goto next se	ection]		

Question ID: AST.0010.00.1	Variable name: ASTINTRO_C	Interview module: AST(Child.AST)			
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe Description:	Sample Children 0-17				
Question Text:	Now I am going to ask you about certain medical conditions. • Enter '1' to continue.				
Response:	1. Enter 1 to Continue				

Skip Instructions:	<1> [goto ASEV_C]
---------------------------	-------------------

estion ID: AST.0020.00.1	Variable name:	ASEV_C	Interview module: AST(Child.AST)
Inherited Universe:	GEN.PX_C gt 0 and PO PCNT ge 2 and PCNT1	-	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1
Universe Description:	Sample Children 0-17		
Question Text:	Has a doctor or othe asthma?	r health professio	nal EVER told you that ^SCNAME had
Response:	1. Yes 2. No DK: Don't Know RF: Refused	V	
Fills:	^SCNAME	Fill ALIAS of F	IHSTAT_C=1
Skip Instructions:	<1> [goto ASTILL_C] <2,RF,DK> [goto next s	section]	

stion ID: AST.0030.00.1	Variable name: ASTILL_C	Interview module: AST(Child.AST)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and	0	
Universe:	ASEV_C=1		
Universe Description:	Sample Children 0-17 who were ever told they have asthma		
Question Text:	Does ^SCNAME still have asthma?		
Response:			

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto ASAT12M_C]	

Question ID: AST.0040.00.1	Variable name: A	SAT12M_C	Interview module: AST(Child.AST)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	ASEV_C=1		
Universe Description:	Sample Children 0-17 who	o were ever told they	v had asthma
Question Text:	During the past 12 months, has ^SCNAME had an episode of asthma or an asthma attack?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto ASER	12M_C]	

Question ID: AST.0050.00.1	Variable nam	ne: ASER12M_C	Interview module: AST(Child.AST)
Inherited Universe:	-	PCNTunder18 gt 0 and T18UP_C gt 0 and NOF	d PCNT gt PCNTAGEGUESS and FAMSC ne 1
Universe:	ASEV_C=1		
Universe Description:	Sample Children 0-17	7 who were ever told the	ey had asthma
Question Text:	During the past 12 months, did ^SCNAME have to visit an emergency room or urgent care center because of ^hisher_C asthma?		
Response:	1. Yes 2. No DK: Don't Kno RF: Refused	ow	
Fills:	^SCNAME ^hisher_C	else if GEN.SEX	ISTAT_C=1 JAL[PX_C]=1 fill "his"; {_FINAL[PX_C]=2 fill "her"; {_FINAL[PX_C] in (blank,DK,RF): fill
Skip Instructions:	<1,2,RF,DK> [goto ne	ext section]	

Question ID: DIB.0010.00.1	Variable name: PREDIB_C	Interview module: DIB(Child.DIB)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe Description:	Sample children 0-17			
Question Text:	Has a doctor or other health professional EVER told you that ^SCNAME had prediabetes or borderline diabetes?			
Response:				

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto DIBEV_C]	

Que	Question ID: DIB.0020.00.1		riable name: DI	BEV_C	Interview module: DIB(Child.DIB)
	Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		-	
	Universe Description:	Sample Ch	ildren 0-17		
	Question Text:	^NOTPRED a doctor or had diabetes?		other health profe	ssional EVER told you that ^SCNAME
	Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
	Fills:	^NOTPR ^SCNAM			'Not including prediabetes, has" '2','DK','RF'): "Has" STAT_C=1
	Skip Instructions:	<1,2,RF,DF	<> [goto next se	ection]	

Question ID: DLD.0010.00.1	Variabl	le name: ADHDEV_C	Interview module: DLD(Child.DLD)
Inherited Universe:	: GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FIN/	AL[PX_C]=2-17	
Universe Description:	Sample Childre	n 2-17	
Question Text:	Has a doctor or other health professional ever told you that ^SCNAME had Attention-Deficit/Hyperactivity Disorder or ADHD or Attention-Deficit Disorder or ADD? • Read if necessary: Health professionals can include school psychologists and school nurses.		
Response:	2. No DK: Dor	s n't Know fused	
Fills:	^SCNAME	Fill ALIAS o	of HHSTAT_C=1
Skip Instructions:	<1> [goto ADH] <2,RF,DK> [got		

Question ID: DLD.0020.00.1	Variable name: ADHDNW_C	Interview module: DLD(Child.DLD)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGE_FINAL[PX_C]=2-17 and ADHDEV_C=1			
Universe Description:	Sample Children 2-17 who had an ADHD diagnosis			
Question Text:	Does ^SCNAME currently have Attention-Deficit/Hyperactivity Disorder or ADHD or Attention-Deficit Disorder or ADD?			
Response:				

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto IDEV1_C]	

Question ID: DLD.0030.00.1	Variable name:	IDEV1_C	Interview module: DLD(Child.DLD)	
Inherited Universe:	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	-	PCNT gt PCNTAGEGUESS and AMSC ne 1	
Universe Description:	Sample Children 0-17	Sample Children 0-17		
Question Text:	intellectual disability,	, previously known a	ever told you that ^SCNAME had an as mental retardation? • Read if school psychologists and school nurses.	
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	^SCNAME	Fill ALIAS of HHS	STAT_C=1	
Skip Instructions:	<1> [goto IDNW1_C] <2,RF,DK> [goto AS GEN.AGE_FINAL[PX_C		.GE_FINAL[PX_C] ge 2 and EV_C]	

Question ID: DLD.0040.00.1	Variable name: IDNW1_C	Interview module: DLD(Child.DLD)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	IDEV1_C=1		
Universe Description:	Sample Children 0-17 who had an intellectua	al disability diagnosis	
Question Text:	Does ^SCNAME currently have an intelle mental retardation?	ectual disability, previously known as	
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME Fill ALIAS of HH	STAT_C=1	
Skip Instructions:	<1,2,RF,DK> if GEN.AGE_FINAL[PX_C] ge 17 [goto ASDEV_C] else [goto DDEV_C]	2 and GEN.AGE_FINAL[PX_C] le	

stion ID: DLD.0050.00.1	Variable name: ASDEV_C	Interview module: DLD(Child.DLD)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=2-17		
Universe Description:	Sample Children 2-17		
Question Text:	Autism, Asperger's disorder, pervasi	onal ever told you that ^SCNAME had ve developmental disorder, or autism ary: Health professionals can include school	
Response:			

Page 42 of 334

	1. Yes 2. No DK: Don't Kno RF: Refused	W
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1> [goto ASDNW_C] <2,RF,DK> [goto DDE	 =V_C]

Question ID: DLD.0060.00.1	Variable name: AS	SDNW_C	Interview module: DLD(Child.DLD)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	GEN.AGE_FINAL[PX_C]=	-2-17 and ASDEV_C	C=1
Universe Description:	Sample Children 2-17 who	o had an autism spe	ctrum disorder diagnosis
Question Text:	Does ^SCNAME curren developmental disorde	•	sperger's disorder, pervasive um disorder?
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto DDEV_	_C]	

estion ID: DLD.0070.00.1	Variable n	ame: DDEV_C	Interview module: DLD(Child.DLD)
	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample Children 0-17		
Question Text:	had any other de can include schoo Developmental de	evelopmental delay? • ol psychologists and scho elays are significant delay	ofessional ever told you that SCNAME Read if necessary: Health professionals ool nurses. • Read if necessary: ys in a child's development. Examples motional and behavioral delays.
Response:	1. Yes 2. No DK: Don't I RF: Refuse		
Fills:	NOTEVER	ASDEV_C ne 1 If ADHDEV_C= ne 1 fill: "Not ind If ADHDEV_C r ne 1 fill: "Not ind If ADHDEV_C ASDEV_C=1 f disorder, has" If ADHDEV_C= ne fill: "Not i disability, has" If ADHDEV_C=1 fi spectrum disord If ADHDEV_C=1 fi disability or auti If ADHDEV_C=1 fi disability or auti	AND IDEV1_C ne 1 and ASDEV_C cluding ADHD, has" ne 1 AND IDEV1_C=1 and ASDEV_C cluding an intellectual disability, has" ne 1 AND IDEV1_C ne 1 and fill: "Not including autism spectrum =1 AND IDEV1_C=1 and ASDEV_C including ADHD or an intellectual C=1 AND IDEV1_C ne 1 and iill: "Not including ADHD or autism

Skip Instructions:	<1> [goto DDNW_C]
	<2,RF,DK> if GEN.AGE_FINAL[PX_C] ge 2 and GEN.AGE_FINAL[PX_C] le
	17 [goto LDEV_C]
	else [goto next section]

Question ID: DLD.0080.00.1	Variable name: DDNW_C	Interview module: DLD(Child.DLD)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	5
Universe:	DDEV_C=1	
Universe Description:	Sample Children 0-17 who had any other	developmental delay diagnosis
Question Text:	Does ^SCNAME still have this other d	levelopmental delay?
Response:	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME Fill ALIAS of I	HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> if GEN.AGE_FINAL[PX_C] 17 [goto LDEV_C] else [goto next section]	ge 2 and GEN.AGE_FINAL[PX_C] le

uestion ID: DLD.0090.00.1	Variable name: LDEV_C	Interview module: DLD(Child.DLD)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=2-17		
Universe Description:	Sample Children 2-17		
Question Text:	Has a representative from a school ^SCNAME had a learning disability?	or a health professional ever told you that ?	
Bosnonso:			

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1> [goto LDNW_C] <2,RF,DK> [goto next se	ction]

Question ID: DLD.0100.00.1	Variable name: L	.DNW_C	Interview module: DLD(Child.DLD)	
Inherited Universe:	GEN.PX_C gt 0 and PCI PCNT ge 2 and PCNT18	•	PCNT gt PCNTAGEGUESS and AMSC ne 1	
Universe:	GEN.AGE_FINAL[PX_C]	GEN.AGE_FINAL[PX_C]=2-17 and LDEV_C=1		
Universe Description:	Sample Children 2-17 wh	no had a learning disa	ability diagnosis	
Question Text:	Does ^SCNAME curre	ntly have a learning	disability?	
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1	
Skip Instructions:	<1,2,RF,DK> [goto next s	section]		

Question ID: VIS.0010.00.1	Variable name: VIS	INTRO_C	Interview module: VIS(Child.VIS)
Inherited Universe:	(GEN.AGE_FINAL ge 2 and ((GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18UF (GEN.AGE_FINAL ge 2 and	Tunder18 gt 0 and P_C gt 0 and NOFA	PCNT gt PCNTAGEGUESS and MSC ne 1) AND
Universe Description:	Sample Children 2-17		
Question Text:	I would like to ask you s Enter '1' to continue.	ome questions ab	out difficulties ^SCNAME may have. •
Response:	1. Enter 1 to Cont	inue	
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	<1> [goto WEARGLSS_C]		

Question ID: VIS.0020.00.1		Variable name: WEARGLSS_C	Interview module: VIS(Child.VIS)
Inherited Universe:	((GEN.P) PCNT ge	GE_FINAL ge 2 and GEN.AGE_ X_C gt 0 and PCNTunder18 gt 2 and PCNT18UP_C gt 0 and GE_FINAL ge 2 and GEN.AGE_	0 and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1) AND
Universe Description:	Sample (Children 2-17	
Question Text:		asses to read or to do other occ	ITACTS? • Read if necessary: Persons who casional tasks should answer yes to this
Response:	1. 2. DK: RF:	Yes No Don't Know Refused	

Fills:	^CONTACTS	If AGE=5-17 fill "or contact lenses"	
	^SCNAME	Fill ALIAS of HHSTAT_C=1	
Skip Instructions:	<1,2,RF,DK> [goto VISIONDF_C]		

estion ID: VIS.0030.00.1	Variable name: VI	SIONDF_C	Interview module: VIS(Child.VIS)
Inherited Universe:		NTunder18 gt 0 a JP_C gt 0 and No	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1) AND
Universe Description:	Sample Children 2-17		
Question Text:			ficulty seeing? Would you say ^SCNAME of difficulty, or ^heshe_C cannot do this
Response:	1.No difficulty2.Some difficult3.A lot of difficu4.Cannot do atDK:Don't KnowRF:Refused	lty	
Fills:	Fills: ^GLASSCONTACT ^SCNAME		S_C=1 fill "When wearing glasses does" GLSS_C ne 1 "Does" HSTAT_C=1
	^heshe_C	else if GEN.SE	FINAL[PX_C]=1 fill "he" EX_FINAL[PX_C]=2 fill "she" EX_FINAL[PX_C] in (RF,DK): fill "they"

Skip Instructions:	<1-4,RF,DK> [goto next section]
--------------------	---------------------------------

Question ID: HEA.0010.00.1	Vari	able name: HEARAID_	<u> </u>	nterview module: HEA(Child.HEA)
Inherited Universe:	((GEN.PX_C PCNT ge 2 a	•	18 gt 0 and P0 0 and NOFAM	CNT gt PCNTAGEGUESS and SC ne 1) AND
Universe Description:	Sample Child	Iren 2-17		
Question Text:	Does ^SCN	IAME use a hearing	aid?	
Response:	2. 1 DK: [∕es No Don't Know Refused		
Fills:	^SCNAME	Fill AL	IAS of HHSTA	\T_C=1
Skip Instructions:	<1,2,RF,DK>	[goto HEARINGDF_	C]	

Question ID: HEA.0020.00.1	Variable name: HEARINGDF_C	Interview module: HEA(Child.HEA)
----------------------------	----------------------------	----------------------------------

Inherited Universe:	(GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL ge 2 and GEN.AGE_FINAL le 17))
Universe Description:	Sample Children 2-17
Question Text:	^USEHRAID_C ^SCNAME have difficulty hearing sounds like people's voices or music? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
Response:	

kesponse:

	 No difficulty Some difficulty 	
	3. A lot of difficult	-
	4. Cannot do at a	
	DK: Don't Know	
	RF: Refused	
Fills:	^USEHRAID_C	If HEARAID_C=1 fill "When using ^hisher_C hearing aid(s) does " else fill "Does "
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he"
		else if GEN.SEX_FINAL[PX_C]=2 fill "she"
		else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1-4,RF,DK> [goto next se	ction]

Question ID: MOB.0010.00.1	Variable name: EQUIP_C	Interview module: MOB(Child.MOB)
----------------------------	------------------------	----------------------------------

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGI	E_FINAL[PX_C]=	-2-17	
Universe Description:	Sample C	Children 2-17		
Question Text:	Does ^S	SCNAME use ar	y equipment or receive assistance for walking?	
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Fills:	^SCNA	AME	Fill ALIAS of HHSTAT_C=1	

Skip Instructions:	<1> if GEN.AGE_FINAL[PX_C]=2-4 [goto NOEQWLKDF_C]
	else if GEN.AGE_FINAL[PX_C] ge 5 [goto NOEQWLK100_C]
	<2,RF,DK> if GEN.AGE_FINAL[PX_C]=2-4 [goto WLKDF_C]
	else if GEN.AGE_FINAL[PX_C] ge 5 [goto WLK100_C]

Question ID: MOB.0020.00.1	Varia	ble name: NOE	QWLKDF_C	Interview module: MOB(Child.MOB)
Inherited Universe:	-		under18 gt 0 ar _C gt 0 and NC	nd PCNT gt PCNTAGEGUESS and FAMSC ne 1
Universe:	GEN.AGE_FI	NAL[PX_C] IN	(2,3,4) and EQ	UIP_C=1
Universe Description:	Sample Childr	en 2-4 who us	e equipment or	assistance for walking
Question Text:	Without using ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?			
Response:	2. So 3. A 4. Ca DK: Do	o difficulty ome difficulty lot of difficulty annot do at all on't Know efused		
Fills:	^SCNAME		Fill ALIAS of HI	HSTAT_C=1
	^hisher_C		else if GEN.SE	NAL[PX_C]=1 fill "his"; X_FINAL[PX_C]=2 fill "her"; X_FINAL[PX_C] in (blank,DK,RF): fill
	^heshe_C		else if GEN.SE	NAL[PX_C]=1 fill "he" X_FINAL[PX_C]=2 fill "she" X_FINAL[PX_C] in (RF,DK): fill "they"

Skip Instructions:	<1-4,RF,DK> [goto EQWLKDF_C]
--------------------	------------------------------

estion ID: MOB.0030.00.1	Variable nam	e: EQWLKDF_C	Interview module: MOB(Child.MOB)
Inherited Universe:	GEN.PX_C gt 0 and PCNT ge 2 and PCN	-	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1
Universe:	GEN.AGE_FINAL[PX	(_C] IN (2,3,4) and E	QUIP_C=1
Universe Description:	Sample Children 2-4	who use equipment o	or assistance for walking
Question Text:	walking? • Read if		assistance, does ^SCNAME have difficulty ou say ^SCNAME has: no difficulty, some annot do this at all?
Response:	1.No difficu2.Some difficu3.A lot of di4.Cannot diDK:Don't KnoRF:Refused	ficulty ifficulty o at all	
Fills:	^SCNAME	Fill ALIAS of H	HSTAT_C=1
	^hisher_C	else if GEN.S	FINAL[PX_C]=1 fill "his"; EX_FINAL[PX_C]=2 fill "her"; EX_FINAL[PX_C] in (blank,DK,RF): fill
	^heshe_C	else if GEN.S	FINAL[PX_C]=1 fill "he" EX_FINAL[PX_C]=2 fill "she" EX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1-4,RF,DK> [goto ne	ext section]	

Que	estion ID: MOB.0040.00.1	Variable nam	e: WLKDF_C	Interview module: MOB(Child.MOB)
	Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1 GEN.AGE_FINAL[PX_C] IN (2,3,4) and EQUIP_C IN (2,RF,DK)		
	Universe:	GEN.AGE_FINAL[PX	_C] IN (2,3,4) and I	EQUIP_C IN (2,RF,DK)
	Universe Description:	Sample Children 2-4 who do not use equipment or assistance for walking or Refused or Don't Know		
	Question Text:		u say ^SCNAME h	age, does ^SCNAME have difficulty has: no difficulty, some difficulty, a lot of s at all?
	Response:	1.No difficu2.Some diff3.A lot of di4.Cannot deDK:Don't KnoRF:Refused	iculty fficulty o at all	
	Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1
		^heshe_C	else if GEN.	_FINAL[PX_C]=1 fill "he" SEX_FINAL[PX_C]=2 fill "she" SEX_FINAL[PX_C] in (RF,DK): fill "they"
	Skip Instructions:	<1-4,RF,DK> [goto ne	ext section]	

estion ID: MOB.0050.00.1	Variable nam	e: NOEQWLK100_C	Interview module: MOB(Child.MOB)		
	EXAMPLE C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe:	GEN.AGE_FINAL[PX	_C]=5-17 and EQUIP_	_C=1		
Universe Description:	Sample Children 5-17	' who use equipment c	or assistance for walking		
Question Text:	difficulty walking 1 1 football field or 1	00 yards on level gro city block. Would yo	or assistance, does ^SCNAME have ound? That would be about the length o ou say ^SCNAME has: no difficulty, eshe_C cannot do this at all?		
Response:	1.No difficu2.Some difficu3.A lot of di4.Cannot diDK:Don't KnoRF:Refused	ficulty fficulty o at all			
Fills:	^SCNAME	Fill ALIAS of H	HSTAT_C=1		
	^hisher_C	else if GEN.SE	NAL[PX_C]=1 fill "his"; X_FINAL[PX_C]=2 fill "her"; X_FINAL[PX_C] in (blank,DK,RF): fill		
	^heshe_C	else if GEN.SE	NAL[PX_C]=1 fill "he" X_FINAL[PX_C]=2 fill "she" X_FINAL[PX_C] in (RF,DK): fill "they"		
Skip Instructions:	<1-3,RF,DK> [goto N <4> [goto EQWLK100				

Question ID: MOB.0060.00.1	Variable name: N	NOEQWLK13M_C	Interview module: MOB(Child.MOB)
Inherited Universe:	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	GEN.AGE_FINAL[PX_C]	=5-17 and NOEQW	LK100_C IN (1,2,3,RF,DK)
Universe Description:	· ·	fficulty walking 10	r assistance for walking and have 0 yards when not using their now
Question Text:	difficulty walking a thi length of 5 football fie	rd of a mile on leve lds or 5 city blocks	er assistance, does ^SCNAME have el ground? That would be about the . • Read if necessary: Would you say a lot of difficulty, or ^heshe_C cannot do
Response:	1.No difficulty2.Some difficulty3.A lot of difficulty4.Cannot do atDK:Don't KnowRF:Refused	ulty	
Fills:	^SCNAME	Fill ALIAS of HHS	STAT_C=1
	^hisher_C ^heshe_C	else if GEN.SEX else if GEN.SEX "their" If GEN.SEX_FIN	AL[PX_C]=1 fill "his"; _FINAL[PX_C]=2 fill "her"; &_FINAL[PX_C] in (blank,DK,RF): fill AL[PX_C]=1 fill "he" _FINAL[PX_C]=2 fill "she"
			_FINAL[PX_C] in (RF,DK): fill "they"

Skip Instructions:	<1-4,RF,DK> [goto EQWLK100_C]
--------------------	-------------------------------

estion ID: MOB.0070.00.1	Variable nam	ne: EQWLK100_C	Interview module: MOB(Child.MOB)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX	(_C]=5-17 and EQUI	P_C=1
Universe Description:	Sample Children 5-17 who use equipment or assistance for walking.		
Question Text:	difficulty walking 1 1 football field or 1	00 yards on level g city block. •Read	or assistance, does ^SCNAME have pround? That would be about the length of l if necessary: Would you say ^SCNAME has sulty, or ^heshe_C cannot do this at all?
Response:	1.No difficu2.Some dif3.A lot of d4.Cannot dDK:Don't KnoRF:Refused	ficulty ifficulty lo at all	
Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1
	^hisher_C	else if GEN.S	FINAL[PX_C]=1 fill "his"; SEX_FINAL[PX_C]=2 fill "her"; SEX_FINAL[PX_C] in (blank,DK,RF): fill
	^heshe_C	else if GEN.S	FINAL[PX_C]=1 fill "he" EX_FINAL[PX_C]=2 fill "she" EX_FINAL[PX_C] in (RF,DK): fill "they"

Skip Instructions:	<1-3,RF,DK> [goto EQWLK13M_C]
	<4> [goto next section]

Question ID: MOB.0080.00.1	Variable name: E0	QWLK13M_C	Interview module: MOB(Child.MOB)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18L	•	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	GEN.AGE_FINAL[PX_C]=	=5-17 and EQWLK1	00_C IN (1,2,3,RF,DK)
Universe Description:	Sample Children 5-17 who use equipment or assistance for walking and have no, some or a lot of difficulty walking 100 yards when using their equipment/assistance or Refused or Don't Know		
Question Text:	difficulty walking a thir length of 5 football field	d of a mile on leve ds or 5 city blocks	ssistance, does ^SCNAME have I ground? That would be about the • Read if necessary: Would you say a lot of difficulty, or ^heshe_C cannot do
Response:	1.No difficulty2.Some difficult3.A lot of difficult4.Cannot do atDK:Don't KnowRF:Refused	lty	
Fills:	^SCNAME	Fill ALIAS of HHS	STAT_C=1
	^hisher_C	else if GEN.SEX	AL[PX_C]=1 fill "his"; _FINAL[PX_C]=2 fill "her"; _FINAL[PX_C] in (blank,DK,RF): fill
	^heshe_C	else if GEN.SEX	AL[PX_C]=1 fill "he" _FINAL[PX_C]=2 fill "she" _FINAL[PX_C] in (RF,DK): fill "they"

Skip Instructions:	<1-4,RF,DK> [goto next section]
--------------------	---------------------------------

Question ID: MOB.0090.00.1	Varia	ble name: WLK	(100_C	Interview module: MOB(Child.MOB)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGE_FII	NAL[PX_C]=5-	17 EQUIP_C=2	,RF,DK
Universe Description:	Sample Children 5-17 who do not use equipment or assistance for walking or Refused or Don't Know			
Question Text:	walking 100 field or 1 cit	yards on leve y block. Wou	el ground? Tha d you say ^SC	e, does ^SCNAME have difficulty t would be about the length of 1 football NAME has: no difficulty, some cannot do this at all?
Response:	2. So 3. A 4. Ca DK: Do	o difficulty ome difficulty lot of difficulty annot do at all on't Know efused		
Fills:	^SCNAME ^heshe_C		else if GEN.SEX	ISTAT_C=1 NAL[PX_C]=1 fill "he" (_FINAL[PX_C]=2 fill "she" (_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1-3,RF,DK> <4> [goto nex		1_C]	

stion ID: MOB.0100.00.1	Va	riable name: WL	K13M_C	Interview module: MOB(Child.MOB)	
Inherited Universe:		GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGE_	FINAL[PX_C]=5	-17 and WLK10	0_C IN (1,2,3,RF,DK)	
Universe Description:	have no di	Sample Children 5-17 who do not use equipment or assistance for walking and have no difficulty, some difficulty, or a lot of difficulty walking 100 yards or Refused or Don't Know			
Question Text:	walking a football fi	third of a mile elds or 5 city b	on level ground locks. + Read if	e, does ^SCNAME have difficulty d? That would be about the length of 5 necessary: Would you say ^SCNAME has ty, or ^heshe_C cannot do this at all?	
Response:	1. 2. 3. 4. DK: RF:	No difficulty Some difficulty A lot of difficulty Cannot do at al Don't Know Refused			
Fills:	^SCNAM	IE	Fill ALIAS of H	HSTAT_C=1	
		C	If GEN.SEX_FI	NAL[PX_C]=1 fill "he"	
	^heshe_(X_FINAL[PX_C]=2 fill "she" X_FINAL[PX_C] in (RF,DK): fill "they"	

uestion ID: UPP.0010.00.1	Variable name	e: PICKUPDF_C	Interview module: UPP(Child.UPP)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_	_C] IN (2,3,4)	
Universe Description:	Sample Children 2-4		
Question Text:	Compared with children of the same age, does ^SCNAME have difficulty picking up small objects with ^hisher_C hands? *Read if necessary: Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?		
Response:	1.No difficul2.Some diffi3.A lot of dified4.Cannot doDK:Don't KnowerRF:Refused	ficulty ficulty o at all	
Fills:	^SCNAME	Fill ALIAS of I	HHSTAT_C=1
	^hisher_C	else if GEN.S	FINAL[PX_C]=1 fill "his"; EX_FINAL[PX_C]=2 fill "her"; SEX_FINAL[PX_C] in (blank,DK,RF): fill
	^heshe_C	else if GEN.S	FINAL[PX_C]=1 fill "he" EX_FINAL[PX_C]=2 fill "she" EX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1-4,RF,DK> [goto ne	xt section]	

Question ID: UPP.0020.00.1

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=5-17		
Universe Description:	Sample Children 5-17		
Question Text:	Does ^SCNAME have difficulty with self care, such as eating or dressing? • Read if necessary: Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?		
Response:	1.No difficulty2.Some difficulty3.A lot of difficulty4.Cannot do at allDK:Don't KnowRF:Refused		
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1 ^heshe_C If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"		
Skip Instructions:	<1-4,RF,DK> [goto next section]		

 Question ID: COM.0010.00.1
 Variable name: UNDRSTYOU_C
 Interview module: COM(Child.COM)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	GEN.AGE_FINAL[PX_C] IN (2,3,4)
Universe Description:	Sample Children 2-4
Question Text:	Does ^SCNAME have difficulty understanding you? • Read if necessary: Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
Beeneneer	

	1. 2. 3. 4. DK: RF:	No difficulty Some difficulty A lot of difficulty Cannot do at a Don't Know Refused	y
Fills:	^SCNAI	ME	Fill ALIAS of HHSTAT_C=1
	^heshe_	_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1-4,RF,DK> [goto UNDRSTCHD_C]		

Question ID: COM.0020.00.1	Variable name: UNDRSTCHD_C Interview module: COM(Child.COM)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGI	E_FINAL[PX_C] IN (2,3,4)	
Universe Description:	Sample C	Children 2-4	
Question Text:	When SCNAME speaks, do you have difficulty understanding himherthem_C? Read if necessary: Would you say SCNAME has: no difficulty, some difficulty, a lot of difficulty, or heshe_C cannot do this at all?		
Response:	1. 2. 3. 4. DK: RF:	No difficulty Some difficulty A lot of difficulty Cannot do at all Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^himherthem_C	if GEN.SEX_FINAL[PX_C]=1 fill "him"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "them"
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1-4,RF,DK> [goto next se	ection]

uestion ID: COM.0030.00.1	Variable name: UNDRSTI	ew module: COM(Child.COM)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=5-17		
Universe Description:	Sample Children 5-17		
Question Text:	When ^SCNAME speaks, ^doesheshedothey_C have difficulty being understood by people inside of this household? •Read if necessary: Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?		
Response:	 No difficulty Some difficulty A lot of difficulty Cannot do at all DK: Don't Know RF: Refused 		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^doesheshedothey_C	If SEX=1 fill: "does he" If SEX=2 fill: "does she" If SEX IN ('RF','DK') fill: "do they"
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1-4,RF,DK> [goto UNDRSTOHH_C]	

Question ID: COM.0040.00.1	Variable name: UN	NDRSTOHH_C	Interview module: COM(Child.COM)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=	5-17	
Universe Description:	Sample Children 5-17		
Question Text:	understood by people of	outside of this hou	hey_C have difficulty being sehold? *Read if necessary: Would ifficulty, a lot of difficulty, or ^heshe_C
Response:	1.No difficulty2.Some difficulty3.A lot of difficul4.Cannot do at aDK:Don't KnowRF:Refused	ty	
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
	^doesheshedothey_C	If SEX=1 fill: "doe: If SEX=2 fill: "doe: If SEX IN ('RF','DF	s she"
		else if GEN.SEX_	FINAL[PX_C]=2 fill "she" FINAL[PX_C] in (RF,DK): fill "they"

Skip Instructions:	<1-4,RF,DK> [goto next section]
--------------------	---------------------------------

Question ID: COG.0010.00.1	Variable name	: LEARNDF_C	Interview module: COG(Child.COG)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_	C]=2-17	
Universe Description:	Sample Children 2-17		
Question Text:	Compared with children of the same age, does ^SCNAME have difficulty learning things? *Read if necessary: Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?		
Response:	1.No difficulty2.Some difficulty3.A lot of difficulty4.Cannot doDK:Don't KnowRF:Refused	culty iculty at all	
Fills:	^SCNAME ^heshe_C	If GEN.SEX_ else if GEN.S	HHSTAT_C=1 FINAL[PX_C]=1 fill "he" SEX_FINAL[PX_C]=2 fill "she"
Skip Instructions:	<1-4,RF,DK> [goto RE		SEX_FINAL[PX_C] in (RF,DK): fill "they"

Question ID: COG.0020.00.1

Interview module: COG(Child.COG)

Inherited Universe:		Funder18 gt 0 and PCNT gt PCNTAGEGUESS and P_C gt 0 and NOFAMSC ne 1	
Universe:	GEN.AGE_FINAL[PX_C]=	5-17	
Universe Description:	Sample Children 5-17		
Question Text:	Compared with children of the same age, does ^SCNAME have difficulty remembering things? *Read if necessary: Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?		
Response:	1.No difficulty2.Some difficulty3.A lot of difficult4.Cannot do at aDK:Don't KnowRF:Refused	y	
Fills:	^SCNAME ^heshe_C	Fill ALIAS of HHSTAT_C=1 If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"	
Skip Instructions:	<1-4,RF,DK> [goto next se	ction]	

Question ID: ANX.0010.00.1 Variable name: ANXFREQ_C Interview module: ANX(Child.ANX)

Inherited Universe:	(GEN.AGE_FINAL[PX_C]=5-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=5-17))
Universe Description:	Sample Children 5-17
Question Text:	How often does ^SCNAME seem very anxious, nervous, or worried? Would you say: daily, weekly, monthly, a few times a year, or never?
Response:	

	1. 2. 3. 4.	Daily Weekly Monthly A few times a year
	5. DK: RF:	Never Don't Know Refused
Fills:	^SCNAI	ME Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-5,RF,D	K> [goto next section]

Question ID: DEP.0010.00.1	Variable name:	DEPFREQ_C	Interview module: DEP(Child.DEP)
Inherited Universe:	(GEN.AGE_FINAL[PX_C]=5-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=5-17))		
Universe Description:	Sample Children 5-17		
Question Text:	How often does ^SCNAME seem very sad or depressed? Would you say: daily, weekly, monthly, a few times a year, or never?		
Response:	1.Daily2.Weekly3.Monthly4.A few times5.NeverDK:Don't KnowRF:Refused		
Fills:	^SCNAME	Fill ALIAS of H	IHSTAT_C=1

Skip Instructions:	<1-5,RF,DK> [goto next section]
--------------------	---------------------------------

uestion ID: BEH.0010.00.1	Variable name: BE	EHDFPLYG_C	Interview module: BEH(Child.BEH)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGE_FINAL[PX_C]	GEN.AGE_FINAL[PX_C] IN (2,3,4)		
Universe Description:	Sample Children 2-4			
Question Text:	Compared with children of the same age, does ^SCNAME have difficulty playing? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?			
Response:	1.No difficulty2.Some difficulty3.A lot of difficulty4.Cannot do at aDK:Don't KnowRF:Refused	lty		
Fills:	^SCNAME	Fill ALIAS of HH	STAT_C=1	
	^heshe_C	else if GEN.SEX	IAL[PX_C]=1 fill "he" (_FINAL[PX_C]=2 fill "she" (_FINAL[PX_C] in (RF,DK): fill "they"	
Skip Instructions:	<1-4,RF,DK> [goto BEHKI	BHYG_C]		

Qu	estion ID: BEH.0020.00.1	Variable	e name: BEHKBHYG_C	Interview module: BEH(Child.BEH)	
	Inherited Universe:	J	EN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and CNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
	Universe:	GEN.AGE_FINA	AL[PX_C] IN (2,3,4)		
	Universe Description:	Sample Childrer	ו 2-4		
	Question Text:	or hit other ch	Compared with children of the same age, how much does ^SCNAME kick, bite, or hit other children or adults? Would you say: not at all, the same or less, more, or a lot more?		
	Response:	2. The 3. More 4. A lot DK: Don	at all same or less e t more 't Know used		
	Fills:	^SCNAME	Fill ALIAS of F	HSTAT_C=1	
	Skip Instructions:	<1-4,RF,DK> [go	oto next section]		

Question ID: BEH.0030.00.1	Variable name: BEHDFCNTR_C	Interview module: BEH(Child.BEH)	
	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=5-17		
Universe Description:	Sample Children 5-17		
Question Text:	Compared with children of the same age, controlling ^hisher_C behavior? Read if r has: no difficulty, some difficulty, a lot of diffic	necessary: Would you say ^SCNAME	
Response:			

	1.No difficu2.Some difficu3.A lot of di4.Cannot dDK:Don't KnoRF:Refused	iculty ifficulty o at all
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1-4,RF,DK> [goto B	EHDFFCS_C]

Question ID: BEH.0040.00.1	Variable name: BEHDFFCS_C	Interview module: BEH(Child.BEH)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=5-17		
Universe Description:	Sample Children 5-17		
Question Text:		ould you say ^SCNAME has: no difficulty,	
Response:	1. No difficulty		

	3. A lo 4. Car DK: Dor	ne difficulty ot of difficulty nnot do at all n't Know
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
	^s	if SEX_FINAL[PX_C]=1,2 fill "s" else fill blank
Skip Instructions:	<1-4,RF,DK> [g	oto BEHDFCHG_C]

Question ID: BEH.0050.00.1	Variable name: BEHDFCHG_C Interview module: BEH(Child.BEH)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=5-17		
Universe Description:	Sample Children 5-17		
Question Text:	 Does ^SCNAME have difficulty accepting changes in ^hisher_C routine? * Read if necessary: Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all? 		
Response:	1.No difficulty2.Some difficulty3.A lot of difficulty4.Cannot do at allDK:Don't KnowRF:Refused		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1-4,RF,DK> [goto BEHD	FMKFR_C]

uestion ID: BEH.0060.00.1	Variable name: BEHDFMKFR_C Interview module: BEH(Child.BEH)			
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGE_FINAL[PX_	_C]=5-17		
Universe Description:	Sample Children 5-17			
Question Text:	say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C canno do this at all?			
Response:				
Fills:	^SCNAME	Fill ALIAS of H	IHSTAT_C=1	
	^heshe_C	else if GEN.SE	INAL[PX_C]=1 fill "he" EX_FINAL[PX_C]=2 fill "she" EX_FINAL[PX_C] in (RF,DK): fill "they"	

Skip Instructions:	<1-4,RF,DK> [goto next section]
	, , , [3]

Question ID: BSC.0010.00.1	Variable name: BSCINTRO_C	Interview module: BSC(Child.BSC)
Inherited Universe:	(GEN.AGE_FINAL[PX_C] It 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and No (GEN.AGE_FINAL[PX_C] It 2))	-
Universe Description:	Sample Children under 2 years	
Question Text:	of the larger Survey of Well-being of You Center. For more information go to	ead to the respondent. They are displayed ne Baby Pediatric Symptom Checklist is part ng Children, copyrighted by Tufts Medical /ey-of-Wellbeing-of-Young-Children/Overvie
Response:	1. Enter 1 to Continue	
Skip Instructions:	<1> [goto BSCNWPPL_C]	

 Question ID: BSC.0020.00.1
 Variable name: BSCNWPPL_C
 Interview module: BSC(Child.BSC)

Inherited Universe:	(GEN.AGE_FINAL[PX_C] It 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] It 2))
Universe Description:	Sample Children with Age under 2 years
Question Text:	These next questions are about ^SCNAME's behavior. Think about what you would expect of other children the same age, and tell me how much each statement applies to ^SCNAME. Does ^SCNAME have a hard time being with new people? Would you say not at all, somewhat, or very much?
Response:	

	1. 2. 3. DK: RF:	Not at all Somewhat Very much Don't Know Refused	
Fills:	^SCNA	ME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-3,RF,I	DK> [goto BSCN	WPLCS_C]

Question ID: BSC.0030.00.1	V	/ariable name: B	SCNWPLCS_C	Interview module: BSC(Child.BSC)
Inherited Universe:	((GEN.PX PCNT ge	_C gt 0 and PC	NTunder18 gt 0 and JP_C gt 0 and NOF	d PCNT gt PCNTAGEGUESS and AMSC ne 1) AND
Universe Description:	Sample C	hildren with Age	under 2 years	
Question Text:		CNAME have a hat, or very muc		places? Would you say not at all,
Response:	1. 2. 3. DK: RF:	Not at all Somewhat Very much Don't Know Refused		
Fills:	^SCNA	ME	Fill ALIAS of HHS	STAT_C=1
Skip Instructions:	<1-3,RF,D	0K> [goto BSCC	HG_C]	

estion ID: BSC.0040.00.1	Variable nam	ne: BSCCHG_C	Interview module: BSC(Child.BSC)
Inherited Universe:	· - ·	d PCNTunder18 gt 0 T18UP_C gt 0 and N	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1) AND
Universe Description:	Sample Children with	Age under 2 years	
Question Text:		ave a hard time with what, or very much?	change? • Read if necessary: Would you
Response:	1.Not at all2.Somewh3.Very mudDK:Don't KnownRF:Refused	at ch	
Fills:	^SCNAME	Fill ALIAS of H	HSTAT_C=1
Skip Instructions:	<1-3,RF,DK> [goto B	SCHLOPPL_C]	

 Question ID: BSC.0050.00.1
 Variable name: BSCHLOPPL_C
 Interview module: BSC(Child.BSC)

Inherited Universe:	(GEN.AGE_FINAL[PX_C] It 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt P PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1 (GEN.AGE_FINAL[PX_C] It 2))	
Universe Description:	Sample Children with Age under 2 years	
Question Text:	Does ^SCNAME mind being held by other people? you say not at all, somewhat, or very much?	Read if necessary: Would
Deeneneer		

	1. 2. 3. DK: RF:	Not at all Somewhat Very much Don't Know Refused	
Fills:	^SCN/	AME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-3,RF,	DK> [goto BSCC	RYALT_C]

ion ID: BSC.0060.00.1	Variable name: BSCCRYALT_C Interview module: BSC(Child.BSC)
Inherited Universe:	(GEN.AGE_FINAL[PX_C] It 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] It 2))
Universe Description:	Sample Children with Age under 2 years
Question Text:	Does ^SCNAME cry a lot? • Read if necessary: Would you say not at all, somewhat, or very much?
Response:	 Not at all Somewhat Very much DK: Don't Know RF: Refused
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-3,RF,DK> [goto BSCCLMDWN_C]

stion ID: BSC.0070.00.1	Variable name: BSCCLMDWN_C Interview module: BSC(Child.BSC)
Inherited Universe:	(GEN.AGE_FINAL[PX_C] It 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] It 2))
Universe Description:	Sample Children with Age under 2 years
Question Text:	Does ^SCNAME have a hard time calming down? • Read if necessary: Would you say not at all, somewhat, or very much?
Response:	1.Not at all2.Somewhat3.Very muchDK:Don't KnowRF:Refused
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-3,RF,DK> [goto BSCFUSSY_C]

 Question ID: BSC.0080.00.1
 Variable name: BSCFUSSY_C
 Interview module: BSC(Child.BSC)

Inherited Universe:	(GEN.AGE_FINAL[PX_C] It 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] It 2))		
Universe Description:	Sample Children with Age under 2 years		
Question Text:	Is ^SCNAME fussy or irritable? somewhat, or very much?	Read if necessary: Would you say not at all,	

	2. 3. DK: RF:	Somewhat Very much Don't Know Refused	
Fills:	^SCNA	ME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-3,RF,[DK> [goto BSCS	THE_C]

tion ID: BSC.0090.00.1	Var	iable name: B	SCSTHE_C	Interview module: BSC(Child.BSC)
Inherited Universe:	((GEN.PX_C PCNT ge 2 a	c gt 0 and PC	NTunder18 gt 0 UP_C gt 0 and N	and PCNT gt PCNTAGEGUESS and IOFAMSC ne 1) AND
Universe Description:	Sample Chil	dren with Age	e under 2 years	
Question Text:		o comfort ^\$ or very much		ad if necessary: Would you say not at all,
Response:		Not at all		
		Somewhat		
		Very much		
		Don't Know		
	RF:	Refused		
Fills:	^SCNAMI	Ξ	Fill ALIAS of I	HHSTAT_C=1
			SCHD_C]	

tion ID: BSC.0100.00.1	1	Variable name: B	SCSCHD_C	Interview module: BSC(Child.BSC)
Inherited Universe:	((GEN.P> PCNT ge	-	NTunder18 gt 0 JP_C gt 0 and N	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1) AND
Universe Description:	Sample C	Children with Age	under 2 years	
Question Text:		-	IAME on a sche	dule or routine? • Read if necessary: ery much?
Response:	1. 2. 3. DK: RF:	Not at all Somewhat Very much Don't Know Refused		
Fills:	^SCNA	ME	Fill ALIAS of H	HSTAT_C=1
Skip Instructions:	<1-3,RF,I	DK> [goto BSCP	TSLP C]	

 Question ID: BSC.0110.00.1
 Variable name: BSCPTSLP_C
 Interview module: BSC(Child.BSC)

Inherited Universe:	(GEN.AGE_FINAL[PX_C] It 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] It 2))
Universe Description:	Sample Children with Age under 2 years
Question Text:	Is it hard to put ^SCNAME to sleep? * Read if necessary: Would you say not at all, somewhat, or very much?
Deenenee	

Skip Instructions:	<1-3,RF,DK> [goto BSCSTYSLP_C]	
Fills:	^SCNAM	IE Fill ALIAS of HHSTAT_C=1
	1. 2. 3. DK: RF:	Not at all Somewhat Very much Don't Know Refused

Question ID: BSC.0120.00.1	Varia	ble name: B	SCSTYSLP_C	Interview module: BSC(Child.BSC)
Inherited Universe:	((GEN.PX_C	gt 0 and PC nd PCNT18U	NTunder18 gt 0 a JP_C gt 0 and NC	and PCNT gt PCNTAGEGUESS and DFAMSC ne 1) AND
Universe Description:	Sample Child	ren with Age	under 2 years	
Question Text:			rouble staying a or very much?	sleep? • Read if necessary: Would you
Response:	2. S 3. V DK: D	ot at all omewhat ery much on't Know efused		
Fills:	^SCNAME		Fill ALIAS of H	HSTAT_C=1
Skip Instructions:	<1-3,RF,DK>	[goto BSCP	RLKSL_C]	

stion ID: BSC.0130.00.1	Variable name: BS	CPRLKSL_C	Interview module: BSC(Child.BSC)		
Inherited Universe:	(GEN.AGE_FINAL[PX_C] It 2) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C] It 2))				
Universe Description:	Sample Children with Age	under 2 years			
Question Text:	•		get enough sleep because of ^SCNAME ? at all, somewhat, or very much?		
Response:	1.Not at all2.Somewhat3.Very muchDK:Don't KnowRF:Refused				
Fills:	^SCNAME ^youmembersoffamily	Fill ALIAS of HI If PCNT='2' fill ' elsefill "membe			
Skip Instructions:	<1-3,RF,DK> [goto next se				

Question ID: SCH.0010.00.1		Variable name: SCHDYSMSS_C	Interview module: SCH(Child.SCH)			
Inherited Universe:		EN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and CNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe:	GEN.AG	N.AGE_FINAL[PX_C]=5-17				
Universe Description:	Sample	Sample Children 5-17				
Question Text:	becaus	•	r many days of school did ^SCNAME miss ury, or disability? + Enter '996' if child did			
Response:	DK: RF:	Don't Know Refused				

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
	^HeShe_C	If SEX_FINAL_C=1 fill "He" else if SEX_FINAL_C=2 fill "She" elseif SEX_FINAL_C=blank: fill "They"	
Skip Instructions:	<0-99,996,RF,DK> [goto SCHSPEDEV_C] <100-365> [goto ERR1_SCHDYSMSS_C] <366-995> [goto ERR2_SCHDYSMSS_C]		

	Check Name: ERR1_SCHDYSMSS_C				
Text:	<pre>{signal ERR1_SCHDYSMSS_C} ^SCHDYSMSS_C is an unusually large number, did ^SCNAME miss ^SCHDYSMSS_C days of school because of illness, injury, or disability? * Please verify.</pre>				
Hard / Soft Edit:	Soft				
Fills:	^SCHDYSMSS_C	Fill value from SCHDYSMSS_C			
	^SCNAME	Fill ALIAS of HHSTAT_C=1			
	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe:	SCHDYSMSS_C=100-365				
Universe Description:	Sample child missed 100 to 365 days of school				

Check Name: ERR2_SCHDYSMSS_C

Text:	{check ERR2_SCHDYSMSS_C} * "366-995" days not allowed in this field.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	SCHDYSMSS_C=366-995
Universe Description:	Sample children who missed 366 to 995 days of school

uestion ID: SCH.0020.00.1	Variable name: S	SCHSPEDEV_C	Interview module: SCH(Child.SCH)
Inherited Universe:	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	•	d PCNT gt PCNTAGEGUESS and FAMSC ne 1
Universe Description:	Sample Children 0-17		
Question Text:		-	ntion or early intervention plan, such as P, or an Individualized Family Service
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HH	ISTAT_C=1
Skip Instructions:	<1> [goto SCHSPED_C] <2,RF,DK> [goto next se		

uestion ID: SCH.0030.00.1	Variable nan	ne: SCHSPED_C	Interview module: SCH(Child.SCH)
Inherited Universe:	GEN.PX_C gt 0 and PCNT ge 2 and PCN	•	and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1
Universe:	SCHSPEDEV_C=1		
Universe Description:	Sample Children 0-1	7 who ever received	special education services
Question Text:		Consider special edu	cial education or early intervention plan?
Response:	1. Yes 2. No DK: Don't Kn RF: Refused		
Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1
Skip Instructions:	<1> [goto SCHSPED <2,RF,DK> [goto ne>	-	

ion ID: SCH.0040.00.1	Variable name: SCHSPEDEM_C Interview module: SCH(Child.SC
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	SCHSPED_C=1
Universe Description:	Sample Children 0-17 who have received services in the past 12 months
Question Text:	Does ^SCNAME receive these services to help with ^hisher_C emotions, concentration, behavior, or mental health?
Resnonse:	

	1. 2. DK: RF:	Yes No Don't Know Refused	
Fills:	^SCNA	ME	Fill ALIAS of HHSTAT_C=1
	^hisher_	_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
Skip Instructions:	<1,2,RF,D	K> [goto next s	ection]

uestion ID: INS.0010.00.1	Variable name: H		Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample Children 0-17		
Question Text:	obtained through empl programs like Medicard Program that provide n	oyment or purchase e, Medicaid, and the nedical care or help	insurance. Include health insurance ed directly as well as government e Children's Health Insurance pay medical bills. Is ^SCNAME r some other kind of health care
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1

<1,R,D> [goto HIKIND_C]
<2> [goto MCAIDPRB_C]

Question ID: INS.0020.00.1	Varia	able name: HIKIND_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	HICOV_C IN (1,RF,DK)		
Universe Description:	Sample Children 0-17 covered by any kind of health insurance or health care coverage or refused/don't know if they have insurance or health care coverage.		
Question Text:	 ?[F1] What kinds of health insurance or health care coverage does ^SCNAME have? Is itPrivate health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program? * Enter all that apply, separate with commas. 		
Response:	2. M 3. M 4. M 5. C 6. M 7. In 8. S 9. O 10. N DK: D	rivate health insurance ledicare (including Medicare Ad ledicare supplement (Medigap) ledicaid children's Health Insurance Pro lilitary related health care: TF CHAMP-VA Indian Health Service tate-sponsored health plan other government program lo coverage of any type ion't Know)

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:		l and (<10> in HIKIND_C) [goto ERR1_HIKIND_C] ,DK or (<10> in HIKIND_C) [goto MCAIDPRB_C] E_C]

	Check Nan	ne: ERR1	HIKIND	С
--	-----------	----------	--------	---

Text:	{check ERR1_HIKIND_C} + Cannot mark "no coverage of any kind" and another type. Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	if more than 1 answer selected at HIKIND_C and (<10> in HIKIND_C)

Question ID: INS.0030.00.1	Variable name: MCAIDPRB_C Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	HIKIND_C IN (10,RF,DK)
Universe Description:	Sample Children 0-17 who have indicated they are uninsured, refused, or don't know if they are insured
Question Text:	?[F1] There is a program called Medicaid that pays for health care for persons in need. ^STATEMA IS ^SCNAME covered by Medicaid?
Response:	1. Yes

	2. No DK: Don't Know RF: Refused	
Fills:	^STATEMA	if STMEDICAID ne empty, fill: "In ^STATENAME it is alsocalled ^STMEDICAID." else fill: blank
	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto SINCC	VDE_C]

Question ID: INS.0040.00.1	Variable name: S		Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCI PCNT ge 2 and PCNT18	-	PCNT gt PCNTAGEGUESS and AMSC ne 1	
Universe Description:	Sample Children 0-17	Sample Children 0-17		
Question Text:	<pre>?[F1] ^INADDITIONIS for dental services?</pre>	^SCNAME covered	by a SEPARATE plan that only pays	
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	^SCNAME ^INADDITIONIS	Fill ALIAS of HHS If (HIKIND_C=1- addition to ^HITY else fill "Is"	-9 or MCAIDPRB_C=1), fill "In	
Skip Instructions:	<1,2,RF,DK> [goto SINC	OVVS_C]		

Question ID: INS.0050.00.1	Variable r	name: SINCOVVS_C	Interview module: INS(Child.INS)	
Inherited Universe:	-	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample Children 0)-17		
Question Text:	?[F1] Is ^SCNA services?	ME covered by a SEPAR	ATE plan that only pays for vision	
Response:	1. Yes 2. No DK: Don't RF: Refus			
Fills:	^SCNAME	Fill ALIAS of HF	ISTAT_C=1	
Skip Instructions:	<1,2,RF,DK> [goto	SINCOVRX_C]		

Question ID: INS.0060.00.1	,	Variable name: SINCOVRX_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe Description:	Sample (Children 0-17		
Question Text:		?[F1] Is ^SCNAME covered by a SEPARATE plan that only pays for prescriptions?		
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto H	HCHANGE_C]

Question ID: INS.0070.00.1	Variable name: H	ICHANGE_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18	-	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1
Universe Description:	Sample Children 0-17		
Question Text:	?[F1] I have recorded ^SCNAME is ^COVEREDC . Is this correct?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of H	IHSTAT_C=1
	^COVEREDC	SINCOVDE_C SINCOVRX_C insurance"	10,R,D and MCAIDPRB_C=2,R,D and C=2,R,Dand SINCOVVS_C=2,R,Dand C=2,R,Dfill: "not covered by health red by ^HITYPEC"
Skip Instructions:	if 2 in HIKIND_C [goto M0 else if 4 in HIKIND_C or M else if 1 in HIKIND_C [go else if 3 in HIKIND_C [go else if 5 in HIKIND_C [go else if 8 in HIKIND_C [go else if 9 in HIKIND_C [go else if 6 in HIKIND_C [go	MCAIDPRB_C=1 to SET_INSPRI_I to SET_INSPRI_I to CHNAME_C] to OPNAME_C] to OGNAME_C] to MILSPC_C] to HINOTYR_C] nd MCAIDPRB_C	FLAG]

Check Name: ERR1_HICHANGE_C

Text:	{check ERR1_HICHANGE_C} + Press enter to go back to HIKIND_C and update coverage.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	HICHANGE_C=2

Question ID: INS.0080.00.1	Variable name: N	MCPART_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	-	and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1
Universe:	2 IN HIKIND_C		
Universe Description:	Sample Children 0-17 wit	th Medicare	
Question Text:	?[F1] What type of Me hospital insurance, Pa	-	ge does ^SCNAME have? Is it Part A - insurance, or both?
Response:	1.Part A- hosp2.Part B- medi3.Both Part A aDK:Don't KnowRF:Refused	cal only	
Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1
Skip Instructions:	<2,3,RF,DK> [goto MCC	HOICE_C] <1>	[goto MCPARTD_C]

estion ID: INS.0090.00.1	Variable name	e: MCCHOICE_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and I PCNT ge 2 and PCNT	-	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1
Universe:	02 IN HIKIND_C AND	MCPART_C IN (2,3	3,RF,DK)
Universe Description:	Sample Children 0-17	with Medicare part	B only or both parts A and B
Question Text:	?[F1] Is ^SCNAME	enrolled in a Medic	are Advantage plan?
Response:	1. Yes 2. No DK: Don't Kno RF: Refused	w	
Fills:	^SCNAME	Fill ALIAS of H	HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto M	CHMO_C]	

Question ID: INS.0100.00.1	,	Variable name: MCHMO_C	Interview module: INS(Child.INS)
Inherited Universe:		_C gt 0 and PCNTunder18 gt 2 and PCNT18UP_C gt 0 and	0 and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1
Universe:	02 IN HI	KIND_C AND MCPART_C IN (2,3,RF,DK)
Universe Description:	Sample (Children 0-17 with Medicare pa	art B only or both parts A and B
Question Text:		s ^SCNAME under a Medicar hat is, a Health Maintenance	e managed care arrangement, such as an Organization?
Response:	1. 2. DK: RF:	Yes No Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
Skip Instructions:	<2,RF,DK> if MCC	ME_C] CHOICE_C=1 [goto MCANAME_C] CE_C=2,RF,DK, [goto MCPARTD_C]	

uestion ID: INS.0110.00.1	Variable name: MCANAME_	C Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	MCCHOICE_C=1 or MCHMO_C=1		
Universe Description:	Sample Children 0-17 with a Me managed care arrangement	edicare Advantage plan or a Medicare	
Question Text:	?[F1] What is the name of ^SCN/ plan?	AME's Medicare Advantage or Medicare HMO	
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME Fill ALIA	S of HHSTAT_C=1	
Skip Instructions:	<verbatim, dk="" rf,=""> [goto MCDNCC</verbatim,>	V_C]	

 Question ID: INS.0111.00.1
 Variable name: MCDNCOV_C
 Interview module: INS(Child.INS)

 Inherited Universe:
 GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1

 Universe:
 MCCHOICE_C=1 or MCHMO_C=1

 Universe Description:
 Sample Children 0-17 with a Medicare Advantage plan or a Medicare managed care arrangement

 Question Text:
 ?[F1] Does ^MEDADVNAME_C pay for any of the costs for dental care?

 Response:
 Response:

	1. Yes 2. No DK: Don't Know RF: Refused
Fills:	^MEDADVNAME_C If MCANAME_C has value, fill value of MCANAME_C If MCANAME_C is DK/RF, fill: "this Medicare Advantage or Medicare HMO plan"
Skip Instructions:	<1,2,RF,DK> [goto MCVSCOV_C]

Question ID: INS.0112.00.1	Variable name: M	CVSCOV_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	•	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	MCCHOICE_A=1 or MCHMO_A=1		
Universe Description:	Sample Children 0-17 managed care arrangeme		Advantage plan or a Medicare
Question Text:	?[F1] Does ^MEDADVI such as glasses and co	• •	y of the costs for routine vision care,
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^MEDADVNAME_C	MCANAME_C	C has value, fill value of is DK/RF, fill: "this Medicare dicare HMO plan"

tion ID: INS.0120.00.1	Variable name	e: MCPARTD_C	Interview module: INS(Child.INS)		
Inherited Universe:	GEN.PX_C gt 0 and I PCNT ge 2 and PCNT	-	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1		
Universe:	2 IN HIKIND_C	2 IN HIKIND_C			
Universe Description:	Sample Children 0-17	Sample Children 0-17 with Medicare			
Question Text:	?[F1] Is ^SCNAME Prescription Drug F		re Part D, also known as the Medicare		
Response:	1. Yes 2. No DK: Don't Kno RF: Refused	w			
Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1		
Skip Instructions:	<1,2,RF,DK> if 4 in HIKIND_C or M else if 1 in HIKIND_C else if 3 in HIKIND_C else if 5 in HIKIND_C else if 8 in HIKIND_C else if 9 in HIKIND_C else if 6 in HIKIND_C else [goto HINOTYR_	[goto SET_INSPRI] [goto SET_INSPRI] [goto CHNAME_C] [goto OPNAME_C] [goto OGNAME_C] [goto MILSPC_C]	FLAG]		

Question ID: INS.0130.00.1	Variable name: M	IACHMN_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18	-	d PCNT gt PCNTAGEGUESS and FAMSC ne 1
Universe:	4 IN HIKIND_C or MCAIDPRB_C=1		
Universe Description:	Sample Children 0-17 wit	h Medicaid coverag	je
Question Text:	?[F1] The next questio ^SCNAME's Medicaid		icaid coverage. What is the name of
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HH	STAT_C=1
Skip Instructions:	<allow 80,="" dk="" rf,=""> [goto</allow>	MAXCHNG_C]	

Question ID: INS.0140.00.1		Variable name: MAXCHNG_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	4 IN HIK	IND_C or MCAIDPRB_C=1	
Universe Description:	Sample	Children 0-17 with Medicaid cover	rage
Question Text:	?[F1] Was ^SCNAME's Medicaid obtained through Healthcare.gov or the ^MARKETPLACE?		
Response:	1. 2. DK: RF:	Yes No Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^MARKETPLACE	If no state specified below, fill "Health Insurance Marketplace" If state specified below fill:

Skip Instructions:	<1,2,RF,DK> [goto MAPREM_C]
--------------------	-----------------------------

uestion ID: INS.0150.00.1	1	Variable name: M	APREM_C	Interview module: INS(Child.INS)
Inherited Universe:		C gt 0 and PCN 2 and PCNT18L	-	and PCNT gt PCNTAGEGUESS and IOFAMSC ne 1
Universe:	4 IN HIKI	4 IN HIKIND_C or MCAIDPRB_C=1		
Universe Description:	Sample C	Sample Children 0-17 with Medicaid coverage		
Question Text:	pays ea		ealth care cove	the amount ^SCNAME or a family member grage. Does ^SCNAME or a family member ?
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Response: Fills:	2. DK:	No Don't Know Refused	Fill ALIAS of	HHSTAT_C=1

tion ID: INS.0160.00.1	Variable name: MADEDUC_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	4 IN HIKIND_C or MCAIDPRB_C=1		
Universe Description:	Sample Children 0-17 with Medicaid coverage		
Question Text:			
Response:			

	1.Yes2.NoDK:Don't KnowRF:Refused
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1> [goto MAHDHP_C] <2,RF,DK> if 1 in HIKIND_C [goto SET_INSPRI_FLAG] else if 3 in HIKIND_C [goto SET_INSPRI_FLAG] else if 5 in HIKIND_C [goto CHNAME_C] else if 8 in HIKIND_C [goto OPNAME_C] else if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]

Question ID: INS.0170.00.1		Variable name: MAHDHP_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	MADEDU	MADEDUC_C=1		
Universe Description:	Sample (Children 0-17 with Medicaid cove	rage who have a deductible	
Question Text:	?[F1] Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.			
Response:	1. 2. DK: RF:	Less than ^HDHPDED ^HDHPDED or more Don't Know Refused		

Fills:	^HDHPDED Fill: \$1,400
Skip Instructions:	<1,2,RF,DK>
	if 1 in HIKIND_C [goto SET_INSPRI_FLAG]
	else if 3 in HIKIND_C [goto SET_INSPRI_FLAG]
	else if 5 in HIKIND_C [goto CHNAME_C]
	else if 8 in HIKIND_C [goto OPNAME_C]
	else if 9 in HIKIND_C [goto OGNAME_C]
	else if 6 in HIKIND_C [goto MILSPC_C]
	else [goto HINOTYR_C]

Question ID: INS.0260.00.1	,	Variable name: PLANNAME1_C	Interview module: INS(Child.INS)	
Inherited Universe:		GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.INS	_FLG1_C=1 and INSPRI1_FLG PRI_FLG=1 and 5.PLANNAME1_A=empty	G2_C=1 and INSPRI1_FLG3_C=1 and GEN.SAMEFAM_FLG=1 and	
Universe Description:	Sample A the same the first p	Adult interview has already be family, and the Sample Adult rivate plan is not self only cove	ealth insurance coverage, where the een conducted, the Sample Adult is in also had private health insurance, and erage, a plan name was not don't know vs for the coverage is not don't know or	
Question Text:		l recorded that ^YOUSANAM ME covered by this same pla	E ^WEREWAS covered by ^HIPNAM1_A. I n as ^YOUSANAME?	IS
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

Fills:	^YOUSANAME	If GEN.SARESPSC_FLG=1, fill "you" else fill "^SANAME"
	^HIPNAM1_A	Fill value from Adult.INS.HIPNAM1_A
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^WEREWAS	If SARESPSC_FLG=1, fill "were", else "was"
Skip Instructions:	<pre><1> if Adult.INS.bPlan[1].POLHLD_A ne 1 [goto POLHLDA1_C], if INSPRI2_FLG2_C=1 and INSPRI2_FLG3_C=1 and INSPRI2_FLG4_C=1 and INSPRI2_FLG5_C=1 [goto PLANNAME2_C] else [goto MORPLAN_C] <2,RF,DK> if INSPRI2_FLG2_C=1 and INSPRI2_FLG3_C=1 and INSPRI2_FLG4_C=1 and INSPRI2_FLG5_C=1 [goto PLANNAME2_C] else [goto HIPNAM1_C]</pre>	

Question ID: INS.0270.00.1		Variable name: POLHLDA1_C	Interview module: INS(Child.INS)	
Inherited Universe:	_	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	PLANNA	ME1_C=1 and Adult.INS.bPlan[1	I].POLHLD_A=2,RF,DK	
Universe Description:	where th	Sample Children 0-17 with a shared private health plan with the Sample Adult, where the Sample Adult is not the policyholder for their first private plan or refused or don't know.		
Question Text:	? [F1] Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Is ^SCNAME the policyholder for ^HIPNAM1_A?			
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^HIPNAM1_A	Fill value from Adult.INS.HIPNAM1_A
Skip Instructions:		RI2_FLG2_C=1 and INSPRI2_FLG3_C=1 and INSPRI2_FLG5_C=1 [goto PLANNAME2_C]

Question ID: INS.0280.00.1	Variable name: PL	ANNAME2_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	INSPRI2_FLG2_C=1 and INSPRI2_FLG3_C=1 and INSPRI2_FLG4_C=1 and INSPRI2_FLG5_C=1 and GEN.INSPRI_FLG=1 and GEN.SAMEFAM_FLG=1 and Adult.INS.PLANNAME2_A=empty			
Universe Description:	Sample Children 0-17 with private health insurance coverage, where the Sample Adult interview has already been conducted, the Sample Adult is in the same family, and the Sample Adult also had private health insurance, and listed two plans. The second private plan is not self only coverage, a plan name was not don't know or refused, and the source and who pays for the coverage is not don't know or refused.			
Question Text:	Earlier I recorded that ^YOUSANAME ^WEREWAS covered by a second plan ^HIPNAM2_A. Is ^SCNAME covered by this same plan as ^YOUSANAME ?			
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	^YOUSANAME	If GEN.SARESPS else fill "^SANAMI	SC_FLG=1, fill "you" E"	
	^HIPNAM2_A	Fill value from Adu	ult.INS.HIPNAM2_A	
	^SCNAME	Fill ALIAS of HHS	TAT_C=1	
	^WEREWAS	If SARESPSC_FL else "was"	.G=1, fill "were",	

Skip Instructions:	<1> if Adult.INS.bPlan[2].POLHLD_A ne 1 [goto POLHLDA2_C],
	else if PLANNAME1_C IN(2,RF,DK) [goto MORPLAN_C]
	else if 5 in HIKIND_C [goto CHNAME_C]
	else if 8 in HIKIND_C [goto OPNAME_C]
	else if 9 in HIKIND_C [goto OGNAME_C]
	else if 6 in HIKIND_C [goto MILSPC_C]
	else [goto HINOTYR_C]
	<2,RF,DK> if PLANNAME1_C IN (2,RF,DK,empty) [goto HIPNAM1_C]
	else [goto MORPLAN_C]

Question ID: INS.0290.00.1	Variable name:	: POLHLDA2_C	Interview module: INS(Child.INS)	
Inherited Universe:	-	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	PLANNAME2_C=1 and	d Adult.INS.bPlan[2].P	OLHLD_A=2,RF,DK	
Universe Description:	· ·	Sample Children 0-17 with a shared private health plan with the Sample Adult, where the adult is not the policyholder for their second private plan or refused or don't know		
Question Text:	?[F1] * Read if necessary: Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Is ^SCNAME the policyholder for ^HIPNAM2_A?			
Response:	1. Yes 2. No DK: Don't Know RF: Refused	v		
Fills:	^SCNAME	Fill ALIAS of HH	STAT_C=1	
	^HIPNAM2_A	Fill value from A	dult.INS.HIPNAM2_A	

<1,2,RF,DK> if PLANNAME1_C IN(2,RF,DK,empty) [goto MORPLAN_C]
else if 5 in HIKIND_C [goto CHNAME_C]
else if 8 in HIKIND_C [goto OPNAME_C]
else if 9 in HIKIND_C [goto OGNAME_C]
else if 6 in HIKIND_C [goto MILSPC_C]
else [goto HINOTYR_C]

Question ID: INS.0300.00.1	Variable name: H	IPNAM1_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18L	•	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	(3 in HIKIND_C) o IN(2,RF,DK,empty)) and (D_C and ((PLANNAME1_C (2,RF,DK,empty)))
Universe Description:	and the sample child did r	not share or refused	plan or private health insurance or did not know if they shared or private plans for the sample adult
Question Text:	private health insuranc plan? Do NOT include or plans that pay for or	e plan. What is the plans that only pro nly one type of serv f necessary: Do you	mplete and accurate name of each e COMPLETE name of ^SCNAME's ovide extra cash while in the hospital vice such as long term care, accidents, have a health plan card or something
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	<allow 80,rf,dk=""> [goto N</allow>	/ORPLAN_C]	

estion ID: INS.0320.00.1	Variable name: HIPNAM2_C	Interview module: INS(Child.INS)			
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe:	MORPLAN_C=1	/ORPLAN_C=1			
Universe Description:	Sample Children 0-17 with a second priva	ate health insurance plan			
Question Text:		e health insurance plan? • Read if ard or something with the plan name on it?			
Response:	DK: Don't Know RF: Refused				
Skip Instructions:	<allow 80,rf,dk=""> [goto bPlan[1].POLHL</allow>	D_C]			

uestion ID: INS.0340.00.1		Variable name: POLHLD_C	Interview module: INS(Child.INS.bPlan)	
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))			
Universe Description:		Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know.		
Question Text:	?[F1] I am going to ask you some questions about ^FIRSTPLANC. Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Is ^SCNAME the policyholder for ^THISPLANC?			
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

Fills:	^FIRSTPLANC ^SCNAME ^THISPLANC	If PlanNum = 1 then if HIPNAM1_C IN (RF,DK) AND HIPNAM2_C=empty fill: "this plan" elseif HIPNAM1_C IN (RF,DK) fill: "this first plan" else fill: "this ^HIPNAM1_C plan" if PlanNum = 2 then if HIPNAM2_C IN (RF,DK) fill: "this second plan" else fill: "this ^HIPNAM2_C plan" Fill ALIAS of HHSTAT_C=1 if PlanNum=1 then if HIPNAM1_C IN('RF','DK') fill: "this plan" Else fill: "^HIPNAM1_C" if PlanNum=2 then if HIPNAM2_C IN('RF','DK') fill: "this plan" Else fill: "^HIPNAM1_C"
Skip Instructions:	<1,RF,DK> [goto PRPLCC <2> [goto PLNWRK_C]	DV_C]

Question ID: INS.0350.00.1	Variable name: PRPLCOV_C	Interview module: INS(Child.INS.bPlan)	
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))		
Universe:	POLHLD_C=1,RF,DK		
Universe Description:	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know and where the Sample Child is the policyholder or refused or don't know.		
Question Text:	Does this plan cover someone other than ^SCNAME ?		
Response:			

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto PLNWRK_C]	

Question ID: INS.0360.00.1		Variable name: PLNWRK_C	Interview module: INS(Child.INS.bPlan)
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and		
	-	2 and PCNT18UP_C gt 0 and 1 11_C NE empty or HIPNAM2_C	
Universe Description:		Children with private health inson or refused or don't know.	urance coverage where a plan name
Question Text:	obtaine obtaine Obama	ed? Was it obtained through an ed through Healthcare.gov or t	best describes how this plan was n employer or union, purchased directly, he Affordable Care Act, also known as e or local government or community yay?
Response:	1. 2. 3. 4. 5. DK: RF:	Obamacare	, or professional association the Affordable Care Act, also known as ernment or community program
Skip Instructions:	<1,3> [goto PLNPAY_C] <2,4,RF,DK> [goto PLNEXCHG_C] <5> [goto PLNWKSP_C]		

Question ID: INS.0370.00.1	Variable name: PLNWKSP_C	Interview module: INS(Child.INS.bPlan)
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C N ((GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N (HIPNAM1_C NE empty or HIPNAM2_C N	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1) AND
Universe:	PLNWRK_C=5	
Universe Description:	Sample Children 0-17 with private health name was given or refused or don't k coverage was obtained from an other sour	know and private health insurance
Question Text:	 Read if necessary: How was this plan ob 	otained?
Response:	DK: Don't Know RF: Refused	
Skip Instructions:	<allow 80,rf,dk=""> [goto PLNEXCHG_C]</allow>	

Question ID: INS.0380.00.1	Variable name: PLNEXCHG_C	Interview module: INS(Child.INS.bPlan)
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C ((GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N (HIPNAM1_C NE empty or HIPNAM2_C	and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1) AND
Universe:	PLNWRK_C IN (2,4,5,RF,DK)	
Universe Description:	Sample Children 0-17 with private healt name was given or refused or don't know is directly purchased, or obtained thro community program, or obtained anoth obtained	v and who have private coverage that bugh a state, local, government or
Question Text:	?[F1] Was the plan obtained through	Healthcare.gov or the ^MARKETPLACE?
Response:		

kesponse:

	2. DK:	Yes No Don't Know Refused	
Fills:	^MARKE	TPLACE	If no state specified below, fill "Health Insurance Marketplace" If state specified below fill:
			If CA then fill "Health Insurance Marketplace, such as Covered California" If CO then fill "Health Insurance Marketplace, such
			as Connect for Health Colorado" If CT then fill "Health Insurance Marketplace, such as Access Health CT" If DC then fill "Health Insurance Marketplace, such
			as DC Health Link" If ID then fill "Health Insurance Marketplace, such as Your Health Idaho"
			If MA then fill "Health Insurance Marketplace, such as Massachusetts Health Connector" If MD then fill "Health Insurance Marketplace, such
			as Maryland Health Connection" If MN then fill "Health Insurance Marketplace, such as MNsure"
			If NJ then fill "Health Insurance Marketplace, such as GetCoveredNJ" If NV then fill "Health Insurance Marketplace, such
			as Nevada Health Link" If NY then fill "Health Insurance Marketplace, such as NY State of Health"
			If PA then fill "Health Insurance Marketplace, such as Pennie" If RI then fill "Health Insurance Marketplace, such as
			HealthSource RI" If VT then fill "Health Insurance Marketplace, such as Vermont Health Connect"
			If WA then fill "Health Insurance Marketplace, such as Washington Health Plan Finder"

Skip Instructions:	<1,2,RF,DK> [goto PLNPAY_C]
--------------------	-----------------------------

Question ID: INS.0390.00.1		Variable name: PLNPAY_C	Interview module: INS(Child.INS.bPlan)
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))		
Universe Description:	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know and were enrolled in a private health plan where a plan name was given or refused or don't know.		
Question Text:	Who pa comma		an? • Enter all that apply, separate with
Response:	1.^SCNAME or family (living in the household)2.Employer or union3.Someone outside the household4.Medicare5.Medicaid6.Other government programDK:Don't KnowRF:Refused		
Skip Instructions:		DK> if 1 IN PLNPAY_C [goto HIC o PRDEDUC_C]	COSTN_C]

Question ID: INS.0400.01.1	Variable name: HICOSTN_C	Interview module: INS(Child.INS.bPlan)

Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))	
Universe:	1 IN PLNPAY_C	
Universe Description:	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know who paid for by self or family	
Question Text:	? [F1] How much does ^SCNAME's family currently spend for health insurance premiums for ^FIRSTPLANC? Please include payroll deductions for premiums.	
Response:	DK: Don't Know RF: Refused	
	Page 111 of 334	

Fills:	^FIRSTPLANC ^SCNAME	If PlanNum = 1 then if HIPNAM1_C IN (RF,DK) AND HIPNAM2_C=empty fill: "this plan" elseif HIPNAM1_C IN (RF,DK) fill: "this first plan" else fill: "this ^HIPNAM1_C plan" if PlanNum = 2 then if HIPNAM2_C IN (RF,DK) fill: "this second plan" else fill: "this ^HIPNAM2_C plan" Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<20000-99995> [goto ERR1_HICOSTN_C] <1-19999> [goto HICOSTT_C] <rf,dk> [goto PRDEDUC_C]</rf,dk>	

	Check Name: ERR1_HICOSTN_C		
Text:	{signal ERR1_HICOSTN_C} + [^HICOSTN_C] is unusually high. Please verify. Make corrections if necessary.		
Hard / Soft Edit:	Soft		
Fills:	^HICOSTN_C Fill value from Child.INS.HICOSTN_C		
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))		
Universe:	if HICOSTN_C GE 20000		

uestion ID: INS.0400.02.1	1	Variable name: HICOSTT_C	Interview module: INS(Child.INS.bPlan)	
Inherited Universe:	(HIPNAM	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND		
	((GEN.P)	K_C gt 0 and PCNTunder18 gt 0) and PCNT gt PCNTAGEGUESS and	
	PCNT ge	2 and PCNT18UP_C gt 0 and 1	NOFAMSC ne 1) AND	
	(HIPNAM	I1_C NE empty or HIPNAM2_C	NE empty))	
Universe:	HICOSTI	N_C IN (1-99995)		
Universe Description:	Sample (Children 0-17 with private heal	Ith insurance coverage where a plan	
	name wa	s given or refused or don't know	v who gave a premium amount.	
Question Text:	?[F1] +	Enter time period for premium	payments.	
Response:	1.	Once a week		
	2.	Once every 2 weeks		
	3.	Once a month		
	4.	Twice a month		
	5.	Every two months		
	6.	Quarterly (every 3 months)		
	7.	Once a year		
	8.	Twice a year		
	DK:	Don't Know		
	RF:	Refused		
Skip Instructions:	<1-8,RF,I	DK> [goto PRDEDUC_C]		

Question ID: INS.0410.00.1	Variable name: PRDEDUC_C	Interview module: INS(Child.INS.bPlan)	
Inherited Universe:	: (HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))		
Universe Description:	Sample Children 0-17 with private health insurance plans where a plan name was given or refused or don't know.		
Question Text:			
Posponso:			

	1. 2. DK: RF:	Yes No Don't Know Refused
Skip Instructions:	<1> [goto <2,RF,DF	PRHDHP_C] <> [goto INTROCOV_C]

Question ID: INS.0420.00.1	Variable name: PR	HDHP_C	Interview module: INS(Child.INS.bPlan)	
Inherited Universe:	 (HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty)) 			
Universe:	PRDEDUC_C=1			
Universe Description:	Sample Children 0-17 wit name was given or refused	•	surance coverage where a plan a deductible.	
Question Text:	?[F1] Is the ^FAM_C annual deductible for medical care for this plan less than ^HDHPAMT_C, or ^HDHPAMT_C or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.			
Response:	1. Less than ^HD 2. ^HDHPAMT_C DK: Don't Know RF: Refused			
Fills:	^HDHPAMT_C	if POLHLD_C= "^HDHPDED_fam Else fill"^HDHPDE	ily"	
	^FAM_C	if POLHLD_C=2 o Else no fill.	r PRPLCOV_C=1, fill 'family'.	

<1> [goto INTROCOV_C]	
<2,RF,DK> [goto HSAHRA_C]	

Question ID: INS.0430.00.1		Variable name: HSAHRA_C	Interview module: INS(Child.INS.bPlan)	
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))			
Universe:	PRHDHF	P_C=2,RF,DK		
Universe Description:		Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know with a high deductible		
Question Text:	expens Reimbu funds, o	es, sometimes referred to as H Irsement Accounts or HRAs, F or Choice funds. These are DIF	that can be used to pay for medical Health Savings Accounts or HSAs, Health Personal Care accounts, Personal Medical FFERENT from Flexible Spending ese accounts or funds with this plan?	
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Skip Instructions:	<1,2,RF,I	DK> [goto INTROCOV_C]		

 Question ID: INS.0435.00.1
 Variable name: INTROCOV_C
 Interview module: INS(Child.INS.bPlan)

Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))
Universe Description:	Sample Children 0-17 with private health insurance coverage where a plan name was given or refused or don't know
Question Text:	The next three questions are about services ^FIRSTPLANC may cover. Enter '1' to continue.
Response:	

Response:

	1. Enter 1 to Con	tinue
Fills:	^FIRSTPLANC	If PlanNum = 1 then if HIPNAM1_C IN (RF,DK) AND HIPNAM2_C=empty fill: "this plan" elseif HIPNAM1_C IN (RF,DK) fill: "this first plan" else fill: "this ^HIPNAM1_C plan" if PlanNum = 2 then if HIPNAM2_C IN (RF,DK) fill: "this second plan" else fill: "this ^HIPNAM2_C plan"
Skip Instructions:	<1> [goto PRRXCOV_C]	

Question ID: INS.0440.00.1	Variable na	ame: PRRXCOV_C	Interview module: INS(Child.INS.bPlan)	
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))			
Universe Description:		17 with private health i en or refused or don't ki	insurance coverage where the name now.	
Question Text:	doctor? + Read i	f necessary: Even if ^S would cover at least so	costs for medications prescribed by a CNAME has not used this benefit, please ome of the costs if ^SCNAME were	
Response:	1. Yes 2. No DK: Don't K RF: Refuse	-		
Fills:	^FIRSTPLANC	HIPNAM2_C= elseif HIPNAM else fill: "this if PlanNum = 2 if HIPNAM2_0	PNAM1_C IN (RF,DK) AND empty fill: "this plan" M1_C IN (RF,DK) fill: "this first plan" ^HIPNAM1_C plan"	
	^SCNAME	Fill ALIAS of H	HSTAT_C=1	

Skip Instructions:	<1,2,RF,DK> [goto PRDNCOV_C]
--------------------	------------------------------

tion ID: INS.0450.00.1	Variable name: F	PRDNCOV_C	Interview module: INS(Child.INS.bPla
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))		
Universe Description:	Sample Children 0-17 w name was given or refus	•	insurance coverage where the plan
Question Text:	necessary: Even if ^SC	NAME has not use	costs for dental care? • Read if ed this benefit, please answer if this plan SCNAME did have dental care.
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^FIRSTPLANC	HIPNAM2_C=e elseif HIPNAM else fill: "this ^ if PlanNum = 2 if HIPNAM2_C	NAM1_C IN (RF,DK) AND empty fill: "this plan" 11_C IN (RF,DK) fill: "this first plan" HIPNAM1_C plan"
	^SCNAME	Fill ALIAS of H	HSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto PRVS		

stion ID: INS.0460.00.1	Variable name: P	PRVSCOV_C	Interview module: INS(Child.INS.bPlan)	
Inherited Universe:	(HIPNAM1_C NE empty or HIPNAM2_C NE empty) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (HIPNAM1_C NE empty or HIPNAM2_C NE empty))			
Universe Description:	Sample Children 0-17 w name was given or refuse	•	n insurance coverage where a plan	
Question Text:	glasses and contact le	enses? + Read if wer if this plan wo	e costs for routine vision care, such as f necessary: Even if ^SCNAME has not used ould cover at least some of the costs if	
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	^FIRSTPLANC	HIPNAM2_C= elseif HIPNAI else fill: "this if PlanNum = if HIPNAM2_	PNAM1_C IN (RF,DK) AND empty fill: "this plan" M1_C IN (RF,DK) fill: "this first plan" ^HIPNAM1_C plan"	
	^SCNAME	Fill ALIAS of H	HSTAT_C=1	
Skip Instructions:	<1,2,RF,DK> If there is a else if 5 in HIKIND_C [g else if 8 in HIKIND_C [g else if 9 in HIKIND_C [g else if 6 in HIKIND_C [g else [goto HINOTYR_C]	oto CHNAME_C] oto OPNAME_C] oto OGNAME_C oto MILSPC_C]		

Question ID: INS.0470.00.1	Variable name: (CHNAME_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	05 IN HIKIND_C			
Universe Description:	Sample Children 0-17 wi	Sample Children 0-17 with a CHIP plan		
Question Text:	? [F1] Earlier I recorded that ^SCNAME is covered by the Children's Health Insurance Program or CHIP. What is the name of the plan?			
Response:	DK: Don't Know RF: Refused			
Fills:	^SCNAME	Fill ALIAS of H	HSTAT_C=1	
Skip Instructions:	<allow 80,rf,dk=""> [goto</allow>	CHXCHNG_C]		

Question ID: INS.0480.00.1		Variable name: CHXCHNG_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	05 IN HII	KIND_C		
Universe Description:	Sample (Sample Children 0-17 with a CHIP plan		
Question Text:	?[F1] Was ^SCNAME's CHIP plan obtained through Healthcare.gov or the ^MARKETPLACE?			
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^MARKETPLACE	If no state specified below, fill "Health Insurance Marketplace" If state specified below fill:

Skip Instructions:	<1,2,RF,DK> [goto CHPREM_C]
--------------------	-----------------------------

Question ID: INS.0490.00.1	Varia	ble name: C	HPREM_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	05 IN HIKIND	_C		
Universe Description:	Sample Childr	en 0-17 wit	h a CHIP plan	
Question Text:		nonth for h	ealth care cove	the amount ^SCNAME or a family member erage. Does ^SCNAME or a family member
Response:	2. N DK: D			
Fills:	^SCNAME		Fill ALIAS of	HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK>	goto CHDE	EDUC_C]	

Question ID: INS.0500.00.1	Variable name: CHDEDUC_C	Interview module: INS(Child.INS)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	5 IN HIKIND_C			
Universe Description:	Sample Children 0-17 with a CHIP plan			
Question Text:	health insurance or health coverage pl	an will start paying your medical bills. nnual deductible? • Read if necessary: A		
Response:				

Fills:	1. Yes 2. No DK: Don't Knov RF: Refused ^SCNAME	N Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1> [goto CHHDHP_C <2,RF,DK> if 8 in HIKI else if 9 in HIKIND_C else if 6 in HIKIND_C else [goto HINOTYR_	ND_C [goto OPNAME_C] [goto OGNAME_C] [goto MILSPC_C]

Question ID: INS.0510.00.1	Variable name: CHHD	HP_C Interview module: INS(Child.II	NS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTune PCNT ge 2 and PCNT18UP_C	nder18 gt 0 and PCNT gt PCNTAGEGUESS a C gt 0 and NOFAMSC ne 1	ınd
Universe:	5 IN HIKIND_C and CHDEDU	IC_C=1	
Universe Description:	Sample Children with a CHIP	plan who have a deductible	
Question Text:	? [F1] Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.		
Response:	1.Less than ^HDHP2.^HDHPDED or modelDK:Don't KnowRF:Refused		
Fills:	^HDHPDED Fi	ill: \$1,400	

Skip Instructions:	<1,2,RF,DK> if 8 in HIKIND_C [goto OPNAME_C]
	else if 9 in HIKIND_C [goto OGNAME_C]
	else if 6 in HIKIND_C [goto MILSPC_C]
	else [goto HINOTYR_C]

Question ID: INS.0520.00.1	Variable name: OF	PNAME_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	8 IN HIKIND_C		
Universe Description:	Sample Children 0-17 with	a state-sponsored	d plan
Question Text:	?[F1] Earlier I recorded What is the name of the		s covered by a state-sponsored plan.
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HH	STAT_C=1
Skip Instructions:	<verbatim,rf,dk> [goto C</verbatim,rf,dk>	PXCHNG_C]	

Question ID: INS.0530.00.1	Variable name: OPXCHNG_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	0
Universe:	8 IN HIKIND_C	
Universe Description:	Sample Children 0-17 with a state-sponso	red plan
Question Text:	?[F1] Was ^SCNAME's state-sponsore or the ^MARKETPLACE?	ed plan obtained through Healthcare.gov

	1.	Yes	
	2. DK:	No Don't Know	
	RF:	Don't Know Refused	
Fills:	^SCNA	ME	Fill ALIAS of HHSTAT_C=1
	^MARK	ETPLACE	If no state specified below, fill "Health Insurance Marketplace"
			If state specified below fill:
			If CA then fill "Health Insurance Marketplace, such as Covered California"
			If CO then fill "Health Insurance Marketplace, such as Connect for Health Colorado"
			If CT then fill "Health Insurance Marketplace, such as Access Health CT"
			If DC then fill "Health Insurance Marketplace, such as DC Health Link"
			If ID then fill "Health Insurance Marketplace, such as Your Health Idaho"
			If MA then fill "Health Insurance Marketplace, such
			as Massachusetts Health Connector" If MD then fill "Health Insurance Marketplace, such
			as Maryland Health Connection" If MN then fill "Health Insurance Marketplace, such
			as MNsure" If NJ then fill "Health Insurance Marketplace, such as
			If NJ then fill "Health Insurance Marketplace, such as GetCoveredNJ"
			If NV then fill "Health Insurance Marketplace, such as Nevada Health Link"
			If NY then fill "Health Insurance Marketplace, such as NY State of Health"
			If PA then fill "Health Insurance Marketplace, such as Pennie"
			If RI then fill "Health Insurance Marketplace, such as
			HealthSource RI" If VT then fill "Health Insurance Marketplace, such as
			Vermont Health Connect"
			If WA then fill "Health Insurance Marketplace, such as Washington Health Plan Finder"

Skip Instructions:	<1,2,RF,DK> [goto OPPREM_C]
---------------------------	-----------------------------

Question ID: INS.0540.00.1	Variable na	ame: OPPREM_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	8 IN HIKIND_C		
Universe Description:	Sample Children 0-	-17 with a state-sponse	ored plan
Question Text:	pays each month	•	the amount ^SCNAME or a family member erage. Does ^SCNAME or a family member ed plan?
Response:	1. Yes 2. No DK: Don't K RF: Refuse		
Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto	OPDEDUC_C]	

uestion ID: INS.0550.00.1	Variable name: OPDEDUC_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	0
Universe:	8 IN HIKIND_C	
Universe Description:	Sample Children 0-17 with a state-sponsor	red plan
Question Text:	health insurance or health coverage pl	lan will start paying your medical bills. In have an annual deductible? • Read if
Response:		

	1. Yes 2. No DK: Don't Knov RF: Refused	V	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
Skip Instructions:	else if 6 in HIKIND_C	I>[goto OPHDHP_C] 2,RF,DK> if 9 in HIKIND_C [goto OGNAME_C] else if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]	

Question ID: INS.0560.00.1	Variable name: OPHDHP_C	Interview module: INS(Child.INS)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	8 IN HIKIND_C and OPDEDUC_C=	:1		
Universe Description:	Sample Children 0-17 with a state-s	ponsored plan with a deductible		
Question Text:	^HDHPDED or ^HDHPDED or m	or medical care for this plan less than ore? If there is a separate deductible for on, or out-of-network care, do not include those		
Response:	1.Less than ^HDHPDED2.^HDHPDED or moreDK:Don't KnowRF:Refused			
Fills:	^HDHPDED Fill: \$1,	400		
Skip Instructions:	<1,2,RF,DK> if 9 in HIKIND_C [goto else if 6 in HIKIND_C [goto MILSP else [goto HINOTYR_C]	— •		

Question ID: INS.0570.00.1	Variable name: O	GNAME_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	-	PCNT gt PCNTAGEGUESS and AMSC ne 1	
Universe:	9 IN HIKIND_C			
Universe Description:	Sample Children 0-17 wh	Sample Children 0-17 who have an other government plan		
Question Text:	?[F1] Earlier I recorded that ^SCNAME is covered by an other government program. What is the name of the plan?			
Response:	DK: Don't Know RF: Refused			
Fills:	^SCNAME	Fill ALIAS of HHS	STAT_C=1	
Skip Instructions:	<allow 80,rf,dk=""> [goto C</allow>	DGXCHNG_C]		

Question ID: INS.0580.00.1		Variable name: OGXCHNG_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	9 IN HIK	KIND_C		
Universe Description:	Sample	Children 0-17 who have an other	government plan	
Question Text:		Was ^SCNAME's other governr ^MARKETPLACE?	nent plan obtained through Healthcare.gov	
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

F :U		If no otate aposition below fill ill both traverse
Fills:	^MARKETPLACE	If no state specified below, fill "Health Insurance
		Marketplace"
		If state specified below fill:
		If CA then fill "Health Insurance Marketplace, such
		as Covered California"
		If CO then fill "Health Insurance Marketplace, such
		as Connect for Health Colorado"
		If CT then fill "Health Insurance Marketplace, such
		as Access Health CT"
		If DC then fill "Health Insurance Marketplace, such
		as DC Health Link"
		If ID then fill "Health Insurance Marketplace, such as
		Your Health Idaho"
		If MA then fill "Health Insurance Marketplace, such
		as Massachusetts Health Connector"
		If MD then fill "Health Insurance Marketplace, such
		as Maryland Health Connection"
		If MN then fill "Health Insurance Marketplace, such
		as MNsure"
		If NJ then fill "Health Insurance Marketplace, such as
		GetCoveredNJ"
		If NV then fill "Health Insurance Marketplace, such as Nevada Health Link"
		If NY then fill "Health Insurance Marketplace, such
		as NY State of Health"
		If PA then fill "Health Insurance Marketplace, such
		as Pennie"
		If RI then fill "Health Insurance Marketplace, such as
		HealthSource RI"
		If VT then fill "Health Insurance Marketplace, such as
		Vermont Health Connect"
		If WA then fill "Health Insurance Marketplace, such
		as Washington Health Plan Finder"
	^SCNAME	Fill ALIAS of HHSTAT_C=1

Skip Instructions:	<1,2,RF,DK> [goto OGPREM_C]
--------------------	-----------------------------

Question ID: INS.0590.00.1	Varia	ıble name: O	GPREM_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	9 IN HIKIND_	C		
Universe Description:	Sample Child	ren 0-17 wh	o have an othe	r government plan
Question Text:	? [F1] A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this other government plan?			
Response:	2. N DK: D	es o on't Know efused		
Fills:	^SCNAME		Fill ALIAS of	HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK>	[goto OGDE	EDUC_C]	

Question ID: INS.0600.00.1	Variable name: OGDEDUC_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	5	
Universe:	9 IN HIKIND_C		
Universe Description:	Sample Children 0-17 with an other government plan		
Question Text:	health insurance or health coverage p	have to pay for health care before your lan will start paying your medical bills. lan have an annual deductible? • Read if a copay (copayment).	
Response:			

	1. Yes 2. No DK: Don't Know RF: Refused	1	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
Skip Instructions:		1> [goto OGHDHP_C] 2,RF,DK> if 6 in HIKIND_C [goto MILSPC_C] else [goto HINOTYR_C]	

Question ID: INS.0610.00.1	Variable name: 0	OGHDHP_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	-	and PCNT gt PCNTAGEGUESS and IOFAMSC ne 1
Universe:	9 IN HIKIND_C and OG	DEDUC_C=1	
Universe Description:	Sample Children 0-17 wi	ith an other gover	mment plan with a deductible
Question Text:	^HDHPDED or ^HDHF	PDED or more? I ospitalization, or	dical care for this plan less than f there is a separate deductible for r out-of-network care, do not include those
Response:	1. Less than ^H 2. ^HDHPDED DK: Don't Know RF: Refused		
Fills:	^HDHPDED	Fill: \$1,400	
Skip Instructions:	<1,2,RF,DK> if 6 in HIKI else [goto HINOTYR_C		SPC_C]

uestion ID: INS.0620.00.1	Variable name	e: MILSPC_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	6 IN HIKIND_C		
Universe Description:	Sample Children 0-17 with military related health care		
Question Text:		military related h	ME is covered by military related health health care ^areisSEX_C ^heshe_C covere hith commas.
Response:		(CHAMPUS) /A (do not include) w	CHAMPUS)
Fills:	^heshe_C	else if GEN.	_FINAL[PX_C]=1 fill "he" SEX_FINAL[PX_C]=2 fill "she" SEX_FINAL[PX_C] in (RF,DK): fill "they"
	^SCNAME	Fill ALIAS of	f HHSTAT_C=1
	^areisSEX_C		_FINAL[PX_C] in (1,2) fill: "is" SEX_FINAL[PX_C] in (DK,RF) fill: "are"
	<2-3,RF,DK> [goto HI		

stion ID: INS.0630.00.1	Variable nam	e: HILAST_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	10 IN HIKIND_C and MCAIDPRB_C IN (2,RF,DK)			
Universe Description:	Sample Children 0-17 without known health insurance and answered no, refused or don't know to the Medicaid probe.			
Question Text:	How long has it been since ^SCNAME last had health care coverage that pai for doctor's visits or hospital stays?			
Response:	 Within the 	e last 2 years (1 ye e last 3 years (2 ye e last 5 years (3 ye e last 10 years (5 y ago or more	e less than 12 months ago) ar but less than 2 years ago) ars but less than 3 years ago) ars but less than 5 years ago) ears but less than 10 years ago)	
Fills:	^SCNAME	Fill ALIAS o	f HHSTAT_C=1	
Skip Instructions:	<1> [goto HILASTMY <2,3> [goto HISTOP <4,5,6,0,RF,DK> [got	IOB_C]		

Check Name: ERR1_HILAST_C

Text:	{check ERR1_HILAST_C} Years since last health coverage exceedchild's age. Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	$(AGE_FINAL = 0 \text{ and } HILAST_C \text{ in } (2,3,4,5,6)) \text{ or}$ $(AGE_FINAL = 1 \text{ and } HILAST_C \text{ in } (3,4,5,6)) \text{ or}$ $(AGE_FINAL = 2 \text{ and } HILAST_C \text{ in } (4,5,6)) \text{ or}$ $(AGE_FINAL \text{ in } (3,4) \text{ and } HILAST_C \text{ in } (5,6)) \text{ or}$ $(AGE_FINAL \text{ in } (5,6,7,8,9) \text{ and } HILAST_C \text{ in } (6))$

Question ID: INS.0640.00.1	Variable name: H	HILASTMY_C	Interview module: INS(Child.INS)
Inherited Univer	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	•	nd PCNT gt PCNTAGEGUESS and DFAMSC ne 1
Univer	se: HILAST_C=1		
Universe Descripti	on: Sample Children 0-17 wat some time within the la		h insurance who last had insurance
Question Te	xt: In the past 12 months If less than 1 month, en	•	hs was ^SCNAME without coverage? +
Respon	BE: DK: Don't Know RF: Refused		
Fi	Is: ^SCNAME	Fill ALIAS of HI	HSTAT_C=1

tion ID: INS.0650.00.1	Variab	le name: HISTOPJOB	B_C Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	HILAST_C IN (1,2,3)			
Universe Description:	Sample Children 0-17 who have been uninsured for less than 3 years			
Question Text:	am going to coverage. Pl longer enroll	read a list of reason ease tell me, yes or	that ^SCNAME did have health care coverans why someone might no longer be enrolled r no, if this is a reason why ^SCNAME is not thealth care plan. The policyholder retired ?	ed in
Response:	_			
Fills:	^SCNAME	Fill ALIA	AS of HHSTAT_C=1	
Fills:	^SCNAME ^hisher_C	if GEN. else if G	AS of HHSTAT_C=1 SEX_FINAL[PX_C]=1 fill "his"; GEN.SEX_FINAL[PX_C]=2 fill "her"; GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill	

Question ID: INS.0660.00.1	Variable n	ame: HISTOPMISS_C	Interview module: INS(Child.INS)
Inherited Universe:		nd PCNTunder18 gt 0 an CNT18UP_C gt 0 and NO	d PCNT gt PCNTAGEGUESS and FAMSC ne 1
Universe:	HILAST_C IN (1,2,	3)	
Universe Description:	Sample Children 0-17 who have been uninsured for less than 3 years		
Question Text:		0	enrolled in ^hisher_C last health care plan gning up or paying for ^hisher_C
Response:	1. Yes 2. No DK: Don't k RF: Refuse		
Fills:	^SCNAME	Fill ALIAS of H	ISTAT_C=1
	^hisher_C	else if GEN.SEX	NAL[PX_C]=1 fill "his"; X_FINAL[PX_C]=2 fill "her"; X_FINAL[PX_C] in (blank,DK,RF): fill
Skip Instructions:	<1,2,RF,DK> [goto	HISTOPAGE_C]	

Question ID: INS.0670.00.1	Variable name: HISTOPAGE_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	5
Universe:	HILAST_C IN (1,2,3)	
Universe Description:	Sample Children 0-17 who have been unir	nsured for less than 3 years
Question Text:		er enrolled in ^hisher_C last health care plan le because of ^hisher_C age or because
Response:		

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
	^HeShe_C	If SEX_FINAL_C=1 fill "He" else if SEX_FINAL_C=2 fill "She" elseif SEX_FINAL_C=blank: fill "They"
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1,2,RF,DK> [goto HISTC	PCOST_C]

Question ID: INS.0680.00.1	Variable name: HISTOPCOST_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 ar PCNT ge 2 and PCNT18UP_C gt 0 and NC	5
Universe:	HILAST_C IN (1,2,3)	
Universe Description:	Sample Children 0-17 who have been uning	sured for less than 3 years
Question Text:	Read if necessary: Is ^SCNAME no longe because The cost for the coverage in	r enrolled in ^hisher_C last health care plan creased?
Beeneneeu		

	1. Yes 2. No DK: Don RF: Refu	't Know ised
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
Skip Instructions:	<1,2,RF,DK> [go	oto HISTOPELIG_C]

tion ID: INS.0690.00.1	Variable name:	HISTOPELIG_C	Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	HILAST_C IN (1,2,3)			
Universe Description:	Sample Children 0-17 who have been uninsured for less than 3 years			
Question Text:	?[F1] * Read if necessary: Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because ^HeShe_C had Medicaid, CHIP, or other public coverage, but ^werewas_C no longer eligible?			
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	^SCNAME	Fill ALIAS of H	HSTAT_C=1	
	^hisher_C	else if GEN.SE	NAL[PX_C]=1 fill "his"; X_FINAL[PX_C]=2 fill "her"; EX_FINAL[PX_C] in (blank,DK,RF): fill	
	^HeShe_C		_C=1 fill "He" NAL_C=2 fill "She" IAL_C=blank: fill "They"	
	^werewas_C		_C=1,2 fill "was" NAL_C=DK, RF fill "were"	
		Page 137 of 33	4	

Skip Instructions:	<1,2,RF,DK> [goto RSNHICOST_C]
--------------------	--------------------------------

Question ID: INS.0700.00.1	Variable name: R	SNHICOST_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCI PCNT ge 2 and PCNT18	•	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	10 IN HIKIND_C and (MC	CAIDPRB_C IN (2,RF	=,DK))
Universe Description:	Sample Children 0-17 v refused or don't know to t		h insurance and answered no,
Question Text:	^INSREASONS_C Is ^ affordable?	SCNAME currently	uninsured because coverage is not
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^INSREASONS_C	reasons why peo coverage." If HILAST_C=1,2 you lost coverage	4,5,6,RF,DK, fill: "There are many ople do not have health insurance ,3, fill: "We just discussed reasons e, now I am going to ask you some why ^SCNAME hasn't obtained
	^SCNAME	Fill ALIAS of HHS	STAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto RSNI	HWANT_C]	

Question ID: INS.0710.00.1	Variable name: R	SNHIWANT_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	10 IN HIKIND_C and (MC	AIDPRB_C IN (2,RF	=,DK))
Universe Description:	Sample Children 0-17 w refused or don't know to th		h insurance and answered no,
Question Text:		ME currently unins	ot have health insurance coverage. ured becauseyour family does not
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^PLUSCOSTC	if REASNHICOST is" Else fill "Is"	$\Gamma_C = 1$ then fill "In addition to cost,
	^SCNAME	Fill ALIAS of HHS	STAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto RSNH	IIELIG_C]	

Question ID: INS.0720.00.1	Variable name: RSNHIELIG_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	Ū į
Universe:	10 IN HIKIND_C and (MCAIDPRB_C IN (2	2,RF,DK))
Universe Description:	Sample Children 0-17 without known h refused or don't know to the Medicaid prot	
Question Text:		ons that people do not have health insurance rently uninsured because^heshe_C ?
Response:	1	

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^PLUSCOSTC	if REASNHICOST_C = 1 then fill "In addition to cost, is" Else fill "Is"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
	^areisSEX_C	if GEN.SEX_FINAL[PX_C] in (1,2) fill: "is" elseif GEN.SEX_FINAL[PX_C] in (DK,RF) fill: "are"
Skip Instructions:	<1,2,RF,DK> [goto RSNH	ICONF_C]

estion ID: INS.0730.00.1	Variable name: RSNHICONF_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 ar PCNT ge 2 and PCNT18UP_C gt 0 and NC	5
Universe:	10 IN HIKIND_C and (MCAIDPRB_C IN (2,	RF,DK))
Universe Description:	Sample Children 0-17 without known he refused or don't know to the Medicaid probe	-
Question Text:	 Read if necessary: There are other reason coverage. ^PLUSCOSTC ^SCNAME current of signing up for coverage for ^SCNAME 	ently uninsured becausethe process
Response:		

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^PLUSCOSTC	if REASNHICOST_C = 1 then fill "In addition to cost, is" Else fill "Is"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto RSNH	IMEET_C]

uestion ID: INS.0740.00.1	Variable name: R	SNHIMEET_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	10 IN HIKIND_C and (MC	AIDPRB_C IN (2,R	F,DK))
Universe Description:	Sample Children 0-17 v refused or don't know to t		th insurance and answered no,
Question Text:		C ^SCNAME curren	that people do not have health insurance tly uninsured becauseyour family s needs?
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	STAT_C=1
	^PLUSCOSTC	if REASNHICOS is" Else fill "Is"	T_C = 1 then fill "In addition to cost,

Skip Instructions:	<1,2,RF,DK> [goto RSNHIWAIT_C]
--------------------	--------------------------------

Question ID: INS.0750.00.1	Variable name: R	SNHIWAIT_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	•	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	10 IN HIKIND_C and (MC	AIDPRB_C IN (2,RF	F,DK))
Universe Description:	Sample Children 0-17 w refused or don't know to t		h insurance and answered no,
Question Text:	· · ·	C ^SCNAME current	that people do not have health insurance ly uninsured becauseyou applied started yet?
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^PLUSCOSTC	if REASNHICOST is" Else fill "Is"	C = 1 then fill "In addition to cost,
	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto RSNH	IIOTH_C]	

tion ID: INS.0760.00.1	Variable name: RSNH	OTH_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	10 IN HIKIND_C and (MCAIDI	PRB_C IN (2,RF,	DK))
Universe Description:	Sample Children 0-17 withor refused or don't know to the M		insurance and answered no,
Question Text:	Is there another reason tha insurance coverage?	t ^SCNAME cur	rently does not have health
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME Fi	II ALIAS of HHST	TAT_C=1
Skip Instructions:	<1> [goto RSNHIOTHSP_C] <2,RF,DK> [goto FINISH_C]		

estion ID: INS.0770.00.1	Variable name: RSNHIOTHSP_C Interview module: INS(Child.INS)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	RSNHIOTH_C=1	
Universe Description:	Sample Children 0-17 who have another reason for not having coverage	
Question Text:	What is the other reason for not having coverage?	
Response:	DK: Don't Know RF: Refused	

uestion ID: INS.0780.00.1	Variable nam	e: HINOTYR_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	HIKIND_C IN (1-9) or	MCAIDPRB_C=1	
Universe Description:	Sample Children 0-17 with known health insurance coverage or responded yes to the medicaid probe		
Question Text:	In the past 12 months, was there any time when ^SCNAME did NOT have ANY health insurance or coverage?		
Response:	1. Yes 2. No DK: Don't Kno RF: Refused	w	
Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1
Skip Instructions:	<1> [goto HINOTMYR <2,RF,DK> [goto FIN		

Question ID: INS.0790.00.1		Variable name: HINOTMYR_C	Interview module: INS(Child.INS)	
Inherited Universe:	-	_C gt 0 and PCNTunder18 gt e 2 and PCNT18UP_C gt 0 and	0 and PCNT gt PCNTAGEGUESS and I NOFAMSC ne 1	
Universe:	HIKIND_	C IN (1-9) or (MCAIDPRB_C=	1) and HINOTYR_C=1	
Universe Description:	· ·	Sample Children 0-17 with known health insurance coverage and did not have health insurance for some period of time in the past 12 months		
Question Text:	In the past 12 months, about how many months was ^SCNAME without coverage? • If less than 1 month, enter '1'.			
Response:	DK: RF:	Don't Know Refused		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-12,RF,DK> [goto FINI	SH_C]

Question ID: INS.0800.00.1	Variable name: FINISH_C	Interview module: INS(Child.INS)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N	5
Universe Description:	Sample Children 0-17	
Question Text:	 The Sample Child health insurance sec 	tion is now complete. • Enter '1' to continue.
Response:	1. Enter 1 to Continue	
Skip Instructions:	<1> [goto next section]	

uestion ID: PAY.0010.00.1	Variable name: PAYINTRO_C	Interview module: PAY(Child.PAY)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	(SAMEFAM_FLG=1 and PAY_FLG_A=blank) or (SAMEFAM_FLG=1 and PAY_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)		
Universe Description:	Sample Children 0-17 living in same family as the Sample Adult when the PAY section of the Sample Adult has not been completed or Sample Children living in same family as Sample Adult when the Sample Child respondent is not the Sample Adult and the Sample Adult answered don't or refused to PAYBLL12M_A and PAYNOBLLNW_A or Sample children living in different families than the Sample Adult.		
Question Text:	?[F1] Now I am going to ask you about y for doctors, dentists, hospitals, therapis home or home care. * Enter '1' to continu	ts, medication, equipment, and nursing	
Response:			

	1. Enter 1 to Continue
Skip Instructions:	<1> [goto PAYBILL12M_C]

Question ID: PAY.0020.00.1	V	/ariable name: PAYBLL12M_C	Interview module:	PAY(Child.PAY)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	(SAMEFAM_FLG=1 and PAY_FLG_A=blank) or (SAMEFAM_FLG=1 and PAY_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)			
Universe Description:	Sample Children 0-17 living in same family as the Sample Adult when the PAY section of the Sample Adult has not been completed or Sample Children living in same family as Sample Adult when the Sample Child respondent is not the Sample Adult and the Sample Adult answered don't or refused to PAYBILL12M_A and PAYNOBLLNW_A or Sample children living in different families than the Sample Adult.			
Question Text:	were un	the past 12 months, did an able to pay any medical bill dentists, hospitals, therapists	s? • Read if necessary: Ir	nclude bills for
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Skip Instructions:		<pre>X> [goto PAYNOBLLNW_C] PAYWORRY_C]</pre>		

Question ID: PAY.0030.00.1

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	((SAMEFAM_FLG=1 and PAY_FLG_A=blank) or (SAMEFAM_FLG=1 and PAY_FLG_A=2 and SARESPSC_FLG ne 1)) or ((SAMEFAM_FLG ne 1) and PAYBLL12M_C IN (1,RF,DK))		
Universe Description:	Sample Children 0-17 who said someone in their family had trouble paying bills and Sample Adult and Sample Child are in the same family and Sample Adult PAY section has not been completed OR the Sample Child and Sample Adult are not in the same family AND said anyone in their family had problems paying medical bills in the past 12 months or refused or didn't know if they had problems paying medical bills.		
Question Text:	Does anyone in your family currently have any medical bills that you are unable to pay at all?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Skip Instructions:	<1,2,RF,DK> [goto PAYWORRY_C]		

Question ID: PAY.0040.00.1	Variable name: PAYWORRY_C	Interview module: PAY(Child.PAY)
	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	0
Universe Description:	Sample Children 0-17	
Question Text:	-	ent, how worried are you that your family bills? Are you very worried, somewhat
Response:		

кesponse:

	1.Very wor2.Somewh3.Not at allDK:Don't KnoRF:Refused	at worried worried
Fills:	^SCNAME ^hisher_C	Fill ALIAS of HHSTAT_C=1 if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
Skip Instructions:	<1-3,RF,DK> [goto n	ext section]

Question ID: CVL.0010.00.3	Variable name: CVDINTRO_C Interview module: CVL(2023 Future Conte	ent.Child.CVL
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe Description:	Sample Children 0-17	
Question Text:	The next set of questions are about coronavirus or COVID-19. • Enter '1' to continue.	
Response:	1. Enter 1 to Continue	
Skip Instructions:	<1> [goto CVDDIAG_C]	

on ID: CVL.0020.00.3		Variable name: EVERCOVD_C	Interview module: CVL(2023 Future Cont
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
niverse Description:	Sample (Children 0-17	
Question Text:	doctor that you had or likely had COVID-19. Also include antibodies or blood tests as well as other forms of testing for COVID-19, such as a nasal swabbing or throat swabbing. Also include if you had close contact with someone who had COVID-19 and you had symptoms.		
Response:			
	^SCN/		HHSTAT_C=1

-	<1> [goto LONGCOVD1_C] <2,RF,DK> [goto next section]

	1			
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
	PCNT ge 2 a	IND PCNT18U	IP_C gt 0 and NC	DFAMSC ne 1
Universe:	EVERCOVD_C=1			
niverse Description:	Sample Children 0-17 who have ever had COVID-19			
Question Text:	Did ^SCNAME have any symptoms lasting 3 months or longer that ^heshe_C did not have prior to having coronavirus or COVID-19? * Read if necessary: Long term symptoms may include tiredness or fatigue, difficulty thinking, concentrating, forgetfulness or memory problems, sometimes referred to as "brain fog," difficulty breathing or shortness of breath, joint or muscle pain, fast-beating or pounding heart (also known as heart palpitations), chest pain, dizziness on standing menstrual changes, changes to taste/smell, and inability to exercise.			
	2. No DK: Don't Kn			
Response:	2. N DK: D	No Don't Know		
Response: Fills:	2. N DK: D RF: F	No Don't Know Refused	Fill ALIAS of HI	HSTAT_C=1
	2. N DK: C RF: F	No Don't Know Refused	If GEN.SEX_FI else if GEN.SE	HSTAT_C=1 INAL[PX_C]=1 fill "he" :X_FINAL[PX_C]=2 fill "she" :X_FINAL[PX_C] in (RF,DK): fill "they"

Question	יחו	CVL.0040.00.3	
Question	ID:	CVL.0040.00.3	

Interview module: CVL(2023 Future Content.Child.CVL)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	LONGCOVD1_C=1			
Universe Description:	Sample Children 0-17 who have ever had COVID-19 and had symptoms lasting 3 months or longer			
Question Text:	Does ^SCNAME have symptoms NOW?			
Response:	1.Yes2.NoDK:Don't KnowRF:Refused			
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1			
Skip Instructions:	<1> if LONGCOVD1_C=1 [goto LCVDACT_C] else [goto next section]			

 Question ID: CVL.0050.00.3
 Variable name: LCVDACT_C
 Interview module: CVL(2023 Future Content.Child.CVL)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	LONGCOVD1 C=1 and SYMPNOW1 C=1
	Sample Children 0-17 with COVID-19 symptoms lasting 3 months or longer
	that they did not have prior to having coronavirus or COVID-19 and they have symptoms now
Question Text:	How much do these long-term symptoms reduce ^SCNAME's ability to carry out day-to-day activities compared with the time before ^SCNAME had COVID-19? Would you say * Read categories below.

Response:

Skip Instructions:	<1-4,RF,D	0K> [goto next section]
Fills:	^SCNA	ME Fill ALIAS of HHSTAT_C=1
	RF:	Refused
	4. DK:	Don't Know
	3. 4.	Somewhere in between a little or a lot
	3.	A lot
	2.	A little
	1.	Not at all

estion ID: DNC.0010.00.2	Variable name: DNCINTRO_C	Interview module: DNC(Child.DNC)
Inherited Universe:	(GEN.AGE_FINAL[PX_C]=1-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N (GEN.AGE_FINAL[PX_C]=1-17))	-
Universe Description:	Sample children 1-17	
Question Text:	These next questions ask about ^SCN	IAME's dental care. • Enter '1' to continue.
Response:		

	1. Enter 1 to Co	ntinue
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1> [goto DENPREV_C]	

uestion ID: DNC.0020.00.2	`	/ariable name: DENPREV_C	C Interview module: DNC(Child.DNC)
Inherited Universe:	1.	E_FINAL[PX_C]=1-17) AN	
		•	8 gt 0 and PCNT gt PCNTAGEGUESS and and NOFAMSC ne 1) AND
	-	E_FINAL[PX_C]=1-17))	and NOFAMISC HE I) AND
Universe Description:	Sample C	children 1-17	
Question Text:	About h	ow long has it been sinc	e ^SCNAME last had a dental examination or
	cleaning	g? • Read if necessary: In	nclude cleanings from all types of dental care
	provider	s such as dentists, orthodo	ontists, oral surgeons, dental hygienists, and all
	other de	ntal specialists.	
Response:	0.	Never	
	1.	Within the past year (an	ytime less than 12 months ago)
	2.	Within the last 2 years (1 year but less than 2 years ago)
	3.	Within the last 3 years (2 years but less than 3 years ago)
	4.	Within the last 5 years (3 years but less than 5 years ago)
	5.	Within the last 10 years	(5 years but less than 10 years ago)
	6.	10 years ago or more	
	DK:	Don't Know	
	RF:	Refused	
Fills:	^SCNA	ME Fill ALIA	AS of HHSTAT_C=1
Skip Instructions:	<0-6,RF,[DK> [goto DENDL12M_C]	

Check Name: ERR1_DENPREV_C

Text:	{check ERR1_DENPREV_C} Years since last dental cleaning exceedchild's age. Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	(GEN.AGE_FINAL[PX_C]=1-17) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.AGE_FINAL[PX_C]=1-17))
Universe:	$(AGE_FINAL = 0 \text{ and } DENPREV_C \text{ in } (2,3,4,5,6)) \text{ or}$ $(AGE_FINAL = 1 \text{ and } DENPREV_C \text{ in } (3,4,5,6)) \text{ or}$ $(AGE_FINAL = 2 \text{ and } DENPREV_C \text{ in } (4,5,6)) \text{ or}$ $(AGE_FINAL \text{ in } (3,4) \text{ and } DENPREV_C \text{ in } (5,6)) \text{ or}$ $(AGE_FINAL \text{ in } (5,6,7,8,9) \text{ and } DENPREV_C \text{ in } (6))$

uestion ID: DNC.0030.00.2		Variable name: DENDL12M_C	Interview module: DNC(Child.DNC)
	((GEN.P. PCNT ge	GE_FINAL[PX_C]=1-17) AND X_C gt 0 and PCNTunder18 gt 0 are 2 and PCNT18UP_C gt 0 and N GE_FINAL[PX_C]=1-17))	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1) AND
Universe Description:	Sample (Children 1-17	
Question Text:		the past 12 months, has ^SCN ecause of the cost?	AME been DELAYED in getting dental
Response:	1. 2. DK: RF:	Yes No Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto [DENNG12M_C]

Question ID: DNC.0040.00.2	Variable name	: DENNG12M_C	Interview module: DNC(Child.DNC)
Inherited Universe:	(GEN.AGE_FINAL[PX_ ((GEN.PX_C gt 0 and PCNT ge 2 and PCNT (GEN.AGE_FINAL[PX_	PCNTunder18 gt 0 an 18UP_C gt 0 and NOI	d PCNT gt PCNTAGEGUESS and FAMSC ne 1) AND
Universe Description:	Sample Children 1-17		
Question Text:	During the past 12 months, was there any time when ^SCNAME needed dental care, but DID NOT GET IT because of the cost?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused	N	
Fills:	^SCNAME	Fill ALIAS of HH	ISTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto ne>	kt section]	

estion ID: UTZ.0010.00.1	Variable name: UTZINTRO_C	Interview module: UTZ(Child.UTZ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	-
Universe Description:	Sample Children 0-17	
Question Text:	^UTZINTRO2_C + Enter '1' to continue.	
Resnonse:		

Response:

	1. Enter 1 to Co	ontinue
Fills:	^UTZINTRO2_C	If AGE LT 1 fill "I would like to ask you about ^SCNAME's health care." else fill "Now, I would like to ask you about ^SCNAME's health care, not including dental care."
Skip Instructions:	<1> [goto LASTDR_C]	

uestion ID: UTZ.0020.00.1	Variable nar	me: LASTDR_C	Interview module: UTZ(Child.UTZ)	
Inherited Universe:	GEN.PX_C gt 0 and PCNT ge 2 and PCN	•	and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1	
Universe Description:	Sample Children 0-17			
Question Text:	About how long has it been since ^SCNAME last saw a doctor or other health professional about ^hisher_C health? * Read if necessary: Include doctors seen while a patient in a hospital. * Read if necessary: Do not include dental care.			
Response:	 Within th Within th Within th Within th Within th Within th 	ne last 2 years (1 yeane last 2 years (2 yeane last 3 years (2 yeane last 5 years (3 yeane last 10 years (5 yeane last 10 yean	e less than 12 months ago) ar but less than 2 years ago) ars but less than 3 years ago) ars but less than 5 years ago) ears but less than 10 years ago)	
Fills:	^SCNAME ^hisher_C	if GEN.SEX else if GEN.	f HHSTAT_C=1 _FINAL[PX_C]=1 fill "his"; SEX_FINAL[PX_C]=2 fill "her"; .SEX_FINAL[PX_C] in (blank,DK,RF): fill	

Skip Instructions:	<1-6> if GEN.AGE_FINAL[PX_C] ge 0 and GEN.AGE_FINAL[PX_C] le 11
	[goto WELLNESS_C]
	<1-6> if GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17
	[goto TIMEALONE_C]
	<0,RF,DK> [goto USUALPL_C]

Check Name: ERR1_LASTDR_C

Text:	{check ERR1_LASTDR_C} Years since last saw a doctor exceedchild's age. Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	$(AGE_FINAL = 0 \text{ and } LASTDR_C \text{ in } (2,3,4,5,6)) \text{ or}$ $(AGE_FINAL = 1 \text{ and } LASTDR_C \text{ in } (3,4,5,6)) \text{ or}$ $(AGE_FINAL = 2 \text{ and } LASTDR_C \text{ in } (4,5,6)) \text{ or}$ $(AGE_FINAL \text{ in } (3,4) \text{ and } LASTDR_C \text{ in } (5,6)) \text{ or}$ $(AGE_FINAL \text{ in } (5,6,7,8,9) \text{ and } LASTDR_C \text{ in } (6))$

tion ID: UTZ.0040.00.1	Variable name:	WELLNESS_C	Interview module: UTZ(Child.UTZ)		
Inherited Universe:	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	•	d PCNT gt PCNTAGEGUESS and FAMSC ne 1		
Universe:	LASTDR_C in (1,2,3,4,5	5,6)			
Universe Description:	Sample Children 0-17 w	Sample Children 0-17 who have seen a doctor			
Question Text:	Was this a well ^babychild visit, physical, or general purpose check-up? Read if necessary: This kind of visit typically includes: height and weight measurements, vaccinations, and vision or hearing checks. The doctor or other health professional may also discuss topics related to ^SCNAME's health such as ^hisher_C growth and development, diet and exercise, safety, and sleep patterns. These visits are usually scheduled in advance and occur when ^hesheistheyare_C not sick. Read if necessary: If a wellness exam was combined with a sick care visit, include this visit. Read if necessary: An obstetrician/gynecologist (OB/GYN) may perform this visit.				
Response:	1. Yes 2. No DK: Don't Know RF: Refused				
Fills:	^SCNAME	Fill ALIAS of HH	ISTAT_C=1		
	^babychild	If AGE LE 2 fill ' else if AGE GE	"baby"; 3 or AGE IN ('DK','RF') fill "child"		
	^hisher_C	else if GEN.SE	NAL[PX_C]=1 fill "his"; X_FINAL[PX_C]=2 fill "her"; X_FINAL[PX_C] in (blank,DK,RF): fill		
	^hesheistheyare_C	If SEX_FINAL_(If SEX_FINAL_(If SEX_FINAL_(Page 158 of 334	C=2 fill: "she is" C=blank fill: "they are"		

Skip Instructions:	<1> [goto USUALPL_C]
	<2,RF,DK> [goto WELLVIS_C]

stion ID: UTZ.0050.00.1	Varia	able name: WELLVIS_C	Interview module: UTZ(Child.UTZ)	
Inherited Universe:		t 0 and PCNTunder18 gt 0 nd PCNT18UP_C gt 0 and I	and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1	
Universe:	WELLNESS_C IN (2,RF,DK)			
Universe Description:	Sample Children 0-17 were reported to have seen a doctor, but the last visit was not a wellness visit or they didn't know or refused whether it was a wellness visit			
Question Text:	About how long has it been since ^SCNAME last saw a doctor or other health professional for a well ^babychild visit, physical, or general purpose check-up? • Read if necessary: This kind of visit typically includes: height and weight measurements, vaccinations, and vision or hearing checks. The doctor or other health professional may also discuss topics related to ^SCNAME's health such as ^hisher_C growth and development, diet and exercise, safety, and sleep patterns. These visits are usually scheduled in advance and occur when ^hesheistheyare_C not sick. • Read if necessary: If a wellness exam was combined with a sick care visit include this visit. • Read if necessary: An obstetrician/gynecologist (OB/GYN) may perform this visit.			
Response:	1. W 2. W 3. W 4. W 5. W 6. 10 DK: D	Vithin the last 3 years (2 yea Vithin the last 5 years (3 yea	e less than 12 months ago) ar but less than 2 years ago) ars but less than 3 years ago) ars but less than 5 years ago) ears but less than 10 years ago)	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1		
	^babychild	If AGE LE 2 fill "baby"; else if AGE GE 3 or AGE IN ('DK','RF') fill "child"		
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"		
	^hesheistheyare_C	If SEX_FINAL_C=1 fill: "he is" If SEX_FINAL_C=2 fill: "she is" If SEX_FINAL_C=blank fill: "they are"		
Skip Instructions:		JALPL_C] E_FINAL<=11 [goto USUALPL_C] iE_FINAL<=17 [goto PTIMEALONE_C]		

Check Name: ERR1_WELLVIS_C		Check Name:	ERR1_	WELLVIS_	с
----------------------------	--	-------------	-------	----------	---

Text:	{check ERR1_WELLVIS_C} Years since wellness visit exceedchild's age. Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	$(AGE_FINAL = 0 \text{ and WELLVIS}_C \text{ in } (2,3,4,5,6)) \text{ or}$ $(AGE_FINAL = 1 \text{ and WELLVIS}_C \text{ in } (3,4,5,6)) \text{ or}$ $(AGE_FINAL = 2 \text{ and WELLVIS}_C \text{ in } (4,5,6)) \text{ or}$ $(AGE_FINAL \text{ in } (3,4) \text{ and WELLVIS}_C \text{ in } (5,6)) \text{ or}$ $(AGE_FINAL \text{ in } (5,6,7,8,9) \text{ and WELLVIS}_C \text{ in } (6))$

Question ID: UTZ.0080.00.	Variable name: USUALPL_C	Interview module: UTZ(Child.UTZ)		
Inherited Unive	_ 0	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Descript	ion: Sample Children 0-17			
Question T	ext: Is there a place that ^SCNAME USU and needs health care?	IALLY goes to if ^hesheistheyare_C sick		
Respo	nse: 1. Yes			

	2.There is NO3.There is MOIDK:Don't KnowRF:Refused	place RE THAN ONE place
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hesheistheyare_C	If SEX_FINAL_C=1 fill: "he is" If SEX_FINAL_C=2 fill: "she is" If SEX_FINAL_C=blank fill: "they are"
Skip Instructions:	[goto PERSDOC_C]	KIND_C] _[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 17 [PX_C] ge 0 and GEN.AGE_FINAL[PX_C] le 11 [goto

Question ID: UTZ.0090.00.1	Variable name: USPLKIND_C	Interview module: UTZ(Child.UTZ)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	USUALPL_C IN (1,3,RF,DK)		
Universe Description:	Sample Children 0-17 with 1+ usual place of care or who don't know or refused to answer if they have a usual place of care		
Question Text:	What kind of place ^isitgomostoften - a de urgent care center, a clinic in a drug store emergency room; or some other place? • health center is a place where ^heshe_C see doctors every visit, where you usually need to and where ^hisher_C medical records are or centers, and clinics in a drug store or grocery to make an appointment ahead of time, and of provider at each visit.	 e or grocery store; a hospital Read if necessary: A doctor's office or e^s the same doctor or the same group of o make an appointment ahead of time, a file. Read if necessary: Urgent care y store are places where you do not need 	
Response:			

	 Urgent care Hospital en Hospital en Some other Does not ge DK: Don't Know 	o to one place most often
Fills:	RF: Refused	If USUALPL_C=1, fill: "is it" else fill: "^doesheshedothey go to most often"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
	^s	if SEX_FINAL[PX_C]=1,2 fill "s" else fill blank
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
Skip Instructions:		N.AGE_FINAL<=11 [goto URGENT12M_C] EN.AGE_FINAL<=17 [goto PERSDOC_C]

Question ID: UTZ.0110.00.1	Variable name: U	JRGENT12M_C	Interview module: UTZ(Child.UTZ)
Inherited Universe:	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe Description:	Sample Children 0-17		
Question Text:	During the past 12 months, how many times has ^SCNAME gone to an urgent care center or clinic in a drug store or grocery store about ^hisher_C health? * Enter '96' if number is 96 or greater. * Read if necessary: Urgent care centers and clinics in drug stores or grocery stores are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit. * Read if necessary: This is different from a hospital emergency room.		
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HH	STAT_C=1
	^hisher_C	else if GEN.SEX	AL[PX_C]=1 fill "his"; _FINAL[PX_C]=2 fill "her"; {_FINAL[PX_C] in (blank,DK,RF): fill

Skip Instructions: <0-39,RF,DK> [goto EMERGE12M_C]	
	<40-96> [goto ERR1_URGENT12M_C]

Check Name: ERR1_URGENT12M_C		
Text:	<pre>{signal ERR1_URGENT12M_C} ^URGENT12M_C is an unusually large number. Did ^SCNAME visit an urgent care center or clinic in a drug store or grocery store about ^hishertheir health ^URGENT12M_C times in the past 12 months? • Please verify.</pre>	
Hard / Soft Edit:	Soft	
Fills:	^URGENT12M_C	fill value from URGENT12M_C
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hishertheir	If GEN.SEX_FINAL=1 fill " his"; else if GEN.SEX_FINAL=2 fill "her"; else if GEN.SEX_FINAL IN (DK, RF) fill "their"</span </br></span </span
Inherited Universe:		NTunder18 gt 0 and PCNT gt PCNTAGEGUESS and JP_C gt 0 and NOFAMSC ne 1
Universe:	URGENT12M_C=40-96	
Universe Description:	Sample child reported goi	ng to urgent care 40-96 times

Question ID: UTZ.0120.00.1

Variable name: EMERGE12M_C	;
----------------------------	---

Interview module: UTZ(Child.UTZ)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample Children 0-17	7	
Question Text:	During the past 12 months, how many times has ^SCNAME gone to a hospital emergency room about ^hisher_C health? * Read if necessary: This includes emergency room visits that resulted in a hospital admission. * Enter '96' if number is 96 or more.		
Response:	DK: Don't Kno RF: Refused	w	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"	
Skip Instructions:	<0-39,RF,DK> if GEN else [goto MEDDL12 <40-96> [goto ERR1_		

Check Name: ERR1_EMERGE12M_C

Text:	<pre>{signal ERR1_EMERGE12M_C} ^EMERGE12M_C is an unusually large number. Did ^SCNAME visit a hospital emergency room about ^hishertheir health ^EMERGE12M_C times in the past 12 months? *Please verify.</pre>		
Hard / Soft Edit:	Soft		
Fills:	^EMERGE12M_C	Fill value from Child.UTZ.EMERGE12M_C	
	^SCNAME	Fill ALIAS of HHSTAT_C=1	
	^hishertheir	If GEN.SEX_FINAL=1 fill " his"; else if GEN.SEX_FINAL=2 fill "<span< th=""></span<></span 	
		class="question_text">her"; else if GEN.SEX_FINAL IN (DK, RF) fill " their "	
		Page 166 of 334	

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	EMERGE12M_C=40-96
Universe Description:	Sample child reported going to ER 40-96 times

 Question ID: UTZ.0130.00.1
 Variable name: HOSPONGT_C
 Interview module: UTZ(Child.UTZ)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]	=1-17	
Universe Description:	Sample Children 1-17		
Question Text:	During the past 12 months, has ^SCNAME been hospitalized overnight? ^PAST12MER_C		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
	^PAST12MER_C	If ((EMERGE12M_C GE '01' and EMERGE12M_C LE '96') or EMERGE12M_C='RF','DK'): Fill: "Do not include an overnight stay in the emergency room."	
Skip Instructions:	<1,2,RF,DK> [goto MED	DL12M_C]	

Question ID: UTZ.0140.00.1	١	/ariable name: M	EDDL12M_C	Interview module: UTZ(Child.UTZ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			-
Universe Description:	Sample C	hildren 0-17		
Question Text:	-	the past 12 mor of the cost?	nths, has medica	al care BEEN DELAYED for ^SCNAME
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Fills:	^SCNA	ME	Fill ALIAS of H	HSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto MEDNG12M_C]			

Question ID: UTZ.0150.00.1		Variable name: MEDNG12M_C	Interview module: UTZ(Child.UTZ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample (Children 0-17	
Question Text:	-	the past 12 months, was there ut DID NOT GET IT because of t	any time when ^SCNAME needed medical the cost?
Response:	1. 2. DK: RF:	Yes No Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto n	next section]

Question ID: TLH.0010.00.1	Variable name: V	VIRAPP12M_C	Interview module: TLH(Child.TLH)
Inherited Universe:	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	-	nd PCNT gt PCNTAGEGUESS and DFAMSC ne 1
Universe Description:	Sample Children 0-17		
Question Text:	During the past 12 mc nurse, or other health		ME had an appointment with a doctor, video or by phone?
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of H	HSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto next	section]	

uestion ID: PMD.0010.00.1	Variable name: RX12M_C	Interview module: PMD(Child.PMD)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 g PCNT ge 2 and PCNT18UP_C gt 0 ar	t 0 and PCNT gt PCNTAGEGUESS and nd NOFAMSC ne 1
Universe Description:	Sample Children 0-17	
Question Text:	At any time in the past 12 months,	did ^SCNAME take prescription medication?
Response:		

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1> [goto RXDL12M_C] <2,RF,DK> [goto RXDG12M_C]	

Question ID: PMD.0020.00.1	Variable na	ame: RXDL12M_C	Interview module: PMD(Child.PMD)
Inherited Universe:	-	nd PCNTunder18 gt 0 a CNT18UP_C gt 0 and N	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1
Universe:	RX12M_C=1		
Universe Description:	Sample Children 0 months)-17 who have taken pr	rescription medication in the past 12
Question Text:	During the past 1 to save money?	12 months, did you DE	ELAY filling a prescription for ^SCNAME
Response:	1. Yes 2. No DK: Don't K RF: Refuse	-	
Fills:	^SCNAME	Fill ALIAS of H	HSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto	RXDG12M_C]	

Question ID: PMD.0030.00.1	Variable	e name: RXDG12M_C	Interview module: PMD(Child.PMD)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample Childrer	า 0-17	
Question Text:			e any time when ^SCNAME needed GET IT because of the cost?
Response:	2. No DK: Don	't Know used	
Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1
Skip Instructions:	: <1,2,RF,DK> [goto next section]		

Question ID: IMM.0001.00.1	Variable name: FLUINTRO_C	Interview module: IMM(Child.IMM)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample Children 0-17		
Question Text:	There are currently vaccines available or COVID-19. I will first ask you questic then about coronavirus or COVID-19 va		
Response:	1. Enter 1 to Continue		
Skip Instructions:	<1> [goto SHTFLU12M_C]		

Question ID: IMM.0010.00.1

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe Description:	Sample Children 0-17	
Question Text:	There are two types of flu vaccinations. One is a shot and the other is a spray, mist, or drop in the nose. During the past 12 months, has SCNAME had a flu vaccination? • Read if necessary: A flu vaccination is usually given in the fall and protects against influenza for the flu season.	
Response:	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1	
Skip Instructions:	<1> [goto SHTFLUNUM_C] <2,RF,DK> [goto next section]	

 Question ID: IMM.0020.00.1
 Variable name: SHTFLUNUM_C
 Interview module: IMM(Child.IMM)

 Inherited Universe:
 GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1

 Universe:
 SHTFLU12M_C=1

 Universe Description:
 Sample Children 0-17 who have had a flu shot in the past 12 months

 Question Text:
 During the past 12 months, how many flu vaccinations has ^SCNAME received?

Response:

	1.1 vaccination2.2 or more valueDK:Don't KnowRF:Refused	accinations
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2> [goto FLUVAC1M_C] <rf,dk> [goto next section]</rf,dk>	

Question ID: IMM.0030.01.1		Variable name: FLUVAC1M_C	Interview module: IMM(Child.IMM)	
Inherited Universe:		GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	SHTFLU	SHTFLUNUM_C IN (1,2)		
Universe Description:	Sample (Sample Children 0-17 who have had one or more shots in the past 12 months		
Question Text:		During what month and year di flu vaccine? + Enter month of m	id ^SCNAME receive ^hisher_C most nost recent flu vaccine.	
Response:	1. 2.	January February		
	3.	March		
	4.	April		
	5.	May		
	6.	June		
	7.	July		
	8.	August		
	9.	September		
	10.	October		
	11.	November		
	12.	December		
	DK:	Don't Know		
	RF:	Refused		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
Skip Instructions:	<1-12,DK> [goto FLUVAC1Y_C] <rf> if SHTFLUNUM_C=2 [goto FLUVAC2M_C] else if SHTFLUNUM_C=1 [goto next section]</rf>	

Question ID: IMM.0030.02.1	Variable name: FLUVAC1Y_C	Interview module: IMM(Child.IMM)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NOF	-
Universe:	(FLUVAC1M_C=1-12 or FLUVAC1M_C=DK)	
Universe Description:	Sample Children 0-17 who have had one or r and gave month/don't know month of flu shot	nore shots in the past 12 months
Question Text:	 2 of 2 + Enter year of most recent flu vaccir 	ne.
Response:	DK: Don't Know RF: Refused	
Skip Instructions:	<pre><current current="" year,="" year-1,rf,dk=""> an FLUVAC2M_C] else [goto next section] if FLUVAC1M_C and FLUVAC1Y_C ERR1_FLUVAC1Y_C]; if FLUVAC1M_C and FLUVAC1Y_C = ERR2_FLUVAC1Y_C]; if FLUVAC1M_C and FLUVAC1Y_C = a da ERR3_FLUVAC1Y_C]</current></pre>	= a future date [goto a date prior to birth [goto

Check Name: ERR1_FLUVAC1Y_C

Text:	{check ERR1_FLUVAC1Y_C} + Future date invalid
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	(FLUVAC1Y_C gt current year) or (FLUVAC1Y_C=current year and FLUVAC1M_C gt current month)
Universe Description:	Date of first flu vaccine is in the future

Check Name: ERR2_FLUVAC1Y_C

Text:	{check ERR2_FLUVAC1Y_C} + Date prior to birth
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	FLUVAC1M_C and FLUVAC1Y_C = date prior to birth date
Universe Description:	Date of first flu vaccine is before sample child's birth date

Check Name: ERR3_FLUVAC1Y_C

Text:	{check ERR3_FLUVAC1Y_C} + Date before 12 months ago
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	(FLUVAC1Y_C It current year-1) or (FLUVAC1Y_C=current year-1 and FLUVAC1M_C It current month)
Universe Description:	Date of first flu vaccine is prior to 12 months ago

ion ID: IMM.0040.01.1	Vari	able name: Fl	LUVAC2M_C	Interview module: IMM(Child.IMM)
Inherited Universe:	-		ITunder18 gt 0 a JP_C gt 0 and N	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1
Universe:	SHTFLUNUN	/_C=2		
Universe Description:	Sample Child months	dren 0-17 w	ho have had tw	o or more flu shots in the past 12
Question Text:		-	onth and year di er month of the f	d ^SCNAME receive the flu vaccine lu vaccine.
Response:	2. F 3. M 4. A 5. M 6. J 7. J 8. A 9. S 10. C 11. M 12. E	anuary February March April May June July August September Doctober November December Docember Don't Know Refused		
Fills:	^SCNAME		Fill ALIAS of H	IHSTAT_C=1
Skip Instructions:	<1-12,DK> [goto FLUVAC2Y_C] <rf> [goto next section]</rf>			

Question ID: IMM.0040.02.1	Variable name: FLUVAC2Y_C	Interview module: IMM(Child.IMM)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 an PCNT ge 2 and PCNT18UP_C gt 0 and NO	-
Universe:	(FLUVAC2M_C=1-12 or FLUVAC2M_C=DK	()
Universe Description:	Sample Children 0-17 who have had tw month/don't know month of 2nd vaccine dos	6
Question Text:	 2 of 2 Enter year of next most recent flu 	ı vaccine.
Response:	DK: Don't Know RF: Refused	
Skip Instructions:	<pre><current current="" year,="" year-1,rf,dk=""> [goto If FLUVAC2M_C and FLUVAC2Y_C = ERR1_FLUVAC2Y_C] If FLUVAC2M_C and FLUVAC2Y_C = ERR2_FLUVAC2Y_C] If FLUVAC2M_C and FLUVAC2Y_C = a dation (FLUVAC2M_C and FLUVAC2Y_C)</current></pre>	 a date in the future [goto a date prior to birth [goto date prior to 12 months ago [goto ate more recent than answer given

Check Name: ERR1_FLUVAC2Y_C

Text:	{check ERR1_FLUVAC2Y_C} +Future date invalid
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	(FLUVAC2Y_C gt current year) or (FLUVAC2Y_C=current year and FLUVAC2M_C gt current month)
Universe Description:	Date of second flu vaccine is in the future

Check Name: ERR2_FLUVAC2Y_C	Check Name:	ERR2	_FLUVAC2Y_	С
-----------------------------	-------------	------	------------	---

Text:	{check ERR2_FLUVAC2Y_C} • Date prior to birth
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	FLUVAC2M_C and FLUVAC2Y_C = a date prior to birth
Universe Description:	Date of second flu vaccine is prior to sample child's birth date

Check Name: ERR3_FLUVAC2Y_C

Text:	{check ERR3_FLUVAC2Y_C} +Date before 12 months ago
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	(FLUVAC2Y_C It current year-1) or (FLUVAC2Y_C=current year-1 and FLUVAC2M_C It current month)
Universe Description:	Date of second flu vaccine is prior to 12 months ago

Check Name: ERR4_FLUVAC2Y_C

Text:	{check ERR4_FLUVAC2Y_C} *The date entered for the second most recent flu vaccine is after the date of the most recent flu vaccine. *Please verify.
Hard / Soft Edit:	Soft
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	(FLUVAC2Y_C gt FLUVAC1Y_C) or (FLUVAC2Y_C=FLUVAC1Y_C and FLUVAC2M_C gt FLUVAC1M_C)
Universe Description:	Date of second flu vaccine is more recent than date of first flu vaccine

Question ID: CVV.0010.00.3

Variable name: SHTCVD191_C

Interview module: CVV(Child.CVV)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe Description:	Sample Children 0-17	Sample Children 0-17		
Question Text:	The next questions are about coronavirus or COVID-19 vaccination. Has ^SCNAME had at least one dose of a COVID-19 vaccination? ^COVIDAGES + Read if necessary: There are three vaccines for COVID-19 approved for use in the United States. The first is made by Pfizer, is called Comirnaty [®] (koe-mir'-na-tee), and requires two initial shots. The second is made by Moderna, is called Spikevax®, and also requires two initial shots. The third is made by Johnson and Johnson and requires one initial shot.			
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1		
	^COVIDAGES	If GEN.AGE_FINAL[PX_C] It 5, fill: "Read if necessary:The COVID-19 vaccination has been available for children under the age of 5 since June 2022." If GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 11, fill: "Read if necessary:The COVID-19 vaccination has been available for children betweenthe ages of 5 and 11 since November 2021." If GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 15, fill: "Read if necessary:The COVID-19 vaccination has been available for children betweenthe ages of 12 and 15 since May 2021." If GEN.AGE_FINAL[PX_C] ge 16 and GEN.AGE_FINAL[PX_C] le 17, fill: "Read if necessary:The COVID-19 vaccination has been available for children between the ages of 16 and 17 since 2020."		

Skip Instructions:	<1> [goto SHTCVD19NM_C]
	<2,RF,DK> [goto next section]

Question ID: CVV.0020.00.3	Variable name: SHTCV	D19NM_C	Interview module: CVV(Child.CVV)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	SHTCVD191_C=1			
Universe Description:	Sample Children who have rec	eived at least o	ne COVID-19 vaccination	
Question Text:	How many COVID-19 vaccir	nations has ^S	CNAME received?	
Response:	 1 vaccination 2 vaccinations 3 vaccinations 4 or more vaccinat DK: Don't Know RF: Refused 	tions		
Fills:	^SCNAME Fil	I ALIAS of HHS	TAT_C=1	
Skip Instructions:	<1-4> [goto SHOTTYPE_C] <rf,dk> [goto next section]</rf,dk>			

Inherited Universe:	(GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (CVDVAC1M_C=1-12,DK)
Universe:	CVDVAC1M_C=1-12,DK
Universe Description:	Sample Children who gave month of most recent COVID-19 vaccination or don't know
Question Text:	 2 of 2 • Enter year of most recent COVID-19 vaccination.
Response:	DK: Don't Know RF: Refused
Skip Instructions:	<pre><current current="" year,="" year-1,="" year-2,rf,dk=""> if SHTCVD19NM_C=2,3,4 [goto CVDVAC2M_C] else [goto SHOTTYPE_C] if CVDVAC1M_C and CVDVAC1Y_C = a future date [goto ERR1_CVDVAC1Y_C]; if CVDVAC1M_C and CVDVAC1Y_C = a date prior to birth [goto ERR2_CVDVAC1Y_C]; if CVDVAC1M_C and CVDVAC1Y_C = a date prior to 2020 [goto ERR3_CVDVAC1Y_C]; if GEN.AGE_FINAL[PX_C] ge 16 and GEN.AGE_FINAL[PX_C] le 17 and CVDVAC1M_C=1-11 and CVDVAC1Y_C=2020 [goto ERR4_CVDVAC1Y_C] if GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 15 and CVDVAC1M_C and CVDVAC1Y_C = date before May 2021 [goto ERR5_CVDVAC1Y_C] if GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 11 and CVDVAC1M_C and CVDVAC1Y_C = date before Nov 2021 [goto ERR6_CVDVAC1Y_C] if GEN.AGE_FINAL[PX_C] to 5 and CVDVAC1M_C and CVDVAC1Y_C = date before June 2022 [goto ERR7_CVDVAC1Y_C]</current></pre>

Inherited Universe:	(GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (CVDVAC1M_C=1-12,DK)
Universe:	CVDVAC1M_C=1-12,DK
Universe Description:	Sample Children who gave month of most recent COVID-19 vaccination or don't know
Question Text:	 2 of 2 • Enter year of most recent COVID-19 vaccination.
Response:	DK: Don't Know RF: Refused
Skip Instructions:	<pre><current current="" year,="" year-1,="" year-2,rf,dk=""> if SHTCVD19NM_C=2,3,4 [goto CVDVAC2M_C] else [goto SHOTTYPE_C] if CVDVAC1M_C and CVDVAC1Y_C = a future date [goto ERR1_CVDVAC1Y_C]; if CVDVAC1M_C and CVDVAC1Y_C = a date prior to birth [goto ERR2_CVDVAC1Y_C]; if CVDVAC1M_C and CVDVAC1Y_C = a date prior to 2020 [goto ERR3_CVDVAC1Y_C]; if GEN.AGE_FINAL[PX_C] ge 16 and GEN.AGE_FINAL[PX_C] le 17 and CVDVAC1M_C=1-11 and CVDVAC1Y_C=2020 [goto ERR4_CVDVAC1Y_C] if GEN.AGE_FINAL[PX_C] ge 12 and GEN.AGE_FINAL[PX_C] le 15 and CVDVAC1M_C and CVDVAC1Y_C = date before May 2021 [goto ERR5_CVDVAC1Y_C] if GEN.AGE_FINAL[PX_C] ge 5 and GEN.AGE_FINAL[PX_C] le 11 and CVDVAC1M_C and CVDVAC1Y_C = date before Nov 2021 [goto ERR6_CVDVAC1Y_C] if GEN.AGE_FINAL[PX_C] to 5 and CVDVAC1M_C and CVDVAC1Y_C = date before June 2022 [goto ERR7_CVDVAC1Y_C]</current></pre>

Question ID: CVV.0050.00.3

Variable name: SHOTTYPE_C

Interview module: CVV(Child.CVV)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	SHTCVD19NM_C=1-4		
Universe Description:	Sample Children who had at least one COVID-19 vaccination		
Question Text:	^FIRST_C brand of COVID-19 vaccine did ^SCNAME receive? ◆Read if necessary: There are three vaccines for COVID-19 approved for use in the United States. The first is made by Pfizer, is called Comirnaty [®] (koe-mir'-na-tee), and requires two initial shots. The second is made by Moderna, is called Spikevax®, and also requires two initial shots. The third is made by Johnson and Johnson and requires one initial shot.		
Response:			
	 Pfizer-BioNTech Comirnaty® shot Moderna Spikevax® shot Johnson and Johnson (Janssen) shot One of the brands that requires two initial shots, but not sure which brand None of these brands DK: Don't Know Refused 		
Fills:	^FIRST_C If SHTCVD19NM_C=2-4, fill "For ^hisher_C first shot, which" else fill "Which" ^SCNAME Fill ALIAS of HHSTAT_C=1		
Skip Instructions:	<1-5,RF,DK> [goto next section]		

Question ID: PTC.0010.00.2	Variable name: E	YEEX12M_C	Interview module: PTC(Child.PTC)		
Inherited Universe:		GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe Description:	Sample Children 0-17				
Question Text:	0 1		E had an eye exam from an eye Imologist, or eye doctor?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused				
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1		
Skip Instructions:	<1,2,RF,DK> [goto THER	A12M_C]			

estion ID: PTC.0020.00.2	Variat	ble name: THERA12M_C	Interview module: PTC(Child.PTC)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe Description:	Sample Childro	Sample Children 0-17			
Question Text:	During the past 12 months, did ^SCNAME receive physical therapy, speech therapy, rehabilitative therapy, or occupational therapy? • Read if necessary: Do not include mental health therapy.				
Response:	2. No DK: Do				
Fills:	^SCNAME	Fill ALIAS of	f HHSTAT_C=1		
Skip Instructions:	<1,2,RF,DK> [[goto HOMEHC12M_C]			

Question ID: PTC.0030.00.2	Variable name: HOMEHC12M_C Interview module: PTC(Child.PTC)			
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe Description:	Sample Children 0-17			
Question Text:	During the past 12 months, did ^SCNAME receive care at home from a nurse or other health professional?			
Response:	1. Yes 2. No DK: Don't Know RF: Refused			

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto ne	ext section]

Question ID: MHC.0010.00.2	Variat	ole name: MHRX_C	Interview module: MHC(Child.MHC)	
Inherited Universe:	(AGE_FINAL GE '002' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '002' and AGE_FINAL LE '017'))			
Universe Description:	Sample Childro	en 2-17		
Question Text:	5 1		NAME take any prescription medication to entration, behavior or mental health?	
Response:	-			
Fills:	^SCNAME	Fill ALIAS o	f HHSTAT_C=1	
	^hisher_C	else if GEN.	_FINAL[PX_C]=1 fill "his"; SEX_FINAL[PX_C]=2 fill "her"; .SEX_FINAL[PX_C] in (blank,DK,RF): fill	
Skip Instructions:	<1,2,RF,DK> [goto MHTHRPY_C]		

Question ID: MHC.0020.00.2	Variable name: MHTHRPY_C Interview module: MHC(Child.MHC)				
Inherited Universe:	(AGE_FINAL GE '002' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '002' and AGE_FINAL LE '017'))				
Universe Description:	Sample (Children 2-17			
Question Text:	During the past 12 months, did ^SCNAME receive counseling or therapy from a mental health professional such as a psychiatrist, psychologist, psychiatric nurse, or clinical social worker?				
Response:	1. 2. DK: RF:	Yes No Don't Know Refused			
Fills:	^SCN/	AME	Fill ALIAS of H	HHSTAT_C=1	
Skip Instructions:	<1,2,RF,I	DK> [goto MHTH	DLY_C]		

 Question ID: MHC.0030.00.2
 Variable name: MHTHDLY_C
 Interview module: MHC(Child.MHC)

Inherited Universe:	(AGE_FINAL GE '002' and AGE_FINAL LE '017') AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (AGE_FINAL GE '002' and AGE_FINAL LE '017'))
Universe Description:	Sample Children 2-17
Question Text:	During the past 12 months, has ^SCNAME been DELAYED in getting counseling or therapy from a mental health professional because of the cost?
Posnonso:	

Response:

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto MHTH	IND_C]

Question ID: M	HC.0040.00.2	1	Variable name: M	HTHND_C	Interview module: MHC(Child.MHC)
Inher	ited Universe:	((GEN.P) PCNT ge	GE_FINAL GE '002' and AGE_FINAL LE '017') AND GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and CNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND GE_FINAL GE '002' and AGE_FINAL LE '017'))		
Univers	e Description:	Sample C	Children 2-17		
C	Question Text:	counse	-		e any time when ^SCNAME needed health professional, but DID NOT GET IT
	Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
	Fills:	^SCNA	AME	Fill ALIAS of	HHSTAT_C=1
Skip	o Instructions:	<1,2,RF,I	DK> [goto next se	ection]	

Question ID: SOS.0020.00.4	Var	iable name: Co	OMSUPPORT_C	Interview module: SOS(Child.SOS)
Inherited Universe:	((GEN.PX_C PCNT ge 2 a	c gt 0 and PCI	NTunder18 gt 0 and JP_C gt 0 and NOF	PCNT gt PCNTAGEGUESS and AMSC ne 1) AND
Universe Description:	Sample Chil	dren 12-17		
Question Text:	adult in ^S	SCNAME's sc	-	NAME's home, is there at least one d, or community who makes a sher_C life?
Response:	2. DK:	Yes No Don't Know Refused		
Fills:	^SCNAM		else if GEN.SEX_	TAT_C=1 AL[PX_C]=1 fill "his"; FINAL[PX_C]=2 fill "her"; FINAL[PX_C] in (blank,DK,RF): fill
Skip Instructions:	<1,2,RF,DK:	> [goto next se	ection]	

Question ID: SLE.0010.00.2	Variable name: SLEINTRO_C	Interview module: SLE(Child.SLE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	0
Universe Description:	Sample Children 0-17	
Question Text:	^SCNAME's life. These things can hap	ppen in any family, but some people may ns. You may skip any questions you do
Response:		

	1. Enter 1 to Continue			
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1		
Skip Instructions:	<1> [goto VIOLENEV_C]			

estion ID: SLE.0020.00.2	Variable name: V	VIOLENEV_C	Interview module: SLE(Child.SLE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample Children 0-17		
Question Text:	Has ^SCNAME ever be ^hisher_C neighborho		violence or witnessed violence in
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^hisher_C	else if GEN.SE	NAL[PX_C]=1 fill "his"; X_FINAL[PX_C]=2 fill "her"; EX_FINAL[PX_C] in (blank,DK,RF): fill
	^SCNAME	Fill ALIAS of HI	HSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto JAILE	V1_C]	

Question ID: SLE.0030.00.2	V	/ariable name: J/	AILEV1_C	Interview module: SLE(Child.SLE)
Inherited Universe:		GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample C	hildren 0-17		
Question Text:			•	n a parent or guardian because the r a detention center?
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Fills:	^SCNA	ME	Fill ALIAS of HH	ISTAT_C=1
Skip Instructions:	<1,2,RF,D	0K> [goto MENT	DEPEV_C]	

Question ID: SLE.0040.00.2		Variable name: MENTDEPEV_C	Interview module: SLE(Child.SLE)
Inherited Universe:	_	_C gt 0 and PCNTunder18 gt 0 ar 2 and PCNT18UP_C gt 0 and NC	nd PCNT gt PCNTAGEGUESS and FAMSC ne 1
Universe Description:	Sample C	Children 0-17	
Question Text:	Did ^SC depress	CNAME ever live with anyone wh sed?	o was mentally ill or severely
Response:	1. 2. DK: RF:	Yes No Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto <i>I</i>	ALCDRUGEV_C]

Question ID: SLE.0050.00.2	١	Variable name: A	LCDRUGEV_C	Interview module: SLE(Child.SLE)
Inherited Universe:		•	NTunder18 gt 0 and JP_C gt 0 and NOI	d PCNT gt PCNTAGEGUESS and FAMSC ne 1
Universe Description:	Sample C	Children 0-17		
Question Text:	Did ^SC	NAME ever live	e with anyone who	o had a problem with alcohol or drugs?
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Fills:	^SCNA	ME	Fill ALIAS of HH	ISTAT_C=1
Skip Instructions:	<1,2,RF,D	DK> [goto PUTD	OWN_C]	

uestion ID: SLE.0060.00.3	Variable name: PUTDOWN_C	Interview module: SLE(Child.SLE)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe Description:	Sample Children 0-17			
Question Text:	Has ^SCNAME ever lived with a parent or adult who frequently swore at ^himher_C, insulted ^himher_C, or put ^himher_C down?			
Bosnonso:				

Response:

Fills:	1. Yes 2. No DK: Don't Know RF: Refused ^SCNAME ^himher_C	Fill ALIAS of HHSTAT_C=1 if SEX_FINAL=1, fill "him" if SEX_FINAL=2, fil "her" if SEX_FINAL=RF,DK, fill "them"
Skip Instructions:	<1,2,RF,DK> [goto BNEEDS_C]	

Question ID: SLE.0070.00.3	Variable name: Bl	NEEDS_C	Interview module: SLE(Child.SLE)
Inherited Universe:	e: GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS ar PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample Children 0-17		
Question Text:	Has there ever been a time when ^SCNAME 's basic needs were NOT met, such as having enough to eat, being able to go to a doctor when ^heshe_C was sick, or having a safe place to stay?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME ^heshe_C		AL[PX_C]=1 fill "he"
			FINAL[PX_C]=2 fill "she" FINAL[PX_C] in (RF,DK): fill "they"

Variable name: U	INFAIRRE_C	Interview module: SLE(Child.SLE)
GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NO		-
Sample Children 0-17		
: Has anyone ever treated or judged ^SCNAME unfairly because of ^hisher_C race or ethnic group?		CNAME unfairly because of ^hisher_C
1. Yes 2. No DK: Don't Know RF: Refused		
^SCNAME	Fill ALIAS of H	HSTAT_C=1
^hisher_C	else if GEN.SE	INAL[PX_C]=1 fill "his"; EX_FINAL[PX_C]=2 fill "her"; EX_FINAL[PX_C] in (blank,DK,RF): fill
		ge 12 and GEN.AGE_FINAL[PX_C]
	GEN.PX_C gt 0 and PCI PCNT ge 2 and PCNT18 Sample Children 0-17 Has anyone ever treate race or ethnic group? 1. Yes 2. No DK: Don't Know RF: Refused ^SCNAME ^hisher_C	PCNT ge 2 and PCNT18UP_C gt 0 and NC Sample Children 0-17 Has anyone ever treated or judged ^SC race or ethnic group? 1. Yes 2. No DK: Don't Know RF: Refused ^SCNAME Fill ALIAS of H ^hisher_C if GEN.SEX_F else if GEN.SE "their" <1,2,RF,DK> if GEN.AGE_FINAL[PX_C] g le 17 [goto UNFAIRSO_C]

Question ID: INJ.0010.00.2	Variable name: INJINTRO_C	Interview module: INJ(Child.INJ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe Description:	Sample children 0-17	
Question Text:	The next set of questions asks about all types of injuries. People can be injured accidentally or on purpose. They may hurt themselves or others may cause them to be hurt. Enter '1' to continue.	
Response:		
Skip Instructions:	<1> [goto ANYINJURY_C]	

estion ID: INJ.0020.00.2	Variable name: AN	IYINJURY_C Interview module: INJ(Child.INJ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe Description:	Sample children 0-17	
Question Text:	During the past 3 months, did ^SCNAME have an accident or an injury when any part of ^hisher_C body was hurt?	
Response:	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME ^hisher_C	Fill ALIAS of HHSTAT_C=1 if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"

<1> [goto INJLIMIT_C]	
<2,RF,DK> [goto next section]	

Question ID: INJ.0030.00.2	Variable name: IN	IJLIMIT_C	Interview module: INJ(Child.INJ)
Inherited Universe:	: GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	ANYINJURY_C=1		
Universe Description:	Sample children 0-17 who	o had an injury in pas	st 3 months
Question Text:	Did any of these injuries limit ^SCNAME's usual activities for at least 24 hours after the injury occurred?		s usual activities for at least 24 hours
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	<1> [goto NUMINJ_C] <2,RF,DK> [goto next sec	ction]	

Qu	estion ID: INJ.0040.00.2		Variable name: NUMINJ_C	Interview module: INJ(Child.INJ)
	Inherited Universe:	: GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
	Universe:	INJLIMIT	_C=1	
	Universe Description:	Sample Children 0-17 reported injuries in past 3 months which limited activities for at least 24 hours		past 3 months which limited activities
	Question Text:	t: For the next questions, please think only about the significant injuries that occurred during the past 3 months. By significant, I mean those injuries that limited ^SCNAME's usual activities for at least 24 hours after the injury occurred. During the past 3 months, how many times did ^SCNAME have a significant injury? • Enter '96' if number is 96 or greater.		By significant, I mean those injuries that for at least 24 hours after the injury how many times did ^SCNAME have a
	Response:	DK: RF:	Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	<1-9,RF,DK> [goto INJHO] <10-96> [goto ERR1_NUM	

Check Name: ERR1_NUMINJ_C

Text:	{signal ERR1_NUMINJ_C} + ^NUMINJ_C is an unusually large number. Please verify.
Hard / Soft Edit:	Soft
Fills:	^NUMINJ_C Number of injuries
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	NUMINJ_C=10-96
Universe Description:	Number of injuries reported in NUMINJ_C is 10-96

Question ID: INJ.0050.00.2	Variable name: INJHOME_C	Interview module: INJ(Child.INJ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and	3
Universe:	INJLIMIT_C=1	
Universe Description:	on: Sample Children 0-17 reported injuries in past 3 months which limited activitie for at least 24 hours	
Question Text:		j_C occur while ^SCNAME was at ry: Include the yards, garage, basement, and
Response:		

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^siginj_C	If NUMINJ_C=1, fill: "the significant injury" elseif NUMINJ_C gt 1, fill: "any significant injuries" elseif NUMINJ_C in (DK,RF), fill: "any significant injuries"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
Skip Instructions:	<pre><1> if NUMINJ_C=1 and GEN.AGE_FINAL le 2 [goto INJFALL_C] elseif NUMINJ_C=1 and GEN.AGE_FINAL ge 3 [goto INJSPORTS_C] elseif (NUMINJ_C gt 1 OR NUMINJ_C IN (RF,DK)) [goto INJSCHOOL_C] <2,RF,DK> [goto INJSCHOOL_C]</pre>	

Question ID: INJ.0060.00.2	Variable name: INJSCHOOL_C	Interview module: INJ(Child.INJ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	-
Universe:	((NUMINJ_C gt 1 or NUMINJ_C IN INJHOME_C IN (2,RF,DK))	(DK,RF)) or (NUMINJ_C=1 and
Universe Description:	Sample children 0-17 who had more than or who had one injury that did not occur at	
Question Text:	^DAYCARESCHOOL? • Read if neces	
Response:	I	

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^DAYCARESCHOOL	If GEN.AGE_FINAL[PX_C] ge 0 and GEN.AGE_FINAL[PX_C] le 2, fill: "daycare" If GEN.AGE_FINAL[PX_C] ge 3 and GEN.AGE_FINAL[PX_C] le 5, fill: "school or daycare" ifGEN.AGE_FINAL[PX_C] ge 6 and GEN.AGE_FINAL[PX_C] le 17, fill: "school"
	^siginj_C	If NUMINJ_C=1, fill: "the significant injury" elseif NUMINJ_C gt 1, fill: "any significant injuries" elseif NUMINJ_C in (DK,RF), fill: "any significant injuries"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> if GEN.AGE elseif GEN.AGE_FINAL g	_FINAL It 3 [goto INJFALL_C] e 3 [goto INJSPORTS_C]

uestion ID: INJ.0070.00.2	Variable name: INJSPORTS_C	Interview module: INJ(Child.INJ)	
	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	0	
Universe:	INJLIMIT_C=1 and GEN.AGE_FINAL ge 3	and GEN.AGE_FINAL le 17	
Universe Description:	Sample children 3-17 with injury in past 3 months which limited activities for at least 24 hours		
Question Text:	sports or exercising, including walking basketball, football or doing any other	g, biking, or running, playing baseball,	
Response:			

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^siginj_C	If NUMINJ_C=1, fill: "the significant injury" elseif NUMINJ_C gt 1, fill: "any significant injuries" elseif NUMINJ_C in (DK,RF), fill: "any significant injuries"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto INJF	ALL_C]

Question ID: INJ.0080.00.2	Variable na	me: INJFALL_C	Interview module: INJ(Child.INJ)	
Inherited Univer	-	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Univer	se: INJLIMIT_C=1	INJLIMIT_C=1		
Universe Descripti	on: Sample children 0-1 least 24 hours	Sample children 0-17 with injury in past 3 months which limited activities for at least 24 hours		
Question Te	ext: During the past 3	months, did ^sigin	ij_C occur as a result of a fall or falling?	
Respon	se: 1. Yes 2. No DK: Don't Kr RF: Refused	-		
Fi	IIs: ^siginj_C	elseif NUMI	C=1, fill: "the significant injury" NJ_C gt 1, fill: "any significant injuries" INJ_C in (DK,RF), fill: "any significant	

Skip Instructions:	<1> if NUMINJ_C=1 [goto INJMOTOR_C]		
	elseif NUMINJ_C gt 1 or NUMINJ_C IN (RF,DK) and INJHOME_C=1 [goto		
	INJFALLHOM_C]		
	elseif NUMINJ_C gt 1 or NUMINJ_C IN (RF,DK) and INJSCHOOL_C=1 [goto		
	INJFALLSCH_C]		
	else [goto INJMOTOR_C]		
	<2,RF,DK> [goto INJMOTOR_C]		

Question ID: INJ.0090.00.2	Variable name: IN	JFALLHOM_C	Interview module: INJ(Child.INJ)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe:	(NUMINJ_C gt 1 OR N INJHOME_C=1	(NUMINJ_C gt 1 OR NUMINJ_C IN (RF,DK)) and INJFALL_C=1 and INJHOME_C=1			
Universe Description:	· ·	Sample children 0-17 who had more than 1 significant injury or refused or don't know, and were injured as a result of a fall or falling, and who were also injured at home			
Question Text:	Did any fall occur while	^SCNAME was at	^hisher_C home?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused				
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1		
	^hisher_C	else if GEN.SEX_	AL[PX_C]=1 fill "his"; FINAL[PX_C]=2 fill "her"; _FINAL[PX_C] in (blank,DK,RF): fill		

Skip Instructions:	<1,2,RF,DK> if INJSCHOOL_C=1 [goto INJFALLSCH_C]
	else [goto INJMOTOR_C]

uestion ID: INJ.0100.00.2	Variable name: IN	JFALLSCH_C	Interview module: INJ(Child.INJ)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1				
Universe:	(NUMINJ_C gt 1 OR I INJSCHOOL_C=1	(NUMINJ_C gt 1 OR NUMINJ_C IN (RF,DK)) and INJFALL_C=1 and INJSCHOOL_C=1			
Universe Description:	Sample children 0-17 who had more than 1 significant injury or refused or don't know, and were injured as a result of a fall or falling, and who were also injured at school				
Question Text:	Did any fall occur while	• ^SCNAME was at	^DAYCARESCHOOL?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused				
Fills:	^SCNAME ^DAYCARESCHOOL	GEN.AGE_FINAL If GEN.AGE_ GEN.AGE_FINAL daycare" ifGEN.AGE_FINA	FINAL[PX_C] ge 0 and .[PX_C] le 2, fill: "daycare" FINAL[PX_C] ge 3 and .[PX_C] le 5, fill: "school or		
Skip Instructions:	<1,2,RF,DK> [goto INJMC	DTOR_C]			

Question ID: INJ.0110.00.2		Variable name: IN	JMOTOR_C	Interview module: INJ(Child.INJ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	INJLIMIT	_C=1		
Universe Description:	Sample children 0-17 with injury in past 3 months which limited activities for at least 24 hours			
Question Text:	vehicle necessa scooters	crash or being l ary: Motor vehicle	hit by a motor s include cars, elchairs, motoria	_C occur as a result of being in a motor vehicle while walking or biking? • Read if trucks, vans, buses, motorcycles, motorized zed carts, tractors, ATVs, snowmobiles, dune
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Fills:	^siginj	_C	elseif NUMIN	=1, fill: "the significant injury" J_C gt 1, fill: "any significant injuries" NJ_C in (DK,RF), fill: "any significant
Skip Instructions:		o INJMVTYPE_C] K> [goto INJSAW		

estion ID: INJ.0120.00.2	Variable name: IN.	JMVTYPE_C	Interview module: INJ(Child.INJ)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	INJMOTOR_C=1			
Universe Description:	Sample children 0-17 with	a motor vehicle	e injury	
Question Text:		• •	r, bicyclist, pedestrian, or doing Enter all that apply, separate with commas.	
Response:	1.^INJDRIVER2.Passenger3.Bicyclist4.Pedestrian5.Something elseDK:Don't KnowRF:Refused	e		
Fills:	^SCNAME ^DRIVER		HHSTAT_C=1 _FINAL[PX] ge 6, fill: "driver,"	
Skip Instructions:	If GEN.AGE_FINAL[PX ERR1_INJMVTYPE_C] <1-5,RF,DK> [goto INJSA\	-	and INJMVTYPE_C=1 [goto	

Check Name: ERR1_INJMVTYPE_C

Text:	{check ERR1_INJMVTYPE_C} Verify. "Driver" is unavailable for children under 6 years old.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	GEN.AGE_FINAL[PX_C] It 6 and INJMVTYPE_C=1
Universe Description:	Sample child is less than 6 years old and Driver was selected at INJMVTYPE_C

Question ID: INJ.0130.00.2	Variable name: IN	JSAWDOC_C	Interview module: INJ(Child.INJ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	INJLIMIT_C=1		
Universe Description:	Sample children 0-17 with least 24 hours	n injury in past 3 mo	nths which limited activities for at
Question Text:	During the past 3 mont professional about ^sig		see a doctor or other health
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	STAT_C=1
	^siginj_C	elseif NUMINJ_C	fill: "the significant injury" gt 1, fill: "any significant injuries" C in (DK,RF), fill: "any significant

Skip Instructions:	<1> if UTZ.EMERGE12M_C IN (1-96,RF,DK) [goto INJER_C]
	elseif UTZ.EMERGE12M_C=0 and UTZ.HOSPONGT_C IN (1,RF,DK) [goto
	INJHOSP_C]
	else [goto INJBONES_C]
	<2,RF,DK> [goto INJSCHDAYS_C]

Question ID: INJ.0140.00.2	Variable name: IN	IJER_C	Interview module: INJ(Child.INJ)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	INJSAWDOC_C=1 and U	INJSAWDOC_C=1 and UTZ.EMERGE12M_C IN (1-96,RF,DK)		
Universe Description:	Sample children 0-17 wh the ER in the past year or		their injuries and either went to ed if they went to the ER	
Question Text:	During the past 3 mont ^siginj_C?	ths, did ^SCNAME	go to an emergency room because of	
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1	
	^siginj_C	elseif NUMINJ_C	ill: "the significant injury" gt 1, fill: "any significant injuries" c in (DK,RF), fill: "any significant	
Skip Instructions:	<1,2,RF,DK> if UTZ.HOS else [goto INJBONES_C]	PONGT_C IN (1,RF	,DK) [goto INJHOSP_C]	

Question ID: INJ.0150.00.2	Variable n	ame: INJHOSP_C	Interview module: INJ(Child.INJ)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	INJSAWDOC_C=1	INJSAWDOC_C=1 and UTZ.HOSPONGT_C IN (1,RF,DK)		
Universe Description:	· ·	Sample children 0-17 who saw a doctor for their injuries and were hospitalized overnight in the past year or didn't know or refused		
Question Text:	During the past	3 months, was ^SCN	AME hospitalized overnight for ^siginj_C?	
Response:	1. Yes 2. No DK: Don't I RF: Refuse			
Fills:	^SCNAME	Fill ALIAS of	HHSTAT_C=1	
	^siginj_C	elseif NUMIN	C=1, fill: "the significant injury" JJ_C gt 1, fill: "any significant injuries" NJ_C in (DK,RF), fill: "any significant	
Skip Instructions:	<1,2,RF,DK> [goto) INJBONES_C]		

Question ID: INJ.0160.00.2	Variable name: INJBONES_C	Interview module: INJ(Child.INJ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	C I
Universe:	INJSAWDOC_C=1	
Universe Description:	Sample children 0-17 who saw a doctor at	pout an injury
Question Text:	During the past 3 months, did ^SCNAI ^siginj_C?	ME have any broken bones as a result of
Response:		

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^siginj_C	If NUMINJ_C=1, fill: "the significant injury" elseif NUMINJ_C gt 1, fill: "any significant injuries" elseif NUMINJ_C in (DK,RF), fill: "any significant injuries"
Skip Instructions:	<1,2,RF,DK> [goto INJST	ITCH_C]

Question ID: INJ.0170.00.2	Variable name: IN	JSTITCH_C	Interview module: INJ(Child.INJ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	INJSAWDOC_C=1		
Universe Description:	Sample children 0-17 who	saw a doctor about	an injury
Question Text:	During the past 3 mont ^siginj_C?	hs, did ^SCNAME (get any stitches or staples because of
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
	^siginj_C	elseif NUMINJ_C	ill: "the significant injury" gt 1, fill: "any significant injuries" c in (DK,RF), fill: "any significant

l		
GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
INJLIMIT_C=1		
Sample children 0-17 who had an injury that limited their activities for at least 24 hours		
^SCNAME miss becaus	e of ^siginj_C?	
DK: Don't Know RF: Refused		
^DAYCARESCHOOL	GEN.AGE_FINA If GEN.AGE GEN.AGE_FINA daycare" ifGEN.AGE_FIN	_FINAL[PX_C] ge 0 and L[PX_C] le 2, fill: "daycare" _FINAL[PX_C] ge 3 and L[PX_C] le 5, fill: "school or AL[PX_C] ge 6 and L[PX_C] le 17, fill: "school"
^SCNAME	Fill ALIAS of HH	STAT_C=1
^siginj_C	elseif NUMINJ_C	fill: "the significant injury" C gt 1, fill: "any significant injuries" C in (DK,RF), fill: "any significant
	INJLIMIT_C=1 Sample children 0-17 who 24 hours During the past 3 month ^SCNAME miss becaus of daycare or school in th DK: Don't Know RF: Refused ^DAYCARESCHOOL	INJLIMIT_C=1 Sample children 0-17 who had an injury tha 24 hours During the past 3 months, how many day ^SCNAME miss because of ^siginj_C? • of daycare or school in the past 3 months DK: Don't Know RF: Refused ^DAYCARESCHOOL If GEN.AGE GEN.AGE_FINA If GEN.AGE_FINA If GEN.AGE_FINA daycare" ifGEN.AGE_FINA daycare fill ALIAS of HH ^siginj_C If NUMINJ_C=1, elseif NUMINJ_C

Skip Instructions:	<0,RF> [goto next section]
	<1-90, DK> [goto INJFUTSCH_C]

uestion ID: INJ.0190.00.2	Variable name: IN	JFUTSCH_C	Interview module: INJ(Child.INJ)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	INJSCHDAYS_C IN (1-90	, DK)	
Universe Description:	Sample children 0-17 who due to injury in past 3 mor		ast one day of daycare or school
Question Text:	Do you expect ^SCNAME to miss any more days of ^DAYCARESCHOOL because of ^siginj_C that occurred during the past 3 months?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
	^DAYCARESCHOOL	GEN.AGE_FINAL If GEN.AGE_ GEN.AGE_FINAL daycare" ifGEN.AGE_FINA	FINAL[PX_C] ge 0 and [PX_C] le 2, fill: "daycare" FINAL[PX_C] ge 3 and .[PX_C] le 5, fill: "school or .L[PX_C] ge 6 and .[PX_C] le 17, fill: "school"
	^siginj_C	elseif NUMINJ_C	iill: "the significant injury" gt 1, fill: "any significant injuries" C in (DK,RF), fill: "any significant

stion ID: TBI.0010.05.3	Variable name: TBIINTRO1_C	Interview module: TBI(Child.TBI)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	5	
Universe Description:	 Sample Children 0-17 The next questions are about head injuries that may have occurred in the past 12 months. Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone that may have occurred in the past 12 months. Enter '1' to continue. 		
Question Text:			
Response:	1. Enter 1 to Continue		
Skip Instructions:	<1> [goto TBILCDCMG_C]		

uestion ID: TBI.0020.00.3		Variable name: TBILCDCMG_C	Interview module: TBI(Child.TBI)	
Inherited Universe:		GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:				
Question Text:				
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
Skip Instructions:	<1,2,RF,DK> [goto TBIHLS	SBMC_C]

Question ID: TBI.0030.00.3	Variable name: TB	IHLSBMC_C	Interview module: TBI(Child.TBI)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe Description:	Sample Children 0-17		
Question Text:	^SCNAME had headach changes in mood or bel injuries, for example, fron	nes, sensitivity to I havior? + Read if r n playing sports, ca	a blow or jolt to the head, has ight or noise, balance problems, or necessary: Please think about all head r accidents, falls, or being hit by red in the past 12 months.
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
Skip Instructions:	<1> [goto TBISPORT_C] <2,RF,DK> if TBILCDCMG <2,RF,DK> if TBILCDCMG		_

tion ID: TBI.0040.00.3	Variable na	me: TBISPORT_C	Interview module: TBI(Child.TBI)
Inherited Universe:	-	d PCNTunder18 gt 0 a NT18UP_C gt 0 and N	nd PCNT gt PCNTAGEGUESS and OFAMSC ne 1
Universe:	TBILCDCMG_C=1 or TBIHLSBMC_C=1		
Universe Description:	Sample Children 0- the head over the p		BI symptoms from a blow or jolt to
Question Text:	recreational activ games, when ^he Read if necessary necessary: Include	rity, such as playing of eshe_C experienced a Include team or leagu organized and non-or hen a group of players	sport or participating in a physical or on the playground, biking, or pick-up any of these blows or jolts to the head? e sports competitions or practices. • Read ganized sports. • Read if necessary: A get together and spontaenously start a
Response:	1. Yes 2. No DK: Don't K RF: Refused		
Fills:	^CDCMG_C	jolts to the h consciousnes	G_C=1, fill: "Think about the blows or nead that caused ^SCNAME to lose s, become dazed or confused, or have er_C memory."
Fills:	^CDCMG_C ^SCNAME	jolts to the h consciousnes	nead that caused ^SCNAME to lose s, become dazed or confused, or have er_C memory."
Fills:		jolts to the h consciousness a gap in ^hish Fill ALIAS of H If GEN.SEX_F else if GEN.SI	nead that caused ^SCNAME to lose s, become dazed or confused, or have er_C memory."

Qu	estion ID: TBI.0050.00.3	Va	ariable name: TE	BILEAGUE_C	Interview module: TBI(Child.TBI)
	Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT g PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC n			-
	Universe:	TBISPORT	_C=1		
	Universe Description:	: Sample Children 0-17 who had a sports or recreational related injury			
	Question Text:				nized team or league sports competition of these blows or jolts to the head?
	Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
	Fills:	^SCNAN	ΛE	Fill ALIAS of H	HSTAT_C=1
	Skip Instructions:	<1,2,RF,Dł	<> [goto TBIEⅤ	AL_C]	

ion ID: TBI.0060.00.4	Variable name: TBIEVAL_C	Interview module: TBI(Child.TBI)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	TBILCDCMG_C=1 or TBIHLSBMC_C=1		
Universe Description:	Sample Children 0-17 who experienced TBI symptoms from a blow or jolt to the head over the past 12 months		
Question Text:	During the past 12 months, as a resul ^SCNAME evalauted for a concussion paramedic, athletic trainer, or other he	n or brain injury by a doctor, nurse,	
Response:			

Fills:	2. No DK: Don't Know RF: Refused ^SCNAME	N Fill ALIAS of HHSTAT_C=1
Filis.	SUNAME	
Skip Instructions:	<1,2,RF,DK> [goto ne>	kt section]

Question ID: SVI.0010.00.3	Variable name: CV	VISTST_C	Interview module: SVI(Child.SVI)	
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	•	PCNT gt PCNTAGEGUESS and AMSC ne 1	
Universe Description:	ample Children 0-17			
Question Text:	Has ^SCNAME EVER hat professional?	Has ^SCNAME EVER had ^hisher_C vision tested by a doctor or other health		
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1	
	^hisher_C	else if GEN.SEX_	L[PX_C]=1 fill "his"; FINAL[PX_C]=2 fill "her"; _FINAL[PX_C] in (blank,DK,RF): fill	
Skip Instructions:	<1> [goto CVISLT_C] <2,RF,DK> [goto CVISDIS	T_C]		

Question ID: SVI.0020.00.3	Variable name:	CVISLT_C	Interview module: SVI(Child.SVI)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1 CVISTST_C=1			
Universe:				
Universe Description:		Sample Children 0-17 who have ever had their vision tested by a doctor or other health professional		
Question Text:	When was ^hisher_C	vision last test	ted?	
Response:	 Within the past year (anytime less than 12 months age 2. Within the past 2 years (1 year but less than 2 years 3. 2 years ago or more DK: Don't Know RF: Refused 		ũ ,	
Fills:	^hisher_C	else if GEN	[_FINAL[PX_C]=1 fill "his"; .SEX_FINAL[PX_C]=2 fill "her"; I.SEX_FINAL[PX_C] in (blank,DK,RF): fill	
Skip Instructions:	<1-3,RF,DK> [goto CVI	SDIST_C]		

tion ID: SVI.0030.00.3	Variable name: CVISDIST_C	Interview module: SVI(Child.SVI)
	GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N	0
Universe Description:	ription: Sample Children 0-17	
Question Text:	Does ^SCNAME wear eyeglasses or o signs, see the board in school, watch	
Response:		

Response:

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto CVISI	READ_C]

Question ID: SVI.0040.00.3	Variable name	: CVISREAD_C	Interview module: SVI(Child.SVI)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe Description:	Sample Children 0-17	Sample Children 0-17		
Question Text:	Does ^SCNAME wear eyeglasses or contact lenses to read books, write, use smartphones, iPads or other electronic devices, or do other things that require ^himher_C to see well up close?			
Response:	1. Yes 2. No DK: Don't Knov RF: Refused	v		
Fills:	^himher_C ^SCNAME			
Skip Instructions:	<1,2,RF,DK> [goto nex	t section]		

Question ID: SHE.0010.00.3	Variable name: Al	IEARST1_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe Description:	ample Children 0-17		
Question Text:	?[F1] These next questions are about ^SCNAME's hearing WITHOUT the use of hearing aids or other listening devices. Without a hearing aid or other listening devices, is ^SCNAME's hearing excellent, good, ^heshe_C has a little trouble hearing, moderate trouble, a lot of trouble, or is ^heshe_C deaf?		
Response:	1.Excellent2.Good3.A little trouble4.Moderate trou5.A lot of trouble6.DeafDK:Don't KnowRF:Refused	ble	
Fills:	^heshe_C ^SCNAME	else if GEN.SEX	IAL[PX_C]=1 fill "he" FINAL[PX_C]=2 fill "she" FINAL[PX_C] in (RF,DK): fill "they" STAT_C=1
Skip Instructions:	<1-5,RF,DK> if GEN.AGE else [goto EARINFECT_C <6> [goto EARINFECT_C]	17 [goto HRWHISP_C]

stion ID: SHE.0020.00.3	v	/ariable name: H	RWHISP_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGE	GEN.AGE_FINAL[PX_C]=3-17 and AHEARST1_C IN (1-5,RF,DK)		
Universe Description:	Sample C	hildren 3-17 who	o are not deaf or	refused or don't know
Question Text:	Without a hearing aid or other listening devices, can ^SCNAME usually H and UNDERSTAND what a person says without seeing his or her face if th person WHISPERS to ^SCNAME from across a quiet room?			
Question Text.	and UNE	DERSTAND what	at a person say	s without seeing his or her face if that
Response:	and UNE	DERSTAND what	at a person say	s without seeing his or her face if that
	and UNE person V	DERSTAND what while the second s	at a person say	s without seeing his or her face if that
	and UNE person V	DERSTAND what white the second	at a person say	s without seeing his or her face if that
	and UNE person V 1. 2.	Ves	at a person say	s without seeing his or her face if that
	and UNE person V 1. 2. DK:	Yes No Don't Know Refused	at a person say	s without seeing his or her face if that across a quiet room?

Qu	estion ID: SHE.0030.00.3	Variable name: EARINFECT_C	Interview module: SHE(Child.SHE)
	Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	0
	Universe Description:	Sample Children 0-17	
	Question Text:	Question Text: DURING THE PAST 12 MONTHS, has ^SCNAME h accompanied by earache, or fluid in the ear, and/o Read if necessary: Temporary hearing loss includes	
	Response:	1. Yes	

	2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME Fill ALIAS of HH	ISTAT_C=1
Skip Instructions:	<1> [goto EARINFECT3_C] <2,RF,DK> if TBI.TBILCDCMG_C=1 CBALHDNO_C] else [goto CBALHDINJ_C]	or TBI.TBIHLSBMC_C=1 [goto

uestion ID: SHE.0040.00.3	Variable name: EARINFECT3_C Interview module: SHE(Child.SHE)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1 EARINFECT_C=1		
Universe:			
Universe Description:	Sample Children 0-17 who have had an ear infection in the past 12 months		
Question Text:	DURING THE PAST 12 MONTHS, has ^SCNAME had three or more ear infections accompanied by earache, or fluid in the ear, and/or temporary hearing loss?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1		
Skip Instructions:	<1,2,RF,DK> if TBI.TBILCDCMG_C=1 or TBI.TBIHLSBMC_C=1 [goto CBALHDNO_C] else [goto CBALHDINJ_C]		

stion ID: SHE.0050.00.3	Variable name	: CBALHDINJ_C	Interview module: SHE(Child.SHE)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	TBI.TBILCDCMG_C=2,RF,DK and TBI.TBIHLSBMC_C=2,RF,DK			
Universe Description:	Sample Children 0-17 symptoms of a head in		t consciousness and have not had nonths	
Question Text:	In ^SCNAME's LIFE concussion?	TIME, has ^heshe_	C EVER had a significant head injury or	
Response:	1. Yes 2. No DK: Don't Knov RF: Refused	v		
Fills:	^SCNAME	Fill ALIAS of H	IHSTAT_C=1	
	^heshe_C	else if GEN.SE	FINAL[PX_C]=1 fill "he" EX_FINAL[PX_C]=2 fill "she" EX_FINAL[PX_C] in (RF,DK): fill "they"	
Skip Instructions:	<1> [goto CBALHDNO <2,RF,DK> if GEN.AG elseif GEN.AGE_FIN HRAIDAQR_C] else [goto HRVLOUD1	E_FINAL[PX_C]=1- IAL[PX_C] lt 1	17 [goto HRTEST_C] and HEA.HEARAID_C=1 [goto	

tion ID: SHE.0060.00.3	Variable name: C	BALHDNO_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18	-	nd PCNT gt PCNTAGEGUESS and DFAMSC ne 1
Universe:	TBI.TBILCDCMG_C=1 or	TBI.TBIHLSBMC	_C=1 or CBALHDINJ_C=1
Universe Description:	Sample Children 0-17 wi lifetime	Sample Children 0-17 who have had a head injury in the past 12 months or lifetime	
Question Text:	^HEADINJ many signif ^hisher_C LIFETIME?	ficant head injuri	es or concussions has ^SCNAME had in
Response:	0. 0 1. 1 2. 2 3. 3 4. 4 5. 5 or more DK: Don't Know RF: Refused		
Fills:	^hisher_C	else if GEN.SE	NAL[PX_C]=1 fill "his"; X_FINAL[PX_C]=2 fill "her"; EX_FINAL[PX_C] in (blank,DK,RF): fill
	^HEADINJ		CMG_C=1 or TBI.TBIHLSBMC_C=1, any injuries you told me about earlier,
	^SCNAME	Fill ALIAS of H	HSTAT_C=1
Skip Instructions:	<0-5,RF,DK> if GEN.AGE elseif GEN.AGE_FINAL HRAIDAQR_C] else [goto HRVLOUD12N	_[PX_C] It 1	-17 [goto HRTEST_C] and HEA.HEARAID_C=1 [goto

Question	ID: SHE.0070.00.3

	1	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe:	GEN.AGE_FINAL[PX_	C]=1-17
Universe Description:	Sample Children 1-17	
Question Text:	A hearing test by a specialist is one that is done in a sound-proof booth or room, or with headphones. Not including tests that may have been done when ^heshe_C was born, has ^SCNAME ever had ^hisher_C hearing tested by a hearing specialist? * Read if necessary: Hearing specialists include audiologists, ear nose and throat (ENT) doctors, and trained technicians or occupational nurses.	
Response:	1. Yes 2. No DK: Don't Know RF: Refused	1
Fills:	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
Skip Instructions:	<1> [goto HRTESTLAST_C] <2,RF,DK> if HEA.HEARAID_C=1 [goto HRAIDAQR_C] elseif GEN.AGE_FINAL[PX_C]=3-17 [goto BALDIZZ_C] else [goto HRVLOUD12M_C]	

Question ID: SHE.0080.00.3	Variable	name: HRTESTLAST_C	Interview module: SHE(Child.SHE)
	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINA	L[PX_C]=1-17 and HRTES	T_C=1
Universe Description:	Sample Children	1-17 who have had ever h	ad a hearing test
Question Text:			hisher_C hearing tested by a hearing ount tests done before 6 months of age.
Response:	2. 1 to 2 3. 3 to 4 4. 5 to 5 5. 10 or	than a year ago 2 years ago 4 years ago 9 years ago r more years ago t Know sed	
Fills:	^SCNAME ^hisher_C	else if GEN.SE	HSTAT_C=1 NAL[PX_C]=1 fill "his"; X_FINAL[PX_C]=2 fill "her"; X_FINAL[PX_C] in (blank,DK,RF): fill
Skip Instructions:		IEA.HEARAID_C=1 [goto F _FINAL[PX_C]=3-17 [goto F OUD12M_C]	_ •

Question ID: SHE.0090.00.3 Variable name: HRAIDAQR_C Interview module: SHE(Child.SHE) GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and Inherited Universe: PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1 Universe: HEA.HEARAID_C=1 Universe Description: Sample Children 0-17 who wear a hearing aid Question Text: Earlier, you told me that ^SCNAME uses a hearing aid. Was that hearing aid fit by a health care professional, or was it purchased online or over the counter without assistance from a health care professional? **Response:** Hearing aid fit by a health care professional 1. 2. Hearing aid purchased online or over the counter without assistance from a health care professional Don't Know DK: RF: Refused Fills: Fill ALIAS of HHSTAT_C=1 **^SCNAME** Skip Instructions: <a>|<1,2,RF,DK> if GEN.AGE_FINAL[PX_C]=3-17 [goto BALDIZZ_C] else [goto HRVLOUD12M_C]

Question ID: SHE.0100.00.3	Variable name: BALDIZZ_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and	5
Universe:	GEN.AGE_FINAL[PX_C]=3-17	
Universe Description:	Sample Children 3-17	
Question Text:	PAST 12 MONTHS, has ^SCNAME has lightheadedness, blurred vision whe going to pass out or faint, or with un	n moving head, feeling like ^heshe_C is steadiness or feeling off-balance? • Read feeling off-balance from rotation, rocking, or
Response:		

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
Skip Instructions:	<1> [goto BALDPROB_(<2,RF,DK> [goto BFALL	

Question ID: SHE.0110.00.3		Variable name: BALDPROB_C	Interview module: SHE(Child.SHE)
Inherited Universe:		_C gt 0 and PCNTunder18 gt 0 a 2 and PCNT18UP_C gt 0 and N	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1
Universe:	GEN.AGI	E_FINAL[PX_C]=3-17 and BALDI	ZZ_C=1
Universe Description:	-	Children 3-17 who have had a p I2 months	roblem with balance or dizziness in
Question Text:		•	much of a problem did ^SCNAME have I say it was • Read answer categories
Response:	1. 2. 3. 4. 5. DK: RF:	No problem A small problem A moderate problem A big problem A very big problem Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-5,RF,DK> [goto BA	LDHP_C]

Question ID: SHE.0120.00.3	Variable name: B	ALDHP_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18	-	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	GEN.AGE_FINAL[PX_C]	=3-17 and BALDIZZ_	_C=1
Universe Description:	Sample Children 3-17 wh the past 12 months	no have had a probl	em with balance or dizziness in
Question Text:	Has ^SCNAME EVER s or treatment of ^hisher		er health professional for evaluation dizziness or balance?
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1
	^hisher_C	else if GEN.SEX_	AL[PX_C]=1 fill "his"; FINAL[PX_C]=2 fill "her"; FINAL[PX_C] in (blank,DK,RF): fill
Skip Instructions:	<1,2,RF,DK> [goto BFAL	L12M_C]	

Question	יחו	SHE.0130.00.3
Question	υ.	SHE.0130.00.3

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	GEN.AGE_FINAL[PX_C]=3-17
Universe Description:	Sample Children 3-17
Question Text:	The next two questions are about falling. By falls or falling, we mean unexpectedly dropping to the floor or ground from a standing, walking, or bending position. DURING THE PAST 12 MONTHS, has ^SCNAME fallen at least one time?
Response:	1. Yes 2. No DK: Don't Know RF: Refused
Fills:	^SCNAME Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1> [goto BFALLTIMES_C] <2,RF,DK> if GEN.AGE_FINAL[PX_C]=6-17 [goto HRTINNITUS_C] else [goto HRVLOUD12M_C]

uestion ID: SHE.0140.00.3	Variable name: BFALLTIMES_C	Interview module: SHE(Child.SHE)	
	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=3-17 and BFALL	12M_C=1	
Universe Description:	Sample Children 3-17 who have fallen at lea	ast once in the past 12 months	
Question Text:	DURING THE PAST 12 MONTHS, how m	nany times has ^SCNAME fallen?	
Posnonso:			

Response:

	1.	1 time
	2.	2 times
	3.	3 to 4 times
	4.	5 to 7 times
	5.	8 or more times
	DK:	Don't Know
	RF:	Refused
Fills:	^SCNAN	ME Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-5,RF,D	K> if GEN.AGE_FINAL[PX_C]=6-17 [goto HRTINNITUS_C]
	else [goto l	HRVLOUD12M_C]

uestion ID: SHE.0150.00.3	Variable name:	HRTINNITUS_C	Interview module: SHE(Child.SHE)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGE_FINAL[PX_C	;]=6-17		
Universe Description:	Sample Children 6-17			
Question Text:	DURING THE PAST 12 MONTHS, has ^SCNAME been bothered by ringing, roaring, or buzzing in ^hisher_C ears or head that lasts for 5 minutes or more? Read if necessary: Tinnitus (TIN-uh-tus) is the medical term for ringing, roaring or buzzing in the ears or head.			
Response:	1. Yes 2. No DK: Don't Know RF: Refused			
Fills:	Fills: ^SCNAME		HSTAT_C=1	
	^hisher_C	else if GEN.SE	INAL[PX_C]=1 fill "his"; EX_FINAL[PX_C]=2 fill "her"; EX_FINAL[PX_C] in (blank,DK,RF): fill	

Skip Instructions:	<1> [goto HRTINLNG_C]
	<2,RF,DK> if GEN.AGE_FINAL[PX_C]=12-17 [goto HRLOUDJOB_C]
	else [goto HRFIREEV_C]

Question ID: SHE.0160.00.3	Variable name: H	RTINLNG_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]	=6-17 and HRTIN	NNITUS_C=1
Universe Description:	Sample Children 6-17 wh in ears or head in the pas		hered by ringing, roaring, or buzzing
Question Text:	How long has ^SCNAME been bothered by this ringing, roaring, or buzzing in ^hisher_C ears or head?		
Response:	1.Less than 1 y2.1 to 2 years3.3 to 4 years4.5 to 9 years5.10 years or mDK:Don't KnowRF:Refused		
Fills:	^SCNAME ^hisher_C	else if GEN.SI	HHSTAT_C=1 FINAL[PX_C]=1 fill "his"; EX_FINAL[PX_C]=2 fill "her"; EX_FINAL[PX_C] in (blank,DK,RF): fill
Skip Instructions:	<1-5,RF,DK> [goto HRTIN	NPROB_C]	

uestion ID: SHE.0170.00.3	Variable nar	me: HRTINPROB_C	Interview module: SHE(Child.SHE)	
	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGE_FINAL[P2	X_C]=6-17 and HRTIN	INITUS_C=1	
	Sample Children 6-17 who have been bothered by ringing, roaring, or buzzing in ears or head in the past 12 months			
Question Text:		g in ^SCNAME's ears	much of a problem is this ringing, s or head? Would you say it is + Read	
Response:	4. A big pro	problem rate problem oblem ig problem now		
Fills:	^SCNAME	Fill ALIAS of H	IHSTAT_C=1	
Skip Instructions:	<1-5,RF,DK> [goto H	HRTINMEDSP_C]		

Question ID: SHE.0180.00.3	Variable name: HRTINMEDSP_C	Interview module: SHE(Child.SHE)	
Inherited Universe:	: GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=6-17 and HRTIN	NITUS_C=1	
Universe Description:	Sample Children 6-17 who have been bothered by ringing, roaring, or buzzing in ears or head in the past 12 months		
Question Text:	,	C ears or head by a medical specialist in bat doctor, audiologist, neurologist, or ide otolaryngologists	
Bosnonsor			

Response:

	1. Yes 2. No DK: Don't Kn RF: Refused	
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
Skip Instructions:	<1,2,RF,DK> if GEN.AGE_FINAL[PX_C]=12-17 [goto HRLOUDJOB_C] else [goto HRFIREEV_C]	

Question ID: SHE.0190.00.3		Variable name: HRLOUDJOB_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AG	E_FINAL[PX_C]=12-17	
Universe Description:	Sample (Children 12-17	
Question Text:	The next few questions are about ^SCNAME's current or previous exposure to loud and very loud sounds or noises. First, we will ask about exposure to loud noises or sounds ^SCNAME may have had while working. Loud means so loud that ^heshe_C must speak in a raised voice to be heard. Has ^SCNAME EVER had a job, or combination of jobs, where ^heshe_C was exposed to loud sounds or noise for 4 or more hours a day, several days a week?		
Response:	1. 2. DK: RF:	Yes No Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"	
Skip Instructions:	<1> [goto HRLOUDJBYR_C] <2,RF,DK> [goto HRFIREEV_C]		

Question ID: SHE.0200.00.3	Variable name: H	RLOUDJBYR_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]	=12-17 and HRLOU	JDJOB_C=1
Universe Description:	Sample Children 12-17 w	ho have been expo	sed to loud noise during work
Question Text:	In ^hisher_C LIFETIME, how many years has ^SCNAME had a job, or combination of jobs, where ^heshe_C was exposed to LOUD sounds or noise for 4 or more hours a day, several days a week? • Read if necessary: Loud means so loud that you must speak in a raised voice to be heard.		
Response:	1.Less than 1 y2.1 to 2 years3.3 to 4 years4.5 to 9 years5.10 years or mDK:Don't KnowRF:Refused		
Fills:	^hisher_C	else if GEN.SEX	IAL[PX_C]=1 fill "his"; {_FINAL[PX_C]=2 fill "her"; {_FINAL[PX_C] in (blank,DK,RF): fill
	^SCNAME	Fill ALIAS of HH	STAT_C=1
	^heshe_C	else if GEN.SEX	IAL[PX_C]=1 fill "he" (_FINAL[PX_C]=2 fill "she" (_FINAL[PX_C] in (RF,DK): fill "they"

Question ID: SHE.0210.00.3	Variable name: H	RLOUDJB12M_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=	=12-17 and HRLOUI	DJOB_C=1
Universe Description:	Sample Children 12-17 w	ho have been expos	ed to loud noise during work
Question Text:	DURING THE PAST 12 MONTHS, has ^SCNAME had a job, or combination of jobs, where ^heshe_C was exposed to LOUD sounds or noise for 4 or more hours a day, several days a week? * Read if necessary: Loud means so loud that you must speak in a raised voice to be heard.		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^heshe_C ^SCNAME	else if GEN.SEX_	AL[PX_C]=1 fill "he" _FINAL[PX_C]=2 fill "she" _FINAL[PX_C] in (RF,DK): fill "they" &TAT_C=1
Skip Instructions:	<1> [goto HRJOBPROT_ <2,RF,DK> [goto HRFIRE	-	

uestion ID: SHE.0220.00.3	Variable nar	me: HRJOBPROT_C	Interview module: SHE(Child.SHE)
	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[P	X_C]=12-17 and HRLOL	JDJB12M_C=1
	Sample Children 12 past 12 months	-17 who have been exp	posed to loud noise at work in the
Question Text:	protection such a	s ear plugs or ear muff	ten did ^SCNAME wear hearing is when exposed to LOUD sounds or d answer categories below.
Response:	1.Always2.Usually3.About hat4.Seldom5.NeverDK:Don't KrRF:Refused	alf the time	
Response: Fills:	 Usually About hat Seldom Never DK: Don't Kr 	alf the time	

Question ID: SHE.0230.00.3	Variable name: HRFIREEV_C	Interview module: SHE(Child.SHE)		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	GEN.AGE_FINAL[PX_C]=6-17	GEN.AGE_FINAL[PX_C]=6-17		
Universe Description:	Sample Children 6-17			
Question Text:		g, hunting, military service, and job-related ms include pistols, shotguns, rifles, and		
Response:				

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^NOISEEXP	If GEN.AGE_FINAL[PX_C]=6-11, fill: "The next few questions are about ^SCNAME's current or previous exposure to very loud sounds or noises."
	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1> [goto HRFIRETOTF <2,RF,DK> [goto HRVL	-

Question ID: SHE.0240.00.3	Variable	name: HRFIRETOTR_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINA	L[PX_C]=6-17 and HRFIRE	EV_C=1
Universe Description:	Sample Children	6-17 who have ever used a	firearm or gun
Question Text:	-	al rounds has ^SCNAME E ead if necessary: One roun	VER fired? • Read categories if d is equal to one shot.
Response: Fills:	2. 100 ± 3. 1,00 ± 4. 10,0 ±	than 100 rounds to less than 1,000 rounds 0 to less than 10,000 rounds 00 rounds or more t Know sed Fill ALIAS of HH	

Skip Instructions:	<1-4,RF,DK> [goto HRFIRE12M_C]
•	

Question ID: SHE.0250.00.3	Variable name: HRFIRE12M_C	Interview module: SHE(Child.SHE)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.AGE_FINAL[PX_C]=6-17 and HF	RFIREEV_C=1	
Universe Description:	Sample Children 6-17 who have ever u	used a firearm or gun	
Question Text:	reason? • Read if necessary: Inclue	id ^SCNAME use guns or firearms for any de target shooting, hunting, military service, and cessary: Firearms include pistols, shotguns, ot include BB or pellet guns.	
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME Fill ALIAS	of HHSTAT_C=1	
Skip Instructions:	<1> [goto HRFIREPROT_C] <2,RF,DK> [goto HRVLOUD12M_C]		

Question ID: SHE.0260.00.3	Variable name: HRFIREPROT_C Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	GEN.AGE_FINAL[PX_C]=6-17 and HRFIRE12M_C=1
Universe Description:	Sample Children 6-17 who have used a firearm or gun in the past 12 months
Question Text:	DURING THE PAST 12 MONTHS, when shooting firearms how often did ^SCNAME wear hearing protection, such as ear plugs or ear muffs? Would you say * Read answer categories below.
Response:	

	1. 2. 3.	Always Usually About half the time
	4. 5.	Seldom Never
	DK: RF:	Don't Know Refused
Fills:	^SCNAI	ME Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-5,RF,D	K> [goto HRVLOUD12M_C]

Variable name: H	IRVLOUD12M_C	Interview module: SHE(Child.SHE)
- •	•	0
Sample Children 0-17		
means so loud you mu 3 feet or arm's length a machinery, recreationa and other things. ^HR	ust shout in order away from you. T al vehicles, racing &_EXCLUDE DUR	to be understood by someone standing his includes noise from power tools, or speedways, some sporting events, ING THE PAST 12 MONTHS,
1. Yes 2. No DK: Don't Know RF: Refused		
^HR_WORK	lfGEN.AGE_FIN work,"	IAL[PX_C]=12-17, fill "outside of
^SCNAME	Fill ALIAS of HH	ISTAT_C=1
^HR_OTHER	IfGEN.AGE_FIN	IAL[PX_C]=6-17, fill "other"
^HR_EXCLUDE		IAL[PX_C]=12-17 fill "Do not include ry loud noises or sounds ^heshe_C
	GEN.PX_C gt 0 and PCI PCNT ge 2 and PCNT18 Sample Children 0-17 The next question ask means so loud you mu 3 feet or arm's length a machinery, recreationa and other things. ^HR ^HR_WORK has ^SCN more times? 1. Yes 2. No DK: Don't Know RF: Refused ^HR_WORK ^SCNAME ^HR_OTHER	GEN.PX_C gt 0 and PCNTunder18 gt 0 an PCNT ge 2 and PCNT18UP_C gt 0 and NO Sample Children 0-17 The next question asks about ^HR_OTH means so loud you must shout in order 3 feet or arm's length away from you. T machinery, recreational vehicles, racing and other things. ^HR_EXCLUDE DUR ^HR_WORK has ^SCNAME been expose more times? 1. Yes 2. No DK: Don't Know RF: Refused ^HR_WORK IfGEN.AGE_FIN work," ^SCNAME Fill ALIAS of HH ^HR_OTHER IfGEN.AGE_FIN

Skip Instructions:	<1> [goto HRVLDPROT_C]	
	<2,RF,DK> [goto next section]	1
		I

uestion ID: SHE.0280.00.3	Variable name:	HRVLDPROT_C	Interview module: SHE(Child.SHE)
Inherited Universe:	GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18	•	nd PCNT gt PCNTAGEGUESS and DFAMSC ne 1
Universe:	HRVLOUD12M_C=1		
Universe Description:	Sample Children 0-17 w times in the past 12 mor	•	osed to very loud noise 10 or more
Question Text:	muffs when exposed you say • Read ans	to VERY LOUD so swer categories belo st shout in order to	ften has ^SCNAME worn earplugs or ear ounds or noise ^HR_WORKMOD? Would ow. * Read if necessary: VERY LOUD be understood by someone standing 3 feet
Response:	1.Always2.Usually3.About half the seldom4.Seldom5.NeverDK:Don't KnowRF:Refused	he time	
Fills:	^SCNAME ^HR_WORKMOD	Fill ALIAS of HI IfGEN.AGE_FII work"	HSTAT_C=1 NAL[PX_C]=12-17, fill "outside of
Skip Instructions:	<1-5,RF,DK> [goto next	section]	

Question ID: PAR.0010.00.1	Variable name: PARINTRO_C	Interview module: PAR(Child.PAR)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	GEN.PARENTS_FINAL[PX_C].NONFO	ST_CNT_FINAL GE 1	
Universe Description:	Sample Children 0-17 with at least one resident parent who is a biological, adoptive, or step parent.		
Question Text:	Now I'm going to ask questions about '1' to continue.	ut ^SCNAME's parents living here. • Enter	
Response:	1. Enter 1 to Continue		
Fills:	^SCNAME Fill ALIAS of	f HHSTAT_C=1	
Skip Instructions:	<1> [goto tbIPARREL]		

estion ID: PAR.0030.00.1		Variable name: RELCHPAR_C	Interview module: PAR(Child.PAR.tblPARREL	
Inherited Universe:	(GEN.PX	_C gt 0 and PCNTunder18 gt 0	and PCNT gt PCNTAGEGUESS and	
	PCNT ge	2 and PCNT18UP_C gt 0 and N	OFAMSC ne 1) AND	
	(GEN.PA	(GEN.PARENTS_FINAL[PX_C].NONFOST_CNT_FINAL GE 1)		
Universe Description:		Sample Children 0-17 with at least one resident parent who is a biological, adoptive, or step parent.		
Question Text:	^Areyo	ulspar ^SCNAME's biological,	adoptive, or step ^fathermother?	
Response:	1.	Biological		
-	2.	Adoptive		
	3.	Step		
	4.	Other		
	DK:	Don't Know		

Fills:	^Areyoulspar	If PX=LNO_SCRESP, fill: else fill: "Is ALIAS[PX]"	"Are you"	
	^fathermother	If GEN.SEX_FINAL[PX]= If GEN.SEX_FINAL[PX]= If GEN.SEX_FINAL[PX]=	'2', fill: "mother"	"
	^SCNAME	Fill ALIAS of HHSTAT_C	=1	
Skip Instructions:	<1-4,RF,DK> GEN.PARENTS_FINAL[P) parent in GEN.PARENTS_ ne 1]			•
	GEN.PARENTS_FINAL[P) Adult.NAT.NATUSBORN_/		for first parent whe	in ere
	else [goto next section] else [goto RELCH GEN.PARENTS_FINAL[P)	—	parent listed	at
	Note: update skip instruc	tions to tbIPARBORN		

uestion ID: PAR.0040.00.1	Variable name: MARINTRO_C Interview module: PAR(Child.PAR)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)
Universe Description:	At least one parent has marital flag of 3 or blank, or at least one parent has marital flag of 2 and the parent is the sample adult and not the sample child respondent
Question Text:	The next set of questions are about marriage and cohabitation. • Enter '1' to continue.
Response:	

	1. Enter 1 to Continue
Skip Instructions:	For the first parent in GEN.PARENTS_FINAL[PX_C].PARENTS _FINAL with GEN.MAR_FLG_A ne 1, If GEN.MAR_FLG_A=blank or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1) [goto tbIMAR.bParent.MARITAL_C] Elseif GEN.MAR_FLG_A=3 [goto tbIMAR.bPARENT.EVRMARRIED_C]

Question ID: PAR.0090.00.1	Variable name: MARITAL_C Interview module: PAR(Child.PAR.tblMAR.bParer
Inherited Universe:	(auxIsParent[PX]=1andauxMARSTATNotSetByMAR[PX]=1andauxMARSTATSetByPreviousPerson[PX] ne 1) AND((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS andPCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND((Atleastoneparentlistedin
	GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	(GEN.MAR_FLG_A[PX]=EMPTY or (GEN.MAR_FLG_A[PX]=2 and PX=GEN.PX_A and GEN.SARESPSC_FLG ne 1)) and auxMARSTATSetByPreviousPerson[PX] ne 2
Universe Description:	Sample Children 0-17 where parent's marital status is not determined in the Sample Adult section OR the parent's marital status is don't know or refused in the Sample adult section and the parent is the sample adult but not the sample child respondent OR the parent's marital status has not been obtained in this block
Question Text:	^Areyoulspar married, living with a partner together as an unmarried couple, or neither?
Response:	1. Married

	 Living with a par Neither DK: Don't Know RF: Refused 	tner together as an unmarried couple
Fills:		f PX=LNO_SCRESP, fill: "Are you" else fill: "Is ALIAS[PX]"
Skip Instructions:	<1> [goto SPOUSLIV_C] <2> if GEN.PCNT16PLUSNOSC=1 [got ERR1_MARITAL_C] else [goto PARTNERWHO_C] <3,RF,DK> [goto EVRMARRIED_C]	

Check Name: ERR1_MARITAL_C Text: {signal ERR1_MARITAL_C} • Respondent is the only person 16 or older on the household roster. There is no one else eligible to select. Hard / Soft Edit: Soft **Inherited Universe:** (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1))) **Universe:** MARITAL_C=2 and GEN.PCNT16PLUSNOSC=1 Universe Description: Parent reports he/she is living with a partner but parent is the only person eligible to be living with a partner on the household roster Skip Instructions: Correct: [goto MARITAL_C] Suppress: [goto EVRMARRIED_C]

estion ID: PAR.0100.00.1	Variable name: SPOUSLIV_C Interview module: PAR(Child.PAR.tblMAR.bPa
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	MARITAL_C=1
Universe Description:	Sample Children 0-17 where one parent is married
Question Text:	Does ^yourPARspouse currently live in the household?
Response:	1.Yes2.NoDK:Don't KnowRF:Refused
Fills:	^yourPARspouse if PX=LNO_SCRESP, fill: "your spouse" else fill: "ALIAS[PX]'s spouse"
Skip Instructions:	<pre><1> if GEN.PCNT16PLUSNOSC=1 [goto ERR1_SPOUSLIV_C] else [goto SPOUSWHO_C] <2> [goto SPOUSEP_C] <rf,dk> loop through table for remaining parents else [goto tbIPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]]</rf,dk></pre>

Check Name: ERR1_SPOUSLIV_C

Text:	{signal ERR1_SPOUSLIV_C} • Respondent is the only person 16 or older on the household roster. There is no one else eligible to select.
Hard / Soft Edit:	Soft
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	MARITAL_C=1 and SPOULIV_C=1 and GEN.PCNT16PLUSNOSC=1
Universe Description:	Parent is married and says spouse lives in household but parent is the only person eligible to be married on the household roster
Skip Instructions:	Correct: [goto SPOUSLIV_C] Suppress: loop through table for remaining parent else [goto tbIPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]]

Question ID: PAR.0110.00.1	Variable name:	SPOUSEP_C	Interview module: PAR(0	Child.PAR.tbIMAR.bParent)
Inherited Universe:	(auxIsParent[PX]=1	and auxMARS	TATNotSetByMAR[PX]=1	and
	auxMARSTATSetByPre	eviousPerson[PX] ne	1) AND	
	((GEN.PX_C gt 0 and F	PCNTunder18 gt 0 and	d PCNT gt PCNTAGEGUE	ESS and
	PCNT ge 2 and PCNT1	8UP_C gt 0 and NOF	AMSC ne 1) AND	
	((At least	one p	parent listed	in
	GEN.PARENTS_FINAL	_[PX_C].PARENTS_F	INAL has GEN.MAR_FL	G_A IN
	· · · · ·	R_FLG_A=2 and PX	=PX_A and SARESPSC_	FLG ne
	1)) AND			and
	(auxIsParent[PX]=1 auxMARSTATSetByPre		FATNotSetByMAR[PX]=1 1)))	and

Universe: SPOUSLIV_C=2

Universe Description: Sample children 0-17 where parent is married and their spouse doesn't live in the household

Question Text:	Does ^yourPAR spouse not live here because ^youPAR and ^yourPAR spouse are legally separated?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^yourPAR ^youPAR	If PX=LNO_SCRESP, fill: "your" else fill ALIAS[PX] + " 's " If PX=LNO_SCRESP, fill: "you" else fill "ALIAS[PX]"	
Skip Instructions:	tblPARBORN.bParent.PAF GEN.PARENTS_FINAL[P>		

uestion ID: PAR.0120.00.1	Variable name: SPOUSWHO_C Interview module: PAR(Child.PAR.tblMAR.bPar
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	SPOUSLIV_C=1
Universe Description:	Sample Children 0-17 where parent is married and spouse lives in the household
Question Text:	Which person is ^yourPAR spouse? • Enter line number of spouse. • Deleted persons cannot be selected. Enter '0' if respondent wishes to select a deleted person.
Response:	

Fills:	^yourPA	AR If PX=LNO_SCRESP, fill: "your"
	RF:	Refused
	DK:	Don't Know
	25.	^ALIASNAME[25]
	24.	^ALIASNAME[24]
	23.	^ALIASNAME[23]
	22.	^ALIASNAME[22]
	21.	^ALIASNAME[21]
	20.	^ALIASNAME[20]
	19.	^ALIASNAME[19]
	18.	^ALIASNAME[18]
	17.	^ALIASNAME[17]
	16.	^ALIASNAME[16]
	15.	^ALIASNAME[15]
	14.	^ALIASNAME[14]
	13.	^ALIASNAME[13]
	12.	^ALIASNAME[12]
	11.	^ALIASNAME[11]
	10.	^ALIASNAME[10]
	00. 09.	^ALIASNAME[9]
	07.	^ALIASNAME[8]
	00. 07.	^ALIASNAME[7]
	05. 06.	^ALIASNAME[6]
	04. 05.	^ALIASNAME[4]
	03. 04.	^ALIASNAME[3] ^ALIASNAME[4]
	02. 03.	ALIASNAME[2]
	01.	^ALIASNAME[1]
	00.	

else fill ALIAS[PX] + " 's "

Skip Instructions: <1-25> if MARITAL_C=3 "Neither" for person selected at SPOUSWHO_C [goto ERR1_SPOUSWHO_C]

{person selected at SPOUSWHO_C has conflicting answer of "Neither" married or living with a partner at MARITAL_C}

elseif SPOUSLIV_C=2 "Outside household" for person selected at SPOUSWHO_C [goto ERR2_SPOUSWHO_C]

{person selected at SPOUSWHO_C has conflicting answer of married with a spouse living outside the household at SPOUSLIV_C}

elseif person selected at SPOUSWHO_C ((was already selected previously at SPOUSWHO_C or PARTNERWHO_C) or (already chose a spouse/partner)) [goto ERR3_SPOUSWHO_C]

{person selected at SPOUSWHO_C is already indicated as married to someone else/a partner of someone else}

else if GEN.SEX_FINAL[SPOUSWHO_C] IN('1','2') and GEN.SEX_FINAL[PX] IN ('1','2') [goto SPOUSSEX_C] else loop through table for remaining parents
else [goto tblPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]
<0,RF,DK> loop through table for remaining parents else [goto tblPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]

Check Name: ERR1_SPOUSWHO_C	
Text:	{signal ERR1_SPOUSWHO_C} Person selected also has answer of "Neither" married or living together as an unmarried couple. Please correct.
Hard / Soft Edit:	Soft
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	if MARITAL_C=3 "Neither" for person selected at SPOUSWHO_C
Universe Description:	Person selected at SPOUSWHO_C has conflicting answer of "Neither" married or living with a partner at MARITAL_C
Skip Instructions:	[goto MARITAL_C] [goto SPOUSWHO_C]

Check Name: ERR2_SPOUSWHO_C

Text:	{signal ERR2_SPOUSWHO_C} • Person selected was indicated to have a spouse living outside the household. • Please correct.
Hard / Soft Edit:	Soft
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	SPOUSLIV_C=2 "Outside household" for person selected at SPOUSWHO_C
Universe Description:	Person selected at SPOUSWHO_C has conflicting answer of married with a spouse living outside the household at SPOUSLIV_C
Skip Instructions:	[goto SPOUSLIV_C] [goto SPOUSWHO_C]

Check Name: ERR3_SPOUSWHO_C

Text:	<pre>{signal ERR3_SPOUSWHO_C}</pre>
Hard / Soft Edit:	Soft
Fills:	^marriedpartner if person selected was previously selected at SPOUSWHO or person selected has MARITAL_C=1 fill " married to " elseif person selected was previously selected at PARTERWHO or person selected has MARITAL_C=2 fill " a partner of "

Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND
	((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND
	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	person selected at SPOUSWHO_C ((was already selected previously at SPOUSWHO_C or PARTNERWHO_C) or (already chose a spouse/partner))
Universe Description:	Person selected at SPOUSWHO_C is already indicated as married to someone else/a partner of someone else

uestion ID: PAR.0130.00.1	Variable name: SPOUSSEX_C Interview module: PAR(Child.PAR.tbIMAR.bPare
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	SPOUSEWHO_C=1-25 and GEN.SEX_FINAL[SPOUSWHO_C] IN (1,2) and GEN.SEX_FINAL[PX] IN (1,2)
Universe Description:	Sample Children 0-17 where parent is married and spouse lives in the household and the sex of the residential parent of interest is not refused/don't know and the sex of the spouse of this parent is not refused/don't know
Question Text:	I have previously recorded that ^ParentX ^sex_ParentX and that ^fillSPOUSWHO_C ^sex_SPOUSWHO_C. Is that correct?
Response:	

	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^fillSPOUSWHO_C	If SPOUSWHO_C=LNO_SCRESP, fill: "you are" else fill "ALIAS[SPOUSWHO_C] is"
	^sex_SPOUSWHO_C	If SEX[SPOUSWHO_C]=1 fill: "male" If SEX[SPOUSWHO_C]=2 fill: "female"
	^ParentX	If PX=LNO_SCRESP, fill: "you are" else fill: "ALIAS[PX] is"
	^sex_ParentX	If SEX[PX]=1, fill: "male" If SEX[PX]=2, fill: "female"
Skip Instructions:	tblPARBORN.bParent.PAF GEN.PARENTS_FINAL[P)	X_C].PARENTS_FINAL where A=empty] else [goto next section]

Question ID: PAR.0140.00.1	Variable name: FIXSPOUSSEX_C	Interview module: PAR(Child.PAR	tblMAR.bParent)
Inherited Universe:	(auxIsParent[PX]=1 and auxMAR auxMARSTATSetByPreviousPerson[PX] n		
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 a	-	
	PCNT ge 2 and PCNT18UP_C gt 0 and NC	DFAMSC ne 1) AND	
	((At least one	parent listed in	
	GEN.PARENTS_FINAL[PX_C].PARENTS_	FINAL has GEN.MAR_FLG_A IN	
	(3,empty) or (GEN.MAR_FLG_A=2 and P 1)) AND	X=PX_A and SARESPSC_FLG ne	
	(auxIsParent[PX]=1 and auxMAR auxMARSTATSetByPreviousPerson[PX] n	STATNotSetByMAR[PX]=1 and e 1)))	
Universe:	SPOUSSEX_C=2		
Universe Description:	Sample Children 0-17 where parent is household and the sex of the residential p know and the sex of the spouse of this pa the sex of one or both individuals was incom	arent of interest is not refused/don't arent is not refused/don't know, and	
Outotion Taxtu	Which was not correct? + Enter all that	apply apparate with common	

Question Text: Which was not correct? • Enter all that apply, separate with commas.

Response:	01.	^ALIASNAME[1]
	02.	^ALIASNAME[2]
	03.	^ALIASNAME[3]
	04.	^ALIASNAME[4]
	05.	^ALIASNAME[5]
	06.	^ALIASNAME[6]
	07.	^ALIASNAME[7]
	08.	^ALIASNAME[8]
	09.	^ALIASNAME[9]
	10.	^ALIASNAME[10]
	11.	^ALIASNAME[11]
	12.	^ALIASNAME[12]
	13.	^ALIASNAME[13]
	14.	^ALIASNAME[14]
	15.	^ALIASNAME[15]
	16.	^ALIASNAME[16]
	17.	^ALIASNAME[17]
	18.	^ALIASNAME[18]
	19.	^ALIASNAME[19]
	20.	^ALIASNAME[20]
	21.	^ALIASNAME[21]
	22.	^ALIASNAME[22]
	23.	^ALIASNAME[23]
	24.	^ALIASNAME[24]
	25.	^ALIASNAME[25]
Skip Instructions:	<1-25>	loop through table for remaining parents else [goto
	tblPARBO	RN.bParent.PARBORN_C for first parent in
	GEN.PARI	ENTS_FINAL[PX_C].PARENTS_FINAL where
	Adult.NAT	.NATUSBORN_A=empty] else [goto next section]

stion ID: PAR.0150.00.1	Variable name: PARTNERWHO_C Interview module: PAR(Child.PAR.tblMAR.bPa
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	MARITAL_C=2 and GEN.PCNT16PLUSNOSC ge 2
Universe Description:	Sample Children 0-17 where parent is cohabitating with a partner and there are at least two people eligible to be cohabitating in the household
Question Text:	Which person is ^yourPAR partner? • Enter line number of partner. • Deleted persons cannot be selected. Enter '0' if respondent wishes to select a deleted person.
Response:	00. Not on roster 01. ^ALIASNAME[1] 02. ^ALIASNAME[2] 03. ^ALIASNAME[3] 04. ^ALIASNAME[4] 05. ^ALIASNAME[5] 06. ^ALIASNAME[6] 07. ^ALIASNAME[7] 08. ^ALIASNAME[8] 09. ^ALIASNAME[9] 10. ^ALIASNAME[10] 11. ^ALIASNAME[11] 12. ^ALIASNAME[12]

[1	
	14. ^ALIASNAN	ΛΕ[14]
	15. ^ALIASNAN	ΛΕ[15]
	16. ^ALIASNAN	ΛΕ[16]
	17. ^ALIASNAN	ΛΕ[17]
	18. ^ALIASNAN	ЛЕ[18]
	19. ^ALIASNAN	ЛЕ[19]
	20. ^ALIASNAN	/E[20]
	21. ^ALIASNAN	<i>Ι</i> Ε[21]
	22. ^ALIASNAN	ΛΕ[22]
	23. ^ALIASNAN	/E[23]
	24. ^ALIASNAN	ΛΕ[24]
	25. ^ALIASNAN	/E[25]
	DK: Don't Know	
	RF: Refused	
Fills:	^pareja_C	Spanish fill
	^yourPAR	If PX=LNO_SCRESP, fill: "your"
		else fill ALIAS[PX] + " 's "
Skip Instructions:	<1-25> if MARITAL C=	3 "Neither" for person selected at PARTNERWHO_C
·	 [goto ERR1_PARTNER	
		ARTNERWHO_C has conflicting answer of "Neither"
	married or living with a p	-
		,
	elseif SPOUSLIV_C=2	2 "Outside household" for person selected at
	PARTNERWHO_C [got	o ERR2_PARTNERWHO_C]
	{person selected at PAI	RTNERWHO_C has conflicting answer of married with
	a spouse living outside	the household at SPOUSLIV_C}
	elseif person selected a	t PARTNERWHO_C ((was already selected previously
	at SPOUSWHO_C	or PARTNERWHO_C) or (already chose a
	spouse/partner)) [goto E	ERR3_PARTNERWHO_C]
		ARTNERWHO_C is already indicated as married to
	someone else/a partner	-
		,
	elseif GEN.SE	X_FINAL[PX] IN ('1','2') and
		[NERWHO_C] IN ('1','2')[goto PARTNERSEX_C]
	else [goto EVRMARRIE	
	<0,RF,DK> [goto EVRM	IARRIED_C]
		-

Check Name: ERR1_PARTNERWHO_C

Text:	{signal ERR1_PARTNERWHO_C} + Person selected also has answer of "Neither" married or living together as an unmarried couple. + Please correct.
Hard / Soft Edit:	Soft
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	if MARITAL_C=3 "Neither" for person selected at PARTNERWHO_C
Universe Description:	Person selected at PARTNERWHO_C has conflicting answer of "Neither" married or living with a partner at MARITAL_C
Skip Instructions:	[goto MARITAL_C] [goto PARTNERWHO_C]

Check Name: ERR2_PARTNERWHO_C

Text:	<pre>{signal ERR2_PARTNERWHO_C} * Person selected was indicated to have a spouse living outside the household. * Please correct.</pre>
Hard / Soft Edit:	Soft
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))

Universe:	SPOUSLIV_C=2 "Outside household" for person selected PARTNERWHO_C	at
Universe Description:	Person selected at PARTNERWHO_C has conflicting answer of married with spouse living outside the household at SPOUSLIV_C	1 a
Skip Instructions:	[goto SPOUSLIV_C] [goto PARTNERWHO_C]	

Check Name: ERR3_PARTNERWHO_C

Text:	<pre>{signal ERR3_PARTNERWHO_C} + Person selected is already indicated as ^marriedpartner someone else. + Please correct.</pre>
Hard / Soft Edit:	Soft
Fills:	^marriedpartner if person selected was previously selected at SPOUSWHO or person selected has MARITAL_C=1 fill " married to " elseif person selected was previously selected at PARTERWHO or person selected has MARITAL_C=2 fill " a partner of "
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	person selected at PARTNERWHO_C ((was already selected previously at SPOUSWHO_C or PARTNERWHO_C) or (already chose a spouse/partner))
Universe Description:	Person selected at PARTNERWHO_C is already indicated as married to someone else/a partner of someone else

Inherited Universe:	auxMARSTATSetByPreviou ((GEN.PX_C gt 0 and PCN	, L 1
	((At least GEN.PARENTS_FINAL[PX	one parent listed in _C].PARENTS_FINAL has GEN.MAR_FLG_A IN LG_A=2 and PX=PX_A and SARESPSC_FLG ne
	auxMARSTATSetByPreviou	
Universe:	PARTNERWHO_C=1-25 GEN.SEX_FINAL[PARTNE	and GEN.SEX_FINAL[PX] IN (1,2) and RWHO_C] IN (1,2)
Universe Description:	partner lives in the housel	ere parent is cohabitating with a partner and the hold and the sex for the residential parent is not he sex for the partner is not refused or don't know
Question Text:		ed that ^ParentX ^sex_ParentX and that ex_PARTNERWHO_C. Is that correct?
Response:	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^ParentX	If PX=LNO_SCRESP, fill: "you are" else fill: "ALIAS[PX] is"
	^sex_ParentX	If SEX[PX]=1, fill: "male" If SEX[PX]=2, fill: "female"
	^fillPARTNERWHO_C	If PARTNERWHO_C=LNO_SCRESP, fill: "you are" else fill "ALIAS[PARTNERWHO_C] is"
	^sex_PARTNERWHO_C	If GEN.SEX_FINAL[PARTNERWHO_C]=1 fill: "male"

<1,RF,DK> [goto EVRMARRIED_C]
<2> [goto FIXPARTSEX_C]

estion ID: PAR.0170.00.1	Variable name: FIXPARTSEX_C Interview module: PAR(Child.PAR.tbIMA	R.bParer
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))	
Universe:	PARTNERSEX_C=2	
Universe Description:	Sample Children 0-17 where parent is cohabitating with a partner and the partner lives in the household and the sex for the residential parent is not refused/don't and the sex for the partner is not refused/don't know, and the sex of one or both of the individuals is incorrect.	
Question Text:	Which was not correct? Enter all that apply, separate with commas.	
Response:	01. ^ALIASNAME[1] 02. ^ALIASNAME[2] 03. ^ALIASNAME[3] 04. ^ALIASNAME[4] 05. ^ALIASNAME[5] 06. ^ALIASNAME[6] 07. ^ALIASNAME[7] 08. ^ALIASNAME[8] 09. ^ALIASNAME[9] 10. ^ALIASNAME[10]	

	11.	^ALIASNAME[11]
	12.	^ALIASNAME[12]
	13.	^ALIASNAME[13]
	14.	^ALIASNAME[14]
	15.	^ALIASNAME[15]
	16.	^ALIASNAME[16]
	17.	^ALIASNAME[17]
	18.	^ALIASNAME[18]
	19.	^ALIASNAME[19]
	20.	^ALIASNAME[20]
	21.	^ALIASNAME[21]
	22.	^ALIASNAME[22]
	23.	^ALIASNAME[23]
	24.	^ALIASNAME[24]
	25.	^ALIASNAME[25]
Skip Instructions:	<1-25> [(goto EVRMARRIED_C]
		Join

uestion ID: PAR.0180.00.1	Variable name: EVRMARRIED_C Interview module: PAR(Child.PAR.tblMAR.bPar
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	MARITAL_C IN (2,3,RF,DK) or GEN.MAR_FLG_A[PX] = 3 or auxMARSTATSetByPreviousPerson[PX] = 2
Universe Description:	Sample Children 0-17 where parent is either cohabitating or not in relationship with anyone else in the household, or the marriage/cohabitation status is refused/don't know in the Adult section or the parent is reported as cohabitating with another parent
Question Text:	^HaveyouHasPAR ever been married?
Response:	

	1.Yes2.NoDK:Don't KnowRF:Refused	
Fills:	^HaveyouHasPAR If PX=LNO_SCRESP, fill: "Have you" else, fill: "Has ALIAS[PX]"	
Skip Instructions:	<1> if (MARITAL_C=2 or GEN.PAR_FLG_C[PX]=3 or GEN.MAR_FLG_A[PX]=3) [goto LEGALSTAT_A] elseif MARITAL_C=3 [goto WIDIVSEP_A]	
	else loop through table for remaining parents else [goto tblPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]	
	<pre><2,RF,DK> loop through table for remaining parents else [goto tblPARBORN.bParent.PARBORN_C for first parent in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL where Adult.NAT.NATUSBORN_A=empty] else [goto next section]</pre>	

Question ID: PAR.0190.00.1	Variable name: LEGALSTAT_C Interview module: PAR(Child.PAR.tblMAR.bPar
Inherited Universe:	(auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((At least one parent listed in GEN.PARENTS_FINAL[PX_C].PARENTS_FINAL has GEN.MAR_FLG_A IN (3,empty) or (GEN.MAR_FLG_A=2 and PX=PX_A and SARESPSC_FLG ne 1)) AND (auxIsParent[PX]=1 and auxMARSTATNotSetByMAR[PX]=1 and auxMARSTATSetByPreviousPerson[PX] ne 1)))
Universe:	EVRMARRIED_C=1 and (MARITAL_C=2 or GEN.PAR_FLG_C[PX]=3 or GEN.MAR_FLG_A[PX]=3)
Universe Description:	Sample Children 0-17 where parent has been married and is living with a partner or person selected as a cohabitating partner in PAR or person selected as a cohabitating partner in MAR
Question Text:	What is ^yourPAR current legal marital status?
Response:	

	1.Married2.Widowed3.Divorced4.SeparatedDK:Don't KnowRF:Refused	
Fills:	^estadocivil_C ^yourPAR	Spanish Fill If PX=LNO_SCRESP, fill: "your" else fill ALIAS[PX] + " 's "
Skip Instructions:	tblPARBORN.bParent.PA GEN.PARENTS_FINAL[P	

Question ID: PAR.0200.00.1	Variable name: WIDIVSEP_C	Interview module: PAR(Child.PAR.tblMAR.bParen
Inherited Universe:	auxMARSTATSetByPreviousPerson[PX] ne 1 ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NOF/	PCNT gt PCNTAGEGUESS and AMSC ne 1) AND arent listed in NAL has GEN.MAR_FLG_A IN PX_A and SARESPSC_FLG ne
Universe:	EVRMARRIED_C=1 and MARITAL_C=3	
Universe Description:	Sample Children 0-17 where parent is neither but has been married	living with a partner nor married,
Question Text:	^Areyoulspar widowed, divorced, or sepa	arated?
Response:		

sp

	2. Divoro 3. Separ DK: Don't RF: Refus	
Fills:	^Areyoulspar	If PX=LNO_SCRESP, fill: "Are you" else fill: "Is ALIAS[PX]"
Skip Instructions:	<1-3,RF,DK> FINISH_MAR_C]	loop through table for remaining parents else [goto C]

Question ID: PAR.0210.00.1	Variable name: FINISH_MAR_C	Interview module: PAR(Child.PAR)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Question Text:	 The Sample Child MAR section is now co 	omplete. • Enter '1' to continue.	
Response:	1. Enter 1 to Continue		
Skip Instructions:	<1> [goto tblPARBORN.bParent.PARE GEN.PARENTS_FINAL[PX_C].PARENTS Adult.NAT.NATUSBORN_A=empty] else [goto next section]	BORN_C for first parent in where	

	1. Yes 2. No DK: Don't RF: Refu	t Know sed
Fills:	^WereyouWas	spar If PX=LNO_SCRESP, fill: "Were you" else fill: "Was ALIAS[PX]"
Skip Instructions:	<1,2,RF,DK> loop through table for remaining parents else [goto next section]	

 Question ID: PAR.0240.00.1
 Variable name: LOCK_PARENTS_VFY_ Interview module: PAR(Child.PAR)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Question Text:		
Response:	1. Enter 1 to Continue	
Skip Instructions:	<1> [goto next section]	

Question ID: NAT.0010.00.1		Variable name: NATUSBORN_C	Interview module: NAT(Child.NAT)	
Inherited Universe:		GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample	Children 0-17		
Question Text:	Was ^s	SCNAME born in the United State	es or a U.S. territory?	
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
Skip Instructions:	<1> [goto NATSTBORN_C] <2> [goto NATUSYR_C] <rf,dk> [goto next section]</rf,dk>		

Question ID: NAT.0020.00.1	Variable name: NATSTBC	DRN_C	Interview module: NAT(Child.NAT)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	NATUSBORN_C=1	NATUSBORN_C=1		
Universe Description:	Sample Children 0-17 born in the	Sample Children 0-17 born in the United States or U.S. territory		
Question Text:	In what state or U.S. territory	was ^SCNA	ME born?	
Response:	DK: Don't Know RF: Refused			
Fills:	^SCNAME Fill A	LIAS of HHS	TAT_C=1	
Skip Instructions:	<american samoa=""> [goto CITIZE else [goto next section]</american>	N_C]		

Question ID: NAT.0040.00.1		Variable name: NATUSYR	C Interv	Interview module: NAT(Child.NAT)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			-	
Universe:	NATUSB	NATUSBORN_C=2			
Universe Description:	Sample Children 0-17 not born in the United States or U.S. territory				
Question Text:	In what year did ^SCNAME come to the United States to stay?				
Response:	DK: RF:	Don't Know Refused			

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:		current year [goto ERR1_NATUSYR_C] FY.BYEAR_C [goto ERR2_NATUSYR_C]

Check Name: ERR1_NATUSYR_C

Text:	{check ERR1_NATUSYR_C} + Future year invalid. Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	NATUSYR_C is a future year

Check Name: ERR2_NATUSYR_C

Text:	{check ERR2_NATUSYR_C} + Year is prior to date of birth. Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	NATUSYR_C = a year prior to child's birth year

Question ID: NAT.0050.00.1	Variable name	e: CITIZEN_C	Interview module: NAT(Child.NAT)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	NATUSBORN_C=2 or NATSTBORN_C=American Samoa		
Universe Description:	Sample children 0-17 not born in the United States or U.S. territory or born in American Samoa		
Question Text:	Is ^SCNAME a citiz	en of the United Sta	ites?
Response:	1. Yes 2. No DK: Don't Kno RF: Refused	W	
Fills:	^SCNAME	Fill ALIAS of H	IHSTAT_C=1
Skip Instructions:	<pre>< <1> [goto NATCTZN_C] <2,RF,DK> [goto next section]</pre>		

uestion ID: NAT.0060.00.1	Variable name: NATCTZN_C	Interview module: NAT(Child.NAT)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	CITIZEN_C=1		
Universe Description:	Sample Children 0-17 are United States citizens		
Question Text:	Was ^SCNAME born abroad to an American parent, born abroad and adopted by an American parent, or did ^SCNAME become a U.S. citizen by naturalization?		
Response:			

	2. Born abr	oad to American parent oad and adopted by an American parent U.S. citizen by naturalization ow
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1
Skip Instructions:	<1-3,RF,DK> [goto next section]	

Question ID: FEM.0010.00.1	Variable name: FEMINTRO_C	Interview module: FEM(Child.FEM)
Inherited Universe:	((SAMEFAM_FLG ne 1) OR	
	(SAMEFAM_FLG=1 and PCNT18UP_C=1 a	nd EMP_FLG_A=blank)
	(SAMEFAM_FLG=1 and PCNT18UP_C GT OR	1 and FEM_FLG_A=blank)
	(SAMEFAM_FLG=1 and PCNT18UP_C SARESPSC_FLG ne 1)) AND	GT 1 and FEM_FLG_A=2 and
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 ar PCNT ge 2 and PCNT18UP_C gt 0 and NO ((SAMEFAM_FLG ne 1) OR	-
	(SAMEFAM_FLG=1 and PCNT18UP_C=1 a	nd EMP_FLG_A=blank)
	(SAMEFAM_FLG=1 and PCNT18UP_C GT OR	1 and FEM_FLG_A=blank)
	(SAMEFAM_FLG=1 and PCNT18UP_C SARESPSC_FLG ne 1)))	GT 1 and FEM_FLG_A=2 and
Universe Description:	Sample Child is not in the same family as th OR	e Sample Adult
	Sample Child is in same family as Sampl family who is the Sample Adult and the Sam not been asked OR	
	Sample Child is in the same family as Sam one adults in the family and the Sample asked OR	-
	Sample Child is in the same family as Sam one adults in the family and the Sample Adu don't know/refused responses for all questi sample child respondent.	ult FEM section was asked but has

	Now I have a few qu	estions about ^youandothfam. • Enter '1' to continue.	
Response:	1. Enter 1 to	1. Enter 1 to Continue	
Fills	^youandothfam	IF LNO_SCRESP <> PX_A OR (LNO_SCRESP = PX_A AND ((SARESPSC_FLG <> 1 AND EMP_FLG_A=2) OR (EMP_FLG_A = EMPTY)))THEN fill: "you" ENDIF IF PCNT18UP_C >= 2 THEN IF fill = EMPTY THEN fill: "other members of your family" ELSEIF (PCNT18UP_C = 2 AND ((SAMEFAM_FLG <> 1) OR ((SAMEFAM_FLG = 1) AND ((SARESPSC_FLG <> 1 AND EMP_FLG_A=2) OR (EMP_FLG_A = EMPTY))))) OR (PCNT18UP_C > 2)THEN fill: "you and other members of your family"	
		ENDIF ENDIF	

Question ID: FEM.0030.00.1	Variable name: FEMWORK_C	Interview module: FEM(Child.FEM.tblFEM_C.bPerson)
Inherited Universe:	: ((GEN.AGE_FINAL[PX] GE 18 or Roster.HH	C.tbIAGE.bPerson.AGE18[PX]=2
	or Roster.HHC.tblAGE.bPerson.AGEGUESS[I	PX]=2)
	AND (FAMILYC_FLG[PX]=1)	
	AND (HHSTAT_A NE 1 OR (HHSTAT_A=1	AND ((SAMEFAM_FLG=1 AND
	SARESPSC_FLG ne 1 AND EMP_FLG_A=	=2) or SAMEFAM_FLG=1 AND
	EMP_FLG_A='blank'))) AND	
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 and	PCNT gt PCNTAGEGUESS and
	PCNT ge 2 and PCNT18UP_C gt 0 and NOFA	AMSC ne 1) AND
	(((SAMEFAM_FLG ne 1)	
	OR	
	(SAMEFAM_FLG=1 and PCNT18UP_C=1 and	d EMP_FLG_A=blank)
	OR	
	(SAMEFAM_FLG=1 and PCNT18UP_C GT 1	and FEM_FLG_A=blank)
	OR	
	(SAMEFAM_FLG=1 and PCNT18UP_C G	T 1 and FEM_FLG_A=2 and
	SARESPSC_FLG ne 1)) AND	
	((GEN.AGE_FINAL[PX] GE 18 or Roster.HH	
	or Roster.HHC.tblAGE.bPerson.AGEGUESS[I	PX]=2)

	,	1) PR (HHSTAT_A=1 AND ((SAMEFAM_FLG=1 AND ND EMP_FLG_A=2) or SAMEFAM_FLG=1 AND
Universe Description:	(Sample Child is not in the same family as the Sample Adult OR Sample Child is in same family as Sample Adult and there is one adult in family who is the Sample Adult and the Sample Adult Employment section has not been asked OR Sample Child is in the same family as Sample Adult and there are more than one adults in the family and the Sample Adult FEM section has not been asked OR Sample Child is in the same family as Sample Adult and there are more than one adults in the family and the Sample Adult FEM section has not been asked OR	
	sample child respondent.) AND Person is in Sample Child's family and over the age of 18	
Question Text:	^DoesDoyouALIASNAME work for pay at a job or business? • If the respondent says ^heshetheywork, but not for pay, at a family-owned job or business, enter '1' for yes.	
Response:	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	 ^DoesDoyouALIASNAMEIf PX=LNO_SCRESP, fill: "Do you" (that is if the subject of the question is the sample child respondent, fill: "Do you") else fill: "Does ^ALIASNAME" ^heshetheywork elseif GEN.SEX_FINAL=1 fill "he works" elseif GEN.SEX_FINAL=2 fill "she works" 	
		elseif GEN.SEX_FINAL IN (RF,DK) fill "they work"

Skip Instructions:	<1> [goto FEMWKFT_C]
	<2,RF,DK> if there is another adult in the family [goto FEMWORK_C] for the
	next adult 18+
	else [goto next section]

Question ID: FEM.0040.00.1	Variable name: FEMWKFT_C	Interview module: FEM(Child.FEM.tblFEM_C.bPerson)			
Inherited Universe:	((GEN.AGE_FINAL[PX] GE 18 or Roster.HHC.tblAGE.bPerson.AGE18[PX]=2 or Roster.HHC.tblAGE.bPerson.AGEGUESS[PX]=2)				
	AND (FAMILYC_FLG[PX]=1)				
	AND (HHSTAT_A NE 1 OR (HHSTAT_A=1 AND ((SAMEFAM_FLG=1 AND				
	SARESPSC_FLG ne 1 AND EMP_FLG_A=2) or SAMEFAM_FLG=1 AND				
	EMP_FLG_A='blank'))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and				
	CNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND				
	((SAMEFAM_FLG ne 1)				
	OR				
	(SAMEFAM_FLG=1 and PCNT18UP_C=1 and	d EMP_FLG_A=blank)			
	OR				
	(SAMEFAM_FLG=1 and PCNT18UP_C GT 1	and FEM_FLG_A=blank)			
	OR				
	(SAMEFAM_FLG=1 and PCNT18UP_C G SARESPSC_FLG ne 1)) AND	T 1 and FEM_FLG_A=2 and			
	((GEN.AGE_FINAL[PX] GE 18 or Roster.HH	C.tblAGE.bPerson.AGE18[PX]=2			
	or Roster.HHC.tblAGE.bPerson.AGEGUESS				
	AND (FAMILYC_FLG[PX]=1)				
	AND (HHSTAT_A NE 1 OR (HHSTAT_A=1	AND ((SAMEFAM FLG=1 AND			
	SARESPSC_FLG ne 1 AND EMP_FLG_A				
	EMP_FLG_A='blank')))))	, _			
	/////				

Universe: FEMWORK_C=1

Universe Description: (Sample Child is not in the same family as the Sample Adult

OR

Sample Child is in same family as Sample Adult and there is one adult in family who is the Sample Adult and the Sample Adult Employment section has not been asked

OR

Sample Child is in the same family as Sample Adult and there are more than one adults in the family and the Sample Adult FEM section has not been asked

OR

Sample Child is in the same family as Sample Adult and there are more than one adults in the family and the Sample Adult FEM section was asked but has don't know/refused responses for all questions and the sample adult isn't the sample child respondent.) AND Person is in Sample Child's family and over the age of 18 AND The adult in question works for pay at a job or business

Question Text: ^DoesDoyouALIASNAME usually work 35 hours or more per week in total at ^hisheryour job or jobs?

Response:	1. 2. DK:	Yes No Don't Know	
	RF:	Refused	
Fills:	^DoesDoyouALIASNAM		MEIF PX=LNO_SCRESP, fill: "Do you" (that is if the subject of the question is the sample child respondent, fill: "Do you") else fill: "Does ^ALIASNAME"
	^hishe	ryour	If PX=LNO_SCRESP, fill: "your" (that is, if the subject of the question is the sample child respondent, fill: "your") else if SEX_FINAL[PX] = 1, fill "his" else if SEX_FINAL[PX] = 2, fill "her" else if SEX_FINAL[PX] in (DK,RF), fill "their"
Skip Instructions:	adult 18+		adult in the family [goto FEMWORK_C] for the next

Question ID: INC.0010.00.1	Variable name: INCINTRO_C	Interview module: INC(Child.INC)
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A INC_FLG_A=2 and SARESPSC_FLG n ((GEN.PX_C gt 0 and PCNTunder18 gt PCNT ge 2 and PCNT18UP_C gt 0 and ((SAMEFAM_FLG=1 and INC_FLG_A INC_FLG_A=2 and SARESPSC_FLG n	e 1) or (SAMEFAM_FLG ne 1)) AND 0 and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1) AND A=blank) or (SAMEFAM_FLG=1 and
Universe Description:	Sample Children 0-17 and Sample Add family and the Sample Adult INC sec Sample Adult and Sample Child are no Adult and the Sample Child are in the sa the Sample Child respondent and ever income section was don't know or refuse	tion has not been completed OR the ot in the same family OR the Sample ame family and the Sample Adult is not by question asked in the Sample Adult
Question Text:	TAXES. Based on questions asked e consists of ^INCINTRO_C_fill. • Rea analyzing the health information we co can learn whether persons in one incom- more or less often than those in another	otal family income in ^LASTYEAR BEFORE earlier, we have that ^SCNAME's family ad if necessary: Income is important in llect. For example, with this information, we me group use certain types of medical services er group. Please be assured that, like all other answers will remain confidential. • Enter '1' to
Response:	1. Enter 1 to Continue	

Fills:	^LASTYEAR	Fill year prior to current year
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^INCINTRO_C_fill	For all people with FAMC_REL_FLG =1 OR (SAME_REL_FLG=1 for SC and tblRelate_SA.bPerson.RELATE in (1-13,DK,RF)) OR (FAMA_REL_FLG=1 and 1st person in SC's family has tblRelate_SA.bPerson.RELATE in (1-13,DK,RF), fill with their names.
		Description: Person was identified as being in the SC's family at WHOPAR/WHOFOST OR (Sample Child is related to the Sample Adult and person on roster was placed in Sample Adult's family based on answer provided at RELATE), include their name as part of the list of SC's family.
		Include sample child on the list.

		lf (Deeter l		Respondent
			<u>HHC.HHRESPAVAIL) is a</u> name and place name	
		Include t list.	the word "and" before the	e last name on the
Skip Instructions:	<1> [goto INCWRKO_C]			

Question ID: INC.0020.00.1		Variable name: INCWRKO_C	Interview module: INC(Child.INC)
Inherited Universe:	INC_FLG ((GEN.P> PCNT ge ((SAMEF	G_A=2 and SARESPSC_FLG ne K_C gt 0 and PCNTunder18 gt 0 2 and PCNT18UP_C gt 0 and N	blank) or (SAMEFAM_FLG=1 and
Universe Description:	family an Sample A Adult and the Samp	nd the Sample Adult INC section Adult and Sample Child are not the Sample Child are in the sam	t and Sample Child are in the same on has not been completed OR the in the same family OR the Sample ne family and the Sample Adult is not question asked in the Sample Adult
Question Text:	commis	. –	C receive income from wages, salaries, mployment? • Read if necessary: For the ily includes ^FAMVERSC_fill
Response:	1. 2. DK: RF:	Yes No Don't Know Refused	

Fills:	^YOUFAM18YRS_C	If GEN.PCNT18UP_C=1 fill "you" else if GEN.PCNT18UP_C GT 1 fill "you or any family members 18 or older"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^FAMVERSC_fill	Loop through all persons on roster and add to list of names if FAMILYC_flg = 1
		Do not include Sample Child on list.
		If Household Respondent (Roster.HHC.HHRESPAVAIL) is on list of names, fill "you" for name and place name at the beginning of the list. If only one person on the list of names and person ne Roster.HHC.HHRESPAVAIL, follow list with "is". If more than one person on the list or only one person on list and person is Household Respondent (Roster.HHC.HHRESPAVAIL), follow list with "are".
	^LASTYEAR	Fill year prior to current year
Skip Instructions:	<1,2,RF,DK> [goto INCIN	TER_C]

estion ID: INC.0030.00.1	Variable name: INCINTER_C	Interview module: INC(Child.INC)			
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=	blank) or (SAMEFAM FLG=1 and			
	INC_FLG_A=2 and SARESPSC_FLG ne				
	((GEN.PX_C gt 0 and PCNTunder18 gt 0	and PCNT gt PCNTAGEGUESS and			
	PCNT ge 2 and PCNT18UP_C gt 0 and N	NOFAMSC ne 1) AND			
	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and				
	INC_FLG_A=2 and SARESPSC_FLG ne	1) or (SAMEFAM_FLG ne 1)))			
Universe Description:	Sample Children 0-17 and Sample Adul	t and Sample Child are in the same			
	family and the Sample Adult INC section	on has not been completed OR the			
	Sample Adult and Sample Child are not	t in the same family OR the Sample			
	Adult and the Sample Child are in the same	me family and the Sample Adult is not			
	the Sample Child respondent and every	question asked in the Sample Adult			
	income section was don't know or refused	1			
Question Text:	In ^LASTYEAR, did ANY FAMILY ME	MBERS receive income from			
	interest-bearing accounts or investme	ents, dividends from stocks or mutual			
	funds, net rental income, royalty inco	me, or income from estates and trusts?			

	2. DK: RF:	No Don't Know Refused		
Fills:	^LASTY	EAR	Fill year prior to current year	
Skip Instructions:	<1,2,RF,DI	<> [goto INCSS	SRR_C]	

Question ID: INC.0031.00.1	١	/ariable name: INCSSRR_C	Interview module: INC(Child.INC)	
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))			
Universe:	INCWRKO_C IN (1,2,DK) or INCINTER_C in (1,2,DK)			
Universe Description:	family and Sample A Adult and the Samp income se	d the Sample Adult INC section dult and Sample Child are not the Sample Child are in the sam le Child respondent and every	t and Sample Child are in the same on has not been completed OR the in the same family OR the Sample ne family and the Sample Adult is not question asked in the Sample Adult ed and both the income from wages e not been refused	
Question Text:		necessary: In ^LASTYEAR, did 4 Security or Railroad Retiremen	<pre>^YOUFAMHERE_C receive Income from t?</pre>	
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

Fills:	^LASTYEAR	Fill year prior to current year
	^YOUFAMHERE_C	If GEN.PCNT_C=2 fill "you" else if GEN.PCNT_C GT2 fill "you or any family members"
Skip Instructions:	<1,2,RF,DK> [goto INCSSISSDI_C]	

Question ID: INC.0040.00.1	,	Variable name: INCSSISSD	_C I	nterview module: INC(Child.INC)	
Inherited Universe:	INC_FLG ((GEN.P) PCNT ge ((SAMEF	A=2 and SARESPSC_FI C_C gt 0 and PCNTunder1 2 and PCNT18UP_C gt 0	G ne 1) or (8 gt 0 and P and NOFAM G_A=blank)	or (SAMEFAM_FLG=1 and	
Universe:	INCWRK	O_C IN (1,2,DK) or INCIN	TER_C in (1,	2,DK)	
Universe Description:	family an Sample / Adult and the Samp income s	d the Sample Adult INC Adult and Sample Child a the Sample Child are in t ole Child respondent and	section has re not in the ne same fam every questi refused and	Sample Child are in the same not been completed OR the same family OR the Sample ily and the Sample Adult is not on asked in the Sample Adult both the income from wages een refusedv	
Question Text:	Supple	· · · · · · · · · · · · · · · · · · ·	SSI, or Soci	AMILY MEMBERS receive al Security Disability Income, SSI	DI,
Response:	1. 2. DK: RF:	Yes No Don't Know Refused			

Fills:	^LASTYEAR	Fill year prior to current year
	<1> [goto SSISSDIBTH_C] <2,RF,DK> [goto INCWELF	
		1

Question ID: INC.0050.00.1	Variable name: SSISSDIBTH_C	Interview module: INC(Child.INC)
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=t INC_FLG_A=2 and SARESPSC_FLG ne 7 ((GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and No ((SAMEFAM_FLG=1 and INC_FLG_A=t INC_FLG_A=2 and SARESPSC_FLG ne 7	1) or (SAMEFAM_FLG ne 1)) AND and PCNT gt PCNTAGEGUESS and OFAMSC ne 1) AND blank) or (SAMEFAM_FLG=1 and
Universe:	INCSSISSDI_C=1	
Universe Description:	Sample Children 0-17 where someone in t Sample Child INC section has not been of Sample Child are in the same family a Sample Adult questions is not the Sa question asked in the Sample Adult incom OR the Sample Adult and Sample Child ar	completed OR the Sample Adult and and the person who answered the imple Child respondent and every ne section was don't know or refused
Question Text:	Was this Supplemental Security Incom SSDI, or both?	ne, SSI, Social Security Disability Income,
Response:	1.SSI2.SSDI3.Both SSI and SSDIDK:Don't KnowRF:Refused	
Skip Instructions:	<1-3,RF,DK> [goto SSISSDIDSB_C]	

estion ID: INC.0060.00.1	Variable name: SSISSDIDSB_C	Interview module: INC(Child.INC)
Inherited Universe:	INC_FLG_A=2 and SARESPSC_FLG ((GEN.PX_C gt 0 and PCNTunder18 g PCNT ge 2 and PCNT18UP_C gt 0 and	t 0 and PCNT gt PCNTAGEGUESS and d NOFAMSC ne 1) AND A=blank) or (SAMEFAM_FLG=1 and
Universe:	INCSSISSDI_C=1	
Universe Description:	or SSDI and Sample Adult and Samp Sample Adult INC section has not bee Sample Child are not in the same fan Child are in the same family and the p	where someone in the family gets SSI le Child are in the same family and the en completed OR the Sample Adult and hily OR the Sample Adult and Sample berson who answered the Sample Adult ondent and every question asked in the t know or refused
Question Text:	Was this received as a disability be	nefit?
Response:	1. Yes 2. No DK: Don't Know RF: Refused	
Skip Instructions:	<1> [goto SSISSDIP_C] <2,RF,DK> [goto INCWELF_C]	
estion ID: INC.0070.00.1	Variable name: SSISSDIP_C	Interview module: INC(Child.INC)

Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=	=blank) or (SAMEFAM_FLG=1 and
	INC_FLG_A=2 and SARESPSC_FLG ne	1) or (SAMEFAM_FLG ne 1)) AND
	((GEN.PX_C gt 0 and PCNTunder18 gt 0	and PCNT gt PCNTAGEGUESS and
	PCNT ge 2 and PCNT18UP_C gt 0 and N	NOFAMSC ne 1) AND
	((SAMEFAM_FLG=1 and INC_FLG_A=	=blank) or (SAMEFAM_FLG=1 and
	INC_FLG_A=2 and SARESPSC_FLG ne	1) or (SAMEFAM_FLG ne 1)))

Universe: INCSSISSDI_C=1 and SSISSDIDSB_C=1

Universe Description: Sample Children 0-17 with more than one person in the family where someone in the family gets SSI or SSDI and SSI/SSDI was received as a disability benefit and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the person who answered the Sample Adult

	questions is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused
Question Text:	In ^LASTYEAR, who received this disability benefit? • Read if necessary: Do NOT include a benefit received on behalf of someone else. • Enter all that apply, separate with commas.
Response:	01. ^ALIASNAME[1] 02. ^ALIASNAME[2] 03. ^ALIASNAME[3] 04. ^ALIASNAME[4] 05. ^ALIASNAME[5] 06. ^ALIASNAME[6] 07. ^ALIASNAME[7] 08. ^ALIASNAME[8] 09. ^ALIASNAME[10] 11. ^ALIASNAME[10] 11. ^ALIASNAME[11] 12. ^ALIASNAME[12] 13. ^ALIASNAME[13] 14. ^ALIASNAME[15] 16. ^ALIASNAME[16] 17. ^ALIASNAME[17] 18. ^ALIASNAME[18] 19. ^ALIASNAME[19] 20. ^ALIASNAME[20] 21. ^ALIASNAME[21] 22. ^ALIASNAME[22] 23. ^ALIASNAME[23] 24. ^ALIASNAME[24] 25. ^ALIASNAME[25] DK: Don't Know
Fills:	RF: Refused ^LASTYEAR Fill year prior to current year

on ID: INC.0090.00.1		Variable name: IN	ICWELF_C	Interview module: INC(Child.INC)	
Inherited Universe:	((SAMEF	AM_FLG=1 and	d INC_FLG_A=	blank) or (SAMEFAM_FLG=1 and	
	INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND				
	((GEN.P)	((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS ar			
	PCNT ge	2 and PCNT18	JP_C gt 0 and N	IOFAMSC ne 1) AND	
	((SAMEF	AM_FLG=1 and	d INC_FLG_A=	blank) or (SAMEFAM_FLG=1 and	
	INC_FLG	J_A=2 and SARE	SPSC_FLG ne	1) or (SAMEFAM_FLG ne 1)))	
Universe:	INCWRK	CO_C IN (1,2,DK)	or INCINTER_(C in (1,2,DK)	
Universe Description:	Sample (Children 0-17 an	nd Sample Adul	t and Sample Child are in the same	
	family ar	nd the Sample A	Adult INC section	on has not been completed OR the	
	Sample /	Adult and Sampl	le Child are not	in the same family OR the Sample	
	Adult and	the Sample Chi	ld are in the sar	ne family and the Sample Adult is not	
	the Sam	the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused and both the income from wages			
	and incor	me from accounts	s questions have	e not been refused	
Question Text:	In ^LA	STYEAR, did ^Y	OUFAMHERE_	C receive Any public assistance or	
	welfare	payments from	the state or lo	cal welfare office?	
Response:	1.	Yes			
	2.	No			
	2. DK:	No Don't Know			
		-			
Fills:	DK: RF:	Don't Know	Fill year prior	to current year	
	DK: RF: ^LAST	Don't Know Refused YEAR		-	
	DK: RF: ^LAST	Don't Know Refused	If GEN.PCNT	_C=2 fill "you"	
	DK: RF: ^LAST	Don't Know Refused YEAR	If GEN.PCNT	_C=2 fill "you"	
	DK: RF: ^LAST	Don't Know Refused YEAR	If GEN.PCNT else if GEN		

Skip Instructions: <1,2,F	RF,DK> [goto INCRETIRE_C]
---------------------------	---------------------------

Question ID: INC.0100.00.1	Va	riable name: IN	CRETIRE_C	Interview module: INC(Child.INC)
Inherited Universe:	INC_FLG_A ((GEN.PX_ PCNT ge 2 ((SAMEFAN	A=2 and SARE C gt 0 and PCI and PCNT18L M_FLG=1 and	SPSC_FLG ne 1) (NTunder18 gt 0 and JP_C gt 0 and NOF I INC_FLG_A=bla	nk) or (SAMEFAM_FLG=1 and or (SAMEFAM_FLG ne 1)) AND d PCNT gt PCNTAGEGUESS and FAMSC ne 1) AND nk) or (SAMEFAM_FLG=1 and or (SAMEFAM_FLG ne 1)))
Universe:	INCWRKO_	_C IN (1,2,DK)	or INCINTER_C in	n (1,2,DK)
	family and Sample Ad Adult and th the Sample income sec and income	the Sample A ult and Sampl e Sample Child e Child respond tion was don't from accounts eccessary: In ^L	dult INC section e Child are not in d are in the same dent and every qui know or refused s questions have no	OUFAMHERE_C receive Income from
	retiremen			
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Fills:	^LASTYE	EAR	Fill year prior to	current year
	^YOUFA	MHERE_C	If GEN.PCNT_C else if GEN.PC members"	=2 fill "you" NT_C GT2 fill "you or any family

Skip Instructions: <a><1,2,RF,DK > [goto INCOTHR_C]	Skip Instructions:	<1,2,RF,DK> [goto INCOTHR_C]
--	--------------------	------------------------------

stion ID: INC.0110.00.1	Variable name:	INCOTHR_C	Interview module: INC(Child.INC)
Inherited Universe:	INC_FLG_A=2 and SAF ((GEN.PX_C gt 0 and P PCNT ge 2 and PCNT12 ((SAMEFAM_FLG=1 a	RESPSC_FLG ne CNTunder18 gt 0 8UP_C gt 0 and N nd INC_FLG_A=	blank) or (SAMEFAM_FLG=1 and 1) or (SAMEFAM_FLG ne 1)) AND and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1) AND blank) or (SAMEFAM_FLG=1 and 1) or (SAMEFAM_FLG ne 1)))
Universe:	INCWRKO_C IN (1,2,DI	K) or INCINTER_	C in (1,2,DK)
	family and the Sample Sample Adult and Sam Adult and the Sample C the Sample Child response income section was do and income from account • Read if necessary: In	Adult INC section apple Child are not child are in the sar ondent and every n't know or refus nts questions have ^LASTYEAR, did	t and Sample Child are in the same on has not been completed OR the t in the same family OR the Sample me family and the Sample Adult is not question asked in the Sample Adult ed and both the income from wages e not been refused AYOUFAMHERE_C receive Any other ents from the Veterans Benefits
			ensation, child support, or alimony?
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^LASTYEAR	Fill year prior	to current year
	^YOUFAMHERE_C		_C=2 fill "you" .PCNT_C GT2 fill "you or any family

Skip Instructions: <1,2,RF,DK> [goto INCTOTAL_C]	Skip Instructions:	<1,2,RF,DK> [goto INCTOTAL_C]
--	--------------------	-------------------------------

estion ID: INC.0120.00.1	Variable name: INCTOTAL_C	Interview module: INC(Child.INC)
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A= INC_FLG_A=2 and SARESPSC_FLG ne ((GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N ((SAMEFAM_FLG=1 and INC_FLG_A= INC_FLG_A=2 and SARESPSC_FLG ne	1) or (SAMEFAM_FLG ne 1)) AND and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1) AND Iolank) or (SAMEFAM_FLG=1 and
Universe:	INCWRKO_C IN (1,2,DK) or INCINTER_(C in (1,2,DK)
Universe Description:	Sample Children 0-17 and Sample Adult family and the Sample Adult INC section Sample Adult and Sample Child are not Adult and the Sample Child are in the sam the Sample Child respondent and every income section was don't know or refuse and income from accounts questions have	on has not been completed OR the t in the same family OR the Sample ne family and the Sample Adult is not question asked in the Sample Adult ed and both the income from wages
Question Text:	PLUS the income of all family membe	please remember to include your income ars living in this household. What is your Il family members from all sources, before ter '999995' if the reported income is
Response:	DK: Don't Know RF: Refused	
Skip Instructions:	<0-999> [goto ERR1_INCTOTAL_C] <250001-999995> [goto ERR2_INCTOTA <1000-250000> [goto next section] <rf,dk> [goto INC250PCT_C]</rf,dk>	AL_C]

Check Name: ERR1_INCTOTAL_C

Text:	{signal ERR1_INCTOTAL_C} • Do not read to the respondent. • ^INCTOTAL_C is unusually low. Make corrections if necessary.
Hard / Soft Edit:	Soft
Fills:	^INCTOTAL_C Fill value from INCTOTAL_C
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
Universe:	INCTOTAL_C=0-999

Check Name: ERR2_INCTOTAL_C

Text:	{signal ERR2_INCTOTAL_C} + Do not read to the respondent. + ^INCTOTAL_C is unusually high. Make corrections if necessary.
Hard / Soft Edit:	Soft
Fills:	^INCTOTAL_C Fill value from INCTOTAL_C
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
Universe:	INCTOTAL_C=250001-999995

	Variable name: INC250PCT_C	Interview module: INC(Child.INC)
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A= INC_FLG_A=2 and SARESPSC_FLG ne ((GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N ((SAMEFAM_FLG=1 and INC_FLG_A= INC_FLG_A=2 and SARESPSC_FLG ne	1) or (SAMEFAM_FLG ne 1)) AND and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1) AND =blank) or (SAMEFAM_FLG=1 and
Universe:	INCTOTAL_C IN (DK,RF)	
Universe Description:	Sample Children 0-17 who don't know of Sample Adult and Sample Child are in the INC section has not been completed OR are not in the same family OR the Sample the same family and the Sample Adult is every question asked in the Sample Adult refused	he same family and the Sample Adult the Sample Adult and Sample Child ble Adult and the Sample Child are in not the Sample Child respondent and
Question Text:	Was your total family income from all ^250POVERTY_C or more?	sources less than ^250POVERTY_C or
Response:	1. Less than ^250POVERTY_C	
	2.^250POVERTY_C or moreDK:Don't KnowRF:Refused	
Fills:	DK: Don't Know RF: Refused	red in Child.INC.INC250PCT_C

Inherited Universe:	
	INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and
	PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND
	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and
	INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))
Universe:	INC250PCT_C=1
Universe Description:	Sample Children 0-17 answered less than 250% of poverty threshold and
	Sample Adult and Sample Child are in the same family and the Sample Adult
	INC section has not been completed OR the Sample Adult and Sample Child
	are not in the same family OR the Sample Adult and the Sample Child are in
	the same family and the Sample Adult is not the Sample Child respondent and
	every question asked in the Sample Adult income section was don't know or
	refused
Question Text:	Was your total family income from all sources less than ^138POVERTY_C or ^138POVERTY_C or more?
	^138POVERTY_C or more?
Question Text: Response:	^138POVERTY_C or more? 1. Less than ^138POVERTY_C
	^138POVERTY_C or more? 1. Less than ^138POVERTY_C 2. ^138POVERTY_C or more
	^138POVERTY_C or more? 1. Less than ^138POVERTY_C 2. ^138POVERTY_C or more DK: Don't Know
Response:	^138POVERTY_C or more? 1. Less than ^138POVERTY_C 2. ^138POVERTY_C or more DK: Don't Know RF: Refused
	^138POVERTY_C or more? 1. Less than ^138POVERTY_C 2. ^138POVERTY_C or more DK: Don't Know
Response: Fills:	^138POVERTY_C or more? 1. Less than ^138POVERTY_C 2. ^138POVERTY_C or more DK: Don't Know RF: Refused
Response: Fills:	^138POVERTY_C or more? 1. Less than ^138POVERTY_C 2. ^138POVERTY_C or more DK: Don't Know RF: Refused ^138POVERTY_C Fill value stored in Child.INC.INC138PCT_C

tion ID: INC.0160.01.1	Variable name: INC100PCT_C Interview module: INC(Child.INC)			
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))			
Universe:	INC138PCT_C=1			
Universe Description:	Sample Children 0-17 who answered less than 138% of poverty threshold and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused			
Question Text:	Was your total family income from all sources less than ^100POVERTY_C or ^100POVERTY_C or more?			
Response:	1.Less than ^100POVERTY_C2.^100POVERTY_C or moreDK:Don't KnowRF:Refused			
Fills:	^100POVERTY_C Fill value stored in Child.INC.INC100PCT_C			
Skip Instructions:	<1,2,RF,DK> [goto next section]			

Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))			
Universe:	INC138PCT_C=2			
Universe Description:	Sample Children 0-17 who answered 138% of poverty or more and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused			
Question Text:	Was your total family income from all sources less than ^200POVERTY_C or ^200POVERTY_C or more?			
Response:	1.Less than ^200POVERTY_C2.^200POVERTY_C or moreDK:Don't KnowRF:Refused			
Fills:	^200POVERTY_C Fill value stored in Child.INC.INC200PCT_C			
Skip Instructions:	<1> if GEN.PCNT ge 9 [goto INC100K_C] else [goto next section] <2,RF,DK> [goto next section]			

Question ID: INC.0180.00.1	Variable name: INC75K_C	Interview module: INC(Child.INC)	
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))		
Universe:	INC250PCT_C=2 and GEN.PCNT_C=2 a	and GEN.PCNT66UP_C ge 1	
Universe Description:	Sample Children 0-17 who answered 250% of poverty threshold or more and are from a 2 person family where the adult is 66 years of age or older and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused		
Question Text:	Was your total family income from al more?	Il sources less than \$75,000 or \$75,000 or	
Response:	1. Less than \$75,000 2. \$75,000 or more DK: Don't Know RF: Refused		
Skip Instructions:	<1> [goto INC400PCT_C] <2> [goto INC100K_C] <rf,dk> [goto next section]</rf,dk>		

uestion ID: INC.0190.00.1	Variable name: INC100K_C	Interview module: INC(Child.INC)		
Inherited Universe:	: ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))			
Universe:	INC75K_C=2 or (INC250PCT_C=2 and (GEN.PCNT_C IN (3,5) or (GEN.PCNT_C=2 and GEN.PCNT66UP_C =0))) or (INC200PCT_C=1 and GEN.PCNT_C ge 9)			
Universe Description:	Sample Children 0-17 who answered \$75,000 or more OR answered 250% of poverty threshold or more and are from a 3 or 5 person family or are from 2 person family and the adult is less than 66 years of age or who answered less than 200% of the poverty level and are from a 9 or more person family and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are in the same family or the Sample Adult and the Sample Child are in the same family on the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused			
Question Text:	Was your total family income from a more?	all sources less than \$100,000 or \$100,000 or		
Response:	1. Less than \$100,000 2. \$100,000 or more DK: Don't Know RF: Refused			
Skip Instructions:	<1> if GEN.PCNT_C IN (2,5,9+) [goto n else if GEN.PCNT_C=3 [goto INC400P(<2> if GEN.PCNT_C IN (1,2,3) [goto IN else if GEN.PCNT_C=5 [goto INC400P(else if GEN.PCNT_C ge 9 [goto next se <rf,dk> [goto next section]</rf,dk>	CT_C] C150K_C] CT_C]		

ion ID: INC.0200.01.1	Variable name: INC400PCT_C	Interview module: INC(Child.INC)		
Inherited Universe:	: ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))			
Universe:	(INC75K_C=1 or (INC100K_C=1 and (and GEN.PCNT66UP_C=0))) or (INC (INC250PCT_C=2 and (GEN.PCNT_C=	100K_C=2 and GEN.PCNT_C=5) or		
Universe Description:	: Sample Children 0-17 who answered less than \$75,000 OR answered less than \$100,000 and are from a 3 person family OR answered \$100,000 or more and from a 5 person family OR answered 250% of poverty threshold or more and are from a 4 or 6+ person family and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and the Sample Child are in the same family and the Sample Adult is not the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know of refused			
Question Text:	Was your total family income from a ^400POVERTY_C or more?	II sources less than ^400POVERTY_C or		
Response:	1.Less than ^400POVERTY_02.^400POVERTY_C or moreDK:Don't KnowRF:Refused	C		
Fills:	^400POVERTY_C Fill value sto	pred in Child.INC.INC400PCT_C		

Skip Instructions:	<1> if GEN.PCNT_C in (7,8) [goto INC150K_C]		
	else [goto next section]		
	<2> if GEN.PCNT_C IN (2,3) or GEN.PCNT_C ge 6 [goto next section]		
	else if GEN.PCNT_C IN (4,5) [goto INC150K_C]		
	<rf,dk> [goto next section]</rf,dk>		

Question ID: INC.0210.00.1	٧	Variable name: INC150K_C	Interview module: INC(Child.INC)
Inherited Universe:	((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND ((SAMEFAM_FLG=1 and INC_FLG_A=blank) or (SAMEFAM_FLG=1 and INC_FLG_A=2 and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)))		
Universe:			C IN (2,3)) or (INC400PCT_C=2 and PCT_C=1 and GEN.PCNT_C IN (7,8))
Universe Description:	Sample Children 0-17 who answered \$100,000 or more and are from 2 or 3 person family OR answered 400% of poverty threshold or more and are from 4 or 5 person family OR answered less than 400% of poverty threshold and are from a family of 7 or 8 persons and Sample Adult and Sample Child are in the same family and the Sample Adult INC section has not been completed OR the Sample Adult and Sample Child are in the same family OR the Sample Child are in the same family and the Sample Child are in the same family and the Sample Child are in the same family and the Sample Adult is not the Sample Child respondent and every question asked in the Sample Adult income section was don't know or refused		
Question Text:	Was you more?	ur total family income fro	om all sources less than \$150,000 or \$150,000 o
Response:	1. 2. DK: RF:	Less than \$150,000 \$150,000 or more Don't Know Refused	

Skip Instructions:	<1,2,RF,DK> [goto	next section]		
uestion ID: FOO.0010.00.1	Variable n	ame: FSNAP12M_C	Interview module: FOO(Child.FOO)	
Inherited Universe:	(FINISH_FOO_C ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (FINISH_FOO_C ne 1))			
Universe:	((GEN.SAMEFAM_ (GEN.SAMEFAM_ GEN.FOO_FLG_A		· —	
Universe Description:	and the Sample A Adult and Sample Sample Child are	dult FOO section has Child are not in the in the same family and respondent and this pe	d Sample Child are in the same family not been completed OR the Sample same family OR Sample Adult and d Sample Adult FOO section was not erson answered all questions asked in	
Question Text:	At any time in the last 12 months did any family members living here receive ^FSSNAPNM? • Read if necessary: This program puts money on a SNAP EBT care that you can only use to buy food.			
Response:	1. Yes 2. No DK: Don't H RF: Refuse			
Fills:	^FSSNAPNM	stamp benefi If AK then fill If AZ then f benefits" If AR then fill If CA then fill If CO then fill If CT then fill If DE then f Stamp benefi If DC then fill If FL then fill	"SNAP or food stamp benefits" "III "Nutrition Assistance or food stamp "SNAP or food stamp benefits" "CalFresh or food stamp benefits" I "SNAP or food stamp benefits" "SNAP or food stamp benefits" "SNAP or food stamp benefits"	

If IL then fill "SNAP or food stamp benefits"
If IN them fill "CNIAD as feed atoms has after"
If IN then fill "SNAP or food stamp benefits"
If IA then fill "SNAP or food stamp benefits"
If KS then fill "Food Assistance Program or food
stamp benefits"
If KY then fill "SNAP or food stamp benefits"
If LA then fill "SNAP or food stamp benefits"
If ME then fill "Food Supplement Program or food stamp benefits"
If MD then fill "SNAP or food stamp benefits"
If MA then fill "SNAP or food stamp benefits"
If MI then fill "Food Assistance Program (FSP) or
food stamp benefits"
If MN then fill "SNAP or food stamp benefits"
If MS then fill "SNAP or food stamp benefits"
If MO then fill "SNAP or food stamp benefits"
If MT then fill "SNAP or food stamp benefits"
If NE then fill "SNAP or food stamp benefits"
If NV then fill "SNAP or food stamp benefits"
If NH then fill "SNAP or food stamp benefits"
If NJ then fill "NJ SNAP or food stamp benefits"
If NM then fill "SNAP or food stamp benefits"
If NY then fill "SNAP or food stamp benefits"
If NC then fill "Food and Nutrition Services or food
stamp benefits"
If ND then fill "SNAP or food stamp benefits"
If OH then fill "SNAP or food stamp benefits"
If OK then fill "SNAP or food stamp benefits"
If OR then fill "SNAP or food stamp benefits"
If PA then fill "SNAP or food stamp benefits"
If RI then fill "SNAP or food stamp benefits"
If SC then fill "SNAP or food stamp benefits"
If SD then fill "SNAP or food stamp benefits"
If TN then fill "SNAP or food stamp benefits"
If TX then fill "SNAP or food stamp benefits"
If UT then fill "SNAP or food stamp benefits"
If VT then fill "3SquaresVT or food stamp benefits"
If VA then fill "SNAP or food stamp benefits"
If WA then fill "Basic Food or food stamp benefits"
If WV then fill "SNAP or food stamp benefits"
If WI then fill "FoodShare Wisconsin or food stamp benefits"
If WY then fill "SNAP or food stamp benefits"

Skip Instructions:	s: <1> [goto FSNAP30D_C] <2,RF,DK> if PCNTF1255_C GE 1 or PCNTC05_C GE 1, [goto FWIC12M_C] else if PCNTC517_C GE 1 [goto FLUNCH12M1_C] else [goto FINISH_FOO_C]			
stion ID: FOO.0020.00.3	Variable name: FSNAP30D_C Interview module: FOO(Child.FOO)			
Inherited Universe:	(FINISH_FOO_C ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (FINISH_FOO_C ne 1))			
Universe:	FSNAP12M_C=1			
Universe Description:	Sample Child 0-17 and someone in the family received food stamps in the past 12 months			
Question Text:	Did any family members living here receive ^FSSNAPNM in the LAST 30 days? Read if necessary: This program puts money on a SNAP EBT card that you can only use to buy food.			
Response:	1. Yes 2. No DK: Don't RF: Refus	: Know sed		
Fills:	^FSSNAPNM	stamp benefits If AK then fill " If AZ then fill benefits" If AR then fill " If CA then fill " If CO then fill " If CT then fill " If DE then fill stamp benefits If DC then fill "S If GA then fill "S If HI then fill "S If ID then fill "S If IL then fill "S	SNAP or food stamp benefits" I "Nutrition Assistance or food stamp SNAP or food stamp benefits" CalFresh or food stamp benefits" SNAP or food stamp benefits" I "Food Supplement Program or food s" SNAP or food stamp benefits" SNAP or food stamp benefits" SNAP or food stamp benefits"	

If KS then fill "Food Assistance Program or food
stamp benefits"
If KY then fill "SNAP or food stamp benefits"
If LA then fill "SNAP or food stamp benefits"
If ME then fill "Food Supplement Program or food
stamp benefits"
If MD then fill "SNAP or food stamp benefits"
 If MA then fill "SNAP or food stamp benefits"
If MI then fill "Food Assistance Program (FSP) or
food stamp benefits"
If MN then fill "SNAP or food stamp benefits"
If MS then fill "SNAP or food stamp benefits"
If MO then fill "SNAP or food stamp benefits"
If MT then fill "SNAP or food stamp benefits"
If NE then fill "SNAP or food stamp benefits"
If NV then fill "SNAP or food stamp benefits"
If NH then fill "SNAP or food stamp benefits"
If NJ then fill "NJ SNAP or food stamp benefits"
If NM then fill "SNAP or food stamp benefits"
If NY then fill "SNAP or food stamp benefits"
If NC then fill "Food and Nutrition Services or food
stamp benefits"
If ND then fill "SNAP or food stamp benefits"
If OH then fill "SNAP or food stamp benefits"
If OK then fill "SNAP or food stamp benefits"
If OR then fill "SNAP or food stamp benefits"
If PA then fill "SNAP or food stamp benefits"
If RI then fill "SNAP or food stamp benefits"
If SC then fill "SNAP or food stamp benefits"
If SD then fill "SNAP or food stamp benefits"
If TN then fill "SNAP or food stamp benefits"
If TX then fill "SNAP or food stamp benefits"
If UT then fill "SNAP or food stamp benefits"
If VT then fill "3SquaresVT or food stamp benefits"
If VA then fill "SNAP or food stamp benefits"
If WA then fill "Basic Food or food stamp benefits"
If WV then fill "SNAP or food stamp benefits"
If WI then fill "FoodShare Wisconsin or food stamp
benefits"
If WY then fill "SNAP or food stamp benefits"

Skip Instructions:	<1,2,RF,DK> if PCNTF1255_C GE 1 or PCNTC05_C GE 1, [goto
	FWIC12M_C]
	else if PCNTC517_C GE 1 [goto FLUNCH12M1_C]
	else [goto FINISH_FOO_C]

Question ID: FOO.0030.00.1	Variable name: FWIC12M_C	C Interview module: FOO(Child.FOO)	
Inherited Universe:	(FINISH_FOO_C ne 1) AND ((GEN.PX_C gt 0 and PCNTunder1) PCNT ge 2 and PCNT18UP_C gt 0 (FINISH_FOO_C ne 1))	18 gt 0 and PCNT gt PCNTAGEGUESS and and NOFAMSC ne 1) AND	
Universe:	(PCNTF1255_C ge 1 or PCNTC05_ ((GEN.SAMEFAM_FLG=1 and GEN (GEN.SAMEFAM_FLG ne 1) or (GEN.SAMEFAM_FLG=1 ar GEN.SARESPSC_FLG ne 1) or (GEN.SAMFAM_FLG=1 and Adult.FOO.FWIC12M_A = EMPTY))	N.FOO_FLG_A=blank) or nd GEN.FOO_FLG_A=2 and id GEN.FOO_FLG_A=1 and	
Universe Description:	children 0-5 years of age and Samp family and the Sample Adult FOO Sample Adult and Sample Child are and Sample Child are in the same	milies with females 12-55 years of age or ple Adult and Sample Child are in the same O section has not been completed OR the re not in the same family OR Sample Adult family and Sample Adult FOO section was Sample Child respondent and this person e FOO section with RF or DK.	
Question Text:		as did any family members living here receive that is, the Women, Infants, and Children	
Response:	1. Yes 2. No DK: Don't Know RF: Refused		

Skip Instructions:	<1,2,RF,DK> If PCNTC517_C GE 1 [goto FLUNCH12M1_C]
	else [goto FINISH_FOO_C]

ion ID: FOO.0040.00.1	Variable name: FLUNCH12M1_C Interview module: FOO(Child.FOO)
Inherited Universe:	(FINISH_FOO_C ne 1) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (FINISH_FOO_C ne 1))
Universe:	PCNTC517_Cge1AND((GEN.SAMEFAM_FLG=1)andGEN.FOO_FLG_A=blank) or(GEN.SAMEFAM_FLG_A=1)or(GEN.SAMEFAM_FLG=1)andGEN.FOO_FLG_A=2andGEN.SARESPSC_FLGNE1)or(GEN.SAMFAM_FLG=1)andGEN.FOO_FLG_A=1andAdult.FOO.FLUNCH12M1_A = EMPTY))
Universe Description:	Sample Children living in families with children between the ages of 5-17 and Sample Child are in the same family and the Sample Adult FOO section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample Adult FOO section was asked to someone other than the Sample Child respondent and this person answered all questions asked in the FOO section with RF or DK.
Question Text:	At any time in the last 12 months, did SCCHILDFAM_C receive free or reduced-price breakfasts or lunches at school? • Read if necessary: The National School Lunch Program and the School Breakfast Program provide cash assistance to states to operate breakfast and lunch programs in schools and residential childcare institutions. The programs provide low-price or free breakfasts and lunches to low-income children in kindergarten through 12th grade.
Response:	1. Yes 2. No DK: Don't Know RF: Refused

Fills:	^SCCHILDFAM_C	if PCNTC517_C=1, fill "^SCNAME", elseif PCNTC517_Cgt 1, fill "any child in your family",
Skip Instructions:	<1,2,RF,DK> [goto FINISH	_FOO_C]

Question ID: FOO.0050.00.1	Variable name: FINIS	SH_FOO_C	Interview module: FOO(Child.FOO)
Inherited Universe:	(FINISH_FOO_C ne 1) AND ((GEN.PX_C gt 0 and PCNT PCNT ge 2 and PCNT18UP_ (FINISH_FOO_C ne 1))	-) and PCNT gt PCNTAGEGU NOFAMSC ne 1) AND	ESS and
Universe:	FOO_FINISH_C = EMPTY A ((GEN.SAMEFAM_FLG=1 ar (GEN.SAMEFAM_FLG ne 1)	nd GEN.FO		
	(GEN.SAMEFAM_FLG=1 GEN.SARESPSC_FLG NE 1		GEN.FOO_FLG_A=2	and
	(GEN.SAMFAM_FLG=1 Adult.FOO.FWIC12M_A = E ge 1)) or		GEN.FOO_FLG_A=1 (PCNTF1255_C ge 1 or PCN	and ITC05_C
	(GEN.SAMFAM_FLG=1 Adult.FOO.FLUNCH12M1_A			and
Question Text:	 The Sample Child food relation continue. 	ated progran	ns section is now complete. +	Enter '1' to
Response:	1. Enter 1 to Contir	nue		
Skip Instructions:	<1> [goto next section]			

Question ID: FDS.0010.00.3	Variable name: FDSINTRO_C	Interview module: FDS(Child.FDS)	
Inherited Universe:	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))		
Universe Description:	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent		
Question Text:	that people have made about their foo	m going to read you several statements d situation. For these statements, please en true, sometimes true, or never true for	
Response:	1. Enter 1 to Continue		
Skip Instructions:	<1> [goto FDSRUNOUT_C]		

uestion ID: FDS.0020.00.3	Variable name: FDSRUNOUT_C	Interview module: FDS(Child.FDS)		
Inherited Universe:	(((SAMEFAM_FLG=1 and FDS_FLG_A=	blank) or (SAMEFAM FLG ne 1) or		
	(SAMEFAM_FLG=1 and FDS_FLG_A=2			
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS a			
	PCNT ge 2 and PCNT18UP_C gt 0 and N	NOFAMSC ne 1) AND		
	(((SAMEFAM_FLG=1 and FDS_FLG_A=	blank) or (SAMEFAM_FLG ne 1) or		
	(SAMEFAM_FLG=1 and FDS_FLG_A=2	and SARESPSC_FLG ne 1))))		
Universe Description:	Sample Child 0-17 and Sample Adult and	Sample Child are in the same family		
	and the Sample Adult FDS section has	not been completed OR the Sample		
	Adult and Sample Child are not in the sa	ame family OR the Sample Adult and		
	Sample Child are in the same family and	I the Sample Adult answered refused		
	or don't know to all questions in the Sample Adult FDS section and the Sample			
	Child respondent is not the Sample Adult	respondent		
Question Text:		ether our food would run out before we ten true, sometimes true, or never true for		

Response:	1.	Often true
	2.	Sometimes true
	3.	Never true
	DK:	Don't Know
	RF:	Refused
Skip Instructions:	<1-3,RF,	DK> [goto FDSLAST_C]

Question ID: FDS.0030.00.3	,	Variable name: FDSLAST_C	Interview module: FDS(Child.FDS)
Inherited Universe:	(SAMEF/ ((GEN.P) PCNT ge (((SAMEI	AM_FLG=1 and FDS_FLG_A=2 K_C gt 0 and PCNTunder18 gt 0 2 and PCNT18UP_C gt 0 and N	-blank) or (SAMEFAM_FLG ne 1) or
Universe Description:	and the s Adult and Sample (or don't k	Sample Adult FDS section has d Sample Child are not in the sa Child are in the same family and	d Sample Child are in the same family not been completed OR the Sample ame family OR the Sample Adult and d the Sample Adult answered refused ole Adult FDS section and the Sample respondent
Question Text:		Was that often true, sometime	ast, and we didn't have money to get s true, or never true for your family in the
Response:	1. 2. 3. DK: RF:	Often true Sometimes true Never true Don't Know Refused	
Skip Instructions:	<1-3,RF,	DK> [goto FDSBALANCE_C]	

ion ID: FDS.0040.00.3	Variable name: FDSBALANCE_C Interview module: FDS(Child.FD			
Inherited Universe:	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or			
	(SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND			
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and			
	PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND			
	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or			
	(SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1)))			
Universe Description:	Sample Child 0-17 and Sample Adult and Sample Child are in the same family			
	and the Sample Adult FDS section has not been completed OR the Sample			
	Adult and Sample Child are not in the same family OR the Sample Adult and			
	Sample Child are in the same family and the Sample Adult answered refused			
	or don't know to all questions in the Sample Adult FDS section and the Sample			
	Child respondent is not the Sample Adult respondent			
Question Text:				
	"We couldn't afford to eat balanced meals." Was that often true, sometir true, or never true for your family in the last 30 days?			
Question Text: Response:	"We couldn't afford to eat balanced meals." Was that often true, sometir true, or never true for your family in the last 30 days?			
	"We couldn't afford to eat balanced meals." Was that often true, someting true, or never true for your family in the last 30 days? 1. Often true			
	"We couldn't afford to eat balanced meals." Was that often true, sometine true, or never true for your family in the last 30 days? 1. Often true 2. Sometimes true			
	"We couldn't afford to eat balanced meals." Was that often true, sometine true, or never true for your family in the last 30 days? 1. Often true 2. Sometimes true 3. Never true			
Response:	"We couldn't afford to eat balanced meals." Was that often true, sometine true, or never true for your family in the last 30 days? 1. Often true 2. Sometimes true 3. Never true DK: Don't Know			
Response:	"We couldn't afford to eat balanced meals." Was that often true, sometine true, or never true for your family in the last 30 days? 1. Often true 2. Sometimes true 3. Never true DK: Don't Know RF: Refused			
Response:	"We couldn't afford to eat balanced meals." Was that often true, sometine true, or never true for your family in the last 30 days? 1. Often true 2. Sometimes true 3. Never true DK: Don't Know RF: Refused <1-2> [goto FDSSKIP_C] <3,RF,DK> if FDSRUNOUT_C IN (1,2) OR FDSLAST_C IN (1,2) [goto FDSSKIP_C];			
Response:	"We couldn't afford to eat balanced meals." Was that often true, sometine true, or never true for your family in the last 30 days? 1. Often true 2. Sometimes true 3. Never true DK: Don't Know RF: Refused <1-2> [goto FDSSKIP_C] <3,RF,DK> if FDSRUNOUT_C IN (1,2) OR FDSLAST_C IN (1,2) [goto			

Question ID: FDS.0050.00.3	V	ariable name: FI	DSSKIP_C	Interview module: FDS(Child.FDS)
Inherited Universe:	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))))			
Universe:	FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN (1,2)			_C IN (1,2) or FDSBALANCE_C IN
Universe Description:	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.			
Question Text:		•	-	C ever cut the size of your meals or skip noney for food?
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		
Fills:	 ^youorother_C If PCNT18UP_C=1 fill "you" else fill: "you or other adults in your family" 		-	
	^dejar_(C	Spanish Only	

Skip Instructions:	<1> [goto FDSSKIPDYS_C]
	<2,RF,DK> [goto FDSLESS_C]

Question ID: FDS.0060.00.3	Variable name: FDSSKIPDYS_C	Interview module: FDS(Child.FDS)
Inherited Universe:	(((SAMEFAM_FLG=1 and FDS_FLG_A=b (SAMEFAM_FLG=1 and FDS_FLG_A=2 a ((GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and NC (((SAMEFAM_FLG=1 and FDS_FLG_A=b (SAMEFAM_FLG=1 and FDS_FLG_A=2 a	and SARESPSC_FLG ne 1))) AND and PCNT gt PCNTAGEGUESS and OFAMSC ne 1) AND blank) or (SAMEFAM_FLG ne 1) or
Universe:	FDSSKIP_C = 1	
Universe Description:	Sample Child 0-17 and Sample Adult and 3 and the Sample Adult FDS section has n Adult and Sample Child are not in the sam Sample Child are in the same family and a or don't know to all questions in the Sample Child respondent is not the Sample Adult they skipped meals due to cost	not been completed OR the Sample me family OR the Sample Adult and the Sample Adult answered refused e Adult FDS section and the Sample
Question Text:	In the last 30 days, how many days did	I this happen?
Response:	DK: Don't Know RF: Refused	
Skip Instructions:	<1-30,RF,DK> [goto FDSLESS_C]	

Question ID: FDS.0070.00.3	Variable name: F	DSLESS_C	Interview module: FDS(Child.FDS)
Inherited Universe:	(SAMEFAM_FLG=1 and ((GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18 (((SAMEFAM_FLG=1 an	FDS_FLG_A=2 and NTunder18 gt 0 and UP_C gt 0 and NOFA d FDS_FLG_A=blan	k) or (SAMEFAM_FLG ne 1) or SARESPSC_FLG ne 1))) AND PCNT gt PCNTAGEGUESS and AMSC ne 1) AND k) or (SAMEFAM_FLG ne 1) or SARESPSC_FLG ne 1))))
Universe:	(FDSRUNOUT_C IN (1,2 (1,2))	2) or FDSLAST_C I	N (1,2) or FDSBALANCE_C IN
Universe Description:	and the Sample Adult FI Adult and Sample Child a Sample Child are in the s or don't know to all questi Child respondent is no answered often true or s that food would run out b	DS section has not l are not in the same same family and the ions in the Sample A bt the Sample Adu cometimes true that before they got mon st and they didn't hav	nple Child are in the same family been completed OR the Sample family OR the Sample Adult and Sample Adult answered refused dult FDS section and the Sample alt respondent and respondent in the last 30 days they worried ey to buy more, or that the food we money to get more or couldn't
Question Text:	In the last 30 days, did because there wasn't e	•	er eat less than you felt you should ood?
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^youorother_C	If PCNT18UP_C= else fill: "you or ot	1 fill "you" her adults in your family"
	^COMER_C	Spanish Only	
	^pensar_C	Spanish Only	

Skip Instructions:	<1,2,RF,DK> [goto FDSHUNGRY_C]
--------------------	--------------------------------

ion ID: FDS.0080.00.3	Variable name: F	DSHUNGRY_C	Interview module: FDS(Child.FDS)
	(SAMEFAM_FLG=1 and ((GEN.PX_C gt 0 and PC PCNT ge 2 and PCNT18 (((SAMEFAM_FLG=1 and	FDS_FLG_A=2 an NTunder18 gt 0 ar UP_C gt 0 and NO d FDS_FLG_A=bla	ank) or (SAMEFAM_FLG ne 1) or d SARESPSC_FLG ne 1))) AND nd PCNT gt PCNTAGEGUESS and FAMSC ne 1) AND ank) or (SAMEFAM_FLG ne 1) or d SARESPSC_FLG ne 1))))
	(FDSRUNOUT_C IN (1,2 (1,2))	2) or FDSLAST_C	IN (1,2) or FDSBALANCE_C IN
	and the Sample Adult FI Adult and Sample Child a Sample Child are in the s or don't know to all questi Child respondent is no answered often true or s that food would run out b	DS section has no are not in the sam same family and the ions in the Sample of the Sample A cometimes true the pefore they got mo st and they didn't he	ample Child are in the same family to been completed OR the Sample e family OR the Sample Adult and he Sample Adult answered refused Adult FDS section and the Sample dult respondent and respondent at in the last 30 days they worried oney to buy more, or that the food have money to get more or couldn't
Question Text:	In the last 30 days, we there wasn't enough m	-	ever hungry but didn't eat because
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^youorother_C	If PCNT18UP_(else fill: "you or	C=1 fill "you" other adults in your family"
	^estar_C	Spanish Only	

Skip Instructions:	<1,2,RF,DK> [goto FDSWEIGHT_C]
--------------------	--------------------------------

ion ID: FDS.0090.00.3	Variable name: FD	DSWEIGHT_C	Interview module: FDS(Child.FDS)
Inherited Universe: Universe:	(((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1))) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (((SAMEFAM_FLG=1 and FDS_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and FDS_FLG_A=2 and SARESPSC_FLG ne 1)))) (FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN		d SARESPSC_FLG ne 1))) AND nd PCNT gt PCNTAGEGUESS and FAMSC ne 1) AND ank) or (SAMEFAM_FLG ne 1) or d SARESPSC_FLG ne 1))))
	(1,2))	,,	· · · · (·,_) •· · · · • • • · · · · · · · · · · · ·
Universe Description:	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.		
Question Text:	In the last 30 days, did enough money for food	•	ose weight because there wasn't
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^perder_C	Spanish Only	

Skip Instruction	IS: <1> [goto FDSNOTEAT_C]
	<2,RF,DK> if FDSSKIP_C=1 or FDSLESS_C=1 or FDSHUNGRY_C=1 [goto
	FDSNOTEAT_C]; else [goto next section]

Question ID: FDS.0100.00.3	Variable name: FD	SNOTEAT_C	Interview module: FDS(Child.FDS)
Inherited Universe:	(SAMEFAM_FLG=1 and F ((GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U (((SAMEFAM_FLG=1 and	DS_FLG_A=2 and ITunder18 gt 0 and P_C gt 0 and NOF FDS_FLG_A=bla	nk) or (SAMEFAM_FLG ne 1) or I SARESPSC_FLG ne 1))) AND I PCNT gt PCNTAGEGUESS and FAMSC ne 1) AND nk) or (SAMEFAM_FLG ne 1) or I SARESPSC_FLG ne 1))))
Universe:	FDSSKIP_C=1 OR F FDSWEIGHT_C=1	DSLESS_C=1	OR FDSHUNGRY_C=1 OR
Universe Description:	and the Sample Adult FD Adult and Sample Child ar Sample Child are in the sa or don't know to all questio Child respondent is not answered they cut the siz	S section has not re not in the same ame family and the ns in the Sample A the Sample Ad ze of the meals,	ample Child are in the same family been completed OR the Sample family OR the Sample Adult and e Sample Adult answered refused Adult FDS section and the Sample lult respondent and respondent skipped meals, were hungry but ys because there wasn't enough
Question Text:	In the last 30 days, did / there wasn't enough mo	•	ver not eat for a whole day because
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^pasar_C	Spanish Only	
	^youorother_C	If PCNT18UP_C else fill: "you or c	=1 fill "you" other adults in your family"

•	<1> [goto FDSNEDAYS_C]
	<2,RF,DK> [goto next section]

Question ID: FDS.0110.00.3	Variable name: FDSNEDAYS_C	Interview module: FDS(Child.FDS)
Inherited Universe:	(((SAMEFAM_FLG=1 and FDS_FLG_A=b (SAMEFAM_FLG=1 and FDS_FLG_A=2 a ((GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and No (((SAMEFAM_FLG=1 and FDS_FLG_A=b (SAMEFAM_FLG=1 and FDS_FLG_A=2 a	and SARESPSC_FLG ne 1))) AND and PCNT gt PCNTAGEGUESS and OFAMSC ne 1) AND blank) or (SAMEFAM_FLG ne 1) or
Universe:	FDSNOTEAT_C=1	
Universe Description:	Sample Child 0-17 and Sample Adult and and the Sample Adult FDS section has n Adult and Sample Child are not in the sam Sample Child are in the same family and or don't know to all questions in the Sampl Child respondent is not the Sample Adult have ever not eaten for a whole day beca food in the last 30 days	not been completed OR the Sample me family OR the Sample Adult and the Sample Adult answered refused le Adult FDS section and the Sample respondent and adults in the family
Question Text:	In the last 30 days, how many days did	d this happen?
Response:	DK: Don't Know RF: Refused	
Skip Instructions:	<1-30,RF,DK> [goto next section]	

Question ID: HOU.0010.00.1	Variable name: HOU	YRSLIV_C	Interview module: HOU(Child.HOU)
Inherited Universe:	GEN.PX_C gt 0 and PCNTu PCNT ge 2 and PCNT18UP_	•	and PCNT gt PCNTAGEGUESS and OFAMSC ne 1
Universe:	GEN.AGE_FINAL[PX_C]=1-	17	
Universe Description:	Sample Children 1-17		
Question Text:	About how long has ^SCI	IAME lived in	n this house/apartment?
Response:	1.Less than 1 year2.1 to 3 years3.4 to 10 years4.11 years or moreDK:Don't KnowRF:Refused		
Fills:	^SCNAME I	Fill ALIAS of F	HSTAT_C=1
Skip Instructions:		(SAMEFAM o HOUTENUI	

Check Name: ERR1_HOUYRSLIV_C

Text:	{check ERR1_HOUYRSLIV_C} Years in house/apartment exceedchild's age. Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	(AGE_FINAL GE 1 AND AGE_FINAL LE 3, and HOUYRSLIV_C in (3,4)) or (AGE_FINAL LE 10, and HOUYRSLIV_C=4)

Question ID: HOU.0020.00.1	Variable	name: HOUTENURE_C	Interview module: HOU(Child.HOU)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	(((SAMEFAM_FLG=1 and HOU_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and HOU_FLG_A=2 and SARESPSC_FLG ne 1)))		
Universe Description:	Sample Children 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult HOU section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample Adult HOU section was asked to someone other than the Sample Child respondent and this person answered all questions asked in the HOU section with RF or DK.		
Question Text:	Is this house/a a mortgage, rec	•	ted by you ^SOMEFAM_C? + If house has
Response:	2. Rent 3. Othe	er arrangement t Know	
Fills:	^SOMEFAM_(fill: blank 2 fill: "or someone in your family"
Skip Instructions:	<1,3,RF,DK> [go <2> [got HOUG√	-	

Question		J.0030.00.1
Question	ID. HOU	

Interview module: HOU(Child.HOU)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	HOUTENURE_C=2 and (((SAMEFAM_FLG=1 and HOU_FLG_A=blank) or (SAMEFAM_FLG ne 1) or (SAMEFAM_FLG=1 and HOU_FLG_A=2 and SARESPSC_FLG ne 1)))		
Universe Description:	Sample Children 0-17 living in a house/apartment that is being rented and Sample Adult and Sample Child are in the same family and the Sample Adult HOU section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample Adult HOU section was asked to someone other than the Sample Child respondent and this person answered all questions asked in the HOU section with RF or DK.		
Question Text:	Is anyone in your family paying lower rent because the Federal, State, or local government is paying part of the cost? • Read if necessary: Federal, State, or Local government housing programs for persons with low income may take many forms. Government housing assistance could come from monetary assistance to help pay rent, a program called "Section 8," direct payments to landlords, vouchers, or other types of assistance from a local housing authority. Living in public housing is considered housing assistance from the government.		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Skip Instructions:	<1,2,RF,DK> [goto next section]		

Question ID: REC.0010.00.1	Variable name: LN	NKFNAME_C	Interview module: REC(Child.REC)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe Description:	Sample Children 0-17			
Question Text:	Ask or verify: What is ^:	SCNAME's full nam	ne? • Enter first name.	
Response:	DK: Don't Know RF: Refused			
Fills:	^SCNAME	Fill ALIAS of HHS	TAT_C=1	
Skip Instructions:	<allow 20,rf,dk=""> [goto L</allow>	NKMNAME_C]		

Question ID: REC.0020.00.1	Variable name: LNKMNAME_C	Interview module: REC(Child.REC)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and N	0
Universe Description:	Sample Children 0-17	
Question Text:	 Enter middle name. Press "Enter" to s 	skip to last name if child has no middle name.
Response:	DK: Don't Know RF: Refused	
Skip Instructions:	<allow 20,rf,dk=""> [goto LNKLNAME_C]</allow>	

Question ID: REC.0030.00.1

Interview module: REC(Child.REC)

Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1	
Universe Description:	Sample Children 0-17	
Question Text:	♦ Enter last name.	
Response:	DK: Don't Know RF: Refused	
Skip Instructions:	<allow 20,rf,dk=""> [goto next section]</allow>	

Question ID: TEL.0010.00.1	Va	ariable name: TELCURWRK_C	Interview module: TEL(Child.TEL)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:		(SAMEFAM_FLG=1 and TELCURWRK_A=empty) or (SAMEFAM_FLG=1 and TELCURWRK_A IN (DK,RF) and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1)		
Universe Description:	Sample Children 0-17 who live in the same family as a sample adult, where TELCURWRK_A has not be asked OR who live in the same family as a sample adult, where TELCURWRK_A was answered don't know or refused and the sample child respondent is not the sample adult OR who do not live in the same family as the sample adult			
Question Text:		at least one telephone INSIDE and is not a cell phone?	- SCNAME's home that is currently	
Response:	1. 2. DK: RF:	Yes No Don't Know Refused		

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
Skip Instructions:	<1,2,RF,DK> [goto PHONELIVE_C]		

Question ID: TEL.0020.00.1	Variable name: P	HONELIVE_C	Interview module: TEL(Child.TEL)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18	•	PCNT gt PCNTAGEGUESS and AMSC ne 1
Universe:	TELCEL_A ne 1 and ((SAMEFAM_FLG=1 and PHONELIVE_A=blank) or (SAMEFAM_FLG=1 and PHONELIVE_A IN (DK,RF) and SARESPSC_FLG ne 1) or (SAMEFAM_FLG ne 1))		
Universe Description:	Sample Children 0-17 in a family with at least one other person without working cell phones where Sample Adult does not live in same family as Sample Child or Sample Adult and Sample Child are in the same family but PHONELIVE_A has not been asked OR Sample Adult and Sample Child are in the same family, PHONELIVE_A was answered dk/rf and the Sample Adult is not the Sample Child Respondent.		
Question Text:	Does ^SCNAME live with anyone who has a working cell phone?		
Response:	1. Yes 2. No DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	STAT_C=1
Skip Instructions:	<1,2,RF,DK> [goto next s	ection]	

Question ID: LNK.0010.00.1

Variable name: LNKINTRO_C

Interview module: LNK(Child.LNK)

· · · · · · · · · · · · · · · · · · ·		
-	under18 gt 0 and PCNT gt PCNTAGEGUESS and P_C gt 0 and NOFAMSC ne 1	
Sample Children 0-17		
 ?[F1] We would like the last four digits of ^SCNAME's Social Security Number. This information will help us link ^hisher_C survey data with other health-related records of other government agencies, and allow us to conduct additional research without taking up your time with more questions. The National Center for Health Statistics (NCHS) uses this information for research purposes only. Providing this information is voluntary. There will be no effect on ^SCNAME's benefits if you do not provide this information. Federal laws authorize us to ask for this information. Like all other answers you have provided, this information will remain confidential. • Read if necessary: The specific federal laws protecting ^SCNAME's privacy and the confidentiality of ^hisher_C data are the Public Health Service Act (Title 42, U.S.C., Section 242m(d)), the Confidential Information Protection and Statistical Efficiency Act of 2018 (Title III, Public Law No. 115-435), and the Privacy Act of 1974 (5 U.S.C. ŧ 552a). In addition to the above cited laws, NCHS complies with the Federal Cybersecurity Enhancement Act of 2015 (6 U.S.C. §§ 151 and 151 note) which protects Federal information systems from cybersecurity risks by screening their networks Read if necessary: NCHS collects health-related data from other government agencies, including records from Medicare and Medicaid Services, Social Security, housing, and death certificates. If you agree, NCHS will attempt to link records such as these with ^SCNAME's survey data to give a fuller picture of the kinds of things that affect health. NCHS does this linkage. ^SCNAME's name and ^hisher_C information are not given to these agencies. Read if necessary: If asked: ^SCNAME's data will not be linked to records from the IRS (Internal Revenue Service) or ICE (Immigration and Customs Enforcement). Enter '1' to continue. 		
1. Enter 1 to Continue		
^SCNAME	Fill ALIAS of HHSTAT_C=1	
^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"	
	PCNT ge 2 and PCNT18UF Sample Children 0-17 ?[F1] We would like the This information will help health-related records of additional research withe National Center for Healt purposes only. Providing on ^SCNAME's benefits authorize us to ask for th provided, this informatio specific federal laws prote ^hisher_C data are the Pu the Confidential Informatio Public Law No. 115-435), it to the above cited laws, No Act of 2015 (6 U.S.C. §§ 1 systems from cybersecurit NCHS collects health-relatifrom Medicare and Medicare certificates. If you agree, I ^SCNAME's survey data to health. NCHS does this lim not given to these agencie be linked to records from t Customs Enforcement). If 1. Enter 1 to Con	

estion ID: LNK.0020.00.1	Variable name: S	SN4_C	Interview module: LNK(Child.LNK)
Inherited Universe:	GEN.PX_C gt 0 and PCN PCNT ge 2 and PCNT18U	•	d PCNT gt PCNTAGEGUESS and FAMSC ne 1
Universe Description:	Sample Children 0-17		
Question Text:	Read if necessary: Provi ^SCNAME's benefits if y to ask for this information answers will remain cont federal laws protecting ^ are the Public Health Se Confidential Information Title III, Public Law No. 1 552a. In addition to the Cybersecurity Enhance	iding this information rou do not provide to n. Like all other info fidential. Read if a SCNAME's privacy ervice Act, which is Protection and Sta 15-435; and the Pr a above cited laws ement Act of 2015 nation systems fro	CNAME's Social Security Number? on is voluntary. There will be no effect on his information. Federal laws authorize us ormation you have provided, these asked about specific laws: The specific and the confidentiality of ^hisher_C data Title 42, U.S.C., Section 242m(d); the tistical Efficiency Act of 2018, which is rivacy Act of 1974, which is 5 U.S.C. § , NCHS complies with the Federal 6 (6 U.S.C. §§ 151 and 151 note) which com cybersecurity risks by screening curity Number.
Response:	DK: Don't Know RF: Refused		
Fills:	^SCNAME	Fill ALIAS of HHS	STAT_C=1
	^hisher_C	else if GEN.SEX	AL[PX_C]=1 fill "his"; _FINAL[PX_C]=2 fill "her"; [_FINAL[PX_C] in (blank,DK,RF): fill
	if SSN4_C=Adult.LNK.SSI elseif SSN4_C=000-999 [elseif SSN4_C NOT IN (N <0001-9999> [goto THAN] <n,rf,dk> [goto RLINK_0</n,rf,dk>	goto ERR2_SSN4_ ,DK,RF,000-999,00 KS_C]	-

Check Name: ERR1_SSN4_C				
Text:	{signal ERR1_SSN4_C} • The last four digits of ^SCNAME's Social Security Number are the same as the last four digits of ^SANAME's Social Security Number. Please verify.			
Hard / Soft Edit:	Soft			
Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1		
	^SANAME	Sample Adult's name		
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1			
Universe:	Adult.LNK.SSN4_A=SSN4_C			
Universe Description:	The sample adult and the sample child's last four digits are the same			

Check Name: ERR2_SSN4_C

Text:	{check ERR2_SSN4_C} + You must enter all four of the last four digits of the Social Security Number. + Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	SSN4_C=000-999
Universe Description:	Entered less than four digits

Check Name: ERR3_SSN4_C

Text:	{check ERR3_SSN4_C} * The last 4 digits of a SSN may be between 0001-9999. * For a respondent who does not want to provide the SSN, enter 'Ctrl D' or 'Ctrl R' for 'Don't Know' or 'Refused.' * If a respondent does not have a SSN, enter 'N'. * Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1
Universe:	SSN4_C NOT IN ('N','RF','DK','000-999','0001-9999')
Universe Description:	SSN last four digits are 0000 or a letter other than N

Question ID: LNK.0030.00.1	١	/ariable name: RLINK_C	Interview module: LNK(Child.LNK)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe:	SSN4_C	IN (N,RF,DK)	
Universe Description:	Sample cl	hild 0-17 where SSN was ref	used, don't know or not available.
Question Text:			
Response:	: 1. Yes 2. No		
	DK: RF:	Don't Know Refused	

Fills:	^SCNAME	Fill ALIAS of HHSTAT_C=1	
Skip Instructions:	<1,2,RF,DK> [goto ne>	xt section]	

Question ID: WEB.0040.00.4	Variable name: TNMODE_C	Interview module: WEB(Child.WEB)	
Inherited Universe:	: (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))		
Universe Description:	Sample Children 12-17		
Question Text:	How are you contacting the respondent?		
Response:	 Personal visit Telephone 		
Skip Instructions:	<1,2> [goto TNINTRO_C]		

Question ID: WEB.0050.00.4	Variable name: TNINTRO_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL go 017)) AND	e 012 and GEN.AGE_FINAL le
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NOF (GEN.QTYPE2=1 and (GEN.AGE_FINAL gr 017)))	AMSC ne 1) AND

Universe Description: Sample Children 12-17

Question Text: ? [F1] Thank you for answering questions about ^InitTNFNAME_C_fill's health. Before we finish, we would like to ask you for permission to contact ^InitTNFNAME_C_fill directly so that ^heshe_C ^havehas_SC an opportunity to answer questions about ^hisher_C own health. With your permission, we will ask ^InitTNFNAME_C_fill to complete a quick online survey that takes 15 minutes or less to complete. The majority of the questions are the same or similar to the ones you just answered, but ^InitTNFNAME_C_fill may have ^hisher_C own unique perspectives. That's why we think it is important to give ^himher_C a chance to tell us about ^hisher_C health. ^TNINFO This survey includes additional questions about ^InitTNFNAME_C_fill's health, health care, physical activities, use of yoga and meditation, demographics, like the race,

ethnicity, and gender that ^InitTNFNAME C fill considers ^himherthemselves_C, sexual orientation, and experiences with bullying and discrimination. ^InitTNFNAME C fill's answers, just like the answers you provided, will be kept strictly confidential. We won't tell ^InitTNFNAME C fill the answers that you just provided, and we won't tell you ^hisher_C answers after ^heshe C ^participate. ^InitTNFNAME C fill can skip any questions ^heshe_C ^DoDoes_SC not want to answer and stop the survey at any time. • Read if necessary: The answers ^InitTNFNAME_C_fill provides will ONLY be used for statistical purposes. Strict federal laws, including Section 308(d) of the Public Health Service Act (Title 42, U.S.C., Section 242m(d)), the Privacy Act of 1974 (5 U.S.C. § 552a) and the Confidential Information Protection and Statistical Efficiency Act of 2018 (Title III, Public Law No: 115-435) prevent NCHS and its contractors from releasing information that could identify AInitTNFNAME C fill or your family to anyone else without your permission. All identifying information is removed from the data. In addition to the above cited laws, NCHS complies with the Federal Cybersecurity Enhancement Act of 2015 (6 U.S.C. §Â§ 151 and 151 note) which protects Federal information systems from cybersecurity risks by screening their networks. • Enter '1' to continue.

Response:	1. Enter 1 to Continue	
Fills:	^InitTNFNAME_C_fill	Fill value from Child.WEB.InitTNFNAME_C
	^heshe_C	If GEN.SEX_FINAL[PX_C]=1 fill "he" else if GEN.SEX_FINAL[PX_C]=2 fill "she" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "they"
	^havehas_SC	If GEN.SEX_FINAL[PX_C]=1 or 2, fill "has" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "have"
	^TNINFO	If TNMODE_C=1, fill: "This card gives you some information about the survey, and I can tell you more about the content if you wish." elseif TNMODE_C=2, fill: "You will receive a card that gives you some information about the survey, and I can tell you more about the content if you wish."
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
	^himher_C	if SEX_FINAL=1, fill "him" if SEX_FINAL=2, fil "her" if SEX_FINAL=RF,DK, fill "them" Page 318 of 334

	^himherthemselves_C	If SEX_FINAL_C=1 fill "himself" else if SEX_FINAL_C=2 fill "herself" elseif SEX_FINAL_C=blank: fill "themselves"
	^participate	if SEX_FINAL=1 or 2, fill "participates" if SEX_FINAL=RF,DK, fill "participate"
	^DoDoes_SC	If GEN.SEX_FINAL[PX_C]=1 or 2, fill "does" else if GEN.SEX_FINAL[PX_C] in (RF,DK): fill "do"
Skip Instructions:	<1> [goto TNPER_C]	

Question ID: WEB.0060.00.4	Variable name: TNPER_C	Interview module: WEB(Child.WEB)	
Inherited Universe:	017)) AND ((GEN.PX_C gt 0 and PCNTunder18 PCNT ge 2 and PCNT18UP_C gt 0 a	FINAL ge 012 and GEN.AGE_FINAL le gt 0 and PCNT gt PCNTAGEGUESS and nd NOFAMSC ne 1) AND FINAL ge 012 and GEN.AGE_FINAL le	
Universe Description:	Sample Children 12-17		
Question Text:	necessary: This doesn't mean that ^ are asking if we can ^LEAVE ^himhe Some parents may respond to this q	_C_fill to participate in this survey? • Read if InitTNFNAME_C_fill has to participate, but we er_C some more information about the survey. • Juestion by asking their teen if they want to they want to participate, only select option 3 if	
Response:	 Yes No Teen declined participation 	on	

	1	
Fills:	^LEAVE	if TNMODE_C=1, fill "leave"
		elseif TNMODE_C=2, fill "mail"
	^himher_C	if SEX_FINAL=1, fill "him"
		if SEX_FINAL=2, fil "her"
		if SEX_FINAL=RF,DK, fill "them"
	^InitTNFNAME_C_fill	Fill value from Child.WEB.InitTNFNAME_C
	Adianusata O fill	On an internet
	^dispuesto_C_fill	Spanish only
Skin Instructions:	<1> if TNNAME_FLG_C=	
	elseif TNNAME_FLG_C=0	
	<2> [goto TNOPTIN_C]	
	<3> [goto TNLEAVE_C]	

uestion ID: WEB.0061.00.4	Variable name: TNLEAVE_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL (017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NOF (GEN.QTYPE2=1 and (GEN.AGE_FINAL (017)))	d PCNT gt PCNTAGEGUESS and FAMSC ne 1) AND
Universe:	TNPER_C=3	
Universe Description:	Sample Children 12-17 who decline participa	ation
Question Text:	May we ^LEAVE the initial letter in case ^hisher_C mind? • Read if necessary: Th ^InitTNFNAME_C_fill has to participate, but ^himher_C some more information about th provides more information about the survey know, including why we're doing the survey token of appreciation they receive.	his doesn't mean that t we are asking if we can ^LEAVE te survey. • Read if necessary: The letter t that ^InitTNFNAME_C_fill may want to
Response:	1	

	1. Yes 2. No	
Fills:	^LEAVE	if TNMODE_C=1, fill "leave" elseif TNMODE_C=2, fill "mail"
	^SCNAME	Fill ALIAS of HHSTAT_C=1
	^InitTNFNAME_C_fill	Fill value from Child.WEB.InitTNFNAME_C
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
	^himher_C	if SEX_FINAL=1, fill "him" if SEX_FINAL=2, fil "her" if SEX_FINAL=RF,DK, fill "them"
Skip Instructions:	<1> if TNNAME_FLG_C= ⁻ elseif TNNAME_FLG_C=0 <2> [goto TNOPTIN_C]	

Question ID: WEB.0080.00.4	Variable name: TNNAME_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL 017)) AND	ge 012 and GEN.AGE_FINAL le
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 a PCNT ge 2 and PCNT18UP_C gt 0 and NC	0
	(GEN.QTYPE2=1 and (GEN.AGE_FINAL 017)))	ge 012 and GEN.AGE_FINAL le
Universe:	(TNPER_C=1 or TNLEAVE_C=1) and TNN	IAME_FLG_C=1
Universe Description:	Sample Children 12-17 whose parents g contacted or who declined participation and leave a letter and who have a valid first nar	d whose parents gave permission to
Question Text:	 Ask or verify: Invitations to participate a InitTNFNAME_C_fill's name as it shoul ^InitTNFNAME_C_fill ^InitTNLNAME_C Select 'No' to update name. 	d appear on a mailed envelope? I have
Response:		

Response:

	1. Yes 2. No	
Fills:	^InitTNFNAME_C_fill	Fill value from Child.WEB.InitTNFNAME_C
	^InitTNLNAME_C_fill	Fill value from Child.WEB.InitTNLNAME_C
Skip Instructions:	<1> [goto NHISLINKID] <2> [goto TNFNAME_C]	

uestion ID: WEB.0090.00.4	Variable name: TNF	NAME_C Inte	erview module: WEB(Child.WEB)
Inherited Universe:	017)) AND ((GEN.PX_C gt 0 and PCNT PCNT ge 2 and PCNT18UP	under18 gt 0 and PCN _C gt 0 and NOFAMS	2 and GEN.AGE_FINAL le NT gt PCNTAGEGUESS and C ne 1) AND 2 and GEN.AGE_FINAL le
Universe:	(TNPER_C=1 or TN TNNAME_FLG_C=0)	ILEAVE_C=1) and	d (TNNAME_C=2 or
Universe Description:	•	articipation and whose	rmission for the child to be e parents gave permission to
Question Text:	first name is needed to ens	ure the teenager rece	rst name? Enter first name. • A ives the initial invitation letter and illing to provide a first name, enter
Response:	DK: Don't Know RF: Refused		
Fills:			te are sent by mail. In order for ate in this study, we need at

<allow 20,rf,dk=""> if NAMEOK_FLG_C=1 [goto TNLNAME_C]</allow>
else if NAMEOK_FLG_C=0 [goto TNOPTIN_C]

Question ID: WEB.0110.00.4	Variable name: TNLNAME_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 an PCNT ge 2 and PCNT18UP_C gt 0 and NOI (GEN.QTYPE2=1 and (GEN.AGE_FINAL 017)))	d PCNT gt PCNTAGEGUESS and FAMSC ne 1) AND
Universe:	(TNPER_C=1 or TNLEAVE_C=1) and NAM	EOK_FLG_C=1
Universe Description:	Sample Children 12-17 whose parents ga contacted or who declined participation and leave a letter and who have valid first name	
Question Text:	Enter last name if provided, last name is o	ptional.
Response:	DK: Don't Know RF: Refused	
Skip Instructions:	<allow 20,rf,dk=""> [Goto NHISLINKID]</allow>	

Question ID: WEB.0130.00.4	Variable name: NHISLINKID	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINA 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 PCNT ge 2 and PCNT18UP_C gt 0 and N (GEN.QTYPE2=1 and (GEN.AGE_FINA 017)))	and PCNT gt PCNTAGEGUESS and NOFAMSC ne 1) AND
Universe:	PER_FLG_C=1	
Universe Description:	Sample Children 12-17 whose parents contacted and have valid first name	gave permission for the child to be
Question Text:	 Enter the 8-digit NHIS link ID printed or the barcode. 	n the left-hand side of the envelope just above
Response:		

Question ID: WEB.0140.00.4	Variable name: CHECKDIGIT	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NOFA (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 017)))	PCNT gt PCNTAGEGUESS and MSC ne 1) AND
Universe:	PER_FLG_C=1	
Universe Description:	Sample Children 12-17 whose parents gave contacted and have valid first name	permission for the child to be
Question Text:	** Instrument Variable **	
Response:		
Skip Instructions:	<1> if TNPER_C=1 [goto TNPHONE_C] <1> if TNLEAVE_C=1 [goto TNLETTER_C] <0> [goto ERR1_CHECKDIGIT]	

	Check Name: ERR1_CHECKDIGIT
Text:	{check ERR1_CHECKDIGIT} NHIS Link ID invalid. Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
Universe:	CHECKDIGIT=0 or NHISLINKID is all the same digit
Universe Description:	NHISLINKID is invalid
Skip Instructions:	[goto NHISLINKID]

	Variable name:	TNPHONE_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))		d PCNT gt PCNTAGEGUESS and FAMSC ne 1) AND
Universe:	TNPER_C=1 and NAM	TNPER_C=1 and NAMEOK_FLG_C=1	
Universe Description:	Sample Children 12-17 whose parents gave permission for the child to be contacted and have valid first name		
Question Text:	messages directly fro hisher_C own cell p necessary: The survey phone. • Read if nece cell phone number will to participate in the su other than through aut the Census Bureau ar necessary: NCHS com (6 U.S.C. §§ 151 ar cybersecurity risks by	om the Census Bure ohone number we m y is mobile friendly an essary: I will not be co I only be used to rece rvey. No one will use tomated messages se e not responsible for nplies with the Federa nd 151 note) which pr screening their netwo shared while using a	arvey may also be sent by text eau. Does ^TNNAME_fill have ay use to text ^himher_C? * Read if d can be completed easily over the ontacting ^TNNAME_fill. ^TNNAME_fill's ive automated invitations and reminders this information to contact ^himher_C ent from the Census Bureau. NCHS and any text-related charges. * Read if al Cybersecurity Enhancement Act of 2015 rotects Federal information systems from orks. NCHS cannot promise protection personal device. NCHS can only protect
Response:	1. Yes 2. No		
	DK: Don't Know RF: Refused	I	
Fills:		r Fill values from ⁻	INFNAME_C

Skip Instructions:	<1> [goto TNPHONENUM_C]	
	<2,RF,DK> [goto TNEMAIL_C]	

Question ID: WEB.0160.00.4	Variable name: TNPHONENUM_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL g 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NOF (GEN.QTYPE2=1 and (GEN.AGE_FINAL g 017)))	PCNT gt PCNTAGEGUESS and AMSC ne 1) AND
Universe:	TNPHONE_C=1	
Universe Description:	Sample Children 12-17 whose parents gav contacted and have valid first name and agre	-
Question Text:	What is ^TNNAME_fill's cell phone numb	er?
Response:	DK: Don't Know RF: Refused	
Fills:	^TNNAME_fill Fill values from T	NFNAME_C
Skip Instructions:	If TNPHONENUM_C LT 200000000 ERR1_TNPHONENUM_C] elseif all 10 digits the same in TNPHONEN 911 [goto ERR2_TNPHONENUM_C] elseif duplicate phone number entered [goto else [TNEMAIL_C]	NUM_C or first three digits 555 or

Check Name: ERR1_TNPHONENUM_C

Text:	{check ERR1_TNPHONENUM_C} + Enter the entire telephone number. + Check for invalid area code (000-200). + Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
Universe:	If TNPHONENUM_C LT 200000000 or GT 9999999996

Check Name: ERR2_TNPHONENUM_C

Text:	{signal ERR2_TNPHONENUM_C} Are you sure this is the correct phone number? Please confirm.
Hard / Soft Edit:	Soft
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
Universe:	IF all 10 digits the same of TNPHONENUM_C or first three digits '555' or '911'
Universe Description:	IF all 10 digits the same of TNPHONENUM_C or the area code is invalid

Check Name: ERR3_TNPHONENUM_C

Text:	{signal ERR3_TNPHONENUM_C} + I have ^TNPHONENUM_fill as ^TNNAME_fill's personal cell phone number, is that correct?	
Hard / Soft Edit:	Soft	
Fills:	^TNNAME_fill	Fill values from TNFNAME_C
	^TNPHONENUM_fill	Fill value from Child.WEB.TNPHONENUM_C
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))	
Universe Description:	If phone number entered matches phone number already collected	

Question ID: WEB.0170.00.4	Variable name: TNEMAIL_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL g 017)) AND ((GEN.BX_C at 0 and PCNTunder18 at 0 and	
	((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND	
	(GEN.QTYPE2=1 and (GEN.AGE_FINAL g 017)))	
Universe:	TNPER_C=1 and NAMEOK_FLG_C=1	
Universe Description:	Sample Children 12-17 whose parents gave contacted and who have valid first name	e permission for the child to be
Question Text:	 Invitations to participate may also be sent by e-mail directly from the Census Bureau. Does ^TNNAME_fill have ^hisher_C own e-mail address we may use to e-mail ^himher_C? * Read if necessary: I will not be contacting ^TNNAME_fill. ^TNNAME_fill's e-mail address will only be used to receive automated invitations and reminders to participate in the survey. No one will use this information to contact ^himher_C other than through automated messages sent from the Census Bureau. * Read if necessary: NCHS complies with the Federal Cybersecurity Enhancement Act of 2015 (6 U.S.C. §§ 151 and 151 note) which protects Federal information systems from cybersecurity risks by screening their networks. NCHS cannot promise protection related to information shared while using a personal device. NCHS can only protect information once it is in the NCHS system. 	
	Page 328 of 334	

Response:	1. Yes 2. No DK: Don't Know RF: Refused	
Fills:	^TNNAME_fill	Fill values from TNFNAME_C
	^hisher_C	if GEN.SEX_FINAL[PX_C]=1 fill "his"; else if GEN.SEX_FINAL[PX_C]=2 fill "her"; else if GEN.SEX_FINAL[PX_C] in (blank,DK,RF): fill "their"
	^himher_C	if SEX_FINAL=1, fill "him" if SEX_FINAL=2, fil "her" if SEX_FINAL=RF,DK, fill "them"
Skip Instructions:	<1> [goto TNEADDRESS_C] <2,RF,DK>[goto TNLETTER_C]	

Question ID: WEB.0180.00.4	Variable name: TNEADDRESS_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NOFA (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 017)))	PCNT gt PCNTAGEGUESS and MSC ne 1) AND
Universe:	TNEMAIL_C=1	
Universe Description:	Sample Children 12-17 whose parents gave permission for the child to be contacted and who have valid first name and whose parents gave permission for the child to be contacted by e-mail	
Question Text:		

Response:	DK: Don't Know RF: Refused	
Fills:	^TNNAME_fill	Fill values from TNFNAME_C
	^himher_C	if SEX_FINAL=1, fill "him" if SEX_FINAL=2, fil "her" if SEX_FINAL=RF,DK, fill "them"
Skip Instructions:	: <verbatim,rf,dk> if response is ne 'N' and It 6 characters [goto ERR1_TNEADDRESS_C] else if response is ne 'N' and is missing '.' and/or '@' [goto ERR2_TNEADDRESS_C] else [goto TNLETTER_C]</verbatim,rf,dk>	

Check Name: ERR1_TNEADDRESS_C

Text:	{signal ERR1_TNEADDRESS_C} + Enter entire email address. + Please correct.
Hard / Soft Edit:	Soft
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
Universe:	If TNEADDRESS_C <> 'N' AND TNEADDRESS_C LT 6 characters
Universe Description:	Email address entered is less than 6 characters

Check Name: ERR2_TNEADDRESS_C

Text:	{check ERR2_TNEADDRESS_C} + Enter entire email address. + Please correct.
Hard / Soft Edit:	Hard
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 012 and GEN.AGE_FINAL le 017)))
Universe:	If TNEADDRESS_C <> 'N' AND Email address is missing '.' and/or '@'
Universe Description:	Email address is missing '.' and/or '@'

Question ID: WEB.0190.00.4	Variable name: TNLETTER_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL (017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 an PCNT ge 2 and PCNT18UP_C gt 0 and NOF (GEN.QTYPE2=1 and (GEN.AGE_FINAL (017)))	d PCNT gt PCNTAGEGUESS and FAMSC ne 1) AND
Universe:	PER_FLG_C=1	
Universe Description:	Sample Children 12-17 whose parents gaves contacted or who declined participation but and who have valid first name	
Question Text:	^TNLETTER	
Response:		

	1. Enter 1 to Co	ontinue
Fills:	^TNLETTER	If TNMODE_C=1, fill " Write the teen's name on the initial letter envelope. Hand the envelope to the parent or guardian, or directly to the teenager if they are available." ^TNFNAME_C ^TNLNAME_C" elseif TNMODE_C=2, fill: "We will mail the initial invitation letter to ^TNNAME_fill."
Skip Instructions:	<1> [goto next section]	

Question ID: WEB.0200.00.4	Variable name: TNOPTIN_C	Interview module: WEB(Child.WEB)
Inherited Universe:	(GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 017)) AND ((GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT ge 2 and PCNT18UP_C gt 0 and NOFA (GEN.QTYPE2=1 and (GEN.AGE_FINAL ge 017)))	PCNT gt PCNTAGEGUESS and AMSC ne 1) AND
Universe:	TNPER_C=2 or (TNPER_C=1 and NAMEOK_	_FLG_C=0) or TNLEAVE_C=2
Universe Description:	Sample Children 12-17 whose parents did no be contacted or whose parents did give contacted but do not have valid first name o whose parents did not give permission to leav	permission for the child to be or who declined participation and
Question Text:	If you change your mind, you can call the ^MODENUM.	phone number on the card
Response:		

Fills:	^MODENUM	If TNMODE_C=1, fill: "that was given to you, 1-800-618-5888" If TNMODE_C=2, fill: "that is being mailed to you, 1-800-618-5888"
Skip Instructions:	<1> [goto next section]	

Question ID: THX.0010.00.1	Variable name: THANKS_C	Interview module: THX(Child.THX)	
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample Children 0-17		
Question Text:		questions. If there is a Sample Adult interview to respond to these questions. Enter '1' to	
Response:	1. Enter 1 to Continue		
Skip Instructions:	<1> [goto SCRESP_FNAME]		

stion ID: THX.0020.01.1		Variable name: SCRESP_FNAME	Interview module: THX(Child.THX)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1		
Universe Description:	Sample	Children 0-17	
Question Text:		verify: In case I or someone from e need your full name. What is yo	my office needs to get in touch with our full name? + Enter first name.
Response:	DK: RF:	Don't Know Refused	

Question ID: THX.0020.02.1	Variable name: SCRESP_L	LNAME Interview module: THX(Child.THX)
Inherited Universe:	GEN.PX_C gt 0 and PCNTunder1 PCNT ge 2 and PCNT18UP_C gt	18 gt 0 and PCNT gt PCNTAGEGU	ESS and
Universe Description:	Sample Children 0-17		
Question Text:	 Enter last name. 		
Response:	DK: Don't Know RF: Refused		
Skip Instructions:	<allow 20,rf,dk=""> [goto next secti</allow>	ion]	

Check Name: Child parallel tab finished

Text:	You have finished the Child parallel tab. Press "Enter" or click OK to go back to the main interview path. Then press the "END" key to jump to the next unanswered question.
Hard / Soft Edit:	Soft
Inherited Universe:	(GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1) AND (GEN.PX_C gt 0 and PCNTunder18 gt 0 and PCNT gt PCNTAGEGUESS and PCNT ge 2 and PCNT18UP_C gt 0 and NOFAMSC ne 1)
Skip Instructions:	Closing the box takes the user to the CASESTATUS screen