

FINAL ENVIRONMENTAL IMPACT STATEMENT,
REGULATORY IMPACT REVIEW, AND FINAL REGULATORY FLEXIBILITY
ANALYSIS
FOR AMENDING
THE ATLANTIC LARGE WHALE TAKE REDUCTION PLAN:
RISK REDUCTION RULE
VOLUME III Appendices



Images collected under MMPA Research permit number MMPA 775-1875 Photo Credit:
NOAA/NEFSC/Christin Khan

National Marine Fisheries Service National Oceanic and Atmospheric Administration
DEPARTMENT OF COMMERCE

Prepared by: NOAA's National Marine Fisheries Service and Industrial Economics,
Incorporated Final EIS: July 2021

RESPONSIBLE AGENCY:

Assistant Administrator for Fisheries
National Oceanic and Atmospheric Administration
U.S. Department of Commerce Washington, DC 20235

VOLUME III TABLE OF CONTENTS

Appendix 7.1 Comment Methods and Summary

Appendix 7.2 Comments from Members of the Take Reduction Team

Appendix 7.3 Comments from the Public Sessions

Appendix 7.4 Form Letter Comments

Appendix 7.5 Comment Submission List

APPENDIX 7.1

COMMENTS METHODS AND SUMMARY

1. Summary and Methods

NMFS reviewed and considered all written and oral public submissions received during the DEIS public review and comment periods. NMFS' goal was to identify substantive comments to be addressed in this FEIS, and to categorize those comments based on topics and issues. This categorization scheme allowed subject matter experts to review comments directly related to their areas of expertise, and allowed NMFS to generate summary statistics based on the topics and issues addressed in each of the comments.

All unique public comment submissions received on the Proposed Rule and DEIS can be viewed online at <http://www.regulations.gov> by typing "NOAA-NMFS-2020-0031" in the search field. Due to the vast number of form letters and form letter variants, at least one of each variant was posted but many near duplicate comments were received but not posted.

2. Methodology

A. Terminology

The following terminology is used throughout this appendix:

- **Submission:** The entire content submitted by a single person or group at a single time. For example, a 10-page letter from a citizen, an email with a portable document format (PDF) attachment, and a transcript of an oral comment given at a public hearing meeting were each considered a submission.
- **Form letter submission:** Pre-written text provided by an interest group for submission by individuals. Due to the large number of submissions, any text with at least a 70 percent match was considered a form letter.
- **Variant form letter submission:** A submission that is based on, but does not match the pre-written form letter template or text prepared by the interest group (less than 70 percent match), but the substantive comments are either the same or a subset of a form letter).
- **Unique submission:** A submission that is not based on any identified form letter text.
- **Comment:** A specific statement within a submission that expresses a sender's specific point of view, concern, question, or suggestion. A comment can consist of more than once sentence, as long as those grouped sentences express a single idea. One submission may contain many comments.
- **Substantive Comment:** DEIS submissions were reviewed to identify and categorize "substantive" comments. To be substantive, a comment must meet both of the following criteria:
 - Related to the Proposed Rule and DEIS: To be substantive, a comment must relate to Atlantic Large Whale Take Reduction Plan. Comments outside the scope of the plan, such as those addressing vessel strikes or climate change, were not considered substantive.

- Consisting of more than simple opinion: This criterion requires that substantive comments provide information to help NMFS prepare the FEIS by providing some level of support or basis for the commenter’s position, a specific suggestion, or some indication of issues the commenter believes are significant. As an example, “NMFS should do everything it can to protect whales” was not considered substantive, but “NMFS should create immediate fishing closures in areas where right whales are most prevalent” was considered substantive.
- Substantive comments include those that suggest the DEIS analysis is flawed in a specific way, or suggest alternate information than what is presented in the DEIS. These comments challenge or question the accuracy of information presented, the adequacy, methodology or assumptions of the analysis presented in the DEIS (with supporting rationale), present new information relevant to the analysis, present reasonable alternatives (including mitigation) other than those analyzed in the document, or corrects factual errors in the content of the DEIS. Substantive comments could also provide information in support of the analysis presented in the DEIS

B. Comment Submittal

Federal agencies, state/local/tribal governments, fishermen, and the general public had the opportunity to provide comments on the DEIS and SEIS via the following mechanisms:

- Electronic submissions via www.Regulations.gov on docket number NOAA-NMFS-2020-0031
- Electronic submissions via email to a NMFS representative
- Comments submitted verbally at each of the public information sessions and hearings (See Chapter 1 of the FEIS for a description of the sessions and Appendix 1.2 for transcripts)

All submissions initially provided at public information sessions and public hearings were assigned a unique identification number. That unique ID was retained throughout the comment management process.

C. Comment Processing

NMFS reviewed all of the comments submitted through public information sessions and hearings, via email, and submitted through Regulations.gov. The Regulations.gov submissions were provided in text format and as attachments in PDF, Microsoft Word, or jpg formats. Text from these comments were copied from the original format into a single Google Sheets spreadsheet that served as the primary submission database. Where the submission included multiple comments, the submissions were broken up into several entries. The submission database also included information about each submission, including the submitter’s name, affiliation, and overall disposition of the sender toward the Proposed Rule.

3. Substantive Comments Review and Analysis

Each submission was reviewed to identify substantive comments (as defined in above). Each substantive comment was entered into another Google Sheets spreadsheet that served as the master substantive comment database with its comment number identifier. Substantive comments were extracted from the submission text and assigned to a topic and subtopic. Each substantive comment was assigned to one or more subject matter experts for review and response, and responses were reviewed by multiple subject matter experts to facilitate FEIS updates.

NMFS identified a total of 187 distinct substantive comments that were within the scope of the current rulemaking. The majority of these comments were submitted by multiple people, some of them by thousands of people. See Chapter 1, Table 1.7 for a list of the unique topics and subtopics submitted. Comment Submission Summary

NMFS received 171,213 submissions on the Proposed Rule and the Draft Environmental Impact Statement (DEIS) through the comment portal.

Of these, six submissions from Non-Governmental Organizations were entered as counting for more than one comment: Pew Charitable Trusts: 47,699; Conservation Law Foundation: 1,192; Humane Society of the U.S: 15,922; Oceana: 18,440; Natural Resources Defense Council: 33,045; Riverkeepers: 4.

Five additional submissions from Non-Governmental Organizations (NGO) were entered as one comment, but had thousands of signatures attached: International Fund for Animal Welfare: 31,912; Whale and Dolphin Conservation: 3,629; Environment America: 11,727; Center for Biological Diversity: 26,594; Environmental Action: 11,135. All of the above-referenced submissions, which represent up to 201,269 people, were in favor of stronger regulations to protect North Atlantic right whales.

We also received comments through public information sessions and hearings. See Chapter 1 of the FEIS for a breakdown of webinar attendees by date. A total of 211 individuals provided comments through these informational sessions and public hearings, some of them on multiple days. Of these, at least 58 identified themselves as fishermen on the webinars.

NMFS received 53,585 individual submissions uploaded through the Regulations.gov portal, as well as 9 comments emailed directly to our office, of which 3 were also posted on Regulations.gov. After running a deduplication analysis, 1,360 submissions were posted on Regulations.gov. From this group, NMFS identified additional form letter submissions not detected by the deduplication analysis, and, after reviewing the entries for double submissions or submissions of supporting documentation separate from the original submission, we received approximately 1,076 unique written submissions that were not clearly part of a coordinated campaign. While repeated language was identified in a small number of these submissions, evidence generally did not suggest that these submissions were form letters, or pre-written text provided by an interest group for submission by individuals. A summary table of unique submissions by stakeholder groups is below.

Table 7-1: Written DEIS Submissions by Stakeholder Group

Stakeholder Group	Number of Unique Submissions
Academic/Scientific	28
Federal Agencies	2
Federal Resource Managers	1
Fishery Management Associations	2
Fishing Industry Groups	10
Manufacturers	2
Non-Governmental Organizations	71
Public	617
Fishermen	300
Other Industry	2
State Fishery Resource Managers	7
State/Federal Legislators	32
Towns	2
Total	1076

4. Comments Submitted Through Regulations.Gov and Email

Submissions were reviewed to determine the overall disposition of the provider toward the proposed Project. Based on this review, dispositions of the 1,076 unique submissions is as follows:

- Supports some or all of Proposed Rule: 647 (60.13 percent)
- Opposes some or all of Proposed Rule: 352 (32.71 percent)
- Supports regulation to protect whales, but would like to see this one withdrawn, and for NMFS to start over: 45 (4.18 percent)
- Neutral (no distinct disposition/provided suggestions): 34 (3.16 percent)

Table 7-2 lists the name and agency or organization affiliation (if any) for each person or group that provided a unique substantive comment during the DEIS comment period submitted through Regulations.gov. These comments are all available in full on Regulations.gov under the docket number NOAA-NMFS-2020-0031.

Some individuals submitted more than one unique comment, and some submitted duplicate comments, which are noted in column 3. In the cases in which more than one person or entity was represented by the comment, that is noted in the table below. Please note, this list does not include bulk submissions or form letters and variants on form letters, some of which were posted, so numbering below is not consecutive. For those, see Table 7-3 below.

Table 7-2 Posted Submissions

Submission ID	Name of Submitter(s)	Organization
7	John Nicastro	
8	Harvey Yenkinson	
9	Joe Mama	
10	Anonymous	
11	Paige Rollerson	
12	John Williams	
13	Robert Rutkowski	Oceana
14	James Fletcher	
15	Seana Parker-Dalton	
16	Anonymous	
17	Desert Star Systems LLC	
18	Anonymous	
20	Marc Palombo	
21	Mary Branch	
22	Mary Branch	
23	Mary Branch	
24	Richard Lasseter	
25	Anonymous	
25	Anonymous	
26	Zachary Plopper	Wildcoast.org
27	Annalisa Tuel	Turtle Island Restoration Network
28	Naomi Klass	
29	Cecyl Ivie	
30	Carrington Petras	
31	Jarod Bray	
32	Katherine Labella	
33	Jarod Bray	
34	Traci Terrick	
36	Jacqueline Mills	
38	Kristen Bossert	
39	Linda Hilf	
40	Anonymous	
41	Michael Ciocci	
42	Gail Repesnek	
43	Kathleen Byrnes	
44	Jean Public	

Submission ID	Name of Submitter(s)	Organization
45	Robert McLean	
46	Thomas Simmons	
47	Leah Rubin	
48	Erin Meyer-Gutbrod	
49	Robert Boenish	
51	Alex Costidas	
52	Jamie Daniels	
53	Donna Scalcione	
54	Richard Stockwell	
55	Darcy Silver	
56	Jacqueline Mills	
57	Christin Lawrence	
58	Menin Sur Gaey	
59	Michael Kapp	
61	Ann Lindberg	
62	Charles Barans	
63	Meg Hoyle	
65	Carol Hill	
67	Antonio Riviera	
74	Mark Perry	Florida Oceanographic Society
76	Robert Brown	
77	Janet Heinle	
78	Sandra Iseman	
79	Jonathan Mitchell	
80	Leo R. Sandy	
82	Doreen Tignanelli	
83	Heidi Ahlstrand	
86	Mary Walls	
87	Sonya Chan	
88	Robin Pappas	
92	Randy Sailer	
93	JoAnne Larsen	
94	Michael Stock	
96	Alan Bosch	
97	Jeff Fromberg	
98	Dwight Marshall	
100	Gilles Dubois	

Submission ID	Name of Submitter(s)	Organization
101	Bonnie MacRaith	
102	Margo Salone	
104	Dan Fogarty	
105	Margo Wyse	
106	Leslie Lazzo	
108	Linda Badham	
109	Richard Riggs	
110	Susan Krause	
111	Richard Clark	
112	Robert Reed	
114	Susan Weems	
115	Dorothy Blake	
116	Donna Delisis	
117	Pamela Rogers	
121	Sally Jacques	
122	Doug Krause	
123	Judi Calvi	
124	Sylvana Arguello	
125	Georgia Shankel	
129	Julia Couchman	
130	Kendrick Miller	
132	Nancy Schultz	
134	John Mattinen	
137	Annie Vola	IOP Turtle Team
138	Rob Jursa	
143	Anonymous	
144	Lynn Wilbur	
146	Laura Blanchette	
147	Chris Ottosen	
148	Marguery Lee Zucker	
149	Karen Anderson	
150	Anonymous	
156	Garry S. Taroli.	
158	Emily Dickinson-Adams	
159	Marguery Lee Zucker	
160	Anonymous	
161	Andrea Wolfson	

Submission ID	Name of Submitter(s)	Organization
162	Sue Harris	
163	Tony Vecchio	Jacksonville Zoo
164	Peter Broderson	
167	Jacqueline Wolfe	
168	Carol Harris	
169	Robin Morton	
170	Robert Badcock	
171	Charles Greene	
172	Evelyn Coltman	
173	Dana Oholorogg	
174	Sheila Morgan	
175	Alan McConigly	
176	Carl Oerke Jr	
178	Anthony Montapert	
179	Alice Jena	
180	Michael and Denise Resnick	
181	Constance Garcia-Barrio	
182	Leslene Dunn	
183	Melanie Wentz	
184	Rochelle Ellison	
186	Charles Barker	
188	Deborah Voves	
190	Kathi Ridgway	
191	Sarah Sowambur	
192	Delphine Holman	
193	Joanne Lingerfelt	Island Turtle Team
194	Clifford Chapman	
195	Lindsay Schoen Lane	
196	Diana Douglas	
197	Mary Moderacki	
198	Laraine Lebron	
199	Dan Richman	
200	Tamara Rakic	
201	Mary Dosch	
202	Holly Rose	
203	Elizabeth Garratt	
204	Lotte Larsson	

Submission ID	Name of Submitter(s)	Organization
205	Pam Mettier	
206	Linda Carroll	
207	Blake Wu	
208	Alex Costidis	Take Reduction Team, large whale necropsy team
209	Scott Barton	
210	Bill McClellan	Take Reduction Team, large whale necropsy lead, Northeast Implementation Team
211	Scott Melick	
212	Raul.M. Grijalve, Chair	House Committee on Natural Resources
214	Kelli Reynolds	
216	Sigrid Ramos	
218	Maria Lopes	
228	Mary Pringle	SC Marine Mammal Stranding Network on Isle of Palms and Marine Turtle Stranding & Salvage Network
229	Marilyn Evenson	
230	Karen Kindel	
231	Jasmine Littleson	
233	Victoria Milne	
234	Lyra Brennan, Assistant Director	Mass Audubon's Coastal Waterbird Program
238	John Dziak	
240	Nicole Downing	
241	Ann Oliver	
243	Jenne Sindoni	
249	Margaret Halbeisen	
251	Jasmine Davidson	
253	Peter Anonymous	
257	Deanna Turner	
266	Anonymous	
267	Anonymous	
269	David Dow	
275	Vincent McKay	
277	Anca Vlasopolos	
279	Debbie Brooks	
280	Paula Brady	
286	Martita Lopez	
287	Sheila Ward	
288	Mary Shabbott	
290	Karen Murphy	

Submission ID	Name of Submitter(s)	Organization
291	Sheryl Gilmore, Bird Family, Gilmore Family, Vincent Ianuzzi-Sucich, James Tornetta, Natalia Sawicka, Lillian Westerberg, Edward Ianuzzi-Sucich, Ellis Kuester-Ha, Marilena Hall	Acadia Institute of Oceanography
292	Judith Nichols	
298	Delphine Reynier	
303	Donna Mulvey	
310	Margaret Breen	
315	James Cooke	
324	Karen O'Brien	
325	Jeannie Latimer	
326	Bette Holland	
330	Courtney Zyeda Cole	
331	K Griffin	
335	Charisse Sproha	
336	Katie Stalcup	
337	Pat Petro	
338	Rachel Sullivan-Lord	
339	Vivian Gharakhani	
340	Joe Massey	
341	Catherine Uden	
343	Diana Harding	
344	Charlotte Griffith	Calvin Project
345	Stephanie Gualtieri	
347	Krivo, Maureen	Georgia Conservancy
348	Leticia Cruz	
349	Shoshana Osofsky	
351	Elizabeth Jolin	Bay and Reef Tourism Company
352	Missy Kendrick	
353	Nathan Iyer	
354	Darcee Vorndran	
355	Derek Brown	
357	Bobby Davenport	
359	Sierra Lefebvre	
360	Arch Lamb	
361	Charles H. McMillan, III and Katherine Moore	Georgia Conservancy
363	Betsy Smith	
364	Claire Sefiane	

Submission ID	Name of Submitter(s)	Organization
369	Anonymous Anonymous	
370	Barbara Bradley	
375	Rachel Bramson	
376	Wendy Drexler	
377	John J Munro III	
378	Suzanne Besaw	
381	Joanne Ravgiala	
383	Doug Teper	
384	Bryce Lehner	
385	Isaac Wolfson	
386	Conner McGarry	
387	Jozef Zekanoski	
391	Rosemarie Santiesteban	
392	Al Segars	
393	Kate McPherson	
394	Kevin Rose	
395	Teri Anulewicz	Georgia State Representative House District 42
396	Stacey Evans	Georgia State Representative House District 57
397	Daly, Tom	
399	Gary Fowler	
400	Mark Palaez	
401	Erick Allen	Georgia State Representative House District 40
402	luciet@vt.edu	
403	Anonymous Anonymous	
405	Ines Nedelcovic	
406	Jessica Howell-Edwards	
409	Mary Townsend	
410	Rep Mary Margaret Oliver	Georgia State Representative House District 82
414	Maine Lobsterman	
415	Diane English	
416	Bev Lips	
417	Sarah Austin	
418	Anthony Cusimano	
419	Charles Talley	
420	John David Stevens	
421	Wendy Van Dyke	
435	Marga Frantz	

Submission ID	Name of Submitter(s)	Organization
436	William Skelly	
437	Logan Spratt	
438	Anonymous Anonymous	
439	Daniell Gilbert	
447	Candis Whitney	Amelia Island Conservation Network
448	Rachel Silverstein, Ph.D,	Miami Waterkeeper
449	Karen Swain	
450	Hermina Glass-Hill	Susie King Taylor Women's Institute and Ecology Center and its Coastal Black Women's Coastal Memory & Conservation Collective in coastal Georgia
452	Michael Mihalas	North Carolina Council of Trout Unlimited
453	Sandra Fernandez-Achenbach	
454	Nancy Blastos	
455	Alex Petersen	
456	Alison Zyla	
457	Joyce Morrison	
458	Jeanette Spreemann	
459	Joann Ramos	
460	Paulette Walton Butler	
461	Krista Early	Clean Water Advocate Environment North Carolina
462	Robert Trammel	Trammell Law Firm, GA
463	Alexandra Kearns, Chair	Earthkeeper
464	Jean Dempsey	
465	Nancy Daves	
467	Nora Schaper	
469	Jenifer Hilburn	
471	Fernald, Bruce	
482	I.J. DuBois	
489	Michael Hawkey	
500	Glenda Beal	
510	Kimberly S. Jackson	Georgia State Senator, District 41
511	Barbara Christopher	
512	Anonymous	
513	Jarod Bray	
514	Jared Krivo	
515	Heather Bowman Cutway	
516	Hayden Hart	

Submission ID	Name of Submitter(s)	Organization
517	Eben Nieuwkerk	
518	Lee Fisher	
520	Gina Fisher	
521	Andrew Balser	
522	Park Cannon	Georgia State Representative House District 58
523	Alan Inzerillo	
524	William Morrill	
525	Anonymous	
528	Anonymous	
529	Herman Faulkingham,	
532	Alley Blake	
533	Gary Libby	
534	Justin Vyce	
535	Kevin Ritchie	
536	Billy Bob Faulkingham	
537	Jim O'Connell	
538	Charles Johnson	
539	Rachel Franks	
540	Royce Blackwood	
541	Katherine Warden	
542	Danette Bordenkircher	
543	Sugum Francis	
544	Alicia Lancaster	
545	J.M.	
546	Andrea Sturgeon	
547	AJ Bafer	
548	Geneviève Nesslage, Chair	Atlantic Scientific Review Group
549	Anonymous	
550	Michael Schierloh	
551	Maria Andreatta	
552	Rob Pinkham	
553	Cathy McPherson	
554	Philip Genthner	
555	Chris Chipman	
556	Mazen Hassan	
557	Samuel Sautaux	
558	Shawn Howard	

Submission ID	Name of Submitter(s)	Organization
559	Rob Pinkham	
560	Carl Guyton	
561	Jason Joyce	
562	Elin Elisofon	
563	Gail Bagley	
564	Sharanya Majumder	
565	Dudley G. Gray	
566	Dean Anderson	
567	Richard Merrick	
568	Matthew Knowlton	
569	Najma Zahira	
570	Brian Moody	
571	Mark Olsen	
572	Beth DiGiulio	
573	David Devens	
574	Chandan Aggarwal	
575	Kris Koerber	
576	Chris Moore	
577	Matthew Skrod	
578	John Bruns,	
579	Jeremy Rodriguez	
580	Michael Hanrahan	
581	Troy Lewis	
582	Jackson Trahan	
583	Scarlette Flores	
584	Sydney Ziegler	
585	David Light,	
586	Alexandra Dent	
587	Volker Poelzl	
588	Bryden Wright	
589	Micah Anderle	
590	Grant Dator	
591	Lily Scott	
592	Environmental Review, Inc	
593	Aurelie Tamsamani	
594	Maine Lobsterman	
595	Emma Elsbecker	

Submission ID	Name of Submitter(s)	Organization
596	Emily Osman	
597	Abigail Wiseman	
599	Ellen O'Rourke	
600	Jim Merryman	
602	Eric Lorentzen	
603	Meredith LaLumia	
604	Kimberly Gilman	
605	Richard Osgood	
606	Ulysses Lateiner	
613	Corina Browarnik	
616	Daryl Dunham	
617	West Windsor	
618	John Todd	
619	Mickey Mouse	
620	Tyler Norton	
621	Joseph DeSalvo	
622	Jeff Riccio	
623	Barbara Katusha	
629	Brenda Frey	
639	Danielle Thomas	
640	Sam Winchester	
642	Michael Kersula	
645	Richard Hall	
652	Thomas A. Nies	New England Fishery Management Council
653	John Davis and Christine Laporte	Rewilding Institute
654	Daniel J. McKiernan	Massachusetts Division of Marine Resources
655	Paul S. Anderson	Maine Center for Coastal Fisheries
656	Peter Baker, Project Director Conserving Marine Life, New England and Atlantic Canada The Pew Charitable Trusts, K. Purcie Bennett-Nickerson, Attorney Bennett Nickerson Environmental Consulting, Roger Fleming, Attorney Blue Planet Strategies	Pew Charitable Trusts, Bennett Nickerson Environmental Consulting, Blue Planet Strategies
657	26,594 members	Center for Biological Diversity
658	Jennifer Ide	Atlanta City Council
659	Ron Forman, Craig Piper, Roger Germann, Dennis Pate, Dr. Alistair D.M. Dove, Carrie Lewis, Jason Patlis, Alan Varsik, Stephen Coan, Kevin Mills, John Racanelli, Keith Sanford, Kurt	Aquarium Conservation Partnership

Submission ID	Name of Submitter(s)	Organization
	Strand, Cynthia Whitbred-Spanoulis, Vikki Spruill, Daniel Ashe	
660	David Kaplan, Esq	Cetacean Society International
661	Rob Pinkham	
662	Amy Unzueta	
663	Kimberley Beal	
664	Lorraine/Paul Mullen,	
665	Paige Kurowski	
666	William T. McWeeny	The Calvin Project
667	Bryan Soares	
668	Brianna Fenty and 18,440 signatures	Oceana
669	Regina Asmutis-Silvia and Colleen Weiler	Whale and Dolphin Conservation, Take Reduction Team
670	Mary Robichaux	Georgia State Representative, House District 48
671	Clay Mobley	
672	Roderick Throgmorton	
673	Rachel Hunt	North Carolina State House District 13
674	Deborah Williams	
675	Thomas Bell	
677	Brian Carr	
678	Nick Page	
679	Heather Denney	
680	Kristen Monsell, Erica Fuller, Jane Davenport, Sharon Young, Keisha Sedlacek	Center for Biological Diversity, Conservation Law Foundation, Defenders of Wildlife, Humane Society of the United States, Human Society Legislative Fund
681	Fred Koerber	
682	Karie McNickles	
683	Taylor Lobster Company	Maine Lobster Dealers' Association
684	Jamien Hollowell	Maine Lobstermen's Association Board of Directors
685	Scott Young	
686	Sheryle Tamagini	
687	Mike Wolowicz	
688	Sherman Rich	
689	William Nichols	
690	Suzanne Hamilton	
691	Anna Plotnik	
692	Ron Forman, Craig Piper, Roger Germann, Dennis Pate, Dr. Alistair D.M. Dove, Carrie Lewis, Jason Patlis, Alan Varsik, Stephen Coan, Kevin Mills, John Racanelli, Keith Sanford, Kurt	Aquarium Conservation Partnership Same as 659

Submission ID	Name of Submitter(s)	Organization
	Strand, Cynthia Whitbred-Spanoulis, Vikki Spruill, Daniel Ashe	
693	Chris Kelsey	
694	Ms. Farrow's 5th graders	
695	Mary Todd	
696	Sam Wainright	
697	Richard A. Wahle, Ph.D	University of Maine Lobster Institute
698	Joshua Conover	
699	Anonymous	
700	Robert Fletcher	
701	Peter O. Thomas, Ph.D	Marine Mammal Commission
702	Mary Margaret Oliver	Georgia State Representative House District 82 Same as 410
703	Michael Jasny	Natural Resources Defense Council
705	Brian Sharp, CT Harry, Dr. Sarah Sharp and 31,912 signatures	International Fund for Animal Welfare
706	Brennan Strong	
707	Candis Whitney	
708	Scott Barton	Same as 209
710	Charles H. McMillan, III and Katherine Moore	Georgia Conservancy Same as 361
711	S.Rosen	
712	Adrienne Sullivan	
713	Roger Fleming and R. Zack Klyver	Blue Planet Strategies
714	Alistair D.M. Dove, PhD	Georgia Aquarium
715	Virginia Olsen	Maine Lobstering Union
716	Jacob Thompson	
717	Caitlin Trafton,	
718	Francine Kershaw, Ph.D	Natural Resources Defense Council
720	Peter O. Thomas, Ph.D.	Marine Mammal Commission Same as 701
721	Samuel Joy	
722	David Lemoine	
723	Joshua Joyce	
724	Derek Lyons	
725	Rob Martin	
726	Rebekah Hodgson	
727	Mark Cheney	
728	Claire Atkins-Davis, Sam Perkins, Hartwell Carson, Emily Sutton, Kemp Burdette	Catawba Riverkeeper Foundation, Catawba Riverkeeper, French Broad Riverkeeper, Haw

Submission ID	Name of Submitter(s)	Organization
		Riverkeeper, Haw River Assembly, Cape Fear Riverkeeper, Cape Fear River Watch
729	Thiago Barrett-Pereira	
730	Derrick Sibbald	
731	Thomas Zoutis	
732	Cara Ricciardi	
733	David Gilley	
734	Robert E. Beal	Atlantic States Marine Fisheries Commission
735	Greg Morris	
736	Chris Slay	Coastwise Consulting
738	Ian Gibbs	
739	Donald Williams	
740	Cheri Patterson	New Hampshire Fish and Game Department
741	Hannah Rackliff	
742	Lawrence Moffet	
744	Elijah Brice,	
745	Anonymous	
746	Andy Spalding	
747	Christopher Lish	
748	Anonymous	
749	Sue Grist,	
750	Katie Lally ,	
751	Nick Hynd	
752	1,192 CLF Members	Conservation Law Foundation
753	Paul G. Joy	
754	Billy Reid	
755	Damian Parkington	
756	Will Hargrove	
757	Jonathan Norton	
758	Wife of a Massachusetts lobsterman	
759	Kenneth Murgo	
760	Oceana - Sources for Expert Opinion - Part 2	
761	Oceana - Sources for Expert Opinion - Part 1	
762	Oceana - Sources for Comment Letter - Part 4	
763	Anonymous	
764	Taylor Strout	
765	Oceana - Sources for Comment Letter - Part 3	

Submission ID	Name of Submitter(s)	Organization
766	Seth Walker	
767	Michael Faulkingham	
768	Mara Lyn Leverett	
769	Matt Gilley	
770	Oceana - Sources for Comment Letter - Part 2	
771	Patrick Keliher	Maine Division of Marine Resources
772	Oceana - Sources for Comment Letter - Part 1	
773	Arlin Alley	
774	Karen Tompkins	
775	Anonymous	
776	Pat Ryan	
777	David Travers	
778	Ken Nations	
779	John Todd	
780	Rep. Pricey Harrison (same as 0790)	North Carolina State House District 61
781	Sereena Knight	
782	Andrew Dorr, Town Manager	Town of Vinalhaven
783	Ryan T Ames	
784	attachment from WDC with 3,629 signatures	Whale and Dolphin Conservation
786	Daniel Johnson	
787	Jason SkillinSkillin,	
788	Marisol Ballesteros	
789	Derek Mallow	Georgia State Representative House District 163
790	Kim Schofield	Georgia State Representative House District 60
791	Sen. David R. Miramant Rep. Joyce "Jay" McCreight	Maine Senate and House Chairs
792	Al Williams	Georgia State Representative House District 168
793	Welling, Aaron	
794	Richard Maximus Strahan	WHALE SAFE USA, MAN AGAINST XTINCTION
795	Rebecca Theim	
796	Andrew Werthmann	City Council, Wisconsin
797	Pat Doherty	
798	Wayne Delano	
799	John Rousakis	Oceana
800	Kimberly Adler -Curley,	
801	Scott Swicker	
802	Julie A. Albert	Marine Resource Council

Submission ID	Name of Submitter(s)	Organization
803	Tim Werner	UMass Boston
804	Glenn Compton	ManaSota-88
805	Farris, Cameron	
806	Mark Overbaugh	
807	Joseph McDonald	
808	Anonymous	
809	Elijah Joyce	
810	Jacqueline Mills	
811	Dustin Delano	
812	Michael Hunt	
815	Anonymous	
816	Emily Martin	
817	Cole Baines	
818	Steve Blackledge, Ben Hellerstein, Anya Fetcher, Michaela Morris, and 11,727 signatures	Environment America
819	Carrie Faulkingham	
820	Anonymous	
821	CM A	
822	Derek Colbeth	
823	Anonymous	
824	Kate-Lyn Knight	
825	F/V Carol Ann	
826	Peter Cutting	
827	Jeffrey Libby	
829	Gregory J. Mataronas	
830	Christopher Pidden	Maine Division of Marine Resources (Comments on Biological Opinion)
831	Susan Hutchinson	
832	Nikole Ordway	Force-E Scuba
833	Anonymous	
834	Amelia Joy	
835	Dylan Fernandes, Tram Nguyen, Steven G. Xiarhos, Michelle M. DuBois, Steve Owens, Brian W. Murray, Christine Barber, Michael P. Kushmerek, Paul A. Schmid III, Lindsay Sabadosa, Erika Uyterhoeven, Kay Khan, Mindy Domb, Julian Cyr, Sean Garballey, Michael S. Day, Carlos Gonzalez, Natalie Higgins, Michael Moore, Kip Diggs, Susan Moran, Paul McMurtry, Antonio F. D. Cabral, Jack Patrick Lewis, Mike Connolly	Massachusetts State Legislators

Submission ID	Name of Submitter(s)	Organization
836	Nicholas Heal	
837	Henry Whetham	
838	Nancy Vinson	
839	I.J. DuBois	
840	Amy Murphy,	
841	Henry MacVane	
842	Kyle Nichols	
843	Chris Tucker	
844	Travis Atwood	
845	David Myrick	
846	Daniel Brooks	
847	Anonymous	
848	Jeanne Bradbury	
849	Dr. Robert Kelly Vance	
850	John Kinsella	
851	American Clean Power	American Clean Power
852	David Borden	Atlantic Offshore Lobstermen's Association
853	Mattie Whitesell	
854	Anonymous	
855	Penny Lawson Hackett,	
856	Andrew Applegate	
857	Anonymous	
858	Pat Doherty	
859	Jeffrey Solow	
860	Phillip Null	
861	Keith Rittmaster	Bonehenge Whale Center
862	Karen Francoeur	
863	Bret Sparks	Fisheries Survival Fund
864	David Thomas	
865	Ben Watson	Georgia State Senate
866	Judi Gavalas	
867	David Dow	
868	Brandon Burr	
869	Samantha Whitcraft	Sea of Change Foundation
870	Karen King	
871	Jarod Bray	
872	Bob Ottosen	

Submission ID	Name of Submitter(s)	Organization
873	Brandie Deal	
874	Dr Kristi Dunn	
876	Deborah Ravel	
877	Mary Edna Fraser	
878	Kyle Hudick	
879	Bernadette Sullivan-Ericson	
880	Angela Wilson	
881	Bambie Mazer	
882	Christa Hayes	Hayes Environmental Consulting
883	Charles McMillan and Katherine Moore	Georgia Conservancy Same as 361
884	Linda Fraser	
885	Sophie Priebe	
886	Bob Marshburn	Edisto Island Preservation Alliance
887	Priscilla Guiney	
888	Ashley Lucero	
889	Jacob Hudnall	
890	William Schlesinger	
891	Elizabeth Day	
892	Samuel Borne	
893	David Ashton	
894	Albert Knowlton	
895	Shane Carter	
896	Emily Q	
897	Nat Hussey	
898	Michael Moore	
899	Anonymous	
900	Steele, Gary	
901	Patrice McCarron, Executive Director	Maine Lobstermen's Association
902	BettyAnn Benware	
903	Tyler Hodgdon	
904	Caroline Corbally	
905	Rachel Youens	
906	Erika Lebling	
907	William Clayton	
908	CJ O'Brien	
909	Cindy Donnell	

Submission ID	Name of Submitter(s)	Organization
910	Vicki Love, Tracy Tippin, Paige Konger, Nichole Matteus	Blue-Green Connections Board of Directors
911	David Kaselauskas	
912	Stephen Russell	
913	Roy Taylor, President	Greening Georgia The Environmental Caucus of the Democratic Party of Georgia
914	Anonymous	
915	Andrea Wotan	
916	Ethridge Griffin	
917	Jen Lomberk	Matanzas Riverkeeper
918	Sarah Moorehead	
919	Dudley Greeley	
920	Rick Bogle	
921	Diane Koceja	
922	Steve Holzman	
923	Ryan Carroll	
924	S. Young	
925	Gardner Berry	
926	Glenace Breton	
927	Anonymous	
928	Christina Warrington	
929	Pat Pesko	
930	Dana Wilson	
931	Bridget Childers	
932	Diana Reiss	Hunter College
933	Julie Henretty	
934	Bethany Barton	
935	Galen Turner	
936	Luke Snow	
937	Tom Cloutier	
938	anonymous	
939	Bruce Gridley	
940	Jeff Putnam	
941	David Earl	
942	David Earl	
943	Anonymous	
944	Ian Quartin	CLEO Institute
945	Martha Donnell	

Submission ID	Name of Submitter(s)	Organization
946	Zach Lunt	
947	Joseph Allen	
948	Anonymous	
949	Eleanor Rhangos	
950	George Dow	
951	Kathy Marhefka	
952	Carlie Cooper	
953	Hancock Point Kayak Tours and Schoodic Maine Guide	Hancock Point Kayak Tours and Schoodic Maine Guide
954	Anonymous	
955	Nathanial Snow	
956	Steve Tasheff	
957	Eve Lameyer	
958	Ben Hardy	
959	Theresa Mercer	
960	Lea Schroeder	
961	Anonymous	
962	Robert Simmons	
963	Anonymous	
964	Kevin Glover	
965	Jack Merrill Lobsterman	
966	John Moore	
967	Jeff Chanton	Florida State University
968	Julia Illar	
969	Kiersten DeLong	
970	William Covert	
971	John Jordan	
973	Tim Walsh	
974	Nunan, Chris	
975	Ben Weed	
976	Eric Feroldi	
977	Eric Meschino	
978	Griffin Tierney	
979	Rachel Broumas	
980	Amanda Rea	
981	Amy Knowlton, Mark Baumgartner, PhD, Moira Brown, PhD, Chris Clark, PhD, Peter Corkeron, PhD, Alexander M. Costidis, PhD, Philip Hamilton, Steve Katona, Scott Kraus, Scott	Andersen Cabot Center, New England Aquarium, Woods Hole Oceanographic Institution, Cornell University, Virginia Aquarium and Marine Science Center, College of the Atlantic, UMASS-Boston,

Submission ID	Name of Submitter(s)	Organization
	Landry, Stormy Mayo, William McLellan, Michael Moore, Doug Nowacek, Heather Pettis, Andy Read, Nick Record Jooke Robbins, Rosalind Rolland, Brian Sharp, Sarah Sharp, Rob Schick, Sean Todd, Tim Werner	Duke University, Bigelow Laboratory, Center for Coastal Studies, University of North Carolina-Wilmington, International Fund for Animal Welfare
982	Nora Mouer	
983	Briar Ownby-Connolly	
984	Julianna Kowal	
985	Cassady Whaley	
986	Anonymous	
987	Mike Jarbeau	Save the Bay, Narragansett
988	Takiah A	
989	arrett Drake	
990	Elizabeth Tautges	
991	Anonymous	
992	Mike Anderson	
993	Michael Herb	
994	Shari Anker	Conservation Alliance of St. Lucie County
995	Alex Brown	
996	Robert Donnell	
997	Shelly Johnson	Savannah Real Producers
999	Holly Masterson	
1000	Marnie Crowell	
1001	Julia Pickard	
1002	Judy Wang	
1003	Shelley McGowan	
1004	Dayvion Wright	
1005	Nick Lemieux	
1006	Ed Hutchins	
1007	Maiah Clarke	
1008	Timesha Ware	
1009	Jordan Dishmon	
1010	Jaylen Sewell	
1011	Savannah Clax	
1012	Sydney Madden	
1013	Paula Martine	
1014	Taylor Smith	
1015	Jayne Love	

Submission ID	Name of Submitter(s)	Organization
1016	Anonymous	
1017	Lillian Saul	
1019	Lady Volmar	
1020	Rep Karla Drenner	Georgia State Representative District 85
1021	Marjorie Bray	
1022	David W. Lunt	
1023	William Burns	
1024	Ashly Rivera	
1025	F Fluker,	
1026	Hugh Gilley	
1027	Tela C. Fields-Reynolds	
1028	Johnny McCarthy	
1029	Bailey Bridge	
1030	Erianna Hammond	
1031	Mark Bradstreet	
1032	Maya Sze	Environment America Research & Policy Center
1033	Kaila Lenerd	
1034	Bryan Lawlor	
1035	Mia Arredondo	
1036	Amyia James	
1037	Rich Lodge	
1038	Alice Keyes	
1039	Sonny Beal	
1040	Darian Braddy	
1041	John Pappalardo, CEO	Cape Cod Commercial Fishermen's Alliance
1042	David Bailey	
1043	Daniel Kelleher	
1044	Lance Kammerud	
1045	Jeffrey Thurlow Jr	
1046	Antje Fray	
1047	Charles Smith	
1048	Mary Walls	
1049	Melanie Wentz	
1050	Beth Casoni, Executive Director	Massachusetts Lobstermen's Association
1051	Alan Donahue	
1052	Anita Dranetz	
1053	John Glowa	

Submission ID	Name of Submitter(s)	Organization
1054	Meryle A. Korn	
1055	Jonathan Mitchell	
1056	Dawn Miller-Walker	Science Eye/Environmental Conservation Organization
1057	Tonia Burk	
1058	15,922 signatures	Humane Society of the U.S. and Human Society Legal Fund
1059	Cale Jaffe	Law School of UVA
1060	Kate Hale Wilson	
1061	Christina Diebold	
1062	Anna Drummond	
1063	Barbara Harper	The Turtle Island Restoration Network
1064	Stephen Russell	
1066	Walter Willey IV	
1067	Linda Badham	
1068	Quinn Josephine O'Connor	
1069	Arnold Francis Jr	
1070	Claire Robbins	
1071	Thomas Tomkiewicz	
1072	Isaac Dworsky	
1073	Drew Martin	The Loxahatchee Group of the Sierra Club
1074	Sharon Kaplan	
1075	Anonymous	
1076	Patricia Rand	
1077	LaVive Kiely	
1078	Kyle Milan	
1079	Anonymous	
1080	Clay Davidson	Surfrider Foundation Georgia
1081	Jerry Banks	
1082	Elizabeth Mostov	
1083	Valory Mitchell	
1084	Kristin Yates	
1085	Yvonne Cabrales	
1086	Helene Frankel	
1087	Kathleen Lentz	
1088	Elaine Becker	
1089	Simardeep Kaur	
1090	Michael Conn	

Submission ID	Name of Submitter(s)	Organization
1091	Jim Steitz	
1092	Anonymous	
1093	Anonymous	
1094	Peter Jockel	
1095	Dan Fisher	
1096	Erik Hansen	
1097	John Hobby	
1098	Susan Downes-Borko	
1099	Krissa Schandelmaier	
1100	Ardis Wood	
1101	Alexa LoMonaco	
1102	Justin Papkee	
1103	Dan Herb	
1104	Eric Knight	
1105	Laurin Brooks	
1106	Glen Anderson	
1107	Ethan Swergold	
1108	Anonymous	
1109	Miss Long's second grade class	Barnstable Community Innovation School in Hyannis, MA
1110	Diana Churchill	
1111	Jane Fraser	
1112	Janet Lynch	
1113	Steve Englebright	NY State Assembly Committee on Environmental Conservation
1114	Faye Anderson	
1115	Jacqueline Bort	
1116	Michaela Morris	Environment America
1117	Dean Moss	Port Royal Sound Foundation
1118	Preston Robertson	Florida Wildlife Federation
1119	Amanda Cotton	Amanda Cotton Photo
1120	Gene Bergson	Blue Harvest
1121	Stuart Pimm	Doris Duke Chair of Conservation at Duke University
1122	John Ernst	Mayor of the City of Brookhaven, GA
1123	Rep Betsy Holland	Georgia State Representative
1124	Rep Debbie Buckner	Georgia State Representative
1125	Candis Whitney	Amelia Island Conservation Network (COPY of 447)
1126	David Cousens	

Submission ID	Name of Submitter(s)	Organization
1127	Dawn Euer	State Senator of Rhode Island
1128	Krista Tripp	
1129	Sen. Julie Mayfield	North Carolina State Senator
1130	Katie Stanovich	
1131	Cara Nonovan	
1132	Mariah Newman	
1133	Bridget Collins	
1134	Lucy Palmer	
1135	Katrina Morris and Connor Walsh	
1136	Jon Adams	
1137	Brian Meade	
1138	Jillian Bjourn-Caron	
1139	Olivia Castro	
1140	Anna Morris	
1141	Meghan Donovan	
1142	Steve Rosen	
1143	Adriana Nunez	
1144	Lucas Cates	
1145	Greg Perkins	
1146	Daniel Whalen	
1147	Allen Joshua	
1148	Anonymous	
1149	Jordan Drouin	
1150	Justin Dunbar	
1151	Cody Lunt	
1152	Chris Martin	
1153	Adriene David	
1154	Donald Young	
1155	Susan Steinhauser	
1156	Connor Dennison	
1157	Zach Miller	
1158	Ann Arthurs	
1159	Shelley Wigglesworth	
1160	Sabrina Comisso	
1161	Heidi Ahlstrand	
1162	Anonymous	
1163	Diana Forman	Sea Turtle Preservation Society

Submission ID	Name of Submitter(s)	Organization
1164	Robert Baines	
1165	Jeffrey Riccio	
1166	John Drouin	
1167	Ian Lussier,	
1168	Chris Scola	
1169	Anonymous	
1170	Anonymous	
1171	Anonymous	
1172	Anonymous	
1173	Anonymous	
1174	Anonymous	
1175	William Rossiter	NY4WHALES
1176	Joshua Todd	
1177	Jack Cunningham	
1178	Dustin Emery	
1179	Jeremy Holmes	
1180	Daniel Andrews	
1181	Mike Walsh	Marshfield Commercial Fisherman's Association
1182	Erick Harjula	
1183	Lynda Walsh	
1184	Jeffrey Alley	
1185	George Nader	
1186	Jeffrey Conant	
1187	Eric Jones	
1188	Stuart Jones	
1189	Stuart Jones	
1190	Dr. Eric Keen, Professor of Environmental Studies	Sewanee: The University of the South Science; Director, North Coast Cetacean Society; Research Biologist, Marine Ecology & Telemetry Research
1191	Jacob Watt	
1192	Brian Gordius	
1193	Phil Odom	
1194	Matt Clemons	
1195	Rick Moody	
1196	Jennifer Myers	
1197	Alexander Varner	
1198	Grace Diemand	
1199	Caliegh D,]	

Submission ID	Name of Submitter(s)	Organization
1200	Scott Kraus	
1201	Pam Magidson	
1202	Andrew Thomas	
1203	Shane Hatch	
1204	Shane Hatch	
1205	Leah Weisburd	
1206	Anonymous	
1207	Philip Graitcer	
1208	Richard Smith	
1209	Peter Barton	
1210	James Clemons	
1211	Brenna Sowder	
1212	Phillip Thomas	
1213	Craig Lazaro	
1214	Kitty Hugenschmidt	
1215	Mary Kramek	Amelia Island Right Whale Action Group, Sierra Club of Nassau County
1216	Anonymous	
1216	Anonymous	
1217	Martie Crone,	
1218	Anonymous	
1219	Chad Mahoney	
1220	Ira Miller	
1221	Raymond Weed	
1222	Hunt Brown	Wright State University
1223	Sydney Jones	
1224	Liz Cook	
1225	Kacey Morris	
1226	Julie Hansen	
1227	Cathy Kristofferson	
1228	Jack Merrill	
1229	Ellen Bunker	
1230	Darrell Fossett	
1231	Zach Donnell	
1232	Ismael Cervantes	
1233	Loretta Lehman	
1234	Johanna Finnegan-Topitzer,	

Submission ID	Name of Submitter(s)	Organization
1235	Kelly Westkaemper	
1236	Peter E. Brodeur	
1237	Jessica Dickens	
1238	Ron Patuto, President	Lobster Express
1239	Anonymous	
1240	Sarah Lazaro	
1241	Mike Moros	
1242	Christopher Urquhart	
1243	Jennifer Hickey	
1244	Kathy Khoshfahm	
1245	Beverly Greenwold	
1246	Becky Johns	
1247	Anonymous	
1248	Anonymous	
1249	Anonymous	
1250	Anonymous	
1251	Tucker Simpson	
1252	C. Kramer	
1253	Austin Schoppee	
1254	Jason Mitschele	
1255	Nicolás Macri	
1256	Tony Hooper	
1257	Anonymous	
1258	Zach Whitener	
1259	Lillian Wu	
1260	Andy Bean	
1261	Amy R. Knowlton and Kelly A. Kryc, Ph.D.	New England Aquarium
1262	Ryan Irving	
1263	Michael Floyd	
1263	Michael G. Floyd	
1264	Matt Samuels	
1265	Josh Radford	
1266	Anonymous	
1267	James Sturks	
1268	Halle Troadec	
1269	Jennifer Taylor	
1270	Anonymous	

Submission ID	Name of Submitter(s)	Organization
1271	Tyler Bemis	
1272	Charles Smith	
1273	Margaret Gallerani	
1274	Kathleen Sullivan	
1275	Ryan Dorr	
1276	Steve Gilbert,	
1277	Maggie Woodward	
1278	Edward Pontius	
1279	Jessica Daniels	
1280	Barbara Skapa	
1281	Pat Doherty	
1282	Anonymous	
1283	Stephen Ross	
1284	Ken Lindeman, Ph.D	Florida Institute of Technology
1285	Pamela Lyons Gromen	Wild Oceans
1286	Olaf Aprans	Massachusetts Lobstermen's Survival Fund
1287	Joseph McDonald	
1288	Truck Carlson, Program Coordinator	Veterans for Clean Water Program, Savannah Riverkeeper
1289	Curt Brown	
1290	Susan Millward	Animal Welfare Institute
1291	Virginia Welles	
1292	Frank Thompson	
1293	Sadie Samuels	
1294	Rep. Deborah Butler	North Carolina State Representative
1295	Brandon Klein	
1296	Megan Stolen	
1297	Nathaniel Lane	
1298	Julie Ferreira, Nassau County FL Sierra Club Chairperson	Amelia Island Right Whale Action Group
1299	Lobster Inc.	
1300	Marcia Morey	
1301	Ted Will	Georgia Department of Natural Resources, Wildlife Resources Division
1302	Timothy Timmermann Director, Office of Environmental Review	Environmental Protection Agency
1303	Charles Ingalls	
1304	Andrew Pellechia	

Submission ID	Name of Submitter(s)	Organization
1305	Jackie Odell, Executive Director	Northeast Seafood Coalition
1306	Thom Willey	
1307	Kevin Tozier	
1308	Jeremy Gragert	City Council, Eau Claire, Wisconsin
1309	Anonymous	
1315	Annie Tselikis Executive Director	Maine Lobster Dealers' Association
1316	Robert Ingalls	
1317	Kenneth L. Crowell, Ph.D.	
1318	Julie Eaton	
1319	F/V Anvil	
1320	Irene Arpayoglou	
1321	Pearson Wolk	
1322	Cameron Murphy	
1323	Stuart Jones	
1324	Dianne Matukaitis Brown & Kathleen McQuiggan, W2O Co-Chairs; Jennifer Goldstein & Heather Tausig, W2O Marine Animal Protection Co-Chairs	Women Working for Oceans
1324	Attachment, Women Working for Oceans	
1325	Michelle Muniz	
1326	Timothy Whitehouse, Executive Director	Public Employees for Environmental Responsibility
1327	Conor O'Donnell	
1328	Jefferson Bolin	
1329	Jared Golden Member of Congress Chellie Pingree Member of Congress Susan M. Collins United States Senator Angus S. King, Jr. United States Senator	Maine Delegation
1330	Rosemarie Santiesteban	
1331	Frank Dame, CEO	Clearwater Marine Aquarium
1332	Alice Keys	One Hundred Miles
1333	Attachment with 33,045 commenters	Natural Resources Defense Council
1334	Melissa L. Whaling, Science & Policy Associate	Southern Environmental Law Center
1334	Sierra B. Weaver, Senior Attorney Southern Environmental Law Center Melissa L. Whaling, Science & Policy Associate Southern Environmental Law Center	N.C. Conservation Network, N.C. Wildlife Federation, Savannah Riverkeeper, S.C. Coastal Conservation League, S.C. Sierra Club, S.C. Wildlife Federation, Altamaha Coastkeeper, Brunswick Environmental Action Team, Glynn Environmental Coalition, Initiative to Protect Jekyll Island, Ogeechee Riverkeeper, One Hundred Miles, St. Marys EarthKeepers, and Florida Wildlife Federation,
1335	Kathleen Billings Town Manager	Town of Stonington
1336	Chris Dold Chief Zoological Officer	Sea World

Submission ID	Name of Submitter(s)	Organization
1339	Brian Chmielecki	
1340	47,669 members of the public	The Pew Charitable Trusts
1342	Mary Frances Williams	Georgia State House Representative
1343	Sen Elena Parent	Georgia State Senate
1344	Nan G. Orrock	Georgia State Senate
1345	Allie Beaton	The Georgia Conservancy
1346	Jim O'Connell	
1347	Gloria Butler, Minority Leader	Georgia State Senate
1348	Russell Wray	Citizens Opposing Active Sonar Threats (COAST)
1349	Laurin Brooks	
1350	Pictures from Mrs. Long's 2nd grade class	
1351	Aly Fogel and 11,135 signatures	Environmental Action
1352	Michael Jasny	Natural Resources Defense Council Same as 0703
1353	Erik Knight	
1354	Jacqueline Bort	
1355	Dre DiMatteo	
1356	Anonymous	
1357	Dud Hendrick	
1358	Anonymous	
1359	Robert L Wilbur	
1360	Alex Lund	
1361	Kelsey Herb	
1362	S. Young	
1363	Peter Miller	
1364	Nick Nieuwkerk	
1365	Robert Strayton	
1366	Jason McNamee, PhD	Rhode Island Department of Environmental Management

NMFS identified 54 form letters that contained repeated language or pre-written text provided by an interest group for submission by individuals. Table 7-3 identifies the form letters submitted and the numbers of duplicate submissions.

Table 7-3: Form Letter Submissions

Form Letter ID	Deduplication Analysis 70-100% match	Variants Not Posted	Variants Posted	Totals
A	22,933	13	119	23,065
B	12,622	21		12,643
C	9,360	5	80	9,445
D	7,822	4	32	7,858
E	552	3	1	556
F	62	2	1	65
G	46	9		55
H	40	4	1	45
I	32	1	1	34
J	31	1		32
K	21	2		23
L	17			17
M	17	3		20
N	15	8	24	47
O	13	1		14
P	12	1	3	16
Q	11			11
R	10		1	11
S	10			10
T	8			8
U	6			6
V	6			6
W	6			6
X	6			6
Y	6			6
Z	5		3	8
ZA	5		3	8
ZB	5			5
ZC	5			5
ZD	5			5
ZE	5			5
ZF	5			5
ZG	5			5

Form Letter ID	Deduplication Analysis 70-100% match	Variants Not Posted	Variants Posted	Totals
ZH	4			4
ZI	4			4
ZJ	4			4
ZK	4			4
ZL	4			4
ZM	4			4
ZN	4			4
ZO	4			4
ZP	4			4
ZQ	3	2	1	6
ZR	3		2	5
ZS	3			3
ZT	3			3
ZU	3			3
ZV	3			3
ZW	3			3
ZX	3			3
ZY	3			3
ZZ	3			3
ZZA	3			3
ZZB	3			3
Totals	53,776	80	272	54,128

5. Comments Submitted Orally at Public Information Sessions and Public Hearings

A total of 122 speakers submitted comments orally at public information sessions or public hearings. Many of the speakers submitted more than one comment, and several submitted comments at more than one session. If an individual commented at more than one session, the individual was counted as a unique speaker on each day. A summary table of commenters by stakeholder group is below.

Table 7-4 Summary of Commenters by Stakeholder Group

Stakeholder Group	Number of Commenters
Academic/Scientific	2
Fishermen	59
Fishing Industry Group	3
NGO	27
Public	27
State Resource Manager	2
State/Federal Legislator	2
Total	122

We tallied a total of 236 unique comments submitted by these speakers. Of the submitted comments, 44 expressed support for the Proposed Rule, 77 expressed opposition to the Proposed Rule, and the remaining comments were either specific questions or suggestions that not indicate support or opposition. The full transcripts from the public hearings are available in Appendix 7.3. The comments contained in these submissions are all addressed in Appendix 1.1 Response to Comments.

- Supports some or all of Proposed Rule: 44 (18.64 percent)
- Opposes some or all of Proposed Rule: 77 (32.63 percent)
- Neutral (questions/suggestions/did not indicate): 115 (48.73 percent)

Table 7-5: Oral Comment Submissions

Session	Date	Areas	Name
Informational Session	1/12/2021	RI, Southern MA, LMA3 focus	Brian Thibeault
Informational Session	1/12/2021	RI, Southern MA, LMA3 focus	Gary Mataronas
Informational Session	1/12/2021	RI, Southern MA, LMA3 focus	Russel Sylvester
Informational Session	1/12/2021	RI, Southern MA, LMA3 focus	Thomas Zoutis
Informational Session	1/19/2021	Southern ME focus	Alicia Cate
Informational Session	1/19/2021	Southern ME focus	Ira Miller F/V Mallard Sky
Informational Session	1/19/2021	Southern ME focus	Jack Merrill
Informational Session	1/19/2021	Southern ME focus	Zack Klyver
Informational Session	1/20/2021	Northeast ME focus	Andrew Hallinan

Session	Date	Areas	Name
Informational Session	1/20/2021	Northeast ME focus	Eben Wilson
Informational Session	1/20/2021	Northeast ME focus	Gregory Simmons
Informational Session	1/20/2021	Northeast ME focus	Jack Merrill
Informational Session	1/20/2021	Northeast ME focus	Zack Klyver
Informational Session	1/31/2021	Outer Cape MA, LMA1 MA and LMA1 NH focus	Maren Budrow
Informational Session	1/31/2021	Outer Cape MA, LMA1 MA and LMA1 NH focus	Mary Branch
Informational Session	1/31/2021	Outer Cape MA, LMA1 MA and LMA1 NH focus	Max Strahan
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Brennan Strong
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Brian Thibeault
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	David Dow
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Greg Mataronas
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Jenna Stevens
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	John Swoboda
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Lise Sayer
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Matthew Madonna
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Michael Foley
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Paige McGlaughlin
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Patrick Ramage
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Peter Brodeur
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Quinn Josephine O'Connor
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Rachael Thompson
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Robert MacLean
Public Hearing	2/16/2021	RI, Southern MA, LMA3 focus	Sarah Austin
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Brian Sharp
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Elizabeth Clemmy
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Erik Anderson
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Glenn Carroll
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Hermina Glass-Hill
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Jim Kendall
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Joel Cohen
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Krista Early
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Maren Budrow
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Max Ratner
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Peter Meerbergen
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Rain Harbison

Session	Date	Areas	Name
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Sheridan O'Connor
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Stuart Jones
Public Hearing	2/17/2021	Outer Cape MA, LMA1 MA, LMA1 NH	Tessa Brown
Public Hearing	2/23/2021	Southern Maine	Bill McWeeny
Public Hearing	2/23/2021	Southern Maine	Brennan Strong
Public Hearing	2/23/2021	Southern Maine	Caroline Coburn
Public Hearing	2/23/2021	Southern Maine	Chris McIntire
Public Hearing	2/23/2021	Southern Maine	Chris Smith
Public Hearing	2/23/2021	Southern Maine	Cindy Donnell
Public Hearing	2/23/2021	Southern Maine	Commissioner Keliher
Public Hearing	2/23/2021	Southern Maine	CT Harry
Public Hearing	2/23/2021	Southern Maine	David Kaselauskas
Public Hearing	2/23/2021	Southern Maine	Douglas McLennan
Public Hearing	2/23/2021	Southern Maine	Dustin Delano
Public Hearing	2/23/2021	Southern Maine	Eben Nieuwkerk
Public Hearing	2/23/2021	Southern Maine	Erica Fuller
Public Hearing	2/23/2021	Southern Maine	Gib Brogran
Public Hearing	2/23/2021	Southern Maine	Gina Garey
Public Hearing	2/23/2021	Southern Maine	Hayden Brewer
Public Hearing	2/23/2021	Southern Maine	Ira Miller
Public Hearing	2/23/2021	Southern Maine	Jack Thibodeau
Public Hearing	2/23/2021	Southern Maine	Jarod Bray
Public Hearing	2/23/2021	Southern Maine	John Tripp
Public Hearing	2/23/2021	Southern Maine	Joshua Harjula
Public Hearing	2/23/2021	Southern Maine	Judith Howard
Public Hearing	2/23/2021	Southern Maine	Madison Lynch
Public Hearing	2/23/2021	Southern Maine	Matt Gilley
Public Hearing	2/23/2021	Southern Maine	Maya Sze
Public Hearing	2/23/2021	Southern Maine	Reanea Hunter
Public Hearing	2/23/2021	Southern Maine	Ryder Noyes
Public Hearing	2/23/2021	Southern Maine	Sarah Stewart
Public Hearing	2/23/2021	Southern Maine	Star Scott
Public Hearing	2/23/2021	Southern Maine	Troy Plummer
Public Hearing	2/23/2021	Southern Maine	William Clayton
Public Hearing	2/23/2021	Southern Maine	Zack Klyver
Public Hearing	2/24/2021	Northeast ME focus	Barry/Gretchen Catlin
Public Hearing	2/24/2021	Northeast ME focus	Bill McWeeny

Session	Date	Areas	Name
Public Hearing	2/24/2021	Northeast ME focus	Blake Alley
Public Hearing	2/24/2021	Northeast ME focus	Brian Tripp
Public Hearing	2/24/2021	Northeast ME focus	Commissioner Keliher
Public Hearing	2/24/2021	Northeast ME focus	Darren Turner
Public Hearing	2/24/2021	Northeast ME focus	Dwight Staples
Public Hearing	2/24/2021	Northeast ME focus	Gabe Shadis
Public Hearing	2/24/2021	Northeast ME focus	Gina Garey
Public Hearing	2/24/2021	Northeast ME focus	Hannah McGowan
Public Hearing	2/24/2021	Northeast ME focus	Jack Merrill
Public Hearing	2/24/2021	Northeast ME focus	Jacob Thompson
Public Hearing	2/24/2021	Northeast ME focus	Jan Thouron
Public Hearing	2/24/2021	Northeast ME focus	Jason Joyce
Public Hearing	2/24/2021	Northeast ME focus	Jennifer Johnson
Public Hearing	2/24/2021	Northeast ME focus	Jim O'Connell
Public Hearing	2/24/2021	Northeast ME focus	Joel Cohen
Public Hearing	2/24/2021	Northeast ME focus	John Drouin
Public Hearing	2/24/2021	Northeast ME focus	Jon Emerson
Public Hearing	2/24/2021	Northeast ME focus	Julie Albert
Public Hearing	2/24/2021	Northeast ME focus	Julie Eaton
Public Hearing	2/24/2021	Northeast ME focus	Julie Rabinowitz
Public Hearing	2/24/2021	Northeast ME focus	Karen Murray
Public Hearing	2/24/2021	Northeast ME focus	Katharine Deuel
Public Hearing	2/24/2021	Northeast ME focus	Krista Tripp
Public Hearing	2/24/2021	Northeast ME focus	Kristan Porter
Public Hearing	2/24/2021	Northeast ME focus	Lee Watkinson
Public Hearing	2/24/2021	Northeast ME focus	Matt Gilley
Public Hearing	2/24/2021	Northeast ME focus	Matt Samuels
Public Hearing	2/24/2021	Northeast ME focus	Max Strahan
Public Hearing	2/24/2021	Northeast ME focus	Michael Myers
Public Hearing	2/24/2021	Northeast ME focus	Michaela Morris
Public Hearing	2/24/2021	Northeast ME focus	Mikael Stone
Public Hearing	2/24/2021	Northeast ME focus	Noah Mank
Public Hearing	2/24/2021	Northeast ME focus	Rebecca Johns
Public Hearing	2/24/2021	Northeast ME focus	Rep Golden
Public Hearing	2/24/2021	Northeast ME focus	Representative Genevieve McDonald
Public Hearing	2/24/2021	Northeast ME focus	Richard Howland
Public Hearing	2/24/2021	Northeast ME focus	Russel Wray

Session	Date	Areas	Name
Public Hearing	2/24/2021	Northeast ME focus	Sam Rosen
Public Hearing	2/24/2021	Northeast ME focus	Tyler Bemis
Public Hearing	2/24/2021	Northeast ME focus	Virginia Olsen
Public Hearing	2/24/2021	Northeast ME focus	Zack Klyver

6. Unique Comments Summary

When removing duplicate written and oral submissions, we received a total of 1,129 unique written and oral submissions. The general disposition of these submissions was more positive than negative.

- Supports some or all of Proposed Rule: 657 (58.19 percent)
- Opposes some or all of Proposed Rule: 386 (34.19 percent)
- Supports regulation to protect whales, but would like to see this one withdrawn, and for NMFS to start over: 46 (4.07 percent)
- Neutral (questions/suggestions/did not indicate): 42 (3.72 percent)

7. Form Letter Comments

As noted above, 54 form letters were identified using the Regulations.gov deduplication analysis, as in Table 7-3 above. These form letters contained 28 separate comments, identified in Table 7-6 below. The primary form letters, which chosen by the deduplication analysis, are available in Appendix 7.4

Of the form 54 form submissions, 50 supported stronger regulations to protect right whales, one supported limiting the number of buoys (ZZ), one supported tracking whales (ZU), one opposed ropeless fishing (ZZA), and one was an empty test message (ZJ).

Table 7-6 Form Letter Comments

Topic	Comment	Form Letter ID	Number of Submissions Containing
Assistance for Commercial Fisheries	NMFS should assist commercial trap fisheries in a transition to whale-safe gear	F, U, ZP	75
Ban Fishing Gear	The use of any ropes, nets, or any other type of fishing gear that may entangle any species should be completely banned.	D	7,858
Closures - Emergency	NMFS should immediately implement closures to lobster and crab fishing with vertical buoy lines in the areas where right whales concentrate	A, E, Q, W, ZB, ZI, ZS, ZV, ZW	23,653
Closures - Emergency - MV/N/GOM	Closures must immediately implement emergency action designating a year-round closure south of Martha's Vineyard and Nantucket and in three areas in the Gulf of Maine	A, J, P, W, ZB, ZV	23,127
Closures - Insufficient	Closures outlined in the proposed rule are too small and too short/should be expanded/more, and longer, habitat closures	A, ZV, J, P, ZX, B, G, K, M, S, T, Y, ZC, ZK, ZL, ZY, E, V, N, R, ZH	36,524
Closures - Offshore	Closures in offshore areas would also minimize the impact on fishermen, because the majority of lobster fishing occurs closer to shore	A, J, W, ZB, ZA	23,103
Closures - Best Available Data	Closures should be based on the best available science which includes recent and historical sightings, acoustic data, and prey data.	P, V	22
Closures - Martha's Vineyard/Nantucket and Gulf of Maine	The closure south of Nantucket and Martha's Vineyard, in the most conservative alternative (3a) may be an appropriate size but is far too short in time at February through April. This should be a year-round closure as right whales have been seen almost every month of the year here for the last several years	P, V, ZV	25
Disentanglement	Please re - direct all effort to increased research and whale disentanglement efforts	ZU	3

Topic	Comment	Form Letter ID	Number of Submissions Containing
Economics	If you do not make serious and timely changes to your plans, I will go out of business in 10 years or less	ZU	3
Emergency Action	NOAA Fisheries officials must take emergency action and create immediate fishing closures in areas where right whales are most prevalent	I, O, ZT, F, ZF, C, U, ZG, V, ZN, E, ZO	10,147
Emergency Action	NMFS has statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines	B, Y, G, K, M, T, ZC, ZK, ZL, ZX, ZY	12,774
Gear Marking	support increased gear marking with state and area specific colors and that all gear buoys everywhere have at least the same marking requirements as Maine (license number unique to that fisherman/gear owner)	ZU	3
General Support	Please protect the whales!	Z, ZQ	14
Harm Lobster Industry	Fishing restrictions will end up seriously harming the lobster industry	X	6
Monitoring	Expanded and improved fishery monitoring to account for interactions between fishing gear and right whales	ZG	5
Test Message	Test message	ZJ	4
Population Data	New rules should reflect the most recent population estimate produced by the Agency's own scientist, not data consider obsolete by NOAA itself	A, C, D, H, J, L, U, P, ZA, ZD, ZE, ZF, ZI, ZN, ZO, ZP, ZT, ZV	40,529
Research	We should be conducting a world-class study on what specific gear configurations and locations are causing entanglements, and during what times of the year	ZU	3
Risk Reduction	NOAA should reduce risk to right whales by at least 80 percent	A, C, E, F, I, J, O, P, Q, U, V, W, ZA, ZB, ZF, ZI, ZT, ZV, ZW	33,287
Ropeless - Accelerate Permitting	NOAA Fisheries should fast-track the transition to requiring "ropeless" fishing gear	B, D, G, H, K, L, M, S, T, Y, ZC, ZD, ZE, ZK, ZL, ZM, ZP, ZR, ZY, ZZB	20,727
Ropeless - Investment	NOAA Fisheries should invest in developing ropeless technology as quickly and responsibly as possible, while establishing a plan to assist	C, F, P, R, U, ZE, ZF, ZG	9,558

Topic	Comment	Form Letter ID	Number of Submissions Containing
	commercial trap fisheries in a transition to whale-safe gear		
Ropeless - Incentives	NOAA Fisheries must continue efforts to test and foster a market for rope-free technologies, including the creation of incentives for fishermen to try them	N, V, ZH, ZO	61
Ropeless - General Support	Ropeless (or buoyless) fishing adaptations carry the promise to improve fishing and protect whales	E, H, ZG, ZX	609
Ropeless - General Opposition	One thing that CAN NOT happen is ROPELESS fishing! Ropeless needs to be forgotten, it's not needed with the precautions we have now taken and is a impractical fantasy that would miserably fail and ruin the lobstering industry.	ZZA	3
Tracking	We need to do much better with tracking right whales	ZU	3
Trawls	I support limiting the number of buoys	ZZ	3
Weak Rope	This rule relies too heavily on a costly and inadequate transition to weaker rope, which has not been proven to protect younger whales and does not reduce the long-term health effects of chronic entanglements on whales	A, C, D, E, F, H, J, L, N, P, R, U, V, W, ZD, ZE, ZF, ZH, ZM, ZP, ZV	41,205

8. Bulk Submission Comments

As noted above, 11 submissions from Non-Governmental Organizations were either entered as counting for more than one comment, included multiple signatures, or both. These are listed below, and are all available on Regulations.gov. All of these submissions, which represent up to 201,269 people, were in favor of stronger regulations to protect North Atlantic right whales. Comments that were submitted on Regulations.gov as one comment but included fewer than 50 signatures are not included in Table 7-7 below, but are included in Table 7-2.

The comments contained in these submissions are all addressed in the Appendix 1.1 Response to Comments.

Table 7-7: Bulk Submissions

Submission ID	Organization	Signatures/Submissions
657	Center for Biological Diversity	26,594
668	Oceana	18,440
705	International Fund for Animal Welfare	31,912
728	Riverkeepers	4
752	Conservation Law Foundation	1,192
784	Whale and Dolphin Conservation	3,629
818	Environment America	11,727
1058	Humane Society of the U.S	15,922
1333	Natural Resources Defense Council	33,045
1340	Pew Charitable Trusts	47,699
1351	Environmental Action	11,135

Appendix 7.2

Comments from TRT Members

Trap/Pot Fishery

1. Atlantic Offshore Lobstermen's Association
2. Rhode Island Lobstermen's Association
3. Massachusetts Lobstermen's Association
4. Maine Lobstermen's Association

Conservation/Environmental Groups

5. Whale and Dolphin Conservation
6. Joint letter from Center for Biological Diversity, Conservation Law Foundation, Defenders of Wildlife, Humane Society of the U.S.
7. International Fund for Animal Welfare
8. The Humane Society of the U.S.

State Fishery Resource Managers

9. Georgia Department of Natural Resources
10. Joint letter from Connecticut Department of Environmental Protection and New York Department of Environmental Conservation
11. Massachusetts Department of Marine Fisheries
12. Rhode Island Division of Fish and Wildlife
13. New Hampshire Fish and Game Department
14. Maine Department of Marine Resources

Federal Resource Managers

15. Marine Mammal Commission

Fishery Management Organizations

16. New England Fishery Management Council
17. Atlantic States Marine Fisheries Commission

Academic/Scientific Groups

18. Richard Merrick, Falmouth, MA
19. Alex Costidis, Virginia Aquarium and Marine Science Center
20. Amy Knowlton, New England Aquarium
21. Bill McLellan, University of North Carolina-Wilmington
22. Letter from Scientists: Amy Knowlton, Moira Brown, Ph.D., Peter Corkeron, Ph.D., Philip Hamilton, Scott Kraus, Heather Pettis, Rosalind Rolland (Cabot Center, New England Aquarium), Mark Baumgartner, Ph.D., Michael Moore (Woods Hole Oceanographic Institution), Chris Clark, Ph.D. (Cornell University), Alexander M. Costidis, Ph.D. (Virginia Aquarium Marine Science Center), Steve Katona, Sean Todd (College of the Atlantic), Bill McLellan (UNC-Wilmington) Doug Nowacek, Andy Read, Rob Schick (Duke University), Nick Record (Bigelow Laboratory for Ocean Sciences), Scott Landry, Stormy Mayo, Jooke Robbins (Center for Coastal Studies), Brian Sharp, Sarah Sharp (International Fund for Animal Welfare), Tim Werner, UMASS-Boston



ATLANTIC OFFSHORE LOBSTERMEN'S ASSOCIATION

Grant Moore, President
exec@offshorelobster.org

David Borden, Executive Director
dborden@offshorelobster.org

23 Nelson St Dover, NH 03820 | P: 603-828-9342 | www.offshorelobster.org | heidi@offshorelobster.org

March 1, 2021

Mr. Michael Pentony
Regional Administrator, NMFS GARFO
55 Great Republic Drive
Gloucester MA, 01930

Dear Mike,

The Atlantic Offshore Lobstermen's Association submits the following comments toward the Atlantic Large Whale Take Reduction Plan (TRP) proposed rule and draft environmental impact statement (DEIS). The Association supports NMFS's efforts to protect endangered North Atlantic right whales (NARWs) throughout their range, but we have serious concerns about the risk reduction burden being placed on the northeast lobster and Jonah crab fishery. We cannot stress strongly enough that NARWs will not be saved from extinction without a comprehensive, concerted, and holistic approach to reduce serious injury and mortality risk across the species range from all sources, as demonstrated in the draft Biological Opinion (BiOp)¹ model outcomes. This includes fisheries and ship strikes in Canadian waters, as well as the U.S. Mid-Atlantic and South Atlantic, and emerging sources of potential anthropogenic harm, including offshore wind industrialization.

As noted in our scoping comments, recent trends in Canadian waters interactions with NARWs must be a top consideration when setting US conservation targets, because deaths and serious injuries attributable to the domestic lobster fleet have been steadily trending downward. US lobstermen have been marking gear and modifying practices to avoid interactions for over 20 years, during which time the right whale population more than doubled in size. As the BiOp demonstrates, a total closure of US fixed gear fisheries will not rebuild the population if mortalities and serious injuries (M/SIs) continue in Canada. Actions taken outside of US waters will greatly impact the future of fixed gear fisheries in the US; if M/SIs in Canada continue, potential biological removal (PBR) levels will further decline, and the actions needed for US fisheries to maintain incidental take permits will become ever more draconian and untenable. The Association requests that NMFS use every tool at its disposal to ensure protections for right whales in Canada.

Reducing human caused injury to the species must be a shared endeavor, both as a matter of equity and as the only effective way to conserve NARWs. While we recognize that NMFS has limited resources available to pursue rulemaking, we note that the Agency has made NARW conservation a priority (i.e. species in the spotlight). It is unfathomable that NMFS is not currently pursuing more concerted efforts to reduce injury and mortality risk from recreational boating, shipping, and offshore wind industries in US waters.

¹ Draft Endangered Species Act Section 7 Consultation Biological Opinion for 10 Greater Atlantic Regional Fisheries Office FMPs. Published online January 2021.

While the lobster fishery faces a real risk of being completely shut down, the Agency has done little more than outreach to address the failings of the existing Vessel Strike Rule, as outlined in a recent NMFS report.² This despite recent deaths of young whales caused by ship strikes in the Mid and South Atlantic. We therefore ask that NMFS immediately increase enforcement of the existing vessel strike regulations, consider amending speeding fines to be commiserate with violations, and initiate rulemaking to better prevent ship strikes.

Further, the government continues to approve incidental harassment permits (IHP) for offshore wind in the MA/RI lease area without consideration of the cumulative impacts of construction and operations activities on NARWs and their prey (Figure 1). As noted in the South Fork DEIS³:

“The likelihood of injury depends on proximity to the noise source, the intensity of the source, the effectiveness of noise attenuation measures, and the duration of noise exposure. For example, a low-frequency cetacean remaining within 5.4 miles (28,517 feet) of impact hammer operation over the 4 hours required for a difficult monopile installation could experience permanent hearing injury, referred to as a permanent threshold shift (PTS).”

Current monitoring plans which rely on vessel based observers are insufficient given the potential for harming whales miles away. NMFS should consider operating daily aerial surveys and requiring wind developers to fund and deploy acoustic sensing technologies to monitor NARWs during marginal weather conditions. Vineyard Wind’s IHP should be re-evaluated considering recent modifications to construction plans that involve larger turbines.

Focusing specifically on the proposed rule, we disagree with the method used to calculate the proposed rule’s risk reduction targets for the US lobster fishery. Particularly concerning is the Agency’s approach of dividing unassigned M/SI entanglements evenly between the US and Canada, rather than using a proportional division based on known cases (0.18 US/0.82 CN⁴). While the Agency provided a limited rationale for the 50/50 country split, both the Atlantic Large Whale Take Reduction Team and CIE Peer Review Panel expressed concern with this method. Also, puzzlingly, the Agency saw fit to use the data record of known cases to proportionally assign US cases with undetermined cause (strike vs. entanglement) in the draft BiOp. For the final rule, the Association strongly recommends that NMFS employ a consistent proportional method that reflects known data trends to apportion the risk reduction needed by each country.

Entanglement risk reduction needed by US fisheries to account for non-cryptic M/SIs are shown in the table below. Importantly, the entanglement risk reductions below and calculated in the DEIS are for all US fisheries. Yet, the fisheries included in the proposed rule comprise 93.7% of the end lines estimated to be fished in TRP managed waters, not 100% (DEIS, Table 2.3). The Association requests that the final rule’s risk reduction target be 93.7% of the total US entanglement reduction need. We encourage NMFS to use 2010-2019 data to calculate the risk reduction needed as this

² North Atlantic Right Whale Vessel Speed Rule Assessment, June 2020. Published online January 2021.

³ South Fork Wind Farm and South Fork Export Cable Project, Draft Environmental Impact Statement. January 2021

⁴ 2010-2019 M/SI – 9 Canadian, 2 US, and 38 unattributed entanglement cases, Section 7.2.1., Draft BiOp.

period coincides with a regime change in zooplankton prey, includes the latest available data, and is consistent with data used in the Draft BiOp to estimate risk to NARW.

Table 1: Average annual M/SI by country of origin for the date ranges and values in the DEIS (Table 2.4) and Draft BiOp (Table 56) using unknown cases assigned proportionally rather than 50:50. Total US are assigned cases plus unassigned cases attributed to the US using the same proportion as known cases. Reduction needed was calculated by applying the DEIS equation of $1 - (0.9/\text{total US})$ to the Total US values.

Date Range	Avg Yrly M/SI	US	CN	Unk.	US Unk. proportion	CN Unk. proportion	Total US	Reduction Needed
2012-2016	5.15	0.40	0.60	4.15	1.66	2.49	2.06	0.63 (63%)
2013-2017	5.55	0.20	1.20	4.15	0.58	3.57	0.78	None, under PBR
2014-2018	6.54	0.20	1.40	4.94	0.62	4.32	0.82	None, under PBR
2010-2018	5.23	0.22	0.78	4.23	0.93	3.30	1.15	0.34 (34%)
2010-2019	4.90	0.20	0.90	3.80	0.69	3.11	0.89	None, under PBR

NMFS staff highlighted the importance of equity when they assembled the Take Reduction Team (TRT) in 2019 to develop risk reduction proposals that asked each component of the lobster/jonah crab fishery to assume an equal share of the conservation task. AOLA's TRT representative supported this approach at the TRT forums and in previous letters submitted to the Agency, even though the Area 3 fleet represents <3% of vertical lines fished in all ALWTRP managed water (<1% when exempted waters gear is included)⁵. This laudable goal is, unfortunately, not reflected in the proposed regulations.

Of particular concern is the inconsistent starting point on which risk reduction percentages are calculated for each lobster management area (LMA) and/or state. The overarching reference year in the DEIS is calendar year 2017, yet the MA LMA 1 fishery is given credit for extending the seasonal closure of Cape Cod Bay from 2015 forward, while LMA 2 (RI) and LMA 3 fisheries are not provided credit for trap cuts that permanently removed gear from the water during the same years. We support the Agency's decision to give MA 2015/2016 credit, but the same standard should apply to all LMAs. Further, the conservation benefit for 2017-2020 trap cuts are credited differently for LMA 2 and 3. We therefore ask that NMFS consistently apply a reference year across all regulated jurisdictions; preference being for 2015 forward which would encompass all fisheries actions since the last amendment to the ALWTRP. If NMFS disregards this request, the final rule must provide a legal justification explaining how this inconsistent treatment of federal permit holders does not violate National Standard's guidelines.

Before providing the Association's alternative management recommendations for LMA 3, we have overarching comments regarding the use of 1700lb breaking strength line and closed areas as risk reduction provisions in the proposed rule.

⁵ Industrial Economics (IEc) 2017 vertical line model 2017 baseline data. Provided to TRT November 2019.

As to weak end lines and equivalent weak line contrivances, we want to emphasize two points. Firstly, we appreciate the Agency's inclusion of weaker line as means to minimize the risk of serious entanglements, given that fishing without end lines is not a practical near term solution. However, we do worry about the limited scientific justification for 1700 lbs. as the target strength, and the seemingly arbitrary decision that weak contrivances placed 40 feet apart are equivalent to 1700 lb. rope. Secondly, AOLA members have been testing modified gear since 2019 and to date the only rope or contrivance that appears viable is the Time Tension Line Cutter. We understand that NMFS intends to develop a list of acceptable weak gears ahead of rule implementation, however time is running short. We cannot stress enough the importance of this work. NMFS needs to dedicate staff and funding to manufacturing, systematically testing, and approving weak end line options as a top priority in 2021.

Given that 1700 lb. breaking strength is a rather arbitrary target, we encourage NMFS to be flexible when approving alternative gears including available gears that may be slightly above the 1700 lb. target, especially in the short term when options are limited. As documented by Maine DMR, initial line strength decreases with every pass through the hauler plates, quickly eroding to the point of needing to be replaced so as not to pose a safety risk. That said, lobstermen should not be asked to take on the financial and safety burdens of re-rigging gear once again only to be told in a few years later that the changes didn't work. All gear changes should be thoroughly tested for safety, durability, and efficacy before changes are made on the water.

As to closed areas, after much discussion and risk reduction analysis, the TRT opted against including closed areas in their near unanimous recommendations on which the proposed rule is founded, yet options for three seasonal closures are included in the DEIS analysis. Closed areas were generally rejected by the TRT because of concerns that poor spatial and temporal fishing gear information, and the lack of uniform and consistent NARW surveying methods, would make it impossible to objectively evaluate seasonal restricted gear areas. The TRT felt that a closure would have the best chance of reducing entanglement risk when the area was small and well defined, and fishing gear was removed from the water, rather than moved elsewhere.

Despite the known data weaknesses and lack of uniform data sources, NMFS staff undertook a commendable and innovative analysis to generate estimated risk reductions for the proposed seasonal closure areas, primarily using the recently developed Decision Support Tool (DST). As noted in the DEIS, the CIE Peer Review Panel concluded that the DST provides a useful way for industry and managers to compare *relative changes* in entanglement risk for right whales under various risk management scenarios. However, the proposed rule generally treats the results of closed area analyses as *absolute values* without presenting confidence intervals. The DEIS frequently frames the management options without explaining the underlying data uncertainty and does not consistently consider the possibility of redirection of fishing effort, both of which interject uncertainty into the closed area risk reduction evaluation. We agree with the CIE Review Panel in cautioning the Agency when applying DST results to inform management. We understand that rulemaking needs to proceed concurrently with improvement of the tool, however this ongoing development has made it exceedingly difficult to provide comments, on closed areas in particular, since the data sets (i.e. Duke Model) and risk reduction credits have changed since the DEIS was originally drafted.

We feel strongly that closure areas should not be the way forward to protect whales. As noted in the DEIS, fixed closures are likely to provide only limited and short term benefit because of the increasing unpredictability of oceanographic patterns, and subsequent NARW habitat use. Dynamic closures are in principle a better approach, but in practice they have been proven not to work because of limits on federal rulemaking and the weeks/months needed for the lobster fleet to move gear. Both fixed and dynamic closures have unpredictable, unintended, and indirect consequences that cannot be accurately analyzed in an EIS. For example, any or all these scenarios could occur; “fencing” when moved gear surrounds a closed area, redirection of entanglement risk when gear is moved to distant areas, gear conflict within and between fixed and mobile fleets, additional habitat impacts, economic impacts, and inequitable treatment of fishing operations. For these reasons and those discussed by the TRT we strongly oppose closures, however we encourage NMFS to reinitiate funding for annual copepod surveys and predictive zooplankton modeling as they relate to future whale habitat use. We also strongly encourage the Agency to implement the monitoring and surveillance recommendations made by NMFS’s expert working group.⁶

If NMFS does pursue closed areas in the final rule, the FEIS must include an improved analysis of the impacts of displaced fishing on the surrounding habitat and co-occurrence of whales and endlines. This analysis should rely on information provided by fishermen during the public hearing process. In contrast to the existing seasonal Massachusetts Restricted Area where the coastal lobster fleet removes gear from the water and doesn’t fish for three months, the vessels operating in the proposed closures are generally larger and typically year-round operations that will move gear to the nearest economical fishing ground. This appears to be particularly true for the non-preferred LMA 3 George’s Basin closure given fleet dynamics in that area. We agree with NMFS assessment that closing this area could increase risk to right whales while economically disadvantaging the fishery. As noted in the DEIS (5-154):

“The trap/pot buoy line closures could also have negative indirect effects if fishing effort is relocated just outside of the restricted areas adjacent to valuable whale habitats. This relocated effort may result in a wall of fishing gear, which would increase risk of entanglement risk as whales move in and out of these management areas”

We contacted the small fleet that operates in Georges Basin and they report that in response to a closure, they would move gear, likely in close proximity to the closure and/or further west into offshore Gulf of Maine. Therefore, we oppose the George’s Basin closed area, but encourage the Agency to pursue measures to improve spatial and temporal fisheries data, such as 100% catch and effort reporting for all federally permitted lobster vessels and independent validation of effort, such as through the use of electronic vessel and trap tracking technologies.

We are opposed to NMFS’s preferred and non-preferred South of the Islands closure alternatives, because we believe a closure in this area will result in redirection of effort and concentrate lobster gear into other areas inhabited by whales. We offer the below information in response to NMFS request for “*information indicating that we can achieve the 60% risk reduction without the restricted area, we would consider eliminating the restricted area from rulemaking.*” The following focuses on LMA 3 and the 2/3 overlap, given that we do not represent LMA 2 fishermen we defer Area 2 recommendations to state agencies and inshore lobstermen’s associations. That

⁶ NARW Monitoring and Surveillance: Report and Recommendations of the NMFS’s Expert Working Group. NOAA Technical Memorandum NMFS-OPR-64, June 2020

said, after discussions with MA Lobstermen’s Association leadership we believe they also support the following recommendations that apply to the Area 2/3 overlap.

Analysis of this closure area is complicated by the cross jurisdictional nature of the location, which encompasses state and federal waters, and portions of two management areas (LMA 2 & LMA 3) plus a management overlap area that is shared by federally permitted vessels. The closure area would be bordered to the north by land masses, to the south by a heavily trafficked shipping lane, and, depending on the alternative selected, either border on the west or fully encompass, the 1,600 square mile MA/RI offshore wind lease area. Once wind construction and operations begin, the opportunity to move gear to fishable, open bottom, in LMA 2 will be severely limited (Figure 1).




Figure 1. DEIS’s South of the Islands seasonal fisheries closure proposals in relation to BOEM’s MA/RI offshore wind area and 1998-2018 whale sightings provided by the NARW Consortium.

We do not dispute that right whales use the proposed seasonal gear risked area, but given the opportunistic nature of surveying, lack of a mechanism to standard days of effort and transect patterns, and the possibility of counting the same individual on multiple sequential surveys, the data should not be used to quantify changes in abundance over time (see quotes below). These data are valuable as a snapshot of the survey area on a given day, but they have major deficiencies which need to be corrected, as noted in NMFS’s Expert Working Group report.⁶

“...opportunistic sightings data can present challenges (no area is systematically surveyed, effort is not corrected for, and there is potential to count an individual whale more than once)...” – Dr. Michael Moore, 2020 declaration to US District Court for the D.C. Case 1:18-cv-00112-JEB

“Acoustic detection data, opportunistic sightings and right whale satellite-tag tracking data have not been incorporated into the model of right whale habitat use. Although it is not clear

how these sources of information can be used in the surface density model, as they differ fundamentally from the systemic surveys used to estimate that model...”- CIE Peer Review of DST Report 2019

Lobster and Jonah crab effort in LMA 3 and the 2/3 overlap portions of the proposed closure is primarily seasonal, starting in the fall and continuing until the early spring. Most of the fishery centers around the southern portion of the 2/3 overlap and the northern portion of LMA 3, with the effort moving south tracking the winter migration of the crab and lobster populations. The LMA 3 portion of the proposed closure encompasses highly productive Jonah crab fishing bottom, which has generated approximately \$14-18 million dollars annually in recent years.⁷

LMA 3 vessels specialize in moving gear so a closure of this area will result in 100% of that gear moving to another area, likely south and east, based on our conversations with fishermen, but given that LMA 3 is a geographically large area that supports a relatively small number of vessels, gear could be moved considerable distances with unintended risk consequences. The same is true for the 45-60 ft LMA 2 vessels that work in the 2/3 overlap, with their gear likely to move west and north. Given the unpredictable and changing NARW habitat use, noted increases in abundance of whales in Southern New England and Mid- Atlantic waters, and assurance that fishing gear will be displaced not removed from the water, it is not an acceptable strategy to assume that a South of Islands closure area will reduce risk of a critically endangered species. If NMFS does establish a closed area south of the Islands, we recommend it encompass the smallest possible area spatially and temporally and include a two year sunset provision. A sunset is advisable given the yet to be determined consequences of wind industrialization on whale and zooplankton behavior.⁸

Our final point on closures relates to shipping and offshore wind. If NMFS is going to implement closures, it is incumbent on the Agency to also implement speed restrictions for all vessels transiting or operating in other industries in those areas. As the 2019 season in Canada demonstrated, with nearly half of the mortalities attributable to ship strikes, area closures do not protect right whales when there is heavy vessel activity. We strongly encourage better monitoring of whale activity in US shipping lanes (particularly south of Nantucket), penalties for vessels exceeding speed limits sufficient to correct transgressions, and consideration of redirecting shipping around whale aggregations.

Alternative Proposal for LMA 3:

After careful consideration of the LMA 3 provisions proposed and consultation with Area 3 participants, we offer the following alternative measures to reduce co-occurrence of NARWs and vertical lines and reduce entanglement severity using methods that are viable for the offshore fleet. Thanks to the efforts of Dr. Trego and Dr. Shank to analyze alternative measures, we feel the alternatives proposed below exceed the proposed rule’s minimum risk reduction target. That said, we note that some of the subarea options may not be fully additive to the LMA wide options, so specific credits in the list below may need be adjusted in the final rule.

⁷ Atlantic States Marine Fisheries Commission, Review of the Interstate FMP for Jonah Crab, 2019 Fishing Year.


⁸ Van Berkel, J. et al. 2020. The Effects of Offshore Wind Farms on Hydrodynamics and Implications for Fisheries. *Oceanography*: 33:4

LMA 3 Wide Provisions:


- Forthcoming LMA 3 permit trap cap reduction – 12% LMA 3 credit
- Year round trawling up requirement of 45 traps per trawl with 2 endlines, with area specific exceptions described below. To accomplish this, the maximum allowed trawl length will need to be extended to 1.75 nautical miles. – 13.7% LMA 3 credit
- One end line of each trawl will use 1700 lb. breaking strength rope in the top 75% of the line depth. Weak links (breakaways) remain unchanged at 1500 lbs. The second end line on each trawl remains full strength. – 29% LMA 3 credit

Sub-Area Provisions:

- GEORGES BASIN – 50 trap trawls year round in the area shown below (DEIS non-preferred closures area) with one weak end line in the top 75%. – 12.1% LMA 3 credit



- SOUTH OF THE ISLANDS - Instead of a seasonal closure in one of the boxes in Figure 1, all vessels fishing in Area 3, or the 2/3 overlap would fish 45 trap trawls, both end lines using 1700 lb. rope in top 75%, and 600 lb weak links year round. These provisions will apply only in closed area boundaries in NMFS final rule, and only to the portion of the closed area encompassing LMA 3 and the 2/3 overlap. – 3.7% LMA 3 credit
- SHELF EDGE - In waters deeper than 50-75 fathoms, 35 trap trawls year round with one weak end line to 75%. The final boundary for this area will be determined in the final rule, but we ask that the Agency select a straight line boundary similar to the chart below, with 35 trap trawls allowed seaward of the line. – minus 0.3% LMA 3 credit



Individual Vessel Provisions:

- Permit exemption option for smaller Area 3 vessels to allow 40 trap trawls in all areas year round to address vessel safety and capacity concerns.

The LMA 3 Wide provisions are the same as presented in the proposed rule, so we will not offer further justification, but do direct you to the discussion of end line reductions below. We also note that LMA 3 fishermen are interested in considering the use of Time Tension Line Cutters either as equivalents to 75% weak lines or as an additional provision on the remaining full strength end lines in the future. We ask that that Agency work expeditiously to test those devices and attribute risk reduction credit.

As to the sub area options, we propose further trawling up in Georges Basin in recognition of the potential co-occurrence of NARWs and gear in this area. We feel year round trawling up is a more protective and preferable option compared to a closed area given the DEIS finding that a seasonal closed area could increase risk. For Southern New England, we propose an option that will lower the likelihood of entanglement, without forcing gear to move into areas with unpredictable risk potential. Given that the LMA 3 and overlap portions of the preferred closures scored only a 3.7% risk reduction in the DEIS, we believe that the proposed gear modifications, which would apply to both LMA 2 and 3 vessels fishing in the overlap, will better reduce risk. Finally, for the shelf edge, we request allowance to fish 35 trap trawls in consideration of operational and safety constraints that come with fishing on the continental slope. NMFS initial analysis of this provision found that it limited LMA 3 wide risk reduction by only 0.3% when these operations fished 35 trap trawls, rather than 45 trap trawls, given limited co-occurrence of whales and gear in these waters.

The individual vessel provision is also unchanged from the proposed rule. A handful of smaller LMA 3 vessels have expressed interest in this option for their operations to enhance safety at sea for crew members.

Related to gear marking, we support the Agency's proposal to continue with black area marks for LMA 3, however, given that LMA 3 is prosecuted solely in federal waters, we are uncertain of the need for the additional federal waters green mark.

Finally, the best way to reduce entanglement risk is to remove vertical lines from the water. NMFS has recognized this in the proposed rule by crediting LMA 3 for forthcoming changes to the area trap cap. Given that this credit (12%) is a key component of Area 3's efforts to conserve NARWs, we implore GARFO staff to prioritize this long awaited rulemaking. In addition to credit for the forthcoming trap cap reduction, we ask that NMFS reconsider the entanglement risk reduction provided by LMA 3's 2016-2020 trap cuts and transferability conservation tax. We understand the concern that trap reductions do not necessarily equate to end line reductions, but surely some credit is due for permanently removing fishing gear.

In fact, 2000-2018 VTR records⁹ indicate that the average number of traps per trawl increased after that first round of trap reduction (prior to 2010) and held steady during the first few years of recent

⁹ A3 2000-2018 VTR data analysis provided to AOLA by GARFO staff.

trap cuts (latest data available). In other words, as the number of traps reduced in LMA 3 so too did the number of end lines. Increasing the minimum traps per trawl from 20 to 35-45 as proposed above will ensure that the end lines already removed from the fishery cannot return to the water. Therefore, we ask that NMFS provide LMA 3 with credit for trap cuts since the reference year using a metric that is equitable to the proposed LMA 2 credit for similar FMP modifications.

AOLA staff submitted a detailed memo about data sources available for a LMA 3 endline reduction analysis to NMFS on 2/26/20. To briefly reiterate, there are three data sets that could be used to broadly assess and characterize fishing effort. 1) VTR records – Self reported fishing effort and catch data submitted by active LMA3 vessels. These data estimate active traps, average trawl lengths, and provide spatial and temporal information for a subset of LMA 3 permit holders. These data are the primary source used in the DEIS analysis. 2) Permit allocation records – Ownership and traps allocation records for 100% of LMA 3 permit holders. These data provide the maximum number of traps permitted in the area annually. 3) Permit designation records – Permit renewal records for 100% of LMA3 permit holders. These data provide the maximum number of active traps that could be deployed annually.

We ask that NMFS consider permit records the best available data to assess end line reductions, since they cover 100% of the fishery, are 100% accurate, and are the data source to be used in the forthcoming trap cap reduction rule. Permitted traps represent the total universe of gear that could be fished each year, not necessarily active effort, however they also reflect gear that has been permanently removed from the fishery. Removing traps from existing permits permanently reduces the risk of entanglement because of limited access provisions that prevent the issuance of new permits and minimum trawl lengths prevent fishing less traps with more lines.

Table 3: Annual LMA 3 permit records. Trap allocations sourced from GARFO permit records provided to AOLA staff. End lines calculated using 36 traps per trawl (VTR estimate). Reductions are shown in comparison to fishing year 2010, but effort was stable until allocation reductions and transferability conservation tax began in fishing year 2016.

Fishing Year	Traps	End Lines	Reduction
2010	148,108	8,288	0%
2011	148,108	8,288	0%
2012	148,108	8,288	0%
2013	148,108	8,288	0%
2014	148,108	8,288	0%
2015	148,108	8,288	0%
2016	136,868	7,604	8%
2017	128,901	7,161	13%
2018	121,797	6,767	18%
2019	115,479	6,416	22%
2020	109,378	6,077	26%


Given the uncertain surrounding entanglement risk reduction and the needs for greater enforcement and better data collection, we have aimed to be risk adverse in our proposed measures to ensure that the LMA 3 fleet goes above the minimum mandate during this phase of rulemaking.

It is our expectation that this approach, as well as our continued participation in gear research and data improvement efforts, will be considered when future rule making is considered for LMA 3.

In conclusion, the Atlantic Offshore Lobstermen's Association will continue to work with NMFS on risk reductions solutions that are feasible for Area 3 fishermen and protective of right whale. However, we urge NMFS to move quickly to broaden the scope of whale conservation, to not only hold Canada accountable, but to also make sure other US fisheries, shipping, tourism, commerce and emerging industries – the nearly 2 million acres of the Atlantic wind energy leases, and aquaculture – are not putting NARWs at further jeopardy. We further worry that the Agency is not acting expeditiously to address underlying uncertainty in critical data sets and models, and that the conservation framework outlined in the Draft Biological Opinion could fail to meet its goals, resulting in a jeopardy finding and closure of the lobster fishery. As such, we have enclosed our recommendations for a broader NARW conservation framework as Appendix A.

Thank you for the opportunity to comment,

Sincerely,

A handwritten signature in blue ink that reads "David Borden". The signature is fluid and cursive, with a long horizontal stroke at the end.

David Borden,
Executive Director

Appendix A –NARW Conservation Framework Recommendations

From AOLA’s Bi-Op Letter

We acknowledge that NMFS staff and leadership have worked diligently on the issue of NARW conservation, but the urgency of this situation requires a more detailed action plan than outlined in the BiOp framework. With that in mind, we make the following recommendations regarding the framework process. This list includes many items already in development by the Agency or recommended by NMFS staff.

Short term priorities (less than one year)

- Given the well documented environmental regime shift in 2010, it is critical that NARWs and their prey species be effectively monitored. NMFS should fully reinitiate funding for annual copepod surveys and predictive zooplankton modeling as they relate to NARWs future use of US habitats. NMFS should implement a plan for systematic broad-scale coastwide aerial, vessel, and acoustic surveying of the NARW population to standardize US data sources. Details about how to improve monitoring have been outlined in an outstanding 2020 NMFS Monitoring and Surveillance Technical Memo.
- Given the shifts of *Calanus sp.* biomass and NARWs into Canadian waters, NMFS should immediately re-engage Canadian counterparts in a dialog aimed at standardizing copepod and NARW sampling and surveying methods. There needs to be transboundary compatible surveys and data streams to properly monitor the stock.
- There should also be immediate standardization of NARW conservation programs in each country. The recently announced implementation delay of Import Provisions, which were already 5 years in the making, needs to be reversed. Given that the Import Rule¹⁰ is one of the few tools the US has to increase marine mammal protections and ensure comparable protections and fair competition, NMFS should seek expedited discussions with Canadian counterparts and conduct quarterly bilateral meetings.
- We suggest bilateral meetings include the leadership of NOAA/NMFS, one New England Fishery Management Council representative, one Atlantic States Marine Fisheries Commission representative, one environmental/conservation organization representative, and one inshore and one offshore commercial lobsterman. This would add a needed layer of transparency to the discussions, strengthen the US delegation, and allow the two fishery management organization that manage most fixed fishing gear in NARW habitat direct access and input to the discussions. There are many examples of Council and Commission participation in international discussions, therefore this request is not without precedent.
- NMFS should expedite rulemaking on long overdue tasks including 100% reporting in the federal lobster/Jonah crab fishery and implementation of a trap cap reduction in LMA 3. The latter was recommended by Atlantic States Marine Fisheries Commission in 2012.

¹⁰ Marine Mammal Protection Act’s Fish and Fish Product Import Provisions

- NMFS should immediately start rulemaking to address the increase in ship strikes in US waters described in the recently published vessel speed rule assessment and further documented in recent weeks in the South Atlantic. In the interim, there should be increased enforcement of existing ship speed regulations and consideration of amending fee structures to be commiserate with violations.

Longer term priorities

- US and Canadian scientists should collaborate on an annual report (similar to the NARW Consortium's annual "report card") that summarizes changes in stock status, provides the latest entanglement and ship strike data, and provides links to, or appendices of, other relevant reports and documents. Currently there is a tremendous amount of work being done by both countries' governments and private organizations that should be made available in a timely and transparent way to advance our collective understand of the species and human interactions.
- US and Canadian scientists should collaborate on a transboundary benchmark NARW stock assessment to be completed in 2022/2023. This assessment should be externally peer reviewed and made publicly available well in advance of the 2024 evaluation period. Phase 3 rulemaking should not begin until the results of the peer reviewed stock assessment are available to assess progress toward conservation goals.
- We strongly encourage the Agency to improve the NARW population model used to assess jeopardy. This will require both better data and re-evaluation of the model's assumptions.

Summary of AOLA's Request's in the above DEIS/Proposed Rule Comment Letter

- The Association requests that NMFS use every tool at its disposal to ensure protections for right whales in Canada.
- We ask that NMFS immediately increase enforcement of the existing vessel strike regulations, consider amending speeding fines to be commiserate with violations, and initiate rulemaking to better prevent ship strikes.
- NMFS should consider operating daily aerial surveys and requiring wind developers to fund and deploy acoustic sensing technologies to monitor NARWs during marginal weather conditions. Vineyard Wind's IHP should be re-evaluated considering recent modifications to construction plans that involve larger turbines.
- For the final rule, the Association strongly recommends that NMFS employ a consistent proportional method that reflects known data trends to apportion the risk reduction needed by each country.
- The Association requests that the final rule's risk reduction target be 93.7% of the total US entanglement reduction need. We encourage NMFS to use 2010-2019 data to calculate the

risk reduction needed as this period coincides with a regime change in zooplankton prey, includes the latest available data, and is consistent with data used in the Draft BiOp to estimate risk to NARW.

- We ask that NMFS consistently apply a reference year across all regulated jurisdictions; preference being for 2015 forward which would encompass all fisheries actions since the last amendment to the ALWTRP. If NMFS disregards this request, the final rule must provide a legal justification explaining how this inconsistent treatment of federal permit holders does not violate National Standard's guidelines.
- NMFS needs to dedicate staff and funding to manufacturing, systematically testing, and approving weak end line options as a top priority in 2021.
- We encourage NMFS to reinitiate funding for annual copepod surveys and predictive zooplankton modeling as they relate to future whale habitat use. We also strongly encourage the Agency to address the monitoring and surveillance recommendations made by NMFS's expert working group.
- If NMFS does establish a closed area south of the Islands, we recommend it encompass the smallest possible area spatially and temporally and include a two year sunset provision. A sunset is advisable given the yet to be determined consequences of wind industrialization on whale and zooplankton behavior. Further, we encourage the Agency to better justify their use of alternative whale sightings data as the best available.
- We request that NMFS consider AOLA's risk reduction provisions as an alternative preferred suite of measures for LMA 3 in the final rule and FEIS.

1 March 2021

Please accept these comments towards the Atlantic Large Whale Risk Reduction Plan.

I agree with the strategy of having gear marking requirements differ according to region. The entanglement risk problem requires more accurate data to determine areas of particular concern and having unique gear identifiers based on location is a strong start. The broad brushed approach is one that is very detrimental to the commercial fishing industry and may cause undue harm to fishermen by burdening them with regulations that will achieve no entanglement risk reduction. Area specific gear markings endeavor to gather better data about where entanglements may be occurring and therefore not only reduce broad brush regulations but also target areas that will achieve the highest risk reduction. While I agree with having different gear marking requirements for different areas there also needs to be a balance on the workload for fishermen and having overly complicated regulations that are hard to enforce. Specifically, requiring a 6" green mark in federal waters in addition to the gear marking requirements for a particular state may be overly burdensome and create enforcement issues. Gear marking will need to be done before a season starts and many fishermen start fishing in state waters and move gear into federal waters as the season progresses. This will mean that fishermen will need to add a 6" mark to wet, seaweeded rope while dealing with moving gear which always results in space, time, and weather being at premiums. Also, it is something that may wear off and therefore be attributed incorrectly to state waters. Finally, this may cause enforcement confusion as environmental police are tasked with enforcing thousands of laws and rules that differ based on permits/licenses, area fished, time of year fished, and other ever-changing parameters.

I would like to suggest that NMFS consider and test what is known as Neo-Corp #10 braided rope for acceptable use in achieving 1700lb breaking strength endlines. It has been tested and found to break at less than 1700lbs and also has shown to be operationally feasible in many areas. Also, with consideration to operational feasibility and safety, having the top 50% of each endline be required to be 1700lb weak rope or have weak insertions would be best. This will reduce rope loss and potentially reduce the amount of line entangled around a whale since the line will break at the 50% point, leaving behind most of the endline.

Gear marking and preparing endlines with 1700lb breaking strength top portions of weak-insertions is going to be very time-consuming and add to an already arduous process of preparing traps to be fished when the season arrives. Over the years fishermen have been asked to do more and more in terms of regulations. There will come a point when these additional preparations supersede the amount of time it actually takes to prepare the rest of the gear. It takes a lot of time to be ready for the seasons and is one of the factors that makes this type of commercial fishing only suitable for dedicated and driven individuals. This additional time, money, and stress needs to be considered in this rule making and especially in future rule making.

Having a conservation equivalency in the "trawling up" task is a must. For example if an area is required to have a 10 trap trawl with endlines, then a 5 trap trawl with a single endline should be

conservationally equivalent. Trawling up poses a MAJOR safety risk for many lobster vessels. Some vessels are too small for these larger required trawls and/or were not built to handle trawls. Some fishermen operate their vessels alone. Requiring trawls that are too long greatly reduces their safety. If possible, an exemption such as vessels 29ft and shorter could be allowed to use shorter trawls or singles as the state of Massachusetts just enacted in their recent Large Whale Risk Reduction regulations.

Other measures and endeavors that should be undertaken include increasing aerial survey coverage and occurrences, continuing to monitor large ship traffic and seasonal speed restrictions, pushing Canada to do their part, and examining the effects of large-scale wind farms on NARWS and their food source. The wind energy area (WEA) off RI and southern Mass completely covers and engulfs the migration and foraging areas of Right whales. There have been virtually no studies on the effects of wind farm geotechnical and geophysical surveys, construction, or operation on copepods or marine mammals. Wind farms in Europe have been shown to completely alter localized ecosystems based on the creation of turbidity and sedimentation via modifying currents through physical structures. Wind farm geotechnical and geophysical surveys employ many of the same survey approaches as oil and gas exploration, yet they are ongoing with less than minimal oversight or regulatory requirements. Once construction starts, near continuous around the clock pile driving will result in major effects on marine organisms on a massive scale. The intense sound and pressure that results is likely to kill most small zooplankton in a localized area. This would significantly alter the presence of copepods, therefore reducing a food source for Right whales. The areas south of Martha's Vineyard and Nantucket (encompassed by WEA) serve as a temporary foraging spot for Right whales along their migratory route. The overall condition of individual Right whales is already shown to be declining. If this "rest stop food source" is reduced or eliminated, RWs will have to endure their long and ever-changing journey with less food resulting in further declination of their physical aptitude. Agreements by wind farm developers to halt construction and pile driving during RW presence will only help so much. RWs can be difficult to spot visually from boats or planes depending on distance from vessel or sea state. Also, sound and pressure from construction is likely to cover much farther distances than a RW can be visually or otherwise detected. This will result in further disturbance to RWs and may even result in harassment or "takes" as defined legally. My concerns here only scratch the surface of issues that need to be considered and studied with regards to wind farms and endangered species. I realize that the breadth of this current action does not encompass wind farms, however, I strongly feel that it is important that NOAA NMFS and BOEM work together on this issue and therefore I am stating it and raising it in a forum that I believe can at least suggest to the appropriate departments the importance of this issue. Wind farms proceeding in their current form will undoubtedly have a far greater impact on NARWs than commercial fishing ever has or ever will. Altering the physical and biological state of an ecosystem will have an indelible deleterious effect to this species...and many others.

Thank you for your time and consideration of my comments.

Sincerely,

Gregory J. Mataronas



Massachusetts Lobstermen's Association, Inc.

8 Otis Place ~ Scituate, MA 02066

781.545.6984

February 25, 2021

Via email: michael.pentony@noaa.gov &

Online: <https://www.regulations.gov/commenton/NOAA-NMFS-2020-0031-0006>

Michael Pentony, Regional Administrator
National Marine Fisheries Service,
Greater Atlantic Regional Fisheries Office
55 Great Republic Dr.
Gloucester, MA 01933

RE: NOAA-NMFS-2020-0031-0006

Dear Mr. Pentony,

On behalf of its 1800 members, the Massachusetts Lobstermen's Association (MLA) respectfully submits this letter of comment with great concern and reservation to National Marine Fisheries Service (NMFS) regarding the proposed amendments to the regulations implementing the Atlantic Large Whale Take Reduction Team Plan (TEAM/PLAN), NOAA-NMFS-2020-0031, to reduce the incidental mortality and serious injury to North Atlantic Right whales and other protected species in the northeast commercial lobster and crab trap/pot fisheries to meet the goals of the Marine Mammal Protection Act (MMPA) and the Endanger Species Act (ESA).

Established in 1963, the MLA is a member-driven organization that accepts and supports the interdependence of species conservation and the members' collective economic interests. The MLA continues to work conscientiously through the management process with the MA Division of Marine Fisheries (MADMF), Atlantic States Marine Fisheries, National Marine Fisheries Service (NMFS), and Atlantic Large Whale Take Reduction Team (ALWTRT) to ensure the continued sustainability and profitability of all the resources in which our members are engaged in.

The cooperation put forth by the Massachusetts commercial lobster industry is a true testament that we can collectively work together with managers to reduce the potential risk for right whales all the while preserving the viable and historic commercial lobster fishery here in the Commonwealth.

Massachusetts Right Whale Conservation Timeline

1935- International ban on hunting whales goes into effect

1970- North Atlantic Right Whales listed as endangered

1996- NOAA implements the Large Whale Take Reduction Plan

1997-MA requirement for “breakaway” features in gillnets and trap/pot buoy lines

Seasonal ban in Cape Cod Bay for gillnets and on use of floating rope between pots

1997-Dedicated aerial surveys begin in Cape Cod Bay

2000- Year-round gear marking is implemented

2004 – Year-round ban on floating rope between traps in Cape Cod Bay

2007 - Year-round ban on use of floating rope between traps statewide

2014- MA Restricted Area is created – A three-month closure Feb-April to 3,071 sq. miles

2015 - 3 month (Feb/Apr) closure to all pots/traps in the MA Restricted Area

2016 – 3 month (Feb/Apr) closure to all pots/traps in the MA Restricted Area

2017 – 3 month (Feb/Apr) closure to all pots/traps in the MA Restricted Area **PLUS** 4-day extension of the gear closure in Cape Cod Bay

2018 - 3 month (Feb/Apr) closure to all pots/traps in the MA Restricted Area **PLUS** a 15-day extension of the gear closure and speed restriction (10 mph) for small vessels in Cape Cod Bay

2019- 3 month (Feb/Apr) closure to all pots/traps in the MA Restricted Area

2020 - 3 month (Feb/Apr) closure to all pots/traps in the MA Restricted Area, MLA members deploy 700 coils of whale safe 1700lb weak red rope.

2021 – MFAC implements 73.6% risk reduction conservation measures

Proposed Rule Changes

Modify gear marking to introduce state-specific marking colors

The **MLA SUPPORTS** increasing the number of the area color for vertical lines markings. By using a state by state color scheme it will help to identify the origin of an interaction should there be one. Currently, the limited markings on the vertical lines drastically hinders NMFS’s ability to truly identify the origin of the interaction to sanction the appropriate risk reductions.

However, the MLA is greatly concerned about the dual permit holders who will have markings indicative of state waters fishermen should the top 2 fathoms of vertical line be missing upon retrieval which is where the one federal green mark is located. NMFS needs to seriously reevaluate how these dual permit holders will mark their endlines in federal waters.

Modified Gear Configurations (Trawls and Weak Contrivances)

Trawls

Currently, there are less than 80,000 vertical lines deployed by the commercial lobster fleet in Massachusetts and a significant number of commercial lobstermen continue to convert their businesses to fish trawls. Their collective effort to further reduce vertical lines will be beneficial and the **MLA DOES NOT SUPPORT** the 50% increase in pots in the trawls for LMA 1, LMA2 and OC between 3-12nm. The fleet that fishes in these areas is limited by vessel size and available deck space, creating a significant safety concern.

The proposed gear configurations to reduce the number of vertical buoy lines by requiring more traps between buoy lines between LMAs is unfair as the LMAs beyond 12nm is only a 25% increase. The MLA requests the same 25% trawl length increase be applied to all the LMAs under consideration.

LMA	Current	Proposed
LMA1, 6–12 nm	10 traps/trawl	15 traps/trawl
LMA 2, OC 3-12 nm	10 traps/trawl	15 traps/trawl
LMA1, 2 beyond 12 nm	15-20 traps/trawl	25 traps/trawl

Massachusetts Vertical Line Reductions Underway

The MADMF has decades of data to back up the ongoing reduction of the lobster fishery here in Massachusetts with a 100% MANDATORY reporting. The MADMF can show the downward trend for the MA lobster fleet. Currently, in Massachusetts there are less than 747 active lobstermen fishing an average of 490 pots and most of them are fishing 5-30 pot trawls with an estimated 20-25 permits retiring every year.

The Massachusetts commercial lobster fishery in 2007 had 1,361 permits and as of 2019 there was only 1,066 permits issued of which 747 were fished. During this timeframe there has been a reduction of 295 commercial lobster permits with **NO NEW PERMITS** being issued. The commercial lobster industry in the Commonwealth deploys approximately 80,000 vertical lines and the numbers are going down as the new conservation management comes online in early 2021.

Table 1: MA Lobster-pot Fishery, Total maximum buoy lines by LMA and Year, 2011-2018

LMA	2011	2012	2013	2014	2015	2016	2017	2018
LMA1	71,811	67,801	65,220	66,050	61,014	64,191	67,846	60,821
LMA2	10,952	10,828	8,560	7,803	7,333	7,167	7,002	6,188
LMA3	1,299	1,256	1,335	1,549	1,040	1,126	1,228	1,656
OCLMA	18,430	15,027	16,773	15,009	15,037	13,669	13,518	13,474
Total	102,492	94,912	91,888	90,411	84,424	86,153	89,594	82,139

Data Source: MA Supplemental Reports and LMA permit declarations

Massachusetts Ongoing Trap Reductions

Currently, Massachusetts commercial lobstermen are still reducing effort through the ongoing trap reductions in Lobster Management Area (LMA) 2 and LMA 3 and these real numbers in reduction that need to be quantified and given a conservation credit. Today, there are approximately 70 active lobstermen in MA LMA 2 and approximately 58 active lobstermen in Outer Cape Cod (OCC), how much further can they be reduced in effort to remain whole when they are continually paying a conservation tax every time a tag is transferred. It should also be noted that; every transfer in LMA 2, LMA 3 and OCC there is also a 10% conservation trap tax which also equates to even a further reduction in effort.

Weak Contrivances

On January 28th, the MFAC implemented a more restrictive rule for state waters weak insertions at every 60', the MLA is concerned that the frequency of weak insertions or weak rope into buoy lines will not be fair and equitable among states.

The **MLA SUPPORTS** that **EVERY** state **MUST HAVE THE SAME NUMBER** of weak contrivances in federal waters without any exceptions. The commercial lobstermen here in the Commonwealth will yet again be doing more than the rest of the lobster fishery and the weak contrivances for the vertical buoy lines need to be in line with the federal plan. Many MLA members fish both state and federal waters and these requirements need to lineup so they can move in and out of state waters into federal waters without changing out their entire endline.

State	Current	Proposed
LMA 1, 2, OCC beyond 12 nm	None	1 weak insertion 35% down the line
NH/MA/RI Coast-3 nm	None	1 weak insertion 50% down the line

1700lb Weak Red and Candy Cane Rope as a “Weak Contrivance”

In 2019, the Lobster Foundation of Massachusetts was granted a Massachusetts Environmental Trust grant to develop a 1700lb weaker whale safer red rope that was deployed during the 2020 fishing season for field testing. The ropes 1700lb breaking strength basis came from the New England Aquariums study *Effects of fishing rope strength on the severity of large whale entanglements* by Amy Knowlton et. al. where they “*found entangled in tested rope strengths below 7.56 kN or 1700 lbsf, implementation of RBS ropes would likely reduce the probability of mortality and suffering*” Kowlton et.al.

We are happy to report that over 700 coils of the first version were successfully distributed and deployed by several hundred commercial lobstermen in Massachusetts. MADMF also purchased 400 plus coils of the weak red rope that will be distributed to the commercial lobster industry in early March.

The LFoM was also awarded a small grant to purchase the 1700lb breaking strength red and white (Candy Cane) rope to be field tested this spring (2021). We are looking forward to securing additional funding to purchase a large quantity of the weak ropes to be deployed during the 2021 fishing season.

These two weak ropes breaking at 1700lbs have been tested by Kevin Staples at the Maine Department of Resources and we are happy to report that they are breaking well within the acceptable tolerance ranges to significantly reduce the Serious Injury and Mortality to right whales:

New -Weak Red Rope (Small 3/8”)	New - Weak rope 3/8” Red and White (Candy Cane)
1700 lbs	1492 lbs
1736 lbs	1462 lbs
1747 lbs	1501 lbs
1740 lbs	1471 lbs
1675 lbs	1522 lbs



Ketcham Supply in New Bedford has been instrumental in getting these two 1700lb. weak ropes developed and manufactured. We are pleased to report that these weak ropes can be made in state specific colors and are hopeful that NMFS will utilize these weak ropes and various colorations for implementation as a default gear marking.

Furthermore, the MLA and LFoM is working tirelessly with the MADMF to develop and test a suite of acceptable weak contrivances that will be acceptable. We are hopeful that NMFS will adopt these and release a menu as soon as possible as the commercial lobstermen are looking for options to configure the endlines to be ready for the 2021 fishing season.

The LFoM is processing all the data that was collected from the first year of the weak red rope project. The consensus is that the weak red rope is a viable option for a weak contrivance and the MLA respectfully asks NMFS to accept the 1700lb. weak red rope as a weak contrivance.

The 1700lb. candy cane rope will be field tested this year and should also be accepted as a weak contrivance based on the manufacturers specifications and testing that has been done by the MEDMR all of which proves it to be well within the 1700lb., with acceptable tolerances, for a “weak contrivance” as the industry needs as many options as possible.

(See rope manufacturers specifications below)



Product Specifications

Low Tensile Marine Rope

Ketcham Supply is the exclusive distributor of this product

Part No:	R38SR
Description:	Low Tensile Marine Rope. Hard lay, sinking line. 100% Polyester, dyed red.
Uses:	This rope is used to attach and retrieve deep water fishing traps. The low tensile strength promotes quick release of whales or large sea mammals in the event of entanglement with the rope or fishing gear.
Tensile strength:	1700 lbs +/- 3%
Yield:	36 ft/lb
Dimensions:	3/8" dia. X 600 ft.
Manufacturer:	Rocky Mount Cord Company 381 N. Grace Street Rocky Mount, NC 27803 www.rmcord.com

Product Image:



Ketcham Supply Co

111 Myrtle Street ,New Bedford, MA 02740
www.ketchamsupply.com
info@ketchamsupply.com
508.997.4787

111 Myrtle Street
New Bedford, MA 02740
508.997.4787




www.ketchamsupply.com
info@ketchamsupply.com
@ketchamtraps

Low Tensile Marine Rope

Ketcham Supply is the exclusive distributor of this product

Part Number	R38SCC
Diameter	3/8 Inch
Length	600 Foot Coils
Tensile Strength	1,700 Pounds, +/- 3%
Characteristics	Hard Lay, Sink Rope
Color	White with Dyed Red Strands
Yield	36 Feet per Pound
Material	100% Polyester
Manufacturer	Rocky Mount Cord Company 381 N. Grace Street Rocky Mount, NC 27803

Product Image



**Modify existing seasonal restricted areas to restrict buoy lines
(but allow ropeless (acoustic) fishing)**

The Massachusetts Lobstermen’s Association **DOES NOT SUPPORT** ropeless (acoustic) technology and the MLA **DOES NOT** support the ten-year timeline set forth in the BiOp which clearly indicates that ropeless (acoustic) fishing year round is the ultimate goal of NMFS.

LMA	Current	Proposed
All Restricted Areas	Closed to Fishing	Allow trap/pot fishing without buoy lines in existing and proposed restricted areas with an exempted fishing permit (EFP). EFP authorizations would likely include conditions to protect right whales (e.g. area restrictions, low vessel speed, observer monitoring, and reporting requirements.)

Ropeless (Acoustic) Fishing is NOT REAL

Today, there is a lot of misperception on what can and cannot be done in the commercial lobster fishery when it comes to the use of ropeless (acoustic) fishing. Over the last 5 years or so, there has been a major effort to make it mandatory for the commercial lobstermen and fixed gear fishermen to transition over to ropeless (acoustic) gear to further save the right whales.

Furthermore, this gear transition to ropeless (acoustic) is being pushed for year round implementation when it is not needed as the 3-month closure is in effect when the right whales are present. The MA Restricted Area has a 0% chance of an entanglement happening and to think there will be zero failures of this technology is knowingly putting the right whales at risk.

The sheer magnitude of the economic undertaking would be well over 150 million dollars to outfit the commercial lobster industry here in the Commonwealth the first year. The individual cost would be an estimated \$190,000 per fishermen to outfit their gear to go fishing. Not to mention there is an average of 10% gear loss each year and this would have to be replaced year in and year out and the gear loss would likely increase dramatically as the technology has yet to be tested on large scale multi-disciplined fisheries. This transition would take hundreds of millions of dollars and decades to implement and outfit every commercial fishing vessel that is on the water.

The unintended consequences of gear conflicts between traditional and ropeless (acoustic) gear in the fisheries would be grave if not thought through to the end. Fixed gear commercial fishing and the


mobile gear industry do not fish in one hypothetical box for a species and this is where the gear conflicts would be catastrophic given that the technology is not readily available nor do individual brands talk to each other.

Here is a scenario for comparison when technologies do not communicate with each other; What would happen if AT & T, Verizon, Singular, Sprint, and Metro PCS cellphones did not communicate with each other? The consumers would have to carry several cell phones to stay connected and this would be the same for the ropeless (acoustic) technology. As of today, February 23, 2021, these technologies do not communicate with each other; Desert Star, Edge Tech, Lobster Lift, Smelts and more, do not interact with each other so each commercial fisherman would have to have multiple boxes, screens, and transducers on their vessel to see where all the gear is on the bottom.

As stated by MLA, Secretary Treasurer, Dave Casoni during the North Atlantic Right Whale Consortium meeting in 2019; “We’re at the Model T today and they expect us to be at the Tesla tomorrow.” Remember it took 100 plus years to get there with tens of thousands of people working on the technology.

New seasonal buoy line closures

The MLA **DOES NOT** support ANY new closures as a conservation risk reduction measure. The proposed closure in LMA 2/3 and overlap is almost the size of Connecticut and unjustly too large and must be reduced dramatically. The opportunistic sightings data that was used needs to be excluded as it was not collected in a systematic or timely manner.



The month of April should also be removed from the proposed SNE closure timeframe for the same reasons as noted above, the low number of historic opportunistic right whale sightings data does not warrant this month being closed. There just aren't the high aggregations and this month would be economically devastating to the commercial trap/pot fleet (lobster, crab & gillnet).

To evade a closure, even with the low number of fishermen fishing and the low number of right whale sightings, the LMA 2/3 overlap commercial lobstermen would be willing to fish 45 pot trawls with both endlines weakened to further reduce risk.

The LMA2 commercial lobstermen have been eviscerated through years of trap reductions and there is so few fishermen fishing in this area and for them to lose yet even more profitable fishing would be economically devastating to these fishermen.

The MLA further requests that a 5-year review and sunset provision be added to ANY closure as the ecosystem is rapidly changing and the right whales are moving.

Additional Comments and Concerns

Massachusetts commercial lobstermen have remained at the forefront of conservation measures for the right whales for over two decades. Unfortunately, the Biological Opinion (BiOp) clearly indicates an aggressive timeline for the implementation of more conservation measures implemented above and beyond ALL the conservation measures that are in place today. While NMFS's BiOp found "no jeopardy", they are basing everything on their contingency plan to implement a Conservation Framework over the next 10 years leaving the federally permitted commercial lobstermen in Massachusetts in limbo yet again.

Phase 1: Implementation of the Proposed Rule to reduce risk to right whales from the northeast lobster and Jonah crab fisheries by at least 60% in 2021.

Phase 2: Implementation of rules (to be determined) to reduce mortality and serious injury (M/SI) in federal gillnet and other Atlantic coast trap/pot fisheries by 60% in 2023.

Phase 3: Implementation of rules (to be determined) for an additional 60% risk reduction in all federal fixed gear fisheries in 2025

Phase 4: Implementation of rules (to be determined) for additional 87% risk reduction in all federal fixed gear fisheries in 2030. This could be reduced to 28% if M/SI from Canada or vessel strikes are reduced.

The BiOP is setting an unrealistic and unattainable timeline for upwards of a 98% risk reduction conservation, what does that really mean to the commercial lobstermen in Massachusetts when we are at 73.6% today, this would be upwards of a 100% risk reduction by 2030. How is this even remotely

feasible when Massachusetts commercial lobstermen have ZERO mortalities and or serious injuries attributed to their fishery!

The unrealistic, idealistic and aggressive “phased” in approach on the Massachusetts commercial lobster fleet will cause even more economic hardship regardless of them being at the forefront on ALL the right whale conservation measures to date.

Massachusetts Marine Fisheries Advisory Commission (MFAC)


The MFAC at their January 28, 2021 voted on and passed an aggressive suite of additional conservation measures for a 73/6% risk reduction for right whale protection will be implemented in Massachusetts by March 5, 2021. These conservation measures are as follows;

Commercial Fixed Gear Closures

The MFAC voted to:

- Expand the existing seasonal state waters commercial trap gear closure in both space and time.

The existing closure occurs from February 1 – April 30 within Cape Cod Bay, Stellwagen Bank, and the Outer Cape Cod Lobster Management Area. The closure area will extend north in state waters from Scituate Harbor to the New Hampshire maritime border and the closure duration will extend through



May 15. However, during the May 1 – May 15 period, the closure will occur on a dynamic basis allowing DMF to lift the closure (or parts thereof) if whales no longer remain in state waters. The closure will not extend into those southern state waters in Lobster Conservation Management Area 2.

- Geographically expand the existing January 1 – May 15 gillnet closure in Cape Cod Bay to include a discrete area along the South Shore between Plymouth and Scituate.

Commercial Trap Gear Modifications. The MFAC voted to:

- Require commercial trap fishermen to fish buoy lines that break when exposed to 1,700 pounds of tension beginning on May 1, 2021. This may be achieved by fishing specially manufactured buoy lines with a custom 1,700 pound breaking strength or by inserting NOAA Fisheries approved

contrivances into the top 75% of the buoy line every 60'. At this time, the only approved contrivance is the so-called "South Shore Sleeve."

- Require commercial trap fishermen fish buoy lines with a maximum diameter of 3/8".

Recreational Lobster and Crab Trap Measures. The MFAC voted to:

- Establish a recreational lobster and crab trap haul-out period of November 1 – May 15 (beginning on November 1, 2021) throughout all of state waters. This haul-out period will not apply to unbuoyed recreational lobster trap gear fished in the Cape Cod Canal.
- Require recreational trap fishermen fish buoy lines with a maximum diameter of 5/16".

https://www.mass.gov/doc/january-28-2021-mfac-meeting-summary/download?utm_medium=email&utm_source=govdelivery

Massachusetts commercial lobstermen are repeatedly burdened with economic hardships and the MOST restrictive conservation regulations in the United States commercial lobster industry, it is NO LONGER the sole responsibility of the Massachusetts commercial lobstermen to do ANY more "risk reduction or conservation" until other regions step up to the SAME draconian risk reduction and conservation effort levels that are in place right here in the Commonwealth.

Unknown Takes

NMFS has determined that under these baseline conditions (baseline 2000-2019) predict that the *"right whale population will continue to decline over the next 50 years, even if all U.S. federal fixed gear fisheries are shut down."* <https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DraftFisheriesBiOp011421.pdf>

Right whales continue to change their movement patterns, resulting in their emergence in areas at times of year where they haven't been traditionally observed. In 2017, right whales appeared in the Gulf of St. Lawrence, around busy shipping lanes and areas of a high abundance of unregulated Canadian snow crab gear.

In 2017-2018 in Canada alone there were 12 right whales killed in the Gulf of St Lawrence; 5 to ship strikes, 2 to entanglements and 5 unknown causes. There were 5 additional live entanglements in this area. In 2018, a dead right whale was found off the Southeast U.S. in gear consistent with the Canadian snow crab fishery.

Per the ALWTRT proposal, there have been, with certainty, 0.2 takes per year attributed to the U.S. fisheries and 0.7 to Canadian fisheries. The 0.5 difference is significant between the countries and seeing Canada is only limited to spatial and temporal protections for right whales ONLY for the snow crab fishery leaving thousands of unregulated endlines being deployed in Canada.

When a word like “IF” is used to describe how much time right whales spend in the waters of the U.S. vs. Canada, one would think tagging these animals would be critical in saving them?! While survey flights religiously track right whales in Massachusetts, there seems to be less of an interest in tracking them throughout the region. Right whales need to be tagged today!


The staggering amount of deaths endured by the right whales in Canadian waters is unfathomable. The Canadians have killed on average 8 right whales per year over the last three years. NOAA could take ALL of the vertical lines out of the water along the East Coast and the Potential Biological Removal (PBR) would still be exceeded and the U.S commercial lobstermen would still be found 50% at fault! How is the U.S. commercial lobster fishery ever supposed to achieve the PBR goal when it is truly unattainable?

Currently, there are no regulations on the Canadian lobster fishery prohibiting the use of floating line at the surface which is deadly to right whales. Whereas, ALL U.S. commercial lobstermen are prohibited from using floating line at the surface, this conservation measures can make a difference and it should be implemented in Canada without further delay.

For decades now the commercial lobster industry has asked to tag these animals with great push back. Now more than ever we need real-time data on where these animals are so to reduce further harm as these animal’s swim into unprotected water. The days of assuming where they swim need to stop and tagging them for real-time data needs to be realized without further delay.

We cannot save the species without significant Canadian action TODAY! We need to demand more action from Canada as right whales are more frequently traveling from Florida to the Gulf of St. Lawrence into unregulated Canadian gear and vessel activity. When the right whales leave the safest waters of Cape Cod Bay in the spring they are very well fed and very much alive until they arrive in the unprotected water in the Gulf of St. Lawrence where they continue to die.

Habitat Degradation



As the ecosystem in the Northeast continues to deteriorate, right whales continue to chase the copepods into the unprotected waters in Canada leaving the U.S commercial lobstermen continue to pay the price for the right whales' failure to thrive. The right whales are using more energy searching for food leaving them thinner than their relatives in the Southern Hemisphere.

“The heatwave of 2018 fits with a much longer trend in the region, which is among the fastest-warming parts of the global ocean. In the past three decades, the Gulf of Maine has warmed by 0.06°C (0.11°F) per year, three times faster than the global average. Over the past 15 years, the basin has warmed at seven times the global average. The Gulf has warmed faster than 99 percent of the global ocean.”

<https://climate.nasa.gov/news/2798/watery-heatwave-cooks-the-gulf-of-maine>

There is no denying that the ongoing, [Watery heatwave cooks the Gulf of Maine](https://climate.nasa.gov/news/2798/watery-heatwave-cooks-the-gulf-of-maine), and is driving the right whales and their food of choice, copepods, northward where they continue encounter large diameter endlines and heavy fishing gear. *“The populations of copepods, a key food source for endangered Northern Right Whales, also seem to be moving with the changing conditions.”*

<https://climate.nasa.gov/news/2798/watery-heatwave-cooks-the-gulf-of-maine>

Moreover, the negative implications of [Projecting the effects of climate change on Calanus finmarchicus distribution within the U.S. Northeast Continental Shelf](#), Brian D. Grieve^{1,2}, Jon A. Hare³ & Vincent S. Saba⁴, (Grievet et. al.), do not look good for the recovery efforts set forth in the BiOp or the proposed ALWTRT rule for the right whale.

“Calanus finmarchicus is vital to pelagic ecosystems in the North Atlantic Ocean. Previous studies suggest the species is vulnerable to the effects of global warming, particularly on the Northeast U.S. Shelf, which is in the southern portion of its range. In this study, we evaluate an ensemble of six different downscaled climate models and a high-resolution global climate model, and create a generalized additive model (GAM) to examine how future changes in temperature and salinity could affect the distribution and density of C. finmarchicus. By 2081–2100, we project average C.

finmarchicus density will decrease by as much as 50% under a high greenhouse gas emissions scenario. These decreases are particularly pronounced in the spring and summer in the Gulf of Maine and Georges Bank.

Furthermore, the “trained GAM was used to project *C. finmarchicus* densities into the future under different climate scenarios. By the 2041–2060 period, there is expected to be similar decreases in *C. finmarchicus* density under the RCP 4.5 and RCP 8.5 scenarios, down 22% and 25% of present day density over all regions and seasons, respectively.” <https://www.nature.com/articles/s41598-017-06524-1.pdf> This timeline clearly indicates that ALL the right whale conservation efforts by the lobster fishery will not help these animals to thrive as they are starving and unable to thrive in an ecosystem that is failing them.





Figure 3. Projected density of *C. finmarchicus* on the Northeast U.S. Shelf. Individual climate model runs are indicated by thin colored lines while the ensemble average is bolded.

With all the modeling, speculations, and conservation efforts being expended on “saving” the right whales, maybe we should all be looking at saving the Calanus. Without enough food, calanus, to feed on, by 2100 will there be any right whales left? Based on the BiOp 50 year predictions and the projected calanus density model, most likely there will not be any right whales left.



Additionally, the BiOp clearly stated; the ecosystem is changing and the species is shifting northward into unprotected waters. Per the United States Census Bureau's, **Coastline Population Trends in the United States: 1960 to 2008** the growth along the eastern seaboard of the United States "Between 1960 and 2008, the percentage increase in population along the coastline (84 percent) was greater than that of the United States (70 percent)." Unfortunately, the majority of that growth on the eastern coastline was based on "new coastline residents in the 1990s and post 2000 periods."

<https://www.census.gov/prod/2010pubs/p25-1139.pdf>

With upwards of a 500% increase in coastal populations along the eastern seaboard, has a real detrimental impact on the marine ecosystem. Without ecosystem safeguards in place, there seems to be an equally disproportionate amount of conservation mandates put on the commercial lobster industry without any conservation repercussions being put on the population along the eastern seaboard. Are we all doing our part to save a species that may not be able to be saved or are we killing the most historic and iconic fishing industries in the United States, the American lobster fishery?

In closing, the Massachusetts Lobstermen's Association thanks you for the opportunity to comment and your thoughtful deliberation on our points of concern. Also we respectfully ask you to please remember, that OUR commercial fishermen are stewards of the sea and without a healthy marine ecosystem, collectively, they will not be able to continue earning a living in the historic and iconic commercial lobster fishery.

Sincerely,

Beth Casoni

MLA, Executive Director

cc.

Sen. E. Warren

Sen. E. Markey

Cong. W. Keating

Cong. S. Moulton

Gov. C. Baker

Lt. Gov. K. Polito

EEA, Sec. K. Theoharides

FWE, Com. R. Amidon

DMF, Dir., D. McKiernan

MAFAC



MAINE

Lobstermen's Association, Inc.

2 Storer St, Ste 203 * Kennebunk, ME 04043
207-967-4555 * 866-407-3770 * www.mainelobstermen.org

March 1, 2021

Via Federal eRulemaking Portal

Michael Pentony, Regional Administrator
NMFS, Greater Atlantic Regional Fisheries Office
55 Great Republic Drive
Gloucester, MA 01930

RE: Proposed Amendments to Regulations Implementing the Atlantic Large Whale Take Reduction Plan, NOAA-NMFS-2020-0031

Dear Mr. Pentony:

The Maine Lobstermen's Association ("MLA") provides these written comments in response to the National Marine Fisheries Service's ("NMFS") proposed rule to amend the regulations implementing the Atlantic Large Whale Take Reduction Plan ("TRP") and NMFS's associated draft environmental impact statement ("DEIS"). *See* 85 Fed. Reg. 86,878 (Dec. 31, 2020) ("Proposed Rule"). MLA appreciates NMFS's consideration of these comments.¹

The MLA was founded in 1954 and is the oldest and largest fishing industry association on the east coast. The MLA advocates for a sustainable lobster resource and the fishermen and communities that depend on it. The MLA engages in advocacy, education, stewardship and sustainable resource management, collaborative research, and cultural exchange. For more than 65 years, the MLA has ably represented the interests of the Maine lobster industry and educated the public, regulators, and elected officials about the importance of this industry.

¹ In a letter dated February 19, 2021, the MLA, in conjunction with other fishing associations, submitted written comments in response to NMFS's Draft Biological Opinion on 10 Fishery Management Plans in the Greater Atlantic Region and the New England Fishery Management Council's Omnibus Amendment 2 (released Jan. 15, 2021) ("Draft BiOp"). The February 19, 2021 comment letter on the Draft BiOp ("Draft BiOp Comment Letter") is attached to this comment letter as Addendum 1 and is hereby incorporated by reference.

The MLA is committed to supporting both the continued viability of the Maine lobster fishery and the improvement of the health of the western North Atlantic stock of the North Atlantic right whale (“NARW”) through management measures that accurately address documented risks to the NARW based on the best available science. Maine lobstermen are world leaders in conservation and stewardship. We take pride in our longstanding sustainable fishing practices, which include the implementation of successful measures for over two decades to protect the NARW. Since NMFS formed the Atlantic Large Whale Take Reduction Team (“TRT”) in 1997, the MLA has been fully engaged in working to reduce the potential risks to the NARW from entanglement in U.S. fishing gear.

We provide the comments below to inform and improve NMFS’s development of a final rule and preparation of a final EIS. As an important initial matter, we wish to emphasize that MLA opposes the proposed LMA1 restricted area, which is the product of a legally, scientifically, and factually deficient process. The TRT did not recommend (or even discuss) the LMA1 restricted area. No LMA1 closure of any kind was presented for public review and input in the scoping process for the DEIS. Consequently, the proposed LMA1 restricted area has not been sufficiently vetted and, indeed, NMFS has substantially underestimated the economic impact of this proposal. A mere 60 days for public input is not adequate to assess and inform a proposal that (1) will have adverse economic, operational, safety, and social impacts on the fishery and (2) in the normal course, would have been comprehensively investigated and informed through the statutorily mandated Marine Mammal Protection Act (“MMPA”) take reduction planning and National Environmental Policy Act (“NEPA”) scoping processes.

In the short period of time that has been given, MLA has worked diligently to assess the proposed LMA1 restricted area as best as possible under the circumstances. Notwithstanding MLA’s opposition, if NMFS decides to implement the LMA1 restricted area, then MLA strongly recommends that NMFS: (1) shift the closure period to September through December; (2) reconfigure the restricted area as specifically described in the comments below; and (3) select Alternative 1-B (the “trigger” option). These recommendations would significantly reduce the economic, operational, safety, and social impacts of the closure without compromising conservation benefits to NARW. Additionally, the “trigger” implementation option would also allow NMFS to both implement the restricted area if and when it becomes necessary, and properly investigate temporal and geographic options for the restricted area based on full input from the fishery and other stakeholders. Our detailed comments and recommendations regarding the LMA1 restricted area are set forth in Section II.D below.

The other key points and recommendations addressed in Section II below are summarized briefly as follows:

- The Proposed Rule unjustifiably targets the Northeast lobster fishery. There have been no observed serious injury or mortality entanglements associated with the fishery since a comprehensive suite of protective measures was implemented in 2009. *See* Section II.A.
- The 60% risk reduction target is flawed because it arbitrarily assigns only 50% of unknown entanglements to Canadian fisheries when the best available data show that a much higher percentage of entanglements occur within Canadian fisheries. Within U.S.

fisheries, NMFS arbitrarily assigns all risk for unknown entanglements to trap/pot gear when the best available science suggests that NARWs are twice as likely to be entangled in other types of gear. Accordingly, we recommend that NMFS take a consistent probabilistic approach for all apportionments that are made for purposes of determining risk reduction, specifically to base apportionment on observed data. *See* Section II.B.

- The Proposed Rule fails to account for the full benefits of weakening vertical lines to reduce mortality and serious injury from entanglements. The full benefits should be taken into account in the development of a final rule. *See* Section II.C.
- The MLA strongly recommends that NMFS include conservation equivalencies in its final rule to allow lobstermen as much flexibility as possible in implementing risk reduction measures, particularly when some of those measure will not be practicable for many lobstermen. *See* Section II.E.
- The MLA supports the Proposed Rule’s gear-marking provisions. *See* Section II.F.
- The Proposed Rule underestimates economic impacts. When actual impacts are considered, the Proposed Rule is economically significant under E.O. 12866 and must be evaluated as such. *See* Section II.G.
- The MLA recommends that NMFS adopt a phased-in implementation schedule for a final rule because lobstermen cannot reconfigure and mark gear in the middle of the fishing season. *See* Section II.H.
- The final EIS must present a full analysis of all of the technological, operational, economic, safety, and enforcement concerns that must be resolved for a ropeless gear fishery to be viable. *See* Section II.I.
- Alternative 3 exceeds legal requirements, is impracticable, and fails to maximize net benefits. NMFS should therefore not adopt Alternative 3 or any portions of Alternative 3. *See* Section II.J.
- The TRT process leading up to the TRP recommendations that form, in part, a basis for the Proposed Rule was rushed and flawed. This undermines both the TRP recommendations and the Proposed Rule. *See* Section II.K.

I. BACKGROUND

A. The Maine Lobster Fishery.

The Maine Lobster Fishery has long been an integral part of the state’s—and the New England region’s—culture, heritage, and economy. Lobstering income serves as the foundation of Maine’s coastal economy and is the economic engine that keeps many small rural towns alive.

Maine's lobster fleet directly supports more than 10,000 jobs: 3,670 captains, up to 5,750 crew, and 1,095 students.²

The Maine Lobster Fishery generates more than \$1.5 billion annually in sales and distribution supply chain revenue to the region's economy,³ and is made up of a diverse collection of small businesses that are located in small, rural communities. Maine lobstermen live along more than 3,500 miles of coastline in 120 rural communities, including 15 year-round islands.⁴ These coastal communities lack traditional economic opportunity and instead are highly dependent on self-employment: 23% overall, with a 38% level in year-round island localities (compared to 13% nationwide).⁵ The median household income for Maine lobstermen is \$39,395, compared to the national median of \$44,389.⁶

By law, every Maine lobsterman is a self-employed business owner. Each runs his or her own boat and lives, works, and spends his or her earnings locally. Maine's Department of Marine Resources ("DMR") assigns a commercial lobster license and a maximum 800-trap tag allocation to a vessel. The vessel is owned and operated by the captain.⁷ There is no corporate ownership in the Maine lobster fleet. Licenses and trap tags can be sold only by the state of Maine; no sale or transfer by private parties is permitted.⁸ In 2018, Maine DMR issued 4,830 commercial lobster licenses and 1,095 student licenses.⁹

The Maine Lobster Fishery has been hit hard by the economic fallout of the COVID-19 pandemic. Illness and lockdowns resulted in substantial constriction of the food service and entertainment sectors, where approximately 70% of American lobster has traditionally been sold.¹⁰ Lobster is particularly vulnerable to price deflation due to the tremendous risk in holding

² This is based on a calculation of potential crew and categories of lobster licenses sold. In 2018, there were 1,390 Class I licenses (29% no crew allowed), 1,891 Class II licenses (39% one crew member allowed), and 1,549 Class III licenses (32% up to four crew members allowed). *See* ME. REV. STAT. tit. 12, § 6421.

³ Michael Donihue, *Lobsters to Dollars: The Economic Impact of the Lobster Distribution Supply Chain in Maine*, at 1, 3, 12 (June 2018), www.colby.edu/economics/lobsters/Lobsters2DollarsFinalReport.pdf.

⁴ WAYPOINTS: LIVELIHOODS ON MAINE'S COAST AND ISLANDS, www.islandinstitute.org/waypoints-livelihoods (last visited Mar. 1, 2021).

⁵ *Id.*

⁶ GULF OF ME. RESEARCH INST., A SOCIOECONOMIC SURVEY OF NEW ENGLAND LOBSTER FISHERMEN, at 27 (2008), http://www.lobstermen.com/wp-content/uploads/2009/10/RES_DH_reports_Lobster-Socioec-Survey.pdf.

⁷ ME. REV. STAT. tit. 12, § § 6431-G.

⁸ *Id.* § 6421.

⁹ ME. DEP'T MARINE RES., LOBSTER ZONE LICENSE AND TRAP TAG ANNUAL SUMMARY (2008–18), <https://www.maine.gov/dmr/science-research/species/lobster/documents/2008-Current%20Licenses%20and%20Tags.pdf>.

¹⁰ Letter from Marianne Lacroix, Exec. Director, Maine Lobster Marketing Collaborative, to Patrice McCarron, Exec. Director, Me. Lobstermen's Ass'n, Inc. (Apr. 22, 2020) (on file with recipient).

and moving live product. For example, the price paid to lobstermen for their catch dropped from \$6.00 to \$3.50 per pound between Memorial Day and early June 2020 as demand fell, putting lobster businesses at risk of failing.

For more than a century, the Maine Lobster Fishery has been a stable presence along New England's waterfronts. It is an icon of the region, and a vital part of the region's culture, traditions, and economy. The future of many of Maine's coastal communities, and economic opportunity for children growing up in these communities, depends on the continued success of the Maine Lobster Fishery.

B. Successful Regulation of the U.S. Northeast Lobster Fishery Under the TRP.

Sections 117 and 118 of the MMPA establish the mechanisms by which NMFS regulates the interactions of commercial fisheries with marine mammals. Section 117 requires NMFS to, *inter alia*, estimate annual levels of "human-caused mortality and serious injury" ("M/SI") of marine mammal stocks and to report those estimates in annual stock assessment reports ("SAR").¹¹ Under Section 118, those M/SI estimates are used as the basis for various regulatory mechanisms. As relevant here, NMFS's implementation of the MMPA's take reduction planning provisions is based upon the level of M/SI by commercial fisheries compared to a marine mammal stock's "potential biological removal" level ("PBR").¹²

Commercial fisheries interactions with marine mammals that do not result in M/SI do not "count against" PBR.¹³ Accordingly, take reduction plans can include measures intended to reduce the severity of marine mammal interactions such that they do not result in M/SI.¹⁴ The MMPA's take reduction planning short-term and long-term goals can therefore be achieved by both minimizing marine mammal interactions and ensuring that any interactions that do occur result in non-serious injuries.

Under the guidance of the TRT and implementation of the TRP, the NARW population growth trajectory was favorable for many years. Collaborative work by lobster harvesters, researchers, fishery managers, and other stakeholders contributed to scientific knowledge of NARW behavior and interaction with fishing gear and other human activities across its migratory range.¹⁵ This work included harvesters working alongside fishery regulators, whale

¹¹ 16 U.S.C. § 1386.

¹² *See id.* § 1387(f).

¹³ *See id.* § 1387(f)(2) (both take reduction planning goals refer only to reducing M/SI).

¹⁴ *See, e.g.*, 50 C.F.R. § 229.37(c) (2012) (Hawaii false killer whale take reduction regulations requiring weak hooks, strong branch lines, and training to remove hooks and trailing gear from hooked whales, resulting in non-serious interactions).

¹⁵ The MLA and its members have collaborated with scientists in developing and testing fishing gear to reduce the risk of entanglement. The MLA partnered with the NMFS gear team in the 1990s to measure gear profiles, test weak links, and explore gear modifications; worked with researchers in the 2000s to establish methods and standards to deploy weak links, develop buoy line marking methods, and deploy remotely operated vehicles and sensors to measure groundline rope profiles; and tested a variety of vertical line modifications, such as weak rope, stiff rope, glow rope, and time tension line cutters. Since

scientists, and the private sector to develop innovative fishing practices and gear deployment strategies intended to reduce the frequency and severity of interactions between whales and fishing gear. This work led to a series of enhanced measures to mitigate risk to the species from the U.S. Northeast Lobster Fishery (the “Lobster Fishery”).

Specifically, regulations developed and imposed at the state and federal level, including those implemented under the TRP, have significantly reduced both (1) the amount of lobster-related rope in the water, and (2) the risk of a severe outcome (*i.e.*, a M/SI determination) if a NARW encounters such gear (*see* Table 1 below). The principal elements of these protective measures are summarized below.

- Sinking groundline requirement. The 2009 TRP regulations preclude the use of “floating groundlines” connecting lobster traps and, instead, require the use of “sinking groundlines.” This eliminates the potential for whale entanglement in floating lines near the ocean bottom. This regulation removed over 27,000 miles of floating groundlines from New England waters.¹⁶
- Vertical line reduction. The 2014 TRP regulations established minimum traps per trawl based on geographic area and distance from shore, resulting in the removal of approximately 2,740 miles of rope from the water.
- Massachusetts Restricted Area. In 2015, TRP regulations established a 3,000 square mile area spanning Cape Cod Bay, Massachusetts Bay, and outer Cape Cod, which has been closed to lobster gear from February 1 to April 30 annually, eliminating entanglement risk for up to three-quarters of the NARW during these months. The state waters portion of this closure is managed by the Massachusetts Division of Fisheries (“DMF”), which has extended applicability to recreational fishermen and moved the closure date beyond April 30 as appropriate.
- Gear Marking. Federal fixed gear fishermen regulated under the TRP are required to mark vertical lines to aid in identifying the source of gear involved in an entanglement. In 2020, Maine implemented new regulations to require unique and expanded gear markings.

2010, MLA and its members have worked with scientists to publish a resource describing lobster gear and configurations deployed in the Lobster Fishery, map lobster fishing effort, develop a fishing gear/right whale risk model, document wear issues associated with sinking groundlines and recommendations to improve wear of that line, describe options for best fishing practices, test colored vertical lines, measure the breaking strength of existing vertical lines, test new versions of weak rope, and update time tension line cutters. In addition, individual MLA members have collaborated with researchers and developers seeking to design a viable system for ropeless fishing.

¹⁶ *See* Brief for Me. Lobstermen’s Association as Intervenor-Defendants’, Decl. of Glenn Salvador at 5, *Ctr. for Biological Diversity v. Ross*, 2020 U.S. Dist. LEXIS 149837, Civil Action No. 18-112 (JEB)(Aug. 19, 2020) (Attached to Draft BiOp Comment Letter as Addendum C) [hereinafter Salvador Decl.].

- Weak Links. The TRP requires the incorporation of 600-lb. weak links (1,100 lbs in LMA3) in the top of a buoy line and to any attachments along the buoy line.
- Universal Gear Requirements. The TRP regulations establish a suite of gear modifications to reduce entanglement risk to NARW, prohibiting the use of floating line at the surface and wet storage of gear for more than 30 days.
- Protections in Maine's Exempt Waters. In addition to the Universal Gear Requirements, the state of Maine requires lobster gear fished in Maine's exempt waters where NMFS has determined there is minimal risk to NARW to implement whale protective measures. Exempt gear must have at least one of the following modifications: (1) sinking or neutrally buoyant rope for all buoy lines, (2) sinking or neutrally buoyant rope for all groundlines, or (3) a 600-lb. weak link attached to the top of the buoy line.¹⁷ As of September 2020, this gear must be marked with three purple marks (36" at the top and 12" at the middle and bottom on of the line).
- Gear Marking. Federally regulated fixed gear fishermen are required to mark vertical lines to aid in identifying the source of gear involved in an entanglement. In 2020, Maine implemented new regulations to require unique and expanded gear markings.
- Effort Reduction. The Lobster Fishery has reduced effort across all jurisdictions since the inception of the TRP. Area 3 has implemented mandatory annual trap allocation limits of 5% per year, Massachusetts has a long-standing moratorium on lobster licenses, and Maine has established a limited-entry and apprentice Program, all of which have resulted in a significant reduction in the risk of entanglement to NARWs.

In sum, implementation of additional protective measures by lobstermen under the TRP has removed nearly 30,000 miles of rope and significantly lowered the risk profile of lobster gear and fishing practices. MLA has been a key participant in the TRT process, helping to develop and successfully implement these enhanced protections for NARW with demonstrated success (Table 1).¹⁸ Since 2009, there has been a sustained downward trend in observed entanglement and M/SI of NARW in American lobster gear, attributable to the comprehensive actions taken under the TRP. This must be (but is not) fully accounted for in the DEIS and Proposed Rule.¹⁹

¹⁷ 188-75-02 ME. CODE R. § A(2) (2021).

¹⁸ TRT members include MLA's Executive Director, Patrice McCarron (more than 15 years); MLA President and commercial fisherman, Kristan Porter; MLA Vice-President and lobsterman John Williams; MLA Director and lobsterman Michael Sargent; and former MLA Board member and lobsterman, Dwight Carver.

¹⁹ NOAA law enforcement has reported excellent compliance rates with fishery regulations, including measures required by TRP. *See, e.g.*, NAT'L OCEANIC & ATMOSPHERIC ADMIN., ENFORCEMENT REPORT (Oct. 2018), https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/October%202018/noaa_fisheries_enforcement_presentation.pdf (compliance rates for all fisheries was 92% in 2017).

II. COMMENTS ON PROPOSED RULE

A. The Proposed Rule Unjustifiably Targets the Lobster Fishery.

The MLA supports risk reduction measures that are based on the best available science, appropriately designed to achieve applicable legal standards, and accurately reflect the risk posed by each commercial fishery's co-occurrence with NARW. The MLA is disappointed that NMFS's management recommendations in the Proposed Rule have prioritized additional mitigation measures in the Lobster Fishery even though the most significant documented threats to NARW originate elsewhere. As described in the comments below, NMFS is not sufficiently addressing other, more substantial sources of NARW M/SI. NMFS must address the entanglement risk posed by *all* commercial fisheries in order to fulfill its legal obligations.

Additionally, NMFS has not sufficiently presented and analyzed available data showing that the Lobster Fishery has substantially reduced the risk it presents to NARW over the past decade through implementation of risk reduction measures that have proven to be effective. Instead, as explained in the comments below, NMFS has artificially inflated the risk of the Lobster Fishery based solely on the number of lines fished, and has not appropriately taken into account indisputably relevant factors such as location-specific whale density, whale behavior, and the threat levels associated with different types of fishing gear.

As illustrated in Table 1, continuous enhancements of whale protective measures have been followed by significant declines in NARW entanglements attributed to the Lobster Fishery. From 2000 to 2010, American lobster gear comprised 45% of known cases of such entanglements (6 cases out of 13). However, since 2010, lobster gear comprises only 0.04% of known cases (1 case out of 25).²⁰ Since 2014, there has been only one entanglement (a non-serious injury) in New England lobster gear. During this same time period, no NARW is known to have died or suffered serious injury arising from entanglement in gear attributed to lobster fishing.²¹ This is significant since efforts to monitor and study NARW, including expanded survey effort, have substantially improved since the beginning of the TRT process and increased the likelihood to detect and identify sources of harm.

Table 1.		
Confirmed American Lobster Entanglement 1997-2019		
<u>1997-2000</u>	<u>2000-2010</u>	<u>2010-2019</u>
4 Non-serious injuries	1 Mortality; 4 Non-serious injuries	1 Non-serious injury

The MLA therefore continues to object to NMFS's prioritization of the Lobster Fishery for immediate management action. The level of risk reduction sought by NMFS is not consistent with the fishery's demonstrated lack of confirmed entanglements and M/SI with NARW since 2010.

²⁰ Salvador Decl., *supra* note 16, at 8.

²¹ *Id.*

B. The Risk Reduction Target of 60% Is Flawed and Inconsistent with the Best Available Science.

The MLA continues to object to the 60% risk reduction goal upon which the Proposed Rule is premised because it is not consistent with the best available science. The MLA instead urges NMFS to adopt a uniform probabilistic approach, giving full weight to observed data, to appropriately apportion unknown human causes of NARW M/SI. When available, additional data, information, and expert judgment should be used to refine those proportions. This methodology should apply to apportionment of (1) entanglements of unknown origin between U.S. and Canada, and (2) entanglements occurring within the U.S. of unknown fishing gear type.

1. NMFS ignores trends in observed data in assigning unknown-origin entanglements to U.S. fisheries.

A core premise of the 60% risk reduction target is NMFS's assignment of *half* of all entanglements of unknown origin to U.S. fisheries.²² NMFS makes this assumption “[f]or the purposes of developing a conservative target” despite observational data showing a significantly higher proportion of entanglements with Canadian fisheries.²³ This 50-50 assumption is very significant because 96% of all mortality attributed to the Lobster Fishery results from entanglements of unknown origin. As detailed below, the 50-50 assumption is flawed and inconsistent with the best available science.

First, NMFS's 50-50 allocation is not consistent with recent observational data showing the disproportionate lethality of Canadian snow crab gear. As illustrated by Table 2 below, from 2016 to 2019, the data show a disturbing trend in which Canadian gear accounts for 31% of known entanglements and 36% of M/SI. However, NMFS improperly discounts the value of this observed data in the DEIS, stating that entanglements “can rarely be identified to a specific fishery” and “[i]t is impossible to confirm the country of origin for every incident.”²⁴ NMFS's own data show that identifying causation is not uncommon, with 37% of entanglement cases confirmed to a country from 2016 to 2019. Moreover, no confirmed M/SI from entanglements with U.S. fisheries have been observed over the last five years through 2019. Indeed, on February 23, 2021, the Atlantic Scientific Review Group (“ASRG”) prepared a consensus statement recommending that NMFS “reassess the 1:1 apportionment of mortality between the US and Canada *based on recent observed M/SI.*” (Emphasis added.)

²² Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; Atlantic Coastal Fisheries Cooperative Management Act Provisions; American Lobster Fishery, 85 Fed. Reg. at 86,880 (Dec. 31, 2020) (to be codified at 50 C.F.R. pt. 229, 697).

²³ *Id.*

²⁴ NAT'L MARINE FISHERIES SERV., DRAFT ENV'T IMPACT STATEMENT, at 2-30 (Dec. 30, 2020) [hereinafter “DEIS”].

Table 2.				
Summary of Entanglement Incidents – US-Canada Comparison				
	2000-2019		2016-2019	
	Entanglement	MSI	Entanglement	MSI
All events	114	52	51	25
CN	18 (16%)	9 (17%)	16 (31%)	9 (36%)
US	8 (7%)	2 (4%)	3 (6%)	0 (0%)
Unknown	88 (77%)	41 (79%)	32 (63%)	16 (64%)
Source: Adapted from Draft BiOp, Table 56				

Second, although the data presented above may not be statistically significant,²⁵ it is arbitrary to ignore the stark differences in confirmed U.S. and Canadian entanglements. There are underlying factors that strongly suggest a divergence with respect to both entanglement risk associated with the trap/pot gear profiles used in each country and the risk of encounter based on the recent shift in whale migratory behavior to the Gulf of St. Lawrence during the snow crab fishing season. The combination of foraging behavior, which exposes whales to greater risk, and proximity to heavy snow crab fishing gear has proved deadly in recent years. Indeed, Canada had few, if any, risk reduction measures in place prior to 2017.²⁶

Meanwhile, beginning in 2009, both U.S. fisheries and maritime transportation sectors implemented a series of regulatory enhancements to reduce NARW M/SI U.S. waters.²⁷ U.S. fisheries implemented additional measures in 2014 to reduce the number of vertical lines. This set of regulatory improvements, coupled with the shift of NARW migratory habits that exposes the animals to Canada’s more lethal snow crab gear, explain the differences in the most recent data.

Glenn Salvador, who spent more than two decades as a gear specialist at NMFS, examined NMFS’s entanglement data over the 2000-2018 period to assess the effects of the protective measures implemented in the U.S. (but not in Canada) starting in 2009.²⁸ Specifically, Mr. Salvador reviewed data available for 138 documented entanglement cases in U.S. and Canadian fisheries of all types, and concluded that there has been a significant decline in NARW entanglements in U.S. lobster gear since 2010. Moreover, he noted that, since 2014, there has

²⁵ Based on a Student’s T-Test (2-tailed), the difference is not significant at $p < 0.05$. RONALD E. WAPOLE & RAYMOND H. MYERS, *PROBABILITY & STATISTICS FOR ENGINEERS & SCIENTISTS* (7th Ed. 2006).


²⁶ *Examining Threats to the North Atlantic Right Whale Before the Subcomm. on Water, Oceans, & Wildlife of the H. Comm. on Natural Resources*, 116th Cong. 6 at 26 (2019), <https://www.congress.gov/116/meeting/house/109022/documents/CHRG-116hhrg35462.pdf> (Chris Oliver, Assistant Administrator for NOAA Fisheries, noting coordination began in 2017).

²⁷ *See supra* Section I.A. Although increased NARW migration into the Gulf of St. Lawrence was observed as early as 2015, Canadian regulators did not implement enhanced protective measures for vessels until 2017 and fisheries until 2018. *See* NARW sightings data at <https://apps-nefsc.fisheries.noaa.gov/psb/surveys/MapperiframeWithText.html>.

²⁸ Salvador Decl., *supra* note 16, at 5.

been only a single, non-serious entanglement attributed to the Lobster Fishery for which Maine was ruled out as the origin of the gear involved.²⁹ Mr. Salvador also observed that rope removed from entangled whales since 2014 is not characteristic of ropes used in the Lobster Fishery.³⁰ Based on these findings, he concluded that “the decline in lobster gear entanglement is due to the success of whale protection measures implemented by lobstermen and a significant distributional shift of NARW into Canadian waters where they encounter Canadian fishing gear.”³¹ Mr. Salvador further concluded that “[t]he largest entanglement threat is now posed by Canadian snow crab gear trap/pot gear.”³² The data supporting his conclusion are illustrated in Figure 1 below.

MLA has identified a pronounced trend in NMFS’s data on gear of unknown origin, with the proportion of cases with no gear present increasing significantly beginning in 2015 coincident with the increase in confirmed entanglement in Canadian snow crab gear. This raises significant unanswered questions about the responsibility of Canadian fisheries for these entanglements.³³



Third, to determine what percentage of the unknown sources are U.S. versus Canadian fisheries, NMFS also considered “assigning those seen first in U.S. waters to U.S. gear” and determined this approach “would suggest that a two- or threefold reduction is necessary to achieve PBR.”³⁴ However, as noted in the NARW stock assessment, “[t]he date sighted and

²⁹ Email from Patrice McCarron, Exec. Director, Me. Lobstermen’s Ass’n, Inc., to Dave Morin, NOAA Greater Atl. Reg’l Fisheries Office (“GARFO”) Large Whale Disentanglement Coordinator (Aug. 15, 2019). (attached as Addendum 2).

³⁰ *Id.*

³¹ *Id.*

³² *Id.*

³³ The MLA first raised this issue with NMFS in an August 30, 2019 letter to Chris Oliver. Letter from Me. Lobstermen’s Ass’n, Inc. to Chris Oliver, Assistant Administrator NOAA Fisheries (Aug. 30, 2019) (attached as Addendum 3).

³⁴ DEIS, *supra* note 24, 2-38.

location provided...are not necessarily when or where the serious injury or mortality occurred; rather, this information indicates when and where the whale was first reported beached, entangled, or injured.”³⁵ According to NMFS’s entanglement data, at least four entanglements confirmed in Canada gear were first sighted in U.S. waters. Yet NMFS continues to erroneously cite data on entangled whales first sighted in U.S. waters as a justification for the need for management action in the U.S.³⁶

Fourth, the DEIS states “that much of the North Atlantic right whale population is believed to spend more time exposed to fisheries in U.S. waters than in Canadian waters,”³⁷ yet there are *no* data available to support this assumption.³⁸ Moreover, residency time in U.S. waters is generally irrelevant for the purpose of ascertaining the entanglement risk of commercial fisheries. NMFS should instead compare the time spent by NARW in the portion of U.S. waters *where the lobster fishery operates* to inform its assumptions to apportion unknown whales among fisheries. Residency time in more southern locations, for example, is not indicative of the entanglement risk of the Lobster Fishery. This same concern was expressed in the Center for Independent Experts’ (“CIE”) review of the Decision Support Tool (“DST”).³⁹

Fifth, neither the Proposed Rule nor the DEIS addresses the difference in observation effort between Canadian and U.S. waters. Survey effort has historically been significantly greater in U.S. waters, as NMFS has conducted aerial surveillance operations on nearly a year-round basis for many years. As a result, entanglement events in Canadian waters were likely under-sampled prior to 2017, the year when survey effort in Canada was increased with the assistance of NMFS.⁴⁰ Greater survey effort in the U.S. relative to Canada increases the likelihood that an

³⁵ NAT’L OCEANIC & ATMOSPHERIC ADMIN., U.S. ATL. AND GULF OF MEXICO MARINE MAMMAL STOCK ASSESSMENTS, at 72 (2019), https://media.fisheries.noaa.gov/dam-migration/2019_sars_atlantic_508.pdf [hereinafter 2019 Stock Assessments].

³⁶ The fact that NARW carcasses entangled in Canadian snow crab gear started to show up in U.S. waters since 2015 indicates that entanglements first sighted in the U.S. without the entangling gear present must be assigned some probability that the entanglement originated in Canada.

³⁷ DEIS, *supra* note 24, at 2-38.

³⁸ Email from NOAA Greater Atl. Reg’l Fisheries Office to Nat’l Marine Fisheries Serv. Atlantic Large Whale Take Reduction Team (Apr. 18, 2019) (Introducing the 50:50 US/CN apportionment, GARFO states: “Because our Stock Assessment Reports have not included a determination on the fraction of time North Atlantic right whales spend in U.S. and Canadian waters, we do not have a data-based residency estimate to apply at this time.”); *see also* Draft BiOp Comment Letter, Addendum D.

³⁹ W.D. BOWEN ET AL., CTR. FOR INDEP. EXPERTS, INDEPENDENT PEER REVIEW SUMMARY REPORT: REVIEW OF THE NORTH ATLANTIC RIGHT WHALE DECISION SUPPORT TOOL (Dec. 2019), https://www.st.nmfs.noaa.gov/Assets/Quality-Assurance/documents/peer-review-reports/2019/2019_12_Bowen_North_Atlantic_right_whale_DST_review_report.pdf [hereinafter BOWEN ET AL.]

⁴⁰ NMFS data presented at the October 2018 TRT meeting shows that while surveillance in Canada increased significantly in 2017 and was greater than U.S. efforts (95 hours in Northeastern US, 152 hours in CN), surveillance efforts were similar in 2018 (150 hours Northeastern U.S. vs. 152 hours in Canada). NAT’L MARINE FISHERIES SERV. ATL. LARGE WHALE TAKE REDUCTION TEAM Meeting, Providence, RI, Oct. 9-12, 2018.

entanglement event would be observed. A small number of additional observed entanglements in Canadian waters would be sufficient to make the difference between the U.S. and Canada statistically significant. This factor also undermines NMFS's 50-50 allocation.⁴¹

Sixth, similar to the concerns recently expressed by the ASRG, NMFS's earlier peer review of the DST called into question the 50-50 allocation. Specifically, the peer review report states:

The current approach for apportioning human-caused mortality by country may not be the most appropriate approach. There has been a clear recent shift in the spatial distribution of NARW which has been coupled with a shift in the source of known serious injuries or mortalities to more Canadian records. Therefore, a different method from the 50:50 split of unknowns to US and Canadian fisheries should be examined.^[42]

Reviewer Jason How acknowledged the lack of a scientific basis for the 50-50 split and offered a different approach to address the uncertainty:

The current 50% apportionment of unknowns to U.S. fisheries does not reflect the current shift in NARW distribution and the recent increase in Canadian fisheries involvement in SI-M. Discussions between industry and government should therefore be entered into to find a compromise solution, whereby the recent shift in NARW abundance is accounted for, but fishers are still required to address the SI-M issues which likely arise from their fisheries noting the large number of unknown SI-M which can't be attributed to a particular country.^[43]

In sum, NMFS arbitrarily assigns a 50-50 allocation between U.S. and Canadian fisheries rather than using a probabilistic approach informed by observed entanglements from 2010-2019. This is not consistent with the best available science, and artificially inflates the presumed impacts of U.S. fisheries, and the Lobster Fishery specifically, which, in turn, calls into question NMFS's 60% risk reduction target. NMFS must revise the risk reduction target to correctly reflect an allocation of risk between Canada and the U.S. that is supported by the best available science.

⁴¹ MARTIN CRYER, CTR. FOR INDEP. EXPERTS, INDEPENDENT PEER REVIEW NORTH ATLANTIC RIGHT WHALE MODEL POPULATIONS, at 5 (May 2020) (stating the 50:50 allocation "does not seem to have much supporting evidence in the documentation provided.").

⁴² BOWEN ET AL., *supra* note 39, at 13.

⁴³ *Id.* at 18.

2. The best available science does not support an assumption that all unknown gear entanglements involve U.S. commercial trap/pot fisheries.

NMFS's assumption that the U.S. commercial trap/pot fisheries must reduce risk by 60% is further compromised by NMFS's mistaken premise that it must focus on the fisheries "representing the highest number of endlines in the U.S. Atlantic."⁴⁴ The Draft BiOp shows that this premise stems from NMFS's assumption that "all of the presumed U.S. entanglements in unknown gear were from trap/pot gear (2016 IEC, unpublished data)."⁴⁵ This misallocation of all M/SI entanglements of unknown gear type to U.S. trap/pot fisheries has the effect of making these fisheries responsible for an additional 38%⁴⁶ of entanglements with no evidence of the fisheries' involvement in those entanglements. This is arbitrary for a number of reasons.

First, the best available data suggest that NARWs are more often entangled in gear types other than lobster gear. Where the type of gear involved in an entanglement event is *known*, and Canadian trap/pot incidents are excluded, the ratio between non-trap/pot gear and trap/pot gear is 1.75:1. *See* Table 3 below.⁴⁷ In other words, observations involving confirmed gear type suggest that NARW are *nearly twice as likely* to be entangled in gear other than commercial trap/pot fisheries. We understand that gear is recovered in a relatively small proportion of entanglement incidents, and that the gear type is identified in even fewer incidents. However, to completely discount the distinction in observed data and assign *all* entanglements of unknown gear type to trap/pot fisheries for the purpose of assigning responsibility for an allegedly needed risk reduction is without scientific support and is arbitrary.

⁴⁴ DEIS, *supra* note 24, at 2-34.

⁴⁵ NAT'L MARINE FISHERIES SERV., DRAFT BIOLOGICAL OPINION ON 10 FISHERY MANAGEMENT PLANS, at 224 (Jan. 15, 2021), <https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DraftFisheriesBiOp011421.pdf>.

⁴⁶ 76% of M/SI are unknown; NMFS allocates half of this to the U.S. *See* DEIS, *supra* note 24, at 2-34.

⁴⁷ Email attachment from Colleen Coogan, NOAA Greater Atl. Reg'l Fisheries Office Marine Mammal & Sea Turtle Branch Chief, to Patrice McCarron, Exec. Director, Me. Lobstermen's Ass'n, Inc. (Dec. 24, 2020); *see* Draft BiOp Comment Letter, Addendum E.

	Entanglement	MSI
All events	114	52
Gear known	25	12
Trap/pot	18	10
trap/pot – CN crab	14	8
trap/pot – US	2	1
trap/pot – US lobster	1	0
trap/pot – Unknown	1	1
Non-trap	7	2
Non-trap – US	1	0
Non-trap – country unknown	6	2
Gear unknown	89	40
No gear present	52	18
Gear not recovered	33	19
Gear undetermined	4	3
Source: NMFS NARW Entanglement Data 2000-2019		

Second, although most of the lines in U.S. waters are from trap/pot fisheries, NMFS recognizes that not all lines pose the same risk to NARW. NMFS developed the DST to assess the variable threat from different gear types and configurations in its risk assessment. A methodology is under development to assess risk of lobster lines based on the type of rope fished (*i.e.*, strength based on diameter) and the configuration of the gear (*i.e.*, length of line, length of trawl).⁴⁸ Even with an incomplete understanding of the threat of various gear types, early results of the DST show that line density alone is not a reliable indicator of risk to whales. For example, the state of Maine, using the DST, determined that 70% of the risk to NARW from Maine lobster gear occurs in an area where only 10% of lines are fished.⁴⁹

Third, the best available data show that both the entanglement risk and potential of a severe entanglement differ between trap/pot and non-trap gear. Just as encounters with strong, large diameter line fished in Canadian trap/pot fisheries have been responsible for the majority of NARW M/SI in recent years, it is likely that a NARW encountering non-trap gear fished in wide strings would have a higher likelihood of entanglement than a vertical line occupying less than

⁴⁸ See NAT'L MARINE FISHERIES SERV. ATL. LARGE WHALE TAKE REDUCTION TEAM Meeting, Presentation on Risk Reduction Tool (Apr. 16, 2019), https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/April%202019/02_presentation_on_risk_reduction_tool.html.

⁴⁹ Letter from Erin Summers, Director of Biomonitoring & Assessment Division of Me. Dep't Marine Resources, to Patrice McCarron, Exec. Director, Me. Lobstermen's Ass'n, Inc. (Feb. 12, 2021) (on file with recipient); see also DEIS, *supra* note 24, at 3-105 (with preliminary risk analysis: "Maine federal waters from the 3- mile line out to 12 miles constitutes 11% of Maine's annual NARW occurrence and 88% of Maine's NARW presence is contained beyond 12 miles.").

an inch across the water column.⁵⁰ The Woods Hole Oceanographic Institute has developed a methodology in collaboration with the fishing industry to attribute risk to gear based on proportion of water column occupied.⁵¹ This information must be considered in this rulemaking.

Fourth, neither the Proposed Rule nor the DEIS addresses the potential for a whale to shed trap versus non-trap gear, which is highly relevant considering that fishing gear is shed in the majority of incidents. Two-thirds of all entanglement events are minor,⁵² meaning that whales frequently shed fishing gear, avoiding serious injury. It is reasonable to assume that the entanglement profile of fishing gear influences the likelihood of its being shed, and ultimately, the probability of a resulting serious or non-serious entanglement. The DEIS does not analyze differences between trap and non-trap fisheries with respect to the potential to cause M/SI. Instead, NMFS simply assigns all M/SI resulting from unknown gear type to trap/pot fisheries rather than using a probabilistic approach informed by observed entanglements. In so doing, NMFS fails to accurately address the highly important legal distinction between entanglements that result in M/SI (which count toward PBR) and entanglements that result in non-serious injuries (which do not count toward PBR).

Fifth, NMFS has not taken account of significant variances in NARW behavior. The scientific literature demonstrates that NARW diving depth depends on the distribution of prey (especially *C. finmarchicus*) (Baumgarten *et al.* 2017). Floating groundlines, which have been prohibited in federal waters since 2009, pose a particular threat in areas where NARW are known to dive to the seafloor (Hamilton and Krause 2019⁵³). Foraging behavior exposes baleen to entanglements, which subsequently interfere with successful feeding (Cassoff *et al.* 2011⁵⁴ and Johnson *et al.* 2005⁵⁵). There is ample scientific documentation of feeding grounds within U.S. waters,⁵⁶ and fishing gear deployed in those areas must be considered to pose higher risk of M/SI than elsewhere. Specifically, NARW are known to forage in areas off the coast of Massachusetts

⁵⁰ NAT'L OCEANIC & ATMOSPHERIC ADMIN., LIST OF FISHERIES, <https://www.fisheries.noaa.gov/national/marine-mammal-protection/northeast-sink-gillnet-fishery-mmplist-fisheries> (last visited Mar. 1, 2021).

⁵¹ See HAUKE L. KITE-POWELL ET AL., THE SPATIAL AND TEMPORAL DISTRIBUTION OF RISK TO RIGHT WHALES FROM LOBSTER FISHING GEAR OFF THE COAST OF MAINE (*forthcoming*).

⁵² PHILLIP K. HAMILTON ET AL., MAINTENANCE OF THE NORTH ATLANTIC RIGHT WHALE CATALOG, WHALE SCARRING AND VISUAL HEALTH DATABASES, ANTHROPOGENIC INJURY CASE STUDIES, AND NEAR REAL-TIME MATCHING FOR BIOPSY EFFORTS, ENTANGLED, INJURED, SICK, OR DEAD RIGHT WHALES, at 50 (Oct. 2020).

⁵³ PHILLIP K. HAMILTON & SCOTT D. KRAUS, FREQUENT ENCOUNTERS WITH THE SEAFLOOR INCREASE RIGHT WHALES' RISK OF ENTANGLEMENT IN FISHING GROUNDLINES (July 2019), <https://www.int-res.com/articles/esr2019/39/n039p235.pdf>.

⁵⁴ RACHEL M. CASSOFF ET AL., LETHAL ENTANGLEMENT IN BALEEN WHALES (Oct. 2011), <https://www.int-res.com/articles/feature/d096p175.pdf>.

⁵⁵ AMANDA JOHNSON ET. AL, FISHING GEAR INVOLVED IN ENTANGLEMENTS OF RIGHT AND HUMPBACK WHALES (Oct. 2005), https://www.bycatch.org/sites/default/files/Johnson_etal_2005.pdf.

⁵⁶ 2019 Stock Assessments, *supra* note 35; NAT'L OCEANIC & ATMOSPHERIC ADMIN. Technical Memo. NMFS-NE-264.

and the Gulf of St. Lawrence where large aggregations congregate for significant periods of time. By contrast, NARW in Maine waters are generally transiting from south of Maine to Canadian waters where their prey is found.⁵⁷ Thus, the risk of M/SI to NARW from Maine fishing gear is lower than the risk posed by fishing gear in waters where NARW foraging occurs based on both density of whales present and whale behavior.

The Proposed Rule is arbitrarily premised upon a scenario that inflates the assumed frequency and severity of NARW entanglements with trap/pot fisheries based solely on presence of rope. If this mistake is not corrected, the Proposed Rule and NMFS's subsequent regulatory efforts with respect to non-trap/pot fisheries could fail to benefit NARW because they will not adequately address entanglement with gear that is most likely to result in M/SI.

We therefore strongly recommend that NMFS take a consistent probabilistic approach for all apportionments that are made for purposes of determining risk reduction, specifically to base apportionment on observed data. This approach should also consider additional data, information, and expert judgment, as appropriate, and apply them in a manner that refines the allocations based on observed data.

C. The Proposed Rule Underestimates the Risk Reduction Benefits from Non-Closure Measures.

1. The DST is fundamentally flawed and must be updated.

The DST's calculations of entanglement risk equally weight whale abundance, gear density, and gear type. Independent reviewers expressed concerns with this approach and made numerous suggestions to refine it.⁵⁸ Based on the reviewers' comments and input MLA has received from its members, NMFS cannot support the assumption that the likelihood of entanglement of NARWs is based equally on these factors.⁵⁹ Instead, the DST must consider whale behavior in addition to whale density and develop a gear threat tool that more accurately reflects the risk of different gear types including size and strength of gear, and gear configurations and rigging techniques that inform relative threat of gear to NARW.

⁵⁷ Note that the study of NARW foraging tagged a small number of whales around Jeffrey's Ledge and no individuals elsewhere within waters offshore of Maine. Most of the foraging whales were located offshore Massachusetts and in the Bay of Fundy. MARK F. BAUMGARTNER ET AL., NORTH ATLANTIC RIGHT WHALE FORAGING ECOLOGY AND ITS ROLE IN HUMAN-CAUSED MORTALITY, Fig 1. (OCT. 2017), <https://doi.org/10.3354/meps12315> [hereinafter Baumgartner, et al.].

⁵⁸ See BOWEN ET AL., *supra* note 38.

⁵⁹ JULIE VAN DER HOOP, CTR. FOR INDEP. EXPERTS, REVIEW OF THE NORTH ATLANTIC RIGHT WHALE DECISION SUPPORT TOOL, at 13 (Dec. 2019) ("The challenge is that we know little about how a co-occurrence becomes an entanglement."); BOWEN ET AL., *supra* note 38, at 9 ("Little is known about the circumstances that lead right whales to become entangled or those that result in the whale becoming disentangled."); JASON HOW, CTR. FOR INDEP. EXPERTS, CENTER FOR INDEPENDENT EXPERTS INDEPENDENT REVIEW OF THE NORTH ATLANTIC RIGHT WHALE DECISION SUPPORT TOOL, at 2 (Dec. 2019) ("Currently there is too much uncertainty regarding the mechanisms surrounding an entanglement and how these are likely to be impacted by changes to gear configuration and whale size etc.").

Improved information on whale behavior and the threat of various gear types and configurations is especially important to designing mitigation measures that achieve risk reduction targets. Making these improvements will ensure that economic impacts are optimized with respect to reducing entanglement risk, and that the Lobster Fishery receives full credit for its actions. As presently designed, the DST imposes tremendous cost on the Lobster Fishery without commensurate risk reduction or properly calculating risk reduction.

There is a significant range in DST estimates of risk reduction from measures in the Proposed Rule. Specifically, the DEIS estimates the effectiveness of the Proposed Rule to range from 47.1 to 79.4 percent (DEIS Table 3.4). Excluding the LMA1 restricted area, the estimated effectiveness varies between 36.1 and 67.7 percent, with a central estimate of 57.3 percent. The effects of some of the risk reduction measures may exceed the upper bound of effectiveness, let alone the central estimate, as discussed below for the weak line requirements.

Were the measures in the Preferred Alternative to achieve their maximum estimated effectiveness, the proposed LMA1 restricted area would not be necessary to meet the Lobster Fishery's risk reduction target. NMFS may account for this uncertainty in effectiveness when structuring its regulations to implement conservation measures in phases. In light of the recommendations made by independent experts to further refine the DST, which we fully support, we believe NMFS should use a phased approach to risk reduction rather than immediately implementing a closure (the LMA1 restricted area) that may not be necessary.⁶⁰

2. The Proposed Rule does not account for the full benefits of weakening vertical lines.

The proposed mitigation measures that eliminate line in the water (*e.g.*, trawling up or a closure) would reduce the risk of entanglements of all degrees. Although weak points inserted in rope do not reduce the risk of a NARW *encounter*, there is a rational basis to assume that weak-point insertions effectively reduce the likelihood of a severe (*i.e.*, M/SI) entanglement. NARW are likely to break free of gear rigged with weak point insertions by applying enough force to break the line and swim free. However, the DEIS does not sufficiently consider the benefit that weak point insertions are more likely to result in minor, rather than severe entanglement, and therefore inaccurately estimates the total benefit of weakening lines to be only 14 percent.

NMFS's 14% estimate is contrary to the best available science, which suggests that NARW are capable of applying enough force to break ropes weakened with insertions of 1700-pounds or less,⁶¹ and that those encounters rarely result in a severe entanglement. Indeed, actions that reduce severe entanglements may be sufficient to reduce the M/SI rate to below PBR.

⁶⁰ MLA is aware that NMFS has recently re-run the DST model. MLA's comments are provided based upon the information presented in the Proposed Rule and the associated record presented for public review. Any new DST model runs are not part of the administrative record and cannot form the basis for a final rule under the Administrative Procedure Act ("APA").

⁶¹ LOGAN H. ARTHUR ET. AL., ESTIMATING MAXIMAL FORCE OUTPUT OF CETACEANS USING AXIAL LOCOMOTOR MUSCLE MORPHOLOGY (May 2015), <https://doi.org/10.1111/mms.12230>.

Knowlton *et al.* (2015)⁶² found that, “broad adoption of ropes with breaking strengths of ≤ 7.56 kN (≤ 1700 lbsf) could reduce the number of life-threatening entanglements for large whales by at least 72%, and yet could provide sufficient strength to withstand the routine forces involved in many fishing operations. The authors concluded that “[a] reduction of this magnitude would *achieve nearly all the mitigation legally required for U.S. stocks of North Atlantic right and humpback whales.*” *Id.* (emphasis added).

The DEIS takes an overly conservative approach by crediting risk reduction for only the portion of the line above the lowest weak insertion. In taking this approach, NMFS assumes that a NARW is equally likely to encounter any section of the line, and therefore equally likely to be entangled at any section of a line. Although this assumption may be correct in areas where NARW forage and are therefore diving to greater depths (Baumgartner *et al.* 2017), this assumption is unsupported in areas where NARW spend the majority of time in transit (such as waters offshore of Maine).⁶³ The DEIS does not explain why migrating NARW are equally likely to encounter line at the surface and seafloor. This assumption is particularly relevant to Maine fisheries because NARW have primarily used these waters since 2010 for transiting rather than foraging. Based on the best available information, NMFS should apply more risk reduction for weak line in areas where NARW transit and are therefore less likely to encounter line at greater depths.

Finally, in stark contrast to Canadian snow crab gear, lobster gear already incorporates many weak points in vertical lines through the routine rigging of multiple ropes into a single line with knots and splices. A NMFS gear specialist characterized snow crab gear as “heavy traps on knot free and fairly uniform large diameter ropes.”⁶⁴ The lack of weak points in this Canadian gear provides a likely explanation of why snow crab gear, and not lobster gear, is routinely found on entangled whales and commonly associated with M/SI. The addition of 1700-pound weak points in a line will further reduce NARW M/SI and exceed the current estimate of 14 percent risk reduction.

Successful take reduction planning under the MMPA does not occur solely through mechanisms intended to *avoid* all marine mammal interactions. Weakening lines is a promising and well-supported method to *reduce the severity of interactions* and thereby convert NARW entanglements that might otherwise result in M/SI to non-serious encounters. The final rule must more accurately account for this important and effective method for reducing NARW M/SI, which will achieve more than a 14% risk reduction in the overall plan. Maine DMR developed an independent methodology to assess the reduction from weak rope. The result of this analysis was that weak points adopted within the Maine Lobster Fishery, as proposed in the DEIS’s Preferred Alternative, reduced risk by 25%, compared to the NMFS estimate of 11.8% credit for Maine.⁶⁵

⁶² AMY KNOWLTON, EFFECTS OF FISHING ROPE STRENGTH ON THE SEVERITY OF LARGE WHALE ENTANGLEMENTS (July 2015), <https://doi.org/10.1111/cobi.12590>.

⁶³ BAUMGARTNER ET. AL., *supra* note 57.

⁶⁴ DEIS, *supra* note 24, at 2-40.

⁶⁵ DEIS, *supra* note 24, at 3-98.

D. The Proposed LMA1 Restricted Area is Unwarranted.

1. MLA opposes the proposed LMA1 restricted area because it was not recommended by the TRT and lacks a rational basis.

The MMPA places significant emphasis on the judgment and recommendations of take reduction teams.⁶⁶ When amending take reduction plans, as NMFS is proposing to do here, the Secretary “shall” take a team’s recommended plan into consideration and must provide a written “explanation of the reasons” for any changes the Secretary makes to the recommended plan when issuing implementing regulations.⁶⁷ Here, NMFS has proposed the LMA1 restricted area, but the TRT did *not* consider or recommend the LMA1 restricted area *or any other restricted area in Maine offshore waters*. NMFS fails to sufficiently address this significant discrepancy or explain the reasons why it is proposing to alter the risk reduction approach set forth in the TRT’s near-consensus recommendation. This violates the MMPA and, in light of the deficiencies identified above and below, falls short of the rational basis for agency rulemaking required by the APA. The MLA therefore opposes the LMA1 restricted area.

2. The DEIS significantly underestimates the cost of the LMA1 restricted area.

NMFS estimates that the LMA1 restricted area will reduce catch by 5 to 10 percent. NMFS bases this estimate on the following assumptions: (1) there is no additional cost to fishermen to reconfigure their gear to meet the minimum trawl length required in any area to which they relocate; (2) fishermen would fish the same number of end lines and traps as they used in the closed area; (3) fishermen will relocate to productive ground; and (4) fishermen will continue to make the same number of fishing trips. This assessment is deficient for the following reasons.

First, NMFS presented no data to support its catch reduction estimate in LMA1 and has failed to address this data gap as required by law. NMFS admits that “[t]he data required to develop a rigorous estimate of potential catch impacts are not available.”⁶⁸ This information is plainly “essential to a reasoned choice among alternatives” as NMFS itself has presented three options for the LMA1 restricted area and two of those options (automatic closure and triggered closure) were *not* recommended by the TRT or presented to the public for input during the NEPA scoping process.⁶⁹ Accordingly, NMFS was required to obtain the data and include it in the DEIS if the “overall costs of obtaining [the data] are not unreasonable.”⁷⁰ Alternatively, if NMFS determined that the costs of obtaining the data are unreasonable, it must present, in the

⁶⁶ See 16 U.S.C. § 1387(f)(7).

⁶⁷ See *id.* § 1387(f)(7)(B–F).

⁶⁸ DEIS, *supra* note 24, at 6-212.

⁶⁹ The NEPA implementing regulations establish a specific, detailed scoping process, which “shall be an early and open process for determining the scope of issues to be addressed and for identifying *the significant issues* related to a proposed action.” 40 C.F.R. § 1501.7 (emphasis added). The LMA1 restricted area is plainly a “significant issue” but was never addressed during scoping.

⁷⁰ 50 C.F.R. § 1502.21(b).

DEIS, the analysis required by 50 C.F.R. § 1502.21(c).⁷¹ The DEIS is legally deficient because it entirely fails to comply with 50 C.F.R. § 1502.21.

Second, NMFS's assumptions regarding how fishermen will respond to the LMA1 restricted area are not supported by the best available information, and the agency provides no evidence or rationale to support those assumptions. Contrary to NMFS's assumptions, many fishermen are unlikely to relocate to other, equally productive fishing grounds. An essential element of any lobstering business plan is to fish the most productive bottom available in the most cost-effective manner. Since the proposed LMA1 restricted area is located on the outer most edge of LMA1, lobstermen would not pay the high operating expense to steam that far offshore unless they are accessing the most productive fishing grounds. The LMA1 restricted area presents the combined adverse impact of losing access to the most highly productive fishing bottom while having to compete with other lobstermen fishing in less productive lobstering areas.

Third, Maine lobstermen cannot simply take up all their gear and shift it to the most productive fishing bottom. Under Maine's lobster zone management program, lobstermen are significantly limited in where they can fish. Lobstermen must declare a home zone where they are required to fish a majority of their lobster traps, making it illegal to move all of their lobster gear to another fishing ground of choice. This significantly limits the spatial footprint of the Maine Lobster Fishery. Maine lobstermen bear the additional burden of having to double tag any lobster gear fished outside of their home zone.⁷²

⁷¹ Specifically, 50 C.F.R. § 1502.21(c) requires:

- (c) If the information relevant to reasonably foreseeable significant adverse impacts cannot be obtained because the overall costs of obtaining it are unreasonable or the means to obtain it are not known, the agency shall include within the environmental impact statement:
 - (1) A statement that such information is incomplete or unavailable;
 - (2) A statement of the relevance of the incomplete or unavailable information to evaluating reasonably foreseeable significant adverse impacts on the human environment;
 - (3) A summary of existing credible scientific evidence that is relevant to evaluating the reasonably foreseeable significant adverse impacts on the human environment; and
 - (4) The agency's evaluation of such impacts based upon theoretical approaches or research methods generally accepted in the scientific community.

⁷² 188-25-08 ME. CODE R. § A(5) (2021) ("A person who holds a Class I, Class II or Class III lobster and crab fishing license may not fish more than 49% of that person's lobster traps in a limited entry zone unless that person's license identifies that zone as the declared lobster zone.").

Furthermore, the Maine Lobster Fishery is highly territorial and lobstermen fiercely protect productive fishing bottom. Many fishing areas are dominated by lobstermen from particular harbors or towns or by members of a fishing lineage. It can take multiple years for a lobsterman to establish a fishing presence in a new area, and many attempts to do so end in failure. For those who are successful, it can take even more time to earn access to the most productive fishing bottom within a fishing territory.

Fourth, increasing fishing intensity in those areas where lobstermen relocate gear will not result in lowering catch by 5 to 10 percent compared to catch that would have otherwise been generated from operating in the LMA1 restricted area. During the closure period, all LMA1 lobster catch will be forfeited and overall catch reductions could be significant. Given the large number of participants in the Maine Lobster Fishery, NMFS must assume that lobstermen are already fishing areas to maximize catch within state and federal waters. Even with some spillover of lobsters at the closure boundaries, total catch is likely to be similar in areas surrounding the proposed LMA1 closure. Relocating fishing effort during the seasonal closure will result in more fishermen chasing fewer lobsters, producing less efficient fishing effort, lower catch shares for individual lobstermen, and declines in operating margins. Any potential for cost savings to result from reduced fuel usage will be lost as gross monthly revenue declines. As a result, some vessels will continue to operate at the lower margin while others will take fewer trips as it may be difficult to cover costs.

When fishermen re-enter the proposed LMA1 restricted area at the end of the seasonal closure, it is unlikely that they will fully make up lost catch. Some lobster will have migrated out of the area to deeper waters into Area 3 where Maine lobstermen are not permitted to fish. And there will be an incentive for Area 3 boats to significantly intensify fishing effort along the edge of the LMA1 closure while it is in place. The DEIS also fails to account for natural mortality that will reduce the abundance of lobster, including predation by cod, haddock, seals, and cannibalism by other lobsters. For the purpose of modeling lobster abundance in the Gulf of Maine, the American Lobster Technical Committee has used a natural mortality rate of 0.15.⁷³ All of these contributing factors result in lower harvest and lower value within LMA1 throughout the year as a result of a four-month closure.

Fifth, the estimate of a 5 to 10 percent reduction in catch not only has no evidentiary basis, but also fails to account for historic trends in the value of lobster. December and January are two of the highest months for the price of lobster; the five-year average is \$4.55/lb. and \$5.05/lb., respectively.⁷⁴ The prices are significantly higher than, for example, August and September when the price is \$3.77/lb. and \$4.02/lb., respectively. Not only is the price of lobster greater during December and January, but LMA1 is disproportionately more important to lobstermen in terms of landings during these months.

⁷³ Memorandum from the Am. Lobster Tech. Comm. to the Am. Lobster Mgmt. Bd., *Report on the GOM/GBK Stock*, at 27 (Jan. 12, 2017), 589a2d25AmLobsterTC_GOM_GBKStockReport_jan2017.

⁷⁴ Maine Department of Marine Resources, *see* <https://www.maine.gov/dmr/commercial-fishing/landings/documents/LobByCntyMoZone.pdf>

The MLA conducted a survey to solicit feedback on the assumptions in the DEIS to assess economic impacts of the Proposed Rule, and received 147 responses (Addendum 4). A total of 62 percent of respondents to MLA’s survey of lobstermen (Table 3, Addendum 4) reported an anticipated 50 to 100 percent loss of revenue during December as a result of the LMA1 closure. This number rises to 72 percent of respondents in the month of January, with 40 percent estimating between 75 and 100 percent loss of revenue. Even if the LMA1 restricted area merely displaced the timing of catch instead of reducing it, the losses to the fishery in terms of value would substantially exceed 5 to 10 percent.

Sixth, the estimates in tables 6.11 and 6.12 of the DEIS are gross underestimates based on expert input from lobstermen. There are more boats, more trips, and more catch per trap in the LMA1 restricted area during October through January, in addition to higher prices (Table 2, Addendum 4). The price of lobster is particularly inaccurate, perhaps because NMFS erred when converting price per pound to kilograms. Using NMFS’s arbitrary method of a 5 and 10 percent loss in catch, the revised total loss in revenue (using the correct data values) is \$992,904 and \$1,985,809, respectively.

Table 4.						
Catch Impacts in Maine Closed Area by Month (based upon Table 6.12 of DEIS)						
<i>revised with MLA survey data</i>						
Month	Catch per Trap (kg)	Price (\$/kg)	Total Traps^a	Total Catch (kg)	5% Value (\$)	10% Value (\$)
October	11.4	\$ 9.00	35,329	210,261	94,597	189,193
November	12.3	\$ 9.20	45,929	269,926	124,112	248,224
December	12.3	\$ 10.01	55,108	300,768	150,534	301,068
January	6.8	\$ 11.11	56,661	194,032	107,785	215,569
Total					992,904	1,985,809
^a <i>The DEIS did not present the method for estimating total traps. Since the survey results demonstrate more vessels operating in LMA1 than estimated in the DEIS, we assume the additional vessels fish on average the same number of traps per vessel as estimated in the DEIS.</i>						

In sum, NMFS has substantially *underestimated* the impacts of the proposed LMA1 restricted area on lobster catch and the value of lobster traditionally caught during the proposed closure months that will instead be landed later in the season. NMFS must revise its estimate based on the expert information provided by nearly 150 lobstermen responding to the MLA survey. This information represents the best available commercial data, and NMFS should re-evaluate the net benefits of the proposed LMA1 restricted area accordingly.

MLA therefore recommends that NMFS use the MLA estimate of \$992.904 and \$1,985,809, which represents the best available commercial data, in the final EIS and evaluate the net benefits of the LMA1 restricted area accordingly.

3. Uncorrected deficiencies in the DST result in an inaccurate assessment of potential risk in LMA1.

As explained above, there remain significant flaws and uncertainty with the risk reduction estimates generated by the DST. With respect to the LMA1 restricted area, the “hot spot” NMFS identifies is primarily predicated on the density of fishing gear rather than observed whale abundance or behavior since the oceanographic regime shift that occurred in 2010.⁷⁵ NMFS’s overreliance on gear density is a driving factor for the assumed entanglement risk to NARW in the proposed LMA1 restricted area. Were the DST improved as both MLA and independent experts recommend, we are confident that the LMA1 restricted area would not be necessary to meet the risk reduction target.

The results of the DST indicate that the LMA1 restricted area is the most significant source of risk reduction for Maine lobstermen, accounting for 23% of Maine’s risk reduction (10.8% for the region). This compares to less than 20% (12% for the region) for Maine’s trawling up measures and less than 12% (14% for the region) for weak point insertions. While the current DST analysis bears this out, these results are completely counterintuitive, contrary to the best available data, and underscore the fact that NMFS has artificially inflated the risk posed by the Maine Lobster Fishery (particularly in LMA1).

Whale sightings data available to the public through WhaleMap show sparse NARW sightings in the proposed LMA1 restricted area.⁷⁶ Maine DMR mapped the NARW glider detections cited as a justification in the DEIS for the restricted area and determined that 73% of these detections were outside its boundaries and occurred in Area 3.⁷⁷ Two Massachusetts waters closures in the Proposed Rule that are known for large seasonal aggregations of NARW receive similar or lower risk reduction scores. The MRA closure where three-quarters of the NARW population has been sighted in a season receives a risk reduction similar to LMA1 and the South Island closure, which has frequent high abundance of NARW, receives significantly less risk reduction. The MLA believes that appropriately weighting whale behavior within the DST would significantly raise the risk reduction benefit from these two important Massachusetts habitats.

⁷⁵ The DEIS’s reference to Cole *et al.* (2013) at 3-72 lacks relevance because the BiOp discounts most demographic data (*e.g.*, calving rate) prior to 2010 based on an understanding that a permanent oceanographic regime shift has occurred. *See* DEIS, *supra* note 24, at 7-32. The fact that LMA1 may be suspected as a breeding ground between 2002 and 2008 would not be relevant unless favorable oceanographic conditions returned to the area.

⁷⁶ *See* <https://whalemap.org/WhaleMap/>.

⁷⁷ Statement of Me. Dep’t Marine Resources Commissioner Patrick Keliher, Maine DMR, during DEIS public hearings, Nat’l Oceanic & Atmospheric Admin. Public Hearings on Proposed Whale Rule, February 23-24, 2021; DEIS, *supra* note 24, at 3-72.

This uncertainty must inform NMFS's choice of the alternative for paragraph (c)(6)(ii) of the proposed regulations, particularly in light of the severe economic impact of the proposed closure. For reasons discussed here and elsewhere, the MLA believes the LMA1 restricted area is unnecessary, unduly burdensome, and not fully informed. However, if NMFS proceeds to implement the LMA1 restricted area (whether as modified or proposed), the need for improvement of the DST underscores the benefit of selecting Alternative 1-B, which would allow for further consideration and modification of the LMA1 restricted area before implementation, if and when a closure is triggered.

4. Alternative 1-B to the LMA1 restricted area maximizes the net benefits under E.O. 12866 and is fully consistent with OMB Circular A-4.

As explained above, the costs of the proposed LMA1 restricted area exceed the benefits, and it is likely that other measures, such as weakened lines, will reduce entanglement risk more than what is estimated in the DEIS. As stated above, the MLA is opposed to the proposed LMA1 restricted area. If, however, NMFS proceeds to implement the LMA1 restricted area, MLA strongly believes that Alternative 1-B—to implement the LMA1 restricted area only if certain triggers are met—maximizes net benefits under E.O. 12866, for the following reasons.

E.O. 12866 directs that “in choosing among alternative regulatory approaches, agencies should select those approaches that maximize net benefits (including potential economic, environmental, public health and safety, and other advantages; distributive impacts; and equity), unless a statute requires another regulatory approach.”⁷⁸ The proposed LMA1 restricted area is predicated on reducing the risk of entanglements resulting in M/SI by 60 percent. As addressed in Section II.B *supra* and demonstrated in the MLA's comments on the Draft BiOp, however, the target of 60 percent is likely higher than what is necessary to sufficiently reduce the potential risk posed by the Lobster Fishery. Moreover, NMFS proposes to impose a potentially unnecessary level of risk reduction on fishing in the LMA1 restricted area without making a “reasoned determination that the benefits of the intended regulation justify its costs.”⁷⁹

Alternative 1-B accounts for the uncertainty associated with the amount of risk reduction to be achieved by the Lobster Fishery under the Proposed Rule. As MLA has explained, sufficient uncertainties exist in NMFS's assessment of risk reduction that the proposed measures either will not be accurately targeted to protect NARW from risks of M/SI or will prove to overshoot the statutory goal of reducing M/SI to a level at or below PBR. Under Alternative 1-B, however, an established procedural time frame would allow for a meaningful evaluation of the rule's effectiveness.

During that time, NMFS would continue to improve its understanding of how whale behavior and gear configuration contribute to severe entanglements and refine and improve the DST to reflect the best available science as accurately as possible. New information on M/SI would be collected, including any changes as a result of recently enhanced Canadian regulatory measures. NMFS would also refine the population models, including the disputed estimate of

⁷⁸ E.O. 12866 § 1a.

⁷⁹ *Id.* § 1a(6).

cryptic mortality. Should the Regional Administrator determine that the frequency of entanglements in the Northeast region has not been reduced by 60 percent, then the LMA1 restricted area could be put into effect without further rulemaking. By the same token, should the Regional Administrator find that M/SI has been effectively reduced without implementation of the LMA1 restrictions, MLA members and other participants in the fishery would not have to bear its unnecessary costs.

The phased approach taken under Alternative 1-B, which authorizes a seasonally restricted LMA1 pending an evaluation of the effectiveness of the rule, is fully consistent with OMB Circular A-4. OMB's guidance to agencies is that, "when uncertainty has significant effects on the final conclusion about net benefits, your agency should consider additional research prior to rulemaking. The costs of being wrong may outweigh the benefits of a faster decision."⁸⁰ The costs for being wrong in terms of a LMA1 restricted area are significant adverse impacts to the regional economy while achieving little in terms of recovering the NARW.

5. Modifying the geographic area of the proposed LMA1 restricted area would impose less economic and social impacts without compromising risk reduction.

If NMFS proceeds to implement the proposed LMA1 restricted area, the MLA, notwithstanding its objections, recommends that NMFS modify the geographic scope of the restricted area. Unfortunately, NMFS did not seek comments on any proposed closures off the coast of Maine during scoping, and this proposal was not discussed or recommended by the TRT. In the absence of required processes that would have informed both stakeholders and NMFS, Maine lobstermen are attempting (in a short 60-day comment period) to determine how NMFS's proposed closure will affect the fishery and what alternatives may reduce adverse economic and social impacts while retaining conservation benefits. In this light, MLA offers the two recommendations below, recognizing that the process for determining impacts and benefits needs to be more thoroughly vetted.

First, the MLA recommends that NMFS move the LMA1 restricted area further offshore and split the closure area equally between Area 1 and Area 3. Maine lobstermen disagree with NMFS's assessment of a lack of fishing effort on the Area 3 side of the line, and based on observation, believe it to be only slightly less than fishing effort on the Area 1 side of the line. Additionally, glider detections of NARW cited by NMFS in the DEIS to justify this closure occurred primarily in Area 3 as noted above. This would decrease the economic burden of the closure on Maine lobstermen by lessening the spatial extent of lost fishing grounds in Area 1 and spread it among more vessels by sharing the costs between Area 1 and Area 3 lobstermen.

Second, the MLA alternatively recommends that NMFS reconfigure the LMA1 closure to encompass an equal spatial area, but make the closure longer and narrower. This would potentially lessen the economic hardship on boats impacted under the current configuration and provide a more equitable and lesser economic among more lobster boats. Lobstermen typically set gear within an area so that they can haul through a set number of traps in a day. The

⁸⁰ OFFICE OF MGMT. & BUDGET, CIRCULAR A-4 (Sept. 17, 2003), https://obamawhitehouse.archives.gov/omb/circulars_a004_a-4/.

nearshore portion of the closure will be fished as they transit this area setting gear from west to east, rather than lengthwise within the closure from north to south. Narrowing the restricted area will reduce the amount of productive bottom lost. Making it longer will impact more lobstermen along the coast but lessen the severity of economic impact for individual vessels. Presumably, this would also provide significant conservation benefit for whales as it runs along NMFS's assumed offshore migration route.

The MLA is prepared to work with NMFS and DMR to explore these and other options to minimize the impacts of the proposed LMA1 restricted area.

6. Modifying the time period of the proposed LMA1 restricted area would lessen economic impacts without compromising risk reduction.

If NMFS finalizes a restricted area in LMA1, we request that the seasonal closure begin September 1 and end December 31. Shifting the closure by one month would significantly reduce the adverse economic impact on the Maine Lobster Fishery. As discussed in Section D.2 above, an estimated 89 vessels fish the area in January, making these productive grounds the most important month of the year for many lobstermen. NMFS also identified January as the most active month in the DEIS. Moreover, January is the month when the price of lobster is at its near peak (Table 2, Addendum 4). Conversely, lobstermen utilize LMA1 to a much lower extent during September and the price of lobster is similarly low. According to the DEIS, NARW are also present in LMA1 during September.

NMFS should endeavor to maximize the cost-effectiveness of the rule both overall and with respect to specific mitigation requirements. The disproportionately high use of LMA1 by lobstermen during January makes a closure during this month highly impactful. In contrast, a closure in September is much less impactful and may allow NMFS to reach its overall risk reduction target. There are strong arguments for not including a seasonal closure or, if one is included, predicated it on a subsequent review of the rule's effectiveness (*i.e.*, Alternative 1-B). Were NMFS to finalize a LMA1 restricted area, we believe a one-month shift as described here will meet the risk reduction target, particularly if the DST is revised as recommended to account for whale behavior and gear threat (*e.g.*, weak lines).

E. Conservation Equivalencies are necessary to address impracticable non-closure provisions.

One size does not fit all for NARW conservation measures in the Maine lobster fleet. Maine is special because there is a place for businesses of all sizes in the lobster fishery. The Maine fleet is extremely diverse with significant differences in the size of the fishing operations (vessel size, crew size, trap numbers), geographic differences and fishing styles among zones (trawl length, bottom type, oceanographic conditions), and the inshore versus offshore fishery.

According to Maine DMR, roughly 20% of Maine's lobstering vessels are less than 18 feet in length, with an outboard engine and limited deck space. These vessels are often operated by older fishermen and students, typically fishing alone. Approximately 70% of Maine's lobstering fleet is made up of boats from 20 to 39 feet in length. Many of Maine's medium-sized vessels are fished by single operators or by the captain with up to two crew members. The

smallest portion of the Maine fleet (10%) is composed of its largest boats, typically ranging from 40 to 50 feet in length. These lobster boats generally operate with a small crew of two to four sternmen.⁸¹ The Maine Lobster Fishery is primarily a small boat, day-trip fishery in which lobstermen fish local territories that are close to shore.⁸²

In order to minimize the profound safety, operational, social, and economic impacts to Maine lobstermen resulting for many from trawling up and weak point inserts, the MLA urges NMFS to include conservation equivalencies, as recommended below, to allow each lobsterman as much flexibility as possible in implementing the required risk reduction. This flexibility may save lobstermen from having to size up a boat, abandon traditional fishing grounds, or hire more crew and fish more traps to comply with the regulations. Specifically, MLA supports inclusion of conservation equivalencies to allow lobstermen to fish minimum trawl lengths with two endlines or break trawls in half with one endline resulting in an equivalent number of endlines and protection for right whales. NMFS must also consider proposals for conservation equivalencies developed by each of Maine’s seven lobster zone councils working in collaboration with Maine DMR to adapt the trawling up and weak insert requirements to allow fishing areas to achieve an equal risk reduction based on local fishing conditions. For many lobstermen, implementing the zone’s conservation equivalency proposal will go a long way in reducing the negative impacts described below. Maine DMR will provide the specifics of the current proposals. The MLA urges NMFS to create a process to allow for future requests for conservation equivalencies once the actual operational, safety, and economic impacts of the plan are more fully understood.

1. Trawling Up by Distance from Shore

NMFS’s Preferred Alternative 2 adopts many elements of the plan submitted by Maine DMR to require longer trawls that increase by distance from shore, and the insertion of weak points in vertical lines. Of concern to MLA is the omission of a provision for conservation equivalencies, as noted above. NMFS proposes to require Maine lobstermen to deploy the following minimum trawl lengths and weak point insertions:

<u>Distance from Shore</u>	<u>Min traps/trawl</u>	<u>Weak Insertions</u>
exempt waters	status quo	1 located ½ way down
exemption line to 3 miles (“sliver”)	3 traps	2 located 1/4 & ½ way down
3 to 6 miles	8 traps	2 located 1/4 & ½ way down
6 to 12 miles	15 traps	2 located 1/4 & ½ way down
12+ miles	25 traps	1 located 1/3 way down

Although many lobstering operations in the Maine fleet would be able to adopt the trawling up and weak point provisions, many others have significant concerns with both trawling

⁸¹ Letter from Patrick Keliher, Me. Dep’t Marine Resources Commissioner, to Michael Pentony, Regional Administrator of Greater Atlantic Regional Office of NOAA Fisheries (Sept. 16, 2019) (attached as Addendum 5).

⁸² JAMES M. ACHESON, THE LOBSTER GANGS OF MAINE (1988).

up and weak points as stand-alone management measures, and greater reservations over the impacts of these measures combined. Specific issues with trawling up include:

a. The vessel and crew size limit the number of traps and amount of rope that can be safely handled aboard a vessel. This concern includes lobstering operations of all sizes that do not operate adequately sized boats to handle longer trawls in the areas they fish. This issue arises relative to boat length and number of trawls. For example, a 38-foot boat could handle hauling a 15-trap trawl but will face significant challenges in hauling and resetting a 25-trap trawl. By contrast, a 32-foot boat may not be able to handle a 15-trap trawl, but could safely haul an 8-trap trawl. These boats may be operating in the same area and would face significantly different challenges in complying with these rules.

b. Captains and crew, and single operators in particular, face additional difficulties in handling longer trawls on deck as it is extremely arduous to operate the vessel and manage multiple traps and large amounts of rope. The presence of more traps and rope aboard the vessel significantly increase the potential for accidents as deck space becomes limited. With so much rope and gear moving quickly, lobstermen are vulnerable to getting fingers, hands, and arms caught in the rope, which can result in severe injuries, especially when unsnarling trawls. Untangling snarled gear puts tremendous strain on the line that could give out while a lobsterman works to free that gear, particularly if it is near a weak point. If a lobsterman or crew's leg or gear gets caught up in rope or snagged on a trap, s/he can be pulled overboard in an instant when gear is being reset. While man overboard situations are dangerous for all lobstermen, the risk is significantly higher for single operators with no crew to help the victim get back aboard the vessel. Lobstermen fishing longer trawls on hard bottom or in strong tides and currents also face elevated safety risk as there are more sinking groundline which may get hung up under rocks, creating tremendous strain on the line as the captain attempts to haul the gear aboard. If the gear parts, it will snap, causing a hazard to the person operating the hauler.

c. Due to vessel limitations, many lobstermen may have to make a difficult choice to (1) either purchase a larger vessel and fish harder to continue to lobster in waters 12 miles or more offshore, (2) make modifications to an existing vessel, or alternatively, (3) turn their fishing effort closer to shore, which creates more fishing pressure and gear conflict in those areas. Gear conflict will occur when relatively larger boats set a greater proportion of lobster traps closer to shore, often set as longer trawls in areas where this fishing style is not the norm. Not only does this create conflict between larger and smaller fishing operations, but also poses a tremendous safety risk to the operator of the smaller vessels if shorter trawls are set over by longer trawls due to congestion. Smaller vessels are not equipped to haul back and handle the number of traps or the strain of the gear which occurs when one trawl is set over another.

d. Lobstermen who choose to upgrade to a larger vessel capable of safely fishing longer trawls must take on large payments, and in turn hire more crew and increase effort to generate the revenue necessary to cover boat payments and increased operating costs. These lobstermen would concentrate more effort further from shore. This also contributes to a growing divide between smaller and larger vessels that are forced to segregate and specialize in different parts of the fishery. It also leaves the small boat fleet vulnerable to extreme congestion and fishing pressure, and reduced catches, if these larger vessels choose to fish closer to shore.

e. Adding more traps to each trawl often results in a loss of trap efficiency. Smaller gangs of gear take longer to haul, so lobstermen fish this way because they are able to deploy traps more strategically on the bottom to maximize catch. When lobstermen are forced to fish a certain number of traps in each trawl, they are not able to efficiently work the productive bottom and catch per trap will go down. Lobstermen cannot effectively set longer trawls on unique patches of hard bottom or into holes and crevices. Lobstermen who attempt this often find that the gear gets hung down and parts off during hauling leading to gear loss and corresponding loss of catch. While lobstermen will attempt to grapple this gear back, it is often difficult to locate it, especially if it has been dragged by a storm or interaction with other fishing gear. Furthermore, because of sinking groundlines and traps, lobster gear is nearly impossible to see on bottom sounders. When gear is lost, lobstermen must purchase new traps and replacement tags, or forgo the income from the lost gear.

Based on the foregoing concerns, the MLA makes the following recommendations:

- The MLA recommends that NMFS remove the trawling up requirement for Maine LMA from 3 to 6 miles because it receives less than 1% credit.
- The MLA recommends that NMFS consider conservation equivalencies for trawling up measures to allow gear modifications identified by lobstermen to be fished inside of 12 miles, where there is a lower probability of NARW interaction with lobster gear.
- The MLA recommends that NMFS continue to research additional options for gear modifications and accessible technologies to reduce interactions between NARW and lobster gear. These include:
 - cap rope diameter at 3/8”;
 - use a weak rope topper consisting of 5/16” rope at the top 1/3 of the line;
 - allow the potential for colored ropes to deter NARW;
 - issue best practices to limit the scope of vertical lines and the use of extra rope in the surface system;
 - promote industry use of whale sightings smart phone app.

2. Weak Rope Insertions

Many of the concerns stated above will be magnified if weak points are inserted into line. Not surprisingly, weakening ropes is highly suspect to most lobstermen as the success of their business depends on their ability to haul back each trap or trawl. Lobstermen must know that gear will remain where it was set, and that it can be efficiently and reliably hauled back. Most lobstermen are understandably worried that weakening endlines will lead to gear loss, loss of catch, and additional ghost gear. This becomes even more of a concern as they are asked to trawl more traps to each endline while making each endline weaker. They fear that adding more weight and strain to weaker vertical lines will lead to (1) higher failure rate of endlines due to storms and gear conflict, (2) higher failure rate during hauling due to strain on the line, (3) increased number of traps lost per failed endline, and (4) and limited ability to grapple lost gear back due to sinking groundlines.

Maine DMR has worked closely with the region's industry associations and lobstermen to (1) test the average strength of vertical lines currently deployed in the fishery; (2) measure the typical strain on vertical lines as they are being hauled under a variety of fishing, oceanographic, and weather conditions; and (3) try a variety of methods to insert weak points into vertical lines including knots, splices, and manufactured devices.⁸³ These options have been tested repeatedly to demonstrate that lines predictably break at 1700 lbs. and leave a bitter end that will not catch in baleen. This research has demonstrated that when lines made up of more than one rope type are broken, the rope breaks consistently on the weaker (smaller diameter) side of the knot or splice.

Lobstermen have volunteered significant time to these projects, donated a substantial amount of rope, and worked to innovate a variety of methods to achieve a 1700-lb. breakaway. The DMR's proposal reflects many of the findings of this work, such as requiring only one weak point insertion in gear fished outside 12 miles as it experiences higher strain than ropes fished closer to shore. DMR is preparing a list of knots and splices, and is exploring manufactured devices that can be inserted into the line to reliably break at 1700 pounds of force or less. These approaches have buy-in from lobstermen, and therefore, can be quickly adopted and provide immediate benefit to NARW.

In addition, Maine DMR is working with the region's lobster associations to field-test time tension line cutters ("TTLC"). A TTLC can be rigged into any section of the vertical line and will cut the rope after it senses a certain tension on the line that occurs for a set period of time (as programmed in the device). If a whale encounters the line, thereby applying tension, the device will cut the rope as prescribed by the TTLC. TTLCs could be used to reduce the frequency and severity of entanglement in heavier lines providing a mechanism for strong line to break free if encountered by NARW where 1700-pound weak points are too weak to allow for safe retrieval of gear.

Under the Proposed Rule, weak points would not be inserted in the bottom half of the line where lobstermen require stronger rope to safely haul back gear due to documented safety concerns. TTLCs may provide a viable alternative to incorporate a mechanism that will break at 1700 pounds of pressure over a specified time providing additional protection for NARW while allowing lobstermen to haul gear safely. If used as an equivalency for a weak insertion at the bottom of an endline, it could effectively provide an equivalent to a full weak rope and reduce entanglement risk considerably more than is assumed in the Proposed Rule. This device has already been through substantial engineering, testing and field research, and provides another option to reduce the severity of entanglement in heavier lines that could be implemented in the near-term.

In sum, DMR has tested a variety of options to achieve a 1700-lb. weak point insertion, many of which were considered and recommended by lobstermen. However, the Proposed Rule

⁸³ DEIS, *supra* note 24, at 3-92–106; *see also* DMR ROPE STUDY REVEALS OPTIONS FOR WEAK ROPE, <https://mlcalliance.org/2019/08/12/dmr-rope-study-reveals-options-for-weak-rope/> (last visited Mar. 1, 2021).

does not specify how lobstermen can meet the weak point requirements. Accordingly, the MLA makes the following recommendations:

- The MLA recommends that NMFS adopt a robust and flexible list of options, including all options submitted by Maine DMR such as knots, splices, and manufactured options, and allow additions and refinements to be made over time as new data become available. Many of these options already have buy-in from lobstermen and can be more readily integrated into their fishing gear to provide immediate benefit to NARW.
- The MLA recommends that NMFS review the results of the DMR's project to test TTLCs as a conservation equivalency for weak points. This technology could be phased into the highest risk areas of the fishery, outside of 12 miles, to further reduce the risk of M/SI.
- The MLA recommends that NMFS conduct an analysis of the potential risk reduction that could be achieved by incorporating a TTLC at the bottom of the vertical line in various regions, by distance from shore, in the Lobster Fishery.

F. The MLA Supports NMFS's Gear-Marking Proposal.

The MLA fully supports NMFS's proposal to require lobstermen from each state and LMA3 to mark gear with a unique color, and require more frequent and larger marks. Maine lobstermen regulated under the TRP have already expanded the size of each mark, increased the number of gear markings, and changed each gear marking from red to purple with a green tracer in the top mark. In addition, Maine is requiring lobstermen fishing in exempt waters, who have never been required to mark gear, to incorporate three purple marks into each vertical line.

This new gear marking scheme is significantly more complex than the previous requirement under the TRP. Further, implementation in exempt waters impacts thousands of lobstermen who were not subject to this requirement previously. This gear marking plan strikes a balance to differentiate lobster gear fished in exempt waters from lobster gear fished in waters regulated under the TRP in a manner that allows lobstermen to comply when they shift gear back and forth between the areas by adding or removing a green tracer in the top portion of the line. The MLA does not support a more complex gear marking program as suggested by other stakeholders because it would be difficult to implement and reduce compliance.

The DEIS does not include the compliance costs for gear marking experienced by Maine lobstermen who complied with the TRP gear-marking requirement before implementation of the final rule. Maine lobstermen incurred this cost in order to comply with the federal gear plan and expedite a better understanding of the origin of fishing gear that is known to entangle whales. The MLA therefore recommends that NMFS include the compliance costs for gear marking for the state of Maine.

G. The Proposed Rule underestimates economic impacts and is economically significant under E.O. 12866.

In Section III.D.2 above, we present the cost of the proposed LMA1 restricted area based on expert input from many affected fishermen and the five-year average price of lobster. These costs are nearly \$2 million and five times more than estimated in the DEIS. Survey respondents identified numerous other aspects of the Proposed Rule, for which NMFS also underestimates economic impacts (Table 4, Addendum 4), summarized as follows.

- Gear marking: Respondents estimated that it would take 6 minutes longer per vertical line (34 minutes) than estimated in the DEIS.
- Weak point insertion: Respondents estimated that it would take 9 minutes longer per insertion (13 minutes) than estimated in the DEIS.
- Reconfiguration of traps: Respondents estimated that it would take 12 minutes longer per trap (26 minutes) than estimated in the DEIS.
- Cost of labor: Respondents estimated the cost of labor to be \$15.25 more per hour (\$41) than estimated in the DEIS
- Gear loss: Respondents estimated gear loss as a consequence of the Proposed Rule to be on average 15 percent. The DEIS assumed no additional gear loss.
- Additional crew: Respondents estimated adding an average of 0.79 crew members to comply with the Proposed Rule. The DEIS acknowledged that some vessels would add crew but did not provide an estimate.

These estimates are based on the expert opinion of more than 100 Maine lobstermen and represent the best available information. NMFS must recalculate its estimates of economic impacts and revise accordingly. Considering that the upper bound cost of the Proposed Rule is \$61 million, it is likely that the revised calculations will demonstrate that the Proposed Rule is economically significant under E.O. 12866 and a major rule under the Congressional Review Act. We request that NMFS review and revise the designation of the final rule accordingly.

H. The Final Rule Must Be Phased In Because Lobstermen Cannot Reconfigure and Mark Gear During the Fishing Season.

NMFS has stated that it anticipates the release of the Final Rule in early summer—a time when the lobster season is already in full swing. Most lobstermen haul all or portions of their gear out of the water during the winter months. Lobstermen work through their gear during haul out to mark or remark ropes, replace or repair worn ropes and traps, prepare new warps and reconfigure gear to be reset in the spring. Late spring through late fall comprise the peak fishing months for Maine lobstermen when nearly all license holders have gear actively deployed. It would be nearly impossible for Maine lobstermen to comply with new regulations while gear is actively fished.

The MLA therefore recommends that NMFS adopt a phased in implementation schedule for the provisions of the Final Rule with the understanding that lobstermen cannot reconfigure and mark gear in the middle of the fishing season.

I. Ropeless Gear Is Not Commercially Viable for the Reasonably Foreseeable Future.

As the comments filed by MLA and other fishing associations in response to the Draft BiOp explain in greater detail,⁸⁴ ropeless gear is not a realistic alternative for the Lobster Fishery for the reasonably foreseeable future. Although NMFS is not mandating its use in the Proposed Rule, the agency is setting an expectation that this sort of fishing will soon be necessary. However, ropeless fishing is not commercially viable for technological, operational, cost, safety, and enforcement reasons that cannot be ignored for purposes of this rulemaking and the future management of the fishery. The DEIS appropriately recognizes that “[a] number of technological, regulatory, financial, and operational barriers must be addressed before [ropeless] fishing gear can be considered operationally feasible on a broad scale.”⁸⁵ But the DEIS does not fully disclose or analyze those barriers and, accordingly, we provide the following additional information (as well as the detailed comments provided in response to the Draft BiOp).

Technological constraints. The ropeless system depends on reliable and efficient technology, including an acoustic trigger and release mechanism, dependable vessel-to-satellite and vessel-to-fleet communication systems that protect private data and function in real time, and the ability to incorporate this technology across a very diverse fleet that includes many small- to medium-sized boats that lack the necessary GPS and computer capability, and deck workspace as well, a problem even for larger vessels. As Dr. Mark Baumgartner of Woods Hole Oceanographic Institute, has warned: “We are in the early stages of development – mostly proof of concept with prototypes that are not yet designed for operational fishing by hundreds to thousands of fishermen.... Every system... will need to go through a redesign process to (a) incorporate gear location system, (b) work for fishing at scale (e.g., ruggedized design, long endurance), and (c) enable mass production at low cost.”⁸⁶

Operational and economic concerns. The economic model for the Lobster Fishery is based on a high volume of landings caught with a gang of 800 traps or less (1,945 or fewer in LMA3) traps, where lobstermen compete for prime bottom. This requires efficient and predictable hauling and redeployment of gear. Depending on location, 100 to 400 traps per day must be hauled, using an approach that involves frequent movement to varying fishing areas depending on catch levels. Any hauling and deployment system that results in fewer traps hauled per day would significantly and adversely impact the New England lobstering business model.⁸⁷

⁸⁴ See Draft BiOp Comment Letter at 37-40.

⁸⁵ DEIS, *supra* note 24, at 3-60.

⁸⁶ Mark Baumgardner, Near-term Development (2019), https://ropeless.org/wp-content/uploads/sites/112/2019/11/21.-Baumgartner_nearterm_developments_for_distribution_20191113.pdf

⁸⁷ In contrast, the one fishery in the world that uses ropeless gear fishes less than 20 traps per day and does not share fishing territories with other fisheries. See Letter from Kristan Porter, President of Me. Lobstermen’s Ass’n, Inc. to TRT Ropeless Fishing Subgroup (Mar. 14, 2020)

Reduced profits would, in turn, make it more difficult for lobstermen to pay for the high capital and operating costs required to operate a ropeless system. The current best estimate is that existing technology for ropeless systems will cost ten times or more per trap compared to gear currently in use.⁸⁸ These systems require significant investment in technology, including a computer system, acoustic detector, trigger devices, and rope storage systems. Given the failure rate of current systems, fishermen would also need to invest in redundancy.⁸⁹ And in view of the currently distressed state of the Lobster Fishery resulting from the harsh adverse economic impacts of the COVID-19 pandemic, as noted above, the real-life commercial feasibility of ropeless fishing is far from being a realistic option.

Safety risks. Ropeless fishing also poses significant safety risks to fishermen in both the Lobster Fishery and fisheries that overlap with it. The increased handling time on deck required in using ropeless gear is a particular concern for fishermen who operate their vessels alone and must maintain constant steering vigilance to ensure safe vessel maneuvering within high traffic areas and in high seas. Eliminating the current surface buoy and vertical line system would remove visible notice to other ocean users of the presence of lobster gear on the ocean floor. In a fishery that operates coextensively with other fisheries in the same fishing grounds, all of these fisheries would have to use interoperable tracking and communications software so the location of fishing gear is known to any vessel or law enforcement accessing an area, but this type of interoperability is not in existence today. To the contrary, all of the ropeless systems under development currently use unique acoustic and release devices, rope storage options, and monitoring and communications software. Without such a coordinated approach, conflict is inevitable as mobile gear drags through sunken trap gear, risking loss of catch from nets, trawls, and traps, and endangering vessels and crew seeking to retrieve costly gear. And even if the diverse fleets were outfitted with compatible detection systems, weather or interaction with mobile gear can displace sunken lobster traps from their marked location, resulting in “ghost gear” along with economic losses and unwanted impacts on valuable target species.

Enforcement challenges. In June 2018, the Atlantic States Marine Fisheries Commission’s (“ASMFC”) Law Enforcement Committee (“LEC”) reviewed the enforceability of ropeless pop-up buoy gear technologies that were under consideration to reduce impacts on NARW.⁹⁰ The LEC concluded that deployment of ropeless gear would significantly impede law enforcement’s ability to enforce lobster conservation rules. The concerns identified by LEC include: (1) the time and cost required to retrieve and re-deploy ropeless gear would significantly reduce the number of vessels and traps inspected for compliance; (2) the need to access multiple

https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/March%202018%20Ropeless%20subgroup/kristan_porter_observations_of_ropless_fishing.pdf.

⁸⁸ See Brief for Me. Lobstermen’s Association as Intervenor-Defendants’, Decl. of N. Oppenheim, *Ctr. for Biological Diversity v. Ross*, 2020 U.S. Dist. LEXIS 149837, Civil Action No. 18-112 (JEB)(Aug. 19, 2020) (Attached to Draft BiOp Comment Letter as Addendum F) [hereinafter Oppenheim Decl.].

⁸⁹ *Id.* at 12.

⁹⁰ See ATL. STATES MARINE FISHERIES COMM. LAW ENF’T COMM., Meeting Summary, May 2018, http://asmfc.org/files/LEC/LEC_MeetingSummary_Spring2018.pdf.

pop-up buoy gear technologies and retrieval/mapping systems would represent a financial burden and logistical challenge; (3) unanswered questions on systems to be used to store and secure trap location information raised serious concerns; and (4) the vulnerability of acoustic and radio frequencies to hacking or stolen data posed risks of illegal hauling of gear by others.⁹¹

In sum, many significant issues must be addressed before ropeless technology can reasonably be considered for fishery-wide adoption. These examinations must address the technological, operational, and economic impediments that undeniably exist, and which vary significantly depending upon the scale at which the technology is adopted. Collaboration with fishermen, and the associations that represent them, is essential for both understanding these issues and finding appropriate and effective solutions.⁹²

J. Alternative 3 Exceeds Legal Requirements and Fails to Maximize Net Benefits under E.O. 12866.

As reflected in the DEIS (Table 6.22), Alternative 3 would be significantly more expensive than the preferred Alternative 2. The two largest drivers of the cost are the requirements to convert full weak rope in the top 75 percent of both buoy lines, and to cap line allocations at 50 percent of average monthly lines in federal waters. Neither of these requirements are necessary to meet the applicable statutory requirements, nor are they nearly as cost-effective as the measures proposed as part of Alternative 2.

Under Alternative 2, the trap/pot fisheries would convert over 26 percent of the rope in buoy lines outside of Maine exempt waters at an estimated cost of \$2.2 million dollars, or \$81 thousand for each percent of line converted. Alternative 3 weak line measures would convert over 73 percent of the rope at an estimated cost of \$10.2 million, or about \$139 thousand for each percent of line converted. In other words, the compliance costs of Alternative 3 per unit of

⁹¹ See Letter from Robert E. Beal, Exec. Director Atl. States Marine Fisheries Comm, to Michael Pentony, Regional Administrator of Greater Atl. Regional Office of NOAA Fisheries (June 19, 2018) (Draft BiOp Comment Letter, Addendum G).

⁹² Even if ropeless fishing were currently viable, NMFS has effectively eliminated any incentive to fish in the proposed LMA1 restricted area because the authorization process to do so is highly uncertain and onerous. Any vessel that wishes to access the LMA1 restricted area must receive separate authorization through an exempted fishing permit (“EFP”). Although NMFS endeavors to process an EFP within 60 days, controversial permit applications frequently take much longer. As noted in the DEIS, an EFP to access a closure in federal waters would need to comply with ESA and NEPA, further extending the timeline to review and approve an application in addition to delay factors associated with a potential legal challenge from groups hostile to the lobster fishery. The DEIS also suggests a permit may include a requirement to carry an observer, which increases cost, reduces operational flexibility, and may further discourage potential applicants. The DEIS does not explain the evidentiary basis for placing additional requirements on the use of ropeless gear in restricted areas. The DST upon which the LMA1 restricted area is based did not assume such additional conditions when estimating the amount of risk reduction achieved through ropeless fishing. Based on these considerations, it is reasonably foreseeable that the LMA1 restricted area will be a hard closure during the time period it is closed and, beyond potential pilot studies, will not be accessed using ropeless gear.

rope are nearly double that of the preferred alternative. Yet, there is little additional corresponding benefit as a result of converting 75 percent of a buoy line to weak. Published literature (Knowlton *et al.* 2015, Arthur *et al.* 2015) has identified 1,700 lbs. as the threshold below which whales can break free of line, and research conducted by Maine DMR has demonstrated that rope always breaks at its weakest point.

Therefore, converting large sections of buoy line to weak line is not necessary to reduce entanglement risk. Rather, the best available information strongly suggests that well-placed weak links are sufficient. We agree with NMFS's determination to reject the weak line measures in Alternative 3.

Additionally, the proposed measure in Alternative 3 to cap line allocations at 50 percent of average monthly lines in federal waters would have a devastating impact on the Maine Lobster Fishery. As recognized in the DEIS,⁹³ it is certain that fishermen will be constrained by vessel size, rope storage constraints, hauling block capacity, number of crew, or other operational constraints. The cost to make major modifications to the vessel or hire additional crew will be prohibitive to many fishermen. The only option for many fishermen will be to reduce the number of traps fished by up to 50 percent of their current trap level.

There is no analysis or plan in the DEIS for how a line cap would be achieved. It is reasonably certain that such requirements would have disproportionate and acute impacts on small vessels and certain rural, coastal communities where fishing with small vessels is more common. Small vessels would be uniquely disadvantaged by line caps because larger vessels have additional crew and deck space to adjust to the additional traps per trawl. While the cost of a line cap may also be substantial for larger vessels, they could potentially continue to fish the same number of traps and benefit from the reduced fishing effort by smaller vessels. A line cap would curtail the catch of small vessels while facilitating additional catch by larger vessels, thereby creating significant inequity in the fishery with ramifications throughout Maine, particularly with respect to small businesses and disadvantaged small and rural communities. These significant effects are not analyzed in the DEIS, despite the legal requirement to do so.⁹⁴

Alternative 3 would also extend the seasonal closure to February for a total of five months. Including the month of February, which is outside the time period when LMA1 is characterized as a "hot spot,"⁹⁵ would exacerbate the adverse economic impacts without commensurate benefits in terms of reducing the risk of entanglement. Moreover, the price of lobster is historically higher in February (\$6.41/lb.) than the months of October through January. February is also *the most important month* in terms of accessing LMA1, with 76 percent of survey respondents landing a majority of their catch in LMA1. For reasons discussed elsewhere in our comments, we strongly oppose any expansion of the time period of the proposed LMA1 restricted area, as well as potentially shifting the closed period to include February.

⁹³ DEIS, *supra* note 24, at 6-222.

⁹⁴ 50 C.F.R. § 1508.1(g)(1).

⁹⁵ DEIS, *supra* note 24, at 3-72 (Fig. 3.4).

Finally, the MLA is aware that other stakeholders have suggested that NMFS limit lobstermen to only one endline per trawl. This suggestion is baseless. The need for two endlines on a trawl has been well established through the TRT process. The MLA strongly opposes the proposal.⁹⁶

In sum, Alternative 3 is neither reasonable as defined at 50 C.F.R. § 1508.1(z), nor is it analyzed in sufficient detail to comply with NEPA. We strongly oppose including any of the measures in Alternative 3 in the final rule.

K. The TRT Process Leading to TRP Recommendations Was Rushed and Flawed.

The process leading up to the April 2019 TRT meeting was rushed and flawed. The TRT met several times during 2017 and 2018 to discuss the need for management action and consider preliminary risk reduction proposals to aid in the recovery of NARW.⁹⁷ In September 2018, the NEFSC released a controversial technical memo (NMFS-NE-247),⁹⁸ which was presented to the TRT that month via webinar. That memo set the stage for NMFS to focus its management effort on the Lobster Fishery.⁹⁹

NMFS convened the TRT the week of April 23 to 26, 2019, with the objective to “develop consensus recommendations on a suite of measures that will achieve a 60 to 80% reduction in mortalities and serious injuries of right whales in U.S. fisheries to support NMFS rulemaking that will be initiated in May 2019.”¹⁰⁰ Yet the agency had belatedly presented the

⁹⁶ The standard fishing practice is to deploy trawls with two endlines. Endlines are commonly lost for a variety of reasons including boat traffic, weather and gear set overs, so a second endline is needed to prevent gear loss and creation of ghost gear. In Downeast Maine, lobstermen must be able to haul back gear from either end of the trawl depending on the direction of the strong tides and currents. A second endline is also necessary to allow lobstermen to retrieve gear if one end gets hung down (under rocks or due to gear set overs in congested areas which is common). This puts tremendous strain on the line and lobstermen must haul back from the other end in order to safely retrieve the gear.

⁹⁷ The TRT met several times in 2017 and 2018: April 2017 (Full TRT meeting in RI), November 2017, January and March 2018 (virtual meetings with information updates), February through April 2018 (several subgroup meetings to discuss weak rope, gear marking and ropeless fishing), September 2018 (webinar on NEFSC Tech Memo NMFS-NE-247), October 2018 (Full TRT meeting to consider preliminary risk reduction proposals). See Nat’l Marine Fisheries Serv. Atl. Large Whale Take Reduction Team Meeting Summaries, <https://www.fisheries.noaa.gov/new-england-mid-atlantic/marine-mammal-protection/atlantic-large-whale-take-reduction-plan>.

⁹⁸ SEAN A. HAYES, NORTH ATLANTIC RIGHT WHALES – EVALUATING THEIR RECOVERY CHALLENGES IN 2018 (Sept. 2018), https://permanent.fdlp.gov/gpo110779/tm247_2.pdf; see also NAT’L OCEANIC & ATMOSPHERIC ADMIN., Technical Memo. NMFS-NE-247 (Sept. 2018).

⁹⁹ See Letter from Me. Dep’t Marine Res. to Dr. Jon Hare (Oct. 3, 2018) (“While many category I and category II fisheries from Maine to Florida are regulated under the Atlantic Large Whale Take Reduction Plan, the content of the Memo is almost exclusively limited to the lobster fishery in the Gulf of Maine.”) (attached as Addendum 6).

¹⁰⁰ See Nat’l Marine Fisheries Serv. Atl. Large Whale Take Reduction Team Memo. (Apr. 23-26, 2019), [https://media.fisheries.noaa.gov/dam-migration/final--atlantic_large_whale_take_reduction_team_meeting_april23-26_kom_\(508\).pdf](https://media.fisheries.noaa.gov/dam-migration/final--atlantic_large_whale_take_reduction_team_meeting_april23-26_kom_(508).pdf).

risk reduction goal to the TRT via email on April 5, 2019, and unveiled the DST—which was still in development—via webinar on April 16, 2019.¹⁰¹ This left TRT members with no meaningful amount of time to consider and evaluate the DST. As MLA explained to NMFS in a letter dated April 22, 2019:

[T]he MLA is deeply disturbed by the timing of NMFS’s release of new information to guide discussions at this week’s TRT meeting. Our last TRT meeting was six months ago. NMFS only announced the Take Reduction Target and presented a draft of the Decision Support Tool in recent days. Given NMFS’ directive to begin rulemaking at the conclusion of the meeting, the MLA is extremely frustrated to receive such critical and complex information just days before. TRT members are unrealistically expected to reach consensus on management alternatives before the Team has had any input on the Take Reduction Target itself or had adequate time to evaluate and grasp the implications of the new information presented.¹⁰²

Based on its incomplete understanding of the available science and under extreme pressure exerted by NMFS, Maine’s TRT members reluctantly agreed to the TRT’s recommendations to achieve a 60% risk reduction in the Lobster Fishery. Due to unresolved concerns with the timeliness and accuracy of information provided to TRT members, the MLA subsequently undertook a careful review of NMFS “2000-2018 Right Whale Incident Data” and corresponding Atlantic Large Whale Entanglement Reports and North Atlantic Right Whale SARs. The MLA identified substantive errors in NMFS data that show a “distinctly different understanding of relative risk” posed by Northeast lobster fishing gear to right whales.¹⁰³

MLA’s review of NMFS’s entanglement data revealed several errors that changed its understanding of known causes of right whale entanglement. The 2018 NARW stock assessment incorrectly coded four NARWs as “gear unknown.” Two of these were determined to be from non-trap gear, one was from Canadian trap/pot gear, and the only U.S. entanglement was from gear that did not originate from Maine. Maine’s TRT members would never have agreed to regulate only the Northeast trap/pot fishery or the 60% risk reduction if accurate data on the known entanglement cases had been presented to the Team.

¹⁰¹ See Nat’l Marine Fisheries Serv. Atl. Large Whale Take Reduction Team Meeting Materials (Apr. 23-26, 2019), https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/April%202019/19_april_2019_trt_meeting.html.

¹⁰² Letter from Me. Lobstermen’s Ass’n to NOAA Greater Atl. Reg’l Fisheries (Apr. 22, 2019) (attached as Addendum 7).

¹⁰³ The TRT meeting summary states, “A broad-based recommendation that the Agency/Team revisit the Team’s recommendations if revisions to the model suggest: (1) a distinctly different understanding of relative risk....” Nat’l Marine Fisheries Serv. Atl. Large Whale Take Reduction Team Key Outcomes Memo., at 7 (Apr. 23-26, 2019), [https://media.fisheries.noaa.gov/dam-migration/final--atlantic_large_whale_take_reduction_team_meeting_april23-26_kom_\(508\).pdf](https://media.fisheries.noaa.gov/dam-migration/final--atlantic_large_whale_take_reduction_team_meeting_april23-26_kom_(508).pdf).

Given these findings and lingering concern with the TRT process and outcome, Maine's five lobster industry TRT members withdrew support for the "near consensus agreement." Unfortunately, although NMFS pledged to address shortcomings in the DST before it was used for management decisions, a number of those flaws persist, as explained elsewhere in these comments.

III. CONCLUSION

The MLA appreciates NMFS's consideration of the comments and recommendations provided in this letter. The MLA remains committed to working with NMFS to ensure that this rulemaking process achieves a result that maximizes conservation benefits while also—and very importantly—minimizing adverse economic, operational, and social impacts to the Maine Lobster Fishery. The recommendations provided above will help to accomplish that balance and ensure that any final rule is consistent with the best available scientific and commercial data. If you have any questions or would like additional information, please do not hesitate to contact me at 207.967.4555 or patrice@mainelobstermen.org.

Sincerely,



Patrice McCarron
Executive Director

cc: Dr. Paul Doremus, Acting Assistant Administrator NOAA Fisheries
Sam Rauch, Deputy Assistant Administrator for Regulatory Programs
Jennifer Anderson, Assistant Regional Administrator for Protected Resources
Senator Susan Collins (via Cameron O'Brien)
Senator Angus King (via Peter Benoit and Chris Rector)
Representative Chellie Pingree (via Lisa Pahel and Rhiannon Hampson)
Representative Jared Golden (via Eric Kanter and Morgan Urquhart)
Honorable Janet Mills, Governor of Maine (via Tom Abello)
Patrick Keliher, Commissioner, Maine Dept of Marine Resources
Thomas Nies, Executive Director, New England Fishery Management Council
Robert Beal, Executive Director, Atlantic States Marine Fisheries Commission

Addendum 1 to MLA
Proposed Rule
Comments

The Lobster Fishing Associations

Maine Lobstermen's Association

Massachusetts Lobstermen's Association

Atlantic Offshore Lobstermen's Association

Maine Lobstering Union

Maine Coast Fishermen's Association

New Hampshire Commercial Fishermens' Association

Downeast Lobstermen's Association

Southern Maine Lobstermen's Association

Maine Lobster Dealers Association

Maine Center for Coastal Fisheries

Maine Aquaculture Association

O'Hara Corporation

February 19, 2021

Via Email to nmfs.gar.fisheriesbiopfeedback@noaa.gov

Paul N. Doremus, Ph.D.
Acting Assistant Administrator
NOAA Fisheries
1315 East-West Highway
14th Floor
Silver Spring, MD 20910

Re: Comments of the Lobster Fishing Associations to the *Draft Biological Opinion on 10 Fishery Management Plans in the Greater Atlantic Region and the New England Fishery Management Council's Omnibus Habitat Amendment 2* (Released January 15, 2021)

Dear Dr. Doremus:

Thank you for the opportunity to comment on the above-referenced draft Biological Opinion ("Draft BiOp") released on January 15, 2021. The following comments are submitted on behalf of the Maine Lobstermen's Association, the Massachusetts Lobstermen's Association, Atlantic Offshore Lobstermen's Association, New Hampshire Commercial Fishermens' Association, Maine Coast Fishermen's Association, Maine Lobstering Union, Downeast Lobstermen's Association, Southern Maine Lobstermen's Association, Maine Lobster Dealers Association, Maine Center for Coastal Fisheries, Maine Aquaculture Association and the O'Hara Corporation (collectively, the "Lobster Fishing Associations" or "Associations"). While the extremely short comment period has not allowed for as thorough a response as this lengthy and complex document warrants, we appreciate the National Marine Fisheries Service's ("NMFS") consideration of these comments, which we provide in the spirit of refining and improving the Draft BiOp to present an accurate assessment of the proposed actions consistent with the standards of Section 7 of the Endangered Species Act ("ESA").¹

¹ In a letter dated February 5, 2021, the Associations requested a 10-day extension of the comment period for the Draft BiOp to align with the public comment period on the proposed Atlantic Right Whale Take Reduction Plan rule that is concurrently posted for public review and comment ("Proposed TRP Rule"). See 85 Fed. Reg. 86,878 (Dec. 31, 2021). Similar requests were made by the State of Maine, Atlantic States Marine Fisheries Commission, and Maine's Congressional delegation. NMFS regrettably denied the requests. The Associations appreciate that NMFS is working against a litigation deadline, but its denial of a modest 10-day extension request to allow stakeholders to coordinate their comments on two inextricably linked regulatory proposals that could fundamentally alter the management, operational integrity, safety, and financial viability of the fisheries is unreasonable. The Lobster Fishing Associations strongly encourage NMFS to consider the comments submitted on the Proposed TRP Rule as it revises and finalizes the BiOp.

I. THE LOBSTER FISHING ASSOCIATIONS HAVE STRONG INTERESTS IN THE FUTURE OF THE NORTHEAST LOBSTER FISHERY AND SURVIVAL OF THE NORTH ATLANTIC RIGHT WHALE

The Lobster Fishing Associations represent members who are active participants in the U.S. Northeast Lobster Fishery (the “Lobster Fishery”) or who are otherwise active in businesses and organizations directly connected to the extraordinary marine resource that makes up the Lobster Fishery. A description of each association’s membership, mission and interest in this proceeding is presented in Addendum A.

The Lobster Fishing Associations share a commitment to support the continued viability of the Lobster Fishery under principles of sound resource management that promote sustainability and ensure best practices for the protection and conservation of all marine resources in the area. They are also dedicated to an effective management plan incorporating practices and measures built upon the best available commercial and scientific data that supports the health of the endangered North Atlantic right whale (“NARW”).

As professionals with a deep understanding of our ocean environment, we have specialized knowledge, experience and perspective to inform this issue. We draw our livelihoods from the ocean and recognize the fragility of our shared marine environment. Our fisheries have been well-managed by generations of fishermen who feed our nation with healthy, sustainably harvested seafood.

The Northeast Lobster Fishery has long been an integral part of the region’s culture, heritage and economy supporting tens of thousands of jobs and hundreds of ancillary businesses.² The fishery remains the most valuable in the United States value at more than \$640 million in 2019 and contributing more than \$2 billion to the region’s economy³. For rural coastal communities, the lobster fishery is the economic engine that keeps many small towns alive as detailed in Addendum B.

These comments focus only on those portions of the Draft BiOp relevant to interactions between NARWs and anthropogenic sources. As summarized in Section II below and set forth in detail in Section III, these comments identify significant questions and concerns associated with the data and analyses presented in the Draft BiOp. Our comments present recommendations for additional data and analyses to be considered and undertaken by NMFS in order to ensure accurate identification and analysis of the relative risk to the species and the associated application of Section 7(a)(2) of the ESA.

The Draft BiOp has profound implications for the future of the Lobster Fishery. It is therefore essential that the Final BiOp issued by NMFS comprehensively and accurately considers all of the best available scientific and commercial data, and correctly applies Section 7(a)(2)’s standards. With these comments, we seek to ensure that the Final BiOp presents a

² Maine's lobster fleet directly supports more than 10,000 jobs (3,670 captains, up to 5,750 crew, and 1,095 students).

³ Donihue, Michael. Lobsters to Dollars: The Economic Impact of the Lobster Distribution Supply Chain in Maine. June, 2018. Colby College at <http://www.colby.edu/economics/lobsters/Lobsters2DollarsFinalReport.pdf>.

defensible assessment of the reasonably certain effects of the proposed actions and addresses actual sources of harm credibly identified and supported by verifiable scientific observations, data and analysis.

It is of paramount importance to the Associations that the Final BiOp meets these standards because our members will be asked to implement any additional measures. Such measures must be plainly demonstrated—based on the best scientific and commercial data available—to promise positive benefits for the NARW population so that the Associations’ members will have confidence that any additional sacrifices are worthwhile.

II. SUMMARY OF COMMENTS

The Draft BiOp is an expansive document with far-reaching implications for New England’s iconic fisheries and cultural heritage. The Associations are alarmed that NMFS has developed a BiOp that assigns highest priority for NARW population recovery to the Lobster Fishery despite evidence that the most urgent risks are vessel strikes and entanglements in Canadian fisheries, which do not implement mitigation measures nearly as protective as those undertaken by the Lobster Fishery. The relative risks presented by the Lobster Fishery—which have already been substantially mitigated over the last decade—do not justify unsupported agency mandates that could eliminate an economic and fishing heritage that has sustained our coastal communities for centuries and is an integral part of New England’s identity.

With that said, the Associations remain committed to working with NMFS and other stakeholders to design an effective program for avoiding and minimizing impacts to the NARW population. We have carefully reviewed the Draft BiOp and provide detailed comments in Section III below, which are summarized as follows:

1. The Lobster Fishery has substantially reduced the risk it presents to NARWs over the past decade through implementation of risk reduction measures. The best available data shows that those measures have been effective, and the Final BiOp’s environmental baseline should fully reflect the benefits of such measures. The Associations encourage NMFS to focus on implementing *effective* measures in areas where there is demonstrated risk. In particular, ropeless gear is not economically viable at this time and there are numerous technical and operational challenges that must be addressed before it can be substituted for gear using vertical lines, as explained in greater detail below.
2. NMFS should not be considering a management strategy that holds U.S. fishermen accountable for NARW M/SI in Canada. The U.S. must engage directly with Canada in an open and transparent manner. The Associations implore NMFS to engage more directly and aggressively with Canada to ensure that effective and measurable risk reductions are implemented bilaterally.
3. The Draft BiOp presents an inaccurate assessment of the effects of the Lobster Fishery by relying upon unsupported assumptions that artificially inflate the risk from the Lobster Fishery. The result is that the Draft BiOp does not present an effects scenario that is “reasonably certain to occur” or supported by the best scientific and commercial data available.

- a. NMFS arbitrarily assigned a level of risk to the Lobster Fishery that is unsupported by the evidence. NMFS must correct this flaw by adopting a uniform probabilistic approach, based on observed data, to apportion all unknown human causes. Additional data, information and expert judgment should be used to refine risk allocation and adapt the proposed management program. This methodology should apply to apportionment of (1) unknown human causes to vessel strikes versus entanglements, (2) unknown entanglements between U.S. and Canada, and (3) unknown entanglements among U.S. fisheries.
 - b. NMFS based the “North Atlantic Right Whale Conservation Framework for Federal Fisheries in the Greater Atlantic Region” (“Conservation Framework”) on an unreliable model that arbitrarily ignored sublethal impacts. In doing so, it failed to capture the full benefits from mitigation requirements under Phase 1.
 - c. NMFS arbitrarily selected data from the 2010-2019 time period. It assumed that unfavorable trends in oceanographic conditions would continue but did not take a similar approach with favorable trends in observed data on the sources of entanglements. These latter trends demonstrate disproportionately more entanglements due to Canadian fisheries and, in the U.S., more entanglements from non-trap/pot gear. Nonetheless, NMFS allocated more mortality and serious injury (“M/SI”) incidents to the Lobster Fishery than is supported by the best available information.
 - d. The estimate for cryptic mortality is not reliable. This estimate, based on the Pace *et al.* model (2017), is highly sensitive to new data and therefore, given the foreshortened time frame on which it relies, not suitable yet for long-term planning. Further, these models assume no natural mortality despite well-established research to the contrary.
 - e. NMFS failed to give appropriate weight to mitigation measures that reduce the severity of entanglement (*e.g.*, weak links). These measures may substantially reduce or eliminate risks from trap/pot fisheries, based on published scientific literature.
 - f. The Decision Support Tool (“DST”) assigns equal weight to whale density, gear density, and gear type even though reviewers believe that whale behavior and gear type/configuration are the most relevant factors in determining entanglement risk. We suggest both approaches be evaluated.
4. Phases 3 and 4 of the Conservation Framework are likely unnecessary once NMFS performs a more robust and accurate assessment of the effects of the action. We recommend that NMFS undertake a comprehensive assessment of Phases 1 and 2 that includes the participation of the states and the fisheries to ensure that the process is fully informed by the best scientific and commercial data available. The assessment should be reviewed by the Center for Independent Experts (“CIE”). This will inform whether Phases 3 and 4 are necessary and, if so, how they should be modified.

5. The Conservation Framework’s benchmark of 0.11 M/SI is arbitrary and unsupported by the best available science or the law. NMFS provides no explanation supporting this metric or an explanation of how it was calculated. In any event, a “jeopardy” determination under Section 7(a)(2) of the ESA does not turn on a single metric, much less one that is far more stringent than would be required to achieve the more protective goals of the Marine Mammal Protection Act (“MMPA”). NMFS’s requirement that the M/SI rate “needs to be reduced” to 0.11 to achieve a “no jeopardy” determination has no precedent in the law or practice, and arbitrarily demands a result that exceeds the requirements of both the ESA and the MMPA.
6. It is unclear how NMFS intends the Conservation Framework to be implemented through, or in conjunction with, the two primary sources of authority that govern the ongoing federal regulation of the Lobster Fishery—*i.e.*, the Atlantic Coastal Fisheries Cooperative Management Act (“ACFCMA”) and the MMPA. These statutory processes should be integrated into the Conservation Framework.
7. We offer a number of specific recommendations for refinement and improvement of the Draft BiOp’s reasonable and prudent measures and associated terms and conditions. These are set forth in Section III.E below.

III. COMMENTS ON DRAFT BIOLOGICAL OPINION

A. The Lobster Fishery Has Significantly Reduced Risk to the NARW.

NMFS initiated the Section 7 consultation leading to the Draft BiOp against the backdrop of an unusual mortality event (“UME”) declared in mid-2017 that tragically interrupted a prolonged period of improvement in the prospects for recovery of the NARW. The population growth trajectory had been favorable for many years under the guidance of the Atlantic Large Whale Take Reduction Team (“TRT”) and the associated Atlantic Large Whale Take Reduction Plan (“ALWTRP”) implemented by NMFS pursuant to Section 118(f) of the MMPA. Collaborative work by lobster harvesters, researchers, fishery managers, and other stakeholders had contributed to scientific knowledge of NARW behavior and interaction with fishing gear and other human activities across its migratory range.⁴ This work led to a series of enhanced measures to mitigate risk to the species from fishing gear. In addition, harvesters worked alongside fishery regulators, whale scientists, and the private sector to develop

⁴ The MLA and its members have collaborated with scientists in developing and testing fishing gear to reduce the risk of entanglement. The MLA partnered with the NMFS gear team in the 1990s to measure gear profiles, test weak links and explore gear modifications; worked with researchers in the 2000s to establish methods and standards to deploy weak links, develop buoy line marking methods, deploy remotely operated vehicle (“ROV”) and sensors to measure groundline rope profiles, and tested a variety of vertical line modifications such as weak rope, stiff rope, glow rope and time tension line cutters. Since 2010, MLA and its members have worked with scientists to publish a resource describing lobster gear and configurations deployed in the New England lobster fishery, map lobster fishing effort, develop a fishing gear/right whale risk model, document wear issues associated with sinking groundlines and recommendations to improve wear of that line, describe options for best fishing practices, test colored vertical lines, measure the breaking strength of existing vertical lines, test new versions of weak rope and update time tension line cutters. In addition, individual MLA members have collaborated with researchers and developers seeking to design a viable system for ropeless fishing.

innovative fishing practices and gear deployment strategies intended to reduce harmful interactions between whales and fishing gear.⁵

The Associations have been key participants in the TRT process, helping to develop and successfully implement enhanced protections for NARW with demonstrated success.⁶ Since 2009, a robust new regulatory environment has significantly reduced the risk of NARW entanglement in American lobster fishing gear by implementing a comprehensive overhaul in gear configuration and fishing practices over the past 10 years. Regulations developed and imposed at the state and federal level, including those implemented under the ALWTRP, have significantly reduced both (1) the amount of lobster fishing gear on the water, and (2) the risk of a severe outcome if a NARW encounters such gear. The principal elements of the enhanced measures that have been implemented to protect whales are summarized below.

- Sinking groundline requirement. Implemented under ALWTRP in 2009, these regulations preclude the use of “floating groundlines” connecting lobster traps and, instead, require the use of “sinking groundlines.” This eliminates the potential for whale entanglement in floating lines near the ocean bottom. These regulations removed over 27,000 miles of floating groundlines from New England waters.⁷
- Vertical line reduction. Implemented under ALWTRP in 2014, these regulations establish minimum traps per trawl based on geographic area and distance from shore, resulting in the removal of approximately 2,740 miles of rope from the water.
- Massachusetts Restricted Area. In 2015, ALWTRP regulations established a 3,000 square mile area spanning Cape Cod Bay, Massachusetts Bay, and outer Cape Cod, which has been closed to lobster gear from February 1 to April 30 annually. The state waters portion of this closure is managed by the Massachusetts Division of Fisheries (“DMF”), which has extended applicability to recreational fishermen and moved the closure date beyond April 30 as appropriate.
- Universal Gear Requirements. A suite of gear modifications has been established to reduce entanglement risk to NARW, prohibiting the use of floating line at the surface and

⁵ MALA works cooperatively with the Massachusetts Division of Marine Fisheries (“DMF”) in efforts to further reduce risk of entanglement to NARWs. Among other things, MALA is partnering with the Lobster Foundation of Massachusetts (“LFoM”) and the DMF on an effort to field test 1700lb weak red rope to further reduce interactions with NARWs and vertical lines. The LFoM and MALA worked to distribute over 700 coils of the 1700lb weaker red rope to lobstermen in Massachusetts to be field tested during the 2020 fishing season. The goal is to acquire viable and acceptable “weak contrivance” options to be off-the-shelf ready for implementation in the 2021 fishing season in Massachusetts.

⁶ The Associations have been actively involved in the TRT process. TRT members include MLA’s Executive Director, Patrice McCarron (more than 15 years); MLA President and commercial fisherman, Kristan Porter; MALA Executive Director, Beth Casoni; MALA President, Massachusetts Marine Fisheries Commissioner, and commercial fisherman, Arthur Sawyer; AOLA Executive Director, David Borden; NH Commercial Fishermen’s Association member and lobsterman, Bob Nudd, Jr.; and Association members who are commercial lobstermen Dwight Carver, John Williams, and Mike Sargent.

⁷ The Salvador Declaration, which was filed in *Ctr. for Biological Diversity v. Ross*, Civ. Action No. 18-CV-112-JEB, as Document 115-5 at 5 (D. D.C., filed June 18, 2020). (Addendum C).

wet storage of gear for more than 30 days, and requiring the incorporation of weak links in the top of buoy line and to any attachments along the buoy line. Federally regulated fixed gear fishermen are required to mark vertical lines to aid in identifying the source of gear involved in an entanglement. In 2020, Maine implemented new regulations to require unique and expanded gear markings.

- Effort Reduction. The Lobster Fishery has reduced effort across all jurisdictions since the inception of the ALWTRP. Area 3 has implemented mandatory annual trap allocation limits of 5% per year, Massachusetts has a long-standing moratorium on lobster licenses, and Maine has established a limited-entry program, all of which has resulted in a significant reduction in the risk of entanglement to NARWs.

Table 1		
Confirmed U.S. Lobster Entanglement 1997-2019		
<u>1997-2000</u>	<u>2000-2010</u>	<u>2010-2019</u>
4 Non-serious injuries	1 Mortality; 4 Non-serious injuries	1 Non-serious injury

As illustrated in Table 1, continuous enhancements of whale protective measures have been followed by significant declines in NARW entanglements attributed to American lobster fisheries. From 2000 to 2010, U.S. lobster gear comprised 45% of known cases of such entanglements (6 cases out of 13). However, since 2010, U.S. lobster gear comprises only 0.04% of known cases (1 case out of 25).⁸ Since 2014, there has been only one entanglement (a non-serious injury) in New England lobster gear. During this same time period, no NARW is known to have died or suffered serious injury arising from entanglement in gear attributed to American lobster fishing.⁹ This is significant since efforts to monitor and study NARW, including expanded survey effort and NARW health status, have substantially improved since the beginning of the TRT process so the likelihood of detection and identification of sources of harm has improved.

In sum, the best available scientific and commercial data demonstrate that since the implementation of additional protective measures by American lobster fishermen through the MMPA’s take reduction planning process, the Lobster Fishery has significantly lowered the risk profile of its gear and fishing practices to the extent they interact with NARW. Although the Draft BiOp acknowledges that “risk reduction measures implemented in U.S. fisheries over the past two decades have reduced impacts to NARW from U.S. fisheries,”¹⁰ the benefits of such measures have not been accounted for, as they must, in the environmental baseline.¹¹ This

⁸ Salvador declaration at 8 (Addendum C).

⁹ *Id.*

¹⁰ Draft BiOp at 224.

¹¹ See 50 C.F.R. § 402.02 (“The environmental baseline includes the past and present impacts of all Federal, State or private actions and other human activities in the action area, the anticipated impacts of all proposed Federal projects in the action area that have already undergone formal or early section 7 consultation, and the impact of State or private actions which are contemporaneous with the consultation process.”); ESA Consultation Handbook at 4-22 (Environmental baseline should incorporate actions that may benefit the species.).

sustained downward trend in observed entanglements with Northeast lobster gear, attributable to the comprehensive actions taken by fishery regulators and harvesters to minimize and avoid entanglements, is a significant feature of the environmental baseline that cannot be arbitrarily dismissed or overlooked.¹²

The Final BiOp will not accurately analyze the risk of adverse interactions between NARW and lobster gear unless it clearly identifies and considers: (1) the documented reduction in observed incidents of entanglements with lobster gear since 2010, and (2) the absence of any incidence of M/SI from such entanglements during that time period. Although entanglement continues to be a significant factor affecting NARW, NMFS's most recent data as presented in the Draft BiOp show that, from 2010-2019, 18 cases (16%) of known entanglements were attributed to Canada (18% M/SI) and only 8 cases (7%) were attributed to the US (4% M/SI). The trend shifts significantly during the last four years of this time series with 16 cases (33%) attributed to Canada (39% M/SI) and only 3 cases (6%) attributed to U.S. (0% M/SI). The percent of unknown entanglements over these four years declined by 61% compared to 77% over the last ten years.¹³

As discussed in more detail below, the performance of Canadian fisheries since 2010 has been troublesome, with a spike in observed entanglements in recent years. A failure to appropriately consider the increasing trend in incidents occurring in Canada will result in an arbitrarily high assignment of risk to the Lobster Fishery. The consequences of an inaccurate risk assignment are non-trivial. The species is experiencing a UME that started in 2017 and recent scientific observations report declines in species population health status.¹⁴ This places a premium on accurate identification and assessment of sources of harm to NARW so that limited conservation resources are effectively deployed. The Final BiOp should include a probabilistic analysis of the relative risk posed by lobster fishing gear and other gear types that have been identified in entanglement and M/SI incidents over the last decade, as well as relative difference between Canadian and U.S. fishery risk.

B. The Draft BiOp Arbitrarily and Substantially Overestimates the Impact of the Lobster Fishery.

1. The BiOp must present an *objective* assessment of the “reasonably certain” effects of the action, based upon the best available scientific and commercial information.

Section 7 of the ESA requires NMFS to use the “best available scientific and commercial information” when developing a BiOp. 16 U.S.C. §1536(a)(2). The “obvious purpose” of this

¹² NOAA law enforcement has reported excellent compliance rates with fishery regulations, including measures required by ALWTRP. *See, e.g.*, https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/October%202018/noaa_fisheries_enforcement_presentation.pdf (Compliance rates for all fisheries 92% in 2017).

¹³ Draft BiOp, Table 56 at 223.

¹⁴ While there are likely a multitude of factors involved, low calving has been linked to poor female health (Rolland *et al.* 2016) and reduced prey availability (Devine *et al.* 2017, Johnson *et al.* 2017, Meyer-Gutbrod and Green 2014, Meyer-Gutbrod and Greene 2017, Meyer-Gutbrod *et al.* 2018). Draft BiOp at 94-95.

requirement “is to ensure that the ESA not be implemented haphazardly, on the basis of speculation or surmise,” particularly when doing so would cause “needless economic dislocation.” *Bennett v. Spear*, 520 U.S. 154, 176 (1997). Relatedly, although the ESA’s legislative history suggests that a federal agency, when faced with uncertain data, should give the “benefit of the doubt” to the species, that concept does not excuse NMFS from its obligation to objectively evaluate the “effects of the action,” that are “reasonably certain to occur.” 50 C.F.R. § 402.02; *see* 84 Fed. Reg. 44,976, 44,993 (Sept. 26, 2019) (“‘reasonably certain to occur’ determination must be based on clear and substantial information, using the best scientific and commercial data available” and is not altered by the “benefit of the doubt” concept); *see id.* at 45,007. The “benefit of the doubt” concept does “not absolve federal agencies from . . . developing adequate information on which to base a biological opinion.” *Miccosukee Tribe of Indians of Fla. v. U.S.*, 566 F.3d 1257, 1267 (11th Cir. 2009), *quoting* H.R. Rep. No. 96-697, at 12 (Conf. Rep.), *as reprinted in* 1979 U.S.C.C.A.N at 2576.

At numerous points in the Draft BiOp, when faced with uncertainty, NMFS selects the variable at the extreme end of a spectrum of choices that assumes the greatest possible impact from the Lobster Fishery on the basis that it must give the “benefit of the doubt” to the species. Many such precautionary assumptions, when compounded throughout the modeling analysis, result in a substantial overestimation of the effects of the Lobster Fishery that is *not* “reasonably certain to occur.” This is not how Congress or the Services intended the “benefit of the doubt” concept to apply. The concept applies only to NMFS’s overarching determination as to whether an action is likely to jeopardize (after *objectively* evaluating the “effects of the action”) and “suggests only that agencies, including the Service, cannot hide behind uncertain scientific data to shirk their duties under the Act.” *Miccosukee Tribe*, 566 F.3d at 1267; *see Conner v. Buford*, 848 F.2d 1441, 1454 (9th Cir. 1988) (agency may not “ignore available biological information”). The “benefit of the doubt” concept does not permit or compel NMFS to construct implausible effects scenarios built upon compounded precautionary assumptions, as it has done in the Draft BiOp. The Draft BiOp’s key errors in this regard are addressed in the following sections.

2. The Draft BiOp does not evaluate reasonably certain sublethal effects, resulting in a substantial overestimate of the effects of the proposed actions.

Phases 3 and 4 of the Draft BiOp’s Conservation Framework are predicated on NMFS’s assumption that implementation of Phases 1 and 2 will be insufficient to avoid jeopardizing the existence of the NARW. The population model described in Linden (2021)¹⁵ is an important basis for this finding, as it projects a declining NARW population even after implementation of all four phases of the Conservation Framework under Scenario 2. Phases 3 and 4 are also based on the qualitative understanding that “[the] operation of the federal fisheries is likely to contribute to decreased calving rates due to the sublethal effects.”¹⁶ The Draft BiOp notes that “some of the risk reduction measures in Phase 1 and 2 are designed to *reduce the severity of entanglements and not the likelihood*” (emphasis added), implying both are necessary. The Draft

¹⁵ Linden, D.W. January 9, 2021. Population projections of North Atlantic right whales under varying human-caused mortality risk and future uncertainty. Greater Atlantic Region Fisheries Office. *See* section 7 below for additional comments on Linden (2021).

¹⁶ Draft BiOp at 338.

BiOp goes on to explain that the “risk reduction requirements in Phase 3 and 4 of the Framework” are necessary to address assumed sublethal effects to NARW.¹⁷

The imposition of additional risk reduction requirements in Phases 3 and 4 to address non-lethal effects is problematic in two ways. *First*, the Draft BiOp does not quantify sublethal impacts but rather discusses them qualitatively and makes no effort to further investigate the potential magnitude of these effects based upon the best available science. Most NARW that become entangled apparently clear themselves of the gear although they continue to bear scars after they recover from the direct effects of the encounter.¹⁸ A total of 63 percent of entanglements are minor in severity when they occur,¹⁹ but the BiOp notes that “[t]he sublethal stress of entanglements can have a serious impact on individual health and reproductive rates (Lysiak *et al.* 2018, Pettis *et al.* 2017, Robbins *et al.* 2015).”²⁰ The Draft BiOp cites no scientific literature that allows for a population-level understanding of sub-lethal impacts.²¹ Yet, Phases 3 and 4 still impose numerical risk reduction to address an impact that is not shown by clear and substantial evidence to be reasonably certain to occur.

Second, Linden (2021) does not incorporate sub-lethal impacts in its model.²² It states:

The projection outputs do not consider any increase in the female right whale population trajectories due to a reduction in sublethal effects (i.e., ALWTRP proposed rule, any future risk reduction measures). The reduction of sublethal effects expected from reducing entanglements is expected to improve the animal’s health and reproductive capacity. However, these reductions cannot be quantified as they are confounded by other stressors (e.g., environmental factors).

The consequence of not considering improvements in the condition of NARW from fewer overall entanglements and fewer severe, non-lethal entanglements as a result of Phase 1 and 2 measures (and by extension an enhanced calving rate of NARW) is that the population

¹⁷ *Id.* at 338-339.

¹⁸ Knowlton, A.R., P.K. Hamilton, M.K. Marx, H.M. Pettis and S.D. Kraus. 2012. Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: a 30 year retrospective. *Mar. Ecol. Prog. Ser.* 466:293–302.

¹⁹ Maintenance of the North Atlantic Right Whale Catalog, Whale Scarring and Visual Health Databases, Anthropogenic Injury Case Studies, and Near Real-Time Matching for Biopsy Efforts, Entangled, Injured, Sick, or Dead Right Whales October 1, 2020 at 50.

²⁰ Draft BiOp at 146.

²¹ “However, at this time, there is no further evidence to make the conclusion that sublethal effects from fishing gear entanglement alone causes a decline in large whale health. Based on the best available scientific and commercial data, we believe at least some of the observed variability in right whale calving rates is due to the sublethal effects of entanglements in U.S. federal fishing gear, but cannot quantify the degree to which entanglements are affecting calving rates at this time.” Draft BiOp at 221.

²² *Id.* at 331.

model *underestimates* the stock size under all three scenarios.²³ The Draft BiOp acknowledges this problem: “All scenarios are expected to result in an increase in calving. This increase is not considered in the population projections, therefore, the three scenarios representing the implementation of measures to reduce M/SI are conservative.”²⁴ One independent reviewer went further in her characterization, stating that Linden 2021 presents “overly pessimistic conclusions” and that the absence of a quantified relationship between fecundity and entanglement represents a “worst case scenario.”²⁵ But the Draft BiOp does not provide any further analysis to address the problem.

The overwhelming majority of entanglements are non-lethal, and they are either important with respect to demographic rates or they are not. If sublethal impacts are important to the point that the Draft BiOp imposes draconian risk reduction requirements in Phases 3 and 4 of the Conservation Framework, then the analysis must fully consider sublethal impacts in the population model upon which these additional phases are predicated. And there is available scientific information (some of which is cited in Linden 2021) that confirms sub-lethal impacts occur. Taking sublethal impacts into account in the model would likely generate different results where calving rates improve and the population is growing under the Conservation Framework. In fact, the Linden (2021) population model appears to be sensitive to calving rates, with the author noting that “using a calving rate averaged across the years 1990-2018 produces positive population trajectories under all three scenarios.”²⁶ ²⁷ It goes on to state:

Finally, the population model does not consider the relationship between entanglement injuries and calving probability (Pettis et al. 2017). It is possible that mitigation measures aimed at reducing the risk of entanglement mortality would also reduce sub-lethal entanglements to reproductive adult females that may be partially responsible for suppressed calving rates in recent years. Thus, *the scenarios represented here may be underestimating the benefits of risk reduction to the population by focusing only on mortality.* [Emphasis added.]

The Draft BiOp expressly recognizes that its treatment of sub-lethal effects underestimates population growth.²⁸ But where, as here, available data can be used to further evaluate this effect and address the flawed underestimate, NMFS must carry out that analysis because it must evaluate effects that are “reasonably certain to occur.” *See* Section III.B.1 *supra*.

²³ *Id.* at 333-335 and 341.

²⁴ *Id.* at 340.

²⁵ L. New. May 2020, at 2. Center for Independent Experts (CIE) External Independent Peer Review for “predictive Modeling of North Atlantic Right Whale Population.

²⁶ Linden (2021) at 9.

²⁷ *Id.*, *see* Figure 2, Draft 2020 Status Assessment Report, growth rate of 2.8 percent for years 1990-2011, whereas the overall decline in abundance between 2011 and 2018 was 14.35% (CI=11.67% to 16.6%). *Id.* at 46.

²⁸ “We expect calving rates will likely improve following the implementation of the Framework as sublethal effects will be reduced. Calving rates are also likely to improve at a similar rate in the no federal fisheries scenario. It is likely that both projections are an underestimate, and the right whale population would fare better than population projections indicate.” Draft BiOp at 341.

If NMFS were to perform this analysis and it indeed shows a more favorable population trajectory under Scenario 2, NMFS may determine that additional risk reduction in Phases 3 and 4 is either unnecessary or can be scaled back from what is currently proposed.

Similarly, if sub-lethal impacts are determined to be insignificant to the population growth trajectory, then the focus of the Conservation Framework should be on actions that specifically reduce the severity of entanglement events. Despite NMFS's worst-case modeling scenarios, the agency recognizes that "the population is capable of recovering at lower levels than the current estimate," referring to NARW abundance estimates of 162 animals in 1980 and 270 animals in 1990, figures that ultimately grew to 483 whales in 2010 (Pace *et al.* 2017).²⁹

In short, Phases 3 and 4 are not premised on a complete analysis of the best available scientific data. Performing a complete analysis, as outlined above, would inform both (1) whether Phases 3 and 4 are necessary and (2) if so, how risk reduction measures in Phases 3 and 4 should be targeted. Moreover, implementation of Phases 3 and 4 should be predicated on a review of the effectiveness of Phases 1 and 2 in reducing the severity of entanglements. As it currently stands, the Conservation Framework, on one hand, imposes a severe quantitative risk reduction requirement at Phases 3 and 4 to, in part, address an uncertain variable (sub-lethal effects) and, on the other hand, ignores that same variable despite acknowledging that conservation measures would improve sub-lethal effects. This arbitrarily inflates the effects of the action beyond what is "reasonably certain to occur."

3. The best available science demonstrates that more entanglements are occurring in Canadian fisheries.

The Draft BiOp allocates half of all entanglements of unknown origin to U.S. fisheries. This determination is one of the most significant assumptions in the Draft BiOp because 96% of all mortality attributed to the commercial trap/pot fishery is the result of fishing gear of unknown origin. The Draft BiOp justifies this allocation with the following rationale:

Although right whales spend more time in U.S. waters than Canadian waters, for the purposes of this Opinion, we assume that 50% of the observed right whale entanglements where the country of origin is unknown occurred in the United States. This assumption is supported by the analysis of recovered entangling gear. The heavy traps and large diameter, high breaking strength lines used to target snow crabs in Canada are more lethal than most U.S. fishing gear.^[30] Additionally, risk reduction measures implemented in U.S. fisheries over the past two decades have reduced impacts to right whales from U.S. fisheries.^[31]

²⁹ Draft BiOp at 340.

³⁰ The fact that Canadian fishing gear is observed to be more lethal than U.S. gear is supported by other data and analyses, including information provided in the Salvador Declaration at 5. However, the statement is inexplicably contradicted at page 96 of the Draft BiOp where it is stated that Canadian and U.S. lobster fisheries use similar gear. The latter statement is incorrect and should be removed or clarified because it is contrary to the weight of available evidence.

³¹ Draft BiOp at 224.

The Draft BiOp goes on to identify several factors that were considered to determine the 50-50 allocation: (1) that NARW spend more time in U.S. versus Canadian waters; (2) the relatively higher number of fishing lines in U.S. waters; (3) the “heavy traps” and lethality of fishing gear used by Canadian snow crab fisheries; (4) the success of risk reduction measures implemented in U.S. fisheries; and (5) an analysis of recovered entangling gear. However, the Draft BiOp does not quantify or otherwise explain how these factors were weighted to reach a 50-50 allocation. A close look at these assumptions shows that NMFS’s 50-50 allocation determination is not consistent with the best available scientific data, including NMFS’s own data.

First, the Draft BiOp improperly discounts the value of observed data, noting that “[a]ssignment of an observed entanglement event to a specific fishery or country of origin is rarely possible.”³² In fact, NMFS’s data show that this is not rare, with 39% of entanglement cases confirmed to a country from 2016 to 2019.³³

Second, NMFS’s assumption that *NARW spend more time in U.S. waters than Canadian waters* is not supported by the best available data. By NMFS’s own admission, there are *no* data to substantiate the claim that NARW spend more time in U.S. versus Canadian waters.³⁴ Moreover, the amount of residency time in U.S. waters generally is irrelevant for the purpose of ascertaining the entanglement risk of commercial fisheries. NMFS should instead compare the time spent by NARW in the portion of U.S. waters *where a fishery operates*. Residency time in more southern locations is not indicative of the entanglement risk of the Lobster Fishery. We therefore encourage NMFS to look more closely at NARW *behavior* (e.g., transiting vs. foraging) within areas where fishing gear is deployed because the nature of animal behavior across commercial fisheries is variable and is likely to be more relevant than residency time. This same concern was stated in the CIE review of the DST.³⁵

Third, although the Draft BiOp acknowledges that the rapidly expanding Canadian snow crab fishery uses heavier and more lethal gear,³⁶ Canada had few, if any, risk reduction measures

³² Draft BiOp at 223.

³³ Draft BiOp, Table 56.

³⁴ In GARFO’s April 18, 2019 email to the TRT, introducing the 50:50 US/CN apportionment, GARFO states: “Because our Stock Assessment Reports have not included a determination on the fraction of time North Atlantic right whales spend in U.S. and Canadian waters, we do not have a data-based residency estimate to apply at this time.” (see Coogan email in Addendum D)

³⁵ Peer Review Summary Report: Review of the North Atlantic Right Whale Decision Support Tool. December 2019.

³⁶ Draft BiOp at 224.

in place prior to 2017.^{37 38} Meanwhile, beginning in 2019, both U.S. fisheries and maritime transportation sectors implemented a series of regulatory enhancements in an effort to reduce NARW serious injury and mortality in U.S. waters,³⁹ but similar efforts were not undertaken by Canada at the time.⁴⁰ U.S. fisheries implemented additional measures in 2014 to reduce the number of vertical lines.⁴¹

As illustrated by Table 2, observed data demonstrate the lethality of Canadian snow crab gear. Out of 26 entanglements with confirmed origin of fishing gear since 2010, Canadian pot gear accounts for 16% of entanglement and 17% of M/SI. The last four years of the data show the true lethality of the gear when it accounts for 31% of known entanglement and 36% of M/SI.

	2000-2019		2016-2019	
	Entanglement	MSI	Entanglement	MSI
All events	114	52	51	25
CN	18 (16%)	9 (17%)	16 (31%)	9 (36%)
US	8 (7%)	2 (4%)	3 (6%)	0 (0%)
Unknown	88 (77%)	41 (79%)	32 (63%)	16 (64%)

Source: Adapted from Draft BiOp, Table 56

Although this difference is not statistically significant,⁴² it is arbitrary to ignore the difference because there are underlying factors that strongly suggest a divergence between the two regions with respect to entanglement risk associated with differences in the fixed gear profiles used in each country.

A previous version of this data was provided to the TRT at its April 2019 meeting. At that time, investigations were still underway and not all of the Canadian cases had been identified. Further, the data contained several transcription errors that erroneously determined

³⁷ Examining Threats to the North Atlantic Right Whale, Committee on Natural Resources, Subcommittee on Water, Oceans, and Wildlife. March 7, 2019. At 26. C. Oliver noting coordination began in 2017. Available at <https://www.congress.gov/116/meeting/house/109022/documents/CHRG-116hhrg35462.pdf>.

³⁸ Not only is the risk from Canadian fishing gear improperly weighed, but the Draft BiOp does not include in the environmental baseline recent measures undertaken by Canada. Failure to do so results in a worst case scenario being analyzed in the jeopardy assessment of the draft BiOp at 333.

³⁹ See discussion of U.S. regulatory measures above at Section III.A.

⁴⁰ Although increased NARW migration into the Gulf of St. Lawrence was observed as early as 2015, Canadian regulators did not implement enhanced protective measures for vessels until 2017 and fisheries until 2018. See NARW sightings data at <https://apps-nefsc.fisheries.noaa.gov/psb/surveys/MapperiframeWithText.html>.

⁴¹ See Section III.A. above for a summary of the primary mitigation measures implemented in U.S. waters since 2009.


⁴² Based on a Student's T-Test (2-tailed), the difference is not significant at $p < 0.05$. Walpole, Ronald E. (2006). Probability & statistics for engineers & scientists. Myers, H. Raymond. (7th ed.). New Delhi: Pearson.

confirmed non-trap cases as unknown. Based on this incomplete data, TRT members were instructed by NMFS to concentrate their efforts on reduction of entanglements from the Lobster Fishery because the fishery posed the most significant threat to the species, a claim that does not comport with observed data as described below.⁴³

Glenn Salvador, who spent more than two decades as a gear specialist at NMFS, performed a careful examination of NMFS entanglement data, with updated Canadian cases and corrections included, and concluded that the April 2019 presentation does not accurately reflect the threat level presented to NARW by the American lobster fishery.^{44 45}

Specifically, Mr. Salvador reviewed data available for 138 documented entanglement cases in U.S. and Canadian fisheries of all types from 2000-2018, and concluded that there has been a significant decline in NARW entanglements in U.S. lobster gear since 2010. Moreover, he noted that since 2014 there has been only a single, non-serious entanglement in lobster gear attributed to the New England lobster fishery, and observed that rope removed from entangled whales since that time is not characteristic of ropes used in the New England lobster fishery.⁴⁶ Based on these findings, he concluded that “the decline in lobster gear entanglement is due to the success of whale protection measures implemented by lobstermen and a significant distributional shift of NARW into Canadian waters where they encounter Canadian fishing gear.”⁴⁷ Mr. Salvador concluded that “[t]he largest entanglement threat is now posed by Canadian snow crab gear trap/pot gear.”⁴⁸ The data supporting his conclusion are illustrated in Figure 1 below. As noted, updated data presented in the Draft BiOp show that this trend has worsened.

Figure 1



⁴³ See NMFS presentation at April TRT meeting at https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/April%202019/Meeting%20Materials/overview_of_relative_risk_reduction_decision_support_tool_04_23_201.

⁴⁴ Salvador declaration at 5 (Addendum C).

⁴⁵ pdf and additional meeting materials at https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/April%202019/01_april_2019_meeting_materials.html.

⁴⁶ *Id.*

⁴⁷ *Id.*

⁴⁸ Salvador declaration at 5 (Addendum C).

Mr. Salvador's analysis of data compiled and presented by NMFS also undermines NMFS's 50-50 risk allocation between Canada and the U.S., as proposed in the Draft BiOp. His analysis strongly supports a finding that, notwithstanding the significant volume of rope the U.S. lobster fishery deploys in the water column, Canadian fisheries now represent the greater entanglement threat to NARW.⁴⁹

Fourth, the Draft BiOp does not address the difference in observation effort between Canadian and U.S. waters. Survey effort has historically been significantly greater in U.S. waters, as NMFS conducts aerial operations on nearly a year-round basis. As a result, entanglement events in Canadian waters were likely under-sampled prior to 2017, the year when survey effort in Canada was increased with the assistance of NMFS.⁵⁰ Greater survey effort in the U.S. relative to Canada increases the likelihood that an entanglement event would be observed. A small number of additional observed entanglements in Canadian waters would be sufficient to make the difference between the U.S. and Canada statistically significant. This factor also undermines the Draft BiOp's 50-50 allocation.⁵¹

Fifth, NMFS's peer review of this method did not provide conclusive advice on the allocation method. The report concludes:

The current approach for apportioning human-caused mortality by country may not be the most appropriate approach. There has been a clear recent shift in the spatial distribution of NARW which has been coupled with a shift in the source of known serious injuries or mortalities to more Canadian records. Therefore, a different method from the 50:50 split of unknowns to US and Canadian fisheries should be examined.^[52]

Reviewer Jason How acknowledged the lack of scientific basis for the 50-50 split and offered a different approach to address the uncertainty:

The current 50% apportionment of unknowns to US fisheries does not reflect the current shift in NARW distribution and the recent increase in Canadian fisheries involvement in SI-M. Discussions between industry and government should therefore be entered into to find a compromise solution, whereby the recent shift in NARW abundance is accounted for, but fishers are still required to address

⁴⁹ Salvador declaration at 5, 8-10 (Addendum C).

⁵⁰ NMFS data presented at the October 2018 TRT meeting shows that while surveillance in Canada increased significantly in 2017 and was greater than U.S. efforts (95 hours in Northeastern US, 152 hours in CN), surveillance efforts were similar in 2018 (150 hours Northeastern U.S. vs. 152 hours in Canada).

⁵¹ M. Cryer, CIE Independent Peer Review of the North Atlantic Right Whale Model Projects (May 2020), states the 50:50 split "does not seem to have much supporting evidence in the documentation provided" at 5.

⁵² Peer Review Summary Report: Review of the North Atlantic Right Whale Decision Support Tool. December 2019, at 13.

the SI-M issues which likely arise from their fisheries noting the large number of unknown SI-M which can't be attributed to a particular country.^[53]

Finally, the Draft BiOp overemphasizes the quantity of vertical lines and insufficiently evaluates available data regarding the threat of different gear types and configurations. The Draft BiOp's cursory consideration of gear type is inconsistent with how it attempts to weigh these factors in the DST. Using a quantitative approach, the DST places equal emphasis on gear type and gear density in its calculations of entanglement risk.⁵⁴ Independent reviewers consistently noted the inherent challenge and problems with how the DST incorporated the risk of entanglement posed by various fishing gear types.^{55 56 57}

Moreover, multiplying gear density by severity is merely an initial assumption that lacks sufficient scientific basis.^{58 59 60} This inadequate approach has significant implications for the Conservation Framework. Should overall entanglement risk be significantly more sensitive to the gear type and/or how it is fished than gear density,⁶¹ then the Framework has overemphasized the importance of reducing vertical lines when, instead, it should be focused on reducing the impact of specific gear types and how those gear types are fished.⁶² As discussed in other sections of

⁵³ J. How. Center for Independent Expert Independent Peer Review of the North Atlantic Right Whale Decision Support Tool. Dec. 2019, at 18.

⁵⁴ As discussed below, we believe the DST may actually underweight gear type and configuration as a contributing factor to entanglement.

⁵⁵ W.D. Bowen. December 2019. Independent Peer Review of the North Atlantic Right Whale Decision Support Tool, at 9.

⁵⁶ J. How. December 2019. Center for Independent Expert Independent Peer Review of the North Atlantic Right Whale Decision Support Tool, at 11.

⁵⁷ During its April 2019 meeting, the TRT acknowledged the importance of identifying the threat of various gear types and configurations but rejected NMFS's approach of relying on the mean of seven expert groups. Further, from the Associations' perspective, certain groups that do not work in commercial fisheries would have little insight on the threat of any fishing gear. Others, such as those involved with disentanglement, would have little expertise with gear that is not typically found on NARW. Yet, these groups ranked nearly all gear types, however unlikely they were to entangle whales, as at least a "9."

⁵⁸ J. Van der Hoop. (2019) Review of the North Atlantic Right Whale Decision Support Tool. at 13. "The challenge is that we know little about how a co-occurrence becomes an entanglement."

⁵⁹ W.D. Bowen. (2019) Independent Peer Review of the North Atlantic Right Whale Decision Support Tool. At 9. "Little is known about the circumstances that lead right whales to become entangled or those that result in the whale becoming disentangled."

⁶⁰ J. How. (2019) Center for Independent Experts Independent Review of the North Atlantic Right Whale Decision Support Tool. At 2. "Currently there is too much uncertainty regarding the mechanisms surrounding an entanglement and how these are likely to be impacted by changes to gear configuration and whale size etc".

⁶¹ Knowlton *et al.* 2016, at 325.

⁶² For example, nowhere in the scientific record cited in the Draft BiOp is there an explanation why the DST uses (gear density) x (whale abundance) x (gear severity) = risk instead of (0.5)(gear density) x (whale abundance) x (gear severity) = risk. As the three DST reviewers noted, there is ample uncertainty about the circumstances of entanglement. NMFS's initial assumption of the importance of gear density to

these comments, factors such as rope strength, gear configuration, weakened points in line, and, ultimately, presence of large aggregations of whales and whale behavior, drive risk.

In sum, the Draft BiOp arbitrarily assigns a 50-50 split rather than using a probabilistic approach informed by observed entanglements from 2010-2019. This inflates the effects of the actions and presents a scenario that is not “reasonably certain to occur.” For the foregoing reasons, the Final BiOp should be revised to reflect an allocation of risk between Canada and the United States that is supported by the best scientific and commercial data available regarding relative risk, and the underlying DST definition of risk should be adjusted accordingly to meet that standard.

4. The best available science does not support assigning *all* entangled whales with unknown gear to the commercial trap/pot fisheries.

The Draft BiOp makes a significant assumption by allocating *all* M/SI entanglements of unknown gear type to U.S. commercial trap/pot fisheries, making these fisheries responsible for an additional 38%⁶³ of entanglements with no evidence of the fisheries’ involvement. NMFS justifies this allocation as follows:

Additionally, 99.7% of vertical lines in the action area are from trap/pot lines (2016 IEC, unpublished data). Given this information and for the purposes of this Opinion, we are assuming that all of the presumed U.S. entanglements in unknown gear were from trap/pot gear (2016 IEC, unpublished data).⁶⁴

Allocating all of the entanglements involving unknown gear to the trap/pot fishery is arbitrary when observed entanglements suggest that NARWs are more often entangled in gear types other than lobster gear. Where the type of gear involved in an entanglement event is *known*, and Canadian trap/pot incidents are excluded, the ratio between non-trap/pot gear and trap/pot gear is 1.75 : 1.⁶⁵ In other words, observations involving confirmed gear type suggest that NARW are *nearly twice as likely* to be entangled in gear other than commercial trap/pot fisheries. We understand that gear is recovered in a relatively small proportion of entanglement incidents, and that the gear type is identified in even fewer incidents. However, to completely discount the distinction in observed data and assign *all* entanglements of unknown gear type to trap/pot fisheries is without scientific support and arbitrary.

risk assessment, therefore, can by no means be treated as a “reasonably certain” effect of the proposed action. A more rigorous analysis of the DST’s risk calculation is required.

⁶³ 78% of M/SI are unknown; the BiOp allocates half of this to the U.S.

⁶⁴ Draft BiOp at 224.

⁶⁵ Updated NARW incident data provided to P. McCarron via email by C. Coogan (GARFO) on 12/24/2020 per 10/06/2020 request for data to A. Henry (NEFSC). File “2000-2019_right_whale_incident_data_12_23_20v.xls.” (Addendum E)

Table 3		
Summary of Entanglement Incidents – By Gear Type -- 2000-2019		
	Entanglement	MSI
All events	114	52
Gear known	25	12
Trap/pot	18	10
trap/pot – CN crab	14	8
trap/pot – US	2	1
trap/pot – US lobster	1	0
trap/pot – Unknown	1	1
Non-trap	7	2
Non-trap – US	1	0
Non-trap – country unknown	6	2
Gear unknown	89	40
No gear present	52	18
Gear not recovered	33	19
Gear undetermined	4	3
Source: NMFS NARW Entanglement Data 2000-2019		

Although the number of lines in U.S. waters is overwhelmingly from trap/pot fisheries, NMFS has recognized that not all lines pose the same risk to right whales. NMFS developed the DST to assess the variable threat from different gear types and configurations in its risk assessment. A methodology is under development to assess risk of lobster lines based on the type of rope fished (*i.e.* diameter) and the configuration of the gear (*i.e.* length of line, length of trawl).⁶⁶ Even with an incomplete understanding of the threat of various gear types, early results of the DST show that line density as a singular factor is not a good indicator of risk to whales. For example, the state of Maine, using the DST, determined that 70% of risk to NARW in Maine waters gear occurs in an area where only 10% of lines are fished.⁶⁷ This information should be more fully considered in the Final BiOp and should be applied, as appropriate, to the definition of risk in the DST as indicated in Section III.B.3 and n. 62.⁶⁸

Additionally, the best available data show that both the entanglement risk and potential of a severe entanglement differ between trap/pot and non-trap gear. Just as encounters with strong, large diameter line fished in Canadian trap/pot fisheries have been responsible for the majority of NARW M/SI in recent years, it is likely that a NARW encountering gear spread across the water column would have a high likelihood of entanglement. It is important to recognize that a vertical

⁶⁶ See Presentation on Decision Support Tool at April 2019 TRT meeting at https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/April%202019/02_presentation_on_risk_reduction_tool.html.

⁶⁷ Erin Summers, Maine DMR personal communication on 2/12/2021. Similar presentation in DEIS, Appendix Volume 2, page 3-105 with preliminary risk analysis “Maine federal waters from the 3- mile line out to 12 miles constitutes 11% of Maine’s annual NARW occurrence and 88% of Maine’s NARW presence is contained beyond 12 miles.”

⁶⁸ We also urge NMFS to seek expert judgment from those with a deep understanding of the dynamics of fishing gear – fishermen – to develop this portion of the DST, and to also expand this tool to assess the risk of non-trap gear.

line occupies less than an inch across the water column while non-trap gear is fished in wide strings that could pose greater risk if deployed where they coincide with whales engaged in higher risk behaviors.⁶⁹ A methodology has been developed by Woods Hole Oceanographic Institute in collaboration with the fishing industry to attribute risk to gear based on proportion of water column occupied.⁷⁰ This information should also be considered in the Final BiOp.

Finally, the Draft BiOp does not address the potential for a whale to shed trap versus non-trap gear, which is highly relevant considering that fishing gear is shed in the majority of incidents. Two-thirds of all entanglement events are minor,⁷¹ meaning that whales frequently shed fishing gear without serious injury to the individual. It is reasonable to assume that the entanglement profile of fishing gear influences the likelihood of its being shed and therefore constituting a “minor” entanglement. The Draft BiOp does not analyze differences between trap and non-trap fisheries with respect to the potential to cause M/SI. Instead, it arbitrarily assigns all M/SI resulting from unknown gear type to trap/pot fisheries rather than using a probabilistic approach informed by observed entanglements.

We urge NMFS to take a consistent probabilistic approach for all apportionments in the BiOp. This would first consider apportionment based on observed data. It should also consider additional data, information, and expert judgment, as appropriate, and apply them in a manner that refines the allocations based on observed data. As currently written, the Draft BiOp arbitrarily assigns all M/SI from unknown gear to trap/pot fisheries despite undisputed evidence to the contrary. Again, this inflates the effects of the trap/pot fisheries and presents a scenario that is not reasonably certain to occur.

5. The BiOp does not account for the full benefits of using weak links.

Certain mitigation measures implemented through Phase 1 of the Conservation Framework can be expected to reduce minor, moderate, and severe (*i.e.*, those resulting in M/SI) entanglements by equal amounts. For example, mitigation measures that reduce the number of lines in the water (*e.g.*, trawling up or a closure) would reduce the risk of entanglements of all severities. Weak points inserted in rope, however, may significantly reduce the *severity* of entanglements because weak points in the line allow the whale to break free of the gear as the individual whale applies force to swim free. There is a rational basis to assume that weak points inserted into vertical lines more effectively reduce the likelihood of M/SI relative to other mitigation measures. However, the Draft BiOp does not consider the benefits of insertion of weak points. Were the requirements for weakened vertical lines to reduce risk of severe entanglements by more than 60 percent, thereby significantly reducing M/SI, then the need for further mitigation requirements under Phase 3 and 4 may be reduced or eliminated entirely.

⁶⁹ NOAA List of Fisheries at <https://www.fisheries.noaa.gov/national/marine-mammal-protection/northeast-sink-gillnet-fishery-mmpa-list-fisheries>.

⁷⁰ See Kite-Powell, H.L., C. Brehme, S. Kraus, P. McCarron, H. Tetreault, and B. Wikgren. In preparation. The spatial and temporal distribution of risk to Right Whales from lobster fishing gear off the coast of Maine.

⁷¹ Maintenance of the North Atlantic Right Whale Catalog, Whale Scarring and Visual Health Databases, Anthropogenic Injury Case Studies, and Near Real-Time Matching for Biopsy Efforts, Entangled, Injured, Sick, or Dead Right Whales October 1, 2020 at 50.

Further, the Draft BiOp appears to discount scientific literature that suggest actions that reduce only the severity of entanglement (and not the likelihood) may be sufficient to recover the NARW. Knowlton *et al.* (2015)⁷² found that, “broad adoption of ropes with breaking strengths of ≤ 7.56 kN (≤ 1700 lbsf) could reduce the number of life-threatening entanglements for large whales by at least 72%, and yet could provide sufficient strength to withstand the routine forces involved in many fishing operations. A reduction of this magnitude would *achieve nearly all the mitigation legally required for U.S. stocks of North Atlantic right and humpback whales*” (emphasis added).

In the Lobster Fishery, vertical lines do not maintain their manufactured breaking strength over time. Vertical lines consist of at least two pieces of rope, and often more if fished in deeper waters. The majority of vertical lines are fished for five or more years and become significantly weaker than the manufactured strength, degrading within the first few months in the water, and further over time, due to wear from the hauler, contact with the traps and bottom substrate, and exposure to sun.⁷³ The majority of these ropes are joined together with a knot, and less commonly with a splice. A knot will weaken the line by up to 50% because it creates a curve in the rope in which the outer circumference is greater than the inner part. The difference in length creates stress across the width of the rope when put under tension, which undermines its strength. Splices are stronger than knots but will typically reduce rope strength, though this result varies widely depending on the type of splice and the number of tucks into the line. A typical inshore vertical line consists of a 5/16” sink rope at the surface (the U.S. does not allow floating line on the surface), knotted or spliced into a 3/8” floating line, which runs to the trap.⁷⁴ Single or multiple pre-cut lengtheners are added to the line as gear is shifted into deeper waters.

Although lobster gear is already fished with rope that is below manufacturers’ rated strength specification and in a manner that incorporates weak points throughout the vertical line, Maine DMR has been conducting research, with funding from NMFS and in collaboration with the Associations, to develop and test manufactured weak points, specific knots and splicing techniques that break at 1700 pounds pressure or less and leave a bitter end that will not get caught in baleen. This research has demonstrated that rope always breaks at its weakest point. When lines made up of more than one rope type were broken, the rope always broke on the weaker (smaller diameter) side of the knot or splice. DMR is preparing a list of knots and splices and exploring manufactured devices that can be inserted into the line to ensure it will break when it experiences 1700 pounds of force or less. These approaches have buy-in from lobstermen and could be quickly adopted and provide immediate benefit to NARW.

Maine DMR, in collaboration with the Associations, is also field-testing time tension line cutters (“TTLC”) as an option to allow rope encountered by a whale to break while maintaining enough strength to be safely fished in areas where 1700-pound weak points are too weak to allow for safe retrieval of gear. A TTLC is rigged into the vertical line and will cut the rope after it

⁷² Knowlton, A.R., Robbins, J., Landry, S., McKenna, H.A., Kraus, S.D., and T.B. Werner (2015), Effects of fishing rope strength on the severity of large whale entanglements. *Conservation Biology* 30: 318-328.

⁷³ Maine DMR tested the breaking strength of vertical lines used by lobstermen; ropes consistently broke well below manufactured rope specifications. Draft Environmental Impact Statement; ALWTRT Risk Reduction Rule, Appendix I.

⁷⁴ P. McCarron and H. Tetreault, Lobster Pot Gear Configurations in the Gulf of Maine, 2012. https://www.bycatch.org/sites/default/files/Lobster_Gear_Report_0.pdf.

senses a certain tension on the line that occurs for a set period of time (as programmed in the device). If a whale encountered the line thereby applying tension, the device would cut the rope as prescribed by the TTLC. NMFS should consider this to reduce the frequency and severity of entanglement in heavier lines, as an alternative solution to weak points, that would allow strong line to break free if encountered by NARW. This device has already been through significant engineering, testing and field research and provides another option to reduce the severity of entanglement in heavier lines that could be implemented in the near-term.

There is evidence in the literature that NARW are capable of applying enough force to break ropes weakened with insertions of 1700-pounds or less⁷⁵, and that those encounters rarely result in a severe entanglement. Lobster gear already incorporates many weak points in vertical lines through the routine rigging of multiple ropes into a single line. The addition of 1700-pound weak points in line will further reduce NARW M/SI. The Final BiOp must account for the full conservation benefit of incorporating 1700-pound weak links in vertical lines to accurately characterize the effects of the action.

6. NMFS overestimates the contribution of cryptic mortality to annual M/SI.

Without explanation, the Draft BiOp fails to attribute any NARW mortality to natural causes.⁷⁶ This omission ignores published scientific literature that documents two natural sources of mortality: (1) predation by white sharks and (2) recent, unfavorable oceanographic conditions resulting from climate change.

Taylor *et al.* (2013)⁷⁷ document predation events by white sharks on NARW calves in southeast U.S. waters. In addition, Curtis *et al.* (2014) report that juvenile and adult white sharks have been observed scavenging on NARW carcasses on several occasions.⁷⁸ The authors point to evidence the sharks may be drawn to NARW calving grounds during the calving season.⁷⁹ Curtis *et al.* also present relative abundance analyses for these NARW predators that “offer a more optimistic outlook for NWA [Northwest Atlantic] white sharks than previous reports.”⁸⁰ The Draft BiOp should, at a minimum, consider this qualitative evidence that NARW calves are known to be subject to predation by a shark population that appears to be growing and, therefore, presents the risk of increased predation for juvenile NARW. These reports of risk from natural predators are consistent with the draft 2020 NARW Stock Assessment Report that also discusses

⁷⁵ Arthur, L. H., W. A. McLellan, M. A. Piscitelli, S. A. Rommel, B. L. Woodward, J. P. Winn, C. W. Potter, and D. Ann Pabst. 2015. Estimating maximal force output of cetaceans using axial locomotor muscle morphology. *Marine Mammal Science* 31(4): 1401-1426.

⁷⁶ Draft BiOp at 225.

⁷⁷ Taylor, J.K.D., Mandelman, J.W., McLellan, W.A., Moore, M.J., Skomal, G.B., Rotstein, D.S., Kraus, S.D., Shark predation on North Atlantic right whales (*Eubalaena glacialis*) in the southeastern United States calving ground. *Marine Mammal Science*, 29: 204-212.

⁷⁸ Curtis, T.H., McCandless, C.T., Carlson, J.K., Skomal, G.B., Kohler, N.E., Natanson, L.J., Burgess, G.H., Hoey, J.J., and H.L. Pratt. (2014). Seasonal Distribution and Historic Trends in Abundance of White Sharks, *Carcharodon carcharias*, in the Western North Atlantic Ocean. *PLOS ONE* 9(6): e99240 at n.75.

⁷⁹ *Id.*, at n.76.

⁸⁰ *Id.*, at n. 21, 27, 77.

natural mortality, noting that 14.5 percent of the 124 recorded NARW mortalities between years 1970–2018 were “believed to have died from perinatal complications or other natural causes.”⁸¹

As discussed elsewhere in these comments, climate change is another natural threat to the NARW population that is not appropriately examined and considered in the Draft BiOp. The Draft BiOp states that climate change may “have several indirect effects on marine mammals, which may include changes in distribution; displacement from ideal habitats; decline in individual and population fitness; increased susceptibility to disease and contaminants; and changes in abundance, migration patterns, community structure, and reproductive success (Jenssen 2006, MacLeod 2009, Simmonds and Elliott 2009).” However, the Draft BiOp makes no credible effort to evaluate the probable impact of climate change on the population over time even though there is ample evidence of indirect effects on marine mammals like NARW in the form of “changes to the range and abundance of competitors and predators (Learmonth *et al.* 2006)”⁸² Notably, Gutbrod-Meyer (2018)⁸³ found that a regime shift attributed to climate-forcing in the 1990s produced “[l]ow prey abundances [that] reduced calving rates, demonstrating the significant impact prey availability can have on NARW demography.” Given the undisputed changes to migratory patterns driven by changes in prey availability and associated non-trivial impacts on the fitness of marine mammals such as neonates, the Final BiOp would be arbitrarily deficient if it were to assume no impact of climate change on NARW M/SI.

In sum, it would be arbitrary for the Final BiOp to assume that there is no natural mortality in the population despite published literature to the contrary. Ignoring natural sources of mortality has the effect of underestimating the reproductive capacity of the species and ability of the population to rebound in response to a reduction in anthropogenic mortality and more favorable oceanographic conditions. Further, based on this assumption, the Draft BiOp attributes all cryptic mortality to anthropogenic sources, thereby unjustifiably overestimating the impact of the Lobster Fishery. This again contributes to an effects scenario that is “not reasonably certain to occur.”

7. Linden (2021) is an unreliable study and an inappropriate basis for making 50-year projections.

a. The Linden (2021) model is overly sensitive to new data.

Linden (2021) is based on observed calving and modeled mortality rates derived from 2010-2018, a period characterized as a “regime shift” due to warmer temperatures and changes in NARW prey distribution. The BiOp scenarios are parameterized on a different time period than reported in Linden (2021), 2010-2019, but documentation of these model runs is not included. This is significant because the Linden model relies on output from the Pace *et al.* (2017) model which has demonstrated the sensitivity of estimated demographic rates to incremental additions of additional years of data. Therefore, the addition of another year of data (*i.e.*, 2020 data) is likely to produce a markedly different projection because the resultant life

⁸¹ Draft 2020 Right Whale Stock Assessment Report at 55.


⁸² *Id.*, at 207.

⁸³ Gutbrod-Meyer, E.L., Greene, C.H., and K.T.A. Davies. (2018) Marine species range shifts necessitate advanced policy planning: The case of the North Atlantic right whale. *Oceanography*. 31: 19-23.

history parameter estimates may be dramatically different, just as they differed from the 2010-2018 estimates after adding 2019 data. We acknowledge that independent reviewers supported the time period to begin in 2010; however, these favorable reviews do not negate the fact that the Linden model is very sensitive to new data. The addition of one year of data will provide a different NARW population projection over the next 50 years.

Three versions of the Pace *et al.* (2017) state-space mark-recapture population model (“SSMR”) demonstrate changing demographic parameter values each time new data are added to the model. The Pace model estimated the survival probabilities of NARW females from 1990 to 2014. Linden (2021), as documented in the Draft BiOp Appendix 3, updated the model to include data through 2018, and Linden (2021B) included data through 2019 as the basis for the Draft BiOp scenarios. Figure 2 below demonstrates how with each addition of new data, the estimated adult survival rates change, sometimes dramatically. The addition of 2019 data (Linden 2021B) in particular, alters the survival estimate for other years in the time series, affecting at least eight years prior to the added year (2010).

Figure 2



The assumed demographic rates on which Linden (2021) relies are not the demographic rates used in Linden’s model version as the basis of analysis in the Draft BiOp. The addition of the 2019 data produced new survival (and other vital) rates that imply a substantial change in the demographic parameters used in the matrix population model, which is particularly problematic because the elasticity (Table 2 in Draft BiOp Appendix 3) of the Linden model demonstrates that adult survival “had the greatest potential to affect growth rate.” The addition of 2019 data dramatically changes the estimates of demographic parameters on which population projections are based. Note also that 2019 data are the most recent available. The extent to which 2020 data, which have already been collected, will again change estimates is unknown.

Both the Pace and Linden models are relatively new and highly sensitive to additional years of data. For example, including data from 2009, the highest year on record for new NARW calves, could fundamentally change the projections of the Linden model. By selecting 2010 as a precise demarcation of regime change effects, the analysis no longer reflects the variability

evident within longer time frames and only narrowly excludes the highest value in observed number of calves. The Associations recommend conducting a sensitivity analysis on the demarcation of the “regime shift” period, for both beginning and end data years, to inform how reliant the model projections are on a precise definition of an inherently imprecise environmental process.

In addition, four of the nine years upon which the Linden model is based were associated with a significantly lower probability of re-sighting individual NARW. The probability of re-sighting an individual subsequently increased to historic levels in years 2017-2019.⁸⁴ The driver for this decline in re-sighting is not explained. The Pace model treats it as an indicator of the probability of detection. However, it is likely a result of the documented shift in NARW geographic distribution. Once NMFS completely redesigned its NARW survey,⁸⁵ individuals were re-sighted in subsequent years, and the mortality estimates from these prior years would have been upwardly revised.

Because both the Pace and Linden models are relatively new and highly sensitive to new data inputs, the addition of one year of data will likely provide very different NARW population projections over the next 50 years. These models are not sufficient to fully inform the long-term actions required under the Conservation Framework and result in an overestimate of the risk reduction that NMFS believes is needed.

b. The Linden (2021) model improperly parameterizes calving rate.

Linden (2021) is also flawed because it arbitrarily treats NARW calving rate differently than survival. The Linden model erroneously treats the calving rate with more certainty in its matrix model simulations than the survival parameters, preventing the full distribution of credible calving rates to be considered. This locks model outcomes to a relatively small number of specific observed low calving rates even though there is extensive variability and uncertainty in calving rates over time.⁸⁶ Specifically, in each year of each model simulation run used in the BiOp, the survival parameters are derived from the full posterior distributions of adult female survivorship supplied from Pace’s SSMR model for 2010-2019.⁸⁷ For the calving rate, however, the value for each year was not drawn from the full posterior distributions estimated by the SSMR model. Instead, the calving rate is drawn as only one of the ten annual means of calving rates from 2010-2019, even though the full posteriors would have been available for these derived values during 2010-2019. This method severely limits the potential range of calving values represented in the model. Importantly, calving rates were reported without 95% credible

⁸⁴ Pettis, H.M., Pace, R.M. III, Hamilton, P.K. 2021. North Atlantic Right Whale Consortium 2020 Annual Report Card. Report to the North Atlantic Right Whale Consortium.

⁸⁵ T. Cole presentation Oct 2018 TRT meeting at https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/October%202018/2018_nefsc_aerial_surveys.pdf.

⁸⁶ Draft 2020 NARW stock assessment, at 48, “During 1990–2017, at least 447 calves were born into the population. The number of calves born annually ranged from 1 to 39, and averaged 16 but was highly variable.”

⁸⁷ Pace *et al.* (2021) clarifies that derived values may be treated as a posterior because it is derived from posteriors.

intervals, making it additionally difficult⁸⁸ to assess how the disparity in life history parameters from the SSMR model inputted into the matrix model affect the population projections. The Associations therefore recommend that NMFS re-run the model simulation scenarios using the full derived posterior distributions of calving rates from 2010-2019.

c. The Linden (2021) model improperly assumes an equal sex ratio.

An equal sex ratio is not reflective of the current NARW population as determined by Pace *et al.* (2017). The matrix model further assumes all individuals share the same demographic parameters, but for small populations individual variation can be important to modeling survival. To this point, the SSMR model reports that additional stress on females has led to an increasingly male-dominated population. Applying an assumption that 50% of observed deaths are female is, therefore, unreasonable. If males make up a larger portion of the population (Pace *et al.* 2017), males are statistically more likely to encounter and become entangled in fishing gear. Alternatively, females are thought to be at greater risk of death from an entanglement when an incident does occur.

Thus, there are two opposing forces on sex ratio—males are at greater risk of encountering fishing gear, but females are at a greater risk of mortality when entangled—but it cannot be assumed that these forces balance each other out in all cases. Importantly, if entanglement is one of the sources of stress disproportionality causing female mortality, as Pace *et al.* (2017) suggest, then we could expect the male/female ratio to respond differently to alternative mortality reduction scenarios.

The Associations recommend including males in the population model, as done by Fujiwara and Caswell (2001), in what Linden calls, “the motivating example for this modeling framework.” Similar concerns about the treatment of the male/female ratio were also raised by Cryer (2020) during model review.⁸⁹ An individual-based modeling framework would be more appropriate for incorporating this variation, as well as for incorporating sublethal entanglement effects. Such a model appears to be under development by the Population Evaluation Tool Subgroup of the Northeast Implementation Team. The Associations recommend that this individual-based model should be used in place of the matrix projection model.

d. The Linden (2021) model improperly assumes constant and unfavorable environmental conditions will persist for 50 years.

Additionally, Linden (2021)’s projections of future NARW populations are inappropriately based on the assumption that the environmental conditions of the Gulf of Maine and North Atlantic drive NARW demographic parameters and that these environmental conditions and subsequent demographic parameters will persist for 50 years into the future. Historical trends in environmental conditions for this region indicate regime changes are

⁸⁸ The intervals could be recalculated based on Supplement 1.

⁸⁹ Cryer (2020) at 5. “Similarly, it is also assumed without much documented support, that males and females are equally vulnerable to entanglement in pot fisheries (and to all anthropogenic mortality in Canada). Is the evidence for this assumption strong, or is it plausible that the lower survival rate of females is partly due to higher fishing-related or ship-strike mortality than males?”

common (Morse *et al.* 2017), and no evidence is provided in the draft BiOp to suggest that fluctuating oceanographic conditions will cease.

Furthermore, Linden’s analysis of model projections using the full time period (1990-2018) to parameterize the model (Supplement 4) demonstrate that the model outcome is very sensitive to the assumptions regarding what historical period will be representative of future conditions. Similar concerns were raised by New (2020) during the CIE review, noting that the assumption that 2010-2018 conditions will continue for 50 years is “a strong one, especially given the observed variability in calving from 1990-2018.”

e. The model improperly finds that adult survival has the greatest potential to affect growth rate.

Model elasticity is reported in Table 2 (Draft BiOp, Appendix 3), which Linden interprets to indicate that adult survival “had the greatest potential to affect growth rate” and as justification to focus the model on adult survival (to the exclusion of calving rate, as discussed above). In contrast to all other evaluations of the model (except for Supplement 4), these elasticities were based on the average demographic parameters from the full time series, 1990-2018, and not on the 2010-2018 time series, from which model projections were derived, nor the 2010-2019 time series on which the Draft BiOp is based. New (2020) also noted in her model review the need to perform perturbation analyses (of which elasticity is one type). The Associations recommend recalculating the elasticity using the 2010-2019 demographic data to better understand the relative effects of different parameters on model outcomes.

f. The retrospective validation for the Linden model (2021) is not reliable.

The “retrospective validation” (Figure 7) performed on Linden (2021) is not reliable. It was performed using the same data that provided the model parameters. That is, the Pace *et al.* (2017) SSRM model was fit using data from 1990-2018, and the estimated parameters were input into the matrix model and then used to retrospectively predict 1990-2009. It should be expected that the model would perform well on the same data used to build the model. Importantly, however, the retrospective analysis significantly underestimates the population size in the later years of the retrospective analysis. The end of the prediction series is where the “process” error in the projection would accumulate most dramatically, as systematic errors (*e.g.*, chronic under or over estimation) multiply in each year. Figure 7 suggests incipient *systematic underestimation of the number of females after 20 years*.

This same underestimation could be expected to be further compounded in the 50-year projections. No quantitative assessment of model performance is provided, only a visual interpretation of the model fit. The Associations *recommend* that a quantitative measurement of model fit (*e.g.* root mean squared error) and potential for bias should be provided. Additional validation should be performed *in silico* using the simulated populations described and fit by Pace *et al.* (2017) to test the SSMR model, and New (2020) and Getx (2020) suggestions of the addition of a validation check in their reviews of Linden (2021) should be incorporated.

8. In sum, the Draft BiOp presents an effects scenario that inflates the assumed risk from the lobster fishery and is not “reasonably certain to occur.”

As explained in Section III.B.1 *supra*, NMFS must objectively evaluate the effects of the action that are “reasonably certain to occur” based upon the “best available scientific and commercial information.” The effects analysis fails to meet this standard because, as set forth in the sections above, it presumes effects that do not occur and overestimates the impact of other assumed effects. We urge NMFS to make the corrections recommended above. Without those corrections, the BiOp arbitrarily presents an effects scenario that is not based upon the best available scientific commercial information and is not reasonably certain to occur, as required by law.

C. The Conservation Framework Must be Improved.

1. Certain proposed TRP measures will further reduce impacts and certain measures are arbitrary or unnecessary.

The Associations support risk reduction measures that are based on the best available science and appropriately designed to achieve applicable legal standards. To do so, the scope of management alternatives must accurately reflect the risk posed by each commercial fishery contributing to M/SI from entanglement. NMFS’s management scope has been, and currently is (as evidenced by Phase 1), disproportionately and unjustifiably focused on the Lobster Fishery. As described in the comments above, NMFS is not sufficiently addressing other, more substantial sources of NARW M/SI. NMFS must address the entanglement risk posed by all commercial fisheries in order to fulfill its legal obligations.

Additionally, NMFS has not acknowledged data showing that the Lobster Fishery has substantially reduced the risk it presents to NARW over the past decade through implementation of risk reduction measures. Instead, as explained in the comments above, NMFS relies on assumptions that artificially inflate the risk of the Lobster Fishery based solely on number of lines fished—an assumption it rejects in its DST, which calculates risk based on whale density, gear density, and risk of gear fished.⁹⁰

For all of the reasons stated above, the Associations object to the risk reduction goal set by NMFS for the Proposed Rule. The Associations urge NMFS to adopt a uniform probabilistic approach, relying on observed data to apportion all unknown human causes. When available, additional data, information and expert judgment should be used to refine proportions. This methodology should apply to apportionment of (1) unknown human causes to vessel strikes versus entanglements, (2) unknown entanglements between U.S. and Canada, and (3) unknown U.S. entanglements among U.S. fisheries.

The Associations are concerned with several elements contained in the Proposed Rule for which we will provide more detail in our comments on that proposed action by March 1. These concerns are summarized as follows:

⁹⁰ As indicated at n. 62, the Associations believe the DST calculation of risk nevertheless gives undue weight to gear density to the detriment of whale behavior and other factors.

- The Proposed Rule does not include a provision for conservation equivalencies. This is necessary to allow fishing areas to adapt proposed management measures based on local fishing conditions.
- The Proposed Rule does not allow lobstermen to split trawls in half and fish with one endline. This would have equivalent conservation benefit to NARW while allowing smaller vessels within the fleet to more safely manage gear.
- The Proposed Rule, and the supporting DEIS, include additional measures that were not proposed or vetted by the TRT or by the jurisdictions that submitted draft plans for fisheries in their respective areas. The Preferred Alternative includes restricted areas which effectively create ropeless fishing areas. The LMA1 restricted area, for example, has not been previously identified for more aggressive management by the TRT or any of the jurisdictions. The basis for these closures lacks support or analysis on the record. The Associations recommend that NMFS explore development of minimum criteria that must be met to consider triggering a buoy line closure, such as minimum NARW aggregation size, presence of NARW aggregation for a minimum time period, and recurrence of NARW aggregations over a minimum number of years. This is reflective of the rationale used for the Massachusetts Bay Restricted Area.
- The Proposed Rule's Preferred Alternative to establish areas for buoy line closures does not address the inability of the lobstermen to fish buoy-less gear based on significant unanswered concerns regarding the availability, reliability, safety and cost of buoy-less gear systems, and additional challenges with gear conflict and enforcement. These concerns are outlined in more detail below.
- The Proposed Rule does not specify how lobstermen can meet the weak point requirements. Maine DMR has been working closely with the Associations to develop a list of methods that would meet this requirement. The Associations recommend that NMFS ensure a robust and flexible list of options be made available to lobstermen, and refinements to this list can be made over time as new data become available. This should include weak point equivalents such as time tension line cutters.
- The Proposed Rule grossly underestimates the economic impact of the measures in the Preferred Alternative on the fishing industry. The Associations will provide more detail about those impacts in our comments on the Proposed Rule.

2. The benchmarks proposed in Phases 3 and 4 of the Conservation Framework are arbitrary, unsupported, and very likely unnecessary.

We strongly believe that Phases 3 and 4 will not be necessary once NMFS reevaluates the trap/pot fisheries after correcting the errors outlined above. At a minimum, the revised evaluation should allocate M/SI using a probabilistic approach based on observed data and consider natural mortality. NMFS should re-run the Linden (2021) model using a calving rate that is both responsive to improvements resulting from risk reduction measures pursuant to Phases 1 and 2 (such as by evaluating the sensitivity of the projections to a calving rate that increases over time) and uses the full derived posterior distributions of calving rates from 2010-2019. Given the

sensitivity of the Pace and Linden models to new data, all models should be updated at the end of Phases 1 and 2 before NMFS requires subsequent mitigation measures.

The worst-case scenario constructed by the Draft BiOp also assumes that Canada does not reduce the number of M/SI incidents occurring from its own activities, despite the fact that it implemented numerous actions since 2017. Although we believe Canada must go much further to reduce its impacts on NARW, it is likely that the risk to the NARW population from Canadian fisheries will measurably improve as a result of Canada's actions. And we implore NMFS to engage more directly and aggressively with Canada to ensure that equivalent risk reductions are implemented bilaterally. Before proceeding with Phases 3 and 4, NMFS should review its allocation of M/SI between the two countries and update its models to reflect the performance of Canada's mitigation programs.

3. The Phase 4 Benchmark of 0.11 M/SI in the Conservation Framework is arbitrary and inconsistent with law.

NMFS states that it “determined that M/SI in the federal fisheries needs to be reduced to 0.11 on average annually, within 10 years under a phased implementation (see below), to ensure that the fisheries will not appreciably reduce the likelihood of survival and recovery of the species.” Conservation Framework at 4. However, although NMFS analyzes a scenario in which 0.11 M/SI is reached in 10 years, NMFS *provides no legal or scientific support* for its determination that M/SI “needs to be reduced to 0.11.” NMFS could almost certainly determine that an action causing only 0.11 M/SI annually is not likely to jeopardize the NARW. But that does not mean that a 0.11 M/SI rate is *necessary* to achieve no-jeopardy. Nor is it necessary or proper for NMFS to affirmatively make that determination.

The ESA requires NMFS to evaluate an action as proposed and to determine whether, under Section 7(a)(2), the action is “likely to jeopardize the continued existence of any endangered species or threatened species.” 16 U.S.C. § 1536(a)(2). In so doing, NMFS must examine whether the proposed action “reasonably would be expected, directly or indirectly, *to reduce appreciably* the likelihood of both the *survival* and *recovery* of a listed species in the wild by reducing the reproduction, numbers, or distribution of that species.” 50 C.F.R. § 402.02 (emphases added). This question—framed in qualitative terms—is not capable of being reduced to a single metric. Indeed, we are aware of no biological opinions issued by NMFS or its sister agency, the U.S. Fish and Wildlife Service, in which the agency reduced the jeopardy inquiry to a single metric that “needs to be” met (much less a metric measured to the hundredth of a decimal point).

To the extent that the quantitative metrics used for MMPA purposes—such as M/SI, as referenced in the Conservation Framework—are relevant to the “jeopardy” standard, they do not provide any hard and fast answers to the nuanced question presented by ESA Section 7. To be sure, at least two courts have determined that MMPA standards are qualitatively *more* stringent—*i.e.*, more *protective* of marine mammals—than analogous ESA standards. *See Ctr. for Biological Diversity v. Salazar*, 695 F.3d 893, 913 (9th Cir. 2012) (MMPA “negligible impact” more protective than ESA “jeopardy” standard); *In re Polar Bear Endangered Species Act Listing & 4(d) Rule Litigation*, 818 F. Supp. 2d 214, 233 (D.D.C. 2011) (approving Service’s “exhaustive analysis in which it determined that the MMPA is comparable to, or even stricter than, the take provisions of the ESA in most respects”). But no court has held that achievement

of an MMPA metric (such as a particular M/SI rate) is *necessary* for a no-jeopardy determination. And even if it were possible to reduce the jeopardy inquiry to a single metric, there is no rational basis for NMFS to conclude that an M/SI rate of approximately *one-eighth* of the established “potential biological removal” rate (“PBR”) is *necessary* for a no-jeopardy finding.

Indeed, PBR is one of the MMPA’s most precautionary (*i.e.*, protective) metrics which, by statute, represents the “maximum number of animals, not including natural mortalities, that may be removed from a marine mammal stock *while allowing that stock to reach or maintain its optimum sustainable population.*” 16 U.S.C. § 1362(20) (emphasis added). “Optimum sustainable population,” in turn, means “with respect to any population stock, the number of animals which *will result in the maximum productivity* of the population or the species, keeping in mind the carrying capacity of the habitat and the health of the ecosystem of which they form a constituent element.” *Id.* § 1362(9) (emphasis added). We are aware of no case law or other authorities that compare the MMPA’s PBR standard with the ESA’s jeopardy standard. However, at the very minimum, it is an open question whether an action causing some level of M/SI at a rate (equal to PBR) that, by the MMPA’s definition, allows the species to achieve its *maximum productivity* will nevertheless “appreciably reduce” (*i.e.*, jeopardize) the likelihood of the species’ survival or recovery. And it certainly cannot be the case that an M/SI level that is a tiny fraction of the rate (equal to PBR) that allows a species to achieve *maximum productivity* is *necessary* to avoid jeopardy.

Moreover, a collective M/SI rate of 0.11 across all of the ten fisheries would almost certainly *not* be necessary to meet the take reduction goals of MMPA Section 118. Under Section 118, the “immediate goal” of a take reduction plan is to reduce a marine mammal stock’s M/SI from commercial fisheries to below PBR. 16 U.S.C. § 1387(f)(2). In addition to that goal, Section 118 establishes a “long-term goal” to reduce the MSI “to insignificant levels *approaching a zero mortality and serious injury rate, taking into account the economics of the fishery, the availability of existing technology, and existing State or regional fishery management plans.*” *Id.* (emphasis added). The 0.11 metric is far below PBR for NARW. Although not stated by NMFS, a 0.11 M/SI rate may be aimed at achievement of the Section 118 long-term goal of levels approaching zero M/SI. But NMFS fails to explain how an M/SI rate of 0.11 across all ten fisheries can be reached taking into account—as NMFS must— “the economics of the fishery, the availability of existing technology, and existing State or regional fishery management plans.” *Id.*

Regulating the fisheries down to an M/SI rate of 0.11 would mean the economic decimation, if not elimination, of the U.S. lobster fishery. That means achievement of 0.11 M/SI would be inconsistent with, and indeed would undermine the MMPA’s long-term take reduction planning goal, which expressly requires that take reduction plans consider impacts on fishery economics. It should go without saying that an M/SI rate reduction that exceeds requirements to meet MMPA goals and likely renders a fishery economically non-viable far exceeds the agency’s obligations under the statute. Given the substantially over-precautionary assumptions built into NMFS’s analysis, and the significant uncertainties noted in these comments about the scientific grounding for that analysis, the Associations submit that the Draft BiOp is scientifically and legally unsupportable.

“Jeopardy” for NARW cannot be reduced to a single metric, given the complexity of the factors described above when applied through Section 7(a)(2)’s qualitative framework. Moreover, it is arbitrary and unreasonable to establish a metric that is far below PBR when the basis for that metric is both (1) unexplained and (2) far more stringent than what would be required to achieve the more protective goals of the MMPA, including those stated in Section 118. NMFS’s statement that the M/SI rate “needs to be reduced” to 0.11 to achieve a “no jeopardy” finding misconstrues the jeopardy standard and demands a result that is not required by either the ESA or the MMPA.

4. Phases 3 and 4 of the Conservation Framework unreasonably minimize the role of existing statutes and related processes.

Two primary sources of authority govern the ongoing federal regulation of the Lobster Fishery: the ACFCMA and the MMPA. It is unclear how NMFS intends the Conservation Framework to be implemented through, or in conjunction with, these statutes. The Framework states:

NMFS will *consider* input from the New England and Mid-Atlantic Fishery Management Councils and the Atlantic States Marine Fisheries Commission in developing and implementing mitigation measures under this Conservation Framework. We anticipate that the ALWTRT will be convened at least annually to evaluate incidental entanglement mortality and serious injury, right whale population status, gear monitoring, gear research, and compliance, as required by the MMPA. Any ALWTRT recommendations and associated MMPA rulemaking will be *considered*.

Conservation Framework at 7 (emphases added). The problem is that NMFS does not simply “consider” processes that are mandated by federal law and govern the prosecution of the Lobster Fishery. Those processes will be ongoing (as required by law) over the 10-year period of the Conservation Framework (and beyond), will inevitably result in management changes to the Lobster Fishery and, accordingly, must be taken into account.

The ACFCMA was enacted by Congress to “support and encourage the development, implementation, and enforcement of effective interstate conservation and management of Atlantic coastal fishery resources.” 16 U.S.C. § 5101(b). To carry out this purpose, Congress explained:

The responsibility for managing Atlantic coastal fisheries rests with the States, which carry out a cooperative program of fishery oversight and management through the Atlantic States Marine Fisheries Commission. *It is the responsibility of the Federal Government to support such cooperative interstate management of coastal fishery resources.*

16 U.S.C. § 5101(a)(4) (emphasis added). Under the ACFCMA, the Lobster Fishery is managed by the Atlantic States Marine Fisheries Commission, which updates and implements the

American Lobster Fishery Management Plan (“FMP”). The Fishery will continue to be managed under the FMP for the next 10 years (and beyond). This must be taken into account in the Conservation Framework.

In addition, the Lobster Fishery is subject to management under Section 118 of the MMPA. It is formally included within the scope of the ALWTRT. Under MMPA Section 118, the TRT makes recommendations for accomplishing the short- and long-term goals of Section 118 (described above). NMFS implements those recommendations through promulgation of federal regulations. 16 U.S.C. § 1387(f)(7). MMPA Sections 117 and 118 set forth the standards and processes governing the issuance of take reduction planning regulations, and the Conservation Framework has no legal bearing on that process. For example, NMFS cannot issue regulations under Section 118 that serve to regulate a fishery down to an M/SI rate below PBR that cannot be achieved when “the economics of the fishery, the availability of existing technology, and existing State or regional fishery management plans” are taken into account. *Id.* § 1387(f)(2). Thus, both the MMPA and ACFCMA must be integrated into the Conservation Framework as they will govern the prosecution of the Lobster Fishery for the foreseeable future.

5. The Conservation Framework must build in a more specific adaptive management component.

For the reasons set forth in all of the comments above, Phases 1 and 2 of the Conservation Framework are sufficient to support a no-jeopardy conclusion.⁹¹ The Associations recommend that NMFS perform a comprehensive assessment of the fisheries within some reasonable time after the effectiveness of the implementation of Phases 1 and 2 can be evaluated. In this respect, the Associations support elements of the adaptive management provisions of the Conservation Framework. Specifically, the Associations agree that “[a] primary tenet of adaptive management is to evaluate the efficacy of management actions.” Conservation Framework at 5. The Associations also agree that the Conservation Framework must “include[] a comprehensive evaluation mid-way through implementation to determine whether target reductions in M/SI specified for the final five years of the Framework need to be fully implemented” (or implemented at all). *Id.*

Furthermore, the U.S. must engage with Canada in a more direct and transparent manner. To date NMFS has provided only intermittent updates on what is characterizes as “positive” developments with Canada, yet NARW continue to die in large numbers in Canada. There has been no transparency or accountability in this process. If NARW are to recover, the U.S. must ensure that Canada has effective and measurable conservation measures in place.

⁹¹ The Associations maintain that implementation of Phase 1 is sufficient to support a no-jeopardy determination for the Lobster Fishery, which is a separate action evaluated in the BiOp. *See* 50 CFR § 402.14(c)(4) (“Any request for formal consultation may encompass, subject to the approval of the Director, a number of similar individual actions within a given geographical area, a programmatic consultation, or a segment of a comprehensive plan. *The provision in this paragraph (c)(4) does not relieve the Federal agency of the requirements for considering the effects of the action or actions as a whole.*” (emphasis added)); *see also* 50 CFR §§ 402.14(g), 402.14(h)(1), 402.14(i) (referring to the Services’ obligation to make jeopardy determinations and issue ITSs with respect to an *action*). The Draft BiOp fails to make separate jeopardy determinations, and to issue separate ITSs, for each of the proposed actions. *Id.*

The Associations further agree that all of the factors set forth at the top of page 7 of the Conservation Framework should be considered in a comprehensive assessment of the effectiveness of Phases 1 and 2.⁹² In addition to those factors, the comprehensive assessment should consider:

1. A full and accurate evaluation of all of the issues addressed in Sections III.B.2 -.7 above.
2. The likelihood of entanglement of NARWs based on whale abundance, behavior, and gear type. In other contexts, researchers have developed models to predict the abundance and distribution of whales in certain areas based upon oceanographic, ecosystem, and biological variables.⁹³ The Draft BiOp’s assessments of entanglement risk primarily focus on the geographic distribution and *quantity* of fishing gear. Those assessments should be improved by understanding the likelihood of entanglement based on both the occurrence *and behavior* of NARWs and the *severity* of entanglement based on fishing gear type and configuration.
3. The likelihood of entanglement by specific gear types and the likelihood of M/SI by specific gear types, taking into account evidence of the effectiveness of management measures to reduce entanglements or M/SI.

To achieve this, NMFS must expedite and complete development of Population Evaluation Tool (“PET”) before the 2023 Evaluation. If this cannot be achieved through the Northeast Implementation Team (“NEIT”) model, NMFS must hire an expert to complete this work. NMFS must also update the DST so that it includes (1) the entire U.S. Atlantic coast (and eventually Canada), (2) all federal U.S. fixed gear fisheries, (3) an incorporation of whale behavior into the whale density model, and (4) a gear threat tool to incorporate the risk of all federal fixed gear fisheries. The fishing industry should be consulted to provide expert advice in the development of this model within the DST.

The comprehensive assessment of Phases 1 and 2 should be supported by research and monitoring undertaken during Phases 1 and 2 as necessary to fully evaluate all of the factors set forth above and on page 7 of the Conservation Framework. NMFS should also solicit the participation of the states and the fisheries to ensure that the process is fully informed by the “best scientific *and* commercial data available.” 16 U.S.C. § 1536(a)(2) (emphasis added). All of this information should be fully and objectively evaluated by NMFS and documented in a thorough report. That report should then be reviewed by the CIE before it is inputted into updated models. If the evaluation, including the CIE report, indicates that the Lobster Fishery, as managed under Phases 1 and 2, may be likely to jeopardize the existence of the NARW, then

⁹² Conservation Framework at 7. “1. Population status. 2. Population distribution and habitat usage. 3. Information on calving and survival rates. 4. Entanglements in U.S. state, U.S. federal, and Canadian commercial fisheries. 5. Changes to the federal fisheries (e.g., changes in co-occurrence due to shifts in where the fishery operates or changes in effort). 6. Vessel strikes in U.S. and Canadian waters. 7. Apportionment of M/SI (including cryptic mortality) to federal fisheries and other sources, including M/SI in Canada, and between vessel strikes and entanglement.”

⁹³ See, e.g., <https://mmi.oregonstate.edu/gemm-lab/opal-overlap-predictions-about-large-whales-identifying-co-occurrence-between-whales>.

NMFS should reinitiate consultation and assess the status of the proposed actions at that time under ESA Section 7(a)(2). *See* 50 C.F.R. § 402.16(a).

D. Kenney (2018) Is Fundamentally Flawed.

The Draft BiOp cites Kenney (2018) at page 95 in support of the hypothesis that reducing mortality from entanglements would be sufficient to recover the NARW if all known or suspected sources of impacts remained constant. However, this population exercise fails to account for basic biological processes, namely, death. To assess the population size in the absence of mortality from entanglement, dead whales cannot simply be added back into the population. Age is not an independent factor and the distribution of ages in the population in one year affects population size in subsequent years.

In Kenney (2018)'s exercise, adding back a whale in a given year assumes that particular individual goes on and stays in the population forever. In fact, these "zombie" whales, along with living whales in this exercise, would be expected to die at a certain rate in subsequent years from other causes. No other causes of mortality are considered, natural or anthropogenic to act on the zombie whales. Further, calves have natural mortality rates that are ignored during scenarios when they are included in this model. *See* Draft 2020 SAR (14.5 percent of the 124 recorded mortalities between years 1970 – 2018 were "believed to have died from perinatal complications or other natural causes).⁹⁴ Kenney assumes a constant calving rate of one calf per 5yr (0.2/yr). This process is a vast oversimplification of the life history process of NARW, and Kenney's value of the calving rate is far higher than the "best" current estimate of 0.04 in the Draft Stock Assessment Report (SAR 2020), and would be 4th highest calving rate observed since 1990 according to Linden (2021, Figure 3).

For these reasons, Kenney (2018) does not reflect the best available information and the BiOp's effects and jeopardy assessments should not rely on or utilize Kenney (2018).

E. The Reasonable and Prudent Measures Should be Further Refined and Improved.

The Associations provide the following comments and recommendations for improvement of the reasonable and prudent measures ("RPM") and associated terms and conditions ("T&C") set forth in the Draft BiOp. We do so mindful of the ESA's limitations on RPMs and T&Cs, namely: "Reasonable and prudent measures, along with the terms and conditions that implement them, cannot alter the basic design, location, scope, duration, or timing of the action and may involve only minor changes." 50 C.F.R. § 402.14(i)(2).

NMFS should not be considering any management strategy that holds U.S. fishermen accountable for NARW M/SI in Canada. The U.S. must engage directly with Canada in an open and transparent manner to ensure that Canada implements effective and measurable conservation measures.

⁹⁴ Draft 2020 Stock Assessment Report, at 55.

1. RPM 1

a. General comments on RPM 1.

The Associations agree with the core premise of RPM 1—*i.e.*, that “NMFS must continue to work with the fishing industry and partners to promote, fund, conduct, and/or review research on gear modifications to reduce incidental takes, and the severity of interactions that do occur, of ESA-listed species.” We present the following modifications and additions to improve the effectiveness of RPM 1:

- This RPM and associated T&Cs should express a clear requirement that NMFS will invest in gear research and evaluation. Such research must focus on: (1) understanding the specific risks from existing gear, by fishery and gear type; and (2) investigation of more immediate and practical gear modifications *other than ropeless fishing* that can be implemented to reduce entanglement risk and severity. Such possible modifications include improved gear marking methods, limits on diameter of ropes fished as vertical lines, weak rope insert options, time tension line cutters, newly engineered ropes, alternative trawling and rigging configurations, trap reductions, and dynamic management if adequate NARW surveillance is possible. The research should be scoped and undertaken based on direct engagement and consultation with fishermen and fishing industry representatives, who are best positioned to identify creative and effective gear modifications.
- The process for developing a “Roadmap to Ropeless Fishing” must expressly state that the process will involve direct engagement and consultation with the Lobster Fishery. As described in detail below, there are numerous economic, safety, operational, and enforcement limitations and questions on appropriate scale of implementation that must be resolved in a “Roadmap to Ropeless Fishing.” The T&Cs should specify that a draft Roadmap development will include collaboration and consultation with the fishing industry and provided for review and comment by industry stakeholders, after which a final Roadmap will be produced. It must also consider the results of “The Ropeless Fishing Gear Feasibility Study” underway through the Massachusetts Division of Marine Fisheries (DMF) and other current and future ropeless fishing feasibility studies.⁹⁵ It is essential that the Roadmap be developed in this fashion to ensure that it addresses appropriate scale of implementation (restricted areas versus broad-scale adoption) engineering questions related to the function and reliability of the technology as well as the substantial economic, safety, and operational issues posed by a fleet as diverse as the Lobster Fishery. This will help to achieve a level of “buy in” from the fishing industry. Without that “buy in,” the Roadmap will be impracticable and unlikely to succeed.
- The T&Cs identify priorities for gear research but specify no timelines. The T&Cs should specify timelines to ensure that these important research tasks are accomplished.

⁹⁵ <https://www.mass.gov/service-details/ropeless-fishing-gear-feasibility-study>.

b. Specific concerns regarding development of ropeless fishing.

The Associations have concerns with regard to the accelerated trajectory for development and implementation of ropeless gear technology. Analysis of this nascent gear technology must address significant concerns with its present state of development, with particular focus on methods to ensure the technology can be deployed on a safe and sound operational basis; that it can address gear conflicts; and that it can offer an efficient, practicable method of harvesting consistent with regulatory and economic conditions in the fishery. Moreover, current research and development programs for ropeless gear have not identified a reasonably viable business model for deployment in the diverse conditions of the Lobster Fishery. In the following sections, we describe these issues in more detail and recommend that NMFS account for these in RPM 1, as recommended above.

(i) Technological limitations, cost, and operational constraints make ropeless gear not presently economically viable.

Numerous technological issues must be resolved before ropeless fishing will be commercially viable. The ropeless system aboard each vessel must function reliably and efficiently. Specifically, the technology must include an acoustic trigger and release system to allow for efficient and reliable deployment and hauling of gear, the communications system from the vessel to satellite system must protect private data and function in real-time, and the communication system which translates data from individual vessels to the fleet and enforcement must be developed. According to Dr. Mark Baumgartner of Woods Hole Oceanographic Institute: “We are in the early stages of development – mostly proof of concept with prototypes that are not yet designed for operational fishing by hundreds to thousands of fishermen... Every system... will need to go through a redesign process to (a) incorporate an interoperable gear location system, (b) work for fishing at scale (e.g., ruggedized design, long endurance), and (c) enable mass production at low cost.”⁹⁶

These technological challenges are compounded by the need to incorporate this technology across a very diverse fleet which ranges from single operators fishing from vessels less than 30 feet in length to medium size boats up to 40 feet with a small crew to larger vessels of 65 feet or more that fish in deep offshore waters with crews of up to five. The smallest vessels have very limited workspace and rarely use sophisticated computer or navigational systems. While medium and larger vessels may have greater potential to incorporate GPS and computer technology into a fishing operation, the deck size also remains very limited.

Additionally, there are operational and economic constraints to widespread use of ropeless gear. The economic model for the New England lobster fishery is predicated upon a high volume of landings caught with a gang of 800 or less (1,945 or fewer in LMA 3) traps, where lobstermen compete for prime bottom. This requires lobstermen to efficiently haul and redeploy gear in a predictable manner. Inshore lobstermen may haul 100 to 200 traps per day, working four days on and one day off on a weekly cycle. These boats often deploy small gangs of gear as singles, pairs or triples, that are strategically set on productive hard bottom to

⁹⁶ Slide 12 located at https://ropeless.org/wp-content/uploads/sites/112/2019/11/21.-Baumgartner_nearterm_developments_for_distribution_20191113.pdf.

maximize catch. Area 1 federal waters vessels may haul 300 to 400 traps per day, working through a full gang of traps every two days. This gear is typically deployed as trawls across a variety of hard and gravel bottom. Traps are frequently loaded onboard and moved to other fishing areas depending on catch levels. Any hauling and redeployment system that results in fewer traps hauled per day would significantly impact the business model of lobstering operations.⁹⁷

Reduced profits would, in turn, make it more difficult for lobstermen to pay for the high capital and operating costs required to operate a ropeless system. The current best estimate is that existing technology for ropeless systems will cost ten times or more per trap compared to gear currently in use.⁹⁸ These systems require significant investment in technology, including a computer system, acoustic detector, trigger devices, and rope storage systems. Given the failure rate of current systems, fishermen would also need to invest in redundancy.

Kristan Porter, President of the Maine Lobstermen's Association, traveled to New South Wales in eastern Australia to experience first-hand a commercial lobster operation using ropeless fishing system that has been touted as a model for U.S. fisheries. The business model for the eastern Australia lobster fishery is different than the New England lobster fishery. It is a quota-based fishery with a small number of lobstermen who do not share territory and deploy single traps that are hauled every three to four weeks. The catch is extremely valuable with the price per pound typically six times higher than U.S. lobster price, making this fishery highly vulnerable to poaching. As a result, these lobstermen sought methods to hide gear. Mr. Porter observed:

On the day we fished, Scott hauled 14 single traps and did not reset most of the gear because he had already caught most of his quota. Scott and his crew were very skilled at fishing the system, particularly in matching each pot to the computer so that it was properly recorded and could be relocated, and the setting of the burn wire in the acoustic release system. He used a torque wrench to perfectly set the bolts on either side of the burn wire to hold it in place; if it was too tight, the wire would break, too loose and the wire would fall out. Either would result in a failure of the acoustic release. This was a highly precise process. Setting the burn wire properly would be difficult to do if handling a high volume of gear or on a day with rough seas.⁹⁹

U.S. fishermen who have tested ropeless gear have raised concern over transferability of this technology to U.S. trap/pot fisheries. Massachusetts lobsterman Dave Casoni tested a ropeless system and worried about the practicability of his peers adopting this technology,

⁹⁷ By way of contrast, the one fishery in the world that uses ropeless gear fishes less than 20 traps per day and does not share fishing territories with other fishermen.

⁹⁸ The Oppenheim Declaration, which was filed in *Ctr. for Biological Diversity v. Ross*, Civ. Action No. 18-CV-112-JEB, as Document 115-7 (D. D.C., filed June 18, 2020), at 10 (Addendum F).

⁹⁹

https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/March%202018%20Ropeless%20subgroup/kristan_porter_observations_of_ropless_fishing.pdf.

particularly those who are elderly or otherwise have little experience and familiarity with digital technology, touch screens, and other electronic equipment required to operate many pop-up buoy gear systems.¹⁰⁰ Similarly, West Coast Dungeness crab fishermen who have tested ropeless systems found that these systems have an unacceptably high failure rate resulting in loss of expensive equipment, hauling and retrieval were extremely time-consuming, there was inadequate deck space to store ropeless equipment when stacking traps onboard, and gear and catch were lost because traps landed upside down preventing the retrieval of the gear. Fishermen have noted that these issues will be compounded in rough seas and cold weather conditions.¹⁰¹ Fishermen have also observed that they will have to make extensive, costly modifications to their vessels in order to operate many of the pop-up buoy gear systems that are currently available, requiring new haulers, wiring for electronics, or custom-built platforms or shelving to stabilize gear while it is being re-coiled or re-spoiled.¹⁰²

(ii) Ropeless gear presents safety risks.

Ropeless fishing also poses significant safety risks to fishermen in both the Lobster Fishery and fisheries that overlap with it. The increased handling time on deck required by ropeless gear is a particular concern for fishermen who operate their vessels alone. Fishermen who fish alone must handle gear on deck while maintaining a vigilant watch to ensure safe vessel maneuvering within high traffic areas or in a high sea state. Fishermen are very concerned about safety issues surrounding gear conflict due to an increase in gear being set over gear on bottom, or mobile gear unknowingly hauling through fixed gear.

A key function of the surface buoy and vertical line is to allow lobstermen to locate their traps and safely haul them from the ocean floor to the fishing vessel. Another important function is to alert other ocean users of the presence of lobster gear. The removal of the surface system would result in significant conflict among lobstermen and between competing gear types. All of the ropeless systems under-development use unique acoustic release devices, rope storage options, and tracking and communications software. For ropeless fishing to work, all of these systems must be interoperable so location of fishing gear is known to any vessel or law enforcement accessing an area. There are several commercial fisheries that operate within the same fishing grounds as lobster fisheries, including groundfish trawl and gillnet fisheries, crab fisheries, scallop, tuna and shrimp fisheries. Any sunken gear that cannot be detected by other vessels puts the vessel at risk and may result in loss of catch. Mobile gear that unknowingly drags through sunken trap gear can lead to loss of catch by damaging nets and creates serious safety risks to the vessel and crew by hanging down nets and hauling back heavy tangled gear. Similarly, a lobster trawl set over the top of an unknown sunken trap on bottom is very dangerous to haul due to the tremendous strain that is exerted on the line. Often the hauling line will part and the gear and catch will be lost.

A ropeless Lobster Fishery would therefore require all lobstermen, and other fisheries that overlap with lobster gear, to install and successfully operate computer systems to track and detect sunken lobster trawls to avoid gear conflict. Even if the fleet is outfitted with compatible

¹⁰⁰ Oppenheim Declaration at 14 (Addendum F).

¹⁰¹ *Id.* at 12 (Addendum F).

¹⁰² *Id.*

detection systems, weather or interaction with mobile gear can drag sunken lobster gear from its marked location putting it out of range of the vessel's release unit resulting in loss of gear. This "ghost gear" on the ocean floor is both a risk to protected species and may continue to capture economically valuable target species.

(iii) Ropeless gear presents enforcement challenges.

Ropeless fishing also poses enforcement challenges that must be addressed. In June 2018, ASMFC's Law Enforcement Committee (LEC) reviewed the enforceability of ropeless pop-up buoy gear technologies to reduce impacts on NARW.¹⁰³ The LEC concluded that deployment of ropeless gear would significantly impede law enforcement's ability to enforce lobster conservation rules. The concerns identified by LEC include: (1) the time and cost required to retrieve and re-deploy ropeless gear would significantly reduce the number of vessels and traps inspected for compliance; (2) the need to access multiple pop-up buoy gear technologies and retrieval/mapping systems would represent a financial burden and logistical challenge; (3) unanswered questions on systems to be used to store and secure trap location information; and (4) the vulnerability of acoustic and radio frequencies to be hacked or stolen data that lead to illegal hauling of gear by others as presented in Addendum G.

We encourage NMFS to identify these issues for further analysis and investigation in the "Roadmap to Ropeless Fishing." In the immediate term, this technology should be examined for implementation in restricted areas where deployment of buoy lines is not allowed. However, there are significant issues that must be addressed before this technology could reasonably be considered for fishery-wide adoption. These examinations must address the technological, operational, and economic impediments that undeniably exist, and vary significantly depending upon the scale at which the technology is adopted. Collaboration with fishermen, and the associations that represent them, is essential for both understanding these issues and finding appropriate and effective solutions.

2. RPM 2

The Associations agree that it is essential that NMFS work to "identify correlations with environmental conditions or other drivers of incidental take within some or all of the action area." NMFS's current risk assessments are disproportionately weighted to simply assume risk occurs because fishing gear is present. To more accurately assess risk, NMFS must devote more resources to assess the likelihood that whales will be present, and whale behavior, in areas with fishing gear in the first place. In this regard, NMFS should build upon habitat distribution models that have already been developed in other contexts to develop a more sophisticated habitat distribution model for NARWs. Such a model should include the monitoring and integration of variables such as sea surface temperature, plankton distribution, presence of prey, and other factors that explain the temporal and geographic distribution of NARWs. These models should be groundtruthed with whale sightings data. Ecological studies should also include additional monitoring data pursuant to our recommendation on RPM 4.

¹⁰³ ASMFC LEC May 2018 meeting summary at <http://asmfc.org/law-enforcement/the-law-enforcement-committee>; ASMFC May 2018 meeting summary at <https://www.asmfc.org/files/Meetings/2018SpringMeeting/2018SpringMeetingSummary.pdf>.

The Associations also agree that NMFS must review and assess “all data available on the observed/documentated take” of NARW. This review and assessment must include takes that occur in Canadian fisheries and in Canadian waters, and this should be expressly stated in the T&Cs for RPM 2. In this regard, NMFS should use all diplomatic and political means necessary to obtain data from Canada on species distribution, including surveys that allow for individual identification that can be included in models. NMFS should also request data on the density and type of fishing gear deployed (especially snow crab and lobster) in Canadian waters so that it can work effectively with Canada on equitable solutions to reduce risk entanglement.

Finally, we note that RPM 2 states that, after undertaking review, “NMFS must take appropriate action to reduce large whale, sea turtle, Atlantic sturgeon, Atlantic salmon, and giant manta ray interactions and/or their impacts.” The Associations agree that appropriate actions should be taken. However, any such action(s) must occur through the legally required processes and cannot occur pursuant to RPMs and T&Cs if they are not limited to “minor changes” that do not “alter the basic design, location, scope, duration, or timing of the action.” 50 C.F.R. § 402.14(i)(2).

3. RPM 3

While we recognize that disentangling NARW is dangerous and requires training, the Associations believe that lobstermen would readily volunteer to be trained and serve as first-responders when entangled whales are sighted. Historically, some lobstermen have already received such training.¹⁰⁴ NMFS should also explore new and innovative ideas to improve disentanglement techniques.¹⁰⁵ We recommend that this concept be included in RPM 3.

With respect to the fifth T&C, the Associations recommend that NMFS invest in state of the art technology to provide responders and sightings surveillance teams with high resolution cameras that have a laser scale built in. This would provide the information necessary to determine the type of gear and size of rope, if any, on an entangled animal. NMFS should also provide responders with high resolution drones to obtain better, higher-resolution images of entanglement and any gear associated with an entanglement. Such data is essential to informing management measures tailored to addressing actual risks.

Finally, the T&Cs for this RPM should ensure that the U.S. and Canada incorporate standardized methods and protocols for data collected during disentanglement and chain of custody and analysis of gear removed from NARW.

4. RPM 4

The T&Cs for this RPM require NMFS to “continue to monitor” the fisheries but provide no detail on what type of monitoring should occur or at what levels. We recommend that the T&C include more detailed specifications for monitoring to ensure that monitoring efforts are properly directed and effective. Such monitoring must be targeted to specific fisheries and

¹⁰⁴ See <https://www.capecodtimes.com/article/20130716/NEWS/307160322>.

¹⁰⁵ See The Nature Conservancy collaborative research project to develop new disentanglement technology.
https://www.youtube.com/watch?v=_nj9rATdHQs&ab_channel=TheNatureConservancyinCalifornia.

require specific reporting by fishery and area, which would be included in comprehensive reporting to more accurately assess levels of risk by fishery and area.

NMFS must also increase NARW surveillance within the action area. A recent report by a NMFS expert working group states: “It is clear that long-term satellite tags could help provide valuable data about NARW habitat use, including discovery of unknown foraging areas, return to previously used foraging areas, and other shifts in distribution that might occur.”¹⁰⁶ Long-term satellite tags and other methods should be prioritized and funded as possible ways to obtain better surveillance of NARW distribution.

NMFS should fund implementation of 100% harvester reporting by all jurisdictions and develop and implement a cost-effective vessel tracking technology for trap/pot fishery that has been piloted by ASMFC.

5. RPM 5

NMFS should make a concerted effort to employ a more reliable modeling framework that can support future decisions. While some minor improvements to the matrix model are suggested in other sections, the development of an individual-based model should be expedited. In an individual-based model, each individual of a population is tracked and allowed to have unique demographic parameters and follow rules about interactions with other individuals and the environment. In contrast, the assumption of a matrix model is that all individuals represented in a matrix have identical demographic parameters and behavior. In very large populations, the law of large numbers suggests that this assumption of matrix models may be close to the truth, and some significant computational advantage is gained with this assumption. In small populations, however, individual variations in demographic rates can be very important. In the case of NARW, the detailed catalog of individual identifications over long periods of time suggests an individual approach may be beneficial. In fact, the SSMR model takes an individual approach, providing survival probabilities for every individual NARW in the record. The matrix model then sweeps this individual level information into population-wide summary statistics. An individual-based model approach would be much more consistent with the available data and the Pace *et al.* (2017) modeling approach. Indeed, the individual-based model approach appears to be the selected method of the PET Subgroup of the NEIT. Getz (2020) also suggests the use of an individual-based model in their model review.

In addition, RPM 5 must include a direction to NMFS to better investigate and understand sources of NARW natural mortality, particularly for newborn (neonate) calves that are subject to predation. Natural mortality already occurs and is not well understood by NMFS, yet is a critical factor in understanding population growth rates of NARW. Moreover, natural mortality of neonate calves could become a serious problem in the future as white shark populations continue to grow.

IV. CONCLUSION

¹⁰⁶ See North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service’s Expert Working Group (Erin M. Oleson, Jason Baker, Jay Barlow, Jeff E. Moore, Paul Wade) (June 2020), https://repository.library.noaa.gov/view/noaa/25910/noaa_25910_DS1.pdf.

We appreciate the opportunity to provide comments on the Draft BiOp. The Associations are committed to working with NMFS through legal and evaluative processes that are based upon objective assessments of the best scientific data available. As explained above, we have significant concerns about the Draft BiOp, such as its inaccurate portrayal of the effects of the Lobster Fishery through numerous incorrect or overly conservative assumptions. We respectfully request that NMFS address these concerns. We also appreciate NMFS's consideration of our other recommended improvements, such as the construction of a more specific adaptive management framework and proposed refinements to the reasonable and prudent measures. If you have any questions or would like additional information, please do not hesitate to contact Patrice McCarron at 207-967-4555 or patrice@mainelobstermen.org.

Sincerely,

Patrice McCarron
Executive Director
Maine Lobstermen's Association

Beth Casoni
Executive Director
Massachusetts Lobstermen's Association

David Borden
Executive Director
Atlantic Offshore Lobstermen's Association

Erik Anderson
President
New Hampshire Commercial Fishermen's Association

Ben Martens
Executive Director
Maine Coast Fishermen's Association

Rocky Alley
President
Maine Lobstering Union

Sheila Dassatt
Executive Director
Downeast Lobstermen's Association

Laurin Brooks
President
Southern Maine Lobstermen's Association

Annie Tselikis
Executive Director
Maine Lobster Dealers Association

Paul Anderson
Executive Director
Maine Center for Coastal Fisheries

Casey O'Hara
Vice-President
O'Hara Corporation

Sebastian Belle
Executive Director
Maine Aquaculture Association

cc: Sam Rauch, Deputy Assistant Administrator for Regulatory Programs
Mike Pentony, Regional Administrator, Greater Atlantic Regional Office
Jennifer Anderson, Assistant Regional Administrator for Protected Resources
Senator Susan Collins (via Cameron O'Brien)
Senator Angus King (via Peter Benoit and Chris Rector)
Representative Chellie Pingree (via Lisa Pahel and Rhiannon Hampson)
Representative Jared Golden (via Eric Kanter and Morgan Urquhart)
Senator Jeanne Shaheen (via Sarah Holmes)
Senator Maggie Hassan (via Victoria Williams)

Representative Chris Pappas (via Ashley Motta)
Senator Elizabeth Warren (via Bruno Freitas)
Senator Ed Markey (via Nolan O'Brien)
Representative Bill Keating (via Andrew Nelson)
Representative Seth Moulton (via Olivia Hussey)
Representative Katherin Clark (via Ilina Shaw)
Representative Stephen Lynch (via Megan Hollingshead and Bruce Fernandez)
Senator Jack Reed (via Steven Keenan)
Senator Sheldon Whitehouse (via Karen Bradbury)
Representative David Cicilline (via Matthew McGinn)
Representative James Langevin (via Peter LaFountain)
Honorable Janet Mills, Governor of Maine (via Tom Abello)
Honorable Governor Chris Sununu, Governor of New Hampshire
Honorable Charlie Baker, Governor of Massachusetts (via Kristen Lepore)
Honorable Gina Raimondo, Governor of Rhode Island
Patrick Keliher, Commissioner, Maine Dept of Marine Resources
Cheri Patterson, Director, NH Department of Fish and Game
Dan McKiernan, Director, Massachusetts Division of Marine Fisheries
Janet Coit, Director, RI Department of Environmental Management
Thomas Nies, Executive Director, New England Fishery Management Council
Robert Beal, Executive Director, Atlantic States Marine Fisheries Commission

Addendum A

Overview of The Associations

Maine Lobstermen's Association (MLA)

The Maine Lobstermen's Association's (MLA) was founded in 1954 and is the oldest and largest fishing industry association on the east coast. The MLA advocates for a sustainable lobster resource and the fishermen and communities that depend on it. The MLA engages in advocacy, education, stewardship and sustainable resource management, collaborative research and cultural exchange. For more than 65 years, the MLA has ably represented the interests of the Maine lobster industry and educated the public about the importance of this industry.

Massachusetts Lobstermen's Association

The Massachusetts Lobstermen's Association was established in 1963 by the fishermen, for the fishermen, and is presently one of the leading commercial fishing industry associations in New England. On behalf of its 1,800 members, the MALA works to maintain both the industry and the resource. The MALA strives to be proactive on issues affecting the lobster industry and is active in the management process at both the state and federal levels.

MALA has become a trustworthy voice for the industry on important issues and is looked to by both the fishing industry and the management community. The Massachusetts Lobstermen's Association is a member-driven organization that accepts and supports the interdependence of species conservation and the members' collective economic interests.

Atlantic Offshore Lobstermen's Association

The Atlantic Offshore Lobstermen's Association (AOLA) is the sole organized voice for the federal offshore lobster industry, representing a majority of the active fleet with members from New Hampshire to New Jersey. The Association supports the efforts of the offshore lobster industry to develop and maintain a strong, stable, and sustainably minded fishery. Offshore lobster fishing is pursued by a relatively small fleet (approximately 65 active vessels) in an area 40-120 miles from shore that spans from the Canadian border to the mid-Atlantic.

The Executive Director of AOLA has held a seat on the Atlantic Large Whale Take Reduction Team (TRT) since its inception in 1996 and has participated in the development of all Atlantic Large Whale Take Reduction Plan conservation provisions since that time, including provisions undertaken since the 2014 Endangered Species Act Biological Opinion. David Borden has been the AOLA Executive Director since 2013. He also serves as a Commissioner for the Atlantic States Marine Fisheries Commission (ASMFC) with a seat on the Lobster Board. Grant Moore is AOLA's President, alternative TRT member, and Chairman of the ASMFC's Area 3 Lobster Conservation Management Team.

Since 2018 AOLA staff and members have been participants on collaborative research projects to develop whale protections. Work has included load and breaking strength testing of existing vertical lines, testing manufactured 1700lb breaking strength rope and weak rope contrivances, and testing of acoustic release (ropeless) technologies. AOLA members have also provided researchers and managers

with critical information about fishing operations to inform fisheries characterizations, model development, and gear technology specifications.

Maine Coast Fishermen's Association

The Maine Coast Fishermen's Association (MCFA) is an industry-based non-profit that identifies and fosters ways to restore the fisheries of the Gulf of Maine and sustain Maine's iconic fishing communities for future generations. Established and run by Maine fishermen, the objectives of MCFA are to provide a voice for our fishing communities, to rebuild the Gulf of Maine ecosystem, and to support diverse fishing businesses throughout Maine. MCFA strives to ensure that Maine's fishing communities can thrive today, tomorrow, and forever. We do this by advocating for policies and regulations that create healthy and sustainable fisheries, securing access to those fisheries through protecting working waterfront and permit banking, and supporting profitable fishing businesses through research and community development.

New Hampshire Commercial Fishermen's Association

The New Hampshire Commercial Fishermen's Association works to recognize, promote, and encourage all commercial fisheries in the State of New Hampshire in a manner that enhances resource conservation, effective management, wise laws and a friendly spirit of co-operation among all commercial fishermen. The association's members have consistently and currently participate in all aspects of fishery management at levels that effectively contribute to the discussions and outcomes in the best interest of the resource and industry. Our members are active on the Area 1 LCMT, ALWTRT, a variety of ALWTRT rope workshops and initiatives along with ongoing collaborations specific to lobster issues.

Maine Lobstering Union

Maine Lobstering Union (MLU) is a nationally backed organization working through solidarity to bring support to Maine's Lobstermen. The MLU provides education, upholds traditional sustainable lobstering practices and advocates for the fishermen that rely on them. The MLU is dedicated to improving the quality of life for our fishermen. Lobster 207 is the first Union-owned, fair-trade lobster co-op. Our members own their product, "From the ocean floor to your door".

Downeast Lobstermen's Association (DELA)

The Downeast Lobstermen's Association was formed in 1990 by a small group of lobstermen in the Jonesport, Maine area to maintain traditional lobstering for fishermen and their families and to maintain our lifestyle for our future generations. Since its humble beginning, DELA has become known state and nationwide, representing lobstermen from Kittery to Eastport, and from nearby states including New Hampshire and Massachusetts. DELA's members share the same interest and concerns about their fishery. DELA's work includes representing the Maine lobster industry on the Lobster Institute, the Research, Education and Development Board, Maine Fishermen's Forum Board and we collaborate on a variety of research projects with Maine Department of Marine Resources, Gulf of Maine Lobster Research Institute, and more.

Southern Maine Lobstermen's Association (SMLA)

The Southern Maine Lobstermen's Association was formed in 1972 as a non-profit cooperative. SMLA has served southern Maine's commercial lobstermen through the collective purchase of fishing gear and supplies and advocating lobstermen on a variety of regulatory issues. SMLA members have served on the Lobster Advisory Council, the Lobster Research Education and Development board, and as well as collaborative with state and federal agencies on a variety of oceanographic survey, dredging, and collaborative research projects.

Maine Lobster Dealers Association (MLDA)

The Maine Lobster Dealers' Association was formed in 1985 to support the interests of lobster wholesalers and processors. Together with our members, we proactively work towards solutions to the regulatory and commercial challenges in the lobster supply chain worldwide. MLDA's members are the businesses that procure lobster from Maine's commercial lobster fishermen and add value to it by grading it for specific sizes and quality or process it into value-added products like lobster meat or frozen tails. Without our hardworking fishermen, there is no product for us to ship around the world; without live lobster wholesalers and lobster processors, there is no connection between our small coastal towns and the domestic and global market place. We work hand in hand with our commercial fishermen and we are concerned about their fishing future because our member companies and the 6,000 jobs that exist in Maine's lobster supply chain, depend upon a biologically and economically sustainable fishery.

Maine Center for Coastal Fisheries

The Maine Center for Coastal Fisheries (MCCF) mission is to sustain commercial fishing and Maine's coastal fishing communities in eastern Maine and beyond. We are not an association of fishermen, but we are located in Stonington, Maine's largest lobster landing port, and we have several fishermen on our Board of Directors. We conduct collaborative research with fishermen and we are a boundary spanning organization promoting collaborative management strategies that are based on local knowledge and sound science. Our long-term goal is to help transform fisheries management to be more ecosystem-based to be more responsive to natural and social changes affecting fisheries and communities. Dr. Carla Guenther, Chief Scientist is a co-investigator on a current study of the socio-economic stressors on Maine's lobster fishery that is being funded by the National Sea Grant Program. MCCF endorses the comments and concerns that are included in this response to the draft Biological Opinion.

O'Hara Corporation

The O'Hara Corporation is a family held company that has owned and operated commercial fishing vessels for over 114 years. Our home office is located in Rockland Maine, which is the homeport of our 2 Atlantic herring vessels that supply bait to our local lobster communities through our shoreside division of O'Hara Bait.

Maine Aquaculture Association

The Maine Aquaculture Association (MAA) is the oldest state aquaculture association in the country. Founded in 1977, MAA represents the commercial aquatic farmers of Maine. Our members grow 23 different species, and directly employ over 700 Maine citizens in year-round jobs with an additional 300 seasonal employees generating more than 150 million dollars in economic activity annually. The MAA is a co-founder of the Maine Working Waterfront Coalition that served as the model for the creation of

the National Working Waterfront Coalition. In cooperation with a number of environmental advocacy groups (ASF, TU, CLF), MAA developed third party audited environmental management systems designed to reduce the environmental footprint of our farms and minimize any interactions with species listed under the Endangered Species Act.

Addendum B

Economic Importance of the Northeast Lobster Fishery

The Northeast Lobster Fishery has long been an integral part of the region's culture, heritage and economy supporting tens of thousands of jobs and hundreds of ancillary businesses.¹ The fishery remains the most valuable in the United States. In 2019, lobster landed in the states of Maine, New Hampshire, Massachusetts and Rhode Island were valued at nearly \$640 million, with Maine and Massachusetts representing 91% of the revenue. The lobster fleet contributed an additional \$12 million in Jonah crab landings (Table 1). The lobster distribution supply chain in Maine alone was estimated to contribute \$968 million to the Maine economy supporting over 5,500 workers.²

	Lobster	Jonah Crab
Maine	\$ 486,639,304	\$ 422,041
Massachusetts	\$ 94,414,921	\$ 8,137,652
New Hampshire	\$ 35,428,408	\$ 42,406
Rhode Island	\$ 10,988,713	\$ 3,391,499
Total	\$ 627,481,346	\$ 11,993,598
Total lobster and crab	\$ 639,474,944	
Source: NOAA Fisheries		

For rural coastal communities, the lobster fishery is the economic engine that keeps many small towns alive. The majority of the lobster fleet is owned and operated by a vessel Captain who lives, works, and spends earnings locally.³ As a business sector, commercial lobstering is a primary economic driver. Each dollar earned by a lobsterman generates several more, generating jobs and economic value for local economies. Overall, the lobster fishery is estimated to contribute more than \$2 billion to the region's economy⁴. When lobstermen are paid for their product at the dock, they spend those earnings on everything from meals at local restaurants and gas for their trucks and boats to new traps, boats, and homes in their local communities.

While the lobster fishery is the economic engine of coastal economies, it is comprised of a very diverse fleet of small businesses. The fishery takes place over a vast area under varied bottom habitats and conditions ranging from shallow coastal areas to deep offshore waters. The fleet varies dramatically in vessel size, size of gear fished (traps and rope), gear configuration, number of crew and spatial extent of the fishery.

¹ Maine's lobster fleet directly supports more than 10,000 jobs (3,670 Captains, up to 5,750 crew, 1,095 students)

² Donihue, Michael. Lobsters to Dollars: The Economic Impact of the Lobster Distribution Supply Chain in Maine. June, 2018. Colby College at <http://www.colby.edu/economics/lobsters/Lobsters2DollarsFinalReport.pdf>

³ Maine Revised Statutes, Title 12, Chapter 619, Subchapter 1, §6431-G

⁴ Donihue, Michael. Lobsters to Dollars: The Economic Impact of the Lobster Distribution Supply Chain in Maine. June, 2018. Colby College at <http://www.colby.edu/economics/lobsters/Lobsters2DollarsFinalReport.pdf>

In 2018, Maine issued 4,830 commercial lobster licenses and 1,095 student licenses⁵. Massachusetts has an estimated 850 active lobster licenses⁶, New Hampshire has an estimated 320 active lobster licenses⁷. In 2017, National Marine Fisheries Service reported 2,034 federal lobster trap permits for Lobster Conservation Management Areas (LMAs) managed under the Atlantic States Marine Fisheries Commission. The majority of federal lobster permits (79%) are issued for Lobster Management Area 1 (1,601). In most cases Area 1 federal permit holders also hold a state permit. NMFS issued 107 Area 3 permits with approximately 65 active vessels.^{8 9}

The inshore state waters fleets are comprised of small to medium sized boats that fish several days a week during the spring, summer and fall months in local territories that are close to shore. These inshore coastal fleets are comprised of small vessels (less than 20 feet in length), some operated by students and elderly fishermen, typically with only the Captain aboard. The state waters fisheries also include medium-size vessels (20 to 39 feet in length) which fish out to the state waters three-mile line. These vessels are fished by single operators or carry a small crew of up to two.

Approximately 20% of state waters lobstermen also hold a federal Area 1 permit which allows them to fish in federal waters. Many fish year-round from larger vessels (40 to 50 feet in length) with a crew of two to four sternmen. The Area 3 fleet operates differently from state waters and the Area 1 fishery. An Area 3 fishing trip usually lasts four to ten days aboard vessels ranging from 50 to 100 feet in length carrying a four to five crew.

For more than a century Maine's lobster fishery has been a stable presence along New England's waterfronts. It is an icon of the region, and an integral part of the region's culture, traditions and economy. The future of many New England coastal communities depends upon the continued success of the lobster fishery.

⁵ Maine DMR estimates that 70% of commercial licenses are actively fished (cite email from DMR)

⁶ Beth Casoni, Massachusetts Lobstermen's Association, personal communication.

⁷ Renee Zobel, New Hampshire Fish and Game, personal communication

⁸ NOAA Fisheries, 2017 at <https://www.fisheries.noaa.gov/permit/american-lobster-permitting-information#:~:text=Only%20one%20federal%20lobster%20permit,stay%20with%20the%20permitted%20vessel.>

⁹ David Borden, Atlantic Offshore Lobstermen's Association, personal communication.

Addendum C

IN THE UNITED STATES DISTRICT COURT FOR THE DISTRICT OF COLUMBIA

CENTER FOR BIOLOGICAL DIVERSITY,
et al.,
Plaintiffs,
v.
WILBUR ROSS, et al.,
Federal Defendants, and
MAINE LOBSTERMEN'S ASSOCIATION,
INC., and
MASSACHUSETTS LOBSTERMEN'S
ASSOCIATION,
Defendant-Intervenors.

Civil Action Nos. 18-112 (JEB)

**Declaration of Glenn Salvador
In Support of Intervenor-Defendants' Remedy Brief**

I, Glenn Salvador, state and declare as follows:

1. I have significant first-hand knowledge of New England, mid-Atlantic and Southeast Atlantic commercial fisheries, including knowledge of target species and bycatch interactions, the type of gear and rigging strategies deployed for various fisheries, and operation of vessels and equipment.

2. I have 22 years of professional experience as the Gear Specialist and Fisheries Liaison for NOAA Fisheries (NMFS) serving in this role from 1996 to 2018. I worked for the Northeast Regional office based in Gloucester, MA. In addition to working as NMFS Gear Specialist, I also served as the Fisheries Liaison for the Northeast Fisheries from 1996 to 2002 and Mid-Atlantic Fisheries from 2003 to 2018. My duties included working with fishermen to develop and test gear innovations to reduce the likelihood of entanglement, answering fishermen's questions about how to comply with whale protection requirements, and investigating the source of gear removed from entangled large whales. This work was achieved by attending industry meetings, trade shows and workshops, meeting fishermen on the dock, publishing columns in trade

magazines, and going on commercial fishing trips with regulated fishermen. During all of these years, I worked closely with my counterparts throughout the Northeast, Mid-Atlantic and Southeast regions.

3. I worked as a commercial fisherman for 15 years in the Gulf of Maine, from 1970 to 1985, in the inshore and offshore lobster and gillnet fisheries. I also owned and operated a commercial fishing vessel working in trap and mobile gear commercial fisheries in the West Indies from 1982-1985. I worked briefly as a boat building apprentice in Beals, Maine for two years in the late 1980's, as a field agent and research vessel Captain for the state of Maine Department of Marine Resources from 1987 to 1990, and as a senior at-sea fisheries observer for Manomet from 1990 to 1996 collecting commercial fishing data on east coast fisheries operating from Maine to Florida, including inshore and offshore lobster and gillnet fisheries.

4. I am a certified U.S. merchant marine officer with a 100-ton Master License, a certified Master Fisherman by the World Food and Agriculture Association, and a certified Marine Surveyor by the U.S. Surveyors Association. I have received several awards from the U.S. Department of Commerce including the 2004 Bronze Medal for forging cooperative relationships with fishermen and developing gear modifications; the 2007 Bronze Medal for excellence in managing a fishing gear buy-back program; the 2007 Silver Medal for reducing the bycatch of marine mammals and turtles in commercial fisheries; and the 2016 Bronze Medal for exceptional leadership, innovation and collaborative approach in working with commercial fishermen and stakeholders.

5. As NMFS's Fisheries Liaison, I led the region's collaborative research efforts with fishermen to develop entanglement mitigation strategies that are safe and operationally practical for the fleet. There was strong interest from the fishing community to participate in research to

develop whale-friendly fishing gear and deployment strategies. These projects included documenting operational needs of the lobster and gillnet fisheries, including the loads encountered on lines during hauling and setting of gear and observing vertical and bottom profiles of gear when they are fished. I coordinated many collaborative research projects with fishermen. Gillnet research included modified float lines and lead lines to weaken the net through the use of knots, lighter ropes, weak links and “Chinese fingers.” Lobster gear research included testing of low profile ropes, acoustic releases, mechanical weak links, bottom weak links and buoy line messenger systems, gear marking techniques, weak link testing, gear retrieval with lighter buoy lines, low profile groundlines and time tension line cutters. I also conducted a variety of workshops with fishermen including whale disentanglement workshops for fishermen focused on proper identification of whale species and safely executing successful disentanglement strategies for fishermen, and several gear development workshops. I learned early in the process that fisheries are extremely diverse and because of that, there are no simple solutions.

6. I was personally involved in analyzing much of the gear removed from entangled large whales, including North Atlantic right whales. In investigating these cases, I interviewed those who observed the whale entangled at sea, were involved in efforts to disentangle the whale, the necropsy team and the fishermen who set the gear when this information was available. The results of these investigations were included in National Marine Fisheries Service annual *Atlantic Large Whale Entanglement Reports* from 1999 to 2018.ⁱ

7. There are only a few instances where a right whale has been observed encountering and becoming entangled in commercial fishing gear. This makes analyzing gear removed from entangled whales extremely complicated because we are trying to reverse engineer an

unobserved event. This requires a complex investigation to determine the origin of the fishery (such as country or state/province), the category of fixed gear (such as netting, trap/pot, long line), and the target fishery. The gear team also makes determinations on whether or not the entangling gear was compliant with regulatory requirements. This requires intimate knowledge of the range of surface systems, types of rope used to deploy the gear and the size and scale of the fishing gear, such as traps or nets commonly used in a range of fisheries. Once NMFS received the entangling gear from the disentanglement team, all gear was inventoried, measured and logged. Gear was categorized as part of the surface system (buoys, buoy sticks, highflyers, weak links, etc.) or bottom system (traps, nets, hooks, etc.), ropes were measured by lengths recovered, diameter and unique features (float, sink, lead-lined, etc.), and unique identifying features were noted, such as various flotation devices, knots and splices, gear marking or other elements. Conclusive determinations were challenging because often only a portion of the gear system was retrieved, and many fisheries deploy similar pieces of gear. Identifying the responsible fishery can be determined if identifying marks were retrieved, such as a license number on a buoy, mandatory gear marks, or other distinguishing features.

8. For this declaration I have reviewed the data on gear fishing gear removed from right whales since records were officially maintained by NMFS beginning in 1997. Specifically, I referenced the database prepared by NMFS for the Atlantic Large Whale Take Reduction Team (ALWTRT) as background information for its April 2019 meeting. These data clearly show that since 2010 lobster fishing gear and ropes have been rarely removed from North Atlantic right whales, something that was common prior to 2010. Based on this review and my cumulative professional experience as a gear specialist and commercial fisherman, it is my opinion that the changes in gear and fishing practices in the American lobster fishery implemented in 2009 and

2014 have significantly reduced the risk of the New England lobster fishery to right whales. The largest entanglement threat is now posed by Canadian snow crab gear trap/pot gear.

9. The analysis of fishing gear removed from right whales, for which I was a key member of the investigative team until 2018, indicates that entanglement in New England lobster gear has declined by 90% since 2010. From 1997 through 2010, lobster gear was removed from 10 North Atlantic right whales. In the last decade, lobster gear has been removed from only one right whale, which did not result in a serious injury. The majority of rope removed from right whales since 2010 is large diameter rope that is rarely deployed in the New England lobster fishery. The decline in lobster gear removed from entangled right whales reflects the success of key conservation measures implemented by fishermen, such as sinking groundlines. The 2009 requirement to replace the floating rope deployed between traps with rope that sinks resulted in the removal of 27,000 miles of floating groundlines from New England's waters. Since then, there have been no instances of groundlines removed from entangled right whales.ⁱⁱ The 2014 requirement to reduce vertical lines removed an additional 2,740 miles of rope from the water.ⁱⁱⁱ

Right Whale Entanglement

10. When a live whale is reported entangled at sea, a response team is deployed to assess the whale and its condition and efforts are made to disentangle the whale. The success of this effort is highly dependent upon weather, location of the whale and complexity of entanglement. Disentanglers attempt to retrieve any gear removed from whales, but this is not always possible. Often gear that is cut in an effort to free the whale will sink to the bottom, or cuts to the gear that are made to simplify the entanglement configuration allow the whale to shed the gear at sea on its own so the gear is not recovered. Any gear retrieved from an entangled whale is turned over to the NMFS gear team which conducts a thorough investigation of the case. A report is prepared

for each case which includes a summary of the case, a description of the gear removed from a whale and conclusions regarding gear type and target fishery when determined.

11. As an example, NMFS entanglement case E02-17 involved an entangled right whale #3530, known as Ruffian, first observed off the Georgia coast during an aerial survey in January 2017 by Florida Fish and Wildlife Conservation Commission (FWC). The case was reported to the Georgia Department of Natural Resources (GA DNR) which responded on scene. GA DNR attached a telemetry buoy to the whale so that it could be relocated for disentanglement the next day. The response team made a strategic cut near the head, and the whale shed the remaining gear the next day. Upon analysis by the NMFS gear team, the gear description noted “451 feet of 5/8” line was recovered with a large conical steel trap (134 lbs) that had empty bait bags, and a partially destroyed plastic funnel. Cut-out areas in the mesh of the trap were consistent with those required in the snow crab fishery per DFO [Canada’s Department of Fisheries and Oceans]. Some of the line recovered also has a unique core build that is not used in any known U.S. Atlantic fishery but has been identified in other confirmed Canadian snow crab cases.” The gear team commented, “No twine remained in the mesh cut-outs suggesting that the trap was in the water for at least a period of four months per DFO. No trap tag or surface buoy was present to help identify the exact location of the fishery or fishery.” The gear team concluded, “Recovered gear is consistent with the Canadian snow crab fishery. Growth on the trap, line and the missing escape vents suggest that the gear was in the water for at least a period of 4 months.” This gear is now located at NMFS gear facility in Narragansett, RI.

12. In my experience, there are many cases in which right whales are reported entangled but are observed gear-free in future sightings. The majority of entanglements do not result in serious injury or death. The 2019 draft Right Whale Stock Assessment (page 142) notes,

“Whales often free themselves of gear following an entanglement event.”^{iv} Knowlton, et al, 2012, published the first significant research on right whale encounter rates with fishing gear from 1980 to 2009, finding that “Most right whales that become entangled apparently clear themselves of the gear and are left with only scars.” This research documented that an average of 98.8% of these right whale encounters with fishing gear do not result in serious injury over the 30 year time series.^v

Decreasing Trend in American Lobster Gear associate with Right Whale Entanglement

13. My former colleague, David Morin, NOAA Fisheries Large Whale Disentanglement Coordinator, provided a database to the Atlantic Large Whale Take Reduction Team at its April 2019 meeting containing records of right whale vessel strikes and entanglements documented between 2000 and 2018.^{vi} This database includes all of the known information on fisheries and gear associated with right whale entanglements during this time period. Earlier versions of these data formed the basis to classify the American lobster fishery as a Category I fishery under the Marine Mammal Protection Act’s annual List of Fisheries determination. These data and corresponding categorization established the basis for the formation of the ALWTRT and development of the Atlantic Large Whale Take Reduction Plan (ALWTRP).

14. This database also contains data on vessel strikes which remain a source of right whale serious injury and mortality. From 2000 to 2018, there were 70 documented vessel strikes with right whales. Of these, 33 were attributed to U.S. vessels, 7 to Canadian vessels and 30 were undetermined. Of the U.S. vessel strikes, 16 occurred prior to 2009 when the US ship strike plan was implemented and 17 have occurred since; seven of the latter resulted in serious injury or mortality. Additionally, a right whale calf born in 2020 was struck by a vessel and was last

observed in poor condition. Of the Canadian vessel strikes, 3 occurred prior to 2009; 4 have occurred since. All resulted in serious injury or mortality.

15. Based on my years of experience working as a commercial fisherman and analyzing gear removed from whales for NMFS, it is often difficult to determine the fishery from which the entangling gear originated. While there may be a case to rule out a certain fishery, NMFS does not track that data. For example, a whale sighted with a small piece of netting and section of rope would be reviewed by the NMFS gear team. Without specific identifying marks, the rope could be from any number of fisheries, such as whelk, black sea bass or other fishery. The netting could be from fixed gear or pelagic net fishery. It also is impossible to determine conclusively that the two pieces of gear recovered originated from the same commercial gear deployment. This hypothetical example would likely be determined as “unknown,” although there are many fisheries that one could likely rule out.

16. It is important to understand that discussion of “commercial fishery entanglement rates” encompasses a wide diversity of commercial fisheries located in two countries. Of extreme relevance to this court proceeding, it is not synonymous with entanglement rates from the American lobster fishery.

17. From 2000 to 2018, there were 164 documented entanglements representing a range of commercial fisheries in the U.S. and Canada. There were 38 cases for which the entangling gear could be traced to a fishery; 13 of those cases occurred before 2010 and 25 cases occurred over the last decade. These data show two significant trends.

18. The first important trend is the significant decline in right whale entanglements in U.S. lobster gear since 2010. From 2000 to 2010, U.S. lobster gear comprised 45% of known cases (6 cases out of 13). However, since 2010 U.S. lobster gear comprises only 0.04% of known

cases (1 case out of 25). Since 2014, there has been only one entanglement, a non-serious injury, in New England lobster gear. As detailed below, ropes removed during this time period are not characteristic of ropes used in the New England lobster fishery. In my expert opinion, the decline in lobster gear entanglement is due to the success of whale protection measures implemented by lobstermen and a significant distributional shift of right whales into Canadian waters where they encounter Canadian fishing gear.

19. The second important trend is the dramatic increase in right whale entanglements in Canadian trap/pot gear since 2010. From 2000 to 2010, 23% of known entanglements were in Canadian trap gear (3 out of 13). This has increased to 52% since 2010 (13 out of 25). Seven of these recent cases resulted in serious injuries or mortalities to right whales.

20. Gillnet gear also emerged as a known threat to right whales. There has been a slight increase in trend in gillnet gear or netting removed from right whales, with one case documented prior to 2010 and seven cases over the last decade; three of these recent cases resulted in serious injuries. There was also a significant increase in entanglements that could not be attributed to a fishery since 2010. In recent years, the proportion of these cases with no gear present has increased.

21. There has been a significant change in the size of ropes removed from right whales in recent years. Prior to 2010, 84% of rope removed from right whales was smaller than ½” diameter (26 of 31 samples) and representative of ropes that may be deployed in New England’s lobster fisheries. Since 2010, the diameter of ropes removed from entangled right whales has increased dramatically. Ropes ½” in diameter or larger now represents 79% of rope removed from entangled right whales (19 of 24 cases), up from 16% in the previous decade. This trend is significant because the New England lobster fishery deploys predominantly smaller ropes. The

most commonly fished rope is of 3/8” diameter, although smaller ropes of 5/16” diameter and slightly larger ropes of 7/16” diameter are also deployed frequently. Maine Department of a Marine Resources conducted a study of New England lobstermen in 2019 which documented that 94% of lobstermen from Maine, New Hampshire, Massachusetts and Rhode Island fish with ropes smaller than 1/2” diameter.¹

22. Overall, from 2000 to 2018, there were 164 documented entanglements representing a range of commercial fisheries. Of these 17 were attributed to U.S. fisheries, 21 to Canadian fisheries and 126 were not traced to either country. Of the U.S. entanglements in commercial fishing gear, nine occurred prior to 2010 when major modifications to the Atlantic Large Whale Take Reduction Plan were implemented banning the use of floating groundlines in fixed gear fisheries managed under the plan; eight have occurred since, two of which resulted in serious injury or mortality. Of the Canadian entanglements in commercial fishing gear, 5 occurred prior to 2010 and 16 have occurred since, six of which resulted in serious injury or mortality.

23. I worked on the analysis of entangled right whale 3911, now known as Bayla, that died in 2010. The acute cause of death of this whale was shark predation, although the necropsy team noted significant entanglement trauma on the head, mouth and flippers. The gear team examined approximately 435 feet of 7/16” diameter polypropylene (floating) rope, which had six to seven gangions along this rope with portions of bridles attached. Some of the bridle ends are attached to plastic coated wire mesh, measuring 2” by 2” center to center. This gear is consistent with floating groundline used in the trap/pot fishery prior to April 2009 in U.S. trap/pot fisheries regulated under the ALWTRP. Floating groundline was banned from use in most U.S. trap/pot

¹ This does not include data from the Area 3 lobster fishery. See https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/April%202019/Meeting%20Materials/Intersessional/assessment_of_vertical_line_use_in_ne_trap_pot_fisheries_summer_et_al.pdf

fisheries in April 2019. The gear team did not determine that this entanglement was caused by lobster gear for several reasons because there were several trap/pot fisheries that could not be ruled out. Importantly, there was no surface system or trap tags found to identify the target fishery. This gear had characteristics consistent with several trap/pot fisheries including Canadian lobster, jonah crab or conch.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge and belief.

Executed on June 18, 2020 at Belle Haven Virginia

/s/
Glenn Salvador

ⁱ NMFS Gear Entanglement reports are located at <https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/reports/index.html>

ⁱⁱ The two most recent right whale trap/pot fishery groundline entanglement involved floating and not sinking line. These were right whale 3911 (2010) and right whale 3311 (2011).

ⁱⁱⁱ https://s3.amazonaws.com/nefmc.org/NEFMC-PRD-RW-Presentation_Final_rvsd.pdf

^{iv} U.S. Atlantic and Gulf of Mexico Draft Marine Mammal Stock Assessment, North Atlantic right whale (*Eubalaena glacialis*): Western Atlantic Stock, 2019 draft report

^v Knowlton, A.R., P.K. Hamilton, M.K. Marx, H.M. Pettis and S.D. Kraus. 2012. Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: a 30 year retrospective. Mar. Ecol. Prog. Ser. 466:293–302.

^{vi} NOAA Fisheries' 2000-2018 Right Whale Incident Data Spreadsheet, located at https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/April%202019/2000-2018_right_whale_incident_data_3_19_19v.xlsx.

Addendum D

Patrice McCarron

From: Colleen Coogan - NOAA Federal <colleen.coogan@noaa.gov>
Sent: Thursday, April 18, 2019 11:16 AM
To: _NMFS GAR ALWTRP members
Subject: Take reduction target approaches considered

Categories: Purple category

TRT Members and Alternates:

Good morning.

Mike Asaro and I have received thoughtful questions from some of you regarding the take reduction target that we identified in my [April 5th email](#) to you all. We thought it would be helpful to share our thinking with you in advance of the meeting.

As we tackled this question, we considered several potential approaches to assigning unattributed mortalities and serious injury to Canada or U.S. fisheries. Below is our assessment of these different approaches.

Approach 1: One approach would be to apply the ratio of gear associated with documented mortalities and serious injuries (M/SI) that has been identified to country's fishery across the unattributed M/SI cases to establish the portion of M/SI that should be assigned to each country. Under this approach, the U.S. contribution to M/SI for the period between 2012-2016 would be about twice PBR (meriting a 50% reduction target). Due primarily to 2016 and 2017 documented entanglements, the U.S. portion of M/SI under this approach would drop during the 2014 - 2018 time period (data are still preliminary) to about PBR.

Discussion: Given the high level of scrutiny that the Gulf of St. Lawrence has been under since 2017 (4 - 6 aircraft actively surveying the Gulf - a fairly closed system so high detection rates) and, the highly recognizable rope used in the snow crab fishery (i.e. gear marking is not required to identify it -even outside of the Gulf of St. Lawrence), takes in the snow crab fishery, particularly within the Gulf of St. Lawrence, have a higher likelihood of being documented and identified than takes in gear from other portions of right whales' range. For example, takes in open waters of the Gulf of Maine, where carcasses can drift further offshore, would be less likely to be detected. Some years, carcasses in the Gulf of Maine or other New England waters are detected with entanglement injuries but no gear. And as you know, even when gear is retrieved, our ability to accurately identify and assign retrieved rope to other fisheries continues to be limited under current gear marking schemes.

Conclusion: Given the many variables that allow us to identify gear on right whales (presence or absence, gear marking or other recognition factors, detection/observer effort overlap with fishery, etc), we do not consider the subset of entanglements with retrieved gear that can be identified to be a representative ratio toward apportioning unattributed M/SI cases. We opted not to pursue this approach.

Approach 2: Apportion PBR and unattributed M/SI according to the fraction of time that right whales spend in each country.

Discussion: This approach is consistent with the [2016 Guidelines for Preparing Stock Assessment Reports](#). In recent years, up to half of the right whale population appears to spend up to six months, in the Gulf of St. Lawrence. Following the 2016 Guidelines which call for consideration of residency patterns, we could reasonably assign 25% of the PBR to Canada and 75% to the U.S, dropping the U.S. PBR to 0.68.

Similarly, the relative amount of time that North Atlantic right whales are exposed to fishing gear in U.S. waters exceeds that in Canadian waters. Consequently, up to 75% of the unattributed M/SI could be assigned to U.S. gear based on the duration of exposure. The reduction in M/SI following this assignment of PBR would have generated the highest target risk reduction for U.S. fisheries (90 to 93%).

Conclusion: Because our Stock Assessment Reports have not included a determination on the fraction of time North Atlantic right whales spend in U.S. and Canadian waters, we do not have a data-based residency estimate to apply at this time. Additionally, area closures, sinking ground lines, weak links, and other risk reduction efforts taken by U.S. fishermen justify a reduced assignment of the impact of U.S. gear on right whales relative to Canadian gear. Therefore we did not choose to apply this approach.

Approach 3: Apportion unattributed M/SI equally between U.S. and Canada.

Discussion: Although right whales spend more time in U.S. waters, area closures, sinking ground lines, weak links, and other risk reduction efforts taken by U.S. fishermen reduce the impact of U.S. gear on right whales relative to Canadian gear. For most of the period considered in our M/SI estimates - that is, until 2018 - there were no targeted right whale risk reduction measures to prevent entanglements in Canadian fisheries.

Conclusion: This is the approach we took, identified in the April 5th email. Apportioning half of the unattributed M/SI entanglements to U.S. and half to Canada results in a target risk reduction for U.S. fisheries of 60% to 80%.

Additionally, we want to share a few other considerations that shaped out thinking:

- In 2018, Canada implemented new regulations in the Gulf of St. Lawrence to protect right whales from entanglement in the Gulf to fishing gear. These regulations were likely responsible for the decrease in observed entanglements in that area for 2018. If they continue to implement closures and monitoring in this area of high co-occurrence of right whales and snow crab gear, Canadian gear may not be identified as responsible for a greater percentage of take in future years.
- During that same year of intensive monitoring of the Gulf of St. Lawrence, two dead right whales with no gear remaining but showing signs of acute entanglement were observed in New England waters. USCG hindcast models did not indicate these whales came any great distance from where they were documented. Right whale carcasses do decompose quickly in the ocean so given the USCG hindcasts, we cannot attribute these mortalities to Canadian fisheries.
- Right whales have demonstrated high variability in their residency patterns in some of what we previously considered to be key habitats. Although their stay duration in some areas has decreased, surveys and acoustic detections confirm that these habitats have not been entirely abandoned. We need to ensure that our regulations need to include measures that are more resilient to changes in right whale distribution, as well as in fishery distribution patterns. (i.e., they will protect right whales no matter what their residency patterns). Past use and persistent occurrence remains the greatest predictor we have for future distribution.

Canada's involvement in Take Reduction efforts: Under the MMPA, the TRP process does not enable or require Canada to directly participate in the U.S. TRT process. However, bilateral engagement has been amplified and will continue with an eye toward continued and sustainable fishery mitigation measures throughout the North Atlantic right whale population's range.

As has been true since the TRT began deliberations over 20 years ago, we are challenged by our inability to precisely identify how and where right whale entanglements occur. Nearly 100 right whales a year exhibit new scars indicating interactions with rope. Despite numerous efforts and the ongoing guidance of the TRT, we have not been successful at bringing the rate of mortalities and serious injuries in U.S.

fixed gear fisheries as low as needed to meet and sustain the PBR prescribed by the MMPA for such an endangered population. Given the reduced rate of calving, the rapid decline in the North Atlantic right whale population in just a few years, and the evidence of a continued high rate of entanglement, it is our best judgment that both U.S. and Canada must take and sustain additional efforts to reduce the mortality and serious injuries in fisheries.

Thank you all for thinking carefully about our challenges next week, and weighing these considerations. We look forward to working with you in Providence.

Colleen and Mike

--

Colleen Coogan
Marine Mammal Take Reduction Team Coordinator
NMFS, Greater Atlantic Region
[978 281-9181](tel:9782819181)

Addendum E

Patrice McCarron

From: Allison Henry - NOAA Federal <allison.henry@noaa.gov>
Sent: Monday, December 28, 2020 8:19 AM
To: Patrice McCarron
Cc: David Morin
Subject: Re: Right whale data request

Follow Up Flag: Follow up
Flag Status: Flagged

Hi, Patrice,

Colleen forwarded you the spreadsheet I was prepping for you and the rest of the TRT members. Along with adding the 2019 events, I did make a few minor corrections to a handful of previous events, so definitely use this updated version for any analysis.

Based on Colleen's email it looks like this will be on the TRT website soon so you'll have a new link to provide.

Happy Holidays to you as well!
Allison

On Wed, Dec 23, 2020 at 4:40 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi Allison

Thanks for the note. I was wondering if I got lost in the end of the year shuffle but hadn't found my way to get an email out to check in!

Glad that it is in the works. It would be great if I have it in hand at the new year so I can wrap my head around the official data as we prepare to comment on the next RW SAR and the draft rules and biop.

There are so many iterations in the media that it gets confusing.

As a side issue, it would be good to have a way to cite this data directly (rather than just NMFS) as I am often asked about data sources. For the last year and half, I have been able to send the link to the spreadsheet that Dave gave to the TRT in April. Would be good if we have a common source of info to reference. Not sure if that is possible.

Happy Holidays – I hope you and your family are doing well.

It sure has been one crazy year!

Patrice

Patrice McCarron

Executive Director, Maine Lobstermen's Association

From: Allison Henry - NOAA Federal <allison.henry@noaa.gov>
Sent: Tuesday, December 22, 2020 4:04 PM
To: Patrice McCarron <patrice@mainelobstermen.org>
Cc: David Morin <david.morin@noaa.gov>
Subject: Re: Right whale data request

Hi, Patrice,

I promise I have not forgotten this request. I'm just waiting on some sighting history information that hopefully will be coming by next week. I apologize for not checking in with you sooner.

Happy Solstice - I hope everything gets brighter along with the days!

Allison

On Wed, Oct 14, 2020 at 6:04 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi Allison

The most recent 'official' data I have access to is the spreadsheet prepared in March 2019 for the April TRT meeting.

It is posted at the bottom of this page:

https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/April%202019/19_april_2019_trt_meeting.html

It would be great to see all of the data, including non-human, to get a sense of how many there are in that data set. For timing, I'd love it as soon as you are able to do it. I really have no idea what the official data says for the end of 2018 or 2019, so I'd like to get up to speed on where things are truly at.

General fields based off Dave's spreadsheet for consistency sake (to the extent that these are available). But, I'm happy to take whatever you have ready to go.

Date first observed

RW ID/Name

NMFS ID

Location description

Narrative

Initial condition

Exam

Cause (EN, VS, etc)

Fate: MT, SI, NS, PR

Value against PBR

Country of origin

Country of origin conf code

Gear analysis

Gear type

Gear retrieved

Gear analysis

If there are any fishery notes or rope size, that would be great, but I'm guessing that has not all been analyzed.

I really appreciate this.

Thank you!

Patrice

Patrice McCarron

Executive Director, Maine Lobstermen's Association

From: Allison Henry - NOAA Federal <allison.henry@noaa.gov>
Sent: Monday, October 12, 2020 12:52 PM
To: Patrice McCarron <patrice@mainelobstermen.org>
Cc: David Morin <david.morin@noaa.gov>
Subject: Re: Right whale data request

Hi, Patrice,

Sorry for the late response. Yes, these data are hard to track and I appreciate you coming to me directly. I'm happy to pull them for you - when do you need them by and what fields are you looking for? I assume the usual basic sighting info (date, general location, narrative) and determination results. Do you want all RW events or just the ones with confirmed human interactions? Since my focus is the whale and its outcome, I'll let Dave (cc'd) add in the relevant gear data to ensure that component is the most up to date as well.

I'm doing as well as can be expected in these crazy times and hope you are as well.

Cheers,

Allison

On Tue, Oct 6, 2020 at 2:17 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi Allison

Can you please send me a spreadsheet with the RW serious injury and mortality from 2010 to present (date of most up to date info)?

This information is very difficult to track and I want to be sure I am up to date on NMFS' determinations for these entanglements.

I hope you are well with all that is going on these days.

Thank you.

Patrice

Patrice McCarron

Maine Lobstermen's Association

2 Storer St, Suite 203, Kennebunk, ME 04043

207-967-4555 (office) * 207-205-4544 (cell)

Not a member? Join today! www.maine lobstermen.org

--

Allison Henry

Fishery Biologist

NOAA Fisheries

Allison.Henry@noaa.gov

508.495.2048

<http://www.nefsc.noaa.gov/psb/>



--

Allison Henry (pronouns: she/her)
Fishery Biologist, NEFSC
NOAA Fisheries | U.S. Department of Commerce
Allison.Henry@noaa.gov
508.495.2048
<http://www.nefsc.noaa.gov/psb/>



--

Allison Henry (pronouns: she/her)
Fishery Biologist, NEFSC
NOAA Fisheries | U.S. Department of Commerce
Allison.Henry@noaa.gov
508.495.2048
<http://www.nefsc.noaa.gov/psb/>



Addendum E, cont

Patrice McCarron

From: Colleen Coogan - NOAA Federal <colleen.coogan@noaa.gov>
Sent: Thursday, December 24, 2020 11:55 AM
To: Patrice McCarron
Cc: Allison Henry - NOAA Federal; David Morin - NOAA Federal; Marisa Trego - NOAA Affiliate; Kate Swails; Jennifer Goebel; Jennifer Anderson
Subject: Re: Boston Globe article on RW
Attachments: 2000-2019_right_whale_incident_data_12_23_20v.xlsx

Follow Up Flag: Follow up
Flag Status: Flagged

Patrice,

Rather than wait until we have the fully vetted 2020 entanglement incident analyses, Allison Henry has provided the attached 2000 to 2019 updated right whale incident data. We will share with the full team early in the New Year.

This includes all incidents, not just entanglements, and not all listed incidents are serious injuries and mortalities so as usual please note the column header descriptions and caveats (described in the first two tabs) when filtering the data.

We agree with you that Dave Abel's reported numbers are not supported by these data.

Thanks to Allison for getting this to us!

And Merry Christmas, hope you and your family have a happy and healthy 2021!

On Fri, Dec 18, 2020 at 4:57 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi Colleen

I just read Dave Abel's article on RW in the Globe from December 17, and I question a few of the facts in his piece. Unfortunately, I do not have access to the most up to date data, so I am not able to do that on my own. Are you able to clarify whether or not these statements are fact?

“Over the past decade, the population of right whales has plummeted by more than a quarter, and millions of vertical buoy lines used in the Gulf of Maine have been the leading cause of death”

I am not aware of any data that indicates that “millions of VBL used in the GOM have been the leading cause of death.”

“Between 2010 and 2019, 43 right whales were found to have died as a result of entanglements from the lines that extend from buoys at the surface to traps on the seafloor, according to the National Marine Fisheries Service. By contrast, 14 are known to have died as a result of vessel strikes.”

The table that Dave Morin shared with the TRT for the April 2019 meeting shows from 2010 to 2018, there were 23 ENT mortalities and 20 VS mortalities. The numbers cited by Abel don't seem to make sense in light of the data from last year. Can you clarify if Abel's numbers are accurate?

Here is a link to the article, which I'm sure you have already read.

<https://www.bostonglobe.com/2020/12/17/metro/major-effort-protect-endangered-whales-state-officials-plan-ban-lobster-fishing-several-months-year/>

I appreciate your feedback on this. Thank you Colleen!
Patrice

Patrice McCarron

Executive Director, Maine Lobstermen's Association

President, Maine Lobstermen's Community Alliance

207-967-4555 office * 207-205-4544 cell

2 Storer St, Suite 2013, Kennebunk, ME 04043

Colleen Coogan

Marine Mammal Sea Turtle Team

NMFS, Greater Atlantic Region

Desk: [978 281-9181](tel:9782819181)

Cell: 978 675-5562 - if texting please identify yourself in initial text

[ALWTRT current webpage](#)

[ALWTRT archived pages](#)

MARINE ANIMAL HOTLINE: 866-755-NOAA (6622)

Addendum F

IN THE UNITED STATES DISTRICT COURT FOR THE DISTRICT OF COLUMBIA

CENTER FOR BIOLOGICAL
DIVERSITY et al.,
Plaintiffs,
v.
WILBUR ROSS, et al.,
Federal Defendants, and
MAINE LOBSTERMEN'S ASSOCIATION,
INC., and
MASSACHUSETTS LOBSTERMEN'S
ASSOCIATION,
Defendant-Intervenors.

Civil Action Nos. 18-112 (JEB)

**Declaration of Noah Oppenheim
In support of Intervenor-Defendants' Remedy Brief**

I, Noah Oppenheim, state and declare as follows:

1. I am the Principal of Homarus Strategies, a Limited Liability Corporation formed in April 2020. Homarus Strategies is a consulting firm focused on enhancing marine resource sustainability and productivity, supporting coastal communities and their access to the living marine resources on which they depend. Homarus Strategies is engaged in work on behalf of commercial fishing organizations to support their engagement in public processes that pertain to the prosecution of fisheries and to ensure that their voices are heard by decision makers whose experience rarely includes the perspectives or expertise of professional fishermen who have spent their careers working at sea.

2. I am a marine scientist and fisheries policy expert who has worked as a federal fisheries observer in the fixed and mobile gear groundfish fisheries in the Bering Sea and as a commercial salmon fisherman in Alaska. I received master's degrees in marine biology and marine policy from the University of Maine's School of Marine Sciences. The focus of my graduate research was the American lobster fishery in New England. I developed a population dynamics model forecasting lobster fishery recruitment and commercial harvest for fishing areas from Rhode Island to New Brunswick, Canada based on a survey of larval lobster abundance and environmental factors

including warming ocean temperatures driven by climate change. I also studied the perceptions and utility of scientific information and fishery management policies from the perspectives of lobster fishermen for whom scientific information is sometimes intended but often not appropriately designed or scaled.

3. During my graduate studies from 2013-2016 involving research on the American lobster fishery, I became familiar with various measures implemented to reduce entanglement risk to large whales from lobster gear, including the use of colored line marking to identify gear with its fishery of origin, weak links, the use of line that sinks rather than floats between traps set on bottom, and regulatory requirements for trawling (colloquially known as ‘trawls’ or ‘gangs’) multiple traps on bottom that are connected to a buoy at the surface via a vertical line at one or both ends of the trawl. I also became familiar with measures being developed or proposed to further reduce alleged whale entanglements in the American lobster fishery, including ‘cutter’ systems, expansion of weak link systems in buoy lines and the development of ‘pop-up buoy gear’ (also known as ‘on-call’, ‘ropeless’, or ‘buoy line-less’ gear, although a majority of such systems include buoys and one or more segments of rope). During my studies I engaged with numerous commercial lobstermen, marine scientists, and fishery managers about the various regulatory and technological proposals to address whale entanglement in the lobster fishery, including the viability of using pop-up buoy gear.

4. Pop-up buoy gear is class of fishing equipment that removes or greatly reduces static vertical lines in the water column as a gear retrieval system and instead uses various alternative buoyancy mechanisms and communications technologies to mark the location of fixed gear, identify the owner/operator of the gear, and retrieve the gear. Most prototype or commercially available pop-up buoy gear equipment uses the submersion of a buoyancy device and acoustic signaling to actuate the surfacing of the buoyancy device. Pop-up buoy gear can be divided into two primary types or classes: ‘lift bag gear’ which uses compressed air (for example, SCUBA tanks) to fill a bag to bring submerged gear to the surface for retrieval; and ‘remote coupler gear’ which uses coiled or spooled lines and buoys that are released from traps or separate weighted

anchors to reach the surface using a timed-release mechanism or after receiving an acoustic signal (Figure 1). Some remote coupler-type pop-up buoy gear systems require the use of a destructible component that must be reloaded for re-use. Many pop-up buoy gear systems require the use of GPS-based mapping platforms, specialized networked telecommunications equipment, acoustic modems for transmitting coded acoustic signals, and specialized equipment for re-coiling, re-arming, or re-deploying the equipment.




Figure 1: A diagram illustrating two types of pop-up buoy gear systems. The top diagram illustrates remote coupler gear and the bottom diagram illustrates lift bag gear. Accessed from the California Ocean Protection Council website at www.opc.ca.gov.

5. From January 2016 through January 2017 I was a Sea Grant Policy Fellow in the US Congress. During this time, I was responsible for the natural resources portfolio in the office of Congressman Jared Huffman, at the time the Ranking Member of the Water, Power and Oceans Subcommittee of the House Natural Resources Committee. My duties as Policy Fellow included legislative development, office and committee engagement on state and federal fisheries policy matters, assistance with executing the oversight functions of the Congress over the National Oceanic and Atmospheric Administration (“NOAA”) (including the National Marine Fisheries

Service or “NMFS”), and engaging with the constituents of California’s second congressional district.

6. During my tenure with Congressman Huffman I became aware of the issue of whale entanglement in the west coast Dungeness crab fishery as well as various proposed solutions to minimize and mitigate interactions between ESA-listed whales and Dungeness crab fishing gear. During this time I became aware of the existence of proposals to test pop-up buoy gear in Dungeness crab fishing grounds, as well as the proposals by some non-governmental organizations to mandate its use in the Dungeness crab fishery.

7. From February 2017 to April 2020 I was the Executive Director of the Pacific Coast Federation of Fishermen’s Associations (“PCFFA”) and PCFFA’s sister organization, the Institute for Fisheries Resources (“IFR”).¹ In that capacity I directed all of PCFFA’s and IFR’s fishery management policy, environmental advocacy, and litigation in support of the commercial fishing communities of the West Coast. IFR and PCFFA are especially engaged in legal action to prevent harm to the living marine resources on which their members depend as well as to prevent the implementation of policies that unduly or arbitrarily preclude their access to those resources.

8. In the course of executing my responsibilities at PCFFA and IFR I engaged with numerous Dungeness crab fishermen about their experience with and concerns about pop-up buoy gear. I worked closely with two Dungeness crab fishermen who have first-hand knowledge of buoy-less or pop-up buoy gear systems which they tested from their vessels.

¹ PCFFA is a 501(c)(5) nonprofit trade association established in 1976. PCFFA is the largest trade organization of commercial fishing families on the west coast. PCFFA is a federation of 15 smaller commercial fishermen’s associations, vessel owners’ associations, port associations, and marketing associations, with member associations in most major ports in California north of Point Conception. Collectively, PCFFA’s port and member associations represent approximately 750 commercial fishing families West-Coast-wide who are small and mid-sized commercial fishing boat owners and operators, most of whom derive part or all of their income from the harvesting of Dungeness crabs.

IFR is a 501(c)(3) non-profit, public interest marine resources protection and conservation organization incorporated in the State of California which is closely affiliated with PCFFA and with similar Board structure, general membership, and staff. IFR was created in 1993 by PCFFA to help fund, manage, and advocate for PCFFA’s fisheries habitat conservation and restoration agenda, particularly for protecting and restoring and improving fisheries that have suffered from poor inland and coastal water quality and the impacts of climate change including drought and harmful algal blooms. IFR has many supporting members coastwide, most of whom are commercial fishermen and women, or individuals who have a personal interest in protecting fish and the integrity of seafood markets.

9. In my position as Executive Director of IFR, I also supervised and directed all of IFR's many fisheries conservation programs in Oregon, Washington, and California. Much of IFR's work focuses on efforts to restore and protect fishery resources within the coastal waters and watersheds of these three states. IFR, in particular, has been an active and important voice in habitat protection and restoration issues coastwide for the benefit of increased harvest of public trust fishery resources. I am currently the commercial fishing representative to the Pacific Fishery Management Council's Habitat Committee.

10. The California Dungeness crab fishery and the New England lobster fishery are similar in many respects. Each are considered models of sustainable fishery management in their region and populations of Dungeness crabs and lobsters are stable and healthy throughout core ranges of both fisheries. These fisheries have developed similar management strategies that are implemented through differing management measures. Each have systems of limited entry, trap limits, size limits and protections of females or gravid females. The economic model for both fisheries is dependent upon a high volume of landings, requiring significant effort by repeatedly retrieving and redeploying traps. Dungeness crab fishermen can haul and redeploy 300-400 traps per day which is similar to some Maine lobstermen who fish further from shore on larger vessels in order to remain competitive. Others, who fish in smaller boats closer to shore, would haul on average 200 or less traps per day.

11. Both the California Dungeness crab fishery and American lobster fishery are required by law to affix a buoy attached by a line to enable the location of gear, identify the individual to whom the gear belongs, and to provide a mechanism by which to retrieve the gear from the seafloor. While the lobster fishery allows for the deployment of multiple traps on bottom, known as a 'trawl' or a 'gang', this practice is unlawful in the Dungeness crab fishery. In the Dungeness crab fishery, each line and buoy setup is coiled and placed entirely within its corresponding trap to maximize stacking volume and to increase safety and handling efficiency on deck (Figure 2). A typical Dungeness crab trap, line, and buoy costs around \$200. An equivalent set-up in the New England lobster fishery also costs around \$200.




Figure 2. A standard West Coast Dungeness crab trap with main buoy and single trailer buoy setup indicated. Source: Oregon Department of Fish and Wildlife.

12. In California, Dungeness crab fishing occurs from November 15th to July 15th. Frequent intense storms and strong currents throughout the water column can flip and transport fishing gear and mobilize the ocean substrate to such a degree that traps become buried in the sand, often requiring the use of specialized high-velocity water pumps to retrieve them; the nozzles attached to these pumps must ‘chase’ a line with a buoy to a stuck trap in order to retrieve it.

13. The American lobster fishery is open year-round with the exception of targeted closures implemented to protect North Atlantic right whales. However, the majority (~80%) of Maine lobstermen hold only state licenses and thus are limited to fishing in state waters located within 3 miles from shore. These vessels typically fish from May through November. Those who hold federal American lobster permits are more likely to fish year-round. Lobstermen who fish in the Outer Cape Cod area and in Downeast Maine also work in areas with intense bottom currents and tides which requires additional ballast to hold gear in place and prevent gear loss.

14. A marine heat wave in the Pacific Ocean that began in late 2013 and persisted for three years affected the timing and distribution of marine mammals off the coast of California. It also caused an increase in the abundance and toxicity of various *Pseudo-nitzschia* plankton species

which are sometimes known to produce elevated levels of the potent neurotoxin, domoic acid. Concentrations of domoic acid exceeding US Food and Drug Administration (FDA) action levels were detected in Dungeness crabs prior to the scheduled opening of the 2015/16 commercial fishing season in November, resulting in five month delay and a phased-in opening of the fishery. This resulted in a significantly greater than normal concentration of fishing gear that corresponded with a very early springtime migration of endangered humpback whales. The whales swam abnormally close to shore in search of forage, resulting in a high level of interactions between fishing gear and humpback whales. According to NOAA, there were 19 confirmed entanglements of humpback whales with California Dungeness crab fishing gear in 2016, compared with an average of 0.84 confirmed entanglements with humpback whales over the previous thirteen years (2003-2015).

15. In September 2015, the California Department of Fish and Wildlife (CDFW), in partnership with California Ocean Protection Council and National Marine Fisheries Service, established the California Dungeness Crab Fishing Gear Working Group (“Working Group”) to address an increase in large whale entanglements in Dungeness crab fishing gear. From July 2019 to April 2020 I was a member of the California Dungeness Crab Fishing Gear Working Group (“Working Group”) which developed fishing gear best practices to reduce entanglement risk. The Working Group identified four factors that served as primary indicators of increased risk of entanglements between ESA-listed whales and commercial fishing gear to be used in a management framework called the Risk Assessment and Mitigation Program (“RAMP”).

16. In October 2017 the Center for Biological Diversity (CBD) filed a lawsuit against the California Department of Fish and Wildlife (CDFW) alleging that continued management of the California Dungeness crab fishery violated the ESA due to the occurrence of ‘take’ of ESA-listed Distinct Population Segments (DPS) of humpback whales and other listed species absent an Incidental Take Permit (“ITP”).² In November 2017 the PCFFA Board of Directors voted to seek

² *CBD v. Bonham*, US. Dist. Ct. California, N. Dist, No. 3:17-cv-05685-MMC (“*CBD v. Bonham*”)

to join *CBD v. Bonham* as Defendant-Intervenors. In March 2018 PCFFA's motion to intervene was filed and subsequently approved.

17. In July 2018 I participated in a meeting convened by pop-up fishing gear proponents with fishing industry members, CDFW Law Enforcement Officers, and pop-up gear manufacturers. The meeting included presentations from the manufacturers of 'remote coupler' and 'lift bag' systems and discussions about the various impediments and problems with each system, including challenges of use on board vessels, challenges with the interaction of pop-up buoy gear with mobile and other fixed gear, and challenges for law enforcement officers regarding location, retrieval, and redeployment of pop-up gear.

18. In November 2018 CDFW announced it would develop a Habitat Conservation Plan pursuant to an application for an ITP for its management of the Dungeness Crab Fishery. In March 2019, Judge Maxine Chesney of the US District Court in San Francisco informed the parties to *CBD v. Bonham* she was inclined to rule in favor of the plaintiff's motion for summary judgment resulting in a settlement agreement for a stay agreement signed by all parties dated March 26, 2019. CBD attorneys insisted on the inclusion of provisions to the stay agreement for certain fishing areas to be "only open to ropeless fishing gear by default" and for "[CDFW to] continue to support development of ropeless gear technology, or any other alternative gear, and explicitly allow for its testing and use in the RAMP regulation"³. Further, the settlement requires CDFW to "...amend existing regulations or finalize new regulations by November 1, 2020, that allow alternate gear, including ropeless gear, that meets the enforcement criteria to be used in any area closed to commercial Dungeness crab fishing to protect whales or sea turtles"⁴.

19. In April 2019 I attended the Atlantic Large Whale Take Reduction Team meeting and engaged with New England lobstermen, scientists, agency staff, and environmental nonprofit organization staff about risk assessment and mitigation approaches in the New England lobster

³ Case 3:17-cv-05685-MMC Document 71 Exhibit A pp. 2

⁴ *ID.* at 4.

fishery. I specifically explored the state of knowledge and engineering development of pop-up buoy gear.

20. I am familiar with three California commercial Dungeness crab fishermen who have tested pop-up buoy gear systems on their vessels. I have worked extensively with two of them, Captain John Mellor of San Francisco and Captain Dick Ogg of Bodega Bay, to understand their experience testing this gear and its potential as an entanglement mitigation strategy that can be scaled across the fishery. Each of these fishermen has experienced operational and technical challenges with this gear and have stated that they do not believe pop-up buoy gear is compatible with commercial fishing as it currently exists.

21. Mr. Mellor tested the FioBuoy (spooled line) and Desert Star (line-in-bag) pop-up buoy gear systems affixed to his Dungeness crab traps in San Francisco Bay, California, a sheltered area with limited wave action, in shallow water at slack tide with little wind (atypical conditions for the Dungeness crab fishery).⁵ He successfully deployed and retrieved each type of pop-up buoy gear once. He noted that on the final deployment it became difficult to determine the location of the buoyant float released from the trap because the tide had begun to run slightly. He reported that he does not believe the equipment he tested to be compatible with his fishing operation because the equipment was difficult to handle, there is no spatial mapping software platform or package that would enable him to confidently track the deployment and retrieval of his gear, and the equipment was neither robust enough nor compact enough to fit inside his traps for stacking or handling the rigors of loading and unloading or repeated deployments.

22. Mr. Ogg also tested the FioBuoy and Desert Star pop-up buoy gear affixed to his Dungeness crab traps in the ocean waters off the coast of Bodega Bay, California in shallow water with relatively calm sea state conditions. In his first deployment of the FioBuoy system, he was unsuccessful in activating the gear's release mechanism, but successfully activated the release mechanism on a second attempt. He also deployed the Desert Star system, successfully

⁵ FioBuoy at <http://fiomarine.com/>; Desert Star at <https://www.desertstar.com/>

establishing communication with the system and confirming the activation of the release mechanism, although the buoy was not released by the system. He was unable to retrieve the gear and attempted to have the gear retrieved by a SCUBA diver. Unfortunately, this gear was lost and is now a piece of marine debris. Mr. Ogg believes the Desert Star gear may have landed underneath his trap when it contacted the seafloor or that current may have caused his trap to roll over on top of the pop-up buoy gear. It is common in fixed gear fisheries for traps to land upside-down or roll over. The successful retrieval of the pop-up buoy systems he tested is dependent upon the gear landing on bottom in a stable upright position. Based on his experience, Mr. Ogg believes that gear loss resulting from this system would be a common and costly occurrence under normal fishing conditions.

23. Mr. Mellor, Mr. Ogg, as well as many other Dungeness crab fishermen who are familiar with pop-up buoy gear, have described the problems and challenges they see with the use of the gear. Many of these problems and challenges pertain to the ease of use of the systems, including but not limited to the amount of time necessary to use them on board their fishing vessels.

24. Pop-up buoy gear systems are currently, or foreseeably, unreliable and cost prohibitive. Current commercial units cost 10 times or more per trap compared to gear they currently use. Fishermen would also have to purchase or lease expensive electronic equipment to arm and retrieve pop-up buoy gear. For example, if a California Dungeness crab fisherman who owns a tier 1 permit were required to purchase \$5,000 pop-up buoy units for each of her 500 traps, she would incur a cost of \$2,500,000. This same fisherman would have to reduce the number of traps she fishes from 500 to 20 if she wished to maintain the same budget for fishing gear after switching to pop-up buoy gear. The economic model could not be supported by the fishery.

25. Fishermen have observed that they will also have to make extensive, expensive modifications to their vessels in order to operate many of the pop-up buoy gear systems that are currently available, requiring new haulers, wiring for electronics, or custom-built platforms or shelving to stabilize gear while it is being re-coiled or re-spoiled.

26. Mr. Ogg and other fishermen are concerned that the pop-up buoy gear systems that have been tested have an unacceptably high failure rate, resulting in losses of very expensive equipment. The typical failure or loss rate of traps for the California Dungeness crab fishery over the course of a seven month fishing season is around 1.5%. A fisherman might typically cycle through his or her gear twenty times in a typical season, meaning that the failure or loss rate of a typical Dungeness crab trap can be estimated to be around one in 1,250 trap pulls. I am not aware of any existing pop-up buoy gear systems that have a failure rate within two orders of magnitude of ‘traditional’ line and buoy gear configurations when affixed to Dungeness crab or American lobster traps.

27. Increased losses of fishing gear due to the failure of pop-up buoy gear to deploy when signaled would occur if such gear were put into widespread use today. Marine debris resulting from lost ‘ghost gear’ is a recognized problem in fixed gear fisheries and may pose entanglement risk to whales.

28. The Ropeless Fishing Consortium was organized to advance the development of fishing with pop-up buoy gear as a right whale entanglement mitigation solution. The group has held three workshops in 2017, 2018 and 2019. Dr. Mark Baumgartner of Woods Hole Oceanographic Institute (WHOI), a founding member of the group, made two significant observations during the 2019 meeting in response to his question, “When can we go ropeless?” He observed, 1) “We are in the early stages of development – mostly proof of concept with prototypes that are not yet designed for operational fishing by hundreds to thousands of fishermen,” and 2) “Every system you have seen today will need to go through a redesign process to (a) incorporate an interoperable gear location system, (b) work for fishing at scale (e.g., ruggedized design, long endurance), and (c) enable mass production at low cost.”⁶

29. NOAA Fisheries released a concept paper in 2010 to investigate the feasibility of piloting the use of buoy line-less gear in the Great South Channel Restricted Area (GSCRA)

⁶ Slide 12 located at https://ropeless.org/wp-content/uploads/sites/112/2019/11/21.-Baumgartner_nearterm_developments_for_distribution_20191113.pdf

which is already closed to trap/pot and gillnet fishing under the Atlantic Large Whale Take Reduction Plan (TRP). NOAA did not support moving forward with rulemaking to allow buoy line-less gear to be fished in this closed area citing several reasons including: 1) the potential increase in risk to large whales from a malfunctioning device (e.g. vertical line present in the water column for a period of time) compared to the current status quo (i.e. closure), 2) the lack of creation of an incentive to develop innovative gear, 3) the potential for gear conflicts, 4) the lack of viable technologies or methods for fishing without buoy lines, and 5) the need to address regulatory hurdles under the American Lobster Fishery Management Plan and ALWTRP. NMFS concluded that development of fisheries management measures that would include the use of buoy line-less gear could be explored in the future if the gear conflict and other regulatory issues associated with its use were addressed.⁷

30. Based on conversations I have had with fishermen who have tested this gear in both California and New England, the issues identified by NOAA in 2010 have not been addressed at this time. Fishermen continue to observe that the operation of pop-up buoy gear systems significantly slows the pace of fishing operations, poses safety challenges, and challenges their ability to operate in a safe, cost effective manner. Fishermen are concerned that there are specific times at which gear handling would be adversely time-consuming: 1) during retrieval and re-spooling or re-coiling of gear, 2) during re-arming or resetting of the pop-up release mechanism itself, 3) during use of any electronic equipment used to arm, set, or locate the gear, and 4) during the time spent searching for gear that has been moved due by the current. Increased handling time is exacerbated by cold weather operations, which are common in both the Dungeness crab and American lobster fisheries. Cold weather significantly decreases fine motor function and requires the use of gloves, which must be removed to arm most pop-up buoy gear systems and to operate the interfaces of the electronic equipment used to track deployment locations and transmit acoustic signals from vessels to the gear. The increased handling time on

⁷ https://archive.fisheries.noaa.gov/garfo/whaletrp/trt/meetings/Mid-Atlantic_Southeast_ALWTRT_Materials/Final%20Lineless%20Concept%20Paper%20Nov2010.pdf

deck required by pop-up buoy gear is a particular concern for fishermen who operate their vessels alone. Fishermen who fish alone must handle gear on deck while maintaining a vigilant watch to ensure safe vessel maneuvering within high traffic areas or in a high sea state; several such fishermen have communicated to me that they would be concerned for their personal safety if they were to have to use pop-up gear and fish alone. In 2018, 1,390 Maine lobstermen were Class 1 lobster license holders, which does not allow them to take crew.

31. A Maine commercial lobster fisherman, Kristan Porter, (President of the Maine Lobstermen's Association), tested the Desert Star System in 2013 during a research trip to eastern Australia to investigate potential whale entanglement mitigation tools for the American lobster fishery. This technology was adopted by some fishermen in the Australian rock lobster fishery to hide gear from poachers because each trap in that fishery is set out for 30 days and each trap haul is worth thousands of dollars. The Australian rock lobster fishery is the sole fishery that operates within lobster fishing grounds, negating gear conflict between fishing sectors. Mr. Porter hauled 14 single traps during his fishing trip there, whereas he typically hauls around 200 per day in the Maine lobster fishery. He reported fishing the pop-up system to be time consuming, frustrating, and tedious. Operation of this equipment required a high level of skill to properly record each gear set in the system, and to reset the burn wire for the acoustic release after each haul. Mr. Porter met others in the Australian lobster fishery who were not able to successfully fish the system. He noted that this technology would not easily transfer to the New England lobster fishery because the system greatly limits that number of traps that can be hauled in a day, lobstermen fish much more tightly together, share bottom with other lobstermen and with fishermen active in other fisheries.⁸

32. A Massachusetts lobsterman, Dave Casoni, has tested the Desert Star pop-up buoy gear on several occasions from his fishing vessel. Mr. Casoni has expressed concerns about the

8

https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/March%202018%20Ropeless%20subgroup/kristan_porter_observations_of_ropless_fishing.pdf

practicability and use of pop-up buoy gear systems on his fishing vessel and those of his peers. Mr. Casoni fishes without a hired crew member and does not feel that pop-up buoy gear would be safe or workable for fishermen operating alone. Additionally, Mr. Casoni has identified the technologies used in pop-up buoy gear systems he is familiar with as highly complicated when compared to the relatively simple technology of a traditional buoy line setup. Many commercial lobstermen are elderly or otherwise have little experience and familiarity with digital technology, touch screens, and other electronic equipment required to operate many pop-up buoy gear systems. Mr. Casoni believes that a significant number of commercial lobstermen would be unable to operate the pop-up buoy gear systems he is familiar with. Required use of these systems would preclude a significant segment of the lobster fishery from being able to participate, based to a large extent on their age and familiarity with certain modern technologies.

33. The Atlantic States Marine Fisheries Commission (ASMFC) has jurisdiction over the Fishery Management Plan for American Lobster, Amendment 3 and its addenda, under the Atlantic Coastal Fisheries Cooperative Management Act. In June 2018, ASMFC's Law Enforcement Committee (LEC) reviewed the enforceability of pop-up buoy gear technologies under consideration to reduce impacts on right whales. The LEC raised several concerns about the impact of pop-up buoy gear technology on the enforceability of lobster conservation rules. The LEC found that the time and cost required for enforcement officers to retrieve and re-deploy pop-up buoy gear would significantly reduce law enforcement agencies' ability to ensure compliance with fishery regulation and lobster conservation laws because gear could not be hauled regularly, resulting in fewer lobster traps inspected per trip, reducing incentives for compliance. The LEC noted that the adoption of multiple pop-up buoy gear technologies and retrieval/mapping systems would represent a financial burden to law enforcement agencies and a logistical challenge for law enforcement, which would need to be equipped to deal with different systems. There were concerns raised about the storage and security of trap location information and the potential for poachers to steal other's acoustic data and unlawfully activate pop-up buoy gear.

34. The widespread deployment of pop-up buoy gear in commercial lobster fishing grounds would result in significant conflict amongst fishermen and between competing gear types. These conflicts reflect both the spatial incompatibility of mobile gear (trawl gear, troll gear) and other types of fixed gear (gillnets, longlines, and ‘traditional’ trap equipment) with pop-up buoy gear that is unmarked at the surface. There are several commercial fisheries that operate within the same fishing grounds as lobster fisheries, including groundfish trawl fisheries, crab fisheries, and scallop fisheries. The deployment of pop-up buoy gear in a fixed gear fishery would require that all other fisheries operating in the area to purchase and use expensive electronic mapping and communications equipment in order to be able to detect and avoid traps deployed with pop-up buoy gear. Alternatively, it would require the delineation of zones of the ocean for specific fisheries or gear types, prioritizing access to resources to some and denying it to others.

35. I am not familiar with any fishery management or marine spatial planning process that could legally facilitate an ocean zoning scheme that would prevent gear conflict between fishing sectors if one or more were required to use pop-up buoy gear. An ocean zoning process that excluded commercial fishing in one or more sectors solely because of the presence of a gear type from another fishery could be in violation of the guiding principles of the Magnuson-Stevens Fishery Conservation and Management Act (16 USC §§1801 *et seq.*) that call for maximized efficiency in the use of the nation’s fisheries resources. It is my opinion that the prevention of the efficient operation of mobile and fixed gear fisheries in areas of the US Exclusive Economic Zone in which pop-up gear is deployed would constitute inefficient management of the nation’s fishery resources.

36. In addition to the challenges of conforming to fishery management principles espoused in federal statute, any requirement to use of pop-up buoy gear in the American lobster fishery would violate both federal and state fishery management laws. Federal gear marking requirements for the American lobster fishery include Universal Trap/Pot Requirements on the buoy, including vessel registration number and/or US vessel documentation number, federal commercial fishing permit number or positive identification as required by the vessel’s home-port state. Lobster trawls

of three or fewer traps fished in federal waters must be attached to and marked with a single buoy; lobster trap trawls of more than three traps must be marked with a radar reflector and a single flag or pennant on the westernmost end and radar reflector only on the easternmost end. Individual states also have gear marking requirements.⁹ For example, Maine law states that “[a] person may not fish for or take lobster by any method other than conventional lobster traps...”¹⁰ and requires that “[a] lobster or crab trap or trawl must be marked by a lobster buoy as described in subsections 3 and 4. The buoy must be visible at the surface.”¹¹ In Massachusetts, state regulations require a single buoy with a flag to mark the north (or west) end of the trawl and a double buoy on the south (or east) end. The double buoy can be two buoys tied together or can be two buoys on a 3- to 4-foot-long stick.

37. Based on my professional experience and for the reasons stated above, it is my opinion and belief that there does not currently exist a pop-up buoy gear system that could be practicably implemented for use today in the Dungeness crab fishery or the American lobster fishery. Further, it is my opinion and belief that there are significant legal, operational, safety, and economic challenges that would be necessary to address, likely requiring years of research, testing, and communication with commercial fisheries stakeholders as well as changes to one or more states’ laws before pop-up buoy gear could become feasible for widespread use in any American fixed gear fishery including Dungeness crab or American lobster fisheries.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge and belief.

Executed this 18th day of June, 2020, at Brunswick, Maine.

/s/
Noah Oppenheim

⁹

https://archive.fisheries.noaa.gov/garfo/protected/whaletpr/trt/meetings/March%202018%20Ropeless%20subgroup/ropeless_subgroup_lobster_gear.pdf

¹⁰ MRSA, Title 12, §6432(1)

¹¹ MRSA, Title 12, §6432(2)



Atlantic States Marine Fisheries Commission

1050 N. Highland Street • Suite 200A-N • Arlington, VA 22201
703.842.0740 • 703.842.0741 (fax) • www.asmf.org

James J. Gilmore, Jr. (NY), Chair

Patrick C. Keliher (ME), Vice-Chair

Robert E. Beal, Executive Director

Vision: Sustainably Managing Atlantic Coastal Fisheries

June 19, 2018

Michael Pentony
Regional Administrator
National Marine Fisheries Service
55 Great Republic Drive
Gloucester, Massachusetts 01930

Mike
Dear ~~Mr. Pentony~~,

The Atlantic States Marine Fisheries Commission (Commission) is concerned about the status of the North Atlantic right whale population and is committed to identifying solutions that support the recovery of this endangered species.

Among the measures under consideration as a means of reducing impacts on right whales are ropeless fishing technologies. The Commission tasked its Law Enforcement Committee (LEC), composed of marine fisheries enforcement officers from the states and federal agencies, to review the enforceability of ropeless fishing technologies in the American lobster fishery. This letter provides an overview of the Commission's review of the LEC report to the Board and the issues identified based upon our review. These issues are being communicated in order to aid in the development of technologies which improve the status of the right whale population while maintaining valuable Atlantic coast fisheries.

The LEC considered several types of ropeless fishing technologies including those employing spools, lift bags, and bagged line to enable the retrieval of traps from the ocean floor. Its review identified significant concerns about the impact of ropeless fishing technology on the enforceability of rules governing lobster fishing. Many management measures used to ensure a sustainable lobster resource, including trap tag allocations and vent sizes, are verified through frequent retrieval of fishing gear by law enforcement. Given the significant costs associated with the new technology at this point and the additional time needed to return inspected gear to the ocean floor, either by deploying a new spooled rope, re-bagging line, or replacing air canisters, the adoption of ropeless technology would likely result in a diminished ability to inspect gear. These restrictions in budget and enforcement time would likely result in fewer lobster traps inspected, thereby reducing incentives for compliance in the lobster fishery. Non-compliance is a particular concern given the rapid increase in the fishery's value over the last decade. Moreover, a reduced ability to enforce regulations would be detrimental to the sustainability of the lobster fishery.

Based upon its consideration of the LEC's report on ropeless technologies, the Commission also expressed concern regarding the potential for multiple ropeless fishing technologies to be adopted in the lobster fishery. It was noted that if multiple technologies are approved for use along the

Page 2
Mr. Pentony
June 19, 2018

Atlantic coast, enforcement vessels will need the capability to retrieve lobster gear with all of the approved technologies. This would represent not only a financial burden on enforcement agencies but also a logistical challenge given many of the technologies require additional deck space to store rope and/or spools. If enforcement vessels do not have the ability or space to haul all types of ropeless gear, such limitations would further increase concerns regarding diminished gear inspection capacity and increased non-compliance in the fishery.

The Commission had several questions regarding the storage and security of trap location information. Specific questions included: Who will be in charge of storing information on individual trap locations? How will this data be protected? There were also questions about the potential ability of persons to 'steal' acoustic and radio frequencies and retrieve lobster traps which belong to other harvesters. The LEC noted the security of location and frequency information should be a priority moving forward. The LEC also questioned the ability to conduct covert operations with ropeless fishing gear given that, in the case of some of the technologies, fishermen are immediately notified when their gear reaches the surface.

Finally, the Commission notes the adoption of ropeless fishing involves all vessels, not just those that participate in the lobster fishery. Since the removal of surface systems would eliminate the visual signal of where traps are located, all vessels, including those who participate in mobile gear fisheries, would need to have an acoustic modem in order to locate submerged traps and minimize gear conflicts. Given the large numbers of vessels that would be impacted by the adoption of ropeless fishing, the Commission requests that a comprehensive cost analysis is conducted if NOAA takes the next step to consider any of the devices as a gear requirement. The Commission would stress the importance of fully vetting and testing these devices to ensure the ability to track and locate traps if the technology fails. It would be detrimental the lobster and other fisheries resources if an increase volume of "ghost" gear were caused by this new technology.

While we have raised concerns regarding the enforceability of ropeless fishing, the Commission fully recognizes that, in the past, many technological improvements have greatly improved the ability to enforce fishery management measures. As a result, the Commission supports the continued development of all technologies which may improve the status of Atlantic right whales and allow for the continuation of Atlantic coast fisheries. The decline of right whale populations since 2010 is a serious concern to the Commission and the need to develop effective solutions is of utmost importance.

We invite NOAA Fisheries to draw upon the experience and expertise of the ASMFC and its member states as we continue to collaborate on these important issues. If you have any questions or comments, please do not hesitate to reach out.

Sincerely,



Robert E. Beal

L18-054

cc: American Lobster and ISFMP Policy Boards

Addendum 2 to MLA
Proposed Rule
Comments

Patrice McCarron

From: David Morin - NOAA Federal <david.morin@noaa.gov>
Sent: Thursday, August 15, 2019 10:22 AM
To: Patrice McCarron
Cc: John Higgins; Colleen Coogan; Allison Henry; Michael Asaro
Subject: Re: Confirm gear determinations

Correct

On Thu, Aug 15, 2019 at 10:16 AM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Can you explain what you mean by “nearby gear”.

I am asking about the basis of the US designation. I want to be sure I understand it. The condition of the carcass and the fact that it was anchored in place are the justification for the designation as US gear. This must mean that you have determined that the whale encountered that gear at or very close to the area where it was sighted; hence, it is US gear.

Do I understand this correctly?

From: David Morin - NOAA Federal <david.morin@noaa.gov>
Sent: Thursday, August 15, 2019 10:10 AM
To: Patrice McCarron <patrice@mainelobstermen.org>
Cc: John Higgins <john.higgins@noaa.gov>; Colleen Coogan <colleen.coogan@noaa.gov>; Allison Henry <Allison.Henry@noaa.gov>; Michael Asaro <Michael.Asaro@noaa.gov>
Subject: Re: Confirm gear determinations

Patrice,

The condition of the carcass, which indicated it was a recent entanglement, indicated the country of origin was U.S. We've never assigned gear type based on nearby gear. I never said anything about the state besides I cannot say it is MA.

On Thu, Aug 15, 2019 at 9:10 AM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Thanks Dave. I guess that is part of my confusion, you say “We've never assigned an origin based on gear nearby.”

However, you (or someone) did assign an origin. The origin is “US”, the fishery/gear is “unknown”.

If the premise is that it is US gear because it was anchored in place, then doesn't it hold true that this could not be Maine gear. The assumption is the entanglement happened in proximity to where it was found. Otherwise, it could have been gear from anywhere.

I am just trying to understand the rationale of the final designation for this case and its implications.

Thank you.

Patrice

From: David Morin - NOAA Federal <david.morin@noaa.gov>
Sent: Wednesday, August 14, 2019 10:28 AM
To: Patrice McCarron <patrice@mainelobstermen.org>
Cc: John Higgins <john.higgins@noaa.gov>; Colleen Coogan <colleen.coogan@noaa.gov>; Allison Henry <Allison.Henry@noaa.gov>; Michael Asaro <Michael.Asaro@noaa.gov>
Subject: Re: Confirm gear determinations

Scientific papers have different interpretations all the time. Very common. The gear team did not author this paper. We saw a draft but basically at the very end just before publication.

The necropsy report speculated as to the origin of gear and we did not author that report either. No gear was recovered or analyzed closely. All that exists for that case is the 4 photos I showed you. We've never assigned an origin based on gear nearby.

On Wed, Aug 14, 2019 at 10:12 AM Patrice McCarron <patrice@mainelobstermen.org> wrote:

I would also note that the first case is in the published literature and this paper has already been cited widely. I don't see how you can dismiss one finding from the paper and dismiss another.

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: Patrice McCarron <patrice@mainelobstermen.org>

Date: 8/14/19 9:53 AM (GMT-05:00)

To: David Morin - NOAA Federal <david.morin@noaa.gov>

Cc: John Higgins <john.higgins@noaa.gov>, Colleen Coogan <colleen.coogan@noaa.gov>, Allison Henry <Allison.Henry@noaa.gov>

Subject: Re: Confirm gear determinations

Hi Dave

For the first one, there should be photos documenting the float buoys and line across the body. According to Allison, GARFO has those so she was not able to share them. I would appreciate if you would check your files and share those with me.

A follow up question for that case, if it was anchored in US waters, I assume the entanglement happened at that site so this would be attributed to Mass gear. I know there is no official designation for that but it is typically noted when that information is understood.

For the second case, NMFS determined "*Monofilament mesh and line of unknown fishery and origin*" in the entanglement report.

You have already confirmed that is the correct determination in a previous email. However, the spreadsheet codes it as unknown. My question is how does that error get corrected at NMFS?

Thanks again for your time.

Patrice

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: David Morin - NOAA Federal <david.morin@noaa.gov>

Date: 8/14/19 7:45 AM (GMT-05:00)

To: Patrice McCarron <patrice@mainelobstermen.org>

Cc: John Higgins <john.higgins@noaa.gov>, Colleen Coogan <colleen.coogan@noaa.gov>, Allison Henry <Allison.Henry@noaa.gov>

Subject: Re: Confirm gear determinations

Patrice,

E22-14 - Gear in proximity to a carcass that was no longer present is not enough for us to make a gear determination. I also have no evidence for "a line of floats lying along its body". However, due to the animal's anchored state we felt comfortable in calling it U.S. unknown gear. Naturally, it's possible someone had additional records to could change our determination but I don't have anything currently to change it.

E44-16 - That spreadsheet we provided to the TRT is not something we use, nor am I updating it. It was provided to the team to provide a simple one-time summary of all right whale cases. We do not code gear into categories for our determinations like that. I think partly what you're getting at is why didn't we call it gillnet? There was not enough evidence (no gear recovered, just photographs) to make that conclusion.

Best,

David

On Tue, Aug 13, 2019 at 10:00 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi John and Dave

Higgy, great to see you tonight. Here's the info on the cases I was asking about. I want to close the loop on the gear determinations. Once I'm clear on NMFS gear determination, I want to be sure I code it properly in the spreadsheet.

1. Case NMFS E22-14 (aka IFAW14-156Eg). This is coded as US unknown. Allison Henry said the documentation is from the Sharp et al, 2019 paper. The Sharp paper says:

“One of the unexamined entangled whales (IFAW14-156Eg) was possibly entangled and anchored in fixed gear south of Nantucket, MA, USA, based on the presence of a line of floats lying along its body, 2 endlines present in the initial report images, and a stationary position at sea for multiple days. This carcass could not be examined by responders due to poor weather. When conditions improved, fixed gear with large polyballs similar to that documented on the entangled whale were identified at the coordinates of the carcass, but the whale was no longer present.”

Allison said because it was there for two days in a row, it is deemed US gear. The necropsy report in the Sharp et al supplement says “Based on the presence of the line with float buoys along the body of the whale, the entanglement gear type was most likely gillnet” (attached, page 49). This is different than the findings in the entanglement report. Just want to confirm the gear determination for this whale since the necropsy says gillnet.

2. One of the “unknown” SIM whales from 2016 (NMFS E44-16) has an official finding in the entanglement report: *Monofilament mesh and line of unknown fishery and origin*. Dave, you have already confirmed this finding with me. I just want to understand how you will code it in the spreadsheet so I can update mine.

Thank you!

Patrice

Patrice McCarron

207-967-4555 (office) * 207-205-4544 (cell)

Maine Lobstermen's Association

203 Lafayette Center, Kennebunk, ME 04043

Not a member? Join today! www.maine lobstermen.org

Maine Lobstermen's Community Alliance

PO Box 315, Kennebunk, ME 04043

www.mlcalliance.org

--

David Morin

Large Whale Entanglement Response Coordinator

Greater Atlantic Fisheries Regional Office

National Marine Fisheries Service, NOAA

Protected Resources Division

55 Great Republic Drive

Gloucester, MA 01930

O# 978-282-8472

C# 978-479-9727

--

David Morin

Large Whale Entanglement Response Coordinator

Greater Atlantic Fisheries Regional Office

National Marine Fisheries Service, NOAA

Protected Resources Division

55 Great Republic Drive

Gloucester, MA 01930

O# 978-282-8472

C# 978-479-9727

--

David Morin

Large Whale Entanglement Response Coordinator

Greater Atlantic Fisheries Regional Office

National Marine Fisheries Service, NOAA

Protected Resources Division

55 Great Republic Drive

Gloucester, MA 01930

O# 978-282-8472

C# 978-479-9727

--

David Morin

Large Whale Entanglement Response Coordinator

Greater Atlantic Fisheries Regional Office

National Marine Fisheries Service, NOAA

Protected Resources Division

55 Great Republic Drive

Gloucester, MA 01930

O# 978-282-8472

C# 978-479-9727

Patrice McCarron

From: David Morin - NOAA Federal <david.morin@noaa.gov>
Sent: Wednesday, August 14, 2019 10:11 AM
To: Patrice McCarron
Cc: John Higgins; Colleen Coogan; Allison Henry
Subject: Re: Confirm gear determinations
Attachments: Whale (1).jpg; Whale (2).jpg; Whale (3).jpg; Whale (4).jpg

E22-14 - That whale was spotted 36 NM south of Nantucket, so I don't think it is appropriate to call it MA gear. Especially since gear was not recovered or analyzed closely. Attached are photos.

That table will not be corrected. It was a one-time supplement for the TRT. GARFO makes the gear determination and our records and report have it correctly. I'm sure NEFSC will adjust their records to match. Please remember that the table was a combination of multiple sources and not surprisingly some differences showed up between those sources.

On Wed, Aug 14, 2019 at 9:53 AM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi Dave

For the first one, there should be photos documenting the float buoys and line across the body. According to Allison, GARFO has those so she was not able to share them. I would appreciate if you would check your files and share those with me.

A follow up question for that case, if it was anchored in US waters, I assume the entanglement happened at that site so this would be attributed to Mass gear. I know there is no official designation for that but it is typically noted when that information is understood.

For the second case, NMFS determined "*Monofilament mesh and line of unknown fishery and origin*" in the entanglement report.

You have already confirmed that is the correct determination in a previous email. However, the spreadsheet codes it as unknown. My question is how does that error get corrected at NMFS?

Thanks again for your time.

Patrice

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: David Morin - NOAA Federal <david.morin@noaa.gov>
Date: 8/14/19 7:45 AM (GMT-05:00)
To: Patrice McCarron <patrice@mainelobstermen.org>
Cc: John Higgins <john.higgins@noaa.gov>, Colleen Coogan <colleen.coogan@noaa.gov>, Allison Henry <Allison.Henry@noaa.gov>
Subject: Re: Confirm gear determinations

Patrice,

E22-14 - Gear in proximity to a carcass that was no longer present is not enough for us to make a gear determination. I also have no evidence for "a line of floats lying along its body". However, due to the animal's anchored state we felt comfortable in calling it U.S. unknown gear. Naturally, it's possible someone had additional records to could change our determination but I don't have anything currently to change it.

E44-16 - That spreadsheet we provided to the TRT is not something we use, nor am I updating it. It was provided to the team to provide a simple one-time summary of all right whale cases. We do not code gear into categories for our determinations like that. I think partly what you're getting at is why didn't we call it gillnet? There was not enough evidence (no gear recovered, just photographs) to make that conclusion.

Best,
David

On Tue, Aug 13, 2019 at 10:00 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi John and Dave

Higgy, great to see you tonight. Here's the info on the cases I was asking about. I want to close the loop on the gear determinations. Once I'm clear on NMFS gear determination, I want to be sure I code it properly in the spreadsheet.

1. Case NMFS E22-14 (aka IFAW14-156Eg). This is coded as US unknown. Allison Henry said the documentation is from the Sharp et al, 2019 paper. The Sharp paper says:

"One of the unexamined entangled whales (IFAW14-156Eg) was possibly entangled and anchored in fixed gear south of Nantucket, MA, USA, based on the presence of a line of floats lying along its body, 2 endlines present in the initial report images, and a stationary position at sea for multiple days. This carcass could not be examined by responders due to poor weather. When conditions improved, fixed gear with large polyballs similar to that documented on the entangled whale were identified at the coordinates of the carcass, but the whale was no longer present."

Allison said because it was there for two days in a row, it is deemed US gear. The necropsy report in the Sharp et al supplement says "Based on the presence of the line with float buoys along the body of the whale, the entanglement gear type was most likely gillnet" (attached, page 49). This is different than the findings in the entanglement report. Just want to confirm the gear determination for this whale since the necropsy says gillnet.

2. One of the "unknown" SIM whales from 2016 (NMFS E44-16) has an official finding in the entanglement report: *Monofilament mesh and line of unknown fishery and origin*". Dave, you have already confirmed this finding with me. I just want to understand how you will code it in the spreadsheet so I can update mine.

Thank you!

Patrice

Patrice McCarron

207-967-4555 (office) * 207-205-4544 (cell)

Maine Lobstermen's Association

203 Lafayette Center, Kennebunk, ME 04043

Not a member? Join today! www.maine lobstermen.org

Maine Lobstermen's Community Alliance

PO Box 315, Kennebunk, ME 04043

www.mlcalliance.org

--

David Morin

Large Whale Entanglement Response Coordinator

Greater Atlantic Fisheries Regional Office

National Marine Fisheries Service, NOAA

Protected Resources Division

55 Great Republic Drive

Gloucester, MA 01930

O# 978-282-8472

C# 978-479-9727

--

David Morin

Large Whale Entanglement Response Coordinator

Greater Atlantic Fisheries Regional Office

*National Marine Fisheries Service, NOAA
Protected Resources Division
55 Great Republic Drive
Gloucester, MA 01930
O# 978-282-8472
C# 978-479-9727*

Patrice McCarron

From: Allison Henry - NOAA Federal <allison.henry@noaa.gov>
Sent: Tuesday, August 13, 2019 4:58 PM
To: Patrice McCarron
Subject: Re: questions on entanglement spreadsheet

There are a few guys on the gear team, but I'd start with David Morin.

Glad to be of help. Got your vacation bounce back. Enjoy your time off! I'm going on one soon myself. :)

Allison

On Tue, Aug 13, 2019 at 4:55 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:
That makes sense. Do you know who at GARFO is responsible for gear determinations?

I really appreciate all of your help.

Patrice

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: Allison Henry - NOAA Federal <allison.henry@noaa.gov>
Date: 8/13/19 4:28 PM (GMT-05:00)
To: Patrice McCarron <patrice@mainelobstermen.org>
Subject: Re: questions on entanglement spreadsheet

Hi, Patrice,

Glad you found it helpful. I am not the one who makes decisions about gear type or fishery. I rely on the gear analysts at GARFO to do that. My hands are already full with the injury and mortality component! When there isn't an identified fishery, in some cases we can assign it to at minimum a country based on things like freshness of carcass, weighted/anchored, sighting history, and/or proximity to EEZ among other details. I can't comment on whether or not it's Massachusetts gear and/or gillnet as that's not my area of expertise and suggest you pose these questions to GARFO.

Regarding cause of death - Since the carcass was not recovered and a necropsy was unable to be conducted, this is an event where we apply our Center's mortality criteria (see Caveats tab in that incident spreadsheet). This carcass fits #2 and #3 of the Table 2. entanglement mortality which is why we are considering it confirmed.

Best,
Allison

On Tue, Aug 13, 2019 at 3:59 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

The description in the Sharp report sounded like gillnet gear, and this supplement states it clearly, "Based on the presence of the line with float buoys along the body of the whale, the entanglement gear type was most likely gillnet."

Two questions:

1. Since this whale is anchored and therefore considered to have been entangled in US gear, wouldn't also be true that this was entangled in Massachusetts gear given its location?
2. Given the photographic evidence and description of the gear, shouldn't this case be recorded as gillnet gear? The findings of the death are "probable"; it seems there is just as much probable evidence that the gear is gillnet gear.

I appreciate your time on this. Thank you.

Patrice

From: Allison Henry - NOAA Federal <allison.henry@noaa.gov>
Sent: Tuesday, August 13, 2019 3:32 PM
To: Patrice McCarron <patrice@mainelobstermen.org>
Subject: Re: questions on entanglement spreadsheet

Hi, Patrice,

Attached is Sharp's paper (if you don't already have it) and the supplemental material which provides more details on E22-14 (aka IFAW14-156Eg). Mendy and/or David should have the original images for this event. I only have ones already embedded in documents like Sharp's report.

Allison

On Tue, Aug 13, 2019 at 3:02 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi Allison

I am interested in reviewing the necropsy report for this whale (E22-14). Can you send me a link or a copy of the report?

Also, I would like to view the photos of the anchored whale you reference, and are referenced in the Sharp report. Can you send those as well?

Thank you.

Patrice

From: Patrice McCarron
Sent: Tuesday, August 06, 2019 4:14 PM
To: Allison Henry - NOAA Federal <allison.henry@noaa.gov>
Cc: David Morin <david.morin@noaa.gov>
Subject: RE: FW: questions on entanglement spreadsheet

Yes, that explains the mismatch between the reports. I don't have access to those necropsy reports.

Thank you!

Patrice McCarron

Executive Director, Maine Lobstermen's Association

From: Allison Henry - NOAA Federal <allison.henry@noaa.gov>
Sent: Tuesday, August 6, 2019 2:32 PM
To: Patrice McCarron <patrice@mainelobstermen.org>
Cc: David Morin <david.morin@noaa.gov>
Subject: Re: FW: questions on entanglement spreadsheet

Hi, Patrice,

Michael Moore at WHOI created an investigation report with a timeline summary and other details. USCG originally reported it as a humpback on 9/27 and NMFS did not receive photos to confirm species as a right whale until later (GARFO can confirm date received. Distributed USCG images to response team on 10/2). A NMFS shorebird survey documented the carcass in the same position on the following day 9/28 and reported it on 9/29. Weather prevented a mounted response until 10/4.

Images show a fresh carcass with no signs of bloating or emaciation.

I hope that helps,

Allison

On Tue, Aug 6, 2019 at 2:10 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Thanks for the prompt reply.

What is the source of info for E22-14? I only have access to the entanglement report which doesn't match your notes.

The Entanglement report states: "USCG aerial survey sighted and documented the animal. Carcass was not reported until the next day and poor weather prevented an immediate search for the animal. A search conducted days later did not relocate the carcass."

And concludes

Gear Type: Unknown

Target Species: Unknown

Gear Description: Red polyball and line visible. Wraps around the right flipper and line is seen laying across the head and body. Polyball on the ventral side of the whale.

Comments: Photographs do not show any distinguishing characteristics or markings to conduct detailed gear analysis. Conclusions: Wraps around the right flipper are visible and line is seen laying across the head and body. Polyball on the ventral side of the whale. Gear of unknown origin.

Patrice McCarron

Executive Director, Maine Lobstermen's Association

From: Allison Henry - NOAA Federal <allison.henry@noaa.gov>
Sent: Tuesday, August 6, 2019 2:04 PM
To: Patrice McCarron <patrice@mainelobstermen.org>
Cc: David Morin <david.morin@noaa.gov>
Subject: Re: FW: questions on entanglement spreadsheet

Hi, Patrice,

Just back in the office after many days of flying. I'll start with these two cases you asked about specifically and then go back through the email thread to see if I need to chime in elsewhere.

E22-14: we have as US since carcass appeared to be anchored/weighted in position. Sharp et al 2019 has Proximate COD = acute entanglement and Ultimate COD = probable drowning/asphyxiation. So, most parsimonious that it was an acute event in US waters, rather than a chronic one of unknown origin.

Regarding RW 3993 and RW unknown in 2011 - I have no genetic results. Let me check in with the folks at NEA and see if there's anything new on that front.

Cheers,

Allison

On Tue, Aug 6, 2019 at 1:42 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi Allison

Are you able to provide information on these two right whale cases? It is regarding the information in the spreadsheet distributed by NMFS for the TRT meeting:

It's at this link:

https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/19_april_2019_trt_meeting.html, entitled "2000-2018 Right Whale Incident Data 03/19/2019"

I'm sure you have seen the thread that I emailed Dave, but he singled out these two that you may be able to answer:

9/27/2014, RW unknown, E22-14 states "gear of unknown origin"; NMFS entanglement spreadsheet has gear origin "US". Shouldn't this be "first seen in US" and not confirmed in US gear?

2/13/2011, RW 3993 and 3/16/2011, RW unknown. These were potentially the same whale, pending genetic analysis. What were the results of this? Should this be one record or two?

Thank you.

Patrice

Patrice McCarron

Executive Director, Maine Lobstermen's Association

From: David Morin - NOAA Federal <david.morin@noaa.gov>

Sent: Monday, August 5, 2019 3:41 PM

To: Patrice McCarron <patrice@mainelobstermen.org>

Cc: Allison Henry <Allison.Henry@noaa.gov>; Colleen Coogan <colleen.coogan@noaa.gov>; Mark Minton <mark.minton@noaa.gov>; John Higgins <john.higgins@noaa.gov>; Michael Asaro <Michael.Asaro@noaa.gov>

Subject: Re: questions on entanglement spreadsheet

No. What I'm saying is when I keep track of entanglement cases, I only include cases where gear was documented on the animal. Cases where entanglement trauma was the only indication, or entrapments such as weirs, NEFSC also includes those cases as they are needed for SI determinations.

The spreadsheet was meant to give the TRT a general summary of cases and like I stated, not surprisingly, there are some errors that slipped through the cracks from such large multiple data sets. My understanding is we are not providing that spreadsheet on a periodic basis, it was rather meant as a one-time product. Determinations often change as new information comes forward. Feel free to update your version as you see fit.

On Mon, Aug 5, 2019 at 3:32 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Thanks Dave

Believe me, I understand the confusion surrounding keeping this all straight.

Are you saying that those first 6 cases should NOT be included in the entanglement records? I know one is listed as an SI. Just want to be clear.

Regarding the second set of whales, you have confirmed that case E44-16 should be "monofilament mesh and line". However the entanglement spreadsheet has it listed as "gear unknown". It seem that this field should be updated on that spreadsheet to MF or NE or something to reflect that information. Is this correct?

Patrice McCarron

Executive Director, Maine Lobstermen's Association

From: David Morin - NOAA Federal <david.morin@noaa.gov>

Sent: Monday, August 5, 2019 3:20 PM

To: Patrice McCarron <patrice@mainelobstermen.org>

Cc: Allison Henry <Allison.Henry@noaa.gov>; Colleen Coogan <colleen.coogan@noaa.gov>; Mark Minton <mark.minton@noaa.gov>; John Higgins <john.higgins@noaa.gov>; Michael Asaro <Michael.Asaro@noaa.gov>

Subject: Re: questions on entanglement spreadsheet

That spreadsheet was mostly NEFSC SI database, with some gear information provided by me. Naturally, as soon as a database is created it is already out of date. It is very difficult to keep track of all these cases and not surprisingly when multiple sources are used to compile data some errors or confusion occurs, especially for old cases

I'm only commenting on the gear aspect of the cases you have listed. NEFSC might be able to provide more comments.

E03-03 - No gear present

E04-05 - Unclear if entangled or just scars

E06-06 - No gear present

7/05/15 - Herring weir - I don't count these as entanglements in my data

3/01/17 - No gear present

E07-13 - Unclear as to the Cause of Death

E44-16 - Our gear report conclusion (this is the official gear determination) - "Monofilament mesh and line of unknown fishery and origin".

4/16/15 - Without knowing the details... likely the animal does not have enough information to assign it a catalog number, but can be identified in certain scenarios.

9/04/14 #4001 - No, 1st entangled sighting is in Bay of Fundy. General assumption is right whales can easily travel 50 miles a day. 2 weeks is plenty of time for it to come from U.S.

E22-14 - NEFSC will have to comment on.

2/13/2011, RW 3993 and 3/16/2011, RW unknown - NEFSC will have to comment on.

6/27/2010 - Not sure what happened with this one. Gear appeared to be recovered from necropsy. I believe I have some photos of the gear, but will need the gear team to check the warehouse to confirm. By the pictures, it is a mesh, but not monofilament, although again I'm not sure this is the correct associated gear. **Hig and Mark - please check j062610**

On Mon, Aug 5, 2019 at 12:52 PM Patrice McCarron <patrice@mainelobstermen.org> wrote:

Hi Dave

I've finally had time to go through the whale spreadsheet you provided in April. I have a few questions.

Based on my records, you are missing several entanglements:

E03-03 (SI 0.75)

E04-05

E06-06

7/5/2015, RW4140 in a herring weir fishery, NFS

3/1/2017, 2479 in CCB, NSI healing injury, no gear present

E07-13, whale was found dead, but is listed as NS

Can you let me know if these should or should not be included as part of the entanglement database?

Questions on Whales with SI/M

E44-06, 12/4/2016, RW 3405, NMFS entanglement report states “monofilament mesh and line of unknown fishery and origin”; NMFS entanglement sheet has gear type unknown; Why isn’t this recorded as “netting” or “gillnet” with fishery and origin unknown?

4/6/2015, RW CT04CCB14, how does this case have an incident on or before date recorded if the whale is not in the RW catalog?

9/4/2014, RW 4001, This whale has an incident date on or after 8/20/2010. This is only 2 weeks. Could this be assumed to be likely entangled in CN gear?

9/27/2014, RW unknown, E22-14 states “gear of unknown origin”; NMFS entanglement spreadsheet has gear origin “US”. Shouldn’t this be “first seen in US” and not confirmed in US gear?

2/13/2011, RW 3993 and 3/16/2011, RW unknown. These were potentially the same whale, pending genetic analysis. What were the results of this? Should this be one record or two?

6/27/2010, RW 1124, “carcass has net marks suggesting drowning from gear entanglement”. Is this evidence of netting or gillnet involved?

Thanks.
Patrice

Patrice McCarron

Executive Director, Maine Lobstermen's Association

President, Maine Lobstermen's Community Alliance

207-967-4555 office * 207-205-4544 cell

2 Storer St, Suite 2013, Kennebunk, ME 04043

--

David Morin

Large Whale Entanglement Response Coordinator

Greater Atlantic Fisheries Regional Office

National Marine Fisheries Service, NOAA

Protected Resources Division

55 Great Republic Drive

Gloucester, MA 01930

O# 978-282-8472

C# 978-479-9727

--

David Morin

Large Whale Entanglement Response Coordinator

Greater Atlantic Fisheries Regional Office

National Marine Fisheries Service, NOAA

Protected Resources Division

55 Great Republic Drive

Gloucester, MA 01930

O# 978-282-8472

C# 978-479-9727

--

Allison Henry
Fishery Biologist
NOAA Fisheries
Allison.Henry@noaa.gov
508.495.2048
<http://www.nefsc.noaa.gov/psb/>



--

Allison Henry
Fishery Biologist
NOAA Fisheries
Allison.Henry@noaa.gov
508.495.2048
<http://www.nefsc.noaa.gov/psb/>



--

Allison Henry
Fishery Biologist
NOAA Fisheries
Allison.Henry@noaa.gov
508.495.2048
<http://www.nefsc.noaa.gov/psb/>



--

Allison Henry
Fishery Biologist
NOAA Fisheries
Allison.Henry@noaa.gov
508.495.2048
<http://www.nefsc.noaa.gov/psb/>



--

Allison Henry
Fishery Biologist
NOAA Fisheries
Allison.Henry@noaa.gov
508.495.2048
<http://www.nefsc.noaa.gov/psb/>



Addendum 3 to MLA
Proposed Rule
Comments



MAINE

Lobstermen's Association, Inc.

2 Storer St, Ste 203 * Kennebunk, ME 04043
207-967-4555 * 866-407-3770 * www.mainelobstermen.org

Chris Oliver, Assistant Administrator for NOAA Fisheries
National Oceanic and Atmospheric Administration
1401 Constitution Ave NW, Room 5128
Washington, DC 20230

August 30, 2019
Via Email

Dear Mr. Oliver:

I am writing to inform you that Maine's five lobster industry members of the Atlantic Large Whale Take Reduction Team (TRT) are forced to withdraw support for the near-consensus agreement reached during the April 2019 TRT meeting due to serious flaws in the data presented to the TRT and in how the process was conducted. NMFS' failure to present data fully and accurately led the TRT to an outcome that is in conflict with available data.

Substantive errors in NOAA Fisheries' (NMFS or the Agency) data and its last-minute announcement of a U.S. risk-reduction target that was fully assigned to the Northeast lobster fishery led the TRT to work with an erroneous assumption about the relative risk to North Atlantic right whales from that fishery and discount the relative risk posed by other sources.¹ As a result, the Agency's current rulemaking does not address the full scope of known human causes of decline in the species and will be insufficient to reverse the right whale population's downward trend.

Following the TRT meeting, MLA undertook a careful review of data available from the Agency, due to unresolved concerns with the timeliness and accuracy of information provided to TRT members.^{2 3} Our review revealed substantive errors in NMFS data and the omission of critical information that shows a

¹ Take Reduction Target Letter April 5, 2019, https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/06_take_reduction_target_letter_april52019.html

² MLA expressed significant concerns prior to, during and since the April 2019 meeting. See, e.g., MLA letter to Michael Pentony, GARFO on 4/22/2019.

³ MLA analyzed data provided to the TRT, *2000-2018 Right Whale Incident Data*, located at https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/2000-2018_right_whale_incident_data_3_19_19v.xlsx

“distinctly different understanding of relative risk” posed by Northeast lobster fishing gear to right whales.⁴

Specifically, and as discussed in more detail below, the NMFS data contained errors that significantly impact our understanding of human causes of serious injury and mortality to right whales. The corrected data show that gillnet gear and netting play a much larger role in entanglement cases than was previously understood. Further, NMFS’ failure to investigate a pronounced increase in observations of unknown gear, particularly the increase in cases since 2015 with no gear present, leaves significant unanswered questions about the responsibility of Canadian fisheries for these entanglements. As a result, the data presented to the TRT and fishing industry erroneously overstate the share properly attributable to the Northeast lobster fishery and downplay the role of other gears in right whale serious injury and mortality.

The MLA’s analysis found that gillnet and netting gear were the most prevalent gear (other than Canadian snow crab gear), and the Northeast lobster fishery (and the Maine lobster fishery in particular) were the least prevalent in right whale entanglements from known causes. This finding means the 60% conservation target stipulated by the Agency and allocated solely to the Northeast lobster fishery is unsupported by the best available data, and any package of remedial measures designed to meet it cannot credibly generate the conservation benefits anticipated. At a minimum, the U.S. risk reduction target must be shared amongst the fisheries contributing to entanglement.

Furthermore, the MLA’s findings reveal evidence — also not presented to the TRT — that the current Take Reduction Plan is working. Since the plan was amended in 2009 and 2014, there has been a strong downward trend in the incidence of entanglement cases involving U.S. lobster gear, from seven cases prior to 2010 to only one case – a non-serious injury in Massachusetts lobster gear – since then. The data show only one confirmed right whale entanglement in Maine lobster gear, which dates back to 2002, with no known serious injuries or mortalities attributable to that gear. NMFS’ data also show that ropes removed from right whales in recent years are not representative of ropes used in Maine’s lobster fishery.⁵

Based on these findings, the MLA has grown even more concerned that the TRT deliberations were conducted without sufficient data from the agency to inform its efforts to select appropriate mitigation measures that address risk.⁶ In short, the rules proposed are misaligned and too narrow in scope to effectively protect right whales.

MLA’s findings further reinforce our agreement with Governor Mills’ expressed concern over the “disturbing lack of evidence connecting the Maine lobster industry to recent right whale deaths” and her directive to Commissioner Keliher “to evaluate a risk reduction target for Maine that is commensurate to any actual risk posed by the Maine lobster industry.”

⁴ Page 7 of the draft April 2019 TRT meeting summary states, “A broad-based recommendation that the Agency/Team revisit the Team’s recommendations if revisions to the model suggest: (1) a distinctly different understanding of relative risk....”

⁵ Since 2010, larger diameter ropes of ½” or greater represent 79% of the gear removed from entangled whales. Maine DMR research has determined that 92% of Maine lobstermen fish with smaller diameter ropes.

⁶ MLA scoping statement presented at NMFS Scoping Meetings on August 12, 13, 14 and 15.

Given the significance of the deficiencies identified, the MLA and Maine's five lobster industry TRT members can no longer adhere to the outcome of the April 2019 TRT meeting. The MLA cannot responsibly recommend its members undertake changes in fishing practices when whales may continue to become entangled in fishing gear, such as gillnets, which are not included in the current rulemaking. The MLA stands ready to implement new conservation measures in the Maine lobster fishery to protect right whales but must have assurances that the Agency is adequately addressing all known human-caused threats to right whales and that the science indicates proposed conservation measures are likely to further the goal of species recovery.

The MLA calls for the Agency to publish a thorough analysis of its own data regarding known sources of entanglement risk to right whales and conduct a new analysis of the risk reduction target, including the new information identified by the MLA. The Agency should then re-convene the TRT so it can appropriately advise the Agency on effective management approaches to aid in the species recovery based on a comprehensive understanding of known entanglement threats.

The remainder of this letter will identify specific concerns that need to be addressed in order to achieve that goal.

1. *NMFS' Technical Memorandum Erroneously Assumed the Northeast Lobster Fishery is the Most Significant Human Cause of Serious Injury and Mortality*

In September 2018, NMFS issued a Technical Memorandum entitled "North Atlantic Right Whales – Evaluating their Recovery Challenges in 2018".⁷ As MLA articulated during the October 2018 TRT meeting, the memo wrongly forced TRT members to presume, for purposes of their deliberations, that the Northeast lobster fishery presents the most significant human cause of right whale serious injury and mortality without evidence to support that assumption.

NMFS' reliance on the September 2018 Technical Memo distracted the Agency from fully considering the best available data from its entanglement database. NMFS did not adequately analyze its data on human-caused serious injury and mortality so the TRT did not have the benefit of reliable information to accomplish its task. NMFS' failure to present data fully and accurately led the TRT to an outcome that is in conflict with available data.

Maine DMR wrote to the Northeast Fisheries Science Center (NEFSC) on October 3, 2018 stating its concern that the memo is "based on conjecture, without sound scientific basis" and that "the net result of the oversimplified picture painted by this Memo is likely to be regulations imposed on a fishery or in an area that will result in very little conservation benefit for the right whale".⁸ To date, the memo has not been withdrawn or substantively updated and thus remains a source of misinformation on the challenges facing North Atlantic right whales. The MLA urges NMFS to withdraw the technical memo and conduct a thorough, accurate review of data on known human causes of serious injury and mortality.

NMFS must also correct its presentation of data on entangled right whales. Since the release of the technical memo, NMFS has consistently implied that serious injury and mortality from the Northeast lobster fishery exceeds Potential Biological Removal (PBR), even though this assertion is not supported by the data. The Agency has repeatedly – at the TRT and elsewhere – presented a graph of

⁷ NOAA Technical Memorandum NMFS-NE-247, September 2018.

⁸ Maine DMR letter to Dr. Jon Hare, NEFSC on October 3, 2018.

entanglements first sighted in U.S. waters as *de facto* evidence that U.S. fishing entanglements exceed PBR.⁹ Given that the rulemaking process addresses only the Northeast lobster fishery, the public assumes these entanglements result from that fishery. Further, it is well understood that the initial sighting location of an entangled whale is not indicative of where an entanglement occurred. For example, of the 16 entanglements confirmed in Canadian fishing gear since 2014, four were first sighted in U.S. waters. NMFS also continues to present a misleading map from the technical memo depicting cases where the location of the entangling fishing gear is known.¹⁰ This includes 10 entanglement cases in U.S. lobster gear, eight of which occurred prior to the 2009 and 2014 amendments to the Take Reduction Plan. The two cases since then were in Massachusetts lobster gear and were successfully disentangled. In fact, other than two cases from Canada, none of the entanglements depicted resulted in right whale serious injuries or mortalities.

The cumulative result of misinformation in the technical memo and NMFS' other data presentations was to create the erroneous inference that the Northeast lobster fishery is the most significant threat to right whales as the basis for the TRT deliberations. Because of this error, the TRT decision-making process was not based on data most relevant to the task of selecting management measures appropriate to address risk.

2. *NMFS' Stipulated 60% Risk Reduction Target is Inconsistent with its Own Data and was Imposed Without Consultation with the TRT*

The MLA supports the development of a risk reduction target because it is necessary to gauge the effectiveness of proposed management measures intended to aid in the recovery of right whales. Given the high level of uncertainty surrounding sources of human-caused right whale serious injury and mortality, an effective risk reduction target must be informed by the best available data. NMFS has not acted in accordance with these principles.

On April 5, 2018, NOAA Fisheries issued a press release to TRT members stating “we believe that to achieve this goal [to reduce right whale serious injury and mortality to below PBR], mortalities and serious injuries in U.S. fisheries will likely need to be reduced by 60 to 80% from current levels.”¹¹ The Agency provided neither documentation on the data and methodology used to calculate the risk reduction goal nor an opportunity for the TRT to offer input on the target.

The MLA — and other members of the TRT — raised questions with the Agency on the assumptions used to set this risk reduction target.^{12 13} Despite its initial statement that “mortalities and serious injuries in U.S. fisheries will likely need to be reduced by 60 to 80% from current levels”(emphasis

⁹ NMFS has presented this information on multiple occasions to the New England Fishery Management Council, Atlantic States Marine Fisheries Commission, Take Reduction Team, August 2019 scoping meetings, and others. See e.g. in Appendix 9.

¹⁰ Ibid.

¹¹ *Take Reduction Target Letter April 5, 2019* is located at https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/06_take_reduction_target_letter_april52019.html

¹² MLA email to M Asaro and C Coogan, GARFO on 4/3 /2019; MLA email to M Asaro and C Coogan, GARFO on 4/4/2019 and response on 4/17/2019.

¹³ For similar reasons, the MLA also objected to the inclusion of the Maine lobster fishery as a Category I fishery under the Marine Mammal Protection Act in the 2019 List of Fisheries. See, e.g., MLA comments to Shannon Bettridge on 11/23/2018 in response to 83 FR 53422, October 23, 2018.

added), the Agency declined to engage in dialogue or entertain input to revise the target. NMFS' only explanation of the goal appears in an email responding to MLA's questions, which NMFS then sent to the TRT.¹⁴

In order for whale conservation measures to be effective, the risk reduction target must be derived from review of data showing the impact of all fisheries known to contribute to risk and must accurately reflect the risk posed by each fishery. The best way to establish such a target is not to adopt it by fiat and press release, but rather to develop it through a collaborative process with the Agency and members of the TRT using the best available data on all involved fisheries.

Based on MLA's review of the data, the Agency's designated risk reduction target has several significant flaws.

1. NMFS inappropriately assigned the full responsibility for the U.S. risk reduction to the Northeast lobster fishery, ignoring the risk posed by other U.S. fixed gear fisheries, including gillnets and trap/pot fisheries in the mid- Atlantic and south-Atlantic.
2. NMFS incongruously apportions serious injury and mortality from unknown gear equally between the U.S. and Canada. The Agency ignores known serious injury and mortality rates for U.S. and Canadian fisheries when apportioning these to each country. Further, NMFS assigns full responsibility for the U.S. portion of these to the Northeast lobster fishery, ignoring the risk posed by other U.S. fixed gear fisheries.
3. NMFS did not conduct an analysis of trends in serious injury and mortality from unknown gear, such as the recent increase in cases with no gear present, to inform its allocation of these to each fishery and country.

If risk is not effectively addressed where it occurs, the U.S. management plan cannot effectively recover the species.

In order to establish a target based on the best available data and evidence, NMFS must evaluate the relative risk from all known causes of harm, taking into account what is known about entanglement. MLA's analysis of NMFS' data (2010-2018) reveals a striking hierarchy of serious injury and mortality to right whales from known human causes, with the Canadian snow crab fishery accounting for 31%, gillnet and netting gear representing 13%, unknown trap/pot gear representing 4% and U.S. trap/pot gear representing 4%. U.S. and Canadian vessel strikes account for the remaining 48%. There are no known cases involving Northeast lobster gear.¹⁵

A significant challenge in reducing entanglement risk is how to address the many entanglement cases where the origin of the gear is not known. While reliance on assumptions remains necessary, these assumptions must be informed by the best available data. Consideration of known causes of serious injury and mortality and deeper analysis of trends in unknown gear must be paramount considerations. The MLA identified a pronounced and increasing trend in NMFS' data on gear of unknown origin, with the proportion of cases with no gear present increasing significantly beginning in 2015.¹⁶ This is

¹⁴ NMFS email to TRT on 4/18/2019.

¹⁵ See graph of all known human causes in Appendix 15.

¹⁶ See graph of Entanglement Serious Injury and Mortality, with unknown gear broken out to show cases with no gear present in Appendix 16.

coincident with the shift in large numbers of right whales to the Gulf of St. Lawrence and the significant increase in the incidence of right whale entanglements in Canadian snow crab gear.¹⁷

Under NMFS' approach, this significant spike in unknown gear incidents remains unexplained and is arbitrarily split equally between the U.S. and Canada, with the U. S. portion attributed exclusively to the lobster fishery. NMFS has failed to provide a rational explanation for this split, which over-weights the contribution of U.S. gear during a time when whales are known to have spent increasing periods in Canadian waters and virtually all entanglements were known to be from Canadian gear.

The result is that NMFS's risk reduction target will not achieve its intended result to reverse the right whale population decline. The Agency must reconsider this goal to address its flawed assumptions and omission of consideration of risk posed by other U.S. fixed gear fisheries.

The MLA understands there are data challenges that complicate assignment of risk associated with unknown gear. To help close the knowledge gap, the MLA proposes, for its part, to expand and uniquely mark Maine lobster fishing gear for Maine's lobster fishery and to introduce gear marking in Maine's exempted waters. The MLA urges NMFS to pursue a similar strategy in other fisheries so the Agency and the TRT will have the benefit of best available information on the origin of unknown gear.

3. NMFS data contained substantive errors which render the Agency's management priorities flawed

In its review of NMFS' data, MLA noted two cases with substantive errors that led the TRT to conduct its work without an accurate understanding of the role of Northeast lobster fishery and other gears in right whale serious injury and mortality.

Right whale 3405 (NMFS E44-16), which was found entangled in 2016, was determined to have been entangled in monofilament mesh and line of unknown origin. However, the pro-rated serious injury (0.75) was attributed in the 2018 right whale stock assessment to unknown gear and, therefore, is not accurately represented in NMFS' data. After persistent requests by MLA, this error was acknowledged by the Northeast Fisheries Science Center (NEFSC) on August 15, 2019, nearly four months after the TRT meeting.¹⁸

NMFS' data also incorrectly categorizes a mortality case involving the floating carcass of an unknown right whale (NMFS E22-14) found in 2014. The whale was determined to have perished due to entrapment in fishing gear. Investigation of this case revealed that the stationary position of the whale, 36 nm south of Nantucket, and the fresh nature of the carcass led NMFS to determine that it was entangled in unknown U.S. fishing gear. Questioning by MLA confirmed that these circumstances rule out Maine as a source of the entangling gear.¹⁹ The necropsy findings recently published in *Diseases of*

¹⁷ See <https://www.nefsc.noaa.gov/psb/surveys/MapperiframeWithText.html>; See table of increase in Canadian snow crab entanglements and 2014 to 2019 Gulf of St. Lawrence sightings charts in Appendix 17.

¹⁸ Emails from MLA to D Morin (GARFO) and A Henry (NEFSC) response to MLA on 8/15/2019.

¹⁹ Emails from D Morin (GARFO) to MLA on 8/15/2019 and A Henry (NEFSC) to MLA on 8/13/2019.

Aquatic Organisms concluded that “[b]ased on the presence of the line with float buoys along the body of the whale, the entanglement gear type was most likely gillnet”.^{20 21}

This means that the only documented serious injury or mortality known to have occurred in U.S. fishing gear did not originate from Maine and likely resulted from gillnet gear, not lobster gear. In view of these findings, the MLA asks NMFS to reconsider the gear designation in this case due to the conflicting determinations between NMFS and the necropsy results on the entangling gear. The MLA concurs with the necropsy team, based on the photos of the right whale and the gear located at the entanglement site, that the entanglement gear was most likely gillnet.

These findings fundamentally change our understanding of the relative role of gillnet and trap/pot gear in right whale serious injury and mortality and demonstrate that the TRT’s advice does not address the primary cause of documented risk arising from U.S. fishing gear.

4. *NMFS Used a “Decision Support Tool,” Still in Development and Not Peer-reviewed, as the Basis of the TRT’s Recommendations*

The MLA fully supports the use of a model to assess the risk of right whale entanglement, spatially and temporally, to guide the development of effective management approaches to protect right whales. Such a tool must adequately characterize fisheries that have the potential to interact with right whales, the unique threat posed by varying gear types and configurations, and whale density and behavior. The NEFSC has done an admirable job in developing a decision support tool, however, the tool is still under development and is not yet ready to be used for reliable quantitative assessment of the effectiveness of proposed management measures.

NMFS announced its nascent decision support tool just one week before the April 2019 TRT meeting.²² This resulted in confusion among TRT members and inadequate time to understand the data and assumptions that serve as the basis for the tool. TRT members were required to use the tool to assess the effectiveness of management scenarios in achieving the stipulated minimum 60% risk reduction and, at the same time, were told to use the model’s output only as guidance.

During the TRT meeting, it became clear that while the tool holds promise to assess right whale management approaches, it has many limitations. The tool contains three inputs: fishing effort data, whale density data and an assessment of the risk of varying lobster gear, which are given equal weight. TRT members voiced many concerns with each of these components, which are contained in the draft meeting summary of the TRT meeting.

The MLA believes the data and design of the decision support tool must be significantly improved. The whale model portion of the tool was developed for U.S. Navy applications and does not adequately characterize whale density in important fishing areas. Since 2010, more than half the right whale

²⁰ Sharp, et al, Gross and histopathologic diagnoses from North Atlantic right whale *Eubalaena glacialis* mortalities between 2003 and 2018, *Diseases of Aquatic Organisms*, Vol 135, June 2019. See pages 9 and 20, and pages 4 and 49 in Supplement.

²¹ See email from M Moore (WHOI) to MLA and necropsy timeline and information on 8/21/2019.

²² The decision support tool was introduced to the TRT on April 16, 2019 via a two hour webinar. Materials located at:

https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/02_presentation_on_risk_reduction_tool.html

population has been regularly sighted feeding in Massachusetts in and around Cape Cod Bay and in a significant new habitat south of Nantucket. As dense aggregations of right whales have increased in Massachusetts waters, the number of right whales detected along the Maine coast has declined, facts not adequately captured in the model's inputs. In fact, the whale model does not include data on the newly identified habitat around Nantucket, contains limited whale data on the Gulf of Maine and does not include any whale density data for coastal Maine. The tool cannot accurately reflect the risk of various fisheries to right whales unless these data issues are resolved.²³

Furthermore, the whale model does not allow whale distribution patterns to be considered by year, particularly before and after 2010, when whale distribution patterns shifted significantly. This masks the risk to right whales in current high use habitats where they did not have a significant presence prior to 2010. NMFS has stated that this issue will be addressed in October 2019, but it will not be available in time to analyze options in the Draft Environmental Impact Statement. The whale model also does not weight the risk of an entanglement based on the whale's behavior, such as feeding versus transiting, an important consideration in assessing entanglement risk. The MLA is concerned that without addressing these deficiencies, the decision support tool cannot effectively assess proposed management approaches. Due to these and other concerns, the TRT has asked that the tool be peer-reviewed before it is used to assess options, and further that the TRT have input into the Terms of Reference.

In developing the decision support tool, the NEFSC developed a gear "severity index" to determine the risk of various gear types that may be encountered by a right whale. NMFS developed this index by polling TRT members on the risk of certain lobster gear configurations.²⁴ The index accounts for one-third of the assessment tool input. TRT members raised strong concerns with this approach, in part because the results of the exercise significantly impact the assessment of management approaches such as weak rope.

The MLA remains concerned that the responses to the poll were analyzed by caucus, resulting in a lower weight to votes from fishing industry members, who are the most knowledgeable about fishing gear, and higher weights to votes from all other TRT members.²⁵ While NOAA Fisheries has pledged to revisit this methodology, the TRT has not received any updates on its progress. The MLA is also concerned that the severity index considers only lobster gear.

NMFS continues to publish broadly the preliminary results of the tool's assessment of management scenarios presented to the TRT as the basis for developing rules, even though it has conceded that the tool remains under development and has not been peer reviewed.²⁶ This has created confusion among industry members about the effectiveness of management measures proposed by various jurisdictions

²³ See

<https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/narwdensitymodel.mp4> and https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/17_model_documentation.html

²⁴ See email from C Coogan on 4/7/2019 regarding the development of the severity index.

²⁵ Maine's TRT members requested data on the number of respondents in each caucus. While data was not provided, S Hayes (NEFSC) stated during the TRT meeting that the fishing caucus had roughly double the number of respondents compared to all other caucuses which were equal. Also see slides 10 and 12 in https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/Meeting%20Materials/overview_of_relative_risk_reduction_decision_support_tool_04_23_2018.pdf.

²⁶ See e.g., NOAA Fisheries Navigator, June 2019 at http://fish-news.com/cfn/wp-content/uploads/2019/08/NOAA-Navigator-6_19-%C6%92.pdf

as the industry weighs in on the scope of rulemaking. MLA objects to the use of the model's assessment results until the infirmities identified above have been resolved.

5. NOAA Fisheries Asserted Pressure to Reach Consensus to Avert Threat of a Jeopardy Finding in Pending Biological Opinion

TRT members were pressured to reach a consensus agreement for measures that address risk to the Northeast lobster fishery under a threat that the April 2019 TRT meeting would provide the only opportunity for members to guide right whale risk reduction measures due to the pending Biological Opinion for the American Lobster Fishery. Based on our data analysis, the gillnet fishery is a significant source of risk and should be required to identify management measures to avert a jeopardy finding in its pending Biological Opinion.

The TRT did not discuss this because NMFS has effectively placed the full burden of the U.S. risk reduction on the Northeast lobster fishery. It has further failed to adequately review and discuss other human-based causes of right whale serious injury and mortality with the TRT. The MLA strongly urges NMFS' Section 7 team undertaking the Biological Opinions for the American Lobster and Batched Fisheries to incorporate the new data discovered by MLA into the ongoing analysis.

6. The Right Whale Decline is Part of a Larger Problem

NMFS' data and other recent scientific work indicate that the right whale population decline, including its deteriorating health and reproductive success, is driven by changing environmental conditions, resulting in a dramatic shift in right whale distribution and migratory patterns.²⁷

The data are clear that Canadian entanglements and vessel strikes are now the most significant cause of right whale serious injury and death because right whales are spending significantly more time in Canada's largely unregulated waters. There have been eight right whale deaths and three new entanglements in Canadian waters already this year.²⁸

The MLA was disturbed to learn NMFS' data show that since 2009, when the Take Reduction Plan required changes in lobster fishing practices and the U.S. ship strike plan was implemented, more right whales have been struck by U.S. ships than have been entangled in U.S. fishing gear. According to the 2018 right whale stock assessment, serious injury and mortality from U.S. ship strikes was 0.81 and U.S. entanglement was 0.4. In fact, U.S. (31%) and Canadian (17%) vessel strikes now account for 48% of known human-caused serious injury and mortality (2010-2018).²⁹ NMFS has not acknowledged the ongoing contribution of ship strikes to right whale serious injury and mortality, but instead has brought attention only on the Northeast lobster fishery.³⁰ The MLA is not aware of any planned rulemaking to address the risk to right whales due to U.S. ship strikes and urges the Agency to address this issue promptly.

²⁷ Meyer-Gutbrod, et al, *Global Change Biology*, 2018; Chust, et al, *ICES Journal of Marine Science*, 2013; Record, et al, *Oceanography*, 2019.

²⁸ See 2019 Canadian Right Whale Incidents.

²⁹ See Summary of U.S. Ship Strike Incidents.

³⁰ See e.g., NMFS slide from 8/12/2019 Machias, ME scoping meeting.

The MLA is also concerned that NMFS is not objecting to other threats to right whales and their habitat such as seismic testing, offshore wind developments and offshore aquaculture.³¹ MLA believes it is arbitrary to focus conservation efforts so disproportionately on the lobster fishery, which has a demonstrated track record of implementing measures to protect endangered whales, while taking no action with respect to emerging threats to right whales and their habitat. These threats must be considered if we hope to have success in achieving long-term recovery of the species. If they are not addressed, the actions taken by fishermen will have no chance of success.

7. Moving Forward

The MLA remains committed to do its part to aid in the recovery of right whales. Since NMFS formed the Atlantic Large Whale Take Reduction Team (TRT) in 1997, MLA has been a full partner in working to reduce harm to large whales from entanglement in U.S. fishing gear. The MLA strongly supports measures to further our understanding of right whales and the risks they face. These measures include expanded and unique gear marking for Maine, 100% harvester reporting, vessel monitoring in federal waters, investment in the development of a tagging device to improve data on right whale distribution, increased right whale surveillance in regulated waters, stable funding for long-term plankton monitoring and development of right whale habitat suitability models.


While the MLA supports requiring gear marking on vertical lines in Maine's exempted waters, our support is conditional on it being implemented by the state of Maine. The MLA will not support including this measure as part of the Take Reduction Plan as we remain strongly opposed to the expansion of any Take Reduction Plan measures into Maine's exempt waters.

The MLA stands ready to work with NMFS, the TRT, the state of Maine and our members to identify measures that address the actual risk that the Maine lobster fishery poses to right whales. For the amendments to the Take Reduction Plan to be effective, the process must be based on sound science and carefully vetted data analysis that identifies actual risk to endangered whales.

Maine cannot stem the decline of the right whale population on its own. Maine's lobstermen believe it is past time for all stakeholders in the effort to ensure a thriving future for right whales to examine and address the multiple stressors and threats to the species that occur outside of our waters.

Thank you.

Sincerely,



Patrice McCarron
Executive Director

Cc:

President Donald J. Trump (via Alexander Willette, Executive Office of the President)
Senator Susan Collins (via Cameron O'Brien)

³¹ See e.g., C Oliver testimony before Committee on Natural Resources, Subcommittee on Water, Oceans and Wildlife, U.S. House of Representatives on 3/19/2019.

Senator Angus King (via Peter Benoit)
Representative Chellie Pingree (via Kimber Colton and Rhiannon Hamspon)
Representative Jared Golden (via Eric Kanter)
Governor Janet Mills (via Thomas Abello)
Patrick Keliher, Commissioner, Maine Department of Marine Resources
Stuart Levenbach, Chief of Staff, NOAA
Sam Rauch, Deputy Assistant Administrator for Regulatory Programs, NOAA Fisheries
Donna Wieting, Director, Office of Protected Resources, NOAA Fisheries
Catherine Marzin, Deputy Director, Office of Protected Resources, NOAA Fisheries
Shannon Bettridge, Chief, Marine Mammals and Sea Turtles, Office of Protected Resources, NOAA Fisheries
Angela Somma, Chief, Endangered Species Conservation, Office of Protected Resources, NOAA Fisheries
Michael Pentony, Regional Administrator, GARFO
Mark Murray-Brown, Section 7 Coordinator, GARFO
Michael Asaro, Marine Mammal and Sea Turtle Branch Chief, GARFO
Colleen Coogan, Marine Mammal Take Reduction Team Coordinator, GARFO
Atlantic Large Whale Take Reduction Team members (via Colleen Coogan, GARFO)

Addendum 4 to MLA
Proposed Rule
Comments

Addendum 4 to MLA Proposed Rule Comments

Addendum4: Survey Results of Maine Lobstermen

MLA conducted a survey of participants in the Maine lobster fishery from February 23 to February 26. 146 responses were received, though not all respondents answered all of the questions. Most respondents had a federal permit, and nearly 30 percent would be directly affected by the proposed LMA1 closure.

Table 1
Characterization of respondents to MLA survey

Zone	#	Percent	Federal permit	Fish LMA1 RA during closure	Boat Length				
					<25	25-34	35-40	41-45	46-50
A	22	15%	12	2	1	3	7	9	2
B	25	17%	20	3	1	1	16	3	4
C	32	22%	28	18	0	4	16	5	7
D	23	16%	14	9	0	2	11	10	0
E	16	11%	9	8	1	4	10	1	0
F	16	11%	10	3	0	4	7	3	2
G	9	6%	4	0	0	3	5	1	0
Other	3	2%	2	0	0	0	2	1	0
Total	146		99	43	3	21	74	33	15
%			68%	29%	2%	14%	51%	23%	10%

Table 2
Utilization of LMA1 during the proposed seasonal closure

<u>Month</u>	<u>Vessels</u>	<u>Trips</u>	<u>Catch (lbs.) / Trap</u>	<u>Price (\$/lb.)^a</u>
Oct	59	13	25	4.09
Nov	71	13	27	4.18
Dec	85	10	27	4.55
Jan	89	8	15	5.05

^a Based on 5-year average based on data provided by the Maine Department of Marine Resources

Table 3
Economic impact of LMA1 restricted area by month

August					December				
Impact reduced by	Landings	%	Traps	%	Impact reduced by	Landings	%	Traps	%
Do not fish	22	73%	5	63%	Do not fish	0	0%	0	0%
<25%	4	13%	1	13%	<25%	5	14%	3	27%
25-50%	1	3%	0	0%	25-50%	9	25%	2	18%
50-75%	0	0%	1	13%	50-75%	11	31%	2	18%
75-100%	3	10%	1	13%	75-100%	11	31%	4	36%
September					January				
Do not fish	19	63%	4	50%	Do not fish	1	3%	0	0%
<25%	7	23%	2	25%	<25%	4	12%	1	9%
25-50%	1	3%	0	0%	25-50%	4	12%	4	36%
50-75%	0	0%	1	13%	50-75%	11	33%	1	9%
75-100%	3	10%	1	13%	75-100%	13	39%	5	45%
October					February				
Do not fish	10	31%	2	22%	Do not fish	1	3%	1	9%
<25%	11	34%	3	33%	<25%	4	12%	1	9%
25-50%	5	16%	2	22%	25-50%	3	9%	2	18%
50-75%	1	3%	0	0%	50-75%	13	38%	3	27%
75-100%	5	16%	2	22%	75-100%	13	38%	4	36%
November					March				
Do not fish	2	6%	1	9%	Do not fish	2	6%	1	10%
<25%	8	23%	2	18%	<25%	6	19%	2	20%
25-50%	12	34%	3	27%	25-50%	4	13%	0	0%
50-75%	4	11%	2	18%	50-75%	9	28%	4	40%
75-100%	9	26%	3	27%	75-100%	11	34%	3	30%

Table 4
Impact of proposed rule compared to DEIS estimates

	DEIS	Average	By Boat Length					Number of Responses
			<25 ft.	25-34	35-40	41-45	46-50	
Gear marking (Min/VL)	30	34	28	29	36	34	34	134
Weak point Insertion (Insert/Min)	5	13	6	12	14	12	12	128
Reconfigure trawls (Min/trap)	15	26	27.5	24	28	22	26	113
Cost of Labor (\$/hr.)	25.75	41.00	38.00	33.00	40.00	44.00	54.00	122
% gear loss	0	15	15	18	15	15	15	119
Crew added (person)	0	0.79	1	1	0.87	0.6	0.53	131
Annual catch (lbs)/trap	42.5	81	53	55	72	100	141	123

Addendum 5 to MLA
Proposed Rule
Comments

Addendum 5 to MLA Proposed Rule Comments



JANET T. MILLS
GOVERNOR

STATE OF MAINE
DEPARTMENT OF MARINE RESOURCES
21 STATE HOUSE STATION
AUGUSTA, MAINE
04333-0021

PATRICK C. KELIHER
COMMISSIONER

September 16, 2019

Michael Pentony
Regional Administrator
National Marine Fisheries Service
55 Great Republic Drive
Gloucester, Massachusetts 01930

Dear Mr. Pentony,

The Maine Department of Marine Resources (ME DMR) appreciates the opportunity to comment on the upcoming rule-making to amend the Atlantic Large Whale Take Reduction Plan (ALWTRP). Proposed changes to the ALWTRP are likely to have large impacts on Maine's lobster fishery, the social and economic backbone of Maine's coastal and island communities. In 2018, landings from the Maine lobster fishery were valued at over \$486 million and a recent economic study determined the fishery has an economic impact of an addition \$1 billion annually¹. This fishery not only encompasses the roughly 4,800 lobster license holders and 1,100 student license holders but also sternmen, dealers and distributors, bait dealers, and trap builders who contribute to this fishery and their communities. Understanding the full impact of these pending regulations on the Maine lobster fishery, and to the North Atlantic right whale population, will be critical to ensure the appropriate suite of measures is implemented.

A. Characteristics of the Maine Lobster Fishery

The Maine lobster fishery is comprised of a diverse set of vessels, fishermen, and fishing practices. According to data collected in 2018, roughly 20% of vessels registered to Maine lobster license holders are less than 18 feet in length while 10% of vessels are greater than 39 feet in length. Thus, most fishermen who participate in the lobster fishery use smaller boats and typically fish close to shore. In addition to length, vessels in the Maine lobster fleet vary in their construction and layout. Smaller vessels, less than 25 feet in length, tend to be outboards and have extremely limited deck space for the temporary storage of gear. Some boats have open sterns which allow individual traps, or trawls, to be easily set off the back of the vessel. However, other boats have closed sterns, requiring traps to be set over the side of the boat. As a result, safe and fishable trawl lengths are not only dictated by the size of the vessel but also its construction.

Fishing practices within the Maine lobster fishery vary between the eastern and western ends of the State, and between inshore and offshore fishermen. In most state waters, the average trawl length can be characterized by singles, doubles, and triples; however, this masks important regional differences.

¹ Lobsters to Dollars: The Economic Impact of the Lobster Distribution Supply Chain in Maine by Michael Donihue, Colby College. June 2018.

For example, as a long-standing convention, fishermen in Casco Bay often fish trawls with two endlines. In this area, recreational and commercial boat traffic is very high and, as a result, fishermen can experience significant buoy loss. Longer trawls allow these fishermen to reduce their number of buoy lines and minimize their potential loss. In contrast, fishermen in mid-coast Maine tend to fish smaller trawl lengths which allow for a higher degree of precision to set traps on specific ledges and cracks, the preferable habitat of lobsters. This increases a fisherman's trap efficiency. An added benefit of fishing singles, pairs, and triples is that it reduces potential gear conflicts between other fishermen if, and when, traps are set over one another. In federal waters, trawl lengths increase, in part due to existing regulations in the ALWTRP. In some of Maine's furthest fishing grounds (outside of 12 miles from shore), trawl lengths average around 15 traps per trawl.

Fishing operations also differ by the number of crew onboard. 29% of license holders have a Class I license, which allows only the individual named on the license to participate in lobster fishing. Therefore, at a minimum, a quarter of the fleet operates without an unlicensed crew. 39% of Maine lobster fishermen have a license which allows for one unlicensed crew member onboard while the remaining 32% have a license which allows 2 unlicensed crew onboard.

Landings in the Maine lobster fishery have spatial and regional patterns. While the pounds of lobster landed vary across the State, most landings occur within state waters. In 2008, 81% of pounds landed were harvested within three miles of shore. Federal waters, broken up by 3 to 12 miles and outside 12 miles from shore, landed 15% and 4% of the pounds in that year, respectively. Recently, the pattern of catch based on distance from shore has slightly shifted, with an uptick in federal waters landings. In 2016, state waters accounted for 68% of the pounds landed, while 3 to 12 and beyond 12 miles accounted for 23% and 9%, respectively. This pattern of landings does not, however, equate to an identical shift in effort offshore. Between 2008 and 2016, the number of trips recorded within state waters dropped by only 7%, while the number of trips outside 12 miles increased by just 3%.

B. Management Tools Considered

At the April Atlantic Large Whale Take Reduction Team (ALWTRT) meeting, several management tools were discussed which could reduce the risk of serious injury and mortality from entanglements. Some of the tools considered included: area closures, dynamic management areas, trap reductions, vertical line reductions, and 1700 pound rope. Following the ALWTRT meeting, ME DMR reviewed the measures to understand the potential conservation benefits to right whales versus the burden to fishermen. The intent was to consider a range of measures, and then take the most viable options out to industry for feedback.

ME DMR held seven industry meeting to get input from fishermen on the feasibility and implications of these management tools. Based on our internal analysis and the feedback obtained through industry meetings, the following comments are offered regarding the various management tools.

Area closures were proposed and discussed at the ALWTRT meeting but were ultimately not included in any of the final recommendations. Following the ALWTRT meeting, ME DMR continued to discuss the potential efficacy of area closures. Ultimately, ME DMR did not include an area closure in the June 2019 presentation (see Appendix I) to industry due to several pertinent concerns. First, the efficacy of area closures relies on the assumption that gear within the closure is brought to shore. While this assumption holds true in the existing Cape Cod Bay closure due to its

timing and location, the same assumption would not hold in Maine waters. Offshore fishermen deploy gear year-round, moving traps to various fishing grounds as lobsters respond to environmental changes. As a result, a federal waters closure, akin to some of the proposals discussed at the ALWTRT, would not result in traps taken out of the water but may instead result in fishermen moving gear to the boundaries of the closure, concentrating gear around an area intended to protect right whales. This ‘curtain effect’ may have the unintended consequence of increasing vertical line densities in areas of known right whale distribution.

Industry members also asked about the potential conservation benefits of a seasonal closure during the spring months in state waters. After conducting analysis, ME DMR found negligible reductions in risk through this type of measure given right whales are infrequently sighted in state waters and there is minimal lobster gear set during the spring months. As a result, a spring state waters closure resulted in more of a paper exercise than a meaningful conservation benefit for right whales. ME DMR found specific areas and times for closures which resulted in a meaningful risk reduction were hard to define due to a lack of right whale sightings, and their more diffuse and changing use of the habitats in the Gulf of Maine.

Also discussed at the ALWTRT meeting were dynamic management closures. A potential benefit of this approach is that protections are enacted only when right whales are present, lessening the burden on industry. ME DMR considered this approach but quickly came up with several concerns regarding their effectiveness in protecting right whales. The primary concern is that dynamic management is reactive; it relies on right whales being spotted to enact a management response. Given right whales are notoriously hard to observe and weather conditions along the Maine coast can impede sighting efforts, ME DMR questioned the ability to effectively patrol northern Gulf of Maine waters and spot whales. Furthermore, the resources needed to support successful dynamic management are intensive and expensive, raising concerns of whether dynamic management is a long-term solution for right whale protection. Ultimately, ME DMR concluded measures which can provide year-round protections to right whales are stronger given all whales are positively impacted, not just those sighted.

The ALWTRT briefly discussed trap reductions at its April meeting, particularly those that are ongoing in Lobster Management Areas 2 and 3. ME DMR evaluated the potential benefit of trap reductions as a right whale protection measure and presented these findings to the lobster industry to get feedback. The most frequent concern raised by industry regarding trap reductions was that the ratio between vertical lines and traps is not one-to-one. This means that, particularly offshore, a substantial trap reduction is needed to see a modest reduction in the number of vertical lines. Industry expressed concern that, as a primary management tool to save right whales, trap reductions could result in large economic consequences due to reduced catch and revenue. Others noted that focusing on trap reductions is ancillary to the conversation since it is vertical lines, not traps, which pose a risk to whales. In addition, the diversity of Maine’s lobster fleet, as well as varying levels of participation, make it challenging to implement a trap reduction which does not result in some individuals increasing their effort. This was the result of a substantial trap reduction in 1997; some individuals removed gear from the water while others increased their effort up to the new limit.

One of the primary management tools ME DMR discussed with industry was vertical line reductions via trawling-up. After analyzing many of the potential management tools, trawling-up appears to provide some of the strongest benefits; namely, it addresses serious injury and mortality considered under the Marine Mammal Protection Act as well as risk under the Endangered Species Act. Further,

it directly addresses the cause of entanglements: vertical lines in the water column. At the June industry meetings, a series of trawling-up scenarios were presented to industry. These ranged from doubles to quads in state waters and from twenty to forty trap trawls offshore. In response, industry provided critical input on the extent of trawling-up which is feasible and safe in the Maine lobster fishery. Specifically, while offshore fishermen expressed some ability to add traps to an existing trawl, they expressed grave concerns about moving to thirty or forty trap trawls. Several noted that only a few boats are safely equipped to handle forty traps, in addition to the mile of rope needed to fish at these trawl lengths. As a result, requiring fishermen to operate beyond their boat capacities would result in dangerous fishing practices and the loss of human life. Inshore fishermen also highlighted that trawling-up scenarios need to consider the feasibility of smaller boats, particularly skiffs, which have limited deck space and are often operated by a single individual. Moreover, fishermen noted that, at longer trawl lengths, those who operate alone may have to hire a crew.

Outside of safety concerns, fishermen also provided insight on the potential consequences of trawling-up on fishing operations. First, longer trawls may increase gear conflicts and gear loss as there is a higher chance of trawls being set over one another. Second, longer trawls may decrease a fisherman's ability to maneuver traps on to specific ledges and cracks which produce high catch rates. This would reduce a trap's efficiency. Third, industry highlighted that fishermen frequently move traps across regulatory boundaries (i.e. the three mile line, the six mile line, etc.). This movement needs to be considered to ensure ongoing fishing practices and new regulations are congruent. To this end, fishermen suggested that any trawling-up scenario differentiated by distance from shore be comprised of multiples of one another so trawl lengths can easily be extended or shortened. In addition, law enforcement personnel were asked to provide input on the feasibility of enforcing long trawl lengths; they noted that, with the current platforms available, it would be nearly impossible for enforcement to safely haul long trawls to check compliance with the ALWTRP and lobster resource management measures.

Finally, the implementation of 1700 pound rope was also considered by both the ALWTRT and ME DMR. One advantage of 1700 pound rope is it offers a level of protection for all lines left in the water and can substantially reduce the occurrence of a serious injury or mortality which results from an entanglement. However, it does not address the risk of an entanglement occurring. In its June industry meetings, ME DMR presented 1700 pound rope as a potential management tool for consideration. At the time, ME DMR presented this as 75% topper in federal waters. It became clear from several comments that, to accommodate a 75% topper, fishermen intended to increase the length of their vertical line to ensure there was enough rope strength at the bottom where the strain of hauling traps is highest. This result would be counter to the efforts of the ALWTRT and a clear example of the unintended consequences which can result from management action. Instead, several industry members felt that, with existing vertical line lengths, modifications to the top 50% of the rope would be more feasible. Industry also commented that 1700 pound rope should be achieved through modifications to existing rope, as opposed to requiring fishermen to buy new rope. This could be achieved through specific splices or the threading of existing swivels into the rope to achieve a 1700 pound breaking strength. Law enforcement personnel also provided guidance on the enforceability of 1700 pound rope. They noted a specific number of weak points in a rope is more enforceable than 1700 pound rope regulations based on depth fished or the length of the vertical line. They also highlighted that enforcement of a rope diameter, as a proxy for 1700 pound rope, would be challenging since rope can expand in the water and differs by manufacturer.

C. Gear Marking

It is widely recognized that one of the biggest challenges faced by the ALWTRT when discussing the entanglement of right whales is the lack of data on the source of entanglements. This creates large amounts of uncertainty about which fisheries and regions are contributing to serious injury and mortality. At its industry meetings in June, ME DMR proposed a Maine-only purple gear mark to the lobster industry. This purple mark would replace the current red mark used to distinguish the Northeast trap/pot fishery and would allow Maine to better understand its role in the right whale conversation. The use of a Maine-only gear mark was unanimously supported by fishermen at all seven industry meetings as fishermen expressed strong support for identifying their gear from other trap/pot fisheries.

As stated in a letter to NOAA dated July 10th, ME DMR fully supports the improvement of gear marking to better inform conversations on right whale entanglements. As a result, the State intends to implement a Maine-only gear mark ahead of the federal regulatory process. ME DMR has already begun the State's regulatory process and, under the current timeline, the Maine-only gear mark could be required for Maine licensed lobster fishermen by spring 2020. Critical to this effort is guidance and confirmation from NOAA regarding the placement and color of the Maine-only mark. ME DMR highlights that it has not received a response to its July 10th letter to NOAA requesting written confirmation regarding the location and color of the Maine-only gear mark. This level of communication is needed to support Maine's efforts to enact regulations ahead of the federal process. For example, it is unclear if additional gear marking areas, such as Jeffery's Ledge and Jordan Basin, will be maintained as states move to their own marks. ME DMR recommends that, as a part of the proposed rule, NOAA re-evaluates these markings against recent sightings data to determine the usefulness of area-specific marks in addition to state-specific marks.

D. Recommendations for the Proposed Rule-Making

As NOAA engages in the writing of a proposed rule, ME DMR requests the agency consider two topics which were not fully discussed or voted on at the ALWTRT meeting. A question repeatedly raised at the ME DMR industry meetings was the continued use of Maine's exemption line. As outlined in the 2007 Final Rule to the ALWTRP, the exemption line is based on the low number of right whale sightings in this area. NOAA has consistently defended the exemption line in previous rule-makings, commenting "NMFS does not believe that regulating the waters that will be exempted from the ALWTRP would have a significant benefit to large whales."² Additionally, studies have shown there are low concentrations of calanus copepods shoreward of the 100 meter isobath, which do not support the aggregation of right whales.³ As a result, NOAA did not include exempted waters as a part of the critical habitat designation for right whales. Instead, NOAA used the exemption line from the ALWTRP as the nearshore boundary, stating "late stage copepods in quantities sufficient to trigger right whale foraging are not present inshore of the Maine exemption line"⁴. Given no vote at the April ALWTRT meeting was taken in regards to the exemption line, ME DMR requests NOAA consider the impacts to industry versus the conservation benefits of establishing regulations within

² Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations, 72 Fed. Reg. 57103 (October 5, 2007).

³ Runge 2012 Report "Summer distribution of the planktonic copepod, *Calanus finmarchicus*, along the coast of the Gulf of Maine"

⁴ Endangered and Threatened Species; Critical Habitat for Endangered North Atlantic Right Whale, 81 Fed. Reg. 4837 (January 27, 2016).

the exemption line. Taking extensive action in areas where right whales rarely, if ever, visit will not have a measurable impact on the right whale population.

In addition, ME DMR requests NOAA include a method for conservation equivalency within the proposed rule. As previously described, a key feature of the Maine lobster fishery is its diversity. This breadth of vessel size, fishing location, and crew precipitates the need for different management approaches within the State. Allowing for conservation equivalency in the rule-making provides an opportunity for fishermen to develop equivalent, or more conservative, regulations in their region to meet the requirements of the ALWTRP. This flexibility is needed to ensure not only the long-term success of the lobster fishery but also the protections provided to right whales.

E. Conclusions

ME DMR appreciates the opportunity to comment on the upcoming proposed rule regarding right whales and the Northeast trap/pot fishery. The Maine lobster fishery has been an active participant in the conservation of right whales for over twenty years. While ME DMR recognizes the scope of this comment period pertains to US entanglements in the trap/pot fishery, the Department highlights that this scope does not encompass the full set of impacts on the right whale population. Specifically, entanglement records indicate the full risk reduction outlined by NOAA should not be solely on the Northeast lobster fishery and the apportionment of risk to Canada should reflect the stark increase in right whale mortalities resulting from the snow crab fishery and Canadian vessel strikes. ME DMR underscores that placing further regulations on the Maine lobster fishery will not improve the status of the right whale population if mortalities are happening elsewhere.

We appreciate NOAA's consideration of these comments.

Sincerely,

A handwritten signature in black ink, appearing to read 'Pat Keliher', written in a cursive style.

Pat Keliher, Commissioner

Addendum 6 to MLA
Proposed Rule
Comments

Addendum 6 to MLA Proposed Rule Comments



PAUL R. LEPAGE
GOVERNOR

STATE OF MAINE
DEPARTMENT OF MARINE RESOURCES
21 STATE HOUSE STATION
AUGUSTA, MAINE
04333-0021

PATRICK C. KELIHER
COMMISSIONER

October 3, 2018

Dear Dr. Hare,

I am writing in response to the recently released NOAA Technical Memorandum NMFS-NE-247, *North Atlantic Right Whales—Evaluating Their Recovery Challenges in 2018* (“Technical Memo” or “Memo”). Regrettably, I have significant concerns about the scientific merit of this document, which I have documented below in detail.

As I am sure you’ll agree, any measures developed to protect right whales must be based on sound science in order to be effective. For this reason, it is imperative that the Technical Memo provide a comprehensive picture of the best available science to inform the critical decisions that the TRT is being asked to make. The title of the Memo implies a comprehensive look at all stressors across the right whale’s range. While many category I and category II fisheries from Maine to Florida are regulated under the Atlantic Large Whale Take Reduction Plan, the content of the Memo is almost exclusively limited to the lobster fishery in the Gulf of Maine. There is little context offered for how right whales are utilizing expanded habitats in Canadian and Mid-Atlantic waters, and how that changing range and interactions with other fisheries affects risk of entanglement. Absent this information, any discussion on new regulations will be based on an incomplete picture, and provide uncertain benefit to whales. It is my sincere hope that you will endeavor to update and correct this document expeditiously, as we anticipate its use to inform the work of the Atlantic Large Whale Take Reduction Team (ALWTRT) at its upcoming meeting in Providence.

Overall, the Memo is inconsistent in its application and interpretation of various data sets and publications. In some cases, conclusions directly contradict statements and information previously presented by NOAA. In several instances, the paper lacks citations or cites inappropriate sources (i.e. industry documents instead of raw data; unpublished articles) and appears to be stating conclusions or opinions without any supporting data (i.e. that the 2015 vertical line regulations are making entanglements worse). Our most substantive concerns are addressed below but please note that this list does not represent an exhaustive list of the issues we identified, which range from minor technical points to omissions of core data sources.

First and most significantly, the Memo suggests that the 2015 vertical line regulations increased the strength of rope and therefore the severity of entanglements by altering fishing practices and encouraging the use of larger diameter ropes as vertical lines. There are no current data sets or analyses used to support this theory. The paper instead cites Knowlton et al. 2016. While the Knowlton paper accurately characterizes the change in rope strength through manufacturing processes over time, the data

used encompass the years 1994-2010. This time period was largely before any of the substantial changes in gear due to regulations, such as the sinking groundline regulation in 2009 and the vertical line rule in 2015, and overlapped with a time period in which right whales actually saw population increases. There has been no recent assessment that states that fishermen have been using larger diameter rope in response to the vertical line regulations in 2015.

Additionally, to our knowledge, there is no published analysis of ropes taken from right whales that includes the time period since the vertical line regulations went into effect in 2015, nor any assessment of the efficacy of those regulations. The most recent publication that details current instances of entanglements that resulted in serious injuries or mortalities, NOAA's "Serious Injury and Mortality Determinations for Baleen Whale Stocks Along the Gulf of Mexico, United States East Coast, and Atlantic Canadian provinces, 2011—2015" (Ref Doc. 17-19) was published in 2017 and relies on data from 2011-2015 (prior to the implementation of the vertical line rule). Instead of using this most recent agency source, the Memo repeatedly cites Knowlton et al. 2012 to point out the increasing rate of entanglements and that 83% of the population has been entangled at least once. Knowlton et al. 2012 is a comprehensive 30-year retrospective of the right whale catalogue but does not provide an assessment of entanglements in the right whale population beyond 2009. While it is indisputable that entanglements are increasing, a more recent assessment would provide a more accurate picture of the current threats facing right whales, which are changing rapidly. In fact, due to the lack of data on this critical question, NOAA recently funded DMR's current research project to improve understanding of gear usage, hauling load and vertical line breaking strength. In sum, the Memo fails to take a comprehensive look at how entanglement rates and severity have changed since the implementation of the sinking groundline and vertical line regulations went into effect in 2009 and 2015, respectively, nor does it assess changes or trends in entangling gear during that time period. It is therefore an unreliable assessment of current regulations.

Second, the Memo cites increased Maine landings to indicate increased effort. Most importantly, landings are not a proxy for effort, and have never been used as an accepted metric for increased risk of entanglement. The Memo cites Maine state landings data to demonstrate increased effort offshore without describing where the data apply in terms of fishing areas. It uses these landings to assert that there is an increased overlap and therefore level of risk "offshore." The data provided by DMR staff represents landings generated from logbooks from 10% of randomly selected harvesters licensed by the state. Contrary to the assertion made in Figure 2c, Maine logbook reported landings have increased both inshore (which we define from 0-12 miles) and offshore (from 12 miles to the Area 1 boundary), but, when comparing the two areas, the inshore portion has increased at five times the rate of the offshore area. It appeared, from the webinar held at the time of publication, that NOAA interpreted "offshore" as being out to the Hague Line (based on the webinar presenter's interpretation of heat map slides, which are not included in the Memo). These heat maps interpolate VTR data for lobster. While Area 3 has 50-100% of Federal licenses reporting through VTRs (ASMFC TC Memo July 2015), most Area 1 Federal lobster permit holders are exempt from VTR requirements and those with permits required to report represent less than 10% of Maine Federal permit holders and 3% of the total license holders in Maine (ASMFC TC Memo January 2017). Maine has only a handful of Area 3 license holders (permitted by NOAA), and the majority of effort that we categorize as being beyond 12 miles would end at the Area 1/3 boundary, approximately 40 miles from the coastline. Area 3 VTR data could characterize "offshore" effort but was not used in the Memo. It is unclear why NOAA would choose to use state landings records for only one state that is dominated by inshore effort if seeking to accurately characterize offshore effort, as the majority of the truly "offshore" effort (in Area 3) is from permit holders in other states.

While the State of Maine recognizes that the size of our fishery is the reason for the focus on our impact to right whales, effective management measures will require a clear picture of changing population distribution and abundance in recent years. The Memo repeatedly points to an expanding range and increasing overlap with fisheries as sources of increased risk. It notes decreased observations of right whales in the Gulf of Maine and Bay of Fundy during the summer months and southeast coast in the winter, and increased presence in the Gulf of St. Lawrence in the summer and off the mid-Atlantic in the winter. Despite the changes in distribution, the only fishery considered for “increased” overlap is the Gulf of Maine lobster fishery, despite the parallel assertion that the Gulf of Maine is an area of decreased presence and the fact that NOAA’s own observation resources have been diverted to Canada because of this shift. There is also little assessment of the unregulated fisheries they encounter in the Bay of Fundy, on the Scotian Shelf and into the Gulf of St. Lawrence, or the devastating interactions that resulted when right whales overlapped with changes in the snow crab fishery in 2017.

Additionally, there is no discussion of the role of other US regions or fisheries despite the fact that the Memo states that right whales are increasingly using other areas, such as the mid-Atlantic. Furthermore, the Memo includes little discussion of the impact of other U.S. or Canadian fisheries on right whales. All vertical lines do not present the same level of risk; the location, the season, the type of gear, and whether it incorporates conservation regulations (e.g. the use of weak links and sinking line in surface systems) all factor into the level of risk posed by a given line. Additionally, lines that overlap with right whale feeding aggregations inherently pose more risk of entanglement. A shift in habitat use out of the Gulf of Maine and into Canadian waters does not double risk, but rather it shifts the spatial intensity of the risk that exists. The Memo does not cite evidence for the assertion that closures are regionally effective, nor does it cite any basis for Figure 4’s assertion that vertical lines have increased in the Northeast since 2011. In fact, this claim directly contradicts a presentation made by Mark Murray-Brown to the New England Fishery Management Council in December 2017, pointing to the reduction of 2740 miles of vertical line achieved through implementation of the 2015 regulations.

There are additional instances where a more comprehensive data set is available but inexplicably not used. For example, Figure 5 seems to be trying to show the relevance of the lobster fishery in entanglements, but most of the entanglements shown are from years prior to when the sinking groundline and vertical line rules were implemented. This Figure shows only those entanglements where the set locations are known, and it is unclear whether it shows all entanglements or only those resulting in serious injury or mortality. Notably absent from the Memo is any reference to the much more robust dataset curated by NMFS that documents entanglements to confirmed fisheries, which would provide a much more comprehensive look at the causes of entanglements across the right whale’s range. Use of this dataset would also allow a look at how entanglements have changed, either by the confirmed fishery to which the entanglements are attributed, or by characteristics of the rope (i.e. diameter) over time. Two of the entanglements in Maine shown on this map also fail to note that Maine lobster gear was the secondary cause of entanglement. The use of range-wide, recent fishery confirmed instances of entanglement would inform consideration of what measures would most effectively curtail the current entanglement problem. Focusing on only entanglements where the set location is known drastically limits an already small dataset and could result in the misalignment of new regulations with the current entanglement risk.

I strongly believe the Maine lobster industry takes the threats to right whales seriously and will work to identify a meaningful solution appropriate to the risk posed by their fishery under current biological and environmental conditions and considering past regulatory actions. However, conclusions

based on conjecture, without sound scientific basis, will alienate their critical participation in this process. The net result of the oversimplified picture painted by this Memo is likely to be regulations imposed on a fishery or in an area that will result in very little conservation benefit for the right whale but will come at a great cost to the fishermen in terms of money, time, and safety.

I look forward to working with you and your staff to improve the accuracy of the information which will inform the ALWTRT's work going forward. If you have any questions or would like to discuss this further, please contact Erin Summers, email: erin.l.summers@maine.gov; telephone: (207) 633-9556.

Sincerely,

A handwritten signature in black ink, appearing to read "Patrick C. Keliher". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Patrick C. Keliher
Commissioner

Cc: Mike Pentony, Regional Administrator, Greater Atlantic Regional Office
Mike Asaro, Protected Resource Division, Greater Atlantic Regional Office

Addendum 7 to MLA
Proposed Rule
Comments



M A I N E

Lobstermen's Association, Inc.

2 Storer St, Ste 203 * Kennebunk, ME 04043
207-967-4555 * 866-407-3770 * www.maine lobstermen.org

Michael Pentony
Regional Administrator
Greater Atlantic Regional Fisheries Office
National Marine Fisheries Service
55 Great Republic Drive
Gloucester, MA 01930

April 22, 2019

Dear Mr. Pentony:

I am writing to share the Maine Lobstermen's Association's perspective and concerns regarding the ongoing process to identify and implement conservation measures to protect right whales. The MLA has been involved with the Atlantic Large Whale Take Reduction Team (TRT) since its inception and remains committed to working with your agency through this process.

The MLA is deeply disturbed by the timing of NMFS's release of new information to guide discussions at this week's TRT meeting. Our last TRT meeting was six months ago. NMFS only announced the Take Reduction Target and presented a draft of the Decision Support Tool in recent days. Given NMFS' directive to begin rulemaking at the conclusion of the meeting, the MLA is extremely frustrated to receive such critical and complex information just days before. TRT members are unrealistically expected to reach consensus on management alternatives before the Team has had any input on the Take Reduction Target itself or had adequate time to evaluate and grasp the implications of the new information presented.

NMFS announced the Take Reduction Target of 60% to 80% on April 5 via email with no opportunity for discussion by any TRT member. The MLA communicated our concerns to NMFS staff during the past month about the approach used to set the Take Reduction Target, however staff has been unwilling to adjust the timetable or process in any way in order to preserve the goal of a collaborative, evidence-based stakeholder process that can achieve consensus on effective management alternatives.

Shared Responsibility between US and Canada

The MLA has also pointed out to NMFS staff a critical flaw in the current path the agency is following. The best available information about current risks to the right whale population indicate PBR will never be achieved with management measures implemented unilaterally by U.S. fisheries. The evidence indicates Canadian fisheries are playing an increasingly large role in right whale serious injury and mortality. NMFS has effectively ignored this evidence as it formulated the Take Reduction Target and, in the process, has made no apparent effort to allocate risk to Canadian fisheries in proportion to the significant role they are now playing.

In particular, the MLA has strong reservations about any methodology that attributes serious injury and mortality from unknown gear equally between the two countries as though, counterfactually, the risk from fishing practices in the two countries were equal. Using NMFS' most recent data, serious injury and mortality from 2014 to 2018 is 6.2, with 1.6 confirmed to Canada, 0.2 confirmed to U.S. gear. Furthermore, the majority of rope removed from whales in recent years is larger rope, not consistent with nearshore U.S. gear, which is the majority of gear fished in U.S. waters.

While Canada has done an admirable job recently implementing whale protection measures in the Gulf of St. Lawrence, there has been little discussion of the amount of directed effort in the snow crab fishery from year to year. This year the Gulf of St. Lawrence snow crab quota will increase by 32% compared to last year. Canada has also not implemented whale protection measures in fisheries outside of that region even though right whales continue to use habitats that overlap with many Canadian lobster and snow crab fisheries. Unless the risk from Canadian lobster and snow crab fisheries is accurately reflected in the proposals presented to the TRT, any resulting management measures in U.S. waters cannot credibly be relied on to achieve PBR for the endangered whale population.

The MLA also strongly disagrees that U.S. fisheries should be held accountable for the estimated unobserved serious injuries and mortalities, for which there are no data, under the Take Reduction Plan.

Decision Support Tool

NMFS presented its nascent Decision Support Tool, still under development, to the TRT on April 16, just one week before the meeting. The information was presented via webinar and allotted only 30 minutes for questions from team members. While the MLA supports development of this tool to assess management alternatives, we have serious reservations because the tool is still under development and has not yet been adequately vetted or peer reviewed. Based on the tool's preliminary results produced during the webinar, the MLA is concerned that it will generate unrealistic management alternatives during the TRT meeting, thus undermining the ability of TRT members to reach consensus on critical management issues.

It is our sincere hope that, when completed, the management advice produced by the Decision Support Tool will assist the TRT to identify approaches that will translate into real protections for right whales. As with any modeling effort, it is important that the model utilize the best available information on whales, fishing effort and risk of fishing gear so that its output reflects our general understanding of how these elements interact. Based on the MLA's first look at the tool last week, it did not achieve this.

In order for the TRT process to be successful, stakeholders must have confidence in the analytical tool if we are to make decisions based on its assessment of alternatives. The MLA has numerous concerns regarding the assumptions and data streams used in the tool. We believe other TRT members are likely to have similar reservations about the quality of inputs to the tool. While we are confident that these concerns can be addressed, it is important that they be resolved before the tool is employed in the TRT process. As has often been the case in the past, management advice based on a model's output could change significantly as the model is further refined.

The model uses three inputs: whale density, gear density and severity to determine risk. The model assumes equal weight for these inputs in producing a risk score. The MLA is concerned that equal weighting of these inputs does not produce an output that reflects our current knowledge of whales and the risks posed by fishing gear.

Based on the initial demonstration of the tool, the equal weighting of these inputs will always produce the same outcome: areas with the most gear pose the highest risk. Since the scale of gear density is exponentially higher than whale density, the gear signal swamps the other indicators. In some cases, this is likely an accurate reflection of risk. But in other cases, the tool may predict a higher risk for densely fished areas with little history of whale sightings compared to areas with fishing gear set around feeding aggregations of right whales, or to areas fished with larger, heavy gear often linked to serious injury and mortality.


We request that NMFS and the TRT explore options to add a weighting to the whale inputs based on habitat use, life history, and recent whale distribution shifts. Further, the whale data must be expanded beyond standardized tracks in order to adequately reflect the recent shift of right whales out of the Gulf of Maine and into new habitats, as noted in the published literature. The MLA also requests that NMFS and the TRT explore options to refine the rankings in the severity tool to incorporate data on known serious injury and mortality as it relates to gear type. These issues require further discussion and problem-solving cooperatively in order to realistically address the level of risk associated with whale behavior and recent changes in distribution. The MLA is ready to share ideas on how to improve the model with relevant NMFS staff.

Whale conservation cannot happen without input and cooperation from fishermen. Fishermen must understand the justification for each management measure and how implementation will benefit whale conservation goals. With a common understanding, fishermen can be trusted to adopt the new management plan and maintain their historically high compliance levels. Achieving high compliance is unrealistic if proposed measures have uncertain efficacy and cannot credibly be relied on to reduce risk for whales.

The MLA remains committed to the TRT process and to identifying conservation measures to improve protections for right whales. It is crucially important that those who will be affected by the results of the TRT process are in full support of the methodology and tools used in that process. Before the agency initiates rulemaking, it is imperative that the Decision Support Tool receive thorough consideration by the TRT and undergo a peer review before any management decisions are made. We urge NMFS to schedule a follow-up TRT meeting once the model is refined and a peer review of the tool completed. In the meantime, the MLA will continue to offer constructive feedback and engage our fishermen on the progress of the TRT.

Thank you for your consideration.

Best regards,



Patrice McCarron
Executive Director

cc. Jon Hare, Northeast Fisheries Science Center
Patrick Keliher, Maine Dept of Marine Resources
Senator Susan Collins
Senator Angus King
Representative Chellie Pingree
Representative Jared Golden

Re: Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; etc.

Submitted electronically via the Federal eRulemaking portal

March 1, 2021

We submit the following comments addressing both the Draft Environmental Impact Statement: ALWTRP Risk Reduction Rule (DEIS) and the Proposed Rule to Amend the Atlantic Large Whale Take Reduction Plan to Reduce Risk of Serious Injury and Mortality to North Atlantic Right Whales Caused by Entanglement in Northeast Crab and Lobster Trap/Pot Fisheries (NOAA-NMFS-2020-0031) (PR) on behalf of Whale and Dolphin Conservation. Our comments largely focus on the impact of the DEIS and proposed rule on the recovery of critically endangered North Atlantic right whales. Understanding that the National Marine Fisheries Service (NMFS) is aware of the contributing anthropogenic risks leading to the population decline of the species, we have not provided additional background on these issues in our comments. Instead, we address specific aspects of the DEIS and PR.

Risk Reduction Goals Must Be Increased:

First, it is unclear why NMFS's interim and long-term goals appear to only address Potential Biological Removal (PBR) as a threshold for recovery. According to the Marine Mammal Protection Act (MMPA), the actual threshold NMFS should be aiming to achieve is a Zero Rate Mortality Goal (ZMRG), or 10% of PBR. In its recent draft Biological Opinion of 10 Fisheries (BiOp), NMFS stated that "it is inconceivable that the species has ever been below PBR" and yet the Agency has proposed a rule which fails to meet PBR and completely disregards ZMRG.

The Agency provided the 60-80% risk reduction goal to the Atlantic Large Whale Take Reduction Team (TRT) nearly two years ago based on 2016 population estimates and a PBR of 0.9.¹ At that time, NMFS indicated that, if cryptic mortalities were included in its analysis, the average annual rate of serious injuries and mortalities (SI/M) for North Atlantic right whales from entanglement in U.S. fisheries alone was 4.3, and "would have to be reduced by about 80% in U.S. fisheries to get below the stock's PBR of 0.9"²

However, NMFS has subsequently revised both the population abundance and average annual rate of serious injuries and mortalities for right whales resulting from incidental entanglements in U.S. fishing gear: in the draft BiOp, NMFS stated: "Using the methods in Pace et al. (2017), this year's preliminary estimate is 366 (95% credible interval range of 353-377) individuals as of

¹https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/trt/meetings/April%202019/06_take_reduction_target_r_april52019.html.

² *ibid.*

January 2019.”³ Using 366 as the Nmin, PBR is now 0.7.⁴ Table 57 of the BiOp estimates the annual average SI/M of right whales from U.S. fishery entanglements as 6.724⁵. Using NMFS’ methodology and updated data, the risk reduction target required to reduce SI/M in US fisheries is closer to 90%.

Risk Reduction Necessary to Reduce SI/M using data provided by NMFS	Population Est	PBR	SI/M (observed and cryptic)*	% risk reduction necessary
Proposed Rule (PR) 2016 pop estimate	445	0.9	2.2	60
2016 estimate including cryptic mortality	445	0.9	4.3*	80
Updated data including cryptic mortality	366	0.7	6.724*	90

Neither the risk reduction targets in the preferred or non-preferred alternatives come close to what is necessary to reduce SI/M to below PBR.

In our view, a target aimed at reducing risk is not equivalent to a reduction in fishing effort, and there are ways in which the target could be achieved while minimizing further impacts on the industry. The proposed rule must be revised to reduce takes below PBR within five years, and ultimately achieve ZMRG. Ignoring these new data will not adequately protect right whales, and places an undue burden on the industry which will be told, once again, that despite implementing costly modifications, they were not enough.

All measures counted toward risk reduction must be codified under the TRP:

During the 2018 meeting of the TRT, to which we are appointed, the TRT agreed to a near-consensus proposal to achieve at least a 60% risk reduction in each Northeast Lobster Management Area, allowing states to collaborate with industry members to “refine the implementation approach.”⁶ WDC supported this proposal.

At no time during that meeting did NMFS indicate to the TRT that it intended to only consider measures for

³ <https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DraftFisheriesBiOp011421.pdf>

⁴ $PBR = Nmin \times 0.5(Rmax) \times Fr$. In this case, $0.7 = 366 \times 0.2 \times 0.1$

⁵ <https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DraftFisheriesBiOp011421.pdf>

⁶ [https://media.fisheries.noaa.gov/dam-migration/final--atlantic_large_whale_take_reduction_team_meeting_april23-26_kom_\(508\).pdf](https://media.fisheries.noaa.gov/dam-migration/final--atlantic_large_whale_take_reduction_team_meeting_april23-26_kom_(508).pdf)



federally permitted fisheries in its proposed rule making. We were under the assumption that NMFS would adopt measures developed by the northeast states with their industry members in its Take Reduction Plan (TRP). Yet, according to the PR, a number of measures including, but not limited to, closed areas and gear marking, are mandated only by state regulatory processes and not incorporated into the PR. The Agency has no means to ensure that these measures will be implemented. For example, Table 1.1 of the DEIS includes a measure from the state of Massachusetts to require no single pots on vessels more than 29' in length after January 1, 2020. Not only is this timeline clearly outdated, but the state did not implement this measure in its final rulemaking.⁷

Similarly, NMFS is problematically relying on lobster fishery management by the Atlantic States Marine Fisheries Commission (ASMFC) to reduce risk to right whales. According to the Agency, “ongoing and imminent (RIN 0648-BF01) Lobster Plan fishery management modifications that result in line reductions relative to the 2017 baseline would provide risk reduction in the lobster fishery that would be counted towards the 60 percent goal.”⁸ While these reductions may legitimately reduce risk if implemented, they remain in a proposed rule stage after two years, with no definitive date as to when, or if, they will be enacted.⁹ Any measures which are not codified under the TRP cannot be guaranteed to be implemented and should not be counted toward the 60% as risk reduction target.

In addition, we take issue with this statement in the DEIS: “Inclusion of risk reduction as a result of fishery management actions towards the risk reduction target was supported by the Team in their April 2019 recommendation.” This was not met with widespread Team support as indicated in the meeting summary which states “Effort reduction through trap allocation reductions was also discussed with **mixed support**.”¹⁰

The MMPA is clear that federal protections afforded to marine mammals do not solely apply to federal waters. Unless measures are implemented under the TRP, NMFS has no ability to require their application, enforcement, or permanence. We appreciate that the TRT serves only as an advisory body to NMFS and that the Agency has sole discretion and responsibility to implement the TRP. However, we would not have supported the measures proposed at the 2018 TRT meeting had we known that NMFS intended to restrict its authority to only measures in federal waters under the TRP. This is not in the best interest of right whales and violates the intent of the MMPA.

⁷ <https://www.mass.gov/doc/12921-marine-fisheries-advisory-commission-meets-and-approves-new-regulations/download>.

⁸ https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DEIS_RIR_ALWTRP_RiskReductionRule_Volume1.pdf

⁹ <https://www.reginfo.gov/public/do/eAgendaViewRule?pubId=202010&RIN=0648-BF01>.

¹⁰ <https://www.fisheries.noaa.gov/webdam/download/97751765>.

Trawling Up Measures:

We acknowledge comments from the industry regarding the difficulty that trawling up can pose to smaller vessels, as well as the risks associated with heavier trawls. Heavy trawls also pose risk to whales who may be unable to swim away with gear and, instead, become anchored and drown. As a result, we believe that NMFS should choose its non-preferred alternative option capping engines at 50% of the average monthly lines fished in federal waters in 2017. A requirement to fish with only one endline could immediately achieve this reduction, without impacting smaller vessels or posing additional risk to fishermen or whales. Agreements about the direction of gear sets should be developed by industry members fishing in specific regions to avoid lay overs or conflicts with mobile gear fleets.

With regard to state waters, we ask for clarification on the Maine 3-6nm proposals of a minimum of 8 traps per trawl. It appears that the Maine proposal would allow 2 endlines for 8 traps, or 1 endline for four traps. However, the current TRP requires trawls of five traps or fewer to have only one endline. Is this proposal intended to modify the current TRP requirements?

As stated previously, the Massachusetts restriction banning single traps on vessels longer than 29' was not included in the MA DMF final rule. We are therefore unclear as to how the percent reduction attributed to this measure has been reallocated.

We are also unclear as to what trawl requirements are intended for the LMA2/3 overlap. According to the preferred alternative, a minimum of 25 traps/trawl would be required in LMA2, but 45 traps/trawl are required for LMA3. What would be the minimum number required for the overlap area, and how was this calculated in the risk reduction percentage attributed to LMA3? As stated previously, we believe this is better resolved by requiring only one endline per trawl.

We ask NMFS to place a cap on all vertical lines in permitted US fisheries. All permits considered for fisheries using vertical line, including aquaculture, must be considered in this cap. Placing the sole burden of vertical line reduction on the lobster and Jonah crab fishery does not achieve adequate risk reduction if risk is increased by permitting other fisheries. In fact, based on the data provided in the DEIS, gillnets appear to pose a disproportionately high risk of entanglement to right whales. Table 2.2 in the DEIS shows that gillnet/netting represents 47% of known fishery entanglements to right whales, yet gillnets represent only 1.9% of vertical lines in non-exempt waters (Table 2.3 of the DEIS).¹¹ NMFS must reduce entanglement risk to right whales by evaluating vertical line risk as a whole, not which fishery that line represents.

¹¹ https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DEIS_RIR_ALWTRP_RiskReductionRule_Volume1.pdf

Lastly, as stated in our 2018 proposal to the TRT, it is our understanding that federal permit holders who hold only a lobster permit are not required to submit Vessel Trip Reports (VTR) and, therefore, data on the distribution and density of vertical lines, especially in offshore areas, are inadequate. According to the presentation provided to the ALWTRT on 9/18/2018, there appeared to be an *increase* in vertical lines in the Northeast region since the 2013 vertical line reduction rule was implemented. Even considering the possibility of a statistical error, there was no significant decrease detected from the implementation of the rule. Additionally, the Statistical Reporting Areas (SRAs) are currently too large to determine risk based on the very limited reporting. We recommend NMFS require vessels engaged in all fixed-gear fisheries that use vertical line be required to use VMS and/or AIS as well as submit VTRs. The vessel-specific data do not need to be made available to the public, but can provide NMFS the ability to evaluate distribution and density of lines from fisheries that pose risk to whales and assist NMFS in monitoring compliance with the TRP.

Seasonally Restricting Buoy Lines:

LMA1 Restricted Area Oct-Feb: First, it is odd that the Agency is specifically seeking comments to *remove* a restricted area from the PR: “commenters that believe these additional restricted areas are not warranted to achieve PBR should provide specific information or analysis in support of recommended removal of restricted areas from the proposed rule.”¹² Any proposal to close an area to fishing should be based on science and demonstrate a tangible risk reduction for right whales. It is therefore unclear how a proposed closure would no longer be warranted simply based on public input. Furthermore, neither the PR nor the DEIS provide any insight into what conservation equivalencies would be established as an alternative to this closure.

Based on data available in the public domain, we support this proposed closure. Acoustical data indicate that this area is used by right whales, especially in December and January (Figure 1).

¹² https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DEIS_RIR_ALWTRP_RiskReductionRule_Volume1.pdf




Figure 1. Approximation of LMA1 proposed closure overlaid with data from <https://whalemap.ocean.dal.ca/WhaleMap/> 2/11/2016-2/25/2021

LMA3 Restricted Area May-Aug: Again, based on data available in the public domain, we agree that this area *does* warrant protection during the times proposed *at a minimum*. Even archival telemetry data appears to show that this may be a transit corridor for right whales moving between the Gulf of St. Lawrence and the Gulf of Maine (Figures 2). However, we note that gear displacement can increase risk if moved to an area where whales occur but, in the absence of survey effort, risk appears lower. Given the potential for the northern edge of George's Bank to be regularly used as a route between the Gulf of St. Lawrence and the Gulf of Maine, we suggest that fishing with one endline be required from April-November along the entire northern edge of George's Bank may be a more risk averse alternative to the seasonal closure. NMFS should analyze the difference in risk reduction between this 50% reduction in vertical line and the proposed closure with potential gear displacement.




Figure 2 Telemetry track of "Churchill" from 2001 http://www.gulfofmaine.org/times/fall2001/right_whales.html and Sighting data from 5/01/2016 -8/31/2020 <https://whalemap.ocean.dal.ca/WhaleMap/>

A: Large South Island Restricted Area: We do not support the preferred alternative of a seasonal restriction which only includes the MA South Island boundaries from February through April. Both the detection data and previously established seasonal management measures support the Large South Island Restricted Area as the most protective to right whales (Figure 3).

NMFS has confirmed that the area south of the islands is a year-round habitat for the species.¹³ The preferred alternative measure does not protect whales west of the restricted area, for which a Seasonal Management Area (SMA) was established (red box) from November 1-April 30 (Figure 3) to reduce risk from ship strikes. The . The determination of this SMA itself indicates the importance of this area for right whales and warrants its inclusion in restrictions to reduce entanglements.

We ask NMFS to modify the timeframes of this restriction to begin in November, not only to be consistent with protections from vessel strikes, but also to protect what is likely a mating ground. Surface Active Groups have been documented in this region¹⁴ and, given the gestation period of right whales, this behavior is more likely to result in pregnancy during the winter months. Furthermore, sightings data from the New England Aquarium indicate that at least some calving females do not migrate to the Gulf of St. Lawrence but do use the waters south of the islands. Sightings of this subset of females have been documented in this region between December and May (*P. Hamilton, pers comm*)¹⁵.

Given that this area is of year-round use to the species, we further request that NMFS require only one endline between May and October to further reduce risk, as the heavier gear used in the offshore fishery is known to pose a more significant risk of SI/M to right whales.¹⁶

Given the likelihood that this area is a winter mating ground as well as preferred habitat for at least some calving females, it is essential that it be afforded significant protection from both vessel strikes and entanglements. As such, we strongly urge NMFS to modify the entire Large South Island Restricted Area as an SMA to simultaneously reduce vessel strike risks.

¹³ <https://repository.library.noaa.gov/view/noaa/25910>

¹⁴ <https://www.int-res.com/articles/esr2017/34/n034p045.pdf>

¹⁵ Phillip Hamilton, Research Scientist, Anderson Cabot Center for Ocean Life, New England Aquarium, phamilton@neaq.org

¹⁶ <https://conbio.onlinelibrary.wiley.com/doi/full/10.1111/cobi.12590>




Figure 3 Right whale detections sourced from <https://whalemap.ocean.dal.ca/WhaleMap>

We were not able to discern how NMFS evaluated risk from gear displacement as a result of seasonally restricted areas. NMFS has implied this PR would result in benefits to right whales and other large whale species yet the measures are clearly aimed at reducing risk to right whales only. While it is likely that some portion of gear would be moved from a seasonal restricted area, we could not find a risk analysis to determine what potential increase in risk may result from gear displacement to other large whales. We believe that NMFS must consider these potential risks before assuming broad scale benefits to other species purportedly covered by the rule.

On-Demand Gear in Restricted Areas:

We commend NMFS for its encouragement of the development of on-demand gear by enabling its use in restricted areas. However, we do not agree with NMFS' assertion that the use of on-demand gear in the restricted areas should be evaluated as "neutral" risk. There are no data to substantiate that sinking groundline poses no risk to large whale species in general, or right whales specifically. We appreciate that NMFS has indicated they made this

statement based on an assumption that only a limited number of fishermen would trial on-demand gear in the restricted areas. However, we remind NMFS that as the technology advances, the use of this gear will increase. We support its use and believe it will substantially reduce risk, but it does not entirely remove risk and NMFS should not make statements that imply it can evaluate the use of on-demand gear as neutral in all cases. We ask NMFS to qualify its statement regarding “neutral risk” for any fishery using lines that can result in an accidental entanglement.

Reduced Breaking Line Strength:

We do not disagree that lines with higher breaking strengths pose more risk of SI/M to whales, but that does not mean lower breaking strength lines pose less risk to right whales. We have significant concerns about the Agency’s reliance on reduced breaking strength rope as the primary mitigation measure in the PR. The risk reduction from using weak rope is based on a single study, which itself concludes that risk is not reduced for right whale calves – an age class essential for recovery of the population – or reduce risk to other large whale species, for which the Agency has implied will benefit from this rule.¹⁷ In fact, the Agency states in the DEIS that “Knowlton et al. (2016) reported that age plays a role in a right whale’s ability to break free of rope and that adults may be better able to break free from ropes of lower breaking strength than ropes of greater breaking strength so these measures may benefit adults more than calves or juveniles”¹⁸ (*emphasis added*). Calves and juveniles are the future of the species, so it would seem their protection and survival is essential for species recovery. Weak rope itself also does not prevent entanglements, which may still cause stress and sub-lethal impacts to entangled whales. NMFS itself concluded in the DEIS that “continuous sublethal stress of entanglement could be impacting population health and contributing to increased reproductive intervals.”¹⁹

Of further concern is NMFS’ intention to implement this measure through the use of breakaway links in vertical lines. During the February 25, 2021 ALWTRT public hearing, a member of the Center for Coastal Studies disentanglement team and co-author of the single study on reduced breaking strength rope expressed his concerns about lines breaking and making it more difficult for disentanglement teams to free entangled whales.²⁰ NMFS clearly relies on disentanglement as a tool for reducing SI/M of right whales and notes that, between 2010 and 2018, seven right whales would have been added to the SI/M list had they not been disentangled.²¹ Without intervention, those whales alone would have exceeded PBR for the species. Implementing measures which may result in the loss of these whales by making

¹⁷ <https://conbio.onlinelibrary.wiley.com/doi/full/10.1111/cobi.12590>

¹⁸ https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DEIS_RIR_ALWTRP_RiskReductionRule_Volume1.pdf

¹⁹ *Ibid.*

²⁰ <https://www.greateratlantic.fisheries.noaa.gov/public/nema/SFD/ALWTRTDEIS-Proposed%20RuleComment%20Opportunity.mp4>

²¹ https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DEIS_RIR_ALWTRP_RiskReductionRule_Volume1.pdf

disentanglement efforts more provides no benefit to the species or to the fishing industry, who will be once again asked to significantly modify gear at their expense because measures they were mandated to enact by the Agency did not work.

We have similar concerns with the proposed movement of the weak link/line requirement at the buoy. This appears to be an experiment that is being codified into the PR before it is tested for effectiveness. In responding to comments, we ask the Agency to provide all scientific information that this proposed measure is based on.

Removing line reduces risk, reducing its breaking strength and changing weak links based on untested theories trades one risk for another. Neither right whales nor the fishing industry should be subjected to swapping risks.

Gear Marking:

We have provided multiple comments over many years regarding our concerns about the woefully inadequate gear marking requirements for fixed-gear fisheries in the U.S.. Not only has the lack of gear marking hindered targeted management measures to reduce risk to endangered right whales, it is arguably the biggest source of frustration for the industry, which feels it is being asked to modify gear without any evidence of the risk posed by U.S. fisheries. Gear marking is not mitigation, and it is not intended to place blame: it is a tool that can help identify areas of risk to right whales and reduce impacts on fisheries that are not likely to pose risk. As such, we once again, strongly urge NMFS to require gear marking that is specific both to individual fisheries and to the region in which they are fished, as proposed in the non-preferred alternative, and to include groundline in the requirements. As gear marking is being implemented solely for the conservation benefit of protected species, it should not be managed by state regulations, but must be a requirement of the TRP.

Economic Impact and Benefits of Species Recovery:

We understand and appreciate that NMFS must evaluate potential economic impacts on fisheries as a result of the PR. However, the Agency does not appear to correct these estimates based on the actual impact, or lack thereof. For instance, in the 2013 DEIS for the previous vertical line proposed rule, NMFS estimated that the Massachusetts Restricted Area would cost between \$560,000 and \$830,000 per year.²² However, subsequent data presented in Myers and Moore (2019) found that “Massachusetts state landings value reached record highs for all three years for which

²² https://archive.fisheries.noaa.gov/garfo/protected/whaletrp/eis2013/voli/chapter-8_summary-feis_2014_v_1.pdf

data are available since the closure was implemented (2015, 2016, and 2017).”²³ They concluded that the “loss in landings during the high-price closure period has therefore been more than compensated for by growth in total landings.”²⁴

We urge NMFS to standardize a review of its economic analysis based on the actual impact of previous rules, and provide these data to the ALWTRT for review. We are concerned that the Agency’s broad assumptions may unnecessarily alarm industry members and their families, who view potential economic hardships that may not be born out to the extent presented.

We also believe that NMFS does a disservice to its economic review by discounting the potential benefit of reducing the need for disentanglement efforts. As stated previously, NMFS acknowledges disentanglement as a tool of the TRP and recognized that seven right whale entanglements *did not result* in SI/M as a result of disentanglement intervention. However, the economic value of disentanglement is not considered. It is likely that, in the absence of disentanglement, additional costly measures would have previously been required of the industry. As such, disentanglement should be viewed as an economic offset in the proposed rule. We ask NMFS to evaluate the annual average costs of retaining each disentanglement team, including its equipment, insurance requirements, and staff, and factor in this offset against the economic impact to the industry. Any additional costs per effort should also be included. As the teams must be available 365 days/year, we believe the cost for retention and response should be combined as the total value. It is important to note that the majority of these costs are currently the responsibility of the permitted NGOs, not the Agency nor the industry, which benefits from their actions. As such, we feel these costs are significant and should be considered as an offset to the economic impact of the PR.

The benefits of species recovery are also inadequately addressed. The DEIS addresses the “non-consumptive use benefits” of whale watching and the “non-use benefits” society may place on whales. However, the Agency entirely dismisses the ecological benefit of whale recovery. Whales play a role in helping to create a healthy ocean ecosystem, on which we rely to breathe, to eat, and to fight climate change. Emerging research underscores the critical role North Atlantic right whales play in the ecosystem by providing key nutrients for phytoplankton, which in turn produce most of the world’s oxygen and are the base on which fish stocks depend.²⁵ Data supporting the direct link between healthy whale populations and the fight against climate change continue to grow. Researchers have found the role of whales so

²³

https://darchive.mblwhoilibrary.org/bitstream/handle/1912/24899/Myers_Moore_pre_print.pdf?sequence=4&isAllowed=y

²⁴ *Ibid.*

²⁵ <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0156553>

significant they concluded that the “full recovery from one serious anthropogenic impact on marine ecosystems, namely the dramatic depletion of whale populations, can help to counter the impacts of another now underway—the decline in nutrients for phytoplankton growth caused by ocean warming.”²⁶ The pivotal contribution made by marine mammals to health of our shared planet should be a standard consideration for NMFS in all of its consultations and rulemaking for marine mammals.

Monitoring and Enforcement:

We were dismayed to find that the PR does not include a monitoring and enforcement plan. According to the Purpose and Need for Action, monitoring and compliance with regulatory actions is required, yet the DEIS states that “monitoring and enforcement will be developed in collaboration with the TRT and enforcement partners.”²⁷ The substantial delay in the release of the PR and the lack of any proposed monitoring and enforcement plan only further delays protections to right whales.

Implementation Date:

During the February 16, 2021 public hearing regarding the PR, NMFS indicated that the final rule was not likely to be published until sometime during the summer of 2021. The publication of the rule, however, is not the same as implementation of the rule. For example, the most protective measures in the amended TRP issued in 2014 did not go into effect for a full year.²⁸ A similar delay in implementation date for this PR would not only delay mitigation measures, but also delay the timeline of the conservation framework the draft BiOp is relying on. All subsequent delays come at the expense of right whales and the fishing industry, which is likely to be subjected to further restrictions as the species continues to decline due to NMFS’s inaction.

Other Large Whale Species:

We do not believe it is accurate for the DEIS to state that “most” of the Plan’s measures were designed to reduce risk to right whales when, in fact, all of the measures were designed with that intent. Any benefits to humpbacks, finbacks, or minke will be incidental at best and, in some cases, this rule may result in negative impacts to these species if gear is displaced from areas of high use by right whales into areas of high use by other species.

²⁶ <https://journals.plos.org/plosone/article/authors?id=10.1371/journal.pone.0013255>

²⁷ https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DEIS_RIR_ALWTRP_RiskReductionRule_Volume1

²⁸ <https://www.federalregister.gov/documents/2014/06/27/2014-14936/taking-of-marine-mammals-incident-to-commercial-fishing-operations-atlantic-large-whale-take>

It is unclear why Sei whales were not mentioned in the DEIS. Sei whales overlap often with right whales as they prey on similar species. Additionally, there is evidence that this species is also subject to entanglements (9/16/2006 Jeffrey's Ledge; 4/9/2008 GSC; 5/11/2016 Jeffrey's Ledge; 4/26/2019 George's Basin; and SI noted on 5/11/207 off NC). While SI/M for this species does not currently exceed PBR, we believe they deserve mention and consideration given they are likely feeding in proximity to right whales and risk is probably higher than what is reported.

Right Whale Triggers:

We ask NMFS to clarify its proposed trigger of three right whales in the Massachusetts Bay Restricted Area. Are three right whales inclusive of a cow/calf? We suggest that NMFS modify this trigger to include three individual right whales and/or the sighting of a cow/calf pair. The need to protect calving females and their progeny is paramount to the future of this species, and any sighting of a mother and calf should be a trigger for action.

Messaging:

We attended all listening sessions and public hearings offered by NMFS regarding the proposed rule and DEIS. Common themes were apparent: members of the general public had misunderstandings about why rulemaking was underway, the data used, and the efficacy of on-demand gear. We appreciate that these hearings were a place for NMFS to receive information and not respond to it, but we strongly urge NMFS to immediately and publicly respond accurately to the misinformation that is circulating and that the Agency helped perpetuate.

1. Rulemaking is not the result of NGO litigation. NMFS has a statutory obligation to redo the BiOp and modify the TRP based on the best available science. NGO litigation resulted from delays in NMFS actions to move forward, it did not cause the actions to be required. NMFS must clarify that it is operating based on its obligations, independent of any and all litigation or lobbying associated with these actions.
2. The data on population estimates for right whales are peer-reviewed, including by members of the Atlantic Scientific Review Group, which includes a scientist representing the Maine Department of Natural Resources.
3. On-demand gear is in progress. We do not agree with many of comments made by the industry or conservation community indicating that on-demand gear will never work or is not commercially viable at this time. Significant progress has been made over the past two years with the input of fishermen. NMFS should provide updates on its progress

to all interested parties and prioritize the resolution of gear conflicts through geolocation as part of the TRP.

Conclusion:

The PR and accompanying DEIS do not consider an adequate range of alternatives, did not use the best available information on population abundance and PBR, and therefore do not achieve the risk reduction targets needed to protect right whales. As such, it also does not achieve significant risk reduction for the other large whale species it purports to protect. Implementing an insufficient rule is harmful both to right whales and to the fishermen impacted by these measures, who will inevitably be subject to additional changes and regulations as right whales continue to be accidentally entangled in their gear. We ask NMFS to immediately implement emergency measures while this PR is amended to provide sufficient protection and risk reduction to North Atlantic right whales and ensure long-term certainty for the fishing industry.

As longstanding members of the ALWTRT, we thank you for the opportunity to comment on these important documents.

Sincerely,



Regina Asmutis-Silva
Executive Director
ALWTRT Conservation Member



Colleen Weiler
Jessica Rekos Fellow
ALWTRT Conservation Alternate

• Center for Biological Diversity • Conservation Law Foundation •
• Defenders of Wildlife • Humane Society of the United States •
• Humane Society Legislative Fund •

Colleen Coogan
National Marine Fisheries Service
Northeast Regional Office
55 Great Republic Drive
Gloucester, MA 01930

March 1, 2021

via regulations.gov

Re: Proposed Rule to Amend Atlantic Large Whale Take Reduction Plan Regulations, 85 Fed. Reg. 86,878 (Dec. 31, 2020), and Draft Environmental Impact Statement NOAA-NMFS-2020-0031

Dear Ms. Coogan,

On behalf of the Center for Biological Diversity, Conservation Law Foundation, Defenders of Wildlife, the Humane Society of the United States, Humane Society Legislative Fund, and our millions of members and supporters, we submit these comments to the National Marine Fisheries Service (NMFS) on its proposed rule to amend the regulations implementing the Atlantic Large Whale Take Reduction Plan (Plan or ALWTRP) and associated Draft Environmental Impact Statement (DEIS).

As conservation members and alternates on the Atlantic Large Whale Take Reduction Team (Team), we have forcefully advocated for NMFS to fulfill its obligations under the Marine Mammal Protection Act¹ (MMPA) and Endangered Species Act² (ESA) to protect large whales covered by the Plan, especially the critically imperiled North Atlantic right whale. The history of the Plan is the history of NMFS's failure to meet these statutory mandates. The species—and the fisheries—now face the consequences of twenty-five years of agency denial and delay.

Since NMFS first promulgated the Plan in 1997, it has never complied with its MMPA obligation to bring mortalities and serious injuries (M/SI) in Category I and II fisheries to at or below the right whale's potential biological removal (PBR), to say nothing of the zero mortality rate goal (ZMRG). NMFS has been equally cavalier with its ESA obligations, tacitly allowing unlawful right whale take in both state and federal fisheries without consequences. On NMFS's watch, right whales don't die of old age.

Yet time and again NMFS has dragged its feet in amending and implementing the Plan. It has refused to finalize proposed regulations until compelled to do so by litigation. It has failed to

¹ 16 U.S.C. §§ 1361–1389.

² *Id.* §§ 1531–1544.

implement proactive, protective measures the right whale's status demands and the law requires. It has acceded to certain industry demands to carve out exemptions and rollbacks from Plan requirements and caved in the face of resistance to basic measures like gear marking.

Now, nearly twenty-five years after the original Plan, the right whale—and the agency—are at a crossroads. In the decade since 2011, the right whale has lost nearly all the hard-won population gains it made the decade previously. From a peak of 483 individuals in 2011, the population has plummeted to 356 animals—only around 56 more than when the Plan was first finalized in 1997. Lethal and sublethal entanglements are killing off right whales and depressing their reproduction. Cryptic mortalities are nearly 2.5 times observed mortalities. Two-thirds of cryptic mortalities are entanglement-related. Mortalities are outpacing births by a significant and growing margin.

In short, the species is on a death march to oblivion that can only be reversed with decisive, large-scale, sweeping federal actions to address the existential threats of fishing gear entanglements and vessel strikes in U.S. and Canadian waters. If there was ever a time for NMFS to answer Congress' clarion calls in the ESA and MMPA to save the right whale from extinction at human hands, that time is now.³

But while this crisis necessitates immediate and substantial reductions in entanglements, NMFS has proposed a rule that will accomplish neither. NMFS does not even pretend that this rulemaking will satisfy the MMPA's immediate requirement to bring M/SI below PBR, explicitly putting off that goal for a full decade longer under its Conservation Framework. The proposed measures are highly unlikely to meet even the inadequate 60% risk reduction target NMFS set based on now-outdated data, let alone the much higher risk reduction target that new data on population estimates, PBR, and cryptic mortality necessitate. The DEIS does not satisfy the National Environmental Policy Act's (NEPA) requirements for analyzing a full range of reasonable alternatives that meet the purpose and need of this rulemaking. And as described at length in our recent comments on the draft Biological Opinion (BiOp), NMFS cannot finalize that document as drafted without violating the ESA.

In short, NMFS cannot conclude this rulemaking within the parameters and proposals it has proffered for public comment without violating the MMPA, NEPA, and the ESA. If it proceeds as planned NMFS will inevitably face litigation while subjecting industry to costly, disruptive, and ultimately insufficient regulatory measures and wasting more months and years that the critically endangered right whale does not have to spare.

The only reasonable course of action is for NMFS to withdraw the proposed rule and take it (along with the DEIS and draft BiOp) back to the drawing board to bring them into compliance with the law. In the interim, NMFS must act on our December 2, 2020 petition for emergency rulemaking under MMPA section 118(g) by: (1) finding that the incidental mortality and serious injury of right whales from commercial fisheries is having an immediate and significant impact on the species; and (2) prescribing emergency regulations, including temporary closures, to protect right whales in the interim while developing, approving, and implementing Plan amendments that will satisfy NMFS's legal obligations while setting the right whale and the

³ The United States must also aggressively engage in an open and transparent process with Canada to ensure that appropriate risk reduction measures are implemented bilaterally.

commercial fisheries on a sustainable path forward.

While revising the rule, the agency should clarify for the public and the industry that it must take this action to address long standing legal requirements under the ESA and MMPA, not only the court decision which required the agency to do what the law already required of it. In addition, the agency should clarify that a particular risk reduction target is not equivalent to the same reduction in fishing effort. Regardless, ignoring new scientific data will not adequately protect right whales or the industry which will be told, once again, that despite implementing costly modifications, they were not enough.

I. TIMING OF THE PROPOSED RULE/NEPA ANALYSIS RELATIVE TO THE FINAL BIOLOGICAL OPINION

The agency is well aware that it must complete its new biological opinion by May 31, 2021. Yet NMFS staff have stated several times during the course of informational meetings and public hearings on the proposed rule that the agency expects to complete the final rule and Final Environmental Impact Statement (FEIS) sometime this summer, with the Record of Decision (ROD) to follow after a 30-day minimum waiting period. We are deeply concerned that if NMFS follows through on its plan to complete the biological opinion months earlier than the final rule and FEIS/ROD, it will violate the ESA, the Administrative Procedure Act (APA), or both. This approach would also contradict representations that NMFS made in federal court—representations on which the Court based its decision.

A biological opinion must be coextensive with the agency action it analyzes and must analyze the effects of the entire agency action. *Conner v. Burford*, 848 F.2d 1441, 1453, 1457–58 (9th Cir. 1998); *see also id.* at 1453. We have already detailed the extensive defects in the agency’s definition of the proposed action in our comments on the draft BiOp. We need not reiterate those here to state the obvious: if NMFS has not yet decided on the measures to be promulgated in the final rule amending the Plan, it cannot complete a meaningful and lawful biological opinion without the certainty of what the final action—and thus the effects of the entire agency action—will be. *See Ctr. for Biological Diversity v. Ross*, Case No. 18-cv-112 (D.D.C.), ECF No. 111-1 (Fourth Declaration of Jennifer Anderson) at para. 14 (“Completion of the Biological Opinion is linked to completion of the rulemaking process, as the analysis of the effects of the fisheries as modified by the rulemaking necessitates knowing what measures will be in the final rule.”). A biological opinion issued when the agency action itself is not final is ipso facto incomplete and unlawful.

As is equally obvious, NMFS must have a valid biological opinion on the state of the world as it exists (i.e., on the ongoing authorization and management of state and federal fisheries as regulated by the Atlantic Coastal Fisheries Cooperative Management Act, the MMPA and the Magnuson-Stevens Fishery Conservation and Management Act), not a biological opinion on future measures not in effect yet. If NMFS issues a final biological opinion that relies on future measures in the final rule and FEIS/ROD, it will continue to be in violation of sections 7 and 9 of the ESA.

NMFS also risks violating the APA’s notice and comment requirements if it rushes to finalize its

MMPA decision for purposes of the ESA consultation but then publishes the final rule months later, particularly if it has still not finished analyzing and responding to public comments. The APA obligates NMFS not only to analyze and respond to the public's comments on the proposed rule but to make reasoned choices in its final rule and to alter course where justified. That requires the agency to keep a mind sufficiently open to change based on public comments. *See, e.g., Grand Canyon Air Tour Coal. v. FAA*, 154 F.3d 455, 467–68 (D.C. Cir. 1998) (“An agency is required to provide a meaningful opportunity for comments, which means that the agency’s mind must be open to considering them”).

If NMFS renders its final decision on what measures to incorporate in the final rule amending the Plan for ESA consultation purposes but still has not completed its FEIS, let alone the ROD, it will have violated NEPA. That statute’s twin aims are informing decisionmakers and informing the public both to stimulate public involvement in federal agency decisionmaking and to ensure agency accountability. *See Dep’t of Transp. v. Public Citizen*, 541 U.S. 752, 768 (2004) (describing NEPA as intended to “provid[e] a springboard for public comment” (alteration in original)); *New Mexico ex rel. Richardson v. Bureau of Land Mgmt.*, 565 F.3d 683, 703 (10th Cir. 2009) (“By focusing both agency and public attention on the environmental effects of proposed actions, NEPA facilitates informed decisionmaking by agencies and allows the political process to check those decisions.”). NMFS must take this hard look “objectively and in good faith, not as an exercise in form over substance, and not as a subterfuge designed to rationalize a decision already made.” *Metcalf v. Daley*, 214 F.3d 1135, 1142 (9th Cir. 2000). If NMFS has already decided for ESA consultation purposes what its action will be long before the FEIS and ROD issue, the NEPA process will have been a meaningless exercise.

Additionally, in *Center for Biological Diversity v. Ross*, the Court vacated the previous 2014 biological opinion, but stayed that vacatur until May 31, 2021 based explicitly on NMFS’s representations for how much time it would need to complete the *final rule*, not just the new biological opinion. For example, the Court stated: “vacatur of the 2014 BiOp is appropriate, but [] relief shall be stayed until May 31, not January 31, 2021, to give Defendants time to complete *the new rule* and BiOp.” 480 F.Supp.3d 236, 240 (D.D.C. 2020) (emphasis added). The Court based its decision on the fact that:

NMFS currently estimates that it will publish a final amended Take Reduction Plan and implementing regulations by May 31, 2021. *See* Fourth Anderson Decl., ¶¶ 11–13. The agency intends to issue a new BiOp (presumably including an ITS this time, if required) for the lobster fishery simultaneously with publishing the final amended Plan, as the required “analysis of the effects of the fisheries [on the right whale] ... necessitates knowing what measures will be in the final rule.” Defs. Remedy Opp. at 10–11.

Id. at 243. Indeed, after finding that NMFS’s “timetable for completing the rulemaking process is reasonably consistent with the MMPA,” the Court stated: “[a]lthough the Court therefore finds the May 31, 2021, deadline acceptable, it will look with considerable disfavor on any future requests by NMFS for even more time to *complete the new rule* and BiOp.” *Id.* at 249 (emphasis added).

A. NMFS Has a Decades-Long History of Failing to Implement Measures Sufficient to Meet PBR

NMFS has lost sight of several critical aspects of section 118 in the nearly twenty-five years it has administered the ALWTRP. First, Congress did not intend to allow NMFS decades to reduce right whale M/SI to below PBR or to give the agency leeway to promulgate a Plan or amendments that admittedly will not meet this target at all. Second, Congress expressly stated that reducing M/SI to below PBR is only an interim goal on the way to ZMRG. Third, Congress explicitly allowed NMFS to take into account economic and other factors in a Plan *only* if M/SI is below PBR and on its way to ZMRG.

Congress amended the MMPA in 1994 to add section 118 to require “*immediate* action to protect . . . marine mammal stocks most affected by interactions with commercial fishing operations.” S. Rep. No. 103-220, at 6 (1994) (emphasis added); 16 U.S.C. § 1387. Especially concerned about the incidental take of endangered marine mammals in commercial fisheries, Congress specified that any such take requires authorization under both section 118 and section 101(a)(5)(E). *See* 16 U.S.C. §§ 1371(a)(5)(E), 1387(a)(2).

Section 118 requires NMFS to develop a take reduction plan for Category I and II fisheries that interact with “strategic stocks,” including ESA-listed marine mammals. *Id.* §§ 1387(f)(1), 1362(19)(C). The statute specifies that, as a short-term goal, each take reduction plan must contain regulatory measures to reduce fishery-related mortality and serious injury to below the species’ PBR *within six months* of the plan’s implementation. *Id.* § 1387(f)(2), (f)(5)(A), (f)(7)(F). The true goal of section 118 is not PBR but ZMRG. *Id.* § 1387(b). Therefore, the long-term goal of a take reduction plan must be to reduce, within five years of its implementation, incidental mortality and serious injury “to insignificant levels approaching a zero mortality and serious injury rate.”⁴ 16 U.S.C. § 1387(f)(2).

Congress did not entrust NMFS with the latitude to interpret a reasonable timeframe for accomplishing section 118’s goal for species like the right whale. Rather, it established section 118’s “immediate” goal “that the incidental mortality or serious injury of marine mammals occurring in the course of commercial fishing operations be reduced to insignificant levels approaching a zero mortality and serious injury rate within 7 years after April 30, 1994.” *Id.* § 1387(a)(1) (emphasis added); *see also id.* § 1387(b)(1) (“Commercial fisheries shall reduce incidental mortality and serious injury of marine mammals to insignificant levels approaching a zero mortality and serious injury rate within 7 years after April 30, 1994”).

Congress thus set clear expectations for NMFS to reduce M/SI of right whales in commercial fisheries to below PBR and to ZMRG by dates certain, as NMFS acknowledged in promulgating the original 1997 ALWTRP. *See* 62 Fed. Reg. 39,157, 39,159 (Jul. 22, 1997) (MMPA required Plan to reduce right whale M/SI below PBR of 0.4 animals per year by January 1998 and further reduce M/SI to ZMRG by April 30, 2001 while taking into account fisheries economics, etc.). Yet the Plan not only failed to accomplish these statutory mandates by the congressionally-set deadlines, it has not even managed to keep pace with the increasing rates of M/SI in U.S.

⁴ NMFS defines “insignificant levels approaching . . . zero” or “ZMRG” to mean 10% of a stock’s PBR. 50 C.F.R. § 229.2.

commercial fisheries.

Although NMFS cannot turn back the clock to comply with prior deadlines, it is equally obvious that it may not continue to push substantive compliance with the statute off to some future point one minute longer. Congress did not give NMFS a free hand to determine when a Plan or its amendments will fulfill section 118's mandates, such as NMFS is now purporting to do with the proposed rule and Conservation Framework that optimistically (and unrealistically) project finally achieving M/SI reductions below PBR five to ten years from now.

Nor did Congress give NMFS a free hand to determine whether a Plan or its amendments will meet the statutory mandates at all. The language of section 118 allows no exceptions: any take reduction plan or amendments thereto *shall* include measures to reduce M/SI to below PBR, and, thereafter, shall be amended as necessary to meet section's 118 requirements (i.e., ZMRG). *See, e.g.*, 16 U.S.C. § 1387(f)(7)(C), (F).

B. Economics Only Comes into Play When Analyzing ZMRG

Section 118 does not authorize NMFS to promulgate amendments that yet again attempt merely to reduce the risk of commercial fisheries on right whales, *e.g.*, 85 Fed. Reg. at 86,879; it must promulgate measures that will in fact meet the statutory targets of reducing M/SI to below PBR and ultimately to ZMRG. NMFS knows full well that the proposed rule will not meet PBR; at the very, very best, it will bring down M/SI to more than three times PBR.⁵

From the very outset, NMFS has imputed to itself discretion under section 118 to subsume the requirement to bring right whale M/SI below PBR through the Plan (which it has never succeeded in doing) to its desire to minimize economic impacts to the fisheries. *See* 62 Fed. Reg. at 39,159 (rejecting approach of extensive closures that would guarantee M/SI “but only at a high cost to many fishermen” and instead choosing an approach relying on untested gear modifications, limited closures, and disentanglement efforts); *id.* at 39,182 (“Widespread closures, although they might achieve the goals of the MMPA, would be economically costly. Such huge economic costs would not be necessary if disentanglement efforts and gear modifications are successful in reducing bycatch to MMPA standards.”). Yet section 118 itself does not support that exercise of discretion, as illustrated by the very different language Congress used in the two sentences composing section 118(f)(2)'s commands for a strategic stock such as the right whale. The first sentence reads:

The immediate goal of a take reduction plan for a strategic stock shall be to reduce, within 6 months of its implementation, the incidental mortality or serious injury of marine mammals incidentally taken in the course of commercial fishing operations to levels less than the potential biological

⁵ *See* NMFS, Draft Endangered Species Act Section 7 Consultation on the: (a) Authorization of the American Lobster, Atlantic Bluefish, Atlantic Deep-Sea Red Crab, Mackerel/Squid/Butterfish, Monkfish, Northeast Multispecies, Northeast Skate Complex, Spiny Dogfish, Summer Flounder/Scup/Black Sea Bass, and Jonah Crab Fisheries and (b) Implementation of the New England Fisheries Management Council's Omnibus Essential Fish Habitat Amendment 2 [Consultation No. GARFO-2017-00031, Jan. 2021, available at <https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/DraftFisheriesBiOp011421.pdf> (Draft BiOp). 230.

removal level established for that stock under section 1386 of this title.

16 U.S.C. § 1387(f)(2). Only *after* that goal has been accomplished does the second sentence allow the agency to balance how to accomplish the long-term goal, i.e., ZMRG, against the fisheries' interests:

The long-term goal of the plan shall be to reduce, within 5 years of its implementation, the incidental mortality or serious injury of marine mammals incidentally taken in the course of commercial fishing operations to insignificant levels approaching a zero mortality and serious injury rate, *taking into account the economics of the fishery, the availability of existing technology, and existing State or regional fishery management plans.*

Id (emphasis added). Congress clearly intended NMFS to immediately reduce M/SI below PBR; only after that immediate goal has been achieved may NMFS balance the requirement to further reduce M/SI to ZMRG with fisheries economics and other concerns.

For twenty-four years now, NMFS has administered, and, from time to time, amended, a Plan based on the hope that gear modifications and limited closures will achieve in bringing right whale M/SI down to PBR, falling well short of the six-month deadline and the goal of the statute.

II. NONE OF THE PROPOSED MEASURES ADEQUATELY REDUCE RISK

Our organizations do not support either Alternative 2 (Preferred Alternative) or Alternative 3 in the DEIS for several reasons including: (1) that they cannot adequately reduce risk to right whales as packaged; (2) many of the assumptions upon which they allegedly reduce risk are unfounded; (3) to the extent they incorporate state measures they are not yet added to the TRP; and (4) an admitted lack of enforcement beyond 12 nautical miles makes their effectiveness questionable. Neither do we support Alternative 1, the “No Action Alternative,” as action is clearly needed.

According to the proposed rule, the Preferred Alternative will “achieve a greater than 60-percent reduction” in risk by ultimately implementing measures falling into four main categories: (1) gear modifications intended to reduce the number of vertical lines; (2) seasonal restricted areas that would allow ropeless fishing; (3) the replacement of buoy lines with weak rope or weak insertions; and (4) additional gear marking requirements. 85 Fed. Reg. at 86,881, 86,885. In the DEIS, NMFS estimates that the Preferred Alternative could reduce risk by up to 64.3%. DEIS Vol. I at 3-68.

Alternative 3 analyzes similar measures as well as: (1) larger, longer, and additional seasonal restricted areas; (2) a line cap allocation capped at 50 percent of the lines fished in 2017 in federal and non-exempt waters throughout the Northeast except in offshore LMA3; and (3) more robust gear markings. NMFS indicates that Alternative 3 could reduce risk by up to 72.6%. DEIS Vol. I at 3-69.

A. The Risk Reduction Targets are not based on the Best Scientific and Commercial Data Available

Nearly two years ago, NMFS provided the Atlantic Large Whale Take Reduction Team (TRT) with a 60-80% risk reduction goal based on 2016 population estimates and a PBR of 0.9. *Id.* at 3-47, 67. At the time, NMFS indicated that, if cryptic mortalities were included in its analysis, the average annual rate of serious injuries and mortalities from entanglement in U.S. fisheries was 4.3 and “would have to be reduced by about 80% in U.S. fisheries to get below the stock’s PBR of 0.9.” Since that time, NMFS has revised its population estimates and average annual rate of serious injuries and mortalities resulting from incidental entanglements in U.S. fishing gear. In its recently published draft BiOp, NMFS stated: “Using the methods in Pace et al. (2017), this year’s preliminary estimate is 366 (95% credible interval range of 353-377) individuals as of January 2019.”⁶ Using 366 as the Nmin, PBR is now 0.7.⁷ Table 57 of the draft BiOp estimates the annual average M/SI of right whales from U.S. fishery entanglements as 6.724.⁸ Thus, **using NMFS’s own methodology and updated data, the risk reduction target required to reduce M/SI in US fisheries is closer to 90%.**

The proposed rule needs to be revised to achieve M/SI below PBR (at minimum). That is especially true considering other new information, including an updated paper from Pace et al. (2021) that determined based on data from 2010–2017 that the observed mortality detection rate was only 29% of total mortality, leaving 71% of mortalities undetected,⁹ and the estimate from the New England Aquarium that the number of right whales alive at the end of 2019 was only 356 individuals, as few as 70 of which were breeding females.¹⁰

B. The Gear Modifications Proposed to Reduce the Number of Vertical Lines Cannot Adequately Reduce Risk

The proposed rule describes 2 major gear modifications necessary to reduce the number of vertical lines in the Preferred Alternative: (1) increasing the number of traps on a trawl (“trawling up”); and (2) extending the maximum trawl length (distance between endlines) in LMA3. 85 Fed. Red. at 86,881. NMFS also analyzes capping line allocations at 50 percent of average monthly lines in federal waters in the DEIS for Alternative 3. *See* DEIS Vol. I at 1-7. We address each of these in turn.

1. Trawling Up and Line Caps

Every vertical line in the water increases entanglement risk for right whales. Trawling up is one method to reduce the number of vertical lines and could encourage efficiency. However, trawling up will only be guaranteed to reduce the number of vertical lines in the water (and thus risk) if it is combined with a line cap providing a concrete metric for reductions from the baseline. *See*

⁶ Draft BiOp.

⁷ $PBR = Nmin \times 0.5 (Rmax) \times Fr$. In this case, $0.7 = 366 \times 0.2 \times 0.1$.

⁸ Draft BiOp.

⁹ Pace, R. M. III et al. 2021. Cryptic mortality of North Atlantic right whales. *Conservation Science and Practice*. e346.

¹⁰ New England Aquarium, Right Whale Consortium Releases 2020 Report Card Update, Nov. 9, 2020, <https://www.andersoncabotcenterforoceanlife.org/blog/2020-narwc-report-card/>.

DEIS Vol. II at 5-143 (indicating that a 50% line cap reduction would reduce entanglement risk by 45% in federal waters and stating that trawling up alone is insufficient to reduce vertical line numbers). According to a September 18, 2018 TRT presentation, the number of vertical lines in the Northeast region has increased since the 2013 vertical line reduction rule was implemented. Even considering the possibility of a statistical error, there was no significant decrease detected from the implementation of the rule. This combination would hold the fisheries accountable and could prevent latent effort from being realized. *See* DEIS Vol. II at 5-139 (discussing need for a mechanism to prevent latent effort from being activated).

It is not clear, however, that trawling up necessarily reduces risk to right whales (especially to juvenile and calves). Quantitative data on the relationship between gear configurations and the probability of causing serious injuries and mortalities is largely lacking. DEIS Vol. II at 3-12. For example, an inshore fisherman forced to fish 15 rather than 5 traps/trawl may choose heavier line thus increasing risk. On the other hand, an offshore fisherman forced to fish 45 rather than 25 traps/trawl is already using heavy line and probably does not significantly increase risk as a right whale will likely drown under either scenario given the weight of the gear. *See e.g.*, DEIS Vol. II at 3-47-48.

Fishermen have raised safety concerns related to trawling up. It is logical to expect that trawling up could be more difficult on a smaller vessel (where the deck may not be able to accommodate the increased number of traps), or for Captains fishing alone. For those reasons, our organizations do not oppose the conservation equivalency proposed for LMA3, that would increase the maximum length of a trawl from 1.5nm to 1.75 nm to allow a limited number of vessels to fish more than 45 traps per trawl so that smaller vessels can fish less traps/trawl due to safety concerns. 85 Fed. Reg. 86,886.¹¹

Although the proposed rule only seeks comment on the Northeast American lobster fishery, it is our view that all fisheries using vertical line, including but not limited to aquaculture, must be considered in this cap. Placing the sole burden of vertical line reduction on the lobster and Jonah crab fishery does little to reduce risk to right whales if risk is increased elsewhere by permitting other fisheries and activities. Data provided in the DEIS, indicate that gillnets pose a disproportionately high risk of entanglement to right whales. *See* DEIS Vol. I at Table 2.2 showing that gillnet/netting represents 47% of known fishery entanglements to right whales, yet gillnets represent only 1.9% of vertical lines in non-exempt waters (Table 2.3 of DEIS Vol. I).

To reduce the number of serious injuries and mortalities below PBR, NMFS must evaluate the vertical line risk in all fisheries and identify a regulatory mechanism for implementing line caps as soon as possible.

2. NMFS Should Require the Use of One End-Line

The DEIS states that fishing with one end-line was “considered but not analyzed” due to industry concerns about safety, increased gear conflict, and increased gear loss. DEIS Vol. II at 5-138. Given that none of the measures in the proposed rule adequately reduce risk to right whales and

¹¹ Pers. comm. with TRT member David Borden (only a limited number of vessels will want an exemption from the 45 trap/trawl requirement).

that the remaining measures that would adequately reduce risk are not generally attractive to the industry either, NMFS should fully analyze this option as part of its do-over.

To immediately reduce the number of vertical lines outside of closures, NMFS should require all trap/pot fisheries operating in the Northeast to use a single surface end-line in those areas where right whales are known or expected to be (either socializing, transiting, feeding, or breeding). This immediate 50% reduction in endlines would reduce risk. Understanding that additional gear conflicts could occur in the absence of surface markings, agreements about the direction of gear sets should be developed by industry members fishing in specific regions and sharing agreements with the mobile gear fleet should be drafted (as they already are in certain areas).

C. The Seasonal Restrictions to Buoy Lines Proposed Will Not Adequately Reduce Risk

Both the Preferred Alternative and Alternative 3 propose new restricted areas that are inadequate to reduce risk sufficient to meet PBR. It is also difficult to discern how NMFS evaluated risk related to gear displacement for the specifically identified closures. *See* DEIS Vol. II at 3-36 (only analyzing redirected effort generally and modelling redirected effort for the Northeast Canyons and Seamounts National Marine Monument) While it is likely that some portion of gear (traps and lines) will be moved or removed, a risk analysis that looks at the impact of such gear displacement should be considered before assuming the costs or benefits. To the extent that NMFS relies on state measures to reduce risk, it must incorporate those into the Plan.

Our organizations support the following new Restricted Areas:

- The LMA1 Restricted Area in Alternative 3—Offshore ME LMA1/3 border, zones C/D/E—closed from October to February that allows fishing without buoy lines (with appropriate authorizations for exemption from surface gear requirements).
- The “Large Rectangular Area” in Alternative 3 in Southern New England, as modified to be a year-round restricted area closed to buoy lines with allowances for fishing without buoy lines (with appropriate authorizations for exemption from surface gear requirements).

1. The LMA1 Restricted Area in Gulf of Maine

Based on the best commercial and scientific data available in the public domain, including acoustic data, **we support the LMA1 Restricted Area analyzed in Alternative 3 which closes the area to vertical buoy lines October - February.** This area has been identified as a “foraging hotspot” for right whales using the Duke Habitat Model within the Decision Support Tool and poses a higher than average risk based on co-occurrence. DEIS Vol. I at 3-71, 72. It is also our understanding that based on the demographics of the fleet operating within the boundaries denoted and testimony at public hearings, that at least some of the gear will come out of the water minimizing risk due to shifted effort.

We oppose the trigger process described in the Preferred Alternative that allows the Regional Administrator the discretion to make a decision about this closure based on non-identified criteria. Any proposal to close an area to fishing should be based on sound science and demonstrate a tangible risk reduction to right whales, thus it is unclear how a proposed closure would no longer be warranted simply based on public input or whatever conservation equivalencies would be established in place of this closure if it is removed. Ironically, this is contradictory to what the agency has said elsewhere about its ability to do NEPA analysis on dynamic management.

2. The Massachusetts South Island Restricted Area in the Preferred Alternative is Insufficient

Our organizations do not support the Preferred Alternative - “South Island Restricted Area” - that closes an area south of Nantucket from February through April because the area is too small in time and space. A large body of science demonstrates a year-round presence of right whales in Southern New England. Based on this data, as well as the size of previously established restricted areas in the Plan, **we support the “Large South Island Restricted Area” analyzed in Alternative 3. However, we urge the agency to make this a year-round closure to vertical buoy lines.** Modifying the Large South Island Restricted Area to restrict vertical buoy lines year-round would be the most protective and fully account for the variable habitat use of this region by right whales.

Right whale distribution and habitat use has shifted since 2010 in response to climate change-driven shifts in prey availability.¹² The best scientific and commercial data available, including aerial surveys,¹³ acoustic detections,¹⁴ stranding data,¹⁵ a series of DMAs declared by NMFS pursuant to the ship strike rule,¹⁶ and prey data,¹⁷ all indicate that right whales now heavily rely

¹² Record, N., Runge, J., Pendleton, D., Balch, W., Davies, K., Pershing, A., Johnson, C., Stamieszkin, K., Ji, R., Feng, Z. and Kraus, S. 2019. Rapid Climate-Driven Circulation Changes Threaten Conservation of Endangered North Atlantic Right Whales. *Oceanography*. Vol. 32, pp. 162–169.

¹³ Kraus, S.D., Leiter, S., Stone, K., Wikgren, B., Mayo, C., Hughes, P., Kenney, R.D., Clark, C.W., Rice, A.N., Estabrok, B., and Tielens, J. 2016. Northeast large pelagic survey collaborative aerial and acoustic surveys for large whales and sea turtles. Final Report. OCS Study, BOEM 2016-054, pp. 118; Leiter, S.M., Stone, K.M., Thompson, J.L., Accardo, C.M., Wikgren, B.C., Zani, M.A., Cole, T.V.N., Kenney, R.D., Mayo, C.A., and Kraus, S.D. 2017. North Atlantic right whale *Eubalaena glacialis* occurrence in offshore wind energy areas near Massachusetts and Rhode Island, USA. *Endangered Species Research*. Vol. 34, pp. 45–59; Quintana, E., “Monthly report No. 3: May 2017,” Report prepared for the Massachusetts Clean Energy Center by the New England Aquarium, pp. 26 (May 15, 2017).

¹⁴ Kraus, et al. 2016; Davis, G.E., Baumgartner, M.F., Bonnell, J.M., Bell, J., Berchick, C., Bort Thornton, J., Brault, S., Buchanan, G., Charif, R.A., Cholewiak, D., 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports*. Vol. 7, p. 13460.

¹⁵ Asaro, M.J., Update on US Right Whale Mortalities in 2017, NMFS, November 30, 2017, available at: https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/2017%20Nov/asaro_usstrandings_nov2017.pdf.

¹⁶ NMFS Interactive DMA Analyses: <https://www.nefsc.noaa.gov/rcb/interactive-monthly-dma-analyses/>.

¹⁷ Pendleton, D.E., Pershing, A., Brown, M.W., Mayo, C.A., Kanney, R.D., Record, N.R., and Cole, T.V.N. 2009. Regional-scale mean copepod concentration indicates relative abundance of North Atlantic right whales. *Marine Ecology Progress Series*. Vol. 378, pp. 211–225; NOAA Northeast Fisheries Science Center, “Ecology of the

on Southern New England waters.¹⁸ In January 2019, an aggregation representing a quarter of the population—100 whales—was seen in this area¹⁹ engaged in both foraging and social activities, demonstrating that it is clearly more than just a migratory corridor. Southern New England is important to all life history stages.²⁰ Surface Active Groups have also been documented in this region²¹ and, given the gestation period of right whales, this behavior is more likely to result in pregnancy during the winter months.

Large, consistent aggregations of right whales in all four seasons, have led scientists and a NMFS Expert Working Group to describe Southern New England as a year-round foraging “hotspot.”²² Several other scientific data sources demonstrate that right whales use these waters year-round.²³ Further, a recent presentation at the North Atlantic Right Whale Symposium discussed new evidence showing that 11 out of 15 newly catalogued whales identified south of Cape Cod have never been sighted further north in the Bay of Fundy or the Gulf of St. Lawrence,²⁴ and suggesting this area may represent an end-point of the northern migration for some portion of the population.

In addition to year-round use of the area, the relative abundance in the area has increased. For example, there is evidence of a broader temporal shift in distribution resulting in greater densities off Rhode Island and Massachusetts later in the year, through May and into the summer months.²⁵ April appears to be particularly important for females of reproductive age.²⁶ Inter-annual and inter-seasonal variability in aerial and acoustic detections imply that there are no clear spatial patterns of habitat use across Southern New England and right whales should be expected to be encountered equally across the region.²⁷

Northeast US Continental Shelf – Zooplankton,” available at <https://www.nefsc.noaa.gov/ecosys/ecosystem-ecology/zooplankton.html>.

¹⁸ Although there are challenges in the use of opportunistic sightings data (no area systematically surveyed, effort not corrected for, and potential for counting an individual whale more than once), they are a proxy for habitat used by North Atlantic right whales, as validated by NMFS’ management actions based on these data, including the implementation of DMAs.

¹⁹ NMFS, Voluntary Vessel Speed Restriction Zone in Effect South of Nantucket to Protect Right Whales (Jan. 28, 2019), <https://www.fisheries.noaa.gov/feature-story/voluntary-vessel-speed-restriction-zone-effect-south-nantucket-protect-right-whales>.

²⁰ Leiter et al. 2017, at 52–54.

²¹ *Id.*

²² Oleson, E.M., Baker, J., Barlow, J., Moore, J.E., and Wade, P., 2020. North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service’s Expert Working Group. NOAA Technical Memorandum NMFS-OPR-64, at Fig. 1.

²³ Kraus, S.D. 2016; Davis, G.E., et al. 2017; NMFS Interactive DMA Analyses.

²⁴ Hamilton, P., “North Atlantic Right Whale Catalog Update, Recent Genetic Findings and Whale Naming Results,” Presentation at the North Atlantic Right Whale Consortium Annual Meeting (Oct. 29, 2020).

²⁵ Davis, G. E., et al. 2017.

²⁶ Leiter, S.M., et al., “North Atlantic right whale *Eubalaena glacialis* occurrence in offshore wind energy areas near Massachusetts and Rhode Island, USA.” *Endang Spec Res Vol. 34*: 45–59 (2017).

²⁷ *Id.*; DMAs; Redfern, J., Pendleton, D., O’Brien, O., Ganley, L., Hodge, B. and McKenna, K., “Tools to identify and minimize risk to marine mammals,” Presentation to the Massachusetts Habitat Working Group (Dec. 11, 2020).

Finally, the Preferred Alternative could result in redirected effort into areas of high risk as the Commonwealth of Massachusetts did not close state waters south of the islands after all.²⁸ Given the potential for this area to be a winter mating ground as well as preferred habitat for at least some calving females, it is essential that it be afforded significant protection from both vessel strikes and entanglements. **We strongly urge NMFS to modify the entire Large South Island Restricted Area as a Seasonal Management Area to simultaneously reduce vessel strike risks.**

3. The Georges Basin Restricted Area

Alternative 3 analyzes a buoy line closure in the “Georges Basin Restricted Area” between May and August. Our organizations support closures that do not cause predictable relocation of lines to areas of high co-occurrence with right whales, inadvertently displacing risk. This particular offshore area in Georges Basin is important to right whales as plankton data demonstrates its importance as foraging habitat²⁹ and sightings data (albeit rare currently) as well as telemetry data³⁰ suggest that this may be a transit corridor for whales moving between the Gulf of St. Lawrence and the Gulf of Maine. *See* DEIS Vol. II at 3-62 (showing increased right whale density along the northern edge of Georges Bank from April through September). However, those benefits are only afforded if gear does not shift into areas of increased risk. Given the size and demographic of the fishing effort there, it is our view that these traps/vertical lines are unlikely to come out of the water between May and August and it is more likely than not that they will relocate into equally high risk areas.

For that reason, we have concerns that a full closure of the area proposed could increase risk by shifting effort south and west resulting in even higher densities along the corridor. Given the potential for the northern edge of Georges Bank to be a regular route between the Gulf of St. Lawrence and Gulf of Maine, **we recommend that NMFS only allow trap/pot fishing with one end line along the entire northern edge of Georges Bank from April – September, as an alternative to the Georges Basin Restricted Area proposed.** While it would not entirely remove risk, it would reduce risk to a larger spatial area by 50% without incurring additional costs to the industry. In addition, NMFS should send an enforcement boat to the area on a regular basis (at least once per week) and perform additional surveys (aerial and vessel) to better understand right whale abundance and behavior while using the area.

²⁸Sean Horgan, Fish panel bans inshore lobstering during whale migration, Gloucester Times, Jan. 28, 2021 https://www.gloucestertimes.com/news/fish-panel-bans-inshore-lobstering-during-whale-migration/article_761e98de-6196-11eb-b9f6-c3c00dd2aecc.html; MA DMF, February 19, 2021, “New Protected Species Regulations Finalized for Fixed Gear Fisheries and Industry Outreach on Required Gear Modifications,” <https://content.govdelivery.com/accounts/MADMF/bulletins/2c2930d>. This highlights why NMFS cannot rely on any risk reduction measures unless those measures are specifically incorporated into the ALWTRP—only then can NMFS assure such measures will in fact be legally required as part of the ALWTRP. NMFS cannot delegate its legal obligation to adopt measures to reduce M/SI to the states.

²⁹ DEIS Vol. I at 3-71, 72-74.

³⁰ Telemetry track of "Churchill" from 2001, available at http://www.gulfofmaine.org/times/fall2001/right_whales.html.

D. Weak Rope Will Not Reduce the Risk of Entanglement

1. “Weak Rope” and “Weak Insertions” are Unproven Conservation Measures

Our organizations do not support the weak rope or weak link insertions analyzed in the DEIS. The use of weak rope or weak insertions is unproven and cannot guarantee the projected risk reduction goals in the proposed rule.³¹ Any assumptions about the efficacy of weak rope or weak contrivances for reducing serious injuries and mortalities are just that—assumptions—that are largely theoretical and untested in the field.

We have previously expressed concerns regarding the efficacy of using 1,700 lb breaking strength rope. At this time, it is neither commercially available nor proven to reduce serious injury and mortality to right whales. The data presented in Knowlton et al. (2016) were obtained prior to 2011, before right whales significantly shifted their habitat use.³² In addition, the breaking strength does not appear to reduce risk of serious injury or mortality to right whales under two years of age. Indeed, the single paper on which the concept of weak rope as a mitigation measure was developed is based on the “suggest[ion]” that “**adult** right whales . . . can break free from [] weaker ropes and thereby avoid a life-threatening entanglement.” Younger right whales (calves and juveniles), as well as smaller whales of other species, have a much lower force output than adult right whales,³³ and are less likely to be able to break even lower-pound breaking strength rope.

NMFS’s application of the weak inserts is also problematic as they do not go the entire length of the rope. In the preferred alternative, weak insertions are only proposed down to 50 percent in the rope in nearshore areas and 35 percent in offshore areas. DEIS Vol. I at 1-15.

As NMFS acknowledges in the DEIS, lower-pound breaking strength ropes may reduce the severity of the entanglements, but they will not reduce the encounter rates and associated risk including serious injury or mortality and longer-term sublethal impacts depending on the complexity and specifics of an entanglement event. *Id.* For example, even so-called weak rope could wrap around a whale’s mouth and damage its baleen, thereby impeding its ability to feed, leading to weight loss and starvation. Even if that weight loss is not fatal in and of itself, in females it can contribute to delayed reproduction.³⁴ During the February 25, 2021 ALWTRT public hearing, a member of the Center for Coastal Studies disentanglement team and co-author of the single study on reduced breaking strength rope, expressed his concerns about lines breaking and making it more difficult for disentanglement teams to free entangled whales.³⁵

³¹ DEIS Vol. I at 3-68, Table 3.4.

³² Knowlton, A. R., J. Robbins, S. Landry, H. A. McKenna, S. D. Kraus, and T. B. Werner. 2016. Effects of fishing rope strength on the severity of large whale entanglements. *Conserv Biol* 30:318-328.

³³ Amy Knowlton, Tim Werner and Scott Kraus, *Whale Release Ropes*, Presentation at the Consortium for Wildlife Bycatch Reduction, https://www.mmc.gov/wp-content/uploads/Knowlton2_Marine-Mammal-Commission-Knowlton2-VERSION-2.pdf at 7 (emphasis added).

³⁴ *See, e.g.*, Moore et al. 2021. “Assessing North Atlantic right whale health: threats, and development of tools critical for conservation of the species.” *Dis Aquat Org* Vol. 143: 205–226, 2021. <https://doi.org/10.3354/dao03578>.

³⁵ NMFS, Atlantic Large Whale Take Reduction Plan Proposed Modifications, Feb. 2021 Presentation, available at <https://www.greateratlantic.fisheries.noaa.gov/public/nema/SFD/ALWTRTDEIS-Proposed%20RuleComment%20Opportunity.mp4>.

On that note, NMFS inappropriately relies on disentanglement as a tool toward reducing M/SI of right whales and notes that, between 2010 and 2018, seven right whales would have been added to the M/SI list had they not been disentangled. DEIS Vol. I at 2-30; *see also id.* at 3-76. Without intervention, those whales alone would have exceeded PBR for the species. Implementing measures which may result in the loss of these whales by making it more difficult to disentangle them provides no benefit to the species or to the fishing industry who will be once again asked to modify gear at their expense because measures they were mandated to enact by the Agency did not work.

We have similar concerns with the proposed movement of the weak link/line requirement at the buoy. This appears to be an experiment that is being codified before it is tested. In responding to comments, we ask the agency to provide the scientific information that this proposed measure is based upon.

The agency's reliance on weak rope, contrivances or toppers to reduce risk, especially in offshore areas, is particularly unreasonable where (1) lobstermen use a large number of pots per trawl, and have expressed concerns about safety and lost gear; (2) the area is of particularly high risk for right whales due to the heavier line and increased number of traps used there; and (3) there is evidence that whales that become entangled near the bottom (where there will not be nearby weak insertion) have more complex entanglements and cannot break free as easily.³⁶

2. Weak Rope Inhibits Species' Recovery

After 50 years of management, conservation and management measures to date have wholly failed to recover the species. A recently published paper summarizing the spiraling health of right whales, the increasing threats they face, and the tools that will be critical for their conservation.³⁷ The paper concludes that the use of weak rope as a management measure is inconsistent with the recovery of the species and that "to enable species recovery, reduction in mortalities have to be accompanied by substantial reduction of sub-lethal trauma as well," stating:

The role of sub-lethal entanglement drag in reducing NARW health and fecundity should be a major consideration in comparing the efficacy of potential mitigation measures. Thus, while 1700 lb (~773 kg) breaking strength rope may reduce mortality and severe injury, it will continue to be a source of morbidity. Ultimately, removal of rope from the water column will better enable species recovery.³⁸

³⁶ Howle, et al. 2019. Simulation of the entanglement of a North Atlantic right whale (*Eubalaena glacialis*) with fixed fishing gear. MARINE MAMMAL SCIENCE, 35(3): 760–778 (July 2019).

³⁷ Moore et al. 2021. "Assessing North Atlantic right whale health: threats, and development of tools critical for conservation of the species." Dis Aquat Org Vol. 143: 205–226, 2021. <https://doi.org/10.3354/dao03578>.

³⁸ *Id.*

3. NMFS's Risk Reduction Analysis Uses a Flawed Baseline

NMFS estimates that 26% percent of the vertical lines in the water will be converted to weak rope in the Preferred Alternative, and 73% will be converted to full weak rope in Alternative 3 accounting for approximately significant reductions in risk. DEIS Vol. I at 1-15; DEIS Vol. I at 3-68, Table 3.4. For this analysis, the agency unreasonably assumes that inserts placed at least every 40 feet. are equivalent to full weak rope. *Id.* at 1-14. The analysis which compares various proposed insert intervals to a line with weak inserts every 40 feet (“lower bound”), and also recognizes the depth of the lowest insert (upper bound),³⁹ is flawed. Weak inserts every 40 feet cannot be used as the baseline for determining the percentage of risk reduction that a “full weak rope,” would provide because that risk reduction is unknown. Any calculation of the relative risk reduction of the lesser weak insertion methods proposed, should calculate risk reduction relative to no ropes in the water (i.e., zero risk), not a line with inserts every 40 feet.

E. Improved Gear Markings Are Necessary but Will Not Reduce Risk

In our view, none of the gear marking measures analyzed or proposed in the DEIS are sufficient. We strongly urge NMFS, again, to require gear markings that are specific to the fishery and region in which it is fished, and that can be seen from a plane or boat. Appropriate gear marking requirements should also include requirements for groundlines. In addition, as gear marking is implemented solely for the conservation benefit of right whales, it should be a requirement of the Plan rather than managed by state regulations.

Insufficient gear marking requirements for fixed-gear fisheries in the U.S. have demonstrably hindered targeted management measures to reduce risk to endangered right whales. Our organizations have commented several times over the last five years on this issue, yet NMFS has failed to implement new gear marking requirements. In most cases, NMFS cannot determine the origin (to fishery or country) of the gear documented on and/or removed from right whales to the detriment of whales and the fisheries implicated. DEIS Vol. I at 1-5; 2-40. A better understanding of gear origin, particularly since 2010, is necessary to define areas of high risk to the species and is long overdue. In addition, NMFS should work with gear specialists in both the U.S. and Canada to re-analyze gear documented on, or removed from, entangled large whales in the past.

We strongly urge NMFS to require gear marking that is specific both to a fishery and to the region in which it is fished, and that supports observation of marks from platforms such as boats and planes. It is apparent that the current requirement for gear marking is too broad, enabling at least some industry members to deny potential risk from their fishery, even when the gear removed from whales is consistent with that fished in that region.⁴⁰ For instance, NMFS's right whale incident data includes several cases of retrieved gear which was marked with a red tracer

³⁹ “The lower bound compares the proposed insert intervals relative to insert intervals every 40 ft and provides the percentage of rope within buoy lines that would be considered weak by that metric. The upper bound recognizes that the depth of the lowest insert is important; a whale hitting the line above the lowest weak insert could break away, preventing attachment to the bottom gear and an acute drowning event, and possibly before a serious entanglement injury can be incurred. That upper bound is the estimated percent of line above the lowest weak insert.” *Id.*

⁴⁰ Letter from Maine Lobstermen's Association to NMFS, Apr. 30, 2019, https://mainelobstermen.org/wp-content/uploads/2019/08/MLA-TRT-near-consensus-withdrawal_2019.08.30-FINAL.pdf?x44315.

and was attributed to the “Northern inshore/nearshore trap” fishery but in only once case was it identified as lobster gear.⁴¹ More specified gear marking requirements under the Plan would substantially reduce the equivocation of which fisheries do, in fact, pose demonstrable risk to the species.

There are also compelling cases in NMFS’s own data set for which gear remains categorized as unknown but for which gear determination cannot rule out U.S. fisheries. For example, right whale 4146 was documented as entangled on April 23, 2017, entangled and images indicate that the entanglement appears recent and therefore likely to have occurred in U.S. waters. Similarly, right whale 4091 is listed on a NMFS incident report on May 12, 2018 as having “Line trailing from right mouthline, with at least one pectoral wrap, and trailing 50 ft. Buoy pinned close to flipper.” As stated previously, this whale was sighted gear free in the Cape Cod Bay only six days earlier. It is most likely the whales became entangled in U.S. waters and the most likely source of line in U.S. waters is from U.S. fixed fishing gear. However, in neither case does NMFS provide any attribution of gear. We therefore suggest NMFS include a category in their assessment clarifying when U.S. fishing gear cannot be ruled out.

We continue to recommend significantly improved gear marking requirements on every 40 feet of line in all U.S. fisheries known to interact with right whales to better define the region and fishery beyond the broad regional mandates which currently exist. NMFS itself provided support for the increased frequency of gear marking in its gear marking resources, stating: “[a]lternatively, if rope were marked every 40 feet we could expect [to] get the information provided by the mark 90% of the time, because at least 40 feet of rope is likely to be recovered.”⁴² In light of the frequency with which right whales encounter the bottom while foraging,⁴³ we recommend unique markings to identify sinking groundline as part of the vertical line system versus those lines used to connect traps to better inform when and where whales encounter gear.

In addition to improved gear marking in the Northeastern American trap/pot fisheries, NMFS should immediately require enhanced gear marking requirements for all permit holders in all Category I and II fisheries likely to entangle marine mammals including, but not limited to: the Northeast sink gillnet, Northeast drift gillnet, Northeast anchored float gillnet, Southeast Atlantic gillnet, Mid-Atlantic gillnet, Southeastern Atlantic U.S. shark gillnet, Atlantic mixed species trap/pot, Atlantic blue crab trap/pot, and the Mid-Atlantic American lobster trap/pot fisheries.

⁴¹ NMFS, 2000-2018 Right Whale Incident Data, Apr. 19, 2019, https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/2000-2018_right_whale_incident_data_3_19_19v.xlsx.

⁴² NMFS, Past Gear Marking Efforts, updated March 2018, https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202018/past_alwtrt_gear_marking.pdf.

⁴³ Hamilton PK, Kraus SD (2019) Frequent encounters with the seafloor increase right whales’ risk of entanglement in fishing groundlines. *Endang Species Res* 39:235-246. <https://doi.org/10.3354/esr00963>.

F. 100% Harvester Reporting, Vessel Tracking Systems, and Enhanced Enforcement Must be Prioritized

As the DEIS acknowledges, Maine still does not have 100% harvester reporting (DEIS Vol. II at 3-102), nor has NMFS finalized a rule requiring it. We urge NMFS to initiate and develop an action that would immediately require: (1) 100% harvester reporting in the entire fishery (2) all federal permit holders to obtain and use a GARFO-approved vessel tracking system; and (2) all federal permit holders to mark all traps electronically in order to provide detailed information on gear type and set location, enhance the enforcement of all regulatory measures in fixed gear fisheries, and help ascertain the ownership of lost or damaged gear.

G. Ropeless Fishing is the Only Way to Adequately Reduce Risk in the Long Term

Our organizations support and appreciate the modifications—in the Preferred Alternative and Alternative 3—that change the existing seasonal restricted areas from areas closed to harvesting lobster and crab to areas closed to persistent buoy lines.⁴⁴ 85 Fed. Reg. at 86,887; DEIS Vol. I at 1-7. We also support the measures in both Alternative 2 and 3 that would allow fishing without buoy lines in any newly established restricted areas. *Id.* As a recent paper noted, ropeless fishing is the only way to adequately reduce risk to right whales, while allowing fishing in the long term.⁴⁵ However, any authorization to fish in such a closure, such as an exempted fishing permit or letter of authorization, should include conditions to protect right whales such as area restrictions, low vessel speed, observer monitoring, and reporting requirements. *See* DEIS Vol. I at 1-7 (“would” include in Alternative 3 and “likely” in Alternative 2).

III. THE DEIS FAILS TO COMPLY WITH NEPA

NEPA, 42 U.S.C. § 4321 *et seq.*, is the fundamental tool for ensuring that federal agencies properly vet the impacts of major federal actions on wildlife, natural resources, and communities. It requires federal agencies to consider reasonable alternatives and identify the most environmentally preferable one.

A central purpose of NEPA is to assure that federal decision-makers consider the environmental consequences of their actions before a decision to act is made and to provide for “[a]ccurate scientific analysis, expert agency comments, and public scrutiny” of agency decisions. 42 U.S.C. § 4332(C); *Marsh v. Or. Natural Res. Council*, 490 U.S. 360, 371 (1989) (NEPA ensures that “the agency will not act on incomplete information, only to regret its decision after it is too late to correct”). Under NEPA, federal agencies are required to take a “hard look” at environmental consequences in order to integrate environmental impacts into the decision making process. *Kleppe v. Sierra Club*, 427 U.S. 390, 410 n.21 (1976).

Because the proposed rule to amend the Plan is a major federal action significantly affecting the

⁴⁴ As the relative risk of sinking groundline is still uncertain, it is our view that waters within the Cape Cod Bay where the highest known concentration of right whales seasonally occurs, should remain closed to all fixed gear fishing until additional data about the efficacy of ropeless gear becomes available.

⁴⁵ Moore et al. 2021. “Assessing North Atlantic right whale health: threats, and development of tools critical for conservation of the species.” *Dis Aquat Org* Vol. 143: 205–226, 2021. <https://doi.org/10.3354/dao03578>.

human environment, it is subject to NEPA's "detailed statement" requirement. NMFS's EIS must therefore evaluate: (i) the environmental impact of the proposed action, including the cumulative impacts; (ii) any adverse environmental effects which cannot be avoided should the proposal be implemented; (iii) alternatives to the proposed action; (iv) the relationship between short-term uses of man's environment and the maintenance and enhancement of long-term productivity; and (v) any irreversible and irretrievable commitments of resources which would be involved in the proposed action should it be implemented. 42 U.S.C. § 4332(2)(C).

NMFS cannot avoid its obligation to conduct a comprehensive review of the direct, indirect, and cumulative impacts of the proposed rule by relying on the amendments to NEPA's implementing regulations recently issued by the Council of Environmental Quality ("CEQ"). NMFS began its NEPA process on the proposed rule well before the regulatory amendments went into effect and thus NMFS should apply the old regulations. *Compare* 84 Fed. Reg. 37822 (Aug. 2, 2019) (NMFS's notice of intent to prepare an environmental impact statement on proposed rule to amend the ALWTRP) *with* 85 Fed. Reg. 43304 (July 16, 2020) (final rule amending CEQ regulations, with an effective date of September 14, 2020). Moreover, the new regulations are unlawful and, in any event, cannot trump NMFS's statutory obligations to fully consider the direct, indirect, and cumulative effects of its actions.⁴⁶

A. The DEIS Fails to Properly Define the Purpose and Need for Action

NMFS fails to properly define the purpose and need. In preparing the DEIS, NMFS must define its purpose and need in acting. 40 C.F.R. §§ 1502.13–1502.14 (2019). This is part of the "responsibility for defining at the outset the objectives of an action" to be taken by the agency. *Citizens Against Burlington, Inc. v. Busey*, 938 F.2d 190, 196 (D.C. Cir. 1991). This purpose and need inquiry is crucial for a sufficient environmental analysis because "[t]he stated goal of a project necessarily dictates the range of 'reasonable' alternatives." *Carmel-by-the-Sea v. U.S. Dep't of Transp.*, 123 F.3d 1142, 1155 (9th Cir. 1997). Thus, "an agency cannot define its objectives in unreasonably narrow terms" without violating NEPA. *Id.*

In crafting the purpose and need statement, the agency must incorporate the parameters set by Congress in relevant statutes. *Busey*, 938 F.2d at 196. Here, that means considering the overall goal of the MMPA to protect and recover imperiled marine mammals, 16 U.S.C. § 1361, the goal of section 118 to drive to M/SI of marine mammals in commercial fishing gear to below ZMRG, *id.* § 1387(a)(1), and Congress's directive that "[t]he interest in maintaining healthy populations of marine mammals comes first" under the statute. *Kokechik Fishermen's Ass'n v. Sec'y of Comm.*, 839 F.2d 795, 800, 802 (D.C. Cir. 1988); *see also Animal Welfare Inst. v. Kreps*, 561 F.2d 1002, 1007 (D.C. Cir. 1977) ("the MMPA is . . . motivated by considerations of humaneness toward animals, who are uniquely incapable of defending their own interests").

⁴⁶ *See* 42 U.S.C. § 4332; *Kleppe*, 427 U.S. at 410 (citing 42 U.S.C. § 4332(2)(C)). There are at least five lawsuits challenging the new regulations. *See* Complaint, *Wild Virginia et al. v. Council on Environmental Quality et al.*, No. 3:20-cv-00045 (W.D. Va. July 29, 2020), ECF No. 1; Complaint, *California et al. v. Council on Environmental Quality et al.*, No. 3:20-cv-06057 (N.D. Cal. Aug. 28, 2020), ECF No. 1; Complaint, *Alaska Community Action on Toxics et al. v. Council on Environmental Quality*, No. 3:20-cv-05199 (N.D. Cal. Jul. 29, 2020), ECF No. 1; Complaint, *Iowa Citizens for Community Improvement et al. v. Council on Environmental Quality et al.*, No. 1:20-cv-02715 (D.D.C. Sept. 23, 2020), ECF No. 1; Complaint, *Environmental Justice Health Alliance et al. v. Council on Environmental Quality et al.*, No. 1:20-cv-06143 (S.D.N.Y. Aug. 8, 2020), ECF No. 1.

NMFS must also consider the goals of the ESA, which are to protect and recover threatened and endangered species and their habitats, 16 U.S.C. § 1531, and “[t]he plain intent of Congress in enacting this statute . . . to halt and reverse the trend toward species extinction, whatever the cost.” *Tenn. Valley Auth. v. Hill*, 437 U.S. 153, 184 (1978); *see also id.* at 185 (agencies must “afford first priority to the declared national polity of saving endangered species”).

While NMFS correctly indicates in its purpose and need statement that the agency must take action to further reduce the risk of right whale M/SI in commercial fishing gear to comply with the MMPA, its purpose and need statement is otherwise both too narrow. In particular, the purpose and need statement is too narrow because it is based on the need to reduce M/SI by 60% and ignores the urgent need to reduce the sublethal impacts of entanglement. *See* DEIS Vol. I at 2-41.

As explained above, NMFS’s 60% risk reduction target is insufficient. *Supra* Section II.A. Indeed, NMFS’s purpose and need is based on outdated information that fails to consider the best available right whale science, including a recent analysis documenting the substantial cryptic mortality right whales suffer, and that entanglements are responsible for the majority of such deaths. *See id.* New information reveals that NMFS should reduce risk by at least 90%, *see id.*, meaning the agency must adopt significantly more mitigation measures than what is currently on the table. By narrowly defining the purpose and need statement as measures that achieve a 60% reduction in the risk of right whale M/SI, NMFS arbitrarily makes the preferred alternative the only choice that will meet this goal.

And while the focus of section 118 of the MMPA may be on reducing M/SI from commercial fisheries, NMFS’s obligations under the ESA are much broader than that. NMFS must ensure that its actions in authorizing and managing the fisheries neither jeopardize the right whale’s continued existence nor adversely modify its critical habitat. *See* 16 U.S.C. § 1356(a)(2). This requires considering not only the deaths and serious injuries caused by entanglement in fishing gear, but all the other impacts such entanglements cause, including impeding the whale’s ability to reproduce, or increasing its vulnerability to death or injury from other stressors such as vessel strikes.

It is well established that right whales are negatively impacted by entanglement, not only through a reduction in the numbers of individuals through serious injuries and mortalities, but also through increasing a whale’s stress hormone levels, leading to infections; making them more vulnerable to other sources of mortality like vessel strikes; and impeding their ability to feed.⁴⁷ For example, studies have concluded that “[p]rotracted entanglement in fishing gear often leads to emaciation through reduced mobility and foraging ability, and energy budget depletion from

⁴⁷ *See, e.g.*, Julie M. van der Hoop, Douglas P. Nowacek, Michael J. Moore, M. S. Triantafyllou. 2017. Swimming kinematics and efficiency of entangled North Atlantic right whales. *Endang. Species Res.* Vol. 32: 1–17, 2017, doi: 10.3354/esr00781; Julie van der Hoop, Peter Corkeron and Michael Moore. 2016. Entanglement is a costly life history stage in large whales. *Ecology and Evolution*, 7: 92–106, doi:10.1002/ece3.2615; Cassoff RM, Moore KM, McLellan WA, Barco SG, Rotstein DS, Moore MJ. 2011. Lethal entanglement in baleen whales. *Dis. Aquat. Org.* 96: 175–185; Moore, M. and van der Hoop, J. 2012. The Painful Side of Trap and Fixed Net Fisheries: Chronic Entanglement of Large Whales. *Journal of Marine Biology*. Volume 2012, Article ID 230653, doi.org/10.1155/2012/230653.

the added drag of towing gear for months or years.”⁴⁸ Additionally, the “chronic effects of entanglement in free-swimming individuals include systemic infection and debilitation from extensive tissue damage . . . More common in protracted cases is severe emaciation due to the inability to cope with a negative energy budget, driven by the combined effects of reduced mobility and foraging ability, and increased energetic demand imposed by towing accessory gear for months to years.”⁴⁹

The best available scientific data also indicates that even a single line increases drag on a whale; extra energy demand may affect body condition to the point that individual females’ reproductive capacities could be impaired. Indeed, scientific studies have concluded that poor body condition that may result from chronic entanglement in right whales is a serious limitation to reproductive success.⁵⁰ Studies have also found that “[r]eproductive females seen alive and carrying gear or with severe wounds from entanglement had a significantly lower chance of calving again. Females that experienced moderate or severe entanglement wounds between calvings had a significantly longer calving interval than females that experienced minor or no entanglement wounds;”⁵¹ that “females that have suffered a severe entanglement are significantly less likely to calve again;”⁵² and that “[h]uman impacts are reducing the reproductive success of this population.”⁵³

Other studies have concluded that entanglements contribute to poor body condition in juvenile right whales, adults, and lactating females, “which could be suppressing their growth, survival, age of sexual maturation and calving rates.”⁵⁴ Moreover, the poor condition of lactating females, may cause a reduction in calf growth rates, “potentially lead[ing] to a reduction in calf survival or an increase in female calving intervals.”⁵⁵ As such, “the poor body condition of individuals within the NARW population is of major concern for its future viability.”⁵⁶ Thus, entanglement is likely one of the major determinants of reproductive failure in right whales, and probably all large whales. NMFS cannot define its purpose and need to focus solely on serious injury and mortality.

⁴⁸ Julie van der Hoop, et al. 2014. Behavioral impacts of disentanglement of a right whale under sedation and the energetic cost of entanglement. *Marine Mammal Science*. Vol. 30:1, pp. 282–307.

⁴⁹ *Id.*

⁵⁰ Miller, C., D. Reeb, P. Best, A. Knowlton, M. Brown and M. Moore. 2011. Blubber thickness in right whales (*Eubalaena glacialis*) and (*Eubalaena australis*) related with reproduction, life history status and prey abundance. *Marine Ecology Progress Series*. Vol. 438, pp. 267–283.

⁵¹ Knowlton, A., P. Hamilton, M. Marx, H. Pettis, and S. Kraus. 2012. Monitoring North Atlantic right whale (*Eubalaena glacialis*) entanglement rates: a 30 yr retrospective. *Marine Ecology Progress series*. Vol. 466, pp 293–302; Knowlton, A., P. Hamilton, and H. Pettis. 2012. Status of Reproductive Females in the North Atlantic Right Whale Population and Impacts of Human Activities on their Reproductive Success. Report Submitted to Woods Hole Oceanographic Institution.

⁵² Julie van der Hoop, et al. 2016.

⁵³ *Id.*

⁵⁴ Christiansen, F., Dawson, S.M., Durban, J.W., Fearnbach, H., Miller, C.A., Bejder, L., Uhart, M., Sironi, M., Corkeron, P., Rayment, W., Leunissen, E., Haria, E., Ward, R., Warick, H.A., Kerr, I., Lynn, M.S., Pettis, H.M., & Moore, M.J. 2020. Population comparison of right whale body condition reveals poor state of the North Atlantic right whale. *Marine Ecology Progress Series*. Vol. 640, pp. 1–16.

⁵⁵ *Id.*

⁵⁶ *Id.*

B. The DEIS Fails to Properly Examine the Direct and Indirect Impacts to Right Whales

The DEIS fails to take a hard look at the direct and indirect impacts on right whales. The relevant regulations define “direct” effects as those that are “caused by the action and occur at the same time and place;” and “indirect” effects as those that are “caused by the action and are later in time or farther removed in distance, but are still reasonably foreseeable.” 40 C.F.R. § 1508.8 (2019).

NMFS fails to properly evaluate the direct impacts of the proposed rule on right whales by failing to base its analysis on accurate scientific information, improperly narrowing the scope of the action under review, and assuming the efficacy of risk reduction measures without any discussion of how these measures will not sufficiently reduce risk. As an initial matter, because the DEIS fails to properly define the proposed rule as part of its authorization and management of operation of the fisheries in state and federal waters under the MMPA, the DEIS improperly characterizes the nature and extent of the direct effects as beneficial, rendering the agency’s analysis too narrow. Moreover, the analysis is based on outdated information that does not constitute the best available science on right whales, violating the requirement that “[t]he information must be of high quality” because [a]ccurate scientific analysis, expert agency comments, and public scrutiny are essential to implementing NEPA.” 40 C.F.R. § 1500.1(b) (2019).

For example, the proposed rule and DEIS explain that NMFS established the 60% risk reduction target based on a PBR of 0.9. 85 Fed. Reg. at 86,880; DEIS Vol. I at 1-2. However, as NMFS is well aware, the right whale PBR is now officially 0.8 as per the final 2019 Stock Assessment Report and actually 0.7 as per the most recent data on the population estimate.⁵⁷ The DEIS further explains that the assumptions underlying this risk reduction target, were based on an estimate that 40% of mortalities between 2010 and 2018 were unobserved. DEIS Vol. I at 2-39. But a newly-published paper finds that 71% of mortalities between 2010 to 2017 were unobserved.⁵⁸

In addition, NMFS simply assumes that the proposed rule will adequately mitigate impacts to right whales to achieve the agency’s stated risk reduction target, without addressing the likelihood that it will not do so. As the Supreme Court has instructed, “omission of a reasonably complete discussion of possible mitigation measures would undermine the ‘action-forcing’ function of NEPA. Without such a discussion, neither the agency nor other interested groups and individuals can properly evaluate the severity of the adverse effects.” *Robertson*, 490 U.S. at 353. NEPA requires that FERC discuss mitigation measures with “sufficient detail to ensure that environmental consequences have been fairly evaluated.” *Id.* at 352. “An essential component of a reasonably complete mitigation discussion is an assessment of whether the proposed mitigation measures can be effective. . . A mitigation discussion without at least *some* evaluation of effectiveness is useless in making that determination.” *South Fork Band Council v. U.S. Dep’t of the Interior*, 588 F.3d 718, 727 (9th Cir. 2009) (citations omitted).

⁵⁷ NMFS, Stock Assessment Report: North Atlantic Right Whale, Apr. 2020 at 22; Colleen Coogan, NMFS, Presentation to the Atlantic Large Whale Take Reduction Team, Jan. 2021.

⁵⁸ Pace et al. 2021.

Moreover, many of the measures on which NMFS relies in its proposed rule are unproven and therefore not guaranteed to hit the projected risk reduction goal. As explained above, the proposed rule relies extensively on the use of weak rope or weak insertions to reduce risk of right whale M/SI. *See supra* Section II.D. But the efficacy of this rope at reducing M/SI is untested, assumes right whales are entangled in particular ways, and will not address the sublethal impacts impeding the recovery of the species. *Id.* Indeed, numerous scientists recently determined that “while 1700 lb (~773 kg) weak rope breaking strength rope may reduce mortality and sever injury, *it will continue to be a source of morbidity.*”⁵⁹ As such, “removal of rope from the water column will better enable species recovery.”⁶⁰

Indeed, numerous studies have demonstrated that NMFS’s long history of implementing a series of complex, inefficient gear modifications via the ALWTRP have been ineffective at reducing M/SI to the levels the agency assumed in those rules and associated documents. For example, a 2007 scientific review panel stated that:

In general, [NMFS] should set higher standards of protection and place greater reliance on the ability of industry to adapt to those standards, rather than continuing to depend on a complex, shifting, inefficient, and ineffective network of regulatory measures to protect the whales. The guiding principle should be to separate high-risk human activities from right whales, in both space and time, to the maximum extent feasible.⁶¹

Studies issued since then only reinforce this point. For example, a 2014 study by agency scientists concluded that incremental gear modifications under the ALWTRP from 1999 to 2009 were “generally ineffective in abating whale deaths from entanglements in fishing gear.”⁶² In October 2018, NMFS’s Technical Memorandum observed that, starting in 1997 when the original Plan was put in place, including the 2009 sinking groundline and 2014 vertical line rules, data from 2000 through 2017 showed that “absolute entanglements appear to be on the rise.”⁶³ The same document noted the “unintended consequences” of the 2015 vertical line rule that required trawling up, potentially contributing to the increased severity of entanglements.⁶⁴

NMFS’s NEPA evaluation therefore cannot simply assume its proposed rule will achieve its goals and must disclose potential shortcomings, particularly where available evidence indicates the proposed rule will not be sufficiently protective.

NMFS also fails to take a hard look at the indirect impacts of the proposed rule. Because the

⁵⁹ Moore et al. 2021 (emphasis added).

⁶⁰ *Id.*

⁶¹ Reeves, R.R., A.J. Read, L. Lowry, S.K. Katona, and D.J. Boness. 2007. Report of the North Atlantic right whale program review, 13-17 March 2006, Woods Hole, Massachusetts. Marine Mammal Commission, Bethesda, MD.

⁶² Pace, R. M. III et al. 2014.

⁶³ Hayes S.A., Gardner S., Garrison L., Henry A., Leandro L. 2018. North Atlantic right whales - Evaluating their recovery challenges in 2018. NOAA Tech Memo NMFS NE. 247; 24 p. at 8.

⁶⁴ *Id.*; *see also* Kenney, R. 2018. What if there were no fishing? North Atlantic right whale population trajectories without entanglement mortality. Endangered Spec. Res. 37:233 (“[d]espite legal requirements to reduce fishery-related mortality, little or no real progress has been made over the last 2 decades”).

proposed rule is part of NMFS's authorization of the fisheries under the MMPA, NMFS must consider all the impacts of the fisheries on right whales as part of its analysis. Yet NMFS failed to do so.

Specifically, NMFS failed to take a hard look at the impacts that fishing activity can have on prey availability for right whales. Right whales select foraging areas based on a relatively high threshold of copepod density. *See, e.g.*, DEIS Vol. I at 4-86. Notably, foraging areas with suitable prey density are limited relative to the overall distribution of North Atlantic right whales,⁶⁵ meaning that unrestricted and undisturbed access to suitable areas, when they exist, is extremely important for the species to maintain its energy budget. Scientific information on right whale functional ecology also shows that the species employs a "high-drag" foraging strategy that enables them to selectively target high-density prey patches, but is energetically expensive.⁶⁶

Thus, if access to prey is limited in any way, the ability of the whale to offset its energy expenditure during foraging is jeopardized. NMFS itself has elsewhere recognized that these prey disturbances should and could be minimized because it relies on the Massachusetts Restricted Area to "further minimize" such disturbances stating:

Localized disturbance to dense copepod aggregations by these gear types is further minimized by MMPA gillnet and trap/pot closure areas that exist in temporal and spatial areas where these dense concentrations are expected to trigger foraging behavior (e.g., Massachusetts Bay Restricted Area). 50 CFR 229.23).⁶⁷

While NMFS's DEIS acknowledges that reduced prey availability can negatively affect right whale health, *e.g.*, DEIS Vol. I at 1-4, 4-88, the agency failed to consider the role the proposed action has in exacerbating those impacts.

Relatedly, NMFS also failed to consider the impacts of fishing vessel operations on right whales. This is improper considering that NMFS elsewhere acknowledged that noise pollution from fishing vessels can negatively impact right whales and increase the risk of ship strikes. *See e.g.*, Draft BiOp at 146. Indeed, there have been at least four documented right whale deaths and serious injuries due to vessel strikes in U.S. waters since January 1, 2020, all due to confirmed or suspected recreational fishing vessels less than 65 feet.⁶⁸

C. The DEIS Does Not Examine a Reasonable Range of Alternatives or Adequately Describe Differences Between Alternatives

The DEIS fails to analyze a reasonable range of alternatives, or adequately analyze the differences between alternatives. NEPA requires a "detailed statement" of "alternatives to the

⁶⁵ *Id.*

⁶⁶ Van der Hoop, J., Nousek-McGregor, A.E., Nowacek, D.P., Parks, S.E., Tyack, P., and Madsen, P, "Foraging rates of ram-filtering North Atlantic right whales," *Functional Ecology*, published online May 11, 2019.

⁶⁷ Draft BiOp at 87.

⁶⁸ Aidan Cox, North Atlantic right whale found dead on Florida beach, CBC News, Feb. 17, 2021, <https://www.cbc.ca/news/canada/new-brunswick/right-whale-death-1.5917363>.

proposed action.” 42 U.S.C. § 4332(2)(c). In considering alternatives, an agency “should present the environmental impacts of the proposal and the alternatives in comparative form, thus sharply defining the issues and providing a clear basis for choice among options by the decisionmaker and the public.” 40 C.F.R. § 1502.14 (2019).

The requirement to consider reasonable alternatives “lies at the heart of any NEPA analysis.” *California ex rel. Lockyer v. U.S. Dept. of Agric.*, 459 F. Supp. 2d 874, 905 (N.D. Cal. 2006). The purpose of this section is “to insist that no major federal project should be undertaken without intense consideration of other more ecologically sound courses of action, including shelving the entire project, or of accomplishing the same result by entirely different means.” *Env’t Defense Fund v. Army Corps of Engr’s*, 492 F.2d 1123, 1135 (5th Cir. 1974).

While an agency is not obliged to consider every alternative to every aspect of a proposed action, the agency must “consider such alternatives to the proposed action as may partially or completely meet the proposal’s goal.” *Nat. Resources Defense Council v. Callaway*, 524 F.2d 79, 93 (2d Cir. 1975). In considering what constitutes a reasonable alternative, “an agency should always consider the views of Congress, expressed, to the extent that the agency can determine them, in the agency’s statutory authorization to act, as well as in other congressional directives.” *Citizens Against Burlington v. Busey*, 938 F.2d 190, 196 (D.C. Cir. 1991). The existence of a viable but unexamined alternative renders an EIS inadequate. *Citizens for a Better Henderson v. Hodel*, 768 F.2d 1051, 1057 (9th Cir. 1985).

Despite these obligations, NMFS considered only three primary alternatives: (1) Alternative 1 (not issuing the proposed rule); (2) Alternative 2 (issuing the proposed rule); and (3) Alternative 3 (similar to Alternative 2 but with some additional measures). NMFS neglected to consider a range of reasonable alternatives because none of the action alternatives meet NMFS’s protective mandates under NEPA and the MMPA (or the ESA) or provide a meaningful range of adequate mitigation measures. *See supra* Section II.

Indeed, there are relatively few differences among the action alternatives. Both alternatives would require a combination of trawling up, seasonal buoy line restricted areas, and weak lines or weak insertions. *See* DEIS Vol. I at 3-52–3-53. NMFS estimates Alternative 2 would reduce M/SI risk by 64.3% while it estimates that Alternative 3 would reduce M/SI risk by 69.6% to 72.6%. *Id.* at 3-68, 3-69. The lack of any meaningful difference between the alternatives considered in detail violates the requirements of NEPA. *See Muckleshoot Indian Tribe v. U.S. Forest Serv.*, 177 F.3d 800, 813 (9th Cir. 1999) (federal agency violated NEPA where two action alternatives considered were “virtually identical”).

For example, NMFS failed to examine a truly protective alternative: no fishing. Because NMFS’s No Action alternative reflects continued fishing under the current ALWTRP, NMFS should have considered an additional alternative that analyzed no commercial fishing, and thus no risk to from entanglements in U.S. fishing gear. This would have provided an important basis for the public and the agency to compare the tradeoffs between continued fishing and continued risk of entanglements, serious injuries, and mortalities in fishing gear, versus an alternative under which there would be zero risk of entanglement in commercial fishing gear in U.S. waters. No fishing protects the critically endangered right whale NMFS is mandated to protect, conserve,

and recovery; while continued fishing with unattended vertical line continues to threaten the survival and recovery of this critically endangered species.⁶⁹

At the very least, NMFS must consider an alternative that would reduce serious injury and mortality of right whales in Northeast trap fisheries by 90%. NMFS's failure to do so is especially glaring where the agency itself identified the need to reduce U.S. entanglement-related M/SI by upwards of 80% at a time when PBR for right whales was 0.9, DEIS Vol. I at 3-47, and the PBR for right whales is now 0.7.⁷⁰ See *supra* Section II.A. Additionally, NMFS should have evaluated alternatives that considered adopting the closures proposed as part of the Preferred Alternative and Alternative 3 as year-round restricted areas, particularly considering the best available science demonstrates that right whales use the waters in Southern New England in all months of the year. See *supra* Section II.C.2.

NMFS should also consider an alternative that considers a line cap on all gear and include an alternative that address risk from gillnet gear. The agency chose not to focus on gillnets in its current rulemaking because lobster gear makes up a significantly greater portion of the line in right whale habitat. See, e.g., DEIS Vol. I at 2-34, 2-40. However, while gillnets make up a small amount of the line in right whale habitat, they pose a disproportionate risk of entangling a right whale.⁷¹ The presence of one or more nets (up to 300 feet long each) strung together and held up by floats, presents a much bigger target area for whales foraging throughout the water column, as compared to vertical trap/pot buoy lines without net in between. The agency must consider an alternative that evaluates the risk reduction benefits of restricting gillnet fishing.

While not necessarily in the spirit of TRT negotiations, NMFS's failure to examine a no-fishing alternative, or an alternative that would further reduce risk to right whales (to 80% or more), as part of its NEPA analysis is especially arbitrary considering that the status of the species has become particularly dire in the years the much-needed amendments to the ALWTRP have languished. See *Nat. Res. Def. Council v. U.S. Forest Serv.*, 421 F.3d 797, 813–14 (9th Cir. 2005) (NEPA obliges an agency to revisit its alternatives analysis whenever there are “changed circumstances [that] affect the factors relevant to the development and evaluation of alternatives,” and “account for such change in the alternatives it considers.”).

NMFS's failure to address a reasonable range of alternatives is due, at least in part, to its unfounded rejection of alternatives proposed during scoping or elsewhere. In particular, NMFS rejected several proposals that would have required larger closures than what NMFS has proposed—such as the closure of all of Statistical Area 529, the seasonal closure of LMA3 above

⁶⁹ That the agency purports to have addressed these impacts in an appendix to its draft biological opinion on operation of the federal fisheries is irrelevant as the agency's obligations under NEPA and the ESA are distinct in several important respects. See, e.g., *Fund for Animals v. Hall*, 448 F. Supp. 2d 127, 136 (D.D.C. 2006) (describing differences). Moreover, “an agency may not circumvent its obligation to provide a clear assessment of environmental impacts simply by placing [vital] analysis in an appendix.” *Or. Env't'l Council v. Kunzman*, 817 F.2d 484, 494 (9th Cir. 1987).

⁷⁰ See, e.g., Colleen Coogan Presentation to the Atlantic Large Whale Take Reduction Team, Jan. 2021.

⁷¹ “Per the agency's draft North Atlantic Right Whale Conservation Framework for Federal Fisheries in the Greater Atlantic Region, the agency is not even planning on having the ALWTRT evaluate the risk from gillnets and provide recommendations until 2023 and the agency anticipates acting on recommendations from the ALWTRP in 2025.” NARWConservationFrameworkGARFO.pdf.

40.3 degrees, or the closure of all waters from January through April—because these measures were “too large” and “unpopular with stakeholders.” DEIS Vol. I at 3-79. NEPA does not contain a “popularity” exemption to the requirement to consider a reasonable range of alternatives—indeed, neither do the ESA or MMPA contain a “popularity” exemption to their legal requirements.

NMFS’s rejection of these alternatives on this basis is particularly concerning in light of the agency’s recognition that the proposed rule will not meet its legal obligation under the MMPA to reduce M/SI to below PBR (not to mention ZMRG), *see supra* Section I; and its acknowledgement over two decades ago, that reducing entanglement risk for right whales would be especially difficult and that “extensive closures of large areas of the ocean to lobster and gillnet fishermen . . . would guarantee reduction of entanglements causing serious injury and mortalities.” 62 Fed. Reg. 39,157, 39,159 (July 22, 1997); *cf.*, *Citizens Against Burlington*, 938 F.2d at 196.

In addition to failing to examine a reasonable range of alternatives, NMFS also failed to adequately compare the differences between the alternatives it did consider. For example, NMFS states that the no action alternative would have “high[ly] negative” consequences on right whales because “serious injury and mortality would continue to occur and impact population health,” the agency also states that Alternative 2—the preferred alternative— would have a “positive” effect on right whales because it “would reduce right whale co-occurrence by 69%.” *See, e.g.*, DEIS Vol. I at 8-276. Similarly, it states that Alternative 3—the non-preferred alternative— would have a “highly positive” effect on right whales by “reduc[ing] right whale co-occurrence by 83–88%.” *Id.* These assumptions are unfounded for the reasons described above. *See supra* Section II. But even if true, that would not save the agency’s analysis because NMFS failed to acknowledge that even under these alternatives, right whale serious injury and mortality would continue to occur and at unsustainable levels. *See, e.g., id.*

D. The DEIS Fails to Properly Examine Cumulative Impacts

To ensure that the full effect of its decision is analyzed, NEPA requires NMFS to examine the potential cumulative impacts. *See* 42 U.S.C. § 4332(2)(C); 40 C.F.R. § 1508.9 (2019); *Te-Moak Tribe of W. Shoshone of Nev. v. U.S. Dep’t of the Interior*, 608 F.3d 592,602-03 (9th Cir. 2010) (citation omitted). A “cumulative impact” is “the impact on the environment which results from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions regardless of what agency (Federal or non-Federal) or person undertakes such other actions. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time.” 40 C.F.R. § 1508.7 (2019). “[I]n considering cumulative impact, an agency must provide some quantified or detailed information; . . . general statements about possible effects and some risk do not constitute a hard look absent a justification regarding why more definitive information could not be provided.” *Ocean Advocates v. U.S. Army Corps of Eng’rs*, 361 F.3d 1108,1128 (9th Cir. 2004) (citation omitted); *see also Te-Moak Tribe of W. Shoshone v. U.S. Dep’t of the Interior*, 608 F.3d 592, 603-06 (9th Cir. 2010) (rejecting the EA’s cumulative impact analysis because it failed to analyze impacts in light of other projects that would impact the same resources).

NMFS failed to comply with these requirements. Its “analysis” of cumulative impacts amounts to nothing more than general statements about activities that impact large whales and other species. As one example, NMFS states that noise can have “low negative to negative” impacts on large whales, DEIS Vol. I at 8-254, 8-259, NMFS makes no attempt to quantify take from noise pollution or otherwise take a hard look at their detrimental impacts. For example, NMFS fails to even acknowledge its rule issued under the MMPA that allows the Navy to harass right whales hundreds of times each year over the next seven years incidental to testing and training activities conducted in the Atlantic Fleet Training and Testing Study Area. *See* 84 Fed. Reg. 70,712, 70,763 (authorizing 471 instances of Level B harassment of right whales from December 2019 through November 2025). Nor does NMFS attempt to quantify or take a hard look at the impacts of noise from vessel traffic.

Noise from the Navy’s activities, the maritime industry, and the numerous offshore wind projects in Southern New England waters⁷² will certainly “impact” right whales, and likely significantly so. For example, scientific research reveals that chronic stress in North Atlantic right whales is associated with exposure to low frequency noise from ship traffic.⁷³ Specifically, “the adverse consequences of chronic stress often include long term reductions in fertility and decreases in reproductive behavior; increased rates of miscarriages; increased vulnerability to diseases and parasites; muscle wasting; disruptions in carbohydrate metabolism; circulatory diseases; and permanent cognitive impairment.”⁷⁴ As such, “over the long term, chronic stress itself can reduce reproduction, negatively affect health, and even kill outright.”⁷⁵ In addition, right whales will experience temporary threshold shifts, behavioral response (including foraging displacement), and stress throughout the Atlantic from Navy sonar and other transducers,⁷⁶ as well as offshore wind projects. All of the existing and increasing ocean noise impacts important communications, including those between mothers and calves.⁷⁷

In fact, NMFS lumps its analysis of the cumulative impacts on right whales together with other whales by only generally describing impacts on “large whales.” *See, e.g.*, DEIS Vol. I at 8-250–8-251, 8-259. But this fails to constitute the hard look required by law and obfuscates the

⁷² BOEM, Atlantic OCS Renewable Energy – Massachusetts to South Carolina, Mar. 2020, <https://www.boem.gov/sites/default/files/images/Map%20of%20Atlantic%20OCS%20renewable%20energy%20areas.jpg>.

⁷³ Rolland, R, et al. 2012. Evidence that ship noise increases stress in right whales. *Proc. R. Soc. B.* 279: 2363–2368.

⁷⁴ Rolland, R.M., K.E. Hunt, G.J. Doucette, L.G. Rickard, and S.K. Wasser. 2007. The inner whale: hormones, biotoxins and parasites. In: Kraus S.D. and R.M. Rolland, (eds.). *The Urban Whale: North Atlantic Right Whales at the Crossroads*. Harvard University Press, Cambridge, MA.

⁷⁵ *Id.*; *see also* Mayo, C.S., Page, M., Osterberg, D., and Pershing, A., “On the path to starvation: the effects of anthropogenic noise on right whale foraging success,” *North Atlantic Right Whale Consortium: Abstracts of the Annual Meeting (2008)* (finding that decrements in North Atlantic right whale sensory range due to shipping noise have a larger impact on food intake than patch-density distribution and are likely to compromise fitness).

⁷⁶ *See, e.g.*, NMFS, Biological and Conference Opinion on U.S. Navy Atlantic Fleet Training and Testing and the National Marine Fisheries Service’s Promulgation of Regulations Pursuant to the Marine Mammal Protection Act for the Navy to “Take” Marine Mammals Incidental to Atlantic Fleet Training and Testing (Nov. 2018) at 508.

⁷⁷ *See, e.g.*, NMFS, Biological Opinion on the Bureau of Ocean Energy Management’s Issuance of Five Oil and Gas Permits for Geological and Geophysical Seismic Surveys off the Atlantic Coast of the United States, and the National Marine Fisheries Services’ Issuance of Associated Incidental Harassment Authorizations (Nov. 2018) at 87 (“North Atlantic right whales shift calling frequencies, particularly those of upcalls, and increase call amplitude over both long and short term periods due to exposure to vessel sound, which may limit their communication space by as much as 67 percent compared to historically lower sound conditions”).

distinct, significant cumulative impacts that will likely befall right whales in light of their critically endangered status and sensitivity to the various stressors listed, such as the fact that right whales, and female and their calves in particular, are more at risk of vessel strikes than other species.⁷⁸

NMFS also seems to have artificially narrowed the definition of the action area for purposes of its cumulative impacts analysis. Specifically, NMFS defines the action area as “focused primarily on the Northeast Region Trap/Pot Management Area.” DEIS Vol. I at 8-248. But this ignores the behavioral characteristics of right whales and other species who migrate hundreds or thousands of miles in the Atlantic and thus will be exposed to the risk of vessel strikes, noise pollution, and other stressors in areas outside the narrow circle NMFS has drawn for purposes of its cumulative impacts analysis. While the agency considers the impacts of entanglements and vessel strikes “in Canadian waters . . . because of the magnitude of impact this is have on the population,” *id.*, NMFS must also analyze the combined impacts of the species’ exposure to other stressors outside New England. *See, e.g., Nat. Res. Def. Council v. Hodel*, 865 F.2d 288, 297–300 (D.C. Cir. 1988) (rejecting EIS where it failed to properly consider the impacts of offshore oil and gas activities on species who migrate through multiple planning areas); *Utahns v. U.S. Dep’t of Transportation*, 305 F.3d 1152, 1180 (10th Cir. 2002) (holding EIS inadequate where it only evaluated impacts within 1,000 feet of proposed project because it limited analysis to smaller, less mobile species and ignored impacts to migratory species). For example, it is not clear if the agency considered the impacts of vessel strikes in the mid- and south-Atlantic regions, despite this stressor having significant impacts on the population in these waters. Indeed, in the last 14 months alone numerous right whales have been killed or seriously injured by vessel strikes in U.S. waters outside New England.⁷⁹ Additionally, it is unclear whether the agency considered other stressors right whales also face, or are reasonably likely to face in the foreseeable future, in waters outside New England and Canadian waters such as vessel noise or plastic pollution.

While NMFS may consider the impacts from the proposed rule to be minor (or beneficial), that does not absolve the agency of its duty under NEPA to consider the combined impacts of the regulations on imperiled right whales or other species, particularly because the regulations are part of NMFS’s authorization of the operation of the fisheries under the MMPA. As one appellate court has explained:

the addition of a small amount of [pollution] to a [waterway] may have only a limited impact on [fish] survival, or perhaps no impact at all. But the addition of a small amount here, a small amount there, and still more at another point could add up to some-thing with a much greater impact, until there comes a point where even a marginal increase will mean that *no* [fish] survive.

⁷⁸ *See, e.g.,* 78 Fed. Reg. 73726, 73727 (Dec. 9, 2013) (“Right whales appear to be more vulnerable to ship strikes than other large whale species”); NMFS, North Atlantic Right Whale (*Eubalaena glacialis*) Vessel Speed Rule Assessment (June 2020) at 23.

⁷⁹ *See, e.g.,* NMFS, 2017–2021 North Atlantic Right Whale Unusual Mortality Event, <https://www.fisheries.noaa.gov/national/marine-life-distress/2017-2021-north-atlantic-right-whale-unusual-mortality-event> (updated Feb. 28, 2021).

Klamath-Siskiyou Wildlands Ctr. v. Bureau of Land Mgmt., 387 F.3d 989, 994 (9th Cir. 2004). The same is true for impacts to right whales from entanglements in commercial fishing gear, vessel strikes, noise pollution, and other stressors—the addition of some impacts here, and some impacts there, could add up to cumulatively significant impacts, particularly where NMFS has found that protecting every individual right whale is essential to its recovery; that its extinction is almost certain in the immediate future if existing threats are not dramatically reduced; and the best available science indicates that ongoing entanglements and vessel strikes are not only impeding the species’ recovery but actively driving the species toward extinction.⁸⁰ NMFS must carefully examine and disclose these impacts to comply with NEPA.

E. The Economic Analysis in the DEIS Is Fundamentally Flawed

NMFS’s economic analysis of the proposed rule in the DEIS is flawed in two fundamental ways. First, it fails to properly consider that reduced effort does not equate to reduced catch. Second, it fails to consider the significant economic benefit from preventing whale entanglements. The DEIS overestimates the economic impact of the proposed rule on industry by incorrectly assuming reduced effort will lead to reduced landings. Research examining the catch of lobsters in Maine and Canada concluded that there is far more effort in the U.S. than is needed to obtain the same level of catch.⁸¹ Accordingly, seasonal closures and trap reductions could provide substantial benefit to endangered whales while having little economic impact on fishermen.⁸² The authors of a 2007 study stated, for example, that “if Maine restricted its fishing season to 6 months and reduced the number of traps by a factor of 10, the same amount of lobster could be landed with greatly reduced risk to right whales and other species.”⁸³

Recent studies have reached similar conclusions. For example, a 2020 study found that Canadian fishers in the Gulf of Maine caught about the same amount of lobster using 7.5 times less effort than Maine fishers in U.S. waters.⁸⁴ In particular, the study determined that from 2007 to 2013 in Maine, lobster landings doubled as the number of traps fell 10.5% and landings per trap increased by about 125%; and that Massachusetts achieved record-high landings since the implementation of trap/pot seasonal closures, especially within those areas most affected by the closures.⁸⁵ As such, “a negative economic impact should not be assumed with effort reduction.”⁸⁶

The DEIS also overestimates the economic impacts by ignoring the economic benefits of

⁸⁰ See, e.g., Pace et al 2021; NMFS, Immediate Action Needed to Save North Atlantic Right Whales, July 3, 2019, <https://www.fisheries.noaa.gov/leadership-message/immediate-action-needed-save-north-atlantic-right-whales>; NMFS, Species in the Spotlight, <https://www.fisheries.noaa.gov/topic/endangered-species-conservation#species-in-the-spotlight> (last visited Feb. 3, 2021).

⁸¹ Myers, R.A., S.A. Boudreau, R.D. Kenney, M.J. Moore, A.A. Rosenberg, S.A. Sherrill-Mix, and B. Worm. 2007. Saving endangered whales at no cost. *Curr. Biol.* 17(1): R10–R11.

⁸² *Id.*

⁸³ *Id.*

⁸⁴ Hannah J. Myers and Michael J. Moore. 2020. Reducing effort in the U.S. American lobster (*Homarus americanus*) fishery to prevent North Atlantic right whale (*Eubalaena glacialis*) entanglements may support higher profits and long-term sustainability. *Marine Policy*. Vol. 118: 103399.

⁸⁵ *Id.*

⁸⁶ *Id.*

reducing entanglement risk. While putting a dollar figure on an individual whale is not necessarily the best way to measure its inherent value, NMFS cannot focus solely on the cost to industry while ignoring the significant benefits provided by large whales—including to the fisheries themselves—particularly where tools exist to estimate the economic benefits of whales. For example, the International Monetary Fund recently issued a “conservative estimate[]” that placed the average value of an individual large whale at more than \$2 million due to the ecosystem services individual whales provide in carbon sequestration and fertilizing activity that adds significantly to phytoplankton growth in the areas whales frequent.⁸⁷ In addition, reducing the frequency and severity of whale entanglements, will also reduce the expense associated with disentanglement efforts. But NMFS failed to consider these benefits in evaluating the economic impact of the proposed rule. This is improper.

Courts have held that it is arbitrary for an agency to focus solely on the costs to industry from enacting regulations while ignoring the economic benefits of the new standards. *See, e.g., Ctr. for Biological Diversity v. Nat’l Highway Traffic Safety Admin.*, 538 F.3d 1172, 1203 (9th Cir. 2008) (holding that it was arbitrary for an agency to consider the economic benefits of decreased carbon emissions from tailpipes when establishing corporate average fuel economy standards for light trucks when it considered economic costs to industry from enacting stricter standards); *see also High Country Conservation Advocates v. U.S. Forest Serv.*, 52 F. Supp. 3d 1174, 1190-93 (D. Colo. 2014) (holding that it was arbitrary for the agency to consider the economic benefits of a coal mine expansion without also assessing the climate consequences of the end use of coal using the Social Cost of Carbon protocol).

In other words, NMFS “cannot put a thumb on the scale by undervaluing the benefits and overvaluing the costs of more stringent standards.” *Ctr. for Biological Diversity*, 538 F.3d at 1198; *see also Mont. Env’tl. Info. Ctr. v. U.S. Office of Surface Mining*, Case No. 15-106-M-DWM, 2017 WL 3480262, at *15 (D. Mont. Aug. 14, 2017). Yet that is just what NMFS’s DEIS does. While it contains a lengthy analysis of the economic impact to industry, it has no analysis or discussion of the economic benefit of the regulations—whether quantitative or qualitative. While there may be a range of values, the value of saving whales “is certainly not zero” as NMFS irrational treats such value in its DEIS. *See Ctr. for Biological Diversity*, 538 F.3d at 1200.

V. CONCLUSION

NMFS’s proposed rule and its associated DEIS are fundamentally flawed and fail to comply with the agency’s legal obligations under the MMPA, ESA, and NEPA in numerous ways. NMFS must revise its risk reduction target, proposed rule and associated documents, reissue them for public notice and comment, and implement emergency measures to significantly reduce entanglement risk in the interim. Failure to do so would be a gross dereliction of the agency’s duties and condemn the right whale to suffer yet more of the entanglements in commercial fishing that are not only impeding the species recovery, but actively driving it closer to the brink of extinction.

⁸⁷ *Id.*; *see also* Carl Wilson, Manipulative Trapping Experiments In The Monhegan Island Lobster Conservation Area, Jan. 2010; Stephanie A. Boudreau & Boris Worm. 2010. Top-down control of lobster in the Gulf of Maine: insights from local ecological knowledge and research surveys. *Mar. Ecol. Prog. Ser.* Vol. 403: 181–191.

Sincerely,

/s/ Kristen Monsell

Kristen Monsell
Oceans Legal Director & Senior Attorney
Center for Biological Diversity
kmonsell@biologicaldiversity.org

/s/ Erica Fuller

Erica Fuller
Senior Attorney
Conservation Law Foundation
efuller@clf.org

/s/ Jane Davenport

Jane Davenport
Senior Attorney
Defenders of Wildlife
jdavenport@defenders.org

/s/ Sharon Young

Sharon Young
Senior Strategist, Marine Issues
The Humane Society of the United States
syoung@humanesociety.org

/s/ Keisha Sedlacek

Keisha Sedlacek
Director of Regulatory Affairs
Humane Society Legislative Fund
ksedlacek@hslf.org

- **Center for Biological Diversity • Conservation Law Foundation •**
- **Defenders of Wildlife • Humane Society of the United States •**
- **Humane Society Legislative Fund •**

Attachments to Comments on:

Proposed Rule to Amend Atlantic Large Whale Take Reduction Plan Regulations, 85 Fed. Reg.
86,878 (Dec. 31, 2020), and Draft Environmental Impact Statement
NOAA-NMFS-2020-0031

March 1, 2021

North Atlantic Right Whale Consortium 2020 Annual Report Card

Pettis, H.M.¹, Pace, R.M. III², Hamilton, P.K.¹

¹ *Anderson Cabot Center for Ocean Life at the New England Aquarium, Central Wharf, Boston, MA, USA 02110*

² *Grizzlywhaler Consulting Services, 137 W. Pelham Road, Shutesbury, MA 10702*

NORTH ATLANTIC RIGHT WHALE CONSORTIUM BACKGROUND

The North Atlantic right whale (*Eubalaena glacialis*) remains one of the most endangered large whales in the world. Over the past two decades, there has been increasing interest in addressing the problems hampering the recovery of North Atlantic right whales by using innovative research techniques, new technologies, analyses of existing databases, and enhanced conservation and education strategies. This increased interest demanded better coordination and collaboration among all stakeholders to ensure that there was improved access to data, research efforts were not duplicative, and that findings were shared with all interested parties. The North Atlantic Right Whale Consortium, initially formed in 1986 by five research institutions to share data among themselves, was expanded in 1997 to address these greater needs. Currently, the Consortium membership is comprised of representatives from more than 100 entities including: research, academic, and conservation organizations; shipping and fishing industries; whale watching companies; technical experts; United States (U.S.) and Canadian Government agencies; and state authorities.

The Consortium membership is committed to long-term research and management efforts, and to coordinating and integrating the wide variety of databases and research efforts related to right whales to provide the relevant management, academic, and conservation groups with the best scientific advice and recommendations on right whale conservation. The Consortium is also committed to sharing new and updated methods with its membership, providing up-to-date information on right whale biology and conservation to the public, and maintaining effective communication with U.S. and Canadian Government agencies, state authorities, the Canadian Right Whale Network, the U.S. Southeast and Northeast Right Whale Implementation Teams, the Atlantic Large Whale Take Reduction Team, the Atlantic Scientific Review Group, and members of the U.S. Congress. The Consortium membership supports the maintenance and long-term continuity of the separate research programs under its umbrella, and serves as executor for database archives that include right whale sightings and photo-identification data contributed by private institutions, government scientists and agencies, and individuals. Lastly, the Consortium is interested in maximizing the effectiveness of management measures to protect right whales, including using management models from other fields.

The Consortium is governed by an Executive Committee and Board members who are elected by the general Consortium Membership at the Annual Meeting.

North Atlantic Right Whale Consortium members agreed in 2004 that an annual “report card” on the status of right whales would be useful. This report card includes updates on the status of the cataloged population, mortalities and injury events, and a summary of management and research efforts that have occurred over the previous 12 months. The Board’s goal is to make public a summary of current research and management activities, as well as provide detailed recommendations for future activities. The Board views this report as a valuable asset in assessing the effects of research and management over time.

ESSENTIAL SPECIES MONITORING AND PRIORITIES

In the 2009 Report Card to the International Whaling Commission (IWC), the Consortium Board identified key monitoring efforts that must be continued and maintained in order to identify trends in the species, as well as assess the factors behind any changes in these trends (Pettis, 2009). The key efforts are: (1) Photographic identification and cataloging of right whales in historically and emerging high-use habitats and migratory corridors, including, but not limited to, the southeast United States, Cape Cod Bay, Gulf of St. Lawrence, Great South Channel, Bay of Fundy, Scotian Shelf, and Jeffreys Ledge, (2) Monitoring of scarring and visual health assessment from photographic data, (3) Examination of all mortalities, and (4) Continue using photo-ID and genetic profiling to monitor species structure and how this changes over time.

The Consortium Board regards the Consortium databases as essential to recovery efforts for the North Atlantic right whale species. In a review of the federal recovery program for North Atlantic right whales, the Marine Mammal Commission agreed with the Board's sentiment, stating that "both databases play critical roles in right whale conservation" and that the Identification Catalog "is the cornerstone of right whale research and monitoring" (Reeves et al. 2007). The review went on to recommend that both databases ("both" here and above refers to the [Identification and Sightings databases](#); there are several Consortium databases available) be fully funded on a stable basis. Additionally, the Board recognizes the importance that passive acoustic monitoring has played in our understanding of right whale distribution and its potential role in mitigating anthropogenic impacts on the species. The Board strongly supports and encourages efforts to develop a comprehensive Right Whale Acoustic Detection Database that will serve as an additional resource in conservation and management efforts.

Since 2010, right whale distribution and patterns of habitat use have shifted, in some cases dramatically. These shifts have been observed throughout the range of North Atlantic right whales and have direct implications on research and management activities, and on each of the key efforts identified above. As such, the Board believes that identifying potential extralimital and new critical habitats and developing alternative survey effort strategies to respond to the distributional changes should continue to be a priority. These strategies should include efforts to not only locate, including use of passive acoustic monitoring, and identify individual right whales, but also to ensure that information critical to important monitoring and management efforts (i.e. health assessment, injury and scarring assessments) is effectively and efficiently collected. The drastic shifts in right whale distribution, both temporally and spatially, and the speed at which they occurred, should be viewed as a harbinger of the inadequacy of static mitigation efforts focused solely on past habitat use.

In 2020, **two** right whale mortalities were detected, a decrease over 10 mortalities in 2019. The causes of death were attributed to a vessel strike for the first and possible injury during birth or dystocia for the second. The confirmed vessel strike was the first vessel strike mortality detected in US waters since 2017. There were three additional vessel strikes detected in 2020, one of which was presumed fatal and also occurred in U.S. waters. The presumed fatal strike occurred in an active Seasonal Management Area with vessel speed restrictions in place and the confirmed mortality in an area not under vessel speed restrictions at the time of detection. The absence of detected mortalities in Canadian waters in 2020 was encouraging and likely driven by several factors, including the reduction in large vessel traffic due to COVID-19 as well as ongoing vessel strike and entanglement mitigation measures in Canadian waters.

There were no confirmed entanglement mortalities detected in 2020, however, **five** right whales were documented carrying gear- four of the entanglements first seen in 2020. Four of the five entanglements are considered to be life-threatening and though all five were detected in U.S. waters, the origin of the gear in all cases is currently unknown.

Ten right whale calves were born in 2020, up from seven in 2019. However, births remain significantly below what is expected and over the last four years (2017-2020) detected mortalities outnumbered births by 3:2. The species continues to be in decline and in July 2020, the International Union for Conservation of Nature (IUCN) red listed the North Atlantic right whale changing its status from endangered to critically endangered. This designation is made when a species is considered at high risk for global extinction. The North Atlantic right whale is the only large whale species on the list.

Discussions about reducing anthropogenic impacts on right whales in both Canadian and U.S. waters are ongoing and encouraging. However, despite the 2020 reduction in overall mortalities and increase in births over 2019, a one year improvement does not a trend make and the species remains in decline. Anthropogenic injuries and mortalities remain a threat to the existence of North Atlantic right whale and immediate, broad-based mitigation strategies that result in significant risk reduction throughout the right whale's range (both realized and potential) must be a priority if this species is to survive.

POPULATION STATUS

The ability to monitor North Atlantic right whale vital rates is entirely dependent on the North Atlantic Right Whale Identification Database (Catalog), curated by the Anderson Cabot Center for Ocean Life at the New England Aquarium. As of September 1, 2020, the database consists of over a million slides, prints, and digital images collected during the 83,988 sightings of 761 individual right whales photographed since 1935. Each year, 2,000 to 5,000 sightings consisting of 20-30,000 images are added to the identification database. Using Catalog

Pettis, H.M., Pace, R.M. III, Hamilton, P.K. 2021. North Atlantic Right Whale Consortium 2020 Annual Report Card. Report to the North Atlantic Right Whale Consortium.

data, a number of methods have been employed to estimate the number of North Atlantic right whales alive annually. Due to lag times in Catalog data submissions and data processing, only data through 2019 were available for these calculations. Here we describe four different estimate methods and present the Consortium's best estimate for 2019. The first two methods use the calendar year; the last two methods use the "whale" year which runs from December 1 to November 30. This latter definition was created to avoid "double counting" whales seen in the southeast US in December and January

Presumed Alive Method

The presumed alive method (PA) counts whales that have been seen at least once in the last six years (Knowlton et al. 1994). It is a consistently measurable and easily available value, but it assumes that whales remain alive for six years after their last sighting (which is often not the case) and the estimates for recent years may be artificially low due to delays in data processing. The PA number for 2019 is 458.

Catalog Method

The Catalog method (formerly referred to as the "Report Card" method) includes a low, middle and high estimate. A table with all of these estimates as well as a full description of the methodology is provided in Appendix 1 of this report card. The values are based upon the number of photographed whales only; they exclude potential unphotographed whales and therefore should not be considered a "population estimate". This method has the weakness of utilizing the PA methodology with its assumptions, but it does incorporate whales that have been photographed but not yet added to the Catalog. The Catalog estimates for 2019 range from a low of 339 to a high of 723 with a middle estimate of 486.

Minimum Number Alive Method

The Minimum Number Alive (MNA) is the number that was historically used in National Marine Fisheries Service stock assessment reports and counts whales seen in a given year, plus any whale not seen that year- but seen both before *and* after (see Hayes et al. 2017). The MNA number is more accurate than PA for older years, but is also not accurate for recent years for the same reason as the PA method, plus the fact that there have been fewer "after" years to detect a whale. The MNA number for 2019 is 347.

Pace Method

The Pace Method was added to the 2016 report card and has been included ever since. This analysis comes from the Pace et al. 2017 model which "adapted a state-space formulation with Jolly-Seber assumptions about population entry (birth and immigration) to individual resighting histories and fit it using empirical Bayes methodology." This model estimate accounts for whales that have not been photographed. The full methodology is available in the paper. It is important to note that the estimates provided by the Pace et al. 2017 methodology represent the estimated abundance at the *start* of the sample period plus all new entries into the population. That number for 2019 is 366. If one wanted an estimate at the end of the interval, one could subtract the number of known dead (or estimated number of dead if a detection rate for carcasses was available).

The full results for all four methods are presented in Figure 1. All numbers except the past Catalog method estimates were recalculated using data as of September 1, 2020 and therefore the numbers in this figure will differ from those in past report cards. The PA number is always artificially high as a comparison to the past year's MNA numbers attest. The difference is largely due to whales that have not been seen since before the year in question. For example, the 30+ animals that the PA number included in 1990 but the MNA did not are all whales that have not been seen since 1990 and are thus very likely dead. From 1990 to 2010, the average difference between the PA number and the MNA number was 35 animals. If that difference remained consistent into this decade, the adjusted presumed alive number in 2019 would be 423 whales. The Pace method removes assumptions of when a whale is alive and is likely more accurate. The Catalog estimates are always higher than the other two methods for the most recent years. However, the fact that the old Catalog estimates for 2005 to 2009 were close to the eventual MNA numbers suggests that the methodology worked reasonably well through 2009. However, starting in 2010, the two numbers started to diverge. This is partially because fewer whales were seen so the MNA number may be artificially low. But it also appears that the six-year assumption for PA whales is increasingly erroneous; whales die sooner than six years after their last sighting. The Catalog estimate does however capture recent increase in calves that have not yet been cataloged. This delay in cataloging is largely due to the right whale distribution shift that has resulted in fewer calves being seen on the feeding grounds with their mothers, and fewer sightings of them as juveniles anywhere- both of which make cataloging recent calves challenging. There is some evidence this delay may be impacting the Pace model for recent years.




Figure 1. Assessments of the North Atlantic right whale population based on four available assessment methods. The Pace model shows a point "estimate" along with error bars which represent 95% of the posteriori probability. That model estimates the number of whale alive *at the start* of each year plus any new whales estimated to enter during that year. Data through 2019 as of September 1, 2020.

Best Right Whale Population Estimate 2019

We believe the Pace Method provides the best estimate for 2019. To get an estimate of whales alive *at the end* of 2019, we can take the estimate at the start of 2019 (366, Figure 1) and subtract the observed deaths during 2019 (8 cataloged whales and two unidentified). Therefore, **the best estimate for the end of 2019 is 356 whales** (95% confidence range +/- 11 and 13 respectively) using data as of September 1, 2020. This represents a more precipitous drop than previous years. Last year's Pace Method number for 2018 was 85 animals more than the MNA number at that time; this year's number is just 19 more than the MNA number (and that MNA number will increase over time as more whales are identified in 2019 and more "after" years are added). Survivorship is decreasing and that alone may account for the narrowing of the gap between MNA and the Pace Method number. The completion of 2019 data and the processing of additional 2020 data, along with further examination of the model, may help determine whether there is, in fact, a downward bias and if so, how large it is.

How Well Are We Monitoring?

Below is an annual count of sightings, unique individuals, whales presumed alive, kilometers of effort that have been submitted to the sightings database at the University of Rhode Island, and percent of the population that is identified each year from 2000 onward (Table 1). Data as of September 1, 2020.

Table 1. Annual counts of photo-ID sightings, unique individuals, presumed living whales, survey effort (in Beaufort conditions ≤ 4), and the percentage of the population seen. Survey effort from dedicated surveys only; opportunistic sightings do not record or report effort. None of the numbers for 2019 are final as not all of the data for that year have been submitted or analyzed. Data as of September 1, 2020.

Year	Sightings	Unique IDs	Best Population Estimate (Pace model)*	Survey Effort (1,000 km)	% of Presumed Alive Population Seen*
2000	3286	246	309	125	80%
2001	3983	286	332	127	86%
2002	2725	315	345	252	91%
2003	2406	315	359	180	88%
2004	1839	299	368	287	81%
2005	3408	364	391	357	93%
2006	2803	348	402	316	87%
2007	3768	384	412	267	93%
2008	4164	408	430	254	95%
2009	4698	427	460	246	93%
2010	3236	432	476	271	91%
2011	3479	444	481	234	92%
2012	2127	383	471	271	81%
2013	1905	296	478	215	62%
2014	2404	379	473	200	80%
2015	1774	268	467	184	57%
2016	2210	327	451	155	73%
2017	3126	377	425	178	89%
2018	3833	358	383	190	93%
2019	4402	339	366	141	93%

*In previous Report Cards, the population estimate and resulting % presumed alive seen were based on the Middle Catalog number (see Population Status section above and Appendix 1). Given that the Report Card now considers the population estimate based on the Pace Method to be the most accurate estimate, we have modified Table 1 to include the Pace Model estimate as the best population estimate and as the denominator for the calculation of the % presumed alive population seen.

Reproduction

There were 10 documented calves born in 2020 (Table 2).

Table 2. Summary of calving events and associated inter-birth interval times for North Atlantic right whales from 2009-2020. The number of available cows, defined as females who have given birth to at least one previous calf, were presumed to be alive, and have not given birth in the last two years, are followed by the percentage of available cows to successfully calve. First time mothers are now included in the available to calve count.

Year	Calf Count	Available Cows/ % to calve	Average Interval	Median Interval	First time Moms
2009	39	66/59.1%	4.0	4	8
2010	19	49/38.8%	3.3	3	4
2011	22	51/43.1%	3.7	3	3
2012	7	66/10.7%	5.4	4	2
2013	20	90/22.2%	4.6	4	7
2014	11	86/12.8%	4.4	4.5	1
2015	17	84/20.2%	5.5	6	4
2016	14*	85/16.5%	6.6	7	4
2017	5	71/7.0%	10.2	8	0
2018	0	76/0	-	-	-
2019	7	87/8.0%	7	7	1
2020	10	77/13%	7.6	7	1

*There were 14 mothers seen with calves in the 2015/2016 season, however, due to a three-way calf switch that included the presumed loss of one calf that was never photographed, only 13 calves were photographed.

Mortalities

Between 01 January 2020 – 31 December 2020, two right whale mortalities were documented in U.S. waters (Table 3). The necropsy for the first, a calf of the year, was conducted and the cause of death was identified as vessel strike. The second mortality documented was a neonate discovered in November 2020. Initial necropsy results suggest the calf died at, or shortly after, birth. There was no evidence of anthropogenic injury found. The Consortium Board recognizes necropsies as significant data collection events that provide valuable information on which management and conservation measures can be (and have been) based. The Board views consistent necropsy response and support (both financial and personnel) as critical to monitor both right whale recovery and the efficacy of management actions.

Non-lethal Vessel Strikes, Entanglements, and Entrapments

Vessel Strikes:

There were three non-lethal vessel strike injuries documented between 01 January 2020 – 31 December 2020 (Table 4). One of these cases, the 2020Calf of 2360 sighted with strike wounds in January, was considered non-lethal because it was last seen alive. However, the injuries to the whale were severe and the whale is not expected to have survived.

Entanglement and Entrapments

There were five active entanglement/entrapment cases reported between 01 January 2020 – 31 December 2020, of which four were new. Table 5 includes newly reported cases as well as pertinent updates to previously reported cases.

Table 3. Documented right whale mortalities 01 January 2020 – 31 December 2020.

Whale #	Date	Location	Sex	Age	Field #	Necropsied?	Cause	Comments
2020Calf03560	06/25/2020	NJ - MIDA	M	calf		Yes	Vessel strike	Necropsy results indicate that the calf had evidence of at least two separate vessel collisions, the latter of which occurred shortly before the whale died and was the likely cause of death. The calf was last sighted alive on 04/06/2020 off North Carolina. The whale's mother was resighted on 07/22/2020 in the Gulf of St. Lawrence.
	11/20/2020	NC – MIDA	M	calf	CALO 20-09	Yes	Possible dystocia	Necropsy indicates no evidence of human interactions from entanglement or vessel strike. Initial results suggest the whale died during birth, or shortly thereafter. Multiple genetic samples were collected in order to identify the calf's mother.

Table 4. Right whale vessel strikes (non-lethal) detected between 01 January 2020 – 31 December 2020.

Whale #	Date of First Injury Sighting	First location	Sex	Age (current)	Comments
2020Calf02360	01/08/2020	Georgia	Unk	calf	At first sighting of the calf of the year, at least two wounds consistent with propeller strike were observed on calf's head. The anterior most wound wraps over front of left rostrum and is deep. Aerial images do not allow for full assessment of the wounds. There is concern that the injury may impede suckling. Resighted 01/10/2020 by aerial team, noted that wounds were still bleeding. A multi-agency effort to deliver antibiotics to the calf on 01/15/2020 was successful. Neither the calf nor its mother #2360 have been sighted since 01/15/2020. Given the nature of the injuries to the calf, it is not expected to have survived the strike.
1017	02/29/2020	Cape Cod Bay	M	40+	Sighted with series of 25+ minor prop cuts down right flank. Orange cyamids are visible in several aft cuts. Overall condition of the whale is good. Last sighted without cuts on 07/11/2019 in the Gulf of St. Lawrence.
4539	04/05/2020	Cape Cod Bay	M	5	Whale observed on 04/05/2020 in Cape Cod Bay with wound to right blowhole and very faint and minor marks on right side that appear to be propeller marks. Whale appeared to be in good condition. Resighted several times in the Gulf of St. Lawrence between June and September 2020.

Table 5. Right whale entanglements and status updates 01 January 2020 – 31 December 2020. Newly reported entanglements (carrying gear) and updates to previously reported entanglements are in **bold**. Dead whales first sighted entangled at death are not included here. However, whales sighted alive as entangled and later dead are included.

Whale #	Date of First Entanglement Sighting	First location	Sex	Age (in 2020)	Comments
3466	12/21/2019	~20m south Nantucket USA	M	15	At the initial entanglement sighting, the whale had multiple passes of yellow line through its mouth. The line appeared to be buoyant and trails behind the whale to a jumble and at least one bitter end. There is no evidence of tackle or buoys and the flippers do not appear to be involved. No response was mounted due to the time of day and distance from shore. The large amount of line and the jumble indicate that the whale will have difficulty shedding the gear and the configuration may become more complicated. Resighted on 01/18/2020, 01/22/2020, and 1/31/2020 southeast of Nantucket. Reporting group indicates no change in entanglement or condition. Response not possible given time of day and distance to shore.
3180	02/24/2020	~45m SE of Nantucket	F	19	Whale sighted during an aerial survey, no response possible due to time of day and distance from rescue team. The full extent of the entanglement is unclear, however, a white bullet buoy was visibly lodged in the mouth and there may be a tight wrap of line around the bonnet. No trailing or suspended gear was visible. The whale was in extremely poor condition: emaciated, grey, and large cyamid aggregations on head and above both flippers.
WR-2020-02	03/16/2020	George's Bank	Unk	Unk	A commercial fisher reported an entangled right whale ~130nm east of Cape Cod on Georges Bank via the USCG. No response was mounted due to the time of day and distance. Entanglement described as whale with two orange polyballs trailing ~30ft aft of the flukes. No images were taken.
4680	10/11/2020	~3m east of Sea Bright , NJ	M	4	At a minimum, the whale has two passes of line around its rostrum, with line embedded in the rostrum. There is a large open lesion above the left shoulder. The whale is in extremely poor condition with significant body condition loss, lesioned and grey skin, and accumulations of orange cyamids on head and body. Survival is questionable.
3920	10/19/2020	South of Nantucket	M	11	During a search for entangled right whale #4680, the CCS aerial survey team found #3920 entangled south of Nantucket on 10/19/2020. The free-swimming whale had line wrapped tightly around it's hear with line embedded in the forward part of the upper jaw. There was also trailing line. The CCS response team was able to locate the whale, affix a telemetry buoy to the entanglement, and remove ~100 feet of trailing line. Whale location and weather are being monitored for further intervention.

Monitoring Health of Injured Right Whales

Efforts to better track and monitor the health of anthropogenic injury of North Atlantic right whales were initiated in January 2013. These efforts aim to support annually mandated human induced serious injury and mortality determinations, to reduce the likelihood of undetected and unreported events, and to better assess both short and long-term impacts of injury on right whale health. Previously and newly injured right whales with vessel strikes, attached fixed gear, or with moderate to severe entanglement injuries in the absence of attached gear (see Knowlton et al. 2016 for review of injury types) are flagged for monitoring biannually. Each whale’s pre- and post-injury health conditions are evaluated using the visual health assessment technique (Pettis et al. 2004) and a determination of the impact of injury on health is made. Based on the available sighting and health information, whales are assigned to one of four categories: 1) Evidence of declining health coinciding with injury; 2) Inconclusive (this determination was assigned to animals when a: evidence of declining health exists but it was unclear whether or not it was linked to injury and/or b: images/information were inadequate to fully assess health condition visually; and/or c: condition has improved but remains compromised; 3) No indication of declining health caused by injury based on available images/information (these are removed from the monitoring list should subsequent sightings also show no impact of injury on health); and 4) Extended Monitor - no indication of declining health or whale’s condition has improved but whale will remain on monitoring list because of injury severity and/or is still carrying gear. This last category was created to capture whales without current health impacts related to injury, but with injuries that have the potential to negatively impact future health condition (e.g. some severe vessel strikes, whales carrying gear, etc.).

Between 01 January and 31 December 2020, thirteen new injury-of-interest events were documented for twelve whales, including four whales with attached gear, six entanglement injuries but no gear attached (including two new injuries detected for one whale), and three vessel strikes (Tables 6 and 7). Of these twelve whales, four exhibited declining condition coinciding with injury. The impact of injury on the health of four whales was inconclusive. There were no visual indicators of injury impact on health condition for the remaining four newly injured whales (Table 7). Twenty whales previously on the monitoring list were removed, including six who became presumed dead (Knowlton et al. 1994). The remaining 14 whales were removed for improved condition and/or length of time since initial injury detections. As of 31 December 2020, the Serious Injury/Human Impact list includes 62 whales with 74 injuries documented from March 2004 through 31 December 2020 (Table 8). The majority of the injuries are entanglement related (63/74, 85.1%) followed by vessel strikes (9/74, 12.2%). There are two whales on the list with injuries of unknown origin.

Table 6. Since the inception of the injured right whale monitoring protocol, the number of injured whales and newly reported injuries has varied by year. The number of whales included on the injured whale list is given for each report and is followed parenthetically by how many of those were newly detected injuries. There are currently twelve whales on the injured list with multiple injuries.

Year	June	December
2013	33*	32 (2)
2014	45 (16)	50 (6)
2015	51 (4)	59 (9)
2016	60 (4)	63(8)
2017	61 (4)	70 (10)
2018	74 (9)	70 (8)
2019	-	72 (9)
2020	-	62 (13)

*The first injured whale monitoring report was distributed in June 2013 and therefore does not include a comparative number of newly reported injuries. In 2019, reporting moved from a biannual to an annual basis.

Table 7. Impact of anthropogenic injury on right whale visual health for newly detected injured right whales.

	Entanglement		Vessel Strike	Other	Total
	Gear Present	No Gear Present			
Decline in Condition	3	0	1	0	4
Inconclusive	1	3	0	0	4
No Decline in Condition	0	2	2	0	4
Total	4	5	3	0	12*

*Two new injuries were detected on whales that were already on the monitoring list. One newly injured whale had two injuries detected in 2020.

Table 8. Impact of anthropogenic injury on right whale visual health by injury type based on assessments of photographs pre- and post-injury for all North Atlantic right whales on the Serious Injury/Human Impact list as of 31 December 2020.

	Entanglement		Vessel Strike	Other	Total
	Gear Present	No Gear Present			
Decline in Condition	10	11	1	1	23
Inconclusive	12	14	2	1	29
No Decline in Condition	1	4	3	0	8
Extended Monitor	1	1	0	0	2
Total	24	30	6	2	62*

*This represents the number of whales on the monitoring list. Twelve of these whales have each had second injuries documented since their initial injury sighting. For purposes of this report, whales are included under the category representing their most recent injury.

AERIAL AND VESSEL-BASED SIGHTING SUMMARY: 2019

Prior to the 2017 Report Card, sighting information was reported for the time period following the previous NARWC Annual Meeting. However, that reporting included the current year for which not all data has necessarily been received and/or processed. Therefore, beginning with the 2017 Report Card, sighting summaries will be presented for the previous calendar year. Cataloged sighting information for the year 2019 (analysed 01 September 2020) is summarized below (Table 9) and includes survey, research, and opportunistic sightings. Months with sightings, survey types, and major contributing organizations (>10% total sightings for region) are listed.

Major Contributing Organizations

BOS: Blue Ocean Society
 CCS: Center for Coastal Studies
 CMARI: Clearwater Marine Aquarium Research Institute
 CWI: Canadian Whale Institute
 DAL: Dalhousie University
 DFO: Fisheries and Oceans Canada
 FWRI: Florida Fish and Wildlife Research Institute
 GDNR: Georgia Department of Natural Resources

GMWSR: Grand Manan Whale and Seabird Research Station
 NEAq: New England Aquarium
 NEFSC: Northeast Fisheries Science Center
 QLM: Quoddy Link Marine
 TC: Transport Canada
 UNB: University of New Brunswick
 WHOI: Woods Hole Oceanographic Institution

Table 9. Summary of 2019 right whale sightings by habitat region. Analyses for 2019 data are ongoing and therefore the data presented here should not be considered complete.

Region	# Sightings	Sighting Months	Survey types/activities	Organizations
Bay of Fundy	70	May, Jul - Oct	Vessel surveys, biopsy sampling	GMWSR, NEAq, QLM
East (East of Mainland US (Azores, Nova Scotian Shelf, Spain, Bermuda, Canary Islands)	11	Jul, Oct	Aerial surveys	DFO
Gulf of Maine	335	Jan - Mar, May - Sept, Nov	Aerial & Vessel surveys	NEAq, NEFSC
Great South Channel	61	Mar - Sep	Aerial & Vessel surveys	CCS, NEFSC
Jeffreys Ledge	4	Jul, Sep - Oct	Aerial surveys, whale watch	BOS, CCS
Mid-Atlantic (includes south of Cape Cod)	436	Jan - May, Jul - Sep, Nov - Dec	Aerial & Vessel surveys	NEAq, NEFSC
New England (Massachusetts Bay/Cape Cod Bay)	1372	Jan - May	Aerial & Vessel surveys, biopsy & habitat sampling, drone photogrammetry	CCS, NEFSC, WHOI
North (North of 46° incl. Newfoundland, Gulf of St. Lawrence, Iceland)	1827	May - Oct	Aerial & Vessel surveys, biopsy sampling	CWI, DAL, DFO, NEAq, NEFSC, TC, UNB
Southeast United States	146	Jan - Mar, Nov - Dec	Aerial & Vessel surveys, biopsy & drone sampling	CMARI, FWRI, GDNR

MANAGEMENT AND MITIGATION ACTIVITIES

NMFS, United States 2020 Management and Mitigation Activities

- North Atlantic Right Whale Unusual Mortality Event**
 An Unusual Mortality Event (UME) was declared by the National Marine Fisheries Service (NMFS) for North Atlantic right whales (*Eubalaena glacialis*) starting in 2017 due to elevated strandings along the Northwest Atlantic Ocean coast, especially in the Gulf of St. Lawrence region of Canada. This is a transboundary event and the investigation includes whales stranding in both the United States and Canada. The event is ongoing with the 32 confirmed dead stranded whales (21 in Canada; 11 in the U.S.) to date. The breakdown by year includes 17 confirmed dead stranded whales (12 in Canada; 5 in the U.S.) in 2017, three whales in the U.S in 2018, nine whales in Canada and one in the U.S in 2019, and two dead whales in the U.S. in 2020 (through 08 December). Of the 32 dead right whales, 22 were necropsied and 18 were determined to have died as a direct result of human activities (either confirmed, probable, or suspect), from entanglements (8) or vessel strikes (10). Additionally, since 2017, 13 live free-swimming non-stranded whales have been documented with serious injuries from either entanglements (4 in Canada; 8 in the U.S.) or vessel strikes (1 in the U.S). Therefore, the preliminary cumulative total number of animals currently in the North Atlantic right whale UME is 45 individuals, including 32 confirmed mortalities and 13 seriously injured free-swimming whales. Thus, given there are less than 400 individual North Atlantic right whales remaining, these 45 individuals in the UME represent at minimum 10% of the population, which is a significant impact on such a critically endangered species.
 More information can be found at NMFS UME website: (<https://www.fisheries.noaa.gov/national/marine-life-distress/2017-2020-north-atlantic-right-whale-unusual-mortality-event>).
- North Atlantic Right Whale Monitoring Plan**
 NMFS summarized the findings of a 2019 North Atlantic Right Whale expert Working Group that considered right whale monitoring objectives related to: (1) improving our understanding of population status by identifying and tracking essential population metrics, and (2) improving our understanding of distribution and habitat use. A report of the Working Group’s recommendations was released in August

2020 and can be found on NMFS' website at: <https://www.fisheries.noaa.gov/resource/document/north-atlantic-right-whale-monitoring-and-surveillance-report-and-recommendations>.

The report presents the Working Group's recommendations for a comprehensive monitoring strategy to guide future analyses and data collection on (1) North Atlantic right whale demographics and population status, (2) distribution shifts and habitat use range-wide, and (3) the health of individuals and the population. NMFS is currently reviewing the Working Group's recommendations, as well as other information relevant to monitoring right whales, as it considers making any changes to its current right whale monitoring and surveillance program. In doing so, we will work closely with our partners to ensure that all North Atlantic right whale monitoring efforts are effective in helping to recover the species.

- *North Atlantic Right Whale Health Assessment Workshop:*

NMFS convened a Workshop on North Atlantic Right Whale Health Assessment June 24-26, 2019 in Silver Spring, Maryland, under the auspices of the Working Group on Marine Mammal Unusual Mortality Events (Working Group) in response to the ongoing North Atlantic Right Whale UME and the endangered status of the species. The main goals of the workshop were: 1) to assess current health information data, including associated data gaps, and 2) identify appropriate available and needed tools and techniques for collecting standardized health data that can be used to understand health effects of environmental and human impacts (e.g., entanglement), and inform fecundity and survivorship models to ultimately guide population recovery of North Atlantic right whales.

Over the course of the three days, the workshop participants helped NMFS summarize North Atlantic right whale population status and existing health-assessment information; identified several ways to prioritize health data collection, tools and methods; and prioritized ways to increase the use of health data to aid in monitoring individual health, informing population health, and identifying the population consequences of multiple stressors, including the connection between human activities (e.g., entanglement) and health.

A draft report detailing the workshop proceedings and recommendations is now complete. Release of the report was previously delayed but we now anticipate it will be released in early [January 2021](#).

- *Vessel Speed Rule Report*

NMFS has undertaken an assessment of the right whale vessel speed rule. The assessment will include information on biological effectiveness, mariner compliance, outreach and enforcement efforts, navigational safety, and economic impacts. Additionally, the assessment will assess the voluntary Dynamic Management Area (DMA) program and examine small vessel (<65ft) traffic patterns within Seasonal Management Areas.

NMFS continues to move forward with a suite of activities designed to 1) further investigate possible changes to the speed rule regulations, 2) assess the efficacy of other vessel strike mitigation efforts, and 3) enhance our outreach and enforcement strategies.

- *DMA and Right Whale Slow Zone info*

NMFS began the voluntary DMA program at the same time as our mandatory speed reduction regulations. Under this program, NMFS established DMAs when visual sightings documented the presence of three or more right whales within a discrete area. Vessels 65 feet and larger were asked to avoid or slow to 10 knots or less in these areas to protect right whales from vessel strike. Early in this fiscal year, the North Atlantic right whale Northeast U.S. Implementation Team identified the opportunity for NMFS GARFO to enhance vessel strike reduction efforts by also using acoustic information to alert vessels of right whale presence. Based on this idea, NMFS GARFO launched the Right Whale Slow Zones campaign in August of 2020. Under this new name – Right Whale Slow Zones – NMFS GARFO is expanding voluntary speed reduction efforts in the Northeast U.S. Now, NMFS GARFO is asking vessels of all sizes to avoid or slow down to 10 knots or less in areas where right whales have been seen (i.e., DMAs) or heard (i.e., areas where acoustic detections are received).

Over the last five years NMFS has recorded a noticeable and steady increase in the number of DMAs triggered. During 2016, five DMAs occurred and speed restrictions were requested. However, in the last three years (2018-2020), notifications have increased to 20 or more annually. Historically, DMAs were triggered/and initiated due to right whale visual observations. In August of 2020, since the launch of Right

Whale Slow Zones, acoustic receivers and arrays were added as a new technology used to trigger right whale presence notifications in the Northeast U.S. To date, (12-9-2020) we have had four acoustically triggered SLOW Zone events in two locations (New York Bight, NY and Atlantic City, NJ). Two events in each location, which have led to extensions of the original trigger.

The North Atlantic right whale Northeast Implementation Team identified and outlined some of the positive opportunities for NMFS to begin using acoustic receivers and detections as another alternative trigger for establishing right whale SLOW Zones. These suggestions were researched, discussed and developed by management. Acoustic triggers were accepted and have been established in the Northeast U.S. per the NEIT recommendation related to trigger criteria, duration and size.

- *U.S. North Atlantic Right Whale Implementation Teams*

In 2020, NMFS conducted a number of management activities under the Endangered Species Act (ESA) related to recovery plan implementation specific to Section 4(f). This included:

- *Northeast U.S. Implementation Team (NEIT)*
NMFS GARFO continued to liaison with the NEIT on activities to assist in the implementation of the recovery plan in the Northeast U.S. This included the NEIT's continued discussion and furtherance of identified priorities to support right whale recovery in the Northeast. For example, the NEIT's recommendation to NMFS GARFO to enhance vessel strike reduction efforts using acoustic information informed the acoustic portion of the new "Right Whale Slow Zones." Specifically, the areas triggered by acoustic detections in the Northeast U.S. are established per the NEIT recommendation related to trigger criteria, duration and size.
- *Population Evaluation Subgroup*
The U.S. Implementation Team's Population Evaluation Tool Subgroup continued to meet and work towards development of a population viability analysis to characterize North Atlantic right whale extinction risk. This is a coastwide collaboration including Canada.

- *Species in the Spotlight*

North Atlantic Right Whales became a Species in the Spotlight in 2019. NMFS is working to develop a Species in the Spotlight 5-year action plan which builds upon existing recovery and conservation plans and details the focused efforts needed over the next five years to reduce threats and stabilize the North Atlantic right whale population decline. Considerations include input from the Northeast and Southeast Implementation Teams from their October 2019 joint meeting. NMFS expects the action plan to be publicly available in the spring of 2021.

- *Atlantic Large Whale Take Reduction Plan*

NMFS is requesting comments on the [proposed rule to modify the Atlantic Large Whale Take Reduction Plan](#) (ALWTRP) and associated Draft Environmental Impact Statement (DEIS). The proposed rule and a Notice of Availability of the DEIS were published in the Federal Register on December 31, 2020. Links to both documents as well as supporting information can be found on the [ALWTRP website](#).

Comments on the Proposed Rule and DEIS are due by March 1, 2020. NMFS is holding [informational sessions](#) in January to give the public an opportunity to learn about the proposed rule and DEIS before providing comments. Comments can be submitted in writing or orally:

- To submit written comments go to the [regulations.gov](#) website, search for NOAA-NMFS-2020-0031 and choose "Comment Now".
- Oral comments can be provided during February [public hearing sessions](#).

Proposed changes to the Plan would:

- Modify gear marking to introduce state-specific colors for gear marks and increase the number of gear markings and areas requiring marked lines.
- Modify gear configurations to reduce the number of vertical lines by requiring more traps between buoy lines and by introducing weak insertions or weak rope into buoy lines.
- Modify existing seasonal restricted areas to allow ropeless fishing,
- Add one or two new seasonal restricted areas that are closed to buoy lines but allow ropeless fishing.

Contact Colleen.Coogan@noaa.gov or Marisa.Trego@noaa.gov with questions.

- Offshore Wind Energy:

Offshore wind energy development along the U.S. East Coast continued to progress rapidly in 2020, including the first two turbines being installed in Federal waters off the coast of Virginia. Currently, there are 16 active leases on the Outer Continental Shelf of the U.S. East Coast between southern New England and North Carolina. Many of the proposed projects are simultaneously conducting site assessment activities, including geotechnical and geophysical surveys, and preparing Construction and Operating Plans. The effects of all these activities on protected species and their habitat are assessed under the ESA and the Marine Mammal Protection Act (MMPA). NMFS continued its engagement in the burgeoning industry in 2020 fulfilling multiple roles, primarily providing input and review throughout the One Federal Decision process as a cooperating agency to the Bureau of Ocean Energy Management, the lead Federal agency for authorizing the construction, operation, and eventual decommissioning of any offshore wind project) and also providing data and analyses on protected species to developers and working on a number of regional coordination projects to advance our scientific understanding of the effects of offshore wind development. Additional activities in 2020 included:

- Completing the ESA section 7 biological opinion for the Vineyard Wind 1 project, the Opinion can be found at: <https://repository.library.noaa.gov/view/noaa/27243>
- Continuing to conduct a programmatic ESA consultation on offshore wind energy survey activities to include actions from Maine-Florida and update analyses of effects to ESA-listed species and their habitats.
- Processing MMPA Incidental Take Authorizations related to Vineyard Wind 1 and South Fork construction.
- Coordinating with the Northeast Fisheries Science Center (NEFSC) to improve our understanding of the effects of offshore wind development on protected species.

More information on NOAA's role in offshore wind energy development can be found at: <https://www.fisheries.noaa.gov/new-england-mid-atlantic/science-data/offshore-wind-energy-development-new-england-mid-atlantic-waters>

- Aquaculture Interactions Working Group (AIWG):

The NOAA Aquaculture Interactions Working Group (AIWG) coalesced in 2019 in partnership between the NMFS Office of Protected Resources and Office of Aquaculture to address the potential risk of protected species interactions with marine aquaculture gear. The objectives of this working group are to: (1) consider ways to assess the risk of adverse impacts to protected species associated with various types of aquaculture gear, (2) evaluate strategies to avoid or minimize risks to protected species and their habitats (e.g., siting, engineering design, monitoring), and (3) develop operational products such as guidance documents and best management practices that will constitute national guidance on assessing and minimizing potential risks to protected species and their habitats from aquaculture operations. Efforts by the AIWG are ongoing, with guidance and information produced by this working group expected throughout 2021.

- Ropeless Fishing Research:

During FY20 the NMFS NEFSC accelerated the research and development of a ropeless fishing pilot program. Many activities have been accomplished or are being planned to aid in both testing and development of ropeless systems. The NEFSC has built relationships with fishermen, manufacturers of ropeless systems, and nongovernmental organizations (NGO) to help facilitate the development of safe and operationally feasible methods to remove the vertical lines from pot/trap and other fishing gears.

We continue to expand our capacity to work on innovative gear solutions. Activities include:

- NEFSC acquisition of a total of 10 ropeless fishing systems from six vendors were added to the collaborative Gear Library which now maintains 47+ ropeless fishing systems.
- Contracting with 16 collaborative fishermen to conduct both inshore and offshore trials of ropeless fishing systems.
- Completion of 120 active fishing hauls using ropeless fishing systems. Dedicated training/rigging days accomplished prior to each new vessel or ropeless fishing system.
- Two federal employees have been reprogrammed to work on ropeless testing and four contractors added to the team.
- Economics staff are estimating anticipated cost reductions of ropeless technology over time.
- NEFSC/Protected Species Branch is working with the National Aeronautics and Space Administration's Center for Collaborative Excellence and Yet2 to crowdsource market research to

identify vendors with the expertise to develop an inexpensive geolocation system for traps and pots to be used by fishermen, managers, and enforcement.

- Funding was provided to the National Fish and Wildlife Federation to develop a scoping project to elicit feedback from key stakeholder groups on ropeless fishing conflict issues (matched by \$300,000 from private corporations).
- NMFS staff are actively participating in newly formed ropeless fishing forums including the Ropeless Consortium and Canadian Gear Innovation Summit.
- Worked with communications staff to develop an infographic and informational videos on ropeless systems.
- Working with NGOs and engineers to develop a geolocation system to resolve issues of gear conflict, fishermen setting their gear over or fishing through ropeless fishing system systems set on the ocean floor.

- NOAA called for 27 Dynamic Management Area (DMA) voluntary speed reduction zones between 01 January 2020 and 31 December 2020 (Table 10).

Table 10. Dynamic Management Area (DMA) voluntary speed reduction zones posted by NOAA between 01 January 2020 and 31 December 2020.

Trigger Date (date of RW sightings)	Number of Right Whales	Sightings Source	General Location	Boundaries	
1/22/2020	58	NOAA aerial team	31 nm south of Nantucket	41 11 N 069 32 W	40 22 N 070 37 W
1/31/2020	50	NOAA aerial team	31 nm south of Nantucket	41 11 N 069 32 W	40 22 N 070 37 W
2/9/2020	14	NOAA aerial team	31 nm south of Nantucket	41 11 N 069 32 W	40 22 N 070 37 W
2/20/2020	8	NARW Sighting Survey	31 nm south of Nantucket	41 11 N 069 32 W	40 22 N 070 37 W
3/2/2020	66	NARW Sighting Survey	Extended 31 nm south of Nantucket and 47 nm SE Nantucket, MA	41 11 N 069 32 W 41 02 N 068 58 W	40 22 N 070 37 W 40 15 N 070 01 W
3/12/2020	13	NOAA Aerial team	31 nm south of Nantucket and 47 nm SE Nantucket, MA	41 11 N 069 32 W 41 02 N 068 58 W	40 22 N 070 37 W 40 15 N 070 01 W
3/23/2020	4	NOAA Aerial team	East of Boston	42 45 N 070 11 W	42 04 N 071 10 W
4/9/2020	5	Opportunistic Sighting from Shore	Nahant, MA	42 47 N 070 26 W	42 05 N 071 23 W
4/24/2020	4	Boston Harbor Cruise	NE of Boston	42 47 N 070 26 W	42 05 N 071 23 W
8/31/2020	8	NOAA Aerial Team	South of Nantucket	41 16 N 069 37 W	40 32 N 070 28 W
9/14/2020	7	NOAA Aerial team	South of Nantucket	41 16 N 069 37 W	40 32 N 070 28 W
9/24/2020	4	NEA aerial survey	South of Nantucket	41 16 N 069 37 W	40 32 N 070 28 W
10/4/2020	3	NEA aerial survey	South of Nantucket	41 16 N 069 37 W	40 32 N 070 28 W
10/19/2020	6	CCS aerial survey	South of Nantucket	41 16 N 069 37 W	40 32 N 070 28 W

Table 10 (cont'd). Dynamic Management Area (DMA) voluntary speed reduction zones posted by NOAA between 01 January 2020 and 31 December 2020.

Trigger Date (date of RW sightings)	Number of Right Whales	Sightings Source	General Location	Boundaries
10/31/2020	4	NOAA aerial survey	South of Nantucket	41 16 N 40 32 N 069 37 W 070 28 W
11/15/2020	4	NOAA aerial survey	SE of Nantucket	40 59 N 40 23 N 069 05 W 069 52 W
11/17/2020		WHOI Acoustic Buoy	SE of New York City	40 41 N 40 01 N 73 03 W 073 55 W
11/20/2020		WHOI Acoustic Buoy	SE of Atlantic City	39 25 N 38 44 N 073 44 W 074 36 W
11/29/2020	3	NEA aerial survey	SW of Nantucket Isl.	41 01 N 40 22 N 070 07 W 070 59 W
11/30/2020		WHOI acoustic buoy	SE of New York City	40 41 N 40 01 N 73 03 W 73 55 W
12/7/2020		WHOI Acoustic Buoy	SE of Atlantic City	39 25 N 38 44 N 073 44 W 074 36 W
12/9/2020		WHOI Acoustic Buoy	SE of New York City	40 41 N 40 01 N 73 03 W 73 55 W
12/14/2020	4	NEA aerial survey	SE of Nantucket Isl.	41 26 N 40 44 N 069 31W 070 25 W
12/20/2020		WHOI Acoustic Buoy	SE of New York City	40 41 N 40 01 N 73 03 W 73 55 W
12/20/2020		WHOI Acoustic Buoy	SE of Atlantic City	39 25 N 38 44 N 073 44 W 074 36 W
12/30/2020	7	PR Observers aboard survey vessel - VENTUS	S of Martha's Vineyard	41 25 N 40 44 N 069 59 W 070 55 W
12/31/2020		WHOI Acoustic Buoy	W of Martha's Vineyard	41 34 N 40 54 N 070 50 W 071 43 W

Fisheries and Oceans Canada and Transport Canada, Canadian 2020 Management and Mitigation Activities

Input from Fisheries and Oceans Canada

- 2020 is the fourth year that the Government of Canada has implemented targeted management measures to help protect and recover NARW by addressing primary threats to the population: vessel strikes (Transport Canada lead) and entanglement in fishing gear (Fisheries and Oceans lead).
- In February 2020, additional management measures to protect North Atlantic right whales were announced for 2020 and beyond. These include the expansion of temporary area closures to fisheries triggered by single whale detections in the Gulf of St. Lawrence, Roseway and Grand Manan Basins, and the entire Bay of Fundy as well as season-long area closures to protect aggregations in the Gulf of St. Lawrence. The new season-long closure protocol, an adaptive management measure, resulted in the largest area closed to fishing to date. As of November 13, 2020, 175 full grids (approximately 36,000 km²) were closed for the season. As of November 13, 2020, 36 full grids were temporarily closed (approximately 6,400 km²) within the Gulf of St. Lawrence, Bay of Fundy and Roseway Basin. In comparison, the static season long closure area to protect right whales in 2019 was 2,200 square km.
- This is also the first year where acoustic technology was used to trigger fishery area closures. This technology successfully detected the presence of whales, in turn, triggering both fishing and shipping measures.
- Canada implemented a requirement for fixed gear fisheries in Atlantic Canada and Quebec to be marked by end of 2020 and to have weak breaking points in their vertical lines as well as other gear modifications

for the end of 2021 and beyond. Additionally, all fishing licence holders are required to report lost gear and any interactions with marine mammals.

- Canada's on the water, in the air and acoustic whale surveillance program covers all of Atlantic Canada and Quebec, with targeted monitoring in the Gulf of St. Lawrence, the Bay of Fundy and other areas. For example, at any given time through peak NARW months in Canada (April to November), upwards of 4-5 planes from DFO and Transport Canada were monitoring different areas for right whales and potential overlap with fishing activity and vessel traffic. As of November 2020, over 2000 hours of flights were designated for NARW.
- Right whales were first sighted in Canadian waters on May 3rd, 2020. As of early December, there have been over 1000 detections in Canadian waters of right whales and 128 different individuals have been identified from visual surveillance in Canadian waters this year, including five new right whale calves. Analysis of photos from 2020 is ongoing.
- With less than 400 remaining, the Government of Canada continues to take action to protect the endangered North Atlantic right whale. To date, there have been no Right whale deaths or new entanglements reported in Canadian waters for 2020.
- The Government of Canada has been working with industry, to identify gear solutions for alleviating injury to right whales and has provided funding for entrepreneurs and the fishing industry for gear development and pilots. Many innovative approaches to addressing gear modification were discussed during the Gear Innovation Summit hosted by the Minister of Fisheries and Oceans from February 11-12, in Halifax, N.S.
- Over the past three years, ropeless gear trials have been conducted in Atlantic Canada. In 2020, the Department supported the first dedicated trials of ropeless gear for crab fishing in an area closed due to the presence of right whales, their catches were sold on the commercial market. Future gear modifications that are being considered include: requirements for maximum rope diameters of 5/8 inches, sinking rope between pots and traps, and reductions in vertical and floating rope.
- Fisheries and Oceans has continued annual investment of over \$1 million for marine mammal response organizations and investments in science to better understand threats to right whales, and to inform future management measures. The Department is also delivering \$4.5 million over four years to build additional capacity across Canada for safe and effective marine mammal incident response. The funds for 2020-21 will further support necropsies, Indigenous community response capacity, and in particular increased large whale disentanglement response capacity in the Gulf of St. Lawrence. Meetings are held annually with Marine Mammal Response partners to discuss the operational season and needs moving forward.
- Fisheries and Oceans hosted the Gear Innovation Summit in Halifax on February 11-12, 2020. The Summit provided an opportunity for harvesters, technical experts, non-government and government agencies to share information and learn about technologies and programming aimed to the prevention, reduction, and retrieval of ghost gear and industry-led whale safe gear initiatives. Attended by over 250 stakeholders as well as the Minister of Fisheries and Oceans, the event included plenary sessions, expert panel discussions and a trade show to allow for harvesters to further discuss the application of technology in their operations.
- Fisheries and Oceans is committed to addressing the threat of abandoned, lost, or otherwise discarded fishing gear through various initiatives, including the Sustainable Fisheries Solutions and Retrieval Support Contributions program (Ghost Gear Fund). Projects supported by Fisheries and Oceans Canada have been responsible for the removal of almost 69 tons worth of lost or discarded fishing gear from coastal waters in Atlantic Canada this year.
- On November 17-18, 2020, Fisheries and Oceans Canada held the North Atlantic Right Whale Roundtable Meeting with indigenous groups, the fishing industry, provinces, and marine mammal experts. The Roundtable and other discussions with harvesters play an important role in the preparation of Canada's measures to protect right whales and to support sustainable fisheries for 2021 and beyond.

Input from Transport Canada

Essential Population Monitoring and Priorities

In the spring of 2018, Canada announced new measures to mitigate both entanglements and vessel strikes in areas in which right whales frequent, including vessel speed reductions, temporary and fixed fisheries management areas and closures, and increased reporting requirements for fishing activity, lost gear, and interactions with marine mammals. There were no detected right whale mortalities in Canadian waters in 2018, though there were three entangled whales detected that year. In 2019, similar mitigation measures were put into place in Canadian waters. Between 04 and 27 June 2019, seven right whale mortalities were detected in Canadian waters, three of which were attributed to vessel strikes. In response, vessel strike mitigation measures in the Gulf of St. Lawrence were expanded on 08 July 2019. Two additional right whale mortalities were detected in Canadian waters in July 2019 (causes of death undetermined) and a third whale who became severely entangled in the Gulf of St. Lawrence in August 2019, well after the snow crab fishery season was over, was discovered dead in waters off New York, U.S. in September 2019. In 2020, Canada further expanded on the measures introduced in July 2019. There were no known right whale mortalities in Canadian waters in 2020.

Management and Mitigation Activities

- In 2020, Transport Canada once again implemented a large mandatory static speed restriction zone covering much of the Gulf of St. Lawrence, and dynamic speed restriction zones in the shipping lanes north and south of Anticosti Island to reduce the risk of vessel collisions with the North Atlantic right whale. These measures, applicable to all vessels longer than 13m, came into force on April 28, 2020 and were in place until November 15, 2020.
- Additionally, Transport Canada instituted Seasonal Management Areas from April 28 to June 30, 2020 to expand the static speed restriction zone for part of the season and a mandatory restricted area in and near the Shediac Valley to protect aggregating North Atlantic right whales from August 2 to October 9, 2020 – the area was closed to all vessels longer than 13m with exceptions for fishing and certain other activities. Vessels permitted to transit in or through the zone were limited to speeds of no more than 8kn
- Transport Canada also conducted a trial voluntary slowdown in Cabot Strait from April 28 to June 15, 2020, and October 1 to November 15, 2020.
- Transport Canada used two new surveillance technologies to detect North Atlantic right whales to inform active management of dynamic vessel speed measures - a Remotely Piloted Aircraft System (RPAS or drone) and an acoustic underwater glider. These two technologies complimented the surveillance flights flown by Transport Canada's National Aerial Surveillance Program (NASP).
- Transport Canada began evaluating the 2020 measures before the conclusion of the season, and continues to engage with the marine transportation industry, fishers, scientists, and other stakeholders to refine and develop measures for 2021.
- The Government of Canada consults with fishing and shipping industry representatives, Indigenous groups and other partners, for feedback on measures and to support the development of future measures.

2020 NORTH ATLANTIC RIGHT WHALE PUBLICATIONS/REPORTS

Reports and publications that utilized NARWC databases in 2020 and/or those of general interest to the right whale community are listed and hyperlinked (when available) below.

Publications/Theses

[Baumgartner MF., Bonnell J, Corkeron PJ., Van Parijs SM., Hotchkin C, Hodges BA., Bort Thornton J, Mensi BL., Bruner SM. 2020. Slocum Gliders Provide Accurate Near Real-Time Estimates of Baleen Whale Presence From Human-Reviewed Passive Acoustic Detection Information. *Frontiers in Marine Science* 7:100. DOI=10.3389/fmars.2020.00100](#)

[Brown, A.H. and Niedzwecki, J.M., 2020. Assessing the risk of whale entanglement with fishing gear debris. *Marine Pollution Bulletin*, 161, p.111720.](#)

[Christiansen F., Dawson S.M., Durban J.W., Fearnbach H., Miller C.A., Bejder L., Uhart M., Sironi M., Corkeron P., Rayment W., Leunissen E., Haria E., Ward R., Warick H.A., Kerr I., Lynn M.S., Pettis H.M., Moore M.J. 2020. Population comparison of right whale body condition reveals poor state of the North Atlantic right](#)

[whale. Mar Ecol Prog Ser 640:1-16. https://doi.org/10.3354/meps13299](https://doi.org/10.3354/meps13299)

[Davis, G.E., Baumgartner, M.F., Corkeron, P.J., Bell, J., Berchok, C., Bonnell, J.M., Brault, S., Buchanan, G.A., Cholewiak, D., Clark, C.W. and Delarue, J., 2020. Exploring movement patterns and changing distributions of baleen whales in the western North Atlantic using a decade of passive acoustic data. *Global Change Biology*.](#)

[de Lavigerie, G.D., Bosselaers, M., Goolaerts, S., Park, T., Lambert, O. and Marx, F.G., 2020. New Pliocene right whale from Belgium informs balaenid phylogeny and function. *Journal of Systematic Palaeontology*, pp.1-26.](#)

[Fortune, S.M., Moore, M.J., Perryman, W.L. and Trites, A.W., Body growth of North Atlantic right whales \(*Eubalaena glacialis*\) revisited. *Marine Mammal Science*.](#)

[Henry A.G., Garron M., Morin D., Reid A., Ledwell W., Cole TVN. 2020. Serious Injury and Mortality Determinations for Baleen Whale Stocks along the Gulf of Mexico, United States East Coast, and Atlantic Canadian Provinces, 2013-2017. US Dept Commer, Northeast Fish Sci Cent Ref Doc. 20-06; 53 p.](#)

[Ierardi, J.L., Veloso, A. and Mancina, A., 2020. Transcriptome analysis of cadmium exposure in kidney fibroblast cells of the North Atlantic right whale \(*Eubalaena glacialis*\). *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, p.108946.](#)

[Johnson, H.D., Baumgartner, M.F. and Taggart, C.T., Estimating North Atlantic right whale \(*Eubalaena glacialis*\) location uncertainty following visual or acoustic detection to inform dynamic management. *Conservation Science and Practice*, p.e267.](#)

[Kelley, D.E., Vlasic, J.P., Brilliant, S.W. 2020. Assessing the lethality of ship strikes on whales using simple biophysical models. *Mar Mam Sci*. 2020; 1– 17.](#)

[Koubrak, O., VanderZwaag, D.L. and Worm, B., 2020. Saving the North Atlantic Right Whale in a Changing Ocean: Gauging Scientific and Law and Policy Responses.](#)

[Martins, M.C.I., Miller, C., Hamilton, P., Robbins, J., Zitterbart, D.P. and Moore, M., Respiration cycle duration and seawater flux through open blowholes of humpback \(*Megaptera novaeangliae*\) and North Atlantic right \(*Eubalaena glacialis*\) whales. *Mar Mam Sci*. 2020; 1-20](#)

[Montes, N., Swett, R. and Gowan, T., 2020. Risk of encounters between North Atlantic right whales and recreational vessel traffic in the southeastern United States. *Ecology and Society*, 25\(4\).](#)

[Moore M.J., Mitchell G.H., Rowles T.K., and Early G. 2020. Dead Cetacean? Beach, Bloat, Float, Sink. *Front. Mar. Sci*. 7:333. doi: 10.3389/fmars.2020.00333](#)

[Myers, H.J. and M.J. Moore. 2020. Reducing effort in the U.S. American lobster \(*Homarus americanus*\) fishery to prevent North Atlantic right whale \(*Eubalaena glacialis*\) entanglements may support higher profits and long-term sustainability. *Marine Policy* 118:104017](#)

[Ohnemus, K.P. The \(en\)tangled web they weave: Stakeholder perceptions of the Large Whale Take Reduction Plan process. 2020. Open Access Master's Theses. Paper 1836. https://digitalcommons.uri.edu/theses/1836](#)

Radvan S. 2019. Effects of inbreeding on fitness in the North Atlantic right whale (*Eubalaena glacialis*). Honours thesis Submitted to Saint Mary's University, Halifax, Nova Scotia. 63 pp.

[Rockwood, R.C., Adams, J., Silber, G. and Jahncke, J., 2020. Estimating effectiveness of speed reduction measures for decreasing whale-strike mortality in a high-risk region. *Endangered Species Research*, 43, pp.145-166.](#)

[Simard, Y., Roy, N., Giard, S. and Aulancier, F., 2019. North Atlantic right whale shift to the Gulf of St. Lawrence in 2015, revealed by long-term passive acoustics. *Endangered Species Research*, 40, pp.271-284.](#)

Reports

[Bourque, L., Wimmer, T., Lair, S., Jones, M., Daoust, P.-Y. 2020. Incident Report: North Atlantic Right Whale Mortality Event in Eastern Canada, 2019. Collaborative Report Produced by: Canadian Wildlife Health Cooperative and Marine Animal Response Society. 210 pp.](#)

[Fauquier D., Long K., Biederon I., Wilkin S., Rowles T., Patterson, E., Henry A., Garon M., Fougères E., Famer, N.A., Baker J., Ziccardi M. 2020. Report of the Health Assessment Workshop for North Atlantic Right Whales \(*Eubalaena glacialis*\), June 24-26, 2019. NOAA Tech. Memo. NMFS-OPR-65, 67 p.](#)

[Gavrilchuk, K., Lesage, V., Fortune, S., Trites, A.W., and Plourde, S. 2020. A mechanistic approach to predicting suitable foraging habitat for reproductively mature North Atlantic right whales in the Gulf of St. Lawrence. DFO Can. Sci. Advis. Sec. Res. Doc. 2020/034. iv + 47 p.](#)

Knowlton A.R., Zani M.A., Howe K.R., Hamilton P.K., Burgess L.A., Graham K.M., Pettis H.M., Kraus S.D., Brown M.B. 2019. Research, Monitoring and Conservation of the North Atlantic Right Whale (*Eubalaena glacialis*) in the southern Gulf of St. Lawrence and the Bay of Fundy – 2019. Report to Irving Oil. 61 pp.

[Lehoux, C., Plourde S., and Lesage, V. 2020. Significance of dominant zooplankton species to the North Atlantic Right Whale potential foraging habitats in the Gulf of St. Lawrence: a bioenergetic approach. DFO Can. Sci. Advis. Sec. Res. Doc. 2020/033. iv + 44 p.](#)

[Morin, D., Moise, M., Higgins, J., Minton, M. 2020. 2017 Atlantic Large Whale Entanglement Report. Greater Atlantic Region Policy Series 20\(2\).](#)

O'Brien O, McKenna K, Baumgartner M, Redfern J. 2020. Megafauna Aerial Surveys in the Wind Energy Areas of Massachusetts and Rhode Island with Emphasis on Large Whales. Summary Report Part 1: Sightings and Data – Campaign 5, 2018-2019. Report to Massachusetts Clean Energy Center. 63 pp.

[Oleson E.M., Baker J., Barlow J., Moore J.E., Wade P. 2020. North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service's Expert Working Group. NOAA Tech. Memo. NMFS-F/OPR-64, 47 pp.](#)

Pettis HM. 2019. Monitoring injured North Atlantic right whales: December 2019 report. A report to the Volgenau Foundation. 10 pp.

[Pettis HM, Pace RM, and Hamilton PK. 2019. North Atlantic Right Whale Consortium 2019 annual report card. Report to the North Atlantic Right Whale Consortium, November 2019. 19 pp.](#)

[Tetra Tech and LGL. 2020. Final Comprehensive Report for New York Right Whale Monitoring Aerial Surveys, March 2017 – February 2020. Technical report prepared by Tetra Tech, Inc. and LGL Ecological Research Associates, Inc. 211 pp. + appendices. Prepared for New York State Department of Environmental Conservation, Division of Marine Resources, East Setauket, NY. May 18, 2020](#)

REFERENCES

Hayes S.A., Josephson E., Maze-Foley K., Rosel, P.E., editors. (2017). US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2016. NOAA Tech Memo NMFS NE 241; 274 p. Available from: National Marine Fisheries Service, 166 Water Street, Woods Hole, MA 02543-1026, or online at /publications/doi:10.7289/V5/TM-NEFSC-241

Knowlton, A.R., Kraus, S.D., Kenney, R.D. (1994). Reproduction in North Atlantic right whales (*Eubalaena glacialis*). *Can J Zool* Vol. 72:1297-1305.

Knowlton, A.R., Robbins, J., Landry, S., McKenna, H., Kraus, S.D., Werner, T.B. (2016). Effects of fishing gear strength on the severity of large whale entanglements. *Conserv Bio*. 30: 318-328.

- Pace, R.M., Corkeron, P.J., Kraus, S.D. (2017). State–space mark–recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecol Evo.* 1-12.
- Pettis H.M., Rolland R.M., Hamilton P.K., Brault S., Knowlton A.R., Kraus S.D. (2004). Visual health assessment of North Atlantic right whales (*Eubalaena glacialis*) using photographs. *Can J Zool* 82:8-19
- Pettis, H.M. (2009). North Atlantic Right Whale Consortium Annual Report Card (01 November 2007 – 30 April 2009). International Whaling Commission Annual Meeting, May 2009. Reference Document *SC/61/BRG1*.
- Reeves, R.R., Read, A.J., Lowry, L., Katona, S.K., Bonnes, D.J. (2007). Report of the North Atlantic Right Whale Program Review. Marine Mammal Commission. Bethesda, Maryland.

Appendix 1

Catalog Assessment Method

We have developed standardized criteria that can be applied each year to get a low, middle (best estimate) and upper number of whales in the population as determined from Catalog data. One term needs to be explained to understand these numbers. Whales are given temporary intermatch codes if 1) two or more sightings match each other, and 2) neither have been matched to a catalog whale. Some of these whales will eventually be matched to existing cataloged whales and others will be determined to be “new” to the Catalog and assigned a number. Once an intermatch whale is given a Catalog number, or matched to another intermatch code whale, the intermatch code is made inactive. The results for 2019 are provided below in Table 1.

LOWER

To determine the lower bound, we simply count the number of unique cataloged whales identified the year before. Because of delays in processing data, this number is lower than the eventual total number of whales seen alive in that year.

MIDDLE

The middle bound is determined by summing three categories:

1. All whales presumed to be alive in that year (i.e. seen in the last six years),
2. Intermatch whales that are likely to be added to the Catalog. This is calculated by first finding all intermatch codes that span two or more years (both those that are active and those that were matched and made inactive), removing all calves and any SEUS whales whose sightings span two years only because they are seen in December and January of the same field season. Then, we determine which of those intermatch whales have Catalog numbers and what percent of those were new to the catalog (i.e. had not been matched to an existing cataloged whale). The remaining, unidentified intermatch whales are then multiplied by that fraction to determine how many are likely new to the Catalog (e.g. if only 20% of the matched intermatch whales were new, then 20% of the unmatched intermatch whales are likely new). That number is then added to the count of calves born more than two years earlier that are unmatched with active intermatch codes (indicating there is enough information to potentially match them in the future). Process changed Oct. 2009.
3. Calves from the last two years that have not been cataloged. We make an assessment of whether there is enough photographic information to likely be able to match them to future sightings and thus eventually assign them a Catalog number. We then sum those that will likely be cataloged.

UPPER

The upper bound is also the sum of three categories:

1. All Cataloged whales minus those whose carcasses were identified. Even whales missing for 30 years included.
2. All active intermatch whales minus calves from the last two years.
3. All calves from the last two years minus those known to be dead.

Table 1. The Catalog method of estimating the population represents an assessment of the number of photographed whales in the North Atlantic Right Whale Identification Database. Analysis completed 9/1/20.

Low: 339 individuals 339 Cataloged whales seen in 2019
Middle: 486 individuals 458 Cataloged whales presumed alive in 2019 23 Intermatch whales likely to be added to Catalog 5 Calves from 2018 and 2019 likely to be added to Catalog
High: 723 individuals 690 All Cataloged whales in 2019 minus those known dead 26 All active intermatch codes without 2018 & 2019 calves 7 All uncataloged 2018 and 2019 calves minus dead



Whale Release Ropes

Amy Knowlton, Tim Werner and Scott Kraus

Anderson Cabot Center for Ocean Life
at the New England Aquarium

Consortium for Wildlife Bycatch Reduction

Talk overview

- Evidence that whale release ropes could benefit large whales
- Where and how could whale release ropes be effectively used based on strains placed on ropes during fishing
- Status of whale release rope manufacturing and testing



Effects of fishing rope strength on the severity of large whale entanglements

Amy R. Knowlton,* † Jooke Robbins, † Scott Landry, † Henry A. McKenna, ‡ Scott D. Kraus,* and Timothy B. Werner* ‡

*New England Aquarium, Central Wharf, Boston, MA 02110, U.S.A.

†Center for Coastal Studies, 5 Holway Avenue, Provincetown, MA 02657, U.S.A.

‡155 Hubbard Road, Weston, MA 02493, U.S.A.

§Department of Biology, Boston University, 5 Cunningham Mall, Boston, MA 02215, U.S.A.


Abstract: Entanglement in fixed fishing gear affects whales worldwide. In the United States, deaths of North Atlantic right (*Eubalaena glacialis*) and humpback whales (*Megaptera novaeangliae*) have exceeded management limits for decades. We examined live and dead whales entangled in fishing gear along the U.S. East Coast and the Canadian Maritimes from 1994 to 2010. We recorded whale species, age, and injury severity and determined rope polymer type, breaking strength, and diameter of the fishing gear. For the 132 retrieved ropes from 70 cases, used breaking strength range was 0.80–39.63 kN (kiloNewtons) and the mean was 11.64 kN (SD 8.29), which is 26% lower than strength at manufacture (range 2.89–51.39 kN, mean = 15.70 kN [9.89]). Median rope diameter was 9.5 mm. Right and humpback whales were found in ropes with significantly stronger breaking strengths at those of manufacture than minke whales (*Balaenoptera acutirostris*) (19.39, 17.13, and 10.47 mean kN, respectively). Adult right whales were found in stronger ropes (mean 34.69 kN) than juvenile right whales (mean 15.33 kN) and than all humpback whale age classes (mean 17.37 kN). For right whales, severity of injuries increased since the mid 1980s, possibly due to changes in rope manufacturing in the mid 1990s that resulted in production of stronger ropes at the same diameter. Our results suggest that broad adoption of ropes with breaking strengths of ≤ 7.56 kN (≤ 1700 lbs) could reduce the number of life-threatening entanglements for large whales by at least 72%, and yet could provide sufficient strength to withstand the routine forces involved in many fishing operations. A reduction of this magnitude would achieve nearly all the mitigation legally required for U.S. stocks of North Atlantic right and humpback whales. Ropes with reduced breaking strength should be developed and tested to determine the feasibility of their use in a variety of fisheries.

Keywords: bycatch, humpback whales, injury severity, North Atlantic right whales, rope diameter, rope manufacturing

Published in journal
in April 2016


Open access


Rope retrieved from all species



70 large whales with 132 retrieved ropes
Used strongest rope for each case
30 RW, 30 HW, 8 MW, 2 FW


Right whales by age





1,700 lbs

- Minke's in significantly lower breaking strength than right and humpback whales
- Adult right whales in significantly stronger ropes than juvenile RW and all humpbacks
- Breaking strength trended upward with injury severity




Our findings meshed with findings of Arthur et al. which show increasing estimated force output based on musculature and total length

Arthur LH, McLellan WA, Piscitelli MA, Rommel SA, Woodward BL, Winn JP, Potter CW, Pabst DA. 2015. Estimating maximal force output of cetaceans using axial locomotor muscle morphology. Marine Mammal Science DOI: 10.1111/mms.12230.


Injury severity

1,032 cases




Gear configuration risk

76 cases




Any explanation for these temporal changes?

Rope manufacturing changes







STRONG ROPE





phillipmartin.info




STRONG ROPE




STRONG ROPE




WHALE RELEASE ROPE



WHALE RELEASE ROPE



This could also benefit fishermen as it would be less likely that their gear would be shifted from where it was set and they could grapple for it



What rope strength do fishermen need?

How to measure the strain placed on the endline during fishing operations?

- Load cell attached to boat davit
- Development of a formulaic approach









Load cell




Maximum strain on endline before first pot is brought onboard

Main variables that might influence strain:

- Water depth
- Configuration and weight of gear set
- Rope diameter
- Speed of hauler
- Water velocity – from current and/or boat operations or whale with gear under tow
- Shock load from wave action/heaving boat
- Length of groundline between pots



AT SEA TESTING



Hauling 5 pot trawl in
200 ft water depth




With ~90 ft of groundline
between first and second pot



With ~210 ft of
groundline between
first and second pot
– “groundline
extension”

= notable reduction in strain



TOWING A SINGLE POT AT VARIOUS SPEEDS




Figure B1: The single lobster pot system line tensions as measured by NEAq personnel

Formulaic approach

- Consulting with engineer Dr. Jud DeCew
- Using OrcaFlex software – used in oil and gas industry to understand strains placed on ropes
- Can plug in a variety of changeable parameters to build a model
- Can evaluate different water depths, gear configurations, and water velocities
- Preliminary results are available and under review
- Will continue to ground truth the model with some at-sea testing

Component	Parameter	Value
Line	Diameter	0.375"
	Material	Polypropylene
	Mass (dry)	0.028 lb/ft
	Mass (wet)	-0.004 lb/ft
	M.B.L.	2161 lbf
Lobster Pot	Dimensions	48" x 22.5" x 15"
	Mass (dry)	65 lb
	Mass (wet)	57 lb
	Drag coefficient	1.395

Undeformed Model

Deformed Model




Figure 9: The baseline system subjected to a 2.9 knot (1.5 m/s) water velocity.





Figure 30: The line tension associated with a simulated recovery of a 5-lobster trap system, which initiated from the seafloor.

Simulated hauling of a 5 pot trawl with no water velocity – maximum strain 314 lbs


Sensitivity analyses of static parameters

Tension Associated with Trap Drag Coefficient




Trap drag coefficient and # of traps on the water column had the most sensitivity as water velocity increases

Tension Associated with # of Traps



Influence of wave action and hauler speed



3.3ft, 3 sec
regular waves
shown

Surface structure


line

Lobster Trap

3 pots in the
water column

3.3 ft (1 meter)
wave height

Line Tension associated with Regular Waves (hauling slow)




Different wave periods

Hauling initiated at 50 sec mark

Hauling speed can dramatically influence rope strain especially as waves are closer together

Line Tension associated with Regular Waves (hauling fast)



Peak at slow hauling is ~ 600 lbs

Peak at fast hauling is ~1,000 lbs

--- 1m, 3 sec waves — 1m, 5 sec waves - - 1m, 7 sec waves

Figure 26: The line tension of the baseline system in regular waves, with fast (1.463 m/s) line hauling

If a whale reacts by increasing its velocity when entangled, the greater the # of pots attached, the more quickly the whale will reach the 1700 lb breaking strength.

Trawling up may be a benefit AS LONG AS the end line is of reduced breaking strength

Reducing the # of pots in the water column at any one time will reduce the hauling strain

With reduced breaking strength endlines, if sinking groundlines are stronger, may help with gear retrieval




Figure 0: The velocity square best fit curves for a variety of lobster pot systems based on field data for a 1, 2 and 5 trap system. Each curve is governed by the equation shown in Table 4.

Main findings

Operational measures can be taken to reduce the strain while fishing:

- reduce hauler speed especially in high seas
- reduce # of pots in water column (until reach stronger sinking groundline) – groundline extension
- try to keep vessel over the top of gear when hauling

Main findings

Main parameters effecting rope strain

- Drag coefficient and # of pots in the water column
- Water velocity
- Wave height and period
- Hauler speed

Parameters that will be further tested: line stiffness/stretchiness, influence of groundline extension, bigger wave heights

Status of whale release rope manufacturing and testing

Weak Rope Trials: 2006-2008

Three separate batches

Rope types: 5/16" and 3/8" diameter; 600 and 1200lb breaking strength

Rope was fished as endline and usually spliced with float rope on lower third

"Fishable" in many parts of Maine

Where rocky bottoms and with stronger tides and currents, they reported concerns about an increased likelihood that ropes would break over what they typically use



Prior studies to assess whether weak ropes are "fishable" have been done

Goal is to create and test a variety of whale release ropes that are not costly

Status of whale release rope manufacturing and testing

3 different whale release rope types

- Hollow braided sleeve to create weak links in rope
- Cut strand rope – cut a specific # of strands in regular rope to create weak links in rope
- Reformulated rope to be 1700 lb breaking strength along entire length

Status of whale release rope manufacturing and testing

- At sea testing – late spring/summer 2017
 - Will compare whale release prototypes with control ropes to evaluate gear loss, degradation, and handling concerns
- Lab testing will be done before and after at sea testing

Paradigm shift in fishing is essential

- Make all gear ideally “safe” or at least “safer” for whales
- Ropeless fishing techniques would eliminate entanglements
- Red/orange colored ropes may prevent many entanglements from occurring (according to studies by Kraus and others)
- Whale release rope (<1,700 lb breaking strength) would reduce severity of entanglements
- Other measures such as sinking groundlines, end line reduction and closures would reduce the frequency of entanglements by lowering the amount of rope in the water column
- Measures would need to be implemented throughout the right whale’s range in the U.S. and Canada

Acknowledgements

An aerial photograph of two whales breaching the ocean surface. The water is a deep blue, and the whales' dark, sleek bodies are visible as they rise from the water, creating white splashes and ripples. The larger whale is in the foreground, moving towards the right, while a smaller whale is visible behind it to the left.

Grant support to the Bycatch Consortium and the Anderson Cabot Center from:

- NOAA Fisheries
- Massachusetts Executive Office of Energy and Environmental Affairs
- Island Foundation
- Volgenau Foundation
- Cross Foundation

At sea load cell testing:

- Monica Zani
- Mike Lane

Formulaic testing

- Jud DeCew

Fishing industry feedback and at-sea testing

- Mass Lobstermen's Association
- Maine Lobstermen's Association
- South Shore Lobster Fishermen's Association



Recent Scientific Publications Cast Doubt on North Atlantic Right Whale Future

Scott D. Kraus^{1*}, Robert D. Kenney², Charles A. Mayo³, William A. McLellan⁴, Michael J. Moore⁵ and Douglas P. Nowacek⁶

¹ New England Aquarium, Boston, MA, USA, ² Graduate School of Oceanography, University of Rhode Island, Narragansett, RI, USA, ³ Right Whale Ecology Program, Provincetown Center for Coastal Studies, Provincetown, MA, USA, ⁴ Biology and Marine Biology, University of North Carolina, Wilmington, NC, USA, ⁵ Biology Department, Woods Hole Oceanographic Institution, Woods Hole, MA, USA, ⁶ Nicholas School of the Environment and Pratt School of Engineering, Duke University Marine Laboratory, Duke University, Beaufort, NC, USA

Keywords: right whales, conservation, mortalities, entanglements, population recovery

OPEN ACCESS

Edited by:

Graeme Clive Hays,
Deakin University, Australia

Reviewed by:

Luis Cardona,
University of Barcelona, Spain
Fredrik Christiansen,
Murdoch University, Australia

*Correspondence:

Scott D. Kraus
skraus@neaq.org

Specialty section:

This article was submitted to
Marine Megafauna,
a section of the journal
Frontiers in Marine Science

Received: 30 March 2016

Accepted: 25 July 2016

Published: 17 August 2016

Citation:

Kraus SD, Kenney RD, Mayo CA,
McLellan WA, Moore MJ and
Nowacek DP (2016) Recent Scientific
Publications Cast Doubt on North
Atlantic Right Whale Future.
Front. Mar. Sci. 3:137.
doi: 10.3389/fmars.2016.00137

The North Atlantic right whale, *Eubalaena glacialis*, was near extinction by 1935, when whaling for this species became illegal. In 1992, 295 right whales were estimated alive (Knowlton et al., 1994), and growth from 1990 to 2010 averaged 2.8% per year (Waring et al., 2016), bringing the population to about 500 individuals in 2015 (Pettis and Hamilton, 2015). However, since 2010, calving rates have dropped by nearly 40%, and the last four decades have seen increasing numbers of right whales killed by entanglements in fishing gear and collisions with ships combined (Knowlton et al., 2012; Van der Hoop et al., 2013; Pace et al., 2014). Recent U.S. and Canadian regulatory actions (slowing ships and moving shipping lanes) appear to have been successful at reducing ship kills (Laist et al., 2014; Van der Hoop et al., 2015).

However, the National Marine Fisheries Service (NMFS) draft 2015 marine mammal stock assessment for right whales reports that between 2009 and 2013 an average of 4.3 right whales were killed by human activities each year, with nearly all of these deaths attributable to entanglement in fishing gear (Waring et al., 2016). For context, from 1970 to 2009, 44% of diagnosed RW mortality cases were due to ship kills and 35% were due to entanglements (Van der Hoop et al., 2013). From 2010 to 2015, 15% of diagnosed right whale mortalities were due to ship kills and 85% were due to entanglements (Pettis and Hamilton, 2015; Waring et al., 2016). In January of 2016, an announcement on expanded critical habitat for right whales included this quote, “We’re making significant progress in reversing the population decline of the species, and are seeing signs of recovery” (NOAA, 2016). In contrast to this optimistic view of right whale recovery, our review of the recent science suggests that fishing gear entanglements are increasing in number and severity, and that this source of injury and mortalities may be overwhelming recovery efforts.

Almost four decades of research based on the ability to identify individual whales has yielded immense amounts of information about this population’s biology. The right whale catalog and sightings database provide information on the age and sex of individuals, movements and habitat use patterns, reproduction, mortality, and the impacts of human activities on the population (Hamilton et al., 2007). Multiple research programs run concurrently on genetics, endocrinology, health, feeding, stress, and acoustics in many institutions (Kraus and Rolland, 2007). From these large datasets, mathematical models that describe trends in population growth and demographics as well as the effects of human activities on health and mortality have been developed (Schick et al., 2013; Robbins et al., 2015; Rolland et al., 2016).

Since 1980, the leading causes of mortality in right whales have been collisions with ships and entanglements in fishing gear, which combined caused half of the 99 confirmed right whale deaths (Van der Hoop et al., 2013). That estimate is a minimum, since the other half includes natural




FIGURE 1 | Assessments of the North Atlantic right whale population based on three available assessment methods (from Pettis and Hamilton, 2015); (<http://www.narwc.org/pdf/2015%20Report%20Card.pdf>).

mortalities and deaths where the cause could not be determined, and not all dead whales were discovered. Since U.S. NOAA regulations lowered ship speed limits in the vicinity of right whale habitats in 2008, deaths from vessel strikes have declined (Laist et al., 2014; Van der Hoop et al., 2015). In contrast, despite a nearly 20-year US federal effort to reduce accidental kills of whales in fishing gear, sub-lethal and lethal entanglement rates have increased (Van der Hoop et al., 2013; Arthur et al., 2015; Knowlton et al., 2015), and there is no evidence that current fishing regulations have been effective at reducing mortality (Pace et al., 2014). As of 2015, 83% of all right whales display scars or carry ropes indicative of past entanglements. Sub-lethal entanglements can cause reproductive failure and declining health long after the entanglement is over (Rolland et al., 2016; Van der Hoop et al., 2016).

Attempts at population viability analyses on right whales have largely failed due to the dual complications of capture heterogeneity (in tag-recapture population assessments) and small sample sizes. There are however early indicators of population well-being, including health assessments, scarring rates and frequencies, reproductive rates, and necropsy data, all of which precede changes in population size and demographics, and all of which indicate declines in this population (Knowlton et al., 2012; Pettis and Hamilton, 2015; Rolland et al., 2016).

From this extensive research, three points emerge. One, until recently, the population was growing at 2–3%/year (Waring et al., 2016), although this rate is less than one-half of the growth

rate (6–7%) of all other well-studied right whale populations around the world (Best et al., 2001). Two, in recent years, population growth rates appear to be declining (Figure 1), likely due to a combination of anthropogenic mortalities and reduced calving rates (Kraus et al., 2007; Pettis and Hamilton, 2015). Three, mortalities and serious injuries from fishing gear entanglements remain far higher than the limits mandated by US Endangered Species Act and Canadian Species At Risk Act regulations, further jeopardizing recovery and leaving the population vulnerable to declines (Knowlton et al., 2015; Waring et al., 2016).

In conclusion, right whales are not yet a conservation success story. Right whales need immediate and significant management intervention to reduce mortalities and injuries from fishing gear, and managers need a better understanding about the causes of reduced calving rates before this species can be considered on the road to recovery. Failure to act on this new information will lead to further declines in this population's number and increase its vulnerability to extinction.

AUTHOR CONTRIBUTIONS

All authors have a long history (>20 years) of research and significant contributions to right whale research in the North Atlantic. In the context of this paper, all authors have contributed data, analyses, writing, and editing, as well as conceptual development to this submission.

REFERENCES

- Arthur, L. A., McLellan, W. A., Piscitelli, M. A., Rommel, S. A., Woodward, B. L., Winn, J. P., et al. (2015). Estimating maximal force output of cetaceans using axial locomotor muscle morphology. *Mar. Mamm. Sci.* 31, 1401–1426. doi: 10.1111/mms.12230
- Best, P. B., Bannister, J. L., Brownell, R. L. Jr., and Donovan, G. P. (2001). Right whales: worldwide status. *J. Cetacean Res. Manage. (Special Issue)* 2, 1–309.

- Hamilton, P. K., Knowlton, A. R., and Marx, M. K. (2007). "Right whales tell their own stories: the photo-identification catalog," in *The Urban Whale: North Atlantic Right Whales at the Crossroads*, eds S. D. Kraus and R. M. Rolland (Cambridge, MA: Harvard University Press), 75–104.
- Knowlton, A. R., Hamilton, P. K., Marx, M. K., Pettis, H. M., and Kraus, S. D. (2012). Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: a 30 yr retrospective. *Mar. Ecol. Prog. Ser.* 466, 293–302. doi: 10.3354/meps09923
- Knowlton, A. R., Kraus, S. D., and Kenney, R. D. (1994). Reproduction in North Atlantic right whales (*Eubalaena glacialis*). *Can. J. Zool.* 72, 1297–1305. doi: 10.1139/z94-173
- Knowlton, A. R., Robbins, J., Landry, S., McKenna, H. A., Kraus, S. D., and Werner, T. (2015). Implications of fishing rope strength on the severity of large whale entanglements. *Conserv. Biol.* 30, 318–328. doi: 10.1111/cobi.12590
- Kraus, S. D., Pace, R. M. III., and Frasier, T. R. (2007). "High investment, low return: the strange case of reproduction in *Eubalaena glacialis*," in *The Urban Whale: North Atlantic Right Whales at the Crossroads*, eds S. D. Kraus and R. M. Rolland (Cambridge, MA: Harvard University Press), 172–199.
- Kraus, S. D., and Rolland, R. M. (2007). *The Urban Whale: North Atlantic Right Whales at the Crossroads*. Cambridge, MA: Harvard University Press.
- Laist, D. W., Knowlton, A. R., and Pendleton, D. (2014). Effectiveness of mandatory vessel speed limits for protecting North Atlantic right whales. *Endang. Spec. Res.* 23, 133–147. doi: 10.3354/esr00586
- NOAA (2016). *NOAA Expands Critical Habitat for Endangered North Atlantic Right Whales*. Available online at: http://www.greateratlantic.fisheries.noaa.gov/mediacenter/2016/january/25_noaa_expands_critical_habitat_for_endangered_north_atlantic_right_whales.html
- Pace, R. M. I. I., Cole, T. V. N., and Henry, A. G. (2014). Incremental fishing gear modifications fail to significantly reduce large whale serious injury rates. *Endang. Spec. Res.* 26, 115–126. doi: 10.3354/esr00635
- Pettis, H. M., and Hamilton, P. K. (2015). *North Atlantic Right Whale Consortium 2015 Annual Report Card. Report to the North Atlantic Right Whale Consortium, November 2015*. Available online at: <http://www.narwc.org/pdf/2015%20Report%20Card.pdf>
- Robbins, J., Knowlton, A. R., and Landry, S. (2015). Apparent survival of North Atlantic right whales after entanglement in fishing gear. *Biol. Conserv.* 191, 421–427. doi: 10.1016/j.biocon.2015.07.023
- Rolland, R. M., Schick, R. S., Pettis, H. M., Knowlton, A. R., Hamilton, P. K., Clark, J. S., et al. (2016). Health of North Atlantic right whales (*Eubalaena glacialis*) over three decades: from individual health to demographic and population health trends. *Mar. Ecol. Prog. Ser.* 542, 265–282. doi: 10.3354/meps11547
- Schick, R. S., Kraus, S. D., Rolland, R. M., Knowlton, A. R., Hamilton, P. K., Pettis, H. M., et al. (2013). Using hierarchical Bayes to understand movement, health, and survival in the endangered North Atlantic right whale. *PLoS ONE* 8:e64166. doi: 10.1371/journal.pone.0064166
- Van der Hoop, J. M., Corkeron, P., Kenney, J., Landry, S., Morin, D., Smith, J., et al. (2016). Drag from fishing gear entangling North Atlantic right whales. *Mar. Mamm. Sci.* 32, 619–642. doi: 10.1111/mms.12292
- Van der Hoop, J. M., Moore, M. J., Barco, S. G., Cole, T. V. N., Daoust, P.-Y., Henry, A. G., et al. (2013). Assessment of management to mitigate anthropogenic effects on large whales. *Conserv. Biol.* 27, 121–133. doi: 10.1111/j.1523-1739.2012.01934.x
- Van der Hoop, J. M., Vanderlaan, A. S. M., Cole, T. V. N., Henry, A. G., Hall, L., Mase-Guthrie, B., et al. (2015). Vessel strikes to large whales before and after the 2008 Ship Strike Rule. *Conserv. Lett.* 8, 24–32. doi: 10.1111/conl.12105
- Waring, G. T., Josephson, E., Maze-Foley, K., and Rosel, P. E. (eds.). (2016). *US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2015*. NOAA Technical Memorandum NMFS-NE-238.

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2016 Kraus, Kenney, Mayo, McLellan, Moore and Nowacek. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.



Food for Thought

How we can all stop killing whales: a proposal to avoid whale entanglement in fishing gear

Michael J. Moore*

Biology Department, Woods Hole Oceanographic Institution, 266 Woods Hole Rd, Woods Hole, MA 02543, USA

*Corresponding author: tel: 508 289 3228; e-mail: mmoore@whoi.edu.

Moore, M. J. How we can all stop killing whales: a proposal to avoid whale entanglement in fishing gear. – ICES Journal of Marine Science, 76: 781–786.

Received 26 October 2018; revised 21 November 2018; accepted 30 November 2018; advance access publication 10 January 2019.

Whales are federally protected by the Marine Mammal Protection Act; endangered species, such as the North Atlantic right whale, receive additional protection under the Endangered Species Act. However, their regulations have failed to satisfy conservation and animal welfare concerns. From 1990 to 2011 the North Atlantic right whale (*Eubalaena glacialis*, NARW) population grew at a mean of 2.8% annually. However, population trends reversed since 2011; the species is in decline, with only ~100 reproductively active females remaining. This failure is driven by vessel collisions and increasingly fatal and serious entanglement in fixed fishing gear, whose rope strength has increased substantially. Chronic entanglement, drag, and associated morbidity have been linked to poor fecundity. Genuine solutions involve designating areas to be avoided and speed restrictions for ships and removing fishing trap ropes from the water column. A trap fishing closure for NARW habitat in the Cape Cod Bay (U.S.) area has been in place seasonally since 2015. 2017 mortalities in Eastern Canada elicited substantive management changes whereby the 2018 presence of NARW in active trap fishing areas resulted in an effective closure. To avoid these costly closures, the traditional trap fishery model of rope end lines attached to surface marker buoys has to be modified so that traps are marked virtually, and retrieved with gear that does not remain in the water column except during trap retrieval. Consumer demand for genuinely whale-safe products will augment and encourage the necessary regulatory changes so that trap fisheries conserve target and nontarget species.

Keywords: end line, entanglement, large whale, rope removal, trap.

In a previous “Food for Thought” titled “How we all kill whales” (Moore, 2014), I suggested that: “western countries have, through the development and increase in fishing and shipping in continental shelf waters, essentially resumed whaling as vessel speeds and fishing gear strength have increased in recent decades.” Others have reviewed the effectiveness of whale/vessel strike mitigation (Silber *et al.*, 2012). Here, I will consider how we can stop killing whales with our seafood harvesting habits.

Ethical consumers are keen to ask where their seafood came from and how it was caught, hoping that the provider responds that the food source was certified sustainable by an entity such as the Marine Stewardship Council (MSC). At this point, the MSC product stamp is widely available and considered a sustainability standard. There is a general sense that the sustainable seafood movement has made remarkable progress and is now an integral part of running a modern seafood business, ultimately translating

into healthier oceans. The business model of sustainable fisheries is expected to be viable and effective (Walton Family Foundation, 2017). However, the sustainable seafood movement has historically failed to consider bycatch when defining certification standards (O’Connell, 2017). This is beginning to be considered and should become a routine assessment.

On the U.S. and Canadian eastern seaboard, the number of mortalities and serious injuries of the North Atlantic right (*Eubalaena glacialis*—NARW) whale routinely exceed the “potential biological removal” (PBR) values set by the U.S.’s National Oceanic and Atmospheric Agency (NOAA) by factors of two to four. PBR, a biological reference point, is defined as the maximum number of animals that can be killed by anthropogenic causes each year whilst allowing that stock to reach or maintain its optimal sustainable population level. It is typically used to assess whether or not measures taken to protect a population are

effective. PBR is regularly updated in NOAA Stock Assessment Reports (NOAA, 2018b).

The current status of the NARW population is best illustrated by the reduction in estimated abundance since 2010, with a disproportionate loss of females (Figure 1). This has occurred despite a range of regulatory changes aimed at achieving PBR (Pennisi, 2017). There has been an increasing number of entanglement mortalities since 2010 (Figure 2). Whereas many whale entanglements cannot be traced as to source fishery, given inadequate gear marking, the overwhelming nature of rope in the water column in whale habitat are endlines and floating groundlines from trap fisheries, especially American lobster (Boenish and Chen, 2018; Hayes *et al.*, 2018) and snow crab (Daoust *et al.*, 2017; DFO, 2017). As can be clearly seen, if avoidance of whale morbidity and mortality are included in the definition of “sustainable,” fisheries that harvest using traps with line in the water column, are far from sustainable.

NARW fecundity has also dropped since 2010 (Figure 3). No new calves were observed in 2018, the first time that no calves have been counted since scientists began monitoring the population more than forty years ago (Kraus *et al.*, 1986).

These and other data were summarized by a recent review (NMFS, 2017): “In many ways, progress towards NARW recovery has regressed.” The population has been declining since 2010 and has exhibited changes in habitat use (Pace *et al.*, 2017). During this period, NARW calving rates have remained below average (Hayes *et al.*, 2017) and body condition of the population has worsened (Rolland *et al.*, 2016). Important questions have developed in the scientific literature on energetic stressors on NARW, both from prey availability (Meyer-Gutbrod *et al.*, 2015) and the energetic costs of chronic, sub lethal entanglement (Knowlton *et al.*, 2012; van der Hoop *et al.*, 2017). In addition, between 7 June 2017 and 15 October 2018, NARW experienced a significant

mortality event of ~3% of the population (20 deaths). The diagnosed causes of death (12 in Canada and 8 in the USA) were entanglement and vessel strike (NOAA, 2018a).

In addition to its critical role in worsening the threat of extinction for the NARW, entanglement also poses a major animal welfare concern (Figure 4). Large whales that become entangled in fishing gear and are unable to break free take an average of six months to die (Moore and van der Hoop, 2012). Entanglement effects include: constriction, partial amputation, presumed chronic and severe pain, impaired feeding, drag and reduced fecundity.

Despite the negative population and calving trends described above, if anthropogenic impacts on NARW mortality and fecundity are successfully mitigated, their potential for recovery is great. The Southern right whale (*Eubalena australis*), a closely related species and pertinent comparison, has recently experienced intrinsic annual growth of 7% (International Whaling Commission, 2013). Thus, despite years of U.S. and Canadian federal management effort to conserve the species, there is every reason to also seek general public engagement in the success or failure of current efforts to prevent extinction of the NARW.

The relationship between large whales feeding on high density zooplankton prey patches and fixed trap fisheries for lobster and crab and other species is not intuitive to most seafood consumers. There seems to be no obvious direct resource competition except for space. As such, whale conservationists are likely the only consumers of lobster and crab who think of entangled whales as they dine. However, where the two resources do overlap (Figure 5), the conflict can be serious; and overlap is not uncommon: 85% of NARW bear scars from being entangled in gear once in their lives, and over half bear scars of being entangled two or more times (Knowlton *et al.*, 2012; Pettis *et al.*, 2017). Sustainable seafood certifiers, like MSC, can use their label to inform consumers of such conflicts, especially when they are not obvious. In March




Figure 1. Abundance of North Atlantic right whale with recent disproportionate loss of females, many of which are never reproductively active (Pace *et al.*, 2017).




Figure 2. Diagnosed North Atlantic right whale vessel and entanglement mortality and serious injury (2002–2017). NOAA Stock Assessment Reports 2002–2014 (NOAA, 2018b), NOAA Preliminary Data 2015–2017 (Henry, 2017; North Atlantic Right Whale Consortium, 2018).




Figure 3. Annual North Atlantic right whale calf count (2002–2018). No calves were recorded in 2018. NOAA Stock Assessment Reports 2002–2014 (North Atlantic Right Whale Consortium, 2018; NOAA, 2018b).

2018, MSC chose to do so. It suspended the Gulf of Saint Lawrence snow crab fishery certificate due to fishery involvement in the NARW mortality event that occurred in the spring and summer of 2017 in the Gulf of Saint Lawrence.

Following the 2017 mortality event, the Canadian government also closed snow crab and lobster fisheries in the Gulf of Saint Lawrence and Bay of Fundy when NARW were sighted from

April to June 2018. In contrast, April 2018 sightings of NARW from the beaches of Gloucester, Massachusetts and York, Maine in the USA, did not result in comparable closures. Thus far, there have been three entanglement-related NARW mortalities in Northeast U.S. waters in 2018.

The Canadian closures and an annual closure of Cape Cod Bay and adjacent waters have elicited substantial concern from the



Figure 4. (a) Chronically entangled, emaciated North Atlantic right whale towing rope and a trap fragment (Moore *et al.*, 2013). This whale died two weeks after partial disentanglement. Florida Wildlife Commission, NOAA Permit #594-1759. (b) Section through lip of the same whale at necropsy showing segment of rope (arrow) that lacerated lip with resultant scar. The rope segment remained as a foreign body embedded in the lip. (c) Vinyl covered wire mesh trap fragment attached to a trap gangion, removed with 54 m of 11 mm diameter floating rope from animal whilst alive. Georgia DNR. B & C NOAA Permit 932-1905-01/MA-009526.

affected fishing industry sectors (CBC, 2018; WickedLocal.com, 2018) and spurred some willingness to trial alternative trap marking and retrieval options that are whale-safe (Ropeless Consortium, 2018), if doing so will reopen closed fishing areas. These whale-safe gear options, commonly referred to as




Figure 5. Illustration of a string of bottom traps (known as a trawl), linked by negatively buoyant ground lines, with a line from the end trap to a surface marker buoy. Filter-feeding North Atlantic right whales risk open mouth and appendage entanglements when swimming in fields of these vertical lines and buoys.

“ropeless” or “buoyless” (no rope in water column in whale and turtle habitat, irrespective of source, except during trap retrieval if need be) would remove trap end lines from the water column, lowering the risk of entanglement substantially, leaving only risk from any ground line if traps deployed in a trawl. In this regard, the U.S. is planning an experimental fishery to harvest lobster without the use of end lines (Department of Commerce, 2018).

Previous mitigation measures such as weak links and sinking ground line (van der Hoop *et al.*, 2013), implemented in 2007, have led to no detectable overall decrease in entanglements. On the contrary, entanglement mortality has increased since these regulations have been in place (NMFS, 2017). Rules setting a minimum number of traps per trawl, designed to reduce entanglement risk by lowering the number of vertical trap lines in the water, not only failed to ultimately reduce the number of vertical lines, but may have had the unintended consequence of encouraging fishermen to use stronger lines to haul the longer trawls (Hayes *et al.*, 2018), resulting in an increase in the severity of injuries caused by entanglement (Knowlton *et al.*, 2016). A short term mitigation would involve fishing with reduced strength rope (Knowlton *et al.*, 2016). However, eliminating end lines in the water column by fishing with ropeless gear is the only long term option to end NARW entanglements. Obviously this recommendation could eventually involve a vast amount of lobster and crab habitat, in that passive acoustic surveys of NARW vocalization show their habitat to be very extensive in space and time (Davis *et al.*, 2017). It should start by developing ropeless approaches in currently closed NARW/trap fishing conflict hotspots in time and space, such as a closed lobster fishery in the Cape Cod Bay area in Massachusetts, USA, and the snow crab fishery in the Gulf of St Lawrence, Canada, where the industry will have the greatest incentive to gain access to areas from which they are currently excluded. The resulting product could sell for a significant sustainability premium. From there, as the technology becomes more affordable it should be encouraged to spread to other areas, because as climate change and consequent prey distribution shifts continue to change the nature of optimal whale habitat, the high mobility of both the whales and the relevant fisheries will result in ongoing entanglements unless ropeless technology is adopted over wide areas.

Similarly, disentanglement of large whales by humans has been used to mitigate large whale entanglement since the 1970s. It has




Figure 6. Without an end line and surface marker buoy there would be far less large whale entanglement risk in bottom trap fisheries. End lines would only be deployed for retrieval, either from the trap or the vessel, or not at all if a lift bag were used. The marker buoy role would be replaced by a virtual trap marker, visible on a screen on the vessel.

an obvious value to individual animals, and each individual is critical to the NARW population of <450 animals. However, only a minority of serious chronic entanglement cases are ever encountered (Hayes *et al.*, 2018). Disentanglement can only ever be palliative to the conservation risks faced by large whale species.

Therefore, the idea has grown that traditional fixed shellfish and finfish traps that have end lines and surface marker floats should be re-engineered to enable trap retrieval without line in the water column, except if needed during trap retrieval (Figure 6; Ropeless Consortium, 2018). An example of such a system would be to have bottom-stowed, acoustically released buoyant retrieval rope (Partan and Ball, 2016); or an acoustically triggered lift bag (<https://www.smelts.org/line-less-technology>; which avoids rope altogether); or to use a traditional grapple.

Whichever retrieval method is used, there also needs to be an alternative system to fulfil the surface buoy's role of enabling the trap owner and other vessels to know where traps are located on the bottom. Without this virtual marker, layovers of different strings of traps will be inevitable—and potentially dangerous in deeper waters. This requires development of a robust, affordable trap marker that acquires a GPS position before deployment, and then ideally updates its position by ranging from passing vessels equipped to communicate with the virtually marked traps. Where traps are attached to each other in a string or trawl, traps at each end of the trawl would be marked. An acoustic trap marker would also enable recovery of displaced traps, reducing ghost gear. There are a range of such transponders available for scientific and defence applications. The concept would need to be engineered specifically for trap marking, it would have to be affordable and durable, identifiable as to permit holder only by its owner and law enforcement and interfaced with vessel and cloud display systems.

The challenges to adopt these changes are substantial. Safety issues include avoiding layovers by different strings of traps. Layovers can be common where traps are fished in close proximity. Thus, an affordable, robust, virtual trap marker will be essential. Other vessels such as fish and scallop bottom trawlers will need to receive and display the virtual trap marks on their wheelhouse plotters as well. As this technology gains acceptance, economy of scale should increase affordability. In undeveloped countries this will be especially challenging, but there are

relatively affordable ropeless options. Where bottom access is zoned, traps could be deployed without an acoustic marker, and strings of traps recovered by grappling, or using galvanic timed releases (Gagnon and Boudreau, 1991).

Where fisheries are not currently closed to mitigate whale entanglement, the motivation to adopt these more complex technological solutions will be weak, especially given that capital outlays and maintenance costs will exceed traditional approaches. Regulatory systems will also have to be updated to manage ropeless fishing. However, if regulations are introduced preventing trap fisheries from using end lines, then the fisheries will adapt and develop functional solutions.

There will be additional costs, but if ethical consumers demand genuinely sustainable, whale-safe lobster and crab products, this can all happen (Moore, 2018). There needs to be a solid, enforced regulatory framework, but a “nudge” to consumers (Mackay *et al.*, 2018) could make this happen. The time has come to seriously manage bycatch extinction risk and animal welfare concerns of whales in how we harvest seafood.

Acknowledgements

I thank Mark Baumgartner, Scott Kraus, Tim Werner, Amy Knowlton, Heather Pettis, Scott Landry, Stormy Mayo, Fred Penney, and Beth Casoni for discussions on this topic and Natalie Renier for drawing Figures 5 and 6. Funding was provided by the Woods Hole Oceanographic Institution Independent Research and Development Program.

References

- Boenish, R., and Chen, Y. 2018. Spatiotemporal dynamics of effective fishing effort in the American lobster (*Homarus americanus*) fishery along the coast of Maine, USA. *Fisheries Research*, 199: 231–241.
- CBC. 2018. ‘Everybody’s losing’: crab fishermen prepare for more closures this week. <https://www.cbc.ca/news/canada/new-brunswick/crab-fishermen-right-whales-1.4682433>.
- Daoust, P.-Y., Couture, E. L., Wimmer, T., and Bourque, L. 2017. Incident Report: North Atlantic Right Whale Mortality Event in the Gulf of St. Lawrence, 2017. Collaborative Report Produced by: Canadian Wildlife Health Cooperative, Marine Animal Response Society, and Fisheries and Oceans Canada. http://publications.gc.ca/collections/collection_2018/mpo-dfo/Fs149-10-2017-1-eng.pdf. 1–256.
- Davis, G. E., Baumgartner, M. F., Bonnell, J. M., Bell, J., Berchok, C., Thornton, J. B., and Brault, S. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports*, 7: 13460.
- Department of Commerce. 2018. Proposed rulemaking. on modifying the. Massachusetts Trap/Pot Restricted Area and the Great South Channel Trap/Pot Restricted Area to allow trap/pot fishing that does not use vertical buoy lines. <https://federalregister.gov/d/2018-21115>.
- DFO. 2017. Assessment of snow crab (*Chionoecetes opilio*) in the southern Gulf of St. Lawrence (Areas 12, 19, 12E and 12F) to 2016 and advice for the 2017 fishery. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2017/004. <http://waves-vagues.dfo-mpo.gc.ca/Library/40597805.pdf>.
- Gagnon, M., and Boudreau, M. 1991. Sea trials of a galvanic corrosion delayed release mechanism for snow crab traps Canadian Technical Report of Fisheries and Aquatic Sciences No 1803. http://publications.gc.ca/collections/collection_2014/mpo-dfo/Fs97-6-1803-eng.pdf.

- Hayes, S. A., Gardiner, S., Garrison, L. P., Henry, A. G., and Leandro, L. 2018. North Atlantic Right Whales – Evaluating Their Recovery Challenges in 2018 NOAA Technical Memorandum NMFS-NE-247 National Oceanic and Atmospheric Administration National Marine Fisheries Service Northeast Fisheries Science Center Woods Hole, Massachusetts. 1 + 24 pp.
- Hayes, S. A., Josephson, E., Maze-Foley, K., and Rosel, P. E. (Eds.) 2017. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2016. NOAA Tech Memo NMFS NE 241. 274 p. <https://www.nefsc.noaa.gov/publications/tm/tm241/>
- Henry, A. G. 2017. Entanglement injuries and mortalities. Power Point presentation at the Take Reduction Team Meeting of November 2017. https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/2017%20Nov/henry_2017_summary.pdf.
- International Whaling Commission. 2013. Report of the IWC workshop on the assessment of southern right whales. Journal of Cetacean Research and Management, 149(Suppl.): 439–462.
- Knowlton, A. R., Hamilton, P. K., Marx, M. K., Pettis, H. M., and Kraus, S. D. 2012. Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: a 30 yr retrospective. Marine Ecology Progress Series, 466: 293–302.
- Knowlton, A. R., Robbins, J., Landry, S., McKenna, H. A., Kraus, S. D., and Werner, T. B. 2016. Effects of fishing rope strength on the severity of large whale entanglements. Conservation Biology, 30: 318–328.
- Kraus, S. D., Moore, K. E., Crone, M. J., Watkins, W. A., Winn, H. E., and Prescott, J. H. 1986. The use of photographs to identify individual North Atlantic right whales, (*Eubalaena glacialis*). Report of the International Whaling Commission, 10: 145–151.
- Mackay, M., Jennings, S., van Putten, E., Sibly, H., and Yamazaki, S. 2018. When push comes to shove in recreational fishing compliance, think ‘nudge’. Marine Policy, 95: 256–266.
- Meyer-Gutbrod, E. L., Greene, C. H., Sullivan, P. J., and Pershing, A. J. 2015. Climate-associated changes in prey availability drive reproductive dynamics of the North Atlantic right whale population. Marine Ecology Progress Series, 535: 243–258.
- Moore, M. 2018. A Fix for the Imperiled North Atlantic Right Whale. TEDx Provincetown June 30 2018. https://www.youtube.com/watch?v=vhkY_Ny-sBA.
- Moore, M., Andrews, R., Austin, T., Bailey, J., Costidis, A., George, C., Jackson, K., *et al.* 2013. Rope trauma, sedation, disentanglement, and monitoring-tag associated lesions in a terminally entangled North Atlantic right whale (*Eubalaena glacialis*). Marine Mammal Science, 29: E98–E113.
- Moore, M., and van der Hoop, J. 2012. The painful side of trap and fixed net fisheries: chronic entanglement of large whales. Journal of Marine Biology, 2012: 1.
- Moore, M. J. 2014. How we all kill whales. ICES Journal of Marine Science: Journal du Conseil, 71: 760–763.
- NMFS. 2017. North Atlantic Right Whale (*Eubalaena glacialis*) 5-Year Review: Summary and Evaluation. https://www.greateratlantic.fisheries.noaa.gov/protected/final_narw_5-year_review_2017.pdf.
- NOAA. 2018a. 2017-2018 North Atlantic Right Whale Unusual Mortality Event. <https://www.fisheries.noaa.gov/national/marine-life-distress/2017-2018-north-atlantic-right-whale-unusual-mortality-event>.
- NOAA. 2018b. Marine Mammal Stock Assessment Reports by Species/Stock. <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports-species-stock>.
- North Atlantic Right Whale Consortium. 2018. NARWC Annual Report Card. <https://www.narwc.org/report-cards.html>.
- O’Connell, K., *et al.* 2017. https://awionline.org/sites/default/files/uploads/documents/FINAL_letterMSC_19JAN2017.pdf.
- Pace, R. M., Corkeron, P. J., and Kraus, S. D. 2017. State-space mark-recapture estimates reveal a recent decline in abundance of North Atlantic right whales. Ecology and Evolution, 7: 2045–7758.
- Partan, J., and Ball, J. 2016. Rope-less fishing. Technology Development. http://www.bycatch.org/sites/default/files/Partan%26Ball_2016.pdf. 1–44 pp.
- Pennisi, E. 2017. North Atlantic right whale faces extinction. Science. <http://science.sciencemag.org/content/358/6364/703.full>.
- Pettis, H. M., Pace, R., Schick, R., and Hamilton, P. 2017. North Atlantic Right Whale Consortium 2017 Annual Report Card. Report to the North Atlantic Right Whale Consortium, October 2017. https://www.narwc.org/uploads/1/1/6/6/116623219/2017_report_cardfinal.pdf.
- Rolland, R. M., Schick, R. S., Pettis, H. M., Knowlton, A. R., Hamilton, P. K., Clark, J. S., and Kraus, S. D. 2016. Health of North Atlantic right whales *Eubalaena glacialis* over three decades: from individual health to demographic and population health trends. Marine Ecology Progress Series, 542: 265–282.
- Ropeless Consortium. 2018. <https://ropeless.org/november-6th-2018-presentations/>.
- Silber, G. K., Vanderlaan, A. S. M., Tejedor Arceredillo, A., Johnson, L., Taggart, C. T., Brown, M. W., Bettridge, S., *et al.* 2012. The role of the International Maritime Organization in reducing vessel threat to whales: process, options, action and effectiveness. Marine Policy, 36: 1221–1233.
- van der Hoop, J., Corkeron, P., and Moore, M. 2017. Entanglement is a costly life-history stage in large whales. Ecology and Evolution, 7: 92–106.
- van der Hoop, J., Moore, M., Barco, S., Cole, T., Daoust, P-Y., Henry, A., McAlpine, D., *et al.* 2013. Assessment of management to mitigate anthropogenic effects on large whales. Conservation Biology, 27: 121–133.
- Walton Family Foundation. 2017. Markets Strategy Summary – page 4. <https://www.waltonfamilyfoundation.org/our-work/environment/oceans>.
- WickedLocal.com. 2018. South Shore lobstermen finally put traps in water. <http://www.wickedlocal.com/news/20180516/south-shore-lobstermen-finally-put-traps-in-water>.

Handling editor: Howard Browman



FEATURE ARTICLE

REVIEW

Assessing North Atlantic right whale health: threats, and development of tools critical for conservation of the species

Michael J. Moore^{1,*}, Teresa K. Rowles, Deborah A. Fauquier, Jason D. Baker, Ingrid Biedron, John W. Durban, Philip K. Hamilton, Allison G. Henry, Amy R. Knowlton, William A. McLellan, Carolyn A. Miller¹, Richard M. Pace III, Heather M. Pettis, Stephen Raverty, Rosalind M. Rolland, Robert S. Schick, Sarah M. Sharp, Cynthia R. Smith, Len Thomas, Julie M. van der Hoop¹, Michael H. Ziccardi

¹Woods Hole Oceanographic Institution, Woods Hole MA 02543, USA

Co-authors' addresses given in a supplement; www.int-res.com/articles/suppl/d143p205_supp.pdf

ABSTRACT: Whaling has decimated North Atlantic right whales *Eubalaena glacialis* (NARW) since the 11th century and southern right whales *E. australis* (SRW) since the 19th century. Today, NARWs are Critically Endangered and decreasing, whereas SRWs are recovering. We review NARW health assessment literature, NARW Consortium databases, and efforts and limitations to monitor individual and species health, survival, and fecundity. Photographs are used to track individual movement and external signs of health such as evidence of vessel and entanglement trauma. Post-mortem examinations establish cause of death and determine organ pathology. Photogrammetry is used to assess growth rates and body condition. Samples of blow, skin, blubber, baleen and feces quantify hormones that provide information on stress, reproduction, and nutrition, identify microbiome changes, and assess evidence of infection. We also discuss models of the population consequences of multiple stressors, including the connection between human activities (e.g. entanglement) and health. Lethal and sublethal vessel and entanglement trauma have been identified as major threats to the species. There is a clear and immediate need for expanding trauma reduction measures. Beyond these major concerns, further study is needed to evaluate the impact of other stressors, such as pathogens, microbiome changes, and algal and industrial toxins, on NARW reproductive success and health.



North Atlantic right whale (Catalog #3530 'Ruffian'), showing healed scarring from an entanglement 8 yr earlier.

Photo: J. Durban & Holly Fearnbach

Current and new health assessment tools should be developed and used to monitor the effectiveness of management measures and will help determine whether they are sufficient for a substantive species recovery.

KEY WORDS: Right whale · Health · Trauma · Reproduction · Stressor · Cumulative effects

*Corresponding author: mmoore@whoi.edu

1. INTRODUCTION

The North Atlantic right whale (NARW) *Eubalaena glacialis* species is Critically Endangered and declining. Past and current conservation measures have failed to maintain a recovery trajectory for the species. Therefore, better understanding of the current status of NARW health, and tools to evaluate health, are critical to reverse the decline and restart the recovery of this species. The challenges of studying large whales and their health include, but are not limited to, the following factors: distance-, weather- and season-dependent logistics; locating them; collecting and analyzing the data; and determining the causes of observed morbidity and mortality. A recent review of the right whale genus *Eubalaena* spp. (Harcourt et al. 2019) summarized the extensive relevant literature in the context of future directions for comparative research among the 3 extant species to inform conservation. Topics included variable recovery from historic whaling, linking individuals to population level response, adapting to shifting resources, emergent diseases and vulnerability under stress, and cumulative effects. Our review summarizes data, publications and past workshops, related to the health of NARWs as discussed at a workshop in Silver Spring, MD, USA, in June 2019 (Fauquier et al. 2020). Previous workshops are summarized in that report (Brownell et al. 1986, Best et al. 2001, Reeves et al. 2001, O'Hara et al. 2003, Rowles et al. 2006, International Whaling Commission 2010, Thomas et al. 2013, Sironi et al. 2018, Sisson & Long 2018). Additionally, we periodically refer to unpublished analyses of data by authors of this review to provide as current a perspective as possible. Most of those data are available from the NARW Consortium (NARWC) database collection (www.narwc.org/narwc-databases.html).

Implications and recommendations from the 2020 workshop, and consequent discussions, are then presented in the context of (1) furthering our overall understanding of NARW health, and (2) the use of health assessment tools to gauge the efficacy of measures designed to enhance the recovery of the NARW species. For a recent bibliography on this topic see <https://repository.library.noaa.gov/view/noaa/20221>.

For the purpose of this review, we define wildlife health following Stephen (2014, p. 427)

Health is the result of interacting biologic, social, and environmental determinants that combine to affect the animal's or population's capacity to cope with change. Health cannot be measured solely by what is absent, but rather by characteristics of the animals and their ecosys-

tem that affect their vulnerability and resilience. Wildlife health is not a biologic state but rather a dynamic social construct based on human expectations and knowledge.

Following centuries of whaling, with the last documented event in 1967 (Maul & Sergeant 1977), the NARW species underwent a very slow recovery ($\sim 2.8\% \text{ yr}^{-1}$) until 2010 (Fig. 1). Since then, abundance has declined by 20%, so that as of 2020 there are about 356 animals remaining (Pace et al. 2017, NOAA 2020, Pettis et al. 2020). In 2020, the IUCN changed the species listing from Endangered to Critically Endangered (Cooke 2020), the only large whale species in the world to warrant this designation. The North Pacific right whale *E. japonica* is listed by the IUCN as Endangered, with the Northeast Pacific subpopulation as Critically Endangered. In contrast, most southern right whale (SRW) *E. australis* populations have recovered remarkably from historic whaling, despite a major setback from Russian whaling in the 1960s (Yablokov 1994, Corkeron et al. 2018). The species is listed as of Least Concern by the IUCN, although in some habitats SRW sightings have plateaued in recent years (Jackson et al. 2020, Stamation et al. 2020).

Right whales are individually identified using photographs of cornified skin patterns, called callosities, on their heads (Payne et al. 1983, Kraus et al. 1986, Kraus 1990). The North Atlantic Right Whale Catalog (<http://rwcatalog.neaq.org>) contains all known photographed sightings of NARWs from 1935 to the present (Hamilton et al. 2007). The Catalog is used to monitor their distribution, associations, survival, reproduction, movement, and health. There is an intensive photo-identification survey effort conducted annually in many NARW habitats resulting in an average of 75% of this species being photo-documented each year (Pettis et al. 2020). The Catalog is the hub of the NARWC database collection (www.narwc.org/narwc-databases.html).

A recent broad-scale NARW distribution shift began in 2010 or 2011 (Record et al. 2019). Sightings decreased drastically on the calving ground off the southeastern USA and in 3 northern feeding habitats (Davies et al. 2019, Gowan et al. 2019): Great South Channel (southeast of Cape Cod, MA, USA), Bay of Fundy, and Roseway Basin south of Nova Scotia (Canada). As much as 50% of this species had been seen in each of these habitats in some years prior to 2010 (Fauquier et al. 2020). Recently, annual counts have decreased to only about 100 individuals on average in the Great South Channel and 35 or fewer in the other 3 habitats (except in 2014 in the Bay of




Fig. 1. Population trends in the North Atlantic and southern right whale species (estimates for North Atlantic species prior to 1990 are unavailable; southern estimates prior to 1990 on decadal scale). Illegal whaling caused a downturn in the southern species in the 1960s. Figure modified from Moore & Myers (2019); used by permission. Data from International Whaling Commission (2013), Pace et al. (2017), Pettis et al. (2020)

Fundy, when over 100 whales were present for a very short time). At the same time, sightings increased in one well-studied habitat, Cape Cod Bay, MA, USA, and in 2 lesser historically known feeding habitats: one south of Nantucket, MA, USA, and one in the Gulf of St. Lawrence, Canada. Since 2010, over 250 whales have been seen annually in the first region, and 100 to 150 have been seen annually in each of the latter two. In addition to sightings, passive acoustic data show an increased occurrence of NARW calls off the mid-Atlantic, herein described as north of Cape Hatteras to south of Cape Cod, and some calls along the edge of the continental shelf (Davis et al. 2017).

These distribution shifts have impacted the collection of sightings and photos and the data derived from those observations. The average percent of whales photographed and identified annually dropped from 81% during the 8 yr before the shift (2003 to 2010) to 68% during the 8 yr after the shift (2011 to 2018) (Pettis et al. 2020). This smaller percentage of the species being observed annually impacts the precision and potential accuracy of abundance estimates. The decrease in shipboard photographs, which had been primarily collected from historical high-residency areas (e.g. the Bay of Fundy and off the south-

eastern USA in the 2000s) affects the ability to assess body condition and scarring from shipboard images. Finally, mothers are being seen with their calves less frequently on the northern feeding grounds, making it harder to photo-identify those calves because their callosities are generally not well developed until the latter half of their birth year, and at the very least, this has delayed our ability to catalog those calves. These impacts on the photo-identification data collection have downstream effects (e.g. the potential underestimate in abundance and calf survival) that should be considered when analyzing the data and assessing monitoring power especially when comparing pre-2010 to post-2011 derived products (Fauquier et al. 2020).

In summary, cataloging the location and identification of individual NARWs, year by year, has been the cornerstone of our developing understanding of the health of individuals, their movements, and the species as a whole. Therefore, we need to regain adequate cataloging of the species, especially in light of the recent habitat shifts, by increasing photo identification effort in the mid-Atlantic, southern New England, and the Gulf of St Lawrence among other currently important habitat areas. In addition, we need to be better prepared for future

shifts of distribution and rapidly shifting efforts to maintain adequate photo-identification of the population.

2. RESULTS

2.1. North Atlantic right whale trauma

2.1.1. North Atlantic right whale mortality

There has been little comparison of mortality patterns between SRW and NARW. Such comparisons as there are should be expanded. In Peninsula Valdés, Argentina (a well-studied SRW calving ground with low historical calf mortality) between 2003 and 2018, 20% (738/4403) of calves (mostly neonates) died (Fig. 2) (Sironi et al. 2018). Current theories as to the cause(s) include predation from kelp gull attacks (Sironi et al. 2018). There have been reports of SRW vessel strikes and entanglements (Van Waerebeek et al. 2007, Kemper et al. 2008, Zappes et al. 2013). However, these events have not precluded the species from a substantial post-whaling recovery (Fig. 1). In contrast, for NARW, human-induced trauma has been a major factor in the failure of that species to recover. Their perinatal mortalities are from natural causes, but older calves can be vessel struck, while juveniles and adults die acutely after asphyxiation in heavy fishing gear, or after severe vessel trauma, or chronically after a debilitating entanglement, or initially sublethal vessel trauma. From early Basque whaling through commercial whaling, by the 1930s NARW numbers had been reduced to possibly less than a hundred (Reeves et al. 2007). Incidental

mortalities caused by commercial fishing operations and vessel strikes in the past 50 yr have kept the species numbers severely reduced, albeit with a slow recovery until 2010, but with a subsequent decline though 2020 as described above (Pettis et al. 2020). In the late 2010s, clustered mortality events occurred in the Gulf of St. Lawrence with 12 deaths in 2017 and 9 in 2019—the majority due to human activities (Daoust et al. 2018, Sharp et al. 2019, Bourque et al. 2020). This, along with mortalities in the USA, resulted in its National Marine Fisheries Service (NMFS, part of the National Oceanic and Atmospheric Administration [NOAA]) declaring an Unusual Mortality Event (www.fisheries.noaa.gov/national/marine-life-distress/2017-2020-north-atlantic-right-whale-unusual-mortality-event), a stranding that is unexpected, involves a significant die-off of any marine mammal population, and demands immediate response (16 USC § 1421h(6); see <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-protection-act>).

A review of 54 NARW mortalities from 1970–2002 (Moore et al. 2004), an average of 1.7 (54/32) mortalities per year, found anthropogenic trauma in 77% (14/18) of juveniles and adults that were completely necropsied. Of these, the cause of death (COD) was determined to be vessel strike in 71% (10/14) while 29% (4/14) died of entanglement. The COD for the remaining 4 juveniles and adults could not be determined. More recently, Sharp et al. (2019) undertook a thorough review of 70 deaths between 2003 and 2018, an average of 4.7 (70/15) mortalities per year, in which 80% (56/70) of carcasses were examined externally and 63% (44/70) were necropsied. Where COD was determined, 88% (38/43) were anthropogenic in origin. The relative threat of entanglement in commercial fishing gear increased from the previous estimate, accounting for 58% (22/38) of the anthropogenic deaths, while vessel strike accounted for 42% (16/38) of these cases. Females accounted for 66% (19/29) of known-sex adult deaths. In both studies (Moore et al. 2004, Sharp et al. 2019), juvenile and adult mortalities of NARWs from known causes were all due to anthropogenic trauma. In the 1980s through the 2000s, deaths were overwhelmingly due to vessel strikes as animals transited either south to the calving grounds or back north to feeding grounds. During this time, necropsy teams documented 3 pregnant NARWs




Fig. 2. Minimum counts of live and dead southern right whale calves in Peninsula Valdés, Argentina, 2001–2019. Data: Sironi et al. (2018), M. Sironi, V. Rowntree and M. Uhart pers. comm.

with evidence of vessel strikes in the mid-Atlantic and southeast USA, which motivated the development of coast-wide seasonal management areas (SMAs), where most vessels >65 ft (~20 m) are required to slow to 10 knots or less at certain times of the year (when NARWs are expected to be present) as a conservation strategy (Silber et al. 2014).

Diagnostic necropsies provide critical data, for maintaining an up-to-date understanding of how anthropogenic trauma on the species is changing in time and space. Without these data, the necessary ongoing optimization and evaluation of mitigation measures cannot occur.

2.1.2. Visual health and injury assessments

Assessment of live animals in the context of their catalogued individual identity gives a unique, sequential perspective on the status and trend of each animal and aids in identifying sublethal impacts that may affect reproductive success and therefore be targets for mitigation. The visual health assessment (VHA) method (Pettis et al. 2004, Rolland et al. 2016) allows for non-invasive assessments of NARW health using photographs taken from boats and aircraft. Data on body condition, skin condition (lesions and skin sloughing), rake marks (shallow striations in the skin) forward of the blowholes, and cyamids (whale lice) around the blowholes can be linked to the NARW Catalog (<http://rwcatalog.neaq.org>), allowing one to examine associations between health, individual life-history, and post-mortem information (www.narwc.org/narwc-databases.html). Analyses of these data have established connections between health, reproduction, and anthropogenic impacts (Pettis et al. 2004, Rolland et al. 2016). Two health conditions, emaciated body condition and swath skin lesions, have emerged as prognostic indicators of poor NARW survival (Pettis et al. 2004, Hamilton & Marx 2005). The incidence of these conditions has varied over time, with the highest incidence of both documented in 2011–2016 (Pettis 2019). Other types of skin lesions are regularly observed on NARW, though the etiology, and their impact on survival and reproduction are unknown (Pettis et al. 2004, Hamilton & Marx 2005, Rolland et al. 2016). Beginning in 2009, far more whales have been scored as thin, at least once annually, than the number scored with poor skin condition (Pettis et al. 2004). The VHA method has been valuable in retrospective analysis for evaluating sub-lethal anthropogenic injury impact on health, informing annual

injury determinations and estimates of human impact on this species, and predicting survival (Pettis et al. 2004, Schick et al. 2013). Additionally, VHAs show promise in helping to estimate the time of death when whales are not sighted post injury (H. M. Pettis unpubl. data).

The VHA method has also enabled a broad, long-term assessment of the nature and impact of sub-lethal trauma on the species. Qualitatively, its applicability to the entire photo-ID catalog has made it a vital resource, given its sample size, and it should continue to be promulgated to adequately monitor the extent and variation in sub-lethal trauma impacts on the species. Quantitatively it has been linked to demographic outcomes (Schick et al. 2016).

2.1.3. NOAA fisheries serious injury assessments

In the USA, NMFS is responsible for management of NARWs under the Endangered Species Act and Marine Mammal Protection Act (MMPA). As mandated by the MMPA, it estimates the number of human-caused mortalities and serious injuries of NARWs. Predicting the likely outcome for animals with substantive injuries is important to estimate the overall mortality incidence. Furthermore, recent modeling (Pace et al. 2021) has shown that only 38% of total mortality was detected during 1990–2017: this cryptic mortality factor is driven at least in part by NARW lost to follow up because they are emaciated and sink due to being negatively buoyant (Moore et al. 2020). Others will likely float offshore until they decompose, without ever being observed, or at least not reported. The extent of the cryptic mortality was modeled by comparing the number of carcasses documented to the number of animals that disappeared from the photo-ID catalog through time. A formal method to assess the status of chronically traumatized individual NARWs, linked with an ongoing estimate of cryptic mortality, is critical to understanding their prognosis and overall mortality incidence.

NMFS serious injury (SI) assessments estimate annual rates of human-caused mortality and SI for all marine mammal stocks occurring within USA waters (NOAA 2012, 2020). NMFS Northeast Fisheries Science Center (NEFSC) has made SI determinations for western North Atlantic large whale stocks since 1999 using all available relevant injury event information including sighting history, necropsy reports, and health assessments when available. NEFSC used its own criteria to assess large whale injuries until 2012, when USA National SI criteria guidelines were

established (NOAA 2012). NEFSC criteria used prior to 2012 did not count events for which there were insufficient data to make a lethal take determination against potential biological removal (PBR). A take is defined by the MMPA as 'to harass, hunt, capture, or kill, or attempt to harass, hunt, capture, or kill any marine mammal' (16 USC § 1362 (16)). PBR is defined by the MMPA as the maximum number of animals, not including natural mortalities, that may be removed from a marine mammal stock while allowing that stock to reach or maintain its optimum sustainable population. The National criteria now address such data-poor events by providing prorated values that count against PBR. A retrospective application of the National criteria to all NARW injury events from 2000 to present resulted in only 0.8% (14/184) events between 2000 and 2011 being changed from a 0 to a prorated value, which illustrates that injury determinations of this stock have been relatively consistent across the years despite evolving SI criteria (Fig. 3) and is likely due to the data-rich nature of NARW injury events. As seen in Fig. 3, and further supported by others (Knowlton et al. 2016), the rate of entanglement related SI and mortality has been increasing in the last decade, whereas that of vessel strike has decreased. The entanglement rate alone has remained above PBR throughout the timeline (i.e. since 2000). If it were not for disentanglement efforts, the situation would be even worse, as in some circumstances, disentan-

glement teams are able to avert SIs. However, the practice of not counting such cases towards PBR does devalue such data as an index of entanglement risk.

The SI determination process is the primary tool used by NMFS to include an estimate of the annual human-caused mortality and serious injury in annual stock assessment in the USA. It provides an annual update on the nature and extent of the different sources of lethal trauma to the species. A major limitation is the lag time from when data are available to when they are incorporated into a publicly available annual report. Given the current high incidence of serious injuries and mortalities, a closer to real-time analysis, and reporting, would facilitate equally prompt trauma mitigation enhancement.

2.1.4. Frequency, and effects, of vessel strikes and entanglement on North Atlantic right whale reproduction

During times of decadal prey declines, calving output is lower (Hlista et al. 2009, Meyer-Gutbrod et al. 2015). Additionally, quantifying the sublethal incidences of vessel and rope trauma on NARW reproductive success, in the context of their unfolding demographic and migratory history, is a critical aspect of understanding these sources of trauma. As

part of the recent workshop, we updated earlier studies of vessel and rope trauma.

2.1.4.1. Vessel strikes. We examined NARW Catalog photographs of live individuals for evidence of external trauma from vessel strikes (propeller cuts or gashes) and necropsy reports for cause of death information. External sharp trauma wounds on both live and dead whales resulting from vessel strike were categorized as superficial, shallow, or deep, while blunt trauma cases were only determined from necropsy reports (Fig. 4). With the implementation of a USA ship-speed rule in 2008, there appeared to be some reduction in lethal vessel strikes for NARWs when comparing known vessel-struck carcass detections in or within 45 nmiles (74 km) of an active SMA pre- and post-rule, whereas for humpback whales *Megaptera novaeangliae* mortalities were




Fig. 3. Rolling 5 yr average of (USA and Canada) North Atlantic right whales (NARW) entanglement (EN), vessel strike (VS), total mortality (MT), and serious injury (SI, excluding 27 cases prevented by disentanglement), and potential biological removal (PBR). Northeast Fisheries Science Center (NEFSC) criteria were applied up to 2010. National (Nat'l) SI criteria were applied after 2010, and retroactively to earlier years, showing the minor difference between the 2 criteria




Fig. 4. Incidence of blunt trauma, and 3 degrees of severity of propeller cuts observed in 101 North Atlantic right whales. Of animals with cuts, 8 were found dead and 66 alive, but 7 of the latter were later presumed dead as a result. The 16 blunt trauma cases were all dead. Thus, a total of 29 were known or presumed dead from vessel strike (A. Knowlton et al. unpubl. data.)

reduced both inside and outside the areas (Laist et al. 2014) (Table 1). Meanwhile, van der Hoop et al. (2014) found no detectable reduction in vessel strike mortalities of all large whale species in the actual SMAs along the eastern USA, suggesting that the existing SMAs may not be large enough to provide adequate protection. Furthermore, in recent years right whales have ventured further into Canadian waters, with a shift into the Gulf of St. Lawrence, where no protection measures were in place until after at least one-third of the 12 mortalities in the region were reported as vessel strike in 2017 (Fig. 3; Daoust et al. 2018, Sharp et al. 2019). Two others of the 12 were acute entanglements, and 6 could not be diagnosed.

A recent assessment of fate by propeller wound category revealed that superficial and shallow cuts did not affect 3 yr survival, but deep cuts were lethal in the majority of cases (A. R. Knowlton & A. M. Costidis unpubl. data). A detailed, quantitative assessment of propeller cuts, carried out for 39 cases, showed that vessels >65 ft (~20 m) were involved in most of the deep cut cases, although there were 2 cases involving vessels in the 40–65 ft (12–20 m) length range that resulted in deep cuts and subsequent fatality (A. R. Knowlton & A. M. Costidis unpubl. data).

2.1.4.2. Entanglements. For entanglements, a total of 1538 interactions have been documented between 1980 and 2017 involving 86.1% (642/746) of the species; 8% (51/642) of these cases involved attached gear (Knowlton et

al. 2012, A. R. Knowlton unpubl. data). Some whales have evidence of as many as 8 entanglement interactions over the course of a lifetime. Incidents of moderate and severe entanglements have become more prevalent in the last decade (Knowlton et al. 2016). These are known to cause health impacts and reduced survival, especially in reproductive females (Fauquier et al. 2020). The complexity of attached gear has also been assessed, and the majority of entanglements since the mid-1990s has been deemed high-risk, i.e. likely to be lethal without intervention, possibly because of increasing rope strengths, resulting from manufacturing changes (Knowlton et al. 2016). Based on these results, Knowlton et al. (2016) suggested maximum rope strengths of 1700 lb (~773 kg) for consideration in fixed fishing gear throughout the NARW range in order to allow more whales to break free from entanglements.

2.1.4.3. Impacts of human activities on reproductive females. An assessment of all reproductive females (i.e. females that have had a calf) since 1980 found that 42% (76/180) have either been found

Table 1. Vessel-struck North Atlantic right/ humpback whale deaths inside or within 45 nmiles (74 km) of seasonal management areas (SMA) versus those beyond 45 nmiles, before and after the SMA implementation on December 8, 2008 (Laist et al. 2014)

	Inside or <45 nmiles of SMA boundary		Beyond 45 nmiles of SMA boundary	
	Right	Humpback	Right	Humpback
1990 to Dec 8 2008	13	12	2	14
Dec 9 2008 to Dec 8 2013	0	2	2	4

dead or have disappeared, with at least one-third of those losses due to vessel strikes and entanglements. The effect of entanglement injury severity on fecundity indicates a cessation in calving for a period of time after a severe injury (van der Hoop et al. 2017a, A. R. Knowlton unpubl. data).

Both vessel strikes and entanglement continue to impact right whale reproductive success. Thus, to enable species recovery, reduction in mortalities have to be accompanied by substantial reduction of sub-lethal trauma as well.

2.1.5. Trends in growth and body condition from photogrammetry

Orthogonal aerial photogrammetry with accurate altitude data (Durban et al. 2016) can provide precise measurement of large whale length and width, enabling analysis of energy transfer during suckling (Christiansen et al. 2018). High-resolution drone images also provide information on skin condition, whale lice burdens, and the severity/incidence of entanglement wounds, notably coupled with quantitative photogrammetry measurements from the same whales.

Comparison between SRWs in Argentina, New Zealand, and Australia to NARWs in the North Atlantic revealed NARW juveniles, adults, and lactating females to be in generally poorer body condition and to be attaining shorter adult lengths than SRW (Fig. 5; Christiansen et al. 2020). Aerial photogrammetry studies to assess trends in growth and body condition of NARWs in Cape Cod Bay, MA, in March and April 2016–2020 (J. W. Durban unpubl. data) are being compared with aerial images collected by NOAA's Southwest Fisheries Science Center (SWFSC) during August 2000–2002 using manned aircraft flying over the Bay of Fundy. For both datasets, matching whales to the NARW Catalog enables body length, and width profiles, to be linked to whale age, sex, and life histories, and assessment of changes in an individual whale's condition over time. Ongoing analysis of the NARW time series (J. W. Durban unpubl. data) revealed some whales are growing more slowly in recent years compared to those growing during the 2000–2002 sampling, as inferred from reduced length at age relationships in the more recent surveys. Whales also appeared to be in poorer body condition in recent spring surveys compared to previous sampling, although the previous study took place in summer, so that change may be due to seasonal change in body

condition of this capital breeder. Ongoing longitudinal monitoring during consistent spring sampling in Cape Cod Bay is being used to assess this.

2.1.6. Energetic cost of entanglement

NARW recovery is dependent on sustained reproductive success, which requires adequate body condition. Normal energy costs include metabolism, migration, foraging, and pregnancy; additional exogenous stress adds to those costs. Chronically entangled NARWs may carry fishing gear for months to years, and often show signs of considerable loss in energy reserves over that time period, as evidenced by emaciation. Drag measured from gear that was removed from entangled NARWs (van der Hoop et al. 2013, 2016) was combined with other measured parameters, allowing estimation of drag on new entanglement cases at the time of their observation (van der Hoop et al. 2017a). Drag measurements enabled estimation of the energetic cost of entanglement using biomechanics and physical models, and blubber thickness and body condition measurements (van der Hoop et al. 2017b). Impacts of entanglements persist even after disentanglement due to time needed for recovery (van der Hoop et al. 2017a). For the cases evaluated in these studies, the median energetic recovery is 1.3–3 mo (max. 16 mo).

The role of sub-lethal entanglement drag in reducing NARW health and fecundity should be a major consideration in comparing the efficacy of potential mitigation measures. Thus, while 1700 lb (~773 kg) breaking strength rope may reduce mortality and sever injury, it will continue to be a source of morbidity. Ultimately, removal of rope from the water column will better enable species recovery.

2.1.7. Acoustic trauma

Parks et al. (2007) showed that right whales call at a higher frequency, and at a lower rate, in higher noise conditions, perhaps as a response to increased background noise. This may increase communication range under such conditions (Tennessen & Parks 2016). The resultant health impacts of acoustic stressors are unclear (Rolland et al. 2012). Better understanding of the effects of background shipping and offshore wind energy production noise and episodic noise associated with seismic survey and windfarm installation are critical in terms of focused mitigation.




Fig. 5. Body condition compared between southern right whales in New Zealand, Australia and Argentina, and North Atlantic right whales. Solid line represents the back-transformed fitted values of the linear model (reproduced from Christiansen et al. 2020; used by permission)

2.2. Reproduction in North Atlantic right whales

2.2.1. Reproductive success

NARW had one-third the calving success of SRW between 1992 and 2016 (Corkeron et al. 2018). Nutrition is a major determinant of reproductive success. In a study of SRW calving success in southern Brazil, significant correlations were found with krill densities, Oceanic Niño Index, and Antarctic sea ice area (Seyboth et al. 2016). Similarly, calving success in Argentina was tied to global climate signals (Leaper et al. 2006). A comparison of blubber thickness in SRW and NARW suggested that marked fluctuations in North Atlantic right whale reproduction have a nutritional component (Miller et al. 2011). However, right whale feeding success is dependent on fine-scale plankton densities that do, or do not, elicit feeding (Pershing et al. 2009). Hypotheses concerning NARW migration and foraging strategies have recently been reviewed (Kenney et al. 2020). Plourde et al. (2019) describe foraging areas for NARW in Canadian waters in the context of climate change and the documented

shift in NARW distribution. However, the remoteness of most SRW feeding habitats makes access challenging; thus, direct comparisons between foraging SRW and NARW in terms of the nutritional basis for calving success have not yet been undertaken.

Between 2011 and 2018 an average of 12 NARW calves were born per year (including none born in 2018), compared to 1 of 23 per year during the previous 8 yr (Pettis et al. 2020). The calving index (annual percentage of reproductive females presumed alive and available to calve that was observed to produce a calf) averaged 47% from 2003 to 2010 but has dropped to an average of 17% since 2010.

In 2019, there were 92 known reproductively active females that had been seen alive in the previous 6 yr. In addition, there were another 36 females age 10 to 19 that had not yet been observed with a calf, and 30 immature females, suggesting the pool of future reproductive recruits is low. However, those calves born after 2010 that have not yet been cataloged are not included in this analysis, so the future female pool may be slightly larger (www.narwc.org/narwc-databases.html).

The inter-birth interval, which averaged 3.9 yr 2003–2010, increased to an average of 5.8 yr from 2011–2018, with a peak of 10.2 yr in 2017 (Pettis et al. 2020). The mean age of first parturition (Knowlton et al. 1994, Hamilton et al. 1998) for all known-age females is 10.2 yr ($n = 76$, range 5 to 23, SD 3.3). This analysis does not account for potential missed first calving events. The tail of the distribution includes 2 records over 19 yr of age: a first calving at 21 and 23 yr, both of which could be the result of missed calving events. However, the mean age of first parturition will likely increase in the future, as half of the known age females between 10 and 19 yr old have not yet been observed with a calf. The combination of the changes in inter-birth interval and age to first reproduction suggests that both parous and nulliparous females are experiencing delays in calving. It remains unknown how many of the current nulliparous 10 to 19 yr old females are biologically able to get pregnant and successfully reproduce. The timing of these calving delays corresponds with the recent distribution shifts described earlier, and those shifts may correlate with changing environmental conditions. Potential explanations for this reproductive cessation or delay are explored under other sections of this review, such as 2.2.2.

The low reproductive rate of NARWs is likely the result of several factors. Forty-nine females calved only once, and 53% (26/49) disappeared from the sighting record within 2 yr of that calving and very likely did not survive long enough to reproduce again. The remaining 47% (23/49) were seen 3 or more years after their first calving and thus were theoretically available to calve again. Ten percent (6/60) of females over 19 yr old have never calved. Given the age of first parturition presented above, it is unlikely these females will ever calve successfully. That percentage increases to 33.8% (46/136) if the 10 to 19 yr old nulliparous females are included, but these females may just be delaying calving and thus will likely enter the reproductive pool in the future. Another concern is evidence of low calf survival in some females. One female has been able to reproduce, but her calf survival is consistently low. She has had 6 calves, but the last 4 have not survived; at least 2 of them because they were apparently not successfully nursed (www.narwc.org/narwc-databases.html).

Other factors affecting reproductive success include changes in investment in offspring, differences in reproduction in relation to feeding habitats, and changes in NARW social interactions. Hamilton & Cooper (2010) showed that 71% (12/17) of all calves born in 2001 stayed with their mothers into the sec-

ond year. They compared the fitness (age at first breeding and calving rate) of the 2001-born female calves that stayed with their mothers into the second year with those that did not and found no clear difference. In the late 1990s, some females that had a profile of being seen less frequently, which may indicate they fed in unknown habitats, continued to calve when other females stopped. All of the females that calved between 1998 and 2000 fit this profile. For the recent calving downturn, while 60% of the females in 2017 fit this profile, all of them had prolonged calving intervals equivalent to those of other females that calved during this time suggesting that, although they were calving, they were faring no better than the other females. Investigating these females that may feed elsewhere is hampered by the lack of a consistent or rigorous way to define and categorize them. Finally, the percent of sightings involved in surface-active groups appears to mirror the number of calves born (www.narwc.org/narwc-databases.html). This preliminary result could be explored by habitat to see whether the occurrence of these groups, some of which are related to mating, can be correlated with species-wide health. Reversing the trend of failed reproduction, by reducing sub-lethal trauma stands alongside reducing mortality as the 2 critical goals for enabling NARW species recovery.

2.2.2. Reproductive and stress hormones

Endocrine studies involving NARWs started in 1999 with the validation of immunoassays to measure steroid reproductive and stress hormone metabolites in fecal samples. Currently, immunoassays for a panel of 6 hormone classes including estrogen, progesterone, androgens, glucocorticoids, aldosterone, and thyroid hormones have been validated (Rolland et al. 2005, Hunt et al. 2006, Burgess et al. 2017, R. M. Rolland unpubl. data) for multiple biological matrices including the following: feces, blubber, blow (exhaled breath), and baleen (Rolland & Moore 2018). The temporal signature of hormones differs between these matrices from real-time or near-real-time (serum, blow), to days or months (feces and blubber), to years (baleen). Hormone measures from feces, and blubber integrate circulating levels of hormones over these different temporal scales and are especially valuable for assessment of chronic stress.

Over 400 fecal samples collected from 1999–2019 have been assayed for the 6 hormone classes mentioned above. Approximately one-third of the samples have been linked to identified NARWs with

known life-history data. Results show that concentrations of fecal estrogens, progesterone, and androgens are reliable predictors of sex, pregnancy, and lactation in females and sexual maturity in males (Rolland et al. 2005). Three cases of pregnancy loss or undetected perinatal or young calf death have been inferred using highly elevated fecal progesterone metabolites and sighting records on the calving ground during the following winter, without a calf (R. M. Rolland unpubl. data). Levels of adrenal stress hormone metabolites vary with reproductive status, sex, and physiological state, and reflect relative adrenal cortical activity (Rolland et al. 2017). Comparison of fecal glucocorticoids (FGCs) in healthy NARWs, to those killed acutely (vessel strike), suffering long-term entanglement, or prolonged live stranding (chronic), found extreme elevations of FGCs in cases of severe, chronic illness or injury (Rolland et al. 2017). FGCs have been used to link shipping noise exposure in NARWs to elevated FGCs indicating chronic stress (Rolland et al. 2012). Fecal aldosterone levels provide an additional measure of adrenal cortical activation (Burgess et al. 2017). Fecal thyroid hormones are a biomarker of nutritional status in NARWs, as thyroid gland hormone concentrations decrease during seasonal nutritional deficits and increase during periods of energy abundance (R. M. Rolland unpubl. data).

Studies of chemical profiles in NARW baleen have shown a valuable timeline of data ranging from very recent levels at the gum line, to up to 8 yr prior at the tip (Hunt et al. 2016). In fact, baleen progesterone profiles from 2 NARWs showed elevations 2 orders of magnitude higher than baseline in time points corresponding to known pregnancies. Baleen from a chronically entangled NARW was analyzed for steroid and thyroid hormones and stable isotopes and showed an 8 yr profile of foraging and migration behavior, stress response, and reproduction, with a 23 mo progesterone peak correlating to a single known calving event and elevated triiodothyronine (T3) and thyroxine (T4), suggesting that the entanglement event began 3 mo before it was first sighted entangled (Lysiak et al. 2018). Reproductive and stress hormone studies can usefully continue to investigate the parameters impacting pregnancy and recruitment.

2.3. Biotoxins and parasites

A 6 yr (2001–2006) analysis of fecal samples collected in the Bay of Fundy showed that some NARWs were exposed to at least 2 classes of algal biotoxins:

paralytic shellfish poisoning toxins (PSP), primarily saxitoxins and amnesiac shellfish poisoning, and domoic acid (DA) (Doucette et al. 2012). In this study, 73 % (96/132) of samples tested positive for PSP toxins and 25 % (31/126) tested positive for DA. Both biotoxins were also detected in a small number of fecal samples collected in Cape Cod Bay, the Great South Channel and Roseway Basin. The results of this study suggest that NARWs are exposed to both algal biotoxins on an approximately annual basis in multiple habitats for periods of up to 6 mo (April through September). There were similar exposure rates for females and males (PSP: ~70–80%; DA: ~25–30%). Both pregnant and lactating females were exposed to both biotoxins, suggesting the potential for maternal toxin transfer and possible effects on fetal and suckling animals. Additionally, 22% of the fecal samples tested for PSP and DA showed concurrent exposure to both neurotoxins, leading to questions of interactive effects (Doucette et al. 2012). While exposure to these biotoxins was not significantly linked with observed health effects in NARWs (and their sensitivity to these toxins remains unknown), there is a potential for indirect effects (e.g. increased susceptibility to anthropogenic risks: Doucette et al. 2012 discuss possible effects of PSP on whales: neurotoxic effects impacting organ function, diving reflex and effects of DA on reproduction—based on California sea lion research) that will likely never be measurable. These data provide baseline levels of these 2 biotoxins for comparison to exposure levels in the future. A study of the possible role of biotoxins in the calf mortality event in Peninsula Valdés, Argentina, found a relationship between *Pseudo-nitzschia* spp. densities (but not *Alexandrium tamarense*) and calf deaths (Wilson et al. 2016).

A 5 yr study (2002–2006) assessed the prevalence of *Giardia* and *Cryptosporidium* spp. using analysis of fecal samples (Hughes-Hanks et al. 2005, Rolland et al. 2007, R. M. Rolland unpubl. data). Fecal samples were examined for the presence of cysts/oocysts using an immunofluorescent assay procedure. The overall annual prevalence of *Giardia* was 68 % (78/115) (range = 38–77 %), *Cryptosporidium* oocysts were detected in 14 % (16/115) of samples (range = 7–38 %), and all *Cryptosporidium* positive samples were co-infected with *Giardia*. Molecular characterization and phylogenetic analysis of the NARW isolates were unsuccessful, so species and genotypes remain unknown. While the effects of these organisms on NARWs are generally unknown, co-infection with both *Giardia* and *Cryptosporidium* was found to be associated with a decline in body condition using

a visual assessment method (R. M. Rolland unpubl. data).

Thus, SRW and NARW are clearly exposed to a variety of biotoxins and parasites, but their role in health determination remain unclear. Comparative biotoxin studies between SRW and NARW could be of value.

2.4. Modeling

2.4.1. Survival assessments and trends with emphasis on reproductive females

Mathematical modeling can be used to link the intermittent spatially referenced observations of individual NARWs and their visual health measurements to estimates of their movement between regions, underlying health, and survival. Such a model, based on a hierarchical Bayesian state-space modeling framework, was constructed using monthly time steps and 9 geographic regions and fitted to over 30 yr of sightings data (Schick et al. 2013, Rolland et al. 2016, Schick et al. 2016). An investigation found negative health impacts in NARWs entangled in gear. Individual's health declined between the date seen without injuries and the first date of entanglement detection, and the overall average health continued to decline for those whales with attached gear. Results were further parsed by entanglement severity and category, by presence/absence of gear, by sex, and, for females, by reproductive class (A. R. Knowlton unpubl. data). These declines in health were greater among whales categorized as having severe entanglements, both with and without gear present. The average health score during entangled periods was poorer for reproductively active females, with declines in health translating to lower reproductive output. Survival analysis as a function of sex and entanglement severity showed that severe injuries resulted in steep declines in individual survival, with the decline in survival being greater for females than for males.

The above model was built and fit to data (as well as incorporating expert opinion) pre-2011, before the documented shift in distribution; the model is currently being altered to account for the changing movement patterns and VHA data. The spatial portion of the model needs to be updated to accurately depict recent movement patterns into previously understudied regions, as well as to account for the changing VHA data collection platforms. The sightings model from (Schick et al. 2013) is (1) individual specific, but not time varying, and (2) indexed to sur-

vey effort in different regions. This component of the model needs to be updated in order to better account for recent changes in effort, and distribution.

2.4.2. Population models and assessment tool

A NARW population evaluation tool is under development, with objectives that include prospective estimates of extinction risk and other demographic characterizations over various time scales. The model will consist of a baseline scenario projection and a quantitative threat assessment to examine the effects of modifying projected threat influences on demographic processes (i.e. scenarios modified from baseline). Although the lethal impacts of threats are relatively straightforward to include in a population viability model, the non-lethal influence of entanglement wounding, vessel-collision wounding, anthropogenic noise, changes in prey distribution and quality, and contaminants on body condition, growth, reproduction and survival are more difficult to parameterize. Model projections that include influences of all threats are required, even while the functional relationships between threat and health outcomes are not well-known. The more these relationships can be bounded by expert opinion, the less uncertainty will be transferred into population projections.

Modeling survival and population assessment are important activities to inform managers of NARW status and trends. Further understanding of the interactions of multiple stressors and their impacts on mortality and morbidity will enhance ongoing management.

2.5. Emerging tools

2.5.1. Baleen whale microbiomes as potential indicators of health

In humans, microbiotas (assemblages of microorganisms) are linked to many aspects of health, such as body condition, digestion and nutrition, immune function, inflammation, and behavior (Ley 2010, Cho & Blaser 2012, Ezenwa et al. 2012, McFall-Ngai et al. 2013). Although microbiotas of marine mammals are not as well studied as those of humans, there is evidence of highly diverse skin, respiratory, gut and oral microbiomes that vary with host phylogeny, diet, habitat, and health (Apprill et al. 2014, 2020, Nelson et al. 2015, Sanders et al. 2015, Bik et al. 2016). Little is known about the microbiotas of right whales, but

results from studies on the skin, blow, and gut microbiotas of other baleen whale species support a framework for using the microbiotas of these sample types to monitor baleen whale health, including that of right whales.

Blow and skin microbiotas of humpback whales from different geographical locations have been investigated by a few studies using high-throughput sequencing of the V4 region of the small subunit ribosomal RNA (16S rRNA) gene. In one study evaluating blow collected from seemingly healthy humpback whales (Apprill et al. 2017), 25 bacteria were found to be common to all samples—one of the most extensive core microbiotas found in any mammal to date. Similar results and sequences were also recovered in blow collected from southern hemisphere humpback whales (Pirota et al. 2017). Apprill et al. (2017) also detected numerous genus-level relatives of mammalian pathogenic bacteria. Because the whales appeared healthy, these pathogen relatives likely were not acting as pathogens at the time, but such screening methods could be used to quickly identify samples that need to be examined for pathogens with finer resolution methods. Similar to the trends for core bacteria in the blow samples, 2 skin-associated bacterial taxa were common to seemingly healthy humpback whales from different oceans (Apprill et al. 2014, Bierlich et al. 2018), where abundances appeared to be affected by environmental conditions (Bierlich et al. 2018). Additionally, altered skin microbiotas were observed in a handful of humpback whales with compromised health (stranded, entangled) (Apprill et al. 2011, 2014). Taken together, these results suggest that screening for changes to the signatures of the skin and blow microbiotas, i.e. the presence of non-typical microbes, potential pathogens, and changes to the diversity of the overall microbiotas and/or the composition and abundance of core bacteria, could be used to monitor health of baleen whales (Apprill et al. 2011, 2014, 2017), including right whales.

To date, samples of blow ($n = 120$) have been collected from NARW and SRW (Argentina, and Auckland Islands, New Zealand) (C. A. Miller et al. unpubl. data). The microbiotas from these blow samples will be explored in the context of body condition measurements, life history traits, and other indices of health. They will also be screened at the genus level for relatives of pathogens and likely will be sequenced deeper to examine the function of the microbes, viruses, and genes involved in virulence. Given the conspicuous differences in body condition between NARW and SRW (Miller et al. 2011, Christiansen

et al. 2020), the comparison of the blow-associated microbiotas between these populations has the potential to reveal information about right whale health, in addition to their different habitats and diets.

The gut microbiotas of mammals play an important role in digestion, nutrition, and health. Right whales depend on a diet rich in the high-energy lipids for achieving and sustaining the body fat reserves necessary for reproduction and survival, but little is known about how they digest these lipids because fresh samples of gut contents from right whales are rare. Native Alaskans harvest bowhead *Balaena mysticetus* whales for subsistence, and in the past, have generously allowed limited access to harvested whales for scientific purposes. Bowhead whales are a close taxonomic relative of right whales and consume prey rich in the same high-energy lipids. Hence, studies of lipid digestion and microbiotas in bowhead whales could provide important information for understanding right whale nutrition. In harvested bowhead whales, lipid digestion and microbial communities were mapped along the gastrointestinal tract (GI, forestomach through colon) by characterizing the lipid compositions (lipidomes) using HPLC-MS/MS and the microbiotas using high-throughput sequencing of the V4 region of the 16S rRNA gene (Miller et al. 2020). The lipidomes and microbiotas were tightly correlated as their compositions changed throughout the GI tract, with lipidomes and microbiotas being variable in the small intestine (the area of lipid digestion in mammals). The results suggested that wax esters, the primary prey lipids that are also prominent in right whale prey, were digested in the mid to distal small intestine and that specific bacteria appeared to play a role in their digestion. Despite differences in analytical methods, the bowhead whale gut microbiotas consisted of bacteria from many of the same phyla as Sanders et al. (2015) found in fecal samples from 7 right whales, but direct comparisons of lower level taxonomy are needed. However, because of the similarity in the diets and GI tract anatomy of right and bowhead whales and because they are phylogenetically closely related, these data from (Miller et al. 2020) may provide a model for right whale gut microbiome and lipid digestion, thereby potentially adding to the understanding of right whale nutrition, body condition and overall health.

Additionally, recent analysis of how host phylogeny and life history stage modify the gut microbiome in dwarf *Kogia sima* and pygmy *Kogia breviceps* sperm whales (Erwin et al. 2017, Denison et al. 2020) may also have relevance to study of right whale health.

Overall, skin, blow and gut-associated microbiomes show potential for usefulness in monitoring health of baleen whales—especially blow, which can be collected non-invasively. Paired gut microbiome and lipidome studies have the potential to provide insights into nutrition and body condition and may be useful for evaluating the mechanisms involved in balaenid whale nutrition. Many laboratories are now implementing portable sequencing techniques that could be used to rapidly screen for, and identify, altered microbiomes in field settings (Hu et al. 2018, 2019). This technology has the potential to provide diagnostic-type details about how baleen whale microbiomes change due to animal health and environmental or ecosystem-related alterations.

2.5.2. Small cetacean health assessments

Recent advances in small cetacean health assessments are important to review when considering new approaches for evaluating NARW health. In particular, the *Deepwater Horizon* (DWH) oil spill provided a major opportunity to develop a new synthesis of wild dolphin health assessment tools to better understand the response to a major stressor (Fauquier et al. 2020). These tools allowed for the diagnosis of reproductive failure, lung injury, impaired stress response, and poor body condition in common bottlenose dolphins *Tursiops truncatus* in the aftermath of the DWH disaster (Schwacke et al. 2014, Lane et al. 2015, Kellar et al. 2017, Smith et al. 2017). Although many of the tools utilized in small cetacean exams would need to be substantially modified for large whales, their potential application to NARW health assessment should be considered (Schwacke et al. 2014, NOAA 2015, Venn-Watson et al. 2015, Smith et al. 2017, Fauquier et al. 2020).

2.5.3. Predicting *Tursiops* survival and reproduction from health assessment data

An expert system developed for predicting survival and reproduction in dolphins based on health assessments could inform approaches for linking current NARW health measures to demography and suggest efficacious future measurements (L. Thomas pers. obs.). The 'Veterinary Expert System for Outcome Prediction' (VESOP) model in dolphins uses statistical models linking measurements of wild bottlenose dolphin health made during hands-on sampling of

inshore dolphins with 2-yr-ahead survival and successful reproduction for pregnant females observed by follow-up surveys. Data from 8 populations were included. The numerous measurements of blood and other parameters taken during health assessments have been organized into panels of organ status or specified disease condition to identify abnormal cases for each panel using previously established reference ranges. One future component of the project is to assess how the models and methods developed may be applied to other species for which such comprehensive hands-on health assessments are not available. In particular, if a remote blood sampling device could be developed for large whales, this approach would substantially enhance our understanding of right whale health.

3. DISCUSSION

3.1. NARW health threats

Understanding NARW health has resulted from decades of research throughout the primary range of this species from Florida to Canada. The sharing and analysis of photographs, samples, and data from both live NARWs and carcasses, has been undertaken by a growing, evolving and integrated community of conservation biologists, modelers, and veterinarians. There is a collaborative ethic, in large part driven by the NARWC being focused on recovery of this endangered species. There is a strong level of collaboration between the USA and Canada at the federal, research and non-governmental organizational levels.

There is a substantial body of information that points to a major impact of lethal and sub-lethal anthropogenic trauma and stressors. However, establishing clear cause and effect linkages can be challenging, especially for the sublethal impacts given that multi-factorial processes are involved.

The key identified species-level concerns are low fecundity resulting in extended inter-birth intervals for some females, and others never calving at all, and poor survival (especially females) from high mortality and chronic morbidity. Together, these are the symptoms of the species downward trajectory. These species-level findings are in stark contrast to the high fecundity and good survival of SRWs. Although SRWs were similarly harvested down to a few hundred animals, in the post-whaling era, the relative lack of anthropogenic threats has allowed the SRW to rebound dramatically. Critical for NARWs is that they

are exposed to substantially greater human activity than SRW, given that 90% of the human species lives north of the equator (W. Rankin, *The World's Population in 2000, by Latitude*; www.radicalcartography.net/index.html?histpop). This is the fundamental basis for far greater risk of anthropogenic trauma to NARWs.

The primary known stressors for NARWs include food quantity and quality, entanglement, vessel strike, and noise. Climate change-driven distribution shifts of food, followed by the change in distribution of NARWs (Record et al. 2019) have complicated efforts to monitor and manage NARW health by decreasing the ability to document individuals on an annual basis. This requires management measures that are flexible and effective in the face of changing distributions and the uncertainty predicted by climate change. Of these stressors, vessel trauma and entanglement are potentially the most tractable to reduce, in terms of beneficial management actions. Vessel noise is also a serious concern. Fig. 6 summarizes stressors and tools that are important for NARW health studies.

This review identified that the primary tools for assessing individual health include visual health indicators, body condition (an integrated energetic index), presence of vessel strike and entanglement wounds and scars, and detection of biota (biotoxins, parasites, and most recently, microbiome status).

Stress hormones sampled from blow, blubber and feces provide excellent shorter-term indicators of stress. The above tools are primarily collected using boat-based methods. Baleen samples collected at necropsy have provided data on health and nutrition over up to the last 8 yr of an animal's life.

Given the precarious status of the species, the primary roles of existing and potential new health assessment tools are (1) evaluation of the efficacy of management changes designed to enhance species recovery; (2) expansion of our understanding of NARW health and reproductive success; and (3) increased perspective of the relative significance and trends of anthropogenic versus food limitation/other impacts on population health. Central to these goals are models designed to recognize important stressors, responses to them, and to management changes. Table 2 summarizes the available tools for NARW health assessment in the context of each major stressor and their use in assessment of their health and efficacy of mitigation efforts. New and recent tools (Section 2.5 above) may include adaptations for NARW assessments based on those used in the evaluation of the impacts of the DWH spill on small odontocetes (e.g. photo identification, diagnostic pathology and modeling), further development of microbiome studies, possible systems to collect blood samples from large whales at sea, and infra-red thermography from vessels and manned or unmanned aircraft. In




Fig. 6. Summary of the threats facing North Atlantic right whales, and current and potential health assessment methods. Fig. 3 modified from Harcourt et al (2019), with permission from the artist, Julie van der Hoop

Table 2. Application of health assessment tools. COD: cause of death; VHA: visual health assessment; PCOD: population consequences of disturbance

Stressor	How to measure occurrence	How to assess health impacts	How to assess efficacy of mitigation
Vessel strikes	Visual surveillance of living whales Cryptic mortality Carcass detection and diagnosis	VHA, photogrammetry, microbiome, hormones Model to calculate estimate of takes Necropsy	High capture rate of living species; reduction in observed external injuries; improved VHA health scores; improved calving rates Reduction in estimate of annual takes Reduction in carcass detections and COD of vessel strike
Entanglements	Visual surveillance of living whales Scarring analyses Cryptic mortality. Carcass detection and diagnosis	VHA, photogrammetry, microbiome, hormones PCOD; frequency of injury severity levels Model to calculate estimate of takes Necropsy	High capture rate of living species; reduction in observed external injuries Reduction in whales with attached gear; Reduction in moderate and severe injuries Reduction in estimate of annual takes Reduction in carcass detections and COD of entanglement
Food limitation Ocean noise	Visual surveillance of living whales Passive acoustic monitoring Sampling of live whales	VHA, Photogrammetry Stress hormones	Not manageable in relevant timescale Change in ambient and episodic noise
Harmful biota & pollution	Sampling of live or dead whales or prey species	Sample collection: food, blow, feces, blubber	Change in levels of observed effects: immune function, microbiome change, disease

light of the above review, we recommend implementing the following critical measures. Recommendations from the review are collated in Table 3.

3.2. Population

(1) Increased shipboard surveys in the recently recognized important NARW habitats are needed to improve our ability to track changes in species status, health, and entanglement or vessel strike wounding/scarring, as well as to collect biological samples.

(2) Survey efforts need to be flexible to detect future habitat shifts, and survey areas need to be updated. Satellite detection techniques should be employed in this regard as they mature (Bamford et al. 2020) to find new aggregations as possible.

(3) Increased aerial and vessel photographic capture of a larger portion of the species annually is necessary to track individual health and overall species health, as well as allow for continued modeling of vital rates.

(4) Further comparisons between SRW and NARW populations and individuals would potentially add understanding for the failure of the NARW recovery post-whaling.

3.3. Individual

(1) Consistent long-term collection of well-calibrated photogrammetric data are needed to provide essential perspectives on changing body condition and growth rates.

(2) Further investigations are needed to detect pregnancy, pregnancy loss, and perinatal loss in the reproductively viable female population. This will inform why fecundity rates are low, and to develop potential remediation actions. Specifically, further investigation is needed to identify the causes for the observed nulliparous females that are old enough to be sexually mature but have not calved.

(3) Increased effort to collect appropriate samples (e.g. biopsy, feces, blow) from adult females without a calf present are needed to allow assessment of pregnancy, pregnancy loss, and resting status through hormonal testing. Exploration into the stage of gestation during which pregnancy loss occurs could potentially be captured through this investigation and be instrumental in the identification of potential stressors that are inducing pregnancy loss.

Table 3. Summary of information needs and management actions

Section	Information needs
1	Increase the proportion of North Atlantic right whales (NARW) sighted annually, by expanding effort in current high use habitats such as mid-Atlantic, southern New England, and the Gulf of St Lawrence
2.1	Further compare the demographics of Southern right whales and NARW
2.1.1	Diagnostic beach necropsies, and assessment of carcasses at sea as practical
2.1.2	Current Visual Health Assessment of the entire photograph catalog of NARW to qualitatively assess the status and trends of NARW health
2.1.3	Method to categorize chronically traumatized whales to better prognosticate
2.1.4.1	Quantify live animal vessel strike trauma
2.1.4.2	Quantify live animal entanglement trauma
2.1.5	Quantitative assessment of body length and condition changes through time
2.1.6	Establish energetic models involving prey, rope drag, and other sub-lethal trauma to better understand reproductive failure
2.1.7	Acute and chronic effects of background and episodic noise trauma
2.2.1	Assessment of relationship of sub-lethal trauma to reproductive success
2.2.1	SRW vs. NARW foraging dynamics
2.2.1	Surface active group prevalence vs. calving rate by habitat
2.2.2	Endocrine basis of pregnancy and recruitment success, and stress response
2.3	Comparison of biotoxin exposure and effects in SRW and NARW
2.3	<i>Giardia</i> and <i>Cryptosporidium</i> vs. decline in body condition, including genotyping and tracking origin of infections
2.4	Survival, demographic and multiple stressor models
2.5.1	Microbiomes in the context of health and disease
2.5.3	Develop a large whale blood sampling tool
Section	Management actions for conservation merit
2.1.1	Use diagnostic necropsy data to evaluate effectiveness of NARW trauma mitigation strategies
2.1.4.1	Substantially reduce large vessel propeller trauma
2.1.4.2	Consider maximum rope strength of 1700 lb (~773 kg) throughout NARW range
2.1.4.3	Minimize sub-lethal vessel and entanglement trauma
2.1.6	Removal of rope from the water column to reduce trauma and energy loss in sub-lethal entanglements
2.1.7	Reduce background and episodic noise
2.2.1	Minimize sub-lethal and lethal trauma to enable NARW recovery

(4) Analysis of fecal, blow, and biopsy samples for microbiome and other biota are needed to enhance our understanding of overall health in this species.

(5) Greater capacity to retrieve and examine floating carcasses from substantial offshore distances to enhance evaluation of mitigation efforts.

3.4. Modeling

(1) An assessment of the interaction of multiple stressors in each major habitat is needed to enable more spatially precise management measures and to improve modeling efforts to determine how broad scale management measures may influence health and reproduction (Fig. 7).

(2) Population consequence of multiple stressor (PCOMS) and other models are needed to test the conservation and species recovery benefit of undertaking specific health assessment options.

3.5. Management

(1) Shifting mortality locations indicate the need for effective broad-scale management measures that allow healthy female NARWs to forage, conceive, deliver, and wean calves.

(2) Management needs are summarized in Table 3.

4. CONCLUSIONS

In contrast to SRW, the NARW species has failed to maintain a positive trajectory towards recovery from the impacts of historic whaling. The reasons for this are complex but center on the far greater pressure from human activities in the northern versus southern hemispheres.

The major known anthropogenic sources of lethal and sublethal NARW trauma are from collisions with vessels and fishing gear entanglement. These have




Fig. 7. Population consequence of multiple stressors conceptual model for North Atlantic right whales that links multiple stressors (blue box) to changes in physiology, trauma and condition (red box) that are detected from retrospective and drone-based studies (green box). All of these, as well as background environmental signals of climate change and the North Atlantic Oscillation (NAO), link to changes in growth (measured by drone photogrammetry), reproduction and survival (purple box). VHA: visual health assessment

increased in recent decades. Vessels have got larger and faster, increasing the lethality and frequency of collisions. Fishing gear strength has increased, with resultant increased morbidity and mortality from entanglement.

The already poor fecundity and survival of NARWs has devolved into a recent decline. The species peaked at 500 individuals in 2010. The best estimate for 2019 is approximately 360 animals.

Climate-driven changes in NARW habitat features (biological, physical, chemical) resulting in changes in migration and foraging patterns that have correlated with a further reduction in already poor reproductive success. Extreme recent warming of the Gulf of Maine, a major feeding habitat, has led to an increase in the use of the Gulf of St Lawrence, when ice free.

The interaction of sub-lethal stressors such as decreased energy intake and entanglement trauma must be better quantified in order to identify critical management strategies to enhance NARW body condition and reproductive success. While foraging success is the most critical determinant of health, little can be done to enhance it, whereas anthropogenic trauma is also a major factor and is avoidable, given adequate and effective management changes.

Tools critical to assessing the efficacy of measures to mitigate failed recovery include visual surveys, photo-ID catalog-based species analyses, annual scarring assessments, visual and photogrammetric health assessments, and necropsies. These efforts are ongoing but need to be continually optimized as environmental changes drive shifts in NARW distribution and behavior.

Investigation of individual health, analyzing blow, blubber, fecal, and other samples in addition to conducting complete necropsy examinations is critical to better understanding the health, reproductive status, and disease states of the NARW population. While we understand the fundamental role of trauma in NARW status, a more nuanced under-

standing of other aspects of their health would be hugely valuable.

Modeling is critical to our understanding of the status and trends of NARW health, and in particular for understanding the interactions of multiple stressors on both individuals and the species as a whole. Given the fragmented and changing nature of routine sighting and health assessment opportunities, models are critical to translate available data into best estimates of NARW status and trends.

Acknowledgements. This review summarizes material presented and discussed at a workshop on North Atlantic Right Whale Health Assessment, June 24–26, 2019, Silver Spring MD, USA (Fauquier et al. 2020). We thank all the participants of the workshop for their contributions. NA14OAR4320158 funded the drafting of this manuscript. We sincerely thank 3 anonymous reviewers for their constructive comments. The scientific results and conclusions, as well as any views or opinions expressed herein, are those of the authors and do not necessarily reflect the views of NOAA.

LITERATURE CITED

- Apprill A, Mooney TA, Lyman E, Stimpert AK, Rappé MS (2011) Humpback whales harbour a combination of specific and variable skin bacteria. *Environ Microbiol Rep* 3: 223–232
- Apprill A, Robbins J, Eren AM, Pack AA and others (2014) Humpback whale populations share a core skin bacterial community: Towards a health index for marine mammals? *PLOS ONE* 9:e90785
- Apprill A, Miller C, Moore M, Durban J, Fearnbach H, Barrett-Lennard L (2017) Extensive core microbiome in drone-captured whale blow supports a framework for health monitoring. *mSystems* 2:e00119-e17
- Apprill A, Miller CA, Van Cise AM, U'Ren JM, Leslie MS, Weber L and others (2020) Marine mammal skin microbiotas are influenced by host phylogeny. *R Soc Open Sci* 7:192046
- Bamford CCG, Kelly N, Dalla Rosa L, Cade DE and others (2020) A comparison of baleen whale density estimates derived from overlapping satellite imagery and a ship-borne survey. *Sci Rep* 10:12985
- Best PB, Bannister JL, Brownell RL, Donovan GP (eds) (2001) Right whales: worldwide status. *J Cetacean Res Manag Spec Issue* 2:1–309

- ✦ Bierlich KC, Miller C, DeForce E, Friedlaender AS, Johnston DW, Apprill A (2018) Temporal and regional variability in the skin microbiome of humpback whales along the Western Antarctic Peninsula. *Appl Environ Microbiol* 84: e02574-17
- ✦ Bik EM, Costello EK, Switzer AD, Callahan BJ and others (2016) Marine mammals harbor unique microbiotas shaped by and yet distinct from the sea. *Nat Commun* 7: 10516
- Bourque L, Wimmer T, Lair S, Jones M, Daoust PY (2020) Incident report: North Atlantic right whale mortality event in eastern Canada, 2019. Collaborative report produced by: Canadian Wildlife Health Cooperative and Marine Animal Response Society. http://cwhc-rcsf.ca/docs/2019%20NARW%20incident%20report_June%202020.pdf
- Brownell R, Best P, Prescott J (1986) Right whales: past and present status. *Rep Int Whal Comm Spec Issue* 10: 1–289
- ✦ Burgess EA, Hunt KE, Kraus SD, Rolland RM (2017) Adrenal responses of large whales: integrating fecal aldosterone as a complementary biomarker to glucocorticoids. *Gen Comp Endocrinol* 252:103–110
- ✦ Cho I, Blaser MJ (2012) The human microbiome: at the interface of health and disease. *Nat Rev Genet* 13:260–270
- ✦ Christiansen F, Vivier F, Charlton C, Ward R, Amerson A, Burnell S, Bejder L (2018) Maternal body size and condition determine calf growth rates in southern right whales. *Mar Ecol Prog Ser* 592:267–281
- ✦ Christiansen F, Dawson SM, Durban JW, Fearnbach H and others (2020) Population comparison of right whale body condition reveals poor state of the North Atlantic right whale. *Mar Ecol Prog Ser* 640:1–16
- Cooke JG (2020) *Eubalaena glacialis*. The IUCN Red List of Threatened Species 2020: e.T41712A162001243 (accessed 09 July 2020). www.iucnredlist.org/species/41712/162001243
- ✦ Corkeron P, Hamilton P, Bannister J, Best P and others (2018) The recovery of North Atlantic right whales, *Eubalaena glacialis*, has been constrained by human-caused mortality. *R Soc Open Sci* 5:180892
- Daoust PY, Coutoure E, Wimmer T, Bourque L (2018) Incident report: North Atlantic right whale mortality event in the Gulf of St. Lawrence, 2017. Collaborative report produced by Canadian Wildlife Health Cooperative, Marine Animal Response Society, and Fisheries and Oceans Canada. www.cwhc-rcsf.ca/docs/technical_reports/NARW_Incident_Report-%2020180405%20MD.pdf
- ✦ Davies KTA, Brown MW, Hamilton PK, Knowlton AR, Taggart CT, Vanderlaan ASM (2019) Variation in North Atlantic right whale *Eubalaena glacialis* occurrence in the Bay of Fundy, Canada, over three decades. *Endang Species Res* 39:159–171
- ✦ Davis GE, Baumgartner MF, Bonnell JM, Bell J and others (2017) Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Sci Rep* 7: 13460
- ✦ Denison ER, Rhodes RG, McLellan WA, Pabst DA, Erwin PM (2020) Host phylogeny and life history stage shape the gut microbiome in dwarf (*Kogia sima*) and pygmy (*Kogia breviceps*) sperm whales. *Sci Rep* 10:15162
- ✦ Doucette GJ, Mikulski CM, King KL, Roth PB and others (2012) Endangered North Atlantic right whales (*Eubalaena glacialis*) experience repeated, concurrent exposure to multiple environmental neurotoxins produced by marine algae. *Environ Res* 112:67–76
- ✦ Durban JW, Moore MJ, Chiang G, Hickmott LS and others (2016) Photogrammetry of blue whales with an unmanned hexacopter. *Mar Mamm Sci* 32:1510–1515
- ✦ Erwin PM, Rhodes RG, Kiser KB, Keenan-Bateman TF, McLellan WA, Pabst DA (2017) High diversity and unique composition of gut microbiomes in pygmy (*Kogia breviceps*) and dwarf (*K. sima*) sperm whales. *Sci Rep* 7:7205
- ✦ Ezenwa VO, Gerardo NM, Inouye DW, Medina M, Xavier JB (2012) Animal behavior and the microbiome. *Science* 338:198–199
- Fauquier D, Long K, Biedron I, Wilkin S and others (2020) Report of the Health Assessment Workshop for North Atlantic Right Whales (*Eubalaena glacialis*), June 24–26, 2019. NOAA Tech Memo NMFS-F/OPR-65. <https://repository.library.noaa.gov/view/noaa/27432>
- ✦ Gowan TA, Ortega-Ortiz JG, Hostetler JA, Hamilton PK and others (2019) Temporal and demographic variation in partial migration of the North Atlantic right whale. *Sci Rep* 9:353
- ✦ Hamilton PK, Cooper LA (2010) Changes in North Atlantic right whale (*Eubalaena glacialis*) cow-calf association times and use of the calving ground: 1993–2005. *Mar Mamm Sci* 26:896–916
- ✦ Hamilton PK, Marx MK (2005) Skin lesions on North Atlantic right whales: categories, prevalence and change in occurrence in the 1990s. *Dis Aquat Org* 68:71–82
- ✦ Hamilton PK, Knowlton AR, Marx MK, Kraus SD (1998) Age structure and longevity in North Atlantic right whales *Eubalaena glacialis* and their relation to reproduction. *Mar Ecol Prog Ser* 171:285–292
- Hamilton P, Knowlton A, Marx M (2007) Right whales tell their own stories: the photo-identification catalog. In: Kraus S, Rolland R (eds) *The urban whale: North Atlantic right whales at the crossroads*. Harvard University Press, Cambridge, MA, p 75–104
- ✦ Harcourt R, van der Hoop J, Kraus S, Carroll EL (2019) Future directions in *Eubalaena* spp.: comparative research to inform conservation. *Front Mar Sci* 5:530
- ✦ Hlista BL, Sosik HM, Martin Traykovski LV, Kenney RD, Moore MJ (2009) Seasonal and inter-annual correlations between right-whale distribution and calving success and chlorophyll concentrations in the Gulf of Maine, USA. *Mar Ecol Prog Ser* 394:289–302
- ✦ Hu YO, Ndegwa N, Alneberg J, Johansson S and others (2018) Stationary and portable sequencing-based approaches for tracing wastewater contamination in urban stormwater systems. *Sci Rep* 8:11907
- ✦ Hu Y, Green GS, Milgate AW, Stone EA, Rathjen JP, Schwessinger B (2019) Pathogen detection and microbiome analysis of infected wheat using a portable DNA sequencer. *Phytobiomes J* 3:92–101
- ✦ Hughes-Hanks JM, Rickard LG, Panuska C, Saucier JR, O'Hara TM, Dehn L, Rolland RM (2005) Prevalence of *Cryptosporidium* spp. and *Giardia* spp. in five marine mammal species. *J Parasitol* 91:1225–1228
- ✦ Hunt KE, Rolland RA, Kraus SD, Wasser SK (2006) Analysis of fecal glucocorticoids in the North Atlantic right whale (*Eubalaena glacialis*). *Gen Comp Endocrinol* 148: 260–272
- ✦ Hunt KE, Lysiak NS, Moore MJ, Rolland RM (2016) Longitudinal progesterone profiles in baleen from female North Atlantic right whales (*Eubalaena glacialis*) match known calving history. *Conserv Physiol* 4:cow014

- International Whaling Commission (2010) Report of the Southern Right Whale Die-Off Workshop 15–18 March 2010, Centro Nacional Patagónico, Puerto Madryn, Argentina SC/62/Rep1
- International Whaling Commission (2013) Report of the Southern Right Whale die-off workshop. *J Cetacean Res Manag* 12: 367–398
- ✦ Jackson JA, Kennedy A, Moore M, Andriolo A and others (2020) Have whales returned to a historical hotspot of industrial whaling? The pattern of southern right whale *Eubalaena australis* recovery at South Georgia. *Endang Species Res* 43:323–339
- ✦ Kellar NM, Speakman TR, Smith CR, Lane SM and others (2017) Low reproductive success rates of common bottlenose dolphins *Tursiops truncatus* in the northern Gulf of Mexico following the *Deepwater Horizon* disaster (2010–2015). *Endang Species Res* 33:143–158
- Kemper C, Coughran D, Warneke R, Pirzl R, Watson M, Gales R, Gibbs S (2008) Southern right whale (*Eubalaena australis*) mortalities and human interactions in Australia, 1950–2006. *J Cetacean Res Manag* 10:1–8
- ✦ Kenney RD, Mayo CA, Winn HE (2020) Migration and foraging strategies at varying spatial scales in western North Atlantic right whales: a review of hypotheses. *J Cetacean Res Manag Spec Issue* 2:251–260
- ✦ Knowlton A, Kraus S, Kenney R (1994) Reproduction in North Atlantic right whales (*Eubalaena glacialis*). *Can J Zool* 72:1297–1305
- ✦ Knowlton AR, Hamilton PK, Marx MK, Pettis HM, Kraus SD (2012) Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: a 30 yr retrospective. *Mar Ecol Prog Ser* 466:293–302
- ✦ Knowlton AR, Robbins J, Landry S, McKenna HA, Kraus SD, Werner TB (2016) Effects of fishing rope strength on the severity of large whale entanglements. *Conserv Biol* 30: 318–328
- ✦ Kraus SD (1990) Rates and potential causes of mortality in the north Atlantic right whales (*Eubalaena glacialis*). *Mar Mamm Sci* 6:278–291
- Kraus SD, Prescott JH, Knowlton AR, Stone GS (1986) Migration and calving of right whales (*Eubalaena glacialis*) in the western North Atlantic. *Rep Int Whal Comm (Spec Issue)* 10:139–144
- ✦ Laist DW, Knowlton AR, Pendleton D (2014) Effectiveness of mandatory vessel speed limits for protecting North Atlantic right whales. *Endang Species Res* 23:133–147
- ✦ Lane SM, Smith CR, Mitchell J, Balmer BC and others (2015) Reproductive outcome and survival of common bottlenose dolphins sampled in Barataria Bay, Louisiana, USA, following the *Deepwater Horizon* oil spill. *Proc Proc R Soc B* 282:20151944
- ✦ Leaper R, Cooke J, Trathan P, Reid K, Rowntree V, Payne R (2006) Global climate drives southern right whale (*Eubalaena australis*) population dynamics. *Biol Lett* 2: 289–292
- ✦ Ley RE (2010) Obesity and the human microbiome. *Curr Opin Gastroenterol* 26:5–11
- ✦ Lysiak NSJ, Trumble SJ, Knowlton AR, Moore MJ (2018) Characterizing the duration and severity of fishing gear entanglement on a North Atlantic right whale (*Eubalaena glacialis*) using stable isotopes, steroid and thyroid hormones in Baleen. *Front Mar Sci* 5:168
- ✦ Maul GE, Sergeant DE (1977) New Cetacean records from Madeira. *Bocagiana*. 43:1–8. <http://publications.cm-funchal.pt/jspui/handle/100/1521>
- ✦ McFall-Ngai M, Hadfield MG, Bosch TC, Carey HV and others (2013) Animals in a bacterial world, a new imperative for the life sciences. *Proc Natl Acad Sci USA* 110: 3229–3236
- ✦ Meyer-Gutbrod EL, Greene CH, Sullivan PJ, Pershing AJ (2015) Climate-associated changes in prey availability drive reproductive dynamics of the North Atlantic right whale population. *Mar Ecol Prog Ser* 535:243–258
- ✦ Miller CA, Reeb D, Best PB, Knowlton AR, Brown MW, Moore MJ (2011) Blubber thickness in right whales *Eubalaena glacialis* and *Eubalaena australis* related with reproduction, life history status and prey abundance. *Mar Ecol Prog Ser* 438:267–283
- ✦ Miller CA, Holm HC, Horstmann L, George JC, Fredricks HF, Van Mooy BA, Apprill A (2020) Coordinated transformation of the gut microbiome and lipidome of bowhead whales provides novel insights into digestion. *ISME J* 14:688–701
- ✦ Moore M, Myers H (2019) High-tech fishing gear could help save critically endangered right whales. <https://theconversation.com/high-tech-fishing-gear-could-help-save-critically-endangered-right-whales-115974>
- Moore M, Knowlton A, Kraus S, McLellan W, Bonde R (2004) Morphometry, gross morphology and available histopathology in Northwest Atlantic right whale (*Eubalaena glacialis*) mortalities (1970 to 2002). *J Cetacean Res Manag* 6:199–214
- ✦ Moore MJ, Mitchell GH, Rowles TK, Early G (2020) Dead Cetacean? Beach, bloat, float, sink. *Front Mar Sci* 7:333
- ✦ Nelson TM, Apprill A, Mann J, Rogers TL, Brown MV (2015) The marine mammal microbiome: current knowledge and future directions. *Microbiol Aust* 36:8–13
- NOAA (2012) Process for injury determination distinguishing serious from non-serious injury of marine mammals. www.fisheries.noaa.gov/webdam/download/64668196
- NOAA (2015) Injury to natural resources. In: *Deepwater Horizon oil spill: draft programmatic damage assessment and restoration plan and draft programmatic environmental impact statement*, National Oceanic and Atmospheric Administration. www.gulfspillrestoration.noaa.gov/wp-content/uploads/Chapter_4_Injury-to-Natural-Resources1.pdf (accessed 11 Nov 2015)
- NOAA (2020) North Atlantic right whale stock assessment reports. www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessments
- O'Hara T, Rolland R, Reeves R (2003) Report from Bowhead/Right Whale Comparative Health and Physiology Workshop, March 25–26, 2003. <https://repository.library.noaa.gov/view/noaa/23704.1-30>
- ✦ Pace RM, Corkeron PJ, Kraus SD (2017) State-space mark-recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecol Evol* 7:8730–8741
- ✦ Pace RM, Williams R, Kraus SD, Knowlton AR, Pettis HM (2021) Cryptic mortality in North Atlantic right whales. *Conserv Sci Pract* 3:e346
- ✦ Parks SE, Clark CW, Tyack PL (2007) Short- and long-term changes in right whale calling behavior: the potential effects of noise on acoustic communication. *J Acoust Soc Am* 122:3725–3731
- Payne R, Brazier O, Dorsey EM, Perkins JS, Rowntree VJ, Titus A (1983) External features in southern right whales (*Eubalaena australis*) and their use in identifying individuals. In: Payne R (ed) *Communication and behavior of whales*. Westview Press, Boulder, CO, p 371–445

- Pershing AJ, Record NR, Monger BC, Mayo CA and others (2009) Model-based estimates of right whale habitat use in the Gulf of Maine. *Mar Ecol Prog Ser* 378:245–257
- Pettis HM (2019) Final report on right whale visual health assessment. In: Hamilton PK, Knowlton AR, Hagbloom MN, Howe KR and others (eds) Maintenance of the North Atlantic right whale catalog, whale scarring and visual health databases, anthropogenic injury case studies, and near real-time matching for biopsy efforts, entangled, injured, sick, or dead right whales. Contract No. 1305M2-18-PNFFM-0108. Report to National Marine Fisheries Service, Woods Hole, MA, p 97–105
- Pettis H, Rolland R, Hamilton P, Knowlton A, Kraus S, Brault S (2004) Visual health assessment of North Atlantic right whales (*Eubalaena glacialis*) using photographs. *Can J Zool* 82:8–19
- Pettis H, Pace R, Hamilton P (2020) North Atlantic Right Whale Consortium 2019 Annual Report Card. www.narwc.org/report-cards.html
- Pirotta V, Smith A, Ostrowski M, Russell D, Jonsen ID, Grech A, Harcourt R (2017) An economical custom-built drone for assessing whale health. *Front Mar Sci* 4:425
- Plourde S, Lehoux C, Johnson CL, Perrin G, Lesage V (2019) North Atlantic right whale (*Eubalaena glacialis*) and its food: (I) a spatial climatology of *Calanus* biomass and potential foraging habitats in Canadian waters. *J Plankton Res* 41:667–685
- Record N, Runge J, Pendleton D, Balch W and others (2019) Rapid climate-driven circulation changes threaten conservation of endangered North Atlantic right whales. *Oceanography (Wash DC)* 32:162–169
- Reeves RR, Rolland R, Clapham PJ (2001) Causes of reproductive failure in North Atlantic right whales: new avenues of research. *NEFSC Ref Doc* 01-16:1–46
- Reeves R, Smith T, Josephson E (2007) Near-annihilation of a species: right whaling in the North Atlantic. In: Kraus S, Rolland R (eds) The urban whale: North Atlantic right whales at the crossroads. Harvard University Press, Cambridge, MA, p 39–74
- Rolland R, Moore M (2018) Health assessment of large whales. In: Gulland G, Dierauf L, Whitman K (eds) Marine mammal medicine. Taylor and Francis, Boca Raton, FL, p 835–848
- Rolland RM, Hunt KE, Kraus SD, Wasser SK (2005) Assessing reproductive status of right whales (*Eubalaena glacialis*) using fecal hormone metabolites. *Gen Comp Endocrinol* 142:308–317
- Rolland R, Hunt K, Doucette G, Rickard L, Wasser S, Kraus S, Rolland R (2007) The inner whale: hormones, biotoxins and parasites. In: Kraus S, Rolland R (eds) The urban whale: North Atlantic right whales at the crossroads. Harvard University Press, Cambridge, MA, p 232–272
- Rolland RM, Parks SE, Hunt KE, Castellote M and others (2012) Evidence that ship noise increases stress in right whales. *Proc R Soc B Biol Sci* 279:1737
- Rolland RM, Schick RS, Pettis HM, Knowlton AR, Hamilton PK, Clark JS, Kraus SD (2016) Health of North Atlantic right whales *Eubalaena glacialis* over three decades: from individual health to demographic and population health trends. *Mar Ecol Prog Ser* 542:265–282
- Rolland RM, McLellan WA, Moore MJ, Harms CA, Burgess EA, Hunt KE (2017) Fecal glucocorticoids and anthropogenic injury and mortality in North Atlantic right whales *Eubalaena glacialis*. *Endang Species Res* 34: 417–429
- Rowles T, Bradford A, Calambokidis J, Falcone E and others (2006) Draft report of the NOAA Large Whale Health Assessment Workshop held in Olympia, Washington on 8–9 December 2006. Report SC/59/DW2. International Whaling Commission Cambridge, p 1–7
- Sanders JG, Beichman AC, Roman J, Scott JJ, Emerson D, McCarthy JJ, Girguis PR (2015) Baleen whales host a unique gut microbiome with similarities to both carnivores and herbivores. *Nat Commun* 6:8285
- Schick RS, Kraus SD, Rolland RM, Knowlton AR and others (2013) Using hierarchical Bayes to understand movement, health, and survival in the endangered North Atlantic right whale. *PLOS ONE* 8:e64166
- Schick RS, Kraus SD, Rolland RM, Knowlton AR and others (2016) Effects of model formulation on estimates of health in individual right whales (*Eubalaena glacialis*). In: Popper AN, Hawkins A (eds), The effects of noise on aquatic life II. Springer, Berlin, p 977–985
- Schwacke LH, Smith CR, Townsend FI, Wells RS and others (2014) Health of common bottlenose dolphins (*Tursiops truncatus*) in Barataria Bay, Louisiana, following the Deepwater Horizon oil spill. *Environ Sci Technol* 48: 93–103
- Seyboth E, Groch KR, Dalla Rosa L, Reid K, Flores PA, Secchi ER (2016) Southern right whale (*Eubalaena australis*) reproductive success is influenced by krill (*Euphausia superba*) density and climate. *Sci Rep* 6:28205
- Sharp SM, McLellan WA, Rotstein DS, Costidis AM and others (2019) Gross and histopathologic diagnoses from North Atlantic right whale *Eubalaena glacialis* mortalities between 2003 and 2018. *Dis Aquat Org* 135:1–31
- Silber GK, Adams JD, Fonnesebeck CJ (2014) Compliance with vessel speed restrictions to protect North Atlantic right whales. *PeerJ* 2:e399
- Sironi M, Rowntree VJ, Di Martino M, Beltramino L, Rago V, Marón C, Uhart M (2018) Southern right whale mortalities at Península Valdés, Argentina: updated information for 2016–2017. Report SC/67B/CMP/06. International Whaling Commission, Cambridge
- Sisson N, Long K (2018) Evaluating effectiveness of U.S. management measures for North Atlantic right whales, Summary of an Expert Working Group Meeting. <https://repository.library.noaa.gov/view/noaa/23429> Pages:1–23
- Smith CR, Rowles TK, Hart LB, Townsend FI and others (2017) Slow recovery of Barataria Bay dolphin health following the *Deepwater Horizon* oil spill (2013–2014), with evidence of persistent lung disease and impaired stress response. *Endang Species Res* 33:127–142
- Stamation K, Watson M, Moloney P, Charlton C, Bannister J (2020) Population estimate and rate of increase of southern right whales *Eubalaena australis* in southeastern Australia. *Endang Species Res* 41:373–383
- Stephen C (2014) Toward a modernized definition of wildlife health. *J Wildl Dis* 50:427–430
- Tennessen JB, Parks SE (2016) Acoustic propagation modeling indicates vocal compensation in noise improves communication range for North Atlantic right whales. *Endang Species Res* 30:225–237
- Thomas PT, Uhart M, McAloose D, Sironi M and others (2013) Workshop on the southern right whale die-off at Península Valdés, Argentina. Report SC/65a/BRG15. International Whaling Commission, Cambridge
- van der Hoop J, Moore M, Barco S, Cole T and others (2013) Assessment of management to mitigate anthropogenic effects on large whales. *Conserv Biol* 27:121–133

- ✦ van der Hoop JM, Vanderlaan ASM, Cole TVN, Henry AG and others (2014) Vessel strikes to large whales before and after the 2008 Ship Strike Rule. *Conserv Lett* 8: 24–32
- ✦ van der Hoop JM, Corkeron P, Kenney J, Landry S, Morin D, Smith J, Moore MJ (2016) Drag from fishing gear entangling North Atlantic right whales. *Mar Mamm Sci* 32: 619–642
- ✦ van der Hoop J, Corkeron P, Moore M (2017a) Entanglement is a costly life-history stage in large whales. *Ecol Evol* 7: 92–106
- ✦ van der Hoop JM, Nowacek DP, Moore MJ, Triantafyllou MS (2017b) Swimming kinematics and efficiency of entangled North Atlantic right whales. *Endang Species Res* 32:1–17
- ✦ Van Waerebeek K, Baker AN, Felix F, Gedamke J and others (2007) Vessel collisions with small cetaceans worldwide and with large whales in the Southern Hemisphere, an initial assessment. *Lat Am J Aquat Mamm* 6:43–69
- ✦ Venn-Watson S, Colegrove KM, Litz J, Kinsel M and others (2015) Adrenal gland and lung lesions in Gulf of Mexico common bottlenose dolphins (*Tursiops truncatus*) found dead following the *Deepwater Horizon* oil spill. *PLOS ONE* 10:e0126538
- ✦ Wilson C, Sastre AV, Hoffmeyer M, Rowntree VJ and others (2016) Southern right whale (*Eubalaena australis*) calf mortality at Península Valdés, Argentina: Are harmful algal blooms to blame? *Mar Mamm Sci* 32:423–451
- ✦ Yablokov AV (1994) Validity of whaling data. *Nature* 367: 108
- ✦ Zappes CA, da Silva CV, Pontalti M, Danielski ML, Di Benedetto APM (2013) The conflict between the southern right whale and coastal fisheries on the southern coast of Brazil. *Mar Policy* 38:428–437

Editorial responsibility: Dave S. Rotstein, Olney, Maryland, USA

*Submitted: September 25, 2020; Accepted: January 6, 2021
Proofs received from author(s): February 22, 2021*

Reducing effort in the U.S. American lobster (*Homarus americanus*) fishery to prevent North Atlantic right whale (*Eubalaena glacialis*) entanglements may support higher profits and long-term sustainability

Hannah J. Myers^{1,2,3} and Michael J. Moore¹

¹Biology Department, Woods Hole Oceanographic Institution, Woods Hole, MA 02543 U.S.A.

²International Fund for Animal Welfare, Yarmouth Port, MA 02674 U.S.A.

³College of Fisheries and Ocean Sciences, University of Alaska Fairbanks, Fairbanks, AK 99775 U.S.A.

Abstract

North Atlantic right whales (*Eubalaena glacialis*) feed and migrate in areas of the inshore and offshore trap fishery for American lobster (*Homarus americanus*) in the Northeast U.S. In addition to a recent increase in lethal and sub-lethal interactions with Canadian snow crab gear, entanglement in both Canadian and U.S. lobster trap gear threatens the continued existence of this endangered species. The U.S. National Marine Fisheries Service is considering a number of measures to prevent right whale entanglement bycatch that could impact lobster fishing effort. The U.S. lobster fishery in Maine expends approximately 7.5 times as much effort as the Canadian fishery in Lobster Fishing Area 34, where fishers catch about 3.7 times more lobster per trap than Maine fishers. From 2007 to 2013 in Maine, lobster landings doubled as the number of traps fell 10.5 percent and landings per trap increased by about 125 percent. The state of Massachusetts has achieved record high landings since trap/pot seasonal closures have been implemented to protect right whales, especially within the Statistical Reporting Areas most affected by the closures. Therefore, a negative economic impact should not be assumed with effort reduction. In fact, reducing effort may serve to increase fishing profits while supporting the protection of endangered North Atlantic right whales and the long-term sustainability of the lobster fishery.

Keywords: bycatch, fisheries management, North Atlantic right whales, overfishing, fishing technology, ropeless fishing

1. Background

The United States' National Marine Fisheries Service (NMFS) is preparing significant new regulations designed to reduce bycatch of endangered North Atlantic right whales (*Eubalaena glacialis*) in the American lobster (*Homarus americanus*) fishery. Entanglement in fixed fishing gear, which, in U.S. waters, is dominated by gear from the American lobster fishery, is the leading cause of mortality among North Atlantic right whales (Pettis et al. 2018; Sharp et al. 2019) and has important sublethal impacts on the species' ability to recover (van der Hoop et al. 2017). Many of the measures NMFS is considering could lead to a reduction in fishing effort. Myers et al. (2007) showed how reducing effort would benefit both the U.S. lobster industry and the North Atlantic right whale. Here we extend that concept by exploring how overcapacity and effort reduction are connected to American lobster landings and revenue in the U.S. fishery.

1A. The U.S. American lobster fishery

The American lobster fishery is the United States' most valuable fishery, bringing in over US \$670 million in landings revenue in 2016 (NMFS Annual Commercial Landings Statistics). It is based in the Northeast, especially the states of Maine, Massachusetts, New Hampshire, and Rhode Island, and is fished using fixed trap/pot fishing gear. Trap/pot fishing gear consists of a baited trap or string of traps (referred to as a trawl) on the seafloor connected to a surface buoy with a vertical buoyline or "endline." The surface buoy and endline serve to mark the location of the trap or trawl for the owner and other fixed and mobile fishing gear (i.e. scallop dredge and bottom trawl) operators operating in the area, as well as to allow the traps to be hauled up through the water column. The rope connecting traps in a trawl is referred to as "groundline." Since 2007, NMFS has required fishers in most areas to use sinking or neutrally buoyant groundline due to the potential for floating groundline to entangle North Atlantic right whales (NMFS 2007).

However, North Atlantic right whales and other protected species—including humpback, fin, sei, and minke whales and loggerhead and leatherback sea turtles—are known to become entangled in trap/pot endlines (Hayes et al. 2018b; NMFS 2014) [Figure 1]. The U.S. American lobster fishery employs an estimated 912,300 vertical endlines during peak fishing months—many of which are within the North Atlantic right whale's designated Critical Habitat Area (NMFS 2016; NMFS co-occurrence model 2019) [Figures 2, 3]. The rope used for endlines has become significantly stronger over recent decades as manufacturing techniques have evolved, likely contributing to an increase in right whale entanglement severity and mortality as whales are less able to break free of entangling line and gear (Knowlton et al. 2016).




Figure 1: Illustration of a North Atlantic right whale entangled in vertical endline, showing the surface buoy, endline, and string of traps or "trawl" connected by sinking groundline. Credit: Natalie Renier, Woods Hole Oceanographic Institution




Figure 2 (left): Map of estimated commercial trap/pot endline density (number of endlines per 100 square nautical miles) in September in the Northeast U.S. using 2016 and 2017 fisheries data. The total number of commercial trap/pot endlines in use in the Northeast region in September is estimated to be 920,500, 912,300 of which are used to catch lobster. Source: NMFS co-occurrence model 2019, https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/apr_16_risk_reduction_decision_tool

[webinar_full_slide_deck.pdf](#)

Figure 3 (right): Map of North Atlantic right whale designated critical habitat area in the Northeast U.S. Source: NMFS 2016, available at <https://www.fisheries.noaa.gov/resource/map/north-atlantic-right-whale-critical-habitat-map-and-gis-data>.

The Atlantic States Marine Fisheries Commission (ASMFC) has divided the U.S. lobster stock into three biological areas: the Gulf of Maine, Georges Bank, and southern New England. According to the most recent stock assessment from 2015, the Gulf of Maine and Georges Bank stocks are not depleted and overfishing is not occurring, but the southern New England stock is severely depleted (ASMFC 2015). Climate change and associated disease and poor recruitment may be at least partly responsible for the collapse of the southern New England stock (ASMFC 2015). The Gulf of Maine stock accounts for more than 90 percent of U.S. landings (ASMFC 2015). The Gulf of Maine and Georges Banks stocks are heavily fished, especially in the fall, but stock abundance is also high (ASMFC 2015). However, in the most recent stock assessment from 2015, three of the five young of year indicators—which help indicate future sustainability of the stock—were low, which may suggest potential declines in recruitment in future years (ASMFC 2015). Using an annual larval settlement index and local bottom temperature and disease prevalence indicators, Oppenheim et al. (2019) predict that Gulf of Maine lobster landings will decline to near-historical levels within the next decade as the lobster population continues to recede poleward in a warming ocean.

The U.S. American lobster fishery has experienced robust growth in recent decades, with peak landings in 2016 of over 72,000 metric tons (nearly 160 million pounds) valued at more than \$670 million (NMFS Annual Commercial Landings Statistics). Landings value has also shown consistent growth. Total U.S. American lobster landings weight increased by 2.78 times from 1992 to 2016, while landings value increased by 2.24 times when adjusted for inflation (4.03 times nominal value) [Figure 4].




Figure 4: U.S. annual commercial lobster landings weight and value (nominal and adjusted for inflation) from 1986 to 2017. Inflation adjustment was made using the Producer Price Index (PPI) for Unprocessed Shellfish indexed to December 1991 (PPI not available for 1986 to 1991). Landings data from National Marine Fisheries Service (NMFS) Annual Commercial Landing Statistics 2019, PPI from U.S. Bureau of Labor Statistics.

This growth in landings has not been driven by a rise in the number of individuals fishing; the total number of participants in the fishery has fallen from an estimated 13,000 in 1997 to 8,485 in 2019 (NMFS 1997; NMFS 2019b). There are currently about 2,000 fishers actively operating with a federal commercial trap/pot license (GARFO American Lobster 2019); states issue the majority of licenses. NMFS issued a moratorium on new federal licenses in 1999 (NMFS 1999). Fewer fishers are bringing in significantly more revenue, although costs (especially fuel and bait) have not remained stagnant. The fishery is dominated by small owner-operated businesses.

1B. North Atlantic right whales

Once numbering in the tens of thousands (Monsarrat et al. 2015), as of 2018 there were an estimated 411 North Atlantic right whales remaining (Pace et al. 2017; Pettis et al. 2018). The population grew slowly from a low of approximately 270 animals in 1990 to 482 in 2010, but has since declined rapidly (Pace et al. 2017) [Figure 5]. Only approximately 90 reproductive-aged females remain in the population (Pace et al. 2017; Hayes et al. 2018a). With continued high rates of anthropogenic mortality, the population could be functionally extinct within several decades (Meyer-Gutbrod and Greene 2018). North Atlantic right whales are protected under the U.S.’s Endangered Species Act (ESA) and Marine Mammal Protection Act (MMPA) and Canada’s Species at Risk Act.




Figure 5: Estimated North Atlantic right whale population, number of calves, observed mortalities and serious injuries, and diagnosed cause of death or serious injury. Diagnosed entanglements have increased significantly since the population has been in decline. Data from Waring et al. 1997, Kraus et al. 2001, Waring et al. 2002, Moore et al. 2004, Waring et al. 2015, Pace et al. 2017, Pettis et al. 2018, Hayes et al. 2018b, and NOAA Northeast Fisheries Science Center (unpublished).

In addition to the legal imperative to conserve this species, large whales such as right whales are increasingly recognized for their important role in sequestering carbon from the atmosphere into the deep sea and in mixing and transporting nutrients to support primary productivity in marine ecosystems (Lavery et al. 2010; Pershing et al. 2010; Roman et al. 2014). A recent estimate placed the value of an average individual large whale at over US \$2 million in terms of carbon sequestration, fisheries productivity enhancement, and ecotourism (Chami et al. 2019).

Entanglement in fishing gear and vessel strikes are responsible for all diagnosed adult North Atlantic right whale mortalities since 1970; no adults are known to have died of natural causes in almost fifty years (though many mortalities are not observed or diagnosed) (Moore et al. 2004; Sharp et al. 2019). Entanglement was the cause of death in 72 percent of diagnosed adult mortalities since the population has been in decline (from 2010 to 2018), but only 35 percent from 2000 to 2009 (Moore et al. 2004; Sharp et al. 2019).

North Atlantic right whales can be found off the coast of New England and Canada in areas likely to overlap with trap/pot fisheries throughout the year (Davis et al. 2017) [Figure 6]. Rope taken off entangled whales has been tracked to fisheries throughout these areas (Hayes et al. 2018a) [Figure 7].




Figure 6 (left): Number of days by season with confirmed North Atlantic right whale acoustic detections from 2004 to 2014, summarized from all available acoustic recording locations. Source: Davis et al. 2017

Figure 7 (right): Map of North Atlantic right whale

entanglements from 1997 to 2017 for which the set location and gear type are known and gear was recovered from a whale. Source: Hayes et al. 2018a

NMFS has calculated Potential Biological Removal (PBR) for North Atlantic right whales at 0.9, meaning that less than one animal can be killed each year due to human activity while still allowing the population to recover (Hayes et al. 2018b). Right whale serious injuries and mortalities in U.S. waters from entanglement alone—excluding entanglements known to be caused by Canadian gear—have exceeded PBR every year except for two since 2000 (Morin et al. 2018b). In their most recent ESA Section 7 consultation on the impacts of the American lobster fishery, NMFS stated that U.S. lobster fishing gear is likely to kill 3.25 animals annually (NMFS 2014). Entanglement is very common among North Atlantic right whales: in a 2012 study, 83 percent of right whales showed scars from entanglements and an estimated 26 percent—or approximately 100 animals—are entangled each year (Knowlton et al. 2012).

In addition to mortalities, entanglement has serious sublethal impacts on North Atlantic right whales that likely inhibit the species' ability to recover (van der Hoop et al. 2017). Right whales can produce up to an estimated 8,000lbs of force with a single stroke of their flukes (Arthur et al. 2015), so they will often continue to swim while entangled in rope and/or associated traps and buoys. Entangling gear creates substantial drag for a swimming animal, and the energetic demands of an entanglement are comparable to or exceed those of other major life history events such as migration and pregnancy (van der Hoop et al. 2016; van der Hoop et al. 2017).

For reproductive females, the energetic costs of entanglement can extend the amount of time needed to recover fat stores following pregnancy, calving and lactation, potentially delaying the female's ability to become pregnant (van der Hoop et al. 2017). In recent years, the average calving interval for reproductive females has stretched from three to ten years (Pettis et al. 2018). Females have about a five percent chance of not becoming entangled during that ten-year period (Hayes et al. 2018a).

Entanglement also poses a serious animal welfare concern. Beyond preventing the take of marine mammals, including North Atlantic right whales, at unsustainable levels, the MMPA also specifies that takes must be humane—wherein the term “humane” means “that method of taking which involves the least possible degree of pain and suffering practicable to the mammal involved” (MMPA 1972). When a right whale becomes entangled, the line and gear can wrap around the animal’s body, flukes, flippers and mouth [Figure 8]—impeding swimming and feeding, causing chronic infection, emaciation, and damage to blubber, muscle, and bone (Moore et al. 2006; Moore and van der Hoop 2012; Moore 2013; Dolman and Moore 2017; Sharp et al. 2019) [Figure 9]. It can take months to years for a North Atlantic right whale to die of entanglement, during which time it experiences extreme pain and debilitation (Moore et al. 2006; Moore and van der Hoop 2012; Moore 2013; Moore 2014; Dolman and Moore 2017). For example, entanglement is known to have caused fatal scoliosis in a juvenile whale due to the strain of dragging fishing gear as a young animal [Figure 10] and nearly severed flippers on multiple animals swimming in up to 30 to 50 wraps of constricting rope [Figure 11] (Sharp et al. 2019).



Figure 8: A live entangled North Atlantic right whale showing fishing line wraps over the blowhole and through the mouth, damaging baleen plates. Credit: Nick Hawkins



Figure 9: Fishing rope furrowed into the lip of Bayla, North Atlantic right whale #3911. Credit: Michael Moore, NMFS Permit 932-1905-00/MA-009526



Figure 10: North Atlantic right whale (CALO0901, 3710) with debilitating abnormal curvature of the spine (scoliosis) caused by an entanglement. This injury caused chronic damage to the spine, which ultimately led to the young animal's death. Image credit: University of North Carolina Wilmington; NMFS Permit No. 932-1489.



Figure 11a (top): North Atlantic right whale (SC118) with 13 constricting wraps of fishing line around a pectoral flipper that caused a partial amputation.

Figure 11b (bottom): Deep furrow created by fishing line sawing into the humerus of the same whale over time, and the bone's unsuccessful attempt to repair this injury. Image credit: NOAA National Ocean Service Center for Coastal Environmental Health and Biomolecular Research Coastal Marine Mammal Strandings and Assessments Project; NMFS Permit No. 932-1905

1C. Regulatory processes concerning the U.S. American lobster fishery and North Atlantic right whales

The U.S. American lobster fishery is cooperatively managed by the states (0-3 miles from shore) and NMFS (3+ miles from shore) under the framework of the ASMFC. State waters regulations are promulgated by the respective government agencies, i.e. the Maine Department of Marine Resources and Massachusetts Division of Marine Fisheries, while complementary federal water

regulations are promulgated by NMFS. The ASMFC assesses the fishery according to seven Lobster Management Areas (LMAs) [Figure 12], of which LMA 1 is the most productive, with 92.5 percent of total catch in 2012 (the most recent year for which landings by LMA are available) (ASMFC 2018b). Many fishers are licensed to operate in both state and federal waters; for example, 27 percent of fishers with Massachusetts state licenses also have federal licenses (Massachusetts DMF unpublished data). In cases where state and federal regulations differ, the most restrictive rule applies.




Figure 12: Map of Lobster Management Areas showing Gulf of Maine - Georges Bank and southern New England lobster stock areas, and NMFS Statistical Reporting Areas. Source: Atlantic States Marine Fisheries Commission, Map of Stock Assessment and Management Areas, available at http://www.asmfc.org/uploads/file/58f8cd9aLobsterManagement_StockArea_Map_Nov2016.JPG

The Atlantic Large Whale Take Reduction Team (ALWTRT), a group of fishers, scientists, conservationists, and state and federal officials, was created in 1996 as mandated by the Marine Mammal Protection Act to advise NMFS on steps to reduce incidental take (or killing) of large whales in Atlantic fixed gear (trap/pot and gillnet) fisheries to a level below PBR (NMFS 1997). Although the ALWTRT is mandated to reduce take of all large whale species affected by the fisheries, in recent years the ALWTRT has focused on North Atlantic right whales due to the urgency of the right whale entanglement crisis and the

potential for this species to become extinct in the near future.

Since 1997, NMFS has taken a series of management actions, some of which were recommended by the ALWTRT, to identify and reduce North Atlantic right whale bycatch (Hayes 2018a). These include gear marking requirements, surface weak links, sinking groundlines, trap limits, minimum numbers of traps per endline, and seasonal fishery closures (Hayes et al. 2018a). However, right whale entanglement mortalities and serious injuries have increased substantially over the same period and the population trajectory has reversed from modest growth to rapid decline. Though a number of factors have likely contributed to the rising entanglement mortality rate, including stronger fishing rope (Knowlton et al. 2016) and climate change-related shifts in right whale distribution (Record et al. 2019), protective measures to date have failed to demonstrably reduce total right whale entanglement risk and mortalities.

Between June 2017 and September 2019, 30 North Atlantic right whales were found dead in U.S. and Canadian waters in an Unusual Mortality Event (UME) (NOAA 2019). This UME has brought renewed urgency to the ALWTRT and NMFS rulemaking processes.

At the April 2019 ALWTRT meeting, NMFS indicated an intent to develop and implement new rules to reduce North Atlantic right whale bycatch by 60 to 80 percent and asked Team members to generate proposals to meet that risk reduction target (NMFS correspondence 2019). At the end of the meeting, the Team reached near-consensus agreement on a suite of measures implemented by state and federal management area (NMFS Key Outcomes Memorandum 2019). The primary risk reduction measures agreed upon were:

1. Reductions in the number of endlines fished by 18 to 50 percent
2. Use of reduced breaking strength (less than 1,700lbs force) endlines

There were notable differences in the recommendations from different caucus groups within the ALWTRT. The fishing industry and state management representatives focused on endline reductions and reduced breaking strength rope, while the conservation non-governmental organization (NGOs) members also recommended:

3. Additional time/area fishery closures in North Atlantic right whale aggregation areas
4. Rapid research using and steps toward implementation of ropeless fishing gear (defined as gear that does not use endlines prior to gear retrieval)

Additional seasonal closures and ropeless gear testing and/or implementation were not included in the near-consensus recommendations (NMFS Key Outcomes Memorandum 2019), but are likely to be continually considered as part of ongoing efforts to reduce large whale bycatch in the fishery.

The ALWTRT's near-consensus subsequently withered on August 20th, 2019 when the Maine Lobstermen's Association withdrew their support (Maine Lobstermen's Association 2019). However, the purpose of the ALWTRT is to make consensus-based recommendations to NMFS, and under the MMPA NMFS is responsible for implementing measures to reduce serious injuries and mortalities to below PBR regardless of whether the Team reaches consensus (MMPA 1972). NMFS therefore subsequently indicated their intent to move forward with regulations (Oliver 2019). In August 2019, NMFS published a notice of intent to prepare an environmental impact statement and a request for public comments on proposed modifications to the Atlantic Large Whale Take Reduction Plan, which was based on the ALWTRT's risk reduction framework (NMFS 2019a). NMFS is tentatively expected to release a proposed rule including the ALWTRT's recommendations by early 2020, with a final rule expected thereafter.

2. Potential impacts of proposed regulations on fishing effort

Each of the major management measures NMFS is considering to reduce right whale bycatch could have an impact on fishing effort, described here by the number of traps or trap days used, as explained below. If the lobster fishery is operating efficiently, then a reduction in effort would likely lead to reduced landings and potentially lower revenue (depending on the extent to which price rises in response to a contraction of supply). In contrast, if the exploitation rate in the lobster fishery is above optimum efficiency, reducing effort would likely allow lobster biomass to build up so that catch rates remain high with substantially reduced operating costs (Myers et al. 2007; Worm et al. 2009). Understanding how effort reduction could impact the fishery is important for federal and state regulators, the fishing industry, and conservation interests.

1. Reductions in the number of endlines fished

There are multiple ways in which an endline reduction can be implemented: (1) directly, such as through a vertical endline cap that could be administered similar to trap tags, and (2) indirectly, such as through a trap limit reduction combined with a set minimum number of traps per trawl. In either case, it is imperative that a vertical endline reduction be implemented as a reduction from the actual number of endlines fished, not from the amount currently allowed under regulations, for such a measure to have the expected entanglement risk reduction benefit for right whales. This is because in many areas of the fishery actual effort is lower than regulations allow. If, for example, the trap limit was reduced from 800 to 600 traps in an area where fishers use 550 traps on average, the measure would have significantly less than a 25 percent entanglement risk reduction benefit.

If a direct endline cap were to be pursued, the endline reduction would not necessarily lead to an equivalent reduction in the number of traps fished, because many fishers can add traps to trawls in order to continue fishing their standard number of traps. However, vessel and other equipment constraints would likely limit some individuals from fishing their full trap allocation.¹ For example, fishers operating offshore in LMA3 often already fish long trawls of 20 or more traps and may have a limited ability to add more traps per endline. Fishers who operate on small vessels inshore may not have sufficient mechanical hauling strength to fish longer trawls. Therefore, we expect an endline cap to lead to a reduction in effort that is greater than zero but less than the amount of the endline reduction (for example, a 50 percent endline reduction will lead to a trap reduction between 0 and 50 percent). In contrast, an indirect endline reduction implemented through a trap reduction and minimum number of traps per trawl would have a direct impact on effort, provided that the reduction is from actual number of traps fished.

2. Use of reduced breaking strength (less than 1,700lbs force) endlines

Of the proposed measures, the use of reduced breaking strength endlines has the least clear impact on effort, and may not lead to an appreciable reduction in the number of traps fished. If fishers find that 1,700lb breaking strength rope cannot adequately handle their trawls as currently configured, they may consider reducing the number of traps per trawl so as to reduce the load on the endline when hauling (although there are also requirements on the minimum number of trap per trawl). However, other reconfigurations, such as lengthening the groundline between the first and second traps in a trawl, may similarly reduce the load on the endline without reducing the number of traps per trawl.

3. Additional time/area fishery closures in North Atlantic right whale aggregation areas

Seasonal closures would have a direct impact on fishing effort by requiring complete removal of fishing gear from an area for a period of time. The extent to which seasonal closures will impact fishing effort depends on the duration of the closure, season, and area fished. Although fishers are currently allowed to harvest American lobster year-round other than within specific seasonal closures, there are significant differences in effort and landings by season. For example, in many areas landings are highest in the fall, while late winter and early spring bring in a significantly lower harvest (ASMFC 2015). However, some fishers keep their gear in the water even when

¹ Most fishers in the U.S. lobster fishery are licensed to use up to 800 traps, though there are important differences by area, especially in LMA3 where fishers may use up to 1,945 traps (GARFO American Lobster Commercial Fishing Regulations 2019).

harvest is minimal,² and endlines pose the same whale bycatch threat regardless of how much lobster is being harvested.

Neither fishing effort nor right whales are evenly distributed across the fishery; seasonal closures aim to identify areas and periods of highest risk. One particular area of concern discussed at the April 2019 ALWTRT meeting is south of Martha’s Vineyard and Nantucket in NMFS Statistical Reporting Area 537 (NMFS Key Outcomes Memorandum 2019). Right whales have maintained a near-constant presence in Area 537 over the last three years and have frequently been observed aggregating in large numbers—sometimes more than 100 individuals (NOAA Right Whale Sightings Advisory System, NMFS Key Outcomes Memorandum 2019). Their presence has triggered NMFS to implement a number of successive Dynamic Management Areas, where mariners are asked (but not required) to avoid the area or reduce vessel speed to 10 knots or less (NMFS Office of Protected Resources 2019). Effort in this area is relatively low, but the offshore lobster industry operating there uses heavy fishing gear (NMFS co-occurrence model 2019; NMFS Key Outcomes Memorandum 2019).

4. Use of ropeless fishing gear

Instead of leaving an endline in the water continuously, ropeless fishing gear releases a buoy and endline or inflates a lift bag to come to the surface when a fisher sends an acoustic command to retrieve their trawl (Myers et al. 2019) [Figure 13]. Alternatively, many fishers already use a customized hook to catch the groundline between traps and haul their gear to the surface—called grappling—when the permanent buoy or endline go missing (Myers et al. 2019). Both acoustic-release ropeless fishing and grappling have the potential to substantially reduce or eliminate entanglement in endlines. Entanglement involvement with endlines is the most commonly identified interaction since the sinking groundline rule went into effect (D. Morin personal communication); since 2007, line consistent with endlines has been recovered from entangled whales about ten times more often than line consistent with groundline (Morin et al. 2018a).




Figure 13: Illustration of acoustic-release ropeless fishing gear. Upon receiving an acoustic trigger, a buoy and

² Marine mammal regulations require that lobster traps be hauled back only once every 30 days (GARFO American Lobster Commercial Fishing Regulations 2019).

endline attached to a trap at the end of a trawl deploys for retrieval or a lift bag inflates and brings the attached trap and trawl to the surface. Endlines are only used during gear retrieval, or not at all if a lift bag is used. A virtual trap marker visible on a screen in the vessel would replace the marker buoy. Credit: Natalie Renier, Woods Hole Oceanographic Institution

Ropeless fishing gear may take longer to retrieve than traditional methods due to the added time needed to triangulate on gear position using acoustic signals and/or the time needed to grapple (Myers et al. 2019). This may be particularly relevant for early adopters of ropeless gear; time costs may go down as fishers become accustomed to different retrieval methods and technologies are iteratively improved. If fishers are not able to haul as many trawls per day when fishing ropeless, ropeless fishing could effectively cause a reduction in effort. Additionally, the upfront costs of transitioning to ropeless fishing gear may be too high for fishers to replace all of their endlines at once. Combining a transition to ropeless fishing gear with an endline or trap reduction could make the upfront investment more feasible.

On the other hand, ropeless fishing could offer a solution for fishers facing an endline reduction: if allowed by federal and/or state regulations,³ fishers could replace some of their endlines with ropeless retrieval units to meet endline reduction requirements. Therefore, the overall impact of ropeless fishing on effort depends on implementation.

3. Overcapacity and effort reduction in the U.S. lobster fishery

We examined three case studies to describe how fishing effort has correlated with landings in the U.S. lobster fishery:

- A. Comparison of lobster fishing effort on the U.S. (Maine) and Canadian (Lobster Fishing Area 34) sides of the Gulf of Maine in terms of number of traps and season days
- B. State of Maine landings and number of traps over time
- C. Landings within the Massachusetts Restricted Area seasonal trap/pot closure and Massachusetts statewide landings since the closure was implemented

We used publicly available⁴ landings data, price indices, and trap and license counts and the longest available time series up to 1986 in order to show decadal trends.

3A. Effort and landings in the Gulf of Maine: Maine compared to Lobster Fishing Area 34

We employ a comparison of the lobster fishery on the U.S. and Canadian sides of the Hague Line, the North Atlantic boundary between U.S. and Canadian fishing waters, in 2016 and 2017.⁵

³ Current federal and state regulations require the use of surface marking systems that use endlines in the American lobster fishery (GARFO American Lobster Commercial Fishing Regulations 2019). However, NMFS and some state agencies have demonstrated interest in supporting ropeless gear development and use.

⁴ Some data sets used are not publicly published but are available upon request to the relevant state or federal agency.

⁵ Myers et al. (2007) also employed a comparison of the U.S. and Canadian lobster fisheries across the Hague Line and found that U.S. effort was about 13 times higher than Canadian. However, Myers et al. (2007) compared landings and traps in the U.S.'s Lobster Management Area 1 and Canada's Lobster Fishing Area 34 and calculated effort using different assumptions. We chose to compare the state of Maine and LFA 34 because more recent and complete landings and effort data were available. Therefore, these two studies should not be directly compared,

U.S. landings are from Maine state- and federally licensed landings from the Gulf of Maine; Canadian landings are from Lobster Fishing Area (LFA) 34 [Figure 14]. These two areas share similar biological characteristics and have both experienced record landings in recent years following four decades of landings growth (Myers et al. 2007; DFO Seafisheries Landings; NMFS Annual Commercial Landings Statistics). However, the Maine lobster fishery has a much higher trap limit and is allowed to fish year round, whereas LFA 34 is restricted to about one half of the trap limit for most Maine fishers and fishing is restricted to a winter season from the last Monday in November to May 31st (GARFO American Lobster Commercial Fishing Regulations; DFO Integrated Fisheries Management Plan 2019).




Figure 14: Map of U.S. Lobster Management Areas (LMAs) and Canadian Lobster Fishing Areas (LFAs) in the Gulf of Maine divided by the Hague Line. Maine landings and effort (primarily from LMA1 and LMA3) are compared to landings and effort in LFA 34. This map shows the U.S. definition of the Hague Line. Map created in QGIS using shapefiles from NMFS Greater Atlantic Regional Fisheries Office (Lobster Management Areas) and Free 2017 (Atlantic Coast: Lobster Fishing Areas).

To compare effort in Maine and LFA 34, we compared lobster landings, number of traps, and season days in each area in 2016 and 2017, the two most recent years for which data are available [Table 1]. LFA 34 data are provided by fishing season; in this analysis 2016 refers to the 2015/2016 fishing season and 2017 refers to the 2016/2017 fishing season. For the state of Maine, the number of traps is the number of trap tags sold, as published by the state of Maine Department of Marine Resources (Maine DMR 2019). For LFA 34, we calculated the number of

although the conclusion that the U.S. Gulf of Maine fishery is operating at substantial overcapacity holds in both assessments.

traps as the trap limit (383⁶) multiplied by the number of licenses (979) (DFO 2019). We calculate overcapacity in Maine compared to LFA 34 as:

$$\text{Overcapacity in Maine versus LFA 34} = \frac{\text{(number of traps} \times \text{season days)}}{\text{landings}}$$

Lobster Fishing Effort in Maine versus Lobster Fishing Area 34, 2016			
	Maine	LFA 34	Maine/LFA 34
Landings (metric tons)	60,175	29,151	2.06
Number of traps	2,946,000	375,000	7.86
Season days	365	184	1.98
Overcapacity in Maine versus LFA 34			7.55

Table 1A: Landings, number of traps, and season days in Maine versus Lobster Fishing Area (LFA) 34 in 2016 (LFA 34’s 2015/2016 fishing season). Maine fishers used approximately 7.55 times as much effort as fishers in LFA 34 to harvest the same amount of lobster. Maine landings data from National Marine Fisheries Service Annual Commercial Landings Statistics and number of traps from Maine Department of Marine Resources Historical Maine Lobster Landings. LFA 34 landings, number of licenses, trap limits, and season days from Fisheries and Oceans Canada March 2019 update to the Integrated Fisheries Management Plan for LFAs 27-38.

Lobster Fishing Effort in Maine versus Lobster Fishing Area 34, 2017			
	Maine	LFA 34	Maine/LFA 34
Landings (metric tons)	48,983	22,679	2.16
Number of traps	2,954,000	375,000	7.88
Season days	365	185	1.97
Overcapacity in Maine versus LFA 34			7.20

Table 1B: Landings, number of traps, and season days in Maine versus Lobster Fishing Area (LFA) 34 in 2017 (LFA 34’s 2016/2017 fishing season). Maine fishers used approximately 7.20 times as much effort as fishers in LFA 34 to harvest the same amount of lobster. Maine landings data from National Marine Fisheries Service Annual Commercial Landings Statistics and number of traps from Maine Department of Marine Resources Historical Maine Lobster Landings. LFA 34 landings, number of licenses, trap limits, and season days from Fisheries and Oceans Canada March 2019 update to the Integrated Fisheries Management Plan for LFAs 27-38.

In Maine, fishers use nearly eight times as many traps to catch about twice as much lobster as fishers in LFA 34 [Table 1]. Since the lobster fishing season in Maine is almost twice as long as that in LFA 34, we calculate that effort in Maine is approximately 7.5 times higher than that in

⁶ The trap limit in LFA 34 is 375 for approximately two thirds of the season and 400 for one third of the season (DFO 2019). We therefore used a scaled trap multiplier of 383.

LFA 34 to harvest the same amount of landings. Results were comparable from 2016 to 2017, as both areas experienced a drop in landings of about 20 percent.

It is important to note that many Maine fishers do not actively fish during the full 365-day season, and commonly remove gear for part of the year. However, even if we estimate that Maine fishers use 75 percent of available fishing days (292 days), capacity in Maine is still about 5.5 times that in LFA 34. Additionally, the number of trap tags sold in Maine does not fully account for latent effort; some fishers likely do not use all of the trap tags they purchase. However, the number of trap tags sold is markedly lower than the full trap limit. In 2016 and 2017, the number of trap tags sold averaged 490 and 493 per fisher, respectively (Maine DMR 2019), whereas the trap limit is 800 in most areas. This indicates that the number of trap tags sold is a better indicator for actual effort than the number of licenses multiplied by the trap limit in Maine. In contrast, the number of traps for LFA 34 calculated here represents the upper bound for this area and assumes all license holders fish the full trap limit.⁷

Even if latent effort in Maine is approximately 20 percent of the number of trap tags sold and Maine fishers actively fish 75 percent of the year, overcapacity in Maine compared to LFA 34 is 4.5 times.⁸ Even a much lower overcapacity estimate would indicate that effort reduction measures currently under consideration by NMFS (i.e. an endline and possible trap reduction of up to 50 percent) would likely benefit the fishery.

Next, we calculated landings per trap in Maine compared to LFA 34 [Table 2]. Total landings indicate a fisher’s revenue (when multiplied by ex-vessel price), and does not account for cost. In contrast, landings per trap is a stronger proxy for profit than total landings because it partially accounts for costs by standardizing to effort. Bait and fuel are frequently the most significant input costs to harvest lobster, and are closely related to the number of traps used (i.e. each trap is baited, and fishers likely travel farther and use more fuel to haul more traps). To calculate landings per trap, we divided total annual landings by the number of traps from Table 1.

Landings per trap in Maine versus Lobster Fishing Area 34			
	Maine landings per trap (lbs)	LFA 34 landings per trap (lbs)	LFA 34/ Maine
2016	45	171	3.8
2017	37	133	3.6

Table 2: Landings per trap in Maine compared to Lobster Fishing Area (LFA) 34 in 2016 and 2017 (LFA 34’s 2015/2016 and 2016/2017 fishing seasons, respectively). LFA 34 fishers harvested about 3.7 times as much lobster per trap as Maine fishers. Maine landings data from National Marine Fisheries Service Annual Commercial Landings Statistics and number of traps from Maine Department of Marine Resources Historical Maine Lobster Landings. LFA 34 landings, number of licenses, trap limits, and season days from Fisheries and Oceans Canada March 2019 update to the Integrated Fisheries Management Plan for LFAs 27-38.

In 2016 and 2017, LFA 34 fishers brought in about 3.7 times as much lobster per trap than Maine fishers (3.8 times in 2016 and 3.6 times in 2017). This calculation of landings per trap does not take season days into account. Again, if latent effort in Maine is approximately 20 percent of the

⁷ LFA 34 license holders are issued a yearly set of trap tags which matches the trap limit, they do not select a number of trap tags to purchase each year (Fisheries and Oceans Canada March 2019 update to the Integrated Fisheries Management Plan for LFAs 27-38).

⁸ $7.5 \times .80 \times .75 = 4.5$ times overcapacity in Maine compared to Lobster Fishing Area 34

number of trap tags sold, LFA 34 landings per trap are still three times higher than in Maine, assuming all LFA 34 fishers use the full trap limit.

LFA 34 did not achieve high landings in recent years by increasing effort; the number of lobster licenses and trap limit has remained consistent over time [Figure 14] (Myers et al. 2007; DFO 2011; DFO Atlantic Region Licenses). Therefore, landings per trap (a proxy for profit) in LFA 34 mirrored growth in total landings [Figure 15]. In contrast, the number of traps in Maine increased for much of the last three decades [Figure 14] (Maine DMR 2019), likely indicating comparably higher costs and lower profits during a similar period of landings growth [Figure 15]. We compared the number of lobster traps in Nova Scotia Maritimes and Maine from 1990 to 2017 to illustrate this concept. Here we switch to Nova Scotia Maritimes because a more consistent time series of the number of licenses is available (DFO Atlantic Region Licenses). LFA 34 is the most significant contributor to total Nova Scotia Maritimes landings. The number of traps in Nova Scotia Maritimes was calculated by multiplying the annual number of licenses by the proportion of licenses per LFA, category, and LFA restrictions from the most recent Integrated Fisheries Management Plan from 2011 (DFO 2011).




Figure 14: Estimated number of lobster traps in Maine versus Nova Scotia (NS) Maritimes from 1990 to 2017. Maine number of traps showed uneven growth until reaching a peak of 3.283 million traps in 2006 and has since tapered off slightly, while NS Maritimes number of traps has remained relatively consistent at approximately 900,000 traps. Data from Maine Department of Marine Resources Historical Maine Lobster Landings, DFO Integrated Fisheries Management Plan for LFAs 27-38 (2011), and DFO Atlantic Region Licenses.




Figure 15: Maine and Nova Scotia (NS) Maritimes lobster landings and landings per trap from 1990 to 2017. While NS Maritimes landings per trap mirrored landings growth, Maine landings per trap remained relatively stagnant for the majority of this period. Data from DFO Seafisheries Landings, DFO Atlantic Region Licences, DFO Integrated Fisheries Management Plan for LFAs 27-38 (2011), NMFS Annual Commercial Landings Statistics, and Maine Department of Marine Resources Historical Maine Lobster Landings.

Landings per trap is especially relevant as per trap harvesting costs, especially bait, are expected to rise in the near future. For example, from 2018 to 2019 the U.S. Atlantic herring quota was cut by 80 percent and is expected to remain low in coming years (NMFS 2019c). Because herring has been the most important American lobster bait, the reduced quota could cause bait shortages and higher prices in the near-term, increasing per trap lobster harvesting costs (though other bait alternatives may mitigate higher costs) (NMFS 2019c).

3B. Maine landings and number of traps over time

Maine is the largest contributor to the American lobster fishery, with fishers in the state bringing in 83.3 percent of total U.S. catch in 2016 (NMFS Annual Commercial Landings Statistics). The Maine Department of Marine Resources maintains a database of historical Maine lobster landings that details the number of traps in the fishery (Maine DMR 2019).⁹ The number of traps used by Maine lobster fishers grew through the late 1980s and 90s to reach a high in 2006 of 3.283 million traps, and has since tapered off [Figure 16]. Landings have shown strong growth throughout, driving the overall growth in the U.S. lobster fishery despite the collapse of the southern New England stock since the late 1990s [Figure 16] (ASMFC 2015).

⁹ From 1981 to 1995, DMR calculated the number of traps used by estimating the number of active boats and mean traps per harvester. From 1996 to 2016 the number of traps was taken from the number of trap tags sold.




Figure 16: Maine lobster landings per trap, number of traps (an upper bound indicated by the number of trap tags sold), and total landings weight from 1986 to 2017. Landings per trap were relatively stagnant except from 2007 to 2013, when landings per trap increased substantially year on year, correlating with a decrease in the number of traps and faster rate of growth in total landings. Data from National Marine Fisheries Service Annual Commercial Landings and Maine Department of Marine Resources Historical Maine Lobster Landings.

Although many factors impact landings, historically a reduction in number of traps has not been connected to reduced landings in Maine. Landings per trap have been relatively stagnant in Maine for most of the last three decades, except for a period from 2007 to 2013 when landings per trap grew rapidly year on year. During this period, landings per trap grew 124 percent from 19.6lbs to 43.8lbs. This growth in landings per trap correlates with a 10.5 percent decrease in number of traps and a doubling in landings (100.2 percent increase). As discussed above (section 3A), landings per trap is a better proxy for fishing profit than landings alone. The rate of growth of total landings weight was also faster after trap numbers began to fall: from 2007 to 2016 Maine landings grew by 207 percent, whereas from 1997 to 2006 landings grew by 160 percent, and landings grew by 183 percent in the decade prior. Such a correlation between reduced effort and increased landings is characteristic of an overexploited fishery.

3C. Massachusetts landings before and after implementation of the Massachusetts Restricted Area trap/pot seasonal closure

In 2015, NMFS expanded trap/pot seasonal closures in the Massachusetts Restricted Area and the Great South Channel to protect significant aggregations of North Atlantic right whales known to feed in these areas each year [Figure 17] (NMFS 2014b). The Massachusetts Restricted Area is closed to trap/pot fishing from February 1st to April 30th and the Great South Channel is closed to trap/pot fishing from April 1st to June 30th (NMFS 2014b). In 2017, 2018, and 2019, the Massachusetts Division of Marine Fisheries extended the closure in Cape Cod Bay by up to 14 days due to the continued presence of endangered right whales (Massachusetts DMF 2017; 2018; 2019). We focus on the Massachusetts Restricted Area closure in this study because it fully covers multiple Statistical Reporting Areas, making it more feasible to discern the change

in landings since the closure was implemented, and because the Massachusetts Restricted Area contributes a greater portion of total statewide landings.




Figure 17: Map showing the Massachusetts Restricted Area (green) and Great South Channel (blue) Trap/Pot Closures and Massachusetts lobster harvesting Statistical Reporting Areas (SRAs). The Massachusetts Restricted Area closure includes all of SRAs 6, 7, 8, and 9 and most of SRA 5, as well as portions of SRA 18 and 19. The Great South Channel is located within SRAs 18 and 19. Map created in QGIS using shapefiles from NMFS Greater Atlantic Regional Fisheries Office (Great South Channel Restricted Trap/Pot Area and Massachusetts Restricted Area) and MassGIS Bureau of Geographic Information (Lobster Harvest Zones, State Outline, and New England).

These Massachusetts Restricted Area closure primarily impacts Massachusetts-based fishers, especially those fishing Massachusetts’ south shore, Cape Cod Bay, and the outer Cape, though the exact number of fishers affected is unclear. In an amendment to the final rule establishing the trap/pot fishery closure published in 2014, NMFS estimated that “slightly more than” 125 fishers would be affected by the Massachusetts Restricted Area closure (NMFS 2014b). The Massachusetts Division of Marine Fisheries (DMF) has identified 172 individuals who previously fished in Statistical Reporting Areas that fall within the Massachusetts Restricted Area during February, March, and April who can no longer do so (Massachusetts DMF unpublished data). Representatives of the fishing industry have recently estimated that 250 fishers are affected (Casoni 2018). In 2017, there were 1,018 commercial lobster permits licensed in Massachusetts, of which approximately 780 are actively fished (Massachusetts DMF unpublished data). Therefore, according to these estimates the Massachusetts Restricted Area closure affects between 16 and 32 percent of Massachusetts’ active lobster fishers.

Since the seasonal closures last at least three months, fishers who are impacted often publicly state that they lose at least one quarter of their income each year due to the closures (Abel 2019a; Abel 2019b). Some fishers claim that the three-month closure effectively becomes five months, causing them to lose closer to 40 percent of their annual income because it takes about one month to remove their traps before the February 1st start date and another month to replace them once the fishery reopens (Abel 2019a; Abel 2019b; Casoni 2019). However, in the three years

for which Vessel Trip Report data are available since the closure was implemented (2015, 2016, and 2017), lobster landings in the Statistical Reporting Areas (SRAs) covered by the closures have continued to grow to record highs [Figure 18] (Massachusetts DMF unpublished data). Vessel Trip Reports are collected for all commercial vessels fishing in Massachusetts waters (ASMFC 2018a).




Figure 18: Annual lobster landings weight, in millions of pounds, for Massachusetts Statistical Reporting Areas (SRAs) 5, 6, 7, 8, and 9 from 1990 to 2017. Vertical line indicates the start of the Massachusetts Restricted Area Trap/Pot Closure in 2015. The Massachusetts Restricted Area Trap/Pot Closure includes all of SRAs 6, 7, 8, and 9, as well as most of SRA 5 and small portions of SRAs 18 and 19. Data from the Massachusetts Division of Marine Fisheries (unpublished).

The growth in landings in the Massachusetts Restricted Area is consistent with statewide trends: Massachusetts state landings value reached record highs for all three years for which data are available since the closure was implemented (2015, 2016, and 2017) [Figure 19] (NMFS Annual Commercial Landings Statistics). Massachusetts’ landings weight also reached an all-time high in 2016, and 2015 and 2017 were the fifth and third highest years on record, respectively [Figure 19] (NMFS Annual Commercial Landings Statistics).




Figure 19: Massachusetts state landings by weight and value from 1986 to 2017. The Massachusetts Restricted Area and Great South Channel seasonal trap/pot closures took effect in 2015. Data from National Marine Fisheries Service Annual Commercial Landings Statistics.

Standardizing landings weight to 1990 in the primary SRAs covered by the Massachusetts Restricted Area and the rest of Massachusetts shows that commercial lobster fishers in SRAs 5 to 9 have experienced stronger growth than those in the rest of the state since the closure was implemented. Landings growth in SRAs 5 to 9 continued consistently since the seasonal closure was implemented on February 1st, 2015, but was inconsistent elsewhere [Figure 20]. Notably, landings weight in SRAs 5 to 9 did not drop from 2016 to 2017, in contrast to the rest of Massachusetts and most of the Northeast U.S. When compared to neighboring areas (SRAs 1 to 4 to the north of the Massachusetts Restricted Area and SRAs 10 to 14 to the south), the SRAs covered by the closure have also shown stronger relative growth [Figure 21].




Figure 20: American lobster commercial landings weight standardized to 1990 landings in the primary Statistical Reporting Areas (SRAs) covered by the Massachusetts Restricted Area (SRAs 5, 6, 7, 8, and 9) and the rest of the state of Massachusetts. The Massachusetts Restricted Area seasonal trap/pot fishery closure took place on February 1st, 2015. Data from Massachusetts Division of Marine Fisheries (unpublished) and National Marine Fisheries Service Annual Commercial Landings Statistics.




Figure 21: Lobster landings weight in the Statistical Reporting Areas (SRAs) covered by the Massachusetts Restricted Area (5-9) and to the north (1-4) and south (10-14) from 1990 to 2017. Relative growth in landings in SRAs 5 to 9 was stronger than in neighboring areas since the closure was implemented. Vertical line indicates the start of the three-month closure in 2015. Data from Massachusetts Division of Marine Fisheries (unpublished).

Lobster is not harvested evenly throughout the year, but rather landings are typically low in February, March, and April. This was a significant part of the rationale for amending the Massachusetts Restricted Area closure start date from January 1st to February 1st, which NMFS did before the closure was enacted in 2015 (NMFS 2014b). Although landings during the closure period have historically been very low across the state, low weight is in part compensated for by higher price per pound [Figure 22] (Atlantic Coastal Cooperative Statistics Program). Fishers who previously may have harvested during the closure months could have experienced a negative economic impact even if they were able to harvest more weight later on, since they would be selling it for a lower price.




Figure 22: Massachusetts monthly lobster landings weight and ex-vessel price per pound, January 2007 to December 2018. Price is nominal and not adjusted for inflation. Data from Atlantic Coastal Cooperative Statistics Program.

However, average lobster landings from February, March, and April in SRAs 5 to 9 changed by only 19,450 pounds from the four-year period immediately before the Massachusetts Restricted Area closure was implemented (2011 to 2014) to the four-year period immediately after (2015 to 2018) (Massachusetts DMF unpublished data). When monthly landings weight is multiplied by the average price per pound in Massachusetts for each month, we find that this 19,450 pound difference is equivalent to a change in revenue of about \$94,000 for all of SRAs 5 to 9 (Massachusetts DMF unpublished data) [Figure 23]. Since the closure was implemented, SRAs 5 to 9 have landed an average of 4.16 million pounds of lobster worth about \$19.41 million annually¹⁰ (Massachusetts DMF unpublished data; NMFS Annual Commercial Landings Statistics). The change in landings during the closure months is therefore worth only about 0.5 percent of annual landings from these areas. On the other hand, annual landings from SRAs 5 to 9 have gone up about 587,800 pounds since the closure was implemented (Massachusetts DMF unpublished data), an overall increase approximately 30 times greater than the amount lost

¹⁰ This value was calculated by multiplying the average annual portion of statewide landings from SRAs 5 to 9 (0.2396) by the average landings value for the state of Massachusetts (\$80,991,600) from 2015 to 2017.

during the closure months. Overall, the loss in landings during the high-price closure period has therefore been more than compensated for by growth in total landings.




Figure 23: Lobster landings value in February, March, and April from Massachusetts Statistical Reporting Areas 5 to 9, 2005 to 2018. Landings value from these areas dropped approximately \$94,000 from the period immediately before to the period immediately after the closure was implemented. Vertical line indicates the start of the Massachusetts Restricted Area trap/pot closure in 2015. Landings value calculated by multiplying landings weight for each area by average price for Massachusetts for that month and year. Value is nominal and not adjusted for inflation. Data from Massachusetts Division of Marine Fisheries (unpublished).

It is important to note that landings by SRA and by state mask individual differences among fishers, some of whom may have lost income due to the closures. This analysis also does not address potential changes in the portions of SRAs 18 and 19 that are covered by the Massachusetts Restricted Area, since finer scale data would be needed to separate landings from the closure portions and the rest of those areas. Additionally, changing local oceanographic conditions affect how much lobster biomass is available to harvest (Goode et al. 2019, Oppenheim et al. 2019), making it difficult to isolate the impact of the closures. However, the available evidence does not demonstrate that the Massachusetts Restricted Area closure has had an overall negative economic impact. Instead, landings have reached record highs, and landings from the primary SRAs covered by the Massachusetts Restricted Area showed stronger and more consistent growth than from the rest of the state. The closure may allow for a buildup in lobster biomass that is brought in later in the season, as can occur with effort reduction (Myers et al. 2007). Lobsters that otherwise would have been caught during the closure period increase in size (leading to higher landings weight if they are caught later on) and contribute to the reproductive cycle to grow the total stock.

Massachusetts' recent experience with the Massachusetts Restricted Area trap/pot closure suggests that seasonal closures will not necessarily cause landings to drop. The reduction in effort that occurred with the closure did not correlate with a drop in landings. In contrast, landings have continued to rise since the closure was implemented.

4. Discussion

Available evidence does not show that landings in the U.S. lobster fishery will necessarily fall with effort reduction. In contrast, in both Maine and Massachusetts an actual or presumed drop in effort has correlated with record high landings, and the significant overcapacity in the Maine fishery compared to Lobster Fishing Area 34 suggests that effort could be substantially reduced and allow fishers to harvest the same landings with lower costs. Therefore, a negative economic impact should not be presumed with right whale bycatch mitigation measures that include or could cause a reduction in fishing effort; the economic impact of effort reduction could in fact be positive.

Although many factors influence total landings, the potential capacity to harvest the same landings with approximately 7.5 times less effort and the correlation between reduced effort and higher landings in the U.S. lobster fishery is typical of an overexploited resource (Worm et al. 2009). It is also in line with international fishing trends: effective catch per unit effort—a standard measure of fishing efficiency calibrated to technological advancement—has decreased by approximately 80 percent in North America from 1950 to 2015, as fishing exploitation has expanded faster than fish stocks can support (Rousseau et al. 2019). Precaution regarding overexploitation is especially important as multiple indicators show that the Gulf of Maine American lobster stock is unlikely to sustain current high abundance levels in the near future (ASMFC 2015; Oppenheim et al. 2019) and as the Gulf of Maine continues to warm at a rapid rate (Pershing et al. 2015; Record et al. 2019).

For the U.S. American lobster fishery to continue to be successful for generations, it is in the best interest of fishers to scale back effort in advance of an ecological or economic crisis (Steneck et al. 2011). As available evidence indicates that the U.S. lobster fishery is currently operating with significant overcapacity, doing so may also support higher profits in the near-term. If fishing effort is scaled back in a manner that reduces the number and strength of vertical endlines, it will simultaneously serve to reduce entanglement risk for North Atlantic right whales. This study provides particular support for a trap reduction implemented in concert with a set minimum number of traps per trawl or an endline cap, as well as seasonal closures. Additional closures in areas of high right whale aggregation could provide significant conservation benefit and may not have a net negative economic impact if overall landings gains exceed losses during the closure period. Other right whale protection measures that may indirectly lead to a reduction in effort, such as ropeless fishing, could also serve to reduce overexploitation in the lobster fishery. Implementing ropeless fishing together with a trap reduction could strengthen this benefit while reducing the upfront cost of technological transition.

After decades of insufficient protections, the U.S. American lobster fishery is facing potentially significant new regulations to protect North Atlantic right whales from entanglement. However, a negative economic impact should not be presumed with such measures; right whale bycatch mitigation measures that include or could cause a reduction in lobster fishing effort may support higher profits and the long-term sustainability of the fishery.

Acknowledgments

We thank Erica Fuller of the Conservation Law Foundation and Burton Shank from the National Oceanic and Atmospheric Administration's Northeast Fisheries Science Center for their review and feedback on this manuscript.

Works Cited

- Abel, D. 2019a. New regulations are a matter of life and extinction for right whales. Boston Globe, Boston, MA: published April 20th, 2019.
<https://www.bostonglobe.com/metro/2019/04/20/how-federal-officials-hope-protect-endangered-right-whales-cape-cod-bay/I57nFpeibxyuslQDeevYYO/story.html>
- Abel, D. 2019b. Fishing areas off Cape Cod reopened for lobstermen. Boston Globe, Boston, MA: published May 10th, 2019.
<https://www.bostonglobe.com/metro/2019/05/09/lobstermen-plan-rally-plymouth-protest-closure-fishing-areas-off-cape-cod/ocT3A0SidX0H35TjiweHCL/story.html>
- Arthur, L.H., W.A. McLellan, M.A. Piscitelli, S.A. Rommel, B.L. Woodward, J.P. Winn, C.W. Potter, D.A. Pabst. 2015. Estimating maximal force output of cetaceans using axial locomotor muscle morphology. *Marine Mammal Science*, 31(4): 1401-1426. doi: 10.1111/mms.12230
- Atlantic Coastal Cooperative Statistics Program. (1990-2018). Data Warehouse, Confidential, Commercial Landings, Summary; generated by Chao Zou; using Data Warehouse [online application], Arlington, VA: Available at <https://www.accsp.org>; Login Data Warehouse; accessed (November 8th, 2019) .
- Atlantic States Marine Fisheries Commission (ASMFC). 2015. American lobster stock assessment peer review report. A publication of the Atlantic States Marine Fisheries Commission pursuant to National Oceanic and Atmospheric Administration Award No. NA10NMF4740016.
http://www.asafc.org/uploads/file//55d61d73AmLobsterStockAssmt_PeerReviewReport_Aug2015_red2.pdf
- Atlantic States Marine Fisheries Commission (ASMFC). 2018. Addendum XXVI to Amendment 3 to the American Lobster Fishery Management Plan; Addendum III to the Jonah Crab Fishery Management Plan; Harvester Reporting and Biological Data Collection.
https://www.asafc.org/uploads/file/5a9438ccAmLobsterAddXXVI_JonahCrabAddIII_Feb2018.pdf
- Atlantic States Marine Fisheries Commission (ASMFC). 2018. 2018 Review of the Atlantic States Marine Fisheries Commission Fishery Management Plan for American Lobster (*Homarus americanus*), 2017 Fishing Year.
<http://www.asafc.org/uploads/file/5bdb531a2018AmLobsterFMPReview.pdf>
- Atlantic States Marine Fisheries Commission. American Lobster, Map of Stock Assessment and Management Areas. November 2016. <http://www.asafc.org/species/american-lobster>
- Casoni, B. 2019. The Massachusetts Perspective. *Right Whale News*, Vol. 27, No. 2, September 2019, p. 11-12. <http://www.narwc.org/uploads/1/1/6/6/116623219/rwn-sep19.pdf>
- Casoni, D. 2018. Massachusetts Lobster Industry's Hard Work in Preserving Right Whales. Presentation to the Atlantic Large Whale Take Reduction Team, October 10th, 2018, Providence, RI.

- https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/October%202018/mia_d_casoni_ropeless_presentation_fin.pdf
- Chami, R., T. Cosimano, C. Fullenkamp, and S. Oztosun. 2019. Nature's Solution to Climate Change: A strategy to protect whales can limit greenhouse gases and global warming. Finance and Development Magazine, International Monetary Fund, September 2019. <https://www.imf.org/external/pubs/ft/fandd/2019/12/natures-solution-to-climate-change-chami.htm>
- Davis, G.E., M.F. Baumgartner, J.M. Bonnell, J. Bell, C. Berchok, J. Bort Thornton, S. Brault, G. Buchanan, R.A. Charif, D. Cholewiak, C.W. Clark, P. Corkeron, J. Delarue, K. Dudzinski, L. Hatch, J. Hildebrand, L. Hodge, H. Klinck, S. Kraus, B. Martin, D.K. Mellinger, H. Moors-Murphy, S. Nieukirk, D.P. Nowacek, S. Parks, A.J. Read, A.N. Rice, D. Risch, A. Širović, M. Soldevilla, K. Stafford, J.E. Stanistreet, E. Summers, S. Todd, A. Warde, S.M. Van Parijs. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. Scientific Reports, 7(1): 13460. doi: 10.1038/s41598-017-13359-3
- Dolman, S.J. and M.J. Moore. 2017. 'Welfare Implications of Cetacean Bycatch and Entanglements' in A. Butterworth (ed.) Marine Mammal Welfare. Springer. 41-65. doi: 10.1007/978-3-319-46994-2
- Fisheries and Oceans Canada (DFO). 2011. Integrated Fishery Management Plan, Lobster Fishing Areas 27 – 38, Scotia-Fundy Sector, Maritimes Region. <http://www.dfo-mpo.gc.ca/fisheries-peches/ifmp-gmp/maritimes/inshore-lobster-2011-eng.html>
- Fisheries and Oceans Canada (DFO). 2019. Integrated Fisheries Management Plan for Lobster Fishing Areas 27-38, Maritimes Region. Updated March 2019.
- Fisheries and Oceans Canada (DFO). Atlantic Region Licences. Last updated February 1st, 2019. <http://www.dfo-mpo.gc.ca/stats/commercial/licences-permis/licences-permis-atl-eng.htm>
- Fisheries and Oceans Canada (DFO). Seafisheries Landings. Last updated January 31st, 2019. <https://www.dfo-mpo.gc.ca/stats/commercial/sea-maritimes-eng.htm>
- Free, C.M. 2017. Mapping Canada's fish stock boundaries. Sustainable Fisheries Group, University of California Santa Barbara. Last updated May 2nd, 2017. Accessed November 4th, 2019. <https://marine.rutgers.edu/~cfree/mapping-canadas-fishing-areas/>
- Goode, A.G., D.C. Brady, R.S. Steneck, R.A. Wahle. 2019. The brighter side of climate change: How local oceanography amplified a lobster boom in the Gulf of Maine. Global Change Biology, 25: 3906–3917. doi: 10.1111/gcb.14778
- Greater Atlantic Region Fisheries Office (GARFO), National Marine Fisheries Service, National Oceanic and Atmospheric Administration. American Lobster. 2019. <https://www.fisheries.noaa.gov/species/american-lobster>
- Hayes, S.A., S. Gardner, L. Garrison, A. Henry, L. Leandro. 2018a. North Atlantic right whales-evaluating their recovery challenges in 2018. National Oceanic and Atmospheric Administration Technical Memorandum NMFS-NE-247; 24 p. doi: 10.25923/w9cy-5844
- Hayes, S.A., E. Josephson, K. Maze-Foley, P.E. Rosel, B. Byrd, S. Chavez-Rosales, T.V.N. Cole, L. Engleby, L.P. Garrison, J. Hatch, A. Henry, S.C. Horstman, J. Litz, M.C. Lyssikatos, K.D. Mullin, C. Orphanides, R.M. Pace, D.L. Palka, M. Soldevilla, F.W. Wenzel. 2018b. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2017, second ed., NOAA Technical Memorandum NMFS-NE-245.

- Knowlton, A.R., P.K. Hamilton, M.K. Marx, H.M. Pettis, S.D. Kraus. 2012. Monitoring North Atlantic right whale (*Eubalaena glacialis*) entanglement rates: a 30 year retrospective. *Marine Ecology Progress Series*, 466: 293–302. doi: 10.3354/meps09923
- Knowlton, A.R., J. Robbins, S. Landry, H.A. McKenna, S.D. Kraus, T.B. Werner. 2016. Implications of fishing rope strength on the severity of large whale entanglements. *Conservation Biology*, 30(2): 318–328. doi: 10.1111/cobi.12590
- Kraus, S.D., P.K. Hamilton, R.D. Kenney, A.R. Knowlton, C.K. Slay. 2001. Reproductive parameters of the North Atlantic right whale. *Journal of Cetacean Research and Management*, 2: 231–236.
- Lavery, T.J., B. Roudnew, P. Gill, J. Seymour, L. Seuront, G. Johnson, J.G. Mitchell, V. Smetacek. 2010. Iron defecation by sperm whales stimulates carbon export in the Southern Ocean. *Proceedings of the Royal Society B*. 277, 3527–3531. doi:10.1098/rspb.2010.0863.
- Maine Department of Marine Resources (DMR). Historical Maine Lobster Landings. Last updated February 19th, 2019. <https://www.maine.gov/dmr/commercial-fishing/landings/documents/lobster.table.pdf>
- Maine Lobstermen’s Association. 2019. MLA Withdraws from TRT April 2019 Agreement Due to “serious data flaws.” Posted August 30th, 2019. <https://mainelobstermen.org/2019/08/30/mla-withdraws-from-trt-april-2019-agreement-due-to-serious-data-flaws/?preview=true>
- Meyer-Gutbrod, E.L. and C.H. Greene. 2018. Uncertain recovery of the North Atlantic right whale in a changing ocean. *Global Change Biology*, 24: 455–464. doi:10.1111/gcb.13929
- Marine Mammal Protection Act (MMPA). 1972. United States of America, 16 USC 1361-1407, Chapter 31 – Marine Mammal Protection.
- Massachusetts Division of Marine Fisheries (DMF). Trap Gear Closure Lifted; Right Whales Leaving Cape Cod Bay. *Marine Fisheries Advisory*, published May 4, 2017. <https://www.mass.gov/files/documents/2017/05/zy/CCB%2520Opening%2520Notice%2520050417.pdf>
- Massachusetts Division of Marine Fisheries (DMF). Trap Gear Closure and Speed Limit in Cape Cod Bay Lifted Today (Tuesday, May 15, 2018). *Marine Fisheries Advisory*, published May 15, 2018. <https://www.mass.gov/files/documents/2018/05/15/ccb%20closure%20opening%20051518.pdf>
- Massachusetts Division of Marine Fisheries (DMF). Director’s Declaration: Large Whale Seasonal Trap Gear Closure Extension. Published May 6, 2019. https://www.mass.gov/files/documents/2019/05/06/Seasonal%20Trap%20Gear%20Closure%20Extension_Declaration_190506.pdf
- Massachusetts Division of Marine Fisheries (DMF). 2019. Massachusetts state lobster permits and landings. Unpublished data, report run April 2019.
- Massachusetts Division of Marine Fisheries (DMF). 2019. MA Lobster Fishery, Live Pounds by SRA and Year, 1990-2017. Unpublished data, report run August 2019.
- Massachusetts Division of Marine Fisheries (DMF). 2019. MA Lobster Landings by Year, Month, and SRA, 1990-2018; MA Lobster Average Monthly Price Per Pound, 2005-2019. Unpublished data, report run November 2019.

- MassGIS (Bureau of Geographic Information) Division of Marine Fisheries. MA Division of Marine Fisheries Lobster Harvest Zones. Published August 1999, shapefile last modified January 5th, 2018. [aff5f573-fc4c-4977-8d2e-4df9950ec664](#)
- MassGIS (Bureau of Geographic Information). New England Boundaries. Published September 2007, shapefile last modified December 10th, 2018. [649cd2e3-a61f-438c-b118-bef4c7ca6923](#)
- MassGIS (Bureau of Geographic Information). State Outline. Published March 1991, shapefile last modified December 6th, 2018. [4952f54a-5a89-4a7e-97f9-b655912155ca](#)
- National Marine Fisheries Service (NMFS). 2019. Key Outcomes Memorandum: Atlantic Large Whale Take Reduction Team Meeting, April 23-26, 2019, Providence, Rhode Island. Prepared by S. McCreary and B. Brooks, published October 4, 2019. <https://www.fisheries.noaa.gov/new-england-mid-atlantic/marine-mammal-protection/atlantic-large-whale-take-reduction-plan>
- Moore, M.J., A.R. Knowlton, S.D. Kraus, W.A. McLellan, R.K. Bonde. 2004. Morphometry, gross morphology and available histopathology in North Atlantic right whale (*Eubalaena glacialis*) mortalities (1970-2002). *Journal of Cetacean Research and Management*, 6(3): 199-214.
- Moore, M.J., A. Bogomolni, R. Bowman, P. Hamilton, C. Harry, A. Knowlton, S. Landry. 2006. Fatally entangled right whales can die extremely slowly. *Oceans'06 MTS/IEEE–Boston*, Massachusetts, September 18–21, 2006. <https://darchive.mblwhoilibrary.org/bitstream/handle/1912/1505/?sequence=1>.
- Moore, M.J. and J.M. van der Hoop. 2012. The painful side of trap and fixed net fisheries: chronic entanglement of large whales. *Journal of Marine Biology*, Article ID 230653, 4 pp. doi: 10.1155/2012/230653
- Moore, M.J. 2013. Welfare of whales by-caught in fishing gear or struck by vessels. *Animal Welfare*, 22: 117-121. doi: 10.7120/09627286.22.1.117
- Moore, M.J. 2014. How we all kill whales. *ICES Journal of Marine Science*, 71(4): 760–763. doi: 10.1093/icesjms/fsu008
- Monsarrat, S., M. Grazia Pennino, T.D. Smith, R.R. Reeves, C.N. Meynard, D.M. Kaplan, A.S.L. Rodrigues. 2015. A spatially explicit estimate of the prewhaling abundance of the endangered North Atlantic right whale. *Conservation Biology* 30(4): 783-791. doi: 10.1111/cobi.12664
- Morin, D., G. Salvador, J. Higgins, M. Minton. 2018a. Gear analysis and protocols; Overview of preliminary gear analysis 2007-2017. Presentation to the Atlantic Large Whale Take Reduction Team, April 3-4, 2018, Warwick RI. https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/Weak%20Rope%20Subgroup/2007_-_2017_alwtrt_gear_update_4_18.pdf.
- Morin, D., A. Henry, J. Higgins, M. Minton. 2018b. Atlantic Large Whale Take Reduction Team Entanglement Summary, Serious Injury/Mortality and Gear Analysis. Presentation to the Atlantic Large Whale Take Reduction Team, October 9th, 2018, Providence, RI. https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/October%202018/2018_fall_alwtrt_entanglement_update.pdf
- Morin, D. Large Whale Disentanglement Coordinator, Greater Atlantic Regional Fisheries Office, NOAA. Personal communication, August 16th, 2019.

- Myers, R.A., S.A. Boudreau, R.D. Kenney, M.J. Moore, A.A. Rosenberg, S.A. Sherrill, B. Worm. 2007. Saving endangered whales at no cost. *Current Biology*, 17(1). doi: 10.1016/j.cub.2006.11.045.
- Myers, H.J., M.J. Moore, M.F. Baumgartner, S.W. Brilliant, S.K. Katona, A.R. Knowlton, L. Morissette, H.M. Pettis, G. Shester, T.B. Werner. 2019. Ropeless Fishing to Prevent Large Whale Entanglements: Ropeless Consortium Report. *Marine Policy* 107. doi: 10.1016/j.marpol.2019.103587
- National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration, Commerce. 1997. Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations. *Federal Register*, 62(140): 39157-39188.
- National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce. 1999. American Lobster Fishery; Final Rule. *Federal Register*, 64(233): 68228-68262.
- National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce. 2007. Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; Final Rule. *Federal Register*, 72(193): 57104-57194.
- National Marine Fisheries Service (NMFS). 2014a. Northeast region, Section 7 Consultation on the American Lobster Fishery. NMFS tracking number NER2014-11076.
- National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration, Commerce. 2014b. Taking of Marine Mammals Incidental to Commercial Fishing Operations and Atlantic Coastal Fisheries Cooperative Management Act Provisions; American Lobster Fishery; Final Rule. *Federal Register*, 79(239): 73848-73852.
- National Marine Fisheries Service, National Oceanic and Atmospheric Administration (NOAA), Commerce. 2016. Endangered and Threatened Species; Critical Habitat for Endangered North Atlantic Right Whale; Final Rule. *Federal Register*, 81(17): 4837-4874.
- National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce. 2019a. Atlantic Large Whale Take Reduction Plan Modifications To Reduce Serious Injury and Mortality of Large Whales in Commercial Trap/Pot Fisheries Along the U.S. East Coast: Notice of intent to prepare environmental impact statement, request for comments. *Federal Register* 84(149): 37822-37824.
- National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce. 2019b. List of Fisheries for 2019; Final Rule. *Federal Register*, 84(95): 22051-22073.
- National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce. 2019c. Magnuson-Stevens Act Provisions; Fisheries of the Northeastern United States; Atlantic Herring Fishery; Adjustment to Atlantic Herring Specifications and Sub-Annual Catch Limits for 2019; Final Rule. *Federal Register*, 84(27): 2760-2767.
- National Marine Fisheries Service (NMFS) co-occurrence model. 2019. Prepared by Industrial Economics, Incorporated for the National Marine Fisheries Service Greater Atlantic Fisheries Office and the Atlantic Large Whale Take Reduction Team. Preliminary Draft Baseline model runs completed in April 2019. Presentation to the Take Reduction Team on Risk Reduction Tool, April 26th, 2019.

- https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/apr_16_risk_reduction_decision_tool_webinar_full_slide_deck.pdf
- National Marine Fisheries Service (NMFS) correspondence. Letter to the Atlantic Large Whale Take Reduction Team; Take Reduction Target. Sent by C. Coogan, April 5th, 2019.
https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/April%202019/06_take_reduction_target_letter_april52019.html
- National Marine Fisheries Service (NMFS), Office of Protected Resources. Reducing Ship Strikes to North Atlantic Right Whales. Last updated May 29th, 2019.
<https://www.fisheries.noaa.gov/national/endangered-species-conservation/reducing-ship-strikes-north-atlantic-right-whales>.
- National Marine Fisheries Service (NMFS), Office of Science and Technology. Annual Commercial Landings Statistics. Accessed July 3rd, 2019.
<https://www.st.nmfs.noaa.gov/commercial-fisheries/commercial-landings/annual-landings/index>
- National Marine Fisheries Service (NMFS). 2017-2019 North Atlantic Right Whale Unusual Mortality Event. Last updated October 4th, 2019. <https://www.fisheries.noaa.gov/national/marine-life-distress/2017-2018-north-atlantic-right-whale-unusual-mortality-event>
- National Marine Fisheries Service Northeast Fisheries Science Center. *Eubalaena glacialis* human interaction serious injuries and all mortalities 2000 to 2017. Unpublished data, report run July 2019.
- National Oceanic and Atmospheric Administration (NOAA) Northeast Fisheries Science Center Protected Species Branch. NOAA Right Whale Sighting Advisory System. Accessed July 5th, 2019. <https://www.nefsc.noaa.gov/psb/surveys/MapperiframeWithText.html>
- NOAA National Marine Fisheries Service, Greater Atlantic Regional Fisheries Office (GARFO). Great South Channel Restricted Trap/Pot Area. Gloucester, MA: shapefile published June 5th, 2015. <http://www.greateratlantic.fisheries.noaa.gov/gis>.
- NOAA National Marine Fisheries Service, Greater Atlantic Regional Fisheries Office (GARFO). Massachusetts Restricted Area. Gloucester, MA: shapefile published June 5th, 2015. <http://www.greateratlantic.fisheries.noaa.gov/gis>.
- NOAA National Marine Fisheries Service, Greater Atlantic Regional Fisheries Office (GARFO). Lobster Management Areas. Gloucester, MA: shapefile published May 1st, 2016. <http://www.greateratlantic.fisheries.noaa.gov/gis>.
- Oliver, C. 2019. Letter to Ms. Patrice McCarron, Executive Director, Maine Lobstermen's Association, Inc. October 2nd, 2019. Assistant Administrator for Fisheries, National Marine Fisheries Service.
- Oppenheim, N.G., R.A. Wahle, D.C. Brady, A.G. Goode, A.J. Pershing. 2019. The cresting wave: larval settlement and ocean temperatures predict change in the American lobster harvest. *Ecological Applications*, e02006. doi:10.1002/eap.2006
- Pace, R.M., P.J. Corkeron, S.D. Kraus. 2017. State-space mark-recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecology and Evolution*, 7: 8730–8741. doi: 10.1002/ece3.3406
- Pershing, A.J., L.B. Christensen, N.R. Record, G.D. Sherwood, P.B. Stetson. 2010. The impact of whaling on the ocean carbon cycle: Why bigger was better. *PLoS ONE* 5(8): e12444. doi: 10.1371/journal.pone.0012444
- Pershing, A.J., M.A. Alexander, C.M. Hernandez, L.A. Kerr, A. Le Bris, K.E. Mills, J.A. Nye, N.R. Record, H.A. Scannell, J.D. Scott, G.D. Sherwood, A.C. Thomas. 2015. Slow

- adaptation in the face of rapid warming leads to collapse of the Gulf of Maine cod fishery. *Science*, 350(6262): 809-812. doi: 10.1126/science.aac9819
- Pettis, H.M., R.M. Pace III, P.K. Hamilton. 2018. North Atlantic Right Whale Consortium Annual Report Card 2018. Report to the North Atlantic Right Whale Consortium, November 2018. www.narwc.org
- Record, N.R., J.A. Runge, D.E. Pendleton, W.M. Balch, K.T.A. Davies, A.J. Pershing, C.L. Johnson, K. Stamieszkin, R. Ji, Z. Feng, S.D. Kraus, R.D. Kenney, C.A. Hudak, C.A. Mayo, C. Chen, J.E. Salisbury, C.R.S. Thompson. 2019. Rapid Climate-Driven Circulation Changes Threaten Conservation of Endangered North Atlantic Right Whales. *Oceanography*, 32(2): 162-169. doi: 10.5670/oceanog.2019.201
- Roman, J., J.A. Estes, L. Morissette, C. Smith, D. Costa, J. McCarthy, J.B. Nation, S. Nicol, A. Pershing, V. Smetacek. 2014. Whales as marine ecosystem engineers. *Frontiers in Ecology and the Environment*, 12(7). doi: 10.1890/130220
- Rousseau, Y., R.A. Watson, J.L. Blanchard, E.A. Fulton. 2019. Evolution of global marine fishing fleets and the response of fished resources. *Proceedings of the National Academy of Sciences*, 116(25): 12238–12243. doi: 10.1073/pnas.1820344116
- Sharp, S.M., W.A. McLellan, D.S. Rotstein, A.M. Costidis, S.G. Barco, K. Durham, T.D. Pitchford, K. A. Jackson, P.-Y. Daoust, T. Wimmer, E.L. Couture, L. Bourque, T. Frasier, B. Frasier, D. Fauquier, T. K. Rowles, P. K. Hamilton, H. Pettis, M. J. Moore. 2019. Gross and histopathologic diagnoses from North Atlantic right whale *Eubalaena glacialis* mortalities between 2003 and 2018. *Diseases of Aquatic Organisms*, 135: 1-31. doi: 10.3354/dao03376
- Steneck, R.S., T.P. Hughes, J.E. Cinner, W.N. Adger, S.N. Arnold, F. Berkes, S.A. Boudreau, K. Brown, C. Folke, L. Gunderson, P. Olsson, M. Scheffer, E. Stephenson, B. Walker, J. Wilson, and B. Worm. 2011. Creation of a Gilded Trap by the High Economic Value of the Maine Lobster Fishery. *Conservation Biology*, 25(5): 904-912. doi: 10.1111/j.1523-1739.2011.01717.x
- U.S. Bureau of Labor Statistics. Producer Price Index by Commodity for Processed Foods and Feeds: Unprocessed Shellfish [WPU022305]. Retrieved from FRED, Federal Reserve Bank of St. Louis; <https://fred.stlouisfed.org/series/WPU022305>, November 8th, 2019.
- van der Hoop, J.M., P. Corkeron, J. Kenney, S. Landry, D. Morin, J. Smith, M.J. Moore. 2016. Drag from fishing gear entangling North Atlantic right whales. *Marine Mammal Science*, 32(2): 619-642. doi: 10.1111/mms.12292
- van der Hoop, J., P. Corkeron, M. Moore. 2017. Entanglement is a costly life-history stage in large whales. *Ecology and Evolution*, 7(1): 92-106, doi: 10.1002/ece3.2615.
- Waring, G.T., D.L. Palka, K.D. Mullin, J.H.W. Hain, L.J. Hansen, K.D. Bisack. 1997. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 1996. U.S. Department of Commerce, NOAA Tech Memo NMFS NE 114, 251p.
- Waring, G.T., J.M. Quintal, C.P. Fairfield, ed. 2002. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2002. NOAA Tech Memo NMFS NE 169, 318p.
- Waring, G.T., E. Josephson, K. Maze-Foley, P.E. Rosel, ed. 2016. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2015. NOAA Tech Memo NMFS NE 238, 501p.
- Worm, B., R. Hilborn, J.K. Baum, T.A. Branch, J.S. Collie, C. Costello, M.J. Fogarty, E.A. Fulton, J.A. Hutchings, S. Jennings, O.P. Jensen, H.K. Lotze, P.M. Mace, T.R. McClanahan, C. Minto, S.R. Palumbi, A.M. Parma, D. Ricard, A.A. Rosenberg, R.

Watson, D. Zeller. 2009. Rebuilding Global Fisheries. *Science*, 325(5940): 578-585. doi: 10.1126/science.1173146



Nature's Solution TO CLIMATE CHANGE

A strategy to protect whales can limit greenhouse gases and global warming

Ralph Chami, Thomas Cosimano, Connel Fullenkamp, and Sena Oztosun

When it comes to saving the planet, one whale is worth thousands of trees.


Scientific research now indicates more clearly than ever that our carbon footprint—the release of carbon dioxide (CO₂) into the atmosphere, where it contributes to global warming through the so-called greenhouse effect—now threatens our ecosystems and our way of life. But efforts to mitigate climate change face two significant challenges. The first is to find effective ways to reduce the amount of CO₂ in the atmosphere or its impact on average global temperature. The second is to raise sufficient funds to put these technologies into practice.

Many proposed solutions to global warming, such as capturing carbon directly from the air

and burying it deep in the earth, are complex, untested, and expensive. What if there were a low-tech solution to this problem that not only was effective and economical, but also had a successful funding model?

An example of such an opportunity comes from a surprisingly simple and essentially “no-tech” strategy to capture more carbon from the atmosphere: increase global whale populations. Marine biologists have recently discovered that whales—especially the great whales—play a significant role in capturing carbon from the atmosphere (Roman and others 2014). And international organizations have implemented programs such as Reducing Emissions from Degradation and Deforestation

CHART 1



(REDD) that fund the preservation of carbon-capturing ecosystems.

Adapting these initiatives to support international efforts to restore whale populations could lead to a breakthrough in the fight against climate change.

The carbon capture potential of whales is truly startling. Whales accumulate carbon in their bodies during their long lives. When they die, they sink to the bottom of the ocean; each great whale sequesters 33 tons of CO₂ on average, taking that carbon out of the atmosphere for centuries. A tree, meanwhile, absorbs only up to 48 pounds of CO₂ a year.

Protecting whales could add significantly to carbon capture because the current population of the largest great whales is only a small fraction of what it once was. Sadly, after decades of industrialized whaling, biologists estimate that overall whale populations are now less than one-fourth what they once were. Some species, like the blue whales, have been reduced to only 3 percent of their previous abundance. Thus,

the benefits from whales' ecosystem services to us and to our survival are much less than they could be.

But this is only the beginning of the story.

The whale pump

Wherever whales, the largest living things on earth, are found, so are populations of some of the smallest, phytoplankton. Not only do these microscopic creatures contribute at least 50 percent of all oxygen to our atmosphere, they do so by capturing about 37 billion metric tons of CO₂, an estimated 40 percent of all CO₂ produced. To put things in perspective, we calculate that this is equivalent to the amount of CO₂ captured by 1.70 trillion trees—four Amazon forests' worth—or 70 times the amount absorbed by all the trees in the US Redwood National and State Parks each year. More phytoplankton means more carbon capture.

In recent years, scientists have discovered that whales have a multiplier effect of increasing

phytoplankton production wherever they go. How? It turns out that whales' waste products contain exactly the substances—notably iron and nitrogen—phytoplankton need to grow. Whales bring minerals up to the ocean surface through their vertical movement, called the “whale pump,” and through their migration across oceans, called the “whale conveyor belt” (see Chart 1). Preliminary modeling and estimates indicate that this fertilizing activity adds significantly to phytoplankton growth in the areas whales frequent.

Despite the fact that nutrients are carried into the ocean through dust storms, river sediments, and upwelling from wind and waves, nitrogen and phosphorus remain scarce and limit the amount of phytoplankton that can bloom in warmer parts of the oceans. In colder regions, such as in the Southern Ocean, the limiting mineral tends to be iron. If more of these missing minerals became available in parts of the ocean where they are scarce, more phytoplankton could grow, potentially absorbing much more carbon than otherwise possible.

Letting whales live

This is where the whales come in. If whales were allowed to return to their prewhaling number of 4 to 5 million—from slightly more than 1.3 million today—it could add significantly to the amount of phytoplankton in the oceans and to the carbon they capture each year. At a minimum, even a 1 percent increase in phytoplankton productivity thanks to whale activity would capture hundreds of millions of tons of additional CO₂ a year, equivalent to the sudden appearance of 2 billion mature trees. Imagine the impact over the average lifespan of a whale, more than 60 years.

Despite the drastic reduction in commercial whaling, whales still face significant life-threatening hazards, including ship strikes, entanglement in fishing nets, waterborne plastic waste, and noise pollution. While some species of whales are recovering—slowly—many are not.

Enhancing protection of whales from human-made dangers would deliver benefits to humans, the planet, and of course, the whales themselves. This “earth-tech” approach to carbon sequestration also avoids the risk of unanticipated harm from suggested untested high-tech fixes. Nature has had millions of years to perfect her whale-based carbon sink technology. All we need to do is let the whales live.

Now we turn to the economic side of the solution. Protecting whales has a cost. Mitigating the many threats to whales involves compensating those causing the threats, a group that includes countries, businesses, and individuals. Ensuring that this approach is practical involves determining whales' monetary value.


International public good

Whales produce climate benefits that are dispersed all over the globe. And because people's benefits from the existence of whales do not diminish the benefits that others receive from them, they are a textbook public good (see Chart 2). This means that whales are affected by the classic “tragedy of the commons” that afflicts public goods: no individual who benefits from them is sufficiently motivated to pay his or her fair share to support them. Just think of the importance of earth's atmosphere to humans' survival. Even though all nations acknowledge that everyone has an interest in preserving this common resource for the future, global coordination remains a problem.

To solve this international public goods problem, we must first ask, What is the monetary value of a whale? Proper valuation is warranted if businesses and other stakeholders are to be galvanized to save the whales by showing that the benefits of protecting them far exceed the cost. We estimate the value of an average great whale by determining today's value of the carbon sequestered by a whale over its lifetime, using scientific estimates of the amount whales contribute to carbon sequestration, the market price of carbon dioxide, and the financial technique of discounting. To this, we also add today's value of the whale's other economic contributions, such as fishery enhancement and ecotourism, over its lifetime. Our conservative estimates put the value of the average great whale, based on its various activities, at more than \$2 million, and easily over \$1 trillion for the current stock of great whales.

But there is still the question of how to reduce the myriad dangers to whales, such as ship strikes and other hazards. Luckily, economists know how these types of problems can be solved. In fact, a potential model for such solutions is the United Nations (UN) REDD program. Recognizing that deforestation accounts for 17 percent of carbon emissions, REDD provides incentives for countries to preserve their forests as a means of keeping CO₂ out of the atmosphere. In a similar way, we can create financial mechanisms to promote the restoration

CHART 2



of the world's whale populations. Incentives in the form of subsidies or other compensation could help those who incur significant costs as a result of whale protection. For example, shipping companies could be compensated for the cost of altered shipping routes to reduce the risk of collisions.

This solution, however, raises questions that are tricky to answer. To begin with, a financial facility for protecting whales and other natural assets must be set up and funded. Exactly how much should we be willing to spend on protecting the whales? We estimate that, if whales were allowed to return to their prewhaling numbers—capturing 1.7 billion tons of CO₂ annually—it would be worth about \$13 a person a year to subsidize these whales' CO₂ sequestration efforts. If we agree to pay this cost, how should it be allocated across countries, individuals, and businesses? How much should each individual, company, and country that must bear some of the cost of protecting whales be compensated? And who will oversee the compensation and monitor compliance with the new rules?


International financial institutions, in partnership with other UN and multilateral organizations, are ideally suited to advise, monitor, and coordinate the actions of countries in protecting

whales. Whales are commonly found in the waters around low-income and fragile states, countries that may be unable to deal with the needed mitigation measures. Support for these countries could come, for example, from the Global Environment Facility, which typically provides support to such countries to meet international environmental agreements. The IMF is also well placed to help governments integrate the macroeconomic benefit that whales provide in mitigating climate change, as well as the cost of measures to protect the whales, into their macro-fiscal frameworks. The World Bank has the expertise to design and implement specific programs to compensate private sector actors for their efforts to protect whales. Other UN and multilateral organizations can oversee compliance and collect data to measure the progress of these efforts.

A new mindset

Coordinating the economics of whale protection must rise to the top of the global community's climate agenda. Since the role of whales is irreplaceable in mitigating and building resilience to climate change, their survival should be integrated into the objectives of the 190 countries that in 2015 signed the Paris Agreement for combating climate risk.

CHART 3



International institutions and governments, however, must also exert their influence to bring about a *new mindset*—an approach that recognizes and implements a holistic approach toward human survival, which involves living within the bounds of the natural world. Whales are not a human solution—these great creatures having inherent value of their own and the right to live—but this new mindset recognizes and values their integral place in a sustainable ocean and planet. Healthy whale populations imply healthy marine life including fish, seabirds, and an overall vibrant system that recycles nutrients between oceans and land, improving life in both places. The “earth-tech” strategy of supporting whales’ return to their previous abundance in the oceans would significantly benefit not only life in the oceans, but also life on land, including our own.

With the consequences of climate change here and now, there is no time to lose in identifying and implementing new methods to prevent or reverse harm to the global ecosystem. This is especially true when it comes to improving the protection of whales so that their populations can grow more quickly. Unless new steps are taken, we estimate it would take over 30 years just to

double the number of current whales and several generations to return them to their prewhaling numbers. Society and our own survival can’t afford to wait this long. **FD**

RALPH CHAMI is an assistant director and **SENA OZTOSUN** is a research analyst in the IMF’s Institute for Capacity Development, **THOMAS COSIMANO** is professor emeritus at the University of Notre Dame’s Mendoza College of Business, and **CONNEL FULLENKAMP** is professor of the practice of economics and director at Duke University’s Economics Center for Teaching.

References:

Lavery, T., B. Roudnew, P. Gill, J. Seymour, L. Seuront, G. Johnson, J. Mitchell, and V. Smetacek. 2010. “Iron Defecation by Sperm Whales Stimulates Carbon Export in the Southern Ocean.” *Proceedings of the Royal Society B: Biological Sciences* 277, no. 1699:3527–31.

Lutz, S., and A. Martin. 2014. *Fish Carbon: Exploring Marine Vertebrate Carbon Services*. Arendal, Norway: GRID-Arendal.

Pershing, A., L. Christensen, N. Record, G. Sherwood, and P. Stetson. 2010. “The Impact of Whaling on the Ocean Carbon Cycle: Why Bigger Was Better.” *PLoS One* 5, no. 8: 1–9.

Roman, J., J. Estes, L. Morissette, C. Smith, D. Costa, J. McCarthy, J. B. Nation, S. Nicol, A. Pershing, and V. Smetacek. 2014. “Whales as Marine Ecosystem Engineers” *Frontiers in Ecology and the Environment* 12, no. 7: 377–85.

Smith, C., J. Roman, and J. B. Nation. 2019. “A Metapopulation Model for Whale-Fall Specialists: The Largest Whales Are Essential to Prevent Species Extinctions—The Sea.” Unpublished.

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/270509225>

Incremental fishing gear modifications fail to significantly reduce large whale serious injury rates

Article in *Endangered Species Research* · December 2014

DOI: 10.3354/esr00635

CITATIONS

20

READS

121

3 authors:



Richard Mears Pace

National Oceanic and Atmospheric Administration

51 PUBLICATIONS 876 CITATIONS

[SEE PROFILE](#)



Timothy V. Cole

National Oceanic and Atmospheric Administration

42 PUBLICATIONS 657 CITATIONS

[SEE PROFILE](#)



Allison Glass Henry

National Oceanic and Atmospheric Administration

30 PUBLICATIONS 286 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Statistical aspects of radio tracking wildlife [View project](#)



Right whale aerial survey optimization [View project](#)



Incremental fishing gear modifications fail to significantly reduce large whale serious injury rates

Richard M. Pace III*, Timothy V. N. Cole, Allison G. Henry

Northeast Fisheries Science Center, National Marine Fisheries Service, 166 Water Street, Woods Hole, MA 02543, USA

ABSTRACT: A major and immediate goal of the US Marine Mammal Protection Act is the reduction of marine mammal mortality incidental with commercial fishing operations. Under articles of the Act, the Atlantic Large Whale Take Reduction Plan (ALWTRP) was developed and implemented to reduce entanglement mortality of North Atlantic right whales *Eubalaena glacialis*, Gulf of Maine humpback whales *Megaptera novaeangliae*, and western North Atlantic fin whales *Balaenoptera physalus* by requiring modifications to commercial fishing gear (i.e. pots and sink gill-nets). Although they undercount the number of entanglements, counts of detected incidents of entanglements and entanglement-related mortality are the primary index to entanglement mortality. We analyzed the annual counts of large whale entanglements including serious injuries and mortalities attributed to entanglements to evaluate the effectiveness of the ALWTRP from 1999 to 2009. The annual number of mortality events (including serious injuries) related to fishing gear entanglements averaged 2.5 for right whales, 6.5 for humpbacks, 0.6 for fin whales, and 2.4 for minke whales *B. acutorostrata*. Annual entanglement rates increased during the study period, but evidence for increased rates of entanglement-related mortality was equivocal. No significant changes occurred in waiting time (the number of days between entanglement events) in response to any management measures implemented to reduce large whale mortalities between 1998 and 2009, implying that these measures were generally ineffective in abating whale deaths from entanglements in fishing gear.

KEY WORDS: By-catch · Human-caused mortality · Large whales · Efficacy tests

INTRODUCTION

Cetaceans, including large whales, frequently become entangled in commercial fishing gear, and some entanglements result in injuries that may lead to the whale's death (Moore et al. 2005). In the USA, all entanglements, regardless of their lethality, constitute 'a take' or form of harassment that the Marine Mammal Protection Act (MMPA) and the Endangered Species Act (ESA) are intended to restrict. When human-caused mortality exceeds a prescribed threshold value, the MMPA compels the US government, in this case the National Marine Fisheries Service (NMFS; US Department of Commerce), to convene a take reduction team to develop rules to

reduce human-caused mortality related to commercial fishing within the exclusive economic zone (EEZ) of the USA. In developing take reduction plans, NMFS convenes meetings of stakeholders, primarily state government representatives, fishing industry participants, conservation advocates, and academic scientists, in an attempt to negotiate practical mitigation measures through consensus agreements. Regulations may target both lethal and non-lethal takes, and it is important that NMFS can demonstrate that a reduction in entanglements results from these rules. The set of rules described in the Atlantic Large Whale Take Reduction Plan (ALWTRP) (National Marine Fisheries Service 2007) attempts to reduce entanglement mortality of North Atlantic right

*Corresponding author: richard.pace@NOAA.gov

whales *Eubalaena glacialis*, Gulf of Maine humpback whales *Megaptera novaeangliae*, and western North Atlantic fin whales *Balaenoptera physalus* by stipulating fishing restrictions and requirements for modifications to commercial pot fishing gear and sinking gillnets in the temperate western North Atlantic.

Ideally, the best indicator of the biological effectiveness of ALWTRP rules would be to compare measures of the incidence of entanglement or mortality rate due to entanglement both before and after regulations are in place. If we could estimate the cause-specific mortality due to entanglement at different times, we could gauge the effectiveness of regulations and measure the influence of entanglement on demographic patterns. However, the logistics of studying wild cetaceans renders estimates of cause-specific mortality unlikely in the near future. Most whales die far from shore, and few carcasses are discovered for which the cause of mortality can be reasonably assured. Finally, detectability rates may vary significantly among causes of mortality so that observed proportions of detected causes may be unreliable estimates (Williams et al. 2011). This detection issue influences any measure of incidence rates, such that records of entanglement or mortality due to entanglement likely represent a small subset of actual entanglements. Using counts of incidents to judge effectiveness requires an assumption that the fraction of detected entanglements is not greatly influenced by the rate of occurrence and has a constant expectation throughout the time series being examined. Because unbiased estimates of annual numbers of entanglements, mortality due to entanglement, or even population sizes are not available, the basic data of raw counts of detected entanglements and deaths are the only direct measure of fisheries interactions with large whales.

We evaluated the ALWTRP's (National Marine Fisheries Service 2007) effectiveness in meeting the stated management goals directed at stocks of several baleen whales that spend significant time in US waters off the northeastern US coast. These rules attempt to reduce entanglement mortality of North Atlantic right whales, Gulf of Maine humpback whales, and western North Atlantic fin whales by regulating both commercial pot and sink gillnet fisheries. We note that with the exception of right whales, we are referencing stocks which are subpopulations recognized in US regulations as spending significant time in US waters. We were particularly interested in entanglement data prior to the enactment of a relatively contentious regulation referred to as the 'ground line rule', which requires fishers to use

sinking lines in their gear configurations (National Marine Fisheries Service 2008). We believed that if the ALWTRP rules were effective, there would be a reduction in entanglement-related deaths and concomitantly in the detection of such deaths for these whale stocks, as well as for the Canadian east coast minke whale (*Balaenoptera acutorostrata*) stock, which is common in the same US waters. Specifically, we examined entanglement event data to determine the basic character of the event time series from 1999 through 2009. We also used simulation to examine the power of these methods, including an assessment of the influence of population change on the discovery of decreased incidence rates.

METHODS

Large whale entanglements were detected opportunistically by a wide range of observers, including biologists, commercial fishermen, commercial whale watchers, recreational boaters, and others. They were reported to the NMFS primarily through the Atlantic Large Whale Disentanglement Network and formal marine mammal stranding networks along the east coast of the USA and Canada. Those reports were evaluated by the Northeast Fisheries Science Center as part of a federal process to quantify serious injuries and mortalities (e.g. Henry et al. 2011). Here, those data were used to examine temporal patterns in reported entanglements of right, humpback, fin, and minke whales from 1 January 1999 through 31 December 2009. We removed all entanglements with strong evidence that they occurred outside the US EEZ (first seen entangled east of Halifax, Nova Scotia, or entangled in Canadian gear) and those entangled in gear from fisheries not regulated by the ALWTRP (principally fish weirs). We evaluated 2 data sets: all entanglements, and the subset of entanglements judged to result in mortality or serious injury. Hereafter, the term mortality will refer to any known dead animals or those judged to have received serious injuries caused by fishery interactions that, according to NMFS guidelines, would likely result in death.

We examined these data in 2 different forms: the annual counts and the waiting times between detected events. Counts per unit time and waiting times are 2 measures associated with the same process, and either type of data may be used to evaluate rates of events through time. Annual counts of entanglement and mortality events for each species should resemble a Poisson process, each with its own

inherent rate, and can be summarized with generalized linear models for Poisson data. Waiting times, which we defined as the numbers of days elapsed between the discovery dates of 2 subsequent events, are a continuous analog to the count data and may offer advantages when analyzing relatively rare events. In particular, they have a cumulative distribution along a time axis that may inform our examinations. Based on a simulation experiment, Pace (2011) concluded that waiting times were more sensitive than counts per unit time for detecting modest changes (e.g. 50% reduction) when annual detections averaged fewer than 10. Because rates of entanglement detections are low, we focused our analysis on waiting times.

Statistical analysis

We conducted pair-wise comparisons of annual rates of entanglements between stocks, and calculated generalized linear models of annual counts and 'waiting times' to judge competing hypotheses about changes in entanglement rates through time. For each of the 4 stocks, we first examined the waiting time data relative to fits of models of exponential waiting times assuming a constant mean annual rate of entanglement. We estimated the mean exponential waiting time over the entire period and plotted the empirical cumulative distribution against a theoretical one with the estimated mean as its sole parameter. Second, we examined pair-wise plots of counts of entanglements between stocks to look for common patterns and evaluated Poisson regressions for pairs that appeared correlated. We combined all event data in the same model allowing 'species' as a possible predictor, and we fit a series of generalized linear models (McCullagh & Nelder 1989) to counts and their associated waiting times between events. Competing models were, in ascending order of complexity with regard to time:

- (1) a single constant rate (null model);
- (2) species-specific intercepts and a constant rate through time;
- (3) species-specific intercepts plus 2 different rates representing the time frames of the initial ALWTRP and the subsequent expanded gear modifications beginning in 2002 (a breakdown of regulation changes over time appears in the supplemental material in van der Hoop et al. 2013);
- (4) species-specific intercepts and a linearly (in the link) changing rate through time;
- (5) species-specific intercepts plus a quadratic mo-

del of continuous time to accommodate possible multiple reductions in entanglements or entanglement-related mortalities over time;

(6) species-specific intercepts plus variable rates among years (i.e. 11 rates, 1 per year 1999–2009); and

(7) species-specific rates (i.e. species by continuous time interaction).

To count data, we fit analogous logistic regression models to examine evidence for changes in the proportions of mortalities observed per detected entanglement. All models were developed using the generalized linear model ('glm') procedure in R (ver. 2.14) (R Development Core Team 2011). Model comparisons were based on corrected Akaike's information criterion (AICc) and associated weight of evidence calculations for likelihood models (Anderson 2008). When there was no clear best model, we used model-averaged predictions calculated using the R package 'AICcmodavg' (ver. 1.24) to summarize relationships.

Evaluations of similar data suggested that a relatively powerful approach for detecting changes may be to develop regressions of event times against order of occurrence (cumulative waiting time for an event versus its occurrence), and to compare models with and without change points (Pace 2011). The approach is attractive in that one can visualize and test for divergence (change point) occurring when a specific conservation measure is enacted or becomes effective. However, arranging the data thusly likely imputes an auto-correlated error structure which bears consideration, and because the predictor is now order of occurrence, the method is most suitable for one species at a time or pooled events. The ALWTRP rules have been amended in ways that presumably would have increased protection to whales during the study period, so we fit generalized least squares models (Pinheiro & Bates 2000) to event times allowing for auto-correlated errors to examine the evidence for a change in the rate of entanglement and entanglement mortality detections in the period 1999 to 2009. Specifically, competing models were (Fig. 1):

(8) a single slope (a constant rate, not shown in Fig. 1);

(9) a fixed change point having 2 slopes coinciding with initial ALWTRP and expanded gear modifications in 2002;

(10) a fixed change point having 2 slopes on either side of the implementation date for another set of expanded gear modifications (starting with an entanglement prior to 5 October 2008); and

(11) a linear model with a quadratic term to test for curvilinear change over the study period.




Fig. 1. Experimental conditions (i.e. true mean event rates) for simulations to test the power of statistical models to detect deviations in exponential waiting times due to conservation measures that reduce event rates under no growth and 2% growth scenarios. Each color represents 4 different patterns of change in entanglement mortalities. Constant rate is absent but shown are a 33% reduction in Year 5, a 50% reduction in Year 5, and an 8% drop per year

To examine whether population growth might act to obscure substantial conservation benefits, we replicated the above experimental conditions assuming annual 2% growth (Fig. 1). We used the 'gls' proce-

dures in R for calculations. Model comparisons were based on AICc and associated weight of evidence calculations for likelihood models (Anderson 2008).

Simulation experiments

We were interested in the general sensitivity of the above analyses to these kinds of moderately low observed rates of occurrence over similar short time frames. So, in addition to evaluating the available records of detected entanglements and the subset leading to mortalities, we examined the potential to detect a change in rates of events using a set of simulation trials. Specifically, we simulated sets (1000 each) of randomly generated exponential waiting times that could occur over an 11 yr period if the rates of occurrence of events were generated under the following set of experimental conditions:

- (1) Base rates of 3, 5, 10, or 15 events per year; and
- (2) Changes to the base rate (effects) within a time series diminished at 8 or 10% per year, or alternatively, after the first event occurring in Year 5, base rates would decrease by 0, 33, or 50%

This yielded 20 experimental settings with known mean rates of event occurrence (see Table 1). For each simulated data set, we fit the following models using either a glm or generalized least squares (gls):

- (1) Constant count of events each year (Poisson, glm)
- (2) Two mean rates, one for Years 1–5 and the other for Years 6–11 (Poisson, glm)
- (3) Graduated rate change (Poisson, glm)
- (4) Constant waiting times across years (Gamma, glm)
- (5) Different mean waiting times for Years 1–5 and Years 6–11 (Gamma, glm)
- (6) Gradually changing mean waiting time over the study period (Gamma, glm)

(7) Event time series with a constant slope (gls, auto-correlated errors)

(8) Segmented regression allowing the slope of the event time series to change at the start of Year 6 (gls, auto-correlated errors)

(9) Linear regression including a quadratic term to allow for continuous change over the event time series (gls, auto-correlated errors).

For each trial, we used deviance tests to make the following model comparisons: 2 vs. 1, 3 vs. 1, 5 vs. 4, 6 vs. 4, 8 vs. 7, and 9 vs. 7. The percent rejections ($\alpha = 0.05$) were taken as Type I errors under no change, or as measure of power to detect a true change for the 20 combinations of 4 base levels and 5 effects.

RESULTS

Whale events evaluated by the Northeast Fisheries Science Center for the 11 yr period prior to enactment of the ground-line rule (1999–2009) included 167, 59, 62, and 22 records of entanglements of humpback, right, minke, and fin whales, respectively, of which 72, 28, 26, and 7 were classified as serious injuries or mortalities. Comparisons of counts of entanglements and mortalities between species showed little agreement, except that annual right whale entanglements were correlated with those of humpback whales (Poisson regression with log link: slope = 0.082 ± 0.30 SE [$\Pr > |Z| = 0.0058$] probability of a greater absolute Z-statistic). Empirical distributions of species-specific waiting times had the same general appearance of exponential random variables generated by theoretical distributions derived using the calculated means as the theoretical mean. Close inspection of these comparisons gave the impression of a slight lack-of-fit due to excessive clustering of shorter waiting times (Fig. 2), but there was no substantive statistical evidence that single species models of waiting times were different from a constant Poisson process through time.

Generalized linear models provided substantial evidence that counts of

entanglements and mortalities due to entanglement and their associated waiting times were not consistent during the study period (Table 1). Substantial differences in base rates were exhibited among species, with humpback entanglements and mortalities reported more than twice as frequently as those of right and minke whales, which were much more common than those of fin whales. Annual counts of detected entanglements increased, and waiting times slightly decreased during the study period (Fig. 3A,B), but results from entanglement-related mortalities were less clear. Counts of detected mortalities were relatively constant, with a small increase occurring after 2002, whereas model-averaged predictions of waiting times between mortalities slightly increased (Fig. 3C,D). Our logistic model provided

Table 1. Results of generalized linear models of waiting times between entanglements or mortalities due to entanglement for 4 species of baleen whales (*Balaenoptera acutorostrata*, *B. physalus*, *Eubalaena glacialis*, *Megaptera novaeangliae*) in the Atlantic exclusive economic zone (EEZ) from 1999 to 2009. K: no. of parameters in the model; AICc: corrected Akaike's information criterion

Model	K	AICc	Δ AICc	AICc weight	Cumulative weight
Entanglement counts					
Species + Year	5	203.84	0	0.52	0.52
Species + Quadratic(Year)	6	205.28	1.44	0.25	0.77
Species + 2 Periods	5	206.26	2.42	0.15	0.92
Species	4	208.96	5.12	0.04	0.96
Species \times Year	8	209.22	5.38	0.04	1
Species + Factor(Year)	14	218.38	14.54	0	1
Constant	1	343.19	139.34	0	1
Entanglement waiting times					
Species + Quadratic(Year)	7	420.54	0	0.55	0.55
Species	5	422.95	2.42	0.16	0.71
Species + Year	6	423.06	2.52	0.15	0.86
Species + Factor(Year)	15	424.59	4.05	0.07	0.94
Species + 2 Periods	6	424.96	4.42	0.06	1
Species \times Year	9	430.85	10.32	0	1
Constant	2	471.64	51.1	0	1
Mortality + Serious injury counts					
Species	3	134.05	0	0.5	0.5
Species + 2 Periods	4	134.96	0.91	0.32	0.81
Species + Year	4	136.65	2.6	0.14	0.95
Species + Quadratic(Year)	5	139.43	5.39	0.03	0.98
Species \times Year	6	140.88	6.84	0.02	1
Species + Factor(Year)	13	153.69	19.65	0	1
Constant	1	159.32	25.27	0	1
Mortality + Serious injury waiting times					
Species + Year	5	358.07	0	0.38	0.38
Species	4	358.08	0.01	0.37	0.75
Species + 2 Periods	5	360.42	2.35	0.12	0.86
Species + Quadratic(Year)	6	360.48	2.4	0.11	0.98
Species \times Year	7	363.74	5.67	0.02	1
Constant	2	373.09	15.01	0	1
Species + Factor(Year)	14	375.88	17.81	0	1




Fig. 2. Empirical cumulative distributions (red lines with dots) plotted against their theoretical distributions (solid black lines) derived from using means of waiting times between detected entanglements or mortalities due to entanglements for 4 species of large whales (humpback whale *Megaptera novaeangliae*; right whale *Eubalaena glacialis*; minke whale *Balaenoptera acutorostrata*; fin whale *B. physalus*) monitored in the Atlantic US exclusive economic zone (EEZ) from 1999 to 2009. Note the different x-axis scales

evidence for a declining trend in the probability that a detected entanglement would be classified as a mortality or serious injury, and that the species being monitored had little influence on proportions (Table 2, Fig. 4). In the case of minke whale mortalities due to entanglement, a model that predicted decreased death rates per detected entanglement over time (quadratic fit; Table 3) had about twice the

supporting evidence than the model fitting only a constant rate.

Our tests of the cumulative waiting times for entanglements and their related mortalities varied somewhat among species (Fig. 5). In general, there was modest to little evidence to support deviation in either the entanglement rate or the lethal entanglement rate from a constant rate during the study




Fig. 3. Annual values plotted against resulting generalized linear model fits to (A) counts of entanglements, (B) waiting times between entanglements, (C) counts of mortalities due to entanglement, and (D) waiting times between detected entanglement mortalities for (A,B) 4 species and (C,D) 3 species of large whales (for full species names see Fig. 2) monitored in the Atlantic US exclusive economic zone (EEZ) from 1999 to 2009. AICc: corrected Akaike’s information criterion

Table 2. Results of logistic regression models of probability that a detected entanglement was a mortality or serious injury for 4 species of baleen whales (*Balaenoptera acutorostrata*, *B. physalus*, *Eubalaena glacialis*, *Megaptera novaeangliae*) in the Atlantic EEZ from 1999 to 2009. See Table 1 for abbreviations

Model	K	AICc	ΔAICc	AICc weight	Cumulative weight
Quadratic(Year)	3	422.38	0	0.43	0.43
Year	2	422.41	0.03	0.43	0.86
Constant	1	425.5	3.12	0.09	0.95
Species + Year	5	427.35	4.97	0.04	0.99
Species	4	429.96	7.58	0.01	1
Species × Year	8	431.97	9.59	0	1
Species + Factor(Year)	288	8526.76	8104.38	0	1

period because there was no clear winner among competing models (AICc difference of >8; Tables 3 & 4). In nearly all instances of evidence supporting change elements, the estimated parameters led to models predicting that events were more frequent toward the end of the study period. Increasing event rates through time was most evident for humpback and fin whale entanglements, for which there was no evidence to support a constant event rate.

Not surprisingly, results from our simulation experiments showed the marked influence that sample size (number of events tallied) and effect sizes (overall reductions in event rates) have on the chances of detecting a true change in event rates (Fig. 6). A 20% reduction in entanglement rate had little chance of being detected in the simulations even when the base rate was 15 entanglements per year. More substantial effect sizes stood a fair chance of being detected when initial rates were 10 or more per year, and models of waiting times (glm, gamma with inverse link) were slightly more powerful at detecting true change than those relying on count data. Models of event times were substantially more powerful than those for counts or waiting times but, surprisingly, the Type I error rates for this approach were also substantially higher (~40%) than normally accepted in the classical statistical paradigm. Including 2% annual population growth with a concomi-




Fig. 4. Annual proportions of detected entanglements declared to be mortalities or serious injuries plotted against a logistic regression model fit to events built on continuous time for 3 species of large whales monitored in the Atlantic US EEZ from 1999 to 2009. Note that competing models that included species as a predictor had little influence on the model-averaged predicted proportions. Points are raw species within year proportions. Line is model-averaged using the 4 best AICc weights = 0.43, 0.43, 0.09, 0.04. Fitted line \pm 1 SE. See Fig. 2 for full species names




Fig. 5. Plots of event times (years since 1 January 1999) by order of occurrence for entanglement or mortalities or serious injuries due to entanglement events for 4 species of large whales (see Fig. 2 for full species names) monitored in the Atlantic US EEZ from 1999 to 2009. A conservation measure that reduces rates of occurrence would cause plots to deflect upward (more time between events). Note the different x-axis scales

tant increase in mortality events slightly lowered the rejection rate of false null hypotheses (Fig. 6), but modest and large effect sizes were readily detected.

DISCUSSION

The data available for measuring fisheries interactions with large whales, as with many situations in conservation biology, are often too sparse to support strong conclusions about the efficacy of attempts to mitigate those interactions. As our simulations showed, rates of detected entanglement-related mortality must be reduced substantially (on the order of 50% or more) to have much of a guarantee of a change over short time frames (10 yr) being detected. A solution to this dilemma may exist if multiple rare events can be linked in a common analysis or concomitant predictors can be incorporated (Dixon et al. 2005). Analyzing a similar time series of events, Pace (2011) recognized that sums of Poisson processes remain Poisson, and thus he pooled detected ship strikes of large whales to achieve greater power in his evaluations. In our analysis of the efficacy of rules to mitigate fisheries interactions with large whales, we used the idea that modifications to gear may affect interaction rates with multiple species, and combined 4 species into a common set of analyses to increase the power of our analyses.

Through our examination of detection times of entanglements and entanglement-related deaths, we found no evidence to suggest that the frequency of entanglements or entanglement-related mortality substantially abated during 1999–2009. The lack of evidence to support declining frequencies of entanglement or serious injury due to entanglement remains disappointing, given that considerable time and expense have

Table 3. Model comparisons of generalized least squares fits (auto-correlated error structure) to detected mortalities and serious injuries from gear entanglement predicted by competing models on their order of occurrence, for *Megaptera novaeangliae*, *Eubalaena glacialis*, and *Balaenoptera acutorostrata*. See Table 1 for abbreviations

Model	Mortalities				
	K	AICc	Δ AICc	AICc weight	Cumulative weight
Humpback whale					
Change after 2002	5	-24.69	0	0.75	0.75
Linear regression	4	-21.32	3.38	0.14	0.88
Quadratic	5	-19.97	4.72	0.07	0.95
Change after 2008	5	-19.11	5.58	0.05	1
Right whale					
Linear regression	4	30.39	0	0.51	0.51
Change after 2008	5	32.21	1.82	0.21	0.71
Quadratic	5	32.73	2.33	0.16	0.87
Change after 2002	5	33.16	2.76	0.13	1
Minke whale					
Quadratic	5	36.59	0	0.53	0.53
Linear regression	4	37.71	1.12	0.3	0.83
Change after 2002	5	39.95	3.36	0.1	0.93
Change after 2008	5	40.76	4.16	0.07	1

Table 4. Model comparisons of generalized least squares (auto-correlated error structure) fits to entanglement detections predicted by competing models on their order of occurrence, for *Megaptera novaeangliae*, *Eubalaena glacialis*, *Balaenoptera acutorostrata*, and *B. physalus*. See Table 1 for abbreviations

Model	Entanglements				
	K	AICc	Δ AICc	AICc weight	Cumulative weight
Humpback whale					
Quadratic	5	-289.16	0	0.93	0.93
Change after 2008	5	-282.87	6.28	0.04	0.97
Change after 2002	5	-282.18	6.98	0.03	1
Linear regression	4	-278.55	10.61	0	1
Right whale					
Change after 2008	5	-20.37	0	0.46	0.46
Linear regression	4	-19.66	0.71	0.33	0.79
Quadratic	5	-17.5	2.87	0.11	0.9
Change after 2002	5	-17.3	3.07	0.1	1
Minke whale					
Quadratic	5	5.42	0	0.34	0.34
Linear regression	4	5.71	0.3	0.29	0.63
Change after 2002	5	5.8	0.38	0.28	0.91
Change after 2008	5	8.02	2.61	0.09	1
Fin whale					
Quadratic	5	33.46	0	0.94	0.94
Change after 2002	5	39.26	5.81	0.05	0.99
Linear regression	4	44.49	11.03	0	1
Change after 2008	5	45.11	11.65	0	1

been spent involving stakeholders in a process to develop measures (gear modifications) specifically designed to mitigate such interactions. Most of the evidence from evaluating the event data suggests

that events became more frequent through the study period. Our results indicate a clear need for different or additional mitigation measures.

At least 2 indirect lines of evidence support our conclusion that mitigation measures deployed during our study period were insufficient to reduce large whale and fisheries interactions to acceptable levels. Robbins (2011, 2012) analyzed entanglement rates of humpback whales in the Gulf of Maine and concluded that new entanglements were either constant or increasing during a time frame largely overlapping ours. Similarly, Knowlton et al. (2012) evaluated rates of entanglement scar acquisition by North Atlantic right whales and estimated a nearly constant rate of new scarring from 1999 to 2006. Knowlton et al. (2012) also detected an increase in the rate of right whales carrying gear and an increase in the number of whales that they determined as seriously injured. (Their definition varies somewhat from NMFS definition.) More directly, van der Hoop et al. (2013) evaluated stranding records and found significant increases in entanglement and vessel strike mortality probabilities for large whales from 1990 through 2009. In addition, they found no significant change in the local intensity of mortalities before and after 2003, which implies that much of the detected increase in our first model was due to increased lethal fisheries interactions.

It is possible that entanglements and related mortalities declined during the period but that the detectability of events increased, or growing whale populations produced increased numbers of events despite a declining prevalence. Based on studies of acquisition rates of non-lethal entanglement scars on humpback whales, only a small fraction of entanglements

are detected (Robbins 2011). Thus, variable detection rates could significantly alter waiting times inherent in our records. However, we are aware of no evidence to suggest that detectability of events has




Fig. 6. Results of simulations examining the power of 6 different deviance tests to detect differences from constant event rates (H_0) when rates increase linearly with populations and concomitant event rate growth of 2% (●) and no growth (▲). Plot groupings portray different base event rates modified with 5 different rate-reducing effects (see 'Methods' for a description of experimental conditions and specific tests 1–6). Note that a difference in a trial occurs when the appropriate statistical test statistic is rejected at $\alpha = 0.05$, and rejecting when H_0 is true (no difference exists = Constant) is a Type I error

changed. As noted earlier, detections come from a wide range of observers, including biologists, commercial fishermen, commercial whale watchers, recreational boaters, and others. No large changes in large whale research and management occurred during our study, thus there was relatively constant effort exerted in detecting entanglements. Many detections came from naturalists on whale watch boats operating in the Gulf of Maine, a multi-vendor enterprise that has been operating at about the same level for >20 yr. Anecdotally, we note that this haphazard collection process was able to detect a significant mortality event of humpbacks that occurred during 2003 in the Gulf of Maine and not associated with entanglement (Gulland 2006). The entanglement rates of right whales and humpback whales were correlated. This relationship was likely evident because events are frequent enough for both of these 2 species to detect a similarly increasing pattern

through time, whereas fin whales showed no correlation with either because the detections are less frequent. Many humpback and right whales frequent the Gulf of Maine during late spring and summer. While not completely overlapping in time and space, they likely show enough co-occurrence with fixed fishing gear, especially pot gear, to show a similar pattern. North Atlantic right whale population growth has been estimated at 2.6% per year (Waring et al. 2011). Although precise population growth rates were not available for Gulf of Maine humpback whales for the period in question (Robbins 2007, Waring et al. 2011), we assumed a 2% per year increase for the purpose of simulation. Based on these simulations, small improvements resulting from gear modifications could be obscured by opposing effects of population growth, but the substantial true decreases hoped for by the ALTWRT and required to meet the mandates of the MMPA would not be masked.

NMFS is mandated to reduce human-caused mortality of marine mammals to levels not compromising stock viability. In agreement with other studies, our analysis causes us to strongly reject the notion that significant conservation gains resulted from the first 10 yr of ALWTRT negotiated incremental mitigation measures. The key word here is significant reductions which would not likely be masked by small amounts of population growth or shifts in whale and gear distribution. Further, our findings support decisions by NMFS to impose further conservation measures such as the recently instituted 'ground line rule', and to seek other means of reducing whale-gear interactions. However, the lack of progress during the first 10 yr is cause for concern. That the development of measures to reduce large whale entanglements has been incremental may have been predicted, given the lack of fundamental knowledge of how entanglements occur (Johnson et al. 2007) and the economic value of the fisheries responsible for entanglements (Myers et al. 2007). Measured approaches seem warranted when knowledge is lacking and economic costs are potentially high. What seems to have received little weight in the evolution of rules was that, in the early stages, an analysis of right whale demographics concluded that the species, one of the most critically endangered cetaceans in the world, was headed for extinction if human-caused mortality was not reduced (Fujiwara & Caswell 2001). We believed that, to be effective, mitigation measures would produce substantial direct reductions in mortality (biological response). However, we may be experiencing a common problem in conservation: we are attempting to evaluate a process without any explicitly measurable goals or trade-offs (Lonergan 2011). Although the MMPA does provide an explicit goal to reduce takes below a stock's 'potential biological removal' (PBR) in 6 mo, that goal was not achieved for most large whale stocks found off the northeast USA. PBR is typically exceeded even when using confirmed human-caused mortalities as a measure, which is likely a biased low accounting of takes. Moreover, it has not proven useful to compare observed takes to the PBR threshold as an 'on-off' switch approach to evaluating effectiveness of management actions, where observed takes which are below PBR indicate effective actions, and takes which exceed PBR indicate ineffective measures. Observed entanglements and entanglement-related mortalities have frequently exceeded PBR (van der Hoop et al. 2013) for more than a decade for western North Atlantic baleen whales with no apparent catastrophic consequences for these stocks (Waring et al.

2011). Without more sensitive effectiveness measures, the lack of definitive positive results such as ours will be a frequent result of effectiveness evaluations. In this paper, we have produced an evaluation of management action effectiveness despite the meager data available for that evaluation.

Acknowledgements. We are especially grateful to the US and the Canadian Maritime Provinces and Newfoundland stranding and entanglement networks, and the Atlantic Large Whale Disentanglement Network, whose members searched for and examined whales both live and dead. It is a difficult, dirty, and ceaseless job that deserves special recognition. The United States Coast Guard was instrumental in conveying sightings reported by mariners, investigating carcasses at sea, and assisting in disentanglement efforts. We are also grateful to the staff of the Provincetown Center for Coastal Studies (PCCS), New England Aquarium, Whale Center of New England (WCNE), NOAA aerial survey teams, Wildlife Trust, the states of Florida and Georgia, Northeast Fisheries Observer Program, Marine Animal Response Society, New Brunswick Museum, Atlantic Veterinary College, Grand Manan Whale and Seabird Research Station, Whale Release and Stranding, and many others for providing the sightings that have allowed this work to be conducted.

LITERATURE CITED

- Anderson DR (2008) Model based inference in the life sciences: a primer on evidence. Springer, New York, NY
- Dixon PM, Ellison AM, Gotelli NJ (2005) Improving the precision of estimates of rare events. *Ecology* 86:1114–1123
- Fujiwara M, Caswell H (2001) Demography of the endangered North Atlantic right whale. *Nature* 414:537–541
- Gulland FMD (2006) Review of the Marine Mammal Unusual Mortality Event Response Program of the National Marine Fisheries Service. NOAA Tech Memo NMFS-OPR-33. US Dept of Commerce, Office of Protected Resources, Silver Spring, MD
- Henry AG, Cole TVN, Garron M, Hall L (2011) Mortality and serious injury determinations for baleen whale stocks along the Gulf of Mexico, United States and Canadian eastern seaboard, 2005-2009. Northeast Fish Sci Cent Ref Doc 11-18. US Dept of Commerce, Northeast Fisheries Science Center, Woods Hole, MA
- Johnson AJ, Kraus SD, Kenny JF, Mayo CA (2007) The entangled lives of whales and fisherman: can they coexist? In: Kraus SD, Rolland RM (eds) *The urban whale: North Atlantic right whales at the crossroads*. Harvard University Press, Cambridge, MA, p 380–408
- Knowlton AR, Hamilton PK, Marx MK, Pettis HM, Kraus SD (2012) Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: a 30 yr retrospective. *Mar Ecol Prog Ser* 466:293–302
- Lonergan M (2011) Potential biological removal and other currently used management rules for marine mammal populations: a comparison. *Mar Policy* 35:584–589
- McCullagh P, Nelder JA (1989) *Generalized linear models*, 2nd edn. Chapman & Hall, London
- Moore MJ, Knowlton AR, Kraus SD, McLellan WA, Bonde RK (2005) Morphometry, gross morphology and available

- histopathology in North Atlantic right whale (*Eubalaena glacialis*) mortalities (1970–2002). *J Cetacean Res Manage* 6:199–214
- Myers RA, Boudreau SA, Kenney RD, Moore MJ, Rosenberg AA, Sherrill-Mix SA, Worm B (2007) Saving endangered whales at no cost. *Curr Biol* 17:R10–R11
- National Marine Fisheries Service (2007) Taking of marine mammals incidental to commercial fishing operations; Atlantic large whale take reduction plan — final rule. *Fed Reg* 72:57104–57194
- National Marine Fisheries Service (2008) Taking of marine mammals incidental to commercial fishing operations; Atlantic large whale take reduction plan — final rule. *Fed Reg* 73:51228–51242
- Pace RM (2011) Frequency of whale and vessel collisions on the US Eastern seaboard: ten years prior and two years post ship strike rule. *Northeast Fish Sci Cent Ref Doc* 11-15. US Dept of Commerce, National Marine Fisheries Service, Woods Hole, MA. <http://nefsc.noaa.gov/publications/>
- Pinheiro JC, Bates DM (2000) *Mixed-effects models in S and S-PLUS*. Statistics and Computing Series. Springer-Verlag, New York, NY
- R Development Core Team (2011) *R: a language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna. www.R-project.org
- Robbins J (2007) Structure and dynamics of the Gulf of Maine humpback whale population. PhD thesis, University of St. Andrews
- Robbins J (2011) Scar-based inference into Gulf of Maine humpback whale entanglement: 2009. Order no. EA133F09CN0253. Report to the National Marine Fisheries Service, Woods Hole, MA
- Robbins J (2012) Scar-based inference into Gulf of Maine humpback whale entanglement: 2010. Order no. EA133F09CN0253. Report to the National Marine Fisheries Service, Woods Hole, MA
- van der Hoop JM, Moore MJ, Barco SG, Cole TVN and others (2013) Assessment of management to mitigate anthropogenic effects on large whales. *Conserv Biol* 27:121–133
- Waring GT, Josephson E, Maze-Foley K, Rosel PE (eds) (2011) U.S. Atlantic and Gulf of Mexico marine mammal stock assessments — 2010. NOAA Tech Memo NMFS NE 219. National Marine Fisheries Service, Woods Hole, MA. www.nefsc.noaa.gov/nefsc/publications/
- Williams R, Gero S, Bejder L, Calambokidis J, Kraus S (2011) Underestimating the damage: interpreting cetacean carcass recoveries in the context of the Deepwater Horizon/BP incident. *Conserv Lett* 4:228–233

Editorial responsibility: Eric Gilman, Honolulu, Hawaii, USA

*Submitted: July 15, 2013; Accepted: July 19, 2014
Proofs received from author(s): October 17, 2014*

Cryptic mortality of North Atlantic right whales

Richard M. Pace III¹  | Rob Williams² | Scott D. Kraus³ |
Amy R. Knowlton³ | Heather M. Pettis³

¹Northeast Fisheries Science Center,
Woods Hole, Massachusetts

²Oceans Initiative, Seattle, Washington

³Anderson Cabot Center for Ocean Life,
New England Aquarium, Boston,
Massachusetts

Correspondence

Richard M. Pace III, Northeast Fisheries
Science Center, 166 Water Street, Woods
Hole, MA 02543.

Email: richard.pace@noaa.gov

Funding information

National Marine Fisheries Service and The
New England Aquarium

Abstract

Evaluations of the conservation status of the endangered North Atlantic right whale as well as many other wildlife species often rely extensively on counts and cause-of-death determinations of carcasses found accidentally or during dedicated surveys. Even when survey effort dedicated to a population is extensive, many deaths may go unseen. We used an abundance estimation model to derive estimates of cryptic mortality for North Atlantic right whales and found that observed carcasses accounted for only 36% of all estimated death during 1990–2017. We found strong evidence that total mortality varied over time, and that observed carcass counts were poor predictors of estimated annual numbers of whales dying. Importantly, there were substantial differences between fractions of deaths determined to be entanglement related during necropsy (49%) and the fraction of cryptic deaths suffering serious injuries related to entanglement (87%). Although we concluded that a single year's observations produced poor estimates of carcass detection rates due to the volatility of ratios of small counts, ratio estimates of data pooled over periods of consistent survey may offer better information on detection rates. Additionally, it appears unwise to consider cause of death determinations from detected carcasses as representative of cause-specific mortality rates in right whales given the large number of seriously injured whales from entanglement that are likely part of the unseen mortality.

KEYWORDS

carcass detection, cryptic mortality, detection bias, right whale, total mortality

1 | INTRODUCTION

The North Atlantic right whale, *Eubalaena glacialis*, is among the world's most endangered large whale populations (Reynolds, Marsh, & Ragen, 2009). The population at its recent peak numbered ~500 individuals in

2010 (Pace, Corkeron, & Kraus, 2017) but has been declining since and at the start of 2018 numbers ~400 (Pettis, Pace III, & Hamilton, 2020). The deaths of at least 17 individuals in 2017 (Davies & Brilliant, 2019) and 10 more in 2019 has renewed concerns about recovery potential of this population (Kraus et al., 2016). Between 2003 and 2018, conclusions drawn from 38 of 44 (88%) necropsies conducted on right whales attributed death to human causes, namely collisions with vessels and entanglement in

Richard M. Pace III and Rob Williams should be considered joint first author.

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2021 The Authors. Conservation Science and Practice published by Wiley Periodicals LLC. on behalf of Society for Conservation Biology

fishing gear (Moore, et al. 2004; Sharp, McLellan, Rotstein, et al., 2019).

The known deaths suggest that recovery of North Atlantic right whales is in serious jeopardy (Corkeron et al., 2018) unless substantial mitigation measures that reduce mortality and serious injury from human activities are instituted immediately (Kenney, 2018; Moore, 2014). But, these known deaths represent only a fraction of the true death toll, because counts of carcasses do not agree with the numbers of whales that disappear from long term sighting records. In the fisheries management literature, postrelease mortality of fish has been termed “cryptic mortality” (Coggins Jr, Catalano, Allen, Pine III, & Walters, 2007), and this term has been applied to human activities that kill marine mammals without resulting in an observed carcass. Several reference points have been developed that estimate the number of animals that can be removed from a marine mammal population each year while still achieving conservation objectives (e.g., Chilvers, 2008; Hammill & Stenson, 2007; Wade, 1998; Williams, Thomas, Ashe, Clark, & Hammond, 2016), but these all rely on unbiased calculations of mortality rates. For many smaller cetacean species, a bycatch mortality rate can be estimated from observers placed on a representative sample of fishing boats to document takes, which can then be scaled up to the fleet as a whole (Wade, 1998). The kinds of human activity resulting in major sources of mortality for many larger cetaceans do not lend themselves to estimation from dedicated observer coverage. Examples include bycatch in fixed gear and unattended fisheries, such as lobster or crab pots (Johnson et al., 2005), oil spills, or collisions with ships (Laist et al., 2001) Although these causes are readily detected in recovered carcasses, no sampling frameworks exist to infer their incidence rates.

Several factors interact to cause undercounting of human-caused mortalities of cetaceans. Generally speaking, in order for anthropogenic mortality to be detected, a whale carcass must float or strand, be detected by human observers before decomposition or scavenging occurs, be subject to an evaluation by a qualified veterinary pathologist to determine cause of death, and then have that result reported in the primary literature or in publicly accessible databases (Faerber & Baird, 2010). At any point along the time line from death to disintegration, information about the cause of mortality can be lost including even its occurrence. Herein, we distinguish between carcass “detection” (i.e., identifying an observed carcass to be a right whale and therefore a known death in the population regardless of whether it can be identified as a known individual), and carcass “recovery” (a term often used in studies of known individuals implying that the carcass has been identified to the list of

known population members). Unless otherwise noted, we focus on carcass detection rates in this study.

Some studies have attempted to estimate carcass detection rates in a number of cetacean populations, and these studies reveal that the potential for underestimation of human-caused mortality is considerable. Two populations of resident, fish-eating killer whales (*Orcinus orca*) are found in the coastal waters of British Columbia (Canada) and Washington State (USA). The population is studied through an annual census. Between 1974 and 2008, only 3 and 20%, respectively, of the presumed deaths of northern and southern resident killer whales resulted in detected carcasses (Barbieri et al., 2013). In a relatively closed area, Wells et al. (2015) estimated dolphin carcass recovery rates as 33% in Sarasota Bay, FL. In a retrospective analysis inspired by the Deepwater Horizon oil spill, historic carcass detection rates in the northern Gulf of Mexico averaged 2% among 14 cetacean species (Williams, Gero, Bejder, et al., 2011). Some rare species had a carcass detection rate of 0%, and the sperm whale (*Physeter macrocephalus*, the largest whale in the study) had a detection rate of 3.4% (Williams et al., 2011).

A particularly data-rich study on a coastal population of bottlenose dolphins (*Tursiops truncatus*) revealed a carcass detection rate of 25% (95% CI = 20, 33%), and made the argument that observed (minimum) numbers of anthropogenic mortality of dolphins derived from strandings should be corrected to account for unobserved mortality (Carretta et al., 2016). This careful analysis led to a policy change for management of human activities affecting US Pacific coast dolphins. Now, US marine mammal stock assessment reports¹ for coastal bottlenose dolphins in California that report anthropogenic mortalities detected from beach-cast carcasses are multiplied by a factor of 4 to account explicitly for cryptic mortality.

A management focus merely on the number of detected carcasses will underestimate the severity of anthropogenic mortality, and consequently, the management response will fail to take into account the severity of the threats. Methods are needed to scale up the known mortality to estimate the total amount of human-caused mortality that must be mitigated to save endangered whales. An initial assessment of natural and human-caused mortality in North Atlantic right whales for the period 1980–1999 suggested a 17% carcass detection rate (Kraus, Brown, Caswell, et al., 2005), but increased search effort and stranding response funding in recent years would suggest a higher rate may apply now. Because the sighting rates of live right whales has varied over time (Pace et al., 2017), it stands to reason that carcass detection rate varies over time. Additionally, detectability of carcasses could be influenced by cause of death. For example, healthy whales struck by vessels likely float for

longer periods and therefore may be detected at higher rates than chronically entangled animals that burn their fat stores for months as they slowly starve to death (Moore, Mitchell, Rowles, & Early, 2020). Additional analyses are needed to generate a robust multiplier that can be used in management (e.g., Carretta et al., 2016). Without a statistically robust multiplier, correction factors to account for imperfect carcass detection can result in estimates of mortality that exceed the size of the entire population (Parrish & Boersma, 1995).

Our study had three main objectives:

1. To estimate average carcass detection rates of North Atlantic right whales, and explore how this may have changed over time. Estimating this parameter will not affect our understanding of population dynamics, because detected and undetected mortality are already subsumed within the survival estimates (Pace et al., 2017). However, understanding the extent to which anthropogenic mortality is undercounted may alter our perspective of the potential scope for population recovery if precautionary mitigation measures were implemented broadly. We briefly explore two alternative estimators for detection rate over a specified time interval.
2. Explore the hypothesis that carcass detection may vary with cause of death. Evidence for differential carcass detection rates could change our understanding of the relative importance of the two main risk factors (i.e., collision with vessels and entanglement), and more accurate information could change the emphasis placed on various mitigation measures.
3. Our long-term objective is to stimulate a discussion at the science-policy interface on the need to improve the way that cryptic mortality is handled in management. Using the extremely data-rich case study of the North Atlantic right whale, we advocate developing multipliers to better account for cryptic mortality when assessing conservation status of marine mammal stocks (Carretta et al., 2016).

2 | METHODS

Three lines of inquiry were used to explore factors influencing carcass detection rates in North Atlantic right whales.

2.1 | The ratio of observed to estimated mortalities

Observed mortalities of right whales exist in two categories: (1) a discovered carcass that can be identified as a

whale known to the North Atlantic Right Whale Catalog (Hamilton, Knowlton, & Marx, 2007) and (2) a discovered carcass that is not identifiable to individual either by photograph (position of carcass obscuring matching features or state of decomposition) or genetic fingerprint (no sample gathered or no match found).

Annual estimates of the total number of right whale deaths from 1990 to 2017 were generated from a previously published hierarchical state-space model of right whale abundance (Pace et al., 2017). The model to estimate abundance is parameterized to yield posterior distributions of N_t and B_t , which are respectively, the abundance and numbers of new entrants (Births) to the population in year t . For each of 20,000 realizations in the Markov chain Monte Carlo run after initial burn-in, we calculated the estimated number of deaths according to the following formula:

$$D_t = N_t - N_{t+1} + B_t$$

where D_t is the number of deaths occurring in the interval $[t, t + 1]$. We assumed that the derived values represented a posterior distribution for each D_t and calculated 95% highly credible regions for each estimate. We further assume that the population is closed to permanent emigration, which seems well supported by the long study period and the lack of evidence of right whale being resident in other parts of the North Atlantic. We calculated an additional total mortality estimate from abundance estimates from the aforementioned model and detected calf counts according to:

$$D_{\text{total}} = N_{1990} - N_{2018} + C_{\Sigma(1990-2017)}$$

where $C_{\Sigma(1990-2017)} = 407$ was the total calf count during 1990–2017.

We fitted generalized linear models (GLMs) to examine whether or not the observed number of carcasses were predictive of estimated median number of deaths each year. Candidate models included: constant estimated death rate over time; a linear predictive relationship between annual carcass counts and annual estimated death count; a simple periodic variation in the estimated death count over three “eras” (1990–1991; 1992–2009; and 2010–2017); and a model with both era effect and observed carcass counts as predictors. The choice of eras was based on time frames of significant changes in search effort patterns and/or animal distributions, where the predictive value of carcass counts might vary with these changes. In particular, we believed that variable periods evident in the recapture rates of individuals was indicative of three eras that might have differing carcass detection rates. We estimated the relative effective detection effort as the mean adult female capture probability for the era.

2.2 | Cause of serious injuries and cause of death

Additionally, mortalities can be inferred for whales seen alive but declared seriously injured by the National Marine Fisheries Service (NMFS; Henry et al., 2017). These injured whales are often in poor health condition or suffering from complex entanglements that will interfere with foraging. Many are eventually presumed to have died as they commonly disappear from the sighting records within 1–2 years following their injury. We only counted whales as seriously injured the first year of their determined status and removed from the counts two whales that were determined to be seriously injured but appeared to recover. From first principles, it seems plausible that whales that become entangled and lose fat during the months it takes them to die may be less likely to be detected as carcasses if they sink soon after death, although Moore et al. (2020) show that carcasses that sink in shallower water are more likely to bloat and refloat. Conversely, healthy whales killed immediately by ship strikes would be more likely to float. It is impossible to test directly for differences in detection rate based on cause of death, precisely because one never sees the unobserved mortality. We explored the plausibility of this scenario using a subset of whales that were observed with serious injuries just prior to their disappearance (Henry et al., 2017; Knowlton, Hamilton, Marx, Pettis, & Kraus, 2012). Using data from New England Aquarium (NEAQ) and NMFS, we examined the fate of animals last seen with serious injuries arising from either fisheries gear entanglement or “other” (i.e., mostly consistent with blunt force trauma or fresh propeller wounds). We compared the frequency of occurrence of serious injuries from entanglement and other anthropogenic sources with sources of mortality determined from examined carcasses of noncalf animals. Causes of mortality for examined carcasses have been documented in Moore, Knowlton, Krauss, McLellan, and Bonde (2004) and Sharp et al. (2019). We note that a few animals may have been observed as serious injuries and later found dead but no link clearly establishing that it was the same individual. Because we are comparing the distributions of death causes, double counting in this instance would only act to reduce differences in distributions.

2.3 | Body condition and subsequent carcass recovery of known individuals

Each individual in the North Atlantic right whale catalog has a suite of health records over its sighting history,

each of which includes a visual estimate of body fat stores (Pettis et al., 2004). For 159 whales that were known (28) or presumed (131) to have died and had an assessment of body condition within 6 months of its last sighting, we modeled the probability that a carcass would be recovered as a function of visual body condition. The rationale was that whales observed to be skinny just before death could act as a proxy for entangled whales that took several months to die (Pettis et al., 2017), whereas whales with healthy fat stores just before their death could act as a proxy for whales that were struck by a ship and died immediately with fat reserves intact (Moore et al., 2020).

We fitted a binomial GLM to the fate of each individual whale, whose carcass was either recovered (1) or not recovered (0), using body fat condition as a candidate covariate. Statistical support for including the covariate was estimated by comparing AIC of this model to an intercept-only model.

3 | RESULTS

3.1 | Magnitude of cryptic mortality

When compared with the derived estimates of total mortality from the abundance model (Pace et al., 2017) extended to produce estimates for 1990–2017, counts of carcasses seriously underrepresented total right whale mortality (Figure 1). During this period, the number of deaths derived from the abundance model was 2.8 times the carcass count.




FIGURE 1 Counts (black dots) of right whale carcasses and total number of right whale deaths estimated from an abundance model (diamonds) together with their 95% credible intervals. Overall detection rate was the sum of carcass counts across the entire time frame divided by the sum of estimated deaths

TABLE 1 Information criteria generated from GLMs fit to estimated annual mortality of North Atlantic right whales

Model	Parameters count	AICc	Delta_AICc	AICcWt
Era	3	151.0	0	0.79
Era + Carcass count	4	154.5	2.7	0.21
Carcass count	2	184.6	32.8	0
Constant	1	185.8	34.1	0

Note: Prior choice of models included (1) constant death count over time, (2) linear correspondence between observed carcasses estimates, (3) varying by different eras of survey effort or whale distribution a model, and (4) an additive model including 2 and 3. Models assumed data were Poisson and the three Eras were 1990–1991, 1992–2009, and 2010–2017.




FIGURE 2 Variability in carcass detection rate in three periods that appear to correspond to changes in NARW distribution and search effort. Solid circles represent the retransformed predictions from the binomial GLM with Era as a categorical predictor accompanied by approximate 95% confidence bounds. Open squares are calculated as ratio estimates for each Era where Proportion detected = Sum of observed/(Sum estimated total mortality for the period) mathematically equivalent to the GLM predicted values. Error bars are 1 standard error of each ratio estimates demonstrate the large variance among calculated annual detection ratios. Values below intervals are the Era-specific means of estimated capture probability of adult females from the abundance model used to calculate total number of deaths

3.2 | The predictive ability of observed carcass counts

Comparison of four models used to evaluate the predictive value of annual carcass counts revealed that very little information about the number of right whales dying in a given year could be derived from carcass counts (Table 1). The model with the most support validated the higher undetected death tolls during 2010–2017 shown in Figure 1.

The overall estimate of carcass detection rate was 36%. Our GLM produced little support that annual counts of carcasses were predictive of annual mortality estimates (Table 1). However, when we pooled data from eras of

TABLE 2 Likely cause of death distribution for noncalf North Atlantic right whales during 1990–2017 (excluding undetermined, $n = 3$) from examined carcasses versus live animals declared as seriously injured by NMFS

Data source	Entanglement	Vessel collision
Carcass	20 (49%)	21 (51%)
Serious injury	54 (87%)	8 (13%)

Note: Chi-sq. test for similar distributions between data sources $X^2 = 16.1$, $p < .001$.

more similar survey effort and whale distribution, a pattern of detection emerged that fit with our prior suspicions (Figure 2). When survey effort was lower for important whale use areas during 1990–1991, the ratio of detected carcasses was only 17% (2 s.e. = 5.5%). Detection increased significantly to 43% (2 s.e. = 0.6%) during a lengthy period of high whale recapture rate (1992–2009) and declined to 29% (2 s.e. = 2.8%) from 2010 to 2017 as whales changed their area use patterns and recapture rates declined.

3.3 | Cause of serious injuries and cause of death

From 1990 to 2017, a total of 62 North Atlantic right whales were reported by NMFS as having “serious injuries” that were defined as life-threatening, and subsequently disappeared. Entanglement accounted for the vast majority (54 of 62, or 87%) of serious injuries (Table 2). Because these whales were never seen again, one would also expect to see 87% of deaths to be caused by entanglement. Among 41 examined carcasses, only 49% of deaths were determined to be entanglement related. Assuming all of the “other” sources of serious injury or mortality of noncalf whales can be attributed to vessel collisions, there is a large disparity between the sets of observations ($X^2 = 16$, $p < .001$). This disparity suggests that it may be unreasonable to use the distribution of causes of death from examined carcasses to characterize the cryptic deaths.

3.4 | Body condition and subsequent carcass recovery of known individuals

The model with the highest information content based on AIC was one not relying on body condition to predict the probability of detection (AIC = 150.0). Using body fat condition at the time of the last sighting had little support from the data (AIC = 151.9; Δ AIC = 1.9 over an intercept-only model).

4 | DISCUSSION

Recent results from a hierarchical state-space model of North Atlantic right whale population dynamics (Pace et al., 2017) were integrated with data on animal health, encounters, necropsies, and serious injuries held by the North Atlantic Right Whale Consortium at the New England Aquarium (Hamilton et al., 2007; Pettis et al., 2004) or published literature (Moore et al., 2004; Sharp et al., 2019) with the serious injury and mortality database held by NMFS (Henry et al., 2017). Taken together, these data suggest that 36% of right whale deaths resulted in a carcass detection. Experts who have led the data collection efforts believe that changes in whale distribution and search effort by agencies on both sides of the Canada-US border may have changed carcass detection rates over time. By pooling data across relatively homogeneous periods of survey effort and whale distribution, we found modest deviations in carcass detection rates over time. The period of much lower effective searching (lower capture rates of live whales) produced a low estimated detection rate consistent with that reported by Kraus et al. (2005) using different methods to estimate total mortality. They estimated that the carcass detection rate was 17% based on data from 1980 to 1999 (Kraus et al., 2005). There appears to have been a large increase in detection rate to 43% during a period coincident with the highest estimated recapture rates of live whales reported by Pace et al. (2017), but the estimated value is still below half. In the most recent era, carcass detection rates have fallen off as whales spend less time in previously well surveyed areas.

Our analysis allows us to caution strongly against relying on a single year's count of carcasses to infer differing amounts of total mortality. These counts are usually small (<10) and hence widely varying relative to their mean. Despite our own cautionary note, we found it of interest that during 2017, a year of an unusually high carcass count coupled with a dramatic increase in Canadian survey effort to find carcasses, the number of dead found may have accounted for nearly every whale estimated to have died that year. This finding is clearly not indicative

of the recent past, given that the overall detection rate during 2010–2017 was only 29%.

There is a striking mismatch between the causes of serious injuries observed in living whales and the causes of mortality revealed in necropsies of dead whales. Entanglement accounted for the vast majority (54 of 62, or 87%) of serious injuries, but only 20 of 41 (49%) of mortality in examined carcasses. Collisions with vessels and “other” causes represent 8 of 62 (13%) of serious injury cases, but represent 21 of 42 (51%) of mortalities in examined carcasses. We caution, however, that blunt force trauma incurred by whales that are seriously injured by a vessel collision may be difficult to detect from photographs of free swimming whale that may ultimately die as a result of the collision. Despite the possibility of missing some vessel collisions that produced serious injuries, the disparity in observed rates of serious injury by cause suggests that cryptic deaths due to entanglements significantly outnumbers cryptic deaths from vessel collisions or other causes. Although this dissonance could not be explained by a model of carcass detection as a function of visual body condition, the topic warrants continued research. If attempts are made to expand detected causes of mortality to total counts, detection rates should be calculated over a rolling time block to reduce the influence of any 1 year's values. Alternatively, estimated mortality values should be calculated over periods of homogeneous live right whale capture probabilities. Regardless, entanglement-related mortality is widely underestimated, which has important implications for management actions to promote recovery.

5 | CONCLUSION

The amount of cryptic mortality occurring over longer time intervals seem to vary with effective survey effort to finding live whales. The evidence surrounding whales not recovered following their likely deaths, suggests that cryptic deaths are more likely entanglement related than the record of examined carcasses indicates. As monitoring and managing the conservation status of North Atlantic right whales requires robust quantitative data, this study showed that total mortality was 2.8 times the number of detected carcasses during 1990–2017. Annual counts of right whale carcasses do a poor job of indicating the total mortality for that year, and carcass detection rates seem to vary with effective survey effort. The incidence rates among causes of mortality differs significantly between those examined carcasses from which a cause of death was determined, and those animals whose likely death followed a serious injury. The evidence surrounding whales not recovered following their likely

deaths, suggests that cryptic deaths are almost twice as likely to be due to entanglements than the records from examined carcasses whales indicate.

ACKNOWLEDGMENTS

The authors gratefully acknowledge support to New England Aquarium's right whale research program from the Volgenau Foundation, and to Oceans Initiative from Fisheries and Oceans Canada and Save Our Coasts Foundation. The authors also thank A. Henry for verifying accounting of right whale serious injury and mortality data from NEFSC archives. The capacity to develop precise estimates of North Atlantic right whale demographic parameters is due to the thousands of photographic captures of whales contributed by hundreds of collaborators working through the North Atlantic Right Whale Consortium for over nearly 40 years.

CONFLICT OF INTEREST

The authors have no conflicts of interests to declare.

AUTHOR CONTRIBUTIONS

Richard M. Pace and Rob Williams contributed equally to the analysis and writing of this paper and should be regarded as joint first authors. Scott D. Kraus helped focus the content, provided extensive edits, and access to data. Amy R. Knowlton and Heather M. Pettis compiled and extracted data and provided text and edits.

DATA AVAILABILITY STATEMENT

Data used to calculate total mortality and a table of known deaths by cause are available from RMP.

ETHICS STATEMENT

Data used in this manuscript were all collected using guidelines and permits provided by federal (US and Canadian) agencies which govern the ethical treatment of animals.

ORCID

Richard M. Pace III  <https://orcid.org/0000-0002-8506-1210>

ENDNOTE

¹ <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports-species-stock>

REFERENCES

Barbieri, M. M., Raverty, S., Bradley Hanson, M., Venn-Watson, S., Ford, J. K. B., & Gaydos, J. K. (2013). Spatial and temporal analysis of killer whale (*Orcinus orca*) strandings in the North

Pacific Ocean and the benefits of a coordinated stranding response protocol. *Marine Mammal Science*, 29, E448–E462.

- Carretta, J. V., Danil, K., Chivers, S. J., Weller, D. W., Janiger, D. S., Berman-Kowalewski, M., ... Lambourn, D. M. (2016). Recovery rates of bottlenose dolphin (*Tursiops truncatus*) carcasses estimated from stranding and survival rate data. *Marine Mammal Science*, 32, 349–362.
- Chilvers, B. L. (2008). New Zealand sea lions *Phocarctos hookeri* and squid trawl fisheries: Bycatch problems and management options. *Endangered Species Research*, 5, 193–204.
- Coggins, L. G., Jr., Catalano, M. J., Allen, M. S., Pine Iii, W. E., & Walters, C. J. (2007). Effects of cryptic mortality and the hidden costs of using length limits in fishery management. *Fish and Fisheries*, 8, 196–210.
- Corkeron, P., Hamilton, P., Bannister, J., Best, P., Charlton, C., Groch, K. R., ... Pace, R. M., III. (2018). The recovery of North Atlantic right whales, *Eubalaena glacialis*, has been constrained by human-caused mortality. *Royal Society Open Science*, 5, 180892.
- Davies, K. T. A., & Brilliant, S. W. (2019). Mass human-caused mortality spurs federal action to protect endangered North Atlantic right whales in Canada. *Marine Policy*, 104, 157–162.
- Faerber, M. M., & Baird, R. W. (2010). Does a lack of observed beaked whale strandings in military exercise areas mean no impacts have occurred? A comparison of stranding and detection probabilities in the Canary and main Hawaiian Islands. *Marine Mammal Science*, 26, 602–613.
- Hamilton, P. K., Knowlton, A. R., & Marx, M. K. (2007). Right whales tell their own stories: The photo-identification catalog. In *The urban whale: North Atlantic right whales at the crossroads* (pp. 75–104). Cambridge, MA: Harvard University Press.
- Hammill, M., & Stenson, G. (2007). Application of the precautionary approach and conservation reference points to management of Atlantic seals. *ICES Journal of Marine Science: Journal du Conseil*, 64, 702–706.
- Henry A., Cole T.V.N., Garron M., Ledwell W., Morin D.M., & Reid A. (2017). Mortality and serious injury determinations for baleen whale stocks along the Gulf of Mexico, United States, United States East Coast and Atlantic Canadian Provinces, 2011-2015. Northeast Fisheries Science Center Reference Document 17–19, 57 pp.
- Johnson, A., Salvador, G., Kenney, J., Robbins, J., Kraus, S., Kraus, S., & Clapham, P. (2005). Fishing gear involved in entanglements of right and humpback whales. *Marine Mammal Science*, 21, 635–645.
- Kenney, R. D. (2018). What if there were no fishing? North Atlantic right whale population trajectories without entanglement mortality. *Endangered Species Research*, 37, 233–237.
- Knowlton, A. R., Hamilton, P. K., Marx, M. K., Pettis, H. M., & Kraus, S. D. (2012). Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: A 30 yr retrospective. *Marine Ecology Progress Series*, 466, 293–302.
- Kraus, S. D., Brown, M. W., Caswell, H., Clark, W. C., Fujiwara, M., Hamilton, P., & Kenney, R. (2005). North Atlantic right whales in crisis. *Science*, 309, 561–562.
- Kraus, S. D., Kenney, R. D., Mayo, C. A., McLellan, W. A., Moore, M. J., & Nowacek, D. P. (2016). Recent scientific publications cast doubt on North Atlantic right whale future. *Frontiers in Marine Science*, 3, 137.

- Laist, D. W., Knowlton, A. R., Mead, J. G., Collet, A.S., & Podesta, M. (2001). Collisions between ships and whales. *Marine Mammal Science*, 17, 35–75.
- Moore, M. J. (2014). How we all kill whales. *ICES Journal of Marine Science: Journal du Conseil*, 71, 760–763.
- Moore, M. J., Knowlton, A. R., Krauss, S. D., McLellan, W. A., & Bonde, R. K. (2004). Morphometry, gross morphology and available histopathology in North Atlantic right whale (*Eubalaena glacialis*) mortalities (1970–2002). *Journal Cetacean Research Management*, 6, 199–214.
- Moore, M. J., Mitchell, G. H., Rowles, T. K., & Early, G. (2020). Dead cetacean? Beach, bloat, float, sink. *Frontiers in Marine Science*, 7, 333. <https://doi.org/10.3389/fmars.2020.00333>
- Pace, R. M., Corkeron, P. J., & Kraus, S. D. (2017). State–space mark–recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecology and Evolution*, 7, 8730–8741.
- Parrish, J. K., & Boersma, P. D. (1995). Muddy waters. *American Scientist*, 83, 112–116.
- Pettis, H.M. Pace, R.M., III, & Hamilton, P.K. (2020). North Atlantic Right Whale Consortium 2019 Annual Report Card. Report to the North Atlantic Right Whale Consortium. Available from <https://www.narwc.org/report-cards.html>
- Pettis, H. M., Rolland, R. M., Hamilton, P. K., Brault, S., Knowlton, A. R., & Kraus, S. D. (2004). Visual health assessment of North Atlantic right whales (*Eubalaena glacialis*) using photographs. *Canadian Journal of Zoology*, 82, 8–19.
- Pettis, H. M., Rolland, R. M., Hamilton, P. K., Knowlton, A. R., Burgess, E. A., & Kraus, S. D. (2017). Body condition changes arising from natural factors and fishing gear entanglements in North Atlantic right whales *Eubalaena glacialis*. *Endangered Species Research*, 32, 237–249.
- Reynolds, J. E., Marsh, H., & Ragen, T. J. (2009). Marine mammal conservation. *Endangered Species Research*, 7, 23–28.
- Sharp, S. M., McLellan, W. A., Rotstein, D. S., Costidis, A. M., Barco, S. G., Durham, K., & Pitchford, T. D. (2019). Gross and histopathologic diagnoses from North Atlantic right whale *Eubalaena glacialis* mortalities between 2003 and 2018. *Diseases of Aquatic Organisms*, 135, 1–31.
- Wade, P. R. (1998). Calculating limits to the allowable human-caused mortality of cetaceans and pinnipeds. *Marine Mammal Science*, 14, 1–37.
- Wells, R. S., Allen, J. B., Lovewell, G., Gorzelany, J., Delynn, R. E., Fauquier, D. A., & Barros, N. B. (2015). Carcass-recovery rates for resident bottlenose dolphins in Sarasota Bay, Florida. *Marine Mammal Science*, 31, 355–368.
- Williams, R., Gero, S., Bejder, L., Calimbokidis, J., Kraus, S., Lusseau, D., & Read, A. J. (2011). Underestimating the damage: Interpreting cetacean carcass recoveries in the context of the Deepwater horizon/BP incident. *Conservation Letters*, 4, 228–233.
- Williams, R., Thomas, L., Ashe, E., Clark, C. W., & Hammond, P. S. (2016). Gauging allowable harm limits to cumulative, sub-lethal effects of human activities on wildlife: A case-study approach using two whale populations. *Marine Policy*, 70, 58–64.

How to cite this article: Pace RM III, Williams R, Kraus SD, Knowlton AR, Pettis HM. Cryptic mortality of North Atlantic right whales. *Conservation Science and Practice*. 2021;e346. <https://doi.org/10.1111/csp2.346>

Tools to identify and minimize risks to marine mammals

Jessica Redfern, Dan Pendleton,
Orla O'Brien, Laura Ganley,
Brooke Hodge, Katherine McKenna

EcoMap

Spatial Ecology, Mapping, and Assessment Program



Anderson Cabot
Center for Ocean Life
at the New England Aquarium



New England
Aquarium

Protecting the blue planet

Right Whales

Vol. 18: 147–161, 2012
doi: 10.3354/esr00433

ENDANGERED SPECIES RESEARCH
Endang Species Res

Published online August 16

Contribution to the Theme Section 'Beyond marine mammal habitat modeling'



Weekly predictions of North Atlantic right whale *Eubalaena glacialis* habitat reveal influence of prey abundance and seasonality of habitat preferences

Daniel E. Pendleton^{1,9,*}, Patrick J. Sullivan¹, Moira W. Brown^{2,9},
Timothy V. N. Cole³, Caroline P. Good⁴, Charles A. Mayo², Bruce C. Monger⁵,
Steven Phillips⁶, Nicholas R. Record^{7,8}, Andrew J. Pershing^{7,8}

¹Department of Natural Resources, Cornell University, Ithaca, New York 14853, USA

²Provincetown Center for Coastal Studies, 5 Holway St., Provincetown, Massachusetts 02657, USA

³National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, Massachusetts 02543, USA

⁴Duke University Marine Lab, Beaufort, North Carolina 28516, USA

⁵Ocean Resources and Ecosystem Program, Snee Hall, Cornell University, Ithaca, New York 14853, USA

⁶AT&T Labs-Research, Florham Park, New Jersey 07932, USA

⁷School of Marine Sciences, University of Maine, Orono, Maine 04469, USA


⁸Gulf of Maine Research Institute, 350 Commercial St., Portland, Maine 04101, USA

⁹Present address: New England Aquarium, Central Wharf, Boston, Massachusetts 02110, USA




Photographer: Marianna Hagbloom
Credit: Anderson Cabot Center
New England Aquarium
Collected under Canadian SARA permit

Right Whales



Little survey effort in this area and time period (2002-2006)!




Pendleton et al. 2012.
Endangered Species Research
18:147-161.




Photo on the left
Photographer: Melissa Patrician
Credit: Anderson Cabot Center
New England Aquarium
Collected under Canadian SARA permit

Massachusetts and Rhode Island Wind Energy Areas



Right Whales and Wind Energy

Wind Energy Areas



New England Aquarium Aerial surveys

2011-present
Approximately monthly

2011- 2020 surveys funded by MassCEC and BOEM

2020-2021 surveys funded by Equinor Wind U.S., Mayflower Wind Energy LLC, Ørsted North America, and Vineyard Wind

Right Whales and Wind Energy

New England Aquarium Aerial surveys
2011-2015

Vol. 34: 45–59, 2017
<https://doi.org/10.3354/esr00827>

ENDANGERED SPECIES RESEARCH
Endang Species Res

Published July 21



North Atlantic right whale *Eubalaena glacialis* occurrence in offshore wind energy areas near Massachusetts and Rhode Island, USA

S. M. Leiter^{1,*}, K. M. Stone¹, J. L. Thompson², C. M. Accardo², B. C. Wikgren¹,
M. A. Zani¹, T. V. N. Cole³, R. D. Kenney⁴, C. A. Mayo², S. D. Kraus¹

¹New England Aquarium, Boston, MA 02110, USA

²Center for Coastal Studies, Provincetown, MA 02657, USA

³NOAA Northeast Fisheries Science Center, Woods Hole, MA 02543, USA

⁴University of Rhode Island Graduate School of Oceanography, Narragansett, RI 02882, USA

J Coast Conserv (2017) 21:527–543
DOI 10.1007/s11852-017-0526-4



Distribution and abundance of cetaceans in a wind energy development area offshore of Massachusetts and Rhode Island

Kelsey M. Stone¹ · Sarah M. Leiter¹ · Robert D. Kenney² · Brooke C. Wikgren¹ ·
Jessica L. Thompson³ · Jessica K. D. Taylor¹ · Scott D. Kraus¹

Received: 12 December 2016 / Revised: 3 June 2017 / Accepted: 7 June 2017 / Published online: 19 June 2017
© Springer Science+Business Media B.V. 2017

Aerial Surveys 2018-2019



- 40 surveys flown over 185.8 hours
- Documented marine fauna, human activity, and debris
 - Observer sightings and photos taken directly below the plane
- 1,436 detections of marine fauna
 - 10,940 individuals
 - 17 species
 - Large whales
 - Small cetaceans
 - Birds
 - Sharks/fish
 - Sea turtles




Aerial Surveys 2018-2019

Right Whales

Seen in every season and 9 of 11 months surveyed




Temporal Changes



Leiter et al. 2017
Endangered Species Research

Right whale temporal occurrence

- 2011-2015: Dec. – April
- 2018-2019: All year



Aerial Surveys 2018-2019

Right Whale Seasonal Abundance Estimates


- Single abundance estimate for the entire survey area
- Captures temporal trends in abundance
- Does not capture spatial trends within the study area



Aerial Surveys 2018-2019

Right Whale Seasonal Abundance Estimates


Progress!




- 2011 – 2015: detection function for all large whales
- 2017 – 2019: detection function for right whales

Aerial Surveys 2018-2019



Right Whale Seasonal Abundance Estimates



Confidence intervals are large





Temporal Changes



- Confidence intervals are large
- Density appears to be increasing
 - Need to recalculate abundance from the earlier surveys to standardize methodology
 - For example: change in detection function
 - Explore Bayesian trend assessment (e.g., Moore and Barlow 2011, 2013)


Aerial Surveys 2018-2019

Right Whales




Eastern side of study area
Some seasonal distributions
shifts


Spatial Changes



2018-2019
Eastern side of study area




Habitat Modeling



Seasonal abundance estimates and sightings rates tell us the number of animals in whole study area


Sightings per unit effort provides estimates only in sampled areas

Habitat Modeling



What if we want to know the impact of an activity within one of these lease areas?

Habitat Modeling




What if we want to know the impact of an activity within one of these lease areas?

Habitat models can be used to estimate distribution patterns at smaller spatial scales





Density Surface Modeling

- Data from 2017 and 2018
- Transect lines divided into ~4.6 km segments




- Oceanographic data extracted at segment midpoints
 - Log transformed chlorophyll-a (mg/m^3) concentration
 - NASA MODIS-Aqua, 4.6 x 4.6 km resolution
 - Sea surface temperature
 - NASA MODIS-Aqua sensor, 4.6 x 4.6 km resolution
 - Depth

Density Surface Modeling




Density Surface Modeling




- Captures spatial and temporal trends in distributions
- Estimates density
 - Rather than probability of occurrence
- Requires line-transect data
- We need to improve our oceanographic variables to better capture spatial patterns

Occupancy Modeling

- Probability that a site is occupied
- Addresses imperfect detection
 - Observer bias
 - Availability bias
- Uses presence/absence data
 - Option to use a wider range of data sets




Seasonal Occupancy Predictions



Moving Forward

- Manuscript documenting temporal and spatial changes among surveys
 - Standardizing methodology
- Demographic analyses to understand when males and females, adults and juveniles are in the study area
- Habitat modeling
- Analyzing data for other species



Acknowledgements

- Aerial surveys of offshore wind energy areas sponsored by MassCEC and the Bureau of Ocean Energy Management
- AvWatch, aerial survey observers, and everyone involved in collecting these valuable data sets
- New England Aquarium Right Whale Catalog and Photo ID team
- EcoMap team:

Orla O'Brien



Laura Ganley



Katherine McKenna



**Questions?
Jessica Redfern
jredfern@neaq.org**

Dan Pendleton



Brooke Hodge



REPORT OF THE NORTH ATLANTIC RIGHT WHALE PROGRAM REVIEW

13–17 March 2006, Woods Hole, Massachusetts

Report prepared for the
Marine Mammal Commission by

Randall R. Reeves
Andrew J. Read
Lloyd Lowry
Steven K. Katona
Daryl J. Boness

2007

This is one of five reports prepared in response to a directive from Congress to the Marine Mammal Commission to assess the effectiveness of protection programs for the most endangered marine mammals in U.S. waters.

Table of Contents

I.	Overview Statement by the Review Panel	1
II.	Introduction and Project Background.....	3
A.	Evaluating Effectiveness.....	4
B.	Evaluating Cost-effectiveness.....	5
III.	Findings of the Panel: Research on North Atlantic Right Whales and Monitoring the Whale Population	9
A.	Range and Distribution	9
	Costs of actions to study range and distribution, FY2003/FY2005	12
	Contribution to recovery program	12
	Cost-effectiveness of actions	13
	Recommendations.....	13
B.	Abundance and Trends	14
	Costs of actions to study abundance and trends, FY2003/FY2005	16
	Contribution to recovery program	16
	Cost-effectiveness of actions	17
	Recommendations.....	17
C.	Mortality	18
	Costs of actions to study mortality, FY2003/FY2005	19
	Contribution to recovery program	19
	Cost-effectiveness of actions	20
	Recommendations.....	20
D.	Assessment of Health and Reproduction	20
	Costs of actions to assess health and reproduction, FY2003/FY2005	21
	Contribution to recovery program	22
	Cost-effectiveness of actions	22
	Recommendations.....	22
E.	Habitat.....	23
	Costs of actions to study habitat, FY2003/FY2005	24
	Contribution to recovery program	24
	Cost-effectiveness of actions	24
	Recommendations.....	25
F.	Genetics.....	25
	Costs of actions to study genetics, FY2003/F2005.....	26
	Contribution to recovery program	26
	Cost-effectiveness of actions	26
	Recommendations.....	26
H.	Permits	26

IV.	Findings of the Panel: Protection and Recovery	29
A.	Ship Strike Reduction	29
	Costs of actions to reduce ship strikes, FY2003/FY2005	35
	Contribution to recovery program	36
	Cost-effectiveness of actions	36
	Recommendations	38
B.	Fishery Bycatch Reduction	40
	Costs of actions to reduce fishery bycatch, FY2003/FY2005	48
	Contribution to recovery program	48
	Cost-effectiveness of actions	50
	Recommendations	51
V.	Findings of the Panel: Cross-cutting and General.....	53
	Coordination	53
	Implications of mitigation measures.....	53
	Feasibility of enforcement	53
	Fundamental importance of certain core program elements.....	54
	Where and with whom does responsibility for right whale recovery lie?	54
	Relations with Canada	55
	Funding	56
	Costs of actions to promote recovery of western North Atlantic right whales, FY2003/FY2005.....	56
	Overall strategy and implementation	57
VI.	Acknowledgments	58
VII.	References.....	59
Appendix I.	Panel Members.....	61
Appendix II.	Agenda	62
Appendix III.	Program Review Participants.....	65

I. OVERVIEW STATEMENT BY THE REVIEW PANEL

The approximately 350 North Atlantic right whales alive today constitute a biologically viable population with potential for recovery. Although calf production has been variable and appears to be lower than in some populations of southern right whales, we believe that reproduction and recruitment in the North Atlantic population are adequate to support a recovery but only if the number of whales killed by ship strikes and entanglement in fishing gear is significantly reduced. In fact, much of the potential recruitment to the population is being lost to such removals, seriously inhibiting population growth. With such a small population, any progress toward recovery could be offset by random processes and events (e.g., inbreeding, a natural catastrophe, or a disease outbreak). The longer the population remains mired in its present state of low numbers because of regularly occurring ship strikes and entanglement, the greater is the danger that such processes and events will drive the population to a level from which it cannot recover.

The last 100 years have seen an unbroken chain of human impact on right whales, marked by a shift in the mid-1930s (when international legal protection, albeit incomplete, was conferred on the whales) from deliberate to non-deliberate “whaling.” From a demographic and biological standpoint, “whaling” on this population has continued uninterrupted and may have intensified in recent decades as its habitat has become increasingly hazardous.

In terms of public investment to remedy this situation, the most cost-effective approach to protection and recovery of North Atlantic right whales would be to eliminate high-speed (>10 knots) vessel traffic and risk-conferring fishing gear (e.g., traps with vertical lines and set or drift gillnets) from the whales’ environment, or at least from areas where the whales occur most frequently. In fact, one way to assess the cost-effectiveness of these measures would be to calculate the public expenditures that would have been saved (i.e., available for reallocation to other priorities) if the mortality from ship strikes and entanglement had been significantly reduced in the 1970s or 1980s when the whale population apparently was increasing. To the best of our knowledge, no such calculation has previously been contemplated, much less undertaken.

From a cost-effectiveness standpoint, comprehensive, science-based management actions that can be scaled back as conditions improve would be greatly preferable to the piecemeal and prolonged process of incremental regulatory expansion that has been pursued over the past 15 years. In effect, many of the accumulated program costs (to say nothing of the costs of legal actions brought against the National Oceanic and Atmospheric Administration [NOAA] and other agencies) can be properly viewed as the costs of past inaction. Protection of right whales has been subjugated to the social and economic expectations of an ever-expanding, increasingly urban human society with which the whale population must co-exist. The compatibility of the two—a healthy, recovered right whale population on one hand and expansive coastal development on the other—cannot be taken for granted.

II. INTRODUCTION AND PROJECT BACKGROUND

As part of the 2004 Omnibus Appropriations Bill, the Senate Appropriations Committee directed the Marine Mammal Commission to “review the biological viability of the most endangered marine mammal populations and make recommendations regarding the cost-effectiveness of current protection programs.” One of the Commission’s activities in response to that directive was to organize and conduct, in close consultation with the National Marine Fisheries Service (NMFS), a review of the federal recovery program for the endangered North Atlantic right whale and the federal and non-federal research in support of it. This species was chosen for a case study because of its degree of endangerment, the large scale of research and recovery efforts related to it, and Congress’s particular awareness of and interest in the species. It was understood from the outset that the review would need to include a workshop where a panel would have opportunities to engage in discussions with relevant experts.

The present report, together with other background papers and the report of a workshop on population viability analysis, was prepared for use by the Commission in developing a report that it will submit to Congress as a response to the congressional directive. The workshop on population viability analysis was held in September 2005 and, among other things, considered natural factors affecting the population dynamics and recovery of very small populations of marine mammals. Workshop participants noted that small populations are particularly vulnerable to demographic and environmental stochasticity and to the loss of genetic variability. As population size is reduced, populations become increasingly vulnerable to such chance factors and, as a result, can be driven to smaller and smaller size in what conservation biologists refer to as an “extinction vortex.” It was also noted, however, that population viability is a vague term that is best stated in terms of the probability of extinction within a specified time frame. The September 2005 workshop concluded that, with possibly one or two exceptions, all marine mammal populations in U.S. waters, including North Atlantic right whales, are viable. In other words, with effective management, even populations that are greatly reduced should be capable of recovery.

The right whale review involved the following steps:

- A steering group, including members of the review panel (Attachment 1), the Commission staff, and SRA International (a consulting firm contracted by the Commission to help organize meetings and draft reports in response to the congressional directive), prepared a draft workshop agenda and a series of questions to be directed at agency representatives, contractors, and others involved in right whale research and management.
- After considering the draft agenda and list of questions, NMFS representatives offered to help organize the workshop and requested that the scope of the review be modified somewhat to meet the agency’s own need for external (independent) review of its right whale science program.

-
- In January and February 2006 the steering group met several times with NMFS representatives to develop the workshop format and logistics.
 - In advance of the workshop, and with assistance from NMFS and Commission staff, SRA International prepared extensive background reading materials for the panel. These included explicit written responses to the steering group's list of questions.
 - The workshop was held at the Marine Biological Laboratory, Woods Hole, Massachusetts, on 14–17 March. The agenda and list of participants are provided in Attachments 2 and 3.

The panel prepared this report after the workshop. It consists of two main parts: a review and evaluation of the federal government's North Atlantic right whale research and monitoring program (including university and nongovernmental organization-sponsored research) and a review and evaluation of the federal government's North Atlantic right whale protection and recovery program.

A. EVALUATING EFFECTIVENESS

Any evaluation of cost-effectiveness implicitly assumes that information is available to assess effectiveness, preferably quantitatively but at least qualitatively. To judge effectiveness throughout its report, the panel sought to use the downlisting criteria (i.e., from endangered to threatened status) specified in the 2005 version of the Recovery Plan for the North Atlantic Right Whale (National Marine Fisheries Service 2005). The criteria, paraphrased from the plan, are—

- (1) "Population ecology" (range, distribution, age structure, sex ratios, etc.) and vital rates (age-specific survival, age-specific reproduction, and lifetime reproductive success) indicate an increasing population.
- (2) The population has increased at an annual rate of 2 percent or greater for 35 years.
- (3) None of the five listing factors—habitat degradation, deliberate use, disease or predation, inadequate regulations, and mortality/serious injury from ship strikes and fishery interactions—is known to be limiting the population's growth rate.
- (4) The estimated probability of quasi-extinction in 100 years is no more than 1 percent.

The panel attempted to evaluate the relevance and importance of research and monitoring efforts according to the extent to which they either had addressed these criteria or could be expected to address them in the future. Similarly, it tried to evaluate protection and recovery programs according to whether they had brought the population closer to meeting the downlisting criteria or could reasonably be expected to do so in the future.

Judging effectiveness with reference to the criteria in the recovery plan was complicated by the following:

- Unless it is known whether the population is increasing, decreasing, or at an equilibrium, it is difficult to know whether any particular intervention, or for that matter the entire package of interventions as a whole, is having any positive effect. Because the
-

population's rate of increase is not estimated on a regular basis, and indeed because we cannot even assess whether the population is currently increasing or decreasing, there is little or no basis for confirming effectiveness.

- For effectiveness to be assessed in relation to specific management measures, causal connections need to be established between such measures and the desired outcome or outcomes. In other words, it has to be shown, for example, that a reduction in the rate of serious injuries or deaths of right whales (and its concomitant effect on status) was due to a particular fishery management measure or change in shipping traffic. Without a means of associating cause and effect in this way, any judgment about the effectiveness of individual protective measures is highly speculative.
- Compliance with management measures needs to be verified. It has to be shown that prescribed changes in human activities or behavior (e.g., in the types of fishing gear deployed or the speeds and routes of vessel traffic in specified areas or seasons) are actually being made. Otherwise, there is danger that apparent correlations between regulatory actions and trends in the whale population will be misleading.
- Data on the whale population's "performance" in response to management measures, as well as data on compliance by regulated parties, need to be gathered at very large spatial and temporal scales (tens of thousands of square miles and decades). Given the expense and logistics involved, this means that datasets are often incomplete or have low statistical power.

In the view of some NMFS representatives, the effectiveness of the right whale program cannot be judged solely on the basis of the delisting criteria because the agency is bound to adhere to several other relevant mandates. Specifically, Endangered Species Act (ESA) section 7 consultations require that any alternatives to a proposed activity be "reasonable and prudent," and section 118(f) of the Marine Mammal Protection Act (MMPA) specifies that NMFS must take into account the economics of the fishery and the availability of existing technology when seeking to reduce incidental mortality or serious injury of marine mammals. The inadequacy of specific information concerning the dynamics of entanglement, right whale foraging ecology, and right whale behavior, in general, makes it difficult for NMFS to develop measures that are not only effective in protecting right whales but that also meet the "reasonable and prudent alternative" requirement of the ESA and give due consideration to fishery economics and technology as required under the MMPA. The panel acknowledges that these competing components of the ESA and MMPA further complicate the agency's position and hinder progress toward achieving some of the downlisting criteria. Nonetheless, when evaluating the effectiveness of past actions and identifying future actions that might be more effective, the panel did not feel constrained to consider those other mandates. Its conclusions and recommendations are based solely on judgments about what actions are most likely to be effective in achieving the recovery of North Atlantic right whales.

B. EVALUATING COST-EFFECTIVENESS

To aid it in evaluating cost-effectiveness, the panel benefited from a detailed compilation of expenditures on right whale recovery and research by federal and state government agencies and

nongovernmental organizations over the past three fiscal years (FY2003/04 to FY2005/06). That information was compiled by Jeff Benoit of SRA International, who contacted agencies and organizations directly. It was supplemented by workshop presentations in which representatives of federal agencies and certain major contractors attempted to place the expenditures in context.

Determining how to measure and assess cost-effectiveness proved a major challenge for several reasons, including the following:

- Assessing cost-effectiveness depends on the ability to assess effectiveness. As discussed above, that can be very difficult.
- Reliable information on the actual costs of implementing management measures is needed, but such information is seldom available for individual program components. Moreover, because some program components (e.g., aerial surveys) simultaneously serve multiple research and management functions, it can be difficult to partition costs for specific activities or purposes within the overall recovery program.
- A metric of cost-effectiveness is needed that is conceptually coherent and feasible to apply. For example, cost-effectiveness might be measured in terms of right whale deaths prevented per unit of federal funds invested in a given type of intervention. Thus, if a 50 percent reduction in adult female mortality could be achieved with a \$1 million investment in a certain management action, while a \$10 million investment would be required to achieve a similar reduction in mortality with a different management action, the relative cost-effectiveness of the two measures could easily be assessed and compared. However, uncertainty regarding the magnitude and causes of right whale deaths, together with frequent changes in regulations, makes it virtually impossible to devise a practical and appropriate metric for cost-effectiveness in the present context.

Systemic constraints also exist and deserve mention. Among these are the following:

- Inadequacy and uncertainty of funding for critical activities make it difficult for agencies to develop cost-effective programs, which require the ability to plan, introduce measures in a stepwise fashion, monitor and evaluate outcomes, and adapt if necessary.
- The conflicting mandates within and between government agencies inevitably reduce effectiveness of many kinds—biological, economic, and political. For example, the Coast Guard must respond, first and foremost, to demands related to human safety and homeland security, even if in the process it means putting right whales at greater risk of ship strikes. Similarly, the Department of Commerce is responsible for protecting and enhancing the economic interests of U.S. business, industry, and individuals, yet it also is expected to protect right whales from shipping and fishing gear.

Such constraints are to be expected in a modern nation with a large bureaucracy and frequently changing government administrations. What is important here, however, is to acknowledge that cost-effectiveness alone may not be an appropriate guide to the public interest.

The panel was at once mindful of the intrinsic difficulties and limitations summarized above and the desire expressed by Congress for information concerning the effectiveness and cost-effectiveness of the right whale protection program. In the complete absence of rigorous, conclusive studies evaluating the effectiveness of specific measures, the best that the panel can offer is a series of judgments based on the information provided to it. Given their subjective nature, some of these judgments are bound to be controversial. Where doubt has been expressed concerning the effectiveness or cost-effectiveness of a given aspect of the program, the panel would like nothing better than to be proven wrong by an appropriate study.

III. FINDINGS OF THE PANEL:

RESEARCH ON NORTH ATLANTIC RIGHT WHALES AND MONITORING THE WHALE POPULATION

As noted above, the downlisting criteria are framed around the demography of the North Atlantic right whale population. Any assessment of status must provide basic information on the rate of population increase or decrease, parameters controlling that rate (births and deaths), and the ecological factors affecting those parameters. This section of the report reviews the NMFS right whale science program. Research and monitoring efforts related to recovery management are discussed in sections IV and V.

A. RANGE AND DISTRIBUTION

A great deal has been learned over the past 25 years about the distribution of right whales in the western North Atlantic, yet surprisingly large gaps in knowledge remain. The winter distribution of a significant portion of the population is unknown. The routes taken by whales moving between the southeastern U.S. calving grounds and northern feeding areas have been only partially documented. In particular, the extent to which migrating whales remain in coastal waters or travel offshore as they pass the mid-Atlantic states (between the Carolinas and New England) is uncertain. A significant fraction of adult females take their dependent calves somewhere other than to the main summer nursery area in the Bay of Fundy. Paternity analyses of DNA from biopsy samples suggest that the number of males in the population is 16 to 21 percent greater than the number documented through photo-identification and genotyping. Opportunistic sightings of right whales in the Gulf of St. Lawrence, south of Greenland, around Iceland, and in northern Norway show that some individuals occur far beyond the well-known high-use areas in the Gulf of Maine, Bay of Fundy, and Scotian Shelf regions during summer. The boundaries of designated critical habitat do not appear to define all of the areas used intensively by right whales. Improved understanding of right whale distribution and movement patterns should, therefore, remain a research priority, both for better assessing the status of the population and for designing a comprehensive protection regime.

Seasonal (winter and spring) aerial surveys in the Southeast, Cape Cod Bay, and Great South Channel and year-round surveys in the Gulf of Maine have provided some useful information on distribution patterns, although these surveys are not designed solely for that purpose. Instead, the surveys are conducted, in part, to provide information necessary for management (e.g., providing warnings to mariners) and are therefore flown more frequently than would be necessary for population monitoring purposes alone (e.g., annual calf counts). Since 2001 federally funded studies of right whale distribution also have been expanded to include broadscale aerial surveys beyond the well-described habitats in New England, Bay of Fundy, and the calving grounds. For example, these expanded surveys were expected to cover the entire coasts of North and South Carolina in winter/spring of 2005/2006 and 2006/2007.

There is a clear desire on the part of NMFS to reduce the frequency of aerial survey flights in critical habitats and to phase out broadscale aerial surveys for detecting locations where whales occur and to replace them with another method, such as passive acoustic monitoring. The impetus for such a shift is rooted in at least three factors: (1) the emergence of the requisite technology to conduct real-time acoustic monitoring, (2) concerns about human safety in offshore aerial surveys, and (3) the high and rising costs of aircraft use (due, in part, to measures to address safety). The review panel regards all three factors as worthy of consideration and agrees that the Service should continue to support efforts to develop and refine alternative monitoring capabilities. However, any shift away from aerial surveys needs to proceed with due recognition of the potential benefits and drawbacks of new approaches. The panel's thoughts in regard to passive acoustic monitoring are presented here.

Benefits: Once an acoustic monitoring system has been deployed and a system for processing data from it has been set up, this approach offers the potential for continuous, long-term monitoring of an area to detect vocalizing right whales—regardless of visibility, sea conditions, or time of day—at relatively low cost and with little risk to human safety. Preliminary results of studies in Cape Cod Bay, as reported to the workshop by Chris Clark of Cornell University, indicate that when whale densities are low, acoustic detection is more efficient than visual detection. It should be possible to establish acoustic monitoring stations at remote locations where right whales are known or suspected to have occurred in the past but have yet to be adequately surveyed (e.g., the Gulf of St. Lawrence and the eastern margins of the Grand Bank). The availability of real-time acoustic data also offers the possibility of improving the cost-effectiveness of certain aerial (and shipboard) survey efforts by allowing flights (or cruises) to go directly to areas where at least some right whales are known to be present. Finally, the recent inclusion of passive acoustics as part of NOAA's Integrated Ocean Observing System is a welcome development that can be expected to contribute new information on right whale range and distribution.

Drawbacks: Although listening can establish the presence of calling right whales (within a radius of about 5 to 10 nautical miles [nmi] of a buoy in optimal listening conditions using current technology), a lack of detections cannot establish their absence from an area. A failure to detect calls may occur because the whales are not vocalizing or because of acoustic masking by noise from ship traffic or other sources. Further work is required before we understand the factors responsible for variation in calling rates, such as behavioral and reproductive state, time of day, and location, and the effect of this variation on detection probabilities using passive acoustic methods. Call characteristics and rates cannot be used to determine numbers of right whales present or to detect and assess entangled or injured whales, and it is not yet possible to identify individual right whales acoustically. Further development is needed to improve techniques for transmitting detections in real time and for analyzing and interpreting the acoustic data. Another drawback is that reduction or cessation of large-scale aerial surveys will lead to a loss of information critical to population assessment and monitoring. For example, calf counts are obtained from aerial surveys, and many of the detections of whales entangled in fishing gear are made during aerial surveys. Also, a reduction in aerial survey effort will mean fewer photographic records and therefore a loss of data for use in population analyses that involve

photo-identification (e.g., abundance estimation and assessments of individual health). For this reason, aerial surveys cannot be eliminated, but rather the current broadscale surveys should be replaced by a system of focused surveys designed to provide information necessary for demographic assessment. Such focused surveys could be conducted at much less cost (and risk to human life) than the current broadscale system of surveys. The utility of such surveys could be improved by incorporating knowledge gained from predictive modeling based on environmental correlates of right whale presence and absence. There will also be a continuing need for follow-up visual documentation of at least some of the acoustic detections (e.g., for periodic ground-truthing), which can be accomplished from aircraft or boats.

A balance is needed to ensure that, during the transition from aerial surveys to passive acoustic monitoring (or some other monitoring method), data critical to population monitoring continue to be collected and well-justified aerial survey programs are not terminated prematurely. Moreover, there continues to be a need for other tools that will improve knowledge of distribution patterns, perhaps including analyses of isotopic signatures from tissue samples and the deployment of satellite tags on a carefully selected sample of right whales. The panel was not able to reach consensus on the important question of whether satellite-tagging technology has been adequately developed and field-tested to ensure that it can be safely and effectively used on North Atlantic right whales. It does agree, however, that if any such program is initiated, it should include a follow-up monitoring component to assess the health and condition of tagged animals. Development of less invasive, long-term tags also should be encouraged and supported, and close consideration given to the potential of shipboard surveys to provide additional information on range and distribution.

The value of shipboard surveys deserves special consideration. Although not generally as cost-effective as aerial surveys for obtaining large-scale, synoptic views, shipboard surveys have fewer safety issues and provide a much wider array of opportunities for data collection (e.g., photography, biopsy sampling, fecal sampling, visual health assessments, observations of behavior, group size determination, acoustic recording, and measurements of environmental conditions). The photographs from shipboard surveys are the only ones that provide sufficient detail and are of high enough quality to support visual health assessment and, importantly, analyses of wounds and scars from interactions with fisheries. These latter analyses are, at present, the only means available for assessing the effectiveness of management actions to reduce entanglement risk. In part because of those advantages, shipboard surveys can be highly cost-effective in comparison to aerial surveys in some circumstances. For example, the designated right whale critical habitat in Cape Cod Bay was undetected as such during the broadscale aerial surveys conducted by the University of Rhode Island in 1979–1981. The significance of the area as habitat for right whales was, however, recognized from shipboard observations during the late 1970s and 1980s. In Cape Cod Bay, as in some other parts of their range, right whales in scattered groups or individuals making prolonged dives (18 to 25 minutes) are much more likely to be detected by shipboard surveys than by broadscale aerial surveys.

Some of the data on right whale distribution have come from aerial surveys in support of management programs. There has not always been a clear and consistent distinction between

research/monitoring and management functions of the surveys. Although integration can enhance cost-effectiveness, it also can create the potential for data collection and analyses that serve management but are not optimal for addressing key research questions. Therefore, the types of data needed for research and for management (mitigation) should be distinguished when designing and implementing aerial survey programs.

Table 1: Costs of actions to study range and distribution, FY2003/FY2005

Activity/Source	FY 03	FY 04	FY 05
Aerial Surveys	\$2,017,000	\$2,906,544	\$2,984,470
NMFS	1,484,000	1,854,000	2,345,000
Navy	155,000	155,000	155,000
U.S. Coast Guard	237,000	370,544	299,470
U.S. Army Corps of Engineers	141,000	174,000	185,000
National Fish and Wildlife Foundation	0	353,000	0
Massachusetts Environmental Trust	0	0	36,475
Shipboard Surveys	66,815	39,048	32,500
NMFS	N/A*	N/A*	N/A*
New England Aquarium	64,315	36,548	31,000
Provincetown Center for Coastal Studies	2,500	2,500	2,500
Acoustic Monitoring	642,552	416,170	345,324
NMFS	627,552	416,170	285,324
International Fund for Animal Welfare	0	0	60,000
Stellwagen Bank National Marine Sanctuary	15,000	0	0
TOTAL	\$2,726,367	\$3,361,762	\$3,362,294

Note: The costs for aerial surveys and acoustic monitoring summarized in the table represent investments in both management and research, i.e., in both ship strike mitigation (early warning and avoidance systems; see section IV.A) and investigations of right whale range and distribution.

* Costs of ship time provided in-kind by NMFS (i.e., by making NMFS vessels available for dedicated right whale work) were not provided to the panel but were significant in all three years.

Contribution to recovery program

Reliable information on range and distribution is needed to identify critical habitat, facilitate the monitoring of right whales within high-use areas, plan research activities, and trigger or tune management actions. Knowing the entire range and distribution is important to ensure that animals have adequate protection throughout the year and that no large groups of individuals are unaccounted for.

Cost-effectiveness of actions

During FY03/05, a total of \$9.45 million was spent on activities that contributed relevant data. Of that total, \$7.91 million was spent on aerial surveys. The challenge of obtaining detailed information on the range, distribution, and movements of this whale population is formidable. There is no quick, simple, or inexpensive way to do it. The current state of knowledge represents an accumulation of data over many decades and from many different sources, some of it from activities carried out for other purposes. These factors make it impossible to quantify the true cost of studying the species' range and distribution. Clearly, aerial surveys have absorbed a large proportion of the total funding for studying this topic, and the fraction has increased steadily from 74 percent in FY03 to 89 percent in FY05. Although the majority of the funds (72 percent) expended on surveys came from NMFS, other agencies and organizations provided \$2.23 million over the three years.

The review panel accepts the judgment of NMFS scientists that alternative methods (passive acoustic monitoring, satellite tracking, shipboard surveys in unstudied areas, etc.) will ultimately prove more cost-effective and safer than aerial surveys. At the same time, the panel recognizes that some recent aerial surveys have fulfilled multiple, and important, research and management purposes. For example, photo-identification data have been obtained, and many of the detections of entangled right whales have been made during aerial surveys.

Shipboard surveys, in addition to providing data on range and distribution, offer opportunities to collect samples and data of many kinds. Actual expenditures for shipboard surveys during FY03/05 are greatly underrepresented in the foregoing table of costs, which includes only the amounts raised from non-NMFS sources to supplement the support provided in-kind by NMFS. More realistic estimates of the total amounts invested in shipboard surveys are approximately \$300,000 in FY03, \$286,000 in FY04, and \$281,000 in FY05 (S. Kraus, pers. comm., October 2006).

Passive acoustic monitoring is a promising but still not fully developed tool and therefore is at present only potentially cost-effective for improving knowledge of range and distribution. Moreover, its eventual effectiveness might be restricted to areas that are readily accessible and known to be used by right whales. A significant investment has been made in development of passive acoustics methods, with \$1.4 million spent on this topic during FY03/05, the vast majority by NMFS. Although controversial and not without some risk to the health of right whales, satellite tracking is a potentially cost-effective means of completing the inventory of habitat used by North Atlantic right whales. No expenditures to support satellite-tracking studies during FY03/05 were identified.

Recommendations

The apparent intent of NMFS to move away from aerial surveys and toward passive acoustic methods for assessing right whale range and distribution is both prudent and desirable. It is important, however, that the transition occurs gradually and with due regard to the need for

continuity in collecting photo-identification data, especially in the southeast region and in Great South Channel. In the short term, the panel recommends that aerial surveys be continued as needed to supply critical management information, while development, testing, and deployment of passive acoustic technology proceeds. A combined program of focused aerial surveys in areas where small survey vessels are unable to work easily (e.g., offshore in the Great South Channel or on the Northeast Peak of Georges Bank) and dedicated shipboard surveys in predictably used seasonal habitat of right whales would likely be the most cost-effective approach. It would address multiple management and science needs while allowing flexibility to respond to changes in whale distribution as well as the emergence of enhanced acoustic monitoring capabilities. Other approaches, including satellite tagging and isotope analyses, should be explored to determine what role they might play in refining our understanding of right whale range and distribution. In the medium to long term, aerial surveys explicitly for determining range and distribution should be used only in a carefully focused manner as needed to complement alternative methods. A major purpose of range and distribution studies should be to provide data needed to reassess the current designation of critical habitat under the Endangered Species Act.

B. ABUNDANCE AND TRENDS

Databases

Two separate but related databases are supported by NMFS: the North Atlantic Right Whale Identification Catalog (hereafter, the Catalog), maintained at the New England Aquarium and the Right Whale Sightings Database (hereafter, the Sightings Database), maintained at the University of Rhode Island (URI). Both databases play critical roles in right whale conservation.

The Catalog is the cornerstone of right whale research and monitoring. It provides records of individual whale sightings that are used to estimate reproductive parameters, mortality rates, and other input to demographic models. In addition, the Catalog serves to link many other types of samples (e.g., biopsies) and information (e.g., health assessments) to individual whales. Among other services provided by the Catalog team are the provision of real-time data on individual whale identities for researchers engaged in biopsy darting or tagging; information on identity and health assessment of stranded, injured, or entangled right whales; and responses to requests for data to be used in many types of scientific and management analyses.

Ongoing maintenance of the Catalog has two essential aspects: (1) field collection of photographic images and associated data, and (2) photographic analysis, matching, confirmation, integration, and cataloguing previously unidentified individuals. Each year, approximately 3,000 sighting records are added to the Catalog. Somewhat paradoxically, the advent of digital photography has increased the workload of the New England Aquarium team as field researchers now contribute many more images every year, creating a backlog in processing and archiving the information. In addition, the rich database of genetic information obtained from biopsy sampling has not yet been fully integrated into the Catalog. Ongoing curation and maintenance of the Catalog requires 4.7 person-years annually. The panel notes that the cost of the Catalog would rise substantially if there were a need to train new personnel for its curation and maintenance.

Maintenance of the Sightings Database involves processing, validating, and integrating survey and sightings datasets. This database, which includes records of species other than right whales (e.g., sea turtles and other marine mammals), serves NMFS and individual researchers by providing tailored subsets of data—e.g., for analyses used in stock assessment reports, environmental impact assessments, plans and designs of protected areas, and analyses of habitat. Like the Catalog, it has experienced rapid growth, doubling in the past three years to more than two million records. Much of the increase is due to expanded aerial survey effort.

The manager of the Sightings Database at URI (R. D. Kenney) has prepared a detailed manual explaining the procedures involved in its upkeep, but the panel is concerned about the extent to which the continuity and function of this database depend on Kenney's continued availability.

Trends in Abundance

Despite the fact that the four primary criteria for downlisting this population pertain directly to its demography, there is no current or recent statistically derived estimate of the number of North Atlantic right whales. The most recent (2005) NMFS Stock Assessment Report notes "...no estimate of abundance with an associated coefficient of variation has been calculated for this population." The primary factor responsible for this situation is not lack of data, as the Catalog provides a rich source of information on individual histories. Instead, the limiting factor is variation in the probability of sighting individual whales. That is, not all whales occur in specific study areas (and are thus available to be photographed) each year.

Mark-recapture and matrix population models applied to the Catalog data by Caswell et al. (1999) and Fujiwara and Caswell (2001) suggest that the population began to decline around 1992 after a period of modest growth. The models incorporated variation in sighting probabilities because estimates of survival and population growth that do not take into account such variation may give spurious and misleading results. The published model results incorporate sightings data only up to 1996.

NMFS scientists suggested at the workshop that the "minimum number of individuals known to be alive" is a potentially useful metric for tracking the population's status, but the panel disagrees. Instead, the panel believes that, as called for in the Recovery Plan, a true estimate of population growth rate, or a reasonable proxy, should be generated on a regular basis, perhaps as part of the NMFS Stock Assessment Report process. Such estimates will become particularly important as specific management measures are implemented to reduce anthropogenic sources of mortality. Without a statistically appropriate demographic metric, it will be difficult or impossible to gauge the success or failure of management measures, let alone their cost-effectiveness.

Demographic metrics other than population growth rate may prove effective for monitoring population status. For example, this population's growth rate is particularly sensitive to changes in the survival rate of adult females. Furthermore, adult females have consistently higher sighting probabilities than other age and sex classes. It might be possible, therefore, to monitor the status

of the North Atlantic right whale population by tracking changes in the survival rate of adult females. Further effort should be put toward the development of such a metric that would allow authoritative assessment on a regular and timely basis (e.g., annually). This would require identifying the data requirements and ensuring that they are met in a timely fashion. To achieve this, maintenance and more frequent updating of the Catalog will be necessary to ensure availability of the data for modeling purposes in a reasonable time frame.

Table 2: Costs of actions to study abundance and trends, FY2003/FY2005

Activity/Source	FY 03	FY 04	FY 05
Right Whale Identification Catalog	\$219,000	\$579,206	\$363,000
NMFS	207,000	215,000	223,848
New England Aquarium	7,000	0	139,152
National Science Foundation	0	359,206	0
International Fund for Animal Welfare	5,000	5,000	0
Right Whale Sightings Database	98,962	117,815	124,949
NMFS	98,962	117,815	124,949
Population Modeling/ Abundance Estimates	238,300	256,919	317,035
NMFS	228,300	229,483	296,128
Woods Hole Oceanographic Institution	0	17,436	10,907
International Fund for Animal Welfare	10,000	10,000	10,000
TOTAL	\$556,262	\$953,940	\$804,984

Note: Also see cost table on page 11; survey and monitoring work carried out for multiple purposes has contributed much of the data used in analyses of abundance and trends.

Contribution to recovery program

(a) *Databases.* Both principal databases—the Catalog and the Sightings Database—are essential to right whale recovery efforts. Many aspects of both research and management depend directly on access to up-to-date information that they contain. This information can be and often is provided very quickly (e.g., in the case of identifying an entangled whale).

(b) *Trends in Abundance.* Demographic analyses of the right whale population should be a high priority for NMFS. Any future assessment of the effectiveness of right whale recovery efforts will depend on an ability to determine whether the population is growing and, if it is, which specific actions are responsible. Also, given continued uncertainty regarding the effectiveness of various management actions, further investigations are warranted into the contribution of demographic processes (e.g., survival of the different age and sex classes, and birth rates) to

population growth rates. Some may argue that the current situation is so dire that detailed demographic analyses are superfluous. The panel rejects such an argument and believes that, given the significant investment of public funds in efforts to promote the recovery of this population, it is essential for managers, stakeholders, and the public to know whether the North Atlantic right whale population is increasing, decreasing, or stable.

Cost-effectiveness of actions

(a) *Databases.* During FY03/05, a total of \$1.5 million was spent on maintenance of the two primary right whale databases (\$1.16 million on the Catalog and \$0.34 million on the Sightings Database). Both databases are essential for right whale recovery and have been diligently maintained in a cost-effective manner. Furthermore, the Sightings Database includes important information on other protected species that is being curated and made available to NMFS and others at no cost to those programs.

(b) *Trends in Abundance.* During FY03/05 a total of \$0.81 million was spent on population monitoring and abundance estimates. The current lack of statistically derived estimates of either abundance or trend means that further investment in this task will be necessary to provide fundamental information needed for effective management.

Recommendations

(a) *Databases.* The Catalog and the Sightings Database are both essential elements of the right whale recovery program and, as such, they should be fully funded on a stable basis. Each database has particular needs that must be met during the next few years to place data processing and analyses in support of the recovery program on a sound footing over the medium to long term. Therefore, in addition to continuation of base support for the Catalog at a level of approximately \$360,000 (actual operating costs in FY 2005), the panel recommends that NMFS provide a one-time funding supplement to the New England Aquarium to cover the costs of clearing the data backlog and integrating genotype information with the photo-identifications.

The panel further recommends that NMFS continue to support the Sightings Database at a level adequate to cope with the growing rate of data input. Because much of the effort being expended on the database is due to sightings of sea turtles and other marine mammals, it would be appropriate for some support to come from programs focused on those species.

The panel also recommends that NMFS consider the need to broaden administrative support, and thus increase funding, for both databases to ensure the long-term continuity of these invaluable resources.

(b) *Trends in Abundance.* The panel recommends that NMFS develop a system for regular assessment of right whale numbers so that trends in abundance can be determined. As noted above, such a system could either estimate a rate of increase directly, or use a surrogate parameter, such as adult female survival, to determine the likely trend of the population. The

panel further recommends that NMFS take advantage of the considerable expertise in demographic modeling in academic institutions to develop the methods for this assessment.

C. MORTALITY

Estimating mortality rates and determining causes of death are both critical components of the right whale research program. Estimates of mortality (or survival) rates are required to understand the demography of the population, as noted earlier. It is essential to know the causes of death in order to understand which, and to what extent, anthropogenic factors are affecting the population.

Estimating mortality rates is not straightforward because perhaps only half, or less than half, of all deaths are discovered and reported (Knowlton and Kraus 2001, Kraus et al. 2005). To account for deaths that are not observed, the Catalog assumes that any whale not resighted within six years has died. Sighting records suggest that this assumption is reasonable in most but not all cases. For example, right whale #1035 was seen 10 times between 1978 and 1986 in waters off New England but was not resighted again until 2002, an interval of 16 years. Conversely, right whale #1102 was the subject of an intensive disentanglement operation in 2001 before disappearing in very poor condition. Although this whale almost certainly died, it is still considered a living animal in the Catalog because no carcass has been found. With a longer time series of observations, it may be possible to reevaluate the probability of mortality having occurred after a given period of absence from the Catalog.

The necropsy program ranks alongside the Catalog and the Sightings Database as an indispensable aspect of right whale recovery efforts. Evaluation of the effectiveness of mitigation and protection measures will depend ultimately on an ability to demonstrate a reduction in mortality from ship strikes and entanglements. Therefore, the capability to determine cause of death, which begins with carcass detection and ends only with a definitive necropsy diagnosis, needs to be maintained and enhanced.

During the period from 2000 to 2005, causes of death were determined for about half of the right whales known to have died (12 of 23). Concerted efforts by NMFS, the Coast Guard, and the Navy have been responsible for substantial improvements in the detection, reporting, and recovery of carcasses. Likewise, NMFS, the U.S. Geological Survey, and a few exceptionally committed researchers have greatly improved the quality and standardization of necropsy protocols so that more information is obtained from each carcass. In particular, there have been improvements in the diagnosis of blunt trauma associated with ship strikes. All of these efforts, however, require sustained funding. Appropriate levels of support (salaries and adequate funds for logistical expenses) are needed to keep necropsy team leaders engaged (only three teams are currently in place). Arrangements for sites to perform necropsies are essential, so agreements with the relevant state agencies for access to necropsy sites should be updated and expanded. In addition, further standardization of necropsy protocols and the training of a broader pool of necropsy team leaders are necessary.

The difficulty and complexity of obtaining conclusive results from necropsies and associated pathology and forensic investigations should not be underestimated. Difficult, uncomfortable, and stressful work by a small but dedicated cadre of individuals has provided the critical data presently available on causes of death for right whales. Although the panel recognizes and appreciates that work, it also believes that more effort is needed to investigate causes of death and, importantly, to trace those causes to precise times, localities, and circumstances. As explained by representatives of NMFS, determination of the exact type of fishing gear that was responsible for a given entanglement, and where the entanglement occurred, requires painstaking, careful documentation and can involve substantial logistical and legal complications. Nevertheless, the current long delays between carcass discovery and reporting with regard to the type of entangling gear (many months and, sometimes, years) are unacceptable. Mandatory gear marking (not only buoys, but also line and net material) as a condition for permission to fish with high-risk gear and methods (e.g., lobster traps and gillnets) is certainly desirable, and its feasibility should be evaluated. (For more discussion, see section IV.B. Also, note that much of the gear removed from right whales is obtained during attempts at disentanglement of live animals rather than during necropsies.)

The panel is well aware of how difficult it often is to determine, even approximately, where an entanglement took place or a ship strike occurred without observing the event. Nevertheless, knowing something about the proportions of lethal events that occur inside or outside areas designated as critical habitat, in shipping lanes, or on known migratory routes is essential for assessing effectiveness and improving management measures. This will require continued support for efforts to detect and examine carcasses, investigate the etiology of wounding and scarring on live animals, and determine where whales were killed, injured, or entangled.

Table 3: Costs of actions to study mortality, FY2003/FY2005

Activity/Source	FY 03	FY 04	FY 05
Necropsy Teams	\$0	\$65,000	\$65,000
NMFS	0	65,000	65,000
Logistics	91,596	150,169	231,259
NMFS	70,000	70,000	70,000
U.S. Coast Guard	21,596	80,169	161,259
Diagnostics	11,000	11,000	11,000
NMFS	11,000	11,000	11,000
TOTAL	\$102,596	\$226,169	\$307,259

Contribution to recovery program

Increased efficiency in detecting dead right whales at sea, better coordination among cooperating agencies in responding to carcasses, more consistent necropsy protocols, and new postmortem techniques have allowed the stranding program to play an increasingly important role over the

past decade. The response to stranding events is now an integral part of the right whale recovery program, contributing information on the rates and causes of death that is vital to understanding the population's status and the anthropogenic threats affecting it.

Cost-effectiveness of actions

About \$636,000 was spent during FY03/05 to secure right whale carcasses and examine them. Although NMFS expenditures over that three-year period remained relatively stable, Coast Guard assistance with logistics (principally retrieving floating carcasses) increased substantially. Coast Guard expenditures for logistics accounted for 38 percent of the total amount spent on mortality studies.

The investments by NMFS and the Coast Guard, together with the many hours of volunteer labor contributed by necropsy teams, have yielded significant information on the causes of right whale deaths. Such information is essential to the development of management and conservation actions that will assist in right whale recovery. Considering travel expenses, equipment needs (including rental of heavy construction equipment for moving carcasses), costs for laboratory analyses, volunteer help, and the difficulty of retrieving floating carcasses, this component of the recovery program is judged to have been very cost-effective.

Recommendations

Stranding response is a core responsibility of the recovery program and requires an adequate, ongoing funding base. This funding should be used principally to cover the recurrent but unpredictable costs of travel for necropsy teams. Funds should be made available each year to ensure that these teams are adequately equipped, stranded animals are moved to suitable sites for necropsy, heavy equipment is available for moving carcasses at necropsy sites, and essential laboratory analyses are conducted in a timely manner. The process of establishing cooperative agreements with the Navy, Coast Guard, and others for assistance in towing carcasses and securing shore areas to conduct necropsies appears well under way. Existing agreements should be maintained and others pursued to completion as needed. Finally, although recognizing the need for thoroughness and quality control, the panel believes that the analyses of gear removed from right whale carcasses (and entangled live animals) can and should be completed in a more timely and efficient manner.

D. ASSESSMENT OF HEALTH AND REPRODUCTION

Fecundity rates in the North Atlantic right whale population have shown significantly more inter-annual variation than expected by chance alone, and there have been two multi-year periods of very low calf production in the past two decades. In addition, there have been increases in the inter-birth intervals of individual females during the past two decades, suggesting that reproductive output has declined. Multiple hypotheses have been proposed to explain this variation and the possible decline in births, including long-term fluctuations in ocean conditions that affect copepod production, exposure to toxins and pathogens, and genetic factors. Whether

the observed variation is intrinsic to the species, caused by fluctuations in the environment, a result of human activities, or an artifact of sampling heterogeneity (e.g., caused by annual differences in behavior and habitat choices by individual whales) remains uncertain. It is possible that multiple factors are responsible, acting either additively or synergistically.

The above hypotheses have been examined to some extent, but, regardless of what is causing the variability, it is difficult to conceive of ways to substantially improve the health status of right whales and, in turn, increase their fecundity, by modifying human activities. It is possible that exposure to pathogens would be reduced through elimination (or at least improved management) of sources of contamination (e.g., sewage). Also, to the extent that human activities are responsible for the increased frequency and geographic expansion of harmful algal blooms, and if these are a health threat to right whales, it may be possible to take some kind of preventive action. Removal of entangling debris from adult females could improve their health and increase the likelihood that they will produce a calf. Otherwise, the health of right whales, and therefore their reproductive output, appears largely beyond human influence.

Investigations of right whale health nevertheless may be useful for understanding why this population is not recovering. Poor health of individual right whales could help explain why fecundity in this population is lower than the rates observed in some Southern Hemisphere right whale populations. Refinement of techniques that improve knowledge of animal health can play an important role in risk identification and assessment.

An impressive array of methods for assessing right whale health has been developed, including a visual health assessment protocol (Pettis et al. 2004) and an analysis of skin lesions (Hamilton and Marx 2005) using photographic images; fecal sampling and analyses of reproductive and stress hormones, lipid metabolism, parasites, etc. (e.g., Rolland et al. 2005); measuring blubber thickness with ultrasound (Moore et al. 2001); and efforts to carry out standard necropsies and associated histopathology on dead right whales (Moore et al. 2004). Application of such tools, and the development of new tools for health assessment, will continue through integration with (and at least limited support from) programs other than the NMFS right whale recovery program. It is important to recognize that health assessment, like many other parts of the overall right whale research and monitoring program, is subsidized by these other programs and that, conversely, core elements of the NMFS right whale program (photographic and genetic sampling, database management and maintenance, stranding response, surveys, etc.) provide the foundation that facilitates, and provides a necessary context for, such assessment. Further, the interest, initiative, and inventiveness of individual researchers are what drive much of this work.

Table 4: Costs of actions to assess health and reproduction, FY2003/FY2005

Source	FY 03	FY 04	FY 05
NMFS	\$561,000	\$425,000	\$321,000
Woods Hole Oceanographic Institution/Ocean Life Institute	0	88,044	92,444
TOTAL	\$561,000	\$513,044	\$413,444

Contribution to recovery program

Although various hypotheses have been formulated to explain the observed inter-annual variation in calf production of this population, there is no evidence that the variation is due to any human action. Nor is there evidence that the population's failure to recover is due to poor health or reproductive impairment. More knowledge about individual animal health and reproductive condition will contribute to interpretations of observed trends and inform management planning, but it may not be possible to apply this knowledge directly to improve the population's fecundity or status. Understanding how right whale reproduction might be coupled with broad ocean trends or cycles in productivity would provide an important context for evaluating the effectiveness of actions under human control.

Compromises to health and reproduction can, in some instances, be the result of injuries sustained from ship strikes or encounters with fishing gear. Therefore, in that sense, assessment of health and reproduction is, like the necropsy program, an integral part of the recovery program's effort to improve understanding of threat factors.

Cost-effectiveness of actions

During FY03/05, a total of \$1.49 million was spent on reproduction and health studies, with a steady decline in the level of support over that period. With the exception of support from the Woods Hole Oceanographic Institution's Ocean Life Institute in FY04 and 05, all of the identified funding has been provided by NMFS. However, research on right whale health and reproduction has been funded in diverse and creative ways, making it difficult to assess its true costs. Moreover, some of the most important insights have come from efforts by individual scientists who have, by their own initiative and resources, pursued studies with relatively modest levels of federal funding. Much of what is known about right whale health and reproduction is a direct or indirect product of the Catalog, costs of which were included in Section III.B above. Overall, excellent scientific value has been realized from the federal funds invested in studies of right whale health and reproduction in recent years.

Recommendations

It is important that investigations of health and reproduction continue at some scale and that particular attention (and funding) be directed toward determining how serious injuries from ship strikes and entanglement are affecting the health and reproductive capabilities of individual right whales. Therefore, the panel encourages individual scientists to maintain their investigations in these areas ancillary to other programs and also encourages NMFS to provide them both direct and in-kind support. The panel recommends specifically that NMFS continue to support visual health assessment, which is relatively inexpensive and provides information potentially useful for predicting and explaining inter-annual variation in calf production and for monitoring injuries caused by ship collisions and entanglements.

E. HABITAT

Major advances have been made over the past decade toward understanding habitat features that are important to right whales, especially in the calving and feeding areas off eastern North America. Management can benefit directly from improved understanding of (a) why right whales go where they go, (b) the cues that prompt them to move into or leave a given area, and (c) how they use the different types of habitat that they occupy.

In the southeastern United States, time series of right whale sightings from aerial surveys have been used to develop predictive models and characterize calving habitat for right whales. Among the more significant findings are that warm Gulf Stream waters represent a thermal limit and help define right whale offshore distribution within the calving grounds and that most sightings are in water depths of 10 to 20 m. This work, as well as analyses of sightings per unit of effort and predictive modeling, has led NMFS scientists to conclude that right whale habitat may extend outside the area designated as critical habitat for right whales in the Southeast. The aerial surveys discussed earlier (section III.A), designed to sample all nearshore waters off North and South Carolina, are expected to provide relevant data for further habitat analyses, including reevaluation of critical habitat designations.

In the Northeast, studies of right whale habitat in Cape Cod Bay have been ongoing for the past two decades, led by the Provincetown Center for Coastal Studies and supported by NMFS through contracts with the Massachusetts Department of Marine Fisheries. The studies have shown a tight coupling between high zooplankton abundance at the surface and relatively high-density occurrences of right whales. Right whales apparently come into the bay following an ecological signal of some kind that leads them to encounter large zooplankton concentrations. Why they leave the bay when they do is less clear and may have to do with memory of large copepod concentrations in other feeding areas to the north and east of Cape Cod Bay.

In the lower Bay of Fundy, a major summer feeding area, right whales appear to be closely associated spatially and temporally with dense patches of the copepod *Calanus finmarchicus* that often form just above the bottom-mixed layer in response to tidal movements. Evidence from digital archival tags (D-tags) indicates that the whales typically change their orientation while diving to feed near the bottom so that the dorsal surface of the head sometimes comes into contact with the seafloor. This research seems well justified because of its scientific value and clear relevance in addressing conservation concerns, particularly with regard to why and how right whales become entangled in fishing gear set over sandy bottom habitat. Similar D-tag studies in other types of habitat (e.g., rocky bottom) would likely provide information useful to management.

Major existing gaps in knowledge include (1) factors that determine the timing and routing of right whale movements between the Southeast and the Northeast (essentially as they go from North Carolina to Cape Cod); (2) factors that influence the presence of individuals other than reproductive females on the calving ground (e.g., is there a social component driving habitat selection in winter?); and (3) the large-scale physical processes that determine where and when

concentrations of right whale prey (especially *C. finmarchicus*) will become available. The work mentioned in III.A should provide data to address these knowledge gaps through modeling and other types of analysis.

Table 5: Costs of actions to study habitat, FY2003/FY2005

Activity/Source	FY 03	FY 04	FY 05
Habitat Studies in the Northeast			
NMFS	\$0	\$161,200	\$100,100
Predictive Modeling in the Northeast			
NMFS	119,100	198,100	196,100
Modeling in the Southeast			
NMFS	56,000	56,000	56,000
Florida Wildlife Research Institute GIS Analysis			
NMFS	125,000	125,000	125,000
D-TAG Studies			
National Fish and Wildlife Foundation	0	123,924	0
TOTAL	\$300,100	\$664,224	\$477,200

Contribution to recovery program

Understanding the habitat requirements of right whales and the ecological factors driving those requirements is vital for effective management. Such information is necessary for informed decision-making concerning critical habitat designations and to allow prediction of where and when concentrations of whales will occur (e.g., by linking them to prey concentrations) and therefore where and when protective measures should be applied.

Cost-effectiveness of actions

During FY03/05, a total of \$1.44 million was spent on habitat studies. A large portion of the funding for aircraft surveys came directly from NMFS, was directed toward states for the purpose of flying surveys, or, in some instances, was provided through the National Fish and Wildlife Foundation on the advice of NMFS. In addition, many of the analyses of this population's habitat have relied on data from the multi-purpose field and data management activities, costs of which are discussed in sections III.A and III.B. There was no straightforward way for the panel to determine what portion of the costs of multi-purpose data collection and data management should be apportioned to habitat studies. Therefore, the panel was unable to determine the true costs, or the cost-effectiveness, of recent habitat assessment work.

The finescale studies of right whale diving and habitat use (e.g., using D-tags) have delivered high value in relation to the scale of funding (a one-time grant of \$123,924). Importantly, such fine-scale studies often have numerous applications, only one of which is to improve

understanding of habitat requirements and habitat use. Understanding the population's habitat requirements can help focus survey and other research efforts and thereby minimize cost and maximize effectiveness.

Recommendations

Most activities proposed in areas designated as critical habitat are automatically subject to increased scrutiny by ESA section 7 requirements. Also, the boundaries of critical habitat may be used as a basis for various regulatory actions (e.g., some of those currently in place under the Atlantic Large Whale Take Reduction Plan). Longstanding designations of right whale critical habitat have proven well justified, but the panel believes that a reanalysis is needed. It should include reconsideration of the boundaries of currently designated critical habitat areas and evaluation of new areas for possible designation.

The panel also recommends the continuation of localized studies of factors determining habitat use (e.g., triggers for arrival and departure of whales in a given area, threshold plankton concentrations to support right whale feeding, and multivariate predictive modeling of habitat).

F. GENETICS

Genetic analyses of North Atlantic right whales provide important information on the identity, sex, and relatedness of individual whales, the current and historic genetic diversity of this population, the relationship of these right whales to other populations and species, and insight into the potential effects of small population size on vital parameters and health. NMFS has not funded any genetics research on North Atlantic right whales during the last three years. However, genetic analyses have been conducted during this period using biopsy material obtained through NMFS-supported field programs and with the support of sighting histories documented in the Catalog. One of the important findings of this research is that the photo-identification procedures are extremely robust with a very low (less than 1 percent) error rate.

Another important finding from genetic studies is that a significant portion (16 to 21 percent) of the reproductively active males in this population has not been sampled; their existence is known only indirectly by excluding all other males in a paternity analysis. This finding suggests that the population is larger than currently believed, particularly if an equivalent number of females also have not been sampled (although there is no *a priori* reason to believe that this would hold for females).

About 40 percent of the calves born each year are not taken by their mothers to the Bay of Fundy feeding ground. Since callosity patterns on neonates are not sufficiently developed for reliable photo-identification, genetic sampling of calves produced by “non-Fundy” females on the southeastern U.S. calving ground is an important component of population monitoring. This work requires real-time coordination with the New England Aquarium staff to direct biopsy sampling toward new calves that have not yet been sampled. The resulting information helps to refine understanding of the total number of calves produced each year.

The research by scientists at Trent University on mating incompatibility and fetal loss due to genetic characteristics (“inbreeding”) may prove relevant in helping to explain this population’s apparently low fecundity compared to that of some southern right whale populations.

Table 6: Costs of actions to study genetics, FY2003/FY2005

Source	FY 03	FY 04	FY 05
NMFS	\$0	\$0	\$0
National Fish and Wildlife Foundation	0	0	45,135
Woods Hole Oceanographic Institution	0	21,233	78,766
New England Aquarium	3,007	3,869	12,911
TOTAL	\$3,007	\$25,002	\$136,812

Note: The costs involved in collecting tissue samples for genetic analyses (e.g., costs of shipboard surveys, necropsies, and disentanglement attempts) are not reflected in this table. (For such costs, see sections III.A, III.C, and IV.B, respectively.)

Contribution to recovery program

Genetic research adds to understanding of the demography of this population and is interesting scientifically. Like the research on reproduction and health assessment, however, it should not detract from support for surveys of right whales, maintenance of the key databases, studies to document causes of mortality, and habitat assessment.

Cost-effectiveness of actions

During FY03/05 a total of \$164,821, all of it from sources other than federal agencies, was invested in studies of genetics. The panel did not consider it appropriate to make a judgment about cost-effectiveness. Nevertheless, the finding that up to one-fifth of the males in this population has never been sampled is certainly a high-value result.

Recommendations

Further genetics studies should be supported according to the merits of individual proposals (in terms of both conservation relevance and scientific quality) and the availability of funds. This research component is a core element of the recovery program that, from a budgetary and practical standpoint, should be incorporated largely into the activities described in Section III.B.

H. PERMITS

The panel’s review of the right whale research program did not address research permits as a separate issue or in detail. However, this issue was raised by some of the involved scientists during the course of the workshop. It was clear that, as a strategy for litigation avoidance, NMFS has been seeking to comply fully with the requirements of the National Environmental Policy

Act (NEPA) with respect to issuance of research permits. Because North Atlantic right whales are endangered, concerns about the potentially negative effects of research on them (e.g., disturbance from repeated close approaches and physical harm or health impairment associated with tagging) go beyond animal welfare and humane treatment alone; they extend to the potential for effects at the population level that would run counter to the goals of conservation. Without discussing individual cases, the panel is convinced that extremely long delays in permit issuance have sometimes seriously impeded progress on both population monitoring (e.g., biopsy sampling of calves in the Southeast) and the development of effective mitigation (e.g., field experiments with new types of rope to reduce entanglement risks and D-tagging to improve understanding of whale behavior). The process has created serious inefficiencies, increased costs, and delayed research that could guide recovery actions. NMFS has prepared an environmental impact statement to address NEPA-related issues specifically with regard to scientific research. The environmental assessment was intended, in part, to speed up the permit issuance process while at the same time ensuring that NMFS would be in full compliance with its NEPA obligations. The panel nevertheless concludes that the problem of having critical monitoring and mitigation work delayed by the permitting process needs to be addressed as a matter of urgency and not folded into a prolonged, comprehensive process of systemic reform.

IV. FINDINGS OF THE PANEL:

PROTECTION AND RECOVERY

The vast majority of the federal government's effort with regard to protection and recovery has revolved around the twin goals of reducing deaths or serious injury from ship strikes and entanglement in fishing gear (bycatch). That emphasis is entirely appropriate.

A. SHIP STRIKE REDUCTION

On average, one or two ship strike deaths of right whales are documented annually along the East Coast of North America. Given that not all events are reported and not all right whale carcasses are recovered and subjected to a definitive necropsy, these numbers almost certainly underestimate the true mortality caused by ship strikes. The potential biological removal (PBR) level (the number of deaths and serious injuries that the population can withstand in addition to natural mortality as defined in the Marine Mammal Protection Act) has been set at zero for this population, meaning that any ship strike-related mortality or serious injury is unsustainable and should not be permitted.

To date, measures to reduce collision risks have consisted primarily of providing advice to vessel operators and urging them to exercise caution and seek to avoid hitting right whales. The main elements of NOAA's ship strike reduction strategy can be summarized as follows:

- The use of aerial surveys, known as Early Warning System (EWS) flights in the Southeast and Sighting Advisory System (SAS) flights in the Northeast. The surveys have been conducted annually in the Southeast during winter (1 December to 31 March) since 1993 and year-round in New England since 1997. Once right whales have been detected, mariners are alerted via NAVTEX, Notices to Mariners, the Mandatory Ship Reporting (MSR) outgoing message, NOAA weather radio, and other routes, and advised (at least through the "NOAA-mediated" outlets) to reduce speeds (to no more than 10 knots) and increase vigilance in the area(s) of the sighting(s).
- Since 1997 enforcement of a "500-yard no-approach" regulation for all vessels (including whale-watching boats) and aircraft in the vicinity of any right whale.
- MSR systems, jointly funded by NOAA and the Coast Guard, in place since 1999, to provide information, including that obtained from the early warning and advisory system surveys, to mariners entering areas where right whales occur in New England and Florida/Georgia. These systems apply to vessels larger than 300 gross tons.
- Since mid-2005 NOAA advisories specifying that speeds of 10 to 12 knots or less should be maintained in areas of known or expected right whale presence, communicated to mariners via NOAA weather radio and other NOAA outreach mechanisms.
- Consultations under Section 7 of the Endangered Species Act that have led the Army Corps of Engineers, the Coast Guard, and the Navy to modify their operating procedures

in areas where, or at times when, the risks of ship strikes on right whales are considered especially high.

- Interagency collaboration, especially with the Coast Guard, Navy, and Canada's Department of Fisheries and Oceans, on right whale conservation measures.
- Extensive outreach and mariner education efforts.

These measures have not brought an end to ship strikes, nor is there any evidence that they have reduced the incidence of such events. Between September 2001 and February 2006 at least seven right whales, including four adult females, a juvenile female, and a female calf, have died from ship strikes. Those losses to the reproductive potential of the population are alarming by any standard, and even more so considering the likely negative bias in the number of deaths observed. It must be concluded, therefore, that although the ship strike reduction strategy may have prevented some collisions, it has not been successful in addressing this threat to North Atlantic right whales.

Recognizing the need for stronger measures, NMFS has been developing and evaluating a number of initiatives since the late 1990s. The options being considered consist primarily of (a) regulating vessel speeds, (b) changing vessel routing, (c) expanding mariner awareness and education efforts, and (d) developing and testing collision avoidance technology. The primary approach is to separate whales and vessels to the maximum extent feasible. Where such separation cannot be assured, a secondary approach is to reduce vessel speeds. This order of priority is well justified given what is known and not known about ship/whale interactions.

Regulation of vessel speeds

A proposed rule that would establish speed limits of 10 or 12 knots for large vessels (>65 ft) in specified areas is currently working its way through the rulemaking process, with the expectation that final regulations could take effect by mid-2007. Two types of areas would be designated: seasonal management areas (SMAs), where right whales are regularly expected to occur in relatively high densities, and dynamic management areas (DMAs), where right whales occur unpredictably. The first would impose speed restrictions during specified periods each year; the latter would involve temporary (15-day) imposition of speed restrictions.

Although this was not made explicit during the review, DMAs presumably would involve triggering criteria similar, if not identical, to those used for dynamic area management of fisheries (see IV.B). In other words, some threshold density (e.g., 0.4 whales per nmi²) documented by direct observation (aerial or shipboard, but possibly in the future by passive listening devices) would trigger the DMA designation process.

Information presented by NMFS representatives at the workshop indicated that the cost implications of reducing vessel speeds as suggested in the proposed rule are small relative to the total value of East Coast shipping (\$325.1 billion). The direct costs of a 10-knot limit are estimated at \$66.4 million and the overall costs at \$116.1 million (including direct and secondary costs). Corresponding costs of a 12-knot limit are estimated to be \$44.1 million and \$62.4

million. Difficulties of monitoring and enforcing speeds of vessels at sea need to be addressed, bearing in mind evidence that suggests relatively small differences (a few knots) in vessel speed can make a crucial difference in whether a lethal strike on a whale does or does not occur.

NMFS can expect to be challenged to demonstrate quantitatively the conservation benefits of vessel speed regulation. For example, how many fewer ship strike deaths of right whales can be expected if the limit is set at 10 knots rather than 12? There should be no illusions about the feasibility of producing robust calculations of that kind, given the many uncertainties and biases in the data on numbers, locations, and causes of ship strikes, as well as the small sample sizes in the available database (ship strikes on right whales are rare events in absolute terms). Nevertheless, the panel shares the opinion of many other scientists, based on the best data available, that a significant reduction in lethal ship strikes would be achieved if vessel traffic were limited to 10 knots or slower within areas of high right whale density.

The Automated Identification System (AIS) currently used on vessels larger than 300 gross tons provides mariners with information on the location of other similarly equipped vessels within a range of about 60 nmi. Although not intended for such a purpose, AIS transmissions have the potential to monitor point-to-point ship speeds and could be used for enforcement of ship speed limits. To do so, however, would require a shore-based receiving system, which the system is apparently designed to accommodate. The review panel believes that such a system offers considerable promise for future monitoring and enforcement systems.

Regulation of vessel routing

Frequently when a right whale carcass is initially sighted near a shipping lane off a major port, the death proves to have been the result of a collision. (It must be borne in mind, however, that the precise locations of most ship strikes are unknown, and strikes may happen anywhere within the species' range.) Therefore, steps have been taken to adjust some shipping lanes in both Canada and the United States to reduce the risks to right whales.

According to a Canadian official at the workshop, an analysis of data on whale distribution and shipping traffic indicated that shifting the western boundary of the traffic lanes in the Bay of Fundy westward by 3.9 nmi would reduce the probability of ship strikes by 80 to 90 percent. As a result, the traffic separation scheme (or shipping lanes) in the Bay of Fundy was altered in 2003 specifically to achieve such a reduction in risk. This required a formal procedure in which Canadian officials prepared a proposal for submission to, and acceptance by, the International Maritime Organization (IMO).

In the United States, NMFS submitted a proposed change to the port of Boston's shipping lanes to the IMO in April 2006. If approved, this change could be implemented by mid-2007. The proposal includes a 12-degree shift in orientation of the northern leg and a narrowing of the two traffic lanes by approximately one-half mile each. These changes are expected to result in a 58 percent reduction in the risk of ship strikes on right whales and an 81 percent reduction in the risk of strikes on other large whales. Although it is not mandatory that vessels entering and

leaving Boston follow identified traffic lanes, most vessels do adhere to them. The panel commends the Service and the staff of the Stellwagen Bank National Marine Sanctuary for the painstaking work involved in bringing this measure to its present stage.

NMFS also is considering non-regulatory measures to establish recommended routes for ships in Cape Cod Bay and the Southeast, developed collaboratively with the Coast Guard (e.g., using Port Access Route Studies). Such recommended routes would be communicated via navigation charts and other means. The intention of the measures would be to reduce the overlap between whales and ships by minimizing ship transit distances through the highest-use whale habitat and encouraging ships to avoid specific whale aggregation areas. NMFS has indicated that it will monitor adherence to the designated shipping lanes and assess the need for making them mandatory.

The panel was advised by a representative of the Coast Guard that, although shipping lanes are generally non-mandatory, IMO rules do allow them to be made mandatory. Moreover, it was noted that the main purpose of a traffic separation scheme normally is to reduce the risks of collisions between ships or with fixed objects, and of groundings. The panel welcomes and commends the evident willingness of both NOAA and the Coast Guard to proceed with measures involving traffic separation schemes for the unorthodox purpose of reducing risks to right whales.

Finally, NMFS is considering establishment of an Area To Be Avoided in the Great South Channel where right whales congregate to feed in the spring. Such a designation would require IMO approval, and it is anticipated that a formal proposal will be ready for submission by April 2007. There is adequate evidence of this area's importance to right whales to justify at least seasonal regulation of vessel traffic there. In the panel's view, serious consideration should be given to the possibility of complete closure to large vessel traffic during part or all of May and June each year. Regardless of how the area is configured or managed, it will be important to anticipate and allow for unintended consequences, such as the displacement of high-speed traffic and exposure of whales to greater risks in another part of their range (e.g., while they are moving into or out of the restricted area). Although approximately 90 percent of existing Areas To Be Avoided are voluntary, the panel strongly encourages a mandatory approach in this instance for two reasons: (1) the fact that such a high proportion of the population uses the area on a regular basis, and (2) the whales' intensive use of the area is strongly seasonal, so closure could be confined to a relatively small part of the year.

Awareness, outreach, and education

The Service has invested significantly in a campaign to make mariners aware of the ship strike problem and to encourage steps on their part to prevent collisions with right whales. Brochures, pamphlets, placards, magazine articles, and videos have been distributed widely; navigational and regulatory charts pertaining to U.S. East Coast shipping are annotated with cautionary notices; and information on right whale collision risks and advice on how to avoid them is posted on relevant Web sites. The campaign has wisely extended beyond the shipping industry to

include enforcement agencies (marine police, Coast Guard, etc.), the military, the cruise ship industry, and the recreational boating community.

Research and development

Representatives of NMFS expressed their intention to continue the search for technologies that would either allow vessel operators to detect whales in advance so that they could steer to avoid collisions or that would alert whales to oncoming vessels and allow them to take evasive action. They regard passive acoustics as a particularly attractive avenue of investigation, hoping that improvements in detecting right whales (in real time) will allow regulations to be fine-tuned with minimal economic impacts. Also, as indicated earlier, it is hoped that passive acoustics will, in time, reduce the need for costly aerial surveys.

There is also a strong impetus within NMFS to improve understanding of the physical dynamics of vessel/whale interactions. Some of this work involves tests in flow tanks using right whale models. Although such tests are potentially informative, the panel was skeptical whether static models and laboratory conditions would provide useful insights justifying the relatively high costs of such studies. That said, it is important to acknowledge the insights gained in the past from laboratory studies of hydrodynamic effects of large vessels (Knowlton et al. 1995) and field studies of right whale behavior and responsiveness (e.g., Nowacek et al. 2001, 2004), both supported by NMFS funding. Both types of studies have revealed specific problems that need to be taken into consideration for a ship strike reduction strategy to be successful.

A pilot project currently underway in the Stellwagen Bank National Marine Sanctuary (with active involvement by NMFS in its design and implementation and with partial funding from NMFS) holds promise for combining data from passive acoustic monitoring with vessel traffic data from AIS transmissions to manage ship/whale interactions on a real-time basis. Ideally, such an approach could facilitate the designation of dynamic management areas (see earlier discussion and section IV.B) and provide a means of monitoring vessel responses to advisories concerning the locations of right whale sightings. Although the panel recognizes the potential value of this approach, it is concerned about possible limitations, both practical and fiscal. For example, a large amount of computing capacity will be required to manage, process, and integrate the massive flow of data coming from both passive acoustic monitoring and the AIS. There also will always be a risk that right whales are present but not heard in a given area, whether because they are not vocalizing or because their sounds are being masked by ship or ambient noise. Although it was pointed out that buoys are already in place for the pilot acoustic monitoring project and therefore the costs of deployment on Stellwagen Bank should be modest, extending the buoy network to cover known or suspected high-use areas throughout the entire range of right whales along the U.S. East Coast will require a huge amount of infrastructure with significant associated cost implications.

Compliance with advisories

Studies of the extent to which vessel operators use EWS/SAS advisories and recommendations are notably lacking, as are studies of how information provided through other awareness and education programs has been used to reduce the risk of ship strikes. Results of a pilot project using AIS to assess voluntary compliance with speed and routing advice in the Great South Channel were not encouraging. Only 2 of 40 monitored ships changed course to avoid right whale aggregations and only 1 reduced its speed measurably (Moller et al. 2005).

Representatives of the Navy and Coast Guard offered the panel assurances that they have protocols onboard their vessels for observing and avoiding right whales. However, no data were provided on, for example, when and where observations had led to avoidance maneuvers or near misses had been noted by the onboard observers. Without such data, it is difficult to judge effectiveness and impossible to generate ideas on how to improve effectiveness. Although data on near misses have been collected opportunistically in a standardized manner since 2001 as part of the EWS aerial survey program in the Southeast, it was unclear if those data had been analyzed and used to refine mitigation measures. Moreover, the panel questioned how meaningful such reports would be, given that they come from surveys that provide no coverage at night or during inclement weather. For enforcement as well as scientific purposes, a priority should be placed on obtaining high-quality photographs or video of vessel interactions with right whales.

NMFS and the Coast Guard appear to be assessing compliance with the MSR systems with rigor and transparency, noting increased compliance rates over time following the initiation of steps to issue citations for non-compliance. Ongoing problems are recognized and efforts are being made to address them. With regard to the EWS program's effectiveness, however, the panel was puzzled to learn that mariners are advised of right whale sightings only as they approach ports and not as they leave. The reason for this asymmetry was said to be that, under the existing IMO-approved arrangement, the Coast Guard is empowered to board vessels and enforce measures as a condition of port entry but not necessarily once a vessel leaves port.

NMFS representatives stated their belief that outgoing mariners almost certainly would receive information about right whales in the normal course of checking NOAA radio and other sources before or as they leave port, although that apparently has not been verified. In the Southeast, harbor pilots are issued pagers that receive real-time information on sightings for their use as they pilot vessels both into and out of port. A NOAA e-mail address is also available for vessel operators to send messages and to receive automated responses giving information on whale locations. In the panel's view, it is important to verify that mariners are aware of right whale locations both when entering and leaving port. If that is not occurring, steps should be taken to correct this deficiency. It is equally important to ensure that individuals who receive right whale advisories respond appropriately. In other words, more studies of the kind mentioned earlier for Great South Channel are needed to assess the extent to which such advisories are heeded by mariners.

The panel also notes that MSR messages sent to vessels by the Coast Guard do not include speed advisories because the Coast Guard considers specification of a speed that is “safe” for whales to be premature. This is despite the fact that NOAA-mediated outlets have begun advising vessels to reduce speeds to 10 to 12 knots or slower in high-risk areas or circumstances. The panel believes that it is very important for specific ship speed advisory information to be included in the MSR and other Coast Guard-generated messages.

Table 7: Costs of actions to reduce ship strikes, FY2003/FY2005

Activity/Source	FY 03	FY 04	FY 05
Development of speed regulations	\$100,000	\$450,000	\$450,000
NMFS	\$100,000	\$450,000	\$450,000
Development of routing measures	269,400	264,400	291,000
NMFS	149,700	204,700	219,000
U.S. Coast Guard	35,000	35,000	35,000
International Fund for Animal Welfare	60,000	0	0
Stellwagen Bank National Marine Sanctuary	24,700	24,700	37,000
Public outreach	9,000	80,000	97,000
NMFS	0	71,000	71,000
International Fund for Animal Welfare	9,000	9,000	26,000
Research on whale avoidance technologies	1,897,800	2,657,713	1,753,825
NMFS	1,874,047	2,611,699	1,685,332
New England Aquarium	23,753	46,014	68,493
Compliance studies	0	0	0
Enforcement	64,668	67,512	87,592
NMFS	0	0	0
U.S. Coast Guard	64,668	67,512	87,592
Whale sighting/advisory systems (i.e., EWS/SAS aerial surveys)	1,114,649	1,124,788	1,607,200
NMFS	617,000	558,000	988,000
U.S. Coast Guard	201,649	237,788	279,200
U.S. Navy	155,000	155,000	155,000
U.S. Army Corps of Engineers	141,000	174,000	185,000
Mandatory ship reporting systems	266,876	284,379	296,353
NMFS	110,000	110,000	110,000
U.S. Coast Guard	156,876	174,379	186,353
TOTAL	\$3,722,393	\$4,928,792	\$4,582,970

Note: The values shown for “whale sighting/advisory systems” are redundant with (for Navy and Army Corps of Engineers) or subsumed within (for NOAA and Coast Guard) those given for aerial surveys in section III.A.

Contribution to recovery program

Rulemaking

Management of vessel traffic to reduce the frequency and severity of ship strikes is vital to the recovery of North Atlantic right whales. The panel questions the effectiveness of the mitigation program currently in place, which consists primarily of encouraging voluntary action on the part of vessel operators to avoid collisions with whales. Ship strikes have continued to occur with no evidence of a reduction in their frequency or severity. The recent strategy proposed by NMFS, which includes mandatory speed restrictions and new routing measures, however, offers considerable promise.

Awareness, Outreach, and Education

The belief that these efforts will contribute to recovery qualifies as common sense, but there is no evidence that complete reliance on them to encourage voluntary action has made a significant difference with regard to reducing ship collisions thus far. Little information was provided to the panel that could be used to evaluate whether the work carried out to date has contributed to recovery or has been well directed. Further, there is little basis for determining the relative value of the different types of awareness, outreach, and education products.

Research and Development

Valuable insights have been gained from studies of ship hydrodynamics and the behavior and responsiveness of right whales when approached by ships. Overall, the results point to two major conclusions: (1) it is unrealistic to expect a technological solution to this problem in the near term, and probably even the medium term; and (2) the only available solution is to separate ships from right whales in space and time. Although data are limited, the best evidence available confirms that ship speed affects the risk of collisions with whales and therefore that the imposition of speed limits is an appropriate measure.

Cost-effectiveness of actions

During FY03/05 a total of \$13.23 million was spent on actions to reduce ship strikes on right whales. Of that total, NMFS provided \$10.38 million.

Rulemaking

The total cost during FY03/05 to develop speed regulations and routing measures as part of ship strike reduction strategies was \$1.82 million. The large investment in this aspect of the recovery program is consistent with its importance. Although the new ship strike reduction strategy currently being proposed appears carefully developed and sensible, the biological costs of the slow pace of development, in terms of dead right whales, have been substantial. Such high financial costs and the long development time must be evaluated in the context of procedural

rulemaking requirements—environmental impact statement preparation, economic impact analyses, scoping processes, port access route studies, etc. Assuming that the various elements of the strategy are implemented during the coming months as anticipated, the program may well be judged cost-effective. However, this will depend on the specific provisions of the various elements, particularly those related to speed limits and routing measures, and the extent to which vessel operators comply with them.

The slowness of rulemaking is largely systemic and therefore not necessarily a reflection of inattention on the part of NMFS. Although not rapid, the work of NMFS scientists and managers in this regard appears to have been thorough and conscientious.

The present early warning system consists of detection of right whales via dedicated aerial surveys and platforms of opportunity (e.g., Coast Guard aircraft and vessels, research vessels, and whale-watching vessels), followed by notification of vessel operators, with the expectation that they will respond appropriately to avoid collisions with right whales. During FY03/05 a total of \$4.7 million was spent to gather data and operate the system. The effectiveness (and thus cost-effectiveness) of the system, in terms of preventing ship strikes, is difficult to evaluate with the information available. The panel acknowledges that useful data on whale distribution, entanglements, and individual identification have been gathered by the aerial surveys.

Studies of ship traffic volume and routing have been accomplished in a rigorous, thorough manner and have been effective in providing support for rulemaking. A great deal of valuable information on traffic volumes and patterns has been obtained and is being analyzed through the MSR system. The continued collection and analysis of such data are warranted, particularly for assessing compliance with, and cost-effectiveness of, new vessel routing measures.

Awareness, Outreach, and Education

During FY03/05, \$187,000 was spent specifically on public awareness, outreach, and education, with \$142,000 allocated by NMFS and the remainder by the International Fund for Animal Welfare. Without an empirical analysis of some kind to evaluate the effectiveness of different mechanisms or media (e.g., brochures, posters, radio broadcasts, training films, etc.) for bringing about changes in vessel operations in right whale high-use habitat (e.g., posting watches, adjusting speeds, or changing routes), it is impossible to determine whether this program has been cost-effective.

Research and Development

During FY03/05, \$6.31 million was spent on research related to whale avoidance technology (e.g., whale detection devices, acoustic alarms, ship hydrodynamics, and the behavior and responsiveness of right whales when approached by ships). This accounted for 48 percent of the total amount spent during that period for ship strike reduction. As indicated earlier, those expenditures have failed to produce a technological solution that would allow ship traffic to operate without restraint (e.g., a vessel-mounted acoustic device that would detect whales or

cause them to move away as the vessel approached). Further investment of federal funds in efforts to develop or test such devices is not likely to be cost-effective.

Recommendations

Rulemaking

The situation with ship strikes of right whales is well past the point at which precautionary action became justified; such action is long overdue. Therefore, regulatory action should be taken with all possible haste. If further delays arise in the rulemaking schedule presented at the workshop (i.e., final action by early 2007), the panel recommends that emergency rulemaking authority be used. Ongoing research will improve our understanding of whale behavior, ship hydrodynamics, the role of speed, and other factors potentially relevant to incidence and severity of ship strikes, and it may be possible to revise or scale back regulations accordingly. The panel recommends that NMFS proceed as rapidly as possible to implement a speed limit of 10 knots for seasonal and dynamic management areas, with the understanding that this precautionary approach (i.e., 10 knots rather than some faster speed) is appropriate for addressing one of the two most serious threats to North Atlantic right whales. In addition, the panel recommends that the proposed changes in the Boston shipping lanes and in the recommended routes for Cape Cod Bay and ports in the Southeast, as outlined during the review, be implemented without delay, accompanied in each case by rigorous monitoring to assess the extent to which the new routes are being used. Finally, in view of the Great South Channel's clear, consistent importance as a seasonal feeding ground for right whales, the panel urges establishing this area as a mandatory Area To Be Avoided for periods when right whales are present.

The panel urges NMFS to consider using the presence of a single mother/calf pair as a sufficient basis for triggering the dynamic management process because of (a) their exceptional vulnerability as they spend more time at the surface than other whales, (b) the mother's relatively high reproductive value to the population, and (c) the fact that six of the seven right whales known to have been killed by ship strikes between 2001 and 2006 were females. Depending on expert judgment with regard to the animals' likely mobility in a given context (e.g., whether they are likely to be passing through or instead remain for a long period), dynamic management areas triggered by this criterion may be designated for a shorter or longer period than is usual.

The panel also recommends that MSR messages be sent to vessels on their reported departure dates so that right whale advisories are available to ships when leaving port, as well as when entering.

Awareness, Outreach, and Education

It may be true that more public awareness, outreach, and education will always be useful. However, the panel has two specific recommendations in this regard. First, there needs to be a sharper focus on mechanisms to ensure that accurate, relevant messages reach specific target audiences (e.g., the people responsible for bridge operations of ships). The effectiveness of

measures taken, whether they are mandatory or voluntary, ultimately depends on their comprehension and acceptance by vessel operators. Therefore, it is important that NMFS solicit the views of vessel operators, harbor pilots, and ship captains concerning the types of information they would find useful and how that information would be most effectively communicated. Second, evaluation is needed of the effectiveness of the awareness, outreach, and education efforts to justify continuation, much less expansion, of this program. To date, there appears to have been no effort to evaluate effectiveness, despite the availability of simple techniques for doing so (e.g., interviews with harbor pilots and ship captains).

There will always be a need to educate new generations of vessel operators and reinforce messages with seasoned mariners, which means that ship strike avoidance procedures and awareness of right whales and their plight must be institutionalized as part of ongoing training and certification processes. Although doing so may be straightforward in the North American context, there is an increasing need to extend such awareness and training to foreign operators. Therefore, more attention should be given to the non-U.S. component of the shipping industry, i.e., mariners from foreign countries who operate in the international maritime trade and regularly call at U.S. East Coast ports. The panel believes that NMFS should increase its work with other agencies and organizations (e.g., the Department of State and the IMO) to make foreign mariners aware of the ship strike problem and of the applicable U.S. guidelines and regulations. This will become even more important as new rules are adopted and implemented.

The panel recognizes and accepts that the contents of brochures and other materials might need to include certain types of information that are somewhat peripheral to mitigation, *per se*. For example, providing basic information on how to identify right whales and on their natural history and conservation status is justified simply because of the inherent value of raising awareness of the animals' existence and basic traits. However, the panel is concerned that certain other key messages that are directly relevant to mitigation may not be being communicated effectively at present. For example, advice on specific speeds that are "safe" for whales generally have not been included in outreach materials in the past, although some steps have been taken recently to correct this deficiency. In particular, given the responses received from representatives of the various agencies at the workshop, it is unclear what, if any, penalties would apply for deviations from designated ship channels. If there are consequences, it is essential that these be clearly stated and that the relevant mariners be made aware of them. Similarly, if there are incentives for voluntary compliance with guidelines or advisories, these should be explained clearly and disseminated widely.

Research and Development

The panel reiterates its recommendation to continue development of passive acoustic monitoring as an alternative or supplement to other types of monitoring, especially aerial surveys.

Further studies of compliance should be conducted to evaluate the effectiveness of voluntary approaches to mitigation. Such studies must remain a high priority even as new measures are taken, whether they are voluntary or mandatory (recognizing that, in the latter case, evaluation

may be tantamount to enforcement). AIS seems to offer an excellent tool for these kinds of studies as well as for monitoring and research. Therefore, infrastructure needed to make AIS useful for these purposes should be developed.

The panel recommends that carefully planned field studies to investigate right whale behavior in relation to vessel approaches should be accorded higher priority for funding than work in flow tanks with right whale models. Both types of studies should be considered for funding on their merits and as discretionary funds become available.

All available information on ship strikes of right whales along the East Coast of North America needs to be compiled and analyzed in the context of proposed ship routing changes. For example, it would be useful to know what proportion of the strikes occurred, or might have occurred, within the 30 nmi radii of the nine U.S. ports planned for speed restrictions under the current ship strike reduction strategy. Also, further analyses to compare ship traffic to right whale distribution, including predictive modeling, should continue as needed to support refinement and reevaluation of the ship strike avoidance strategy.

A major data gap is knowing where, when, and under what circumstances (e.g., vessel speed, visibility conditions) ship strikes occur. The most obvious source of such data is the vessel operators themselves. The panel therefore recommends that a regulatory mechanism be devised that would require operators of vessels that strike whales to report the incident and describe the circumstances. Only by increasing the size and quality of the ship strike database will it become feasible to design cost-effective measures that both reduce whale mortality and minimize disruption to shipping.

B. FISHERY BYCATCH REDUCTION

Entanglement in fishing gear (bycatch) is the second primary anthropogenic source of mortality for North Atlantic right whales. There have been 61 confirmed cases of right whales carrying fishing gear since 1986 (Kraus et al. 2005). It is often difficult to determine which fishery is responsible for an entanglement, but when the entangling gear on right and humpback whales in the western North Atlantic has been identified, it has usually (89 percent of the time) been either sink gillnet gear or trap (pot) gear set for lobsters (Johnson et al. 2005). Both types of gear are set on the sea bottom, with vertical lines that extend to floats at the surface to mark the location of the gear. Right whales can become entangled in any part of the gear, but most entanglements in which the part of the gear could be identified involved the buoy lines or the ground lines used to connect adjacent traps or nets (Johnson et al. 2005). At least five recent right whale entanglements have been linked to Canadian lobster or gillnet gear.

Entanglement is seldom immediately lethal to right whales. Instead, entangled whales usually swim off with part or all of the gear, which they may carry for periods of months or years. It can take some time before a whale is sighted and reported as carrying gear, a factor that frustrates most efforts to determine exactly where the entanglement occurred. Depending on the severity of the entanglement, the animal may become emaciated and weakened as a result of an inability to

feed, or it may succumb to infections or other trauma. Death may occur months or even years after the initial entanglement. Entanglements also may reduce the reproductive success of affected animals, which may, in turn, have an effect on the population's recruitment rate.

The NMFS strategy to reduce and eliminate entanglement is two-tiered: a long-term program to develop gear modifications that will reduce the risk of entanglement in these fisheries, and, in the meantime, restricting the use of potentially dangerous fishing gear in times and areas where right whales occur. The ultimate goal is to design "whale-safe" fishing gear that will not entangle right whales and to require that this gear be used throughout areas where right whales occur. This goal is to be achieved by working cooperatively with the fishing industry and other stakeholders to design and test gear modifications that will reduce the risk of entanglement at reasonable cost to the fishing industry. In the meantime, while whale-safe gear is being developed (implicitly recognizing that this may take considerable time), NMFS is identifying times and areas where whales co-occur with high-risk fisheries and restricting the use of potentially risky gears through the dynamic area management (DAM) and seasonal area management (SAM) programs as well as in designated critical habitat. In most cases, conservation actions within DAM and SAM areas require, or encourage, the use of fishing gear that has been modified to reduce the likelihood of life-threatening entanglement.

While working toward the eventual reduction or elimination of entanglements, NMFS also is supporting efforts to disentangle whales observed carrying fishing gear. As explained below, those efforts do not contribute to a solution of the entanglement problem, and they carry a unique set of inherent risks, but they do at least prevent the deaths of a few entangled whales. The disentanglement program is reviewed in this section of the report.

As noted earlier, the PBR level for this whale population has been set at zero, meaning that any fishing-related mortality or serious injury is unsustainable and should not be permitted. Nevertheless, it will be extremely difficult to eliminate entanglement as a source of mortality for right whales without significant changes (and economic costs) to affected fisheries. These fisheries are important to the economies of coastal states. For example, the panel was informed that, under the Atlantic Large Whale Take Reduction Plan (ALWTRP), NMFS currently manages about 6,000 lobster fishermen who set more than 2 million traps.

Complicating efforts to resolve the entanglement issue is the fact that NMFS has a dual charge—on one hand to promote and manage fisheries and on the other to protect right whales and encourage their recovery. These often-conflicting mandates are administered by separate programs within the agency. The role of the federal regional fishery management councils and the various state fishery management agencies in developing management plans complicates matters further. To overcome these complications, the entanglement problem needs to be recognized as a fishery management crisis that requires decisive action at the highest levels of government. The extinction of North Atlantic right whales would represent a fundamental failure in both fishery management and the conservation of protected resources in the United States.

Modifications to fishing gear and practices

Since its establishment in 1996 the ALWTRT has been working with NMFS to reduce mortality and serious injury of right whales in commercial fishing gear through the large whale plan. The major focus has been to develop modifications to existing fishing gear and practices to make it less likely that right whales will become entangled. The plan has been amended several times to reflect new modifications or to extend modifications to new times, areas, or fisheries. It also includes seasonal and temporal restrictions under the SAM and DAM programs.

The following provisions currently apply to lobster trap and anchored gillnet fisheries managed under the ALWTRP throughout the U.S. Exclusive Economic Zone (out to 200 nmi from shore):

- No buoy lines floating at the surface;
- All gear must be hauled from the water at least once every 30 days; and
- Fishermen are encouraged, but not required, to maintain knot-free buoy lines.

Specific requirements for lobster trap and gillnet fisheries (e.g. sinking groundlines, net panel and buoy line weak links, gear marking) vary by management area. In addition, a number of specific modifications are required for lobster trap and anchored gillnet fisheries in areas managed under the SAM and DAM programs, including the following:

- Prohibition on the use of floating ground lines and/or buoy lines;
- Weak links required at buoys and net panels; and
- Limits on the number of buoy lines per trap (pot) trawl or net string.

Despite a decade-long period of development, the suite of regulations implemented to date has not been successful in reducing the observed entanglement rate of right whales in commercial fishing gear. There is good evidence that in some circumstances (e.g., when the line is wrapped around the tail stock) weak links do not work. For example, two lines with intact weak links have been recovered from entangled right whales since 2002. Knowlton et al. (2005) noted that “Entanglements are frequent and the annual rate has remained high and is increasing.” Thus, it is clear that the management program to date has failed to eliminate entanglements. The situation is dire, and more effective actions are urgently required.

In June 2003 NMFS published a Notice of Intent to prepare an environmental impact statement (EIS) to analyze alternatives for further amending the ALWTRP to increase its effectiveness in reducing the entanglement rates of right and other large whales. The draft EIS was issued in February 2005, followed by a proposed rule and request for comment in June of that year. The two preferred alternatives (and all other alternatives) in the amended plan focus on further modification and extension of current techniques, including, but not limited to, the following:

- Expansion of the use of weak links;
 - Requirement to use neutrally buoyant or sinking ground line; and
 - Inclusion of several other fisheries under the plan.
-

It is difficult to imagine any scenario in which the limited suite of modifications described in the draft EIS will significantly reduce the frequency with which right whales become entangled in fixed fishing gear. For example, a large proportion of well-documented entanglements have involved buoy and surface lines (although in many cases, just pieces of line are found on whales, and these cannot be attributed to a particular part of the gear), which would not be changed by the proposed regulations. The panel learned that some individuals within the fishing industry oppose efforts to address the problem of buoy lines, citing technical, economic, and safety issues associated with any modification of end lines. Further, according to NMFS, it has proven extremely difficult to modify vertical lines in a way that makes them less risky for whales but still feasible for use by the fishermen. This is plainly evident from the detailed information provided in the NMFS Working Draft of a Strategy to Reduce Large Whale Entanglement Risk Associated with Vertical Line. Nevertheless, without addressing the risk of entanglement in vertical lines, it will not be possible to solve the entanglement problem. It is critical to remember that the goal of this program is not simply to reduce current rates of entanglement but to eliminate serious injury and mortality due to entanglement altogether.

The panel acknowledges that some modifications to fishing practices are currently in place under the ALWTRP, and others are being considered. Nevertheless, the panel concludes that the measures implemented to date, as well as those in the proposed modifications to the ALWTRP, are inadequate. They also may prove more costly than necessary in the long run. The provisions may result in greater long-term economic costs to the fisheries involved than would be the case if effective regulations were implemented immediately to eliminate the risk of entanglement. In particular, regulations should be put into place as quickly as possible to prohibit the use of vertical lines in all areas where right whale aggregations may be expected (i.e., critical habitat and DAM and SAM areas). This prohibition should remain in place until gear modifications are developed that can provide reasonable assurance that entanglement will not occur. Such a prohibition would do two things: (1) place the burden of proof on the fishing industry to demonstrate that it has developed whale-safe gear, and (2) harness the vast creative energy of fishermen to develop ways to catch lobsters and finfish without using gear that has the potential to entangle whales.

Finally, there is a pressing need for improvement in the processes for developing, evaluating, and testing potential gear modifications. NMFS has implemented a competitive grants program, administered through a cooperative agreement with the National Fish and Wildlife Foundation (NFWF) and designed to provide funding opportunities to fishermen, academic researchers, and other interested parties. Once a gear research project has been completed, the researcher may request that NMFS consider the gear modification as a potential management tool for incorporation into the ALWTRP. The panel is concerned that this arrangement has not delivered innovative, effective gear modifications in a timely manner. As noted by participants at the 2004 Workshop on Modification of Fishing Gear to Reduce Large Whale Entanglements, there is an urgent need for a dedicated, coordinated research program that combines gear research with research on whale behavior. For such a program to be effective, there also needs to be a change in the process of issuing scientific research permits to make it easier to evaluate and field-test promising approaches.

Area management

Since 2002 NMFS has employed spatially explicit SAM and DAM approaches to reduce right whale interactions with commercial fishing gear. The SAM program was intended to protect right whales in two areas where predictable seasonal aggregations occur in and adjacent to the currently designated critical habitat areas of Cape Cod Bay and the Great South Channel. The DAM program allows NMFS to impose temporary gear specifications or restrictions on the deployment of lobster trap and anchored gillnet fishing gear in areas north of 40° N where aggregations of right whales are reported. A DAM action is triggered by a reliable report of right whales that meets a certain density threshold (0.04 whales per nmi²). Once a DAM action has been triggered, NMFS may temporarily restrict or request the use of certain types of gear within an area buffered around the original sighting location.

As is the case with the other components of the NMFS fishery interactions strategy, no evidence is available to evaluate effectiveness of the area management approach in reducing right whale entanglements. The panel recognizes the rationale behind the SAM and DAM measures (i.e., to encourage wider use of gear thought to be safer for whales) but concludes that area management, as conceived and implemented to date, is unlikely to enhance right whale conservation unless more stringent restrictions are placed on fisheries operating within prescribed areas.

NMFS has been unwilling to implement conservation actions in either DAM or SAM areas that would eliminate the risk of entanglement. Currently, a series of regulatory measures (e.g., required use of weak links, limits on the number of buoy lines) apply to each SAM area, but these have not eliminated entanglements. NMFS can take several actions in DAM zones, including the following:

- require removal of gear for a 15-day period;
- request voluntary removal of gear in the area for a 15-day period; and/or
- require gear modifications for a 15-day period.

Before implementing a DAM zone, NMFS is required to follow certain steps, including intra-agency documentation and public notification through the *Federal Register*. DAM zones can be extended beyond 15 days if warranted.

With very few exceptions, NMFS has not required the removal of fishing gear in DAM areas. Instead, DAM designations have consistently recommended or required that fishermen incorporate certain modifications in their gear. In addition, internal processing, approval, and publication procedures result in a two-week (or longer) delay in implementing DAM measures after the initial sighting triggers for management action have been met. Obviously, some whales may become entangled and many or all of them may leave the area during this delay interval.

Until truly whale-safe fishing gear is developed, the DAM approach likely will be effective only if fishermen are required to remove lobster and gillnet gear quickly from areas with aggregations of right whales. This poses a potential safety problem for fishermen, who could be required to

remove large quantities of fixed gear on short notice in poor weather. This, together with the frequency and unpredictability of DAM events, hampers the approach's effectiveness.

The DAM approach also requires ongoing aerial surveys to ensure that aggregations of whales are detected outside SAM and critical habitat areas. As noted elsewhere in this report, those surveys are useful for analysis of habitat use, provide important sighting information to the Catalog and Sightings Database and give valuable support to the disentanglement program. However, there are questions about their cost-effectiveness as a management measure, particularly given the delays in implementation, and concerns about their safety.

In addition to the problems outlined earlier, effective implementation of DAM and SAM programs requires enforcement. (Note that if the measures were voluntary, as they sometimes have been, the issue of enforcement would be moot.) Enforcement of fishery management regulations in these areas is primarily the responsibility of the Coast Guard working with the NMFS Office for Law Enforcement. The cost of this enforcement is difficult to estimate due to the multiple tasks addressed in most Coast Guard missions. Relatively few patrols are dedicated to enforcing provisions of the ALWTRP or other right whale conservation measures although such work may be performed while addressing other primary tasks. The panel was advised that enforcement patrols do not remove gear from the water for inspection, which means that an assessment of compliance with gear modification rules or recommendations is possible only if fishermen are encountered while actively hauling their gear.

NOAA holds joint enforcement agreements with the states of Maine, Massachusetts, Rhode Island, and Virginia. The panel was informed that 22 cases of alleged violations of ALWTRP gear requirements had been investigated, resulting in five cases being forwarded for further action to the NOAA Office of General Counsel. Overall, however, no information was readily available on the level of enforcement effort or the proportion of the total deployed gear that had been inspected.

Finally, the panel is concerned about the evident inability of NMFS to prevent the continuation and even proliferation of fisheries that pose risks to right whales within existing management areas. For example, a right whale calf was entangled and killed in a gillnet set in the Southeast Restricted Area in January 2006. The use of gillnets in this Restricted Area is managed under provisions of the ALWTRP. A new gillnet fishery for whiting (southern kingfish) recently emerged inside the Restricted Area, evidently without having been preceded by a determination that it was "safe" for right whales. The panel notes that failures to anticipate and mitigate the potential impact of allowing new fisheries to develop in right whale habitat can worsen the problem of entanglement, as happened in this case.

Disentanglement

The disentanglement program involves dangerous, costly work that is only marginally effective. People involved in the program risk their lives to help compensate for the fact that the entanglement problem has not been solved. Demographic models suggest that preventing the

deaths of even a few females could shift the population trend from a slow decline to a slow increase, which makes abandonment of the disentanglement program unthinkable. From another perspective, a response of some kind to alleviate the suffering imposed on entangled animals is also an important consideration. Almost three-quarters of living right whales in the western North Atlantic show evidence of past entanglements (e.g., scars, wounds, or bits of gear still attached), and perhaps 10 to 30 percent of the population interacts with fishing gear each year. During the period from January 2000 through the end of 2005 the disentanglement network received 25 reports of entangled North Atlantic right whales (Marine Mammal Commission 2006). Network responders were able to remove some of the gear from seven of those animals and all or most of the gear from four others. A few of those 11 animals likely died or were seriously injured. For the other 14 animals, either there was no opportunity to remove the gear or attempts to do so were unsuccessful. The panel commends the people involved in the disentanglement effort for their dedication and commitment.

The following elements of the disentanglement effort are germane to this review:

- At present, only three individuals on the U.S. East Coast are authorized by NMFS (based on training and experience levels) to lead disentanglement attempts on right whales; two others are authorized to lead attempts involving other whale species.
- Aerial surveys have been responsible for many of the detections of entangled right whales, and aircraft have also been used to direct the disentanglement teams to whale locations and provide images helpful for planning disentanglement strategies.
- The success rate for disentangling right whales is much lower than for other species because right whales are comparatively difficult to deal with. For example, it typically takes one attempt to disentangle a humpback whale whereas it can take as many as six or eight attempts to remove the gear from a right whale.
- Outcomes of disentanglement attempts are difficult to predict. Some whales that experts believed would survive after disentanglement have not while others with a poor prognosis have survived and reproduced.
- A major frustration for the disentanglement teams is that entanglements posing the greatest danger to the animal, such as those involving line wrapped around the head, mouth, or flipper, are the most difficult to resolve successfully.
- To date, no attempt to disentangle a right whale has been stopped on the basis of poor survival prospects, nor has any attempt been made to euthanize a right whale because of its condition. It is not clear how humane euthanasia could be accomplished with this species.
- The disentanglement program responds to events involving humpback and minke whales as well as right whales, although the entire federal contribution to funding comes directly out of the right whale program's budget.

Further investment in the disentanglement program is clearly needed to make it safer and more effective. Among the immediate priorities are the following:

-
- development of a method to chemically sedate or restrain entangled whales;
 - development of a more effective telemetry system that can be securely attached to trailing gear and provide real-time monitoring data; and
 - establishment of reliable, long-term cooperative agreements with state agencies and the Coast Guard, especially in the Southeast, to ensure that vessels and aircraft are available when and as needed to support disentanglement efforts.

Consideration also should be given to novel approaches that would facilitate disentanglement and reduce the risks to human health and safety. These might include some unusual ideas, for example, the employment of remotely operated robotic devices or trained marine mammals (e.g., sea lions).

Finally, the panel stresses that the costs of disentanglement, including the personal risks faced by members of the disentanglement network, should be incorporated explicitly into fishery management decisions and cost-benefit assessments. In other words, rather than these costs being accounted against the right whale recovery program and borne quietly by a few dedicated individuals, they should be considered a responsibility and a funding obligation of fishery management. Requirements to modify fishing methods or equipment are matters of concern not only for the purpose of right whale conservation but also for the purpose of human safety. The highest priority should be given to methods, such as those described earlier, that will eliminate entanglement and thus eliminate the need for the disentanglement program.

Take reduction process

The ALWTRT has been ineffective as a mechanism for developing mitigation strategies to deal with right whale entanglement. A number of presenters at the workshop described the ALWTRT as unique in several respects. It is the longest serving take reduction team, having existed for more than a decade. The team is very large, with 58 members (including three from NMFS) divided into two regional sub-teams. It is by far the largest take reduction team to date. Not surprisingly, the ALWTRT has been unable to reach consensus on most important issues and, instead, has usually delivered majority and minority opinions to NMFS. Management options leading to the proposed rule currently under consideration were discussed by the ALWTRT in 2003. In the panel's view, the take reduction team process was never intended to operate in such a prolonged, open-ended fashion. In fact, it appears that those who crafted the 1994 amendments to the Marine Mammal Protection Act intended exactly the opposite.

The panel believes that other mechanisms would be more effective for developing mitigation strategies and for combining those strategies with other conservation approaches. For example, a small recovery team, consisting of individuals with direct experience in addressing right whale biology and whale bycatch issues, itself advised on technical aspects of gear modification by a group of gear specialists and fishing industry experts, might be much more effective than the current take reduction team approach (see section V later in this report). Such a team also might be able to interact in a more efficient manner with regional fishery management councils and other bodies.

Table 8: Costs of actions to reduce fishery bycatch, FY2003/FY2005

Activity	FY 03	FY 04	FY 05
Administration (e.g., public hearings, convening TRTs, preparing EIS, labor, etc)	\$168,000	\$1,057,000	\$729,000
NMFS	168,000	1,057,000	729,000
Development of gear modifications and buyback	1,129,400	1,713,605	1,839,405
NMFS	1,129,400	1,713,605	1,614,405
New England Aquarium	0	0	200,000
Provincetown Center for Coastal Studies	0	0	25,000
Atlantic Large Whale Take Reduction Plan	2,101,714	2,648,400	2,216,586
NMFS	2,101,714	2,648,400	2,216,586
Disentanglement	1,175,933	808,691	836,438
NMFS	1,088,000	613,400	608,000
U.S. Coast Guard	37,933	95,291	153,438
Provincetown Center for Coastal Studies	50,000	100,000	75,000
Enforcement	394,034	1,456,770	595,966
NMFS (Joint Enforcement Agreements with Maine, Massachusetts, Rhode Island, and Virginia)	60,000	162,000	200,000
U.S. Coast Guard	334,034	1,294,770	395,966
TOTAL	\$4,969,078	\$7,684,466	\$ 6,217,395

Note: Coast Guard costs do not include staff time dedicated to policy development, drafting regulations, training, and providing enforcement guidance to personnel in the field.

Contribution to Recovery

Modifications to fishing gear and practices

The current suite of gear modifications has not succeeded in eliminating entanglements, nor is there any evidence that it has reduced the frequency with which right whales become entangled in fixed gear. Further, the panel was given no reason to believe that the gear modifications in recently proposed amendments to the ALWTRP will meet take reduction goals, given the insufficiency of attention to resolving entanglement risks from vertical (i.e., buoy) lines. In some areas of Massachusetts, NMFS has funded a buyback program to encourage fishermen to switch from sinking to neutrally buoyant ground lines. However, participation has been voluntary and limited in geographic scope. The panel commends the agency's efforts to reduce the profile of ground lines and to include some measures addressing vertical line, as described and discussed in the Working Draft of a Strategy to Reduce Large Whale Entanglement Risk Associated with Vertical Line, and included in the currently proposed rulemaking. Nonetheless, it concludes that past and planned efforts at gear modification are unlikely to be adequate for solving the right whale entanglement problem.

Area Management

No evidence was presented during the review to indicate that the DAM and SAM programs have been effective in reducing serious injury and mortality of right whales in fixed fishing gear. A fundamental problem with both approaches is that critical aspects of the fishing gear (especially vertical lines) have not been addressed adequately in either past or currently proposed regulations. In addition, the DAM approach takes too long to implement due to the bureaucratic requirements of the current regulatory process. The panel concludes, therefore, that neither program, in its present form, is likely to contribute significantly to population recovery.

Disentanglement

With numbers so low, even a few successful disentanglements of right whales are potentially significant. The panel emphasizes, however, that the same could be said of other measures (e.g., gear modifications, fishery closures) where it is likely that one or more whales have been “saved” even though there is no direct evidence to prove it. The important point is that disentanglement and the other measures, taken together, have not solved the bycatch problem.

Also, it is necessary to acknowledge the possibility that the very existence of the disentanglement program makes the prevention of entanglement seem less urgent. Such a perception could deflect resources away from necessary restrictions on fisheries and allow public officials to delay difficult but necessary measures to eliminate the use of fishing gear that entangles whales. In other words, there is a danger that the program could function as an indirect subsidy to fisheries by compensating (or attempting to compensate) for a major flaw in how they operate. At the same time, the panel recognizes that removal of gear from entangled right whales has been a primary source of information for the identification of gear types and fisheries that pose a risk to right whales; this information is critical to the development of appropriate mitigation measures.

Take reduction process

The take reduction process has been ineffective at providing solutions to the entanglement problem. The process is slow, cumbersome, and often divisive. Even when incremental steps have been agreed to by the ALWTRT, very long delays have ensued in the rulemaking process required for implementation. This slow pace of change has resulted in frequent and costly litigation and rulemaking actions. As noted earlier with regard to ship strike reduction (section IV.A), much of the slow pace of rulemaking is systemic and unavoidable. Despite the agency’s continuing failure to resolve this critical issue, many individual NMFS scientists and managers have been working diligently and conscientiously to do so.

Many members of the ALWTRT have expressed skepticism that the take reduction process will be able to deliver meaningful conservation recommendations. Decisive actions are required to conserve right whales, and the take reduction process is not the vehicle to deliver them.

Cost-effectiveness of actions

Expenditures to develop and implement actions that address the entanglement problem totaled \$18.87 million during FY03/05. Of that amount, NMFS provided \$16.10 million.

Modifications to fishing gear and practices

During FY03/05 a total of \$4.67 million was spent on gear modifications and buybacks. Much of the funding for gear development has focused on gear modifications with questionable prospects for reducing entanglement risks (e.g., weak links, line cutters, and new buoy designs) although some investment has been made in more promising approaches involving the elimination of line from the water column (e.g., pop-up buoys). Funding to reimburse fishermen willing to switch from floating to sinking or neutrally buoyant ground lines (buyback programs) may have been helpful. According to NMFS, state and industry representatives report that the buyback programs funded by NMFS and administered through various state agencies, together with the DAM program, have raised awareness and encouraged fishermen to switch over their lines prior to any implementation of requirements mandating such change. The panel is concerned, however, that the use of presumably safer types of line has not yet become sufficiently widespread. The current suite of modifications in the ALWTRP apparently has not succeeded in significantly reducing or eliminating entanglement of right whales in fishing gear. Those proposed in the latest amendments to the plan appear to have the potential to reduce entanglement, but on present evidence it is difficult to assess how significant such a reduction might be. The panel contends that more stringent measures, such as the elimination of all fixed gear with vertical lines in areas of right whale aggregations, would be more cost-effective in the long term. Such measures would have immediate economic consequences for affected fisheries, but the panel believes that those costs would be overcome by the ingenuity of fishermen if they had the needed incentive to develop whale-safe gear rapidly. Furthermore, the longer the delay in implementing such effective measures, the greater will the need become for even more draconian action.

Area Management

It is difficult to estimate the total cost of the area management approach. Cost accounting is confounded by the fact that aerial surveys have multiple purposes, only one of which is to detect concentrations of right whales for establishing DAMs (see section III.A). Much has been learned about the distribution of right whales, and the surveys have been important to the disentanglement program. However, the primary goal of reducing or eliminating the entanglement of right whales in fishing gear has not been achieved. As noted, protection measures in the DAM and SAM areas, as implemented to date, have not been adequate.

Disentanglement

During FY03/05 the investment in disentanglement efforts totaled \$2.82 million, not including some expenditure by the Coast Guard. As a protection measure, *per se*, disentanglement is not cost-effective. Moreover, it entails considerable risks to human safety for the small returns in

terms of numbers of right whales saved from serious injury or death. In assessing cost-effectiveness, it is necessary to recognize that a substantial part of the disentanglement effort, and therefore its cost, has been devoted to species other than right whales. This confounds any analysis of the cost-effectiveness of right whale disentanglement efforts. Although disentangling other whales may provide training opportunities and lead to improved techniques, such efforts do not contribute directly to right whale conservation. The panel did not attempt to evaluate cost-effectiveness from the perspective of all disentanglement efforts for all whale species.

Take reduction process

During FY03/05 expenditures by NMFS related to the ALWTRP totaled \$6.96 million, which represents 37 percent of all funds spent on the bycatch issue. (The ALWTRP and ALWTRT address humpback and fin whales, as well as right whales.) The take reduction process has been neither efficient nor cost-effective in reducing or eliminating the entanglement of right whales in fishing gear. Costs specifically for support of ALWTRT meetings were not provided for this review, but considering travel by members, the number of members, meeting facilitation, printing of background documents, etc., the total cost of each meeting of the full team likely exceeds \$200,000. The funds used to convene the current TRT and its regional subteams to discuss and develop management advice that has proven to be ineffective could have been, and should have been, invested in better means of dealing with this pressing problem.

Recommendations

Modifications to fishing gear and practices

The panel recommends that all fisheries using fixed gear in areas where right whale aggregations occur be required to demonstrate that the gear is whale-safe before its use is approved. At present, this would require a prohibition on the use of vertical lines, in addition to the measures currently required or being contemplated as part of the ALWTRP. Such restrictive measures could be relaxed once gear modifications are developed, tested, and shown to be whale-safe. The panel is confident that the East Coast fishing community could meet the challenge posed by such a restriction. Without such measures, right whales will continue to die in lobster and gillnet gear, leading to more lawsuits, additional costs to fishermen, and expensive rulemaking and administrative expenses. The panel also recommends modification to the scientific research permit system to allow more expeditious testing of whale-safe fishing gear and associated concepts.

Area management

The current approach to area management has not reduced the frequency of right whale entanglements. In its stead, the panel recommends a reevaluation of right whale critical habitat, guided by a recovery team (see section V). Critical habitat should include all areas in which right whales occur frequently in both the feeding and breeding grounds. In those areas, management measures should include elimination of the use of fishing gear that could entangle

right whales. To be clear, the panel recommends that all designated critical habitat should be closed to the use of fishing gear that poses a risk to right whales. Trap fisheries should be limited to gear with no fixed vertical lines and no floating ground lines. It should be possible to implement such measures within critical habitat through a combination of ESA section 7 provisions and the take reduction and recovery mandates that apply to right whales under both the ESA and MMPA.

At present, the panel cannot envision a whale-safe gillnet. No new fisheries should be authorized in right whale critical habitat until the gear to be used has been demonstrated to be whale-safe.

Disentanglement

The occasional success of disentanglement in saving a right whale justifies continuation of this program until actions are taken to reduce entanglements to close to zero or eliminate them entirely. The panel recommends that the right whale recovery program's budget not be used to support efforts to disentangle other species or to expand such efforts outside eastern North America, even though it agrees that such expansion may be desirable for conservation generally. The panel also recommends that an independent review be conducted to assess the risks and benefits of the disentanglement program. The review should explicitly consider (1) the probability of serious injury or death to humans involved; (2) the record of success and failure in attempts to disentangle right whales; (3) the merits of, and alternatives to, disentangling some right whales, particularly those individuals in such poor condition that they are likely to die and whales that are entangled in such a way that the probability of safe or successful disentanglement is very low; and (4) the indirect benefits of disentanglement, including knowledge gained concerning which fisheries are involved, increased public awareness, and research opportunities to sample, track, and study the behavior and movements of entangled (and disentangled) individuals.

Take reduction process

The panel recommends that the current ALWTRT, including the two regional sub-teams, be disbanded. The take reduction team should be replaced by a recovery team (see section V) that would guide NMFS in the development and implementation of management strategies to eliminate the entanglement of right whales in fishing gear. Such a team would be able to act in a more efficient, cost-effective manner, without the constraints and dysfunctional history of the ALWTRT. A group of gear specialists and fishing industry experts could advise the team in technical aspects of gear modification. The current approach simply will not result in effective conservation and represents a waste of limited resources that should be invested in more productive ways. In reaching this conclusion, the panel was mindful of the fact that disbanding the ALWTRT would have implications for humpback whales and fin whales as well as right whales. However, reducing the mortality of right whales is of transcendent importance as a conservation priority, and therefore the panel considers the implications for the other two species to be far less critical. Furthermore, it is not clear that the efforts of the ALWTRT are reducing the frequency or severity of entanglements for these other two species.

V. FINDINGS OF THE PANEL: CROSS-CUTTING AND GENERAL

Coordination

The panel recommends that NMFS create a North Atlantic right whale recovery team as provided for in the Endangered Species Act. The team should be constituted for the purpose of helping NMFS promote recovery of this whale population to the point where it satisfies the downlisting criteria in the current recovery plan. Two immediate functions of the team would be to assist with a reevaluation of critical habitat designations and an evaluation of management options for eliminating right whale entanglement.

In addition, there is a need to bring regional fisheries management councils into the take-reduction process to a much greater extent than has been the case to date. This may require amendment of the Marine Mammal Protection Act and/or the Magnuson-Stevens Fisheries Conservation and Management Act to mandate a direct link between right whale bycatch reduction measures and the fishery management process. It may also require an additional oversight mechanism to ensure that councils do not veto, alter, or override essential protection measures.

Implications of mitigation measures

Two important aspects of mitigation need to be considered at all stages. First, some of the measures may offer ancillary benefits in addition to preventing harm to right whales. For example, slowing ship traffic may reduce the risks of collisions with other whales or between vessels. Restrictions on the use of gillnets and traps could be part of management plans designed to reduce fishing pressure on target and other non-target species, leading to better overall fishery management. Also, the process of developing whale-safe measures to harvest lobsters and finfish could lead to the development of safer or more efficient methods for capturing the target species. Second, proposed measures should be evaluated for unintended negative consequences, whether direct or indirect. For example, a fishery closure in a right whale feeding area could lead to a shift of fishing effort into a migration path. Similarly, a change in traffic routing could lead to a higher incidence of collisions with another valued species (e.g., humpback whales). Even though such a change might be tolerable from a conservation standpoint, it would be important to anticipate it and be prepared to respond.

Feasibility of enforcement

A great deal of momentum has developed in the direction of using passive acoustic monitoring to track the presence of right whales in different areas. The scientific approach is appealing, and the idea of dependence on remote sensing is attractive because it promises to be more cost-effective and safer. A premise of investing in and pursuing such an approach is that it will facilitate real-time measures to reduce risks to right whales (principally via dynamic management). Although

the panel is not opposed to the concept, it is concerned about the ability of enforcement agencies to deliver such protective measures in a timely and effective way. The poor record to date in this regard must be considered the best guide to what can be expected in the future. Total closures of sensitive areas to high-speed ship traffic, risk-prone fishing gear, or both, on a seasonal or permanent basis, may be the only truly enforceable (and thus effective) approach to protecting right whales from the two most important risk factors impeding their recovery.

Fundamental importance of certain core program elements

A commitment to predictable, long-term funding for core recovery-related work, including development and implementation of take reduction and threat mitigation measures, maintaining and updating key databases, and investigating causes of right whale deaths and serious injuries, is of paramount importance. In particular, the Catalog is indispensable. Any major change in how the photo-identification data are collected and managed could have serious implications for population monitoring and, in turn, the ability to assess the effectiveness of recovery efforts. For example, if funding cuts were to limit field efforts and allow sampling at only two- or three-year intervals instead of annually, this would affect the ability to monitor critical demographic parameters, such as survival and fecundity. Given the present state of North Atlantic right whales, it is essential to continue collecting the field data needed to monitor the population with maximum possible resolution.

Where and with whom does responsibility for right whale recovery lie?

The Secretary of Commerce has ultimate responsibility to ensure that the goals of the Recovery Plan for the North Atlantic Right Whale are met. Pursuit of those goals can be driven by one of three approaches: (1) develop and implement ineffective measures that will likely result in lawsuits and judicial decisions to direct actions by federal agencies; (2) rely on public awareness and education efforts to motivate and guide voluntary actions by fishermen, vessel operators, etc.; or (3) take the initiative to restrict activities known to be harmful to right whales and cope with the negative response from some stakeholders. All three options promise to be costly. However, from the standpoint of meeting recovery plan goals, the third is most likely to be effective on an acceptable time scale.

The language in the recovery plan does not adequately reflect that human-caused mortality for this whale population should be reduced to zero. Rather, the plan refers to significant reductions as the most that can be expected. The panel believes that NMFS should be pursuing the goal of zero human-caused mortality and serious injury of right whales, as clearly expressed by the setting of a PBR level of zero and as stated in the required goals of take reduction plans. The same goal appears not to have been carried forward with regard to ship strikes and general recovery planning. Obviously, working toward such a goal will require a number of different steps that are not likely to be taken simultaneously. Nevertheless, recovery planning needs to be geared toward elimination, not just reduction, of anthropogenic mortality and serious injury. With regard to reducing the number of right whales killed by fishing gear, the panel believes that responsibility for addressing this issue has been misplaced and a major change is needed. The

little progress that has been made to date has been due to efforts of conservationists, scientists, and Office of Protected Species staff in NMFS who have tried to use legislation, such as the Endangered Species Act and the Marine Mammal Protection Act, to force fishery managers to take action to reduce whale entanglements. Unlike some other interactions between marine mammals and fisheries, right whales are not attempting to deplete catches or competing with fishermen for resources. Rather, they are simply using their habitat as they have for hundreds of thousands of years. From the whales' perspective, fisheries have developed in some of the same areas very recently, and some of those fisheries are now taking whales as a bycatch. The Department of Commerce, acting through NMFS, is required by law to regulate bycatch as part of fishery management plans developed under the Magnuson-Stevens Fishery Conservation and Management Act. They do this routinely for non-target species of shellfish, finfish, sea birds, sea turtles, and other taxa. NMFS has clearly recognized that there should be no fishery bycatch of North Atlantic right whales as it has set the PBR level for this population at zero. Therefore, fishery managers have the responsibility to modify management plans as necessary to eliminate right whale bycatch, and the panel strongly recommends that they be instructed to recognize and meet this responsibility.

Relations with Canada

A significant proportion of the known present-day feeding habitat of North Atlantic right whales lies in Canadian waters. Also, some of the deaths from ship strikes and entanglements occur in Canada. Therefore, bilateral efforts are essential to achieve coordination and consistency in measures to protect right whales and their critical habitat. Also, conducting research and monitoring to assess the population's status, investigating factors limiting population recovery, and developing and testing mitigation methods cannot be carried out efficiently without the cooperation of Canadian authorities.

The panel was pleased to learn that cabinet-level discussions are underway to negotiate a bilateral right whale conservation agreement between Canada and the United States. Although Canada's reconfiguration of the Bay of Fundy shipping lanes is deservedly regarded as a signal achievement, the Canadian government's approach to right whale conservation has been otherwise passive in comparison to that of the U.S. government. The whale-watching industry in Canada is unregulated, there is no Canadian equivalent to the critical habitat designations for right whales under the U.S. Endangered Species Act, and no substantive measures have been taken in Canada to address the right whale entanglement problem. Entanglement is one area where bilateral dialogue is essential, but it is important to avoid letting U.S. fishing interests transfer responsibility for the entanglement problem to Canadian fisheries. Fisheries in both countries need to be managed to address this problem.

Another issue that should be high on the bilateral agenda concerns U.S. plans to construct a liquid natural gas (LNG) tanker terminal in Maine. Such a development will create a major new threat to the right whale population. A proposal for an oil tanker terminal at Eastport in the late 1970s provided the impetus for surveys of right whales in the lower Bay of Fundy and Quoddy region. Those surveys led directly to the right whale research and monitoring program in this

area by the New England Aquarium. Impact assessment and site selection for the LNG tanker terminal need to be addressed immediately by authorities in both countries. Also, the high-speed ferry that operates between Yarmouth, N.S., and Bar Harbor, ME, making two trips per day (including one at night), represents a potentially serious hazard for right whales. Its operations are currently not regulated to avoid whale collisions and it is exempt from the traffic separation scheme in the Bay of Fundy. Moreover, plans are underway for the ferry to serve additional sites in Maine, which would almost certainly imply additional risks to right whales.

Funding

Although the data available for this review are not comprehensive, they indicate that a total of \$45.6 million was spent by all U.S. agencies and groups involved in implementing the right whale recovery program during the three fiscal years 2003/04 through 2005/06. Of that amount, 95.5 percent came from federal agencies, 3.8 percent from nongovernmental organizations, and less than 1 percent from state agencies. The National Marine Fisheries Service was the greatest single source of funding (\$35.3 million).

Table 9: Costs of all actions to promote recovery of western North Atlantic right whales, FY2003/FY2005

Source	FY 03	FY 04	FY 05
Federal Agencies	\$12,639,287	\$16,200,810	\$14,707,144
NMFS	10,127,897	12,798,559	12,353,725
NOS (National Marine Sanctuaries)	67,000	89,900	124,300
Navy	165,267	218,427	399,216
Coast Guard	809,525	2,075,569	1,208,268
Army Corps of Engineers	147,000	180,000	191,000
National Fish and Wildlife Foundation	1,322,598	497,149	192,953
State Agencies	102,600	72,800	134,442
Florida	76,000	72,800	73,250
Massachusetts	21,600	0	61,292
Rhode Island	5,000	0	0
Nongovernmental Organizations	379,678	456,227	907,926
International Fund for Animal Welfare	140,000	104,000	257,418
New England Aquarium	98,075	86,431	312,404
Provincetown Center for Coastal Studies	62,500	112,500	92,500
Woods Hole Oceanographic Institution/Ocean Life Institute	54,103	127,296	220,604
Whale Center of New England	25,000	25,000	25,000
TOTAL ALL SOURCES	\$13,121,565	\$16,729,837	\$15,749,512

The objective of this review was not simply to document how much money had been invested in right whale recovery efforts or to project how much should be spent in the future. Rather, the objective was to evaluate whether the funds invested had been used in a cost-effective manner. The panel's conclusions in that regard are explained in sections III and IV of this report. After a surge in federal funding for right whale research and conservation beginning in 2000, the trend of financial support has reversed direction and is now on a downward trajectory. Overall funding peaked in FY04 at more than \$16.7 million but declined by almost \$1 million in FY05, due largely to a reduction of support from NMFS. During the review, the panel was advised that NMFS funding for FY06 was expected to decline to \$7.8 million, a reduction of 53 percent from the FY2004 level.

The panel has concluded that some parts of the recovery program do not appear to have been cost-effective and that significant improvements in cost-effectiveness may be possible in some areas (e.g., aerial surveys, bycatch reduction). However, the panel also has identified a number of essential tasks that are currently underfunded or that should be expanded (e.g., catalog and database management, passive acoustic monitoring, studies of effectiveness of management actions, compliance assessment). Overall, the needs for additional funding appear much greater than any savings that might be realized by paring down program elements that currently are not considered cost-effective. Therefore, any reduction in the overall federal commitment to right whale protection will mean that some high-priority work is not carried out. This, in turn, is likely to increase the risk that recovery of this population will never be achieved.

Overall strategy and implementation

Although the objectives of the North Atlantic right whale recovery program are appropriate, overall strategy and implementation are not adequately accountable. Federal actions have not reflected a sense of urgency about reducing right whale mortality that is consistent with the gravity of the species' peril. The current approach is not precautionary but rather is one of waiting for conclusive evidence and/or industry acceptance before moving ahead with protective actions. This is particularly true of attempts to reduce interactions between right whales and fishing gear. Therefore, the panel recommends that NMFS and other agencies act more aggressively to prevent right whale mortality. In general, they should set higher standards of protection and place greater reliance on the ability of industry to adapt to those standards, rather than continuing to depend on a complex, shifting, inefficient, and ineffective network of regulatory measures to protect the whales. The guiding principle should be to separate high-risk human activities from right whales, in both space and time, to the maximum extent feasible.

VI. Acknowledgments

The panel acknowledges the support and cooperation of everyone who contributed to the planning and execution of the review. This includes staff at SRA International, the Marine Mammal Commission, and the National Marine Fisheries Service (headquarters and regional offices). Two individuals deserve special mention. Wilhelmina Innes at the Commission provided a remarkably clear, detailed set of meeting minutes that facilitated report preparation. David Laist, also at the Commission, contributed in many ways. Most importantly, the panel benefited from his longstanding involvement with right whale conservation and his attention to details that otherwise would have escaped notice. Finally, the panel acknowledges the constructive, detailed reviews of a draft of this report provided by NMFS staff at its headquarters office, the Northeast and Southeast Fisheries Science Centers, and the Northeast and Southeast Regional Offices. The collegial spirit they maintained while watching their programs undergo detailed scrutiny was exemplary. Also, the panel appreciates the helpful review received from Scott Kraus of the New England Aquarium.

VII. References

- Caswell, H., M. Fujiwara, and S. Brault. 1999. Declining survival probability threatens the North Atlantic right whale. *Proceedings of the National Academy of Sciences of the USA* 96:3308–3313.
- Fujiwara, M., and H. Caswell. 2001. Demography of the North Atlantic right whale. *Nature* 414:537–541.
- Hamilton, P. K., and M. K. Marx. 2005. Skin lesions on North Atlantic right whales: categories, prevalence and change in occurrence in the 1990s. *Diseases of Aquatic Organisms* 68:71–82.
- Johnson, A., G. Salvador, J. Kenney, J. Robbins, S. Kraus, S. Landry, and P. Clapham. 2005. Fishing gear involved in entanglements of right and humpback whales. *Marine Mammal Science* 21:635–645.
- Knowlton, A. R., F. T. Korsmeyer, J. E. Kerwin, H. Wu, and B. Hynes. 1995. The hydrodynamic effects of large vessels on right whales. Final report to National Marine Fisheries Service, Contract No. 40EANFF400534.
- Knowlton, A. R., and S. D. Kraus. 2001. Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic. *Journal of Cetacean Research and Management (Special Issue)* 2:193–208.
- Knowlton, A. R., M. K. Marx, H. Pettis, P. K. Hamilton, and S. D. Kraus. 2005. Analysis of scarring on North Atlantic right whales (*Eubalaena glacialis*): monitoring rates of entanglement interaction: 1980–2002. Final Report to National Marine Fisheries Service. Contract #43EANF030107.
- Kraus, S. D., M. Brown, H. Caswell, C. Clark, M. Fujiwara, P. Hamilton, R. Kenney, A. Knowlton, S. Landry, C. Mayo, W. McLellan, M. Moore, D. Nowacek, D. Pabst, A. J. Read, and R. Rolland. 2005. North Atlantic right whales in crisis. *Science* 309:561–562.
- Marine Mammal Commission. 2006. The Marine Mammal Commission annual report to Congress 2005. Marine Mammal Commission, Bethesda, MD.
- Moller, J. C., D. N. Wiley, T. V. N. Cole, M. Niemeyer, and A. Rosner. 2005. The behavior of commercial ships relative to right whale advisory zones in the Great South Channel during May of 2005. Page 195 in *Abstracts, 16th Biennial Conference on the Biology of Marine Mammals*, San Diego, CA, December 12–16, 2005.
- Moore, M. J., A. R. Knowlton, S. D. Kraus, W. A. McLellan, and R. K. Bonde. 2004. Morphometry, gross morphology and available histopathology in North Atlantic right whale (*Eubalaena glacialis*) mortalities (1970–2002). *Journal of Cetacean Research and Management* 6:199–214.
- Moore, M. J., C. A. Miller, M. S. Morss, R. Arthur, W. A. Lange, K. G. Prada, M. K. Marx, and E. A. Frey. 2001. Ultrasonic measurement of blubber thickness in right whales. *Journal of Cetacean Research and Management (Special Issue)* 2:301–309.
- National Marine Fisheries Service. 2005. Recovery plan for the North Atlantic right whale (*Eubalaena glacialis*). National Marine Fisheries Service, Silver Spring, MD.

-
- Nowacek, D. P., M. P. Johnson, and P. L. Tyack. 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London B* 271:227–231.
- Nowacek, D. P., M. P. Johnson, P. L. Tyack, K. A. Shorter, W. A. McLellan, and D. A. Pabst. 2001. Buoyant balaenids: the ups and downs of buoyancy in right whales. *Proceedings of the Royal Society of London B* 268:1811–1816.
- Pettis, H. M., R. M. Rolland, P. K. Hamilton, S. Brault, A. R. Knowlton, and S. D. Kraus. 2004. Visual health assessment of North Atlantic right whales (*Eubalaena glacialis*) using photographs. *Canadian Journal of Zoology* 82:8–19.
- Rolland, R. M., K. E. Hunt, S. D. Kraus, and S. K. Wasser. 2005. Assessing reproductive status of right whales (*Eubalaena glacialis*) using fecal hormone metabolites. *General and Comparative Endocrinology* 142:308–317.

APPENDIX I

PANEL MEMBERS

North Atlantic Right Whale Program Review

Daryl J. Boness
Senior Scientist Emeritus
Smithsonian Institution
Washington, DC 20008

Steven K. Katona
President (retired)
College of the Atlantic
Bar Harbor, Maine 04609

Lloyd F. Lowry (Workshop Chairman)
Affiliate Associate Professor
University of Alaska
School of Fisheries and Ocean Sciences
1550 Coyote Trail
Fairbanks, AK 99709

Andrew J. Read
Rachel Carson Associate Professor of Marine Conservation Biology
Nicholas School of the Environment & Earth Sciences
Duke University Marine Laboratory
135 Duke Marine Lab Road
Beaufort, NC 28516

Randall R. Reeves
Okapi Wildlife Associates
27 Chandler Lane
Hudson, Quebec, Canada J0P 1H0

APPENDIX II

AGENDA

NORTH ATLANTIC RIGHT WHALE PROGRAM REVIEW

Marine Biological Laboratory
Woods Hole, MA
14–17 March 2006

TUESDAY, 14 MARCH

- 8:00 – 8:30 COFFEE AND DANISH
- 8:30 – 8:45 OPENING REMARKS
David Laist, Marine Mammal Commission
Linda Manning, SRA International
Lloyd Lowry, Marine Mammal Commission
- 8:45 – 9:45 OVERVIEW OF RECOVERY PROGRAM
Michael Payne, NOAA
Richard Merrick, NOAA
Jerry Conway, Department of Fisheries and Oceans, Canada
- 9:45 – 10:45 MONITOR STATUS AND TRENDS OF ABUNDANCE
Richard Pace, NOAA
- 10:45 – 11:00 BREAK
- 11:00 – 12:00 RIGHT WHALE DISTRIBUTIONAL STUDIES
Lance Garrison, NOAA
- 12:00 – 1:15 LUNCH
- 1:15 – 2:15 MAJOR RIGHT WHALE DATABASES
Philip Hamilton, New England Aquarium
Robert Kenney, University of Rhode Island
- 2:15 – 3:15 STOCK STRUCTURE AND INDIVIDUAL IDENTIFICATION – GENETICS
Richard Pace, NOAA
- 3:15 – 3:30 BREAK
- 3:30 – 4:30 REPRODUCTION AND HEALTH ASSESSMENTS
Teri Rowles, NOAA
- 4:30 – 5:30 RESPONSE TO STRANDINGS
Teri Rowles, NOAA

WEDNESDAY, 15 MARCH


- 8:30 – 9:15 HABITAT STUDIES AND ASSESSMENTS
Lance Garrison, NOAA
- 9:15 – 10:30 OVERVIEW OF FISHERY INTERACTIONS
David Gouveia, NOAA
- 10:30 – 10:45 BREAK
- 10:45 – 11:45 OVERVIEW OF TAKE REDUCTION EFFORT
David Gouveia, NOAA
- 11:45 – 1:00 LUNCH
- 1:00 – 3:00 IMPLEMENTATION OF SPECIAL MANAGEMENT AREAS
David Gouveia, NOAA
- 3:00 – 3:15 BREAK
- 3:15 – 5:15 IMPLEMENTATION OF GEAR MODIFICATIONS AND GEAR RESEARCH
Diane Borggaard, NOAA
Glen Salvador, NOAA

THURSDAY, 16 MARCH

- 8:30 – 9:00 FISHERIES OUTREACH AND EDUCATION
Diane Borggaard, NOAA
- 9:00 – 9:45 DISENTANGLEMENT EFFORTS
Teri Rowles
- 9:45 – 10:00 BREAK
- 10:00 – 10:30 OVERVIEW ON VESSEL INTERACTIONS
Gregory Silber, NOAA
Jerry Conway, Department of Fisheries and Oceans, Canada
- 10:30 – 12:00 INTRODUCTON TO SHIP STRIKE MITIGATION PROGRAM
Gregory Silber
Barbara Zoodsma, NOAA
- 12:00 – 1:15 LUNCH
- 1:15 – 2:15 VESSEL TRAFFIC MANAGEMENT
Gregory Silber, NOAA
Jerry Conway, Department of Fisheries and Oceans, Canada

-
- 2:15 – 3:15 MANDATORY SHIP REPORTING SYSTEM
Gregory Silber, NOAA
- 3:15 – 3:30 BREAK
- 3:30 – 4:15 NORTHEAST AND SOUTHEAST RIGHT WHALE SIGHTING AND
REPORTING SYSTEMS
Tim Cole, NOAA
Barbara Zoodsma, NOAA
- 4:15 – 5:15 MARINER OUTREACH, EDUCATION AND TRAINING
Barbara Zoodsma, NOAA
Kristen Koyama, NOAA

FRIDAY, 17 MARCH

- 8:30 – 9:30 RESEARCH TO IMPROVE UNDERSTANDING OF HOW WHALES AND
VESSELS INTERACT
Gregory Silber, NOAA
- 9:30 – 10:30 RESEARCH TO IMPROVE MITIGATION TOOLS FOR REDUCING
VESSEL INTERACTIONS
Gregory Silber, NOAA
Richard Merrick, NOAA
- 10:30 – 10:45 BREAK
- 10:45 – 11:45 REVIEW AND DISCUSSION OF INFORMATION PRESENTED
- 12:00 ADJOURN
- 

APPENDIX III

RIGHT WHALE PROGRAM REVIEW PARTICIPANT LIST

Mark Baumgartner

Woods Hole Oceanographic
Institution
508.289.2678
mbaumgartner@whoi.edu

Jeff Benoit

SRA International
703.284.6191
jeff_benoit@sra.com

Shannon Bettridge

NOAA/NMFS-F/PR
202.289.6400
Shannon.bettridge@noaa.gov

Daryl Boness – Panelist

Smithsonian National Zoo
207.597.2333
boness@megalink.net

Diane Borggaard – Presenter

NOAA/NMFS
978.281.9328 x6503
diane.borggaard@noaa.gov

Moira "Mo" Brown

New England Aquarium
617.226.2195
mbrown@neaq.org

Deirdre Casey

NOAA/GC
978.281.9105
Deirdre.casey@noaa.gov

Hal Caswell

Woods Hole Oceanographic
Institution
508.289.2751
hcaswell@whoi.edu

Cynthia Christman

NOAA/NMFS
508.495.2191
Cynthia.christman@noaa.gov

Christopher Clark

Cornell University
607.254.2405
cwc2@cornell.edu

Nicole Clarke

SRA International
703.284.6231
nicole_clarke@sra.com

Tim Cole – Presenter

NOAA/NMFS
508.495.2087
Tim.Cole@noaa.gov

Mary Colligan

NOAA/NMFS
978.281.9116
mary.a.colligan@noaa.gov

Kevin Collins

NOAA/GC
978.281.9289
Kevin.collins@noaa.gov

Jerry Conway – Presenter

Department of Fisheries &
Oceans, Canada
902 426 6947
ConwayJ@mar.dfo-mpo.gc.ca

Vicki Cornish

NOAA/NMFS-SERO
727.824.5312
vicki.cornish@noaa.gov

Todd Dubois

NOAA/NMFS
508.994.7008
Todd.dubois@noaa.gov

Peter Duley

NOAA/NMFS
508.495.2204
Peter.duley@noaa.gov

Tom Fetherston

U.S. Navy
401.832.5857
fethersontrn@npt.nwwc.navy.mil

Teri Frady

NOAA/NMFS/NEFSC
508.495.2239
Teri.frady@noaa.gov

Tim Frasier – Presenter

Trent University
705.748.1011 x7055
tim.frasier@nrdfpc.ca

Lance Garrison – Presenter

NOAA/NMFS-SEFSC
305.361.4488 x488
lance.garrison@noaa.gov

Mendy Garron

NOAA/NMFS
978.281.9300 X6528
Mendy.Garron@noaa.gov

Clay George

Georgia Department of Natural
Resources
404.656.3500
Clay_George@dnr.state.ga.us

CDR Eric Giese

U.S. Coast Guard
202.267.1785
egiese@comdt.uscg.mil

David Gouveia – Presenter

NOAA/NMFS
978.281.9280
david.gouveia@noaa.gov

Pat Grerrior

Pgerrior2@adelphia.net

Jim Hain

Associated Scientists at Woods
Hole
508.564.4449
jhain@earthlink.net

Ryan Hamel

U.S. Coast Guard
508.968.6603
Ryan.hamel@uscg.mil

Philip Hamilton – Presenter

New England Aquarium
617.973.5253
phamilton@neaq.org

Leila Hatch

Stellwagen Bank National Marine
Sanctuary
781.545.8026
Leila.hatch@noaa.gov

John Higgins

NOAA/NMFS
207.677.2316
john.higgins@noaa.gov

Christine Hunter

Woods Hole Oceanographic
Institute
508-289-3245
cmhunter@whoi.edu

Wilhelmina Innes

Marine Mammal Commission
301.504.0087
minnes@mmc.gov

Steve Katona – Panelist

College of the Atlantic
207.288.5015
skkatona@ecology.coa.edu

John Kenney

NOAA/NMFS
401.294.0443
John.f.kenney@noaa.gov

Robert Kenney – Presenter

University of Rhode Island
401.874.6664
rkenney@gso.uri.edu

Amy Knowlton

New England Aquarium
617.973.5200
aknowlton@neaq.org

Kristen Koyama – Presenter

NOAA/NMFS
978.281.9328 x6531
kristen.koyama@noaa.gov

Scott Kraus

New England Aquarium
617.973.5457
skraus@neaq.org

David Laist

Marine Mammal Commission
301.504.0087
dlaist@mmc.gov

Gregg LaMontagne

NOAA/NMFS
978.281.9300 x6506
Gregg.lamontagne@noaa.gov

Bill Lange

Woods Hole Oceanographic
Institution
508.289.2782
wlange@whoi.edu

Kristy Long

NOAA/NMFS-F/PR
301.713.2322 x171
Kristy.Long@noaa.gov

Lloyd Lowry – Panelist

University of Alaska
808.325.6885
lloyry@eagle.ptialaska.net

Doug MacIntyre

NOAA/OMAO-AOC
813-828-3310
Douglas.macintyre@noaa.gov

Linda Manning

SRA International
703-284-6192
linda_manning@sra.com

Charles “Stormy” Mayo

Provincetown Center for
Coastal Studies
508.487.3623 x110
stormym33@pobox.com

Richard Merrick – Presenter

NOAA/NMFS
508.495.2291
richard.merrick@noaa.gov

Henry Milliken

NOAA/NMFS
508.495.2294
Henry.milliken@noaa.gov

Mark Minton

NOAA/NMFS
978.281.9328 x6534
Mark.minton@noaa.gov

Katie Moore

U.S. Coast Guard
757-398-6504
Katie.s.moore@uscg.mil

Michael Moore

Woods Hole Oceanographic
Institution
508.289.3228
mmoore@whoi.edu

David Morin

Provincetown Center for Coastal
Studies
508.487.3622
dmorin@coastalstudies.org

LCDR Paul Murphy

U.S. Coast Guard
617.223.8425
Paul.d.murphy@uscg.mil

Misty Niemeyer

NOAA/NMFS
508.495.2040
Misty.niemeyer@noaa.gov

Doug Nowacek – Presenter

Florida State University
850.645.1547
nowacek@ocean.fsu.edu

Richard Pace – Presenter

NOAA/NMFS
508.495.2253
richard.pace@noaa.gov

Michael Payne – Presenter

NOAA/NMFS
301.713.2322
michael.payne@noaa.gov

LT Jeff Pearson
U.S. Coast Guard
202.267.1770
JPearson@comdt.uscg.mil

Andy Read – Panelist
Duke University
252.504.7590
aread@duke.edu
Randall Reeves – Panelist
Okapi Wildlife Associates
450.458.6685
rreeves@okapis.ca

Rosalind Rolland
New England Aquarium
617.973.6587
rrolland@neaq.org

Teri Rowles – Presenter
NOAA/PR
301.713.2322
Teri.Rowles@noaa.gov

Glenn Salvador – Presenter
NOAA/NMFS
302.644.2375
glenn.salvador@noaa.gov

Fred Serchuk
NOAA/NMFS/NEFSC-
Woods Hole
508.495.2000 x2245
Fred.serchuk@noaa.gov

Greg Silber – Presenter
NOAA/NMFS
301.713.2322 x152
greg.silber@noaa.gov

Aileen Smith
U.S. Navy
757.836.7147
aileen.smith@navy.mil

Jamison Smith
NOAA/NMFS
978.281.9336
jamison.smith@noaa.gov

Leslie Ward
Florida Fish & Wildlife
Conservation Commission
727.896.8626 x1906
leslie.ward@fwc.state.fl.us

David Wiley
NOAA/NOS
781.545.8026 x211
david.wiley@noaa.gov

Sharon Young
Humane Society of the United
States
508.833.0181
syoung@hsus.org

Barbara Zoodsma – Presenter
NOAA/NMFS-SERO
904.321.2806
barb.zoodsma@noaa.gov

North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service's Expert Working Group

Erin M. Oleson, Jason Baker, Jay Barlow, Jeff E. Moore, Paul Wade



U.S. Department of Commerce
National Oceanic and Atmospheric Administration
National Marine Fisheries Service

NOAA Technical Memorandum NMFS-OPR-64
June 2020

North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service's Expert Working Group

Erin M. Oleson¹, Jason Baker¹, Jay Barlow², Jeff E. Moore², Paul Wade³

¹National Marine Fisheries Service, Pacific Islands Fisheries Science Center

²National Marine Fisheries Service, Southwest Fisheries Science Center

³National Marine Fisheries Service, Alaska Fisheries Science Center

**NOAA Technical Memorandum NMFS-OPR-64
June 2020**



U.S. Department of Commerce
Wilbur L. Ross, Jr., Secretary

National Oceanic and Atmospheric Administration
Neil A. Jacobs, Ph.D., Acting NOAA Administrator

National Marine Fisheries Service
Chris Oliver, Assistant Administrator for Fisheries

Recommended citation:

Erin M. Oleson, Jason Baker, Jay Barlow, Jeff E. Moore, Paul Wade. 2020. North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service's Expert Working Group. NOAA Tech. Memo. NMFS-F/OPR-64, 47 p.

Copies of this report may be obtained from:

Office of Protected Resources
National Oceanic and Atmospheric Administration
1315 East-West Highway
Silver Spring, MD 20910

Or online at:

<https://repository.library.noaa.gov/>

TABLE OF CONTENTS

LIST OF ACRONYMS	V
EXECUTIVE SUMMARY	1
I. WORKSHOP OBJECTIVES	4
Population Status	4
Distribution and Habitat	4
Health Status	5
II. DESCRIPTION OF CURRENT EFFORTS	6
Primary Data Collection Efforts in Support of Population Assessment	6
<i>Photo-Identification Data Contributed by Partners</i>	<i>7</i>
<i>Photo-Identification Data Collected by NMFS Aerial Surveys</i>	<i>9</i>
Analysis Efforts to Assess Population Status	11
Efforts to Describe Distribution and Habitat	12
Efforts to Assess Population Health	14
III. DATA GAPS AND LIMITS TO INFERENCE	14
Need for Spatially-Temporally Standardized Survey Design	14
Collection of Consistent Data Elements by All Data Contributors	15
Leveraging Existing Data to Address Key Management Questions	16
IV. RECOMMENDATIONS	16
Essential Population and Individual Metrics	16
<i>Adult Survival</i>	<i>16</i>
<i>Calf to Subadult Survival (Roughly Ages 0 to 5 Years)</i>	<i>16</i>
<i>Abundance</i>	<i>17</i>

<i>Calf Production</i>	17
<i>Population Age-Sex Structure</i>	17
<i>Number of Reproductive Females</i>	18
<i>Visual Health Index (and Potentially Other Health Metrics)</i>	18
Interrogating Existing Data to Inform Future Monitoring Schemes	18
<i>Objective 1. Optimize Aerial and Vessel Survey Effort to Ensure High Precision and Minimize Bias in Estimates of Survival, New Entrants, and Abundance in an Efficient Manner</i>	18
<i>Objective 2. Maintain Sufficient Effort to Detect Entangled, Injured, and Dead North Atlantic Right Whales</i>	20
<i>Objective 3. Improve Characterization of Risk Seascape</i>	20
<i>Objective 4. Improve Understanding of Relative Detection by Acoustics Versus Visual Survey</i>	21
Improving the North Atlantic Right Whale Habitat Model	21
An Integrated Passive Acoustic and Visual Survey Monitoring Plan	22
<i>Acoustic Monitoring to Examine Distribution and Habitat Use</i>	23
<i>Aerial Surveys and Collection of Identification Photographs</i>	28
<i>Data Collected on Vessel-Based Surveys</i>	32
Other Research Recommendations	33
<i>Examination of Acoustic Records from the Northeast Atlantic and Adjacent Seas</i>	33
<i>Satellite Imagery</i>	33
<i>Tagging</i>	34
V. CONCLUSIONS AND ACKNOWLEDGEMENTS	34
VI. LITERATURE CITED	36
APPENDIX I. TABLES	38
APPENDIX II. WORKSHOP PARTICIPANTS AND CONTRIBUTORS	42
APPENDIX III. WORKSHOP AGENDA	43

LIST OF ACRONYMS

BOEM – Bureau of Ocean Energy Management
CCB – Cape Cod Bay (CCB)
CCS – Provincetown Center for Coastal Studies (CCS),
DFO – Department of Fisheries and Oceans Canada
GOM – Gulf of Maine
GoSL – Gulf of St. Lawrence
GSC – Great South Channel
LIMPET – Low Impact Minimally Percutaneous Electronic Transmitter
NARW – North Atlantic right whale
NEAq – the New England Aquarium
NEFSC – Northeast Fisheries Science Center
NMFS – National Marine Fisheries Service
NOAA – National Oceanic and Atmospheric Administration
PAM – Passive Acoustic Monitoring
RNA – Ribonucleic Acid
SEFSC – Southeast Fisheries Science Center
SERO – Southeast Regional Office
SEUS – Southeastern United States
U.S. – United States
UAS – Unmanned Aerial Systems
VHR – Very High Resolution

EXECUTIVE SUMMARY

The National Marine Fisheries Service (NMFS) North Atlantic right whale (NARW) Steering Committee convened an expert Working Group to address two objectives related to monitoring NARWs: (1) improving our understanding of population status by identifying and tracking essential population metrics, and (2) improving our understanding of distribution and habitat use. The Working Group consisted of five NMFS researchers (the authors of this report) with expertise in marine mammal monitoring, but not directly involved in current NARW monitoring efforts. The Working Group was convened during a three-day workshop (held at NMFS Southwest Fisheries Science Center in La Jolla, California, from October 22-24, 2019, with remote participants on Day 1), and on a series of follow up conference calls. This report provides a brief summary of the information provided to the Working Group, including historic and current NARW monitoring efforts conducted by NMFS and partner institutions, information on the status and trends of NARWs, and analyses conducted during the workshop or at the Working Group's request. Moreover, the report primarily presents the Working Group's recommendations for a comprehensive monitoring strategy to guide future analyses and data collection on (1) NARW demographics and population status, (2) distribution shifts and habitat use range-wide, and (3) the health of individuals and the population. The Working Group's recommendations are intended to improve NMFS' overall monitoring strategy for NARW, with recognition of the significant contribution to NARW research and monitoring carried out by NMFS and partner institutions and agencies.

The Working Group's recommendations address several overarching themes. These include (1) identifying the essential population and individual metrics to be monitored, (2) characterizing analyses that may be conducted with existing data that are critical to fine-tuning and efficiently executing an effective monitoring plan, (3) expanding the NARW species distribution model through data standardization and coordination, (4) establishing an integrated visual and passive acoustic monitoring (PAM) scheme, and (5) evaluating the utility of other research tools including satellite imagery and telemetry tagging for NARWs.

The Working Group agreed that the most important population and individual metrics to be monitored include adult survival, calf to subadult survival, abundance, calf production, population age-sex structure, number of reproductive females, and the visual health index. At present, adult survival, abundance, and calf survival are estimated with high precision and low bias through the intensive aerial photo-identification efforts of NMFS and its partners. In contrast, calf to subadult survival is estimated with low precision owing to small sample size, and the number of reproductive females is not estimated annually. The age-sex structure of NARWs has not been estimated, though given the extensive data available on individual whales, could be generated and would provide valuable insight into the current demographics of the population and its future trajectory. Finally, a visual health assessment has been developed that provides information on individual health and body condition. A 2019 workshop on NARW

health assessment provided insights into expanding and improving this assessment. The Working Group recommends that once the utility of those metrics has been established, their estimation should be considered for integration in the monitoring program.

The NARW data that have been amassed to date are an invaluable resource that could be further analyzed to inform a future, more optimized monitoring plan. The Working Group identified and described 11 retrospective analyses within four overarching objectives: (1) optimizing aerial and vessel-based survey effort to ensure high precision and low bias in the estimation of population and individual metrics identified above, (2) maintaining sufficient effort to detect entangled, injured, and dead NARWs, (3) improving characterization of the overall risk seascape, and (4) improving understanding of the relative detection by visual versus passive acoustic platforms. Many of the analyses identified will be critically important to designing and executing an efficient monitoring plan.

The current NARW habitat model is a valuable resource for examining habitat hotspots and historical distribution shifts. A robust quantitative habitat-based density model requires specific data inputs, and the variability in data collection approaches across all NARW partners has slowed progress toward the next generation model. Increased standardization in the collection of a small subset of survey effort metrics and sighting parameters would facilitate much broader integration of the vast network of spatial data collected on NARWs and, together with cooperation with Canadian modeling efforts, provide a more robust model for future predictions of habitat shifts and risk assessments.

Based on review of past and current NMFS and partner survey efforts, the relative contribution of unique photographic identifications from various regions and contributors, and the ongoing PAM work along the U.S. and Canadian east coasts, the Working Group provides specific recommendations for developing an integrated visual (aerial and vessel-based) and PAM plan that attempts to maintain appropriate survey effort to estimate essential population demographic metrics, track individual health status, and capture habitat hotspots and shifts, in an efficient and cost-effective manner while reducing cost and risk to humans of significant and sustained use of survey aircraft. This plan envisions:

- Establishing a network of 16 long-term passive acoustic listening stations to monitor distribution and habitat use
- Conducting targeted aerial surveys (i.e., at aggregations of whales) to collect photo-identifications of ~90% of the population within a given year
- Coordinating efficient, and timely identification of individuals across all data collectors within a survey year
- Conducting periodic broad-scale systematic aerial surveys of the entire Gulf of Maine and Southern New England area, alternating with a systematic rotation through all historical NARW hotspots

- Maintaining or increasing vessel survey effort to collect individual health data and replace aerial surveys for collecting individual identification photos whenever possible

The Working Group puts forward these recommendations acknowledging the significant efforts of NMFS and its partners over several decades. The recommendations in this report are intended to capture the best and most effective elements of those past and ongoing efforts and provide a roadmap for a systematic, efficient, and effective monitoring strategy for the future.

I. WORKSHOP OBJECTIVES

The National Marine Fisheries Service (NMFS) North Atlantic right whale (NARW) Steering Committee convened an expert Working Group to address two broad objectives related to monitoring NARWs: (1) improving our understanding of population status by identifying and tracking essential population metrics, and (2) improving our understanding of distribution and habitat use. The expert Working Group consisted of five staff with expertise in marine mammal monitoring and quantitative assessments, but not directly involved with current NARW monitoring efforts, who were asked to develop options for a comprehensive strategy to:

1. Monitor population status, including estimates of abundance, trends, survival and birth rates, and other demographic metrics
2. Monitor distribution shifts and habitat use range-wide
3. Assess health of individuals and the population (e.g., identify causation/threats, assess sublethal effects) through biological sampling

The Working Group's specific tasks were to provide expert guidance to the Steering Committee on how best to achieve the following more specific objectives:

Population Status

- Identify the essential population demographic metrics (e.g., survival rate, birth rate, age at calving, calving rate, age structure, life span) the agency should use to track recovery of this species, including a description of why each metric is essential for monitoring the population status.
- Develop a monitoring/surveillance plan for each essential population metric identified above, including options for:
 - Sampling methods
 - Data types
 - Sampling locations (e.g., region and/or range-wide)
 - Monitoring/survey frequencies

Distribution and Habitat

- Determine approach for identifying:
 - Distribution, occurrence, and habitat use in the mid-Atlantic region (i.e., west of 72° 30' West, south of 40° 00' North through 35° 30' North (North Carolina))
 - Migratory corridor and associated physical and biological features in the mid-Atlantic
 - The unobserved portion of the population in time/space (i.e., "missing whales" not detected during aerial surveys in northeast and southeast)
 - Where animals die

- Determine best methods for quantifying changes in occurrence and distribution (e.g., relative to a changing climate)
- Determine whether, and if so how, historic and current visual sightings data can be combined with passive acoustic detection data to assess past and current occurrence and distribution, and decadal-scale changes in distribution

Health Status

- Determine approach for identifying cause(s) or contributing factors for dead, injured, entangled animals and poor reproduction and poor health
- Determine approach for collecting:
 - Health assessment data, such as body condition and skin condition including scarring
 - Hormones for assessing reproductive state, stress, metabolism/energetics, nutritional state
 - Injury state (e.g., wounds, entanglements, skin lesions, etc.)

The Working Group met October 22-24, 2019 at the NMFS Southwest Fisheries Science Center in La Jolla, California (see Appendix II). The group received presentations on management needs for monitoring data, using mark-recapture analysis to estimate abundance and evaluate trends, current monitoring efforts in the U.S. and Canada using planes, vessels, and passive acoustics, and current funding levels (see Appendix III). The following report describes recommended options for comprehensively monitoring the NARW population throughout its range using various platforms and the rationale associated with each element.

II. DESCRIPTION OF CURRENT EFFORTS




Figure 1. Known primary North Atlantic right whale habitats.

Primary Data Collection Efforts in Support of Population Assessment

The primary data collected for monitoring population status (population size, trends in abundance, survival rates, and recruitment) come from the photo-identification studies in known NARW habitats (Figure 1) conducted from multiple platforms (aircraft and surface vessels) by multiple governmental and non-governmental programs. Most of the current data are provided by the Provincetown Center for Coastal Studies (CCS), NMFS Northeast Fisheries Science Center (NEFSC), Department of Fisheries and Oceans (DFO) Canada and Transport Canada, the

New England Aquarium (NEAq), and combined efforts of the NMFS Southeast Fisheries Science Center (SEFSC), NMFS Southeast Regional Office (SERO), and the states of Florida and Georgia, as well as a variety of other contributors. Major funders of this data collection include NMFS, the Bureau of Ocean Energy Management (BOEM), U.S. Navy, Transport Canada, DFO and the State of Massachusetts. All sighting and survey effort records are submitted to the NARW Consortium Database maintained by the University of Rhode Island for inclusion in the sightings database and those with photographs are also submitted to the NEAq for integration into a unified [photo-identification catalog](#)¹. Most field research teams match their photographs to this catalog during their field efforts.

The number of NARW identifications collected by each cooperating institution and platform (aerial or vessel) has varied from 2001 to 2017 (Appendix I, Tables 1 and 2), with contributions from Canada increasing dramatically in recent years as the distribution of NARWs has shifted and the efforts of Canadian Government agencies have increased. Similarly, the number of NARW identifications has varied by region from 2001 to 2017 (Appendix I, Tables 3 and 4), most notably with recent increases in sampling in the Gulf of St. Lawrence. Many individual NARWs are seen by multiple institutions and in multiple areas within a single year, such that the number of NARWs seen uniquely by a single institution/platform (Appendix I, Table 2) or in a single area (Appendix I, Table 4) is typically less than $\frac{1}{3}$ of the total number of NARWs seen in a year. Each year, surface vessels provide a few identifications that are not obtained from any other source (Appendix I, Table 2), but the majority of identifications now come from aircraft (Appendix I, Table 1).

Photo-Identification Data Contributed by Partners

1. [Provincetown Center for Coastal Studies aerial surveys in Cape Cod Bay](#)²

CCS flies a fixed survey grid over the entirety of Cape Cod Bay and the eastern Cape several days per month during winter and early spring until NARWs leave this foraging ground for other regions. These surveys provide a large number of photo identifications (Appendix I, Tables 1 and 3), including a large proportion of the unique identifications provided to the catalog each year (Appendix I, Tables 2 and 4). CCS also conducts small boat habitat surveys along predetermined tracklines to visit 8-9 sampling stations, as well as foraging surveys directed by aerial sightings of NARWs, both of which may provide additional photo identifications.

¹ <http://rwcatalog.neaq.org/Terms.aspx>

² <https://coastalstudies.org/right-whale-research/population-monitoring/>

2. [DFO Canada](#)³ and [Transport Canada](#)⁴ aerial surveys in the Gulf of St. Lawrence

In response to apparent recent increases in NARW abundance and observed deaths in the Gulf of St. Lawrence, DFO and Transport Canada now conduct substantial aerial survey effort from spring through fall to locate NARWs. The survey effort has been focused primarily on the main shipping routes within the Gulf of St. Lawrence, as well as over primary fishing regions, but includes some flights into other regions of likely NARW habitat. Oblique identification photographs are collected from the planes, though information on regions with large aggregations of whales is generally passed to NMFS to conduct flights for additional photo-identification efforts. DFO survey efforts account for most of the unique identifications in Canada (Appendix I, Tables 2 and 4).

3. [New England Aquarium](#)⁵ small boat surveys in the Bay of Fundy, Roseway Basin/Scotian Shelf, and Gulf of St. Lawrence

The NEAq began annual small boat surveys in the Bay of Fundy in 1980 and in the Roseway Basin/Scotia Shelf regions more recently. Traditionally, both surveys provided a reasonable number of unique identifications (Appendix I, Table 2), but the number of NARWs using these areas has declined in recent years. The NEAq has recently been conducting small boat surveys in the Gulf of St. Lawrence in response to an increase in NARW sightings in that region. Many of the NEAq photo-identification efforts are focused on collecting data for individual whale health assessments, requiring more detailed photographs from a variety of angles to provide a robust examination of current health status (e.g., Pettis et al. 2004). The NEAq has been conducting aerial surveys in the offshore waters south of Nantucket and Martha's Vineyard since 2011, though the steering committee did not have access to these data so they are not discussed specifically in this report.

4. Southeastern U.S. (SEUS) small boat surveys

The states of Georgia and Florida conduct small boat surveys of the winter calving areas, directed by NARW detections from the aerial surveys. This effort serves primarily to collect biopsy samples of calves for genotyping and later identification.

³ <https://www.dfo-mpo.gc.ca/species-especies/mammals-mammiferes/narightwhale-baleinenoirean/alert-alerte/index-eng.html>

⁴ <https://www.tc.gc.ca/en/services/marine/navigation-marine-conditions/protecting-north-atlantic-right-whales-collisions-ships-gulf-st-lawrence.html>

⁵ <https://www.andersoncabotcenterforoceanlife.org/category/right-whale-research/>




Figure 2. Summary of NEFSC aerial survey approaches since 2002 (left panels), and overall survey effort and combined NARW sightings resulting from broad-scale surveys form 2002-2006 (right panel). Provided to Working Group by NEFSC.

Photo-Identification Data Collected by NMFS Aerial Surveys

The NEFSC conducts aerial surveys in a National Oceanic and Atmospheric Administration (NOAA) Twin Otter for much of the year. These include surveys of designated geographic areas as well as other Gulf of Maine sites in spring, summer, and fall, South of the Islands (i.e., Nantucket and Martha’s Vineyard) in fall, winter, and spring, and most recently in the Gulf of St. Lawrence in spring, summer, and fall. Much of the survey effort in the Gulf of St. Lawrence is dedicated to areas of NARW concentration identified from DFO surveys and also to locate dead or entangled NARWs for recovery efforts.

Seasonality of NMFS Aerial Survey Effort




Figure 3. Seasonal distribution of NMFS aerial survey effort in recent years (2016-2019), and previous years (2010 through 2015). Actual effort may vary considerably between locations.

Photo-identification surveys conducted by the NEFSC have evolved substantially over time. These surveys initially flew over the Great South Channel (1998-2001), and then evolved to broad-scale systematic surveys (2002-2006) throughout U.S. waters in the Gulf of Maine and Southern New England (Figure 2 and Figure 3). The results of those broad-scale surveys led to more targeted surveys in designated “boxes” from 2007-2016 in order to maximize survey effort in locations that consistently contained aggregations of NARWs. This was modified starting in 2017 to direct survey efforts to areas with the highest capture rates, to maximize detections of unique individuals. Surveys are flown repeatedly to the same area until the discovery curve for new individuals levels off and few or no new individuals are detected.

SERO, in collaboration with the states of Georgia and Florida, conduct aerial surveys of the winter calving areas. These have been very successful, and not long ago were providing as many as 120 unique identifications per year. However, NARWs' usage of the area has dramatically declined, and as few as seven NARWs, including accompanied calves, have been identified in recent years.

Analysis Efforts to Assess Population Status

The primary tool for integrating and interpreting the photo-identification data into population assessments is the Bayesian integrated population model developed by Pace et al. (2017).

Analyses of data collected through 2018 presented at the workshop show relatively constant non-calf (ages 5+) survival rates of ~0.98 and 0.97 (for males and females, respectively) from 1990 to 2014 and a decrease to ~0.96 and 0.95 (respectively) for 2015-2016. Survival rates of calves (0-5 years) were about 2% less than for females ages 5+, and changes in both adult and calf survival rates over time are constrained in the model to follow an identical trend (i.e., the age-sex class effect is additive on the logit scale). Survival rate estimates of NARWs younger than adults have low precision, owing to small sample sizes. Consequently, it remains uncertain whether juvenile survival has changed in recent years. The model estimates an increasing population trend from ~260 in 1990 to a maximum of ~483 in 2011 followed by a decrease to ~410 in 2018.

A calf production index (the proportion of calves in the population) can be estimated from the number of calves observed in a given year and the model-based estimates of population size. Results show that calf production has been very low since 2010 (compared to values in 2001-2009) and is below the level required for replacement of adults. It appears that this recent decline in calf production is largely responsible for the observed decline in population size in recent years. The potential contribution of reduced survival of both young and adult NARWs to the population trend remains uncertain.

The estimated proportion of the population sampled by photo-identification each year (capture probability) has been very high, roughly 90% in the years 2000 to 2010. Capture probabilities began to drop starting in 2011 likely because of changes in NARW distributions (Davis et al. 2017), reaching levels of approximately 50-60% in 2014. With subsequent changes in survey effort, values for the most recent years (2016-17) are again approaching 90%. A high capture probability not only reduces the variance in estimated parameters, it also reduces the likelihood of bias caused by violations in model assumptions.

The higher male survival rate than female survival rate will result in a population with an increasingly biased sex ratio in older individuals, which reduces the reproductive potential for a given total population size. In the published model of NARW population dynamics, Pace et al. (2017) estimate that the ratio of females to males increased from 1:1.15 in 1990 to 1:1.46 in 2015. If this apparent pattern continues, there is concern that population productivity may continue to decrease.

Efforts to Describe Distribution and Habitat

There have been many efforts to describe NARW foraging and mating habitat, drivers of habitat preferences, and habitat quality and variability. The same aerial and vessel surveys that provide identification photographs also provide much of the data used to study distribution and habitat. Opportunistic sightings also provide new insights in areas that are not covered by existing survey effort. Quantitative descriptions of NARW habitat typically require design-based surveys and data from targeted surveys cannot be used for these analyses. Diverse PAM efforts have also been ongoing for almost two decades and collectively provide a rich dataset for examining distribution. However, most passive acoustic recorder deployments have been short-term or funded by partners interested in specific questions or regions, requiring researchers to piece together datasets that do not overlap in time, do not consistently sample the same sites, and may not be recording in optimal seasons or locations.

Several decades of research have shown that NARWs use discrete habitats at specific times of the year (Figure 1), and researchers have taken advantage of this to target data collection. Well documented NARW foraging habitats include Cape Cod Bay, the Great South Channel and edge of Georges Bank, an area to the south of Martha's Vineyard and Nantucket, the waters around the Bay of Fundy, Roseway Basin, the southern Gulf of St. Lawrence and the western end of Anticosti Island (Davies et al. 2019; Davis et al. 2017; Durette-Morin et al. 2019; Leiter et al. 2017; Mayo et al. 2018; Simard et al. 2019). Additionally, the whales' only known calving ground extends along the coast of the South Atlantic Bight (Gowan and Ortega-Ortiz 2014; Keller et al. 2012). NARWs respond to environmental changes and may use habitat intermittently over time. The whales have been known to nearly abandon a frequently used foraging habitat only to come back in future years in large numbers. In recent years, the whales have demonstrated actual shifts in distribution, frequenting previously unrecognized foraging habitats. However, sightings data indicate that NARWs may investigate a previously preferred habitat, but not stay if the prey resource is insufficient, so some habitats previously used no longer have high densities of NARWs (Davies et al. 2019; Davis et al. 2017).

A recent effort to aggregate all available and appropriate survey data resulted in monthly predictive habitat models along the U.S. east coast for NARWs and several other cetacean species (Roberts et al. 2016). These habitat-informed density models offer the most comprehensive evaluation of NARW density along the east coast to date and include relevant data through 2016. The Duke University team is currently funded under a cooperative agreement with NMFS to update the models using 2017 and 2018 data as well as create separate models for the periods before and after 2010 when NARW distribution began to shift. It is worth noting that not all NARW surveys or datasets are appropriate for use in this type of quantitative model. This density modeling effort requires survey data collected using line-transect survey protocols. The Roberts et al. models are not able to incorporate opportunistic NARW sightings, non-line

transect survey data, or data from directed survey efforts (i.e., those directed at known aggregations of NARWs).

There have been many PAM efforts throughout the northwest Atlantic over the past decade, including efforts by NEFSC to maintain collaborative long-term monitoring of species occurrence from the northern Gulf of Maine south through the New York Bight as part of the Northeast Passive Acoustic sensing Network (Van Parijs et al. 2015). Acoustic data provide insights into the occurrence of NARWs at times of the year when poor weather and lack of light make visual surveys highly restricted (i.e., late fall to early spring). A recent analysis of NARW seasonal and annual occurrence throughout the Northwest Atlantic using a diverse set of PAM data collected by a large number of collaborators resulted in an impressive assessment of changes in NARW distribution over 11 geographic regions from 2004 through 2014 (Davis et al. 2017). Although the aggregated dataset provides great insights into NARW occurrence and changes in distribution over the decade, the lack of concurrent and continuous monitoring at many locations hinders detailed examination of the movements of NARWs between regions and the changes in distribution over time (see Figure 4).




Figure 4. (Reprinted from Davis et al. 2017, Figure 5). The proportion of year with available passive acoustic recordings in each monitored region (see Davis et al. 2017, Fig. 1). Years are split into quarters from January 2004 to December 2014. Black indicates at least one recorder present for the entire quarter year for that region, lighter gray indicates a portion of that time period with recordings, and white indicates no available acoustic data for that region and time period.

Recent NARW sightings and acoustic detections in the Northeast Atlantic, coupled with historic records of NARW presence, are intriguing and suggest monitoring efforts should expand to targeted surveys in these more eastern areas, at least on a sporadic basis. For example, within the last decade one NARW has been sighted and detected in Icelandic waters during the summer months. Historic whaling records also indicate NARWs used this area in the summer.

Efforts to Assess Population Health

Health status has largely been assessed using photographs from the aerial and vessel surveys using a well-established NEAq protocol. These visual health assessments have been shown to be correlated with survival and birth rates for NARWs (Pettis et al. 2004). Additional biological samples taken during small boat efforts also contribute information on hormone levels and other metrics. Photogrammetric measurements of NARWs have been made from unmanned aerial systems (UAS) deployed from surface vessels and may also contribute useful information on health status. To date, only the visual health assessments are routinely done and other efforts are largely in the research and development phase. Additional research is needed to determine whether other metrics are correlated with survival and birth rates.

In June of 2019, NMFS convened a workshop related to assessing NARW health. The goals of the workshop were to (1) assess current NARW health information data, including associated data gaps, and (2) identify appropriate available and needed tools and techniques for collecting standardized health data that can be used to understand health effects of environmental and human impacts (e.g., entanglement), and inform fecundity and survivorship models to ultimately guide population recovery. A forthcoming report further details this workshop and efforts to assess NARW population health. An important result of the workshop was the recognition that the vast majority of data used to assess NARW health are collected during vessel surveys. Accordingly, in developing recommendations for vessel surveys, the Working Group considered health assessment data needs.

III. DATA GAPS AND LIMITS TO INFERENCE

Need for Spatially-Temporally Standardized Survey Design

As NARW distribution has varied over time, so has the spatial distribution of survey effort, as ‘following’ larger aggregations of animals maximizes collection of photo identifications and other datasets. Indeed, the collection of identification photographs of NARWs has been spectacularly successful, providing for precise estimates of population size and survival rate by year (Pace et al. 2017).

However, there are trade-offs to this adaptive sampling approach. As noted above, such opportunistic (in contrast with design-based) datasets are less amenable to spatial habitat and density-surface modeling. They also make it difficult to assess longitudinal changes in population distributions because the locations of animals are confounded with the locations of effort and new aggregation sites can be difficult to detect (e.g., if NARWs start using un-surveyed areas). In addition, the estimation of certain demographic metrics can be prone to bias under this adaptive sampling approach. In particular, obtaining an unbiased estimate of population size requires that all animals in the population are available to be sampled, meaning that all individuals are at least occasionally present in areas where photo-identification efforts are

occurring. If a segment of the population is, or becomes, unavailable to the survey efforts (by permanently moving to new areas), the population size will be under-estimated. Less obviously, estimates may also be biased if capture heterogeneity (across years or individuals) is extreme. Extreme heterogeneity can occur if, for example, some animals temporarily (for a period of years) emigrate to un-sampled areas, or if individuals are site-faithful to areas sampled more- or less-often. Heterogeneity can be modeled with random effect parameters, but this does not provide a guarantee of eliminating bias (e.g., if heterogeneity is not logit-normal distributed) and does not improve precision. These issues can affect survival-rate estimation as well, although survival estimation is more robust to capture heterogeneity than is abundance estimation. Finally, this adaptive sampling approach means that only a fraction of the population's distribution is known, with the remainder of the population being distributed in un-surveyed areas. A potential concern is that these 'missing' animals could be incurring mortality risk (e.g., from vessel strike or gear entanglement) that is not being managed or assessed. Systematic annual survey area throughout the NARW range, including new areas that may have a relatively high likelihood of being occupied, would provide a more complete picture of whether the population is incurring risks throughout the year.

A coordinated range-wide monitoring plan should achieve a balance between maximizing photo-identification data collection (i.e., targeted effort on aggregations) and obtaining broad-scale, spatially and temporally representative distribution data throughout the range that allows for valid spatial modeling and detecting changes in animal use and movement patterns. There should be continuous monitoring in potential high-risk areas should NARWs start using those areas (e.g., in areas of high fishing vertical line density or vessel traffic), as well as periodic monitoring of some sort (acoustic or visual survey) in areas of potential but previously undocumented use, so that potential colonization of these areas is detectable. Areas of potential use could be identified, for example, by spatial density or occupancy modeling efforts, fit to visual survey or PAM data (cf., Monsarrat et al. 2015; Roberts et al. 2016). The viability of using satellite image data to identify new aggregation areas could also be explored.

Collection of Consistent Data Elements by All Data Contributors

There are many researchers and institutions contributing to NARW research and recovery efforts. Many of these institutions have been conducting NARW research for decades and use their own established protocols for various types of data collection. The NARW Consortium has done a tremendous job of aggregating the various data sources to make all data maximally usable to the collective; however, some quantitative analysis efforts have been hindered by differences in data collection approach among data contributors. In particular, NARW spatial density models require standard measures of search effort and perpendicular detection distance, which have not been readily available from all surveys. Although there have been significant post-hoc efforts to standardize data for analyses, this has been a large task that could be mitigated through developing standards for collecting a common data subset across the various data contributors.

Leveraging Existing Data to Address Key Management Questions

The impressive photo-identification catalog and analyses of these data have generated precise inferences about trends in population size, survival, and reproductive rates. However, the full potential of the catalog in addressing additional management questions has yet to be fully explored. Additional, key management questions such as those related to quantifying unobserved human-caused mortality and understanding anthropogenic influences on survival and reproduction may be addressed through additional analyses of the catalog, modifying or extending existing models, and in some cases, through modifying survey efforts to obtain additional necessary data. Below, the Working Group makes several related recommendations on this point.

IV. RECOMMENDATIONS

Essential Population and Individual Metrics

Several key demographic metrics and individual-level metrics have been and continue to be estimated for this population. Some of these, including adult survival and abundance, are estimated with high precision and apparently with little bias. It would be informative to improve estimates of some other metrics and population metrics that are currently either estimated with low precision or not available. Below, the Working Group provides a list of high priority metrics and recommendations regarding their relative need for improvement.

Adult Survival

Adult survival is currently estimated annually with sufficient precision and low bias. This should be continued. The Working Group suggests that survival modeling be further investigated to evaluate support for any change in the disparity between adult male and female survival rates over time. The estimated survival rates in Pace et al. (2017) and updated output shared at the workshop were based on a model with an additive survival effect, which constrains the sex difference to be constant over time. A model with a *sex x time* interaction might indicate whether adult female survival has become relatively lower than male survival in recent years. The initial sex state of individuals of unknown sex (assumed to be at parity) may also affect the change in sex ratio in the model. The Working Group also recommends exploration of alternative assumptions on initial sex ratios.

Calf to Subadult Survival (Roughly Ages 0 to 5 Years)

Calf to subadult survival is currently estimated annually but with relatively low precision owing to low sample sizes. The Working Group recommends exploring alternative capture-recapture model formulations to determine whether any change in survival of young animals has occurred in recent years. One such potential formulation might allow young NARW survival to be estimated independently from adults (i.e., an interaction rather than additive age effect) and with

years grouped appropriately (i.e., before and after some potential change-point year) for young animals in order to increase the precision of estimates for this age class. A proportion of young NARWs are of uncertain age. Precision in age-specific estimates of young NARW survival could be improved by increased effort to determine their ages through genetic sampling and matching with biopsy samples obtained from neonates.

Abundance

Population size is estimated annually and with high precision and low bias. This should be continued.

Calf Production

The number of calves born annually is determined through total enumeration during intensive aerial surveys in the calving area. It is rare to find a new calf on the foraging grounds not previously identified on the southeast calving grounds. Calf production combined with other relevant information can be used to derive other reproductive metrics of interest, including gross reproductive rate (calves per mature female), calves per female (without regard to age), a calving index (calves divided by total abundance), and inter-birth interval. Estimation of calf production should continue, with effort adjusted appropriately to achieve total enumeration without excessive expenditure of survey resources.

Population Age-Sex Structure

The age-sex structure of the NARW population is not currently available. The age-sex structure is a product of the annual survival and reproductive output of a population for a generation. As such, it is a convenient graphical integration of a population's history. Gaps in one or more ages reflect either a deficit in births or high historic mortality. Furthermore, future population trends are determined by both prevailing vital rates (survival and reproductive rates) and current age-sex structure. If an age-sex structure is significantly perturbed relative to the theoretical stable age distribution associated with the lifetable (matrix of survival and reproductive rates), the future realized population trend may be dominated by the age-sex structure. Currently, the NARW age-sex structure is not estimated, but it could be based on the known individuals in the population and information on their known, estimated, or minimum ages. There will be error in the estimated age-sex structure owing to uncertainty in observed individuals' ages and sexes, as well as uncertainty in the estimated unobserved portion of the population in a given year. However, given the wealth of data available for this population, it is anticipated that the uncertainty in the age-sex structure will be relatively low. A variety of statistical approaches could be used to incorporate uncertainty in age and sex into the estimated structure. Again, additional effort to biopsy young animals and match them via genetic analysis to already sampled neonates would reduce uncertainty in the calf to subadult ages.

Number of Reproductive Females

This metric is easy to understand and conveys the current dire status of the NARW. It has been estimated in the past but apparently is not updated regularly. This could be readily achieved using reproductive histories of individual females combined with the female population age structure.

Visual Health Index (and Potentially Other Health Metrics)

The preceding metrics are all population-level metrics in that they apply to demographic groups of animals or the entire population. Here the Working Group highlights the priority to measure relevant health metrics at the *individual* level. An existing visual health assessment index is derived from photographs and incorporates information on qualitative body condition, skin condition, rake marks, cyamid loads, and lesions. These body and skin condition metrics have proven to be a significant predictor of individuals' survival. A suite of additional individual health associated metrics was identified during the 2019 NARW Health Workshop as potentially informative for health status, future survival, and future reproductive performance. Once the utility of such metrics has been established, their estimation should be considered for integration in the monitoring program.

Interrogating Existing Data to Inform Future Monitoring Schemes

The NARW data that have been amassed to date are an invaluable resource that could be further analyzed to inform a future, more optimized monitoring plan. The Working Group was provided an extensive overview of the data collection and monitoring efforts that have been ongoing by NMFS and other organizations; however, the Working Group did not have an opportunity to analyze existing data to inform monitoring plan recommendations. Although the Working Group presents a monitoring plan below, it acknowledges that aspects of this proposed plan may be refined through additional analyses of existing datasets. **The Working Group recommends several analyses of the photo-identification, survey, and other data prior to finalizing a monitoring plan.** Below the Working Group outlines desired objectives and a suite of analyses that could be conducted on existing data to help achieve those objectives through the design of an improved monitoring plan.

Objective 1. Optimize Aerial and Vessel Survey Effort to Ensure High Precision and Minimize Bias in Estimates of Survival, New Entrants, and Abundance in an Efficient Manner

Achieving this objective depends upon maintaining high (approximately ≥ 0.90) annual capture probabilities for all age and sex classes, minimizing heterogeneity in capture probabilities among individuals, and re-distributing effort in such a way as to reduce oversampling or undersampling of certain areas (and thereby certain segments of the population).

Proposed retrospective analyses:

A. Enumerate and track number of overall and unique identifications by source, platform, and region. During the workshop, the number of individuals documented per year by platform and organization (Appendix I, Table 1) and geographic area (Appendix I, Table 3) was provided for review, together with the number of individual NARWs seen only by a single platform or source (Appendix I, Table 2) and in a single area (Appendix I, Table 4). This information is extremely informative for determining where effort may be adjusted to maximize the number of individuals identified each year. The 2018-2019 data could not yet be evaluated in this way, but should be added when it becomes available to reflect the most current information for planning future survey effort. Further, while the Working Group aimed to identify the most significant data contributors based on the provided presentations, some significant sources may have been omitted such that the organizations and platforms should be reviewed for completeness.

B. Investigate drivers of individual capture heterogeneity. Heterogeneity can be attributed to both sampling methods and intrinsic biology of animals. It may be possible to discern from existing capture histories if the variability in re-sightability among individuals is mostly due to distribution of survey effort in space and time, variability in animal behavior affecting detection and identification, or variability in mark distinctiveness among individuals. Such information could be used to adjust survey design to reduce heterogeneity.

C. Related to (B), investigate temporal and spatial patterns of occurrence for those NARWs seen only once per year, or which go undetected for one or more years. These NARWs, by definition, have relatively low sighting probabilities. This analysis may suggest strategies for increasing the probability of detecting these NARWs, thereby reducing potential bias in estimates of survival and abundance.

D. Subsample existing sightings histories to simulate how reduced effort (temporally/spatially) might affect the precision and bias of the metrics used to monitor population status. This will help inform whether reducing effort in specific areas, times, or from specific platforms will result in undue bias or unacceptable uncertainty. This will also help evaluate whether the overall capture probability goal could be reduced to less than 90% of the population per year.

E. Determine level of effort required to identify new calves. With the reduced number of calves seen in the southeast area in recent years, a post-hoc re-sampling analysis could be used to determine the level of aerial effort that is needed to find and photograph all calves born in a given year (recognizing that this effort is likely to change as the number of births changes). In addition, the integrated mark-recapture model provides estimates of calf production. These estimates should be compared to independent estimates of calf production (e.g., from the southeast surveys). If the model approach indeed provides good estimates of calf production, this could potentially reduce the need to collect as much winter survey data from the southeast region.

Objective 2. Maintain Sufficient Effort to Detect Entangled, Injured, and Dead North Atlantic Right Whales

Achieving this objective is critical for assessing threats, assigning cause of death, designing mitigation strategies, and evaluating the efficacy of those strategies. Between 2010 and 2017, approximately 50% of the estimated NARWs that were killed or seriously injured were detected. Live, entangled NARWs may be disentangled and thereby relieved of suffering, injury, and death. Any adjustment in surveillance for optimizing estimation of demographic metric must be balanced with potential degradation in the likelihood of detecting entangled, injured, and dead NARWs.

Proposed retrospective analyses:

A. Map when, where, and by what platform entangled, injured and dead NARWs have been first detected to date.

B. Subsample existing sightings data to simulate how dead, injured, and entangled NARW detections would have been affected by reduced effort. Determine the level of aerial survey effort needed to detect dead, injured, or entangled NARWs.

C. Estimate unobserved human-caused mortality. Integrating information on human-caused injury and mortality (e.g., entanglements, vessel strikes) into the mark-recapture model may help build on previous efforts to estimate unobserved human-caused mortality (Pace et al. in prep.). For example, for entanglements this would take the form of a multi-state model, where sighting information is used to classify individuals as entangled or not, and this information is used to estimate the probability of transitioning from an un-entangled to an entangled state (taking resight probability into account) and the associated mortality rate. It would also provide estimates of the annual likelihood of animals becoming entangled in a year. Surveys designed to maximize detection of entangled, injured, or dead NARWs, and to identify the location of entanglement, injury, and mortality, would provide more robust data to inform this effort.

Objective 3. Improve Characterization of Risk Seascape

Understanding the spatial and temporal distribution of threats is key to designing mitigation measures.

Proposed retrospective analyses:

A. The Working Group recommends increased modeling effort to better understand drivers of variation in calf production, the correlation between calf production and survival (for various age classes), and the relative contribution of environmental versus anthropogenic impacts to survival and reproduction. An effort should be made to investigate correlates of survival and reproduction in sighting histories (cf., Wade and Clapham 2000) to determine whether individuals'

distribution patterns have been predictive of subsequent survival, health status, reproductive success, or observation as injured or entangled. Calf production may be reduced by nutritional stress, injury-related stress (vessel strike or entanglement), or the additive or synergistic effect of these. An analysis of an individual's reproductive success and sighting histories as they relate to these factors may help to tease apart the influence of these factors on calf production.

As with calf production, adult survival may similarly be reduced by nutritional stress and human-caused factors (entanglements and vessel strikes). In general, adult survival is expected to be more robust to environmental conditions than reproduction, but whether the environment is playing a role in reducing adult survival may be detectable by correlation with calf production, annual oceanographic or prey metrics that should relate to the individual's ability to meet energetic needs, and independent population-health assessment data. Inferences from this effort would better inform risk assessments and the extent to which current population dynamics are within management control vs. driven by environmental conditions.

B. Some risks have been more or less well described for the areas and times where NARWs have traditionally been present. In recent years, NARWS have redistributed in ways that were not predicted nor are even yet well characterized. Given this uncertainty, formally characterizing threats (e.g., vessels/fishing) in areas where NARWs *may* be spending more time in recent years (e.g., Mid-Atlantic, Canada outside Gulf of St. Lawrence, Iceland, others) could help prioritize survey effort (including acoustic recorders) to characterize NARW use of the highest perceived risk areas.

Objective 4. Improve Understanding of Relative Detection by Acoustics Versus Visual Survey

Acoustic and visual (aerial and vessel) surveillance are used to detect presence of NARW and a future monitoring plan will continue to employ both methods. Both methods fail to detect some NARWs that are present. In particular, behavioral state and acoustic propagation conditions may have significant impact on the ability of acoustic monitoring devices to detect NARWs known to be in a given area. Understanding these factors and predicting when each method will provide the greatest surveillance pay-off is key to a cost-effective monitoring plan.

Proposed retrospective analyses:

A. Evaluate situations where acoustic recorders were present in the same times and places as aerial or boat surveys. Identify instances where acoustic monitoring indicated NARWs were present but they were not detected visually, and vice versa. This may inform strategies for deploying surveillance resources, especially in currently under-surveyed locations of interest.

Improving the North Atlantic Right Whale Habitat Model

NARW spatial density models have been developed at Duke University (e.g., Roberts et al. 2016). There have been a number of challenges associated with expanding the geographic scale

of the models and the types of data that can be used to inform the density predictions. For example, it seems that some data contributors do not distinguish between periods of ‘on-effort’ vs. ‘off-effort’ survey or note the distance to sighted groups. Many of our other recommendations already address some of these challenges (need for systematic effort, need for common data types, etc.). However, the existence of a broad spatial-scale predictive modeling tool would have many uses in facilitating efficient monitoring for NARWs within and between years. Extrapolation of models using environmental covariates to presently un-surveyed areas could provide clues for targeting regions for PAM or focusing aerial surveys in the future.

Further, the Working Group was presented an overview of ongoing work by DFO with regard to developing NARW habitat-prediction models. To the extent feasible, **the Working Group recommends a coordinated and unified modeling approach to provide distribution and density predictions across the range of NARW habitat.** Such a model would require considerable collaboration among U.S. and Canadian researchers to ensure consistent data inputs, but would provide a powerful tool for examining possible distribution shifts based on future conditions or for identifying locations where future focused effort may be most efficient or effective.

Although NMFS conducts a large share of overall aerial survey efforts, there are several other research groups that regularly or intermittently conduct aerial surveys, including collection of identification photographs. Attempts to integrate and use these data are slowed by the need to standardize the data to a common framework (identifying periods of survey effort versus periods off the transect line for other purposes, measurement perpendicular sighting distance, etc.). Working with contributing research groups, **the Working Group recommends developing standards for collecting a common data subset (e.g., effort and perpendicular sighting distance) instituted by all aerial survey efforts to facilitate maximal use of collected encounter and photo-identification data.** The identification and collection of a common data subset isn’t meant to replace data collection protocols long used by various survey groups, but rather to ensure that a standard set of data required for quantitative analyses is collected in the same way by all partners, maximizing the utility for all datasets. At minimum, all teams should record whether the survey (or portion of the survey) was systematic, opportunistic, or directed at known aggregations, and for those portions that represent systematic survey effort, indicate when the plane is “on-effort” surveying along the transect line, and the distance to sighted groups.

An Integrated Passive Acoustic and Visual Survey Monitoring Plan

The Working Group thinks that a well-designed, long-term coordinated visual and PAM effort may yield the greatest benefit by providing consistent input datasets for examining occupancy, predicting (or at least retrospectively identifying) distribution shifts, and supporting abundance analyses and estimation of other vital demographic rates for this population. Passive acoustic recorders can provide continuous monitoring year-round, providing valuable information on

occurrence, even in times of year with poor weather conditions. Visual surveys provide opportunity to collect identification photographs, critical for quantitative assessment. Aerial platforms also provide broad geographic sampling, better for spatial modeling of habitat use, compared to fixed-site PAM efforts.

The complementary strengths of these data collection platforms allow for efficient and cost-effective data collection across a broad area. Monitoring of high risk areas (e.g., shipping lanes, high density vertical line fishing areas) with low densities of NARWs is probably best accomplished with acoustic recorders, whereas monitoring and data collection in high density hotspots is achieved with visual survey platforms where critical identification photographs can be taken, and other biological samples can be collected. While specific regions or periods may be best suited to either passive acoustic or visual survey effort, there are several cases where the combination of monitoring approaches may provide for the greatest and most consistent data collection opportunity. For example, acoustic monitoring data may reveal the presence of NARWs in an area, allowing subsequent targeted visual surveys to that area. In specific regions, deploying near real-time auto-detection buoys may provide opportunity to rapidly deploy visual survey resources when NARWs are detected, allowing for data collection from NARWs that may not be commonly seen in core foraging areas. Conversely, if visual sighting rates fall in an area where NARWs used to occur at higher density, a switch to acoustic monitoring of the area allows for continued monitoring of the region in the event that the NARWs return as conditions change and NARW distribution shifts.

Therefore, **the Working Group recommends that NARW passive acoustic and visual surveys become more systematic.** There are many areas that should be monitored each year (continuously or seasonally as appropriate) in a similar way, and on a standard cycle. Such monitoring may be acoustic or visual depending on the density of NARWs likely to be in that area, and may switch between visual and acoustic monitoring over time, but consistent monitoring in those spaces should be maintained through some sampling platform. Some areas should continue to be sampled every year. Other areas can be sampled on a less frequent basis, but without abandoning periodic sampling altogether, despite the apparent distribution of NARWs. This will reduce the number of assumptions being made about where the NARWs are, and will let data inform the analyses of NARW distribution, and its change through time. Specific passive acoustic and visual survey recommendations addressing this need for systematic survey efforts are described in more detail in the sections below.

Acoustic Monitoring to Examine Distribution and Habitat Use

Although NARWs are not highly vocal when transiting and mom-calf pairs are often quiet, presumably to prevent detection by predators, PAM efforts have clearly identified occurrence in regions that were not otherwise being monitored. While the detection probability may vary seasonally and by behavioral state, PAM is a low cost monitoring tool, particularly when using

archival recorders and analyzing data with highly efficient and accurate automatic detectors and call classifiers.

While visual surveys, both aerial and vessel-based, have been common for decades, PAM efforts specifically designed for monitoring NARW distribution and habitat shifts have not been broadly or sustainably supported. Several PAM efforts have been undertaken by a large variety of institutions, though many were not specifically designed to assess NARW distribution or occurrence. An impressive effort to consolidate these disparate data to assess NARW trends and distribution over time has resulted in valuable insights (Davis et al. 2017); however, the lack of systematic long-term sampling designs hinder the ability to derive strong conclusions from these data. **The Working Group recommends that NMFS establish and analyze long-term permanent passive acoustic stations** where recorders will be regularly maintained to ensure long-term records of NARW occurrence at those sites. Analysis of passive acoustic data from specific monitoring locations will allow for identifying shifts in distribution over time and habitat use changes. Some of our recommended monitoring locations occur in Canadian waters. The Canadian Government and some academic researchers have plans for an impressive array of PAM stations in the Gulf of St. Lawrence and surrounding waters. Effort need not be duplicated, but the long-term effort should be sustained independent of the funding streams of these individual researchers.

The Working Group recommends a large number of permanent continuous long-term monitoring sites, augmented by a smaller number of established stations that could be monitored every 2-4 years, or in response to other information such as from visual surveys. There should be a commitment to fund all stations consistently through time and all sites should be monitored with calibrated and standardized equipment to allow for robust quantitative comparisons among sites. Although the location of specific monitoring sites may need to be adjusted over time for various reasons, possible monitoring sites should be well considered in advance to allow for the greatest consistency without additional confounding variables (including differences in site-specific physical features and detection range) that may reduce the value of some datasets for various quantitative or qualitative examination of space use, population trends, or other metrics. Reductions in overall monitoring effort should be carefully considered based on proven redundancy in the results of passive acoustic efforts at neighboring monitoring stations, and the ability to monitor that region with other approaches.

The location of the permanent acoustic stations should be based on a combination of several factors, including:

- Hotspots of historical and/or current NARW distribution
- Shipping lanes where risk of vessel strike is highest
- Areas with high density of fishing gear with vertical lines
- Areas through which migration is thought to occur

- Calving areas

The Working Group recommends long-term (multi-year) continuous acoustic monitoring in the regions listed below (Figure 5). The rationale for choosing various locations is noted in parentheses. Some locations may require more than one acoustic monitoring site to adequately monitor the region. Acoustic monitoring has been conducted in several of these locations. If appropriate, use of the same monitoring sites should be considered.

1. Northern Gulf of St. Lawrence near Anacosti Island (current foraging area, high density of fishing gear)
2. Southern Gulf of St. Lawrence near Prince Edward Island (current foraging area, high density of fishing gear)
3. Roseway Basin/Scotia Shelf (historical foraging area)
4. Coast of Maine (high density of fishing gear)
5. Jordan Basin (historical foraging area, seasonally increasing density of fishing gear)
6. Boston Harbor shipping lane (exposure to vessel traffic)
7. Georges Bank (historical foraging area, offshore pot fishery)
8. North of Great South Channel (current foraging area, exposure to vessel traffic)
9. Great South Channel (current foraging area, exposure to vessel traffic)
10. South of Islands (e.g., Martha's Vineyard and Nantucket) (current foraging area)
11. New York Bight (current foraging area, exposure to vessel traffic)
12. Mouth of Delaware Bay (migratory route, historical winter aggregations, exposure to vessel traffic)
13. Mouth of Chesapeake Bay (migratory route, historical winter aggregations, exposure to vessel traffic)
14. Cape Hatteras (migration pinch point)
15. Charleston Inlet (migratory route, exposure to vessel traffic)
16. Southeast US calving ground (calving area, exposure to vessel traffic)

The Bay of Fundy was identified as a high priority area for passive acoustic monitoring; however, strong tidal currents may prevent successful monitoring of this region so it is not listed above. If appropriate and cost-effective mooring options become available, monitoring in this region should be considered. Alternative approaches to monitoring the Bay of Fundy may be needed in the meantime.

In addition to the permanent monitoring areas identified above, the Working Group recommends additional year-round monitoring occur on a periodic basis (every 2-4 years) in the following regions:

- Jeffreys Ledge (historical foraging area)
- Wilkinson Basin, Gulf of Maine (historical foraging area)
- Savannah Inlet (migratory route, exposure to vessel traffic)

Finally, exploratory short-term monitoring should be carried out to investigate the occurrence of NARWs in potential foraging areas that are not being surveyed by other means. Such areas may include regions with infrequent sightings of NARWs, or regions to the northeast where foraging habitat is predicted by various modeling efforts (including that of Monsarrat et al. 2015). This list is not exhaustive, but rather provides suggestions based on the above rationale. Some regions may be better assessed with underwater gliders outfitted with PAM devices. The choice of acoustic monitoring platform can be determined based on hardware available, the size of the possible monitoring region, and the need to monitor for extended duration. After examination of the results in Monsarrat et al. (2015), the Working Group specifically recommends exploratory short-term monitoring in the following areas that have three features: (1) identified as predicted habitat from the model results, (2) historical (pre-1950) records of NARWs, and (3) post-1950 sightings of NARWs:

- Off of southeast Labrador (possible summer/fall foraging area). Labrador is approximately the same distance from the Gulf of Maine as is the foraging area in the Gulf of St. Lawrence, suggesting easy travel to this area if it becomes a productive foraging area.
- Off of southeast Greenland (possible summer/fall foraging area). Although farther, this area could be utilized once NARWs leave Cape Cod Bay after the spring.
- Off the east and west coasts of Iceland (possible summer/fall foraging area). Iceland is more distant than other proposed monitoring areas; however, at least one NARW has been seen recently in local waters.




Figure 5. Proposed acoustic monitoring stations in the U.S. and Canada. Continuous year-round monitoring is recommended at the green sites and periodic monitoring (every 2-4 years) at purple sites. The red site (Bay of Fundy) is considered a priority for continuous monitoring but may require an alternate plan due to strong tidal forces. The locations are approximate and do not represent a specific monitoring site.

In addition to archival long-term monitoring, real-time acoustic monitoring in the mid-Atlantic area and in currently sparsely used foraging areas may provide opportunity for response to intermittent and infrequent aggregations of NARWs in these areas. Auto-buoys provide for near real-time detections of NARW calls that visual survey teams can then respond to for collection of identification photographs or biological samples. Real-time monitoring efforts must be well

coordinated to ensure visual teams are available to respond to relatively rare detection events. If such coordination is not feasible, the cost of real-time efforts may not be worth the investment.

PAM is a powerful and efficient method for monitoring NARW distribution, though its capacity to provide insights is limited by several biological and physical factors that must be considered when designing a PAM network for the species. Calling rates vary among demographic groups and during different behaviors (Parks et al. 2014), such as quieter mother-calf pairs, which may result in lower detection probability in calving regions and along northbound migration routes. Detection probability also varies with different acoustic habitats, bathymetry, and recorders (e.g., Rice et al. 2014; Risch et al. 2014), highlighting the need to use consistent calibrated hardware and quantify detection range seasonally if aiming to use the data in quantitative analyses of NARW distribution, and especially if attempting to estimate NARW abundance using these data.

Aerial Surveys and Collection of Identification Photographs

Photo-identification studies are conducted by a number of groups independent of NMFS, including CCS, DFO, and the NEAq. These groups have consistently provided 50% or more of all photo identifications, and their efforts are essential to maintaining a high quality monitoring program for this population. Below, the Working Group provides a strawman survey plan based on the information provided to the Working Group (not informed by the analyses outlined above).

Specifically, the plan assumes continuation of the following efforts by NMFS partners:

- Vessel-based surveys in the Bay of Fundy, Roseway Basin, and in the Gulf of St. Lawrence by the NEAq
- Aerial surveys in Cape Cod Bay and areas adjacent to Cape Cod by CCS
- Aerial surveys in the Gulf of St. Lawrence by Canada DFO and Transport Canada

The evolution of the NEFSC survey effort- from broad-scale surveys, to specific survey boxes, to directed effort in areas of high capture rates- was sensible and highly successful at maximizing the collection of identification photographs. The NEFSC aerial surveys in recent years have often resulted in more than 200 identifications in a year (Appendix I, Table 1), but there is considerable overlap in identifications with other survey efforts, such as with CCS effort in Cape Cod Bay, and in 2017-2018 with DFO efforts in the Gulf of St. Lawrence (Appendix I, Table 4). The proportion of unique identifications attributable to NEFSC aerial surveys averages about 32% per year since 2002, though this identification rate has fallen by about 10% compared to the period of broad-scale surveys (~41%). There are many factors that may confound the rate of capturing unique identifications in recent years, including extent and distribution of survey effort and NARW distribution, and while the Working Group commends the significant NEFSC aerial efforts to collect identification photos, it recommends returning to broader scale surveys that

would allow for identifying habitats being used by NARWs for the first time, return to historically used habitats, and presence of NARWs in high risk areas.

Underlying all of our survey recommendations is the premise that **photo-identification efforts should be designed and maintained to achieve a capture probability of approximately 90%**. A metric for measuring progress towards meeting this objective is the number of unique individuals sampled in a given year. The NEFSC endeavors to maximize the number of animals identified in a year for a given level of sampling effort by targeted sampling of high-density areas. In this way, roughly the same number of unique animals can be detected with significantly fewer flight hours. The Working Group supports this approach, though also recommends that sampling be designed to achieve a wide range of sample locations to reduce potential bias associated with geographic heterogeneity in capture probability among individuals.

The Working Group also recognizes that aerial photo-identification efforts represent a risk to survey personnel. The geographic coverage provided by aerial surveys should be weighed against the high value of data that may be collected using alternative platforms, such as surveys by surface vessels and the use of UAS launched from surface vessels. In particular, the use of UAS for collecting photographs may allow for reducing aerial survey effort for photo-identification. Mindful of the danger of aerial surveys, **the Working Group specifically does not recommend increasing aerial survey effort to achieve a higher than 90% capture probability** to monitor population abundance, trends, and vital rates. Effort reductions may be achieved by reducing the number of days allocated to return to high-density hotspots, and terminating effort there before a full plateau in the discovery curve. From discovery curves presented to the Working Group, it appears that ~1/3 to 1/4 of the survey effort in those locations results in obtaining only a few additional identifications. Of course, one cannot know when the discovery curve will plateau until it is observed. However, sufficient experience in the last few years exists to be able to make some predictions of how many days should be spent returning to a high-density area, in order to reduce the total number of flight days.

The Working Group considers this 90% metric to be cumulative across all data contributors and platforms, such that **the Working Group recommends additional efforts to coordinate identification of individuals across all data collectors** operating along the east coast throughout the survey year. This could be accomplished if survey teams were to determine NARW identities as soon as possible after detection by vessel or aerial surveys. These would ideally be entered into a shared near real-time updated list of unique NARWs identified by any survey platform during the year. When the collective effort from all surveys identifies a number of unique NARWs greater than 90% of the NARW abundance estimated for the previous year, aerial survey efforts should be reduced, or redirected to other tasks, including identifying and tracking dead or injured NARWs.

NARW distribution is likely to continue to vary in the future, and it is important that systematic surveys be conducted to recognize those changes when they occur. The Working Group approves of the current design, whereby key areas of known NARW aggregation are targeted (i.e., boxes in Figure 2) and survey effort is dynamically allocated in those areas until most or all the unique NARWs within them have been identified. However, **the Working Group recommends that this approach should be balanced by repeating broad-scale systematic surveys of the entire Gulf of Maine/Southern New England on a regular schedule.** The Working Group also notes that some boxes are no longer surveyed in some years, apparently because they have recently contained few or no NARWs (e.g., Jordan Basin in the middle of northern Gulf of Maine). The Working Group recommends that some effort continue in these areas, on an annual basis if possible. This could be accomplished by a lower density of aerial track lines or by a shift to passive acoustic recorders to, at least retrospectively, identify a return of NARWs to that habitat.

The following is an example of an aerial survey plan that accords with our recommendations.

(I) Conduct a broad-scale survey covering the Gulf of Maine and Southern New England every 3rd year.

The Working Group recommends that a broad-scale survey should be conducted every 3rd year. This timing balances detecting distributional shifts in a timely fashion with maintaining higher efficiency in obtaining NARW identifications in other years by focusing effort on high NARW density areas. The survey would be designed to provide data that could be used for modeling the spatial distribution of NARWs, by providing systematic uniform coverage of the survey area. These data would help identify and analyze major changes in NARW distribution and habitat use. This would ensure that emerging habitat hotspots have a high probability of being discovered relatively quickly so they can be included in future photo-identification surveys, and that emerging use of areas with high risk from vessel traffic or high density of fishing gear vertical lines would also be identified. At least two complete surveys should be completed, one in spring, and one in late summer/fall (September/October) to ensure surveys are not missing important areas being used by NARWs. The goal should not be to detect every single NARW in the survey area, rather to achieve a high probability of detecting areas being used by an appreciable number of NARWs.

The Working Group recognizes that conducting such broad-scale surveys could potentially consume all or a large percentage of available flight time in a year. To balance the need for information on broad-scale distribution with collecting identification photographs, a stratified design may be appropriate, where specific strata could be designated to have higher sampling intensity (e.g., more transect lines). Strata with higher sampling would be guided by those areas currently known to contain higher densities of NARWs, such as South of the Islands. The Working Group is aware that the NEAq is currently conducting aerial surveys south of Nantucket and Martha's Vineyard, and that this effort is not captured in the present enumeration

of unique identification photos by platform or area. That effort need not be replicated by NMFS to the extent that the NEAq continues to fly in that region and collect the data needed to assess overall distribution and abundance (i.e., identification photographs and effort information).

(II) In the two other years of a 3-year period, continue targeted photo-identification surveys, with modification to ensure some systematic components are maintained through time.

The Working Group is impressed by the efforts to increase the collection of identification photographs of NARWs from the NEFSC aerial surveys. It is clear that photographs from some locations are only collected from that platform, and every year these contain identifications of NARWs only seen in those areas. This especially includes the Great South Channel, the area north of the Great South Channel, north of Cape Cod Bay, the northern edge of Georges Bank, and the area South of the Islands. The Working Group encourages continuation of this work, and commend the NEFSC aerial survey team for their efforts.

The establishment (after the 2002-2006 broad-scale surveys) of designated survey boxes around hotspots was an excellent idea. The Working Group recommends maintaining consistent survey boxes through time to provide another source of long-term data to assess habitat use and NARW movements. It appears from examination of past survey efforts that the geographic boundaries of some surveyed boxes occasionally changes seasonally or annually. The Working Group recommends fixing the boundaries of the survey boxes and maintaining a single design of specified survey boxes. In particular, the Working Group recommends establishing a permanent survey box South of the Islands (Nantucket and Martha's Vineyard), to the south of Block Island, and in the New York shipping lane. This could include a partitioning into an eastern (south of Block Island) box and a western (south of Nantucket) box. The Working Group also notes that a large number of NARWs were seen in spring well to the south of the area typically surveyed (i.e., Nantucket shoal, or south of Block Island), close to the edge of the shelf break. The Working Group realizes this may be a newly discovered extension of this area, such that the 'permanent' box to be surveyed in the future may need to encompass this area, as well.

Further, as shown in Figure 3, there are several locations in the Gulf of Maine that are no longer surveyed in summer or fall because NARWs are no longer commonly seen there. The recommended broad-scale surveys will provide information from this area; however, additional effort in this historical hotspot would be worthwhile given the significant fishing effort there. Therefore, **the Working Group further recommends establishing a regular systematic rotation through all historical hotspots** and in all seasons previously detected. This could be accomplished by rotating among historical hotspots over the two years of targeted surveys between broad-scale surveys.

Finally, reiterating our recommendation related to improving the NARW habitat model, **the Working Group recommends working with all data contributors to develop standards for**

collecting a common data subset that may be instituted by all aerial survey efforts to facilitate maximal use of collected encounter and photo-identification data. Many aerial survey efforts provide identification photos that contribute to examining population demographics and distribution. With relatively little additional data recording effort, periods of survey efforts that are either systematic, opportunistic, or targeted may be identified, and the effort within each state tracked to allow for use of a border set of survey data within a robust quantitative habitat-modeling framework.

Data Collected on Vessel-Based Surveys

As much as possible, **the Working Group recommends substituting vessel-based effort for aerial effort.** The Working Group makes this recommendation for several reasons. First, for the safety of researchers, as cumulative time spent flying adds to cumulative risk. Second, genetic, some health assessment, and other biological sample data can only be collected from NARWs on the water. A monitoring plan that aims to provide appropriate data for monitoring individual and population health must include vessel-based survey and data collection efforts. Such efforts provide the only opportunity to collect biopsy samples for genetic and other tissue-based analyses, to fly UAS platforms for photogrammetry or blow sampling, and to allow for collection of fecal samples. **The Working Group recommends that vessel-based survey efforts be maintained at least at current levels, or increased to replace aerial survey effort, across all data contributors.** Expansion of boat-based UAS surveillance may be a viable replacement for some aerial survey effort though will require investment in vessel support. Vessel-based survey efforts are currently undertaken primarily by NMFS' partners. If partners are not able to continue vessel-based survey and data collection efforts, such efforts may need to be augmented by or funded by NMFS.

Work by Pettis et al. (2004) has shown that photo-identification images can be used for monitoring the health of individuals. There are also many powerful new techniques and methodologies that have become available in recent years. These include analyses of hormones, various 'Omics- including ribonucleic acid (RNA) transcriptomics for gene expression such as immune response and photogrammetry for examining body condition and identifying pregnant females. Although many of these analyses are not yet being undertaken on NARWs, every effort should be taken to accommodate the greatest range of future analytical approaches possible. **To that end, the Working Group recommends that biopsy samples be placed into small liquid nitrogen dry shippers immediately on collection,** to provide high quality genetic material that can be used for cutting edge methods such as RNA transcriptomics, but also archived for methods that have not yet been developed. Further, efforts to obtain biopsy samples from older calves should be prioritized so they can be genetically matched to samples from neonates in order to reduce age and sex uncertainty in assessment models.

At present, the majority of health assessments linked to survival are almost entirely based on photographs collected during vessel-based surveys. Through development and testing of various

proxies, it may be feasible to determine overall health condition through use of aerial imagery, collected by airplane or UAS. As such, **the Working Group recommends a set of feasibility studies using imagery collected by UAS.** Lateral imagery taken from the vessel paired with aerial imagery collected by UAS for the same whale may provide for development of proxies measured from the aerial photographs for health metrics that are currently only derived from vessel-based photos. In particular, health assessments based on length and girth measurements made from aerial photographs would provide additional health data for a larger sample of NARWs than can currently be achieved by vessel-based photographs alone.

The Working Group members do not consider themselves experts in health assessment, and largely defer to input provided at the June 2019 Health Assessment Workshop. Beyond recommendations for maintaining vessel-based survey effort, the Working Group outlines two research projects it feels should be carried out to further health assessment studies on NARWs.

1. Examine whether body condition or skin condition assessments may provide an early indication of calf production. It is possible that years of low calf production would be preceded by periods of poor body or skin condition.
2. Determine appropriate and efficient biological sampling for establishing pregnancy rates.

Other Research Recommendations

In addition to the monitoring plan recommendations provided above, the Working Group identified several other research tools that could be used to assess NARW distribution and abundance.

Examination of Acoustic Records from the Northeast Atlantic and Adjacent Seas

Many researchers along the west coast of Europe and in the Mediterranean have deployed passive acoustic sensors to study a variety of cetacean and fish taxa. In addition, NARWs have been observed off the coast of France and the west coast of Europe and a portion of adjacent seas have been identified as regions of probable NARW habitat by Monsarrat et al. (2015). Although none of these sensors were deployed specifically to look for NARW calls, **the use of efficient and reliable automatic detectors could make such “needle in a haystack” analysis a relatively quick and possibly highly valuable task.**

Satellite Imagery

Recent progress has been made in using very high resolution (VHR) satellite imagery to study large whales in remote areas (e.g., Cubaynes et al. 2019) This approach could be useful for identifying new or previously undetected aggregation areas, particularly if any exist to the north of where current survey efforts exist. Spatially extrapolated areas of predicted occurrence would

be a logical first area to explore with VHR imagery. **Satellite image data should be explored as a potential option for identifying NARWs and documenting distribution shifts.**

Tagging

It is clear that long-term location satellite tags could help provide valuable data about NARW habitat use, including discovery of unknown foraging areas, return to previously used foraging areas, and other shifts in distribution that might occur. It could also help estimate time spent by NARWs in high-risk areas, and could help further define important migration corridors. However, tag durations are still too short to provide the needed information without deploying deep implantation tags that embed in muscle tissue. Information presented to the Working Group indicated that Low Impact Minimally Percutaneous Electronic Transmitter (LIMPET) tags had fairly short durations and that the newly developed ‘Blubber’ tags, although better, in a test on eight Southern right whales, had a median duration of only 16 days, with a mean of 21 days (A. Zerbini. pers. comm.). The developers of the ‘Blubber’ tag are continuing research and modifications with a goal of trying to extend the median duration to 30 days.

Assuming a travel rate of ~75 nautical miles per day, it would take a NARW leaving Cape Cod Bay ~10 days to reach the Gulf of St Lawrence or southeast of Labrador, but about ~22 days to reach possible foraging areas southeast of Greenland, and even longer to reach Iceland. Migration from South of the Islands to Georgia would take ~11 days. Many of these movements cannot yet be fully documented via existing non-deep-implant tag technology. Documenting shorter distance movements, though potentially feasible, would require deployment of the tag within several days of departure to have a reasonable chance of documenting the journey, a logistical challenge for most research teams.

Given concerns about risk to these critically endangered whales from deep implantation tags, it seems reasonable to wait to evaluate whether the retention time can be increased for novel, less invasive tagging technologies (e.g., LIMPET tags, ‘Blubber’ tags, or other technologies) to the point where they can be used to answer the most pressing questions about NARW movement. **The Working Group recommends evaluating the results from Southern right whale tagging efforts before additional tagging of NARWs.**

V. CONCLUSIONS AND ACKNOWLEDGEMENTS

The Working Group assembled by the NARW Steering Committee consisted of NMFS researchers with expertise in marine mammal monitoring and quantitative assessments, but not directly involved in current NARW monitoring efforts. The intent of assembling such a group was to provide a knowledgeable, but independent review of the past and current research efforts by NMFS and its partners, and from that, develop a comprehensive monitoring plan that was not influenced by a direct interest in the long-standing research efforts. The Working Group endeavored to consider the full range of monitoring options, while understanding funding and logistic constraints, the rationale for various research approaches, and the evolution of NARW

research in the region. The Working Group did not attempt to conduct independent analyses or assessments of the vast wealth of NARW data available. The Working Group did its best to be as detailed as possible with recommendations in hopes that they will be helpful as NMFS considers how to move forward with NARW monitoring over the coming years.

The Working Group could not have accomplished their task without the direct input of several NMFS researchers from the NEFSC (Tim Cole, Lisa Conger, Richard Pace, Sofie Van Parijs), managers from NMFS' Greater Atlantic Regional Office (Diane Borggaard), NMFS Office of Protected Resources (Caroline Good), and DFO (Simon Nadeau) the NARW Steering Committee (Mike Asaro, Lance Garrison, Sean Hayes, Kristy Long, Eric Patterson, Barb Zoodsma, and see Appendix II) and other independent institutions and agencies dedicated to NARW research and conservation. NMFS and other research institutions and agencies have been working to understand many aspects of NARW biology, ecology, and the threats to the species for decades. The large and impressive collective effort and the cooperation among research groups should be applauded. It is the summary of this impressive effort and large dataset that provided the Working Group with a rich understanding of the rationale for past and current efforts, where efforts could be shifted while maintaining the high quality demographic dataset, and where new approaches or new analyses of existing data may provide new insights.

The Working Group has developed a set of recommendations that include retrospective analyses of existing datasets, expansion of the NARW habitat model, and specific recommendations for the design and execution of an integrated visual and PAM plan. Ideally, these recommendations will contribute to efficient and effective monitoring of important NARW population metrics, while also making those research efforts safer for the dedicated researchers who conduct them every year.

VI. LITERATURE CITED

- Cubaynes, H. C., P. T. Fretwell, C. Bamford, L. Gerrish, and J. A. Jackson. 2019. Whales from space: Four mysticete species described using new VHR satellite imagery. *Marine Mammal Science* 35(2):466-491.
- Davies, K. T. A., M. W. Brown, P. K. Hamilton, A. R. Knowlton, C. T. Taggart, and A. S. M. Vanderlaan. 2019. Variation in North Atlantic right whale *Eubalaena glacialis* occurrence in the Bay of Fundy, Canada, over three decades. *Endangered Species Research* 39:159-171.
- Davis, G., E., M. F. Baumgartner, J. M. Bonnell, J. Bell, C. Berchok, J. Bort Thornton, S. Brault, G. Buchanan, R. A. Charif, D. Cholewiak, C. W. Clark, P. J. Corkeron, J. Delarue, K. Dudzinski, L. Hatch, J. Hildebrand, L. Hodge, H. Klinck, S. D. Kraus, B. Martin, D. K. Mellinger, H. Moors-Murphy, S. Nieu Kirk, D. P. Nowacek, S. Parks, A. J. Read, A. N. Rice, D. Risch, A. Sirovic, M. Soldevilla, K. Stafford, J. E. Stanistreet, E. Summers, S. Todd, A. Warde, and S. M. Van Parijs. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports* 7(1):13460.
- Durette-Morin, D., K. T. A. Davies, H. D. Johnson, M. W. Brown, H. Moors-Murphy, B. Martin, and C. T. Taggart. 2019. Passive acoustic monitoring predicts daily variation in North Atlantic right whale presence and relative abundance in Roseway Basin, Canada. *Marine Mammal Science* 35(4):1280-1303.
- Gowan, T. A., and J. G. Ortega-Ortiz. 2014. Wintering habitat model for the North Atlantic right whale (*Eubalaena glacialis*) in the southeastern United States. *PLoS One* 9(4):e95126.
- Keller, C., L. P. Garrison, R. Baumstark, L. I. Ward-Geiger, and E. Hines. 2012. Application of a habitat model to define calving habitat of the North Atlantic right whale in the southeastern United States. *Endangered Species Research* 18(1):73-87.
- Leiter, S. M., K. M. Stone, J. L. Thompson, C. M. Accardo, B. C. Wikgren, M. A. Zani, T. V. N. Cole, R. D. Kenney, C. A. Mayo, and S. D. Kraus. 2017. North Atlantic right whale *Eubalaena glacialis* occurrence in offshore wind energy areas near Massachusetts and Rhode Island, USA. *Endangered Species Research* 34:45-59.
- Mayo, C. A., L. Ganley, C. A. Hudak, S. Brault, M. K. Marx, E. Burke, and M. W. Brown. 2018. Distribution, demography, and behavior of North Atlantic right whales (*Eubalaena glacialis*) in Cape Cod Bay, Massachusetts, 1998-2013. *Marine Mammal Science* 34(4):979-996.
- Monsarrat, S., M. G. Pennino, T. D. Smith, R. R. Reeves, C. N. Meynard, D. Kaplan, M., and A. S. L. Rodrigues. 2015. Historical summer distribution of the endangered North Atlantic right whale (*Eubalaena glacialis*): A hypothesis based on environmental preferences of a congeneric species. *Diversity and Distributions* 21(8):925-937.
- Pace et al. in prep. Estimates of cryptic mortality in the North Atlantic right whale population.

- Pace, R. M., P. J. Corkeron, and S. D. Kraus. 2017. State-space mark-recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecology and Evolution* 7(21):8730–8741.
- Parks, S., L. Conger, D. Cusano, and S. M. Van Parijs. 2014. Variation in the acoustic behavior of right whale mother-calf pairs. *Journal of the Acoustical Society of America* 135(4 Part 2):2240.
- Pettis, H. M., R. M. Rolland, P. K. Hamilton, S. Brault, A. R. Knowlton, and S. D. Kraus. 2004. Visual health assessment of North Atlantic right whales (*Eubalaena glacialis*) using photographs. *Canadian Journal of Zoology* 82(1):8-19.
- Rice, A. N., J. T. Tielens, B. J. Estabrook, C. A. Muirhead, A. Rahaman, M. Guerra, and C. W. Clark. 2014. Variation of ocean acoustic environments along the western North Atlantic coast: A case study in context of the right whale migration route. *Ecological Informatics* 21:89-99.
- Risch, D., M. Castellote, C. W. Clark, G. E. Davis, P. J. Dugan, L. E. W. Hodge, A. Kumar, K. Lucke, and D. K. Mellinger. 2014. Seasonal migrations of North Atlantic minke whales: Novel insights from large-scale passive acoustic monitoring networks. *Movement Ecology* 2(1):24.
- Roberts, J. J., B. D. Best, L. Mannocci, E. Fujioka, P. N. Halpin, D. L. Palka, L. P. Garrison, K. D. Mullin, T. V. N. Cole, C. B. Khan, W. A. McLellan, D. A. Pabst, and G. G. Lockhart. 2016. Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6:22615.
- Simard, Y., N. Roy, S. Giard, and F. Aulanier. 2019. North Atlantic right whale shift to the Gulf of St. Lawrence in 2015, revealed by long-term passive acoustics. *Endangered Species Research* 40:271-284.
- Van Parijs, S. M., M. F. Baumgartner, D. Cholewiak, G. E. Davis, J. Gedamke, D. Gerlach, S. Haver, J. Hatch, L. Hatch, C. Hotchkinn, A. Izzi, H. Klinck, E. Matzen, D. Risch, G. K. Silber, and M. Thompson. 2015. NEPAN: A U.S. Northeast Passive Acoustic Sensing Network for monitoring, reducing threats and the conservation of marine animals. *Marine Technology Society Journal* 49(2):70-86.
- Wade, P. R., and P. J. Clapham. 2000. The influence of spatial distribution on survival estimates: use of cluster analysis to address heterogeneity in North Atlantic right whales Presented at the 52nd annual meeting of the Scientific Committee of the International Whaling Commission, SC/52/ForInfo3, Adelaide, Australia.

APPENDIX I. TABLES

Table 1. Total number of NARWs identified by each contributing survey platform and institution from 2001 to 2017 (resights across contributors have not been removed, but resights of individuals within an institution have)⁶. Abbreviations are given in Section II. Information provided by Richard M. Pace based on data collected by many individuals and institutions (see acknowledgements in Pace et al. 2017).

Year	NEFSC Aerial	NEFSC Vessel	CCS Aerial	SEUS Aerial	NEAq Vessel	DFO Aerial	All
2001	31	52	106	83	142	7	282
2002	206	89	96	58	115	20	303
2003	175	152	93	84	91	6	314
2004	118	21	91	76	154	1	286
2005	258	44	93	179	243	6	353
2006	188	0	121	135	225	6	347
2007	295	0	191	137	144	1	379
2008	288	115	200	188	176	0	389
2009	262	0	214	237	218	0	422
2010	267	111	182	225	102	1	422
2011	257	46	329	152	190	3	437
2012	183	169	236	59	86	8	374
2013	23	73	241	50	117	4	297
2014	134	62	262	49	83	21	371
2015	103	50	144	39	6	20	267
2016	140	31	195	30	97	49	323
2017	211	128	254	5	38	105	363

⁶ The data used to generate these tables were preliminary working datasets. The tables should be updated prior to use in future planning. Also see recommendations in *Objective 1. Optimize Aerial and Vessel Survey Effort to Ensure High Precision and Minimize Bias in Estimates of Survival, New Entrants, and Abundance in an Efficient Manner, Proposed retrospective analyses: A.*

Table 2. Number of NARWs uniquely identified by only one survey platform and institution from 2001 to 2017 (NARWs sighted by more than one institution have been removed)⁷. Abbreviations are given in Section II. Information provided by Richard M. Pace based on data collected by many individuals and institutions (see acknowledgements in Pace et al. 2017).

Year	NEFSC Aerial	NEFSC Vessel	CCS Aerial	SEUS Aerial	NEAq Vessel	DFO Aerial	All
2001	2	2	8	8	4	0	24
2002	40	11	5	4	6	0	66
2003	22	28	18	14	0	0	82
2004	28	5	14	16	21	1	85
2005	40	1	7	6	12	1	67
2006	38	0	9	15	22	0	84
2007	41	0	13	8	1	1	64
2008	56	3	17	5	6	0	87
2009	34	0	20	17	5	0	76
2010	43	5	10	24	2	0	84
2011	36	0	31	11	2	1	81
2012	44	19	43	5	5	1	117
2013	4	1	78	9	3	2	97
2014	27	1	74	11	1	5	119
2015	44	4	37	10	2	6	103
2016	35	0	39	5	11	14	104
2017	23	1	27	0	2	25	78

⁷ The data used to generate these tables were preliminary working datasets. The tables should be updated prior to use in future planning. Also see recommendations in *Objective 1. Optimize Aerial and Vessel Survey Effort to Ensure High Precision and Minimize Bias in Estimates of Survival, New Entrants, and Abundance in an Efficient Manner, Proposed retrospective analyses: A.*

Table 3. Total number of NARWs identified in each survey location from 2001 to 2017 (resights across locations have not been removed, but resights of individuals within a location have)⁸. Abbreviations are for the Bay of Fundy (Fundy), Cape Cod Bay (CCB), the great south Channel (GSC), the Gulf of St. Lawrence (GoSL), the Gulf of Maine (GOM), and the southeastern United States (SEUS). Information provided by Richard M. Pace based on data collected by many individuals and institutions (see acknowledgements in Pace et al. 2017).

Year	Fundy	CCB	GSC	GoSL	GOM	SEUS	All
2001	151	78	210	9	82	83	282
2002	145	20	207	20	98	58	303
2003	116	36	217	6	111	84	314
2004	108	61	160	1	76	76	286
2005	192	45	282	6	70	179	353
2006	113	66	99	6	190	135	347
2007	162	127	287	1	210	137	379
2008	183	180	227	0	193	188	389
2009	186	205	142	0	209	237	422
2010	86	136	178	1	243	225	422
2011	178	283	155	3	286	152	437
2012	53	192	98	8	230	59	374
2013	15	216	67	4	82	50	297
2014	108	247	111	21	98	49	371
2015	29	124	42	50	97	39	267
2016	120	180	110	50	98	30	323
2017	35	252	98	131	95	5	363

⁸ The data used to generate these tables were preliminary working datasets. The tables should be updated prior to use in future planning. Also see recommendations in *Objective 1. Optimize Aerial and Vessel Survey Effort to Ensure High Precision and Minimize Bias in Estimates of Survival, New Entrants, and Abundance in an Efficient Manner, Proposed retrospective analyses: A.*

Table 4. Number of NARWs uniquely identified in only one survey location from 2001 to 2017 (NARWs sighted in multiple locations have been removed)⁹. Abbreviations are for the Bay of Fundy (Fundy), Cape Cod Bay (CCB), the great south Channel (GSC), the Gulf of St. Lawrence (GoSL), the Gulf of Maine (GOM), and the southeastern US (SEUS). Information provided by Richard M. Pace based on data collected by many individuals and institutions (see acknowledgements in Pace et al. 2017).

Year	Fundy	CCB	GSC	GoSL	GOM	SEUS	All
2001	13	2	55	1	5	8	84
2002	24	2	51	6	8	4	95
2003	7	4	71	3	21	14	120
2004	19	7	42	0	8	16	92
2005	10	3	44	1	8	6	72
2006	9	3	7	2	33	15	69
2007	8	1	42	0	14	8	73
2008	12	11	21	0	28	5	77
2009	4	20	11	0	23	17	75
2010	4	6	17	0	25	24	76
2011	5	19	8	0	25	11	68
2012	8	29	15	3	52	5	112
2013	3	83	16	2	9	9	122
2014	14	63	23	5	3	11	119
2015	7	33	18	17	15	10	100
2016	38	49	30	8	10	5	140
2017	2	52	7	16	1	0	78

⁹ The data used to generate these tables were preliminary working datasets. The tables should be updated prior to use in future planning. Also see recommendations in *Objective 1. Optimize Aerial and Vessel Survey Effort to Ensure High Precision and Minimize Bias in Estimates of Survival, New Entrants, and Abundance in an Efficient Manner, Proposed retrospective analyses: A.*

APPENDIX II. WORKSHOP PARTICIPANTS AND CONTRIBUTORS

Table 5. List of workshop participants, contributors, affiliations, and role and contributions.

First	Last	Affiliation	Role and Contributions
Jason	Baker	Pacific Islands Fisheries Science Center	Working Group
Jay	Barlow	Southwest Fisheries Science Center	Working Group
Jeff	Moore	Southwest Fisheries Science Center	Working Group
Erin	Oleson	Pacific Island Fisheries Science Center	Working Group
Paul	Wade	Alaska Fisheries Science Center	Working Group
Mike	Asaro	Greater Atlantic Regional Fisheries Office	NARW Steering Committee, Workshop Organizer
Lance	Garrison	Southeast Fisheries Science Center	NARW Steering Committee, Workshop Organizer, Presenter, Participant, Report Editor
Sean	Hayes	Northeast Fisheries Science Center	NARW Steering Committee, Workshop Organizer, Presenter, Participant, Report Editor
Kristy	Long	Office of Protected Resources	NARW Steering Committee, Lead Workshop Organizer, Presenter, Participant, Report Editor
Eric	Patterson	Office of Protected Resources	NARW Steering Committee, Workshop Organizer, Report Editor
Barb	Zoodma	Southeast Regional Office	NARW Steering Committee, Workshop Organizer, Participant, Report Editor
Diane	Borggaard	Greater Atlantic Regional Fisheries Office	Participant
Tim	Cole	Northeast Fisheries Science Center	Presenter
Lisa	Conger	Northeast Fisheries Science Center	Presenter
Caroline	Good	Office of Protected Resources	Presenter, Participant, Report Editor
Simon	Nadeau	Fisheries and Oceans Canada	Presenter
Richard	Pace	Northeast Fisheries Science Center	Presenter, Participant, Analytical Support
Sofie	Van Parijs	Northeast Fisheries Science Center	Presenter

RESEARCH ARTICLE

Foraging rates of ram-filtering North Atlantic right whales

Julie Marie van der Hoop¹  | Anna E. Nousek-McGregor²  | Douglas P. Nowacek³  |
Susan E. Parks⁴  | Peter Tyack⁵  | Peter Teglberg Madsen^{1,6} 

¹Department of Bioscience, Aarhus University, Aarhus, Denmark; ²School of Life Sciences, University of Glasgow, Glasgow, UK; ³Nicholas School of the Environment & Pratt School of Engineering, Duke University, Beaufort, North Carolina; ⁴Biology Department, Syracuse University, Syracuse, New York; ⁵Sea Mammal Research Unit, Scottish Oceans Institute, University of St Andrews, St Andrews, UK and ⁶Aarhus Institute of Advanced Studies, Aarhus University, Aarhus, Denmark

Correspondence

Julie Marie van der Hoop
Email: jvanderhoop@bios.au.dk

Funding information

Marie Skłodowska-Curie Individual Fellowship; Marine Alliance for Science and Technology for Scotland, Grant/Award Number: HR09011; Office of Naval Research, Grant/Award Number: N000140410709; NOAA Fisheries' North Atlantic Right Whale Grant Program, Grant/Award Number: NA04NMF4720405; Horizon 2020

Handling Editor: Jeremy Goldbogen

Abstract

1. North Atlantic right whales spend their summer months foraging primarily in American and Canadian Atlantic waters on high-energy-density prey. Here, they rapidly accumulate and store energy obtained within a few months to support future migrations and reproduction while fasting. High drag from their ram-filter foraging strategy places a limit on what prey densities will be energetically efficient to target.
2. Our understanding of the volume of prey-laden water filtered by right whales during a dive or foraging bout, and what information they use to decide to forage or not, has been limited by the difficulties of measuring when they feed at depth, how fast they swim during continuous ram filtration and how often they might swallow accumulated prey.
3. We used 10 DTAG deployments from right whales in the Bay of Fundy, Canada, to quantify swimming speeds and estimate the volume of prey-laden water filtered per dive. We used the tag's inertial sensors to evaluate the timing of frequent biomechanical changes that likely indicate the truncation of continuous filtration, and whether the number or timing of these fluking bouts relates to longer feeding dives or other foraging decisions.
4. During foraging dives, right whales descended at 1.4 (± 0.2 SD) m/s and slowed to swim at 1.1 (± 0.3) m/s while filtering. We found consistent pauses in the fluking behaviour of foraging right whales, every 56 (± 22) s. Whales filtered on average 78 (± 30) m³ of water per fluking bout and on average 673 (± 201) m³ per dive.
5. Right whales filter large volumes of water at low speeds with a high duty cycle, but require sufficiently high prey energy densities to compensate for a high-drag foraging strategy. Closely related bowhead whales have a larger gape but swim more slowly, filtering greater volumes with lower drag. Our findings highlight that right whales acquire their energy in a relatively short period of intense foraging; even moderate changes in their feeding behaviour or their prey energy density are likely to negatively impact their yearly energy budgets and therefore reduce fitness substantially.

KEYWORDS

biomechanics, drag, filter feeding, foraging, ram filtration, right whale

1 | INTRODUCTION

Endangered North Atlantic right whales (*Eubalaena glacialis*, hereafter right whales) are capital breeders that spend their summer months foraging on planktonic prey, primarily lipid-rich copepods (including *Calanus* spp.) in American and Canadian Atlantic waters. Here, they obtain food with high energy density (Davies, Vanderlaan, Smedbol, & Taggart, 2015; Michaud & Taggart, 2007), which allows rapid accumulation of energy over a short period of time. The energy acquired during a foraging season facilitates the growth of dependent calves, the energetic recovery of lactating females (Christiansen et al., 2018; Miller, Best, Perryman, Baumgartner, & Moore, 2012; Miller et al., 2011) and the storage of energy for future demands. Accumulated lipid stores are required to sustain individuals during prolonged fasting migrations, are critical for successful calving and nurture (Christiansen et al., 2018), and can buffer against effects from human stressors, including unanticipated energetically costly life-history events such as entanglement (van der Hoop, Corkeron, & Moore, 2016).

The abundance and distribution of prey in right whale foraging habitats are known to vary year-to-year and in multiyear regime shifts (Greene et al., 2013; Patrician & Kenney, 2010). Prey availability has been linked to changes in population health (Rolland et al., 2016), reproduction (Hlista, Sosik, Martin Traykovski, Kenney, & Moore, 2009; Meyer-Gutbrod & Greene, 2014; Miller et al., 2011) and distribution (Davies et al., 2015), and recent observations suggest that declines in the occurrence of whales in the Bay of Fundy since 2010 have coincided with changes in food supply (Davies et al., 2019). Quantification of the rates and dynamics of food acquisition in this endangered, capital breeding species is therefore critical to evaluate the energetic consequences of changing habitats and human stressors (Harcourt, van der Hoop, Kraus, & Carroll, 2019).

Right whales target prey patches above 10^3 copepods/m³ (Murison & Gaskin, 1989) and up to 10^5 copepods/m³ (Baumgartner & Mate, 2003; Baumgartner, Wenzel, Lysiak, & Patrician, 2017; Mayo & Marx, 1990). In the Grand Manan Basin in the Bay of Fundy, a right whale critical habitat and summer foraging area (Brown et al., 2009), individual diving behaviour is strongly correlated with the depth of maximum *Calanus* abundance between 100 and 150 m (Baumgartner & Mate, 2003; Baumgartner et al., 2017). There, 4–8 km patches of copepods with energy densities above 15 J/m³ develop; within the large patch, concentration and energy density can vary on spatial scales of 500 m (Michaud & Taggart, 2011). To target these high densities of small prey, right whales ram filter feed as they propel themselves forward with their mouths agape (Goldbogen et al., 2016; Lambertsen, Rasmussen, Lancaster, & Hintz, 2005; Potvin & Werth, 2017; Watkins & Schevill, 1976; Werth, 2001). Through cross-flow

filtration, water moves parallel along the inner surface of the baleen plates, rather than perpendicular; this concentrates small (1–3 mm) copepods while slowing the overall flow of prey-laden water through the mouth, to then be swallowed (Potvin & Werth, 2017).

Right whales show morphological adaptations to their high-drag foraging mode, with fused vertebrae to maintain rigidity when swimming with an open mouth (Sanderson & Wassersug, 1993). Similarly, one would expect biomechanical adaptations, such as the low-speed, continuous swimming adopted by other ram filter feeders (Simon, Johnson, Tyack, & Madsen, 2009; Sims, 2000b). Simon et al. (2009) noted consistent, brief pauses in the swimming behaviour of bowhead whales (*Balaena mysticetus*) and proposed these pauses likely indicate the truncation of a continuous filtration event and the processing (swallowing) of accumulated prey. It would therefore be expected that with their shared foraging strategy, right whales would show similar biomechanical patterns that may relate to the rate of prey acquisition.

However, we still know very little about how a gigantic filter feeder with one of the highest predator–prey size ratios survives on a very specific resource that is constrained in both space and time. This lack of understanding primarily stems from the difficulties of measuring when right whales feed at depth, how fast they move during continuous ram filtration and how often they might swallow accumulated prey. Subsurface behaviour of right whales is difficult to observe, but the analysis of high-resolution acoustic biologging tag data has provided insights into the fine-scale movement and behaviour (van der Hoop, Nowacek, Moore, & Triantafyllou, 2017; Nowacek et al., 2001), body condition (Nousek-McGregor, Miller, Moore, & Nowacek, 2013), acoustic ecology (Parks et al., 2011) and foraging of right whales (Parks, Warren, Stamieszkin, Mayo, & Wiley, 2012).

Here, we harness the rich potential of multisensor biologging DTAGs to quantify swimming speeds and test hypotheses related to the detailed foraging behaviour and biomechanics in right whales. Specifically, we use 10 DTAG deployments from right whales feeding in the Bay of Fundy, Canada, to address the following questions: (a) How fast do right whales filter? Optimal diving behaviour would maximize the time spent foraging on high-energy-density prey, while staying within oxygen requirements (Thompson & Fedak, 2001). This can be accomplished by minimizing the proportion of time spent travelling to and from the resource at depth and also recovering at the surface, or by reducing oxygen consumption at depth. To reduce the energetic demands of a high-drag feeding strategy (and therefore increasing time in the prey layer), we hypothesized that right whales would adopt a slow filtering speed, similar to bowhead whales. However, given their relatively small mouth apertures compared to bowhead whales, do right whales swim and therefore filter water faster than bowheads? We investigate how the factors

of gape, speed and foraging time affect the volumes of water filtered across different species and groups of ram filter feeders.

We expected biomechanical adaptations to a high-drag foraging strategy: (b) Do right whales show the same characteristic gait patterns as other ram filter feeders during foraging dives? (c) If so, are pauses in fluking consistent in their timing (i.e. a biomechanical pattern; intrinsic) or are they variable in duration and filtered volume (i.e. related to prey processing/density/patch structure; extrinsic)? If biomechanically driven, we would expect low variation in bout duration. If extrinsically driven, we would expect fluking bouts to be variable in duration and filtered volume. Further, (d) are these diving behaviours and foraging biomechanics linked? We hypothesized that if fluking bout duration is inversely related to prey density, and if right whales maximize their diving behaviour to forage within high-quality patches, dives with shorter bouts would be longer (i.e. if pauses are linked to prey processing, and if that processing is linked to accumulated prey mass, then shorter fluking bouts would reflect more dense prey, and longer or more tortuous dives would maximize time spent in a high-quality prey patch).

2 | MATERIALS AND METHODS

We used archival digital acoustic recording tags (DTAGs) to record the acoustic environment and locomotor behaviour of right whales in the Bay of Fundy, Canada, in the late-summer foraging season, July and August 2001, 2002 and 2005 (Table 1; Nowacek, Johnson, & Tyack, 2004; Nowacek et al., 2001; Parks et al., 2011). The tags recorded sound at 32 kHz (2001 and 2002) and 96 kHz (2005). The DTAG includes a pressure sensor and 3-axis accelerometers and magnetometers; sensor data were recorded at 23.5 Hz (2001, 2002) and 50 Hz (2005) and were decimated to ~5 Hz for analysis. We used a combination of existing biologging tag analysis tools (animaltags.org) and additional software, custom written in MATLAB 2015b (MathWorks, Natick, MA, USA) for all analyses.

DTAGs were initially deployed on right whales in the Bay of Fundy to test for whales' responses to sounds, including vessels and alerting stimuli, following a playback protocol (Nowacek et al., 2004). We made use of this existing tag library and selected deployments where no playbacks occurred (tags 01_214a, 01_221a, 02_233a, 05_219a; Table 1). Additionally, we analysed data from deployments where >2 hr of data was available 2 hr after the end of the final sound exposure to the animal (Table 1). For one whale, we used the 2 hr preceding the playback (02_221d). We chose a 2-hr wait from the end of the last playback to be cautious, though exposed whales were reported to return to normal activity within minutes (Nowacek et al., 2004). For transparency, we show the full depth record of all deployments and the temporal extent of the playbacks and the time frame of our analysis for each deployment in Figure S1.

Balaenid whales show characteristic U-shaped foraging dives and V-shaped non-foraging dives (Baumgartner & Mate, 2003; Nowacek et al., 2001; Simon et al., 2009). We distinguished between U- and V-shaped dives based on bottom-phase duration: the bottom phase of

TABLE 1 Information on tag deployments, analysed tag data and tagged whales

Deployment ID	EgNO	Acoustic playback	Total duration (hr:min)	Analysed duration (hr:min)	N foraging dives	N non-foraging dives	Sex	Age	Length (m)	Estimated gape area (m ²)
01_214a	2,790	None	2:26	2:26	6	0	F	>4	11.9 (M)	1.3 ± 0.1
01_221a	2,830	None	1:43	1:43	8	0	M	>3	12.1 (M)	1.4 ± 0.1
02_233a	1,409	None	1:48	1:19	5	0	M	18	12.5 (M)	1.5 ± 0.1
05_219a	3,108	None	11:33	11:33	39	1	F	4	12.0 ± 0.2	1.3 ± 0.1
02_221d	2,350	A	7:54	2:14	7	1	M	>11	13.4 ± 0.2	1.8 ± 0.2
05_210b	3,323	A, H, S	10:48	8:32	8	4	M	2	11.1 ± 0.3	1.0 ± 0.1
05_215a	2,413	A, H, S	13:57	11:35	22	2	F	11	12.5 (M)	1.5 ± 0.1
05_224a	3,208	A, H, S	8:37	5:36	12	0	M	3	11.6 ± 0.3	1.2 ± 0.1
05_226b	3,360	H	9:00	7:57	18	0	F	>3	11.6 ± 0.3	1.2 ± 0.1
05_230a	3,142	A, H, S	6:20	4:10	7	0	F	4	12.0 ± 0.2	1.3 ± 0.1

Note: Total duration refers to the total duration of recorded data, versus the analysed data that were selected 2 hr following the end of the last acoustic playback to the animal. Acoustic playbacks were either none, or alarm (A), high-frequency sounds (H) or silence (S), as described in Nowacek et al. (2004). Additional aspects and portions of the dataset are described in Table 1 (Nowacek et al., 2004, 2001; Parks et al., 2011). The number of foraging and non-foraging dives (to >50 m) reflect only those in the analysed time periods. EgNO refers to the individual identifiers in the New England Aquarium North Atlantic right whale catalog. Length (±95% prediction interval) was estimated from age following Moore et al. (2004) or measured by aerial photogrammetry (M; W. Perryman *Personal Communication*), and gape area estimates (±95% prediction interval) are described in the manuscript text.

dives began the first time the pitch angle became positive after the whale left the surface, and ended when the pitch was last negative. U-shaped foraging dives had a clear bottom phase with only slightly variable depth, whereas V-shaped dives had bottom phases <5 s (Figure 1). We defined dives as departures from the surface >50 m as has been the convention for characterizing diving behaviour of right whales in deep-water foraging habitats (Baumgartner & Mate, 2003; Nowacek et al., 2001). There were no instances of shallow feeding excluded from the analysis; shallow feeding was not expected or observed as most *Calanus* were in diapause and concentrated at depth (Baumgartner & Mate, 2003; Baumgartner et al., 2017; Michaud & Taggart, 2007). We checked the sensitivity of the dive depth threshold based on the breakpoint in the cumulative distribution function of all dive depths >5 m. Setting the depth threshold at 50 m rather than 10 m did not lead to a difference in the number of estimated foraging or non-foraging dives: the shallowest foraging dive was 100 m, no matter the threshold used. Incomplete dive cycles due to tag release were not included in the analysis.

2.1 | Speed estimation

For applications where animal speed is used to test ecological and physiological hypotheses, many biologging tags have introduced external sensors to measure passing flow. Many have calibrated measured speed with the rotation rate of external impellers (Blackwell, Haverl, Le Boeuf, & Costa, 1999; Burgess, Tyack, Le Boeuf, & Costa, 1998; Watanabe, Lydersen, Fisk, & Kovacs, 2012) and micro-turbines (Gabaldon et al., 2019), as well as the amplitude of vibrations as measured by the tag's accelerometers (Cade, Barr, Calambokidis, Friedlaender, & Goldbogen, 2018). Absolute speed estimates are sensitive to stalling at high and low speeds, tag shape and placement on the body, orientation with respect to the flow and calibration technique, as well as to the estimation errors in the analytical techniques (e.g. reviewed in Cade et al., 2018). Another method is to use the relationship between the amplitude of low-frequency (50–500 Hz) flow noise recorded on the tag's hydrophones, which is approximately cubic with speed (Finger, Abbagnaro, & Bauer, 1979).

This method has proven useful in estimating speed by calibrating measured flow noise in situ to the vertical speed of a tagged animal when it is oriented at sufficiently high pitch angles (von Benda-Beckmann, Wensveen, Samarra, Beerens, & Miller, 2016; Goldbogen et al., 2006; Miller, Johnson, Tyack, & Terray, 2004; Sato, Mitani, Cameron, Siniff, & Naito, 2003; Simon et al., 2009).

We estimated the vertical swimming speed as the change in depth divided by the sine of the pitch angle, when the absolute pitch angle exceeded 30 degrees to ensure reliable speed estimation (sensu Simon, Johnson, & Madsen, 2012). To estimate swimming speed for times when the pitch angle was low (e.g. the bottom phase of foraging dives), we used the low-frequency flow noise as recorded on each tag as a proxy for speed (following, e.g. Burgess et al., 1998; Goldbogen et al., 2008; Simon et al., 2009). We computed flow noise as the noise power centred at 500 Hz, band-pass filtered with a 2-pole Butterworth filter and subsequently decimated to a resolution of 25 Hz (Simon et al., 2009). For each tag and all dives, we then computed the mean noise power in 5 s bins and the mean vertical speed in the same 5 s bins. We ignored the first and last 5 s of each dive as air bubbles could often be heard escaping the plastic housing of the tag at these times. We obtained a flow-noise calibration by fitting a second-order polynomial to the relationship between the \log_{10} (noise power) and vertical speed (as in Goldbogen et al., 2006; Goldbogen et al., 2008) for each deployment, and applied this relationship to estimate speeds from flow noise when the pitch angle was low.

2.2 | Inertial sensor analysis

We derived pitch, roll and heading from the accelerometer and magnetometer signals after correcting for the orientation of the tags on the whales by rotating each three-element vector (Johnson, 2015; Johnson & Tyack, 2003). We calculated the pitch deviation as the difference between the instantaneous and mean body posture orientation (following e.g. Simon et al., 2012; van der Hoop et al., 2017). This cyclic pattern in pitch deviation is reflective of fluking behaviour as swimming motion is along the pitch axis (Figure 1). We detected pauses in fluking behaviour by




FIGURE 1 Example V-shaped non-foraging (left) and U-shaped foraging (right) dive profiles of North Atlantic right whales. Diving depth is coloured by estimated speed (m/s), overlaid with total body pitch (degrees, black). Pitch deviation (degrees, orange) is plotted above each dive, with triangles indicating the start of pauses between fluking bouts detected in the foraging dive. Dive phases of descent, bottom and ascent, as determined from the pitch record, are also noted

detecting instances where the Hilbert-transformed pitch deviation signal was lower than its 10% value for that deployment >2 s. This 10% cut-off is similar to the <0.04 radian Hilbert transform threshold previously used for glide detection (van der Hoop et al., 2017; Nousek-McGregor et al., 2013; Woodward, 2006) but allows for differences in tag placement between deployments which can lead to different measured pitch values. The 2-s detection threshold was set specifically to distinguish between pauses in fluking behaviour and prolonged gliding behaviours previously described in right whales (Nousek-McGregor, 2010; Nousek-McGregor et al., 2013; Nowacek et al., 2001). Detected pauses were checked for each dive and manually confirmed. We detected pauses only during the bottom phase of U-shaped dives and only when body pitch was <30 degrees, i.e. when the whale was not orienting upwards or downwards or changing depth (Figure 1).

We computed the duration of each bout of active fluking between consecutive pauses. We expected that if short bouts (i.e. frequent pauses) indicated higher prey densities, then longer U-shaped foraging dives would be associated with shorter fluking bouts, to maximize the time at depth in a good prey patch; to test this hypothesis, we used a linear model for the effect of foraging bout duration on dive duration. We calculated the instantaneous fluke-stroke rate (Hz) over the deployment as the time between successive peaks in the pitch deviation signal. We calculated the mean instantaneous fluke-stroke rate over (a) the descent, bottom and ascent portions of each dive, and (b) each fluking bout.

We constructed dead-reckoned pseudo tracks of each whale within each dive from the accelerometer, magnetometer and depth sensors, and the estimated speed within each dive. We used the derived northings and eastings (m) to calculate the tortuosity of the whales' paths in the horizontal plane at 10-s intervals within

each dive. The tortuosity metric here was computed as 1 minus the estimated distance covered/the stretched-out track length over the time interval; the index therefore ranges from 0 for straight-line movement to 1 for extreme circular movement (Wilson et al., 2007).

2.3 | Filtered volume estimation

We obtained the ID number and age at tagging from the NARWC (2006). Length measurements from aerial photogrammetry were available for 4 individuals (W. Perryman *Personal Communication*; Table 1, Figure 2), and for all other individuals, we estimated body length from the length-at-age curve in Moore, Knowlton, Kraus, McLellan, and Bonde (2004). Only minimum age was available from the catalog for two individuals that were not measured (02_221d, Eg 2350; 05_226b, Eg 3360), so we used these available ages to obtain conservative length estimates for these individuals. To estimate gape, we fit a linear model to aerial photogrammetry measurements of North Atlantic and southern right whale (*E. australis*) calves and adults ($n = 56$) from Miller (2005) and Miller et al. (2012) to estimate the mouth width (width at 10% of the body length; m) from total body length (m). We estimated the length of the longest baleen plate (m) for each individual from body length (m) based on values reported for North Pacific (*E. japonica*, $n = 21$) and Southern right whales ($n = 14$; Figure S2; Omura, Ohsumi, Nemoto, Nasu, & Kasuya, 1969; Best & Schell, 1996). We were unable to find similar measurements for North Atlantic right whales in the literature or in the North Atlantic Right Whale Consortium Necropsy Database. Following previous work (Kenney, Hyman, Owen, Scott, & Winn, 1986; Watkins & Schevill, 1976), we estimated the gape area as the (mouth width \times longest




FIGURE 2 Estimated gape area (m^2 , purple), head width (m, blue) and baleen length (m, orange) with body length (m) and age of North Atlantic right whales. Dotted lines represent 95% CI. Circles represent estimated gape for individuals with measured (open) and estimated (closed) body lengths in this study. Baleen lengths are from North Pacific (Omura et al., 1969) and southern right whales (Best & Schell, 1996), head width from Miller (2005) and Miller et al. (2012), and length-at-age curve for North Atlantic right whales from Moore et al. (2004)

baleen plate length)/2 (Figures 2 and S2), and propagated errors from the age-length, length-width and length-baleen length estimates. The volumetric filtration rate was estimated by integrating the estimated swimming speed (m/s) and the estimated gape of each tagged whale (m^2) over bout durations and dive durations (sensu Simon et al., 2009).

We used a linear model to assess the effect of estimated swimming speed, gape area and bottom time on the total volume filtered per dive. We used linear models to test whether the proportion of time spent foraging per dive differed with dive depth, with the expectation that if dive duration was aerobically limited, then deeper dives would have significantly shorter bottom times due to transit to and from the foraging depth. We computed these statistics for foraging dives only.

3 | RESULTS

For 10 whales tagged for longer than 74:06 hr:min, we analysed a total of 57:04 hr:min of tag data (range 1:18–11:34 hr:min per whale; Table 1, Figure S1) during which individuals completed a total of 140 dives >50 m. Of these, 132 were categorized as U-shaped (foraging) dives and 8 as V-shaped (non-foraging) dives. The mean depth of U-shaped foraging dives was 138 (± 25) m, and the shallowest foraging dive was 89 m (tag O2_221d; Table 1). The mean depth of V-shaped dives was 124 (± 25) m.

For the 10 tag records, the R^2 for the flow-speed correlations averaged 0.76 ($\pm SD$ 0.19), with an RMSE of 0.13 m/s (± 0.05 ; Figure 3). For U-shaped foraging dives, right whales descended at mean ($\pm SD$) pitch angles of -58 (± 9) degrees, at speeds of on average 1.4 (± 0.2) m/s with fluke stroke rates of 0.07 (± 0.04) Hz (Figure 1). Ascents were similar, with mean pitch angles of 54 (± 10) degrees and speeds of 1.5 (± 0.2) m/s, with fluke stroke rates of 0.14 (± 0.02) Hz. At the bottom of U-shaped foraging dives, right whales on average slowed to 1.1 (± 0.3) m/s while actively swimming with fluke stroke rates of 0.16 (± 0.2) Hz. In contrast, during V-shaped dives, pitch angles on descent and ascent were -5 (± 5) and 23 (± 14) degrees, respectively, at speeds of 1.5 (± 0.2) and 1.3 (± 0.2) m/s.

We detected pauses in consistent fluking behaviour at the bottom of foraging dives, every 56 (± 22) seconds (Figures 1 and 4b). The median duration of these pauses was 3.5 s. These pauses did not appear to be a consequence orientation in a different axis: within 20 s preceding and following a pause in continuous fluking, rolls were occasional, and heading was often continuously changing; the change in depth ranged ± 10 m (Figure S3). We hypothesized that if bout duration was inversely related to prey density, and if right whales maximized their diving behaviour to forage within high-quality patches, dives with shorter bouts would be longer. We found no relationship between dive duration and the duration of fluking bouts within each dive ($R^2 = 0.001$; Figure 4b). The number of fluking bouts increased with dive duration, as expected as both are related to time; however, the number of bouts within a dive ranged from 0 to 14




FIGURE 3 The relationship between flow noise and vertical speed on ascents (blue) and descents (orange) $> \pm 30$ degree body pitch. Black line is the fitted relationship with dashed lines as prediction intervals

(mean 8.2 ± 3.1). During these bouts, estimated swimming speed was 1.1 (± 0.3) m/s.

Whales filtered on average 78 (± 30) m^3 of water per fluking bout, but fluking bouts did not end after a fixed volume of water had been filtered (range 10–328 m^3). Per dive, whales filtered a mean of 673 (± 201) m^3 of water total (Figure 4a), and dives were not terminated at a fixed volume of water filtered per dive (Figures 4a, 5 and 6). At the bottom of foraging dives, the mean filtration rate was 1.4 (± 0.3) m^3/s ; however, including transit time, mean filtration rates per complete foraging dive were 0.9 (± 0.2) m^3/s or 3,210 (± 870) m^3/hr . The total volume filtered over the course of a tag deployment varied from 342 m^3/hr (O1_214a) to 3,315 m^3/hr (O5_219a), primarily driven by activity budgets, as whales exhibit other (e.g. non-foraging) behaviours (Figure 4c).

In foraging dives, whales descended to the foraging depth within the first 17 (± 5)% of the dive duration (2.0 ± 0.4 min) and foraged until 85 (± 5)% of the dive duration (10.9 ± 1.5 min) before ascending (Figure 5c). We detected a significant relationship between dive depth and the proportional time of onset of foraging ($F_{1,129} = 5.71$, $p_{\text{slope}} = 0.0184$), but the effect size was 3 (± 3)%; this means the onset of foraging varied from 14% (SE 13%–17%) into the dive cycle for a 82-m dive compared to 19% (SE 17%–20%) for a 177-m dive. Further, depth of dive explained little to no variance in the proportional time to onset of feeding ($R^2 = 0.035$). Similarly, the proportional time of the end of foraging decreased significantly with depth ($F_{1,129} = 16.9$, $p_{\text{slope}} < 0.0001$), with a similarly small effect size of -6 (± 3)% and $R^2 = 0.119$ (Figure 5c). The total proportion of the dive spent foraging decreased with depth by a total of 10% (73% to 63%) across the range of dive depths (82–177 m; $R^2 = 0.088$). There was no significant relationship between the depth of each dive and the total volume filtered ($R^2 = 0.001$, $F_{1,115} = 0.212$, $p = 0.884$; Figure 4d). Even in the shortest dives with < 5 min and < 50 % of bottom time (Figures 4a and 5b,c), whales performed fluking bouts.




FIGURE 4 (a) The total volume of water filtered per dive (m^3 , circles), coloured to match each dive profile for a representative North Atlantic right whale (05_215a). The grey line shows the rate at which the volume is filtered (i.e. the filtered volume through time for each dive). Small points along the grey line note the timing of pauses in fluking. (b) The mean (error bar SD) duration of fluking bouts (s) during each dive versus the duration of those dives (s). The coloured circles match the same dives in panel a. Grey points are data for the other tags. (c) Estimated filtration rate (m^3/hr) calculated during the bottom phase, per entire dive cycle, and throughout the tag deployments; colours represent different individuals. (d) The estimated total volume of water filtered (m^3) compared to the maximum depth of each foraging (red) and non-foraging dive (black; m)

Three variables contribute to the total filtered volume per dive: swimming speed (estimated from flow noise), gape (estimated from age and morphometrics) and time per dive spent foraging (bottom time, estimated from tag data). We used a linear model to assess the effect of each of these variables on the total volume filtered per dive. The three factors explained 89.5% of the variability in filtered volume ($F_{3,126} = 357$, $p < 0.0001$). The dive bottom time had the greatest effect size ($875 \pm 71 \text{ m}^3$), followed by swimming speed ($704 \pm 53 \text{ m}^3$). Gape had the lowest effect size of $349 \pm 67 \text{ m}^3$ across the range of 1–1.8 m^2 .

Based on the dead-reckoned tracks of individuals, whales exhibited a variety of subsurface foraging behaviours (Figure 7). The tortuosity of horizontal movement within dives was on average 0.022 (± 0.025), up to 0.117, and varied even between sequential dives (Figure 7). We expected tortuosity to reflect animals “working a patch,” maintaining

residence in an area, and therefore hypothesized that dives with higher filtered volumes, or more or shorter fluking bouts, would have more tortuous paths. We found no relationship between the total volume filtered per dive and the mean tortuosity within that dive ($F_{1,128} = 0.793$, $p = 0.375$, $R^2 = -0.002$) nor the bout duration (inter-pause interval) and the tortuosity of the dive ($F_{1,128} = 0.003$, $p = 0.958$).

4 | DISCUSSION

Balaenid whales acquire their food in a short period in the spring and summer, putting a premium on understanding where, how and how much prey-laden water these ram filter feeders process to fuel their capital-breeding lifestyle. We employed pressure, inertial and acoustic sensors on biologging tags to estimate the filtration rates of




FIGURE 5 Total volume of water filtered per dive (m^3) versus dive duration (min; a) and bottom foraging duration (min; b) for 10 North Atlantic right whales. The vertical bars in c show the proportional time of onset of foraging to the end of foraging, at the foraging depth of each dive; circles represent the total proportion of each dive spent foraging. In all panels, colours indicate the gape area size (m^2) of different whales


right whales and the biomechanics relevant to their foraging behaviours: (a) How fast do right whales filter? (b) Do right whales show the same characteristic gait patterns as other ram filter feeders during foraging dives? (c) If so, are pauses in fluking a biomechanical pattern or related to prey processing/density/patch structure?

We found that right whales made repeated foraging dives to depths where they slowed to $1.1 (\pm 0.3)$ m/s or $0.09 (\pm 0.03)$ body lengths/s. At depth, they carried out a repetitive gait with short, ~ 2 s pauses between bouts of higher frequency fluking behaviour. We suggest that, similar to observations in bowhead whales, right whales swim at consistently low speeds when foraging to reduce the drag of their open mouths. However, right whales only slow down by 26% (compared to 40% for bowhead whales; Simon et al., 2009), likely due to the smaller cross-sectional mouth area per body size; the faster swimming speed of right whales provides a higher

filtration rate, but only partially compensates for the smaller mouth area. To acquire similar prey resources as bowheads, right whales must feed on higher density prey aggregations, on prey with higher energy density, and (or) for longer periods of time.

Based on in situ speed estimates, measured diving behaviour and individual-specific gape measurements, the right whales in this study filtered on average $3,211 (\pm 874)$ m^3 of water per hour during complete foraging dives (i.e. a round trip from the surface, including time of descent and ascent). Over the course of deployments, filtration rates varied from $342 \text{ m}^3/\text{hr}$ to $>3,300 \text{ m}^3/\text{hr}$ depending on individual behaviour and size. During active foraging at the bottom of U-shaped dives, the whales filtered $4,520 (\pm 1,230) \text{ m}^3/\text{hr}$, which is $\sim 30\%$ lower than the estimates of $6,250 \text{ m}^3/\text{hr}$ by Kenney et al. (1986) and $6,534 \text{ m}^3/\text{hr}$ by Baumgartner and Mate (2003). This difference is primarily due to explicitly including variation in mouth gape with age

FIGURE 6 The estimated bottom speed (m/s; \pm prediction error in grey), gape area (m^2) and bottom time (sec) of the dives of 10 North Atlantic right whales, coloured by the estimated total volume of water filtered (m^3) per dive. 2D projections are shown in grey circles; gape is jittered randomly up to 0.05 m^2 to see overlapping points






FIGURE 7 Subsurface foraging behaviour (pseudo-tracks) of four sequential dives (a, b, c and d) of one example North Atlantic right whale (05_215a) foraging in the Bay of Fundy, Canada. The estimated volume of water filtered per dive is printed on each panel. Filled black triangles indicate position of dive initiation (downward-facing) and surfacing (upward-facing); open triangles at depth indicate pauses in fluking behaviour. The colour along the track indicates estimated swimming speed

(determined from body size and baleen length, Figure 2), as well as in situ estimates of swimming speed as these individuals foraged at depth with their mouth agape (Figure 1).

Previous models of foraging in right whales assumed a constant mouth area of 1–1.2 m² and speeds of 1.5 m/s (Baumgartner & Mate, 2003; Kenney et al., 1986), whereas our gape estimates account for changes with age for the first time (1–2 m², a doubling over the life span). Not including this variation would lead to considerable underestimates of the volumes filtered and subsequent prey consumed by adult right whales. This study included many subadult individuals, aged 2–4 years, with estimated gape areas of 1.1–1.3 m² (Table 1). The difference in estimated filtered volumes for these animals, using age-specific gape versus a constant gape of 1.2 m² (Baumgartner & Mate, 2003; Kenney et al., 1986), is negligible at ~4%. However, the underestimate of filtered volume is considerable in older and larger individuals with estimated gape areas of up to 1.8 m² (Figure 2). We estimated a gape of 1.8 m² for an >11-year-old male (02_221d) in this study. This individual filtered an average of 760 (±400) m³ of water per dive. Per-dive volume estimates would have been 530 (±270) m³, 230 m³ or 30% less than if we had assumed a non-age adjusted gape of 1.2 m².

Second, previous studies used higher fixed values for swimming speed, or at least minimum swimming speeds of 1.5 m/s (Baumgartner & Mate, 2003; Kenney et al., 1986; Watkins & Schevill, 1976, 1979). We estimated swimming speeds of 1.1 (±0.3) m/s for whales when foraging, based on our tag data. Though this difference may seem minimal, it translates to considerable differences in volume filtered: an 8-m whale with a gape of 1.6 m² would filter 8,640 m³/

hr swimming at 1.5 m/s, compared to 5,760 m³/hr (33% less) swimming at 1.0 m/s. Considering the error in our speed estimation (mean RMSE = 0.13 m/s), filtered volume estimates are likely within ± 10%, still less than the difference between assuming a constant speed versus an estimate from flow noise. Speed estimates from flow noise do have a low-speed limitation because (a) flow noise must be higher than background noise and self-noise of the recorder, so will be more challenging to detect at slow speeds, and (b) the regression relationships can induce errors at either end of the measured speeds (Figure 3; von Benda-Beckmann et al., 2016; Blackwell et al., 1999; Burgess et al., 1998; Cade et al., 2018). We measured vertical speeds in the range of 0.4–3.5 m/s (Figure 3). Though there are limitations in the flow-noise approach, it provides estimates of variation in swimming speed, critical to addressing our main hypotheses. Including morphological variation and tag-derived estimates of swimming speed through water with the time spent foraging during the bottom phase of U-shaped dives refined the estimates of filtration and therefore hourly prey ingestion during foraging with variable behaviour over the course of a day.

We found a marked stereotypy in the diving behaviour of right whales in deep-water foraging habitats: individuals performed repeated foraging dives to consistent depth and duration for periods of >10 hr (34 dives, Figures 4a, S1). Right whales are able to rapidly descend to foraging depth at high pitch angles, and similarly return to the surface quickly after foraging, optimizing their time at depth (Baumgartner & Mate, 2003; Nowacek et al., 2001). We hypothesized that if whales were consistently diving to their aerobic dive limit, they would have filtered lower total volumes of water in deeper dives, due to the time required to transit to the foraging

patch (Thompson & Fedak, 2001). However, the lack of a significant effect of dive depth on the total volume filtered per dive and the low explanatory power of depth on foraging duration emphasizes that by completing many shorter, aerobic dives with steep ascents and descents and short surface intervals right whales maximize the time spent foraging in a consistent prey patch, regardless of its depth (Baumgartner et al., 2017). While individuals are able to optimize their time foraging in high-density prey layers, they apparently will also go without foraging for extended periods of time (2+ hr; Figure S1) in this otherwise rich environment. Understanding why individuals do or do not forage should be explored with future prey-density measurements simultaneous with tag deployments (Baumgartner & Mate, 2003; Parks et al., 2012); this may improve our understanding the effects of physiological mechanisms such as digestion and prey processing that may limit the duration of productive foraging bouts (Horning, 2012).

Previous descriptions of right whale diving behaviour in deep-water foraging habitats categorized three types of dives based on k-means clustering: foraging dives, V-shaped dives and “other” or “Type 2” dives (Baumgartner & Mate, 2003; Nousek-McGregor, 2010). These “Type 2” dives are often to depths just above of the bottom mixed layer and even to the seafloor (Baumgartner & Mate, 2003). These dives have previously been described as intermediate between foraging and V-shaped dives: they do not maximize the time spent at depth, with longer ascents compared to typical foraging dives (Baumgartner & Mate, 2003; Nousek-McGregor, 2010). However, the reduction in speed in the clear bottom phase of these dives is consistent with foraging (Nousek-McGregor, 2010). In this analysis, we separated deep dives into foraging and non-foraging categories based only on a clear bottom phase and found that shorter dives with a lower proportion of time spent on the bottom (fitting the description of “Type 2” dives) do show clear fluking bouts at low speeds (Figures 4a and 5b,c). The “Type 2” or “other” dives therefore may be those where foraging was terminated, perhaps due to inadequate prey densities (Hazen, Friedlaender, & Goldbogen, 2015; Stephens, 2008; Thompson & Fedak, 2001). The deep non-foraging dives may serve to locate and/or judge prey patches. The diverse suite of sensors in these DTAGs is therefore useful to further elucidate behaviours previously inferred from time-depth recorders, without inertial sensors.

Presenting dive behaviour through time can be misunderstood to suggest that a submerged animal's path is straight in the horizontal dimension. The incorporation of inertial sensors in tags enables the estimation of a dead-reckoned track, though these are also imperfect due to additive error in the sensors and ignorance to external forces, e.g. currents (Johnson & Tyack, 2003; Liu, Battaile, Trites, & Zidek, 2015; Schmidt et al., 2007; Shiomi et al., 2010). Irrespective of these errors, *pseudo* tracks do, however, capture the qualitative nature of animal movement and can be useful in inferring how animals move, rather than where they go; for our purpose, these tracks illustrate the degree to which right whales move horizontally within dives (Figure 7). The variation in the horizontal movement patterns of whales foraging at depth (Figure 7)

as well as small-scale changes in the vertical dimension between dives (Figure S3) further suggest that right whales are capable of detecting fine-scale variations in prey density and adjusting their foraging behaviour accordingly (Baumgartner et al., 2017; Kenney, Mayo, & Winn, 2001; Mayo & Goldman, 1992; Mayo & Marx, 1990). Simultaneous measurements of the vertical distribution of prey and right whale diving behaviour made in foraging habitats have shown how right whales are able to repeatedly target the depth of maximum copepod concentrations (Baumgartner & Mate, 2003; Parks et al., 2012). By making fine-scale adjustments in the vertical dimension (~20 cm), right whales can increase energy intake by as much as 20% (Mayo & Goldman, 1992). In the horizontal plane, copepod energy density can vary by a factor of 3.5 over a horizontal distance of 2 km in the Bay of Fundy (Michaud & Taggart, 2011), and high energy (10–30 kJ/m³) patches ~1km in length and 1–10 m thick can form in similar deep-water foraging habitats of right whales (Davies, Taggart, & Smedbol, 2014); variations in C5 concentration, lipid content and energy density are considerable at horizontal scales of 500 m (Michaud & Taggart, 2011). Further study to map the fine-scale horizontal distribution of copepod layers, and their nutritional value, especially relative to surface-corrected 3-D movements of foraging whales could further elucidate how right whales exploit and detect patches of different energy densities and dimensions.

The bowhead whale is a closely related balaenid species with similar foraging ecology and behaviour to right whales; both target calanoid copepod prey by continuous ram filtration (Laidre, Heide-Jørgensen, & Nielsen, 2007; Pomerleau et al., 2011; Walkusz et al., 2012). Bowhead and right whales share similar morphology (Figures 8 and 9) but differ considerably in the magnitude of their gape area, as well as their baleen areas, widths and lengths for a similar body size (George et al., 2016; Lambertsen et al., 2005; Omura et al., 1969; Werth, 2004; Werth et al., 2018). We have shown that right whales slow to 1.1 (±0.3) m/s during presumed foraging bouts, faster than the estimate by Simon et al. (2009) of 0.7 (±0.1) m/s for foraging bowhead whales. The slow foraging speed of balaenids has been linked to their ram-filtering strategy that incurs high drag, the level of which is a function of the frontal area of the whale, that is its gape and the square of the forward speed. The estimated gape sizes for right whales in this study were 1.1–1.8 m²; a 12-m right whale would have a gape of 1.3 m², compared to the 4.2 m² gape of a 12-m adult bowhead (Simon et al., 2009; Werth, 2004). Due to their smaller gape per body size compared to bowheads (Figure 8b), right whales have a lower frontal area and therefore can forage at higher swimming speeds while likely incurring similar levels of drag and energetic cost as bowheads. Within the tagged right whales in our study, this is illustrated in the inverse relationship between gape and foraging speed (Figure 6 projected on bottom). However, foraging at higher speeds only partially compensates for a smaller gape and still does not achieve the same filtration rate.

Drag increases linearly with area, but with the square of velocity (Vogel, 1994). While the baleen area primarily affects drag forces




FIGURE 8 (a) Filtration rates (dashed lines) and relative mouth friction drag (solid lines, relative to bowhead) across swimming speeds for a 12-m bowhead whale with an estimated gape area of 4.2 m² and two right whales (body lengths 11 and 14 m) with gape areas of 1 and 2 m². Average speeds of filtering bowhead (Simon et al., 2009) and right whales (this study) are marked with arrows. (b) Length-specific filtration rate of bowheads (black triangles; Simon et al., 2009) and right whales (coloured triangles; this study) and length-specific gape of bowhead (blue dot-dash; data from Werth, 2004) and right (blue dash) whales. Error bars are ± 1 SD

and the outflow speed after water is filtered through the baleen (Potvin & Werth, 2017; Werth & Potvin, 2016; Werth et al., 2018), the mouth opening area affects the inflow volume of prey-laden water. The trade-offs in the relationship between mouth friction drag, area and speed have been illustrated by Potvin and Werth (2017); we present the estimated open-mouth friction drag relative to bowhead whales (i.e. scaled by gape area) and put these values in context with their resulting filtration rates (Figure 8a). When foraging at higher speeds, right whales incur similar drag forces to bowhead whales, due to their smaller gape area; however, even at these speeds their filtration rate remains lower. At 1.1 m/s, an 11-m right whale filters at a rate of 1.1 m³/s; a bowhead of the same length with a gape of 4.2 m² filters nearly 3 m³/s of water at its preferred speed (Figure 8). That same right whale, with a gape of 1 m², would achieve

a filtration rate of 3 m³/s only by swimming at 3 m/s, where its drag force would be roughly 4× greater than the bowhead filtering at the same rate swimming at 0.7 m/s. A larger (14 m) right whale with a gape of 2 m² could filter 3 m³/s swimming at 1.5 m/s, but would incur twice the drag cost doing so. While the filtration of ram feeding versus intermittent lunge/suction feeding has been often contrasted in cetaceans (Goldbogen et al., 2016; Werth et al., 2018), there has been little discussion of the drag and size trade-offs in filtration efficiency within balaenids.

With a smaller gape than bowhead whales, and with greater drag-induced costs and pressures, right whales have been predicted to target higher densities of prey when foraging. Prey-field sampling in areas around right whales when foraging or not has suggested density thresholds of 800–1,000 copepods/m³, below which right




FIGURE 9 Comparative morphometrics, swimming speed during filtering, filtration rate, prey concentration and inter-pause interval for four species of large ram filter feeders. The four buccal cavity outlines shown are colour-coded: white represents baleen or gill racks, grey the tongue (mysticetes), and black and dark grey the overall shape of the head

whales will stop feeding (Beardsley et al., 1996; Mayo & Marx, 1990; Murison & Gaskin, 1989). At those thresholds, right whales in this study, which filtered 1.4 m³/s at the bottom of foraging dives, would be concentrating >60,000 copepods per minute in their mouths. In situ measurements of the prey field in the vicinity of whales tagged with time-depth recorders suggest that right whales target prey patches of 10³–10⁵ copepods/m³ (Baumgartner & Mate, 2003). By selectively targeting high-density prey patches, right whales are likely able to obtain sufficient energy to offset their high-drag foraging strategy. There are few estimates of prey densities selected by foraging bowhead whales, especially around tagged individuals. Laidre et al. (2007) report densities of 1 g/m³ in surface waters but do not provide densities at depths where bowhead whales spend the majority of their time feeding (Simon et al., 2009). Such densities appear low; even assuming prey densities around bowhead whales are an order of magnitude higher (10 g/m³), right whale energy acquisition considerably outpaces that of bowheads.

If right whales waited until the end of a dive to process or swallow prey, a massive accumulation of material would occur in the mouth (Werth, 2001; Werth et al., 2018). We estimated that right whales filtered 670 m³ of water per foraging dive (mean body length = 12.1 ± 0.6 m). Even assuming the lowest threshold of copepod density measured in the Bay of Fundy (800 copepods/m³; Murison & Gaskin, 1989), and with a capture efficiency of 95% (Mayo, Letcher, & Scott, 2001), a 12-m right whale would accumulate 5 × 10⁵ copepods in their mouth by the end of a dive (1.7 MJ based on the lower individual energy content of 3.4 J; Michaud & Taggart, 2007). At the highest measured copepod densities of 15,000 copepods/m³ (Baumgartner & Mate, 2003), this would translate to as many as 9 million copepods per dive (18–36 L, 45 MJ based on the upper individual energy content of 5 J; Michaud & Taggart, 2007). Such high maximum feeding rates highlight why right whales may be able to acquire a large proportion of their total annual energy intake in the months when copepods are at their highest energy densities and when and where they maximally aggregate. It also highlights that taking brief pauses from foraging to swallow prey throughout the dive is therefore likely to be necessary.

Simon et al. (2009) reported a characteristic swimming gait in bowhead whales, where periods of high-amplitude and high-frequency (0.12 Hz) fluking were interrupted by consistent pauses, half a fluke stroke in duration, occurring every 2.4 min, or ~480 m³ of water filtered. They suggested these pauses may be related to prey handling and that the consistency of the behaviour may be due to exploitation of continuous prey patches. In balaenids, the prey slurry likely accumulates in the postlingual recess just before the oesophagus, prior to swallowing (Lambertsen et al., 2005). If pauses in fluking are linked to prey processing, and if that processing is linked to accumulated prey mass (i.e. if it is limited by pharynx/oesophagus size, 3–10 cm; Albert, 1981; Lowry & Frost, 1984), then the timing of the pauses should be a function of swimming speed and prey density. We detected similar pauses, ~3 s long, between ~50 s bouts of fluking behaviour. We found that the timing of pauses did not occur at completely fixed time intervals (*SD* 22 s) or after specific volumes of water were filtered (*SD*

30 m³), which is consistent with the alternative hypothesis that the rate of prey acquisition or bolus formation may instead be the driver of these intervals. These pauses lasted less than half a full fluke stroke cycle (~6.25 s) and therefore differ from prolonged glides (>5 s) employed in burst-and-coast swimming (Videler & Weihs, 1982; Weihs, 1974; Williams, 1999). These pauses are also consistent with observations of right whales “nodding” at the surface while skim feeding (Mayo & Marx, 1990). Further, the more frequent timing of these pauses in right whales compared to bowheads is consistent with filtering much more dense concentrations of prey, in concert with the morphological differences described above.

After obtaining prey via an efficient cross-flow filtration system (Potvin & Werth, 2017; Sanderson, Roberts, Lineburg, & Brooks, 2016), accumulated prey must be swallowed; pausing filtration to swallow has been observed in other ram filter feeders ranging in size from basking and whale sharks (Figure 9; Motta et al., 2010; Nelson & Eckert, 2007; Sims, 2000b) to paddlefish (Sanderson, Cech, & Cheer, 1994) and herring, shad, sardines, menhaden and alewife (Sanderson & Wassersug, 1990). Hallacher (1977) and later Sims (2000b) noted pauses in the open-mouth feeding behaviours of basking sharks, with ~3 s interruptions to swallow prey. The rates of prey-handling pauses may therefore be additional density-mediated foraging behaviours (Hallacher, 1977; Runge, Pepin, & Silvert, 1987). The differences in gape areas, body size, filtration rate and prey density between balaenids and large fishes (Figure 9) illustrate how continuous ram filtration in large fishes is much less efficient per unit time, though they often forage on similar prey species. Basking sharks often forage on calanoid copepods, though in different habitats they will forage on larger zooplankton prey (Baduini, 1995; Sims, 2008; Sims & Merrett, 1997). The much longer feeding season and an order of magnitude lower metabolic rate in large ram-filter-feeding fish (Motta et al., 2010; Sims, 2000a; Watanabe, Goldman, Caselle, Chapman, & Papastamatiou, 2015) likely allow for much lower acquisition rates. Additionally, fish are able to forage continuously, as they do not have the same time restriction of returning to the surface to breathe as whales; the oxygen demands of filter-feeding fish are met within the medium and by the same water flow through the gills as is used to filter prey (Sanderson et al., 1994; Sanderson, Cheer, Goodrich, Graziano, & Callan, 2001; Sims, 2008). Still, ram-filter-feeding fish show evidence for threshold feeding behaviours, leaving patches when prey densities are <0.5–0.7 g/m³ (Sims, 1999). Specific models to incorporate metabolic rate and oxygen demand versus drag, speed and filter area of ram-filter-feeding marine animals may elucidate how different species and groups address these trade-offs in morphology, movement and energetics.

Some of the parameters used to estimate filtration rates of swimming animals could incorporate improved measures in future studies. For example, changes in mouth aperture or gape are hard to measure, especially at depth. At the surface, aerial footage from surface-feeding whales may be useful to quantify rates of mouth closure or small changes in gape or mouth position through time, but how these movements translate from surface feeding to depth would be unknown. Use of sensors on tags to measure gape would help refine these estimates (Liebsch, Wilson, Bornemann, Adelung,

& Plötz, 2007; Robson, Thomas, Garcia de Leaniz, & Wilson, 2009). Prey density and energy content are important to inform the optimal filtering speed for trade-offs between energy expenditure and acquisition. Attempts to co-locate zooplankton sampling with time-depth recorders have led to estimates of energy acquisition (Baumgartner & Mate, 2003), but there is always some degree of spatial and temporal decoupling that may lead to substantial errors in these estimates. In situ prey-field measurements from onboard sonar tags would address many of the temporal and spatial decoupling problems between tag data and ship-based echosounders (Goulet et al., 2019; Lawson et al., 2015). These, in concert with the speed estimates and biomechanics, could help elucidate individual foraging decisions, fluking behaviours and how they directly relate to measured prey densities.

Short-duration, minimally invasive acoustic biologging tags provide glimpses into the foraging behaviours of right whales at depth. These technologies can be combined with repeated aerial photogrammetry or photographs over time to estimate changes in body shape and condition (Miller et al., 2011; Nousek-McGregor et al., 2013; Pettis et al., 2004, 2017), as well as over what time periods and in what areas right whales may be obtaining sufficient energy resources. With the recent observed changes in distribution, body condition and prey availability (Angell, Wilson, Moore, & Stegeman, 2004; Davis et al., 2017; Greene et al., 2013; Meyer-Gutbrod & Greene, 2014), it is critical to further understand the energetic trade-offs between filtration and acquisition in right whales. If prey densities or energy content decreases (DFO, 2018), the energy gained per energetic cost incurred will not balance and could result in an energy-deficit and poor body condition (Fortune, Trites, Mayo, Rosen, & Hamilton, 2013). Comparative studies that integrate prey measurements, filtration and biomechanics could further quantify how foraging in different habitats directly contributes to individual health, nutritive status and the fitness necessary for the survival and recovery of the species.

ACKNOWLEDGEMENTS

We acknowledge the field efforts of many over the years to collect these tag data. We thank Mark Johnson for tag and analysis tool development and for providing helpful feedback, including on previous versions of this manuscript. We are grateful for conversations with Alex Werth, Jean Potvin, Marilyn Marx and Michael Moore, as well as very helpful comments from two anonymous reviewers. Carolyn Miller and Wayne Perryman provided head and body width and body length measurements. Funding for tag deployments was provided by the Office of Naval Research N000140410709 and the NOAA Fisheries' North Atlantic Right Whale Grant Program NA04NMF4720405. Tag data were collected in the United States and Canada under NMFS permit #14791. JVDH received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie Individual Fellowship Grant Agreement No. 706867. PLT acknowledges the support of the MASTS pooling initiative (The Marine Alliance for Science and Technology for Scotland) in

the completion of this study. MASTS is funded by the Scottish Funding Council (grant reference HR09011) and contributing institutions. This work is dedicated in memory of Jerry Conway of Canada's DFO and Canadian Whale Institute, who was instrumental in facilitating right whale research in the Bay of Fundy.

AUTHORS' CONTRIBUTIONS

J.M.v.d.H. and P.T.M. conceived the ideas and designed methodology with input from the other authors; D.P.N., S.E.P. and P.L.T. designed the initial experiments; D.P.N. and S.E.P. collected the data; J.M.v.d.H. and A.E.N.-M. analysed the data; J.M.v.d.H. led the writing of the manuscript. All authors contributed critically to the drafts and gave final approval for publication.

DATA ACCESSIBILITY

Code and data associated with the manuscript are available at <https://doi.org/10.5281/zenodo.2660074> (van der Hoop et al., 2019).

ORCID

Julie Marie Hoop  <https://orcid.org/0000-0003-2327-9000>

Anna E. Nousek-McGregor  <https://orcid.org/0000-0001-8910-6490>

Douglas P. Nowacek  <https://orcid.org/0000-0002-8137-1836>

Susan E. Parks  <https://orcid.org/0000-0001-6663-627X>

Peter Tyack  <https://orcid.org/0000-0002-8409-4790>

Peter Teglberg Madsen  <https://orcid.org/0000-0002-5208-5259>

REFERENCES

- Albert, T. (1981). *Listing of collected bowhead whale specimens with observations made during initial examination. Tissue structural studies and other investigations on the biology of endangered whales in the Beaufort Sea* (pp. 845–916). Report to the Bureau of Land Management from the Department of Veterinary Science, University of Maryland, College Park.
- Angell, C. M., Wilson, J. Y., Moore, M. J., & Stegeman, J. J. (2004). Cytochrome P450 1A1 expression in cetacean integument: Implications for detecting contaminant exposure and effects. *Marine Mammal Science*, 20, 554–566. <https://doi.org/10.1111/j.1748-7692.2004.tb01179.x>
- Baduini, C. L. (1995). *Feeding ecology of the basking shark (Cetorhinus maximus) relative to distribution and abundances of prey*. M.Sc. Thesis, San Jose State University.
- Baumgartner, M. F., & Mate, B. R. (2003). Summertime foraging ecology of North Atlantic right whales. *Marine Ecology Progress Series*, 264, 123–135. <https://doi.org/10.3354/meps264123>
- Baumgartner, M. F., Wenzel, F. W., Lysiak, N. S. J., & Patrician, M. R. (2017). North Atlantic right whale foraging ecology and its role in human-caused mortality. *Marine Ecology Progress Series*, 581, 165–181. <https://doi.org/10.3354/meps12315>
- Beardsley, R. C., Epstein, A. W., Chen, C., Wishner, K. F., Macaulay, M. C., & Kenney, R. D. (1996). Spatial variability in zooplankton abundance near feeding right whales in the Great South Channel. *Deep Sea Research Part II: Topical Studies in Oceanography*, 43, 1601–1625. [https://doi.org/10.1016/S0967-0645\(96\)00050-1](https://doi.org/10.1016/S0967-0645(96)00050-1)

- Best, P., & Schell, D. M. (1996). Stable isotopes in southern right whale (*Eubalaena australis*) baleen as indicators of seasonal movements, feeding and growth. *Marine Biology*, 124, 483–494. <https://doi.org/10.1007/BF00351030>
- Blackwell, S. B., Haverl, C. A., Le Boeuf, B. J., & Costa, D. P. (1999). A method for calibrating swim-speed recorders. *Marine Mammal Science*, 15, 894–905. <https://doi.org/10.1111/j.1748-7692.1999.tb00856.x>
- Brown, M. W., Fenton, D., Smedbol, K., Merriman, C., Robichaud-Leblanc, K., & Conway, J. D. (2009). Recovery strategy for the North Atlantic right whale (*Eubalaena glacialis*) in Atlantic Canadian waters [Final]. *Fisheries and Oceans Canada*, vi+66 pp.
- Burgess, W. C., Tyack, P. L., Le Boeuf, B. J., & Costa, D. P. (1998). A programmable acoustic recording tag and first results from free-ranging northern elephant seals. *Deep-Sea Research II*, 45, 1327–1351. [https://doi.org/10.1016/S0967-0645\(98\)00032-0](https://doi.org/10.1016/S0967-0645(98)00032-0)
- Cade, D. E., Barr, K. R., Calambokidis, J., Friedlaender, A. S., & Goldbogen, J. A. (2018). Determining forward speed from accelerometer jiggle in aquatic environments. *Journal of Experimental Biology*, 221, 1–7. <https://doi.org/10.1242/jeb.170449>
- Christiansen, F., Vivier, F., Charlton, C., Ward, R., Amerson, A., Burnell, S., & Bejder, L. (2018). Maternal body size and condition determine calf growth rates in southern right whales. *Marine Ecology Progress Series*, 592, 267–281. <https://doi.org/10.3354/meps12522>
- Davies, K. T. A., Brown, M. W., Hamilton, P. K., Knowlton, A. R., Taggart, C. T., & Vanderlaan, A. S. M. (2019). Variation in North Atlantic right whale *Eubalaena glacialis* occurrence in the Bay of Fundy, Canada, over three decades. *Endangered Species Research*. <https://doi.org/10.3354/esr00951>
- Davies, K. T. A., Taggart, C. T., & Smedbol, R. K. (2014). Water mass structure defines the diapausing copepod distribution in a right whale habitat on the Scotian Shelf. *Marine Ecology Progress Series*, 497, 69–85. <https://doi.org/10.3354/meps10584>
- Davies, K. T. A., Vanderlaan, A. S. M., Smedbol, R. K., & Taggart, C. T. (2015). Oceanographic connectivity between right whale critical habitats in Canada and its influence on whale abundance indices during 1987–2009. *Journal of Marine Systems*, 150, 80–90. <https://doi.org/10.1016/j.jmarsys.2015.05.005>
- Davis, G. E., Baumgartner, M. F., Bonnell, J. M., Bell, J., Berchok, C., Bort Thornton, J., ... Van Parijs, S. M. (2017). Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports*, 7, 13460. <https://doi.org/10.1038/s41598-017-13359-3>
- DFO (2018) *Oceanographic Conditions in the Atlantic Zone in 2017*. DFO Canadian Science Advisory Secretary Science Advisory Report 2018/039, 29 pp.
- Finger, R. A., Abbagnaro, L. A., & Bauer, B. B. (1979). Measurements of low-velocity flow noise on pressure and pressure gradient hydrophones. *The Journal of the Acoustical Society of America*, 65, 1407–1412. <https://doi.org/10.1121/1.382927>
- Fortune, S. M. E., Trites, A. W., Mayo, C. A., Rosen, D. A. S., & Hamilton, P. K. (2013). Energetic requirements of North Atlantic right whales and the implications for species recovery. *Marine Ecology Progress Series*, 478, 253–272. <https://doi.org/10.3354/meps10000>
- Gabalton, J., Turner, E. L., Johnson-Roberson, M., Barton, K., Johnson, M., Anderson, E. J., & Shorter, K. A. (2019) Design, calibration, and experimental verification of an integrated speed sensor for swimming animals. Submitted.
- George, J. C., Stimmelmayer, R., Suydam, R., Usip, S., Givens, G., Sformo, T., & Thewissen, J. G. (2016). Severe bone loss as part of the life history strategy of bowhead whales. *PLoS ONE*, 11, e0156753. <https://doi.org/10.1371/journal.pone.0156753>
- Goldbogen, J. A., Cade, D., Calambokidis, J., Friedlaender, A. S., Potvin, J., Segre, P. S., & Werth, A. J. (2016). How baleen whales feed: The biomechanics of engulfment and filtration. *Annual Review of Marine Science*, 9, 11.11–11.20.
- Goldbogen, J. A., Calambokidis, J., Croll, D. A., Harvey, J. T., Newton, K. M., Oleson, E. M., ... Shadwick, R. E. (2008). Foraging behavior of humpback whales: Kinematic and respiratory patterns suggest a high cost for a lunge. *Journal of Experimental Biology*, 211, 3712–3719. <https://doi.org/10.1242/jeb.023366>
- Goldbogen, J. A., Calambokidis, J., Shadwick, R. E., Oleson, E. M., McDonald, M. A., & Hildebrand, J. A. (2006). Kinematics of foraging dives and lunge-feeding in fin whales. *Journal of Experimental Biology*, 209, 1231. <https://doi.org/10.1242/jeb.02135>
- Goulet, P., Guinet, C., Swift, R., Madsen, P. T., & Johnson, M. (2019). A miniature biomimetic sonar and movement tag to study biotic environment and predator-prey interactions in aquatic animals. *Deep Sea Research I*. <https://doi.org/10.1016/j.dsr.2019.04.007>
- Greene, C. H., Meyer-Gutbrod, E., Monger, B. C., McGarry, L. P., Pershing, A. J., Belkin, I. M., ... Conversi, A. (2013). Remote climate forcing of decadal-scale regime shifts in Northwest Atlantic shelf ecosystems. *Limnology and Oceanography*, 58, 803–816. <https://doi.org/10.4319/lo.2013.58.3.0803>
- Hallacher, L. E. (1977). On the feeding behavior of the Basking shark, *Cetorhinus maximus*. *Environmental Biology of Fishes*, 2, 297–298. <https://doi.org/10.1007/BF00005996>
- Harcourt, R., van der Hoop, J., Kraus, S., & Carroll, E. L. (2019). Future Directions in *Eubalaena* spp.: Comparative Research to Inform Conservation. *Frontiers in Marine Science*, 5, 1–25. <https://doi.org/10.3389/fmars.2018.00530>
- Hazen, E. L., Friedlaender, A. S., & Goldbogen, J. A. (2015). Blue whales (*Balaenoptera musculus*) optimize foraging efficiency by balancing oxygen use and energy gain as a function of prey density. *Science Advances*, 1, e1500469.
- Hlista, B. L., Sosik, H. M., Martin Traykovski, L. V., Kenney, R. D., & Moore, M. J. (2009). Seasonal and interannual correlations between right-whale distribution and calving success and chlorophyll concentrations in the Gulf of Maine, USA. *Marine Ecology Progress Series*, 394, 289–302. <https://doi.org/10.3354/meps08267>
- Horning, M. (2012). Constraint lines and performance envelopes in behavioral physiology: the case of the aerobic dive limit. *Frontiers in Physiology*, 3, 1–9. <https://doi.org/10.3389/fphys.2012.00381>
- Johnson, M. (2015). *DTAG Toolbox for MATLAB*.
- Johnson, M., & Tyack, P. (2003). A digital acoustic recording tag for measuring the response of wild marine mammals to sound. *IEEE Journal of Oceanic Engineering*, 28, 3–12. <https://doi.org/10.1109/JOE.2002.808212>
- Kenney, R. D., Hyman, M. A. M., Owen, R. E., Scott, G. P., & Winn, H. E. (1986). Estimation of prey densities required by western North Atlantic right whales. *Marine Mammal Science*, 2, 1–13. <https://doi.org/10.1111/j.1748-7692.1986.tb00024.x>
- Kenney, R. D., Mayo, C. A., & Winn, H. E. (2001). Migration and foraging strategies at varying spatial scales in western North Atlantic right whales: A review of hypotheses. *Journal of Cetacean Research and Management*, 2(Special Issue), 251–260.
- Klumov, S. (1962). The right whales in the Pacific Ocean. *Biological Marine Studies*, 58, 202–297.
- Laidre, K. L., Heide-Jørgensen, M. P., & Nielsen, T. G. (2007). Role of the bowhead whale as a predator in West Greenland. *Marine Ecology Progress Series*, 346, 285–297. <https://doi.org/10.3354/meps06995>
- Lambertsen, R. H., Rasmussen, K. J., Lancaster, W. C., & Hintz, R. J. (2005). Functional morphology of the mouth of the bowhead whale and its implications for conservation. *Journal of Mammalogy*, 86, 342–352. <https://doi.org/10.1644/BER-123.1>
- Lawson, G. L., Hückstädt, L. A., Lavery, A. C., Jaffré, F. M., Wiebe, P. H., Fincke, J. R., ... Costa, D. P. (2015). Development of an animal-borne “sonar tag” for quantifying prey availability: Test deployments

- on northern elephant seals. *Animal Biotelemetry*, 3, 22. <https://doi.org/10.1186/s40317-015-0054-7>
- Liebsch, N., Wilson, R. P., Bornemann, H., Adelung, D., & Plötz, J. (2007). Mouthing off about fish capture: Jaw movement in pinnipeds reveals the real secrets of ingestion. *Deep Sea Research Part II: Topical Studies in Oceanography*, 54, 256–269. <https://doi.org/10.1016/j.dsr2.2006.11.014>
- Liu, Y., Battaile, B. C., Trites, A. W., & Zidek, J. V. (2015). Bias correction and uncertainty characterization of dead-reckoned paths of marine mammals. *Animal Biotelemetry*, 3, 51. <https://doi.org/10.1186/s40317-015-0080-5>
- Lowry, L., & Frost, K. (1984). Foods and feeding of bowhead whales in western and northern Alaska. *Scientific Reports of the Whales Research Institute*, 35, 1–16.
- Matthews, L. H. (1938). Notes on the southern right whale, *Eubalaena australis*. *Discovery Reports*, 17, 169–182.
- Mayo, C., & Goldman, L. (1992). Right whale foraging and the plankton resources in Cape Cod and Massachusetts Bays. In J. Hain (Ed.), *The right whale in the western North Atlantic: a science and management workshop* (pp. 43–44). Woods Hole, MA: NOAA Northeast Fisheries Science Center.
- Mayo, C. A., Letcher, B. H., & Scott, S. (2001). Zooplankton filtering efficiency of the baleen of a North Atlantic right whale, *Eubalaena glacialis*. *Journal of Cetacean Research and Management*, 2, 225–229.
- Mayo, C. A., & Marx, M. K. (1990). Surface foraging behaviour of the North Atlantic right whale, *Eubalaena glacialis*, and associated zooplankton characteristics. *Canadian Journal of Zoology*, 68, 2214–2220.
- Meyer-Gutbrod, E., & Greene, C. (2014). Regime shifts drive decadal-scale variability in recovery of north atlantic right whale population. *Oceanography*, 27(3), 148–153. <https://doi.org/10.5670/oceanog.2014.64>
- Michaud, J., & Taggart, C. T. (2007). Lipid and gross energy content of North Atlantic right whale food, *Calanus finmarchicus*, in the Bay of Fundy. *Endangered Species Research*, 3, 77–94. <https://doi.org/10.3354/esr003077>
- Michaud, J., & Taggart, C. T. (2011). Spatial variation in right whale food, *Calanus finmarchicus*, in the Bay of Fundy. *Endangered Species Research*, 15, 179–194. <https://doi.org/10.3354/esr00370>
- Miller, C. A. (2005). *Body fat condition of free-ranging right whales, Eubalaena glacialis and Eubalaena australis*. PhD, Boston University.
- Miller, C. A., Best, P. B., Perryman, W. L., Baumgartner, M. F., & Moore, M. J. (2012). Body shape changes associated with reproductive status, nutritive condition and growth in right whales *Eubalaena glacialis* and *E. australis*. *Marine Ecology Progress Series*, 459, 135–156. <https://doi.org/10.3354/meps09675>
- Miller, C. A., Reeb, D., Best, P. B., Knowlton, A. R., Brown, M. W., & Moore, M. J. (2011). Blubber thickness in right whales *Eubalaena glacialis* and *Eubalaena australis* related with reproduction, life history status and prey abundance. *Marine Ecology Progress Series*, 438, 267–283. <https://doi.org/10.3354/meps09174>
- Miller, P. J. O., Johnson, M., Tyack, P., & Terray, E. A. (2004). Swimming gaits, passive drag and buoyancy of diving sperm whales *Physeter macrocephalus*. *Journal of Experimental Biology*, 207, 1953–1967. <https://doi.org/10.1242/jeb.00993>
- Moore, M. J., Knowlton, A. R., Kraus, S. D., McLellan, W. A., & Bonde, R. K. (2004). Morphometry, gross morphology and available histopathology in North Atlantic right whale (*Eubalaena glacialis*) mortalities (1970–2002). *Journal of Cetacean Research and Management*, 6, 199–214.
- Motta, P. J., Maslanka, M., Hueter, R. E., Davis, R. L., de la Parra, R., Mulvany, S. L., ... Zeigler, L. D. (2010). Feeding anatomy, filter-feeding rate, and diet of whale sharks *Rhincodon typus* during surface ram filter feeding off the Yucatan Peninsula, Mexico. *Zoology*, 113, 199–212. <https://doi.org/10.1016/j.zool.2009.12.001>
- Murison, L., & Gaskin, D. E. (1989). The distribution of right whales and zooplankton in the Bay of Fundy, Canada. *Canadian Journal of Zoology*, 67, 1411–1420. <https://doi.org/10.1139/z89-200>
- NARWC (2006). *North Atlantic right whale consortium database*. Boston, MA: New England Aquarium.
- Nelson, J. D., & Eckert, S. A. (2007). Foraging ecology of whale sharks (*Rhincodon typus*) within Bahía de Los Angeles, Baja California Norte, México. *Fisheries Research*, 84, 47–64. <https://doi.org/10.1016/j.fishres.2006.11.013>
- Nousek-McGregor, A. E. N. (2010) *The cost of locomotion in North Atlantic right whales Eubalaena glacialis*. PhD Thesis, Duke University, Durham, North Carolina, USA.
- Nousek-McGregor, A. E., Miller, C. A., Moore, M. J., & Nowacek, D. P. (2013). Effects of body condition on buoyancy in endangered North Atlantic right whales. *Physiological and Biochemical Zoology*, 87, 160–171. <https://doi.org/10.1086/671811>
- Nowacek, D. P., Johnson, M. P., & Tyack, P. L. (2004) North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London. Series B, Biological Sciences*, 271, 227–231.
- Nowacek, D. P., Johnson, M. P., Tyack, P. L., Shorter, K. A., McLellan, W. A., & Pabst, D. A. (2001). Buoyant balaenids: The ups and downs of buoyancy in right whales. *Proceedings of the Royal Society B-Biological Sciences*, 268, 1811–1816. <https://doi.org/10.1098/rspb.2001.1730>
- Omura, H. (1958). North Pacific right whale. *Scientific Reports of the Whales Research Institute*, 13, 1–52.
- Omura, H., Ohsumi, S., Nemoto, T., Nasu, K., & Kasuya, T. (1969). Black right whales in the North Pacific. *Scientific Reports of the Whales Research Institute*, 21, 1–66.
- Parks, S. E., Searby, A., Célrier, A., Johnson, M. P., Nowacek, D. P., & Tyack, P. L. (2011). Sound production behavior of individual North Atlantic right whales: Implications for passive acoustic monitoring. *Endangered Species Research*, 15, 63–76. <https://doi.org/10.3354/esr00368>
- Parks, S. E., Warren, J. D., Stamieszkin, K., Mayo, C. A., & Wiley, D. (2012). Dangerous dining: Surface foraging of North Atlantic right whales increases risk of vessel collisions. *Biology Letters*, 8, 57–60. <https://doi.org/10.1098/rsbl.2011.0578>
- Patrician, M. R., & Kenney, R. D. (2010). Using the Continuous Plankton Recorder to investigate the absence of North Atlantic right whales (*Eubalaena glacialis*) from the Roseway Basin foraging ground. *Journal of Plankton Research*, 32, 1685–1695. <https://doi.org/10.1093/plankt/fbq073>
- Pettis, H. M., Rolland, R. M., Hamilton, P. K., Brault, S., Knowlton, A. R., & Kraus, S. D. (2004). Visual health assessment of North Atlantic right whales (*Eubalaena glacialis*) using photographs. *Canadian Journal of Zoology*, 82, 8–19.
- Pettis, H. M., Rolland, R. M., Hamilton, P. K., Knowlton, A. R., Burgess, E. A., & Kraus, S. D. (2017). Body condition changes arising from natural factors and fishing gear entanglements in North Atlantic right whales *Eubalaena glacialis*. *Endangered Species Research*, 32, 237–249. <https://doi.org/10.3354/esr00800>
- Pomerleau, C., Patterson, T. A., Luque, S., Lesage, V., Heide-Jørgensen, M. P., Dueck, L. L., & Ferguson, S. H. (2011). Bowhead whale *Balaena mysticetus* diving and movement patterns in the eastern Canadian Arctic: Implications for foraging ecology. *Endangered Species Research*, 15, 167–177. <https://doi.org/10.3354/esr00373>
- Potvin, J., & Werth, A. J. (2017). Oral cavity hydrodynamics and drag production in Balaenid whale suspension feeding. *PLoS ONE*, 12, e0175220. <https://doi.org/10.1371/journal.pone.0175220>
- Robson, A., Thomas, G. R., Garcia de Leaniz, C., & Wilson, R. P. (2009). Valve gape and exhalant pumping in bivalves: Optimization of measurement. *Aquatic Biology*, 6, 191–200. <https://doi.org/10.3354/ab00128>

- Rolland, R. M., Schick, R. S., Pettis, H. M., Knowlton, A. R., Hamilton, P. K., Clark, J. S., & Kraus, S. D. (2016). Health of North Atlantic right whales *Eubalaena glacialis* over three decades: From individual health to demographic and population health trends. *Marine Ecology Progress Series*, 542, 265–282. <https://doi.org/10.3354/meps11547>
- Runge, J., Pepin, P., & Silvert, W. (1987). Feeding behavior of the Atlantic mackerel *Scomber scombrus* on the hydromedusa *Aglantha digitale*. *Marine Biology*, 94, 329–333. <https://doi.org/10.1007/BF00428238>
- Sanderson, S. L., Cech, S., & Cheer, A. (1994). Paddlefish buccal flow velocity during ram suspension feeding and ram ventilation. *Journal of Experimental Biology*, 186, 145–156.
- Sanderson, S. L., Cheer, A. Y., Goodrich, J. S., Graziano, J. D., & Callan, W. T. (2001). Crossflow filtration in suspension-feeding fishes. *Nature*, 412, 439–441. <https://doi.org/10.1038/35086574>
- Sanderson, S. L., Roberts, E., Lineburg, J., & Brooks, H. (2016). Fish mouths as engineering structures for vortical cross-step filtration. *Nature Communications*, 7, 11092. <https://doi.org/10.1038/ncomms11092>
- Sanderson, S. L., & Wassersug, R. (1990). Suspension-feeding vertebrates. *Scientific American*, 262, 96–102. <https://doi.org/10.1038/scientificamerican0390-96>
- Sanderson, S. L., & Wassersug, R. (1993). Convergent and alternative designs for vertebrate suspension feeding. *The Skull*, 3, 37–112.
- Sato, K., Mitani, Y., Cameron, M. F., Siniff, D. B., & Naito, Y. (2003). Factors affecting stroking patterns and body angle in diving Weddell seals under natural conditions. *Journal of Experimental Biology*, 206, 1461–1470. <https://doi.org/10.1242/jeb.00265>
- Schmidt, V. E., Weber, T. C., Ware, C., Arsenault, R., Wiley, D., Johnson, M. P., ... Friedlaender, A. S. (2007). Whale tracking underwater: High frequency acoustic pingers and the instrumented tag (DTAG). *The Journal of the Acoustical Society of America*, 122, 3003–3003. <https://doi.org/10.1121/1.2942721>
- Shiomi, K., Narazaki, T., Sato, K., Shimatani, K., Arai, N., Ponganis, P. J., & Miyazaki, N. (2010). Data-processing artefacts in three-dimensional dive path reconstruction from geomagnetic and acceleration data. *Aquatic Biology*, 8, 299–304. <https://doi.org/10.3354/ab00239>
- Simon, M., Johnson, M., & Madsen, P. T. (2012). Keeping momentum with a mouthful of water: Behavior and kinematics of humpback whale lunge feeding. *Journal of Experimental Biology*, 215, 3786–3798. <https://doi.org/10.1242/jeb.071092>
- Simon, M., Johnson, M., Tyack, P., & Madsen, P. T. (2009). Behaviour and kinematics of continuous ram filtration in bowhead whales (*Balaena mysticetus*). *Proceedings of the Royal Society of London. Series B, Biological Sciences*, 276, 3819–3828.
- Sims, D. W. (1999). Threshold foraging behaviour of basking sharks on zooplankton: life on an energetic knife-edge? *Proceedings of the Royal Society B-Biological Sciences*, 266, 1437–1443.
- Sims, D. W. (2000a). Can threshold foraging responses of basking sharks be used to estimate their metabolic rate? *Marine Ecology Progress Series*, 200, 289–296. <https://doi.org/10.3354/meps200289>
- Sims, D. W. (2000b). Filter-feeding and cruising swimming speeds of basking sharks compared with optimal models: They filter-feed slower than predicted for their size. *Journal of Experimental Marine Biology and Ecology*, 249, 65–76. [https://doi.org/10.1016/S0022-0981\(00\)00183-0](https://doi.org/10.1016/S0022-0981(00)00183-0)
- Sims, D. W. (2008). Sieving a living: A review of the biology, ecology and conservation status of the plankton-feeding basking shark *Cetorhinus maximus*. *Advances in Marine Biology*, 54, 171–220.
- Sims, D., & Merrett, D. (1997). Determination of zooplankton characteristics in the presence of surface feeding basking sharks *Cetorhinus maximus*. *Marine Ecology Progress Series*, 158, 297–302. <https://doi.org/10.3354/meps158297>
- Stephens, D. W. (2008). Decision ecology: Foraging and the ecology of animal decision making. *Cognitive, Affective, & Behavioral Neuroscience*, 8, 475–484. <https://doi.org/10.3758/CABN.8.4.475>
- Thompson, D., & Fedak, M. A. (2001). How long should a dive last? A simple model of foraging decisions by breath-hold divers in a patchy environment. *Animal Behaviour*, 61, 287–296. <https://doi.org/10.1006/anbe.2000.1539>
- van der Hoop, J., Corkeron, P., & Moore, M. (2016). Entanglement is a costly life-history stage in large whales. *Ecology and Evolution*, 7, 92–106. <https://doi.org/10.1002/ece3.2615>
- van der Hoop, J. M., Nowacek, D. P., Moore, M. J., & Triantafyllou, M. S. (2017). Swimming kinematics and efficiency of entangled North Atlantic right whales. *Endangered Species Research*, 32, 1–17. <https://doi.org/10.3354/esr00781>
- van der Hoop, J. M., Nousek-McGregor, A. E., Nowacek, D. P., Parks, S. E., Tyack, P., & Madsen, P. T. (2019). Foraging rates of ram-filtering North Atlantic right whales. *Zenodo*, <https://doi.org/10.5281/zenodo.2660074>.
- Videler, J. J., & Weihs, D. (1982). Energetic advantages of burst-and-coast swimming of fish at high speeds. *Journal of Experimental Biology*, 97, 169–178.
- Vogel, S. (1994). *Life in moving fluids: The physical biology of flow* (2nd ed.). Princeton, NJ: Princeton University Press.
- von Benda-Beckmann, A. M., Wensveen, P. J., Samarra, F. I., Beerens, S. P., & Miller, P. J. (2016). Separating underwater ambient noise from flow noise recorded on stereo acoustic tags attached to marine mammals. *Journal of Experimental Biology*, 219, 2774.
- Walkusz, W., Williams, W. J., Harwood, L. A., Moore, S. E., Stewart, B. E., & Kwasniewski, S. (2012). Composition, biomass and energetic content of biota in the vicinity of feeding bowhead whales (*Balaena mysticetus*) in the Cape Bathurst upwelling region (south eastern Beaufort Sea). *Deep Sea Research Part I: Oceanographic Research Papers*, 69, 25–35. <https://doi.org/10.1016/j.dsr.2012.05.016>
- Watanabe, Y. Y., Goldman, K. J., Caselle, J. E., Chapman, D. D., & Papastamatiou, Y. P. (2015). Comparative analyses of animal-tracking data reveal ecological significance of endothermy in fishes. *Proceedings of the National Academy of Sciences*, 112, 6104–6109. <https://doi.org/10.1073/pnas.1500316112>
- Watanabe, Y. Y., Lydersen, C., Fisk, A. T., & Kovacs, K. M. (2012). The slowest fish: Swim speed and tail-beat frequency of Greenland sharks. *Journal of Experimental Marine Biology and Ecology*, 426–427, 5–11. <https://doi.org/10.1016/j.jembe.2012.04.021>
- Watkins, W. A., & Schevill, W. E. (1976). Right whale feeding and baleen rattle. *Journal of Mammalogy*, 57, 58–66. <https://doi.org/10.2307/1379512>
- Watkins, W. A., & Schevill, W. E. (1979). Aerial observation of feeding behavior in four baleen whales: *Eubalaena glacialis*, *Balaenoptera borealis*, *Megaptera novaeangliae*, and *Balaenoptera physalus*. *Journal of Mammalogy*, 60, 155–163. <https://doi.org/10.2307/1379766>
- Weihs, D. (1974). Energetic advantages of burst swimming of fish. *Journal of Theoretical Biology*, 48, 215–229. [https://doi.org/10.1016/0022-5193\(74\)90192-1](https://doi.org/10.1016/0022-5193(74)90192-1)
- Werth, A. J. (2001). How do mysticetes remove prey trapped in baleen? *Bulletin of the Museum of Comparative Zoology*, 156, 189–203.
- Werth, A. J. (2004). Models of hydrodynamic flow in the bowhead whale filter feeding apparatus. *Journal of Experimental Biology*, 207, 3569–3580. <https://doi.org/10.1242/jeb.01202>
- Werth, A. J., & Potvin, J. (2016). Baleen Hydrodynamics and Morphology of Cross-Flow Filtration in Baleenid Whale Suspension Feeding. *PLoS ONE*, 11, e0150106. <https://doi.org/10.1371/journal.pone.0150106>
- Werth, A. J., Potvin, J., Shadwick, R. E., Jensen, M. M., Cade, D. E., & Goldbogen, J. A. (2018). Filtration area scaling and evolution in mysticetes: Trophic niche partitioning and the curious cases of sei and pygmy right whales. *Biological Journal of the Linnean Society*, 125, 264–279. <https://doi.org/10.1093/biolinnean/bly121>
- Williams, T. M. (1999). The evolution of cost efficient swimming in marine mammals: Limits to energetic optimization. *Philosophical Transactions*

of the Royal Society of London. *Series B: Biological Sciences*, 354, 193–201.

Wilson, R. P., Liebsch, N., Davies, I. M., Quintana, F., Weimerskirch, H., Storch, S., ... McMahon, C. R. (2007). All at sea with animal tracks; methodological and analytical solutions for the resolution of movement. *Deep Sea Research Part II: Topical Studies in Oceanography*, 54, 193–210. <https://doi.org/10.1016/j.dsr2.2006.11.017>

Woodward, B. L. (2006). *Locomotory strategies, dive dynamics, and functional morphology of the mysticetes: Using morphometrics, osteology, and Dtag data to compare swim performance in four species of baleen whales*. PhD Thesis, University of Maine.

SUPPORTING INFORMATION

Additional supporting information may be found online in the Supporting Information section at the end of the article.

How to cite this article: van der Hoop JM, Nousek-McGregor AE, Nowacek DP, Parks SE, Tyack P, Madsen PT. Foraging rates of ram-filtering North Atlantic right whales. *Funct Ecol*. 2019;33:1290–1306. <https://doi.org/10.1111/1365-2435.13357>


Manipulative Trapping Experiments In The Monhegan Island Lobster Conservation Area



NEC Award #05-949

Period of Performance: August 1, 2004 through June 30, 2008

Submission Date: January 2010



Carl Wilson
Maine Department of Marine Resources
West Boothbay Harbor, ME 04575
207-633-9538
207-633-9579 (fax)
Carl.Wilson@maine.gov

Abstract

Two manipulative trapping experiments were conducted within the Monhegan Island Lobster Conservation Area (MILCA) during September through October 2005 and August through September 2007. In addition the MILCA fishery was evaluated with respect to annual catch, trap hauls, maximum trap limits and season length through daily harvester logbooks. The objectives of the trapping studies were to test the impact of trap density on catch rates and the cumulative catch, and to determine the relationship between soak time and catch rates. In 2005, catch rates for medium (167 km⁻²) and low (50 km⁻²) trap density areas always exceeded those of high (500 km⁻²) trap density areas. Catch rates for all areas paralleled an increase in lobster abundance, determined by independent video monitoring, over the course of the study. The cumulative catch found in high trap density areas was 16 and 68% higher than medium and low density areas respectively. However, soak times in medium trap density areas could have been decreased to compensate for losses in total catch. Migration within the MILCA, as measured by recapture rates in trapping areas, suggest that in excess of 90% of lobsters moved out of the areas within eight days after initial capture. In 2007, the impact of soak time on catch was non-linear and indicates that a maximum catch for traps with reduced competition from other traps is 4.2 times higher than is observed in the surrounding Maine lobster fishery. The extension of the MILCA season by two months and reduction of the maximum trap limit from 600 to 300 traps following the 2006/2007 season resulted in a median 72 and 67% increase in landings for MILCA participants in the two seasons following the change. These studies suggest the current Maine lobster fishery could reduce traps with little impact on total catch, but the level and spatial extent of any reduction would need to be matched to the annual movements of the lobster resource and fishery.

Introduction

All three American lobster stocks in the United States are acknowledged to be heavily exploited. Yet, the assessment of the US lobster resource provides a mixed picture relative to stock status. The Southern New England stock is considered to be depleted with fishing mortality estimates above and abundance below the 1982 to 2003 median). The Gulf of Maine (GOM) and Georges Bank (GBK) stocks continue to benefit from favorable recruitment with resulting fishing mortality levels below and the abundance levels above median 1982 to 2003 levels (ASMFC 2009). This contrasting stock status serves as an opportunity to understand the mechanisms driving the trajectory of stock abundance and potential measures to improve unfavorable conditions.

While managers and fishermen have little influence on environmental conditions that may contribute to stock increases or decreases, steps have been taken manage aspects of the fishery in their control. Within the last ten years, the Atlantic States Marine Fisheries Commission (ASMFC) working with Lobster

Conservation Management Teams (LCMTs) as directed to develop plans designed to control or reduce fishing mortality. Each management area has taken steps to reduce traps in the fishery by implementing trap limits or establishing historical participation levels. Over 10,000 fishermen have been affected by these reductions directly or indirectly in the expectation of increased biological benefit. Unfortunately, the relationship between the number of traps and the associated fishing mortality rate is poorly understood, raising questions about the effectiveness of limiting traps to control fishing mortality.

Understanding how traps influence fishing effort is fundamental to our understanding of the assessment and management of the lobster resource in the Northwest Atlantic. The performance and selectivity of traps can be influenced by the availability of lobsters, inter and intra-specific interactions, bait efficiency and gear selectivity (Miller 1990, Krouse 1989). To date attempts to model the interaction of traps, fishing effort and fishing mortality have been limited and have offered little guidance to managers (Russell 1994). By conducting controlled fishing experiments, the effects of many of the above mentioned variables can be separately identified, possibly resulting in clearer understanding of how traps influence fishing effort, exploitation and finally fishing mortality.

Many studies have looked at the complexity of interactions with baited traps in the lobster fishery. In reviews by Krouse (1989) and Miller (1990) several factors were identified as contributing to the potential efficiency of traps, such as the quantity of bait used, bottom sea water temperatures, physical and biological characteristics of the bottom, inter and intra trap saturation effects, trap entrance and exit selectivity, and variable fishing strategies. All these factors make defining fishing effort in the lobster fishery difficult.

All lobster stocks in the Northwest Atlantic show signs of stress from fishing effort. Measures of the effect of fishing effort on the population and fishery include a reduced mean size, biased sex ratios, reduced reproductive potential and loss of revenue to the fleet (ASMFC 2009, Skud 1974, Krouse 1989, Rothschild 1972).

Fishing mortality and exploitation rates can be measured from fishery dependent and independent sources. Assessment techniques include tag recapture experiments (Ricker, 1975), Length cohort analysis and catch-effort methods (Estrella and Cadrin 1996) and survey based estimates (ASMFC 2000). In recent years change-in-ratio (CIR) methods have been successfully used in the Tasmanian rock lobster fishery (Frusher et al. 1997), similar approaches have been introduced for the Gulf of St. Lawrence (Comeau and Mallet 2001) and Nova Scotia (Clayton and Allard 2003).

Ultimately the number of traps do relate to fishing mortality. However, because the lobster fishery has the ability to compensate for reductions in traps by

increasing efficiency, the relationship between trap number and effective fishing effort is likely to be highly nonlinear (Russell 1994). Reductions in effort (traps) to decrease fishing mortality have been questioned by industry and have not been successful in practice.

Project Objectives and Scientific Hypothesis

Objectives

- Identify eight suitable 0.9 km² areas of equivalent depth and bottom characteristics within the Monhegan Island Lobster Conservation Area (MILCA).
- Deploy traps in areas covering three experimental trap densities that are representative of the variation along the coast of Maine.
- Conduct trapping experiments over a two-month period standardizing for soak time, bait and gear.
- Record catch composition (legal, sublegal, V-notch and egg bearing) for each trap hauled using electronic logbooks and on-board observers.
- Tag each lobster with batch tags unique to each trapping day.
- Record the location, incidence, size and biological status of recaptured lobsters over the study period.
- Determine habitat specific lobster density before, during and after the study period using remote video cameras.
- Monitoring the MILCA fishing season
- Record daily catch statistics during the MILCA fishing season (traps hauled, average depth fished, average location, bait used, soak time)
- Investigate the impact on catch with variable soak (2005, 2007)

Hypothesis

- Catch rates of lobsters are influenced by trap density
- Cumulative impacts on local population structure (fishing “mortality”, density, size composition, sex ratio) vary by trap density and trapping duration.
- Catch rates are not influenced by soak time.
- Using the continuous change in ratio (CIR) method advanced by Claytor and Allard (2003) determine the trajectory of daily exploitation of MILCA fishing season relative to changes in catch and catch rates over the course of the season.

Participants

Project Leader

Carl Wilson
Maine Department of Marine
Resources
PO Box 8
West Boothbay Harbor, ME 04575
207-633-9538
207-633-9579 (fax)
Carl.Wilson@maine.gov

Yong Chen, Ph.D.
University of Maine
School of Marine Sciences
Orono, ME 04469
207-581-4303
YCHEN@maine.edu

Richard A. Wahle, Ph.D.
Bigelow Laboratory for Ocean
Sciences
McKown Point Rd
West Boothbay Harbor, Maine 04575
207 633 9659
rwahle@bigelow.org

Michael C Bell, Ph.D.
The Centre for Environment,
Fisheries and Aquaculture Science
Lowestoft Laboratory
Pakefield Road
Lowestoft Suffolk
NR33 0HT, UK
+44 (0)1502 524320
m.c.bell@cefasc.co.uk

Ross Claytor, Ph.D.
Bedford Institute of Oceanography
Dartmouth, Nova Scotia
902-426-4721
ClaytorR@mar.dfo-mpo.gc.ca

Mathew Thomson
F/V Pats Girl
PO Box 42
Monhegan, ME 04852
207-594-1778

Matt Weber
F/V Seldom Seen
PO Box 42
Monhegan, ME 04852
207-596-7289

Robert Bracy
F/V Pandora
PO Box 312
Monhegan, ME 04852
596-6748

Sherman Stanley
F/V Legacy
PO Box 127
Monhegan, ME 04852
207-596-0326

Dan Murdock
F/V Sylvia Anne
PO Box 363
Monhegan, ME 04852
207-594-2912

Lucas Chioffi
F/V Fenris
PO Box 141
Monhegan, ME 04852
207-596-7159

David Boegel
F/V Kathleen
Po Box 38
Monhegan, ME 04852
207-594-5546

Methods

The waters surrounding Monhegan Island have been a seasonal winter fishery since 1907; in 1998 the Maine legislature officially recognized this area as the Monhegan Island Lobster Conservation Area (MILCA). Participation in the MILCA is limited to 17 lobstermen in approximately 95 km² immediately surrounding Monhegan Island (Figure 1). The MILCA is the only area in New England that is closed during summer and fall months when the rest of New England's lobster fishery is at its peak. The MILCA represents a rare opportunity to conduct experiments in a trap free setting in one of the most productive lobster regions of the coast. An explicit aim of the Maine legislature, when establishing MILCA, was to promote scientific studies, a goal that complements the Northeast Consortium goal of evaluating closed areas and improving fishing practices.

Multibeam Survey of MILCA Waters

In April 2005, a week long Multi-Beam survey was conducted to survey the Monhegan Island Lobster Conservation Area. The survey was conducted by mounting the multi-beam transducer to the off-side of the F/V Seldom Seen. The survey was sub-contracted through the Pennsylvania State University, under the leadership of Dr. Tom Weber (now with UNH). The resulting survey produced a map with a horizontal resolution of 5-meters and a 1-meter depth. Backscatter data was recorded and will be used as a proxy for habitat, but was not available at the time of site selection. Subsequent video drops were conducted in July, 2005 to validate backscatter data.




Figure 1. Bathymetry of the Monhegan Island Lobster Conservation Area (MILCA). The MILCA is located in the Mid-coast region of Maine, and is the only area seasonally closed to the lobster fishery in the US. Soundings were taken during a weeklong multi-beam survey on the F/V Seldom Seen.

The impact of trap density on catch (September and October, 2005)

Eight 0.9 km² experimental trapping areas were selected based on their bathymetric characteristics, six areas were randomly selected for the trap density experiment (Figure 2). Three levels of trap densities (50, 167 and 500 traps km⁻²) were assigned to these areas, with soak time standardized at 4-nights (96 hours). Fishermen were randomly assigned areas and the number of traps to be

placed in each area. The remaining two experimental areas were assigned a density of 167 km⁻² to test the impact on catch with variable soak times described below (Table 1 and Figure 2).




Figure 2. Defined areas indicate the location and trap density tested for the 2005 trapping experiment.

Table 1. The distribution of traps by industry participant for the 2005 manipulative trapping project.

Area	Fisherman						Density	Traps
	MW	RB	SS	DM	LC	DB		
1	44	90	40	90	96	90	500	450
2*							150	150
3*							150	150
4	16				30		50	46
5	30		10	6			50	46
6	40		30	30	50		167	150
7	66	96	104	60	20	104	500	450
8	20	30	30	30	20	20	167	150

* Random Soak

Trapping experiments were conducted from August 30 (traps set) through November 1, 2005 (traps removed). Traps in the six areas with a fixed 4-night soak time were hauled 12 times.

All traps were set as pairs. Each trap was a standard 4-foot, double parlor, wire trap with a minimum of one escape vent for juvenile lobster. All traps were hauled and rebaited on predetermined dates. If traps were missed (entangled, lost buoy, gear loss) these were noted and replacement traps were added to the area on the next hauling date.

The contents of each trap were counted for composition of the lobster catch (legal, sublegal, V-notch, egg bearing and oversize). Crab counts were collected after October 1, 2005 through the completion of the experiment. All lobster and crab counts were immediately entered in to a Thistle Marine Electronic Logbook, which subsequently attached a latitude longitude location and time stamp to each entry. Legal lobsters were removed, banded and placed in on-board recirculating tanks. At the end of the day all legal lobsters were released at a common drop point within the MILCA (N 43°46.2" W 69°20.0"). At-sea observers were placed on 20% of all trips (20 of 99) to record detailed biological information on lobsters encountered.

Investigation of soak on catch (2005 and 2007)

Two experiments were conducted, in 2005 and 2007, to test the impact of soak time on catch. In 2005, two 0.9 km² areas were assigned a 167 trap km⁻² density. In this case one fisherman (M. Thomson, F/V Pats Girl) was the only industry participant (Table 1 and Figure 1). Soak time varied from one to eight days and were randomly assigned throughout the experiment. The two areas with random soak times were scheduled to be hauled 15 times. In this experiment, legal lobsters were immediately returned to the water.

A second soak time experiment was conducted between August 15 and September 15, 2007. For this experiment the entire MILCA was used as a test area (Figure 1). In total, 360 traps were set as pairs. Half of the traps were assigned random locations that remained fixed over the course of the experiment, The second half of the traps were moved at the discretion of the industry participants. The 90 fixed sites were evenly distributed between three depth strata (0-30, 31-60, 60-90 m). These fixed sites were evenly distributed between industry participants (Chioffi, Weber and Stanley). All traps were hauled ten times on random dates, with soak times varying from one to six days. On rare occasions some traps were hauled on as little as five hours soak. Each industry participant had an independent hauling schedule to ensure soak times were evenly assigned throughout the experiment and minimize the effect of changing lobster availability.

Table 2. The hauling schedule for three industry participants was determined by random draw of soak times from one to six days. Each participants hauled fixed location traps and industry selected locations each designated day. The experiment began August 15 and ended September 15, 2007.

Haul #	Chioffi	Stanley	Weber
	Soak time (Days)		
1	4	3	3
2	2	1	4
3	6	3	6
4	1	5	5
5	3	4	2
6	5	2	4
7	4	6	2
8	2	2	1
9	3	1	3
10	1	4	1

As each pair was hauled; location, depth and trap contents were recorded on a paper log. The number of legal, sublegal and illegal lobster in each pair was noted. Each lobster was “knuckle banded” and returned immediately to the water. Any recaptures were noted and rebanded.

To determine the relationship between catch rate and soak time, individual haul data was fit to the three parameter model described in Saila et. Al. (2002) where the catch at time (C_t) is described as

Equation 1.0
$$C_t = ab + a(t - b)e^{-ct}$$

Where C_t is the catch at time t , and a , b and c are parameters to be solved for. The time when a trap reaches maximal catch, T_{max} , can be resolved via the equation

Equation 2.0
$$T_{max} = 1 / c + b$$

And the maximal catch, C_{max} , via

Equation 3.0
$$C_{max} = ab + ac^{-1}e^{-(1+cb)}$$

The product of the parameters a and b is the asymptotic catch and parameters a and c depend on local animal density and trap entry rates; however, c largely reflects the probability of escape (Saila et al. 2002).

The model parameters were estimated by least squares minimization using MS Excel Solver. In the case of the 2005 experiment, all traps (recorded as pairs but reported as catch per trap) were used from both areas as the catch rates between the two areas were not significantly different. For the 2007 experiment, fixed location traps were compared to industry selected traps regardless of depth.

Finally, the catch at time was compared to the state wide Lobster Port Sampling Program results from 2000-2007, an intercept survey that randomly selects 10

dealers each month and interviews harvesters that land their catch on the selected day. Each interviewed harvester is asked a series of catch and effort questions; including total pounds landed, traps hauled and average soak time. In this case, model parameters were estimated using trip level data reported on a per trap basis.

Tag and recapture experiment

All lobster encountered during the 2005 trap density experiment were batch tagged with a daily, uniquely colored, “knuckle band”. In the six trapping areas with constant soak time, legal lobsters were removed, banded and placed in on-board recirculating tanks. At the end of the day all legal lobsters were released at a common drop point within the MILCA (N 43°46.2” W 69°20.0”). All sublegal and illegal (V-notch, Egg bearing, Oversize) lobsters were “knuckle banded” and immediately returned to the sea.

In the two trapping areas investigating the impact of variable soak times in 2005, all lobsters were “knuckle banded” and immediately released after counts were taken.

Recaptures were entered into the Thistle Marine Electronic Logbooks and recorded by on-board observers for both experiments in 2005. Specific information taken for each recaptured lobster included the original date of capture and additional recaptures (derived from band color and quantity), location, size, sex, and reproductive status.

For the 2007 experiment on soak time, all lobsters were “knuckle banded” immediately and released after counts were recorded. For this experiment, unique batch colors were not assigned as the hauling schedule varied randomly between the three industry participants (Table 2). Recaptures were recorded and an additional “knuckle band” was added. Recaptures were recorded as sublegal, legal or illegal and were counted independently of other lobsters.

Independent monitoring of MILCA during experimental trapping

In an attempt to quantify lobster density in experimental trapping areas throughout the 2005 experiment, video surveys were conducted on four dates, September 2 and 30 and October 19 and 21, 2005, to determine relative abundance of lobster and crab. Surveys were conducted by drifting with prevailing winds and currents. Four transects were conducted in each area on each day, with a planned minimum transect length of 100 m or approximately 15 minutes of video. The video camera was suspended off the sea floor bottom, with an average viewing area of 1.0 m². Four 150 watt halogen lights were located at the base of the camera frame and were adjusted for lighting conditions. A location and time stamp was overlaid on the video feed to facilitate

post processing. All video was recorded using a Sony Digital-8mm recorder and a Sub Sea Video system. Fields notes were confirmed with lab based video processing. Each transect location, start and stop times, errors in recording, substrate and presence of crabs and/or lobster were noted.

Monitoring of the MILCA fishing seasons

The Monhegan Island Lobster Conservation Area (MILCA) is the only closed season lobster fishery in the US lobster fishery and provides an opportunity to compare the compounded impacts of depletion within a determined area.

Three initiatives were used to track the seasonal patterns of the MILCA fishing season and annual catch from 2004 through June 2009. Prior to the 2005 trapping experiments, logbooks were distributed to participating MILCA fishermen. Each participant was asked to record the daily catch and effort. The season ran from December 1, 2004 through May 30, 2005. Specific elements captured were catch, trap hauls, average soak time, depth fished and general location on a daily basis.

In 2007, MILCA participants submitted a bill to the Maine Legislature to extend their season from a December 1, start date to October 1 (Maine Public Law Chapter 219). As part of this law, the Maine DMR Commissioner "...shall establish by rule a trap limit for the open season established... The trap limit may not exceed 475 traps per individual..." (12 MRSA 6472). The subsequent 2007/2008 and 2008/2009 season trap limit was set at 300 traps per individual. Two additional sources of information to monitor the MILCA season became available as part of the law change. MILCA participants were asked to voluntarily submit the prior three season total landings to use a baseline to evaluate the season and trap change. Finally, each MILCA participant is now required to complete daily trip reports similar to those described for the 2004/2005 season.

The average of the three seasons prior to the 2007 MILCA law change (2004/2005, 2005/2006 and 2006/2007) were used to evaluate the median percent change for the 2007/2008 and 2008/2009 seasons.

Data

All experimental catch, biological measurement and video surveys will be available in raw or summarized format by request to Carl Wilson (Carl.Wilson@maine.gov 207.633.9538). Harvester logbook records collected prior to the 2005 trapping experiment and in subsequent seasons are considered confidential information by the Maine Department of Marine Resources, and therefore will only be available in summarized format. The multibeam data is available on request and is currently referenced on the Gulf of Maine Mapping Initiative website (<http://www.gulfofmaine.org/gommi/coverage-map.php>).

Results and Conclusions

The impact of trap density on catch (September and October, 2005)

During the experimental trapping period, 20,100 trap hauls were conducted with approximately 72,000 lobsters counted, measured, banded and released. The designated number of traps in each area were maintained during the course of the experiment by adding traps as they were lost. The standardized 4-day soak was maintained throughout the experiment with the exception of haul #10, when high seas extended the soak time to 5-days.

Technical errors with the Thistle Marine Electronic Logbooks resulted in the direct loss of 33% of the potential trap hauls information. Difficulties encountered included box malfunction, data entry, modem upload, and database errors. In the six areas where soak time was held constant and trap densities varied between 50, 167 and 500 traps km⁻² data remained representative as each treatment had a minimum of two participating fishermen and information was recorded for each haul. At sea observers provided detailed catch and effort information on 5,038 trap hauls (25% of the total). In some cases at sea observer data can be used on trips where the electronic logbook failed, lessening the impact of data losses.

Significant differences in catch rates were observed between all areas. During the course of the experiment, catch rates in all areas significantly increased, independent of the trap density ($p < 0.001$). High density areas (500 traps km⁻²) always had a lower catch rate than medium (167 traps km⁻²) or low (50 traps km⁻²) density areas. In aggregate, medium and low density areas had 2-4 times higher catch rate than high density areas. There was one medium density (Figure 3, Area 6M) where catch rates equaled or exceeded low density catch rates.

Increases in catch rates over the duration of the experiment in all areas may indicate a regional scale (10-20 km) increase in lobster availability. We did not observe localized depletion even as legal lobsters were removed from the study areas on every haul.




Figure 3. Catch per pair of legal lobster in high (500 traps km⁻²), medium (167 traps km⁻²) and low (50 traps km⁻²) density areas. The experiment began August 30, and ended October 18, 2006. Hauls were on four night soaks except Haul 10 when weather delayed hauling.

There were significant differences between all areas and trap density treatment, however these impacts were local (10-100 m) and were overwhelmed by the regional (10-20 km) changes in lobster availability. The distribution of the legal catch varied within each trapping area. In areas with trap densities of 500 traps km⁻² the highest legal catch was observed on the edges of the areas. Catch rates often declined within 50 meters of the edge and remained consistent to the center of the area. Traps in the center of high density areas had consistently lower catch rates, the largest incidence of zero catches and were likely influenced by competition from nearby traps.

In low and medium density areas (50 and 167 traps km⁻²) catch rates were largely uniform throughout the areas. The incidence of trap hauls that recorded zero legal lobsters were rare and catch rates did not decline from the edge to the center of the area. We infer that trap competition was lower between adjacent traps in these areas. In one area (167 traps km⁻²) directly to the southwest of Monhegan Island, catch rates were consistently high in the northeast corner, or the area closest to the Island. It is speculated that this corner represented a corridor for lobsters moving from shallow waters near the island to deeper waters (Figures 4 and 5).




Figure 4. Trap haul location and catch in eight experimental trapping areas. Trap densities of high (500 traps km^{-2}), medium (167 traps km^{-2}) and low (50 traps km^{-2}) were maintained for the duration of the experiment. A total of 20,100 traps were hauled during the experiment. Legal catch per pair is reflected as a color gradient from white (zero) to red (11-34). * Indicates areas where random soak time was applied.




Figure 5. Trap haul locations in three experimental trapping areas. Trap densities of High (500 traps km⁻²), Medium (167 traps km⁻²) and Low (50 traps km⁻²) were maintained during the experiment. Legal catch per trap is represented with red (+) as zero and increasing bubble size to a maximum size representing 9-34 lobster.

When the average cumulative effect of the number of trap hauls and catch is compared between low, medium and high density areas, the medium density areas caught 16% less than the high density areas despite the fact that high density areas had three times more traps. Low density areas had the highest per trap average, but were unable to compensate for the loss in total catch with constant soak times of 4-nights (Figure 3, Figure 6).




Figure 6. The average legal catch and trap hauls for low, medium and high density areas (50, 167 and 500 trap km⁻²) with soak time held constant at 4-nights. Error bars indicate standard error between cumulative catch between areas.

The impact of soak time on catch

In the two areas designed to test the impact of variable soak time on catch in 2005, a total of 2,564 trap hauls were recorded. In these traps 11,411 lobsters and 3,493 crabs were counted. Legal lobsters were the most prevalent (n= 5,824) followed by sublegal lobster (n= 4,800) and finally illegal lobster (n= 787).

The most significant loss due to electronic logbook error was encountered in the two areas where soak time was varied randomly, 33% of the potential day/area combinations (10 out of a possible 30) were lost completely. Poor sea conditions and a scarcity of available crew limited this portion of the experiment to days when the larger six area trapping experiments were not hauling and inadvertently increased the maximum planned soak times from six to eight days (Table 3).

Table 3. Haul dates, associated soak times and trap hauls recorded for the 2005 experiment on the impact of soak time in two experimental areas with a density of 167 traps km⁻². Electronic logbook errors resulted in the loss of all records in Area 3, and greatly reduced the number recorded in Area 2 after 9/30/2005.

Haul	Date	SOAK	Area 2	Area 3
1	9/3/2005	4	144	128
2	9/9/2005	6	144	144
3	9/11/2005	2	148	136
4	9/15/2005	4	138	142
5	9/19/2005	4	146	146
6	9/20/2005	1	146	140
7	9/24/2005	4	144	134
8	9/30/2005	6	126	140
9	10/19/2005	8	50	
10	10/21/2005	2	54	
11	10/29/2005	8	138	
12	10/31/2005	2	76	

As with the other medium and low density areas, the catch was largely uniform from the edge of each trapping area to the center, indicating minimal competition between traps (Figure 4). Additionally the experimental areas where soak was held constant, a pattern of increasing catch rates from the start of the experiment was observed similar to those areas where soak was held constant (Figures 3 and 7).




Figure 7. Catch per trap haul of legal lobsters in two 0.9 km² areas in 2005 with soak times between 1 and 8 days (Table 3). The trapping experiment began on August 30 and concluded on November 30. Errors uploading catch data from Area 3 resulted in this information being lost after the eighth haul.

Catch rates between the two soak experimental areas were not significantly different ($P > 0.05$); therefore, all trap hauls were combined to determine the

relationship between catch and soak (Figure 8). A non-linear asymptotic relationship was fit to the individual haul data as described by equation 1.0. The maximum catch per trap was estimated to be 5.2 legal lobsters per trap, a number exceeded by less than 9% of all trap hauls recorded. The calculated maximum soak time was 35.2 days, nearly four times the tested maximum soak (Table 4). The estimated catch was 1.3 legal lobster per trap at two days, and 2.2 at four days. This non-linear relationship results suggest that soak times in medium density areas (and by inference low density) could be reduced to increase the frequency of trap hauls and to compensate for the lower number of traps in these areas when compared to high trap density areas.




Figure 8 Combined haul data (n=2,564 trap hauls) for the two medium density areas used to test the impact of soak time on catch in September and October 2005. Model results follow least square estimations described in Equation 1.0.

In 2007, the trapping experiment encompassing the entire MILCA to test the impact of soak time on catch recorded a total of 3,474 trap hauls that caught 14,112 legal, 6,194 sublegal, 2,014 illegal and 5,066 crab. A total of 5,679 lobsters were recaptured, and will be discussed below. Industry selected sites accounted for 51% of trap hauls but 65% of the lobsters.

In general industry participants did not change the location of traps after the first haul. Industry traps tended to concentrate in depths less than 40 m with the highest catch rates (Figures 9 and 10).




Figure 9. The location of fixed (black “+”) and industry selected sites (red “o”) for the 2007 experiment to investigate the impact of catch rates on soak. Each location represents one pair of traps. The experiment ran from August 15 through September 15, 2007. Industry participants could change the location traps if desired.




Figure 10. The catch rate of legal lobsters for fixed and industry selected stations for the 2007 experiment to investigate the impact of catch rates on soak. The experiment ran from August 15 through September 15, 2007.

Unlike the 2005 study, we did not observed a difference of catch rates over the course of the 2007 experiment regardless of soak time and depth (Figure 11). The majority of lobsters caught had molted for the season. We speculate that lobsters are less migratory in August/September than in September/October. The catch rates did decline with respect to depth for fixed and industry selected stations (Figure 12).




Figure 11. Legal catch per trap for fixed locations (+) and industry selected locations (O) from August 15 through September 15, 2007. A total of 3,474 trap hauls that caught 14,112 legal lobsters.




Figure 12. Legal catch per trap for fixed locations (+) and industry selected locations (O) by depth (fathoms) from August 15 through September 15, 2007. Linear regression fit applied independently to industry (solid blue line) and fixed sites (solid black line).

When model parameters are estimated to determine the relationship between soak and catch, following Equations 1.0, 2.0 and 3.0, differences between fixed and industry selected locations are evident. The estimated maximum catch for fixed traps was 3.4 legals per trap and 40% more for industry selected sites at 6.5 legals per trap. The estimated maximum soak time was 9.7 days for fixed locations and 16% more at 22.1 days for industry selected locations. As was

estimated for the 2005 experiment, the maximum soak time exceeded the maximum of 6 days tested. Approximately 23% of trap hauls exceeded the estimated maximum catch for fixed stations and 30% for industry selected sites.

Finally, when parameters are estimated for the relationship between soak and catch based on the 2000-2007 Lobster Port Sampling Program (LPS), the maximum catch and the maximum soak was 40 to 85% lower than was observed in the 2005 or 2007 experiments (Table 4). The variability in the maximum soak and maximum catch may indicate that trap capacity had not been reached. If longer soak times, in excess of 10-14 days, had been tested, the escape parameter, *c*, may have been estimated with more certainty.

The non-linear relationship between soak and catch for all scenarios tested above indicates that there is efficiency to be gained, by decreasing soak and competition between traps, that would offset reductions in catch by reducing traps (Figure 13 A). It is important to note that the current Maine lobster fishery, largely regarded as a intensively trapped fishery, with an average catch of 1.4 at the average soak time of 5.2 days could increase by 4.2 times to achieve the catch rates observed in the 2007 industry selected sites (Table 5).

The asymptotic relationship expressed by Equation 1.0 allows an interpretation of the maximum catch at a maximum soak time and an interpretation of catch per trap per day. For all scenarios tested in Table 4, there is an inverse relationship for maximum catch per trap per day with soak. The maximum catch per trap per day is observed after one day of soak for all scenarios, followed by values declining rapidly until approximately six nights. The disparity between the average soak of 5.2 days measured by the LPS and the maximum catch per trap per day for all tested scenarios suggests the current lobster fishery is fishing 80% below maximum efficiency with regards to soak time (Figure 13 B).

Table 4. Estimated model results and parameters to determine the relationship between catch and soak from Saila et al. (2002). Model results for the 2005 and 2007 Monhegan trapping experiments are based on trap haul data. Results for the 2000-2007 Lobster Port Sampling program are based on daily trip results. Parameters were estimated using least square methods with MS Excel Solver.

Survey	Number	Max Catch per Trap	Max Soak	Model parameters		
				<i>a</i>	<i>b</i>	<i>c</i>
Initial values				2.9	-0.62	0.16
2005 Medium Density*	1,282	5.2	35.2	0.21	25.12	0.1
2007 Fixed Stations*	888	3.4	9.7	0.46	7.33	0.42
2007 Industry Selected Stations*	925	6.5	22.1	0.32	20.45	0.59
2000-2007 Port Sampling**	3,915	1.4	5.6	0.52	1.81	0.27

* pairs ** interviews




Figure 13. The relationship between soak time and catch (A) for the 2005 and 2007 experiments and the 2000-2007 Lobster Port Sampling Program following Equation 1.0. The projected catch per trap per day (B) for each scenario tested.

Table 5. Model fit catch per trap at five nights soak, from Equation 1, for the 2005 and 2007 soak time experiments and the 2000-2007 Lobster Port Sampling Program.

Survey	Catch per Trap at five nights	Catch per Trap per day
2005 Medium Density*	6.2	1.24
2007 Fixed Stations*	3.3	0.66
2007 Industry Selected Stations*	2.6	0.52
2000-2007 Port Sampling**	1.4	0.28

* pairs ** interviews

Tag and recapture results

Of the estimated 72,000 lobsters captured and tagged in the 2005 trapping experiments, less than 15% were recaptured in subsequent hauls. In areas where legal lobsters were removed after each haul, on average recapture rates were consistently less than 10%. In the two areas (medium density and random soak times) where legal lobsters were tagged and returned to the same area a greater, yet still low, percentage of 10-15% were recaptured on the next haul (Figure 14).

When recaptures are interpreted as a function of days at large in areas with fixed 4-night soak times, we find that less than 5% of lobsters were recaptured after twelve days (3 hauls) (Figure 15). Even in the two areas where soak time was varied randomly, legals were returned to the same area, and initial recapture rates were the highest, less than 5% returns were observed after three subsequent hauls (Figure 16). These results suggest that movement into and out of each experimental area was an important factor in this experiment as a complete overturn in each area likely occurred on a continual two-week basis.

The observations that recapture rates decline significantly after initial capture and were consistent among trap density treatments violates assumptions of a closed population needed for tag based estimates of population structure and fishing removals.

There were distinct biological differences in the make up of recaptures from areas where legal lobsters were removed and in areas where legals were returned immediately to the same area. In the six trapping areas where legal lobster were removed, a total of 3,575 were recaptured one or more times. Nearly 70% of recaptures in these were female (n = 2,526), suggesting females were 2.5 times more likely to be recaptured than males in these areas. Of the total recaptures in the fixed soak time areas, 32% were "legal", indicating movements of legal lobsters from the common drop off location or from random soak areas back through trapping areas (Figure 17 A).

In the two areas where legal lobsters were immediately returned to the same trapping areas 2,326 lobsters were recaptured. Of these, only 49% of the

recaptures were females, indicating males were just as likely to be recaptured as females in these areas. Additionally, 72% of the returns were “legal” in size and disposition (Figure 17 B). Although the increases in catch rates in all areas over the course of the experiment and low recapture rates have suggested no depletion in the experimental areas, the differences in the biological composition of the catch suggest that removing legal from the trapping areas did have an impact at some level.




Figure 14. The average percentage recaptures after one haul for the eight experimental trapping areas. The areas in dark blue indicate treatments where legal lobsters were removed from the study areas. Light blue (Medium density, random soak times), indicates treatments where legal lobsters were returned to the study areas. Error bars are the standard deviation of the percentage of first day recaptures by area.




Figure 15. Average percentage of recaptures as a function of days at large and trap density in areas where soak time was standardized to 4-nights.





Figure 16. Average percentage of recaptures as a function of hauls since initial capture in areas where soak time was randomly selected between one and eight nights.

A. Legal lobsters removed from areas



B. Legal lobsters returned to areas




Figure 17. Size composition and biological makeup of recaptured lobster in (A) areas where legal lobsters were removed and (B) areas where legal lobsters were immediately returned. Red line indicated the break between sublegal and legal size.

In contrast to the 2005 trap density experiment, the 2007 trap study did see compounding impacts of trapping on the incidence of recaptures. Over the course of the experiment covering 30 days and spanning five weeks, the proportion of legal recaptures increased from 10-15% after the first week, to 25-35% in the final week of the experiment (Figure 18). Industry selected traps tended to be clustered in string of pairs which may have resulted in a consistently higher proportion of legal recaptures than the fixed stations which were relatively isolated. Regardless of industry selected stations or fixed stations, a higher proportion of legal recaptures were observed than was recorded in the 2005

experimental trapping areas. This disparity may be a reflection of water depth and timing of the experiment. The 2005 trapping had medium depth of 55 m while the 2007 experiment was 40 m. The 2007 experiment was conducted in August/September while the 2005 experiment covered October/November.




Figure 18. The proportion of legal recaptures to the total legal lobsters caught by week in the 2007 experiment. The experiment began on August 15, and concluded September 15, 2007. Lobsters were “knuckle-banded” and immediately returned to the water in the same location.

Monitoring the MILCA fishery

The 2004/2005 MILCA fishing season ran for 180 consecutive days from December 1, 2004 through May 30, 2005. Each of the 12 MILCA participants was licensed to fish 600 traps. Four MILCA participants (or 4 of 7 listed as participants on this project) completed daily trip reports.

At the beginning of the season the average soak time was three days with participants averaging 3.75 pounds per trap haul. Within six weeks the average soak time had increased to seven days and catch rates had dropped to less than 2.5 pounds per trap (Figure 19). The first month of the MILCA is very important, 50% of the annual catch is caught within the first three weeks of the season (Figure 20). The rapid decline in catch rates and increases in soak time are thought to be a result of the cumulative impact of the removal of legal lobster,

lobster movement out of MILCA waters and a decrease in water temperatures lowering the propensity of lobster to enter traps.




Figure 19. Average pounds per trap haul, pounds per trap per day soak and soak observed during the 2004/05 MILCA season. The season started December 1, 2004 (week 1) and ended May 30, 2005 (week 26).




Figure 20. The percent catch and cumulative percent of the annual catch by week during the 2004/05 MILCA season. The season started December 1, 2004 (week 1) and ended May 30, 2005 (week 26).

Following the 2006/2007 season MILCA participants successfully facilitated a legislative change to expand their season from 180 to a maximum of 240 days. In doing so they accepted a lower trap limit, not to exceed 475, but set by the MEDMR Commissioner. In letters to the MEDMR from MILCA participants, it

was generally understood that MILCA goals were to increase their profits by 25% relative to the previous three seasons. The 2007/2008 season was set with a start date of October 1, 2007 and closing June 7, 2008 with a trap limit of 300 traps. The dates and trap numbers for the 2008/2009 season remained at these levels.

A direct result of the 2007 law change was that fewer traps were hauled more often for a longer period of time that resulted in a higher catch. Relative to the average of the three seasons prior to the 2007 law change, the catch of MILCA participants who submitted information (n=7) increased by a median of 72 and 67% for the 2007/2008 and 2008/2009 season (Figure 21). When total annual trap hauls, a gross measure of effort, is compared before and after the 2007 law change (n= 4 participants), there was an 18% increase in trap hauls for the 2007/2008 season and a 18% decrease for the 2008/2009 season as compared to the 2004/2005 season (Figure 22).

The success of the two seasons following the change to the MILCA season and subsequent 50% reduction of the maximum trap limit should not be considered a “real-world” application of reducing traps in the lobster fishery. While the reduction in traps was significant, the opportunity to expand the MILCA to previously un-fished months far exceeded the loss of traps. The overall trap density within MILCA is less than 100 traps km⁻². At this density traps are likely competing with each other when set nearby, but are not saturating the MILCA waters with traps relative to the rest of the Coast of Maine. There are no other areas along the Coast of Maine that are seasonally closed; therefore, an expectation of increasing total catch as a result of a trap reduction, as was seen within the MILCA, are unlikely.




Figure 21. The median percentage difference of each seasons' landings relative to the average of 2004/2005, 2005/2006 and 2006/2007 landings. Values for the 2007/2008 and 2008/2008 seasons (shaded gray) follow the change in MILCA law that extended the season by two months and reduced the maximum number of traps fished from 600 to 300.




Figure 22. Median total trap hauls for four MILCA participants spanning the 2004/2005, 2007/2008 and 2008/2009 seasons. Values for the 2007/2008 and 2008/2008 seasons follow the change in MILCA law that

extended the season by two months and reduced the maximum number of traps fished from 600 to 300.

Independent monitoring of MILCA during experimental trapping

A total of 128 video transect were conducted over four days and among the eight experimental areas on the F/V Pandora. The average transect length was 130 m with a minimum of 70 m and a maximum of 240 m (Figure 23). A total of 16,582 m² were surveyed, with 298 lobster and 1,299 crabs observed. Lobster densities on the bottom increased over the course of the experiment (Figure 24). The average density of lobster was 0.02 m⁻², with a low of 0.006 m⁻² on September 2, and a high observed on October 19 (of 0.026 m⁻²).

The consistent increase in lobster density over the course of the experiment substantiates the regional pattern of increased catch rates observed.




Figure 23. The number (n = 128) and length (mean = 130 m) of video transects conducted before during and after the trapping experiments.




Figure 24. The average lobster density (number per m²) in four experimental treatments conducted during September 2 and 30 and October, 19 and 21, 2005.

Partnerships

This project could not have been completed without direct industry involvement in all aspects of the project. As the project was designed to “simulate” fishing, there was a natural fit of collaboration with 7 of 12 fishermen licensed to fish in MILCA waters. In total over 25 members of the commercial industry directly participated in this project.

Impacts and Applications

This project has broad impacts for trap fisheries in the US and Canada. Understanding how traps catch lobster helps to make informed decisions when changes in traps are proposed or interpreting results of previous trap reductions/changes. In general terms, understanding that reductions in traps (in this case trap density), can be partially or fully compensated by decreasing average soak time is an important component to any decision. These results present a double edge sword to proponents and opponents of trap reductions. Catch rate increased with decreasing trap density. However, total catch and therefore fishing mortality are likely not impacted until traps are reduced to the point where increases in catch rates and decreases in soak times can not make up for the loss in total catch.

This project has identified that individual trap catch rates are influenced by surrounding traps in the area. Across the scale of trap densities tested in this experiment, somewhere between 167 and 500 traps km⁻², there is a transition from saturating an area with traps and saturating individual traps. This tipping point is an important level to know, and could in part be investigated by

conducting additional controlled trapping experiments, where lobster competition in and around traps could be monitored through video.

The MILCA is the only seasonally closed area for lobster fishing in the US. Experimental areas for the 2005 experiment were isolated “islands” of traps, surrounded by unfished areas. It is unknown if the baited traps in these islands may have attracted lobster from surrounding unfished areas and influenced the catch rates. The 2007 trapping experiment to test the impact of soak time was conducted in the entire MILCA, with traps having little to no competition among traps. Regardless of the experiment in MILCA waters, we have demonstrated that traps at known densities or in relative isolation can have a cumulative biological and fishery impact on the local lobster resource even when 70% or more of captured lobsters were never recovered.

Future trap density experiments should be conducted in defined areas, in regions where there is active fishing. We observed significant differences in catch between high density and low density areas at times when lobster density was low and high. Based on the 2005 trap density experiments, it is reasonable to assume if trap densities could be reduced in actively fished areas, then catch rates should increase and compensate for any reduction.

Testing the cumulative impacts of the lobster fishery on the resource may be difficult to do by manipulating defined areas (km) as we have demonstrated that lobsters are unlikely to be caught in the same area in as little as two weeks. Fixed areas would not adequately capture the natural movements of lobsters and the fishery that pursues them. A more appropriate test would be to manipulate trap numbers at a scale that would reasonably capture regional movement of lobsters in one year (10s km).

Finally, the trapping experiments were conducted at an opportunistic time for MILCA participants. The 2005 experiment followed the first of three consecutive years with declining catch. In meetings prior to submission and funding of this project, some MILCA participants expressed skepticism to the availability of lobsters in MILCA waters outside of their fishing season and to the risks associated with reducing traps. However; the 2005 experiment, regardless of trap density treatment, demonstrated an increase in lobster availability in the early Fall within the MILCA waters. It is this knowledge that may have reduced some of the uncertainties and risk MILCA participants undertook by expanding their season in 2007 while reducing the maximum trap limit from 600 to 300. In the two seasons following the 2007 legislative change, total catch has increased dramatically, but a significantly lowered boat price and increases in the cost of bait and fuel have dampened the success of the season/trap change. At the writing of this report it is clear that the perceived success of the MILCA is more closely linked to the financial success of participants and the Monhegan Island community than to the undefined standards of exclusive fishing rights in a state sanctioned Lobster Conservation Area.

Presentations

This project has been presented to many different groups and audiences. A partial list is as follows:

February 2006

- Monhegan Island Fisherman, Monhegan Maine
- Commissioner of Marine Resources, Hallowell Maine
- Zone D, Rockland Maine

March 2006

- Phippsburg Public Library, Phippsburg, Maine
- Wiscasset Public Library, Wiscasset, Maine
- Zone D, Rockland, Maine
- Cutler Fishermen, Cutler, Maine

April 2006

- Swans Island Fishermen, Swans Island, Maine
- Isle Au Haut Fishermen Co-op, Isle Au Haut, Maine
- Maine Sea Grant Review, Orono, Maine
- Lobster Advisory Council, Augusta, Maine
- University of New Hampshire, Durham, NH

May 2006

- Irish Lobster Fishery Conference, Gallway, Ireland
- Lobster Conservation Mangement Team, Portsmouth, NH
- Lobster Advisory Council, Augusta, ME

September 2006

- Maine Offshore Lobstermen Association, Brunswick, ME
- Downeast Lobsterman Association, Ellsworth, ME
- Chewonki Foundation, Boothbay Harbor, ME
- Commissioner of Marine Resources, Hallowell Maine

November 2006

- Lobster Advisory Council, Augusta, ME

February 2007

- Fishermen and Scientist Research Society, Truro, NS
- Zone C, Bucksport, ME
- Zone E, Wiscasset, ME
- Zone F, Cape Porpoise, ME

March 2007

- Outward Bound Science Educators, Portland, ME
- GMRI Fish Tank, Portland, ME

April 2007

- Zone B, Bar Harbor, ME
- Zone D, Rockland, ME

August 2007

- Gulf of Maine Research Foundation, Damariscotta, ME

September 2007

8th International Conference on Lobster Biology and Management,
Charlottesville, VA
February 2008
University of Southern Maine, Portland, ME
March 2008
Maine Fishermans Forum, Rockland ME
April, June and July 2008
Tenants Harbor Fishermen, St. George, ME.

Published reports and papers

This project has not been submitted for peer review. However, extensive coverage of the preliminary results were published in the Fisherman Voice (March 2006) and featured in the NEC contribution to the Commercial Fisheries News (May 2006).

Images

All images are available on request in full resolution. Maine Department of Marine Resources should be credit for all photos, unless otherwise specified.




Figure 25. (A) Captain Mathew Thomson, F/V Pats Girl. (B) Lobster tagged and re-caught three times during the 2005 soak time experiment. (C) F/V Seldom Seen and (D) F/V Kathleen.




Figure 26. (A) Entering trap haul information on Thistle Marine Electronic Logbook. (B) Monhegan Island from air. (C) A lobster that was recaptured three times during the 2005 soak time experiment. (D) View of Monhegan Harbor from Fish Beach.



Figure 27. (A) The Monhegan Island fish house, location of project meetings. (B) F/V Pandora. (C) Jessica Stevens, primary sea sampler for the 2005 experiments. (D) F/V Pandora loading traps on trap day, December 2005.



Figure 28. (A) Captain Robert Bracy, F/V Pandora. (B) F/V Pats Girl, (C) Captain Dan Murdock, F/V Sylvia Anne and (D) Captain David Boegel and crew Rusty Spear, F/V Kathleen.




Figure 29. (A) Drop camera system onboard the F/V Pandora. (B) Captain Sherm Stanley and Matt Schweier, F/V Legacy. (C) Kohl Lord coiling rope at the conclusion of the 2005 trapping experiment. (D) F/V Sylvia Ann taking up traps.



Figure 30. (A) F/V Fenris, (B) F/V Sylvia Anne, and (C) M. Schweier and S. Stanley unloading traps. (D) Traps on the Monhegan wharf at the conclusion of the 2005 trap density experiments.




Figure 31. (A) Monhegan Harbor. (B) Angela Iannicelli and Matt Weber rowing to F/V Seldom Seen. (C) Captain Matt Weber, F/V Seldom Seen, with a standard 4-foot trap hauled in a medium density area. (D) F/V Sylvia Anne in the distance.



Figure 32. (A) Dr. Tom Weber, UPENN now at UNH, during the April 2005 multibeam survey. (B) Multibeam display on board the F/V Seldom Seen. (C) F/V Seldom seen, leaving Monhegan Harbor while conducting the multibeam survey. Monhegan Boat Line ferry, M/V Laura B, in the distance.



Figure 33. (A) S. Stanley and K. Lord haul typical trap from industry selected sites for the 2007 experiment on soak time. (B) M. Weber and Chris Smith hauling a pair, while Jeni Menendez, DMR sea sampler, records and measures lobsters. (C) Lucas Chioffi, captain F/V Ferris recovers a pair of traps while Carl Wilson, DMR, records and measures lobsters.




Figure 34. Lucas Chioffi rebaits a trap, with lobsters and the 2007 logbook in the foreground. (B) An exceptional catch. (C) S. Stanley prepares to set traps using experimental low profile whale line. (D) F/V Legacy.



Figure 36. (A) L. Chioffi and M. Weber haul and rebait traps while J. Menendez records and measures lobsters aboard the F/V Fenris. (B) K. Lord sets a trap. (C) S. Stanley, K. Lord and Tasmanian Rock Lobster fisherman, Neville Perryman recover a pair of trap. (D) F/V Seldom seen having just set a pair of traps in Monhegan Harbor.

Future research

The MILCA offers a unique opportunity to conduct controlled experiments on lobster in a trap free environment. The basic findings of this project that relate to trap density, soak time and recapture rates have broad implications for the Maine lobster fishery and lobster biology. However; caution should be used if specific results are applied to other areas of the Coast of Maine. The preliminary results of the trap density studies have been presented to various industry councils and to public audiences. The potential application of experimental results to areas outside the MILCA is the largest criticism received and presents the strongest case for future research.

The Maine DMR was approached, by fishermen in Tenants Harbor, Maine, to conduct a trap density experiment in their fishing area. Tenants Harbor is a heavily fished area, approximately 30 km from Monhegan Island. Nearly 90 licensed fishermen, fish up to a maximum of 800 traps, in an area the size of the MILCA. Fishermen report that trap densities in excess of 2,000 traps km⁻² are not uncommon during summer months when fishermen shift traps to inshore waters to catch newly molted lobsters.

In August 2009, a two week experiment was conducted in two ½ nm² experimental areas near Tenants Harbor. The objective of this study was to document the impact of removing 50% of the traps. Aerial over flights prior to the start of the experiment recorded nearly 3,000 buoys in the experimental areas, and on the water observations suggested as many 40 fishermen fished there. Fishermen were asked to remove traps on a voluntary basis and were compensated to do so. Preliminary results suggest that an insufficient number of traps were moved to test the impacts of reduced trap density. However; the challenges of conducting controlled experiments in an open fishing area were revealed and can serve to guide additional studies.

March 1, 2021

Dr. Paul Doremus
Acting Assistant Administrator for NOAA Fisheries
National Marine Fisheries Service
1315 East-West Highway
Silver Spring, MD 20910

Re: Comment on Proposed Risk Reduction Rule to Modify the Atlantic Large Whale Take Reduction Plan

Dear Dr. Doremus,

Thank you for the opportunity to provide comments on behalf of the International Fund for Animal Welfare (IFAW) on the [proposed risk reduction rule](#) entitled “Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; Atlantic Coastal Fisheries Cooperative Management Act Provisions; American Lobster Fishery”. We write as a veterinarian and biologists-- active members of the right whale research and conservation community – who lead necropsies on dead right whales, assist with Unusual Mortality Event documentation, and serve on the Take Reduction Team and the Board of the North Atlantic Right Whale Consortium (NARWC). We believe this rule as proposed will fail to reduce incidental mortality and serious injury to the North Atlantic right whale caused by entanglement in fishing gear to or below the federally mandated limit.

The modifications currently proposed in this rule were based on discussions held at the April 2019 TRT meeting with the goal of achieving at least a 64 percent risk reduction in mortalities and serious injuries. In the two years since this goal was originally discussed, there have been 21 additional documented right whale serious injuries and mortalities.¹ This egregious exceedance of “allowable takes,” which are fewer than one NARW per year is a clear indicator that the population is in free fall and the previously agreed upon goals will not be sufficient to prevent extinction. Additional risk reduction measures must be enacted in order to preserve this species and ensure NOAA’s compliance with both the Marine Mammal Protection Act (MMPA) and the Endangered Species Act (ESA).

Considering the vast complexities of formulating a new suite of risk reduction measures, we acknowledge NOAA Fisheries’ dedicated efforts to this process. However, current proposals do not incorporate the best available science regarding current population status, which is estimated at 356 individuals and fewer than 90 breeding females. Right whales are one of the most endangered marine species in the world.² Since 2017, when the current right whale Unusual

¹ Fisheries, N. (2020). 2017–2020 North Atlantic Right Whale Unusual Mortality Event. Retrieved from <https://www.fisheries.noaa.gov/national/marine-life-distress/2017-2020-north-atlantic-right-whale-unusual-mortality-event>

² Pettis, HM. et al. (2021). North Atlantic Right Whale Consortium 2020 Annual Report Card. Report to the North Atlantic Right Whale Consortium. Retrieved from https://www.narwc.org/uploads/1/1/6/6/116623219/2020narwcreport_cardfinal.pdf

Mortality Event was declared, 48 right whales (or 13.5 percent of the known population) have died or are presumed to have died – alarming scientists, policymakers, and advocates working to protect this critically endangered species.³ Just two days ago, “Cottontail” – a right whale sighted last October with a severe entanglement and the focus of several rescue attempts – was found dead off the coast of South Carolina, emaciated and fatally entangled in fishing gear.⁴ This whale joins a long and growing list of whales that have succumbed to their entanglements; IFAW-led research has shown that entanglement in fishing gear is the leading threat to right whales, with nearly 60 percent of determined causes of death between 2003 and 2019 from entanglement.⁵

Given these urgent circumstances, we offer the following comments on three key areas in which the proposed risk reduction measures are insufficient and urge NOAA to opt for the “alternative 3 (non-preferred) option”:

1. The 64 percent risk reduction should be increased to 80 percent (70 percent at a minimum)

The proposed rulemaking is based on outdated information and does not account for the most recent right whale population estimate showing a continued and marked decline in North Atlantic right whales. The overarching goal of these measures is to reduce serious injuries and mortalities of right whales to below Potential Biological Removal (PBR), or the maximum number of incidental human-caused deaths per year that will not prevent a species from recovering. When developing the proposed risk reduction percentage targets over a year ago based on an over-estimated population assessment, NOAA Fisheries used a PBR value of 0.9 and determined that at least a 60 percent reduction in risk was adequate for a population of approximately 409 whales. However, with the recently revised population estimate of 356 and the unfortunate subsequent 13 mortalities documented in the past year, these new data points dictate that the PBR would be lower than 0.9 and risk reduction needs to be at least 70 percent for the species to recover. This can only be reached through the “alternative 3 option.” In fact, the US Marine Mammal Commission recommended that any proposed new rule include a baseline risk reduction target of 80 percent.⁶ The foundation of the proposed rulemaking is therefore fundamentally flawed as it aims to meet a mark that is too low to stop the current population decline. **The 64 percent target of reduced risk outlined in the proposed rule should be increased to 80 percent.**

2. Weak Line is Not a Solution

The management measures proposed in the rulemaking are insufficient to achieve the level of risk reduction needed to save the species for the long-term. The proposed rulemaking does include some meaningful measures that would reduce the number of vertical buoy ropes (VBR) in the water. These include “trawling up” (putting more traps between buoys),

³ Fisheries, N. (2020). 2017–2020 North Atlantic Right Whale Unusual Mortality Event. Retrieved from <https://www.fisheries.noaa.gov/national/marine-life-distress/2017-2020-north-atlantic-right-whale-unusual-mortality-event>

⁴ Greater Atlantic Regional Fisheries Office. (2021). Adult North Atlantic Right Whale Found Dead off South. NOAA Fisheries. Retrieved from <https://www.fisheries.noaa.gov/feature-story/adult-north-atlantic-right-whale-found-dead-south-carolina>

⁵ Sharp, SM., McLellan, WA., Rostein, AM., et al. (2019). Gross and histopathologic diagnoses from North Atlantic right whale *Eubalaena glacialis* mortalities between 2003 and 2018. Inter-Research Science Publisher. Retrieved from <https://www.semanticscholar.org/paper/Gross-and-histopathologic-diagnoses-from-North-2003-Sharp-McLellan/4da1a5202873da9475fa09e0af5b9ebc60297fa5>

⁶ Thomas, PO. (2019). Comments on Atlantic Large Whale Take Reduction Plan Scoping. Marine Mammal Commission (MMC). Retrieved from <https://www.mmc.gov/wp-content/uploads/19-09-23-Pentony-Right-whale-DEIS-scoping.pdf>

particularly within Maine waters where VBR risk is high due to heavy fishing concentration, capping the number of VBR at half the number used in 2017, and restricting the use of VBR in some high whale density/high-risk areas through seasonal fishing closures. In fact, the “alternative 3 option” further reduces VBR in the water, and should therefore be prioritized.

However, the proposed extensive implementation of 1700-pound breaking strength rope (i.e., “weak rope”) as a key risk reduction measure will neither protect young right whales from lethal entanglements, nor eliminate the long-term health impacts on adults chronically entangled in gear. Calves and some juvenile right whales are not likely to be able to generate sufficient force to break 1700 lbs. of rope.⁷ Chronic entanglement in any line can have sub-lethal impacts on right whales, and is likely a major contributing factor to their reduced reproductive rates in recent years. Only by actually reducing VBR in the water will we make strides to save right whales from extinction. Weak lines can only be seen as an inferior and interim risk reduction measure until ropeless fishing can be adopted by all fishermen. **Where vertical lines continue to be used in the interim, they should be reduced to 1700 lbs throughout the entire length not just the upper portion. NOAA Fisheries should not view weak rope as a long-term solution.**

- As an example of the inability of weak rope to protect juveniles, and the cascading effect on the future population, we point your attention to the mother of one of the first right whale calves born this season, right whale #4040 “Chimineia.” In April 2011, when she was just four years old, “Chimineia” was sighted entangled in hundreds of feet of line in Cape Cod Bay. As young as she was, “Chimineia” would not have been protected by reduced breaking strength systems. Fortunately, in her case, all of the many factors that must align did and she was successfully disentangled and able to contribute to population growth, and recently sighted off Georgia with her first calf on December 4, 2020. NOAA Fisheries cannot continue to rely on disentanglement as the solution to the entanglement problem, as it simply is not enough to protect all right whales. **VBR must be removed from the water column and not just replaced with weak rope.**

3. Ropeless is the Solution

NOAA Fisheries should provide a more concrete pathway for ropeless fishing technology in the proposed risk reduction plan. Ropeless fishing eliminates the need for vertical buoy rope in the water column, except during the final stage of active retrieval, eliminating the risk of entanglement to whales. Removing VBR from the water column will protect right whales, while allowing fishermen to maintain – and even expand – their access to important fishing areas. Ropeless gear technology is the most effective long-term solution that can reduce entanglement risk, ensure fishermen can pursue their livelihoods, and protect the marine ecosystem. Specifically, ropeless technology should operate through a streamlined permitting process. While we commend NOAA Fisheries on the inclusion of ropeless fishing as a potential option in seasonally restricted areas, **fishermen need a clear permitting process that provides a path for the use of ropeless gear to protect right whales while allowing fishermen to fish.** A viable legal path for ropeless would further incentivize fishermen to use this innovative gear that does not harm whales. Relying on current one-off Exempted Fishing Permits (EFPs) granting use of non-compliant gear for ropeless is not a long-term solution.

⁷ Knowlton, AR., Robbins, R., Landry S., et al. (2015). Effects of fishing rope strength on the severity of large whale entanglements. Society for Conservation Biology. Retrieved from <https://conbio.onlinelibrary.wiley.com/doi/full/10.1111/cobi.12590>

Given these critical deficiencies within the proposed rule modifications, we urge you to: 1) apply up to date and accurate right whale population and PBR data, 2) reduce emphasis on weak rope as a solution to entanglement and instead focus on VBR reduction, and 3) expand and accelerate permitting of ropeless fishing gear in order to strengthen the proposed rule and achieve the necessary 80 percent risk reduction. In the event these essential changes require significant additional time for agency review --time critically endangered right whales do not have --, or NOAA Fisheries' current preferred option cannot be amended to achieve the percent risk reduction needed to reduce entanglement, **we support the non-preferred or "alternative 3" option of 70 percent or greater as the adequate regulatory approach within the rulemaking framework and timeline.**

The International Fund for Animal Welfare (IFAW) is a Massachusetts-based nonprofit organization with experts across the U.S. and around the world. Our Marine Mammal Rescue and Research team, located on Cape Cod, is a leader in right whale mortality investigation and provides on the ground expertise to evaluate causes of death in this critically endangered species. Realizing from this work the true causes and that long-term solutions are needed, IFAW's campaign to protect and save North Atlantic right whales is founded on our desire to seek out collaborative, pragmatic solutions that bring together diverse stakeholders in pursuit of meaningful change on the water. We have a long history of working with fishermen to understand their concerns and find a sustainable path forward, and facilitated and subsidized sinking ground line, partnering with fishermen to test, refine, and promote ropeless fishing technology, and worked with gear manufacturers to ensure their innovations can come to market. Informed by this expertise and first-hand experience we urge you to include expansion and implementation of ropeless fishing technology in the current proposed risk reduction plan to save right whales.

Thank you again for the opportunity to comment and for the hard work you, and the rest of NOAA Fisheries, are undertaking for this urgent conservation challenge. IFAW scientists and experts would be pleased to engage with you and your staff in whatever ways would be helpful.

Sincerely,

Brian Sharp

Director, IFAW Marine Mammal Rescue & Research and ALWTRT Member

CT Harry

IFAW Marine Campaigner and ALWTRT Alternate Member

Dr. Sarah Sharp

IFAW Veterinarian and North Atlantic Right Whale Consortium Board Member- Elect



February 26, 2021

Colleen Coogan
National Marine Fisheries Service
Greater Atlantic Regional Fisheries Office
55 Great Republic Dr.
Gloucester, MA 01930

Sent via regulations.gov

Re: Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; etc. (NOAA-NMFS-2020-0031)

Dear Ms. Coogan:

Supporters of the Humane Society Legislative Fund (HSLF) and the Humane Society of the United States (HSUS) signed onto letters regarding the National Marine Fisheries Service's request for comments on the proposed rule amending the Atlantic Large Whale Take Reduction Plan. 85 Fed. Reg. 86878 (Dec. 31, 2020). Our supporters believe the proposed rule does not go far enough to protect this imperiled species and request that NMFS provide additional protections in the final rule to help ensure North Atlantic right whales are provided the federal protections required by law.

Over 15,000 HSUS and HSLF supporters signed onto the attached comment letters. The text of the letters sent to supporters of each organization were identical. We are submitting their names to be considered by the Agency in its review process.

- The document titled "HSUS Supporters Right Whale Comments 2.25.21" contains 10,775 signatures.
- The document titled "HSLF Supporters Right Whale Comments 2.26.21" contains 5,147 signatures.

Thank you for providing our supporters the opportunity to weigh in on this action. If you have any questions, please do not hesitate to contact me.

Sincerely,

A handwritten signature in blue ink that reads "Keisha Sedlacek".

Keisha Sedlacek
Director of Regulatory Affairs, Federal Affairs
Humane Society Legislative Fund
ksedlacek@hslf.org
(202)-955-3661

Attachment 1- HSUS and HSLF Comment Letters

[Name]

[Address]

[Date]

Subject: NMFS's proposed rule to address North Atlantic right whale fishing gear entanglements is not sufficient

To Whom It May Concern:

The National Marine Fisheries Service's proposed rule to address North Atlantic right whale entanglements in fishing gear does not go far enough to save this species from extinction.

With fewer than 360 individuals surviving and only about 70 breeding females remaining, it is imperative that the agency address entanglements in fishing gear in a meaningful way. Severe entanglement in lobster and crab trap/pot gear is the leading cause of death for this species. Scientists have determined that more than 85 percent of right whales have been entangled in fishing gear at least once in their lifetimes, and 60 percent have been entangled multiple times.

There is technology available that potentially reduces the risk of entanglement in trap/pot fishing gear known as "ropeless" or "pop-up" gear, and other less protective technology known as "weak line" rope; however, the most effective management tool short of converting all traps to ropeless throughout the fishery is to simply close areas to fishing when these animals are known to be in those waters.

Signed,

[Name]



GEORGIA
DEPARTMENT OF NATURAL RESOURCES

WILDLIFE RESOURCES DIVISION

MARK WILLIAMS
COMMISSIONER

TED WILL
DIRECTOR

March 1, 2021

MS. Donna Wieting, Director
Office of Protected Resources
National Marine Fisheries Service
1315 East-West Highway
Silver Spring, Maryland 20910

RE: ALWTRP Proposed Rule, RIN 0648-BJ09


Dear Ms. Wieting:

On December 31, 2020, the National Marine Fisheries Service published a proposed rule to amend the Atlantic Large Whale Take Reduction Plan (ALWTRP) to reduce takes of North Atlantic right whales in the Northeast U.S. lobster pot fishery. Staff of the Georgia Department of Natural Resources' Wildlife Resources Division has reviewed the proposed rule and the accompanying draft environmental impact statement (DEIS).

The North Atlantic right whale is Georgia's official state marine mammal, and our coastal waters lie at the center of the species' only calving ground. Right whales are critically endangered, in large part because of human-caused mortality. Since 2011 the species has declined by an estimated 23 percent, erasing population gains made from 2004 to 2010. Federal waters offshore of Georgia have been closed to fixed fishing gear (e.g., crab pots, gillnets) each winter since 2015 to protect right whales from rope entanglements. Various measures have also been implemented in Northeast U.S. waters through the ALWTRP process. However, entanglement remains the leading cause of whale death and injury, and over 90% of fixed gear buoy ropes in U.S. Atlantic waters are attached to lobster pots in the Northeast U.S. We prefer that NMFS rewrite the final rule around DEIS Alternative 3 to address this problem. Our comments on the proposed rule are attached; we appreciate NMFS' careful consideration of these concerns in developing the final rule.

Thank you for the opportunity to comment on the proposed ALWTRP rule. We look forward to continued cooperation with NMFS staff on this and other matters. If you have further questions, please contact Clay George at 912-262-3336 or clay.george@dnr.ga.gov.

Sincerely,



Ted Will

Attachment

Georgia DNR Wildlife Resources Division Comments on Atlantic Large Whale Take Reduction Plan Proposed Rule, RIN 0648-BJ09

The proposed rule seeks to reduce entanglement risk by approximately 60% by (1) reducing the number of buoy lines in the water column, (2) implementing new seasonal restricted areas, and (3) reducing the severity of entanglements when they occur. Our comments are as follows:

- The draft environmental impact statement (DEIS) underestimates the number of right whale mortalities and serious injuries attributable to the lobster fishery. Mortality and serious injury will need to be reduced by over 80%¹ to bring takes below the current Potential Biological Removal threshold of 0.8 whales per year (Hayes et al. 2020).
- There is significant uncertainty that the proposed rule, based on Alternative 2, can meet the proposed objective to reduce entanglement risk by ~60%. Specifically:
 - The benefit of increasing trap/trawl limits (“trawling-up”) is debatable. Trawling-up is a core component of the 2015 ALWTRP amendment and there is no clear evidence this strategy has reduced number of buoy lines deployed. Further, there is no guarantee that additional trawling-up will result in broadscale reduction in lobster buoy lines. Lastly, trawling-up may encourage fishermen to use stronger buoy lines, thereby increasing severity of injuries (Hayes et al. 2018, Knowlton et al. 2016).
 - Proposed seasonal gear closures in LMA1 and LMA2 are not sufficient in size or duration to reduce whale/gear co-occurrence and discourage gear relocation.
 - The frequency of weak rope breakaways is insufficient to reduce injury in deeper waters where buoy lines are longer and stronger.
 - The benefits of weak rope breakaways are uncertain and have not been implemented on a large scale.
- We recommend that NMFS rewrite the final rule based on Alternative 3 with the following additional considerations:
 - The 50% buoy line cap should also be required in the offshore lobster fishery (LMA3). Right whales occur year-round throughout LMA3 (Roberts et al. 2016).
 - The proposed restricted areas in LMA1 and LMA3 are insufficient in size and duration. Their conservation benefit will be offset if gear is relocated to the restricted area boundaries. NMFS should develop an adaptive approach to timing, duration and size restrictions
 - Requiring weak rope “toppers” on the top 75% of buoy lines could lower risk of whale injuries when entanglements occur. This may be particularly important if the buoy cap encourages some fishermen to increase the number of pots fished per trawl. NMFS should

¹ Mortality rates should be calculated from statistically-derived mortality estimates (Pace et al. 2021) as follows: 201 (estimated mortality during 2010-2019, draft BiOp page 225) * 0.5 (proportion of entanglements assumed occurring in U.S. waters, draft BiOp page 224) * 0.73 (proportion of U.S. mortalities due to entanglement, draft BiOp page 227) * 0.93 (proportion of buoy lines fished by ALWTRP-regulated lobster fishery in the Northeast U.S., DEIS page 3-67) / 10 years = 6.82 estimated mortality/year. Risk reduction needed: $1 - (0.8 \text{ [current PBR, Hayes et al 2020]} / 6.82 \text{ [estimated mortality/year from above]}) = 88\%$. See ALWTRP DEIS page 2-39 for risk reduction equation.

also require toppers to be used in LMA3. The long trawls² that are fished in LMA3 likely pose a high risk of mortality and serious injury if whales become entangled.

- We recommend that NMFS analyze the effects of closing the Northeast U.S. portion of LMA3 to persistent buoy lines year-round. Offshore waters are used by right whales year-round (Roberts et al. 2016). The heavy gear used in the offshore fishery may be inherently dangerous to whales (Knowlton et al. 2016). This change would impact a small fraction (approximately 5%) of federal lobster permits³, and may encourage the further development of “rope-less” gear systems.
- We support opening restricted areas to rope-less fishing gear to incentivize the continued development of that technology.

References

Hayes, S. A., S. Gardner, L. P. Garrison, A. Henry, and L. Leandro. 2018. North Atlantic right whales-evaluating their recovery challenges in 2018. National Marine Fisheries Service, Northeast Fisheries Science Center, September. NOAA Technical Memorandum NMFS-NE-247.

Hayes, S. A., E. Josephson, K. Maze-Foley, and P. E. Rosel. 2020. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2019. National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, Massachusetts. NOAA Technical Memorandum NMFS-NE-264.


Knowlton, A. R., J. Robbins, S. Landry, H. A. McKenna, S. D. Kraus, and T. B. Werner. 2016. Effects of fishing rope strength on the severity of large whale entanglements. *Conservation Biology* 30:318-328.

Pace, R. M., III, R. Williams, S. D. Kraus, A. R. Knowlton, and H. M. Pettis. 2021. Cryptic mortality of North Atlantic right whales. *Conservation Science and Practice* e346. <https://doi.org/10.1111/csp2.346>

Roberts, J. J., B. D. Best, L. Mannocci, E. Fujioka, P. N. Halpin, D. L. Palka, L. P. Garrison, K. D. Mullin, T. V. N. Cole, C. B. Khan, W. M. McLellan, D. A. Pabst, G. G. Lockhart. 2016. Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6: 22615. doi: 10.1038/srep22615. https://seamap.env.duke.edu/models/Duke-EC-GOM-2015/EC_North_Atlantic_right_whale_maps.html

² Current ALWTRP regulations require a minimum of 20 pots per trawl and a maximum trawl length of 1.5 nmi in LMA 3. Both DEIS alternatives propose to increase trawl lengths to 1.75 nmi and a minimum of 45 pots per trawl.

³ NMFS GARFO issued 91 lobster permits for LMA3 in 2018. 1,732 permits were issued in LMA1, LMA2 and OCC (DEIS 4-117).



Connecticut Department of
**ENERGY &
ENVIRONMENTAL
PROTECTION**



**Department of
Environmental
Conservation**

March 1, 2021

Mr. Chris Oliver
Assistant Administrator for Fisheries
NMFS Northeast Region
1 Blackburn Drive
Gloucester, Ma 01930

SUBJECT: Comment submittal concerning Proposed Rule For Amending Regulations implementing The Atlantic Large Whale Take Reduction Plan

Dear Mr. Oliver,

The states' of Connecticut and New York Marine Fisheries Programs have reviewed the Proposed Rule to amend the regulations implementing the Atlantic Large Whale Take Reduction Plan (Proposed Rule) and are committed to working with the NOAA Fisheries Service to find ways that protect large whales from negative interactions with fishing gear. However, it is also very important that the alternatives approved to protect large whales from entanglement risks do not pose safety at sea concerns for members of the regulated fishing community.

Upon review of the Proposed Rule, our programs support the proposed changes to restricted areas, the gear modifications surrounding weak line or weak insertions in buoy lines as well as the gear marking requirements as proposed. However; due to safety concerns, we cannot support the measures proposed to reduce the number of buoy lines in Lobster Management Area 2 (LMA2) and Lobster Management Area 3 (LMA3) as proposed. Our programs strongly urge the Service to keep the current minimum lobster trap trawl requirements for LMA2 (3-12 nm = 10 traps per trawl; >12nm 15-20 traps per trawl) and LMA3 (20 traps per trawl) in place.

Background of Connecticut and New York Federal Lobster Permits

Currently, Connecticut has a total of 4 and New York has a total of 2 LMA2 federal permit holders with trap allocations. It is important to note that not all of these federal permits have been active. The total trap allocation for LMA2 in 2021, after the 2020 mandatory reduction is 1,815 traps for CT and 886 traps for NY. Based on the current minimum trawl up requirements for LMA2 (10 traps/trawl) and 2 buoy lines per trawl, Connecticut estimates 120 active buoy lines in LMA2 and New York estimates 177 buoy lines in LMA2 for 2021.

New York has a total of 5 LMA3 federal permit holders with a 2021 total trap allocation of 5,253 traps. Based on the current minimum trawl up requirements for LMA3 (20 traps/trawl) and 2 buoy lines per trawl, New York estimates 525 buoy lines in LMA3 for 2021. New York is most concerned about the safety of trawl up requirements of 45 traps/trawl for small vessels (less than 45 to 50 feet).

Reasons for keeping current minimum trawl length requirements in LMA2 and LMA3

Due to the nature of the southern New England lobster fishery and how it is executed, safety at sea is the primary concern surrounding trawling up requirements for LMAs 2 and 3. The average size of the CT vessel fishing in LMA2 is 38' and NY is 36'. Smaller southern New England lobster vessels do not have rope wells below deck, which results in a large amount of vertical and ground line on deck when traps are hauled and tended. Additionally, some of these vessels do not have stern cutouts and require traps to be set on the rails surrounding the stern, with the first trap being manually deployed upon reset. Requiring 15-25 traps per trawl for vessels of this size would increase the risk of a fisherman becoming entangled and possibly being swept overboard due to a greater amount of line on deck and the need to manually set traps in a trawl of that size. The larger number of traps per trawl proposed would require trap stacking along the rails surrounding the stern and each stacked trap would need to be manually deployed as to prevent multiple traps from going over simultaneously and the trawl becoming tangled. There are similar concerns about the 45 trap/trawl requirements for LMA3 for smaller vessels. The average vessel size of the NY vessel fishing LMA3 is 56', with the smaller vessels less than 45'.

Together, the fishermen from the states of CT and NY comprise a very small portion of the lobster trap effort that takes place in the federal waters of southern New England. This is due both to a large attrition in the number of federal permit holders in each state, as well as mandatory, systematic reductions in federal trap allocations implemented by the Addendum XVIII to the Atlantic States Marine Fisheries Commission's Interstate Fisheries Management Plan for American Lobster. Additionally, the states of CT and NY have 100% mandatory monthly reporting requirements for commercial lobstermen. Through mandatory trip level reporting, the number of vertical lines fished by each permit holder is documented and can be monitored.

Continuing the minimum 10 trap trawl requirement for the nearshore waters of LMA2 (3nm - 12nm), and a minimum 15-20 trap trawl for the offshore waters of LMA2 (>12 nm) and 20 traps for LMA3 ensures the safety of our fishermen at sea when retrieving and redeploying lobster traps and, due to the limited number of participants and gear, would not contribute to a significant change in the risk reduction for large whales that the Service is hoping to achieve. An alternative approach to maintaining the current minimum trawl lengths could be to provide an exemption to the trawling up requirement in LMA2 and LMA3 for vessels smaller than 45' in length.

The states recognize that protection of large whales and eventual restoration of stock abundance is a principal requirement of the Endangered Species Act and the Marine Mammal Protection Act which we strongly support; however the safety of our fishermen is of primary importance. In summary, we hope the Service will grant an exception to the buoy line reduction measures as proposed and we support the other proposed gear modification requirements as recommended to address risk reduction for Atlantic large whales while still preserving the remaining important fishery.

Thank you for the opportunity to comment. We very much appreciate the efforts of the NOAA Fisheries Service to accommodate the disparate views of all interested parties on this important issue.

Yours truly,



Justin Davis, Ph.D.
Assistant Director, Fisheries Division
CT DEEP



James Gilmore
Director, Marine Resources
NY DEC

JD/JG/cg/km

cc: Captain Keith Williams, CT DEEP Environmental Conservation Police Marine District
Peter Aarrestad, Director CT DEEP Fisheries Division



The Commonwealth of Massachusetts

Division of Marine Fisheries

251 Causeway Street, Suite 400, Boston, MA 02114
p: (617) 626-1520 | f: (617) 626-1509
www.mass.gov/marinefisheries



CHARLES D. BAKER
Governor

KARYN E. POLITO
Lt. Governor

KATHLEEN A. THEOHARIDES
Secretary

RONALD S. AMIDON
Commissioner

DANIEL J. MCKIERNAN
Director

March 1, 2021

Mr. Michael Pentony
Regional Administrator
Greater Atlantic Regional Fisheries Office
National Marine Fisheries Service
Gloucester, MA 01930

ATTN: Large Whale Proposed Rule (NOAA-NMFS-2013-0095)

Dear Mr. Pentony,

Please accept the following comments on proposed amendments to the Atlantic Large Whale Take Reduction Plan which are designed to limit the frequency and severity of interactions between large whales and trap/pot fishing gear in the Northeast Region.

Trawl Up/Line Reduction. MA DMF supports trawling up measures proposed in the Preferred Alternative (Alternative Two) which call for minimum standards for traps per trawl in various zones as a function of distance from shore and Lobster Management Area (LMA). In DMF's Right Whale Conservation Plan which was submitted to NMFS on March 6, 2020, we proposed the future prohibition upon permit transfer of fishing with single traps in MA state waters by fishermen using a vessel 29' and longer. However, DMF subsequently introduced a modified version of this proposal, that would simply ban the use of fishing singles on vessels larger than 29' as part of a rule making package developed in December of 2020. This aspect of the state's proposal was not approved at the January 28, 2021 meeting of the Marine Fisheries Advisory Commission. DMF and the Commission received substantial opposition to the proposal from many lobstermen, especially those who fish in the OCC LMA and LMA 2 with small trap allocations and small- to medium-sized vessels. These lobstermen told DMF and the Commission that they have developed a business model that optimized safety and profits. Many fishermen responded to the agency's proposal with plans to purchase a smaller vessel to continue fishing single traps. The Commission concluded that the goal of further reducing vertical lines (if warranted in the future) should be accomplished through other means that would not compromise safety nor be easily subverted as noted. The Commission has created a subcommittee to study the issue and assist DMF to devise successful solutions.

Seasonal Buoy Line Restricted Areas. DMF supports many of the aspects of the Preferred Alternative (Alternative Two).

- We support the Massachusetts South Island Restricted Area in Alternative Two and are pleased that the agency is presenting this area as part of the Preferred Alternative. This area was identified by DMF as part of the proposed conservation plans submitted to NMFS last year and in our opinion encompasses an area that host large seasonal aggregations of whales based on the most recent sighting trends. Since 2010, although Cape Cod Bay has

been a persistent aggregations every winter/spring, right whales have demonstrated range shifts away from some traditional feeding grounds and a propensity to aggregate in new areas. Given the increased variability in right whale movement patterns we recommend that sightings data be evaluated every 3 years to ensure that all time-area closures adequately protect seasonal aggregations of whales.

- We would like to reaffirm the conservation benefits of the Massachusetts Bay Restricted Area Closure. This area seasonally hosts the largest aggregation of North Atlantic right whales in the world and serves as a critically important feeding area. This closure affects much of the Massachusetts inshore fishery, with a significant portion of our fleet losing the opportunity to fish in order to protect right whales. While this closure is important, and a necessary measure toward the recovery of right whales, it is critically important that the Service continue to include its benefit in all evaluations of risk reduction.
- We request that NMFS change their proposed measure to reflect that Massachusetts state waters portions of the MBRA will be closed through May 15. DMF will continue to use the authority of the Director to dynamically manage the Massachusetts Bay Restricted Area during the month of May. We will open the fishery in May if aerial surveillance demonstrates that right whales have left the area. The entire area would remain closed if whale aggregations persist. In the event that smaller number of whales remain in the MBRA, smaller portions of the area would remain closed when surveillance reveal 3 or more whales are present. DMF has enacted closure extensions in early May for four of the last six years when right whales have remained in Cape Cod Bay, and state regulations give the authority to the Director to keep areas closed under the authority of a declaration. DMF recently enacted new regulations that extend the closure in state waters from the MBRA up to the New Hampshire border. This area extension of the MBRA will be managed in the same manner.
- DMF agrees with the proposal to modify seasonal closures to allow fishing “without persistent buoy lines” but additional administrative process must be accomplished before this can be a successful fishery management strategy year-round. NMFS’ Exempted fishery permit process, NEPA analyses, and communication to fishermen using competing gears and other fishing fleets about “ropeless fishing” and the development of the technologies needs to be delineated before this can be widely implemented. We anticipate being able to provide you more advice about how to permit and manage “ropeless fishing” at the end of the year upon completion of the NFWF funded study (“Ropeless Fishing Gear Feasibility Study”), a 12-month project which will evaluate legal, regulatory, technological, and fishing challenges and opportunities of alternative lobster gear to reduce entanglements).

Other Line Reduction. DMF supports NMFS factoring in the expected buoy line reductions associated with the ongoing effort reduction plans of the ASMFC’s interstate lobster management plan in two lobster management zones (LMA 2 and LMA 3). The long-term reduction on buoy lines will be commensurate with trap allocation reductions.

Weak Line. DMF supports the adoption of weak line as a conservation management strategy. Since the inception of the Large Whale Take Reduction Team in 1996, a variety of proposals have been considered for break-away links or devices along the vertical line as a means to reduce risk of serious injuries and mortality. However, none were embraced due to concerns about operations safety for fishermen. Since

that time, however, research has been conducted on the appropriate breaking strength to reduce whale injuries, as well as work on potential weak insertions for buoy lines to achieve that breaking strength. The New England Aquarium's Amy Knowlton's research on rope breaking strength and entanglement severity appears to find a "sweet spot" with her conclusion that 72% of right whale serious injuries and mortalities could be eliminated if rope breaking strength was 1,700 lbs. or less. In addition, the South Shore Lobstermen's Association partnered with New England Aquarium and the Commonwealth of Massachusetts to test weak sleeve insertions for buoy lines that would break at 1,700 lbs. The success of those sleeves and the recent development of fully-formed reduced breaking strength rope make weak buoy lines a more operationally feasible conservation measure. In Massachusetts state waters, DMF is implementing a requirement for vertical lines to either be comprised of fully-formed 1,700 lb. breaking strength line or for lines stronger than 1,700 lbs., they must be equipped with weak insertions every 60 feet in the upper 75% of the line that breaks at 1,700 lbs. We believe this frequency of weak insertions offers a significantly precautionary measure to reduce entanglement severity and should be counted as a fully weak rope under the Take Reduction Plan. The Massachusetts plan would offer a significantly higher level of risk reduction from weak line than what is proposed under Alternative 2, where only 26% of buoy lines will be converted to fully weak rope.

Weak Link Modification. DMF supports removing the longstanding weak link requirement at the surface system as found in Alternative 3. The new 1,700 breaking strength buoy line proposals have introduced a new approach for breakaways. Moreover, there may be advantages to having the buoy remain affixed to any entangling ropes - at least temporarily:

- It could enhance disentanglement efforts if the disentanglement teams are better able to grab the entangling lines by tying on the trailing surface system;
- It could provide some level of drag that may contribute to the rope being pulled naturally off the whale;
- It could enhance the potential to better identify gear involved in entanglements. The most definitive gear identification information is inscribed onto the buoy which could further contribute to our understanding of where entanglements occur, a critical shortfall in the ongoing conservation efforts and will allow future regulations to be more surgical in time and space.

Gear Marking. DMF supports the modification of gear marking regulations to introduce state-specific colors and an increase in the number and area of marks on buoy lines. Gear is not retrieved and/or the fishery of origin or type of fishing gear is not known for most entanglements. It is imperative that the gear marking scheme eliminate any ambiguity in the possible determination of the jurisdiction and location where each entanglement occurred and the authority that licensed the gear. In the interest of achieving more granular data regarding where entanglements occur, we recommend that the Service consider a gear marking scheme that clearly differentiates gear set in state waters from gear set in federal waters. Ideally, the state-specific color should cover only those buoy lines that are actually set in state waters, or the additional mark for designating fishing in the EEZ be affixed more frequently in the buoy line than the current proposal of a single green mark in the upper portion of the buoy line. It will be critical to attribute any future entanglements to the jurisdiction where the gear was set. The rule as currently drafted could result in improper attribution to a state waters fishery if the single green mark is lost when the top of the buoy line is parted off. This ambiguity in marking could lead to the improper assignment of a future entanglement to the wrong jurisdiction (i.e. state vs. federal waters). If NMFS is interested in differentiating gear from different lobster management areas within federal waters, we suggest that it develop a unique LMA marking scheme for fisheries operating in federal waters. We acknowledge that having separate and distinct marking scheme for state and federal waters puts a

substantial burden on dual (state and federal) permit holders who regularly move gear between state and federal waters. Unfortunately, the increased burden associated with separate and non-ambiguous gear marking schemes in state and federal waters is necessary, especially in light of the fact that the draft Biological Opinion published in February of 2021 has an incidental take statement that only applies to fisheries prosecuted in federal waters. Accordingly, it is critical to ensure that a well thought-out distinct marking scheme be developed to accurately identify gear back to the jurisdiction where it was set. We recommend NMFS continue to consult its gear specialists and state representatives on the TRT before enacting a final regulation.

Thank you for the opportunity to comment and we look forward to future collaborations on these important matters.

Sincerely,

A handwritten signature in black ink that reads "Daniel J. McKiernan". The signature is written in a cursive style with a long, sweeping underline.

Daniel J. McKiernan, Director

CC: Massachusetts Marine Fisheries Advisory Commission



RHODE ISLAND
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

DIVISION OF MARINE FISHERIES
Three Fort Wetherill Road
Jamestown, Rhode Island 02835

March 17, 2021

Michael Pentony, Regional Administrator
NOAA Fisheries, GARFO
55 Great Republic Drive
Gloucester, MA 01930

Dear Mr. Pentony,

The Rhode Island Department of Environmental Management, Division of Marine Fisheries (RIDMF), would like to submit the following comments for consideration on the Proposed Rule and Draft Environmental Impact Statement for amending the Atlantic Large Whale Take Reduction Plan. Specifically, these comments address the LMA 2 portion of the Take Reduction Plan. These comments are intended to continue the commitment Rhode Island has to ensure the continued survival of the North Atlantic Right Whale (NARW) while allowing the Rhode Island lobster and Jonah crab fisheries to persist and be profitable during a challenging time for those fisheries.

Sincerely,

Jason McNamee, PhD
Deputy Director RIDEM

State of Rhode Island comments on Proposed Rule, taking of Marine Mammals Incidental to Commercial Fishing Operations.

The State of Rhode Island offers the following comments related to the Draft Environmental Impact Statement and proposed rule related to the taking of marine mammals incidental to commercial fishing, which includes the NE trap/pot fishery which occurs under the jurisdiction of the state waters portion of lobster conservation management area 2 (LCMA 2).

As a long-standing member of the National Oceanographic and Atmospheric Administration (NOAA) Atlantic Large Whale Take Reduction Team (ALWTRT), Rhode Island Department of Environmental Management supports actions needed to reduce the likelihood of entanglements of large whales which cause serious injury or mortality and reduce the potential biological removal (PBR) to the specified level to assure rebuilding of large whales, specifically the north Atlantic right whale (NARW).

As described in Section 3.1.1.2 of the DEIS, Rhode Island supports the risk reduction associated with the parallel regulatory track of fishery management measures in lobster management area 2 in the form of an Atlantic States Marine Fisheries Commission (ASMFC) effort control plan (Addendum XVIII) that has continued into the 2021 fishing year. The remaining reduction in risk comes from full weak vertical line or weak insertions and trawling up measures based on distance from shore where fixed gear fisheries take place.

Rhode Island supports the proposal offered to NOAA Fisheries in spring of 2020, which achieved the needed risk reduction of 60% through the amended ASMFC interstate fishery management plan that reduced traps by 50% and an associated vertical line reduction as reported by an RIDMF accompanying analysis.

The proposed rule would reduce the number of vertical buoy lines fished outside of areas exempted under the Plan by increasing the minimum number of traps required per trawl (known as trawling-up), based on area fished and distance from shore. The following comments pertain to the changes proposed to reduce the number of vertical buoy lines through the trawling up alternative.

The Rhode Island component of LCMA 2 is comprised of vessels which range in size from 25'-50' in length. Federally permitted vessels prosecute the lobster and Jonah crab fisheries outside of exempted waters, the state waters demarcation line out to and beyond the 12nm territorial sea line. Additionally, a strong seasonal component of the fishery exists throughout the summer months outside of 12nm, however this coincides with a period of time when large whales are less likely to be present.

Due to the status of the lobster resource in SNE, participants have made choices to make their business flexible, profitable and increase efficiency by fishing alone. The trawling up alternatives for distance fished from shore 3-12 nm and greater than 12 nm are a safety concern for smaller vessels that are generally less than 35' in length fishing in coastal waters for some portion of the fishing year. Trawling up measures for such a small portion of the RI lobster management area (LMA) 2 fleet offer minimal risk reduction values of less than 1% according to the updated model runs of the decision support tool (DST). Rhode Island supports standardized minimum traps per trawl coastwide but understands the practical and operational differences by jurisdiction. A conceivable example would be participants who currently fish 15 traps per trawl will continue to do so (therefore will not reduce even though they can), however those who fish with fewer traps per trawl could continue to do so for safety reasons. Given this trade off, the change in risk reduction would be minimal. Due to the portion of the industry affected and the slight risk

reduction, Rhode Island supports an exemption for vessels operators who fish alone, be held to a minimum of 10 traps per trawl in portions of LMA 2 inside 12nm.

In addition to the above exemption request, the RIDMF, based on industry comments, supports the analysis of a conservation equivalency to the trawling up measure in areas greater than 12 nm from shore from 25 traps per trawl to 15 traps per trawl through the use of full weak vertical line and its associated risk reduction benefit as opposed to weak inserts within the Rhode island portion of LMA 2. We request that full weak vertical line risk reduction be used as a conservation equivalency to the line reduction measures using weak insertions specified in section 3.2.1.2 of the Preferred Alternative 2 of the draft environmental impact statement (DEIS). Although the number of vertical lines may not be reduced, the risk reduction values are minimal and using full weak vertical line will decrease the likelihood of large whales incurring serious injury in the unlikely event that an entanglement occurs.

The RI fixed gear fishery has been using a unique marking requirement for single trap/pots in the state waters portion of LMA 2 for greater than 5 years. With new enhanced gear marking requirements for each state jurisdiction as well as a unique federal waters fishery mark, the state supports the elimination of the state specific single pot gear marking requirement.

The RIDMF supports the Preferred Alternative 2 in section 3.2.1.2 for the Massachusetts South Island Restricted Area and does not support additional seasonal restricted areas at this time.

The RIDMF supports the use of seasonal restricted areas open to ropeless fishing as specified in section 3.3.2.1 of the DEIS in an effort to foster the development these technologies under exempted fishing permit (EFP) controls but contend that ropeless fishing should not be implemented on a large scale coastwide until questions and issues are addressed regarding interactions among the various fishing sectors using these areas.

The RIDMF would like to comment and support the need and ability of both federal and state law enforcement agencies to have adequate resources to effectively enforce amendments to the management plan. Without the resources to enforce updated rules, the effectiveness of these alternatives will be unsuccessful. The RIDMF supports the enforceability of weak line through identification by means of a manufactured colored strand, an aspect that identifies the lines breaking strength compliance.

The RIDMF supports an appropriate implementation date to the final rule that allows the industry time prior to the start of a fishing years to re-configure both line and gear modifications using the upcoming fishing season to develop and test configurations to meet the management plans overall risk reduction target.

Finally, the RIDMF would like to comment on other federal fixed gear fisheries. It is our understanding that any trap, pot, contrivance etc. that is capable of catching a lobster is required to have a valid lobster trap tag affixed to it. This would indicate that any trap which falls into this category is subject to the marking, weak insert, and trawling up requirements of this rule. We would ask for clarification on this assumption from NOAA, which should help to guide discussions in the next ALWTRT process which will be aimed at the addition gear types of gill nets and fish pots.



New Hampshire Fish and Game Department

11 Hazen Drive, Concord, NH 03301-6500
Headquarters: (603) 271-3421
Website: www.WildNH.com

TDD Access: Relay NH 1-800-735-2964
Fax: (603) 271-1438
Email: info@wildlife.nh.gov

Scott R. Mason
Executive Director

March 1, 2021

Mr. Michael Pentony
Regional Administrator
Greater Atlantic Regional Fisheries Office
National Marine Fisheries Service
55 Great Republic Drive
Gloucester, MA 01930

Dear Mr. Pentony:|

Thank you for the opportunity to provide comments on the Draft Environmental Impact Statement (DEIS) Regulatory Impact Review, and Initial Regulatory Flexibility Analysis for Amending the Atlantic Large Whale Take Reduction Plan (ALWTRP): Risk Reduction Rule.

The New Hampshire Fish and Game Department (NHFGD) supports Alternative Two of the alternatives presented in the DEIS that seeks to reduce the mortality and serious injury of the North Atlantic right whale by 60% or more in the Northeast Region Trap/Pot Management Area lobster and Jonah crab trap/pot gear. This alternative:

- Increases the number of traps per trawl (trawling up) based on area fished and miles fished from shore in the Northeast Region (Maine to Rhode Island),
- Initiates two new seasonal closures and extends the Massachusetts Restricted Area Closure,
- Initiates the conversion of vertical buoy lines to weak rope, or insertions in buoy lines of weaker rope or other weak inserts, with a maximum breaking strength of 1,700 lbs, and
- Creates area specific gear marking requirements that differentiate vertical lines by state and federal waters and expands into areas previously exempt from gear marking.

As these measures may meet the current co-occurrence conditions of large whales encountering vertical lines, the NHFGD would recommend evaluations (e.g., sighting surveys, zooplankton surveys, etc.) be conducted more frequently to assure the measures are working as intended, as well as detect the right whale range shifts and adjust management measures as needed.

While the NHFGD agrees with finding alternative methods or new technology that will continue to reduce serious injury or mortality due to entanglements, there should be more robust evaluations to assure of their effectiveness, interactions with other area competing fishing gears, enforceability, and economic viability for the lobster fishing industry. In the future, maintaining

REGION 1

629B Main Street
Lancaster, NH 03584-3612
(603) 788-3164
FAX (603) 788-4823
email: reg1@wildlife.nh.gov

REGION 2

PO Box 417
New Hampton, NH 03256
(603) 744-5470
FAX (603) 744-6302
email: reg2@wildlife.nh.gov

REGION 3

225 Main Street
Durham, NH 03824-4732
(603) 868-1095
FAX (603) 868-3305
email: reg3@wildlife.nh.gov

REGION 4

15 Ash Brook Court
Keene, NH 03431
(603) 352-9669
FAX (603) 352-8798
email: reg4@wildlife.nh.gov

a workgroup of various industry members, state and federal agencies, and gear specialists to consider new methodologies with all fishing industries would be beneficial with industry buy-in when new technology is being considered.

Reducing vertical lines in areas of high co-occurrence, such as trawling up more traps, as well as mitigating occurrences with high volume vertical lines and low whale sightings (e.g., weak rope or weak insertions) are measures the NHFGD agree should reduce serious injury and mortality with Right whales and meet the 60%+ risk reduction goal. In addition to these two measures, other risk reduction efforts should be continuously factored into the risk reduction model. These would include, but not limited to, current and future effort reduction efforts ASMFC initiates in interstate lobster or Jonah crab fisheries management plans so the fishing industry is being credited with their continued efforts. An important consideration in trawling more traps to vertical lines should be allowing safety exemptions for new/young harvesters, smaller vessels, nearshore fisheries, shallow waters, etc.

The NHFGD supports weak rope or weak contrivances in vertical line as a risk reduction management strategy. As this technology is still developing to meet the industry's varying area operational needs it is important to allow for continuous tested variations to be accepted fishing practices. NMFS should dedicate specialists and funding to testing, working with rope manufacturers, and determining several variations of weak line contrivances in 2021. If these rules will be enacted in 2022, it will be critical to the industry to know a variety of options. Any variations should be well publicized as accepted rope or contrivances so the industry can be adaptable in meeting operational and financial needs to these new and developing rules. The New Hampshire fishing industry finds operational utility in allowing weak insertion placement at 60 foot intervals instead of 40 foot intervals to address the varying depths between state and federal waters while moving gear on a seasonal basis.

The use of the current weak links at the surface system should be an option even if weak rope or contrivances are to be enacted. While there is a question as to whether this technology has worked as intended in releasing rope from an entanglement situation the offshore lobster industry finds utility in maintaining this early gear modification as stated in the DEIS as well as some ALTWRT members indicating:

- A buoy provides resistance through the water as a whale moves forward, pulling the line away from the whale and in a simple entanglement possibly pulling line out of baleen or off of a whale.
- The buoy, especially if it is pulling line away from the whale, provides the disentanglement team with an opportunity to grapple the line and pull it from the whale and/or attach tracking buoys to help monitor an entanglement.
- And commercial fishery regulations require harvesters to include identification information on buoys. Identification of last known set location of the gear retrieved from large whales is often only possible when a buoy has been retrieved.

Extensive gear marking that will help determine where entanglements occur will be critical in determining effective future risk reduction measures. NHFGD supports the gear marking proposed in the proposed rules to assure assignment of future entanglements are clearly

identified and management measures be taken based on these observations instead of the current uncertain assignments. This should also help further clarify identification between the US and Canada gear and allow for a more appropriate distribution of risk apportionment. NHFGD would also recommend more defined marking in federal waters to demarcate LMA's to better determine future management measures by lobster management area based on entanglement data.

In conclusion, NHFGD supports Alternative Two of the DEIS. It will be critical in the future to develop a monitoring plan to assure management measures are effective over time and to track the implementation and innovations of gear modifications. It will be important for next steps of the ALWTRT to start risk reduction measures for other fishing gears, ship strikes, and other developing ocean uses (e.g., aquaculture, offshore energy), etc. that may affect the whale conservation measures the lobster fishing industry is undergoing.

Thank you again for the opportunity to comment.

Sincerely,

A handwritten signature in black ink that reads "Cheri Patterson". The signature is written in a cursive, flowing style.

Cheri Patterson
Chief, Marine Fisheries

cc: Scott Mason, Executive Director



JANET T. MILLS
GOVERNOR

STATE OF MAINE
DEPARTMENT OF MARINE RESOURCES
21 STATE HOUSE STATION
AUGUSTA, MAINE
04333-0021

PATRICK C. KELIHER
COMMISSIONER

March 1, 2021

Colleen Coogan
National Marine Fisheries Service
Greater Atlantic Regional Fisheries Office
55 Great Republic Drive
Gloucester, Massachusetts 01930

Dear Mrs. Coogan,

The Maine Department of Marine Resources (ME DMR) submits these comments on the Proposed Rule and Draft Environmental Impact Statement (DEIS) regarding the *Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; Atlantic Coastal Fisheries Cooperative Management Act Provisions; American Lobster Fishery* (85 FR 86878). In general, ME DMR supports National Marine Fisheries Service's (NMFS) preferred Alternative 2 given it achieves the 60% risk reduction target for the Northeast lobster fishery and, apart from the LMA 1 Restricted Area, includes measures for Maine which are primarily based on the December 2019 proposal submitted by ME DMR. This proposal was developed with significant industry input which is critical to ensuring successful adoption of the measures.

Detailed comments on each of the measures in the Proposed Rule follow; however, we provide a summary of our three primary comments below.

1. **ME DMR supports the inclusion of equivalency within the trawling-up provisions.** A key part of ME DMR's proposal was that a trawl with two endlines is equivalent to a trawl with half as many traps and one endline. This type of flexibility, whereby fishermen maintain a consistent proportion of vertical lines to traps in a trawl, is critical to ensure the measures designed to provide protections for right whales (NARWs) also ensure safety at sea. As was repeated over and over at many of the industry meetings ME DMR hosted, the diversity of Maine's lobster fleet means a one-size-fits-all approach does not work; allowing for trawl configurations which achieve the same level of risk reduction is critical to maintain fleet diversity. The Proposed Rule cites concern over fishermen safety and gear conflicts as reasons for not implementing this type of equivalency. Ironically, it is the safety concerns repeatedly raised by fishermen which lead ME DMR to propose this type of measure. It is not dramatic to say, without this type of provision, fishermen's lives will be in danger.
2. **There is a lack of evidence supporting NMFS finding that the LMA 1 Restricted Area will result in significant protections for right whales.** Results of the Duke Habitat Model suggest the

LMA 1 Restricted Area is a ‘hot-spot’ of right whales in the late fall and early winter. In fact, risk reduction calculated by the Decision Support Tool indicates the LMA 1 closure, if implemented, would become the most important conservation area to NARWs along the coast. However, there is very little data, particularly recent data, supporting this finding. The DEIS references a paper by Cole et al (2013) indicating the presence of NARWs in the region; yet, the paper by Cole et al. considers data between 2002 and 2008. Given the well-documented shift in NARW distribution since 2010¹, particularly in the Gulf of Maine, it is unlikely that this data reflects current trends in NARW distribution. In addition, the DEIS points to data from recent acoustic gliders in the Gulf of Maine. However, when ME DMR mapped glider positions from those NARW detections against the bounds of the closure, 73% of them were outside of the closure area. Data underlying the Habitat Model also raise questions. As acknowledged in the DEIS, there is a lack of recent standardized surveys in the offshore Gulf of Maine to inform the Habitat Model. This is an important consideration given the aforementioned change in NARW distribution since 2010. As ME DMR found, when comparing data in the Habitat Model from 2003-2009 and 2010-2018, there was a two-fold decrease in the predicted number of whales in the closure after 2010. Thus, data collected prior to 2010 is amplifying the identification of this area as a ‘hot-spot’.

There is very little data supporting the finding that this closure will provide meaningful protections to NARWs, let alone that it will be the most important area closure to NARWs in terms of risk reduction. As a result, ME DMR does not support the LMA 1 closure because it creates a dangerous precedent in which closure areas identified in a model are implemented without corroborating evidence from surveys or other monitoring efforts. Additionally, it appears that the hot spot analysis used to generate the closure was based solely on the risk associated with Maine’s portion of LMA 1. A more biologically meaningful closure would result if that methodology was applied to the region as a whole, irrespective of lobster management areas.

If NMFS concludes the LMA 1 Restricted Area is necessary, ME DMR supports a trigger approach. Importantly, ME DMR strongly recommends that the trigger mechanism and the closure be spatially and temporally aligned. At present, the trigger described in the DEIS is based on future actions in the Northeast trap/pot fishery at-large, rather than future conditions in Maine. As a result, an action outside of Maine waters could trigger a closure that primarily effects Maine fishermen. Additionally, as currently proposed, information assessed prior to the closure time period may trigger the closure; however, this means there is no alignment between the time period of information informing the trigger and the time period of the closure. ME DMR recommends that, if used, the trigger be based on conditions in Maine so that the cause and effect are spatially and temporally linked.

- 3. ME DMR recommends the inclusion of conservation equivalency proposals developed by the Maine Lobster Zone Councils in the final rule.** Throughout 2020, ME DMR worked with the regional Lobster Zone Councils to develop conservation equivalency (CE) proposals to the statewide plan. This was done in recognition that each region has unique fishing conditions and practices, and

¹ Davies, K., M. Brown, P. Hamilton, A. Knowlton, C. Taggart, and A. Vanderlaan. 2019. Variation in North Atlantic right whale *Eubalaena glacialis* occurrence in the Bay of Fundy, Canada, over three decades. *Endangered Species Research* 39:159-171; Davis, G. E., Baumgartner, M. F., Bonnell, J. M., Bell, J., Berchok, C., Thorton, J. B., Brault, S., Buchanan, G., Charif, R. A., Cholewiak, D., Clark, C. W., Cockeron, P., Delarue, J., Dudzinski, K., Hatch, L., Hildebrand, J., Hodge, L., Klinck, H., Kraus, S., Martin, B., Mellinger, D. K., Moors-Murhpy, H., Nieukirk, S., Nowacek, D. P., Parks, S., Read, A. J., Rice, A. N., Risch, D., Sirovic, A., Soldevilla, M., Stafford, K., Stanistreet, J. E., Summers, E., Todd, S., Warde, A., and S. M. Van Parijs. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports*. 7:13460 (1-12).

that the risk for NARWs is not consistent along the Maine coast. Thus, a one size fits all approach does not work for Maine. All of Maine's Zones developed and voted on CE proposals which focus on changes to the trawling-up and weak point measures. In total, ME DMR calculates that the proposals achieve a higher risk reduction than what was achieved in the statewide plan. Equally important, this process fosters industry buy-in to the management process by allowing fishermen to recommend measures for implementation in their region. ME DMR strongly recommends NMFS incorporate these Zone-specific CE proposals into the final rule.

I. Comments on Underlying Methods and Relative Risk

Two and a half weeks before the end of the public comment period on the Proposed Rule, ME DMR was informed that NMFS's calculation of the risk reduction achieved by Maine's proposal was significantly less than what ME DMR had calculated. Specifically, while ME DMR had calculated at least a 52% risk reduction from the measures included in Maine's proposal (the percentage was expected to be higher with the inclusion of measures implemented in Maine's exempt area but ME DMR did not receive feedback from NMFS on how much risk reduction these measures added), NMFS revealed that, by their calculations in the DEIS, Maine's plan only achieved a 37% risk reduction; with the addition of the LMA 1 Restricted Area, Maine achieved a 52% risk reduction.

To say that this news came as a surprise would be an understatement. When Maine was finalizing its state plan, ME DMR had a conference call with NMFS on December 19, 2019. Participants on the call included staff from ME DMR, the Greater Atlantic Regional Fisheries Office (GARFO), and the Northeast Fisheries Science Center (NEFSC). On the call, NEFSC staff member Sean Hayes confirmed verbally to ME DMR that he was calculating a similar risk reduction to that of ME DMR. Further, the fact that ME DMR and NEFSC were using slightly different methods but ended up with very similar risk reductions was seen as corroboration of ME DMR's calculation. Since this call, it is clear NMFS's method to calculate risk reduction has significantly changed. What is unclear is why these changes were never communicated to ME DMR. In the roughly thirteen months since ME DMR submitted its proposal, NMFS had ample time to communicate these changes in the risk reduction scores. Further, in written correspondence between the Greater Atlantic Regional Fisheries Office (GARFO) and ME DMR shortly after the submission of Maine's proposal, GARFO had several opportunities to communicate their own risk reduction calculations to ME DMR.

While this revelation may not have specific impacts on the total risk reduction achieved in the Northeast lobster fishery, there are large ramifications for Maine. Starting in 2019 ME DMR held 60 meetings, with over 2500 industry members, trying find a solution that recognizes the diversity of Maine's lobster fleet. This included meetings with each of the Lobster Zones to develop conservation equivalency proposals. With this new information, there are now multiple methods to calculate the risk reduction percentages associated with different management tools. This change also undermines industry's confidence in the management process as the risk reduction percentages associated with various management measures appear to be in constant flux.

Ultimately, the largest change comes from the method used to calculate the risk reduction associated with weak points. In the DEIS, NMFS uses the average of two methods to assess the risk reduction of weak points; one method considers the depth of the weak points and the other considers their frequency relative to a 40ft spacing. As outlined in greater detail on page 6-7 of these comments, ME DMR does not support the method which considers the spacing of weak points relative to 40ft. In this calculation, NMFS assumes a weak point every 40ft is equivalent to full weak rope; however, there is no information in the literature to support this finding. In fact, the origin of 40ft spacing came from a gear marking

proposal and not a discussion on weak points. Further, this method fails to consider how full 1700-lb rope breaks; specifically, it too breaks at its weakest point. Extensive breaking strength data collected by Maine DMR and shared with NMFS, has shown that the weakest part of a rope is at a connection point in the line. Different types of splices and knots used to connect pieces of rope together in a vertical line will reduce the strength of the rope by up to 60%. In a piece of weak rope, this weakest point would be where it ties into the rest of the vertical line and not necessarily on or close to an entangled whale. As a result, a rope with its weakest point 50% down the vertical line should break at the same point as a vertical line with weak rope in the top 50% of the line. Importantly, NMFS methods fail to consider this point and assign very different risk reductions to the two configurations.

Given these deficiencies, ME DMR finds the method which considers the depth of the lowest weak point to be the most defensible method to assess risk reduction because it considers at what depth the vertical line is likely to break. This is the same method that ME DMR employed when developing Maine's original proposal. ME DMR highlights that, if this method is used alone, the risk reduction calculated in the DEIS for measures in Maine's waters achieves the 60% risk reduction set out by the Atlantic Large Whale Take Reduction Team (ALWTRT).

ME DMR also highlights the vast difference in relative risk between Maine's waters and the broader Northeast region. While Maine accounts for 64% of all vertical lines on the entire east coast, it represents just 30% of the risk associated with the New England region that is being regulated through this proposed rule. Lobster fisheries in Maine, New Hampshire and parts of Massachusetts make up LMA 1, which constitutes 74% of the entanglement risk in New England. The Maine fishery alone has more than 90% of the LMA 1 vertical lines yet it's risk relative to that area is less than half at 40%. Stated again, even though Maine makes up more than 90% of the gear, the risk is relatively low because of the low occurrence of right whales. This discrepancy is made all the more obvious in Maine's exempt waters which constitute 73% of vertical lines in the Maine lobster fishery but just 3% of the state's risk. This imbalance between number of vertical lines and associated risk indicates that whale density is a driving factor in the calculation of risk, making it difficult to move the needle on risk reduction in areas of low right whale occurrence. Moreover, the low overlap with right whales requires impacting a large number of fishermen for even low to moderate risk reduction benefit.

II. NMFS's Preferred Alternative 2

The following comments pertain to NMFS preferred Alternative 2. Given most of these measures, with the exception of the LMA 1 Restricted Area, align with the state proposal, ME DMR is generally supportive of preferred Alternative 2. Detailed comments on each of the proposed management measures are included below.

Trawl Length Minimums

ME DMR supports the inclusion of trawl length minimums as a method to reduce the number of vertical lines in the water. While increases to trawl length minimums must be balanced with safety at sea, the measures included in preferred Alternative 2, for the most part, reflect the trawl length minimums submitted by the states and developed through extensive industry outreach. As a note, on page 3-54 to 3-55 of the DEIS, it appears Maine's LMA 1 trawling up measures between 6-12nm are not listed; this should be added in the Final Environmental Impact Statement (FEIS).

As described starting on page 18 of this letter, ME DMR has worked with the regional Lobster Zone Councils since Maine's submission of the statewide proposal to develop Zone-specific CE proposals. For

these proposals, Zones could consider modifications to the trawling up minimums and weak point measures as long as they achieved the same, or greater, level of risk reduction as was achieved under the statewide plan. All Zones pursued this option. ME DMR strongly recommends NMFS include the trawl length minimums proposed by the Zone-specific CE proposals in the final rule (see Table 2) as they represent significant industry time and commitment to balance regional fishing practices with risk reduction goals. Many of the CE proposals drafted by the Zones include a slightly higher trawl length minimum between 3 and 6 miles from shore (5 traps per one endline/10 traps per two endlines). Whereas in the proposed rule less than 1% of Maine's risk reduction is achieved by the trawl length minimums from 3-6nm, these CE proposals should increase the risk reduction achieved in this distance from shore.

For the trawling-up measures in both Maine's statewide proposal and for those included in the Zone CE proposals, ME DMR strongly recommends NMFS include the use of endline equivalencies. A key element of ME DMR's proposal was the fact that a trawl with two endlines achieves an equivalent level of risk reduction to a trawl with one endline and half as many traps (i.e. an eight trap trawl with two endlines is equivalent in terms of risk reduction to a four trap trawl with one endline). Page 18 of the Proposed Rule states the option for fishermen to use an equivalent proportion of buoy lines to traps was not included given concerns over gear conflicts and safety. Ironically, fishermen safety is one of the primary reasons ME DMR proposed this type of equivalency. Throughout public meetings with fishermen, ME DMR consistently heard one size does not fit all and moving to longer trawls would imperil those who fish on vessels which are smaller or have less deck space. In recognition of these very real safety concerns, Maine proposed trawl length equivalencies through which fishermen can comply by either trawling up or reducing the number of endlines on a trawl. This system does not compromise the risk reduction achieved and ensures a broad array of fishermen can safely adopt the new measures. In essence, this is similar to the idea behind the endline cap proposed by NMFS in Alternative 3; provide fishermen a level of flexibility to best adapt the new regulations to their unique fishing practices. Without this flexibility, fishermen safety will be compromised. The Proposed Rule also references a need to modify 50 CFR 697.21(b)(2), which requires both endlines be marked with a buoy and radar reflector when there are more than three traps on a trawl. ME DMR supports modifying this regulation to allow a greater number of traps per single endline given it will reduce the number of vertical lines in the water. Modifying this regulation may also provide an opportunity for a broader conversation on the radar reflector requirement given there have been ongoing discussions between Maine Marine Patrol and the US Coast Guard regarding the enforcement of this provision.

In the DEIS, NMFS discusses two ways in which trawling up may not achieve the anticipated risk reduction targets. The first is longer trawls may result in fishermen using stronger vertical lines, causing more lethal entanglements. ME DMR highlights that as a part of Maine's proposal, every vertical line in the Maine lobster fishery will be required to have a weak point which breaks at 1700-pounds. This measure will limit the breaking strength of vertical lines. The second concern raised focused on the activation of latent effort. As described in Maine's proposal, the level of latent effort in the Maine lobster fishery has been incredibly stable over the last decade. In fact, in 2014 and 2016, the two years straddling the last trawling up rule, Maine recorded the same number of latent licenses. As a result, there is not a history of increased effort following previous modifications to the trawl length requirements. ME DMR also notes that the total number of licenses in the Maine lobster fishery is decreasing as many Zones have implemented exit ratios which require multiple licenses to be retired before a new license is issued. Specifically, since 2016, the total number of Maine lobster licenses has decreased by 134.

ME DMR also notes slide 29 of NMFS's presentation on the Proposed Rule shows that, by far, the greatest impact of the new trawling up measures is on the Maine lobster fishery. Specifically, the table

estimates 1,602 fishermen in Maine non-exempt waters will be impacted by the new trawl length minimums. In contrast, 82 fishermen in LMA 3, 21 fishermen in Massachusetts, 7 fishermen in Rhode Island, and 0 fishermen in New Hampshire are expected to be impacted by the trawling-up measures. Given the magnitude of impact in Maine, ME DMR is confident the higher trawl length minimums will reduce the number of vertical lines in Maine waters.

Weak Points

ME DMR generally supports the weak point configurations as proposed in NMFS's preferred Alternative 2. As noted above when discussing trawling-up minimums, the Maine Lobster Zone Councils worked to develop CE proposals which recognize Maine's diverse fishing practices. Some of the CE proposals recommend changes to the weak point configurations and these proposed changes can be found in Table 2. ME DMR strongly recommends NMFS include the Zone-specific CE proposals in the final rule.

Within the Proposed Rule and DEIS, Maine's proposal for weak points between the exemption line and the three-mile line is incorrectly stated. In Table 3 of the Proposed Rule, Maine's weak point measures between the exemption line and the three-mile line are written as 2 weak points, one 25% and one 50% down the vertical line. However, Maine's proposal included 1 weak point 50% down the vertical line in all state waters; this is identical to what is proposed for New Hampshire, Massachusetts, and Rhode Island state waters. The error is also found in Table 1.1 and Table 3.3 of the DEIS; however, it appears it is correctly written on page 3-55 of the DEIS. To be clear, ME DMR is proposing, and supports, 1 weak point 50% down the vertical line in all state waters.

Throughout the DEIS, it is frequently stated that weak points every 40ft are equivalent full weak rope. However, there is no citation or scientific support provided for this statement. To the knowledge of ME DMR staff, there has been no study which equates a specific number of weak points to full weak rope. As described in Maine's original proposal to NMFS, the use of 40ft spacing was originally discussed in a 2009 report by the International Fund for Animal Welfare on gear marking. The report suggests that because 90% of the gear recovered from whales is at least 40 ft in length, marking gear every 40 ft would result in 90% of recovered gear having a mark which can be used to discern fishery and/or set location. The first time 40ft spacing was used in conjunction with weak points was in a 2017 Massachusetts South Shore Lobstermen's Association proposal. Here, the Lobstermen's Association proposed implementing a weak sleeve every 40ft to have the sleeves act as both weak points *and* gear marks, not because scientific literature supported this spacing. It now appears the 40ft spacing has taken on a life of its own, becoming a standard against which weak point proposals are judged.

The DEIS also appears to misconstrue how and where rope breaks, particularly with regard to engineered 1700-lb rope. The DEIS asserts that the greater number of weak points in a vertical line, the closer the line is to full weak rope, at least in its calculation of risk reduction. The DEIS also notes the greater number of weak points in the line, the more likely the weak point will be outside of the mouth of the NARW where it can more easily break free. The implicit assumption here is with a full weak rope, a NARW should be able to break the line at any place because there will be a section of line outside of the whale's mouth which breaks at 1700-lbs. However, this fails to recognize that a rope breaks at its weakest point, which is where that piece of rope connects to another. Even a full 1700-lb line will be 40-60% weaker at its connection point and will break there (Figures 1, 2), making the trailing gear left on a whale the same whether there is a single weak point halfway down or a 50% full weak line topper. ME DMR has conducted breaking tests involving more than 1,500 pieces of rope, weak rope, and weak point connection types. These tests have shown lines consistently break at the connection point. Therefore, the

weakest point on full 1700-lb rope is where it is connected into the rest of the vertical line, and not some intermediate point on the rope.




Figure 1: Percent reduction in break strength from rope breaking tests conducted by ME DMR. The samples include new rope from a variety of manufacturers, and in varying diameters. Reductions in breaking strength for various connection point types, as well as a segments of rope with no connections, are shown. Reduction in breaking strength was measured from the breaking strength of the weakest rope in the configuraton.



Figure 2: Picture of a 1700-lb weak rope on the rope breaking machine at ME DMR. This example shows a 1/2” weak rope (1700 lb) and 1/2” Everson sink, connected by a butt (or inline) splice. The weak rope broke at the connection point to the Everson sink line.

For these reasons, ME DMR does not support NMFS' method to calculate risk reduction based on the frequency of weak points relative to 40ft. In the DEIS, NMFS averages two methods to determine the potential risk reduction from weak points. One method, which DMR supports and used, considers the depth at which weak points are implemented. This calculation makes sense because it acknowledges at what depth the vertical line is likely to break. It also acknowledges that a rope with its weakest point 50% down the line will break at the same place as a vertical line that has a 50% weak rope topper. ME DMR believes this method is valid, defensible, and doesn't arbitrarily award higher risk reduction to some configurations without evidence to support it.

The second method considers the frequency of weak points, with the assumption that a weak point every 40ft is equivalent to full weak rope. For the reasons outlined above, ME DMR does not support this method because it relies on a 40ft standard which has no basis in literature. It also relies on rationale which does not accurately reflect how and where rope breaks. Giving credit only to the 40ft. of rope on either side of a weak point does not acknowledge the fact that the line broke free with a decreased risk of serious injury and mortality. Assigning higher risk reduction credit for a higher frequency of weak points or full weak rope gives a false sense of knowledge about where that rope will break.

In using the first method, rather than averaging the output of the two methods, the measures proposed in Maine waters achieve a 60% risk reduction. As noted in Knowlton et al. (2016), the "adoption of ropes with breaking strengths of $\leq 7.56 \text{ kN}$ ($\leq 1700 \text{ lbs}$) could reduce the number of life-threatening entanglements for large whales by at least 72%." ² As a result, literature supports significant risk reduction from the use of vertical lines which break at 1700 lbs.

LMA 1 Restricted Area

There is insufficient evidence to support the finding that the LMA 1 Restricted Area will achieve significant protections for NARWs. In particular, ME DMR is surprised to see that, of all the closures (either existing or proposed) in the DEIS, the LMA 1 Restricted Area is expected to achieve the highest level of risk reduction. As outlined below, the DEIS lacks adequate data to support this finding.

Page 3-71 of the DEIS describes a hot-spot analysis used to identify the bounds of the LMA 1 Restricted Area. This analysis primarily relies on the Duke Habitat Model and appears to be conducted solely in Maine's portion of LMA 1. Given the DEIS admits that "aerial surveys in recent years have been sparse for this area", ³ ME DMR questioned if older data may be driving the identification of this closure within the Habitat Model. This consideration is important given there has been a well-documented shift in NARW distribution since 2010. ⁴ As a result, should NARW sightings prior to 2010 be driving the identification of the area as a 'hot-spot', the proposed Restricted Area may not reflect current trends in NARW distribution, especially given this analysis does not incorporate the rest of the New England region covered by this proposed rule. To investigate this, ME DMR reviewed the Duke Habitat Model to compare the number of NARWs measured in the proposed LMA 1 Restricted Area across time. Our investigation found that, within this closure, the number of NARW units is two times higher between 2003 and 2009, than it is between 2010 and 2018. Thus, older data seems to be having a larger influence on the identification of the LMA 1 Restricted Area. Interestingly, the DEIS acknowledges this decline in NARW occurrence in the Gulf of Maine, but argues "while there is a reduction in the magnitude of use

² Knowlton, A. R., Robbins, J., Landry, S., McKenna, H. A., Kraus, S. D., and T. B. Werner. 2015. Effects of fishing rope strength on the severity of large whale entanglements. *Conservation Biology*, 30, 2:318-328.

³ NMFS. 2020. Draft Environmental Impact Statement, Regulatory Impact Review, and Initial Regulatory Flexibility Analysis for Amending the Atlantic Large Whale Take Reduction Plan: Risk Reduction Rule Volume 1. Pg 3-72.

⁴ Davies et al 2019; Davies et al. 2017.

in the Gulf of Maine, the distribution of NARWs has remained consistent”.⁵ ME DMR disagrees with NMFS’s assertion that older data is still suitable as long as the distribution has not changed. ME DMR contends that the magnitude of NARWs in the Gulf of Maine is a critical factor in assessing the efficacy and impact of potential management measures, particularly area closures. Further, the magnitude of NARWs in a region directly contributes to risk reduction levels. It is thus counterintuitive for an area which is experiencing a decrease in the magnitude of NARWs to achieve such high levels of risk reduction from a closure.

NMFS also identified two additional sources of information as supporting evidence for the proposed LMA 1 Restricted Area. First, the DEIS cites a paper by Cole et al. 2013 indicating the presence of NARWs in the region. The aerial surveys in this paper were conducted between 2002 and 2008⁶, before the 2010-shift in NARW habitat use. As a result, these aerial surveys do not reflect current trends in NARW distribution. The DEIS also cites recent work with acoustic gliders in 2018 and 2019 in the offshore Gulf of Maine. ME DMR mapped NARW detections from the last few years of glider data and found that 73% of the reported positions of the NARW detections were outside of the proposed LMA 1 Restricted Area (Figure 3). Further, the temporal deployment of the gliders is inconsistent with the timing of the proposed closure. The gliders are deployed from eastern Maine in December, reaching the closure sometime in January. In contrast, the LMA 1 Restricted Area is proposed to start in October and end in January. The minimal overlap in timing between the glider and the proposed closure means this acoustic data provides very little data supporting the findings of the Habitat Model.




Figure 3: NARW detections (red circles) recorded by acoustic gliders between 1/12/2019 and 1/25/2019. The yellow box represents the proposed LMA 1 Restricted Area.

⁵ NMFS. 2020. Draft Environmental Impact Statement, Regulatory Impact Review, and Initial Regulatory Flexibility Analysis for Amending the Atlantic Large Whale Take Reduction Plan: Risk Reduction Rule Volume 1. Pg 3-72.

⁶ Cole, T., P. Hamilton, A. Henry, P. Duley, R. Pace, B. White, and T. Frasier. 2013. Evidence of a North Atlantic right whale *Eubalaena glacialis* mating ground. *Endangered Species Research* 21:55-64.

The analysis presented in the DEIS also raises questions about the methods used to identify the LMA 1 Restricted Area and its expected utility. Table 3.4 of the DEIS shows various risk reduction percentages for the different measures included in the DEIS. ME DMR was surprised to see the risk reduction expected for the LMA 1 Restricted Area (10.8%) is higher than the risk reduction achieved with the closure of the Massachusetts Restricted Area (MRA) from February through April (9.9%). Given over half of the NARW population annually visits the MRA during the closure, it seems unreasonable to expect a lower risk reduction for the MRA than for the proposed LMA 1 Restricted Area, where there is no evidence showing significant and recent NARW aggregations. A comparison of the proposed LMA 1 Restricted Area versus the proposed Georges Basin closure in Alternative 3 raises similar questions, particularly since both closures were derived using the same methodology. The Georges Basin closure is only expected to achieve a 6.5% risk reduction; however, in comparing Figures 3.4 and 3.5 from the DEIS, the scale on the Georges Basin hot spot analysis is 5 times higher than that of the LMA 1 Restricted Area. If the two figures were presented on the same scale, it is likely the region within the LMA 1 Restricted Area would not be identified as a hot spot. It is unclear how the scales for the two figures can be so different, but the LMA 1 Restricted Area receives a higher risk reduction percentage.

It is also unclear why NMFS conducted a hot-spot analysis for LMA 1 and then a separate hot-spot analysis for LMA 3. If the intent is to identify closure locations which provide the greatest benefit to NARWs, ME DMR suggests the region should have been analyzed as a whole, rather than by management area. When ME DMR assessed the outputs of the Habitat Model across the northeast region, as opposed to just looking at a single LMA, the results showed that predicted areas of high right whale density were not confined to LMA 1. In fact, Figure 4 shows that LMA 1 appears to be a relatively small portion of an offshore Gulf of Maine ‘hot-spot’. Therefore, it seems incongruous, and counter to the biological basis of the LMA 1 Restricted Area, to have different management measures in different areas of this broader ‘hot-spot’.

Duke Right Whale Model Explorer, v9 2010-2018




Figure 4: Image from Duke Right Whale Habitat Model showing right whale abundance per 100km² from October through January. Data in the Duke Habitat Model is from 2010-2018. Black lines outline the Maine Lobster Management Zones in Maine’s portion of LMA 1.

Overall, there is very little data supporting the finding that this closure will provide meaningful protections to NARWs, let alone that it would be the most important area closure to NARWs. Instead, evidence reviewed by ME DMR suggests that this closure will result in disproportionate negative impacts to the Maine lobster fishery compared to its resulting protection to NARWs. As a result, ME DMR does not support the LMA 1 Restricted Area. An area closure is an appropriate management tool for regions where there are known and consistent aggregations of whales. For the proposed LMA 1 Restricted Area, the number of whales using the Gulf of Maine has decreased and there are no data to suggest continued and consistent use of this area by NARWs. As a result, NMFS has failed to provide evidence that the LMA 1 Restricted Area meets the necessary criteria of an effective area closure. Implementation of the LMA 1 Restricted Area would set a dangerous precedent in which management measures are implemented based on model outputs with very little corroborating data or evidence. Given the change in distribution of NARWs in the last decade, monitoring of potential closure areas should be undertaken before implementation of area closures to ensure model outputs match reality.

If, despite these concerns, NOAA concludes the closure is necessary, ME DMR supports the trigger approach over immediate implementation of the closure. The trigger approach acknowledges the lack of data supporting the biological benefit of this closure and allows future conditions to determine its implementation. The trigger approach also allows for the collection of data to better inform future decision making.

There are several data collection efforts which could provide much needed information on the presence of right whales and fishing gear in the region, and thus inform a future trigger. ME DMR has recently received a grant to purchase and deploy at least eight passive acoustic sound traps to record right whale vocalizations within the offshore Gulf of Maine. Sound traps will be set in the spring of 2021 and will be used to target offshore areas of interest, including the proposed LMA 1 Restricted Area. These archival units will also be run in tandem with eight existing sound traps that have been placed in inshore Maine through a collaboration between DMR and the NEFSC. The deployment of sound traps will provide a critical source of information to annually assess right whale occurrence and habitat use. This information could also be used to inform future management, including a trigger for the LMA 1 Restricted Area. Based on information collected with the sound traps, NMFS could develop a trigger for the implementation of the closure based on a specific number of detection days. For example, a recorded number of detection days in year 1 could be compared to a trigger to determine implementation of the LMA 1 Restricted Area in year 2.

Equally important is the collection of data on fishing effort in the region. As is noted in the DEIS, there is a lack of information on the spatial location of the lobster fishery. This means the amount of fishing gear in the proposed LMA 1 Restricted Area must be estimated based on models and assumptions. NMFS staff has suggested there is concern about effort in the lobster fishery moving offshore. If this concern is driving the proposal of the closure, the easiest way to elucidate spatial trends in fishing effort is to require the use of trackers on all vessels wishing to fish in the LMA 1 Restricted Area. This would not only allow for the collection of data on fishing activity, but it would better inform expected risk reductions and strengthen our understanding of potential economic impacts. Requiring trackers on vessels looking to access an area is comparable to other federal fisheries where, if a vessel wants to fish in an exemption area or gear restricted area, greater levels of reporting and observer coverage are generally required. ME DMR supports the requirement for trackers on vessels wishing to access the LMA 1 Restricted Area and notes that, like the sound traps, information collected through trackers could be used to develop a trigger for implementation of the closure based on fishing effort.

Importantly, ME DMR strongly recommends that the trigger mechanism and the closure be aligned spatially and temporally. While DMR has provided some suggestions on the development of potential triggers, as currently proposed, the Regional Administrator would annually assess conditions in the Northeast trap/pot fishery to determine if the implementation of the closure is necessary to reduce the frequency of entanglements by 60%. Given how few entanglements have been linked to the Northeast trap/pot fishery, ME DMR interprets this to mean that any entanglement in the Northeast trap/pot fishery would trigger implementation of the closure. A primary concern of ME DMR is that, under this proposed approach, it would be possible for an NARW entanglement outside of Maine to trigger a closure in Maine waters. This breaks the causal link between a potential future entanglement and the subsequent management response. If NMFS is going to use a trigger approach for implementing the LMA 1 Restricted Area, ME DMR strongly recommends the trigger mechanism and the resulting closure be spatially aligned so that future conditions in Maine are the basis of the trigger. Further, the information to assess the need for a closure should be temporally aligned with the timing of the closure. At present, the Regional Administrator would assess conditions in advance of October to determine if the closure is necessary. However, this method assumes that unfavorable conditions in the first half of the year can be remedied by a closure starting in October. This assumption is not true as risk varies through time and space. Instead, conditions in October through January in year 1 should dictate the implementation of a closure in year 2.

Also important to the success of a trigger is the amount of advanced notification given to fishermen. The proposed rule does not specify a date by which fishermen would be notified about the triggering of the LMA 1 Restricted Area. Given its distance from shore, DMR anticipates that it could take significant time for a lobsterman to remove gear from the region, particularly if the majority of his or her traps are located offshore. As noted above, ME DMR supports a trigger mechanism that is aligned spatially and temporally with the Restricted Area, such that conditions in year 1 determine whether the closure is implemented in year 2. This system would provide ample notice to fishermen to plan out the location of their fishing activities in a subsequent year.

ME DMR also underscores industry-identified deficiencies in the economic impact analysis associated with the LMA 1 Restricted Area. Chapter 6 of the DEIS states that implementation of the LMA 1 Restricted Area will impact 45 vessels at an economic cost of \$106,000-315,000. Many industry members have reached out to ME DMR indicating that this economic analysis significantly underestimates the impact of the closure. Based on 10% harvester reporting and 100% dealer reporting, ME DMR estimates that in the fourth quarter of 2019 (October – December), there were 2,687 trips to waters outside of 12nm from shore in Zones C, D, and E.⁷ These trips landed a total of 3,972,842 pounds of lobster at an estimated value of \$22.3 million.⁸ Looking at the first quarter (January – March) of 2019, ME DMR estimates there were 1,075 trips to Zones C, D and E outside of 12nm. These trips landed a total of 798,414 pounds of lobster at an estimated value of \$5.1 million.

To better identify economic impacts of the closure, ME DMR staff took the ratio of the area of the proposed LMA 1 Restricted Area to the total area of each zone outside 12 miles from shore. This was then multiplied by the first and fourth quarter values for each zone outside 12nm in which the closure occurs to estimate the value of the fishery within the closure. The result is that, in the first and fourth

⁷ Methods for how ME DMR estimates pounds landed and value by Zone and distance from shore can be found here: https://htmlpreview.github.io/?https://github.com/mainedmr/DMR-GIS-Docs/blob/master/mainedmr_lobster_ec_metadata.html

⁸ Value is based on the average value for that quarter based on dealer reports.

quarter of 2019, ME DMR estimates 19.4% of Maine’s lobster landings from outside 12 miles from shore came from the proposed LMA 1 Restricted Area. This results in an estimated economic value of \$12.7 million. Based on this analysis, the economic impacts in the DEIS appear to significantly underestimate the value of the catch impacted by this closure. In fact, based on this analysis a 5% and 10% decrease in the value of catch would equate to \$636,000 and \$1.27 million, respectively; this estimate is 3.6 times higher than what is shown in Table 6.12 of the DEIS. As a note, ME DMR is unclear how the 5% and 10% reductions in catch were calculated from the data presented in Table 6.12. When ME DMR multiplies “Total Catch (kg)” by “Price (\$/kg)” and then takes 5% and 10% of this product, Maine gets significantly different values than what is presented in the columns labeled “5% Value (\$)” and “10% Value (\$)”.

Finally, in calculating the costs associated with the closure, NMFS only focuses on the estimated 45 displaced vessels and deducts percentages off their catch. However, this analysis does not consider the indirect impacts on other fishermen in adjacent regions. As ME DMR noted in its September 2019 scoping comments, an area closure can result in increased gear density around the closure boundary. The DEIS predicts this aggregation of gear will occur as fishermen impacted by the LMA 1 Restricted Area are expected to relocate gear closer to shore, as oppose to remove their gear from the water. While analysis in Chapter 5 of the DEIS suggests this will not result in an increase in right whale co-occurrence, this does not consider resulting impacts on fishermen. For example, for fishermen who do not fish in the closure but just adjacent to it, the relocation of gear shoreward of the closure boundary will negatively impact their catch. Denser aggregations of gear outside the closure may also result in increased set overs. These secondary impacts are not accounted for in the DEIS but represent real-life consequences to implementation of a restricted area.

Gear Marking

ME DMR supports the gear marking scheme proposed in preferred Alternative 2. While gear marking does not specifically reduce the risk of entanglement to NARWs, entanglements of unknown cause which are subsequently attributed to a region or fishery do have real world consequences for fisheries with vertical lines. NMFS’s proposal to increase the number of markings, and the spatial specificity of those markings, should help increase the frequency with which future entanglements can be linked to a specific fishery.

As is noted in the Proposed Rule, ME DMR implemented enhanced gear marking in the Maine lobster fishery in September 2020. The gear marking scheme outlined in the Proposed Rule and DEIS largely follows what was implemented by ME DMR; that said, there are a few inconsistencies. First, in Maine’s regulations, the number of 1-foot marks in state waters, in addition to the 3-foot mark, is based on the length of the buoy line as opposed to the depth of water, as indicated in Table 3.3 of the DEIS. Maine’s regulation for buoy lines less than 100ft in length appears to be correctly described on page 3-77 of the DEIS. Second, in the sliver between Maine’s exempted waters and federal waters, ME DMR requires the 6-inch green mark in the top two fathoms of the buoy line. While this appears to align with what is presented in Table 3.3 of the DEIS, it is different than what is included in Table 1.1 of the DEIS and in the Fact Sheet, where the six-inch green mark is only required in federal waters. To be clear, Maine is requiring a 6-inch green mark outside of exempted waters, including the sliver area.

ME DMR was disappointed to see that the economic impacts of gear marking in the Maine lobster fishery were not included in the DEIS. While the justification given is that the costs of gear marking have already occurred and are not a direct result of the Proposed Rule, ME DMR highlights that the enhanced gear marking requirements were implemented in direct anticipation of this Proposed Rule.

Moreover, knowing additional gear marking was going to be proposed in the rulemaking, ME DMR proactively implemented regulations. By not including the economic costs of gear marking in the Maine lobster fishery, the economic impact of this rulemaking is not fully captured. Further, this policy creates a disincentive for states to proactively implement regulations to protect NARWs, given it is now clear any associated costs will not be analyzed in the DEIS. ME DMR's highest priority is on-time rulemaking. That said, ME DMR strongly recommends the costs associated with gear marking in the Maine lobster fishery be included in the FEIS.

Testing of Ropeless Technology in Closed Areas

The Proposed Rule includes a renewed focus on the development of ropeless fishing. This is proposed primarily through the use of Exempted Fishing Permits (EFPs) within closed areas. Given the need to apply for an EFP to use ropeless fishing gear, ME DMR agrees with NMFS inherent assessment that ropeless fishing is not ready for 'prime time'.

While there has been increased testing regarding the retrieval of a trap from the ocean floor via ropeless gear, significant challenges with the operation of ropeless technologies within the broader maritime community still exist. For example, mobile gear fishermen need to identify the location of ropeless gear so they can avoid gear conflicts when operating bottom-tending gear. To date, impacts to the mobile gear fleet have largely been ignored. Dynamics within Maine's lobster fishery provide additional challenges as fishermen often sets traps close to one another as they compete for hard and dynamic bottom substrate. The effectiveness of ropeless fishing gear when it is set close together, or on top of one another, has not been tested. There are also financial challenges regarding the adoption of ropeless gear, including the high cost of the technology relative to existing operating costs. Maine lobster license holders are both owners and operators. Fisherman have been clear that, based on the current estimated cost of ropeless fishing, adoption of this technology will upend their business models putting many out of business. Uncertainties regarding long-term costs of ropeless fishing also make business planning impossible. For example, it is unclear how frequently ropeless technology will need to be replaced or at what rate gear will be lost, whether that be from the ropeless technology failing to deploy or increased gear conflicts.

ME DMR recognizes that some fishermen are interested in pursuing ropeless fishing technology to be able to access closed areas. That said, ME DMR is concerned that the proposed method for administering the testing of ropeless fishing has not been thoroughly considered, and that the impacts to other fisheries have not been evaluated in the DEIS. The use of an EFP to test ropeless fishing allows NMFS to track the number of fishermen testing this technology; however, it is unclear how other fishermen would know about these tests or the precise location of the ropeless gear. According to a GARFO webpage on EFPs⁹, the location of the exempted fishing activity is required in the application; yet, location is described in terms of broad areas such as statistical area or closed area. In reality, specific coordinates would be needed so mobile gear fishermen and ropeless technology can co-exist in areas where both fisheries operate. In the absence of this information, ME DMR is concerned mobile gear fishermen will be forced out of large areas given the uncertainty in the precise location of the ropeless fishing gear. In fact, NMFS's intent to close areas which are sufficiently large to provide protections to whales results in greater uncertainty for the mobile fleet in terms of where ropeless technology may be located. At present, the DEIS does not, either qualitatively or quantitatively, discuss impacts to the mobile gear fleet.

⁹ <https://www.fisheries.noaa.gov/new-england-mid-atlantic/sustainable-fisheries/scientific-research-and-exempting-fishing-permits#application-requirements>

On the January 7th Atlantic Large Whale Take Reduction Team call, a question regarding the potential impacts of ropeless fishing gear on the mobile gear fleet was raised. ME DMR was surprised to hear NMFS suggest a potential solution to this problem would be to require an agreement between mobile gear fishermen and the trap fisherman as a condition of the EFP. Asking a fisherman to undertake a potentially controversial negotiation with other fishermen seems unreasonable and unrealistic. Industry agreements between the mobile gear fleet and trap/pot fisheries have occurred in the past but many, such as an agreement in Closed Area II, are codified in fishery management plans. It is unlikely NMFS is asking for codified agreements between segments of the fishing industry, but it is also unclear what would constitute a sufficient level of agreement for approval of an EFP or how NMFS would ensure all affected parties have been party to and agreed to any negotiated outcome.

ME DMR is also concerned that by permitting the testing of ropeless technology through an EFP, there is no mechanism to enforce lobster resource management measures by participating vessels. Currently, no marine enforcement vessels in Maine are equipped with the technology needed to retrieve ropeless fishing devices and appropriately set back the gear. Without adequate resources to properly equip law enforcement vessels and train officers on the use of that equipment, the testing of ropeless fishing in closed areas, such as the proposed LMA 1 Restricted Area, could result in inadequate enforcement of lobster resource management measures.

Overall, if NMFS pursues the EFP as a method to test ropeless fishing, ME DMR strongly recommends the FEIS include an evaluation of potential impacts on the mobile gear fleet and on the ability to enforce lobster resource management measures. There are many challenges facing ropeless fishing, both in the development of the technology and in its testing. Unfortunately, the lobster fishery finds itself in a situation where future risk reductions prescribed in the draft Biological Opinion could require adoption of this technology. ME DMR is willing to engage with NMFS on ropeless technology to address the issues outlined above, but we need to work within operational realities. A potential area of collaboration is on NMFS's roadmap to ropeless fishing; development of this roadmap presents an opportunity for ME DMR to highlight challenges with ropeless fishing, consider solutions, and identify metrics to determine when specific challenges have been addressed.

III. NMFS's Non-Preferred Alternative 3

Overall, ME DMR does not support NMFS Alternative 3. However, we provide the following comments on measures included in Alternative 3 given some of the management tools were considered, but ultimately rejected, by ME DMR when developing the state's proposal.

Line Cap for Federal Permit Holders

As mentioned in the DEIS, ME DMR discussed a line tag system, very similar to a line cap, when developing the state proposal. The obvious advantage of this system is it provides flexibility to adapt new regulations to a diverse set of individual fishing practices and businesses. Even with this flexibility, ME DMR decided not to pursue this alternative for several reasons. The first is that developing a method to allocate vertical lines is a tremendously complex and time-intensive process. Just like developing an allocation system for quota takes many years, a line cap system would similarly have to pinpoint primary data sources, identify qualifying criteria, outline an allocation method, and engage industry. This is made all the more challenging by the fact that, for most lobstermen, we don't know how many vertical lines they fish. In recognition of this, the DEIS proposes using dealer data to determine the number of endlines allocated to a fisherman; however, this means landings, not effort data, would be used to

determine the number of vertical lines a fisherman receives. Since catch per unit effort is not uniform across time and space, pounds of lobster landed is not an appropriate proxy for the number of vertical lines used. Furthermore, dealer data does not consider the existing trawling up requirements in place, whereby an offshore fisherman and an inshore fisherman may land a similar number of pounds but be subject to different trawling-up requirements. For any allocation method developed, there would undoubtedly have to be an appeal process in which fishermen could petition for a different number of vertical lines based on new, missing, or incomplete information. With all of this complexity, it is almost certain the trawling up measures, as proposed in Alternative 2, could be more efficiently implemented than a line cap system. The ability to implement new regulations in a reasonably expedient timeframe is important given the poor status of the NARW population.

The administrative burden of a line cap system is also something which deterred ME DMR from pursuing this management measure. Already, the lobster fishery uses trap tags to identify legal traps and monitor the number of traps being fished by an individual. The annual administrative burden of executing contracts with a trap tag provider and distributing trap tags to thousands of fishermen is not insubstantial. Importantly, for a line cap system this administrative burden not only includes the annual tasks associated with distributing line tags for both ends of the buoy line but also upfront staff time to develop the allocation system. Based on the description of the line cap on page 5-142 of the DEIS, it appears NMFS plans to divert both of these responsibilities to the Atlantic States Marine Fisheries Commission and the New England states. Placing these burdens on the New England states will exceed staff resources at ME DMR.

Extension of LMA 1 Closure into February

A key aspect of the Alternative 3 proposal is the extension of the LMA 1 closure into February. Interestingly, the DEIS describes the closure in February as a ‘soft restricted area’ where, based on aerial or acoustic surveys, the Regional Administrator could shorten the closure if no NARWs are detected. Given the lack of existing aerial surveys or consistent real-time acoustic assets in the Gulf of Maine during this time period, it is unclear how this dynamic closure approach would be feasible. While ME DMR plans to deploy sound traps to the offshore region, these do not provide real-time data and could not be used to support dynamic management.

The extension of the LMA 1 restricted area into February also appears to result in very little additional risk reduction. In comparing the risk reduction percentages achieved under the two alternatives in Table 3.4 of the DEIS, it appears the risk reduction benefit of the February closure is, on average, only 0.7%. That said, the economic impacts of this extension are substantial, particularly given the generally high price for lobster at this time of year, as noted in Table 6.12. As described on page 12 of this letter, in the first quarter of 2019, ME DMR estimates there were 1,075 trips to Zones C, D and E outside of 12nm. These trips resulted in 798,414 pounds of lobster landed with an estimated value of \$5.1 million. While this represents an upper-bound of the economic impact of the extended closure given the longer time period and larger area considered, it does suggest there would be substantial costs from expanding the timeframe of the closure.

Weak Line 75% Down Vertical Line

Alternative 3 proposes full weak rope in the top 75% of all buoy lines. ME DMR is opposed to this management measure because of feedback from fishermen that it would be unsafe to haul gear with weak points below 50% of the vertical line. Additionally, load cell data collected by ME DMR and the University of Maine documenting hauling strains of fishing gear corroborates these serious safety concerns for fishermen using longer trawls, fishing in deeper water, or fishing in strong tidal currents. As

discussed on pages 22-25 of ME DMR's December 2019 proposal, the data collected by load cells on hauling strains indicates a combination of longer trawls (20 trap trawls or greater) and deeper water (100 fathom or deeper) frequently result in loads above 1700 pounds. Given increases in the number of traps per trawl are included directly in Alternative 2, and indirectly through line caps in Alternative 3, it is likely all trawls outside of 12nm from shore will exceed 20 traps and, depending on depth, will experience loads greater than 1700 pounds during hauling. Other conditions such as set-overs, hang downs, strong tides, and poor weather or sea conditions will further increase hauling strains, causing lines which may be in less than 100 fathom of water or attached to fewer than 20 traps to exceed 1700 lbs of load and break. ME DMR is opposed to any management measure which will compromise the safety of fishermen at sea.

If a requirement for full weak rope in the top 75% of all buoy lines was to be implemented, a likely response would be for fishermen to drastically increase the amount of rope in the water. This would occur two ways. The first response would be to lengthen the scope of the vertical line so that there is still enough length in the 25% of the line which is not weak rope to ensure sufficient strength when hauling multiple traps in the water column. The second response would be to increase the length of groundline between the first and second traps, in order to reduce the number of traps in the water column, and thus the hauling load, on the vertical line. In either case, adding more rope to the water column is contrary to the intent of this Proposed Rule. More rope, both in the scope of the vertical line and in the groundline, creates slack which can pose greater risk to NARWs.

Gear Marking with Woven Identification Tape

Alternative 3 proposes, in addition to a state-specific gear mark at the top of the line, an ID tape woven throughout the length of a vertical line. The intent is to increase the frequency with which gear associated with a NARW entanglement can be identified. While ME DMR generally supports efforts to increase gear marking, the substitution of a woven ID tape for fewer state-specific gear markings seems not only confusing to industry but also disingenuous to their recent gear marking efforts. Thousands of Maine fishermen have spent countless hours repainting their vertical lines with purple and green marks; to change these requirements yet again will result in frustration and poor compliance.

The concept of an ID tape also appears to be far from ready for implementation. Page 6-220 of the DEIS notes that ID tape ropes are not currently available from suppliers and pricing of this technology could not be determined. As a result, important questions about the ID tape remain such as how often it needs to be replaced or what the costs are to industry. The DEIS also fails to estimate any economic impact of a woven ID tape on the Maine lobster fishery. While the DEIS uses the fact that Maine has already implemented state-specific gear marking as justification for not including the fishery in the economic analysis in Alternative 2, the DEIS fails to acknowledge that no state has adopted woven ID tapes as described in Alternative 3. Therefore, Alternative 3 would impose additional costs on Maine fishermen which are not represented or calculated in the DEIS. This is on top of the costs which Maine fishermen have already incurred from the state proactively adopting enhanced gear marking.

600-lb Weak Link

Alternative 3 considers the removal of the 600-lb weak link for all vertical lines which incorporate 1700 lbs weak points or use weak line. The requirement for weak links at the buoy was one of the earliest measures adopted in the Atlantic Large Whale Take Reduction Plan (ALWTRP). However, as outlined in the DEIS on page 3-64, there are now concerns that the weak link may have unintended consequences such as removing resistance created by the buoy in an entanglement or hampering disentanglement efforts and the subsequent identification of fishing gear. Based on these comments, ME DMR is

concerned the 600-lb weak link is not an effective management tool and recommends it be removed from the ALWTRP. Following this rulemaking, fishermen will be subject to a significant number of regulations which increase the cost of their operation and compromise safety at sea. Requiring measures which are not effective is not helpful to NARWs or fishermen.

IV. Zone Conservation Equivalency Proposals

Following submission of Maine’s statewide NARW proposal, ME DMR initiated conversations with each of the Lobster Zone Councils to provide the opportunity to develop CE proposals. Through this process, Zones were asked if they wanted to make Zone-specific changes to the state-wide proposal (i.e. traps per trawl minimums and weak points) to address regional concerns. Importantly, the CE proposal had to meet a similar level of risk reduction, or achieve a higher level of risk reduction, as the Zone originally achieved under the statewide plan. These criteria ensured the cumulative changes to ME DMR’s statewide plan would not result in a loss of risk reduction, but instead would maintain or increase the level of risk reduction achieved.

ME DMR staff worked with the Lobster Zone Councils throughout 2020 to identify potential alternatives and conduct analysis on the risk reduction achieved. These Zone-specific conversations allowed industry to tailor plans which reflect the distribution of gear (taken from the IEC model) and modeled ‘whale units’ (taken from the Duke whale model) in their region. For example, between 3nm and 12 nm from shore, Zones C and D have a very low percentage of modeled whale units while Zones A and B have greater than 30% of their whale units (Table 1). This means changes to measures between 3-12nm from shore have large impacts on the risk reduction achieved in Zones A and B but relatively little impact in Zones C and D. These types of considerations allowed the Lobster Zone Councils to propose measures which balance their regional concerns with an understanding of where their Zone-specific risk is highest.

Table 1: Percent of annual modeled whale units and annual vertical lines, by Maine lobster zone and distance from shore, from the risk reduction model. Annual modeled whale units to not reflect sightings but are derived from the Duke habitat model.

		% Annual Whale Units	% Annual Vertical Lines			% Annual Whale Units	% Annual Vertical Lines
Zone G	Ex-3 miles	1%	47%	Zone C	Ex-3 miles	1%	76%
	3-12 miles	19%	45%		3-12 miles	7%	20%
	12+ miles	80%	8%		12+ miles	92%	4%
Zone F	Ex-3 miles	0%	38%	Zone B	Ex-3 miles	2%	59%
	3-12 miles	1%	47%		3-12 miles	27%	38%
	12+ miles	99%	16%		12+ miles	72%	4%
Zone E	Ex-3 miles	0%	60%	Zone A	Ex-3 miles	3%	59%
	3-12 miles	2%	27%		3-12 miles	30%	33%
	12+ miles	98%	12%		12+ miles	67%	8%
Zone D	Ex-3 miles	0%	66%				
	3-12 miles	4%	22%				
	12+ miles	96%	12%				

In the end, all Zones chose to make some modifications to the statewide plan to reflect their specific fishing conditions and their spatial trends in risk. ME DMR notes two significant benefits which resulted from this process. First, by ME DMRs calculation, the risk reduction achieved by the compilation of the

CE proposals is higher than the risk reduction achieved under the statewide plan. Second, enabling the Zones to develop a CE proposal helped to build industry buy-in to the new measures; industry became instrumental in developing a bottom-up approach to these measures.

Table 2 outlines the CE proposals being brought forth by the seven Lobster Zone Councils. As is evident in the description of each of the Zones' proposals below, they all rely on the use of trawl-length equivalency, whereby a trawl with two endlines is equal in terms of risk to a trawl with one endline and half as many traps. The innate need for this flexibility has been previously described in this comment letter but ME DMR highlights this point again in the Zone Council proposals. Many times, Zones struggled to find a trawl-minimum which worked for all fishermen in their region; the only way they were able to ensure adequate risk reduction and fishermen safety was by using trawl length equivalencies.

For some Zones, trawl length equivalencies are also critical because they have trawl length maximums in state regulations. For example, Zone B currently has a three-trap trawl minimum and maximum from 3-6 miles from shore and a five-trap maximum and minimum in some, but not all, waters from 6-12 miles from shore (Figure 5). These trawl maximums were implemented to prevent gear conflicts created by the uniqueness of the area. Specifically, Zone C fishermen fish significant amounts of gear in Zone B, as Maine lobstermen are allowed to fish up to 49% of their traps in a neighboring zone. This resulted in an amalgamation of different trawl lengths and fishing practices in a single area. Further, large offshore trawls, with differences in magnitude much greater than the trawl length equivalencies proposed by Maine, were being moved inshore; nothing prevented fifteen trap trawls from being fished next to three trap trawls. Due to these area-specific challenges and the Zone's authority to set trawl maximums, Zone B is interested in maintaining equivalent trawl minimums and maximums. They are proposing to raise their trawl minimum and maximum to 5 traps per single endline between 3-6 miles from shore as a way to achieve risk reduction but also maintain the uniformity in trawl lengths. Between 6-12 miles from shore, Zone B is proposing to maintain its five trap trawl maximum and minimum on the eastern half of the Zone by fishing with one endline; outside of this trawl line, there is no trawl maximum. As a result, Zone B is proposing trawl length minimum equivalencies of 5 traps per single endline/10 traps per 2 endlines between 6-12 miles from shore to address these different maximum trawl requirements in state regulations. To do this, NMFS will need to modify 50 CFR 697.21(b)(2) to allow trawls with more than three traps to be set with a single endline in federal waters.

Table 2: Conservation equivalency proposals by the Maine Lobster Zones. ME DMR recommends these measures be included in the FEIS.

		Zone G	Zone F	Zone E	Zone D	Zone C	Zone B	Zone A West	Zone A East
Traps Per Trawl	Shore - Exemption Line	status quo	status quo	status quo	status quo	status quo	status quo	status quo	status quo
	Exemption Line- 3 miles	3's per one endline	3's per one endline	2's per one endline	2's per one endline	2's per one endline	3's per one endline	3's per one endline	3's per one endline
	3-6 Miles	5's per one endline; 10's per two endlines	5's per one endline; 10's per two endlines	5's per one endline; 10's per two endlines	5's per one endline; 10's per two endlines	5's per one endline; 10's per two endlines	5's per one endline	4's per one endline; 8's per two endlines	10's per one endline; 20's per two endlines
	6-12 Miles	10's per one endline; 20's per two endlines	5's per one endline; 10's per two endlines	5's per one endline; 10's per two endlines	5's per one endline; 10's per two endlines	10's per one endline; 20's per two endlines	5's per one endline; 10's per two	8's per one endline; 15's per two endlines	10's per one endline; 20's per two endlines
	12+ miles	25's per two endlines	25's per two endlines	20's per two endlines	20's per two endlines	20's per two endlines	25's per two	25's per two endlines	25's per two endlines
Weak Points	0 - 3 Miles	1 weak point 50% down line	1 weak point 50% down line	1 weak point 50% down line	1 weak point 50% down line	1 weak point 50% down line	1 weak point 50% down line	1 weak point 50% down line	1 weak point 50% down line
	3-12 Miles	1 weak point 33% down line	1 weak point 33% down line	2 weak points 25% and 50% down line	2 weak points 25% and 50% down line	2 weak points 25% and 50% down line	2 weak points 25% and 50% down line	2 weak points 25% and 50% down line	1 weak point 33% down line
	12+ Miles	Endline 1: 1 weakpoint 33% down line,; Endline 2: 2 weak points at 25% and 50% down line	1 weak point 33% down line	2 weak points 25% and 50% down line	2 weak points 25% and 50% down line	2 weak points 25% and 50% down line	2 weak points 25% and 50% down line	1 weak point 33% down line	1 weak point 33% down line

Zone G

Zone G expressed concern about the operational safety of weak points, particularly at greater depths. As a result, they proposed increasing the minimum trawl lengths in federal waters to be able to move weak point requirements further up in the water column. Specifically, Zone G proposed increasing the minimum trawl length from 3-6 miles to 5 traps per one endline/10 traps per two endlines, and increasing the minimum trawl length from 6-12 miles to 10 traps per one endline/20 traps per two endlines. The hope of the Zone was that this would allow them to implement 1 weak point 33% down the vertical line in federal waters. Ultimately, this initial concept fell short of the original risk reduction percentage. As a result, Zone G proposed a hybrid weak point configuration outside of 12nm from shore, where their modeled whale units are highest. The hybrid concept requires 1 weak point 33% down on one endline of a trawl and 2 weak points, 25% and 50% down, on the other endline of a trawl.

Zone F

Like Zone G, Zone F also expressed concern about the operational safety of a weak point 50% down the vertical line in federal waters. As a result, they sought alternatives which resulted in a single weak point 33% down the vertical line in federal waters. Zone F also considered the CE proposals from their neighboring Zones, Zones G and E. Given lobster harvesters in Maine can fish up to 49% of their traps in an adjacent Zone, it was important to fishermen in Zone F to consider the proposals from neighboring Zones and create as much consistency as possible, particularly regarding trawl minimums. With these dynamics in mind, Zone F proposed adopting Zone E's minimum number of traps per trawl from 3-12nm from shore (5 traps per one endline/10 traps per two endlines) and Zone G's minimum number of traps per trawl outside of 12 miles from shore (25 traps per two endlines).

Zones E and D

Zones E and D expressed concern about the ability for vessels to safely fish 25 traps per trawl outside 12 miles from shore. To make up for this loss of risk reduction outside 12nm from shore, Zones E and D proposed adding an additional weak point further down the line in order to have a trawl length of 20 traps in this region. Both zones also opted to have the same number of traps per trawl required in the 3-6nm and 6-12nm distances from shore; this resulted in a uniform trawl length of 5 traps per one endline and 10 traps per two endlines from 3-12nm. Finally, since both zones had 0% of their whale units between the exemption line and 3 miles from shore area, they were able to implement a minimum trawl length of two traps per endline in this region without impacting the overall risk reduction.

Zone C

Like Zones E and D, Zone C expressed concern about the ability of all vessels to safely fish 25 traps per trawl outside 12 miles from shore. Unlike Zones E and D, Zone C was not able to achieve a 20-trap trawl length by adding a second weak point further down the vertical line. As a result, Zone C added an additional weak point outside 12nm from shore and increased the trawl length minimums between 3-6nm and 6-12nm from shore. This resulted in a minimum of 5 traps per one endline/10 traps per two endlines from 3-6nm from shore and 10 traps per one endline/20 traps per two endlines from 6-12nm from shore. These increases in the trawl length, and the fact that only 1% of Zone C's whale units are between the exemption line and 3 miles from shore, meant the Zone could implement doubles between the exemption line and 3 miles.

Zone B

Zone B expressed concern about the trawl length minimums from 6-12 miles from shore. This is primarily driven by the location of Mount Desert Rock which, while surrounded by state waters, is located offshore (Figure 5). As a result, there is a "bubble" of state waters around Mount Desert Rock,

followed immediately by trawl regulations for 6-12nm from shore. Given this geography, Zone B fishermen were cognizant of the change in trawl minimums from state waters to 6-12nm from shore and were uncomfortable with the jump from 3 traps per trawl in state waters to 8 traps per one endline/15 traps per two endlines immediately adjacent. Zone B fishermen also expressed concern about trawl length maximums in their Zone. From 3-6 miles from shore there is both a 3 trap trawl minimum and maximum. From 6-12 miles from shore there is a trawl line which runs from the eastern edge of the Zone northwest to the 6 mile line (depicted in the double hatched polygon seaward of the six-mile line in Figure 5). Within this polygon, there is both a 5 trap trawl minimum and maximum.




Figure 5: Regulatory map of Maine Lobster Zone B. Orange lines indicate east and west boundaries of Zone B. The green line is the exemption line, the purple line is the 3 mile line, and the blue line is the 6 mile line. The different colors indicate the distance from shore bands. Mount Desert Rock is located within the blue circle that is outlined in purple. The hatched marks indicate trawl maximums in state regulations. All waters in Zone B from 3-6 miles from shore have a trawl maximum as well as the northeastern section of 6-12 miles from shore, as depicted by hatched markings.

To address these concerns, Zone B sought to achieve a minimum trawl length of 5 traps per one endline/10 traps per two endlines from 6-12 miles from shore. As a result, Zone B proposed increasing the trawl minimum from 3-6 miles from shore to five traps per one endline as well as increasing the number the number of weak points outside 12nm from shore, where the majority of their annual whale units are modeled.

In response to the trawl length maximums in state regulation, Zone B plans to amend the current state regulations such that the new trawl minimum of 5 traps per one endline between 3-6 miles from shore is also the new trawl maximum. This is why the Zone B proposal only includes a minimum of 5 traps per one endline from 3-6 miles from shore, as opposed to also having the equivalent risk reduction configuration of 10 traps per two endlines. From 6-12 miles from shore, part of Zone B has a 5 trap trawl maximum, which Zone B plans to keep, and the other part of the Zone has no trawl maximum. Therefore, from 6-12nm from shore, Zone B is proposing the equivalent risk reduction configurations of

a minimum of 5 traps per one endline/10 traps per two endlines to account for these differing regulations in trawl maximums. Trawl length equivalencies are vital to Zone B's plan to maintain trawl length uniformity given the unique gear conflict challenges faced in this area.

Zone A

When Zone A began its discussion on a CE proposal, the industry members were split. The western part of the Zone supported maintaining the measures in the coastwide plan, noting that the trawl minimums, while an increase, were still operationally safe. The eastern part of the Zone expressed grave concern about the location and depth of the weak points. Several industry members from the eastern most part of the Zone noted the extreme and powerful tides which increase the strain and hauling load on their vertical lines. They also noted that they are quite often contending with set-overs from Canadian lobster gear. As a result, they were concerned not only about the potential for massive gear loss but also for the safety of their crew.

The Zone originally tried to develop a single set of trawling up measures and weak point requirements which balanced the needs of the two ends of the Zone; however, a compromise could not be struck which achieved the needed level of risk reduction. As a result, ME DMR tried to identify a longitudinal point at which the oceanographic conditions significantly changed. Looking at the literature, ME DMR found tidal currents are strongest in Grand Manan channel.¹⁰ Specifically, maximum velocities off of Schoodic Peninsula, the western end of Zone A, are approximately 0.6 m/s while maximum velocities in Grand Manan channel, the eastern part of Zone A, are more than double at 1.3 m/s.¹¹ Further, models of the currents in eastern Maine show a persistent region off of Cutler, Maine and through the Grand Manan Channel which develops high water velocities with each tidal cycle (Figure 6).¹² Given this information, ME DMR worked with industry to identify a line which would split Zone A based on oceanographic conditions and fishing practices. This line ended up being 67°18' longitude, which runs due south from Cross Island. To the west of this line, Zone A is proposing to maintain the statewide proposed measures and not pursue a CE. To the east of this line, Zone A is proposing to increase the minimum trawl length from 3-12nm to 10 traps per 1 endline/20 traps per two endlines. This is a significant increase in the minimum trawl length, particularly between 3-6nm from shore where the proposed trawl length minimum is over double what is in the DEIS. This large increase in the trawl minimums was offered so fishermen in the eastern part of Zone A could have 1 weak point 33% down the vertical line in federal waters.

¹⁰ Conlon, L.M., Xue, H., Morello, S., & Yund, P.O. (2018) Nearshore flow patterns in a complex, tidally driven system in summer: Part I. Model validation and circulation. *Journal of Geophysical Research: Oceans*, 123(4), 2401-2421.

¹¹ Conlon et al., 2018.

¹² Conlon et al., 2018.




Figure 6: Maximum water speed during a tidal cycle off of Eastern Maine. Red coloring indicates a higher water speed during the tidal cycle. Longitude and latitudes are indicated on the axes.

Creating a line in Zone A makes it difficult to use the risk reduction model to determine the resulting risk reduction percentage in the eastern part of Zone A. As a result, ME DMR used sea sampling data from this region to determine if the trawl minimums recommended in the CE proposal were higher than the trawls lengths currently used in the fishery. Since the proposed trawl lengths for the eastern part of Zone A are higher than those in the statewide plan, by the transitive property a reduction in vertical lines under the CE proposal would result in a higher level of risk reduction than originally achieved in the statewide plan. Sea sampling data showed the vast majority of trawl lengths ranged from 6 to 15 traps per two endlines (Figure 7). As a result, moving to a trawl minimum of 20 traps per two endlines would reduce the number of vertical lines east of 67°18', and to a greater extent than the trawl minimums under the statewide plan. Further, since a reduction in vertical lines, which addresses the need to reduce serious injury/mortality and the risk of entanglement, was being proposed in place of a second weak point, which only addresses the need to reduce serious injury/mortality, ME DMR felt the CE proposal resulted in a stronger conservation plan for NARWs.




Figure 7: Trawl length information collected by ME DMR during sea sampling (2012-2019). Data is presented in boxes to protect confidentiality. Different colored boxes represent different averages for minimum trawl length. The blue line plots the 67°18' longitude line due south from Cross Island.

Overarching Observations

As previously mentioned, every Zone took the opportunity to fine-tune a risk reduction plan which addressed their region's specific needs. The multitude of proposals can at first glance appear overwhelming but interestingly, many similarities emerged from the Zone-specific work. For example, every Zone except Zone A is proposing a minimum of five traps per one endline from 3-6 miles from shore. Given this is a higher trawl length minimum than what is outlined in the proposed rule, this should result in a higher percentage of risk reduction coming from 3-6nm. Outside 12nm from shore, four Zones are proposing a 25-trap trawl minimum and three zones are proposing a 20-trap trawl minimum. Similarly, between the exemption line and 3 miles from shore, the same four Zones are proposing a 3-trap trawl minimum while the other three zones are proposing a 2-trap minimum. Thus, in the end, there are many similarities between what the Zones are proposing.

V. Additional Comments

Conservation Equivalency

A key component of Maine's December 2019 proposal was a method for CE, by which measures of equal or greater risk reduction value could be swapped with existing measures. Based on the presentations given by NMFS staff on this Proposed Rule, there appears to be an opportunity for states, within their public comment, to propose CE proposals; ME DMR has taken the opportunity to do this with the Zone Council proposals. However, there does not appear to be a process to do this in a nimble manner in the future. ME DMR recommends NMFS establish a permanent process by which stakeholders can propose measures which achieve equal, or greater, protection for NARWs. At present, state proposals must be vetted through the ALWTRT and then implemented through rulemaking; all told, this process can be time consuming. An alternative structure for quickly accepting and vetting amendments to the Plan should be implemented to allow for greater flexibility and adaptability within the ALWTRP. This could become critically important given NARW distribution continues to change and there may be a need for timely action in the future. Specifically, ME DMR supports an amendment to the existing regulatory structure such that, as long as NMFS calculates a CE proposal achieves the same (or greater) level of conservation value, the CE proposal goes straight to rulemaking.

In addition, as outlined on page 34 of Maine's proposal, ME DMR supports individual safety exemptions for the small number of fishermen who, due to the physical limitations of their boat, will have to purchase a new vessel in order to come into compliance with the measures in the proposed rule. These concerns are primarily related to the higher trawl length minimums proposed, which will require more traps on deck. ME DMR is not asking for these fishermen to be exempt from the risk reduction requirements but instead is requesting the flexibility to address these safety concerns on an individual basis. Given the economic impacts related to this proposed rule, the uncertainty of the fishery created by the draft Biological Opinion, and the fact that the purchase of a new boat can be cost prohibitive, ME DMR envisions that, in these few cases, individuals would be subject to other management measures, such as a trap reduction, in order to safely fish shorter trawls but still remove vertical lines from the water. ME DMR can license an individual reflecting a lower trap limit, ensuring that the Maine Marine Patrol is aware of this type of individual CE safety exemptions.

Implementation Timeline

Neither the Proposed Rule nor the DEIS outline an implementation timeline. ME DMR recognizes there are still many uncertainties which will impact the pace of implementation, including the timing of the final rule being published. That said, ME DMR highlights there must be a balance between quickly providing additional protections to NARWs and providing fishermen adequate time to safely implement

the new measures. Of the measures included in preferred Alternative 2, the implementation of weak points and changes to trawl length minimums will likely require the greatest amount of time and effort by fishermen to implement. Early summer is a time when many Maine fishermen are putting traps in the water, and around the time we anticipate publication of the final rule. Implementing weak points and changing trawl length configurations on the water, once gear has been set, will be extremely difficult for most fishermen and near-impossible for others with limited deck space. As a result, when developing the implementation timeframe, NMFS should heavily rely on industry comments and needs. ME DMR notes that deadlines based on calendar years, such as January 1, are not necessarily relevant to the fishery; instead, deadlines based on operational ‘seasons’ of the fishery are more appropriate.

Enforcement

Page 3-77 of the DEIS discusses the importance of enforcement and monitoring in the lobster fishery. ME DMR agrees these are integral components of any successful suite of management measures. The DEIS mentions that an offshore enforcement plan, which involves traditional methods and use of new technologies, will be presented to the Take Reduction Team in early 2021. ME DMR stresses the importance of engaging Maine’s Marine Patrol in the development of this enforcement plan. Marine Patrol hauls and inspects the majority of lobster gear in the Northeast, and their input on ways to advance enforcement and monitoring will be critical to the development of an effective plan.

Maine Marine Patrol’s involvement is particularly critical as new technologies for enforcement are developed. At a recent New England Fishery Management Council meeting, representatives from NOAA’s Office of Law Enforcement discussed a pilot program in which an ROV was used to conduct inspections of offshore lobster gear. Following the Council meeting, Maine Marine Patrol had a meeting with the Office of Law Enforcement to learn more about the pilot program. They found that the ROV pilot program cost approximately \$100,000 to inspect a modest amount of gear. Further, the inspection primarily consisted of an assessment of presence vs. absence of management measures, as opposed to being able to measure things like the size of escape vents. While it is unclear if ROVs will be included in the upcoming enforcement plan, ME DMR shares this story to highlight the importance of engaging with Marine Patrol throughout the course of a project so that future work can be maximized for the understanding and benefit of all enforcement agencies. Factors such as relative cost and the ability to assess multiple aspects of a management measure (such as the presence of an escape vent and its size) are important when developing an enforcement plan.

As NMFS explores new enforcement technologies, ME DMR believes the offshore areas of LMA 1 and LMA 3 must be patrolled by traditional methods as well. While the Maine Marine Patrol has vessels up to 46 feet in length, it is clear there is strong need for larger vessels to be deployed to patrol these offshore waters. ROV’s, while potentially a valuable tool for the enforcement of whale rules, will not assist us in ensuring lobster regulations related to the sustainability of the resource are followed. It is also not clear that the ROV costs are sustainable in the long-term. There is no better enforcement tool than the presence of a vessel capable of hauling gear.

Related to the effectiveness of offshore enforcement is the ability to track vessels. Offshore fishing areas pose unique challenges to enforcing regulations because the areas are vast. As a result, significant time can be spent looking for offshore lobster gear before it can be inspected. This increases the costs associated with enforcement offshore. As a result, ME DMR supports continued conversations between NMFS and the Atlantic States Marine Fisheries Commission (ASMFC) to advance the use of vessel tracking in offshore waters. As stated earlier in this letter, ME DMR believes vessel tracking could become an integral part of a trigger mechanism for the LMA 1 Restricted Area.

Trap Reductions and ASMFC

Throughout industry discussions on the proposed rule and DEIS, there continue to be significant conversation around trap reductions. This includes those who support trap reductions as a way to reduce the number of vertical lines and those who oppose trap reductions given it is the line, not the trap, that entangles whales. Should NMFS consider this tool during this or future rulemaking, ME DMR strongly recommends NMFS immediately engage with the ASMFC. Not only is ASMFC home to the American Lobster Fishery Management Plan, but it is also a venue for dialogue between the Northeast states. This will be important given, as ME DMR understands it, trap reductions would have to be implemented across an LMA as opposed to in a single state.

Canada's 2021 Measures

While the proposed rule and DEIS are focused on the US lobster and Jonah crab fisheries, ME DMR would be remiss if it did not comment on the record its deep disappointment with Canada's 2021 fishery management measures. On February 18th, the Department of Fisheries and Oceans Canada (DFO) announced its 2021 measures to protect right whales.¹³ The contrast between Canada's measures, and those being considered in this proposed rule for US fisheries, could not be starker.

Canada is once again relying almost entirely on dynamic area closures which are triggered upon detection of a right whale. As ME DMR has noted numerous times, this method is completely reactive in providing protections to right whales. In contrast, almost all the measures being proposed for US fisheries are proactive in nature, meaning the detection of a right whale is not needed for their implementation. This is critical given the many challenges associated with monitoring large portions of the ocean and the difficulty in sighting right whales. To speak plainly, should a plane be unable to fly, or an acoustic device fail to operate, an undetected right whale will not receive protections in Canadian waters.

To make matters worse, in 2021 DFO is reducing the strength of the dynamic closure system by requiring a right whale be detected multiple times in order to extend the closure through November 15th in the Gulf of St. Lawrence, or to extend the closure by 15 days in the Bay of Fundy and critical habitat areas in Roseway and Grand Manan basins. This means that a monitoring system which is already fraught with challenges and potential inadequacies will be even more critical to provide protections to right whales.

Further, while NOAA is proposing the use of 1700-lb weak points in this proposed rule, DFO has also announced that they are delaying the implementation of weak rope until the end of 2022. This represents a full year delay. It is not until after the implementation of weak rope that DFO will also consider implementation of other gear specific measures such as sinking groundline or a prohibition on float rope at the surface. These measures have been required in US fixed gear fisheries for well over a decade.

The consistent weakening of Canada's measures to protect right whales is not only frustrating, but it is disastrous for US fixed gear fisheries. Given the status of the right whale population and the risk reduction measures outlined in the draft Biological Opinion, the fate of US federal fixed gear fisheries is inextricably linked to Canada's ability to reduce right whale mortality. If Canada implements measures

¹³ Fisheries and Oceans Canada. February 18, 2021. "2021 fishery management measures North Atlantic right whales" https://www.dfo-mpo.gc.ca/fisheries-peches/commercial-commerciale/atl-arc/narw-bnan/management-gestion-eng.html?utm_source=North+Atlantic+Right+Whale+Consortium+List&utm_campaign=646252a36c-EMAIL_CAMPAIGN_2020_02_14_02_55_COPY_03&utm_medium=email&utm_term=0_4485741029-646252a36c-52467869

which successfully and consistently reduce right whale mortality and serious injury, the risk reductions required in US fisheries may be lessened; if Canada is not successful, US fisheries will be forced to completely re-invent the manner in which they operate.

Right now, US fisheries need a strong voice from NMFS highlighting the need for more comprehensive and timely right whale protections in Canadian waters. With the announcement of Canada's 2021 measures, NMFS should immediately engage with DFO to discuss why these measures are insufficient and outline a more aggressive timeline for the implementation of proactive measures which are already required in US waters. ME DMR requests participation in all future bilateral meetings with Canada as the potential impacts to Maine's fixed gear fisheries cannot be understated.

ME DMR appreciates the opportunity to comment on this proposed rule.

Sincerely,



Commissioner Patrick Keliher



MARINE MAMMAL COMMISSION

1 March 2021

Mr. Michael Pentony, Regional Administrator
Greater Atlantic Regional Fisheries Office
National Marine Fisheries Service
55 Great Republic Drive
Gloucester, MA 01930-2276

Subject: Comments on Proposed Amendments to the Atlantic Large Whale Take Reduction Plan

Dear Mr. Pentony:

On 31 December 2020, the National Marine Fisheries Service (NMFS) published a proposed rule and request for comments on an amendment to the Atlantic Large Whale Take Reduction Plan (the ALWTRP or Plan, herein) (85 Fed. Reg. 86879). At the same time, NMFS published a Draft Environmental Impact Statement (DEIS) and Regulatory Impact Review / Initial Regulatory Flexibility Analysis. The stated goal of the proposed amendment to the ALWTRP is to reduce the risk of ‘human-caused mortality and serious injury’ (MSI) of North Atlantic right whales (*Eubalaena glacialis*; right whales herein) and other large whales caused by the entanglement in Northeast Region lobster and Jonah crab trap/pot fisheries. The DEIS analyzes the potential environmental impacts of alternative potential amendments to the ALWTRP under the National Environmental Policy Act (42 U.S.C. § 4321 et seq.).

Section 118 of the Marine Mammal Protection Act (MMPA), added to the Act in 1994, governs the “Taking of Marine Mammals Incidental to Commercial Fishing Operations”. Section 118(a)(1) establishes as the MMPA’s “immediate goal” the reduction of MSI due to commercial fishing to “insignificant levels approaching zero within 7 years after the date of enactment,” i.e., by 30 April 2001. This goal is carried forward in section 118(b), which mandates that commercial fisheries meet the goal by the specified date. Further, for strategic stocks taken by Category I or II fisheries,¹ section 118(f) requires NMFS to “develop and implement a take reduction plan designed to assist in the recovery or prevent the depletion of each [such] stock.” In addition, section 118(f)(2) identifies two ALWTRP goals, the reduction of: (1) MSI due to fisheries interactions (fMSI) to a level less than the stock’s potential biological removal level (PBR) within six months of plan implementation, and (2) fMSI to “insignificant levels approaching a zero mortality and serious injury rate” within five years, “taking into account the economics of the fishery, the availability of existing

¹ MMPA section 118(c)(1) requires NMFS to publish a list of fisheries that cause “(i) frequent incidental mortality and serious injury of marine mammals; (ii) occasional incidental mortality and serious injury of marine mammals; and (iii) a remote likelihood of or no known incidental mortality or serious injury of marine mammals.” In implementing regulations (60 Fed. Reg. 45086, August 30 1995), NMFS defines fisheries as being Category I (“frequent” MSI): the fishery is “itself responsible for the annual removal of 50 percent or more of any stock’s potential biological removal level”; or Category II (“occasional” MSI): “collectively with other fisheries, is responsible for the annual removal of more than 10 percent of any marine mammal stock’s potential biological removal level and that is by itself responsible for the annual removal of between 1 and 50 percent, exclusive, of any stock’s potential biological removal level”.

technology, and existing State or regional fishery management plans.” What became known as the ‘zero mortality rate goal’ (ZMRG) was set by NMFS in regulation as 10 percent of a stock’s PBR (50 CFR § 229.2). Section 117 of the MMPA, also enacted in 1994, requires NMFS to prepare and publish stock assessments for all U.S. marine mammal stocks that occur in U.S. waters on a prescribed schedule. Those stock assessments provide estimates of the best and minimum estimates of population size, PBR, fMSI, MSI due to other human causes, and the total MSI (tMSI). Stocks for which tMSI exceeds PBR or that are listed as endangered or threatened under the Endangered Species Act (ESA) are designated as ‘strategic’ stocks.² The North Atlantic right whale is a ‘strategic’ stock under both criteria, as it was listed as an endangered species in 1970, and the stock’s tMSI has exceeded PBR in every year since these values were first calculated in 1995.³

As thoroughly documented in the DEIS and Biological Opinion,⁴ North Atlantic right whales are declining and at an increasing risk of extinction. As detailed herein (see the Appendix), despite earlier population growth, the number of right whales has decreased significantly since 2010. Entanglement in lobster- and crab-trap gear is the primary proximate driver of the decrease, which is also significantly contributed to by vessel strikes. In addition to deaths from these causes, persistent entanglement injuries have caused a decline in the condition and health of individuals, and, in females, reduced fecundity. NMFS and the entire community of individuals and organizations linked to the issue of right whale entanglement (e.g., fishermen, scientists, conservationists), are well aware that a significantly improved mitigation effort is needed to reverse the decline in the population.

Considering the population status, and in recognition of its statutory obligations, NMFS used its take-reduction process and consultations with New England states to develop the mitigation measures, Preferred Alternative, and Non-preferred Alternative in the proposed amendment to the ALWTRP (see the Appendix for details). As described in the Appendix, NMFS is proposing the implementation of measures that would (1) reduce the number of vertical lines deployed; (2) expand existing, and establish new, time-area closures to buoyed trap fishing, (3) require the use of so-called weak line (ropes used for buoy- or end-line that can be broken by a right whale that becomes entangled in them), and (4) improve gear-marking regulations; see the Appendix for a discussion of these and other mitigation measures.

The Marine Mammal Commission (the Commission), in consultation with its Committee of Scientific Advisors on Marine Mammals, provides the following comments and recommendations on the ALWTRP amendment options and DEIS alternatives.

The Commission found NMFS’s proposed amendment to be substantially inadequate to meet the requirements of the MMPA, and therefore in need of extensive revision. The Commission’s recommendations, described in detail below in the Recommendations and Rationale section, are summarized here:

² A ‘strategic’ stock is defined in the MMPA, section 3(19), as one “for which the level of direct human-caused mortality exceeds the potential biological removal level”, or “which is listed as a threatened species or endangered species under the Endangered Species Act of 1973”.

³ NMFS North Atlantic right whale stock assessments are available at:

<https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports-species-stock>.

⁴ Released on 15 January 2021. The Commission’s comment letter on the Biological Opinion can be found at: <https://www.mmc.gov/wp-content/uploads/21-02-19-Pentony-Biological-Opinion.pdf>

1. NMFS has been managing North Atlantic right whales and attempting to mitigate the impact of lobster- and crab-trap fisheries for over 25 years, and has yet to fulfill its MMPA section 118 obligations to reduce this source of fMSI to insignificant levels (ZMRG). Neither the Preferred nor the Non-preferred Alternative of the proposed amendment would achieve the necessary outcome. To do so, NMFS must replace the proposed rule with regulations and TRP amendments that have a much higher likelihood of immediately meeting the requirements of the MMPA.
2. In the final rule implementing the TRP amendment, NMFS must: 1) rely on measures most likely to meet expectations, namely direct line controls, dynamic time-area closures, rope that is weak throughout, and so-called ropeless gear; and 2) use a short-term, adaptive management approach to assess and recalibrate the measures to reach the expected effectiveness at achieving TRP goals.
3. NMFS has crafted its proposed measures to attain a risk-reduction target that is substantially too low. In light of: 1) the agency's long-standing failure to reduce fMSI to required levels, 2) uncertainty regarding the efficiency of the newly proposed measures, 3) underestimation of the expected risk reduction due to double counting, and 4) the agency's failure to set a target that adequately takes account of unobserved deaths (cryptic mortality), NMFS must set a much more risk-averse target, and take into account the best available data and science to ensure the accuracy of that target.
4. For the reasons articulated in the previous recommendations, NMFS must reject the Preferred Alternative, and select the Non-preferred Alternative with these modifications or modifications similar in effect:
 - A. Mitigation measures designed to achieve an expected risk reduction sufficiently in excess of 80 percent to account for (i) performance uncertainty, (ii) double counting, and (iii) the best-available scientific estimate of the total mortality rate, which could be achieved by:
 1. Increasing the sizes or durations of proposed closures, or establishing additional closures;
 2. Designing dynamic time-area closures similar to those implemented in Canada;
 3. Capping the number of vertical lines at much lower levels; and
 4. Establishing additional buoyless restricted areas⁵ in offshore areas, or requiring the offshore fishery to adopt pop-up gear within three years.
 - B. Monitoring and adaptive modification of these measures and their proximate effects are mandated as an annual or biennial process to ensure that the actual performance of the proposed measures is matching expected performance.
5. To increase understanding of the dynamics of entanglement to better inform mitigation measures and the derivation of more accurate, site-specific, risk-reduction targets, NMFS must implement gear marking regulations that (i) are specific to more jurisdictional and environmental areas than currently proposed, (ii) applicable to all elements of the gear,

⁵ These are areas in which all fixed gear fishing that uses persistent surface buoys are prohibited, but do allow fixed gear that uses pop-up technology.

- (iii) require 40-60 foot spacing along all lines, and (iv) require marks that are replaced before they become unreadable.
6. Given that the maximum gear-marking benefit would be accomplished if marks were specific to each fisherman, NMFS should undertake the necessary research and development to enable manufacturers to create individual marking schemes or devices that are operationally feasible and affordable.

Recommendations and Rationale

Failure to meet MMPA requirements. NMFS has been attempting to achieve the “immediate” goal of section 118(f) of the MMPA for right whales—to reduce fMSI to below the species’ potential biological removal level within six months of take reduction plan implementation—for 27 years. Since 1999, when it published the first TRP for these fisheries, the agency has yet to achieve even that short-term goal, and remains even further away from meeting the Act’s more ambitious ZMRG goal, or from satisfying the negligible impact standard necessary to obtain the separate incidental take authorization required under section 101(a)(5)(E). Although NMFS had consistently predicted that U.S. fishery-management programs would be sufficiently protective of right whales to meet MMPA requirements and enable the agency to make ‘no jeopardy’ findings under the Endangered Species Act (ESA), it is clear in retrospect that those predictions were based on overly optimistic assumptions concerning the programs’ expected and actual effectiveness.

NMFS’s failure is attributable in part to the difficulty the ALWTRT encountered over the years in trying to reach consensus on prescribing strong mitigation measures, and in part to NMFS’s failure to adequately supplement the team’s recommended plan and amendments in order to meet the MMPA’s take reduction mandates. Once again, it appears that the agency is overestimating the effectiveness of the measures being proposed as amendments to the ALWTRP. In a related process, NMFS released a draft Biological Opinion on 15 January 2021 assessing the impacts of 10 Greater Atlantic Region fisheries, including the lobster fishery, on species listed as endangered or threatened under the ESA, including the North Atlantic right whale.⁶ NMFS, in an implicit recognition that the measures included in the proposed rule would, by themselves, not reduce fMSI sufficiently to meet the applicable ESA and MMPA standards, created what it is calling a Conservation Framework.⁷

The Conservation Framework describes a series of mitigation measures to be implemented in phases over the next decade. In phase one of the 10-year implementation period, the proposed rule and the amendments to the ALWTRP under review in this rulemaking would be implemented during the first half of 2021. NMFS expects these measures to reduce fMSI of right whales by roughly 60 percent. In phase two, in 2023, NMFS would implement measures to reduce mortality and serious injury in gillnet and other trap fisheries (besides the American lobster and Jonah crab fisheries) by 60 percent. After implementing phases one and two, NMFS intends to evaluate the performance of those measures. Phase three, which NMFS would implement through rulemaking in 2025, is designed “to further reduce [fMSI] by 56% in all federal fixed gear fisheries....”⁸ Phase three

⁶ <https://www.fisheries.noaa.gov/bulletin/draft-biological-opinion-10-fishery-management-plans-released>

⁷ <https://www.greateratlantic.fisheries.noaa.gov/public/nema/PRD/NARWConservationFrameworkGARFO.pdf>

⁸ The 60 percent reduction in mortality and serious injury expected to result from the measures in the proposed TRP amendment would occur in both federal and state waters. Because most of the risk of mortality and serious injury occurs in federal rather than state waters, the risk reduction in federal waters will be slightly less than the overall target of 60 percent, namely 57 percent.

will be followed by another evaluation period in 2025-2026. NMFS intends to implement phase four in 2030 with the goal “to further reduce [mortality and serious injury] ([by] up to 87%) in fixed gear fisheries.”

The Biological Opinion sets the current level of right whale MSI at 4.94 whales per year due to fisheries operating in federal waters, with an additional 1.78 whale deaths and serious injuries occurring annually in state waters. Assuming that measures implemented under the Conservation Framework are as effective as predicted, fMSI in federal waters would be reduced in phase one from its current level of 4.94 to 2.2, in phase two to 2.13, in phase three to 0.85, and finally in phase four (i.e., in 2030) to 0.11. While specific measures have been identified and proposed for phase one of the Conservation Framework, NMFS has not identified any specific measures that would be adopted under the latter three phases to achieve the specified take-reduction targets. Additionally, NMFS explains that the “Conservation Framework specifies targets rather than particular measures to be implemented” and that NMFS is “committed to working with [its] partners on the implementation of measures to meet the goals of the Conservation Framework.” In the Conservation Framework, NMFS does list measures that could be employed, which include, but are not limited to, further trawling up, weakening of vertical lines, the use of pop-up gear, additional time-area closures for buoyed gear, and buoy-line reduction, perhaps through an allocation program that would cap line numbers.

Even if take-reduction measures proposed in the Preferred Alternative and phases 2-4 of the Conservation Framework prove fully effective, entanglement risk to right whales will not be reduced to insignificant levels approaching a zero rate for at least another ten years, roughly 30-35 years longer than required by the 1994 MMPA amendments. Moreover, fMSI of right whales would continue to exceed the species’ PBR level for most of the next decade despite the directive in section 118(f) that the immediate goal of the TRP is to reduce fMSI to below PBR within six months. NMFS states that it is committed to “implement[ing] measures that are necessary for the recovery of right whales....” However, it is impossible to know at this point whether the yet-to-be-specified measures that NMFS ultimately adopts over the next ten years will be adequate to achieve that goal. The increasing extinction risk facing right whales demands that NMFS take actions having a greater likelihood of success. The Conservation Framework stresses that NMFS will have to engage in adaptive management to ensure that the Framework is successful. The Commission agrees and commends NMFS for recognizing this necessity, but notes that the Framework provides scant information on fisheries monitoring, evaluation of efficacy, and development of subsequent adaptive measures. Given the long history of failure to adopt effective take reduction measures, the Commission stresses the necessity of promulgating stronger more immediately effective measures rather than assuming that a successful outcome will result from the vaguely defined Conservation Framework. The Commission submitted comments on the draft Biological Opinion and Conservation Framework on 19 February 2021, raising similar concerns regarding the Agency’s track record and optimistic predictions, with respect to the proposed no-jeopardy finding and associated incidental take statement.

Therefore, the Commission recommends that NMFS fulfill its obligations under section 118 of the MMPA by replacing the proposed rule with regulations and TRP amendments that have a much higher likelihood of immediately reducing fMSI of right whales across all commercial fisheries (including cryptic mortality) to below PBR and with a detailed proposal for further reducing fMSI to

insignificant levels (i.e., below ZMRG) in less than five years.⁹ The proposed amendment to the TRP and the Preferred Alternative are insufficient to achieve either of these outcomes. The Commission's concerns over the proposed rule and options for strengthening the agency's response are detailed below.

Insufficient risk reduction. In light of the historical failure of past risk-reduction measures, there are reasons to expect that the measures proposed herein will also fail to achieve the risk-reduction target set in the proposed amendment, let alone the immediate and long-term goals of the MMPA and the ALWTRP.

First, static time-area closures are a potentially highly effective means to reduce the number of vertical lines in the water, but they only work as long as the whales continue to aggregate in the designated times and areas. Arguably, the North Atlantic right whale is in increased peril now because of an environmental regime shift that occurred over an unknown timespan around 2010, which resulted in the population's distribution shifting, thus increasing the risks from anthropogenic impacts. There are no guarantees that ocean warming-driven shifts in distribution will not continue, further reducing the effectiveness of static time-area closures. In addition, trawling-up as a means to reduce the number of vertical lines is an as yet unproven method to reduce entanglement frequency, and there is every reason to expect that entanglements that do still occur will be more severe. Fishermen are well known for finding innovative and unanticipated ways to adapt to regulations that restrict their fishing practices. Often their best choice is to comply with a regulation, but sometimes they choose a legal option that does not change their practices as the regulators intended (i.e., in this case reducing the number of vertical lines in the water). NMFS could avoid this uncertainty if it chose to control the number of lines directly by capping their numbers, i.e., by adopting this element of the Non-preferred Alternative. Finally, the best available science (Knowlton et al. 2015) provides a strong expectation that weaker buoy lines will reduce the severity of entanglement injuries and the likelihood of deaths. However, much less is known about how large whales free themselves from entanglements by breaking entangling ropes. It is not known whether the complicated and varying schemes for weakening buoy lines in the Preferred Alternative will have the desired outcome. Experts have argued that numerous weak insertions placed in buoy lines every 40 feet or so, or rope that is weak throughout, should be the most effective at reducing entanglement, but even that is largely conjectural. Nonetheless, if the experts are correct, then the Non-preferred Alternative should be more effective at reducing injury severity. The efficacy of the proposed measures will not be known until they are in widespread use, and then only with adequate monitoring. Monitoring of the proximate effects of the measures (e.g., whether trawling up is achieving the anticipated vertical line reduction; what could be called 'operational performance') can be conducted annually or biennially, but detecting intermediate effects (e.g., reduced entanglement rates), or ultimate effects (e.g., improved demographic rates) will take years. During those years, if the expected risk reduction does not occur, North Atlantic right whales will suffer and the species will become further imperiled.

The Commission suggests that these sources of effectiveness or performance uncertainty require the agency's attention. It is not acceptable management practice to implement measures of highly uncertain effectiveness, and assume that they will work until proven otherwise. In part, that is how the agency has arrived at this juncture, where more than 25 years of management have not

⁹ As noted above, NMFS and the fisheries should be achieving the ZMRG immediately—they are 20 years overdue in meeting this mandate. However, even reducing incidental take to below PBR would be an important first step.

produced the desired results and right whales are declining toward extinction. The Commission fully understands that the availability of “proven entanglement mitigation measures” is limited and that often what is available are measures that experts and experienced individuals can only predict to have a good chance of working.

In this situation, the Commission recommends that the appropriate path forward is to: 1) rely on the measures that are most likely to be as effective as expected (specifically—direct line controls, dynamic time-area closures, rope that is weak throughout, and pop-up gear, which holds the promise of greatest effectiveness if it can be made practicable in the densely fished areas), and 2) use a ‘quick-cycle’,¹⁰ adaptive management approach to assess and readjust the suite of mitigation measures being used to achieve ALWTRP goals. We emphasize ‘quick-cycle’ (e.g., 1-2 years) because ineffective management that is in place for five years before being assessed will result in an unacceptable increase in the risk of extinction.

Second, the Preferred Alternative includes a risk-reduction ‘credit’ of 9.9 percent to account for the likely benefits provided by the Massachusetts Restricted Area (MRA). That credit is included in the estimated risk reduction expected from the Preferred Alternative, but its effect should already be reflected in the 2017 baseline fMSI. Thus, the actual expected risk reduction of the Preferred Alternative is less than even the lower limit of the 60-80 percent target. The DEIS states—

Given the large scale of the current MRA and the importance of the area for right whales, the take reduction team agreed that Massachusetts fishermen should get equivalent credit for maintaining the closure from February through April. This closure was implemented effective June 2015 through modifications to the Atlantic Large Whale Take Reduction Plan, impacting a portion of LMA One and the outer cape LMA. The Take Reduction Team recognized the high and increasing value of this recently expanded area, and recognizes its disproportionate impact on Massachusetts fishermen when they recommended inclusion of the closure area risk reduction towards the 60 percent risk reduction target.

The Commission’s representative and several other Team members opposed inclusion of MRA credit in calculating risk reduction achieved by the measures included in the Preferred Alternative. Although the Commission appreciates the desire of Massachusetts fishermen to receive credit for their considerable past and ongoing conservation efforts, which are undeniable, NMFS will have to include additional risk-reduction measures in the Preferred Alternative if it is going to reach the predicted risk reduction of 64 percent.

Third, as mentioned above, the 80-percent upper limit of the risk-reduction target was included by NMFS to account for cryptic mortality. The lower limit takes into account only known fMSI. NMFS stated that its approach, at the time Team members were developing their recommendations, was to assume that “half of the estimated undocumented incidents occurred in U.S. waters and were caused primarily by incidental entanglements.” In the DEIS, NMFS states—

If we assume half of the estimated mortalities and serious injuries [observed and cryptic] occur incidental to U.S. fisheries (5.25), mortality and serious injury is more than five times higher than potential biological removal and requires an 83% reduction ... [and] serious

¹⁰ One that is focused on the operational performance, i.e., the proximate effects of the newly implemented measures

injury and mortality of right whales in U.S. fishing gear must be reduced by 60% (documented) to 80% (estimated) to achieve potential biological removal.

However, NMFS noted that “given the assumptions and other sources of uncertainty in the 80 percent target, as well as the challenges of achieving such a target without large economic impacts to the fishery, the Take Reduction Team focused on recommendations to achieve the lower 60 percent target.” The Commission suggests that the difficulty the Team faced in trying to get risk reduction above 60 percent also stemmed from the lack of agreement about including additional time-area closures. This resulted in the Team simply aiming, by default, to achieve the lower limit of the target (i.e., 60 percent).

Throughout the Team’s deliberations, NMFS was very clear that not all the carcasses of North Atlantic right whales that die are detected and reported and that this necessitates reducing risk by roughly 80 percent. The Commission is therefore perplexed that NMFS would adopt the lower limit as the target in the proposed amendment. In the DEIS, NMFS notes the difficulty in apportioning cryptic mortality between entanglement and ship strike, but this difficulty should not have precluded the agency from placing bounds on the proportion likely due to entanglement. To adopt the 60-percent target is to implicitly assume that there is zero undetected/unreported, i.e., cryptic, mortality, which the agency knows is not true and runs counter to the findings of its own scientists. Additionally, NMFS fails to acknowledge in the DEIS that the magnitude of cryptic mortality is likely much greater than was thought in 2019 to be the case. In deriving the 80-percent target to account for cryptic mortality, NMFS relied on an estimate provided by an analysis led by a NMFS scientist. As described in the DEIS and above, using the methods of Pace et al. 2017, an estimated 40 percent of right whale deaths are not observed and reported (i.e., they are ‘cryptic’). However, a new analysis focused explicitly on estimating the cryptic mortality rate found that cryptic mortality accounts for 64 percent of the estimated total number of deaths in the population (Pace et al. 2021), an increase of 60 percent over the Pace et al. 2017 estimate. Thus, even the 80-percent risk reduction target is a significant underestimate of the magnitude of decrease in fMSI that is needed to reach the ZMRG level. It is not clear why the proposed rule and DEIS fail to cite or incorporate the cryptic mortality results in Pace et al. 2021. While this paper was published after NMFS had released the proposed rule and DEIS, the lead author is a NMFS scientist and the agency would have been in possession of the results approved by its own internal review process prior to the paper’s being submitted for publication in July 2020. It is clear that the proposed rule and DEIS have not used the best available data and science as presented in Pace et al. (2021).

In light of all the issues raised in this section, the Commission recommends that NMFS (a) reassess its risk-reduction target in light of: 1) the agency’s long-standing failure to reduce fMSI to required levels, 2) uncertainty regarding the efficiency of the newly proposed measures, 3) underestimation of the expected risk reduction due to double counting of the effect of the MRA, and 4) the agency’s failure to set a target that adequately takes account of cryptic mortality; and (b) promulgate a final ALWTRP amendment that includes those measures that have the greatest chance of achieving the requisite risk-reduction level. The first two factors mentioned above suggest that NMFS should set a conservative (i.e. substantially more risk-averse) risk-reduction target that has an uncertainty buffer as a way of improving the chance that the nominal target will be reached, while the latter two factors require that NMFS take into account the best available data and science to ensure the accuracy of that target.

Alternatives. The Commission believes it highly unlikely that the Preferred Alternative will be as effective as anticipated. Effectiveness in this context relies on measures that are to varying degrees untested or potentially unreliable. Rather than directly regulating the number of vertical lines that can be fished at any given time, the Preferred Alternative relies on an indirect method, trawling-up, to reduce the number of vertical lines, without any assurance that this approach would achieve the expected magnitude of line reduction. The Preferred Alternative also relies on weak-rope configurations that have not been tested. There is reasonably strong scientific support for requiring ropes to break at 1700 pounds or less, but it is unknown whether right whales will be able to break lines that have just one or two weak insertions, rather than lines with insertions every 40 feet or that are weak throughout, as recommended by scientists. Therefore, whether the proposed configurations will be effective is almost entirely speculative. Finally, the Preferred Alternative further relies heavily on fixed closures to continue providing protection for right whale hotspots, which is problematic in an era when marine environments are changing in response to ocean warming. This is in contrast to dynamic closures such as those being used in Canada, apparently with considerable success. The Commission therefore recommends that NMFS reject its Preferred Alternative as inadequate for the many reasons articulated above.

The Non-preferred Alternative will likely be more effective than the Preferred Alternative, but is likely still inadequate to achieve the goals of the MMPA. On the positive side, it relies on direct control of the number of vertical lines. This is an improvement on the trawling-up approach, but it is not without challenges. Although capping line numbers appears straightforward and could be achieved by permitting lines in addition to traps, Massachusetts is the only State where buoy or end lines currently are counted or regulated. Other states currently lack the data and regulatory mechanisms for implementing this approach. Implementing line caps will require a phase-in period during which regulatory agencies develop the necessary policies to regulate and monitor vertical line numbers, and collect baseline data on the number of lines being used. Another improvement offered by the Non-preferred Alternative would be the establishment of a larger closure south of Nantucket, which has become recognized as important winter habitat for right whales, and another closure north of Georges Bank. In addition, the Non-preferred Alternative would, for the most part, require fully weak rope. In contrast to these positive elements, however, the Non-preferred Alternative would not offer much improvement in the risk reduction in LMA3, and it also does not achieve the upper limit of the take-reduction target. NMFS and independent experts suspect that LMA3, where the offshore fishery operates, is responsible for a disproportionate number of entanglements, especially severe entanglements, that lead to fMSI. Because of the depths at which the gear is fished, the strong currents, and the large number of traps per trawl, that fishery uses very heavy (strong) lines, which almost certainly cannot be broken by adult right whales, let alone younger animals. Also, because of these factors it is difficult for the gear to incorporate weak insertions without compromising the ability of the fishermen to successfully retrieve their gear. As a result, under either alternative it is not likely that the offshore fishery will be able to achieve a risk reduction of more than 15 percent (Table 3.4 in the DEIS).

Considering the discussion and recommendations above, the Commission recommends that NMFS adopt the Non-preferred Alternative, with the following modifications—

- 1) Changes are made to the proposed mitigation measures to achieve an expected risk reduction sufficiently in excess of 80 percent to account for (i) performance uncertainty, (ii) double counting of the MRA ‘credit’, and (iii) the 64-percent cryptic mortality rate estimated by Pace et al. 2021, the best available science, which could be achieved by:

- a. Increasing the sizes or durations of proposed closures, or establishing additional closures targeted at right whale hotspots with moderate to high entanglement risk;
 - b. Designing dynamic time-area closures similar to those implemented in Canada;
 - c. Capping vertical lines at much lower than present levels;¹¹ and
 - d. Establishing additional buoyless restricted areas in LMA3, or requiring the offshore fishery to adopt pop-up gear within three years.
- 2) Monitoring and adaptive modification of these measures and their proximate effects are mandated as an annual or biennial process to ensure that the actual performance of the proposed measures is matching expected performance.

Gear marking. One of the major sources of uncertainty in determining appropriate area-specific risk-reduction targets is the shortage of information on the types and sources of gear that entangles right whales. As described in the DEIS, the source (e.g., country, state, or fishery) could be identified in just 24 percent of the cases of whales found to be seriously injured or dead as a result of entanglement. Identifying the gear involved is critical to deriving accurate area-specific risk-reduction targets, and for improved understanding of the entanglement dynamics that lead to serious injuries and deaths. NMFS recognizes this imperative, as evidenced by the expanded gear-marking regulations included with the 2014 amendment to the ALWTRP, and by the improved marking schemes that are part of the proposed amendment's Preferred and Non-preferred Alternatives (see Table 3.3 in the DEIS). While the new regulations would allow, in some cases, retrieved gear to be linked to a state or management area (e.g., federal waters), the Commission believes that they fall well short of what is needed.

To improve understanding of entanglement dynamics and derive more accurate and site-specific risk-reduction targets, the proposed marking regulations need to be strengthened considerably. Among other things, gear-marking provisions should require more marks on lines and include unique marks for more fishing areas and marks that distinguish whether the rope was used as a buoy or end line or as a groundline. The Commission believes that this is the only way to provide the information needed to evaluate the effectiveness of current mitigation measures and to make informed decisions on any necessary further measures.

Therefore, at a minimum, the Commission recommends that NMFS revise the gear-marking measures in the proposed TRP amendment to include the following features:

1. Area-specific marking schemes are developed for jurisdictional areas (e.g., United States vs Canada, individual states, state vs federal waters) and areas of high entanglement risk (e.g., hot spots where there is a strong correlation or overlap between whale abundance and gear density);
2. All vertical end or buoy lines and groundlines are marked, including with an additional mark to distinguish vertical lines from groundlines;

¹¹ The Decision Support Tool (DST) should be used to determine the actual amount of vertical line reduction, in combination with other measures, necessary to account for serious injuries and total deaths in the population.

3. Identifying marks are sufficiently spaced, such as every 40-60 feet, to ensure that the maximum amount of recovered gear can be identified; and
4. Marks on buoys, lines and traps are replaced before they become unreadable due to abrasion or other degradation processes.

The Commission recognizes the difficulty and added expense associated with jurisdictionally and/or geographically fine-scale marking schemes. A fisherman who fishes widely in state and federal waters might need to have several sets of lines, each with a different set of marks. There is, however, a simple and powerful solution to this problem, which is to make all marks specific to the owner of the gear. Thus, each fisherman would mark his or her gear with a unique combination of marks, or a strand of uniquely identifiable wire or tape woven into all ropes, throughout or at regular intervals along the rope. Although this would be more expensive, within a few years it likely would settle the question of to what extent each fishery is responsible for the entanglement of right whales, and it would provide detailed information to be used in studies of entanglement dynamics, data that are critical for developing improved mitigation measures. While fishermen might object to being individually identified, this is already a reality because buoys and traps have to be marked individually in the two states with the largest number of lobster fishermen, Maine and Massachusetts. Therefore, the Commission recommends that NMFS undertake the necessary research and development to enable manufacturers to create individual marking schemes or devices that are operationally feasible and affordable.

Conservation Action

The Commission supports NMFS's intention to protect and recover right whales, but believes, as reflected by the agency's decision to undertake this rulemaking, that it must be much stronger and that additional actions are needed to meet the various mandates of the MMPA.¹² Most pressing is the need for the United States and Canada to prevent any human-caused mortality and serious injury, thereby beginning to reverse the downward population trend. Adoption of vessel-speed regulations and entanglement mitigation measures by the United States over roughly the past three decades apparently helped to reduce the mortality rate and contributed to the positive population growth rate observed prior to 2010 (Pace et al. 2017, Corkeron et al. 2018). However, even when the population was growing, the estimated rate of 2.8 percent was substantially below what might be expected for this species given the 5.3-7.2 percent population growth rates observed in the closely related southern right whale, and the 4.0 percent intrinsic rate of increase (R_{max}) estimated for the North Atlantic right whale (Corkeron et al. 2018).

In 2006, when the right whale population was still growing, a panel convened by the Commission recommended that NMFS adopt a more aggressive and precautionary approach to managing right whale interactions with fisheries (Reeves et al. 2007). The panel's report concluded that:

“In general, [NMFS] should set higher standards of protection and place greater reliance on the ability of industry to adapt to those

¹² These include reducing mortality and serious injury to less than PBR and ultimately to insignificant levels approaching a zero mortality and serious injury rate (§ 118(f), not allowing the taking of right whales incidental to commercial fisheries unless it would have a negligible impact on the stock (§ 101(a)(5)(E), and ultimately replenishing the stock to the point where it no longer is depleted (§ 2(2), 2(6)).

standards, rather than continuing to depend on a complex, shifting, inefficient, and ineffective network of regulatory measures to protect the whales. The guiding principle should be to separate high-risk human activities from right whales, in both space and time, to the maximum extent feasible.”

Although NMFS chose not to adopt that advice in 2007, it remains relevant, and even more critical to right whale recovery now that the population is declining at an alarming rate. The protection of right whales can no longer rely on unproven measures and overly optimistic projections. If strong mitigation measures prove to be effective in reducing MSI below PBR, then NMFS can assess whether economic and other considerations weigh in favor of scaling those measures back and take more time to determine how to satisfy the ZMRG. The setting of higher standards, followed by adaptive modifications, is the approach Canada adopted following the large number of entanglement and vessel-strike deaths that occurred in the Gulf of St. Lawrence in 2017, and the United States should follow suit.

We hope these comments and recommendations are helpful. Please contact me if you have questions regarding the Commission’s recommendations and rationale.

Sincerely,



Peter O. Thomas, Ph.D.,
Executive Director

Cc: Jennifer Anderson, Assistant Regional Administrator for Protected Resources,
Greater Atlantic Region
Diane L. Borggaard, Acting Marine Mammal and Sea Turtle Group Lead,
Greater Atlantic Region
Colleen C. Coogan, Marine Mammal and Sea Turtle Branch Chief, Greater Atlantic Region
Marisa Trego, Marine Mammal Take Reduction Team Coordinator, Greater Atlantic Region
Jonathan A. Hare, PhD, Science Director, Northeast Fisheries Science Center
Donna S. Wieting, Director, Office of Protected Resources
Shannon Bettridge, PhD, Chief, Marine Mammals and Sea Turtles Division
Francisco E. Werner, PhD, Director, Scientific Programs and Chief Science Advisor
Sam D. Rauch III, Deputy Assistant Administrator for Regulatory Programs

APPENDIX – Additional, Supporting and Background Information.

Population Status

Since 2010, the right whale population has been declining steadily at approximately one percent per year, and faces an increasing risk of extinction (Kraus et al. 2016, Pace et al. 2017, Pettis et al. 2020). A recent population assessment revealed poor body condition of North Atlantic right whales compared to three populations of southern right whales (Christiansen et al. 2020). Both lethal and sub-lethal anthropogenic trauma from entanglements and vessel collisions are thought to contribute to this decline in population abundance (Sharp et al. 2019, Christiansen et al. 2020, Moore et al. 2021). Sub-lethal effects of entanglements of individual whales whose health is already compromised, as evident from poor body condition, can result in reproductive failure. The best available scientific information clearly identifies entanglements in fishing gear, especially lobster and crab pots or traps (generically, traps hereafter), and vessel strikes in both the United States and Canada as the two main anthropogenic drivers of the decline (NMFS 2019). Vessel strikes were, for a period of at least 10 years, the primary documented cause of right whale deaths in U.S. waters, but now entanglement in fishing gear is the leading documented cause of both mortality and serious injury (Sharp et al. 2019, Moore et al. 2021).¹³ Early analyses of rules designed to limit vessel speeds in U.S. waters to reduce the number of vessel strikes of large whales indicated that the regulations were having the desired effect (Laist et al. 2014, van der Hoop et al. 2015), but a recent analysis indicates that the effect is not very large (NMFS 2020a, Moore et al. 2021). Vessel strikes were a significant cause of right whale deaths in Canada in 2017 (Daoust et al. 2017) and again in 2019.¹⁴

Although the population had been increasing at a relatively slow rate of 2.8 percent per year during the 1990s and 2000s (Pace et al. 2017, Corkeron et al. 2018), it peaked at an estimated 483 whales in 2010 and decreased to an estimated 356¹⁵ whales at the end of 2019 (DEIS, Biological Opinion, Pettis et al. 2020), a decline of 36 percent in just a decade. On the positive side, in 2020, only two whales are known to have died in U.S. waters and 10 calves were observed. As of mid-February 2021, 15 calves had been detected, although one is known to have died due to a vessel strike. Particularly alarming is the fact that no more than 90 reproductive-age females remained as of 2017 (Hayes et al. 2018), and their numbers are declining more rapidly than males' (Pace et al. 2017). Two studies have found that females accounted for 66 percent of deaths of adults (Moore et al. 2004, Sharp et al. 2019).

Entanglement in fishing gear is so frequent that 83 percent of all right whales bear entanglement scars (a term meant to encompass both healed and unhealed wounds as well as amputations), and 59 percent have scars from multiple entanglements (Knowlton et al. 2012a). Every year, on average, 26 percent of the whales acquire new entanglement scars (Knowlton et al. 2012a), leading to the conclusion that, over a ten-year period, each whale has a 95 percent chance of being entangled at least once (Hayes et al. 2018). This situation is exacerbated by the fact that

¹³ From 2012 to 2016, over twelve times as many whales died due to entanglement compared to vessel strikes (NMFS 2019).

¹⁴ Right Whale News, September 2019, at: <https://www.narwc.org/uploads/1/1/6/6/116623219/rwn-sep19.pdf>

¹⁵ NMFS, using the method of Pace et al. 2017 estimated there were 366 individuals in the population as of January 2019 (95-percent credible interval 353-377), from which Pettis et al. 2020 subtracted the number of known deaths in 2019 to produce the estimate of 356 at the end of January 2021. The actual number was probably somewhat lower because Pettis et al. (2020) did not account for likely undetected deaths, which easily could have equaled or exceeded the number of known deaths (Pace et al. 2017, Pace et al. 2020).

moderate to severe entanglements are becoming more frequent, apparently due to increases in the strength of rope used by fishermen (Knowlton et al. 2015), and the likelihood that an entanglement leads to death or serious injury is increasing by 6.3 percent per year (Hayes et al. 2018).

The known number of right whales dying has increased rapidly since 2010 (Figure 1, Pace et al. 2021), and the proportion of deaths attributable to entanglements also has increased substantially (Figure 4, NMFS 2020b), although population modeling has indicated the mortality rate of adult right whales has not declined (Pace et al. 2017).¹⁶ Roughly 34 deaths and serious injuries of entangled right whales have been documented in the most recent five years of data (2014-2018; NMFS 2020b). NMFS's North Atlantic right whale stock assessment reports¹⁷ indicate that the annual mean of observed MSI increased from 1.3 prior to 1999, to 5.8 from 2000-2009, and to 6.9 from 2014 to 2018. Moreover, this should be considered a minimum, as the carcasses of an estimated 64% percent of all right whales presumed to be dead go undetected ('cryptic mortality'; Pace et al. 2021). Thus, the number of undetected deaths from 2014 to 2018 could have been as high as 19 right whales, although Pace et al. (2021) recommend making such extrapolations cautiously as the likelihood of detection of MSI differs substantially between entanglements and vessel strikes. In a recent presentation to the NMFS's Atlantic Scientific Review group Dr. Pace cautioned that most deaths predicted to have occurred by his population model (Pace et al. 2017) go undetected and that the number of detected deaths and serious injuries is a very poor predictor of the total.

Even minor entanglement in fishing gear can have sub-lethal effects. The condition and health of entangled females can be severely compromised (Knowlton et al. 2012b, Robbins et al. 2015, Rolland et al. 2016, van der Hoop et al. 2017, Knowlton et al. 2018), and this contributes to the recent and prolonged low calving rate (Kraus et al. 2016, Pace et al. 2017). Females require at least two or three years to build the nutritional reserves needed to calve, and apparently do not calve if they are in poor condition (Schick et al. 2013). Given the annual scarring rate, it is likely that about half of all reproductive-age females are entangled during the inter-birth period. The mean inter-birth interval increased from roughly 3-4 years during 2009-2011, to 4.5-6.5 years between 2012 and 2016, to 7-10 years from 2017 to 2020 (Pettis et al. 2020). Calving rates declined by nearly 40 percent between 2010 and 2016 (Kraus et al. 2016, Pace et al. 2017), and in 2018 no calves were seen. From 2010 to 2016, an average of 16 calves were observed each year (range, 7-22), but only 22 calves in total were seen from 2017-2020 (average=5.5 per year, range, 0-10; Pettis et al. 2020). Entanglement-caused health decline is not the only driver of lower calving rates,¹⁸ but it is a significant factor (Corkeron et al. 2018). Further, the situation is likely worse than these statistics indicate because observed scarring rates do not fully reflect entanglement rates, as not every scar is detected and not every entanglement results in scarring.

Mitigation Measures

The mitigation of entanglement risk for North Atlantic right whales rests primarily on two approaches: 1) reducing the likelihood of entanglement, which is achieved mostly by removing entangling lines from the environment, and 2) reducing the severity of entanglements and the

¹⁶ This suggests that the increase in the number of known deaths is a change in the discover/reporting rate, and that the decline in the population is due to a decrease in the reproductive rate.

¹⁷ See NMFS North Atlantic right whale stock assessments at: <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports-species-stock>.

¹⁸ Reproductive rates are also dependent on prey availability and energy expenditure, both of which have been changing (references in Hayes et al. 2018).

resulting injuries, which is achieved primarily by making it more likely that an entangled whale can break the line and shed the attached gear. While right whales can become entangled in ground lines, the large majority of entanglements appear to be in buoy or end lines (often referred to generically as vertical lines).

Likelihood of Entanglement. Eliminating vertical lines would virtually end the entanglement of right whales.¹⁹ Although this could be achieved by closing fisheries, such an action is socially, economically, and politically infeasible. So-called ropeless, buoyless, or pop-up gear eliminates the need for vertical lines while allowing fishing to continue, conceivably without reducing fishing effort. This option is seen by many as the ideal solution, but by others as infeasible, particularly those engaged in trap fisheries. In 2018, when the current take reduction plan (TRP) amendment process began, pop-up gear designs were deemed insufficiently advanced for adoption in American and Canadian lobster and crab trap fisheries. However, a great deal of progress has been made in the last two years, and several trials that are underway various types of pop-up gear are showing encouraging early results. Some developers claim that their gear is ready to use now in certain segments of the fisheries. The biggest current obstacle to widespread implementation of pop-up gear is the lack of a universally available interoperability system that would enable everyone to “see” deployed pop-up gear virtually.²⁰

Effort reduction is another approach to reducing the number of vertical lines. It is generally believed that direct control, which would be achieved by capping the number of lines permitted to be used by individual fishermen or the fishery as a whole, would be the most effective form of effort control. However, the states have not embraced this approach²¹ and have instead focused on indirect approaches for reducing the number of vertical lines, such as allowing or requiring an increased number of traps per vertical line, a practice referred to in New England as ‘trawling up’.

Vertical-line reduction can also be achieved by reducing fishing effort (e.g., number of permitted traps, fishermen or vessels) or prohibiting fishing where and when whales are most likely to be present. Such fixed time-area closures are being used now in parts of Massachusetts and adjacent federal waters (referred to as restricted areas),²² and dynamic time-area closures are being used in Canada to reduce the risk of entanglement and in the U.S. and Canada to reduce the risk of vessel strikes. Dynamic management areas (DMAs) implemented to reduce vessel-strike risk in the U.S. have had some success (NMFS 2020a). However, fishery DMAs trialed by NMFS in the early 2000s were rejected due to logistical difficulties encountered by fishermen (e.g., the difficulty of pulling gear quickly) and the accompanying monitoring requirements. The benefits may now outweigh the costs, especially in an era when environmental changes driven by ocean warming are affecting fishing effort and whale distribution patterns from year to year, as the Canadians have demonstrated in the last four years. With the right whale population declining and at a much greater

¹⁹ However, even in the absence of vertical lines, traps would still be connected by ground lines. Although, the use of sinking ground lines, which are required in all U.S. lobster fisheries, reduces the chance of entangling large whales, that chance is not zero because right whales are known to feed on the bottom.

²⁰ In the absence of surface marking with a buoy or buoys, and interoperability software system would allow any legitimate user with an acoustic modem (e.g., the owner of the gear, other fishermen in the same fishery or co-occurring fisheries, enforcement agencies) to gain access to data on the location of the pop-up gear.

²¹ Some states lack the regulations necessary to set line caps, and/or lack data on how many lines are being used.

²² Current restricted areas protect large numbers of right whales in Cape Cod Bay and around Cape Cod during February, March, and April, and in the Great South Channel during April, May, and June.

risk of extinction than it has been for a considerable time, the cost-benefit analysis for fishery DMAs likely has changed.

Other methods have been tested to reduce the likelihood of entanglement, such as stiff or taut line or acoustic deterrents, but most of these alternatives have been found to be impractical or ineffective (FAO 2021). A recent research project suggested that red ropes would be more readily detected by right whales than ropes of other colors (Kraus et al. 2014), an idea that has gained some traction with the TRT.

Severity of Entanglement. The risk of death and severity of injuries whales sustain increase with entangling rope strength²³ and the mass attached (Knowlton et al. 2015, 2018). Research has found that adult and juvenile right whales are not found entangled in rope with a breaking strength of less than 1,700 pounds, suggesting that right whales are able to free themselves from ropes with lower breaking strength (Knowlton et al. 2015). Most rope currently in use is much stronger, especially in conditions in which high loads are placed on vertical lines during gear retrieval. This occurs when there are strong currents or ‘sticky’ substrates, pots/traps are very heavy (e.g., in the Canadian snow crab fishery), or large numbers of traps are fished together in a single ‘trawl’ (e.g., in the offshore/deep-water lobster fishery).

NMFS and the Atlantic Large Whale Take Reduction Team (the ALWTRT, or the Team) have considered a variety of approaches for reducing the strength of the rope used in New England, referred to in shorthand as ‘1,700-pound equivalents’. More generally, rope that whales are able to break is referred to as ‘weak rope’, whether it is weak throughout or has weak insertions or links. The ‘1,700-pound equivalents’ include 1) rope with a breaking strength of 1,700-pound throughout, and 2) 1,700-pound splices, knots, or sleeves (insertions) used to join sections of rope. Deploying 1,700-pound rope, or stronger rope with 1,700 pound sleeves, has been considered the most promising weak-rope option, although a reliable commercial source of 1,700-pound rope has not yet been found (C. Coogan, GARFO, pers. comm.). Splices and knots are regarded as easier and less expensive options for fishermen to implement, compared to sleeves, but much more difficult to design to ensure that they have the right breaking strength. In addition, there is a strong concern that knots would make the line more likely to get snagged in a whale’s baleen, thus increasing the likelihood of severe injury. Although promising and successfully trialed by a few fishermen, sleeves have not been scientifically tested and it is unknown how they will perform in entanglement situations.

Background to Proposed ALWTRP Amendment

NMFS’s early actions and performance. As prescribed in section 118(f)(6)(A) of the MMPA, in 1996, NMFS established a take reduction team, which would become the ALWTRT, and charged it with developing and submitting to NMFS within six months a draft TRP. In February 1999, NMFS published a final rule implementing the TRP. Subsequently NMFS was unable to reduce tMSI to ZMRG within seven years, unable to reduce fMSI to less than PBR within six months, and unable to reduce fMSI to less than ZMRG within five years. In fact, the agency has not achieved the first goal in the 27 years since the amendment of the MMPA in 1994, or the second and third goals in the 21 years since the implementation of the TRP in 1999.

²³ Rope strength depends on the diameter, construction and composition of the rope.

Although NMFS had not achieved any of the MMPA's prescribed goals, the population was increasing relatively slowly in the late 1990s and 2000s (Waring et al. 2011, Pace et al. 2017, Corkeron et al. 2018), which gave the agency some reason to believe that the take-reduction measures were working. However, several developments over the last decade have countered that view. First, an analysis led by a NMFS scientist found little evidence that past entanglement mitigation measures recommended by the Team, and implemented by NMFS and the states, had been effective (Pace et al. 2014). Second, population modeling has definitively shown that the population has been declining since 2010, MSI has been increasing, and fMSI alone has exceeded PBR by 2-3 whale deaths per year (Pace et al. 2017, Corkeron et al. 2018, Hayes et al. 2019). Third, in 2017, 17 right whales died from vessel strikes and entanglements in the United States and Canada; until that point the number of dead whales found in any one year had not exceeded seven (average 3.15 per year).²⁴

NMFS's response to the crisis. Concerned about the status of right whales, NMFS convened an in-person meeting of the ALWTRT in October 2018. Before the meeting, Team members were invited to submit proposals specifying the measures they considered necessary to meet at least the first goal of the ALWTRP (reducing fMSI to less than the PBR). The measures developed by Team members representing environmental NGOs or states (likely in collaboration with fishermen and fishing industry representatives), and scientist members, included the use of—

- weak rope/links used for/within buoy lines;
- weaker, smaller-diameter buoy lines;
- direct limits (caps) on the number of buoy lines;
- indirect controls on the number of buoy lines by limiting trap numbers or by 'trawling up';²⁵
- transitioning to pop-up gear;
- expanding the duration and area of existing restricted areas (time-area closures to buoyed trap fishing);
- new restricted areas where buoyed trap fishing is not permitted;
- line that is more visible to right whales; and
- improved enforcement.

The proposals also included a variety of measures that would generally contribute to entanglement mitigation indirectly and over time, things such as research, monitoring and gear marking, however, those measures were not included in risk-reduction calculations.

After much discussion of these measures, the Team did not reach consensus on recommendations concerning an amendment to the ALWTRP. It did identify a need for an objective risk-reduction target and a tool for evaluating mitigation options against that target. Multi-stakeholder sub-groups within the team developed 'work-plan' recommendations meant to enable NMFS to focus its data gathering and analyses toward that end before the next meeting, which was scheduled to take place in April 2019.²⁶

²⁴ Data extracted from Figure 1 in Pace et al. 2021

²⁵ Increasing the number of traps allowed or required per buoy/vertical line.

²⁶ Summaries of each of these meetings are available at: <https://www.fisheries.noaa.gov/new-england-mid-atlantic/marine-mammal-protection/atlantic-large-whale-take-reduction-plan>

Prior to the April 2019 meeting, NMFS assessed the relative contributions of U.S. and Canadian fisheries to the entanglement-related mortality and serious injury of right whales, and completed the development of the first generation of a decision-support tool (model; the DST) to assess entanglement risk reduction that could be expected from proposed mitigation measures, singly or in combination.²⁷ Based on the best available science, NMFS estimated that, to reduce fMSI to less than PBR, a 60-80 percent reduction in entanglement risk in the United States would be necessary, independent of the mitigation of other sources of risk in the United States and Canada. NMFS charged the Team with finding a combination of mitigation measures from those identified during the October 2018 meeting that could be implemented immediately²⁸ and would achieve the target of a 60-80 percent reduction in entanglement risk. The assumption was that implementation of those measures would in practice reduce fMSI by an amount within that range. The 60-percent level reflected the known number of fMSIs, while the 80-percent level reflected the total estimated number of deaths due to fisheries.²⁹ At the time, it had been estimated that 40 percent of presumed deaths due to all causes go undetected ('cryptic mortality'; Pace et al. 2017). The Team and NMFS recognized that the 60- 80-percent targets had a great deal of associated uncertainty because they were based on analysis of a relatively small number of entanglements and estimating the number of unknown deaths, respectively. Also, much of that uncertainty would remain unresolvable because the source of most gear recovered from right whales cannot be assigned to a particular fishery or fishery component, due largely to inadequate gear marking. As described above, analyses conducted since that meeting have indicated that the level of cryptic mortality is higher than thought at the time. Therefore, the upper bound of the range for the entanglement risk-reduction target should be higher, probably substantially higher, than 80 percent.

At the start of the April 2019 meeting, NMFS signaled its intention to initiate rulemaking in May of that year, and its intention to augment the Team's TRP amendment recommendations if they did not have the potential to reach the 60-percent risk-reduction target at a minimum, and preferably the 80-percent target. In addition, NMFS indicated that the agency wanted to achieve the 80-percent risk reduction. During that meeting, the Team used the DST to estimate the potential risk reduction of different entanglement mitigation measures, and to build suites of measures designed to achieve the 60-80 percent risk reduction target. Due to strong opposition by industry and some state representatives to the expansion, or establishment of additional, time/area closures, those options were effectively excluded from consideration by the Team. This left basically just two mitigation measures on the table – reduction in the number of vertical lines and reduction in the strength of lines. The first is meant to reduce the likelihood that a whale will become entangled, the second, to reduce the severity of injuries once a whale is entangled. It quickly became apparent that the 80-percent risk-reduction target could not be achieved with line-number and rope-strength measures alone, i.e. without the inclusion of time/area closures. Therefore, the Team's efforts ended up focusing on achieving a reduction in risk of at least 60 percent. Finally, because of the necessity to involve states in coordinating their regulations with federal regulations to reach the target risk reduction for the entire region, the Team focused on developing state-specific suites of measures.

²⁷ [describe the tool]

²⁸ The use of pop-up gear was excluded from consideration because it was judged to be several years from being ready to be used in the fisheries in question.

²⁹ The 60-percent target is based on known mortalities and serious injuries, while the 80-percent target is based on total mortalities, which is the sum of known mortalities and serious injuries and the estimated number of cryptic mortalities.

The suite of measures that was recommended to NMFS as an amendment to the ALWTRP is shown in (Table 3.1 in the DEIS).

For the most part, the measures proposed by the Team in (DEIS Table 3.1) were projected to reach or approach the lower limit of the risk-reduction target with one important exception. Those members representing the offshore lobster fishery, which operates in LMA3 (lobster management area 3),³⁰ were unable to offer a proposal to meet the risk-reduction target. Because the fishermen in this sector already used long trawls, trawling up would not reduce the number of end lines significantly, and because they fish in deep water with large numbers of traps per trawl, they could not use weak rope. They argued that their fishery needed more time to study the problem and pledged to develop measures that would meet the target. Although relatively few vertical lines in New England belong to this fishery, because it uses heavy rope and trawls with large number of traps, and the fishery overlaps significantly with right whale presence, it likely represents a disproportionately large risk to right whales.

On 2 August 2019, NMFS published a notice of intent to prepare a draft Environmental Impact Statement (DEIS) and a request for comments on potential amendments to the ALWTRP (84 Fed. Reg. 37822). The DEIS was to analyze the potential environmental impacts of alternative potential amendments to the ALWTRP under the National Environmental Policy Act (42 U.S.C. § 4321 et seq.). NMFS stated that proposals recommended by the Team at the April 2019 meeting would form the basis of those alternatives, and that the DEIS would inform subsequent NMFS rulemaking to implement the ALWTRP in order to meet the take reduction requirements of the Marine Mammal Protection Act (MMPA). In its comment letter of 23 September 2019,³¹ the Commission recommended that —

1. DEIS alternatives rely most heavily on options that would 1) produce the greatest estimated risk reduction, 2) remove substantial numbers of vertical lines from the water column, 3) have strong scientific support, and 4) be most likely to reduce MSI to MMPA-mandated levels;
2. DEIS alternatives should include measures from the following categories: 1) substantial reductions in vertical line numbers in all states and LMAs, 2) time-area closures to protect the largest and most predictable concentrations and migratory pathways of right whales, 3) use of weak rope (1,700-pound equivalents) in every trap fishery, 4) use of any other proven measures that will reduce entanglement risk severity, such as high-visibility rope, and 5) actions taken or planned by NMFS to secure the cooperation of and the implementation of comparable measures by other jurisdictions, such as state and Canadian management agencies;
3. The final rule require the offshore lobster fishery to a make the transition to pop-up gear on an aggressive, time-bound schedule, if it cannot implement a weak-rope option;
4. The DEIS's preferred alternative be crafted to achieve an 80-percent entanglement risk reduction;

³⁰ Lobster management areas are labeled in Figure 3.1 of the DEIS.

³¹ <https://www.mmc.gov/wp-content/uploads/19-09-23-Pentony-Right-whale-DEIS-scoping.pdf>

5. The DEIS evaluate options for the expansion of and establishment of new restricted areas;
6. The DEIS assess the risk reduction achieved by restricted-area options and the potential for those closures to increase risk in other areas due to displaced effort;
7. The final rule require NMFS to monitor and assess the effectiveness of all fixed closures and to use the results to modify the geographic and temporal extent of the closures on a regular basis;
8. The DEIS evaluate the costs and benefits of using dynamic closures to protect right whale aggregations, similar to those implemented by Canada in 2018, and work with the states to overcome any impediments to implementing dynamic closures in U.S. waters.

Proposed ALWTRP Amendment

On 31 December 2020, NMFS released the draft rule to implement a proposed amendment to the ALWTRP and the DEIS analyzing the effect of that rule. Besides the pro-forma ‘no action’ alternative, the DEIS included a Preferred and a Non-preferred Alternative, both of which included measures in three general categories — line reduction, restricted areas, and weak line (Table 3.2 in the DEIS).

Line reduction. In the Preferred Alternative, line reductions are anticipated to result from ‘trawling-up’ requirements that vary among states, from LMAs, and by distance from shore, while the Non-preferred Alternative primarily would require a 50-percent cap on the number of vertical lines that could be fished in federal waters and portions of Maine’s state waters.

Restricted areas. The Preferred Alternative would create two new restricted areas (DEIS Table 3.2)—a closure in Maine’s offshore waters from October to January (“LMA1 Restricted Area”), and a closure south and southeast of Nantucket in Massachusetts’s offshore waters in February and April (“Massachusetts South Island Restricted Area”) (Figure 3.1 in the DEIS). The Non-Preferred Alternative also includes the LMA1 Restricted Area, two versions of a larger South Island Restricted Area, and the Georges Basin Restricted Area, an additional area at the Hague Line east of Cape Cod (Figure 3.2 in the DEIS). Both alternatives modify existing closures and establish new closures to allow fishing without buoy lines (i.e., with pop-up gear).

Weak line. The Preferred Alternative requires a complex system of weak insertions that vary in number and positioning on the line by state, LMA, and distance from shore (DEIS Table 3.2). The Non-preferred Alternative requires the use of fully weak rope in the top 75 percent of all buoy lines.

Expected risk reduction. NMFS used the DST to estimate the expected entanglement risk reduction of different measures and alternatives (Table 3.4 in the DEIS).

The DST estimates that the Preferred Alternative would achieve a 64.3-percent risk reduction. Individual contributions were made by weak-line insertions (14 percent), trawling up (12 percent), the two new closures (15 percent), and a combination of trawling up and weak lines in

LMA3 (8 percent).³² Interestingly, 9.9 percent of the total risk reduction in the Preferred Alternative is linked to an “MRA credit”. This element reflects a proposal first made by Team members from the State of Massachusetts, and ultimately accepted by NMFS, that Massachusetts be given credit for the risk reduction already achieved through the earlier establishment of the Massachusetts Restricted Area, which includes Cape Cod Bay and areas east of Cape Cod. The risk reduction target of 60-80 percent was based on the latest available estimate of entanglement-related mortality and serious injury attributed to U.S. fisheries, relative to the PBR; 2017 was used as the baseline year for these calculations. Because any risk reduction achieved by the MRA had already affected the level of fMSI, adding it to the predicted risk reduction to be achieved with the Preferred Alternatives amounts to double counting. Therefore, the risk reduction that can be expected to be achieved by the Preferred Alternative would be 54.4, not 64.3 percent.

In contrast, the Non-preferred Alternative would be expected to achieve a 70-73 percent risk reduction depending on which options are chosen. In this case, the 50-percent cap on vertical lines (45 percent), more extensive use of weak-line insertions (35 percent), and closures (33 percent) were the major contributors to the estimated 70+ percent risk reduction.

³² The individual risk-reduction estimates are not additive. For example, the effect of a weak-rope measure depends on how much rope is being used. Suppose that a weak-rope, assessed by itself (i.e., under baseline conditions), achieve an X-percent risk reduction, while a line-reduction option assessed by itself achieves a Y-percent risk reduction. Then, the risk reduction achieved by implementing the line-reduction and weak-rope options would be less X+Y, because with the line reduction in effect there is less line than under baseline conditions that could be converted to weak rope.

References

- Christiansen, F., S.M. Dawson, J.W. Durban, H. Fearnbach, C.A. Miller, L. Bejder, M. Uhart, M. Sironi, P. Corkeron, W. Rayment, E. Leunissen, E. Haria, R. Ward, H.A. Warick, I. Kerr, M.S. Lynn, H.M. Pettis, and M.J. Moore. Population comparison of right whale body condition reveals poor state of the North Atlantic right whale. *Marine Ecology Progress Series* 640:1-16.
- Corkeron, P., P. Hamilton, J. Bannister, P. Best, C. Charlton, K.R. Groch, K. Findlay, V. Rowntree, E. Vermeulen, and R.M. Pace III. 2018. The recovery of North Atlantic right whales, *Eubalaena glacialis*, has been constrained by human-caused mortality. *Royal Society Open Science* 5(11):180892.
- Daoust, P.Y., E.L. Couture, T. Wimmer, and L. Bourque. 2017. Incident report: North Atlantic right whale mortality event in the Gulf of St. Lawrence, 2017. Collaborative report produced by Canadian Wildlife Health Cooperative, Marine Animal Response Society, and Fisheries and Oceans Canada. Fisheries and Oceans Canada, Ottawa. 256 pp. At: <http://publications.gc.ca/site/eng/9.850838/publication.html>.
- FAO. 2021. Fishing operations. Guidelines to prevent and reduce bycatch of marine mammals in capture fisheries. FAO Technical Guidelines for Responsible Fisheries No.1, Suppl. 4. Rome.
- Hayes, S.A., S. Gardner, L. Garrison, A. Henry, and L. Leandro. 2018. North Atlantic right whales – evaluating their recovery challenges in 2018. *NOAA Technical Memorandum* NMFS-NE-247. 24 pp. At: <https://www.nefsc.noaa.gov/publications/tm/tm247/>
- Knowlton, A.R., P.K. Hamilton, M.K. Marx, H.M. Pettis, and S.D. Kraus. 2012a. Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: a 30 yr retrospective. *Marine Ecology Progress Series* 466:293–302.
- Knowlton, A.R., P.K. Hamilton, H.M. Pettis. 2012b. Status of reproductive females in the North Atlantic right whale population and impacts of human activities on their reproductive success. Report to NOAA, Silver Spring, MD. 41 pp.
- Knowlton, A.R., J. Robbins, S. Landry, H.A. McKenna, S.D. Kraus, and T. Werner. 2015. Implications of fishing rope strength on the severity of large whale entanglements. *Conservation Biology* 30:318–328.
- Knowlton, A., H. Pettis, and S. Kraus. 2018. Right whale entanglement and scarring data: 2010-2018. How can these data help inform management efforts? Presentation to the Atlantic Large Whale Take Reduction Team, April 2018.
- Kraus, S., J. Fasick, T. Werner, and P. McFarron. 2014. Enhancing the visibility of fishing ropes to reduce right whale entanglements. Report to the Bycatch Reduction Engineering Program (BREP), National Marine Fisheries Service, Office of Sustainable Fisheries. *BREP* 1:67-75. At: <https://pdfs.semanticscholar.org/d9b6/49a937a562d010c2a9ab6aad0332d4b1f4aa.pdf>
- Kraus, S.D., R.D. Kenney, C.A. Mayo, W.A. McLellan, M.J. Moore, and D.P. Nowacek. 2016. Recent scientific publications cast doubt on North Atlantic right whale future. *Frontiers in Marine Science* 3(137):1-3.
- Laist, D.W., A.R. Knowlton, and D. Pendleton. 2014. Effectiveness of mandatory vessel speed limits for protecting North Atlantic right whales. *Endangered Species Research* 23(2):133-147.

- Moore, M., A. Knowlton, S. Kraus, W. McLellan, and R. Bonde. 2004. Morphometry, gross morphology and available histopathology in Northwest Atlantic right whale (*Eubalaena glacialis*) mortalities (1970 to 2002). *Journal of Cetacean Research and Management* 6: 199–214.
- Moore, M.J., T.K. Rowles, D.A. Fauquier, J.D. Baker, I. Biedron, J.W. Durban, P.K. Hamilton, A.G. Henry, A.R. Knowlton, W.A. McLellan, C.A. Miller, R.M. Pace III, H.M. Pettis, S. Raverty, R.M. Rolland, R.S. Schick, S.M. Sharp, C.R. Smith, L. Thomas, J.M. van der Hoop, and M.H. Ziccardi. 2021. Assessing North Atlantic right whale health: threats, and development of tools critical for conservation of the species. *Diseases of Aquatic Organisms* 143:205-226.
- NMFS. 2019. North Atlantic right whale (*Eubalaena glacialis*) Western Atlantic Stock. In: US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2018. S.A. Hayes, E. Josephson, K. Maze-Foley, and P.E. Rosel (editors). *NOAA Technical Memorandum* NMFS-NE-258, pp 14-29. At: https://www.nefsc.noaa.gov/publications/tm/tm241/8_F2016_rightwhale.pdf
- NMFS. 2020a. North Atlantic Right Whale (*Eubalaena glacialis*) Vessel Speed Rule Assessment. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD.
- NMFS. 2020b. North Atlantic right whale (*Eubalaena glacialis*) Western Atlantic Stock. In: US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2019. S.A. Hayes, E. Josephson, K. Maze-Foley, and P.E. Rosel (editors). *NOAA Technical Memorandum* NMFS-NE-264, pp 14-29. https://media.fisheries.noaa.gov/dam-migration/2019_sars_atlantic_508.pdf
- Pace III, R.M., T.V.N. Cole, and A.G. Henry. 2014. Incremental fishing gear modifications fail to significantly reduce large whale serious injury rates. *Endangered Species Research* 26:115–126.
- Pace III, R.M., P.J. Corkeron, and S.D. Kraus. 2017. State-space mark-recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecology and Evolution* 7(21):8730-8741.
- Pace III, R.M., R. Williams, S.D. Kraus, A.R. Knowlton, and H.M. Pettis. 2021. Cryptic mortality of North Atlantic right whales. *Conservation Science and Practice* 2021:e346.
- Pettis, H.M., R.M. Pace III, and P.K. Hamilton. 2020. North Atlantic Right Whale Consortium 2020 annual report card. https://www.narwc.org/uploads/1/1/6/6/116623219/2018report_cardfinal.pdf
- Reeves, R.R., A.J. Read, L. Lowry, S.K. Katona, and D.J. Boness. 2007. Report of the North Atlantic right whale program review, 13-17 March 2006, Woods Hole, Massachusetts. Marine Mammal Commission, Bethesda, MD. 73 pp. Available at: <https://www.mmc.gov/wp-content/uploads/rightwhalereport.pdf>
- Robbins, J., A.R. Knowlton, and S. Landry. Apparent survival of North Atlantic right whales after entanglement in fishing gear. *Biological Conservation* 191:421-427.
- Rolland, R.M., R.S. Schick, H.M. Pettis, A.R. Knowlton, P.K. Hamilton, J.S. Clark, and S.D. Kraus. 2016. Health of North Atlantic right whales (*Eubalaena glacialis*) over three decades: from individual health to demographic and population health trends. *Marine Ecology Progress Series* 542:265–282.
- Schick, R.S., S.D. Kraus, R.M. Rolland, A.R. Knowlton, P.K. Hamilton, H.M. Pettis, R.D. Kenney, and J.S. Clark. 2013. Using hierarchical Bayes to understand movement, health, and survival in the endangered North Atlantic right whale. *PLoS ONE* 8(6):e64166.
- Sharp, S.M., W.A. McLellan, D.S. Rotstein, A.M. Costidis, S.G. Barco, K. Durham, T.D. Pitchford, K.A. Jackson, P.-Y. Daoust, T. Wimmer, E.L. Couture, L. Bourque, T. Frasier, B. Frasier, D. Fauquier, T.K. Rowles, P.K. Hamilton, H. Pettis, and M.J. Moore. Gross and

Mr. Michael Pentony

1 March 2021

Page 24

- histopathologic diagnoses from North Atlantic right whale *Eubalaena glacialis* mortalities between 2003 and 2018. *Diseases of Aquatic Organisms* 135:1-31.
- van der Hoop, J.M., A.S.M. Vanderlaan, T.V.N. Cole, A.G. Henry, L. Hall, B. Mase-Guthrie, T. Wimmer, and M.J. Moore. 2015. Vessel strikes to large whales before and after the 2008 Ship Strike Rule. *Conservation Letters* 8:24–32.
- van der Hoop, J.M., P. Corkeron, and M.J. Moore. 2015. Entanglement is a costly life-history stage in large whales. *Ecology and Evolution* 7:92-106.
- Waring GT, Josephson E, Maze-Foley K, Rosel PE (eds) (2011) U.S. Atlantic and Gulf of Mexico marine mammal stock assessments—2010. NOAA Tech Memo NMFS NE 219. National Marine Fisheries Service, Woods Hole, MA. www.nefsc.noaa.gov/nefsc/publications/



New England Fishery Management Council

50 WATER STREET | NEWBURYPORT, MASSACHUSETTS 01950 | PHONE 978 465 0492 | FAX 978 465 3116

John F. Quinn, J.D., Ph.D., *Chairman* | Thomas A. Nies, *Executive Director*

February 26, 2021

Mr. Michael Pentony
Regional Administrator
NMFS/GARFO
55 Great Republic Drive
Gloucester, MA 01930

Re: Atlantic Large Whale Take Reduction Plan Regulations (85 FR 96878; NOAA-NMFS-2020-0031)

Dear Mike:

The New England Fishery Management Council (Council) reviewed the proposed changes to the regulations implementing the Atlantic Large Whale Take Reduction Plan, as well as the Draft Environmental Impact Statement (DEIS) that supports the proposed rule. These changes would modify regulations for the American Lobster and Jonah Crab trap/pot fisheries. While the Council does not manage either of these fisheries, we do manage seven fisheries that use mobile gear. We are concerned that the proposed rule and DEIS ignore the possible impacts on these fisheries. Changes to restricted areas and closures have the potential to impact mobile gear fishermen; these impacts are not addressed in any way in the DEIS. Indeed, the DEIS does not even identify mobile gear fisheries as Affected Fisheries and ignores their communities. Estimates of economic impacts are only provided for the lobster and crab fisheries. These are shortcomings that should be addressed in the FEIS. As explained below, we are also concerned about the proposal to allow ropeless fishing in restricted areas.

Section 6.3 of the DEIS discusses the impacts of seasonal restricted areas closed to trap/pot buoy lines. The analysis notes that trap fishermen have three possible responses: suspend fishing, relocate gear, or use ropeless retrieval systems. The latter two responses could negatively affect mobile gear fishermen. In the following paragraphs we explain our concerns about the ropeless gear proposal as currently drafted and identify issues that should be analyzed in the final EIS (FEIS).

The Council is concerned by the proposal to allow ropeless fishing in restricted or closed areas (after approval of an EFP) because how this gear would be avoided by mobile bottom-tending gear is not addressed. There would seem to be two possibilities to minimize this problem: either mariners purchase equipment that can detect and display the location of the gear, or trap-only areas are identified. The DEIS does not analyze the impacts of either of these possibilities. As noted in a presentation given to the Council in December 2020, one of the issues with ropeless fishing that has yet to be solved is how gear locations are marked for other mariners. Since

ropeless gear is not marked on the surface, there is a concern that mobile bottom tending gear will drag over the trap or pot trawls. There are no cost estimates provided if mobile-gear vessels either decide (or are required) to purchase the equipment needed to locate the traps. If the number of fishermen who choose ropeless gear is initially small, the costs to other fisheries may exceed the cost to trap fisheries. Purchasing and installing the necessary equipment could easily cost \$10,000 or more per trawl vessel¹. The second approach – limiting ropeless gear to trap-only areas – would also impose costs that are not addressed in the DEIS. There is no explanation of how trap-only areas would be determined: would they be limited to areas currently closed to mobile bottom-tending gear?

As the DEIS notes, new area measures may cause fishermen to relocate. The DEIS acknowledges in Section 5.2.3.1 that the expansion of ropeless gear in restricted areas could lead to reduced bottom trawling in these areas, but the analyses only notes this may have positive benefits for benthic habitat and does not discuss the economic impacts on mobile gear fishermen². We acknowledge that the impacts on mobile gear fishermen should trap fishermen relocate are difficult to evaluate, but they are completely ignored by the DEIS. As noted by recent Council gear conflict discussions, mobile and trap gear fishermen compete for access to the ocean. On the one hand, if all traps are removed from an area during a closure, mobile gear fishermen might benefit from a period where they do not have to avoid lobster gear. On the other hand, if the gear is moved such that another area can no longer be fished, that will have a negative impact. It is possible that one mobile gear fishery could benefit while another is disadvantaged. Gear conflicts may increase, particularly if the traps/pots are moved out of an area where mobile gear is not permitted into an area where it is allowed (for example, out of the habitat management area that is overlapped by the proposed South Island Restricted Area). The FEIS should include analyses that explore these possibilities. This could be done using available data on the location of different fisheries that overlap the proposed restricted areas, using information and analytic approaches developed for analyzing the impacts of offshore wind areas. The Council recognizes that definitive conclusions may not be possible because of the difficulty in forecasting the response of trap fishermen to the regulations, but the FEIS should still discuss this issue.

In order to characterize the number of mobile gear vessels that may be affected by ropeless gear areas or the relocation of lobster fishing effort, my staff examined recent mobile gear (bottom and midwater trawl, dredge) and fixed gear (bottom longline, sink gillnet) fishing effort in the proposed restricted areas. The results of that analysis are attached. There are hundreds of mobile gear vessels that fish in the proposed restricted areas. In the proposed South Island Restricted Area, surfclam and scallop dredge vessels appear most likely to be affected. In addition, scallop dredge, clam dredge, bottom trawl, and fixed gear vessels that fish in both the Great South Channel Restricted Area and the Massachusetts Restricted Area are also at risk. The FEIS should

¹ We have been unable to definitively determine the cost of equipment that will detect ropeless gear in time for a trawl vessel to alter course and avoid it. This estimate is based on the cost of purchasing and installing a forward-looking depth sounder on a fishing vessel. It may under-estimate the cost if multiple transducers are required. It also does not consider the availability of vessel haulout facilities.

² This conclusion of possible positive habitat impacts is suspect. The seasonal exclusion of mobile bottom-tending gear is not likely to have a major habitat benefit, given that recovery time scales are on the order of months to years.

take a close look at these results and evaluate the impacts on these vessels. The final rule should address how the concerns of these vessels will be addressed.

To summarize our comments, the Council has great concerns about the proposal to allow ropeless fishing because at present there is no clear mechanism for mobile gear to avoid it and the costs to these fisheries are unknown. We also urge the agency to improve the economic analyses to address the effects of the entire proposed rule on mobile gear fisheries. Thank-you for providing us the opportunity to comment. Please contact me if you have questions.

Sincerely,

A handwritten signature in cursive script that reads "Thomas A. Nies".

Thomas A. Nies
Executive Director

Attachment: Fishing Effort in the Proposed Whale Restricted Areas

Fishing effort in the proposed whale restricted areas

Source: VTR, Clam Logbook. Data compiled by Geret DePiper and Dennis Corvi, NEFSC and summarized by Michelle Bachman. February 25, 2021

Pot/trap effort, as well as effort using some additional gear types with small amounts of total landings, are not included in this summary.

South Island Restricted Area

Activity was grouped across multiple gear codes as follows:

- Clam dredge: DRC
- Scallop dredge: DRS, DSC, DTC, DTS
- Bottom trawl: OHS, OTC, OTF, OTO, OTR
- Bottom fixed gears: GNS, LLB

Target species (>40,000 lb during 2019 in that gear category):

- Clam dredge: Surfclam, ocean quahog
- Scallop dredge: Sea scallop
- Bottom trawl: Butterfish, cod, haddock, longfin squid, monkfish, redfish, summer flounder
- Fixed gears: Monkfish, tilefish

Trips shows unique TRIPID values from VTR, except for clam dredges, where the GEARID field was used, because the clam logbooks do not have TRIPID.

The column 'Average percent inside' relates to the proportion of the trip footprint estimated to occur within the restricted area, averaged across the records in the table. This is based on the fishing footprints method, where the latitude/longitude reported on the VTR is the assumed center of the spatial distribution of effort, but where activity is inferred over a circular footprint around the center point. The higher percentages for clam and scallop dredges suggest that clam dredge, and to a lesser extent scallop dredge, trips are truly focused inside this area, while there is less direct overlap for other gears. This indirect overlap due to the footprint method is likely responsible for some of the deeper-water target species indicated in the results, such as red crab.

Considering individual seasons and permits (this is not shown in the table below), there are many vessels with just a few (<5) overlapping trips, but some clam and scallop dredge vessels show many (i.e. 10-30 trips) overlapping the area, suggesting a greater dependency on the area for those fishermen.

Data are for February, March, and April only.

Table 1. Fishing effort in South Island Restricted Area with select gear types.

	Trips	Permits	Average percent Inside	Total quantity kept
2015				
Clam dredge	182	11	73.49%	1,863,818
Scallop dredge	128	75	30.06%	1,492,653
Bottom trawl	81	51	2.04%	2,866,961
Fixed	7	6	7.05%	144,936
2016				
Clam dredge	190	14	77.37%	2,128,354
Scallop dredge	194	87	36.57%	1,945,667
Bottom trawl	80	55	1.62%	1,538,089
Fixed	7	3	11.23%	35,590
2017				
Clam dredge	135	14	90.15%	1,528,607
Scallop dredge	584	137	22.08%	2,613,525
Bottom trawl	90	55	1.26%	4,181,955
Fixed	3	3	13.51%	11,222
2018				
Clam dredge	156	13	87.18%	1,657,760
Scallop dredge	262	117	47.73%	2,443,301
Bottom trawl	70	37	1.93%	2,824,948
Fixed	13	6	35.22%	163,189
2019				
Clam dredge	162	12	89.90%	1,565,979
Scallop dredge	629	211	17.77%	8,022,149
Bottom trawl	55	37	0.57%	3,971,207
Fixed	18	9	7.18%	226,407

LMA 1

Activity was grouped across multiple gear codes as follows:

- Bottom trawl: OHS, OTB, OTF
- Bottom fixed gears: GNS, LLB
- Other: HND, OTM, PTM, PUR

Target species (>40,000 lb during 2019 in that gear category):

- Bottom trawl: American plaice, lobster, cod, haddock, monkfish, pollock, redfish, whiting, white hake, witch flounder
- Bottom fixed gears: Pollock
- Other: Herring

The column 'Average percent inside' relates to the proportion of the trip footprint estimated to occur within the restricted area, averaged across the records in the table. This is based on the fishing footprints method, where the latitude/longitude reported on the VTR is the assumed center of the spatial distribution of effort, but where activity is inferred over a circular footprint around the center point. Unlike the higher percentages for clam and scallop dredges in the South Island RA, these lower percentages suggest that trips occur partially inside and partially outside LMA 1.

Considering individual seasons and permits (this is not shown in the table below), there are many vessels with just a few (<5) overlapping trips, but some vessels show 6-20 trips overlapping the area (higher values for some pot vessels), suggesting a greater dependency on the area for those fishermen.

Data are for October, November, December, and January only.

Table 2. Fishing effort in LMA 1 with select gear types.

	Trips	Permits	Average percent inside	Total quantity kept
2015				
Bottom trawl	258	44	4%	4,351,353
Fixed	92	13	12%	513,457
Other	46	13	6%	4,868,137
Pots	341	36	9%	1,119,310
2016				
Bottom trawl	301	49	4%	4,238,240
Fixed	66	13	9%	404,642
Other	17	8	1%	5,314,607
Pots	278	37	7%	992,949
2017				
Bottom trawl	340	55	8%	6,259,539
Fixed	70	13	12%	390,664
Other	17	5	4%	610,380
Pots	288	34	4%	843,158
2018				
Bottom trawl	298	44	10%	6,559,828
Fixed	69	11	11%	533,021
Other	15	4	0%	1,663,553
Pots	295	35	7%	786,011
2019				
Bottom trawl	266	41	9%	5,864,087
Fixed	36	8	20%	271,566
Other	5	4	3%	484,333
Pots	150	27	8%	690,753

Great South Channel Restricted Area

Activity was grouped across multiple gear codes as follows:

- Clam dredge: DRC
- Scallop dredge: DRS, DSC, DTC, DTS
- Bottom trawl: OHS, OTB, OTF, OTO, OTR, OTS
- Fixed gears: GNS, LLB
- Midwater trawl: OTM, PTM

Target species (>40,000 lb during 2019 in that gear category):

- Clam dredge: Surfclam
- Scallop dredge: Sea scallop
- Bottom trawl: American plaice, American lobster, cod, haddock, Illex squid, longfin squid, monkfish, pollock, redfish, scup, silver hake, skates, white hake, winter flounder, witch flounder
- Fixed gears: Skates
- Midwater gears: Atlantic herring

Trips shows unique TRIPID values from VTR, except for clam dredges, where the GEARID field was used, because the clam logbooks do not have TRIPID.

The column 'Average percent inside' relates to the proportion of the trip footprint estimated to occur within the restricted area, averaged across the records in the table. This is based on the fishing footprints method, where the latitude/longitude reported on the VTR is the assumed center of the spatial distribution of effort, but where activity is inferred over a circular footprint around the center point. The higher percentages for scallop dredges and fixed gears suggests these trips are truly focused inside this area, while there is less direct overlap for other gears.

Data are for April, May, and June only.

Table 3. Fishing effort in GSC Restricted Area with select gear types.

	Trips	Permits	Average percent inside	Total quantity kept
2015				
Clam dredge	28	7	2%	604,934
Scallop dredge	385	120	42%	2,678,375
Bottom trawl	436	110	19%	13,049,800
Midwater trawl	33	10	8%	17,147,686
Fixed	24	17	34%	297,826
2016				
Clam dredge	78	11	6%	912,153
Scallop dredge	183	87	40%	1,994,880
Bottom trawl	410	120	15%	13,038,256
Midwater trawl	37	11	35%	18,583,674
Fixed	70	25	30%	1,361,869
2017				
Clam dredge	87	9	9%	1,280,561
Scallop dredge	171	102	38%	1,583,087
Bottom trawl	396	109	19%	8,827,336
Midwater trawl	22	9	23%	11,608,135
Fixed	65	19	42%	647,718
2018				
Clam dredge	32	9	35%	1,043,009
Scallop dredge	707	151	81%	3,241,612
Bottom trawl	306	79	20%	8,113,599
Midwater trawl	1	1	15%	150,600
Fixed	43	17	46%	391,530
2019				
Clam dredge	62	10	21%	907,942
Scallop dredge	708	138	88%	2,614,005
Bottom trawl	306	80	20%	8,609,141
Fixed	35	14	39%	362,085

Massachusetts Restricted Area

Activity was grouped across multiple gear codes as follows:

- Other dredge: DRC, DRO
- Scallop dredge: DRS, DSC, DTC, DTS
- Bottom trawl: OHS, OTC, OTF, OTR, OTS
- Fixed gears: GNS, LLB
- Midwater trawl: OTM, PTM

Target species (>40,000 lb during 2019 in that gear category):

- Other dredge: Surfclam
- Scallop dredge: Sea scallop
- Bottom trawl: American plaice, American lobster, cod, haddock, monkfish, pollock, redfish, skates, white hake, winter flounder, yellowtail flounder
- Fixed gears: No single species above threshold
- Midwater gears: Atlantic herring

Trips shows unique TRIPID values from VTR, except for the other dredge category, where the GEARID field was used, because the clam logbooks do not have TRIPID.

The column 'Average percent inside' relates to the proportion of the trip footprint estimated to occur within the restricted area, averaged across the records in the table. This is based on the fishing footprints method, where the latitude/longitude reported on the VTR is the assumed center of the spatial distribution of effort, but where activity is inferred over a circular footprint around the center point. The higher percentages for scallop dredges and fixed gears suggests these trips are truly focused inside this area, while there is less direct overlap for other gears.

Data are for February, March, and April only.

Table 4. Fishing effort in Massachusetts Restricted Area with select gear types.

Row Labels	Trips	Permits	Average of Percent Inside	Total quantity kept
2015				
Other dredge	164	11	23%	1,526,971
Scallop dredge	361	75	84%	928,924
Bottom trawl	346	78	26%	5,519,323
Midwater trawl	7	4	80%	2,278,366
Fixed	12	5	7%	109,024
2016				
Other dredge	145	12	23%	1,454,743
Scallop dredge	439	106	69%	1,446,450
Bottom trawl	578	89	25%	4,913,809
Fixed	100	17	67%	126,220
2017				
Other dredge	67	12	23%	834,111
Scallop dredge	573	135	86%	2,077,342
Bottom trawl	634	99	22%	6,147,289
Fixed	74	16	73%	101,331
2018				
Other dredge	51	6	31%	697,069
Scallop dredge	919	115	82%	1,426,691
Bottom trawl	576	80	26%	6,103,193
Midwater trawl	*	*	*	*
Fixed	78	17	60%	151,037
2019				
Other dredge	58	10	32%	673,205
Scallop dredge	1062	139	85%	2,288,495
Bottom trawl	521	71	27%	6,747,962
Midwater trawl	*	*	*	*
Fixed	73	13	80%	91,132



Atlantic States Marine Fisheries Commission

1050 N. Highland Street • Suite 200A-N • Arlington, VA 22201
703.842.0740 • 703.842.0741 (fax) • www.asmf.org

Patrick C. Keliher (ME), Chair

A.G. "Spud" Woodward (GA), Vice-Chair

Robert E. Beal, Executive Director

Sustainable and Cooperative Management of Atlantic Coastal Fisheries

March 1, 2021

Michael Pentony
Regional Administrator
National Marine Fisheries Service
55 Great Republic Drive
Gloucester, Massachusetts 01930

Dear Mr. Pentony,

I am writing on behalf of the Atlantic States Marine Fisheries Commission (Commission) to provide comments on the Draft Environmental Impact Statement (DEIS) and proposed rule to modify the Atlantic Large Whale Take Reduction Plan (ALWTRP).

The Commission urges NOAA Fisheries to work towards timely completion of the final rule for the ALWTRP. Complementary to the ongoing changes in the ALWTRP is a court ordered completion of a Biological Opinion under Section 7 of the ESA. In his August 19, 2020 ruling, U.S District Court Judge James E. Boasberg ordered NOAA Fisheries to issue a new Biological Opinion on federal fisheries no later than May 31, 2021. While the court order is not specific to the proposed rule, timely completion of changes to the ALWTRP is necessary so that the two documents move in parallel and these regulatory changes can be considered in the Biological Opinion. Delay of the Biological Opinion, or supporting documentation in this rule, has the potential for the court to intervene with a complete closure of the lobster and Jonah crab fisheries, which would have devastating impacts to the industry and the communities they support.

The proposed rule would reduce the number of vertical buoy lines fished outside of areas exempted under the ALWTRP by increasing the minimum number of traps required per trawl (known as trawling-up) based on area fished and distance from shore. As the purpose of these measures is to reduce the number of vertical buoy lines, the Commission requests the final rule allow for trawl equivalency within an area. Trawl equivalencies give the individual harvester the flexibility to adapt to new fishing practices while using configurations that achieve the intentions of the ALWTRP. The diversity of bottom habitat and the fishing fleet make one size fits all regulations difficult and dangerous for harvesters. Within a small area there can be significant variation in vessel size and configuration, with varying capacity for safely hauling and carrying traps. However, under the proposed rule, all vessels must follow the same trap per trawl requirement. Larger trap per trawl requirements pose safety concerns for smaller vessels, or vessels with less deck space, because they do not have the capacity to haul or hold the required trawls. The Commission is supportive of trawl equivalencies because they provide more flexibility for harvesters to use alternative configurations, and address logistic and safety concerns, while still accomplishing the required vertical line reductions. The Commission's American Lobster Fishery Management Plan (FMP) does not specify the number of traps per trawl, therefore trawl equivalencies will not undermine the FMP.

The Commission is concerned that although the proposed rule includes provisions for “ropeless” fishing to occur within the seasonal restricted areas, it does not adequately address the costs of transitioning to ropeless gear. The DEIS estimates costs associated with suspending fishing or relocating effort during seasonal closures, but does not provide any analysis to estimate the costs of adopting ropeless gear. In addition, there is no discussion in the DEIS on the costs that ropeless fishing testing could incur on non-trap gear fisheries, such as the mobile gear fleet. Since the removal of surface systems would eliminate the visual signal of where traps are located, vessels operating in ALWTRP closed areas, including those who participate in mobile gear fisheries, would need to have an acoustic modem in order to locate submerged traps, or they may be shut out of fishing in certain areas if there is no way to detect ropeless fishing gear to avoid gear conflicts. Given the uncertainty in the vessels that would be impacted by the use of ropeless fishing in closed areas, the Commission requests a comprehensive cost analysis be conducted.

There is still significant uncertainty surrounding the enforceability of lobster resource management measures with ropeless fishing. Currently no state marine enforcement vessels are equipped with the appropriate technology to retrieve and return ropeless fishing devices. Without adequate resources to properly equip law enforcement vessels and train officers on the new equipment, the use of ropeless fishing in closed areas could result in incomplete enforcement of management measures within the lobster and Jonah crab fisheries. This challenge may be further complicated if multiple ropeless technologies with different retrieval mechanisms are tested within a state. The DEIS should analyze the impact of ropeless fishing testing on the ability to adequately enforce lobster management resource measures.

The ALWTRP measures must be enforceable in order to have positive impacts on whale populations. The Commission has previously expressed concern to NOAA Fisheries over the lack of offshore enforcement. Specifically, enforcement of regulations in the offshore portion of the lobster/crab pot/trap fishery is minimal and both the Commission and industry were concerned the incidence of non-compliance is rising. These concerns still hold true today. If the measures required by the ALWTRP cannot be enforced, the ALWTRP will not be successful. While the distance from shore and depth of water create unique challenges in monitoring the offshore lobster fishery, the Commission believes solutions exist to effectively enforce regulations throughout the management unit.

It is irrefutable that the impacts of the ALWTRP will be substantial and will result in negative economic and social impacts on the lobster and Jonah crab fisheries, as well as dependent communities. The DEIS estimates the total cost of the proposed rule over the first six years of implementation to be between \$24.5 and \$53.5 million, in 2020 dollars, with compliance costs per small business entity ranging from \$1,900 to \$4,100 per year for six years. Given the magnitude of the proposed changes, they will not only take time to implement, but will also impose significant costs to thousands of harvesters. It is vital the final rule take this into consideration and provide practical start dates for implementation of the proposed measures, such that the required changes can be achieved without severe economic consequences to the fisheries.

As proposed, the ALWTRP will require extensive changes to the operation of lobster and crab trap/pot fisheries in the Northeast region. To ensure the smoothest possible transition to the new requirements

Mr. Pentony
Page 3
March 1, 2021

across all affected states and areas, and minimize negative economic impacts to the fishery, coordination with state agencies, law enforcement, the Commission and the industry will be essential.

The Commission is prepared to provide support as NOAA Fisheries moves forward with the proposed modifications to the Plan to achieve a 60% risk reduction. We appreciate NOAA Fisheries support and collaboration on this important issue.

Sincerely,



Robert E. Beal

cc: American Lobster Management Board
ISFMP Policy Board

Dr. Paul Doremus
Acting Assistant Administrator for NOAA Fisheries
National Marine Fisheries Service
1315 East-West Highway
Silver Spring, MD 20910

Dear Dr. Doremus,

As a member of both the ASRG and the ALWTRP I sit in an interesting position to comment on the proposed rule implementing amendments to the Atlantic Large Whale Take Reduction Plan. In this joint capacity, I respectfully submit comments and recommendations with regards to the science and process for the development of the the proposed rule:

1. **With respect to the 60% risk reduction target** – Updating M/SI estimates to include unobserved mortality indicates that Alternative 2 of the proposed rule’s 60% risk reduction would not reduce takes below PBR; however, Alternative 3 which achieves an estimated 70-86%% risk reduction would have a better chance of reducing takes to below overall PBR:
 - a. if 4.82 M/SI per year are from Federal trap/pot fisheries (as per BiOp, pg.227 and Table 59),
 - b. A 60% reduction would allow 1.93 takes per year, but
 - c. PBR is 0.8 (and 0.4 for US fisheries), and
 - d. A 70 to 86% reduction would reduce takes to 1.45 to 0.67 per year in the Federal trap/pot fishery.
2. **Seasonal restricted area” alternatives are insufficiently broad in time and space** –
 - a. The “Massachusetts South Islands” seasonal gear closure area doesn’t take into consideration recent surveys which well document that many NARW foraging there through the winter and to the south of Martha’s Vineyard, so NOAA should consider expanding the proposed gear closure areas south of both Islands in time and space based on recent aerial and acoustic surveys. The preferred alternative relies too heavily on just the latest year or two of data available at the time, but NARWs have occurred throughout much of the larger rectangular area in Alternative 3 over the 2010–2020 period.
 - b. BSIA also suggests that seasonal restricted area in LMA1 could be extended into LMA 3 for additional risk reduction, The Duke model, WHOI glider detections, and the co-occurrence model all suggest that any potential hot spot of right whales in this area extends beyond the LMA1 boundary into LMA 3. It is not clear why the restriction is only proposed for in LMA1. This is another place which could achieve significant risk reduction.
3. **Dynamic Area Closures could further reduce entanglement risk** - Given that the presence of NARWs in the Massachusetts South Island and LMA1 seasonal restricted areas are reflect a new phenomenon resulting from shifting distributions of NARW prey, it is likely that whales will continue to be found in areas and times which are not

protected by seasonal gear closures. For example, whales can occur in the South Island area in any month of the year, with an unusual peak (from summer) in July. Additionally, sightings of right whales in the proposed LMA1 closure are highly variable across time. As such, dynamic area closures to fixed gear should be reconsidered as a way to spatially protect ephemeral groupings of whales.

4. **The reduction of M/SI to NARW achieved from reliance on weak links and weak vertical lines with <1700# breaking strength may be less than estimated.**, because:
 - a. The Knowlton et al (2015) analysis suggesting whales do not become entangled in lines with a breaking strength of less than 1700# line in use is biased in that very few vertical lines in the analysis period had breaking strengths < 1,700#;
 - b. After the implementation of weak links, the frequency of whales being anchored by or dragging pots appears to have declined (no NARW have been found trailing pots or anchored to gear in the US during 2015-2019), as such further weakening vertical line strength may not significantly reduce this sort of interaction; and
 - c. Entangling whales in lines < 1,700# may still lead to M/SI and sublethal effects (leading to reduced reproduction).
5. **The process by which the amendments to the ALWTRP were developed did not involve the entire ALWTRT** – the Take Reduction Team developed a consensus framework TRP in April 2019, but the states and industry fleshed out their individual area’s plans separately from the Team’s discussions. The TRP should then have come back to the full Team for final review; lacking that review, the final plan should not be considered to be a consensus plan.
6. **A Final thought** - These comments are all major revisions to the proposed rule, and given the timeline, it will be difficult to adequately consider them/analyze data, and then meet with the Team for consensus. As such, NOAA should consider developing a Supplemental Proposed Rule within a timeline sufficient to incorporate consideration of significant comments, and use the spring ALWTRT meeting to work towards a consensus on the final plan/rule.

Thanks for consideration of my comments!!

Sincerely,

Richard L Merrick

Richard L Merrick
fauvamarin@Msn.com

Overall view: The proposed plan seems to have largely disregarded the nearly unanimous recommendations of the TRT. It is my recollection that the main thrust of the TRT near-consensus recommendations hinged on reducing vertical lines, and since ropeless fishing technology and management of gear conflict seem to be a continuing challenge, that left the TRT with removal of vertical lines by reduction of effort as the best alternative. The rationale of this is that success of risk reduction from removal of vertical lines does not depend on co-occurrence modeling or the survey effort, data and time required to update such modeling. This brings me to my biggest concerns with the new plan, which are outlined below.

1) Perhaps most importantly, the risk reduction measures being proposed are based on a PBR for right whales of 0.9. Not only does this ignore the best available data which suggests a reduction in PBR is in order, but it also allocates the full PBR to the pot/trap fishery. Since gillnets and vessels also play sizable roles in the decline of NARW, meeting a 0.9 PBR with pot/trap gear, which I still don't think this plan does, would still have cumulative mortalities above 0.9 PBR with combined vessel and gillnet mortalities. Using 0.9 PBR for pot/trap fishery alone would require that ALL other anthropogenic mortality be reduced to zero. Since I doubt there is a plan to do that, pot/trap fishery should not be allocated the full 0.9 PBR, but rather a percentage of that which correlates to the percentage of mortalities that fishery is estimated to be responsible for. I find this to be one of the greatest flaws in this plan, and one that will likely ensure continued cumulative mortality above PBR and therefore not meet the mortality reduction required by law.

2) Since management that is based on co-occurrence modeling depends on distribution of the gear and the whales, heavy dependence of static restricted areas (e.g. LMA1) to reduce risk seems flawed at best. The reason for this is twofold:

A) Even though restricted areas may reduce some risk, it seems like a far more theoretical risk reduction measure than removal of vertical lines, which is a tangible risk reduction that provides protection to the whales throughout their movements. Afterall, whales do not miraculously arrive in restricted areas.

B) There is no current mechanism I am aware of for real-time monitoring of whale distribution or modification of said distribution within the restricted areas in the event distribution shifts out of the restricted areas. Since any modification of restricted areas would require another very lengthy TRT process, it is an untenable mechanism for managing this species or the main threat to it, even if we had reliable real-time survey effort to support such a modification to the restricted area.

Even without the likely impending reduction of PBR, I have a hard time seeing how this measure would satisfy the management needs for these endangered whales.

3) Since the new population data suggests PBR should be lowered, how is it you are proceeding with the old risk reduction numbers? Would a drop in PBR not necessitate an increased risk

reduction required to meet sustainable numbers? I recognize the new numbers are not yet confirmed in the newest the Stock Assessment Report, but if we have knowledge of their existence and believe them to be credible, disregarding them in the formation of the required risk reduction and this DEIS seems negligent. The DEIS states that the TRT focused recommendations on the lower 60% risk reduction because of economic impacts to the fishery, among other things. Given the new population data and how long this process has taken (outside of the TRT process), I dare suggest several TRT members may have a different opinion. Therefore, this statement within the DEIS represents TRT comments and opinions that have not aged well with new information.

4) At first glance, the measures discussed in the preferred option for LMA3 seem woefully inadequate. Given line strengths, pot counts, etc., LMA3 arguably presents the most lethal interactions for NARWs due to both line strength and weight of the trawl of pots. The measures being taken do not, in my opinion, reduce this significant threat adequately. Since PBR is so low (and likely will fall lower), only a few interactions with this gear could easily exceed PBR. Due to the water depth, distance from shore, and weight of the gear, these mortalities will likely go undetected. Out of sight, out of mind but the population continues to decline.

5) LMA3 also presents a monitoring and enforcement challenge. Trawling up to 45 pots presents a challenge to agencies tasked with gear inspections. Are the vessels responsible for gear inspection capable of pulling up and inspecting such large pot strings? If the gear cannot be monitored/inspected, this measure is unenforceable, and therefore one of the largest risks in LMA3 remains.

6) State management credits: It is my understanding that several state credits are being added to the risk reduction estimates, yet I am not clear on how the credits are estimated. I also may have missed any discussion regarding how those states will be held accountable for those measures, other than vague statements about Plan modifications being made in response. As someone who has seen how our state manages the menhaden fishery within the Chesapeake Bay, I have serious concerns. At the TRT meeting NOAA leadership gave speeches about the urgency of the situation, and that drastic measures must be taken. The DEIS has language suggesting that further modifications to the Plan may be made if the identified state measures are not implemented. This suggests another possible source of significant delay, since even more time would be required to allow state implementation, evaluate state implementation, and enact additional measures to combat lack of state implementation. This strategy goes against the very urgency NOAA leadership expressed at the TRT meeting and adds additional time to what has already been significantly delayed.

7) Weak lines (breaking at 1,700 lbs) are not a clean answer. While the preferred option of the DEIS assigns 26% risk reduction to weak lines, it is not yet clear to me how that risk reduction is calculated, since lines can lead to different types of mortality, namely acute/peracute mortality through underwater entrapment, and chronic mortality or morbidity through gradual laceration, constriction, infection, amputation, etc. Never mind the fact that weak lines don't

really address young whales, which I am unclear if counted in this particular risk reduction. The 1,700 lbs breaking strength likely only addresses acute mortalities. Without significant vertical line reductions, the threat is still considerable, and despite restricted areas, the whales must still travel through all the gear to get to those areas. Therefore, when estimates that all buoy lines (outside of ME exemption areas) would be "modified and more than 26% of the rope...would be weakened", this certainly does not translate into as large a risk reduction because even weaker lines are deadly. This is once again a strong argument for vertical line reduction.

8) Comments in the DEIS about the regional administrator determining whether frequency of entanglements has been reduced by 60% ring hollow to me. I do not pretend to know all the intricacies or data channels, but it is my understanding that the fidelity in data to make such a determination is questionable, at least on a short-term basis. Additionally, it is possible such determination depends on a few specific organizations obtaining such data, rather than inherent NOAA programs. If this is indeed the case, it remains unclear to me how this clause is very meaningful, or how such determinations will be made by the regional administrator.

Sincerely,



Alexander M. Costidis, Ph.D.
Senior Scientist
Stranding Response and Biomedical Research
Stranding Response Program
Virginia Aquarium & Marine Science Center

Additional affiliations:
NOAA Right whale necropsy team leader
NOAA Unusual Mortality Event working group member
Atlantic Large Whale Take Reduction Team member

Hi Colleen,

Thank you for giving us a synopsis of the proposed rule last week. I would like to start by saying that I do not envy your job. I wanted to follow up with some comments to you, though I plan to also submit public comments.

Overall view: As confirmed during the Q&A, the plan seems to have largely disregarded the nearly unanimous recommendations of the TRT. On a personal note, the whole process of the TRT and plan development has been very disappointing. While I recognize the TRT is supposed to serve an advisory role, the backroom dealings that transpired with only certain “team” members of the TRT go a long way toward jeopardizing any legitimacy the process has.

It is my recollection that the main thrust of the TRT near-consensus recommendations hinged on reducing vertical lines, and since ropeless fishing technology and management of gear conflict seem to be a continuing challenge, that left us with removal of vertical lines by reduction of effort as our best alternative. The rationale of this is that success of risk reduction from removal of vertical lines does not depend on co-occurrence modeling or the survey effort, data and time required to update such modeling. This brings me to my biggest concerns with the new plan.

1) Since management based on co-occurrence modeling depends on distribution of the gear and the whales, heavy dependence of static restricted areas (e.g. LMA1) to reduce risk seems flawed at best. The reason for this is twofold:

A) Even though restricted areas may reduce some risk, it seems like a far more theoretical risk reduction measure than removal of vertical lines, which is a tangible risk reduction that provides protection to the whales throughout their movements. After all, whales do not miraculously arrive in restricted areas.

B) There is no current mechanism I am aware of for real-time monitoring of whale distribution or modification of said distribution within the restricted areas in the event distribution shifts out of the restricted areas. Since any modification of restricted areas would require another very lengthy TRT process, it is an untenable mechanism for managing this species or the main threat to it, even if we had reliable real-time survey effort to support such a modification to the restricted area.

Even without the likely impending reduction of PBR, I have a hard time seeing how this measure would satisfy the management needs for these endangered whales.

2) Since the new population data suggests PBR should be lowered, how is it you are proceeding with the old risk reduction numbers? Would a drop in PBR not necessitate an increased risk reduction required to meet sustainable numbers? I recognize the new numbers are not yet confirmed in the newest the Stock Assessment Report, but if we have knowledge of their existence and believe them to be credible, disregarding them in the formation of the required

risk reduction and this DEIS seems negligent. The DEIS states that the TRT focused recommendations on the lower 60% risk reduction because of economic impacts to the fishery, among other things. Given the new population data and how long this process has taken (outside of the TRT process), I dare suggest several TRT members may have a different opinion. Therefore, this statement within the DEIS represents TRT comments and opinions that have not aged well with new information.

3) Perhaps most importantly, the risk reduction measures are being based on a PBR of 0.9. This allocates the full PBR to the pot/trap fishery. Since gillnets and vessels also play sizable roles in the decline of NARW, meeting a 0.9 PBR with pot/trap gear, which I still don't think this plan does, would still have cumulative mortalities above 0.9 PBR with combined vessel and gillnet mortalities. Using 0.9 PBR for pot/trap fishery would require that ALL other anthropogenic mortality be reduced to zero. Since I doubt there is a plan to do that, pot/trap fishery should not be allocated the full 0.9 PBR, but rather a percentage of that which correlates to the percentage of mortalities that fishery is estimated to be responsible for. I find this to be one of the greatest flaws in this plan, and one that will likely ensure continued cumulative mortality above PBR.

4) At first glance, the measures discussed in the preferred option for LMA3 seem woefully inadequate. Given line strengths, pot counts, etc., LMA3 arguably presents the most lethal interactions for NARWs due to both line strength and weight of the trawl of pots. The measures being taken do not, in my opinion, reduce this significant threat adequately. Since PBR is so low (and likely will fall lower), only a few interactions with this gear could easily exceed PBR. Due to the water depth, distance from shore, and weight of the gear, these mortalities will likely go undetected. Out of sight, out of mind but the population continues to decline.

5) LMA3 also presents a monitoring and enforcement challenge. Trawling up to 45 pots presents a challenge to agencies tasked with gear inspections. Are the vessels responsible for gear inspection capable of pulling up and inspecting such large pot strings? If the gear cannot be monitored/inspected, this measure is unenforceable, and therefore one of the largest risks in LMA3 remains.

6) State management credits: It is my understanding that several state credits are being added to the risk reduction estimates, yet I am not clear on how the credits are estimated. I also may have missed any discussion regarding how those states will be held accountable for those measures, other than vague statements about Plan modifications being made in response. As someone who has seen how our state manages the menhaden fishery within the Chesapeake Bay, I have serious concerns. At the TRT meeting NOAA leadership gave speeches about the urgency of the situation, and that drastic measures must be taken. The DEIS has language suggesting that further modifications to the Plan may be made if the identified state measures are not implemented. This suggests another possible source of significant delay, since even more time would be required to allow state implementation, evaluate state implementation, and enact additional measures to combat lack of state implementation. This strategy goes

against the very urgency NOAA leadership expressed at the TRT meeting and adds additional time to what has already been significantly delayed.

7) Weak lines (breaking at 1,700 lbs) are not a clean answer. While the preferred option of the DEIS assigns 26% risk reduction to weak lines, it is not yet clear to me how that risk reduction is calculated, since lines can lead to different types of mortality, namely acute/peracute mortality through underwater entrapment, and chronic mortality or morbidity through gradual laceration, constriction, infection, amputation etc. Never mind the fact that weak lines don't really address young whales, which I am unclear if counted in this particular risk reduction? The 1,700 lbs breaking strength likely only addresses acute mortalities. Without significant vertical line reductions, the threat is still considerable, and despite restricted areas, the whales must still travel through all the gear to get to those areas. Therefore, when estimates that all buoy lines (outside of ME exemption areas) would be "modified and more than 26% of the rope...would be weakened", this certainly does not translate into as large a risk reduction because even weaker lines are deadly. This is once again a strong argument for vertical line reduction.

8) Comments in the DEIS about the regional administrator determining whether frequency of entanglements has been reduced by 60% ring hollow to me. I do not pretend to know all the intricacies or data channels, but it is my understanding that the fidelity in data to make such a determination is questionable, at least on a short-term basis. Additionally, it is possible such determination depends on a few specific organizations obtaining such data, rather than inherent NOAA programs. If this is indeed the case, it remains unclear to me how this clause is very meaningful, or how such determinations will be made by the regional administrator.

Sincerely,

Alex Costidis



New England
Aquarium

Protecting the blue planet

Mr. Ben Friedman

Deputy Under Secretary for Operations, performing the duties of Under Secretary of Commerce for Oceans and Atmosphere and NOAA Administrator
National Oceanic and Atmospheric Administration

Re: Document ID NOAA-NMFS-2020-0031-0006 on the Proposed Rule *Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; Atlantic Coastal Fisheries Cooperative Management Act Provisions; American Lobster Fishery*

March 1, 2021

Dear Mr. Friedman,

In response to the National Oceanic and Atmospheric Administration's (NOAA) Proposed Rule (Proposed Rule) to amend the regulations implementing the Atlantic Large Whale Take Reduction Plan to reduce the incidental mortality and serious injury to North Atlantic right whales (*Eubalaena glacialis*), fin whales (*Balaenoptera physalus*), and humpback whales (*Megaptera novaeangliae*) in northeast commercial lobster and crab trap/pot fisheries to meet the goals of the Marine Mammal Protection Act and the Endangered Species Act, the New England Aquarium (Aquarium) submits this comment to express our strong reservations that the measures outlined in the Proposed Rule and accompanying Draft Environmental Impact Statement (DEIS) are not nearly aggressive enough to change the fate of North Atlantic right whales (NARW) in U.S. waters. ***Based on our decades of NARW expertise, the Aquarium strongly urges NOAA to revise this Proposed Rule substantially before finalizing it.***

Founded in 1969, the Aquarium is a catalyst for global change through public engagement, commitment to marine animal conservation, leadership in education, innovative scientific research, and effective advocacy for a vital and vibrant ocean. For decades, the Aquarium has been working to protect marine and freshwater ecosystems from human impacts and conserve threatened and endangered animals and habitats. The Aquarium's scientists conduct cutting-edge research to understand, quantify, and reduce the consequences of human activities on the health of marine species and ecosystems by developing science-based solutions and advocating for policies that balance human use of the ocean with the need for a healthy, thriving ocean now and in the future.

Scientists at the Aquarium have been researching NARWs for more than 40 years with the express goal of preventing this species from going extinct. To that end, scientists from the Aquarium have served on the Atlantic Large Whale Take Reduction Team (ALWTRT) since it was formed in 1996. While we are pleased to see that published research by our scientists was used to inform aspects of the Proposed Rule, our primary concern with the Proposed Rule is that it fails to utilize more recent scientific results and, as a result, the proposed measures will fail to reduce the risks to NARWs and other whales from entanglements in fixed fishing gear resulting in serious injuries and mortalities.

The Aquarium's detailed comments regarding the Proposed Rule and DEIS follow together with specific, scientifically-informed recommendations on how to strengthen the regulations before they become final. We trust these comments will be viewed as a constructive contribution to the ongoing deliberations, and we are pleased to elaborate or clarify further as needed.

North Atlantic right whales: Status and Overview of Risks

The population of NARWs has been in decline since 2010, and the best population estimates indicate that there are only 356 animals alive today¹. Given the small size of the population, this species does not have the capacity to sustain high death rates and unpredictable, but declining birth rates.

During the 2000s, calving rates averaged 24 calves per year, but over the past 12 years (2010-2021), calving rates have decreased to an average of 12 per year and, in 2018, no calves were born². Low calving rates, likely exacerbated by the deteriorating health of reproductive females (Christiansen et al. 2020) caused by prolonged stress from entanglements in fixed fishing gear and other stressors, make it less and less likely that the population will be able to recover unless changes are made to eliminate human-caused mortality and help this species survive.

Human-caused mortality and serious injury of NARWs has exceeded legal limits for the past 20 years and has increased in recent years (Sharp et al. 2019). Furthermore, recently published results show that for the period 2010-2017, the probability of detecting a whale carcass was just 29 percent, which means that for every observed death of a NARW, as many as three additional whales have likely died (Pace et al. 2021). This is particularly relevant to the Proposed Rule because, as the Pace et al. (2021) paper details, unobserved mortalities likely result from entanglements rather than vessel strikes.

Mortalities and serious injuries of NARWs from fishing gear entanglements have steadily increased from 2001 to the present (Pace et al. 2021; Sharp et al. 2019; and Knowlton et al. 2016). Changes in the fishing industry likely contributed to this increase. First, the annual number of trap tags documented by the Maine Department of Marine Resources has steadily increased over time, first exceeding one million traps in 1970, followed by two million traps in 1982, and three million traps in 1999. The number of trap tags sold has remained close to or over three million through 2019³. Second, in the mid-1990s, rope manufacturing technology changed, which nearly doubled the strength of ropes used for fishing (McKenna et al. 2004). Finally, lobster distribution has shifted and more fishermen are choosing to fish offshore in more months of the year⁴, which is resulting in greater and more unpredictable overlap with NARWs who are shifting their movements due to climate change (Record et al. 2019). An assessment of 30 years of entanglement data (1980-2009) showed a total of 83 percent of all NARWs had been entangled at least once in their lives, and 59 percent had been entangled more than once (Knowlton et al. 2012). Subsequent analyses that included data through 2018 showed that the number of NARWs that had been entangled at least once increased to 87 percent and that the frequency of moderate and severe injuries also increased⁵. From 2010-2018, a total of 558 entanglements were documented, resulting in 112 moderate injuries and 84 severe injuries that had both lethal (Sharp et al. 2019) and sublethal effects (Robbins et al. 2015; Knowlton et al. 2016) on this species⁶.

¹ <https://www.narwc.org/report-cards.html>

² <https://www.narwc.org/report-cards.html>

³ <https://www.maine.gov/dmr/commercial-fishing/landings/documents/lobster.table.pdf>

⁴ <https://mlcalliance.org/all-about-lobster/lobster-2-2-inshore-vs-offshore-fishing/>

⁵ https://www.narwc.org/uploads/1/1/6/6/116623219/catalog_report-2020_-_final.pdf

⁶ https://www.narwc.org/uploads/1/1/6/6/116623219/catalog_report-2020_-_final.pdf

Percent Risk Reduction

RECOMMENDATION 1: In its Final Rule, NOAA should implement measures that reduce the risk of entanglements of NARWs and other cetaceans in fixed fishing gear by at least 80 percent.

North Atlantic right whales have been in decline for a decade after a slow documented recovery from the whaling era (Pace et al. 2017). In the absence of strong rules preventing entanglements and vessel strikes, the abundance of the species has declined at an unacceptable rate to the current number of 356 remaining animals⁷. Recognizing the time required to finalize regulations that result in action on the water, we expect the species' abundance will only continue to decline. The Proposed Rule was developed to reduce the risks of entanglements in fishing gear by a minimum of 60 percent, which may have been satisfactory when this process started in 2017, but is no longer sufficient now that there are substantially fewer (16 percent) NARWs today than in 2017.

Because the Proposed Rule does not account for the most recent population number and the delays in finalizing regulations despite having this information available while the rule was being drafted (Pace et al. 2021), reducing the risk by at least 80 percent is now more appropriate. The Proposed Rule should be revised to reflect the best-available scientific data on the status of the population and to meet NOAA's legal requirements under the Marine Mammal Protection Act and the Endangered Species Act.

The Proposed Rule's accompanying DEIS states that "the immediate goal of a take reduction plan is to reduce the serious injury and mortality of strategic stocks being taken during U.S. commercial fishing operations to below PBR levels within six months of its implementation. The long-term goal of a take reduction plan is to reduce, within five years of its implementation, the incidental mortality and serious injury of strategic marine mammals taken in the course of commercial fishing operations to insignificant levels approaching a zero mortality and serious injury rate..." (p. 299); however, the Aquarium argues that reducing risk by 60 percent will not reduce mortalities and serious injuries to below the Potential Biological Removal (PBR) of 0.8 in a five-year timeframe.

The Aquarium would like to take this opportunity to address a common misinterpretation of the modeling results presented in Linden (2021) that suggested removing all mortality attributed to lobster fishing will not prevent the population from declining. This misinterpretation is used to argue that restrictions to the lobster fishery are not justified as they will not improve the conservation status of NARWs. This reasoning is fallacious. The matrix model used in Linden (2021) is the same one published in Corkeron et al. (2018), using the R code from that paper. What Linden (2021) does not provide is the estimates of annual survival and fecundity used to populate the model matrix. As Corkeron et al. (2018) demonstrate, using the upper estimates of survival that NARWs are capable of results in an annual population increase on the order of four percent. Corkeron et al. (2018) also demonstrate that the vast majority of NARW mortality is due to anthropogenic causes (including lobster fishing). Therefore, if all anthropogenic mortality were eliminated to allow NARWs to recover, their population should increase in abundance at about four percent per year. As entanglement in fishing gear accounts for a significant proportion of anthropogenic mortality and morbidity of NARWs (Sharp et al. 2019 and Pace et al. 2021), reducing the risks of mortality and serious injury from entanglements will have a conservation benefit.

⁷ <https://www.narwc.org/report-cards.html>

Closures

RECOMMENDATION 2: The Aquarium supports closures as a highly effective tool to reduce the risk of entanglements in fishing gear and is a proponent of ropeless gear. The Aquarium recommends that NOAA take following actions to reduce the risks even further:

a. Re-evaluate the closures in the Proposed Rule using a risk-reduction target of 80 percent rather than 60 percent.

b. Develop a mechanism that allows that allows for expeditious adjustments to be made to the timing and spatial extent of the closures based on scientific observations that include visual and acoustic sighting detections and computer modeling confirming the absence or presence of NARWs.

c. Allow Exempted Fishing Permits (EFPs) in closed areas to evaluate the feasibility of ropeless gear and further assess potential risks posed by groundlines, early release of endlines, and increased fishing vessel traffic.

Eliminating vertical lines in the water column is the best tool for eliminating risk of entanglements of NARWs, and closures are an effective tool to accomplish that. Whales and other marine life in closed areas typically experience zero risk of becoming entangled in fishing gear, and the Aquarium supports implementing these measures as one of the methods NOAA can and should employ to reduce the risks of entanglements.

The distribution of NARWs has shifted dramatically over the past decade, and climate change has made their movements more difficult to predict. As new aggregation areas are identified from direct observations, acoustic detections, and/or modelling, it is important to have a rapid regulatory response method to change, expand, or extend closures as needed and to allow ropeless fishing in these closed areas. A network of closures should occur throughout the species' range and protect a sufficiently large enough area to help the population recover (see "Scientist letter," Appendix 1).

To ensure testing of ropeless gear is conducted as safely as possible, the Aquarium recommends the following:

1. A thorough evaluation and report by the National Marine Fisheries Service (NMFS) gear team to determine if sinking groundlines have been found on known U.S. gear entangling large whales since that regulation was implemented in 2009;
2. A mandate that endlines used in ropeless gear are 1700 pound of force (LBF) breaking strength through the entire length of the rope; and
3. A requirement that fishing vessels operate at less than ten knots in the EFP and the closed area regardless of their vessel length.

Allowing EFPs into existing closures (Massachusetts Restricted Area and Great South Channel Restricted Trap/Pot Area), where entanglement risk is currently zero, will inherently increase risk. Considerations of EFPs in these areas must be conservative and include both careful evaluation of this introduced risk as well as extensive monitoring. The Aquarium recommends EFPs be allowed in these presently closed areas only after careful review of testing being conducted elsewhere in the United States and Canada to understand how much risk might be introduced and whether or not that risk can be reduced.

With respect to the closures detailed in the Proposed Rule, the Aquarium supports maintaining the two existing closures (the Massachusetts Restricted Area and the Great South Channel Restricted Trap/Pot Area) as well as implementing the two new seasonal restricted areas (offshore of Maine along the LMA1 and LMA3 border and south of Cape Cod and Nantucket) with the caveat that the closed areas—including both existing and new closures—be reassessed for both spatial extent and timing using a risk reduction target of 80 percent to reduce mortalities and serious injuries below PBR and enable NARWs to recover.

The Aquarium is concerned that the restricted area offshore of Maine (LMA1 restricted area) is not large enough as the Northeast Fisheries Science Center model is based on outdated survey data that are only from summer months. In determining the boundaries and extent of the LMA 1 restricted area, the DEIS relies on its Decision Support Tool (DST), which the Aquarium believes does not consider uncertainty appropriately. For more information, please see the “Incorporating Uncertainty” section of the Aquarium’s recent comment on NOAA’s Biological Opinion (Appendix 2).

With respect to the proposed restricted area south of Nantucket and Martha’s Vineyard, aerial surveys show NARWs in the region most months of the year since 2017 (Quintana-Rizzo pers. comm., paper in review) with as much as 25 percent of the population present from December through May (Figure 1). Given these data, we argue that this region should be considered for a year-round closure and that the largest area proposed be implemented in the Final Rule. In the absence of a year-round closure south of Nantucket and Martha’s Vineyard, areas where 1700 lbf rope and/or contrivances can’t be used (i.e. offshore) should remain closed except for fishermen with permits to use ropeless gear.

Finally, according to recently published technical guidelines from the United Nations’ Food and Agriculture Organization, time-area or spatial closures can be effective when data about the marine mammals are known, such as distribution, abundance, survival rates, population viability, year-to-year variability, distribution of fishing effort, and level of bycatch (FAO 2021). Additionally, the guidelines state:

To be effective, spatial closures should have positive impacts not only within the areas themselves but also for the population as a whole. Only a few studies have quantified the effect of closures on the bycatch species or populations of marine mammals for which they were established. Gormley et al. (2012) used tag-recapture data of Hector’s dolphins in the vicinity of a small reserve in New Zealand that bans the use of gillnets: they found that the reserve increased the means of survival probability for the resident population, but the size of the reserve was in itself insufficient for the recovery of the overall population. Sooten (2013) modelled the potential for population recovery of this endangered species throughout its entire range under the existing spatial management system,

and concluded that the existing scheme (reserve locations, sizes and management regimes) was unlikely to lead to a recovery of the Hector’s dolphin population, and nor would it prevent the species from continuing its decline. Rojas-Bracho and Reeves (2013) concluded that protected areas needed to encompass the entire range of the critically endangered vaquita (*Phocoena sinus*) in order to eliminate bycatch completely and give the remaining population a higher probability of recovery. The consensus from these studies is that adopting spatial closures as a principal management response for the reduction of bycatch of marine mammals did not achieve adequate – or indeed measurable – population recovery. This does not mean that they cannot contribute to achieving population stabilization (FAO 2021).




Figure 1: Monthly sighting rates of NARWs and monthly aerial surveys conducted in the southern New England wind energy area. Sighting rate is defined as the number of NARWs per 1,000 km of survey (Quintana-Rizzo, pers. comm, paper in review).

While closures reduce the risk of entanglement in the closed areas for the duration of the closed period, the Aquarium notes that both fishing effort and the number of vertical lines **outside** the closed areas may increase and needs to be accounted for in NOAA’s calculations of risk reduction. The FAO also identifies the risk of pushing fishing effort into other areas where denser gear can lead to more entanglements, as noted by NMFS in the DEIS. This is a particular concern in areas where data on gear density and sightings are not robust due to low survey effort and lack of historical reporting.

Recognizing that the Proposed Rule only addresses the commercial lobster and crab fishery in New England, the Aquarium suggests that in subsequent rulemakings NOAA also consider and propose additional closures for other fisheries throughout the NARW's entire U.S. range to bring the risk of mortalities and serious injuries below the PBR level.

Weak Rope and Other Proposed Gear Modifications

RECOMMENDATION 3: The Aquarium supports implementing 1700 lbf weak rope and/or contrivances every 40 feet throughout the full length of an endline outside of closed areas as an interim measure to reduce the likelihood of sustained and chronic entanglements as well as severe and lethal injuries to whales until the industry transitions to ropeless gear. The Aquarium does not view weak rope and/or contrivances as a permanent solution to eliminate the risk from entanglement impacts.

Recognizing that ropeless fishing gear is not yet ready for widespread commercial deployment in the fisheries subject to these regulations, the Aquarium realizes the need for interim measures that allow fishing to continue while also reducing the risk of mortality and serious injury to whales from entanglements in fixed fishing gear, which is why the Aquarium supports using weak ropes and/or contrivances outside of closed areas. If weak rope or contrivances can't be implemented (e.g. offshore in water depths of more than 300 feet), then the Aquarium strongly recommends that those fisheries be closed except to ropeless fishing gear.

Applying weak rope and/or contrivances as described in NOAA's Proposed Rule is unacceptable if the goal is to prevent serious injuries and mortalities to NARWs and other whale species.

Using weak rope or insertions at the top half or top third of the endline reduces risk less than the calculations suggest. In Howle et al. (2019), the authors conducted simulations using the Virtual Whale Entanglement Simulator and determined that, "*For these middle and lower water column interactions, we found that the encounter was more likely to result in a lasting entanglement.*" In these scenarios, if the rope does not part, the whale could potentially drown in the gear or develop a complex entanglement that is more likely to lead to death. Therefore, requiring that 1700 lbf rope be integrated throughout the entirety of an endline will provide the greatest benefit to reduce the severity of any entanglements.

To accommodate 1700 lbf breaking strength rope through the entire endline and not have it lead to greater gear loss, integrating a groundline extension between the first and second (or more) pots is an option. The Aquarium's work with load cell testing compared the tensions when hauling the endline of a five-pot trawl with the groundline length between the first and second pot at 90 feet and 210 feet in 200-foot water depth. In these tests, the tension was reduced by more than half when the groundline extension was added (Knowlton et al. 2018).

South Shore Sleeves with 1700 lbf breaking strength have been tested successfully in waters up to 300 feet without reconfiguring gear. Based on the map below (Figure 2), this suggests that 1700 lbf breaking strength rope could be used out to at least 12 nautical miles (nm) offshore in Maine and New Hampshire and even further offshore in Massachusetts and Rhode Island. In deeper waters, a groundline extension

that reduces the number of pots in the water column until the first pot is brought on board could be used as an approach that supports using 1700 lbf breaking strength rope.

Because rope diameters greater than 7/16 inch represent the deadliest gear to NARWs of all ages and is typically used in offshore waters, wherever the industry is unable to use 1700 lbf breaking strength rope and/or approved contrivances, we strongly recommend that those fisheries be closed indefinitely except to ropeless fishing gear.

Knowlton et al. (2016) showed that the breaking strength of ropes between adult and young juvenile NARWs was significantly different with all adults found in ropes ranging from ~4,300 to 11,400 lbf breaking strength and between ~1/2-3/4 inch diameter and 0-2 year olds in ~1,900 to 4,100 lbf ropes between ~5/16-7/16 inch diameter. Deploying ropes with strengths at or below 1,700 lbf will help all age groups.

If a whale becomes entangled, 1700 lbf breaking strength rope and/or contrivances will help ensure that the heavy bottom gear parts from the endline before a complex entanglement develops. In their North Atlantic Right Whale Consortium presentation in October 2020⁸, Knowlton et al. used OrcaFlex software simulations to show that tension on the endline near the seafloor will reach 1700 lbf the quickest. This is encouraging as it would reduce the risk of complex entanglements noted by Howle et al. (2018) if the entanglements occur at depth.

In addition, applying multiple weak insertions throughout an endline is likely to reduce the risk of trailing gear. Ocean engineers have noted that the endline reaches 1700 lbf tension closest to and below the point of impact as the whale starts towing the gear. If any remaining gear is below the point where the whale strikes, the buoy above the impact point should be able to pull the rope through the mouth or other part of the body involved in the entanglement and allow the whale to shed the gear more easily.

Using weak insertions may be a cheaper option for the fishery and could potentially be more effective than fully formed weak rope if breaks occur in a more predictable fashion, although this should be evaluated by reviewing all large whale entanglements as 1700 lbf ropes and/or contrivances are integrated into the fishery. To ensure that there is an understanding of what kind of rope remains on an entangled whale, fully formed 1700 lbf breaking strength ropes should be uniquely colored (as proposed by the Massachusetts Department of Marine Fisheries⁹). If this Proposed Rule goes forward as is, which the Aquarium does not recommend or support, then any endline with one or two weak insertions at the top half or top third of an endline should be marked to show it is different than the lower part of the endline. Otherwise, it will be difficult to assess whether or not the modification has helped in the event of an entanglement.

⁸ <https://drive.google.com/file/d/1IEF6w-4yGUG5EMTVjO2mqo8k5jX8-UmC/view>

⁹ <https://www.mass.gov/doc/january-28-2021-mfac-meeting-summary/download>




Figure 2: Bathymetric map of New England and the Gulf of Maine. Colors represent ocean depth in feet.

Additional benefits to using 1700 lbf breaking strength ropes and/or contrivances are that they may reduce the chance of a trawl being shifted by a whale or a vessel and they give the fisherman or woman a better chance of grappling for the trawl.

The intervals proposed in NOAA’s rules are inadequate to reduce serious injuries and mortality resulting from entanglements in 1700 lbf breaking strength rope in any meaningful way. For fishermen and women, law enforcement efforts, and the whales, it is critical that weak rope and/or insertions be used consistently, are easy to identify, and actually prevent lethal and sub-lethal entanglements. ***Because of this, the Aquarium strongly advocates that the insertions be required every 40 feet throughout the entirety of the endline.***

In Knowlton et al.'s 2020 North Atlantic Right Whale Consortium presentation¹⁰, collaborators showed that if weak links or weak rope weren't used in an endline, seven out of 12 scenarios (58 percent) failed to reach the standard rope breaking strength of 3720 or 7950 lbf (inshore/offshore, respectively) when pulled at four or eight knots. With weak links, only two of 12 scenarios (17 percent) failed to reach the 1700 lbf breaking strength (five-pot trawl pulled at four knots). The time to line parting with weak links (1700 lbf) integrated every 40 feet was considerably lower (five to 72 seconds) than the time to parting the stronger rope with no weak links (12 to 94 seconds), but this threshold was only reached in five of the 12 scenarios indicating some bottom gear would likely remain attached in entanglements with no weak rope or insertions. Studies suggest that this will greatly increase drag and expedite a whale's decline due to energetic impacts (van der Hoop et al. 2016 and 2017; Pettis et al. 2017). This type of scenario has been most recently observed with the entangled NARW Cottontail (Catalog No. 3920, an eleven-year-old male) who was first observed entangled in October 2020 off southern New England, resighted off the coast of Florida on February 18, 2021 in severely emaciated condition, and discovered dead off the coast of South Carolina on February 27, 2021. He apparently had weight attached to the entangling rope and was not able to be disentangled despite two attempts. It is not yet known where or in what kind of gear this entanglement occurred.

Although weak ropes and/or contrivances will not prevent entanglements from occurring, the reduced time to parting of the line and the increased likelihood that the line will part at all suggests that this is a viable interim option and should be used in all areas outside of closures and in water depths where it can be accommodated. Offshore waters where industry deems it infeasible to integrate weak rope and/or contrivances due to potential gear loss or safety concerns should be transitioned to ropeless fishing to ensure that the stronger ropes are removed from the fishery as quickly as possible.

The Aquarium notes that trailing gear even without attached bottom gear is a concern due to energetic impacts to NARWs. Maine's Department of Marine Resources conservation equivalency proposal¹¹ noted that line lengths ranging from 50-200 feet might be left on an entangled NARW, which they suggest that is not a concern. Research published by van der Hoop et al. (2016) demonstrates that rope drag itself has a significant effect on energetics. This impact also continues to be observed on the water. For example, NARW #2310 (a male more than 25-years old) was observed with a single line through the mouth and trailing one to two body lengths of line December 20, 2018. Subsequent sightings show the whale carrying this gear for at least 126 days while his condition continued to decline. Since he has been unable to be disentangled, he may very likely die from an entanglement that does not appear complex but is clearly being influenced by trailing gear.

Gear Marking

RECOMMENDATION 4: While the Aquarium supports the Proposed Rule regarding gear marking, gear marking itself does not reduce the risk to NARWs of entanglements in fishing gear; however, in the rare case where gear is closely observed or retrieved, knowing the location and fishery that caused the entanglement will provide valuable information to managers.

¹⁰ <https://drive.google.com/file/d/1IEF6w-4yGUG5EMTVjO2mqo8k5jX8-UmC/view>

¹¹ <https://www.maine.gov/dmr/news-details.html?id=1933868>

While marking gear in itself will not reduce the risk that whales will become entangled or reduce the severity of entanglements, as stated in the Proposed Rule, “...the markings would increase the information available regarding the fishery and state of origin of large whale entanglements to aid the efforts of NMFS and the ALWTRT...”

The Aquarium agrees that gear marking could provide some valuable information in the small subset of entanglement cases with attached gear, but not as currently proposed. Of the 1625 entanglement events documented since 1980, only 124 cases (7.6 percent) had attached gear and only a subset of those could be traced back to origin. Because such a small fraction of detected entanglements have gear closely observed or retrieved, it is likely that many serious injuries and mortalities resulting from entanglements will remain unattributed despite the new gear marking requirements.

Alternatively, if gear marking or rope coloration focused on showing whether a rope was 1700 lbf, this would help inform whether weaker ropes are showing up on entangled whales and having the intended benefit (i.e. resulting in a lower risk entanglement). If weak insertions are integrated into endlines, they could also serve as a weak rope gear mark.

Long-term entanglements can lead to weight and fat loss causing the animals to sink after death (any heavy gear being dragged by the whale can also cause it to sink). Reducing and eliminating the risk of entanglements to NARWs in fixed fishing gear must be NOAA’s priority so that identifying the origin of fishing gear becomes obsolete and unnecessary.

Effort Reduction

RECOMMENDATION 5: While NOAA’s Proposed Rule does not address effort reduction as a potential tool to reduce risks of entanglements to NARWs, limiting the number of traps fished and reducing the number of licenses over time will help reduce the number of vertical lines in the water, which can decrease the likelihood of NARWs becoming entangled in fishing gear. The Aquarium encourages NOAA to include effort reduction as a tool to reduce risk in the Final Rule, including support for fishermen and women to transition out of the fishery if needed.

The Aquarium was disappointed to see that the Proposed Rule did not include any measures to reduce effort in the fishery. Recently published research suggests that effort reduction will not necessarily have a negative economic impact and, in fact, is likely to generate higher profits while enabling the industry to operate with less gear in the water and over a shorter season (Myers and Moore 2020). The results from this work showed that, “The U.S. lobster fishery in Maine expends approximately 7.5 times as much effort as the Canadian fishery in Lobster Fishing Area 34, where Canadian fishers catch about 3.7 times more per trap than their counterparts in Maine.” In addition, “The state of Massachusetts has achieved record high landings since trap/pot seasonal closures have been implemented to protect right whales, especially within the Statistical Reporting Areas most affected by closures” (Myers and Moore 2020).

The Aquarium is also concerned that trawling up is not the best approach to achieving vertical line reduction as it introduces safety concerns and does not address gear conflicts that will likely arise from longer trawls. The DEIS also notes that potential catch reduction from trawling up is the main economic concern for Alternative 2, although when considering the variability of the lobster resource, this calculation seems hypothetical. Because fishing with less gear over a shorter season appears to

correspond with higher landings and higher profits while also reducing the risk of entanglements to NARWs by removing vertical lines from the water column, the Aquarium recommends that NOAA seriously consider including effort reduction measures in its Final Rule such as the 50 percent endline cap discussed in Alternative 3 to address safety concerns and potentially improve catch levels (Myers and Moore 2020).

The Aquarium also recommends that NOAA consider reducing the number of licenses it issues and offering support for fishermen and women to transition out of the fishery as another mechanism to reduce effort in the fishery.

Economic Considerations

RECOMMENDATION 6: The Aquarium recommends that NOAA promulgate rules that reduce the risk of entanglements in fishing gear by 80 percent to prevent the fishery from incurring incremental effort and expense resulting from multiple rulemakings. In addition, the Aquarium recommends that NOAA's economic analysis consider the economic benefits of protecting whales to other sectors of the economy.

While the Aquarium recognizes the cost of complying with the Final Rule will not be insignificant for the fishery, after reviewing the Proposed Rule and DEIS, we are concerned that the least-cost alternative is being promoted at the expense of the long-term survival of NARWs. Rather than prioritizing a more conservative risk reduction target of 80 percent, which has a greater probability of conserving NARWs as required by law, the 60 percent target was chosen primarily due to economic considerations (as detailed on page 22 of the DEIS, Alternative 3, which also achieved the 60 percent target would be a more effective approach to reduce NARW mortality, but would cost two to three times more per unit of risk reduction than the preferred alternative).

We note that while NMFS must take economic considerations into account, the least-cost alternative is not required to be selected. Steps can and should be taken to reduce the cost burden on fishermen and women that would be affected, as well as to increase regulatory compliance, another stated concern (DEIS, p. 25). That said, promulgating stronger rules and measures now is not only necessary for the survival of the species, but may also serve as a future cost-saving measure: If the lesser risk reduction target (60 percent) does not sufficiently reduce take below PBR, both fishermen/women and NOAA will be forced to incur additional effort and expense to redo this same process. These incremental costs may potentially be avoided by applying a more aggressive risk reduction target of 80 percent in this rulemaking, which has the added benefit of preventing unnecessary deaths of NARWs in the interim. We also note in the Effort Reduction section of this comment that reducing effort is likely to have a positive economic impact on the industry as a whole in addition to individual fishermen and women.

Furthermore, the Aquarium notes that the economic analysis focuses on impacts to a single sector of the economy (fishing industry), without simultaneously considering the potential benefits of increased NARW protection to other sectors (these benefits are loosely discussed in the Initial Regulatory Flexibility Analysis section of the DEIS, but are not integrated into the main Economic and Social Impacts discussion). For example, in Hancock County, identified as one of the more vulnerable communities in Maine, living resources extraction, which includes commercial fisheries, fish hatcheries, seafood processing, and seafood markets, contributed \$64.5 million in Gross Domestic Product (GDP) to the total ocean economy of the county in 2017. In contrast, ocean-based tourism and recreation, a sector likely to

benefit from an increased population of NARWs and other large whales through improved opportunities such as whale watching, contributed more than three times that amount—\$211.6 million in GDP—for the same time period (NOAA 2017). These numbers are not unique to Maine. Similar trends are observed in Massachusetts and Rhode Island, as well.

The economic and social impact sections of the DEIS should explicitly consider the potential economic and social benefits of the Proposed Rule (e.g. by supporting an increase in the NARW population), including considering how these benefits may offset costs incurred through the proposed action (i.e. through economic diversification, opportunities for alternative livelihoods, etc.).

Finally, we note that the economic and social impacts analysis fails to consider the impact that the ongoing COVID-19 pandemic has had on demand for the fisheries impacted by this Proposed Rule; for example, in the first six months of 2020, U.S. exports of lobster declined by 44.6 percent (FAO Globefish 2021) and that significant uncertainty regarding the duration and extent of these impacts remains.

Ropeless Fishing Gear

RECOMMENDATION 7: The Aquarium considers ropeless fishing gear as the key to a future in which fishing and NARWs can coexist and recommends that NOAA should explore every opportunity to subsidize and otherwise reduce direct costs to fishermen and women related to this action, including increased funding and grant programs for industry-led trials of ropeless fishing gear.

As described in the Aquarium’s comment regarding closures, testing, evaluation, and deployment of ropeless gear should be permitted in closed areas (with caveats) and anywhere offshore where 1700 lbf breaking strength ropes can’t be used. NOAA should work closely with scientists, fishermen/women, and engineers who are presently developing and testing ropeless gear to develop a detailed timeline, strategy, and cost details for transitioning the fishery.

Furthermore, government investment to develop and evaluate ropeless fishing is urgently needed. Any federal investments must consider the use of subsidies to help shift all members of the industry affected by closures, and we encourage NOAA to work with Congress to request the needed appropriations to facilitate this transition as quickly as possible. These goals should be endorsed by NOAA to signal the agency’s support of ropeless fishing and to encourage investment and development by commercial manufacturers. Ropeless retrieval systems are functional today, but a universal solution to monitor a fishery without buoys marking endlines and address gear conflict issues does not yet exist and must be developed with the support of NOAA quickly. These investments will benefit fishermen/women and whales, and should be a top priority (modified from “Scientist Letter,” Appendix 1).

Reporting, Monitoring, and Enforcement

RECOMMENDATION 8: NOAA should work with states to continue improving compliance and reporting in the crab and lobster fisheries, including accurate trip reporting, and increased gear checks to ensure that the proposed gear changes are being enacted correctly and in a timely manner.

Specific to weak ropes, contrivances, and gear marking, the Aquarium recognizes that it is important to develop a monitoring strategy to inform managers whether or not regulations are benefitting NARWs. We suggest the following approaches:

1. Continue annual scar coding efforts (conducted by the New England Aquarium) to determine the frequency of events and the proportion of sighted individuals with scars. As closures, endline reductions, and ropeless fishing gear are implemented into the fishery, the frequency of entanglements needs to be quantified to assess how effective the rules are;
2. For a given year of entanglements documented from scarring assessments, determine the proportion resulting in minor, moderate, and severe injuries. If weak rope works as intended, entanglement scarring should be less severe but may not be less frequent;
3. For those cases where the gear can be observed, assess the number of whales with attached gear by year. Any entanglement configurations need to be evaluated carefully to determine if trailing line levels have been reduced, entanglement complexity is high or low risk, and gear marks are evident. In addition, the rope diameter, what part of the gear is involved in the entanglement, and if the gear on the whale is weak rope or used contrivances should also be evaluated. Case studies should continue to be created¹²; and
4. Entanglement events of each individual need to be reviewed to determine the timeframe and potential country of origin of entanglement.

The Aquarium notes that a lack of scientific certainty is sometimes used to suggest that more information is needed to inform decision making, which then causes further delays in needed action. We disagree with this. The body of scientific research on NARWs and entanglements is both established and clear in its conclusions: Entanglements in fixed fishing gear are causing serious injuries and mortalities to the critically endangered NARW at a rate that the species can't sustain if it is to survive. While we encourage NOAA to invest in increasing surveillance and monitoring efforts throughout the U.S. range of the NARW, we recommend that those efforts be focused on assessing the health and well-being of the individuals and the population. As noted earlier, in the near-term, these efforts can and should be used to inform management decisions regarding the extent and timing of closures and provide information about any entanglements that do occur in weak rope, but once the fishery transitions to ropeless gear, surveillance and monitoring efforts for entanglements should no longer be necessary.

Decision Support Tool

In response to NOAA's *Draft Biological Opinion on 10 Fishery Management Plans*, the Aquarium submitted an extensive comment regarding NOAA's finding of no jeopardy for NARWs, which we disagreed with. As part of that comment, the Aquarium provided an extensive discussion about our concerns with the Decision Support Tool, including the appropriate use of uncertainty in models for conservation. The Aquarium's comment on the Biological Opinion is provided as Appendix 2 of this document.

¹² <https://www.bycatch.org/project/case-studies-north-atlantic-right-whale-fishing-gear-entanglements>

Conclusion

The Aquarium thanks NOAA for the opportunity to comment on this Proposed Rule and DEIS. Our comments are provided with the intent that they be used to inform changes in the Final Rule that will significantly reduce the risk of entanglements in fixed gear to NARWs and other whales. As a member of the ALWTRT since its inception, the Aquarium has participated in the process in good faith that NOAA will take the necessary steps to manage this species as required by the Marine Mammal Protection Act and the Endangered Species Act. The Aquarium recognizes that all of the measures detailed in the Aquarium's comments are just part of many that are needed to prevent this species from going extinct. In addition to making necessary changes to the fisheries where entanglement is a risk, other risks, including those from vessel strikes, ocean noise, pollution, and climate change must also be addressed aggressively and expeditiously. The Aquarium looks forward to continuing work in partnership with federal and state governments and other members of the ALWTRT to ensure the survival of this species.

The Aquarium's scientists and experts are available to answer any questions or provide additional information should it be needed.

Sincerely,



Amy R. Knowlton
Senior Scientist, Anderson Cabot Center for Ocean Life at the New England Aquarium
Member, Atlantic Large Whale Take Reduction Team



Kelly A. Kryc, Ph.D.
Director of Ocean Policy
New England Aquarium

REFERENCES

- Baumgartner, MF, Bonnell, J, Van Parijs, SM, et al. Persistent near real-time passive acoustic monitoring for baleen whales from a moored buoy: System description and evaluation. *Methods Ecol Evol.* 2019; 10: 1476– 1489. <https://doi.org/10.1111/2041-210X.13244>
- Baumgartner, MF, Bonnell, J, Corkeron, P.J., Van Parijs SM., Hotchkin C, Hodges BA., Bort Thornton J, Mensi, BL, Bruner, SM. 2020. Slocum Gliders Provide Accurate Near Real-Time Estimates of Baleen Whale Presence From Human-Reviewed Passive Acoustic Detection Information. *Frontiers in Marine Science* 7, article 100. doi: 10.3389/fmars.2020.00100
- Cole TVN, Hamilton P, Henry AG, Duley P, Pace RM III, White BN, Frasier T (2013) Evidence of a North Atlantic right whale *Eubalaena glacialis* mating ground. *Endang Species Res* 21:55-64. <https://doi.org/10.3354/esr00507>
- Corkeron P, Hamilton P, Bannister J, Best P, Charlton C, Groch KR, Findlay K, Rowntree V, Vermeulen E, Pace RM. 2018. The recovery of North Atlantic right whales, *Eubalaena glacialis*, has been constrained by human-caused mortality. *Royal Society Open Science.* 5(11). doi:10.1098/rsos.180892
- Christiansen, F., Dawson, S.M., Durban, J.W., Fearnbach, H., Miller, C.A., Bejder, L., Uhart, M., Sironi, M., Corkeron, P., Rayment, W., Leunissen, E., Haria, E., Ward, R., Warick, H.A., Kerr, I., Lynn, M.S., Pettis, H.M., Moore, M.J. 2020. Population comparison of right whale body condition reveals poor state of the North Atlantic right whale. *Marine Ecology Progress Series*, 640, 1-16.
- FAO. 2021. *Fishing operations. Guidelines to prevent and reduce bycatch of marine mammals in capture fisheries.* FAO Technical Guidelines for Responsible Fisheries No.1, Suppl. 4. Rome. <https://doi.org/10.4060/cb2887en>
- FAO Globefish. 2021. COVID-19 triggers big drop in lobster prices. 01/07/2021. Available here: <http://www.fao.org/in-action/globefish/market-reports/resource-detail/en/c/1263846/>
- Hayes, S.A., S. Gardner, L. Garrison, A. Henry, and L. Leandro. 2018. North Atlantic Right Whales – Evaluating their recovery challenges in 2018. NOAA Tech Memo NMFS-NE 247; 24 p.
- Henry, A.G., T.V.N. Cole, L. Hall, W. Ledwell, D. Morin and A. Reid. 2019. Mortality and serious injury determinations for baleen whale stocks along the Gulf of Mexico, United States East Coast and Atlantic Canadian Provinces, 2012-2016. *Northeast Fish. Sci. Cent. Ref. Doc.* 19-13. 60 pp.
- Howle, L.E., Kraus, S.D., Werner, T.B. and Nowacek, D.P. 2019. Simulation of the entanglement of a North Atlantic right whale (*Eubalaena glacialis*) with fixed fishing gear. *Mar Mam Sci*, 35: 760-778. <https://doi.org/10.1111/mms.12562>
- Knowlton, A.R., P.K. Hamilton, M.K. Marx, H.M. Pettis and S.D. Kraus. 2012. Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: a 30 year retrospective. *Mar. Ecol. Prog. Ser.* 466:293–302.

Knowlton, A.R., J. Robbins, S. Landry, H.A. McKenna, S.D. Kraus and T.B. Werner. 2016. Effects of fishing rope strength on the severity of large whale entanglements. *Conserv. Biol.* 30:318–328. DOI: 10.1111/cobi.12590

Knowlton, A.R., Malloy, R. Jr., Kraus, S.D., and Werner, T.B. 2018. Development and Evaluation of Reduced Breaking Strength Rope to Reduce Large Whale Entanglement Severity. Report to the Massachusetts Executive Office of Energy and Environmental Affairs, MMARS #: CT EVN 0607160000 000 000 3938. 66 pp.

Knowlton A.R., H.M. Pettis, and S.D. Kraus. 2019. Right whale entanglement and scarring data: 2010-2018. Presentation to the ALWTRT April 2019.

https://www.greateratlantic.fisheries.noaa.gov/protected/whaletrp/trt/meetings/October%202018/4_knowlton-right_whale_scarring_trt-10-10-2018.pdf

Linden, DW. 2021. Population projections of North Atlantic right whales under varying human-caused mortality risk and future uncertainty. NOAA/NMFS/GARFO, January 6. 2021.

McKenna HA, Hearle JWS, O’Hear N. 2004. Handbook of fibre rope technology. Woodhead Publishing, Cambridge, England.

Meyer-Gutbrod, E., Greene, C., & Davies, K. (2018). Marine Species Range Shifts Necessitate Advanced Policy Planning: THE CASE OF THE NORTH ATLANTIC RIGHT WHALE. *Oceanography*, 31(2), 19-23.

Myers, HJ and Moore, MJ. 2020. Reducing effort in the U.S. American lobster (*Homarus americanus*) fishery to prevent North Atlantic right whale (*Eubalaena glacialis*) entanglements may support higher profits and long-term sustainability. *Marine Policy* 118: 104017, doi.org/10.1016/j.marpol.2020.104017.

NOAA. 2017. GDP: Tourism and Recreation. ENOW Explorer. Available at:

<https://coast.noaa.gov/enowexplorer/#/gdp/tourism/2017/23009>

Pace, RM, Corkeron, PJ, Kraus, SD. 2017. State–space mark–recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecol Evol.* 7: 8730– 8741.

<https://doi.org/10.1002/ece3.3406>

Pace, RM, Williams, R, Kraus, SD, Knowlton, AR, Pettis, HM. Cryptic mortality of North Atlantic right whales. *Conservation Science and Practice*. 2021:e346. <https://doi.org/10.1111/csp2.346>

Pettis HM, Rolland RM, Hamilton PK, Knowlton AR, Burgess EA, Kraus SD (2017) Body condition changes arising from natural factors and fishing gear entanglements in North Atlantic right whales *Eubalaena glacialis*. *Endang Species Res* 32:237-249. <https://doi.org/10.3354/esr00800>

Quintana-Rizzo, E. , Leiter, S, Cole, TVN, Hagbloom, MN, Knowlton, A, Nagelkirk, P, O'Brien, O, Khan, C, Henry, A, Duley, P, Crowe, LM, Mayo, C, Kraus, S. In review. Residency, demographics, and movement patterns of North Atlantic right whales (*Eubalaena glacialis*) in an offshore wind energy development in southern New England, USA. *Endang Species Res*.

Record, N., Runge, J., Pendleton, D., Balch, W., Davies, K., Pershing, A.,...Thompson, C. (2019). Rapid Climate-Driven Circulation Changes Threaten Conservation of Endangered North Atlantic Right Whales. *Oceanography*, 32(2), 162-169.

Robbins, J., Knowlton, A.R., and Landry, S. (2015). Apparent survival of North Atlantic right whales after entanglement in fishing gear. *Biological Conservation*, 191. 421-427.

Rojas-Bracho, L. & Reeves, R.R. 2013. Vaquitas and gillnets. Mexico's ultimate cetacean conservation challenge. *Endangered Species Research*, 21: 77–87.

Sharp SM, McLellan WA, Rotstein DS, Costidis AM and others (2019) Gross and histopathologic diagnoses from North Atlantic right whale *Eubalaena glacialis* mortalities between 2003 and 2018. *Dis Aquat Org* 135:1-31. <https://doi.org/10.3354/dao03376>

Slooten, E. 2013. Effectiveness of area-based management in reducing bycatch of the New Zealand dolphin. *Endangered Species Research*, 20: 121–130.

Taylor, B.L., Wade, P.R., De Master, D.P. and Barlow, J. (2000), Incorporating Uncertainty into Management Models for Marine Mammals. *Conservation Biology*, 14: 1243-1252. <https://doi.org/10.1046/j.1523-1739.2000.99409.x>

van der Hoop, J.M., Corkeron, P., Kenney, J., Landry, S., Morin, D., Smith, J. and Moore, M.J. (2016). Drag from fishing gear entangling North Atlantic right whales. *Mar Mam Sci*, 32: 619-642. doi:[10.1111/mms.12292](https://doi.org/10.1111/mms.12292)

van der Hoop JM, Nowacek DP, Moore MJ, Triantafyllou MS. 2017. Swimming kinematics and efficiency of entangled North Atlantic right whales. *Endang Species Res* 32:1-17. <https://doi.org/10.3354/esr00781>

van der Hoop JM, Corkeron P, Henry AG, Knowlton AR, Moore MJ. 2017. Predicting lethal entanglements as a consequence of drag from fishing gear. *Mar Pollut Bull.* 2017;115(1-2):91-104. doi:[10.1016/j.marpolbul.2016.11.060](https://doi.org/10.1016/j.marpolbul.2016.11.060)

APPENDIX 1:
Scientist Letter

Docket No. 201221-0351

Proposed Rule: Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; Atlantic Coastal Fisheries Cooperative Management Act Provisions; American Lobster Fishery

To: Mr. Ben Friedman (Deputy Under Secretary for Operations, performing the duties of Under Secretary of Commerce for Oceans and Atmosphere and NOAA Administrator)

Cc: NOAA Fisheries - Paul Doremus (Acting Assistant Administrator for Fisheries), Sam Rauch (Deputy Assistant Administrator for Regulatory Programs), Cisco Werner (Director of Scientific Programs and Chief Science Advisor), Donna Wieting (Director of NOAA Fisheries Office of Protected Resources), Evan Howell (Director of NOAA Fisheries' Office of Science and Technology), Karen Hyun (NOAA Chief of Staff), and Colleen Coogan (Marine Mammal and Sea Turtle Branch Chief, Greater Atlantic Regional Fisheries Office)

February 25, 2021

Dear Mr. Friedman:

We represent a group of scientists with extensive expertise in the biology of large whales, oceanography, and fisheries. We are writing to express our serious concerns about the proposed rule titled *Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; Atlantic Coastal Fisheries Cooperative Management Act Provisions; American Lobster Fishery* put forward by NOAA Fisheries to reduce entanglement risk to North Atlantic right whales (NARW) caused by Northeast crab and lobster trap/pot fisheries (<https://www.govinfo.gov/content/pkg/FR-2020-12-31/pdf/2020-28775.pdf>). Whales continue to be impacted by entanglement and NARWs are known to be dying at an increasing and unsustainable rate. Just since October 2020 there have been three NARW observed in U.S. waters with serious entanglements - none could be disentangled, and all are likely to die. The proposed rule represents a dramatic weakening of the recommendations made by the Atlantic Large Whale Take Reduction Team (ALWTRT) in April 2019 as a path towards achieving reduction in entanglement risk.

This weakening of the proposed take reduction strategy runs counter to all scientific analysis, particularly in light of the well documented and ongoing reduction in the population size of this critically endangered species (<https://www.narwc.org/report-cards.html>). Furthermore, entanglement mortality continues at unsustainable levels and much of it goes undetected. For every right whale carcass observed, almost three more deaths go undocumented

(<https://conbio.onlinelibrary.wiley.com/doi/full/10.1111/csp2.346>). Finally, NOAA's report on the increasing frequency of serious injuries from entanglements (<https://repository.library.noaa.gov/view/noaa/21249>) demonstrates that the problem is getting worse, not better. If the current rate of population decline does not change (approximately 20 whales per year over the last 5 years), the North Atlantic right whale will be functionally extinct in less than two decades. In light of this scientific information, we strongly urge NOAA leadership to revisit and considerably strengthen the proposed rule.

We specifically suggest the following:

1) The 60% target of reduced risk outlined in the proposed rule should be increased to 80%

Rapid and effective management action is critical to turn the trajectory of this species around. We recommend increasing the risk reduction in the U.S. lobster and crab fishery to 80%, applying additional measures in other U.S. fixed gear fisheries, and working closely with the Canadian government to implement similar risk reduction goals in their fisheries. These actions will provide the best chance of achieving the risk reduction targets mandated by the Endangered Species Act and the Marine Mammal Protection Act (MMPA). The recent Biological Opinion (<https://www.fisheries.noaa.gov/bulletin/draft-biological-opinion-10-fishery-management-plans-released>) estimates the current proposed rule will not reduce U.S. entanglements below the Potential Biological Removal level of 0.8 individuals annually as mandated by the MMPA. Only rapid and sustained actions such as those described herein can change the trajectory of the NARW population.

2) Endline reductions, closures, and 1700 lb ropes should be considered as interim measures as ropeless gear becomes a more viable option

The concerns about ropes and entanglements of large whales is a long standing problem. As Johnson et al. stated in 2005, "...any line rising into the water column poses a significant entanglement risk" (<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1748-7692.2005.tb01256.x>). In recent years, a tremendous amount of effort by engineers, fishers, and scientists has led to promising options to address this threat with gear technology. We ask NOAA leadership to acknowledge that ropeless gear may nearly eliminate the risk of large whale entanglements and support an economically viable fishing industry. Government investment to accelerate the development and evaluation of ropeless fishing is urgently needed, which should include plans for experimental fisheries in closed areas by January 2022. Support for these investments must consider the use of subsidies to help shift all members of the industry affected by closures to this option by January 2024. These goals should be endorsed by NOAA Fisheries

to signal the agency's support of ropeless fishing and to encourage investment and development by commercial manufacturers. Ropeless retrieval systems are functional today, but a universal solution to monitor a fishery without buoys marking endlines and address gear conflict issues does not yet exist and must be developed with the support of NOAA Fisheries quickly. *These investments will benefit fishermen and whales, and should be a top priority.* In the meantime, scaled-up efforts to reduce the total number of endlines, to implement closures and to use 1700 lb ropes/weak insertions should be considered the best interim options for reducing risk and impact.

3) Where vertical lines continue to be necessary, endline strength should be reduced to 1700 lbs throughout the entire length, not just the upper portion

Rope strength plays a critical role in entanglement risk and injury severity (see <https://conbio.onlinelibrary.wiley.com/doi/10.1111/cobi.12590>), and the ALWTRT came to near consensus in April 2019 in requesting that vertical lines with a breaking strength of 1700 lb, either entirely or with weak links inserted every 40 feet, be used throughout the lobster and crab industry to reduce risk. This recommendation has been weakened in the proposed rule such that weak rope/weak insertions are now only being proposed for the top half or top third of an endline with only one to two weak insertions required independent of endline length. The original ALWTRT agreement as it pertains to weakened vertical lines, which would require use of 1,700 lb rope or sleeves through the entire endline length, should be reinstated and applied throughout lobster and crab fisheries as a part of this rulemaking and expanded to other fixed gear fisheries in the near future.

4) A mechanism should be developed to allow vertical line closures to expeditiously be extended spatially or temporally based on scientific observations that include computer modeling

Fisheries closures that eliminate vertical lines in the water column are the most effective tool for mitigating risk of entanglements of right whales where the two overlap in space and time. Right whales have shifted their distribution dramatically in the past 10 years and their movements have become more difficult to predict as a result of climate change. As new aggregation areas are identified from direct observations, acoustic detections, and/or modelling, it is important to have a rapid regulatory response method to change, expand, or extend closures as needed and allow ropeless fishing in these closed areas. A network of closures should occur throughout the species range, and protect a sufficiently large enough area to help recover the population.

As academic members of the Atlantic Large Whale Take Reduction Team and scientists who study large whales, oceanography, and fisheries issues, we recognize the tremendous challenge facing NOAA Fisheries to prevent the extinction of the NARW while minimizing the economic impact upon fisheries. We believe that, for the fishing industry and NARWs to coexist, the transition to fully weak rope and ropeless gear requires immediate government support to help fishers procure new gear. No further delays or concessions that undermine the ability of proposed measures to prevent NARWs from going extinct should be allowed in implementing strong, effective and enforceable rules. If an 80% reduction in risk cannot be accomplished in this rulemaking effort, NOAA Fisheries should request the Atlantic Large Whale Take Reduction team to immediately consider additional measures for these fisheries during 2021 discussions.

Thank you for considering our request. We will each be providing more detailed comments to the proposed rule.

Sincerely,

Amy Knowlton

Senior Scientist

Kraus Marine Mammal Conservation Program

Anderson Cabot Center for Ocean Life

New England Aquarium

Central Wharf

Boston, MA 02110

Member, Atlantic Large Whale Take Reduction Team

Member, Southeast Implementation Team for Right Whale Recovery

Board Member, North Atlantic Right Whale Consortium

Mark Baumgartner, PhD

Senior Scientist

Biology Department

Woods Hole Oceanographic Institution

266 Woods Hole Road

Woods Hole, MA 02543

Past chair, North Atlantic Right Whale Consortium

Vice-chair, Ropeless Consortium

Board Member, North Atlantic Right Whale Consortium

Member, Northeast Implementation Team for Right Whale Recovery

Moira Brown, PhD
Emeritus Scientist
Kraus Marine Mammal Conservation Program
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Vice Chair and Past Chair, North Atlantic Right Whale Consortium

Chris Clark, PhD
Senior Scientist
Cornell Lab of Ornithology
159 Sapsucker Woods Road
Ithaca, NY 14850

Peter Corkeron, PhD
Senior Scientist and Chair, Kraus Marine Mammal Conservation Program
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Board Member, North Atlantic Right Whale Consortium

Alexander M. Costidis, PhD
Stranding Response Coordinator/Senior Curator
Virginia Aquarium & Marine Science Center
717 General Booth Blvd.
Virginia Beach, Virginia 23451, USA
Member, Atlantic Large Whale Take Reduction Team
Member, Bottlenose Dolphin Take Reduction Team
Member of Working Group for Marine Mammal Unusual Mortality Events
NOAA Right whale Necropsy Team Leader

Philip Hamilton
Research Scientist
Kraus Marine Mammal Conservation Program
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Board Member, North Atlantic Right Whale Consortium

Steven Katona, PhD
Emeritus
College of the Atlantic
105 Eden St.
Bar Harbor, ME 04609

Robert D. Kenney, PhD
Emeritus Marine Research Scientist & Adjunct Professor in Residence
University of Rhode Island
Graduate School of Oceanography
Narragansett Bay Campus Box 40
215 South Ferry Road
Narragansett, RI 02882-1197, U.S.A.
Member, Atlantic Large Whale Take Reduction Team

Scott Kraus, PhD
Emeritus Senior Scientist
Kraus Marine Mammal Conservation Program
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Past Member, Atlantic Large Whale Take Reduction Team
Chair, North Atlantic Right Whale Consortium

Scott Landry
Marine Animal Entanglement Response
Center for Coastal Studies
5 Holway Ave.
Provincetown, MA 02657
Member, Atlantic Large Whale Take Reduction Team
Board Member, North Atlantic Right Whale Consortium

Charles “Stormy” Mayo, PhD
Senior Scientist
Director, Right Whale Ecology Program
Center for Coastal Studies
5 Holway Ave.
Provincetown, MA 02657
Member, Atlantic Large Whale Take Reduction Team

William McLellan

University of North Carolina Wilmington

601 South College Road

Wilmington, NC 28403

Member, Atlantic Large Whale Take Reduction Team

Member, Pelagic Longline Take Reduction Team

Member, Bottlenose Dolphin Take Reduction Team

Member, Harbor Porpoise Take Reduction Team

Member, Northeast Implementation Team for Right Whale Recovery

Member, Southeast Implementation Team for Right Whale Recovery

Member, NARW Unusual Mortality Event Investigative Team

Master Necropsy Team Leader

North Carolina State Stranding Coordinator

Past Board Member, North Atlantic Right Whale Consortium

Emeritus Member, Working Group on Marine Mammal Unusual Mortality Events

Michael Moore, Vet MB, PhD

Senior Scientist, Biology Department,

Director, Marine Mammal Center

Woods Hole Oceanographic Institution, Woods Hole, MA 02543

Board Member, North Atlantic Right Whale Consortium

Emeritus Member, Past Chair, Working Group on Marine Mammal Unusual Mortality Events

Necropsy Team Leader

Doug Nowacek, PhD

Nicholas School of the Environment

Duke University

135 Duke Marine Lab Rd

Beaufort, NC 28516

Heather Pettis

Associate Scientist

Kraus Marine Mammal Conservation Program

Anderson Cabot Center for Ocean Life

New England Aquarium

Central Wharf

Boston, MA 02110

Executive Administrator, North Atlantic Right Whale Consortium

Alternate Member, Atlantic Large Whale Take Reduction Team

Andrew Read, PhD
Stephen A. Toth Professor of Marine Biology
Director, Duke University Marine Laboratory
Chair, Division of Marine Science and Conservation
Nicholas School of the Environment
Duke University
135 Duke Marine Lab Rd
Beaufort, NC 28516
Member, Bottlenose Dolphin Take Reduction Team
Member, False Killer Whale Take Reduction Team
Alternate Member, Pelagic Longline Take Reduction Team
Past Member, Harbor Porpoise Take Reduction Team
Member and Past Chair, Atlantic Scientific Review Group

Nicholas Record, PhD
Senior Research Scientist
Bigelow Laboratory for Ocean Sciences
Director, Sea Change Semester Program
60 Bigelow Drive
East Boothbay, ME 04544
Member, Atlantic Large Whale Take Reduction Team

Jooke Robbins, PhD
Senior Scientist
Center for Coastal Studies
5 Holway Ave.
Provincetown, MA 02657
Past Member and Alternate, Atlantic Large Whale Take Reduction Team

Rosalind Rolland, PhD
Emeritus Senior Scientist
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Past Board Member, North Atlantic Right Whale Consortium

Brian Sharp
Director, Marine Mammal Rescue and Research
International Fund for Animal Welfare
290 Summer St.
Yarmouth Port, MA 02675
Member, Atlantic Large Whale Take Reduction Team

Sarah Sharp, DVM
Marine Mammal Rescue and Research Program
International Fund for Animal Welfare
290 Summer St.
Yarmouth Port, MA 02675

Rob Schick, PhD
Marine Geospatial Ecology Lab
Nicholas School of the Environment
Duke University
Durham, NC 27708

Sean K. Todd, PhD
Steve K. Katona Chair in Marine Science
Director, Allied Whale
College of the Atlantic
105 Eden Street,
Bar Harbor, ME, 04609 US

Tim Werner, PhD
Senior Associate, OAI Consulting
Research Fellow, School for the Environment
UMASS-Boston
McCormack 2nd floor 615
UMass Boston 100 Morrissey Blvd.
Boston, MA 02125
Member, Pelagic Longline Take Reduction Team
Alternate Member, Atlantic Large Whale Take Reduction Team

APPENDIX 2:

New England Aquarium February 22, 2021 comment on NOAA's *Draft Biological Opinion on 10 Fishery Management Plans in the Greater Atlantic Region and the New England Fishery Management Council's Omnibus Habitat Amendment 2*



**New England
Aquarium**

Protecting the blue planet

Michael Pentony
Regional Administrator
Greater Atlantic Regional Fisheries Office
55 Great Republic Drive
NOAA Fisheries Service
Gloucester, MA 01930

Re: Draft Biological Opinion on 10 Fishery Management Plans in the Greater Atlantic Region and the New England Fishery Management Council's Omnibus Habitat Amendment 2

In response to the *Draft Biological Opinion on 10 Fishery Management Plans*, the New England Aquarium (Aquarium) submits this comment strongly urging the National Oceanic and Atmospheric Administration (NOAA) to reconsider its finding of no jeopardy for North Atlantic right whales (NARW).

Founded in 1969, the Aquarium is a global leader in marine conservation and a catalyst for global change through public engagement, commitment to marine animal conservation, leadership in education, innovative scientific research, and effective advocacy for vital and vibrant oceans. For decades, the Aquarium has been working to protect marine and freshwater ecosystems from human impacts and conserve threatened and endangered animals and habitats. The Aquarium's scientists conduct cutting-edge research to understand, quantify, and reduce the consequences of human activities on the health of marine species and ecosystems by developing science-based solutions and advocating for policies that balance human use of the ocean with the need for a healthy, thriving ocean now and in the future.

Scientists at the Aquarium have been researching NARWs for more than 40 years with the goal of preventing this species from going extinct. In addition, representatives from the Aquarium have served on the Atlantic Large Whale Take Reduction Team since it was formed in 1996. The Aquarium is pleased to see that published research by our scientists was used to inform aspects of these measures.

Here we provide comments and recommendations on the Draft Biological Opinion (BiOp) and the Conservation Framework associated with it. This comment focuses on findings in the Draft BiOp pertaining to NARWs based on our long-standing scientific expertise and commitment to conserving this species. In addition, as the most endangered species reviewed in the Draft BiOp, it is critical to the conservation plan, pending rulemaking, and draft environmental impact statement that the findings in the Final BiOp are accurate and based on the best-available science.

First, we wish to compliment NOAA staff on aspects of this work. The review of the NARW in the Status of the Species section of the Draft BiOp is well written and cites the appropriate and best-available scientific literature. The modeling work conducted by Dr. Daniel Linden of Greater Atlantic Regional Fisheries Office (GARFO) presented in the document "*Population projections of North Atlantic right whales under varying human-caused mortality risk and future uncertainty*" (Appendix 3) is excellent, and we compliment his analysis. While it is possible to argue some of the detail of the models (as we do below), the work is of a very high standard. We see that the reviews of this work, conducted by expert reviewers for the Center for Independent Experts (CIE) [were supportive, offering only a few suggestions for possible improvement to the science](https://www.st.nmfs.noaa.gov/science-quality-assurance/cie-peer-reviews/cie-review-2020)¹. We also note that, although it is not part of the Draft BiOp or Conservation Framework, the recent paper led by Dr. Richard Pace of the Northeast Fisheries Science Center (NEFSC), which we cite several times below, is a very important contribution that informs our

¹ <https://www.st.nmfs.noaa.gov/science-quality-assurance/cie-peer-reviews/cie-review-2020>

comments. Dr. Pace is to be complimented for his excellent analyses that have advanced our understanding of the current situation of NARWs.

Although we are impressed by these aspects of the work, we have significant concerns with other aspects of the Draft BiOp and Conservation Framework. While we concentrate our comment on the scientific content of the Draft BiOp, we also take this opportunity to raise one initial, yet critical, concern.

No Jeopardy Finding

The Draft BiOp finds no jeopardy based on the assumption that, in the first phase of the Conservation Framework, regulations still in draft form are sufficient enough to reduce fisheries-induced mortality and morbidity of NARWs to the extent that they will recover. As these regulations are still in draft form, there is no guarantee that they will be promulgated, implemented, and/or enforced. Whether or not they are sufficient is another question entirely, which the Aquarium will address in its response to the *Proposed Rule to Amend the Atlantic Large Whale Take Reduction Plan to Reduce Risk of Serious Injury and Mortality to North Atlantic Right Whales Caused by Entanglement in Northeast Crab and Lobster Trap/Pot Fisheries* and Draft Environmental Impact Statement.

Recommendation 1: In the absence of a final rule, the Aquarium does not think it is appropriate to make a “no jeopardy” finding.

Furthermore, as detailed below, the Aquarium has significant issues of concern with the Draft BiOp and Conservation Framework and strongly asserts that the science supports a jeopardy finding.

Risk reduction and the time required to implement changes

North Atlantic right whales have been in decline for a decade. In the absence of strong rules preventing entanglements and vessel strikes, we have come to expect the abundance of the species to continue to decline. Because it takes time to finalize regulations (and Biological Opinions) and even longer for those to result in action on the water, we understand that while these processes are ongoing, it is likely that the species' abundance will continue declining. The Draft BiOp does not account for this time delay, despite having a strong model that indicates the trajectory of the species' abundance while the BiOp and regulations were being drafted (see also Meyer-Gutbrod et al. 2018 on this topic in the Canadian management setting). This is not well thought through and should be.

It was clear after the Atlantic Large Whale Take Reduction Team (ALWTRT) meeting in 2017 that NARW Serious Injury and Mortality (SI/M) had exceeded the “jeopardy” threshold identified, thus initiating the need for a new BiOp. Despite this, it took almost four years for this Draft BiOp to be released, during which time the number of NARWs kept declining. The redrafted BiOp needs to account for this continuing decline and must account for the time in which it takes NOAA to implement changes on the water. Corkeron et al.'s (2018) matrix model [disclosure: Aquarium employees are authors of Corkeron et al. 2018], as applied by Linden 2021 and suitably corrected for uncertainty (see below), can be used to project what the abundance of NARWs is likely to be, and from that, appropriate measures reconsidered.

To give a concrete example, the Draft BiOp and Conservation Framework are predicated on the idea that a 60% reduction in anthropogenic mortality will be sufficient to take NARWs from jeopardy. While 60% risk reduction may have been satisfactory when this process started in 2017, in 2021 60% risk reduction is

no longer sufficient as there are now substantially (16%) fewer NARWs than there were in 2017. An 80% risk reduction target initially is now more appropriate and should be used in the redrafted BiOp.

Recommendation 2: We recommend that the redrafted BiOp be based on an 80% risk reduction target.

Incorporating Uncertainty

There are several instances where the modeling that informs the Draft BiOp and Conservation Framework does not incorporate uncertainty in the data sufficiently, especially given the scale of the conservation challenges facing NARWs.

We note the significant paper on this topic by Dr. Barb Taylor and coauthors, “*Incorporating Uncertainty into Management Models for Marine Mammals*,” published in *Conservation Biology* in 2000 (Taylor et al. 2000). As Taylor et al. (2000) discuss in their paper, “The history of marine mammal management clearly demonstrates the need to incorporate uncertainty into management models” (p.1250); and “The simulations clearly show that accounting for uncertainty by using a lower percentile is precautionary, whereas the typical practice of the best estimate is not” (p.1248)—in this quote, the “best estimate” is generally considered the mean.

For example, the matrix modeling in Linden (2021) uses the mean estimates of posterior distributions of survival from the re-run mark-recapture model of Pace et al. 2017 as matrix model inputs. A more appropriate approach for conservation, following the findings of Taylor et al. (2000), would be to use the 80th percentile of these posterior distributions to account for the substantial uncertainty in them. To be clear, this is not a criticism of the model used, but of how the model is applied *for conservation* to inform a Section 7 decision under the Endangered Species Act. We note parenthetically that better allowing for uncertainty was raised as a concern by Dr. New in her CIE review² [of the Linden 2021 paper](#).

Likewise, the data used for the Decision Support Tool (DST, see, e.g., page 220 of the Draft BiOp) includes substantial uncertainties in both the models of whales’ distribution and the data on fisheries. The DST should be re-run using appropriate percentiles rather than means or medians to estimate overlap of fisheries and the whales’ distributions.

Recommendation 3: We recommend that the redrafted BiOp re-run the analyses using appropriate uncertainty parameters and that the conservation implications of the revised models be reassessed in the revised Section 7 assessment.

Cryptic mortality and its implications

A recent 2021 paper by Dr. Richard Pace and coauthors [disclosure: Aquarium employees are authors of this paper] estimates the unobserved (“cryptic”) mortality of NARWs (Pace et al. 2021). In this paper, the authors show that for the period 2010-2017 (which is most relevant to the Draft BiOp), the probability of detecting a whale carcass was 29% (with two standard errors of 2.8%). In addition, during the 2019 North Atlantic Right Whale Consortium meeting, Dr. Pace gave a talk entitled, “*Estimating latent mortality of North Atlantic right whales*” that summarized the earlier stages of this analysis. Because the manuscript was submitted on July 2, 2020, we presume that it was reviewed and cleared by NOAA’s NEFSC prior to submission based on Dr. Pace’s affiliation with NEFSC. As these scientific results were available to

² https://www.st.nmfs.noaa.gov/Assets/Quality-Assurance/documents/peer-review-reports/2020/2020_05%20New%20NARW%20Pop%20Model%20Review%20Report.pdf

NOAA prior to publication of the paper, they should have been considered in the Draft BiOp. To ensure that the final BiOp findings are based on the best-available science, we contend that the results presented in Pace et al. 2021 should now be considered in the forthcoming redrafted BiOp.

Important inferences drawn from the work published in Pace et al. 2021 are summarized in the discussion including (1) “There is a striking mismatch between the causes of serious injuries observed in living whales and the causes of mortality revealed in necropsies of dead whales;” and (2) “...the disparity in observed rates of serious injury by cause suggests that cryptic deaths due to entanglements significantly outnumbers cryptic deaths from vessel collisions or other causes.” The relevance of the analyses presented in section 7.2.1.3 (e.g., Table 56) needs to be revisited in the redraft of the BiOp.

We are gratified to see the Draft BiOp’s authors state “Although the observed entanglement data include non-SI/M events, these observed events are considered a minimum estimate, and the actual entanglement rate is likely higher. To account for this underrepresentation of non-SI/M events in the observed entanglement data, our annual entanglement estimate for this Opinion is based on the scarring analysis presented in Hamilton et al. (2019). We, however, suggest that the apportioning of SI/M proportions on pages 223-225 of the Draft BiOp needs to be reviewed in light of the findings of Pace et al. (2021).

Recommendation 4: We recommend that the redrafted BiOp include this review of apportioning SI/M in light of the findings of Pace et al. (2021).

Timing of conservation actions and their evaluation

The timeline for implementing the Conservation Framework (Table 2 of the Draft BiOp) is insufficient. For example, it is not clear if Phase 1 will even be fully implemented by the start of 2023. Since it has already been at least four years since the 2017 Atlantic Large Whale Take Reduction Team (ALWTRT) meeting during which it was determined that the number of deaths were over jeopardy to initiate Phase 1, we do not reasonably expect that an ALWTRT meeting in 2021 will result in implementation of Phase 2 by 2023.

In addition, the timing allowed to evaluate the efficacy of actions is inappropriately short. Although some evaluations can be based on analysis of scarring rates on individually identified whales, these analyses invariably have a lag of a year or so, as it takes time to obtain and process these data. As Pace et al. (2021) note in their Conclusion, “Annual counts of right whale carcasses do a poor job of indicating the total mortality for that year.” This demonstrates that it is inappropriate to use one or two years of SI/M observations to make a definitive inference on whether a management action (or actions) is (are) reducing deleterious anthropogenic impacts on NARWs.

Recommendation 5: We recommend that the redrafted BiOp include a revised Section 10.3.1 Large Whale Monitoring that addresses the timeline of conservation actions and includes simulation modeling to demonstrate the efficacy of the monitoring program developed.

Reporting SI/M when there is an expectation that SI/M will fall to less than 0.2/year

NOAA Fisheries reports SI/M data on rolling five-year averages, as discussed in Section 10.3.1 of the Draft BiOp. The expectation in the Draft BiOp is that Phase 4 of the Conservation Framework (p.232) will result in an average annual SI/M of 0.11/year. Assuming this optimistic projection is realized, for NOAA staff to calculate SI/M, NOAA will need to revise the timing over which SI/M is calculated. If the

expectation is that there will be one SI/M every nine years, then using rolling five-year averages is, from very basic mathematics, inappropriate. The rolling average will need to be longer. We note parenthetically that this is already a problem for the Gulf of Mexico Whale (*Balaenoptera ricei*)—another very-low abundance species managed by NOAA (also Red Listed as Critically Endangered).

Recommendation 6: We recommend that the redrafted BiOp discuss how NOAA will change its practices for reporting SI/M to account for low annual rates of this measure, should they arise.

Essential physical or biological features

There is a very salient point missing in the Draft BiOp discussion of “essential physical or biological features” of NARW Critical Habitat, Section 4.1.10 (pp. 83-88). Of the four physical states of matter (gas, liquid, solid, and plasma), both liquid and solid forms are relevant in this context. Seawater is a liquid and fishing gear is a solid. By introducing numerous solid objects (i.e. fishing gear) into seawater, it is inevitable that the physical features of NARW Critical Habitat (liquid) are fundamentally altered by those activities.

Recommendation 7: We recommend that the redrafted BiOp recognize that fishing using vertical lines alters the essential physical features of the ocean in areas where gear is introduced.

Climate change

Section 6.2. of the Draft BiOp, which addresses “Species Specific Information on Climate Change Effects,” for whales is weak. It glosses over the fact that NARWs are already impacted by climate change as demonstrated by recent literature cited in the Draft BiOp (e.g. Meyer-Gutbrod et al 2014 and 2017). It also fails to recognize the changes in distribution of other baleen whales from work led by NOAA’s NEFSC scientists (Davis et al. 2020 [disclosure: an Aquarium employee is an author on this paper]). Without argument, the current decline of NARWs is exacerbated by ecosystem changes driven by climate.

The Draft BiOp also lacks discussion of what can be done to ameliorate the impacts of climate change on NARWs despite a substantial body of literature focused on applying resilience-based management to address climate change in marine environments (for an introduction, see Bellwood et al. 2004; Hughes et al. 2005) and examples of using these approaches for on-water management (e.g., Fernandes 2005). There has not, to our knowledge, been any work that embeds managing climate impacts on a whale population explicitly into a resilience framework. We recommend that NOAA consider this approach in the revised BiOp as it offers a way forward for this challenging problem. Notwithstanding this existing body of research, all citations in the final paragraph of Section 6.2 on whales are based on NOAA’s work, much of which is not peer-reviewed, and should be remedied in subsequent versions.

Briefly, we suggest that managing for resilience, rather than managing to avoid extinction, will give greater likelihood that NARWs will avoid extinction in the face of our current climate emergency. For a whale species, managing for resilience would include ensuring that their abundance is sufficiently large to buffer against climate-induced deleterious changes, such as those we have seen in NARWs. Comparative work on other right whales that do have this buffer (Corkeron et al. 2018 [disclosure: Aquarium employees are authors of this paper]) shows that adult female mortality from anthropogenic sources has been the primary cause of NARW’s lack of recovery. Further, at an individual level, NARWs lack the energy buffer that other right whales have to increase calving rates (Christiansen et al. 2020 [disclosure:

an Aquarium employee is an author of this paper]). For example, entanglements can have substantial impacts on individual NARW's energy budgets (van der Hoop et al. 2017 [disclosure: an Aquarium employee is an author of this paper]), and the energy stores of NARWs can be measured reliably with drone-based photogrammetry (Christiansen et al. 2020). Monitoring the relationships between entanglement scarring and energy stores can provide a way to manage for resilience of individuals' energy stores, as one example.

Recommendation 8: We recommend that the redrafted BiOp include a discussion of managing for resilience in the face of climate change and that that consideration is reflected throughout the redrafted document.

Minor issues

We raise a couple of minor points, one of which requires correction, and the other is a suggestion for further research.


First, on page 220 of the Draft BiOp, the statement “However, at this time, there is no further evidence to make the conclusion that sublethal effects from fishing gear entanglement alone causes a decline in large whale health” is incorrect. See van der Hoop’s work on morbidity from entanglement, particularly van der Hoop et al. 2017 where the models demonstrate that entanglement alone is sufficient to cause a decline in reproductive output.

Second, as a suggestion for an area of future research, we note that the mark-recapture model that NOAA is using for NARWs still defines adults as whales over five years of age. This was a reasonable assumption when the model was developed. Now, however, the age at first reproduction of female NARWs is substantially greater than five. This year’s calving cohort included five first-time mothers whose ages are 12, 12, 13, 14, and 19, respectively. The cutoff for adults in NOAA’s model should be revised to take into account recent changes in age at first reproduction.

The Aquarium thanks NOAA for the opportunity to review and comment on the Draft Biological Opinion. As part of the management strategy and conservation plan to recover NARWs, the Aquarium submits our recommendations to improve and strengthen the scientific basis under which NOAA determined a “no jeopardy” finding for this species and respectfully requests that this finding be revisited in light of information shared in this submission.

Our scientists are available to answer any questions or provide additional information.

Sincerely,



Peter Corkeron, Ph.D.
Senior Scientist and Chair
Kraus Marine Mammal Conservation Program
Anderson Cabot Center for Ocean Life
New England Aquarium



Kelly A. Kryc, Ph.D.
Director of Ocean Policy
New England Aquarium

References

- Bellwood, D., Hughes, T., Folke, C. et al. Confronting the coral reef crisis. *Nature* **429**, 827–833 (2004). <https://doi.org/10.1038/nature02691>
- Christiansen F, Dawson SM, Durban JW, Fearnbach H and others 2020. Population comparison of right whale body condition reveals poor state of the North Atlantic right whale. *Mar Ecol Prog Ser* 640:1-16 <https://doi.org/10.3354/meps13299>
- Corkeron P, Hamilton P, Bannister J, Best P, Charlton C, Groch KR, Findlay K, Rowntree V, Vermeulen E, Pace RM. 2018. The recovery of North Atlantic right whales, *Eubalaena glacialis*, has been constrained by human-caused mortality. *Royal Society Open Science*. 5(11). doi:10.1098/rsos.180892
- Davis, GE, Baumgartner, MF, Corkeron, PJ, et al. 2020. Exploring movement patterns and changing distributions of baleen whales in the western North Atlantic using a decade of passive acoustic data. *Glob Change Biol*. 26: 4812–4840. <https://doi.org/10.1111/gcb.15191>
- Fernandes, L., Day, J., Lewis, et al. (2005), Establishing Representative No-Take Areas in the Great Barrier Reef: Large-Scale Implementation of Theory on Marine Protected Areas. *Conservation Biology*, 19: 1733-1744. <https://doi.org/10.1111/j.1523-1739.2005.00302.x>
- Hughes, TP., Bellwood, DR., Folke, C et al 2005. New paradigms for supporting the resilience of marine ecosystems. *Trends in Ecology & Evolution*. 20: 380-386. doi: 10.1016/j.tree.2005.03.022
- Linden, D. W. 2021. Population projections of North Atlantic right whales under varying human-caused mortality risk and future uncertainty. National Marine Fisheries Service, Greater Atlantic Region, Gloucester, MA.
- Meyer-Gutbrod, E. L. and C. H. Green. 2014. Climate-associated regime shifts drive decadal-scale variability in recovery of North Atlantic right whale population. *Oceanography* 27(3): 148-153.
- Meyer-Gutbrod, E. L. and C. H. Greene. 2017. Uncertain recovery of the North Atlantic right whale in a changing ocean. *Global Change Biology* 24(1): 455-464.
- Meyer-Gutbrod, E. L., C. H. Greene, and K. T. A. Davis. 2018. Marine species range shifts necessitate advanced policy planning: The case of the North Atlantic right whale. *Oceanography* 31(2): 19-23.
- Pace, RM III, Corkeron, P and Kraus, SD. 2017. State space mark recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecology and Evolution*. <https://doi.org/10.1002/ece3.3406>
- Pace, RM, Williams, R, Kraus, SD, Knowlton, AR, Pettis, HM. Cryptic mortality of North Atlantic right whales. *Conservation Science and Practice*. 2021;e346. <https://doi.org/10.1111/csp2.346>
- Taylor, B.L., Wade, P.R., De Master, D.P. and Barlow, J. (2000), Incorporating Uncertainty into Management Models for Marine Mammals. *Conservation Biology*, 14: 1243-1252. <https://doi.org/10.1046/j.1523-1739.2000.99409.x>

van der Hoop J, Corkeron P and Moore M. 2017 Entanglement is a costly life history stage in large whales. *Ecology & Evolution* 7:92–106. doi: [10.1002/ece3.2615](https://doi.org/10.1002/ece3.2615)

20 January 2021

Colleen,

Please find below my comments on the proposed ALWTRP. They will be brief and as focused as I can make them.

When the ALWTRT met in Providence in 2019, we were tasked by senior NMFS management with reaching 80% reduction in risk to NARW mortalities as that would be the only way to stem the dramatic losses to this population/species. In the following 20 months, the status of the population has only declined to the extremely grim reality we face today. Despite this reality, the plan proposed in 2019 has been watered down, at a time that the population has reached the level it was when the ALWTRT was first opened twenty years ago. Simply stated, the ALWTRP needs to do more. My comments on portions on the plan are as follows.

It is unclear how modifications in LMA3 gear will significantly reduce risk. One line will remain as currently fished and one line will be “weakened” in some way, at some point along its length. It appears LMA3 fishers were asked how they could best implement the weak line- why was that not finalized prior to the release of ‘the plan’? Additionally, there is a vague ask of fishers operating in LMA3 if they can parse out the number of pots hauled by vessels so that, maybe, larger boats could haul trawls with more traps allowing smaller boats to fish the same trawls as they do now. That extremely weak solution, on an agreement among boats, does not seem possible to score for risk reduction. If asked, I couldn’t tell anyone how the riskiest gear being fished will be specifically modified under this plan!

We must remove all weak links that have been, or will be proposed, to allow buoys to part from vertical lines during entanglement. The buoys are the only guaranteed means of identifying the gear type and where it was fished, and could also work as a toggle producing drag to pull gear free from the whale. The buoys are more visible to survey teams and can facilitate disentanglement by teams more easily monitoring a whale. There are certainly entanglement scenarios where the buoy could increase line wrapping on an appendage but if all effort is made to part off the trawl with weak links the buoy remaining on could work to pull line free before it tightens around the rostrum or flippers.

Weak line has become the focus of much risk reduction. The work in our Lab has shown that whales do have upper limits to the force they produce while swimming, so completely agree with this risk reduction strategy. There appear to be several weak sleeves and/or other proposed modifications put in gear to weaken it. But the initial goal was to prompt line manufacturers to provide line that would achieve that reduction. During the plan roll out call there was a comment made by (I think) a MA fisher that the weak line they had purchased was not being recognized as meeting the goals of the plan. Moving to the actual line being weak along the entire length must be the goal of the plan. Inserting a weak sleeve, etc. along the line

does not provide full risk reduction. If weak line has already been manufactured it has to be acceptable to the plan.

A large component of the plan is the implementation of restricted areas. Opening these areas appears to be dependent on NARW sightings for the trigger. Tying any plan component to the distribution of NARWs conflicts with the development of coastwide management. If there were structured restrictions and even closures that were in place and could be implemented in near-real time after agreed upon triggers, I feel these management strategies would achieve required take reductions. As it is stated in the current plan, action is based on unaccountable decisions from GARFO management.

Now a note about process. It is unacceptable to the concept of a Take Reduction *TEAM* that a single entity represented on the team can act outside of the team meeting to stop the process. Being represented on the team, then acting outside of the team to alter the plan in their best interests, **MUST STOP!** Many are at risk of losing interest in being involved in any TRT if the real plan is developed outside of team input.

I understand the complexities of producing a plan (and this one is not even in the water) but the final results are far different from the meeting in Providence and, more importantly, I don't see how they will reach the ever increasing need for serious injury and mortality reductions in this population.

I do appreciate all the effort you personally have expended to get us to this point!

Best

William McLellan

NC State Stranding Coordinator

Master Necropsy Team Leader

ALWTRT Member

University of North Carolina Wilmington

Docket No. 201221-0351

Proposed Rule: Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; Atlantic Coastal Fisheries Cooperative Management Act Provisions; American Lobster Fishery

To: Mr. Ben Friedman (Deputy Under Secretary for Operations, performing the duties of Under Secretary of Commerce for Oceans and Atmosphere and NOAA Administrator)

Cc: NOAA Fisheries - Paul Doremus (Acting Assistant Administrator for Fisheries), Sam Rauch (Deputy Assistant Administrator for Regulatory Programs), Cisco Werner (Director of Scientific Programs and Chief Science Advisor), Donna Wieting (Director of NOAA Fisheries Office of Protected Resources), Evan Howell (Director of NOAA Fisheries' Office of Science and Technology), Karen Hyun (NOAA Chief of Staff), and Colleen Coogan (Marine Mammal and Sea Turtle Branch Chief, Greater Atlantic Regional Fisheries Office)

February 25, 2021

Dear Mr. Friedman:

We represent a group of scientists with extensive expertise in the biology of large whales, oceanography, and fisheries. We are writing to express our serious concerns about the proposed rule titled *Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan Regulations; Atlantic Coastal Fisheries Cooperative Management Act Provisions; American Lobster Fishery* put forward by NOAA Fisheries to reduce entanglement risk to North Atlantic right whales (NARW) caused by Northeast crab and lobster trap/pot fisheries (<https://www.govinfo.gov/content/pkg/FR-2020-12-31/pdf/2020-28775.pdf>). Whales continue to be impacted by entanglement and NARWs are known to be dying at an increasing and unsustainable rate. Just since October 2020 there have been three NARW observed in U.S. waters with serious entanglements - none could be disentangled, and all are likely to die. The proposed rule represents a dramatic weakening of the recommendations made by the Atlantic Large Whale Take Reduction Team (ALWTRT) in April 2019 as a path towards achieving reduction in entanglement risk.

This weakening of the proposed take reduction strategy runs counter to all scientific analysis, particularly in light of the well documented and ongoing reduction in the population size of this critically endangered species (<https://www.narwc.org/report-cards.html>). Furthermore, entanglement mortality continues at unsustainable levels and much of it goes undetected. For every right whale carcass observed, almost three more deaths go undocumented

(<https://conbio.onlinelibrary.wiley.com/doi/full/10.1111/csp2.346>). Finally, NOAA's report on the increasing frequency of serious injuries from entanglements (<https://repository.library.noaa.gov/view/noaa/21249>) demonstrates that the problem is getting worse, not better. If the current rate of population decline does not change (approximately 20 whales per year over the last 5 years), the North Atlantic right whale will be functionally extinct in less than two decades. In light of this scientific information, we strongly urge NOAA leadership to revisit and considerably strengthen the proposed rule.

We specifically suggest the following:

1) The 60% target of reduced risk outlined in the proposed rule should be increased to 80%

Rapid and effective management action is critical to turn the trajectory of this species around. We recommend increasing the risk reduction in the U.S. lobster and crab fishery to 80%, applying additional measures in other U.S. fixed gear fisheries, and working closely with the Canadian government to implement similar risk reduction goals in their fisheries. These actions will provide the best chance of achieving the risk reduction targets mandated by the Endangered Species Act and the Marine Mammal Protection Act (MMPA). The recent Biological Opinion (<https://www.fisheries.noaa.gov/bulletin/draft-biological-opinion-10-fishery-management-plans-released>) estimates the current proposed rule will not reduce U.S. entanglements below the Potential Biological Removal level of 0.8 individuals annually as mandated by the MMPA. Only rapid and sustained actions such as those described herein can change the trajectory of the NARW population.

2) Endline reductions, closures, and 1700 lb ropes should be considered as interim measures as ropeless gear becomes a more viable option

The concerns about ropes and entanglements of large whales is a long standing problem. As Johnson et al. stated in 2005, "...any line rising into the water column poses a significant entanglement risk" (<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1748-7692.2005.tb01256.x>). In recent years, a tremendous amount of effort by engineers, fishers, and scientists has led to promising options to address this threat with gear technology. We ask NOAA leadership to acknowledge that ropeless gear may nearly eliminate the risk of large whale entanglements and support an economically viable fishing industry. Government investment to accelerate the development and evaluation of ropeless fishing is urgently needed, which should include plans for experimental fisheries in closed areas by January 2022. Support for these investments must consider the use of subsidies to help shift all members of the industry affected by closures to this option by January 2024. These goals should be endorsed by NOAA Fisheries

to signal the agency's support of ropeless fishing and to encourage investment and development by commercial manufacturers. Ropeless retrieval systems are functional today, but a universal solution to monitor a fishery without buoys marking endlines and address gear conflict issues does not yet exist and must be developed with the support of NOAA Fisheries quickly. *These investments will benefit fishermen and whales, and should be a top priority.* In the meantime, scaled-up efforts to reduce the total number of endlines, to implement closures and to use 1700 lb ropes/weak insertions should be considered the best interim options for reducing risk and impact.

3) Where vertical lines continue to be necessary, endline strength should be reduced to 1700 lbs throughout the entire length, not just the upper portion

Rope strength plays a critical role in entanglement risk and injury severity (see <https://conbio.onlinelibrary.wiley.com/doi/10.1111/cobi.12590>), and the ALWTRT came to near consensus in April 2019 in requesting that vertical lines with a breaking strength of 1700 lb, either entirely or with weak links inserted every 40 feet, be used throughout the lobster and crab industry to reduce risk. This recommendation has been weakened in the proposed rule such that weak rope/weak insertions are now only being proposed for the top half or top third of an endline with only one to two weak insertions required independent of endline length. The original ALWTRT agreement as it pertains to weakened vertical lines, which would require use of 1,700 lb rope or sleeves through the entire endline length, should be reinstated and applied throughout lobster and crab fisheries as a part of this rulemaking and expanded to other fixed gear fisheries in the near future.

4) A mechanism should be developed to allow vertical line closures to expeditiously be extended spatially or temporally based on scientific observations that include computer modeling

Fisheries closures that eliminate vertical lines in the water column are the most effective tool for mitigating risk of entanglements of right whales where the two overlap in space and time. Right whales have shifted their distribution dramatically in the past 10 years and their movements have become more difficult to predict as a result of climate change. As new aggregation areas are identified from direct observations, acoustic detections, and/or modelling, it is important to have a rapid regulatory response method to change, expand, or extend closures as needed and allow ropeless fishing in these closed areas. A network of closures should occur throughout the species range, and protect a sufficiently large enough area to help recover the population.

As academic members of the Atlantic Large Whale Take Reduction Team and scientists who study large whales, oceanography, and fisheries issues, we recognize the tremendous challenge facing NOAA Fisheries to prevent the extinction of the NARW while minimizing the economic impact upon fisheries. We believe that, for the fishing industry and NARWs to coexist, the transition to fully weak rope and ropeless gear requires immediate government support to help fishers procure new gear. No further delays or concessions that undermine the ability of proposed measures to prevent NARWs from going extinct should be allowed in implementing strong, effective and enforceable rules. If an 80% reduction in risk cannot be accomplished in this rulemaking effort, NOAA Fisheries should request the Atlantic Large Whale Take Reduction team to immediately consider additional measures for these fisheries during 2021 discussions.

Thank you for considering our request. We will each be providing more detailed comments to the proposed rule.

Sincerely,

Amy Knowlton

Senior Scientist

Kraus Marine Mammal Conservation Program

Anderson Cabot Center for Ocean Life

New England Aquarium

Central Wharf

Boston, MA 02110

Member, Atlantic Large Whale Take Reduction Team

Member, Southeast Implementation Team for Right Whale Recovery

Board Member, North Atlantic Right Whale Consortium

Mark Baumgartner, PhD

Senior Scientist

Biology Department

Woods Hole Oceanographic Institution

266 Woods Hole Road

Woods Hole, MA 02543

Past chair, North Atlantic Right Whale Consortium

Vice-chair, Ropeless Consortium

Board Member, North Atlantic Right Whale Consortium

Member, Northeast Implementation Team for Right Whale Recovery

Moira Brown, PhD
Emeritus Scientist
Kraus Marine Mammal Conservation Program
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Vice Chair and Past Chair, North Atlantic Right Whale Consortium

Chris Clark, PhD
Senior Scientist
Cornell Lab of Ornithology
159 Sapsucker Woods Road
Ithaca, NY 14850

Peter Corkeron, PhD
Senior Scientist and Chair, Kraus Marine Mammal Conservation Program
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Board Member, North Atlantic Right Whale Consortium

Alexander M. Costidis, PhD
Stranding Response Coordinator/Senior Curator
Virginia Aquarium & Marine Science Center
717 General Booth Blvd.
Virginia Beach, Virginia 23451, USA
Member, Atlantic Large Whale Take Reduction Team
Member, Bottlenose Dolphin Take Reduction Team
Member of Working Group for Marine Mammal Unusual Mortality Events
NOAA Right whale Necropsy Team Leader

Philip Hamilton
Research Scientist
Kraus Marine Mammal Conservation Program
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Board Member, North Atlantic Right Whale Consortium

Steven Katona, PhD
Emeritus
College of the Atlantic
105 Eden St.
Bar Harbor, ME 04609

Robert D. Kenney, PhD
Emeritus Marine Research Scientist & Adjunct Professor in Residence
University of Rhode Island
Graduate School of Oceanography
Narragansett Bay Campus Box 40
215 South Ferry Road
Narragansett, RI 02882-1197, U.S.A.
Member, Atlantic Large Whale Take Reduction Team

Scott Kraus, PhD
Emeritus Senior Scientist
Kraus Marine Mammal Conservation Program
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Past Member, Atlantic Large Whale Take Reduction Team
Chair, North Atlantic Right Whale Consortium

Scott Landry
Marine Animal Entanglement Response
Center for Coastal Studies
5 Holway Ave.
Provincetown, MA 02657
Member, Atlantic Large Whale Take Reduction Team
Board Member, North Atlantic Right Whale Consortium

Charles “Stormy” Mayo, PhD
Senior Scientist
Director, Right Whale Ecology Program
Center for Coastal Studies
5 Holway Ave.
Provincetown, MA 02657
Member, Atlantic Large Whale Take Reduction Team

William McLellan

University of North Carolina Wilmington

601 South College Road

Wilmington, NC 28403

Member, Atlantic Large Whale Take Reduction Team

Member, Pelagic Longline Take Reduction Team

Member, Bottlenose Dolphin Take Reduction Team

Member, Harbor Porpoise Take Reduction Team

Member, Northeast Implementation Team for Right Whale Recovery

Member, Southeast Implementation Team for Right Whale Recovery

Member, NARW Unusual Mortality Event Investigative Team

Master Necropsy Team Leader

North Carolina State Stranding Coordinator

Past Board Member, North Atlantic Right Whale Consortium

Emeritus Member, Working Group on Marine Mammal Unusual Mortality Events

Michael Moore, Vet MB, PhD

Senior Scientist, Biology Department,

Director, Marine Mammal Center

Woods Hole Oceanographic Institution, Woods Hole, MA 02543

Board Member, North Atlantic Right Whale Consortium

Emeritus Member, Past Chair, Working Group on Marine Mammal Unusual Mortality Events

Necropsy Team Leader

Doug Nowacek, PhD

Nicholas School of the Environment

Duke University

135 Duke Marine Lab Rd

Beaufort, NC 28516

Heather Pettis

Associate Scientist

Kraus Marine Mammal Conservation Program

Anderson Cabot Center for Ocean Life

New England Aquarium

Central Wharf

Boston, MA 02110

Executive Administrator, North Atlantic Right Whale Consortium

Alternate Member, Atlantic Large Whale Take Reduction Team

Andrew Read, PhD
Stephen A. Toth Professor of Marine Biology
Director, Duke University Marine Laboratory
Chair, Division of Marine Science and Conservation
Nicholas School of the Environment
Duke University
135 Duke Marine Lab Rd
Beaufort, NC 28516
Member, Bottlenose Dolphin Take Reduction Team
Member, False Killer Whale Take Reduction Team
Alternate Member, Pelagic Longline Take Reduction Team
Past Member, Harbor Porpoise Take Reduction Team
Member and Past Chair, Atlantic Scientific Review Group

Nicholas Record, PhD
Senior Research Scientist
Bigelow Laboratory for Ocean Sciences
Director, Sea Change Semester Program
60 Bigelow Drive
East Boothbay, ME 04544
Member, Atlantic Large Whale Take Reduction Team

Jooke Robbins, PhD
Senior Scientist
Center for Coastal Studies
5 Holway Ave.
Provincetown, MA 02657
Past Member and Alternate, Atlantic Large Whale Take Reduction Team

Rosalind Rolland, PhD
Emeritus Senior Scientist
Anderson Cabot Center for Ocean Life
New England Aquarium
Central Wharf
Boston, MA 02110
Past Board Member, North Atlantic Right Whale Consortium

Brian Sharp
Director, Marine Mammal Rescue and Research
International Fund for Animal Welfare
290 Summer St.
Yarmouth Port, MA 02675
Member, Atlantic Large Whale Take Reduction Team

Sarah Sharp, DVM
Marine Mammal Rescue and Research Program
International Fund for Animal Welfare
290 Summer St.
Yarmouth Port, MA 02675

Rob Schick, PhD
Marine Geospatial Ecology Lab
Nicholas School of the Environment
Duke University
Durham, NC 27708

Sean K. Todd, PhD
Steve K. Katona Chair in Marine Science
Director, Allied Whale
College of the Atlantic
105 Eden Street,
Bar Harbor, ME, 04609 US

Tim Werner, PhD
Senior Associate, OAI Consulting
Research Fellow, School for the Environment
UMASS-Boston
McCormack 2nd floor 615
UMass Boston 100 Morrissey Blvd.
Boston, MA 02125
Member, Pelagic Longline Take Reduction Team
Alternate Member, Atlantic Large Whale Take Reduction Team

Appendix 7.3

Transcripts from Public Information Sessions and Public Hearings

In January 2021, we held four public information sessions and in February 2021, we held four public hearings, all virtual due to the global pandemic. The sessions were organized by region, though everyone was welcome to attend any session. Although the purpose of the January meetings was to provide information and answer questions, we accepted oral comments on the proposed rule and the Draft Environmental Impact Statement (DEIS) at all eight meetings. See Tables 1.5 and 1.6 for a breakdown of participants that attended the information sessions and public hearings.

Information Sessions

1. Rhode Island, Southern Massachusetts and LMA3, Tuesday, January 12, 2021, 6:30-8:30 pm
2. Massachusetts (Outer Cape and LMA1) and New Hampshire (LMA1), Wednesday, January 13, 2021, 6:30-8:30 pm
3. Southern Maine, Tuesday, January 19, 2021, 6:30-8:30 pm
4. Northern Maine, Wednesday, January 20, 2021, 6:30-8:30 pm

Public Hearings

1. Rhode Island, Southern Massachusetts and LMA3, Tuesday, February 16, 2021, 6:30-8:30 pm
2. Massachusetts (Outer Cape and LMA1) and New Hampshire (LMA1), Wednesday, February 17, 2021, 6:30-8:30 pm
3. Southern Maine, Tuesday, February 23, 2021, 6:30-8:30 pm
4. Northern Maine, Wednesday, February 24, 2021, 6:30-8:30 pm

A total of 211 people provided comments through these informational sessions and public hearings. Of these, at least 58 identified themselves as fishermen on the calls. About 77 commenters voiced support for this rule or strengthening this rule, while 44 generally opposed the rule or questioned the need for a rule. Many people had questions or wanted clarification on particular parts of the rule, but did not specifically voice either support or opposition.

Information Session 1

Rhode Island, Southern Massachusetts and LMA3, Tuesday, January 12, 2021, 6:30-8:30 pm

Can you jump back to that slide and go through that for us? Oh, well, Kara will have to jump back to the slides.

Yeah, can you, Can you say which slide one more time for me?

The Trawl-up slide for preferred alternatives. So in LMA 2 between 3 and 12 nautical miles, It was 15 traps per trawl, I believe. And beyond 12 nautical miles, it's 25 traps per trawl. Yeah.

OK, you say that one more time for me?

So in LMA 2, between 3 and 12 nautical miles, it will be requiring 15 traps per trawl and beyond 12 nautical miles, 25 traps per trawl.

OK, thank you.

That was slide 20, for people who are following in the slide deck.

OK, Brian. I'm coming back to you. Let's try this again. You are unmuted, You'll have to unmute yourself.

OK, can we hear me now?

Yes.

Hey, Hello, everyone. Just the LMA2 question, also a conservation equivalency question. If we were able to get a proven 1700lb breaking strength for the top 75% of our vertical lines, joined with, uh, a knot at the 25% mark from the bottom, which would also weaken it, could that be considered a conservation equivalency to perhaps two installed weak links or breakaway insertions?

That is definitely a conservation equivalency to the weak insertions, because that's full, Weak rope what we consider to be full, weak rope. Scott has suggested that it gets equal, or greater risk reduction, if all of the LMA 2 boats did that then, then the trawling up suggestions that are in place right now, it's difficult for us to determine how much risk reduction we get if just the Rhode Island boats do that. I'm not sure if you're fishing from Rhode Island, but that's a proposal we've heard from Rhode Island. But that is something that we would look into trying to figure out how to analyze that, and consider that as an alternative. As a conservation equivalency alternative

OK, Yeah, now you, you stated that, that might actually give a greater conservation equivalency. so, ah, certainly not looking for more than the 1700, but maybe the percentage of the vertical line, you know, through it through a model, if it could be adjusted, where maybe it was, you know, 60%, instead of 75%, if that met the conservation equivalency barrier. Just, you know, I

know we have to find the exact rope that that is. And I know it's not a designated line diameter, but, you know, before the public comment period, even, we need to kind of diagnose what that might be for an option. For the industry, you know, in the in perhaps the 12 Mile and in industry of LMA 2. And I am fishing out of Rhode Island, so, I am speaking on behalf of them.

So, out of Rhode Island right now, what's proposed is a 15 trap trawl out to 12 miles?

Correct.

And that, that's not what you're fishing now?

And, but, I thought that also included two weak link insertions.

Yeah, as well as two weak insertions.

While also trawling up.

That's right.

Yeah, OK, All right. Yeah.

I just was looking at, you know, some of the discussions we've had through industry, um, and in some of the small boat size, obviously a 15 trap trawl, you know, as you've heard through, you know, from industry and through your meetings, 15 traps might be larger then, then a boat could handle. I've talked to several of them today, you know, they say, Obviously they'll do it, it needs to be done if it needs to be done, but wondering what risk reduction would get us to a 12 trap trawl and what another preferred possible alternative could be to allow them to maybe trawl up to just 12 traps. And just for the future, I know nobody's poised to answer that question right now, but if that could be a model run that gets done in the future.

Well, I'll tell you are well represented by a Scott O and also by the TRT members, including Peter, who's now an alternate. And I'm sure they're going to make us run those for you in the near future. So, we will work on that with them.

Yup, OK, yup, I, I have spoken with both of them also today. And was just bringing up, but it's a question at this point for the group. Just, you know, just so it didn't come from out of nowhere, wasn't a rug pulled out from under anybody's feet. So, I just wanted to have the potential of that proposal on the table. While we're formulating, you know, I've been involved in lots of processes. And, and, and once the modeling has done, a lot of times, there's no longer any input. We're just trying to adjust it. So, while we're still somewhat early, wanted to just get that on the table, please.

And, you know, it's difficult because I think in our in our data there aren't very many vessels, fishing are fewer than 12 trap trawls already. So, there wouldn't be much. There'll be no credit for the 12 trap trawl component of that. And all of the risk reduction would have to come from or

very little I should say I shouldn't say none. Maybe, maybe not enough to be calculated, actually, if it's only a couple of boats, Out of all the boats fishing there,

OK.

It will be tricky but will work with Scott and, and actually the analysts in Rhode Island also have a good understanding of your fishery, so we'll work with them to see.

Yeah, no, that's appreciated. I mean, I, I discussed it with 3, 3 individual people today that do that, so. So, the number zero is, is not, is not a number, you know, there is some percentage of it, and, you know, if the equivalency doesn't get met, I completely understand, I just, you know, as representing them a little bit, I wanted to make sure that they know their voice was heard to some extent, obviously, from a greater safety point. So. Yeah, I think, I think that was my main question, actually. What were those two things, the content, and, you know, how to achieve some potential different conservation equivalency. So, I appreciate your time. Hopefully, there'll be a few more questions from the gallery and informational session and people should not be shy to ask questions if they have them. So, thank you.

Thanks for your example, Brian.

Yep, and we have one Mark, I'm coming to you. You are unmuted, you can just unmute yourself and ask a question.

I had, uh, I think it's pertinent. Do the wind farm constructions continue in this proposed south of Martha's Vineyard closed area when we can't have access to it? Do they still continue to do their construction during this closure?

Um, Mark, that's a good question and I know I can contact you so I can get you information on what their plans are. I have not been involved in the wind farm Construction, Endangered Species Act consultations. What we do through our rulemaking, you know, under the Marine Mammal Protection Act, it's specific to commercial fishing. So our rulemaking, my team, does not affect what goes on in that area. Um, so I don't know what the construction restrictions are, what the seasonal component of that is or even what the status of that project is. But I work near people who do that so I can get that information for you and I'll see if I can get that before even our further are next public meeting tomorrow night.

OK, Thank you. I didn't know if this was within the realm, but thanks Colleen.

Yeah. It's outside of the scope of the Take Reduction Team, which is really specific to the US. Commercial fisheries,

OK.

There's a lot of recovery actions and other actions going on outside of the scope of this rule. That's one of them. Thanks, Mark.

Yes.

OK, Gary, I'm coming to you next. You are unmuted, you can ask your question.

Oh, yeah, you got me?

Yes we can hear you.

Ok, Yeah. I kind of agree with Brian, I fish out of Saconnet Point, Little Compton, Rhode Island Waters Lobster Management Area 2. I'm kind of getting long in the tooth. I've got a 40 footer I fish by myself and I don't lobster anymore, just Black sea bass, I use 10 trap trawls. There's another gentleman, Westport, I believe, he fishes 10 trap trawls also. That's what's safe for me to fish on my boat. So if there is a equivalency concern I think, that it should be brought in, because I start two miles off the beach in May, and by December, I'm 15 miles off the beach. So me, it would be a hardship, to keep adding onto that trawl all the time, so it would be an unsafe situation and 10 traps is what I fish without any safety concerns. So, I just wanted to make that comment.

OK, I will let you know that right now, these rules affect only Lobster and Jonah crab fishermen, but you know. It's smart to be paying attention now, because starting this Spring, we're going to be looking at all the other, um, at all the all the other regions down to Florida and all the other fisheries, Gill net and trap pots. So that's good to know and we'll know be talking about that soon with the Take reduction team. Also, if you're fishing out to 15 miles, that means as currently proposed that would include a 25 trap trawl area, which would sounds like it would be very burdensome for your vessel.

Yeah, That would be, uh, definitely unsafe, like I say, I fish by myself and I fish because I enjoy to fish. The only thing else I want to say is the Coast Guard sometimes gets a little anxious when they come aboard. And you try to tell them that it's a sea bass pot not a lobster pot. It doesn't seem to matter to them. It's a pot to them. A pot to some people is a pot, whether it's a sea bass pot or a lobster pot. And when you try to tell them, no, there's a sea bass pot and then maybe And they do catch lobsters, there is no doubt about it. So if it comes up and they're on board while you're hauling the gear and it's got a lobster in it, they're going to consider that a lobster pot. So I have that concern also.

All right. And from the, from the point of a whale, it doesn't matter what the pot is, it's the buoy line, and the configurations, that, that impact. So, um, so ultimately, we will be, including all those other fisheries in these rules as well within the next year or so. We'll be proposing new measures and they, and we would want them to be consistent. So Yep smart for you to kind of get in on these measures, because this would be your future too.

Thank you very much, I appreciate that.

Thank you for the comments.

Colleen, we have no more questions, but we have a comment from Russell, Russell, I'm coming to unmute you.

Do you want to jump to the comments slide? A couple of these questions have been more like comments, and we are recording all this, so. So, you know, we're documenting this, oh, it's very similar. Just put, comment in the, in the comment field, in the question field if you want to comment. And I'm sorry, Russell, your comment.

I was just following up with what they're both saying. He was saying he was representing three people he had spoken with today and I would be a fourth running 10 pot trawls in that same area.

OK, great. And are you targeting primarily black sea bass currently?

No lobster, crab.

Lobster, OK. And you fish out to 10 miles?

Yes.

OK, thanks. Yes. So unless we see a lot of questions put into the queue, we can, anyone who's interested in providing a public comment can comment at this time by putting "comment" into the question box.

Yeah. OK. Thomas, you are unmuted, and you may make your comment. I can see that you're unmuted, but we can't hear you.

That may appear.

Yeah, I could just hear you, Thomas. Oh, I'm so sorry wrong Thomas, everyone. Other Thomas', you just need to unmute yourself and make your comment. My apologies.

Hey, everybody, can you hear me? Very Good. Sorry about that. So this is just a comment. I just want to thank you all for inspiring people like myself, a marine science student, and your hard work and love of these whales is really inspiring, and it's been great just to sit in here and the recent Right Whale consortium. And just hear everybody talk about their passion for conservation and these Whales. So thank you.

Thanks for that comment. Any other comments tonight?

Not at this time. Do we have anyone else who would like to make a public comment? Or who has just thought about another question? OK, Brian, I'm coming back to you, Brian, has a question. Brian, you can unmute yourself and ask your question.

Hello, again. Hello, hello.

Coming across loud and clear, Brian.

OK, very good, thank you. I just actually, I wanted to, going to be more of an answer for Mark that had requested before. The COPs, the cops for all the wind farm vessels are allowing construction year round for all the wind farm fields. So there is year round construction going, they are all vessels are supposed to have during the migration, migration times are supposed to have biologists on the vessel's to do correct spotting, um, of migrating right whales and they are supposed to stop construction for as long as the vessels are in as long as the whales, sorry, as long as the whales are in view of the vessels. Um, it's, it's, you know, being involved both in whales, and wind farms it's, it's a pretty lousy hand for the fishermen to have to face year round, Year round: crisis and decisions that we're going to have to make, while these Wind Farm companies do have a hall pass, so when the opportunity does arrive, having the take reduction team hold them to that standard. At the very least, what I would ask you, you know, that they would hold them to the standard of having the proper observers on the boat and following the protocols that are set forth in their construction operation plan. That was about it. So, I guess that's more of a comment than a question.

It's a good comment. And we will take that to the folks we work with that are responsible for helping promote those measures with the wind farm, evaluate the wind farm, and identify those measures. So we'll make sure they're accountable and will pass on as we have in the past that the fishermen fishing in that area want to make sure there's equitable requirements.

Colleen at this time, there are no questions or comments left in the queue.

OK, so we'll go ahead and consider that a wrap of our first remote meeting. I really appreciate those of you that attended today, and, again, this was our first run. So, oh, you're sort of our guinea pigs, are not intentionally did put a lot of prep and really appreciate all the NOAA staff who are on helping maintain the queues and keep the call going, Marisa and Chao for helping present and Kara for helping us navigate GoTo Webinar generally. And, you know, get us through the queue as well. And thanks, Joanne Lorello for helping out with technical support. Thank you everybody and goodnight, and maybe see some of you on future meetings. Thanks.

Colleen I will leave the line open for just a couple more minutes in case anyone is. Furiously writing all of the information on the last slide.

Information Session 2

Massachusetts (Outer Cape and LMA1) and New Hampshire (LMA1), Wednesday, January 13, 2021, 6:30-8:30 pm

So as Colleen mentioned, go ahead and type a question in the questions box. It's helpful for us to sort of lump the questions together by like-topics. If you know your topic or know your slide number, put that in there now.

First up, we have Gib Brogan. I am unmuting you, you may unmute yourself and ask your question.

Hi, Gib Brogan with Oceana. I've got a question you may give

you're, you're very faint. We can't hear you.

Sorry. Hold on. Or is that better?

A little bit.

OK, that's good if it's going to get. I'm, I'm afraid I'll speak up.

In the early in your presentation Colleen, you mentioned that the value of PBR is in flux and will be going down based on more updated stock assessments. Last week in the TRT information session, you mentioned that the agency has conducted an analysis that looks at the effect of a lower PBR on the risk reduction target. I'm just wondering, is there any analysis that's available that can support that? And, if not, then I'm just curious on the effect of a change in PBR on the risk reduction target.

So, thanks, Gib. We haven't made that available because there were so many preliminary data points in that normally before we make something public we wait till a lot of the information is peer reviewed. But to describe it to you, um, the what the main thing that happens when in our target, the way we formulate our target, the main thing that happens when the number of whales goes down is the PBR goes down. And, as you might recall, the way we developed our target was by assigning known US takes to the US, an estimated take level as well as 50% of the unknown. You know, we know it was an entanglement. It was seen in US waters, or, what we know is an entanglement. But, we don't know where the entanglement occurred. We didn't get the gear off it, so, we split up, there, was unattributed, serious injury and mortality is 50%, Canadian 50% US. And so we only assigned, you know, we assigned half of those in the US responsibility. So another thing that's happened in the last five years is that there are no over the most recent five years, there are no known US um, injuries and mortalities. Most of the whales that we've seen haven't had gear on them or we retrieve no gear. And so or we couldn't identify the gear. So as a result, the, the estimated take attributed to the US went down as did the potential biological removal level. So in the end, our estimates are similar, 60 to 80%, depending on the assumptions. We are considering whether or not, even though it's very preliminary, whether or not we can make that available and so, you know, keep looking at the TRT web page if we, if we put that, know that those calculations out there, that's where they'll show up.

And PBR is a formula that anyone can calculate themselves. And so you can sort of look at the new, some of the new numbers coming out. You use n_{Min} , zero point zero four and zero point one times a half and you can calculate the PBR level yourself. And that's sort of the fundamental start of the analysis that was done that we showed at the or that was discussed at the meeting last week. OK, do we have any other questions, just type "question" in the chat. OK, excellent. Marin. I'm coming to you. I have unmuted you. Yep.

I want to say thank you, guys, for the presentation. My question was I was looking at the website, and for the latest entanglement reports. You guys noted a male right whale entanglement off the Georgia Florida line, just in the last couple of weeks, January 2021. So I guess my question is, is that this proposed rule is to achieve a 60% reduction in risk to hit the zero point nine PBR. Why are not all other fisheries included in this proposed ruling south of Rhode Island? And it's not uncommon to have these entanglements. In, you know, Georgia, Virginia, Florida. And I also didn't see that in the north-east region. It seems like it's just Lobster and Gill net. But what about some of the other fisheries that are affected by ALWTRT regulations currently?

I'll try answering that one. So earlier when I identified the efforts for the April 2019 meeting, I indicated that we did. We did focus the scope of that meeting on the north-east Lobster and Jonah Crab Fisheries, because that's where 93% of the buoy lines are fished. Where right whales occur. Um, when we do coast wide, multi, many multi fishery rule, it can take even longer to get a proposed final rule that takes a lot longer to develop that. And so because we were in a hurry we wanted to focus and get, you know, the largest number of potential threats covered in the rule at one time. So that's why we focus on north-east lobster and Jonah crab.

We have notified the team and we are starting to make plans for a Spring 2021 meeting to look at all other lobster fisheries further south and all the other trap/pot and gillnet fisheries as well. So we're in the process of preparing materials to have the team start meeting on that. Um, that entanglement that was observed off of Georgia. I believe it was this week. Um, We don't. that, as I mentioned in the slide, showing Dragon, the picture of Dragon. Where we first see an entanglement is probably best correlated with where we have aerial surveys, or good opportunistic effort, like whale watching or other eyes on the water. It's not where the entanglement occurs. Right whales can drag these drag gear for miles and miles and for months and months. So first sighting, uh, often has nothing to do with the, the location of the entanglement. This is not a brand-new entanglement. This is the first sighting of entanglement. The Whale apparently has reportedly has cyamids on it, which suggests that the abrasions are not new, caused by the entanglement

Thank you. I appreciate the response. It's just one of these overall things where you're putting such a big cost and burden on these two fisheries, when it's a shared responsibility. Because just as you say, you know, a lot of these entanglements haven't been identified by gear. Or by area. But yet, these two fisheries and this region is bearing the brunt right now.

So, you know, if you want to submit that as your comments, when the comment period, or during the public comment period, please do, that we do plan to regulate these other fisheries as well.

Yeah. No, I appreciate that. Thank you.

OK, Mike Walsh. I'm coming' to you. You are unmuted, you can unmute yourself and ask your question.

Yes. My question was I thought I might have heard somebody say that these implementations of the contrivances or gear markings would be pushed out a little further due to the length of these discussions and comment periods. You know? I know plan to start fishing hopefully back on May first, But, you know, Will be Will I need to have my gear ready by May first ready to go for this or will likely be pushed out?

Mike? Are you a Massachusetts fisherman?

I am yes. Marshfield, I'm in the closure.

So, do you fish primarily in State waters?

Yes, I do.

So this the State is on a parallel track to implement rules on well, I shouldn't say parallel, there. They're well ahead of us. So, I don't know what those final rules will look like. I think that there was recently an indication that that was going to be pushed back a few more weeks before they finalize those things. I do think probably by, I don't know, there's a delay in implementation, that's something you'll have to ask the state regulators.

Thank you.

OK, Kurt, Coming to you. All right. You are unmuted, you can unmute yourself, and I will head over to Slide 41 for you.

We're going to pass. We've figured it out.

Awesome. Thank you. OK, Mary Branch. You ask your question, and I will head over to slides 27 through 30.

Well, I'm just, I'm just been following this for a while. Can you hear me?

Yes.

Yep, OK. And I always get there. I'm just a regular citizen down in Texas and um just very concerned about the right whales, especially. And I noticed that and the answer is probably obvious. And I'm just trying to process all of this. But I noticed. And on those slides, the preferred and non-preferred, um, methods, and the non-preferred seem to have such a significant reduction in right whale, or all whale takes. And I know it's also a very significant increased cost. But to me, biologically, I mean, these whales are going extinct there. I think they're 1. 1 or 2

whales away from becoming critically endangered, or what you call the red, the red zone, where they may never recover. And less than 400 significantly less than 400 of them in known existence. So why wouldn't And maybe you're doing that in the Proposed Rule, but why wouldn't you at least take some non-preferred methods that have that 80% or 83% reduction in occurrence and mix some of those in with the preferred to achieve a better balance. But I don't know. Maybe you're doing that. I just don't know the entire rules. So that was just my question. And I know there's a cost. But wouldn't it be Great if the fishermen and everybody could agree to maybe the first couple of years trying at a higher cost or maybe a reduced catch just and making these changes. Just to see if it makes a difference. Then you'd have some really good data that Yes. This does make a difference. So, that's my question.

I'm not sure I can answer that to your satisfaction, but you can certainly comment. You know, in public comments that you think that our final rule should include measures from our non-preferred alternative. Um, the, the, the large, cost is a part of it. We were also working with a target of 60, well 60 to 80%, but 60% was really what the TRT was going with. There are a lot of uncertainties about where mortalities are coming from and the proportion for instance coming from Canada or other places. And Canada's recent in recent years taken a lot of steps to try and reduce takes. and they've reduced the obvious takes at least. And so we might see. We might see those benefits in changes in what we're seeing in our waters as well. But again, that's a You've got, you raise a valid point and that is a good public comment for you to make if, if you're you want us to look at finalizing something from our non-preferred alternative.

OK, Thank you.

OK? Let's see here. Gib I'm coming back to you. You are unmuted. You can unmute yourself and ask your question.

My question is about the proposed LMA1 restricted area and the Preferred Alternative. And they, too, I think, you call them co proposals. one of them relies on the regional administrator to make a call in the fall. And just wondering, could you describe how that would work? Are we looking at a situation where the regional administrator would have absolute discretion or would the EIS include a series of criteria? And then, my other, the other question on the same thing is, how does the agency propose to collect and process information in near real time to make any determination in season?

So, those details are not in there, in the DEIS currently, things, that, some conversations that were held during the TRT team meetings related to trying to develop more adaptive closures, that or based on evidence, it wouldn't, I don't think it would be something that the regional administrator would wait till October to do it. And I, and as we discuss it with the take reduction team, if we were able to prepare regulations to allow that, it would probably require consultation with the take reduction team. So I would envision something more like in, in July of every year. We would call the team together to look at information such as projections of where copepods are or the last year's aerial survey and other survey efforts to see what whales are doing, and the most recent time series we have available. Right now to get, to get data into models. It's always two years lag. Sometimes more. So we would be looking at the real data, rather than using the model, potentially, unless we develop a more agile model. But those details haven't been worked

out, Gib. I do think that anything we would do would require consultation with the team, not the regional administrator entirely by himself. Um, but, as I said, we haven't worked out all those details and they're not currently in the in the DEIS.

OK, thank you. That's very useful. I was trying to reconcile that process with the considered but rejected alternative of using dynamic management and that's also data dependent and happening in, in near real time. So just trying to make sense of that. Thank you.

Just one thing to add to that Gib. When we talked about dynamic management at the TRT meeting, well, we talked about, you know, it's a little easier to open something, to have it, to have it closed. But then, because of information collected in the months leading up to it, or the year before, including the year before it, too, to open it, then it would be to dynamically close it if it's not already a closure in US rulemaking procedures.

OK, Faye Anderson, you are unmuted, and you can ask your question. Faye, are you able to hear me? We can come back to you, if you're having trouble. You can also type your question into the questions box and I can read it for you, but we will come back to you. OK, next up, we have Max. Max, you are unmuted. You can unmute yourself and ask your questions.

Hear me?

Yes.

OK, so, as I'm a New Hampshire commercial lobster pot fisherman, and I'm wondering what why any state, New Hampshire, lobster pot fishermen has to comply with the take reduction plan rules because, obviously, we're not under Federal permit. So, I'd like to ask two quick questions to make sure we're on the same page, and I've not missed something in my wonderment. The first question, I just wanted to confirm that NOAAs never issued the required Marine Mammal Protection Act, Section 101 A 5 E permit to allow the incidental taking of an endangered marine mammal. I.E a right whale and the other whales meaning not even issuing a permit for a single entanglement they can't do under the MMPA. Is that true? That NMFS has not issued that permit and has no intention to which it will.

I won't speak to the intention of the agency, but we have not issued a permit under that.

OK, great, Great. Alright, thank you. Alright. That can just make sure I'm on the same page with you is that the certification of authorization, that's comes with the take Reduction Plan regulations where fishermen are supposed to be immune. From any prosecution for a prohibited taking, which is just an entanglement, not a killing or an injury, does not apply to the right whales and the other endangered whales in the north-east. So is that true also?

I would have to get information on that from our attorneys.

So, it says: It's not really specific to the information in our DEIS and our proposed rule. If you want to keep your questions to those. I'd appreciate that.

No. I am keeping it to that, because the whole point of the rule, TRP rule is who you're going to affect. That's the whole point of the reduction. Who can you affect with these Take Reduction Plan measures? And so, my point is, now, I'll make my point since I know those two issues are, I was right correct on the observation, is that because, New Hampshire fishermen do not have immunity under the MMPA, which are the Which for right whales and specifically, and these other endangered whales we don't get the benefit of the bargain. And the take reduction plan can't possibly apply to us, because that I would be asking you about. And then the other thing is that Because you haven't, NOAA, has not issued, Erika, I'm sure you are interested in this question. And because NOAA was not issued that required permit, which was that issue was cited in the federal lawsuit in Washington, that it can't even issue these take reduction plan requirements. Because you allow entanglements to occur. And if you're allowing entanglements, you're violating the Endangered Species Act. So my I as a fisherman am caught in a rock, and a hard place. If I comply with the Take Reduction Plan regulations. I'm going to be violating this Endangered Species Act, and go to jail for that. And, so, ultimately, what I'm trying to ask here is, is that the real root to safety for a fishermen, so that if I entangle a whale, under take reduction plan that says I will entangle whales. Shouldn't I be getting an incidental take permit under Section 10 of the Endangered Species Act? Now I've tried to do this. I'm still trying, but NOAA resists. they just apparently have never issued that. But the only way I can see protecting myself and my fellow fishermen from when we entangle whales not to go to jail or not to be fined or whatever because we're violating the prohibitions, is to go the Incidental Take Permit route but I don't think that's even going to work. Because since you can't issue intent and incidental take statement, that would allow us,

I'm going to ask you to wrap this up. This sounds a lot more like a comment than a question and? Litigate mitigation on the poll. So, You don't have to do that, I understand. Your question.

Don't cut me off. That's why I'm suing you, you just don't listen to anybody. Just fishermen

Then you, please. Thank you. Thanks, Max. We would love to, not necessarily love to, but we anticipate getting those as comments. And we've recorded your comments today as well.

OK, we have Next, we have a question from Gib on State Management Components. Gib. You can unmute yourself and ask your question.

Yeah, First off, thank you for answering my questions. I've been reading these documents for two weeks and watched these presentations a couple of times. And I appreciate you making this makes sense for me.

Can you make this presentation for us next week Gib?

I think this is my fourth time through, so, yeah. Getting pretty close now. So, my question is that it seems that the plan and the proposed rule rely on two states, Maine and Massachusetts, to take regulatory action in their states. Is there any when or means for the Federal government to compel the states to finish those processes? I'm just wondering what effect, delay or heel dragging in those processes will have on the risk reduction, and the ability to meet the goals?

So, thanks for that question. First, the states are actually a lot more agile than the Feds are, as you know. Um, Massachusetts is working on rulemaking that they may have finalized for state waters. By the end of February or, you know, early this year, Maine has already implemented gear marking measures for all Maine permanent vessels. So, they're way ahead of us on gear marking, state specific gear marking modifications, um, we are likely to mirror states regs, as we identify them, or as they are implemented. So, if they haven't been done by the states yet, but they're in our proposed rule, will be implementing them through our rulemaking, or will be mirroring them if they have already implemented them, so that they are also in our rulemaking. With a couple of exceptions, we won't be implementing measures within Maine exempt waters. Which is much of but not all Maine State waters. And we are. We don't really have an easy ability to implement the, the, the dynamic closure extension that Massachusetts is proposing. So not exactly sure how that will end up being in our measures, but, you know, it will be reflected somewhere in our measures. But. I think, you know, in the case of both those states, they have done things already ahead of us. And, you know, every year, I think, for the past 4 or 5 years, Massachusetts has extended closures when whales have remained in the area. So I think we can have some confidence that they'll continue to do that.

It was the Maine exempt waters that I was most concerned about. And, uh, yeah, just making sure that that element gets finished.

Yeah. I mean, they know. I think Maine is motivated to not have us regulate their exempt waters, and that motivation will ensure that they'll do that as well. Not necessarily sure, but pretty good prediction that they're probably likely to do that. And so far, they have, you know, as I said, they're ahead of us on the state specific gearmarking.

OK, Faye, we're going to come back to you. You're unmuted.

Oh, can you hear me?

Yes. Thank you.

How good. It says, under the Mass State Waters that the under the traps per trawl, there's 1 to 2 traps per trawl. Then you go on to say, no single's on vessels longer than 29 feet permits after 1/1/2020. So, is that saying that you can fish singles if your boat is bigger than that? As long as your permit, you held it before 1/1/20?

So I'll try to answer that. That is a state that was in the state proposal that is not in our proposed rule. So that's not something that would be regulated by the Federal Proposed Rule. It's something that the State of Massachusetts is proposing. So I don't actually know how they would implement that. That might be something that's in the state's rulemaking that will be occurring, you know, early this this year.

OK, And does that also the States ruling that we are closed, the outer cape area in the state waters are also closed through May if there are more than three whales present.

So the state didn't actually propose a trigger for opening. That was an interpretation we made in their actual proposal. They indicated that they would close, extend the mass restricted area in state waters. If whales remain in the area, they do survey the outer cape. And I think in at least one year, in the last four, they did close portions of the outer cape because whales remained in the area. So it would be a continuation of that. Or perhaps we would be, it might be that the default. But what we're proposing is that the default would be closed, that they could open it early if they determine the whales have left. But, you know, again, as that's likely the State is likely to implement that before our rule is final, and so we would be mirroring or in some way supporting implementation of that in state waters:

OK, Thank you.

Are there any more questions? Colleen, there are, at this time, no more questions in the queue. If people have more questions, we can always come back.

So I think we received some public comments already tonight within the questions session, but if people are interested in commenting, it's 803, We could probably take comments for 10 to 15 minutes. If you are interested in commenting, please type "comment" in the question box. Let us know. Can we see if there's anyone on the phone that has a question or a comment on a phone only? I don't think we've done that yet tonight.

I don't see anybody who is phone-only, Yeah, OK. But if somebody is having difficulty happening to them, well, I don't know. I guess we wouldn't know. I don't think there's anybody who's just on, who's just on the phone.

So if anyone has a comment, you can type "comment" in the comment box.

Questions? Comments? Colleen I am seeing none, but we can leave the line open a couple more minutes.

OK, I'd like to, again, thank everybody for joining us tonight, and thanks a lot to lot of take reduction Team members who've joined us, and our regular visitors. You know where to find us. Our information is on, was presented tonight, and contact information, and it's also on the Atlantic Large Whale Take Reduction Plan webpage, which you can see the address here, honestly, if you do a Google search for us, you'll find us that way, as well.

So, one last question on gearmarking. Question: Comment: Marin excuse me, I'm sorry coming to you.

Yeah, that's OK. Hey, Colleen. And I just had a quick question. It might be more of a comment if you can't address it, But I know part of the purpose of this proposed ruling is to increase the gear marking to better identify the areas that need more risk reduction. And at what point do you think that will be achieved. So that you guys can stop assigning the 50% assumption from unknown incidents and entanglement.

I can't answer the question. In probably, I think, 60% of the entanglements over the last five years or so, There has been no gear retrieved. So even if either, in many cases, there's no gear remaining on the whale, but there's signs of acute entanglement-caused injuries. But in some cases, there is gear, But, you know, the Disentanglement team has a lot to worry about, their own lives, the whale's life. They don't, they're not always able to bring gear in. So really, it's been about 60% of the time we have had no line in hand, which means that the other 40%, it's a pretty small sample size. And it, while, you know, if we find a mark, we can identify the general vicinity of where a take occurred, it doesn't really give us a lot of information about the 60% with no gear and the undocumented mortalities that occur. So you know, when will we have enough information? It's really hard to know. I can't give you a prediction on that.

Yeah, no I'm, a proponent of the increased gear marking I always have been, because I think part of this is, identifying those areas so that we can better direct our resources and the reduction measures for it. So, it's but it's one of the hard things where, there's only three markings on it on your, each state is trying to defend itself. But, um, you know, there's still the US. Canadian issue, that would be, helpful to identify.

Canada does have pretty extensive gear marking now. So that might increase our understanding of when it's coming from Canada. Um, so they, they have increased their gear marking substantially. I think almost all of their, I think all the snow crab vessel the snow crab lines are supposed to be marked and I think that most if not all of their lobster lines are now marked

Yeah. That's good. That's a good step forward, and thank you.

Yeah, that is.

There are no questions or comments in the box.

OK, thanks, everybody, for joining us tonight. We have two more meetings next week, focused, primarily towards Maine. For information sessions. And then join us, as well, in February, If you want to provide comments through these meetings, again, you don't have to come to meetings to provide comments. You can provide comments through the regulations dot gov portal, through midnight, March first. Thanks, everyone, for joining us. Appreciate it! And thanks, NOAA staff for helping me out tonight. I appreciate it goodnight, everybody!

Information Session 3

Southern Maine, Tuesday, January 19, 2021, 6:30-8:30 pm

You know, you kind of made it sound like the gear might move off to better fishing grounds somewhere else. But if you're restricted to the zone that you are able to fish and you shut off the furthest section of that zone, away from shore during a period of the year where that's where people want to be, then it would seem that guys would line right up along that area.

That's a really good question. I would have to check with a modeler, to check with them to see if that's something that he put into the model. I know it's come up in discussion, and I don't know what the final result was. I can try to check on that.

All right. Thank you. I appreciate it because it's just Yeah, I understand that, you know, that other, if you look at relocation from other closures that are currently happening The curtain effect might not really be a big deal, but this closure would be very different from anything that you guys have done before in that, you know, you can't simply just slide anywhere you want within the area.

Yeah. I really appreciate that comment and if it's not in there now, we'll try to make sure it is for the final.

All right. Thank you very much.

If we can have more information about the relocation that fishermen would like to do in that area. That will also help to estimate the costs for the fuel changes and landing changes. So we would strongly encourage fishermen and friends to provide us comments about those assumptions.

Thank you.

OK, Amy, you are unmuted, and you can unmute yourself and ask your question.

OK, Can you hear me Sorry.

Yes.

OK Um, I'm curious knowing that climate change is leading to a lot of distribution shifts and you know we've seen that in the past 10 years, is this proposed rule going to be able to consider future distribution shifts in thinking about closures If they should be shifted to new areas or um, or expanded or I just wonder if it can accommodate that sort of information that will be coming in, since the preferred alternative seems to rely on that a lot more than the non-preferred alternative.

I'll take a shot at that. I mean, as I said earlier, our ability to close areas is not very agile. But this is, you know, it is one of the most valuable thing that the Mass Restricted Area closure is

one of the most valuable things we've done, the team has done. And that that area has gotten increased use since that area was closed by Right Whales, there are more right whales there than there were originally estimated. Um, other areas like the Great South Channel are not getting much right whale use right now, compared to how they used to. And it's one of the reasons we have these larger area-wide permanent measures in weak rope and in Trawling Up to Reduce the Amount of rope. It's because we know that there can be shifts, and so we want to have precautionary measures and risk reduction measures across the whole area, and not just rely on the closed areas. There are multiple reasons, though, for example, for the offshore Maine closed area and one of them is, it's hard for us to predict what whales are going to do. They seem to be continuing to use area as, as you've told us, areas that they've always gone to there, At least visiting those areas. They may not be staying as long, and there may not be as many of them visiting. But, there's, they still seem to still be going back to areas where they were aggregating. And we don't know for sure how they're going to be doing that in the future, but one thing that we do have some predictions about is that that lobster are moving offshore. And that it's a good possibility that effort will move offshore. There is a lot of effort in, in Federal waters offshore of Maine that could continue to move offshore. There is increased capacity in the fleet, although we don't have evidence that they've moved off so far, but 5 or 10 years from now if they didn't move offshore and that area continued to be visited by right whales, That is something that would be much more difficult to regulate at that point and to get ahead. So we did try to at least anticipate fishery potential for fisheries shifts which might be a little more predictable today than anticipating where the whales will shift. But. Again, that's the reason we looked for, area-wide Precautionary Measures. Does that answer your question, Amy?

Yes, it sort of answers my question. I guess the other question I have is, just thinking about, down the road. Um, it seems like this proposed rule is sort of a, it's somewhat static and it's um, I just wonder, is there a way to phase in more broader restrictions? That, uh, we know in the ultimately that maybe if ropeless or fully-formed weak ropes are what might be the best for the whales. And if that can be proven to be effective for fishermen to do their to do their jobs, can it be, is there an opportunity to consider phasing in additional measures in the years ahead? Without going through a whole rulemaking process?

I think it would be difficult for us to act to do the NEPA and other analyzes required before we have some of that information. So I think it is more likely to be something that we would have to do through a rulemaking process. Because under NEPA we have to be able to analyze economic impacts, analyze, affect, you know, as well as we can, analyze the risk reduction. Um, those that requires an ability to describe what those impacts are. You know, phasing something in based on the possibility that we will have feasible ropeless technology that can be broadly used. Where we have surface marking and guessing what the cost of that will be in five years. It's, it's hard to do. It's hard to do it without doing it as a new rule making. We are some of the things that we are doing in this, like, changing all of our closed areas to buoy lineless areas would allow some of that to be implemented quickly, at least in those areas and as an alternative to closures. Hmm. So, I know that's not a very satisfactory answer.

OK, and moving on, Annie. You should be able to unmute yourself and ask your question. Annie, are you with us? Think your audio is off. Try unmuting yourself now.

There we go, OK. So this is Annie with the Maine Lobster Dealers Association in South Portland, Maine. So my question is, Does the model account for vessels outside of the closure that would be crowded and catch less when vessels inside to have to move out into the areas that are already in use?

I think for now, for the economic analysis now, we haven't accounted for the vessels outside. That's a really good comment. We should take a look at that. Also, we hear we need to more data about the vessel fishing around the closed area. So, what we can do now is we can have assumptions of also, like, uh, catch reduction at some rate 5, 5, to 10% of the catch reduction rate for vessels. But at the end, the catch reduction rate as fishermen adapt to that the rate won't be the same for every year. It should be at a decreasing rate, also when the areas close, the lobster within the area could have be like higher quality and they are also spillover effect to that in the long term. I think it will be like, it will reach a point that fishermen can be at the scene,

it just seems as though, Sorry.

Go ahead.

It just seems that your the Economic Impact Study focuses so much on costs of actual adjustments of more focused on gear and changes along those lines rather than actual impact to individual fishermen from the perspective of the change and the impact on their: on their individual harvest and on the impact to the supply chain itself.

Yeah.

Rather than really paying attention to the individual impacts that fishermen are going to feel on the water and the impact that the supply chain is going to have to bear.

For this rulemaking we only consider the impact on the commercial fishery, I don't think we are including the impact to the supply chain, right? Colleen?

I think it I don't think it did. I think that that's a really good comment. And that's something we can work with Burton and others with, particularly if, as part of your comments, you can submit or direct us to some data as well.

Also, for the impact on individual vessels. Because the matter is each vessel, a different area, they have very different situation. So it's hard to estimate but we do have a general number of the economic impacts on the individual vessel OK.

Some of the information in the IEC line model is constrained by the way the permitting works within zones or within state and federal waters and things like that. So some of the data feeding into the model assumptions does have those constraints in it. I don't think that well, I'm not sure that that any model or the economic assessment looked at impacts to the fishermen that were being moved out of the area. Something we need to add to that analysis.

I think one challenge that you're going to run into in doing this is that, you know, you're not going to have the data to estimate the impact because, indeed, there is no data. But it should be considered and added to the error of your estimates and the assumptions that you're making.

Right. That's why we will like to require 100% VTR data in, like, (indecipherable) water, that will help. Because VTR data that they have location information that will help our estimates to be more accurate, we can have, as you said, we can. We can have information about fishermen in different areas. So we can have more like specific estimates.

Thank you.

Thank you.

Thank you. OK, Colleen, I think that we have gotten to the end of the questions so far that have been in the queue. Does anybody have any questions they'd like to get into the queue?

Is there anyone on the phone that would be able to type it into the question box that we can make sure we've heard from?

I'm not seeing any.

Yes. So, next slide is very similar. If I think a lot of what we heard tonight, some excellent questions, and also some good initial comments on things for us, to look at further, analyze, find information, and we're hoping that you will send us, some of you will send us some kind of granular information that we can use to support the analyzes, and maybe qualitative information to improve the DEIS. But if you're ready to actually provide public comments tonight, again, we'll have meetings in February, to take public comment, was a much shorter presentation from us, much more time devoted to accepting comments. But if you are interested in providing comments tonight, you can type comments in the question box now, to get in the queue. And, similar to what we just did, we can, we will unmute you, and may have to ask you to unmute yourself as well. Um, so, if anyone has any comments, type in "comment" into the question box.

No comments yet. But we do have another question. Alysia, you should be able to unmute yourself and ask your question.

Thank you. So my question relates to what seems to be a situation where you're somewhat relying on state measures to be implemented and enforced in state waters in order to get to the level of risk reduction that you're seeking. I'm wondering why you wouldn't want to just focus on what, you know, you can do in Federal waters and try to get the highest level of risk reduction in Federal waters?

We, under the Marine Mammal Protection Act, we can regulate to the beach. We don't have to confine our measures to federal waters. Um, there are things that states can do with more agility that we can do. For instance, the State of Massachusetts has an ability to keep their state waters closed into May without having to go through the kind of federal protracted rulemaking we go

through. So, that state measure is something that they would implement. Um, the state of Maine has asked us to allow them to continue to exempt the exemption area from the federal regulations. But, they have already taken steps to implement measures, for instance, particularly the gear marking measures, which they've already gotten in place well ahead of us, so they, it's clear that they're going to follow through on their measures when we were talking to the take and then additionally, the Atlantic states marine fisheries commission regulates the fishery in the state waters and we support their regulations by following through with consistent measures in Federal waters and they put in place a lot of gear, restrictions, trap reductions, that are, that are still going into place. They're being phased in over time. So there, compared to the 2017 baseline, they've reduced traps and With trawling up measures, there will be reduction in line numbers associated with the trap reduction. The TRT, when we were looking at the effort reduction I mean, the risk reduction measures, the TRT endorsed that concept, accepting ongoing and state risk reduction measures towards our 60% goal and that's why we're doing it that way: they're considering it towards a 60% goal. We're implementing much of it through the federal regs. In some cases we're mirroring what the states are already doing, and in other cases the state will be doing the rulemaking or the Atlantic States Marine Fisheries Commission.

Thank you for clarifying that. one more follow up question. So, how does enforcement of the proposed measure's work? How is that going to happen? Is it going to happen through federal and state enforcement? Coordination going to be going on? How does that work to ensure that the measures that will eventually be adopted or indeed enforced?

Yeah. We think that's a good question. And it's a question with our existing regs as well as any proposed regs. And we do have, particularly in New England, we have great partnerships in our, in between our enforcement agencies. Especially with the state of Maine, the State of Maine doesn't just enforce the state waters. They do go out. I think, at least through 12 miles, further, offshore you, go, the harder it is to enforce. But we do have good partnerships and collaboration with the states. Those are done through their call JEA agreements. We provide some financial support to this.

It looks like we have lost Colleen.

Oh, no. I was hanging on her every word there.

I, we, if, when, if, and when we get her back, I will have her pickup where she left off in talking about the financial part unless Kristy or Kate, would either one of you like to jump in? OK, well, we will pick right back up. When Colleen, OK, yes, we have Christie, who is on the phone. Then, she's going to type it in chat, OK, excellent, we will get that answer to you.

Thank you so much.

No problem. Jack, I see that you have a comment. And I'm going to come right back to you. I had, one more enforcement question I'd like to get to. So Ira. You can go ahead and ask your question.

Can you hear me? All? right?

Yes.

My question is, as they were talking about enforcement, which one of the things I was trying to type both for the question was asked. You say you have partnerships and relationships, which I understand you do. What are the capabilities of those relationships? Anything that I can see, you Maine has some amount of abilities to enforce rules and regulations. But I see that sliding quite well in the other states and especially offshore. Is this something that one segment of the fisheries is going to bear the brunt of enforcement while other parts of the fisheries conduct business as usual?

I'm sorry. I was, I lost my Wi-Fi for a minute. I missed at least half of that question. You repeat that?

Yes. Listening to the enforcement question, it was along the lines of what I was asking you, say you have partnerships and whatever, which I know I realize you do. Uh, and I'm wondering, So, what's the capabilities of those partnerships? I got a good idea of what Maine's Capability is. Don't really have a great idea what Massachusetts, New Hampshire have and especially Area three. Is this something that one area, one state is going to bear the brunt of enforcement while others continue to do business as usual? I mean, if we're going to go through something like this, it seems to me it's got to be fair across the board.

Well, yeah, I agree with you. This requires anticipated enforcement across the board. We do have those joint enforcement agreements with the other New England states not just Maine generally, Maine does patrol a larger area, and in some years, Maine gets more of the funding support to do that. I think New Hampshire and Massachusetts, Rhode Island, they do enforce within state waters. I'm not sure that they have that offshore capability. Some of that offshore effort is covered by our law enforcement in conjunction with the Coast Guard rather than with the States. So, that's another effort going on in Federal Waters. As you said, LMA three, that's the hardest area to enforce. And that is the pilot study that I was talking about using ROVs there. They're developing new technologies to improve enforcement offshore. And again, that offshore enforcement was a problem. It's a problem with our existing measures, Not just the proposed measures. We don't want to make it worse. And an Office of Law enforcement and Coast Guard, they're looking at ways to make it better offshore, um, better than what we've been able to do in recent years. Maine does do a lot more. But Maine also does have a lot more of the effort. So it may be in proportion to the amount of fishing that goes on.

Yeah. Kind of. Aye. I don't know. I could. Without, I understand what you're saying in proportion. If there's areas, there's relatively little to no enforcement, the proportion, there's no, it doesn't. Doesn't match up.

Yeah. Yeah.

And I'm not trying to shove something off on other areas, but, uh, you know, if we're responsible for doing something a certain way, then it can only be as effective as all of us together. Not just certain areas,

I agree, among the most aggressive people asking us to get additional enforcement. It's that offshore LMA three fleet, know, they want us out there, improving enforcement, too. So it's more about how hard it is to enforce out there. And that's something we do have to improve and that we are working on.

Even with a ROV, they still need the capability to haul the gear.

Right. That's been a big challenge, right? Haul and reset if the gear is legal,

OK, Jack, I'm coming to unmute you. Thank you for your patience. You should be able to unmute yourself.

Yeah, can you hear me?

Yes,

Thank you. I needed my wife's help. So just quick comments tonight. I'll probably have more tomorrow. But. The first thing on the, the closed area, or I don't, I do not fish out there. I'm not sure that I know anybody that does, But I agree with comments earlier that the perimeter of that area will be a wall of traps during that closed season. And, and the one thing that people haven't brought up, that I will bring up is, once that is open, that there will be a gold rush mentality to get into that area. So, unless your timing is perfect, that might, it might not be the greatest thing for Whales. Um, so, other than that, I know. I apologize it Chao is that your first name is Chao how You pronounce it.

Yep, yep.

OK, you've mentioned 20 minutes to put the gear markings in as an estimate or your estimate, it took me, I spent most of the summer doing this year in Maine. And I estimate at least an hour per line.

So, yeah, I'm just telling you, it takes a lot longer than you think For a lot of reasons and it, you know, I don't need to get into here, but its, it's time consuming. That's a minor point, but I just thought I'd bring it up.

Very helpful. Yeah.

The third thing, um, I was just going to, say, give a shout out to Zach. Well, I know pretty well, and I, can't agree with him more about the trawling up. The numbers of traps being possible detriment to whales, I can see them, You know, a pair traps, three traps, they can probably swim free but when you're talking about 15, 25, 45 traps? I don't think they're going to get through that. So I'm not sure why we're even talking about trawling up, and I'll leave it to that here tonight.

Thank you.

Yep.

Kara, any other public comments in the queue?

It does not look like it.

Well, I'd like to thank everyone for joining us tonight. This was really, I think, our best, best night, so far of really great questions and really thoughtful comments. And I really appreciate you participating. I know life is really busy for everyone right now, and I appreciate that you took the time to help us try to implement the documents.

Yeah, Colleen, we have 1, 1, last one.

I take that all back.

Hi. Ira the line is open for you.

Jack just got me thinking about another comment around that cold area because it is in my back door. A lot of guys I know fish that area and there's a lot of guys fishing either side of that area. As you know, in Maine, especially, there's a lot of traditional fishing areas of the fish, traditionally by the same groups, township's areas, what have you, Uh, you'll be creating something there that's going to work. It's going to work against the way life has been for a long time, well forever, as far as people entering and exiting that area. You've also encouraged, uh, talking about encouraging ropeless fishing there. And if you go in there with ropeless fishing the way it is today, it's going to be an absolute nightmare. And it will be you might just as well call it a dumping ground, if you do it. If you use that for an incentive to stop for people to go in and fish, when it's closed, if that actually happens, I'm totally against that area, especially the way it's drawn out. There's, I. Guess I have other thoughts around closed areas, but. First one being that close areas aren't a good thing for us, probably, in the usage of our ocean, the way it is right now. And if we had to go to that, then there's, I think there's other ways to do it.

Thank you.

Thank you.

Appreciate that.

OK, we have 1 last 1, I'm going to put up a slide, and the LMA one proposed area, and, Jonathan, I'm going to unmute you. You are unmuted, I'm going to go put that slide up.

I will also mention that we will be adding this to our fact sheets, so you'll be able to download this in the future.

OK, and there's no question associated. Just wanted to see it. Thank you, Marissa.

So that fact sheet can be found on the Take Reduction Plan website. If you, actually, if you, if you just Google the Atlantic Large Take Reduction Plan Proposed Rule, it'll, it'll take you to the website, I believe, and this fact sheet is one of the documents on there.

Marissa, we will be updating it with this image, is that correct?

We will. I don't know exactly when. I'll have to hear back on that from our comms team.

My guess is within 24 hours, they've been getting information out about, as fast as we can produce, some of them are on tonight, and I appreciate their help.

OK, I think we have one last question. Alicia, back to you.

Thank you and I hope I am not keeping everybody too late this evening. Just the last thing, of course, dynamic closures are something that I'm very interested in and I'm. I know that you're saying that perhaps the NEPA process might be somewhat of a barrier to creating those. I wonder if it might be possible to create a categorical exemption under NEPA, and maybe that's a question for attorneys there, but to allow for a quick creation of a dynamic closure, just an idea.

I don't exactly remember the requirements for categorical exemptions, but I believe that there are generally, uh, related to a lack of on the lack of impacts beyond things that have already been considered and analyzed. Or the lack of impacts altogether. So I not I mean that's something that we can pursue and talk to our NEPA experts and our attorneys about. But I'm not sure it would apply to this type of dynamic closure option. Let's look into that.

Thank you. Thank you for considering it, and thanks again for all the work you're doing. Much appreciate it.

OK, Colleen, I think we're at the bottom of the queue.

OK, again, thanks, everybody, for joining us. This was our best, the most people that joined us and some of the best input that we've gotten. And we really do appreciate it, especially in a busy and fairly dramatic week, potentially, really appreciate it, and perhaps see some of you tomorrow. So goodnight. Goodnight everybody.

Information Session 4

Northern Maine, Wednesday, January 20, 2021, 6:30-8:30 pm

First, 2021, either in writing or through public hearings that we'll be holding in February. After collecting comments, we'll analyze as needed, update the analysis, and our environmental impact statement. Along with information from public comments, we'll consider any new data that has come in since the DEIS was written, including new stock assessment information, or newly published papers. We'll consider the updated information and complete the final environmental impact statement, and that will be available, followed by a 30 day cooling off period, which is a requirement of the National Environmental Policy Act. So, comments we received and the analyzes will also inform the final rule that will be completed and filed 30 days after the final environmental impact statements published. Note that we anticipate as usual there will be a delayed effective date for modifications to gear configuration and gear marking so that fishermen will be given time to modify their gear. Paralleling this Marine Mammal Protection Act process, there is an ongoing Endangered Species Act, action a Section seven consultation. On a number of federally managed fisheries. Last Friday the agency released a draft biological opinion. The address, the Web address for the information bulletin on that draft biological opinion is listed here. On that webpage you can find the opinion, a conservation framework, and an e-mail address where you can send questions or input. The deadline for providing input is February 19th. Note that there's a court order deadline to complete that Endangered Species Act consultation and to finalize the biological opinion by May 31, 2021. As noted in the draft opinion and in the Conservation framework, the consultation and the resulting biological opinion will be considering the impact of the fisheries as it would be modified by the final rule. Next slide, please. Again, the 60 day public comment period runs through midnight, March first, 2021, we will be holding remote public meetings to provide the opportunity to provide comments. This is our last, information Presentation Meeting. And, in February, we will be holding four public hearings where our presentations will be very brief, and the bulk of the time will be devoted to collecting public comments. You don't have to attend a meeting to provide comments, Written comments are welcome, and can be submitted through WWW dot regulations dot gov, search for the rule and the draft environmental impact statement on that website by using the identification number shown in this slide, and in the proposed rule, and the draft environmental impact statement. When you are at the rule, click on comment, now you submit your comments. The proposed rule, the draft environmental impact statement, the list of public meetings, including the links to get you into the meetings and other resource materials, can be found on the Take Reduction Plan Website, detailed on this slide. Fisheries dot NOAA dot gov backslash ALWTRP, If you have any questions, you can always send me an e-mail at the e-mail address identified here. And as a reminder, attendance at meetings isn't necessary to provide written comments, you send those through regs regulations dot gov. I want to thank the many collaborators and particularly the take reduction team members. There are a few on the phone tonight and particularly the fishermen that participate on the take reduction teams. Meetings are just not a natural environment for them, and they worked really hard with us over the last few years, And a number of meetings, and I'd also like to thank all of you for any comments you provide on this rulemaking effort. Next slide, please. So, we are going to now kick off the question and answer session, we will be taking questions specific to clarifying things in the proposed rule. And in the draft environmental impact statement. Please remember that we will be recording the question session, including information submitted in the question box. And we will

start recording, in a few minutes. Type “question” in the question box to convey that you would like to get in line, to ask a question and the slide number, if you remember where, which side that is on. And if you've already done this, you don't have to do that again. You can change your mind at any time by saying “pass”, when you're called on. Or by typing “take me off the question list” to the question box. And as we've mentioned earlier, you, Kara will unmute you, but you may also need to unmute yourself when you, your turn, is up at the queue. And, as always, please be respectful and direct questions to the presenters. And with that, I think we can start taking questions, Kara.

Yes, hi, everyone. I know that there are some people who are having issues typing into the questions box, You can also e-mail me. It's Kara, K A R A, dot S H E R V A N I C K. At NOAA dot gov. I put it into the chat box, and hoping it comes up. So, if you would like to get in the queue, and you are unable to enter that into the questions box, send us an e-mail, or if you know someone else who's on tonight, they can also get you in a queue. Thank you for bearing with our technical difficulties tonight. I promise it worked all the other evenings. Um, so with that, I think we're going to go to our first question. Julie Eatan, I'm going to unmute you. I see you have multiple questions. If you will just ask one question, let our presenters respond and then ask your second question. You are unmuted, you should be able to unmute yourself and ask your first question.

Hi, Thank you very much for taking my question. I would like to know my first question is how many of these entanglements have been found to be involved with Maine Lobster gear? or have ah how many right whales have been seen in Maine waters in the last 10 years? Thank you.

Thanks for that question. I don't have the sightings data from Maine waters at this time. Um, we can see if we can find that for you. We don't have a formal sighting network in Maine and compared to some of the other New England states, there's not as many whale watch operations out of Maine, I do think Zach Kleiber's on here tonight if he asks the question. Later, he can also maybe let us know what he knows about sightings data in Maine. And we don't have any documented right whale entanglements, known to be in Maine gear. If you'll remember what I said earlier, we actually only know the set location of thirteen out of fourteen hundred entanglement incidents that have been investigated by New England Aquarium scientists. We almost never, what that means is we almost never know the location of the original entanglement. What we know generally is the location of first sightings of documented entangled right whales. And as I mentioned earlier, we know that right whales can take gear hundreds of miles, and can be entangled for many months before they're even first sighted That answers your question?

Thank you very much for your answer. Thank you, very much, it does. My second question would be, what diameter of rope would be considered weak rope?

That's another really good question. Unfortunately, it's not. Uh, as, as diameter, there can be very low diameter line that's engineered to be very strong. There can also be large diameter lines that can be engineered to be weak. So, we can't really implement these regulations just by, by requiring a certain diameter of rope. It has to be either engineered to be weak. So rope that's made to be weak and demonstrated to break at 1700 pounds or less Or, or weak insertions need

to be intentionally placed within the line every 40 feet to be considered equivalent to weak rope. Um, so weak insertion for instance, the weak sleeves, that the sleeves that are used by some of the Massachusetts fishermen are inserted at every 40 feet. Does that answer your question?

OK, so, to follow, to follow up on that question, I'm an inshore fishermen in Maine. I write about as does my husband. We fished single traps, we are in the exempted area. Ah we do, of course the weak Buoy deal. Um, if you are requiring me to put weak links in my rope, I fish all 5/16 rope because I don't need rope bigger than that. How am I supposed to know or any other fishermen supposed to know what's considered weak rope that would qualify as rope that we can install to make the requirement that you're asking us to do?

So, good question and first of all, we're not in our federal rulemaking. We're not going to be regulating Maine exempt waters. However, Maine is proposing to require a weak rope either weak rope or a weak insertion, 50% down your buoy line in the exemption area. So one weak insertion, 50% down. Again, that can be done with weak rope. And there, there is 5/16 rope That is engineered to be weak. We're going to be, we have started working with gear manufacturers and we're asking them, when they're, when they're creating the rope that's breaks at 1700lb or less. We're asking them to leave in one of the three strands, as an alternating color. So, that would be one way that someone purchasing it, or an enforcement officer looking at it, can tell that it that it was engineered to be a weak breaking rope. But again, in in exempt waters, this rulemaking won't be regulating you on that. the regulation, to include one weak insert would be done by the State of Maine.

OK, thank you very much.

You're welcome.

OK, next we're going to Dustin Delano. I'm coming to unmute you. And I see you have multiple questions. If you'll just ask one, Let the presenters respond and then ask your second one. I can see you're unmuted, but I can't quite hear you yet.

OK, am I all good?

Yes, I can hear you now.

Um, I guess, I'm curious how the number of boats included in the closure were determined to be 45. It seems like it's much higher.

Right, So we got this question last night, too. So first of all, we get the number 40. This number 45 is the number of vessels in a month. This is the highest number of amounts during October to January through the month of January. So there might be there 100 or 150 different vessels fish through the whole restricted period. But from the industrial, industrial economics, research on the VTR data shows in January, that's the most vessel throughout that area, it's 45. So also, we all know the VTR data in Maine federal waters limited, because only 10% of vessels are required to submit VTR, right? So for the next step, we'll double check this number by using multiple years of data, like, 10 years, because I know, or the vessels, they don't do not overlaps

throughout the year. So maybe we can use 10, 15 years of data, like, from 2010 to 2000 to 20 20, to see how many vessels actually showed up in that area. We also welcome fishermen to submit comments to us to reveal the actual number in that area. So, does that answer your question?

Yes, I think so. I guess I'm also curious, too, how. Yeah. You know, the economics were figured? that seems like a very, very low number, too. You know, the 100 and something to 300 and something thousand.

Right, because, yeah, only 45 vessel fish there. Oh. This number, the biggest cause for this restricted area. it's, uh, cost of assumption of landing reduction in this area. So first of all, we have to calculate, that's the total landings from the vessel in that area. We use the catch per trap data. We calculate that first. Using VTR data, we can then we estimate estimated the number of traps per vessel. Then we get the total number of catch per month for each vessel In that area, then we assumed 5%, to 10 percent reduction from relocation.

So why would you assume a five to 10% reduction? I mean, I fish all my gear in that area right now, if I was fishing somewhere else, those lobster would be caught up sooner. There was another 45 which is actually, It's definitely more than 45 but if we were all fishing in a different area, you're going to catch the lobsters up sooner. That is if you can even go to a different area, I mean, those spots are all, they're all taken. So, Or you stay up, you know, up, inside longer, and you catch those up, sooner, or, while you're waiting for the area to open you know, or, you might not even be making any money, leaving your trap somewhere else.

So, yeah. You're more than welcome to submit all the comments to our e-mail and we will consider that. So, this, all these analysis we've done here, It's A Draft Economic Environmental Impact Statement. So we're asking for comments here, and to finalize this research and this analysis and to get to the FEIS. And until then you have you have the chance to comment. and after the FEIS you still have the chance to comment, we will incorporate it all the comments into our final analysis. So the assumption here we get is from the previous research including like a dynamic paper and our communication with fishermen. And our lobster biologists I know this is very, very general assumption and it varies from boats to boats and vary from area to area. But, for this analysis, we, so, the, the assumption here, is of 5 to 10 percent. So, if fisherman friends, you have more to say about this number, you can provide your estimation and your, you're like evidence or proof of your estimation, we can incorporate that into our final analysis. Thank you.

OK. Thank you.

Awesome. And, Dustin, you had one question earlier on about the LMA one, the length of the LMA1 closure. Do you still want to ask that one?

I think I saw it answered that in another slide that basically goes into February, and, and I think it's set a soft date. Is that right?

So, the preferred is from October to the end of January and the non-preferred to the end of February.

OK, and in did that have a soft date for opening, or?

I don't think, I mean.

Non preferred, alternative does have a soft open.

OK. All right, thank you.

Thank you. OK, I'm going to go to the phone. Christian Porter, I'm going to come unmute you. You should be able to unmute yourself.

Can you hear me now?

Yes.

Yeah. So, my question was on conservation equivalencies. Zones in the state of Maine, did their own equivalencies to see if they could change the change to be able to suit, you know, each individual zone, are those being considered to be added into this proposed rule?

Hi, Chris. And it's Colleen. Thanks for that question. We actually haven't yet received the list of potential conservation equivalencies. But we anticipate that Maine will be providing them with their comments. And I did sit in on at least one zone meeting, just to listen in on what kinds of things are being discussed. And, everything I heard was within the scope of the proposed rule that we propose, so, You know, we are we do have to get 60% risk reduction. But it looked like they were equivalent, they would get the same amount of risk reduction is what's being proposed, and they are within the scope of what's been proposed, I've heard mostly alternative risk reduction, or alternative trawling up measures, and things like that. So, we can be able to take a lot of those, perhaps all of them, again, I haven't seen the list, But that is something that could be incorporated into the final rule.

Great, Thank you.

OK, Jacob Thompson, you are next. You should be able to unmute yourself.

OK, I just had a question about when you when you were talking about the 45 guys and that would have to get relocated. Did you account for the loss of catch for everyone else? That they're going to go and set their traps by not just, I mean, they're not going to catch as much as they want but when they go and set their traps in a different area, it's got to reduce every fisherman around there's catch to sell. Um, I think that number's kind of low.

Yes, I agree with you. We get the same comment last night. We haven't considered this in our DEIS we will consider it in the final draft. Thank you for your comments.

OK also, just one more thing. In Maine, we have, we have zones, so you can't just take all your traps and go wherever you want and you have to keep 51% in your home zone, is that gone into any of the calculations that you like in Massachusetts, you could take in LMA. You could take

all 800 of your traps and you could go right to the Canadian border, but I'm in Vinalhaven. I have to keep 51% of my traps in zone C, which if that area is closed, I could take some into 49 percent in Zone B, but I can't the other 51%, I have to bring back north. I can't just take all 800 trap's into, you know, another area, so I was just curious if that was any thought given?

Right. For the economic analysis, We haven't done that detail, but for the risk reduction, maybe Marisa or Colleen, you have some thoughts on that.

It's more of an economic question, not a risk reduction because I mean, like when the Massachusetts zones close, they can bring , (indecipherable) traps and go set them down in caches or somewhere where it's open. But for a Maine person, we can't just move our traps like they can to relocate as easy.

So for now our assumption is fishermen staying within their own zone then move that closer to shore, that's all we have now.

OK, That's something you should probably look into.

Thank you.

OK, Next, I'm going to go back to the phone. I'm not sure if you have a question, but Harriot Train. I'm going to come unmute you. Just in case. You're unmuted, you should be able to unmute yourself. If you don't have a question, that's OK, I just want to make sure.

I don't have a question. I just didn't have the option to ask a question

OK, thank you. OK, Gregory Simmins, I'm coming to you, I see you have two questions and please just ask the first one. Let the presenters respond, and then ask your second one, You should be able to unmute yourself.

Can you hear me?

Yes.

It's actually his wife, Amy Simmons, I just signed in under him.

Hello, welcome.

Thank you. I guess I'm wondering who, when we have to do all the gear changes, and there was suggestions that there'll be ropeless gear. Is that going to be something that is going to be paid for, or is that something that's going to have to be covered by lobsterman themselves, and was that factored into everything that they're looking into?

Hi. This is Colleen, I'll take this one, or will give it a try, and the measures that we're proposing and would primarily be costs to fishermen that I'm talking about gearmarking and the restricted areas moving out of restricted areas there. There is some support was provided by Congress, they

re-appropriated funds, and they moved it to provide some support, aye. And some of that is being used really, primarily to work at finding weak insertions that can work so that fishermen don't have to replace their entire lines or, and getting gear specialists to help fishermen modify their gear according to the measures. So, those are funds that went to the States. It might be that Congress will appropriate more funds in past years. They've done things like buy bought back gear, and that that might happen as we move forward with the new Congress. We don't know regarding weak. I mean, regarding ropeless systems, right now, ropeless systems as you indicated or you know, inferred or they're pretty expensive. And the ropeless research that's going on right now in other areas, that is being supported by multiple partners. They are doing things like there's a cache of gear that the Northeast Science Center has out of Woods Hole, and they're lending the ropeless systems. So that people can improve how they're working in or under commercial fishing conditions. They don't have enough gear though to outfit the fishery, they just have some gear you really more for the purpose of accelerating, um, the, the evolution of this gear so that it's more usable by fishermen and honestly they are trying to develop it so that it's less expensive. I do think that even the environmental organizations that are hoping, that large areas can be ropeless fished in the future. They also believe that, if this is ever going to happen, it's going to require a lot of government support. So that's not funding that's currently available. There we are getting a support to from the government so that NMFS can help do the experimentation. But we don't have the kinds of funds that would be needed to transform large portions of the fishery to ropeless gear at this time.

OK. And I guess my second question would be, you know, my husband makes our livelihood pretty much in the months that will be closed down. So, will there be supplementing funding? I know like, Canada gets funding from their government that when they have shutdowns. Is that's something that's being looked at. For these lobstermen that are going to be losing so much money and that, you know, that's where we make our money, that we get to survive on for the year, And without that, you know, it's kind of a scary thought.

Yeah, I mean, at this and, again, NMFS has, we have not gotten that money from Congress, Congress is the one that appropriates funds, it's not something that the agency can do. Um, so, I really, I'm not sure. I mean, I know that the funds that they, that were, we, they were taken from, from one program, and they were put into an effort to send some funds to state to help them with this transition from these new rules, And I don't know if that will happen again. That's not something that our agency can make happen, um,

OK.

You know, in the past, I think the State of Maine, for instance, has been pretty successful at working with their legislators to try and get support for things like that.

All right, Well, thank you.

Welcome.

OK, Eben Wilson. You should, if you're unmuted, you should be able to ask your question.

Yes, Hi, I have two questions. First one is, Zone E Trawling up, we're currently a 600 traps zone we have been. So we're obviously 200 traps less than all the other zones, and I think part of this question may have already been answered. And I think our zone council submitted outside of 20 miles outside of 12 miles, if we go to 20 trap trawls, um, and in this area, I was hoping that maybe that was something that was going to go through because most guys have less than a 40 no smaller than 40 foot boats, that fish outside of 12 down at about 18 to 20 miles. So basically if we had to go to 25, guys would just shift up inside, and whatever, Whatever, vertical line reduction you thought you were going to get. Inside of 12, you would actually increase your vertical line, because guys are being hanging out up inside. So I think that's another thing that I look at, with the restricted area, is that you're going to restrict lines in one area, but you're going to double them in other areas. I don't know how that math works, If you can help me, I'd, I'd appreciate it.

OK, I'll, I'll try answering this one. This is Colleen again. So it sounds like Your Zone has come up with a conservation equivalency. That's within the scope of things that were considered in the rule and then and the draft environmental impact statement and so on, if that's submitted with the state and we analyze that and it has a conservation equivalency. It sounds like the kind of thing we probably could include in the final rule we just haven't received that list yet from the state. As far as your other question goes and Marisa and or Burton who are both on the phone might be able to help me answer this. But your other question was, have we considered? Or how is it that moving the lines into another area reduces the risk? And Marisa sort of described that the assessment is where the lines and right whales co-occur, There is more risk, and if lines our moved to another area where right whales are less likely to occur. Then than that, there's a reduction in the risk. So Marisa or Burton, I don't know if you want to add to that.

So that I can, if there's kind of a second part to my question on one of your slides, where you're talking about co-occurrence, And I'm looking at the Maine proposed restricted area, which is solely in Area one A, If you look at the co-occurrence on a slide, that has both red and blue in that area. Um, it seems to be relatively, there's a higher co-occurrence inside area 1A versus Area three, but it's basically split down the middle. If you look at the pink colored boxes, there's a lot more in that area three. So, why? Why wasn't the area 1 Restricted area split between the Area three and Area one.

Burton, can I ask you to have some input on? This is, I think, had to do with the size of some of the cells in the co-occurrence model, compared to the way it was smoothed in the decision support tool model, perhaps.

Um, concerning the why was closed area only on the LMA one side, we did run scenarios, where we extended it across the border into LMA three. So, we have those scenarios, and that analysis run. We have the results available for that. It's that to the resolution of data that we have, we can't tell that there's a large amount of gear on the LMA three side. So I think that that's why we assess that, but then didn't carry it through to the end. To address the earlier question about relocating gear. And changing trawl lengths, that is actually calculated and accounted for inside the decision support tool. So it assumes that if gear gets moved from one location to the next, that it assumes the local gear configuration. So if you move traps from a 25 trap trawl area to a 15 trap

trawl area, then those traps are assumed to be configured in 15 trap trawls and the lines are counted accordingly.

Coming out of the restricted area, guys aren't going to go back to a 15 trap trawl area because they're doing that to get away from those areas. So, you're going to go from 25 traps trawls to 25 trap trawls, because they're only going to move it as far as they need to get out of their restricted area. So, you're essentially doubling the lines outside of your restricted area.

That would be true if they're moving, moving them to a place where people are not fishing. I mean, if they're moved to a location where the local, the local gear configuration is different, and it's assumed that that gear is going to assume that configuration currently. And if that's an incorrect assumption, then we can look at addressing that in the model.

Yeah.

Yep, OK. Yeah. There's just so much fishable, there's only so much fishable bottom that people aren't going to move to where there's actually something to catch. So that means that if you're coming out of the restricted area, you're going to be going to somewhere, which you can just kind of shelter or fish until the restricted area opens. Again, so you're not going to reconfigure your gear offshore. So, you're going to be doubling the lines, vertical lines, and gear density in areas, just outside of that area. It's, that's, that's what's going to happen. It's not an assumption, and that's what will happen, so I, your logic doesn't either. I'm not understanding it correctly or it doesn't make sense. The way that is because no one's going to reconfigure 25 trap trawls offshore.

OK, I think perhaps I was misunderstanding your question. So I think, your concern is the increase in line density, in the areas outside of the closure. Not that They're changing configurations that need to be accounted for.

Exactly.

So in this case, that the if you sort of look at the maps here, you can see that that modeled whale density Is it in these areas there Are whales in areas adjacent to it There are not whales. And so under that circumstance, recognizing the gear it gets moved outside of that area means the gears moved to a location where there may be a high line density as a result, there is presumed to be a low whale presence, which is where the benefit comes from.

OK, so the fact that Area three has a high, high whale or co-occurrence baseline, but has no, has less gear density, means that that's why you didn't split the line. Split the area three, area, one line with. with, with the proposed closure restricted area, because there's just no gear there?

To a certain degree. Yes. And it's really difficult, because we don't have high resolution data on the distribution of gear. It's not reported.

Sure.

So, if we have VTR data, then we can make some assumptions around that. But otherwise, we often just have, you know, you're in this zone outside of 12 miles. We don't know exactly where that gear is, so the only thing we can do is assume it's spread homogeneously over that area, OK, there's a, there's a data limitation there that allows us to do this better.

OK, so, but the co-occurrence data that you have is that acoustic data?

This co-occurrence would be from aerial surveys.

OK, so here's the whale distribution.

Yeah, OK. But when were the last acoustic surveys done, that, you could use for co-occurrence data?

Colleen do you want to step in on acoustic?

I mean the last the last we, right now. Well, Burton, you can let me know if Jason has figured out a way to add acoustic data to the whale data model. But as far as a recent acoustic data for the area, the in the last, um, the last ROV, what do they call those the gliders that go through And are moving through areas, trying to detect whales The last one that I saw that detected a right whale was January in 2019, I think that they, the, there might be another one in that area in the general vicinity in the Gulf of Maine. Now, I haven't been, I haven't been checking the tracks on that. There is also work being done between our Science Center and the state of Maine with acoustics. They're like acoustic traps that are set, but they don't relay the information. They have to be taken out, and the data are uploaded somewhere. And then they're placed back in. And, and the data are analyzed. And I know that they have established those. And someone is actually currently analyzing the data now. So we may have those data soon, but I don't have those right now. Those I believe are from sometime in the last 6 or nine months,

OK? But the plane flights are something that's recent, that's been in the last couple of years?

Right. The way this, they're, they're getting ready to modify how they do their aerial surveys, but the way they've been done in recent years is really been focused on trying to get us good population estimates and to do that, they need to recapture the whale's they need to have. They need to see the whales frequently. So they've been concentrating the flights on where there are abundant whales so they can get the most identifications done in every flight. As a result, the broader surveys they used to do haven't been being done, though, They have sent some surveys into that area. I'm not sure what the sightings have been for that area. I know that they haven't triggered. they haven't had the kind of aggregations that would trigger voluntary vessel speed reductions, in recent months, at least.

Yeah, I guess I was just trying to get at the point of where, where, you know how the co-occurrence data, what the age of it is, and the frequency of those flights. You know, as you say or you know acoustic or whatever you know in that area. I mean, I know the one. I think it was WHOI did the one acoustic glider in 2019. But I think that was the first one that had been done in a decade. You know, I think that's where I kind of step off a little bit on with, you know,

looking at a restricted area, is that we're looking at data that's been, you know, we have one baseline for, for 10 years. and we know how much things have changed in the Gulf And so, look at displacing that many fishermen, out of a, you know, in a restricted area during the most profitable months I guess I would like to have a little bit more recent data and would feel more comfortable with that rather than taking a shot in the dark in a way. That's the way it feels to me, at a restricted area. I think that some, I think it's, just don't think it's fair.

And we can, we can record that as a comment. But know, that you're not the only one who's concerned, including some of the scientists on the take reduction team, that we need more data. But we really can't wait till we have all the data to do it. However, the other thing you mentioned that's right is, yeah. The whales have shifted a lot in their distribution since 2010. But although they've shifted a lot, they still seem to be visiting their previous places that they visited, Not as many whales are using in the Gulf of Maine, and in some places, like the Bay of Fundy, they don't visit for a long, they poke their noses in and then they leave out, leave, you know, right away. So that this was an important area at one time and we don't have a lot of recent data to know that it still is, doesn't let us know that they're not still going there. I do think, you know that Maine has been working pretty aggressively to try and get more information. And NMFS has as well, trying to increase the use of acoustic data, because we can't get flights there. But the acoustic data can give us all kind of a longer survey than we can do by setting flights up every day. So, you know, point taken we need more data. I'm yeah, I'm afraid point with the speed with which the population is declining. We can't wait till we have all the answers.

Sure. I mean, I understand that. I think that's one of the frustrating pieces about all of this is the fact that we're doing this, you know, without recent or, you know, there's some good data. There's some bad data. I'm not, I'm not denying the fact that they're, you know, not still in the Gulf of Maine, but I know what I see every day. And every other fishermen, I talked to sees every day and it's not, you know, we're not seeing them, It's not a reason to not do something but it's also when you're looking at, you know, my bills don't stop every day. So at the end of the day, you know, I want to make sure that what we do actually works for whales and works for us.

All right. Yeah, thanks,

I'm all set, thank you.

Thank you. OK, I'm going to go to Nicholas Morely. Hmm, this lost you in my list. OK, you're unmuted, you should be able to ask your question. I see that you're unmuted, but we can't quite hear you yet.

Can you hear me now?

Yes.

My question is, now, with all the state markings, what if in like, 7 or 8 years or even, like, 2 or 3? What if there's no like entanglements, like from the State of Maine. Is some of this stuff going to be able to change, or?

I'll try this one as well. This is Colleen again. And no, we did mention there aren't that many whales that we're seeing that have gear still on them. So when there's so few incidents, and few have gear on them, not seeing a mark isn't the only data that we would be able to use to know that we can change the measures. But, there are a lot of other things we'll be looking at, You know, the more data we have on, whale distribution, as, as Maine, goes to 100% reporting. The more data we have on whether lines have been reduced from the trawling up, or where the effort actually is, the, possibly, the more we'll be able to, right scale the measures, or modify them. It does take up a couple of years for us to modify measures. And we do need a lot of information to do that. Our, our plan is to be trying to monitor as well as we can, including the whales and the fishery, and bringing that to the take reduction team annually. Uh, you know, while we're trying to figure out whether this is working, whether we need, whether we can move some of the measures in, some places remaining more measures. So that's something where we'll be continuing to look at what the take reduction team, probably through at least annual monitoring meetings. So again, it wouldn't only be the lack of gearmark found it would have to include a lot of other information too.

Thank you.

Andrew Hallinan, you are next. OK, you are unmuted.

OK, my question is, for the LMA one Zone, the Closure Zone, is there any amount of conservation equivalency that Zones in Maine could do to fish that zone?

Marisa, you had looked a little bit at this last night, and, and about 10% of the risk reduction, um, in this 60 something percent. That the decision support tool estimated was from the LMA one closure.

It was 10.8% across the entire north-east.

Right. So, we would have to find, you know, about that level of risk reduction across the region in order to, know, that we wouldn't need the LMA one closure area.

OK. And also, on one of your last slides, you asked for comments about the weak point at the buoy. I, from a fisherman, myself, I don't think it's necessary if you're going to. And if you're going to implement other weak points with the tide boiling and stuff like that, buoys are going to be lost anyway, so you might as well, um, save what gear you can. And also, in the economic factor, I think things that should be considered is if you're going to make fishermen relocate in terms of north and south and not out of their zone, like Jacob Thompson talked about, I think Territory, guys, Cutting each other off should be considered. Trawls with one end when you're fishing 25 trap trawls with one end on them, The amount of gear lost from that should be considered. And also, in Zone E of Maine, the LMA one zone, a lot of guys, I personally don't fish it, but a lot of other guys do. So, I feel like I should talk on their behalf to go. Their lost income from that. I think that should also be considered, whether it has to be looking at slips or whatnot. I think all that should be considered when you're talking about economic consequences, when you're shutting down zones like that.

Thank you, we were recording those comments. Appreciate that.

That's, that's all I have.

Thank you. We had a question from someone who's unable to speak. The question is. I would like, Here we are. I want to know if there is a fisher-friendly version of the data presented in the DEIS and presentation?

Um hmm. The presentation, to some extent, was created to be accessible. I think from the comments that and questions that we're getting from fishermen, they're understanding it. Pretty dang. Well. There is also a 5 or 6 page summary of the measures in a, you know, an in more accessible format that's on our website that I don't think that has the analyzes summarized. But, it does have the measure summarized. But, but this presentation, one very similar to it, is posted as a slide deck, we can post this one, as well as a slide deck. And it does, I think, present the data in a fairly accessible form.

OK, thank you, see Jack Merrill, coming to you. You should be able to unmute yourself.

Hello.

Hi. Yes. We can hear you.

OK. Thanks. Yeah. Hello, again. I had some things on my mind when this conversation started, but a couple other things have come up in the meantime. So my first comment is, if you want to track whales, use drones, Um, That's all I have to say on that. It's new technology, I guess, but that's the way to do it. Um, and then last night, I pointed out that the parameters of the closed area will be, will become a wall of traps. And after it's open, there'll be a gold mine mentality into the zone. So I think a couple of guys had sort of brought up that point tonight. The parameters of, if any closed areas, are going to be, you know, littered with traps. So what I really wanted to bring up tonight, and I think Christian is, has talked about it a little bit. And other guys have too, equivalency possibilities. And that's one of your questions. Um, and that's extremely important, too, to us in Maine, because you're going to relocate a lot of people anyway. But if you're requiring guys, to fish 8 traps in an area where now they fish three as a way two end lines, versus four traps with one end line. There are some small differences and there are some large differences in those two configurations, it's the same amount of end lines, but two fours, I want to point out, will be further apart then end lines on a trawl of eight. So, I don't know if that's something you've considered. It's also be a little more rope, because in an eight than a two force because you've got to connect the two, so there's more rope in the water as well. Um, so, that's one thing I wanted to bring up. Then I think, I call it the Elephant in the room, both in the State of Maine and in federal waters. Lower Trap limits, Can you consider them as a way to reduce vertical lines?

Colleen here, um, first of all, the, the one buoy on the longer line is something that we can probably consider as a conservation equivalency, as you said. It would, it would result in the same number of end lines, it would probably have reduced economic impact, potentially. If those, um, those sets could be a little farther apart, they'd be less catch loss, potentially. So that's

something that we can try and figure out. As you move farther offshore, it might be harder to do. But I'll you know I'll be in contact with the ASMFC, because it would requires changing the lobster rules as well. So I can work with them and figure out how best to do that. Um, so that is something that would be within the Uh, the scope of what we propose, so it would be something that we could include as a conservation equivalency if I could figure that out. The second part about reducing the number of traps. I know the State of Maine did a lot of scoping with that as a possibility. I was also on a lobster/whale working group. I think Burton, you may have participated with us on that as well. Where we, ASMFC, it was for ASMFC and they were looking into whether or not they could propose an amendment that would, um, try for line reduction through trap reductions. And it was pretty complicated and, in part because Maine has a different level of data collected. So, um, you know, understanding how to do that across different states that have different levels of fishing history known for fishermen was really complicated. The whole fishery management regime trying to do is complicated. And in the end, that group was not able to propose an amendment to the ASFMC. So it was considered, and I know, it was considered at the, at the multi-state level, through the Atlantic States Marine fisheries commission and it was considered at the at the state level, through Maine DMR scoping.

Yeah, it's been an ongoing conversation in Maine for about 100 years now. Actually, there's an old video of the Korea Co-op in the 19 thirties that shows fishermen, debating trap limits back then aye. But I think the, you know, the dangers of trawling up, especially for smaller boats, older fishermen. And the displacement of boats from the areas where they would normally fish by these rules that you proposed right now. Um, the dangers far outweigh, you know what giving up, some traps would be, So.

Yeah

And I'm not going to get into it tonight, but I know there are economic benefits to trap reduction as well, and it's worked all around the world. But, yeah. Anyway.

I agree with you quite a bit. And, with herring where it is, right now. There's benefits to be, um, I know if that was proposed as a conservation equivalency, that would be something that would be pretty easy for us to include in the Final Rule. Halving the number of lines by halving the number of traps would be pretty effective.

Yeah, because you know, if I had to reduce my traps, and I think I speak in a general term, You're not going to start. You know, where you fish singles now you're not going to suddenly put pairs. If you have less traps, any. So, anyway. Yeah, I appreciate that. Thank you.

Thank you for your comments, OK.

OK, we are? Going to Kent. Oh. Maybe we've lost Kent. I will come back to Kent. Gregory Simmonds, I am coming. Maybe not Gregory, either. OK, let me, we will come back to this to John Tripp. You should be able to unmute yourself. I can see that you're unmuted, but we can't hear you yet. OK, John, we're going to come back to you. David Tarr. You should be able to unmute yourself

Can you hear me?

Yes.

OK, my question, I guess I have a couple of questions, but primarily that, that restricted area that you're talking about, um, the model that came up with that, I mean, I think it's miraculous that it does just follow the, The area one, and area three lines right along and that, it's fine on one side, not on the other. I'd have a lot more faith in that model if it made a box that somehow crossed those magic lines we have out on the ocean, I'm wondering if it would be possible As you say, there's not much gear outside. Area one, in the area three box, maybe the guys could shift some gear over there, Just have some sort of an exemption for that time so they can fish outside a little further if they want to, to alleviate some of the gear stress from it being moved east, west, or, or north, give them a south option. And I'm also wondering, I don't believe that data, the data you're using, has much to do with aerial surveys, even in the last five years. But I would love to see, or have, Maine Lobstermen Association, or Downeast Lobstermen's Association or the State of Maine have that data that you're using to plug into that model. To, at least give us some faith that, that, that, that isn't, just, uh, a number pulled miraculously out of the air, It just, it just doesn't pass the straight face test, I guess. And then I have a second question after that, you are trying to answer that one?

Oh, sorry. The whale data that were used that were available to us in early 2020 when this is being drafted are from a model created a whale habitat density model, was originally created for the Navy, and it was created down at Duke. And it actually used survey data from a couple of decades so it wasn't just the most recent years. And I believe at the time we were using it was data through 2016 and 2017. That model has been updated in 2010 and on has been broken out. So we are trying to update the decision support tool to include that newer period of time that's more relevant. I think and Burton, could you speak to the availability of the decision support tool for other people to try and use it to model alternatives? I think that there are future plans for making it available, and it's available in a form right now. I think Maine DMR has used in the past, is that right?

Yes, that's correct. So two things there. There's, so what the decision support tool uses is actually output from this whale habitat model. So Duke University is taking the raw whale sightings data and using that to produce a model where projects, where whales are at. And then that then gives us a complete map that we can then connect with gear densities and other things in the decision support tool to look at co-occurrence numbers and such. So there's the data that Duke is using to produce their whale habitat model. Then there's that model results, which are being used in this analysis to look at locations that we would consider that show up as being areas of concern. The output for the Duke model that we're using as an input for the Decision Support Tool has been supplied to Maine DMR and staff of Maine DMR and we've had some back and forth and discussions on what the whale habitat model looks like. And they've done some interesting and clever further analysis on that. That was an earlier version when the newer version came out that was based on only the most recent years. We were we're really looking closely to see if that spatial distribution changed. And what's come with the most recent data is not a suggestion that the spatial distribution of change, but simply that the number of whales in the Gulf of Maine has

gone down as a result. It doesn't seem to suggest that they're using a different spatial area portion of Maine. And I've just been able to get a hold of the final version of the updated habitat model, and I will be sending that the state of Maine, um, most anytime. There's a report that goes with the model that at least shows the raw data that went into that, And we can make sure that Maine DMR gets a copy of that as well.

OK, one of the other, I guess I still have two questions they're quick ones though. So, one, is this, all these slides? Are we going to have this accessible somewhere where we can look at this later on and study it, because as they were flashing through and people were talking, it really wasn't a chance to digest it. And I'm just wondering if I can have a hard copy of it, if I want to print it off myself.

Hi, Yes, there is a version available on the website, and I will post that into the chat, that does not have the Maine specific slides in it but we can work to get this version available as well. But I will put what is currently available right now on the chat.

Could you just say what the website is, and I'll just write it down.

Yes, it's fisheries dot NOAA dot gov. backslash ALWTRP, it's on the screen for reference to, and when you go to that website, it should be, at the top, it is current action, and then it says More Information, and it's one of the links listed. The more information.

OK, and the last thing, I didn't see, a slide go by that, that showed a map of what the exemption area was. But, I'd like to be able to pass that along what, where that exemption line is, do you have a map that shows that?

The, the restricted area?

No. No. The exemption line, you're talking about three trap. You know, three traps outside the exemption line I just would like to see where that exemption line is.

You can see it in either one of these maps. It's in red here, and then the next map, though. It'll be all the area in gray. In the next slide so, all the area in gray, you can see that line along there is the exemption line.

So, all of that area could still have pairs and single some, pretty much anything as long as they have the weak link and marked upright.

Yes, there will be no trawling up in those areas.

OK, they've answered my questions, Thank you.

OK, thank you, let's see. John Tripp. Let me, you should be able to unmute yourself. Yup.

Can you hear me?

Yes.

In the last webinar, I believe it was stated that the proposal achieved 64% risk reduction, but the LMA one closure, providing 10.8% risk reduction. Is it possible to achieve the 60% reduction of the closure area where split with area three and possibly stretched if necessary? I know Eban Wilson asked a similar question earlier, but I didn't know if you guys were able to run the numbers to still achieve 60% by, possibly making the area smaller for us, sharing the burden with Area three.

Colleen here, and, um, Burton, add to what I say if I don't provide enough information or Marisa. But when we were developing these areas, we were also following the instruction of getting risk reduction that was equivalent across states and jurisdictions. And so, LMA three proposed, or the Atlantic offshore guys is since don't have a state representative them. They identified one weak end and 45 trap trawls, as well as ongoing, There was ongoing and there's some imminent, trap reductions going on in LMA three, and with that combination LMA3 achieved pretty dang close to the 60% risk reduction. Then, the mass of the Maine LMA one, Measures did not, did not reach 60%. And that was one of the reasons when we were writing those scenarios that included that closure area as an area to protect whales where there is relatively high co-occurrence for the Maine LMA1 area. We ran a number of other scenarios, including ones where it overlapped into three and had other closed areas within or restricted areas within LMA1 Did not include all alternatives. Burton what am I missing, anything? Or Marisa?

No, I think that's correct. You know that the key is that this closure area is what we would have considered last when everything else that had been proposed failed to reach 60%. So, and that was trying to get this minimum number, basically, by jurisdiction.

Does the, we get no credit. For the fact that we actually have enforcement in area one and Maine state waters versus zero enforcement in Area three?

No, I mean that. That would be part of the baseline since it's not much change since 20 17, We, we are, NMFS, NOAA Office of Law Enforcement and the Coast Guard are working on improving the LMA three Enforcement. Um, so, hopefully, it will be improved compared to 20 17 over time, But, right, that wasn't something that we included as risk reduction credit.

While you can know that a lot of the science is based on assumptions, but you can assume that the state of Maine is going to do their job with enforcing the risk reduction measures that we have to take. And the same assumption could be made that there, there's going to be zero enforcement of any risk reduction in Area three. So, considering there's zero enforcement out there now.

Will include to that as a comment, you know, agreed that we do need a lot more risk reduction in area three. That's something that, there are some pilots going on now, but it needs to be wholesale. one thing proposed by the Atlantic States Marine Fisheries Commission that's likely to occur within the next few years is vessel monitoring in federal waters. And if it can't be done and all federal waters right off, if it is, the kind of thing that would probably be started, in an

area three, and then when there's more capacity moved into other federal waters. So, that would help, that would help us with enforcement.

Thank you.

Welcome, thank you.

OK, Ira Miller, I'm coming to you. I see you have two accounts, So I'm going to try one, and let's see if this is the correct one. Can you unmute yourself? How about now, oh, I see you're unmuted.

Can you hear me?

Yes.

Uh, lot of the things I've talked about have already been touched upon. Certainly will enforcement, that was something I'd discuss last night. Just start off with that. So basically, Unfortunately, this is going to turn to somewhat of a fight between the sectors because we're all fighting for our existence. That being said, you're depending on the honor system. Basically, New Hampshire, Massachusetts and area three, seems how Maine, has the only enforcement. Or realistically, they're the only ones that can enforce anything out there. So, great big gap right there to begin with. As John just talked about, lengthening the line if it comes to a closed area, I understand why you're saying by co-occurrence model, but it appears to me looking at that co-occurrence model run further the south-west along that line, there's quite a bit of co-occurrence, but you stopped it short of that. It seems to me, that could be narrowed up quite a lot. And it really should be a shared, a shared area. So if it was narrowed up a lot and lengthened. It seems to me that even though it's unpalatable, anyway, that that would make it a little bit better. Jack Merrill brought up the possibility of trap reductions. I'd like to also talk about the possibility although this is uh, very little benefit to it, but you're trying to achieve something that's fair across the board. Uh, you know, winter time closure, possibly in state waters, things like that. It's not that I'm in favor of that stuff, but you're trying to get where it's giving people across the board of a fair chance to get things. I think you need to work those somehow into your calculations. I think people need to understand, if they have, for instance, a trap reduction, or what's what, I don't think that the best way to do it, as I think you, guys, do economic analysis, you should be throwing an economic analysis into that. How much change does it mean if there's a trap reduction, for instance, , 200 traps or something like that? What's it mean across the board for everybody else? What how are they going to have to change the way they fish? My point being that is, it stands right now. We can all fish, we're all fishing right now. Old, young, everybody, everybody, is still able to make a living. We go to these types of things. You're going to impact some people, and you're going to make it extremely tough on them to make a living in the area that I fish. You move into triples a quarter mile outside the Islands. And I can tell you that I can fish, you'll be fishing triples in about some spots, probably about 6 or 8 fathoms of water, not very doable on hard bottom. So, I'm just wondering, I know this stuff is fast-tracked, but I think in the process as much information as you can on alternate scenarios, because it's pretty hard to make choices when you don't know what the impacts will be. At least you could maybe shine some light on it. I'm all set for now.

Hmm, We've taken that down, particularly as a comment. It would be hard for us to greatly modify the final rule with, with measures that we hadn't considered or didn't include in the analyzes, it's outside the scope of, of what's being considered, it is the kind of thing that we could potentially do through another proposed rule. But, as you indicated, this is somewhat on a fast track, partly based on litigation, greatly, based on the rapid decline in this whale population that's dropped by, oh, buy a quarter in just a couple of years. So we don't have a lot more years to take action. We, we looked at a lot of scenarios. The States did a lot of scoping as well. Some of the things being proposed tonight were not being proposed. By fishermen, when scoping of what's going on, or at least it didn't make it to us. But we'll, know, we'll start, will, as comments, come in when you sent, submit these as comments, and we've taken them as comments tonight as well. We will see where there is room for us to consider it within the analyzes and for the final rule. But some of it's quite outside the scope of what is in the proposed rule. So, if it would, if we changed it to this level, it would have to go out as another proposed rule, and that might be hard to do the time that we have.

When you spoke about, somebody brought this up, I believe, before, last night, And you spoke about proposed changes to the rules, how fast we could change things. Uh, just like to have you speak to that one more time and I'm wondering if there's things that the fishing fleet can do that would help you be more responsive in in making changes to things. if we're implementing this stuff, you know, that reacts to data, as it comes in a more timely way, it allows us to fish the way that we need to fish.

So I think that came up last night when people asked us when we're putting closed area or restricted areas in place if the whales shifted. How quickly can we modify the restricted areas? And I think, I said it usually takes us about two years to do something through a new rulemaking. I mean, this, this rulemaking is an example of that, We, you know, we got proposals from the states early in, late in 20 19, early in 20 20, and now it's early 2021 as we're proposing the rule. We're hoping to have it in place, um, you know, probably by the end of the summer or something like that. Um. Um, so that's almost two years right there. And really, the TRT made their proposal in April 2019. So we're almost up to 2, 2 years from when the TRT proposed their framework measures. I think that a lot of the things that held things up, you know, we did a lot of scoping. The states did a lot of scoping so, between April 2019. And early, 2020, a lot of that was because of the amount of scoping that was done by the states and by NOAA fisheries. And then the other place it got held up was when the rule went into review for because it was considered significant and went into review in the Office of Management and Budget, which is a branch at the White House. And that review period was a lot longer than we anticipated. So, those, Some of those are scoping, doing a lot of scoping is important. But, um, So, you know, it doesn't necessarily need to be nine months long. Maybe that's something that could be shortened next time. It's always hard for us to know how long something is going to be in review inside the Beltway. And that's not something we control. And that's a hard thing for anyone to predict. So it's just not a very agile process.

Right. Is there just a question for you? I know that you're always clambering, Seems like for more information, all Federal vessels were to report, trip reports, maybe even the possibility of electronic monitors if that was implemented in the Federal waters. How, was there any chance

that that could implement that could impact that process, speed it up, whatever, To be more responsive to what's actually happening on the water?

I mean, I don't know if it would speed up the rulemaking, but the next rulemaking we do would be much better informed. And I think that it would probably improve, improve the measures and our ability to track the effectiveness of the measures. For instance, right now, we're proposing trawling up, It's hard for us to tell how much trawling up works. Unless we have 100% vessel trip reporting. And we can compare the number of lines being fished today with the number of lines being fished a year after the new measures are in place. So, um, so there are a lot of things that would be improved with that kind of reporting. I don't know that it would ensure we could do rulemaking in less than a couple of years.

Yeah, I mean, that's a benefit. I would hope that might come from that. I do have to do regular reporting. And, you know, it is I'm not sure that it's always finer scale that would that would really make a lot of difference. I mean, there is I think it could be improved, I guess, is what I'm trying to say.

Yeah. I agree. And I think Maine is also doing a lot of really targeted research that would also improve our ability to assess the area's better. For instance, the work that they're doing with the sound traps, to try and get more acoustic data, because there's not a lot of survey data for Maine waters. So yes, the more data we have, a bit, the better the measures would be, the more effective they'll be, and I can't guarantee it will come out faster, but, but it could, Measures that are better and more tailored and better supported often get less held up in review. So, that is the kind of thing that could make it faster.

Understood. Thank you.

Thank you.

OK, Zach, I'm coming to you and second. OK, you're unmuted, you'll be able to ask your question.

OK, thank you, my question has to do with slide 17. And before I ask the question, I just want to say, I'm with Blue Planet strategies out of Bar Harbor, Maine, but I grew up in Eastport in a fishing family. And then I became a whale watch naturalist for 30 years with thousands of trips off the coast of Maine. So I want to say thank you to all the fishermen on this call for all that you have done. And all that you continue to do too: look for solutions and find a way forward. I actually believe that the conservation community has a lot more in common with fishermen than different, including climate change, water quality, maintaining forage fish, um, ship strikes on whales. All those things are common cause for us. My question is with regard to the co-occurrence, if we look at the map for baseline co-occurrence on the left, there's a, there's a large area of red around Jeffrey's Ledge down around the New Hampshire, Maine border. And then also up between Eastport and Grand Manan. Just trying to understand if there were alternatives for closures where other areas are highlighted in red. Um, not that I'm trying to push more closures onto everybody but just trying to understand what, why, weren't alternatives given were considered for closures in those areas or how. How were those considered different? Thank you.

We, we ran a lot of scenarios actually, by we, I mean, Marisa and Burton ran hundreds of scenarios, including I don't know about that That small area off Grand Manan, but I know that I'm fairly certain we ran a few that included Jeffreys Ledge. And I don't remember why in the end those weren't in the preferred. Marisa and Burton, can you remember? I mean, I know this is about a year and a half ago, or a year ago, and hundreds of runs.

It's hard to remember all of the details, and this is something so when you're selecting measures for our preferred alternative, we were primarily using the decision support tool. And so this could have something to do with how we were approaching that and what is in the decision support tool versus what is in our co-occurrence model. So we didn't get these maps until kind of the end of the process, when we are doing our final biological analysis. And I think, when we ran things on the decision support tool, maybe, I don't think they were highlighted as major hotspots as much as the other area. Burton can may remember a little bit more about that. But I don't think, when we ran them through the decision support tool we had the same results as this map is showing. So, it's something that we might want to go back to and look at.

Yeah. I agree with what Marisa said. That one spot near the mouth of the Bay of Fundy did show up. It's sort of overemphasized because the value gets extrapolated out to a larger block in this case. So it showed up as a potential hotspot. But it was an extremely small one that didn't last across multiple months. And so creating a seasonal closure that was of a short time period in a very small area, I think that the people in law enforcement and others said the logistics of implementing something small, over a short period of time, that it had added up to relatively small benefit is not preferred the one over Jeffreys Ledge. I'd have to go back and look. I think that there was also a fairly brief period, maybe only one month or so that it showed up as a hotspot, but we'd have to look at that and see why it was at that and didn't make our final cut.

OK, thank you.

It's important to note that the modeling that we do happens on a monthly basis and we're looking at, sort of, one map out of one month for this.

Thanks. That's right. That's a good point Burton. That was a sample of a month versus the 12 months.

OK, the account of Nicholas Morely, I am coming to unmute you, you should be able to unmute yourself and ask your question.

I just got one more quick question. The state of Maine is proposing like a test, offshore wind turbine field. And it's right smack in the heart of like the closed area, cause like, when you compare the map for the closure and the wind turbines, right, in the exact same spot. So how can they have like, enough data to say it won't change anything like agriculturally. But you guys have enough evidence to shut it down all fishing because there's so many whales in that area, I just don't understand how they can like contradict each other so much.

Yeah. We've had similar questions about this, Off of Rhode Island, where they're struggling with some wind development conflicts as well. And it is really outside the scope of our actions. We are so specific to the take reduction process under the Marine Mammal Protection Act. Often, if our, It's also different federal agency. If they come to us for data, for tools, this is a kind of thing we could offer them. They could run the model as well. But as far as I know, we have not gotten involved in the, my, our team, the people who are here today have not been involved in their assessment and in their data sourcing. I can reach out to the folks that worked for NOAA fisheries that work with the wind energy companies and find out where they're getting their information and whether or not they are interested in using some of the information we have. The basic data, on whale distribution is coming almost all of us are using that Duke model that Burton described because that is currently the best available. But I don't know if that group hasn't yet used that. I can check into that to make sure they are using it.

All right.

OK, Colleen we have just a couple more questions. Jacob Thompson, you are next, you should be able to unmute yourself and ask your question.

Yes. I, I just wanted to know how come you guys didn't really stress that the whale migration pattern has changed as much? And climate change? I mean, everyone talks about it on TV all the time. Obviously, the warmer it gets, the whale's will be going further north, so, how come that wasn't talked about as much?

Yeah. Thanks, Jacob. That, that's a good question. And, um, know, honestly, we had, a slide in, in there, where we showed the trajectory of the population. And when we were presenting that, sort of a longer version. It's in the recorded version that's on our website, even, which is an even longer version of the presentation from tonight. We do point. We do state the problems. The whales are having the reason the population is declining is in, in large part or declining, faster, is in large part. Because since 20 11, they shifted their distribution. As you said, they're spending probably less time in the Gulf of Maine, except in, you know, they're visiting some places fewer of them are, are staying residential in there. There are more of them in Cape Cod Bay, and sometime in the 20 low teens, a bunch of them went to other areas where there are no permanent protective measures in place, particularly the Gulf of Saint Lawrence in 20 17, about 12 of those mortalities that occurred that year, occurred in the Gulf of saint Lawrence because the shippers weren't looking for them. And the fishermen didn't have measures in place. So, those mortalities that shifted distribution, which may also have reduced the whales fitness and did reduce or the calving interval between when the moms were having calves increased, the number of calves being born a year decreased. So, climate change contributed a lot to that shift, that increased the speed with which this population has been declining in the last since 20 10 or 20 11. And I didn't mention tonight because we were trying to give a more targeted presentation of what we're doing versus all the many reasons for the challenge that the population has declined. Doesn't really explain why there's been an increase in entanglement, certainly some of that's Canada, and we do account for that, and how we apportion the undocumented takes. It takes where we don't know where they occur. We assume half of those are occurring in Canada. We don't blame those all on US. Fisheries as may have been done in the past. And you know, the smaller the population gets regardless, what causes it, the more important to them mortalities and serious injuries is. And So

it doesn't really reduce our need to continue to reduce the amount of human caused mortality in the population. You're right, we didn't get into it tonight, and it's partly because we we're trying to have a targeted, slightly shorter presentation.

one more question, but she might not be I'll answer but. Was there a reduce this year in the ship strikes because cruise ships aren't going around because of covid 19 or is there? I mean, is there any correlation to that because I've heard different stories about, you know, that a lot of cruise ships, they go to eat bacteria that comes in the shipping lanes or whatever, and they get hit by a lot of cruise ships. Is there any data from a lot from 20 20 that shows no less ship strikes, are: Is it not available yet?

I don't, we don't have that analyzed right now. I don't think we did have two vessels strikes in US waters, both small whales, calves from last year's counts um, and one of those I believe, was a smaller vessel. And the other one, we don't know but so that is actually probably possibly even an increase in US waters to have two in a year. I do think it is the case that there were fewer vessels strikes in Canada this year and I believe the year before as well. Few of them that were documented at least. And I don't know that, that has anything. I mean, there's so much shipping, going through the Gulf Saint. Lawrence is the primary shipping lane into the Great Lakes, and into the side of Canada. So I don't know that that has anything to do with cruise ships. I do remember hearing about that theory. I don't know that I've seen that that theory was proved that whales are changing their distribution because of the waste being dumped off of cruise ships. I'm not sure that that was very convincing to me and to some other, to folks who are scientists and study some of this. Um, so I would say, we don't have any evidence of that. In there, if anything, there's been a slight uptick. Oh. But within the range of vessel strikes in US waters, there was a reduction in Canadian waters, but I don't think anyone would be able to show that had anything to do with cruise ship traffic.

OK, thank you.

OK, Dustin, Delano? It should be able to unmute yourself and ask.

I just have a question on implementation, When do you expect that these rules will be implemented?

So, that's a good question, and I can't, I can't say for sure. I will say that the will be getting, you know, finishing the comment period March first, I suspect, you know, 75% of the comments will come in, Um, March first before midnight. And so, we'll be aggregating those and considering you can, adding to the information that's in our Environmental Impact Statements. And, you know, doing the analysis at all takes a lot of time, as we finalize the rule and finalize environmental impact statements, so probably a couple of months to do that, a couple of months in review. And, you know, we hope to at least have a firm idea before the end of May, at least an internal final draft before the end of May. That can be good, can go into the biological opinion. That needs to be done by the end of May, because of the litigation deadline. And when it is finalized, and when it is published as a final rule, which hopefully would be shortly after May or early in the summer, we would have a delayed effective date for any of those gear modifications. And in the past, those have been anywhere from, you know, four months and up. I think in some

years, it was almost a year because of the extent of the gear modifications required. So, you know, we'd probably be looking at a few months delayed actual implementation to give fishermen, an opportunity, you know, some time to make the modifications. So it wouldn't be effective immediately upon publication of the final rule.

OK, thanks.

OK, two more, Julie Eaton, you should be able to unmute yourself and ask your question.

Hi. My question is, I'd like to know if you guys have thought about or what actions you're planning to take, um, to protect the right whales, from ship strikes. The reason I ask this is if you're asking the Maine lobstermen to give up extremely productive bottom, that feed our families by this closure area. It appears to me that ships coming into Maine to offload cargo, will have to transit this closure area. So what you're expecting us to do should also affect the ships coming in. I'd like to hear your comments on this, please. Thank you.

Thanks. And this is Colleen again. So this action that we're taking is under the Marine Mammal Protection Act, take reduction requirements. So, it is very specific as you've noted to commercial fisheries and ship vessel traffic is outside the scope of what this team works on, but the agency under the Endangered Species Act does work on vessel strike measures. And those measures are definitely due for modifications. I believe that probably within the next year will be people will be out scoping on, the analysis that had been done recently for the purpose of determining whether or not the rules that are in place right now, might need to be changed. So when they're doing that, I'll make sure that they include in their outreach that they get to, I think it's Maine, I think it'll be the whole coast, Maine through Florida. And there are measures in place and a number of places, particularly near ports, near some of the larger ports. There are vessel speed restricted areas that are seasonal, it's restricted when right whales are seasonally anticipated to be in the area. But as we've all been discussing over the last few minutes, Right Whales Distribution, have changed a lot. So some of those areas should probably be revisited and considered for modifications. But that is outside the scope of what we are talking about.

Thank you very much, I appreciate it.

Thank you so much. OK, Oh. OK, we have 1 last 1, Colleen. And Eben Wilson, I'm coming to you. You are unmuted, you'll be able to ask your question now.

Yeah. Yes. I just had one last question about enforcement in Area three and the difficulties that Maine and New Hampshire have had. And I believe, Massachusetts, as well, about enforcement in those areas, And it pertains mostly just to police unions and being able to access vessel vessels and, you know, the ability to be able to haul gear out there because they haven't been, and a lot of it pertains to 24-hour payment of wardens, and, and just the ability to be out there.

Thanks for that. I hadn't heard about the police union component of the difficulty enforcing in the offshore. I know NOAA Fisheries provides joint enforcement agreements, so we provide some funding support to enforce, to help with the enforcement of the rules in state waters. And I know Maine extends out well beyond state waters. But I was under the I understood that the

offshore enforcement was done by our Office of Law Enforcement, but relying heavily on the US. Coast Guard. And I know that a couple of years ago, they looked into trying to haul gear they looked at like buoy tender is in some of the large vessels because it's they don't have capacity on most of the coast guard cutters and vessels like that to haul gear. And even more importantly, they don't have the skill to reset gear. They're not commercial fishermen, and they're not operating off of commercial fishing boats. So hauling gear, finding out its legal all they can do is take it in and they can probably only take one offshore, set in at a time. So it would also be pretty time consuming. So they have looked into that. They've also looked into the possibility of leasing a fishing vessel and a crew to help them do it. Um but would be pretty expensive. And also, not a lot of fishermen really want to enforce against other fishermen. And then they have considered getting a vessel capable of doing it. You know, they talked, I know with Maine and others about that. The cost of maintaining the vessel between trips, the, you know, the 365 day maintenance. And everything else was pretty prohibitive, I think in the end. And partly for those reasons, they're starting to look instead at, you know, the underwater version of someone suggesting we monitor whales with drones. So they're looking at ROV's to do enforcement work and their preliminary efforts have been pretty positive. They've been able to see, weak insertions on buoy lines, I think they'd been able to count pots on bottom on the trawls on the bottom and things like that. Um. So their hope, I think, is that, as technology advances, they're going to be able to do more of this. And as I indicated, Atlantic States Marine Fisheries Commission has proposed that that NMFS require 100% vessel monitoring on the federal vessels, which I believe will be coming online shortly, 100% trip reporting. That will be coming online in Federal and in Maine Waters will also give us a lot more data and also help us direct enforcement efforts. So there are a lot of things going on to improve enforcement, in LMA three. They're not in place right now in any wholesale way. That's true. And that's been true for a long time that there hasn't been enough enforcement, but I hadn't heard about a police union component to that. I don't know much about that.

OK, yeah, I'm, maybe I'm off base for that, but I think the hard part. for me is the fact that, you know, area One we have, you know, we have Maine Marine Patrol and they've done a decent job at being able to manage all of area one, A and area three has been largely unmanaged to this point and I, the last thing that I want to do is to be able to try to pit one against the other. But the point is, is that there are people that are pushing up against area one, area, three line and, you know, we are we are being assessed at those marks in some way. You know, one side of the line to the other, and it's, it's very difficult. And, you know, we, we need just to see because we're looking at a closure in our area, to you know, to see that the balance fairly and I just, I just want to make sure that it's all being looked at.

I appreciate that. And I don't think it is really pinning a sector against another because among the main people, of the primary people who are coming to us and complaining about the lack of enforcement and enforceability offshore are the LMA three fishermen. So, there, the fishermen out there are also concerned about the lack of enforcement.

I'm sure they are

working on it, but we're not there yet.

I'm sure they are. Thank you.

Thank you.

OK, Colleen. I think we did it. That's it for this evening.

Oh, yeah, I think it's so late that we're probably not going to have a comment session, But, we did really allow comments in with the questions tonight, which is one of the reasons, perhaps. The question session went fairly long. So, I hope that doesn't disappoint everyone. We will be having more public meetings in February, specifically for the purpose of collecting public comment. And also, looking at the slide that's up right now, or going onto our website, You can get information on how to provide us with those comments as written comments. And I really appreciate everyone's input tonight, really, some very sharp questions, some very thoughtful comments and input. And, you know, you're, you're identifying a lot of places where we still have a lot of work to do, and I really appreciate that input. And thanks to all the NOAA folks who have been helping support the webinar tonight. And the TRT folks who are online, appreciate everybody's help and perhaps talk to you all in February. Goodnight everybody.

Public Hearing 1

Rhode Island, Southern Massachusetts and LMA3, Tuesday, February 16, 2021, 6:30-8:30 pm

During our informational sessions, for example, we got some great input that has caused us to revisit some of our economic analyzes, and may help us better understand and compare economic impacts. We hope to get more of that kind of input tonight and throughout our public comment period. Feedback suggesting we analyze the data differently, identifying new data sources, or explaining how the policy would positively or negatively affect your specific situation, will help us improve the final rule and the final environmental impact statement. These types of specifics are a little more useful than a simple Statement of Support, or opposition to a proposed rule and the environmental impact analysis. Also, we realize that NOAA fisheries currently has a number of other documents out for public feedback, including a report evaluating current vessel strike measures and the Biological Opinion that's on the batched fisheries that was mentioned earlier. These actions have separate feedback, processes, and fall outside of the scope of the documents we're discussing tonight, particularly given the size of our audience, we'd like you to please restrict your comments to the documents we're discussing tonight, within the scope of tonight's meeting.

Additionally, throughout the preamble and the rule of the rule and the Draft Environmental Impact Statement (DEIS), there are some places where we called out requests to reviewers specific requests, and I'm giving a handful of examples here. one is we would like comments regarding some of our assumptions on the time, and the associated costs related to the proposed gearmarking on the within the draft environmental impact statement. For the first time our cost estimates assume that fishermen remark their gear every year when they're doing maintenance. Therefore, the estimated cost in our analyzes are higher than previous gearmarking estimates. In addition to assuming annual remarking, we estimated that the gear marking portion of the annual line maintenance takes an additional 20 minutes per rope. And we'd like fishermen's input on how much time it takes them to mark each buoy line. Are we close? are we underestimating any specifics would be welcome. Another issue we asked for comments on Maine proposed to reduce the number of Buoy lines by either trawling up or by allowing a single buoy line on a longer multiple trap trawl. Both approaches would provide equal line reduction, so they are within the scope of the analysis. But in the proposed rule, we only provide the trawling up option. We're asking reviewers, especially fishermen, to comment on whether we should include both options in the final rule. In the past, offshore trawls with multiple traps in a single buoy were allowed as an option within the Take Reduction Plan. But it was rescinded because fishermen indicated they wouldn't use that option because of gear conflict concerns.

The DEIS also analyzes a couple of options related to the weak links that we'd like some input on, and this is specifically talking about the weak link at the buoy or in the Surface system. The weak link already required, We propose some options. A fisherman be allowed to choose the keep the weak link at the buoy or to put them at the base of the Surface system or multiple Surface system lines meet the main buoy rope. We also would like input on whether or not, at Surface System Weak link is required. If there are weak insertions or a weak buoy line below, Some take reduction members suggested that the buoy could actually provide resistance. So if a whale got entangled and broke free due to a lower weak insertion in the buoy line, the resistance of the buoy itself could pull the line away from the whale and possibly help the whale shed the gear. Finally, we're working with New England states to test weak rope and weak insertions, and

are continuing to invite ideas for fishermen to help us develop a list of options. Within the proposed regulations and consistent with the way that we currently regulate the weak links at the buoy.

We will identify the performance specification of the weak inserted rope, so we'll say it needs a break at 1700lbs or less. It needs to be able to be described and duplicated, and it needs to be able to be recognized by enforcement. And we may would probably include the location and the number of inserts. The regional administrator every year can approve weak insertions as they are demonstrated to meet these standards. And that allows this list to be adaptable, to grow as fishermen, learn more and bring us new ideas. At this time there are a few that we'll be adding on the list. There are a number still being tested in Maine and in Massachusetts as well, and we are really welcoming ideas from fishermen. Both Maine and Massachusetts have hired gear specialists that are working with fishermen to gather ideas and test them as and NMFS also has a couple of gear specialists, Rob Martin and John Higgins, who are doing this work as well. So, this work continues, we hope to have a list out well before the final rule.

But also at any time, if you have ideas, please get them to us and we will get them tested. And if they work, we'll be adding them to the list. We're hoping to have variety so that we can meet the conditions across the region. I do have one example here and that's been weak sleeve currently used by some Massachusetts fishermen. That has been proven to break at 1700lbs. And some fishermen have been using this in Massachusetts for the last couple of years. And we're also currently waiting on shipment of weak rope in larger diameters from India actually, that will be testing within the next few weeks. OK, next slide, please.

So, I wanted to quickly go over the next steps. As we are tonight, we're accepting comments on the proposed rule and the draft environmental impact statement, the comment periods ends, March 1 2021. Comments can be accepted either in writing or tonight in these public hearings. After we get the comments, will be analyzing those, and, as needed, we'll be updating the analyzes in our environmental impact statement. And along with that information, we'll be looking at any new data that's come in, since we drafted the environmental impact statement, including new stock assessment information, as well as published papers. All that updated information will be considered to complete the final environmental impact statement. Your comments and the analysis will also inform the Final Rule, the final environmental impact statement. We hope to get that out this summer and a month after that comes out. We'll publish the final rule again, hopefully the summer of 2021. We anticipate that as usual, there'll be delayed effective date for modifications to gear configuration and gear marking requirements so that fishermen will have time to modify the gear. Paralleling this process is an ongoing Endangered Species Act section seven consultation, and a number of federally managed fisheries. This is outside the scope of tonight's meeting. But I'm mentioning it because many of you know the agency released a draft biological opinion, and is accepting feedback on that until February 19th. The address for the information bulletin is listed here on this slide. You can get more information, including the draft Opinion, the conservation framework, and an e-mail address for questions or feedback. We have inserted that e-mail address today in the answers, in the question box. Note that there is a court order deadline to complete ESA consultation and to finalize the biological opinion of May 20, May 31st, 2021. As noted in the draft biological Opinion and the Conservation framework, the consultation and the opinion are likely to consider

the impact of the fisheries as they will be modified in the final rule. So that's the relationship to what we're doing today. The opinion is outside the scope of what we're discussing. But it, but what we're doing will influence the biological opinion. Next slide, please.

So we would now like to begin the public comment portion of our public hearing. If you have not already, please type comment in the question box to get in line. If you change your mind, if or if you wrote comment and you have changed your mind, you can type or say, pass when we call your name in the queue. If you're joining by phone only, there'll be a time set aside to take comments for those unable to see the slides and get in the queue. You must have entered your audio pin in order for us to unmute you to allow you to participate that way. For those of you that want to give your comments in writing, rather than speaking tonight, please see the blue box. On the bottom of this slide. Written comments will be accepted through March 1, 2021, following the directions listed in this text box.

If you've commented already, and you can't find your comment posted on regulations dot gov, please have patience with us. We have gotten over 15,000 comments about 260 or so of those are individual comments. We're not going to post every duplicative comment. We will tally those in that that's important to us. But we're only posting the individual comments. And when we have the full tallying, we'll also post the tally of each of the Dupe's. But as we're going through them to determine whether or not their individual comments, it takes us quite a bit of time. And then after we know they're individual, we are posting them. So I apologize. If you've posted in, you can't see it, You can, you can e-mail me to bring that to my attention, or, or if you're patient, it should get up within a couple of days when receiving them. Again, check the website on the bottom of this slide to get copies of all the documents, to get our recording with, more details, then, tonight's presentation, and to get details on additional public hearings tomorrow. And next week. For commenting tonight, we're going to call on each commenter, and we'll try to let you know who's up next in the queue. Remember that we're recording this public hearing. And, as always, please be respectful and direct comments at us, the presenters. And when you're called them, you'll be unmuted, and then you'll need to unmute yourself for the recording. If you can remember to please state your name before you comment. Tonight, we're limiting comments to three minutes. You'll be muted after three minutes. If you've already provided public comment but wish to give more, you'll be placed at the end of the queue so that everybody tonight has an opportunity to speak. But if we have time at the end, we will circle back to the ones at the end of the queue. With that, I'm going to turn the mic over to Kara, who's going to help us run through the comments.

Hello. Yes. Give me one second. Colleen, we do have a couple questions coming in. So I don't know. I'm going to just intersperse those in through the comments.

Why don't we take questions for about 10 minutes, and then turn it over to comments?

OK. Peter, I'm coming to unmute you. Peter Broder I've unmuted you, you can unmute your question. I know you also have a comment or we're just going to do questions right now and I'll come back to you for comments.

Yeah, I just wanted to make clear that the model that we used at the TRT in 2019 remains the same as the numbers are concerned as far as risk reduction is concerned. Have they changed

Any? Or are we still following up on that? And the proposals that are made today are they based on what that decision was for the risk reduction, according to the model in 19, or has anything changed Colleen?

Thanks, Peter, and I wish I could see you in person. Thanks for all your help as an original team member, I believe.

Yes. Thank you.

Currently an alternate, but one of our originals really appreciate it. So, there happen. So the draft Environmental Impact statement was drafted last year. Last spring using decision support tool, very similar to what was used at the October 2018 meeting. It did go through CIE review, I'm sorry, That was the October 2019 meeting. Sorry, April 2019 meeting, I'm getting my meetings mixed up. It went through CIE review, so it had some updates in late 2019, but it's very similar, and they improved the threat model, and also, well, that was the primary change that came after the CIE review.

Um, so they didn't cause any of the numbers that we achieved, by what we proposed at that meeting, to go down. Like, we did come up with a 60% reduction in our area. Those numbers didn't change from that time going forward?

So we analyze a lot of that in, I think it's chapter five of the environmental impact statement, Marisa, correct me if I'm wrong we, we talked about how we considered what the TRT gave us and analyzed it. And there were other things that we considered, including some of the information that came from the scoping Um, there were things done very simply at that meeting that that didn't entirely pan out when we put, I should let Marisa explain this, but when we put the model together, for instance, when you reduce the risk by changing, how strong the line is, and then reduce the number of lines, You know, it compounds, but it's not as additive as it appeared to be in the April 2019 meeting.

Thank you.

But if we're following a, similar tool with a similar concept for the final environmental impact, statement, will be probably using updated whale data, that we have now, that lets us split the data before and after 2010, And it allows us to use one whale model for the entire region. That was not available prior to drafting the environmental impact statement.

Thank you for your answer.

Thanks Peter.

OK, David, Nettie. Oh, I, you'll have yourself, I just unmuted you.

Oh, thank you. My question was, how was the 1700lb line break threshold determined, does it take into account juvenile whales and whale calves? Thank you.

So, it sounds like you may be familiar with the work that Amy Knowlton and other Scientists did out of the New England Aquarium. Um, where, um, they determine that it somewhere around 1700lbs or less is where they're not seeing serious injuries on right whales. It is not 100% effective. It's a precautionary approach rather than a full avoidance of injury, and that is primarily or that is partly because it isn't as effective on calves and young juveniles. So, in applying risk reduction measure, when we're doing the risk reduction assessment, that there's a weak line does not get 100% risk reduction. As a result. As a result of that fact. That it's not 100%.

So, what other line strengths were looked at?

We didn't propose anything less, since, I mean anything less than 1700 would be allowed. We didn't propose that. Part of that is because 1700 is also line strength that appears, to, reflect the actual forces needed to pull gear to pull the gear for a large portion of the fishery. Particularly if they're not hanging a lot of pots in the water at any one time. So, it was considered to be an operationally feasible line strength for a lot of the fishery and safe to some extent for whales. Some 70% safe for whales.

So it can be less than 1700 is that we are saying? It is permitted to be less. It can't be more than 1700, correct?

Yes.

OK, so sorry. I misunderstood. So, thank you very much.

OK.

I think we have time for one more question for now and John Swap. Forgive my pronunciation, you should be able to unmute yourself and ask your question.

Ok. My question was anything any consideration given after the last meeting to trawling up? I fish by myself in area two and a 25 pot trawl on my boat, is going to be, On a good, flat, calm day, it's going to be burdensome. On a on a rough day with an open stern It's going to be dangerous and it's going to prevent me, also from moving more than one trawl at a time when we moved to stay on the lobster's. So I'm curious as to what we can how we can work around it or what can be done.

Do you fish out of Rhode Island?

Yeah, out of Point Judith.

Yeah. I know. We talked to Scott O, and I and I know he is asking about whether or not we can consider as a conservation equivalency full weak line instead of trawling up. And that's something that. So that's something we can add. So, so I would like to take your question as a comment, because you've provided us with some good detail there and, and I believe we will be getting other comments, requesting that we consider it as a conservation equivalency. Because

we've looked at weak insertion and full weak line as an option, I believe that would fall within the scope of the analysis and the proposed rule, And that probably is something that we can consider towards the final rule.

We've been in touch very recently, you know, with Scott O, and he's, he's aware of what would, you know, talking about this. There's a number of men in the fleet now that are I'm the young guy at 67. And, uh, you know, it's going to have a bad impact. People our age having to go to 25 pot trawls.

Oh, well I think that weak line as an equivalent, because I don't think we're talking about a whole lot of vessels out of Rhode Island and Southern New England already had a bad hit, given the lobster fishery there. But, um, I think proposing that as an alternative, if we demonstrate equivalent or better risk reduction and providing us with the kind of details you're discussing, that, the age of the participants, vessel sizes, the lack of deck space to move multiple trawls, that's all good, granular information. That's exactly the kind of information we're hoping to get from the public comments.

Thank you. one more question, if I could, could ask it.

You got the mic.

OK. When you when we talk weak insertions or the whole line being weak, we've used a number 10 braid, that supposedly breaks somewhere 1700, 1650. We've been using it for years. And don't have any problems with it, but what I'm curious about is some places I fish. I am just on the edge at 12 miles outside the 12 miles. And my ends are in 180 feet of water. So I'm, I'm curious as to any thought been given to situations like that, too. I'm not trying to cherry pick my situation, but it, you know, you can be well within 12 miles of land and be hauling pots up from 200 feet if you're fishing in a hole. So, can we throw that into the mix?

I mean, if you have another risk reduction measure for using in deeper waters, it would be great. Let us know in your comments. We do assume that Well, first of all, the line that you're using, that I think some Rhode Island guys are using the top of their gear. Um, that that is one of the. So as I understand it, it's between 5/16 and 3/8 inch It's been tested in Maine, and it does break at 1700 or less fairly predictably and very predictably. And so, but it's not a three strands. And not every fisherman is going to want to use it, but Rhode Islanders seem to like it. If you use that down to the chafing gear at the maybe lowest 25%, then that is what we would consider to be probably reasonable if that's not something that can be done in the holes. I think that that's where trawling up might need to be considered.

OK, thank you.

OK, OK, we were able to come back to some questions. Can you see my screen, OK? Excellent, OK, so we're going to try this. We'll see if it works. There's a timer on the screen and I'm going to try to keep sort of who's up next in giving public comment on the screen and we'll see how this works. Thank you guys for being my guinea pigs. As Colleen said, we're going to be muting you at three minutes. Please keep your comments to the proposed rule. I put into the chat, the e-

mails, and the deadlines for the Batched BiOp comments and the vessel speed restriction comments as well. So, Brennan Strong, I know you had a couple comments. I just want to make sure that I'm going to come to you and make sure that you did not want to give public comment this time. You're unmuted, you can unmute yourself. I can see that you're unmuted, but I cannot hear you. We can come back to you. I will keep you on the list. Rachel Thompson. You are unmuted and you should be able to unmute yourself

OK, can y'all hear me?

Yes.

Awesome. Thank you so much. I'll get right to it. My name is Rachel Thompson. Thank you for the opportunity to share comments with you on the proposed new rules for the US American Lobster and Jonah crab fishery to reduce the risk these fisheries pose to North Atlantic right Whales, the world's most endangered large whale species. My first experience with this magnificent species was while I was pursuing my Marine biology degree at the University of Rhode Island. As an undergraduate research assistant, I worked in doctor Robert Kenney's lab at the URI Graduate School of Oceanography, cross referencing, right whale sighting records in the right whale photo identification catalog, managed by the New England Aquarium and the Northern Atlantic Right Whale Consortium, one of the world's most successful collaborative long term studies of an endangered whale species. 10 years later And I now find myself in a position to advocate for the right whale, on behalf of coastal Georgia residents and visitors. Today I'm presenting comments as the Executive Director for the Glynn Environmental Coalition located in Brunswick, Georgia. We're a Georgia coastal advocacy organization whose mission is to ensure a clean environment and healthy economy for citizens of coastal Georgia. We work to navigate complicated task of protecting and preserving our environment and species that call them home while working to not hinder or stunt economic sustainability. The proposed measures are based on outdated information that will not protect right whales in the short term or long term. You stated: your risk reduction goal was between 60 and 80%, but the 64% falls too close to the lowest level of risk reduction and should be aiming for a minimum of at least 70%, If not closer to 80, Stronger protections must be developed to save right whales from extinction. Gear modifications that are proposed are economically burdensome to the industry and have not been proven to be effective in reducing entanglement. The proposed rule relies on the use of ineffective gear and modifications called weak rope to reduce risk, but weak rope has not been thoroughly evaluated and has not been proven to reduce risk. New technologies called ropeless or buoy less, fishing are an opportunity for lobster and crab fishermen to continue operating in areas where right whales are present without further endangering these mammals. NOAA fisheries must continue to test and foster a market for ropeless technologies by creating incentives for fishermen to try them. Measures will not be implemented for at least another year, and the right whale cannot sustain more deaths. While we wait for fishing gear changes on the water, while stronger rules are developed and implemented, NOAA fisheries must use its emergency authority to put vertical buoy line closures in place. I thought we had five minutes today, so I'm just going to stop there. But I thank you for letting me share some of that with you and we will also be submitting written comments for consideration as well. So, thank you so much.

OK, and do keep your place and if we have time at the end, you can finish providing comments

Thank you.

OK, Peter. Lost my place. OK, Peter, you should be able to unmute yourself and give your comment.

OK, fine, thank you. I want to address primarily the trawl up. Many of the lobster boats in the 20 to 30 foot size find themselves working their gear alone. And taking advantage of that 5 to 7 months, loiter wins to follow the lobster as they migrate to deeper water. Many of us have open stern boats that Don't require us to lift the traps off the deck, thank God anymore, to set them in (undecipherable) hauling. Having said this, if we must extend the number of traps we end up spending quite a bit of time at the stern of the boat like Jay referred to a second ago. Stacking the traps, this reduces safety of the operation, especially since there is no one to throw that life ring to us, if we fall off. Some days, the boats are a bit livelier than others. So now, if we are safety minded, and then we stop at 12 miles and let the lobsters go, and so goes 2 to 3 months of profitable fishing because we can't follow them. Even though the federal Permit allows us to continue as we have for years, therefore I am against trawling up above 15 traps from my operation. Of course we could make an exemption for age as Maine and Mass have for certain instances or perhaps by boat size. Whatever is done we must keep a fair degree of efficiency, and most importantly safety in the lobster fishery. A full weak line would be a good asset to go with, as Jay said previously. Also, I wanted to say, I do support the contrivance every time I see Dan's face when I say contrivance or weaker up and down lines at 1700lbs, I support the code. Color coding change, thank goodness, took a long time to get here. I don't spend that much time because I spray paint, as many people do. And I've been on the phone with a few of the manufacturers of the 1700lb breaking top line that we put on having them put in a silver tracer in the length of the line. So that would help in identification as well. And just as a last little bit, I don't support any closed areas. Thank you for allowing me to speak.

Thanks Peter and boy, did you demonstrate how to hit three minutes. Nice.

Thank you.

Up next is David Dowe. I've unmuted you, you can go ahead and make your comment.

My name is David Dowe. You hear me?

Yes, David. Thanks.

OK. I'm a retired Marine scientists from the fisheries lab in Woods Hole and the grass roots, environmental activists living on Cape Cod. I submitted written comments and both MMPA, Risk Reduction Plan, and the biological opinion. So I was going to mention that the thing that initiated my comments was a Woods Hole Oceanographic institution ocean encounter program in saving North Atlantic Right whales. One of the things I described was the grit, that they have to develop ropeless fishing gear for lobsters. This involves both people in the industry, fishermen, scientists, NGOS, and I would feel that would be a good case study for NMFS support with

further grants. Because this grant was provided by SeaWorld and Busch Gardens and there was a private funded endeavor. The first thing I wanted to say about the biological opinion, was that we need to have an adaptive environmental management approach. And they were very vague about what kind of adaptive management they were going to use to develop a conservation frameworks that should be fleshed out. In regard to Atlantic large whale take reduction Teams management plan. We feel that they should conduct a cumulative environmental impact assessment which will allow people to examine the factors influencing the calving rate of female North Atlantic right Whales, and the effect of sublethal stresses from a variety of factors not just ship strikes and entanglements in Lobster pot and Jonah crab gear. This might include climate change, ocean noise, competing human activities, such as naval training, offshore windfarms. And also various things that are associated with the essential fish habitat. Species change, as species and their prey change, their positions in space and time has to be accommodated. Thank you.

Thanks, David. Also nice job getting in under three.

OK. Up next is Matthew. Be unmuted and able to make your comment now.

OK, can you all hear me?

Yes.

Oh, OK, well. Hello everyone. My name is Matt. Um, I've been listening to you guys, And, first of all, I would like to say, I would like to give all of you my blessings on what you guys have been doing. Um? And I was, I was wondering how I can help.

Sir. So joining in, public comment is a good way for us to get input from you tonight Or in writing.

OK, and I'm sorry. This is just, this is my first time doing this, so on. I'm getting used to everything.

That's great.

I definitely, I definitely think that we should, we should do everything that we can to make sure that, um, that these, that these whales don't get caught in, the nets, the fishing nets. I think one of the things that we should do is to, I think we should just keep the nets in one location. So you know, we don't. Where we should keep them away from where the whales are going to be so, that we don't, we shouldn't have to worry about that about, you know, where we should we should just keep the net's, they're like away from them.

Great. Thank you.

You're welcome.

Thank you.

Appreciate it.

OK, Deborah, Ashton? You should be able to unmute yourself. Deborah Ashton, can you hear me? She has written in an extensive comment indicating her mic isn't working.

Oh, perfect. And so she'll go to regs dot gov, but we also will be recording the information in the question box, so we'll be capturing that as well, Deborah, thank you.

Thank you, Colleen. I missed that, and that's OK. Next step, Patrick. I've unmuted you. You should be able to unmute yourself.

Can you hear me?

Yes.

Thanks for this opportunity to comment. And Colleen and Marisa, your introduction of this as usual has been very helpful and informative. My name is Patrick and I'm with the International Fund for Animal Welfare or IFAW and we've been pleased to be working with lobsterman for some years on the challenge of protecting right whales and protecting their livelihoods. Um, and it's not the focus of our work this evening, but a powerful reminder over the weekend with a calf mortality that of the wide variety of threats that these animals face, including, um, vessels, not just Lobster and crab gear. That said, our view, and we've participated closely, as you know, in the TRT process, and in a variety of different efforts aimed at the objectives that NOAA and NMFS share here. Um, our concern is that the proposed rule is not the solution needed to save right whales from extinction. Nor is it a solution that offers comfort, confidence, and continued prospects for our continued livelihood by Lobstermen. And those are reconciling those things is obviously a real challenge. But one that is not going to be achieved by using data that is, is not real time. That is essentially already out of date by the time of the most recent in person, TRT meeting. And is not real-time data. Second, as was already noted by an earlier speaker, going for this sort of lowest rung on the ladder, a 64% risk reduction in the face of continuing right whale mortality from various sources, including entanglement. Which we know as historically in recent years, been the main threat, shooting for 64%, doesn't, um, meaningfully or sufficiently reduce risk and in fact leads arguably to a more uncertain and risky environment both for right whales and for folks making their living on the water in terms of, you know, likely needing to move to more aggressive measures over time. And this is not the time to shoot for the lowest risk reduction target. Third has, as is also, I think, already been mentioned, and acknowledged, in fact.

Hi Patrick, I'm sorry to cut you off, Your three minutes is up. Please remember where you were, and then we'll put your name back at the end. And we can come back to you if there's time at the end.

I hope everyone waits. it'll be worth it.

Thank you. Yeah.

So you were on third. Just remember.

Brian, We are coming to you. You should be able to unmute yourself.

Yes. We are unmuted. We are couple of quick comments. Just first and foremost on the list there. You know, that area I represent in Area 2 we are against the ropeless fishery. Just kind of wanted to get that on the record right off the bat. Um, also comments on the upcoming wind farm projects that are all approximately going to take up 37% of our area two lobster grounds. And it appears that the G and G work that has been going on is coming to a completion inside of area Two. The next step In the process, once finances are established for these wind farms, is got to be the construction variance. And I feel the group should be paying a lot of attention to the extra amount of large vessels in the working environment that they're going to be in. They're supposed to be under stringent laws and rules and have observers on the boats through the last couple of seasons while they're doing their G and G work. And I know they're not supposed to work at night and we know we witnessed them in transiting of our areas. Plenty of nighttime work still continuing. I hope that this does get enforced. I know that, you know, they got handed an exemption against the whales for the, you know, a whale exemption permit, But it should be higher enforced. For a quick comment, back to slide 13. I had not yet heard of the green marks on what would be what you labeled as a Federal, up and down line, or a Federal vertical line, The six inch green mark at the top, that was nothing that I had heard discussed as of yet and wondering how new that was in the presentation. Um, as far as the trawling up in area two and a lot of the fishermen that I do represent and speak for that may not be on here right now are of age and do fish by themselves, a large percentage of our fleet does. And I am quite compassionate to the smaller trawls that they need to fish safely by themselves. But, just wondering if these rules could end up being boat specific, instead of full weak lines, or full weak, Vertical lines, if we could, uh, try to implement boats specific regulations, whereas my larger boat or a full weak vertical line might not work for me. I could possibly handle the larger trawls outside of 12 miles. So wondering, again, you know, if it could be boat specific on the enforcement level. Um, I also heard a request for a quick comment on the vertical lines. It takes at least 20 minutes on land to modify a line with markings. With the additional markings, it might take a little bit longer. I know. I know. You would ask for comment on that, depending on what our ropes come out of my three minutes, depending on what our ropes come out at from new manufacturers. That 20 minutes could be a lot on fully permanent vessel. Roll my name to the end again, one more time, if possible, please. And if there's time, I'll come back and finish my comments. Thank you.

Great, Thank you. Robert Mcclean, I'm coming to you. You should be able to unmute yourself now. Hi, Robert, can you hear me, Robert McClean? We will come back to you. OK, next step, Greg M. OK, I've unmuted you, you should be able to unmute yourself.

Yep. Greg M. Thank you for the opportunity to comment. Like Brian said, I don't believe I've seen the green mark in addition for Federal waters. I'm for the fact that we're parsing out the different colors for the different states. But, you know, we're being asked to do a lot in terms of marking and adding the green mark for Federal waters versus the State waters mark is starting to get probably a little more complicated than it's actually going to be followed. We have to have enforcement for this, And it may make compliance a little more difficult. I'd also like to suggest there's a line, called #10 Neocorp braided ropes that I believe could work instead of some of the

weak line that's being suggested or these weak contrivances. So I'd like to put that in there. In terms of the time it takes, to do the markings. It takes it takes a long time the line is seaweeded it up at the end of the year in the spring everything's wet when you're doing this work. So, you have to let the rope dry out before you can start to work with it and do these markings. So, 20 minutes per trawl is, is definitely not out of the question, especially with the additional marking requirements that we have to do. In terms of the trawl lengths, I'm very sympathetic to guys like Peter and J, they fish, a long, long time in this area and safety is a real issue. Fortunately, for Rhode Island, we have moved up to bigger boats and trawled up, whereas Maine has not, but it's still going to be an issue. So finding some sort of equivalency, like, full weak lines for guys that want to take advantage of that is probably preferable. And it may solve a lot of safety issues, operational issues, for guys like that. Also, I was pleased to hear that somebody finally has mentioned, an environmental advocate, has mentioned concern over windfarms. So a lot of this is based on co-occurrence of end lines and right whales, but If you look at the co-occurrence of, Right, whales and wind farms, they actually coincide with a lot of these closed areas. So a lot of this work that we're going to be putting in, may be for nothing in the end, when these wind farms come in and the additional noise and killing their food source all affects them. And their migratory route, If they have to go an additional 500 miles skipping this area because of this massive 1400 square mile wind farm development, they're going to be emaciated, you know, female reproductive issues are going to be exacerbated and things like that. Also, ropeless. I think, has a lot of issues. And we're a long way from away from that. Massachusetts is doing a study right now that's intended to be very comprehensive. And I'm thankful for that. It's going to take into account the opinions and operational factors of fishermen. And I'm looking forward to that before we just get told that we need to jump to that. Thank you for the time.

Whoop, all right good timing. Robert, OK, you're up next again, if you're on up on your computer, on the right hand side,

I see it. I found it. Appreciate it.

Excellent.

And this is a brand new format and that's actually one of the points I wanted to make, Kara if I'm pronouncing your name wrong, which is that this is an issue a number of people, will not get into the weeds like myself here on this. Cannot access due to due to some issues with, you know, it's being commonly available. But I just want to say, I can't get in the weeds too much I knew was proposed rule to be what I can do speak from the heart. Ocean swimmer. Studied past PADI Dive Master. OK, I've already made the first week. We got to make this more available. Particularly, if we aren't interested in comments to just want to listen. It's not about only 100 or so people here to I urge all. Here, to look up the book, Blue Mind, two words, Blue Mind. It's about the cognitive emotional benefits of being near in or underwater by a very smart and seedling accent or marine biologist by the name of Wallace Chain. And he's having a Blue Mind reading club daily now to beginning of April. We have got to get emotion into this conversation and cut out a micro picking up the rules. We have an endangered species here. And where it's a red line. And we're not addressing this really accurately, a film that I just researched online, recently stated by the name of Entangled, an hour and a half film has a Someone protesting a NOAA hearing saying this is ridiculous It's like having the fox guard the hen house. We've got to

get real about our connection to the ocean and how much it is intrinsic to our lives. Not just physically. But all those who live off the ocean, it's a global thing. But we've got to be real about how important it is not to let animals die on our watch. And we've got to stop cherry picking this. And it goes on both sides fishermen, NOAA. Division of Marine Fisheries Massachusetts. OK Third. Can we get real about ocean conservation and averting the tragedy of the commons? Creating more MPAs and let's face it marine sanctuaries. Our ocean protected laws had been gutted by the past administration. So we've got to get real on this to quote the Cousteau's, we protect what we love. So we're working backwards. We love what we understand and we understand only what we are taught and strive to learn. So we got to strive to learn how can NOAA how can you, how can the fishermen who are ecologically conscious and understand this teach us about the beauty and the fragility of our oceans. The beauty and the fragility of the right whale family. Thank you very much.

Thank you.

That's it.

OK, Thank you for those comments and, and, Robert, We've tried really hard to make it accessible, but I would be open, if you'd like. I can put my e-mail in the chat to talk to a little bit more about people who don't find this accessible so that we can make it more accessible. And, before I go to the next person, who's, who's able to type into the chatbox, I would like to go to anybody who might be joining us through the phone. Um. Colleen, though, we, they can't unmute themselves if they're joining us through the phone. If you are joining us through the phone and do not have the ability to type in the chat box, please send me an e-mail. My e-mail is Kara K a R A dot. Sure, vanoc, S H, E R V As in Victor, A N I see Kay At NOAA NOAA dot gov, it's K A R A, dot, S H E R, V As in Victor, A N I C K at NOAA dot gov and I will be able to get you in to the queue that way. We will talk more about that Colleen, how to do that next time. Um, OK Quinn, I'm coming to you. You should be able to unmute yourself. Quinn, can you hear me? Quinn Josefina O'Connor. OK, we'll come back to you, Sarah, Austin. You should be able to unmute yourself.

Hi, everyone. Can you hear me?

Yes.

Thank you for this opportunity. My name is Sarah Austin, and I'm attending these meetings in order to show my support for a plan that will expedite the implementation of ropeless fishing gear in order to prevent further deaths to right whales and other marine life, with less than 360 remaining right whales in existence. This discussion is critical, and I'm encouraged to see NOAA addressing it. While alternative solutions exist, such as weaker links and seasonal closures, these implementations are not appropriate for all fisheries and will not prevent entanglements and the death of smaller whales, calves, and turtles. Ropeless fishing has been tested, and it has the potential to reduce and even eliminate entanglements to prevent further marine life death. I would like to see support for more permit programs that will allow ropeless fishing technology to be used more widely in fishing areas. Right whales are on the brink of extinction, but with the

right actions, NOAA can intervene while we still have the chance. Thank you for holding this meeting and allowing us to voice our comments.

Thank you. Alright, Quinn, I'm coming back to you. OK, you should be able to unmute yourself, excellent! Hey Quinn we can't hear you. In the Audio section, you just make sure that, if you're on your computer, if you click the little drop-down arrow next to Microphone Array, make sure that's the. Whether you're using your headphones or your computer, you should see several options there.

OK, can you hear me now?

Yes, perfect.

OK, thanks. Sorry about that. So, my name is Quinn O'Connor. I am a senior at Boston College. And for the past year, I've been paying attention to the decline of the North Atlantic right Whale population. So right Whales are in a steep decline, as there's only about 366 remaining in the world. And only one quarter of that number are females that are able to give birth. We know from scientific reports and data that entanglement in fishing gear is the leading cause of death for right whales. In fact, scientists estimate the 85% of right whales bear scars from entanglements, and over half have been entangled more than once in their lifetimes. This past year, I have read about at least three entangled right whales. I can't imagine the stress and pain, each one of them experienced, while trying to swim up, to breathe, or eat, and being unable to do so. I can't imagine being so stressed, unable to travel freely, because I have hundreds of pounds of fishing line and traps wrapped around my body. I can't imagine drowning and suffocating, because I am entangled in fishing rope. I can't imagine this, yet This is the fate that we have set up for right whales. If we don't change our actions fast, we're going to lose the species' forever. We need to change current fishing practices. Ropeless gear can prevent right whale entanglements, while keeping fishermen on the water. Prioritizing safer gear in the water is what will change the fate of the right whales and fishermen for the better, Please implement a ropeless gear permit program. So we can make our oceans and seas safe for fishermen and save North Atlantic right Whales once and for all. Thank you.

Thank you. Paige. You should be able to unmute yourself. I can see that you're unmuted, but I can't hear you. You also might need to check your audio settings and make sure your microphone and speakers match up with that of your device. And well, we will come back to you after the next person. Jenna Stevens. You should be able to unmute yourself. Oh, yes,

Hi. Thank you so much for the opportunity to speak tonight, and thank you all for the work that you do and for taking the time to listen to us all. My name is Jenna Stevens. I'm the environment Florida research and policy center state director. Environment Florida Research and Policy Center is a statewide non-profit dedicated to protecting our air, water, and open spaces. And I'm here tonight on behalf of our membership to urge you to do everything you can to save our critically endangered North Atlantic Right Whales, as others have referenced for the last decade. The number of Right Whales has consistently declined. And today, only about 366 remain in our oceans. From sea to shining sea, the United States possesses an incredible legacy of natural beauty from Ice Capped Mountains, Plains where Bison Roam, and, of course, our oceans, where

sea turtles, dolphins, and whales swim, nurse and play. And our laws or reflect our collective value of the beautiful wildlife and wild places that surround us. In particular, the Marine Mammal Protection Act and the Endangered Species Act some of the world's strongest environmental legislative frameworks prioritize actions that prevent extinction and keep our wildlife safe and healthy. We are concerned that, as written, the proposed rule just does not live up to these bedrock environmental laws as it fails to protect right whales from one of the top causes of death, fishing gear entanglements. So I urge you to formulate a stronger final rule, taking into consideration the following factors: that the draft rule is based on outdated, outdated scientific data, as other speakers have referenced. Additionally, that the proposed seasonal habitat closures in the rule will not do enough to prevent right whale entanglement in fishing gear. And then that weak rope, another major tool used in the rule is not a proven effective solution to preventing fatal or seriously damaging entanglement events. We would urge that, NOAA should take emergency action now. The agency should close certain areas to the use of vertical buoy lines immediately. While a stronger package of rules is developed using updated science, We envision that that package would include a plan that closes right whale habitat towards this toward fishing and start to create a path towards the eventual broad scale implementation of ropeless fishing industry. Although the 15 right whale calves born this winter represent some hope for the species. We have already lost two and the number of calves born is still much lower than the number required to prevent the species from extinction. And since most deaths are caused by fishing gear entanglements and vessel strikes, human activity is driving this extinction. Losing the right whales because we failed to act boldly enough would be an unacceptable loss. And so I urge you to uphold our legacy of environmental protection and do everything you can to save the North Atlantic right whales. And thank you again for the time this evening.

Aye, thank you, Jenna. OK. Paige is offline for now. So, she comes back on, Michael Foley. I see that you have both a comment and a question. Let's stick to your comment right now, and then we'll circle back around on questions. You should be able to unmute yourself.

Hello?

Hi. Yep, we can hear you.

OK. Seasonal Migration of Whales, I am a Lobstermen. I have no objection to that. Figuring out when the whales are coming through Area two. And if it's not a profitable time for lobstermen, uh, I don't have any problem with seasonal closures. As long as it's when I think it's going to be. Um, I'd just like to comment that I've been lobstering in Area 2 since 1991. That's almost 31 years, and I've never been entangled with a right whale. I fish 15/16 line and I also would like to know some more about the reduction of lobster gear. We've had a 50% reduction in lobster gear. So there's a lot less lines in the water that they're used to being. Like. The other fellow was saying, Keeping up with it, You know, the information on real to date information on how many lines are actually out there. Let's see. Oh, as far as the trawl lengths. Um, yeah, I understand that some guys are worried about longer trawls. I noticed most of the time outside 12 miles, most of the boats are bigger. So if there's an exemption for the guys with smaller boats to keep it safe for them, That's fine. But I don't object to, the longer trawls either. And I'm just checking my notes. That's about it. Thank you.

Awesome thank you so much. OK, Paige, I see you're back online. Oh, yep, OK. You should be able to unmute yourself.

Can you hear me now?

Yes.

Oh, great. So I'm Paige McLaughlin, I am an art teacher, in Colorado. I live very far from the ocean, but I'm in love with the ocean. And one thing that worries me is that I'm going to die before I even get to see a right whale in the wild. And my husband works in geospatial industry. He has been working on trying to save the Vaquita, which is the endangered porpoise in the Gulf of Mexico. And that porpoise, they believe is now extinct. There was about 20 left in the wild and they've been unable to find them. Now, they have a different problem with fishing because the fishing is illegal, but the Mexican government has never really done anything to stop it. And I don't know anything about the fishing industry or fishing lines. And it concerns me when I hear these comments about the wind farms that could possibly be also endangering the whales. That's I think that's awful. So I'm a proponent of clean energy, but not if it's going to kill the last of our whales. So, I just wanted to go, on record, saying that whatever it takes to save these whales needs to be done, because once they're gone, they're not coming back. And the more species we lose out of our oceans. The more we as humans, lose our humanity. So I don't know how much time I have left, but I think that's about the end of my comment.

Thank you, and thank you for joining us all the way from Colorado. I just muted myself. OK. Rachel, Patrick and Brian, you guys are going to get an opportunity to finish up your comments. So, Rachel, I'm coming to you, if you are still online. Don't think Rachel is still here. Let's go to Patrick. Alright, Patrick, you should be able to unmute yourself, you are on number three.

Yeah, and again, there are only 4. Number 3 had to do with weak rope. Which makes for weak policy, I think. And we ourselves, have been champions of incremental gains toward conservation, including some more care in Massachusetts with the Massachusetts Lobstermen Association on ground line more than a decade ago. So you know, to the extent that there's content conservation contribution in these measures that's to be welcomed, but to continue to cling to vertical lines and sort of wish for the best in terms of juveniles, calves and not go after Solutions that address entanglement itself, um, seems consistent with the sort of low bar in terms of risk reduction. Um, and the blunt instrument of closures being applied rather than some innovative, fresh thinking and bold action in a different direction with respect to that. Finally, number four is ropeless fishing, and as a number of other people with varying degrees of familiarity with the lobster and fishing industry have noted ropeless fishing does seem to hold some promise. I don't say that as an advocate. I say that as a student learning from Lobstermen who are using it, and there's obviously some shifts in the way that fisheries are managed. That's not a small thing, there's, there's, a learning curve upfront for lobstermen, who were engaging in that technology, increasingly, that can be taught by others in an offshore and inshore environment, who've had positive experience with the gear. The rhetoric is very welcome in the proposed rule that there might eventually be a situation down the road in which there is access to closures, otherwise closed areas for lobsterman, that needs to be strengthened. And I think the,

the effort reframed, not going back to the drawing board, but reframed a bit. And the measures in terms of aggressively supporting solutions that offer the opportunity for saving right whales and lobstermen livelihoods. Like, ropeless gear need to be more than a rhetorical flourish in the final rule. We stand ready and we will continue to work with stakeholders across the spectrum and our hard-working government officials. And thanks, again, for the opportunity to comment. This evening. Will, will be submitted comments in writing as well. Thank you.

Thank you. Brian. I'm coming to you, Brian. It's almost like I'm running around the room with a microphone. As I scroll through the list of people, Brian, you should be able to unmute yourself.

Yep. We're all good, we're unmuted. Sorry. Sorry to make you run down to Southern Rhode Island. Um, just, unfortunately, some of that's going to come across more of the question, then that actually a comment. The implementation dates, and when they got, when they go in. I'm not sure if we're going to try and specifically stay on permit renewal times for implementation dates, or if we were going to go with seasons, you know, with a calendar year of January first, February first. You know, we're a slower season for the fishermen, just wasn't sure about that. And with a conservation equivalency with the: with the weak 1700 pound vertical line all the way to the first trap. Um, I know we've done some line work. Where maybe we extend, you extend the endline off the first trap, so you can have a stronger rope to get your gear up off the bottom And begin hauling your trawl. But a 1700lb vertical line, right, to the ground line. Would that not be required at this point in time then to have weak links installed in it? Could it maintain just the, the buoy weak link that we're currently using? So, kind of comment kind of question. And again, you know, the fishermen I hear a lot of comments. You know, there's, there's not a single lobsterman that leaves port in the entire north-east region. Certainly not in Southern New England, also that we're having the discussions with tonight Area three, southern Massachusetts area 2 Rhode Island. None of us leave the dock with the intentions of a whale entanglement or trying to kill a whale. You just kind of want that on the public record currently. Right now we are the low hanging fruit, that can get targeted and managed very easily. The ship strikes Need much more attention than they are given. I know they're well-funded group, and have very good policy setters, and good representation for speakers. But it's just as important that the ship strikes get taken into factoration, along with the wind farm work. Again, like I mentioned earlier. So that was about it. That was my list. Kind of scrambled. I had a couple of different articles in there, or numbers, in there written, but that sums it up for my comments. I appreciate you coming back. Thank you.

Thank you, Brian. If I could, answer, just two of those questions. We can't tell you, Well, our DEIS we wrote last spring and it ended up getting caught a really long time inside the beltway in a review process that we don't control. And so not having control, I can't tell you when our final rule will be published, we'll do our best to get it done this summer and published this summer. And depending on when it's published, there will be a multi month time period that will allow fishermen time to pull and reconfigure their gear, remark their gear. If it can coincide with wintertime or our normal maintenance time, we will probably consider that. But again, it depends on when it is actually finalized, so I can't really tell you when. My expectation is that it would be certainly, well, hopefully by at least early, gear configuration changes early in the new year. Um, something like a closure. We would want to give, you know, a month's notice for that to give people time to get their gear out of the water, but to modify gear takes longer. We know

that it takes sometimes buying new gear that that needs to get out on the shelves and things like that. So we're going to have to consider all that when we determine what the delay is an implementation. That depends on our final date. So I can't really tell you that. As far as weak and weak line, if you're using a fully weak line like that, braided rope that is used by some Rhode Island fishermen, now, down to your chafing line at about 75%. You wouldn't need a weak line and weak insertions need either weak line or weak insertions. And to be considered a fully weak line you need you need weak insertions at something like 40 to 60 foot intervals on your buoy line. OK, so I think the next commenter.

OK, awesome. Lise, I'm coming to you, You should be able to unmute yourself. Lise, if you can hear me, you are up next, You'll need to unmute yourself.

Oh, there we go!

Awesome.

Sorry about that. I don't know much about lobstering and in the deep sea fishing. But the closest I got to fishing was my father, who was a trout fishermen and my partner who was a trout fish fishermen of probably over 40 years. But my father, who was a biology teacher in Dearborn, Michigan, he did help save the Jordan Valley. Jordan River Valley, watershed, in his retirement. So, I know things are possible and that's why I'm on this call. I got a last-minute text today, which I appreciate was totally unexpected but I'm so glad I sat in tonight and it was very edifying and I'm glad to participate for whatever it's worth. I'm not a scientist and I'm not very well versed. I just know about the right Whale situation. So I'll just be brief and I'll say this; I agree with and applaud all the efforts by NOAA and various groups to create awareness of the right whale extinction crisis and the horrible existence they live due to human fishing gear, ship strikes and infrastructure such as wind farms. I support sustainable solutions that keep the species from extinction. That also includes fishing and livelihoods, but the Whale's must be emphasized. And this is because, in the end, our society will be defined not only by what we create, but by what we refuse to destroy. And that was spoken by John Sahil, the late President and CEO of the Nature Conservancy in 19 99 through 2000. Thank you for letting me comment. I hope this has a positive effect on the situation.

Thank you. John.

Colleen, you mentioned earlier, and I wasn't able to latch onto it, but I want to comment that comment and comment on it, that when we start using weak rope, which we already are, when it becomes in the final rule, there will be a specific color scheme to that. Is it something that we can get approved? Um, you know, tracers in it so that when were boarded by enforcement officers of the Coast Guard at sea, we have a tangible thing to hand to them saying, Here we are in compliance. So, I feel really strongly about that being part of this situation now.

So, we are trying to determine, working with enforcement as well, how enforcement can recognize a weak rope or a three braided ropes. We're talking to the gear manufacturers, you know, three strand rope, about putting an alternating color in to show that it was intentionally created to break at 1700lbs or less. Um, you're using a weak rope that I know that our gear guys

can recognize that specific rope. It's kind of unique in the fishery that the one that the Rhode Island fishermen are using. We have not brought, We haven't taken that one, to enforcement. Peter suggested putting a silver trace or gray tracer to indicate that it's Rhode Island line, and I think that's a great idea if the gear manufacturers able to do that. That's something that should be in the proposed rule, because that's not the gear marking that we have in place. But we would prefer in our well, we would prefer a gear mark that goes throughout the line. So top 75% marked with a gray tracer would be a good recommend, Another good cut. You know, it doesn't reduce risk, but it gives us more detailed information than the gear marking that we're currently requiring.

Well, it's just a situation where the kid, that's, I say kid young Coast Guard person that's on your boat may have come from you know, growing corn. In the middle of the country, you know his family's farm and has no idea about Rope. Um, so if it's, if it's tangible, you know there's an orange and green whatever color is decided upon, but that we can have the manufacturers put into that. Weak rope to signify it, signify that it's weak, you know, it would make things a lot easier for everybody involved.

Yeah and I will tell you we have a gear specialist that has gotten a call at four in the morning from Coast Guard Board and boarding a boat and asking a question about Lobster Gear. Um, so, when they don't know, they do reach out to our gear specialists and us but this will also be accompanied by outreach that includes enforcement, you know, at the at the docks when we're doing the outreach.

Thank you.

Thank you.

OK, at this time, I just want to let anybody who's on the phone who might not be able to chat into the chat box my e-mail. if you want to get in line to ask a question or give a public comment, please send me an e-mail. My e-mail is K A R A, dot, S, H, E R, V as in Victor, A N I C K at NOAA dot gov. Colleen, at this time, we don't have anybody else wants to give public comment. We do have two questions. We can take those now. They were from earlier on, so Robert Randle: are you still on? Hey Robert! If you can hear me, you should be able to unmute yourself.

Thank you very much Kara. Um I'm also in Brunswick Georgia, as well as Rachel Thompson, founding member of the Glen Environmental Coalition down here and I have a question for you though that's related to the fact that we're where the right whales do their calving and right in the middle of their calving grounds down here we have the Kingsbay Trident nuclear submarine base. I'm wondering if you know if anyone has done any research on the inter-relationship between sonar, contamination, and entanglement. Do we know whether or not the ability of the whales to see fishing vessels or possible entanglement threats is impacted in any way? By their Exposure to Sonar. Does the entanglement increase or decrease after Navy, use of sonar in training exercises or in wargames? Do you know if anybody is looking at this?

So I'm not the best person to answer this question partly because I'm not in the south-east. I know that there has been work done on the impacts of naval operations on marine mammals. I think it

is more often concentrated on toothed whale. Well, first of all, they're not. They're generally restricted from doing their operations. When, you know When right whales are around. And I don't know that they do any right there at that base, but I'm not familiar with that base and what they're doing right now. However, the Naval operations have impacted a number of toothed whales and some of the deep diving toothed whales. And those whales do more echo locating in order to eat and to find their way around. The baleen whales do less echolocating, they still need to keep their ears in good shape to survive. So I'm not saying they wouldn't be hurt by some of those ships testing and other naval operations. But, um, right now, usually that then the Navy would be required to consult on those under the Endangered Species Act, and they, I believe, would be dissuaded from doing anything like that in the breeding area when the right whales are down there and I can check with my colleagues in the south-east to make sure that's true Or to verify that, that's how they're still doing it.

Thank you, Colleen.

Thank you, Robert. OK, last step for this evening, it's a question from Michael. I actually think you potentially asked this question in your comment, and it might have been answered, but I just want to come to you to make sure.

Yeah. I was just wondering, what time of year the right whales are coming through Area two.

Area two is a tough one, that's a relatively new area for them, we have had. So, we have a program called dynamic management area. We do voluntary speed reduction requests when we know, when, we have seen whales or detected them acoustically in an area. And in Area two, over the last few years, there is very commonly within area two speed reduction request out Right whales, seem to be using that area of many months. It's a little bit different. Each year. They're shifting around It appears to be available Copepods are spilling out of the Bay. Um know, they're there in the same months that that the proposed area closure there. Also there in other months during in the year. And you know that the discussion of Right Whale migration, it's not like gray whales that go north and south on the California coast. It's more like if they need to breed, they go down to Georgia and Florida where there's lot less food. So, the so, the cows are there, they have their calves there and they're accompanied by a few maybe future moms and a few males, but if they don't need to go down there, they can stay where the food is and they're going to be where the food is as much to do the ecosystem changes and climate change, including a shift to Canada. But one of the areas in US waters where there is still food is that area in LMA2 south of the islands. And it is not, not necessarily year round, every year, not necessarily every month, every year, but much of the year. There were right whales in that area.

Thank you.

OK, Colleen, I think unless anybody has any last-minute questions that they would like to give, we are just about out. I'll take this opportunity to remind folks that at regulations dot gov, using the docket number, which is highlighted on the screen, it's NOAA dash NMFS dash 2020 dash 0031. You can search by the docket number, and that's how you can provide written public comment.

If there aren't any questions, I'd just like to thank everyone for joining us tonight, and for your comments tonight, or any written comments that you send, as well. I entirely agree. This is not the most accessible way for everybody. I wish we could also meet in person, I think in the future, we might do a combination of online, and in person when we're all allowed to be in person together. We have tried, as Kara pointed out, or mentioned earlier, we have tried to be as accessible as possible. There is a lot of material on our website, including information on how you can engage. There is, again, a lengthy recorded overview of the documents. And the documents themselves can be found there. There's also a seven, or eight page summary of what would be in the proposed rule, so please do take a look at that. And, I appreciate everyone's participation tonight. Thanks, everybody.

Thank you. Thank you, everyone for joining.

Public Hearing 2

Massachusetts (Outer Cape and LMA1) and New Hampshire (LMA1), Wednesday, February 17, 2021, 6:30-8:30 pm

If you want to provide comments tonight, as Kara's already said, please type "comment" into the questions box. And if you change your mind at any time, you can say pass when we call your name, or you can write pass into the queue. If you're joining by phone only, we will ask you to e-mail Kara Shervanick so she can unmute your phone and allow you to participate, and Kara will provide you with her e-mail address shortly. For those of you that want to give your comments in writing, rather than speaking tonight, please see the blue box at the bottom of the slide. Written comments will be accepted through March first. Following the directions listed in this text box, we've already received nearly 15,000 comments, including primarily comments generated through environmental organization campaigns that are somewhat duplicative, but also including at least 260 individual comments. If you've commented and can't find your comments posted yet, please have patience, we'll tally duplicates but we're only posting one of each of the duplicate e-mails. And it takes us some time to go through all the mailings to identify which ones are individual comments and to post those. So we are sometimes a day or two behind. Again, check our website, the address given at the bottom of the slide, to get copies of all the documents. To get details on additional public hearing opportunities next week, and to get another opportunity to see these directions for how to provide public comments. To comment tonight, we're going to call on each Commenter, based on your indication of the comment box that you're interested in commenting. And we'll try to let you know who's up next in the queue. Remember, we are recording this public hearing, and, as always, please be respectful, direct comments at us the presenters. When you're called on, you'll be unmuted, and then you'll need to unmute yourself so that we can hear you. For the recording if you can remember to please state your name before your comment, comments will be limited to three minutes. You'll be muted after three minutes. And if there's time at the end, we will be able to go down the queue and give people a second opportunity to complete their comments. If you've already provided comments, but have an entirely another comment you want to add, you can also be placed at the end of the queue. That way, we can give as many individuals an opportunity to speak tonight as possible, with that, I'm going to turn the mic over to Kara to help us run through the comments.

Hello. Yes, so give me one second and I'll put the comment slide up. But on deck we have Eric Anderson, Christa Early, and Glenn Carol, so be prepared. OK, awesome, as Colleen said, we're going to be limiting comments tonight to three minutes. I'll try to keep an updated list of who's coming up to just give you an idea. Here on the screen, we're going to intersperse some questions in-between the comments. I know some of you have both questions and comments. We're going to start with comments, and then we can come back to you and take your questions. So, up first, we have Eric Anderson. When I unmute you, you may also have to unmute yourself. And Erik Anderson might play a little bit of phone chicken because I see you've joined from several devices. So I'm going to start with one of them. You're unmuted, you should be able to.

Yes, I think I am I unmuted

Yes, you are. I can hear you

Thank you very much and thank you for this opportunity. I'd, I've also submitted, you know, I've submitted some questions and I'm not sure which way to start here, some of them are clarity issues, clarity issues with regards to how the proposed rules of written are written.

Ok why don't we start with those. Let's start with your clarifying questions.

Yeah, I, it was, it was any insertions, there is a insertion opportunity for a three foot, um, two loop two tuck insertion. It is, it probably has the probability of being very popular in New Hampshire. But there, we understand, when we question, why is written as being a length of three feet, is it 3, 4 is a three foot loop, or is it A, is it three feet from the second tuck? um, it's kind of a technical thing. And I just do want to say that it was a surprise to us. I represent the New Hampshire Commercial fishermen's Association. We have a lot of fishermen in a trip switching over now. It was. It was unknown to us. The potential implementation of these regulations will going to be all the way out to 2022 they started to complain like guys that are switching over the gear now without a lot of clarity. And what they can use for insertions are don't know if there is, if they're making these, these corrections in compliance with the Final Rule. So it's, it's caused a little bit disruption in the fact that people are trying to and to enter this process and comply, but they have very they have, There's some confusion in the direction that they're proceeding to know if it's the right direction or not. There's a lot there is some ambiguity in the way the rules are written.

So, Eric, if I could take a shot at answering that, and thanks for joining us tonight. Um, I think there is some confusing to some confusion because Massachusetts is implementing state regulations on a much faster timeline. There'll be finalized soon and that might be sweeping some New Hampshire fishermen along with them. But we do not yet have a final list of approved weak insertions. And the what our regulations is going to do is it's going to, um, identify the specifications that have to be met, not necessarily the list of approved regulation or approved insertions or, as Bob Glenn likes to call them Contrivances. So, you know, one insertion example that we know is working and would be acceptable is the sleeve that's used by some of the South Shore lobster fisherman that they that they invented. And the line that I described that some of the Rhode Island boats are using. I am not sure if the I know that we had some knots early on. In Maine DMR's testing that looked good and more popular, we're not certain I don't have the list of knots that have passed the 10 test, um, average breaking strength, Yet, we're still working on developing that list. So I actually think that it might be best to tell the New Hampshire fisherman that they're probably not going to need to do this right away, although, we would love weak insertions to be in place earlier if that's possible. But I am concerned that they might be using insertions, that aren't going to be on the final list. We're not sure yet. When we do have a list, we'll be preparing a lot of outreach, documentation, including videos, we hope, as well as illustrations So that each insertion that's approved will have some clear documentation of what is meant and that will help both enforcement and help fishermen when they're modifying their gear.

Yeah, that's appreciated, but I had to modify the at least, a newsletter or a news broadcast, to say, to these people that are very anxiously trying to participate, say, stop, and that's kind of a tough thing to do. It's always more often that it's hard to engage people. You have people I'm trying to engage right now, and it's almost wise to tell them to stop.

Wait, since you have, since you have them engaged. I mean, in a way, their field testing before they have to, we would love to hear about how it's going if they've already done it. And we also would love to make sure that we've tested the configuration that they're using. So I can have our gear specialists get in touch with you. So we can get an example of what's currently popular in New Hampshire, and we can work with Maine DMR to get that tested and see if we can get that added to the approved list.

Could I add while it is Fresh in my mind? The 0 to 3, 3 miles. The insertion is 1. 3 to 12 is 2. 12 and beyond is one. Why is it? What is the rationale? And in reducing the insertions from 12 to 12 to greater than only one insertion seems like there would be more, but especially since two insertions at 3 to 12.

That's an excellent question. And the more insertions and the lower they go on the line. The more protective they are to whales and the closer they come to being assessed as a weak rope. So the more conservation benefit is credited to them in the decision support tool. The configurations that were proposed initially, I think, that was in Maine DMR's proposal and it was based on. Actually, measured forces on line's at various depths and with various sized trawls and it. And so it includes, you know, those depths and number of insertions that they felt was most likely to be operationally feasible without parting more lines than fishermen were, felt safe, parting so due to reduced gear loss for safety reasons. That was proposed by the State of Maine. We did consider it in the decision support tool and with all the other measures that are in there for the region, we determined that we were getting at least a 60% risk reduction target. But as you're pointing out more insertions and insertions that go deeper would get a greater conservation benefit.

Thank you. I do have a couple more comments, but I've taken up. I'll go to the end of the queue again. So, let somebody else take a shot. Thank you.

Thank you for those questions, Eric. Next up, we have Christa Early

Can you guys hear me?

Yes, Christa, we can hear you.

Perfect, OK. So my name is Krista Early, and I'm an advocate with environment North Carolina. We're a state based non-profit dedicated to protecting our air, water, and open spaces. I'm testifying today because North Carolina has a special relationship with one of the impacted species, critically endangered North Atlantic right whales. Each year, expectant mothers migrate south to their calving ground, which extends from the coast of Cape Fear North Carolina to Southern Florida. This winter, we celebrated, as our scientists have spotted right whale calves off our coast. But we've also grieved as two of the calves have been found washed ashore on our beaches in North Carolina. For a species whose protection has continuously declined over the last decade to less than 370 whales. These deaths are especially heartbreaking. from our North Carolina Beaches and Ocean where these right whales swim to our mountains and plains we're blessed with an incredible legacy of natural beauty. Our legal framework featuring cornerstone, Environmental laws like the Marine Mammal Protection Act and the Endangered Species Act prioritize actions that prevent extinct extinction and keep our wildlife safe and healthy. As

written the proposed rule violates these bed rock environmental laws as it fails to protect right whales from one of their top causes of death, fishing, gear entanglement. I urge you to formulate a much stronger final rule keeping in mind the following consideration. The draft rule is based on an outdated population data. We need to use the most date most recent data available. Additionally, the proposed seasonal habitat closures and the rule will not do enough to prevent right whale entanglement in fishing gear. The proposed closures to vertical lines are too small and too short in duration. The third point is weak rope. Another major tool used in the rule is not a proven, effective solution to preventing fatal or seriously damaging entanglement events. NOAA was petitioned twice, once by the conservation law firm, Foundation, and others, and one by the Pew Charitable Organization for Emergency Action in recent months to create closures. As the proposal recommended, NOAA should take emergency action now. The agency should close certain areas to the use a vertical buoy lines immediately, while a better package of rules is developed for are using updated science. We envision that this package would include a plan that closes certain right whale habitat toward fishing and starts to create a path for the eventual broad scale implementation of ropeless fishing industry. Today, I urge you to uphold our legacy of environmental protection and do everything you can to save our North Atlantic right whales.

Thank you, Krista. Glenn Carroll, you are up next.

Can you hear me?

Yes, Thank you.

My name is Glenn Carroll. I'm coordinator of Nuclear Watch South, and we're an environmental group in Georgia. And I'm appreciative of the scope of the EIS and to that, I would say, what a tall order, NOAA has such a big habitat, and such a dire situation. As you know, we lost one of our precious calves this week in Florida, um, to the scope. It is baffling how you describe very, um, well, how dangerous noise is to these creatures, and yet then decide that it has no impact. Um, and I'm frankly, I'm not positive how that intersects with the fishing gear as much as I think of how it intersects with the ship strikes, which are more the hazard in our region. I thank you for posting the link to that rule. Thank you very much. I want to share with you, we didn't know that the whales had habitat in Georgia until NOAA had already permitted the US Navy to build a massive submarine site and when a baby whale showed up on an island, there was a study and we found out for the first time in the mid-eighties. Right whales were visiting Georgia. We did not know that. It became our state mammal, Georgia's State Marine Mammal, is the North Atlantic right whale. And to my knowledge, NOAA has never analyzed the impacts of the U S Navy activities on the Whale. We, have not had hearing in Georgia since the original EIS in 19 79, which led to the permit for the king's base submarine base. So I'm here to appeal that we do be on NOAA's mind as important, habitat concerned citizens. And for hearings, I thank you for doing the strongest measures you can. We've already made deep changes in our attitude toward the whales, and now it's the time to do that before it's too late. Thank you.

Thank you. OK, Max R, were e coming to you. Yeah.

Hi, can you hear me?

Yes.

All right. Hi, my name is Max, and I'm a senior at Saint Anselm College in New Hampshire, two years ago. While attending a Right Whale event at the Massachusetts State House, I learned of the devastating reality that the North Atlantic right whale population faces. Right whales are in a steep decline, as there are only about 366 remaining in the world. Additionally, only one quarter of that number are females that are able to give birth. Since I started following this situation in 2019. The numbers have not only plummeted. But there has also been very little progress towards solving entanglements, the leading cause of death for right whales. It seems that every few months there is a report of a new Entangled whale off our coast. Just last month, there was a severely entangled right whale found off the coast of Georgia with blue fishing line trailing behind it. The photos are horrifically gruesome to see. And this poor whale has probably been trailing this gear around wrapped around its tail for months on end. When do we say enough is enough? Right now, there is more at stake here than just the safety of the whale's. We also need to consider the men and women who make their living on the water. The facts suggest the facts all suggest that the widespread implementation of ropeless fishing gear is a necessary step in preventing a huge amount of needless right whale deaths while also ensuring the safety of the fishing industry. The transition to ropeless gear is less of a matter of if. But a matter of when, if our government does not properly lead and aid in the transition, to ropeless fishing gear in 2021, fishermen may ultimately be pushed out of pushed out by further closure of New England waters. And right whales may continue to die off a tradition, a transition to ropeless and a federal funding program is needed now. We don't have time to waste. Thank you.

Thank you. All right, at this time, if there's anybody who is joining us by phone and has entered their audio pin, but cannot see this screen, or does not have a chat box, I'm going to say my e-mail. If you will just send me an e-mail, then I can find you and unmute you. My e-mail address is K a R A, dot, S, H, E R, V as in Victor, a N I C, K. At NOAA dot gov, K, A R A, dot, S, H, E R, V As in Victor, a N I C, K at NOAA dot gov and I'll also put that in the chat in case you know someone who's joined by phone but isn't able to use the questions box. Sheridan, I'm coming to you next. I've unmuted you, you should be able to unmute yourself. Sheridan, O'Connor, can you hear me? OK, no fear, we're going to come back to you. Colleen, we're going to take a couple questions now. Stuart Jones coming to you now. You should be able to unmute yourself Stuart Jones, and ask your question.

Yeah. Can you hear me OK?

Yes.

Yeah, I was just curious if there was any talk of the increase in the reduction by doing a buyback program, like you did with the Groundfish know a federal permit or a lobster license buyback to reduce the end lines. You Obviously, know, like in the state of Maine we have 800 trap limit so every endline out of water would probably add to their reduction and hopefully in the long term would increase that.

So that's a great question. Um, we did meet with the Atlantic States Marine Fisheries Commission they had a group that was whale. A whale/lobster working group that discussed a

number of possible ways to reduce the number of end lines through fishery management options. And I'm not positive that this specific one came up. But that's the kind of thing that we would consider doing if we had the funding to support that. It didn't get into rulemaking in the end. It didn't have a lot of support, and it was very complicated. Particularly in Maine, it's difficult because past buyback programs like in the ground fish fishery are based on fishing histories. And because of the size of the fishery in Maine, the reporting has been at about 10% of the fishing fishermen, fishing of the participating fishermen. Not 100%. So, we don't have as accurate histories in Maine as we have in some of the other states, where they have 100% reporting, particularly Massachusetts, where they have a detailed reporting. So, at this time, that's not that's something that's being done. I do think that and maybe Chao could have input. I think the Social Science branch at this north-east Science Center is looking at potential economic futures or social science choices that could lead towards less rope and buyback might be one of the things that they're considering. That's an ongoing study, so it's, you know, it's a year or so from being produced, I think. Chao I'm not sure if you're familiar with that work.

Well, thank you. Sheridan O'Conner. I'm going to come back um, Sheridan O'Connor if you can hear me. Oh yes I can see that you're unmuted. Can you hear me? We're not able to hear you. You might try to find your audio settings and make sure that your microphone is, is either your computer, if you're using your computer, or if it's your headphones if you're using your headphones. Well, we're closer were closer, Sheridan. I'll come back to you next, OK. All right. Brian Sharp, I'm coming to you. I see you have a question and a comment. So you. Just let me know which you are going to start with. You should be able to unmute yourself.

There we go, thank you Kara. I can start with the clarifying question first, if that's OK. In the economic analysis, for when considering the costs and gear conversion you mentioned in the presentation is going to be about \$2 million, Does that? I apologize if I looked through and I could not find this in the document, but it may be there, Does that take into account the replacement savings of cure current gear that's increasing the end of its life span? The kind of depreciation cost?

We do, we, all the costs now are extra-long, so it does not include, like the normal use of the gear, if they need their gear annually right, or the ropes So we, we also do distribute the cost. So, our assumed, like life span of some ropes are like six years. We have, like, cost added to each year. The extra cost to they're like normal use of the ropes and other gear.

To clarify, are you mean that each in each year, you assume one sixth of the line is being replaced with new line?

Yes.

Brian, does that answer your question?

Yeah, thank you.

OK. Awesome. Are you ready to give you a comment now?

Yeah, absolutely.

OK. Awesome.

Good evening. My name is Brian Sharp, I direct the Marine Mammal Rescue and Research team for the International Fund for Animal Welfare. Like to begin by thanking Colleen, and the NOAA team for holding these meetings and allowing me the opportunity. And all of us to provide comment tonight. one of my responsibilities at all is to be their representative on the Take reduction team, and then reviewing the proposed rule. There are three areas that I'd like to briefly address number, one, the risk reduction goal itself. When the team met back in April 2019 in Providence, it was believed that 60% would be the best that we can hope for, and that that would be enough since said April meeting there have been 13, known right whale deaths and likely others proving this situation is even worse that we really realized, at the time, with the hindsight of almost two years of additional data and continued decline of the population, this risk reduction goal, 64%. That really does need to be increased to 80%. To ensure that the deaths and serious injuries do not push the species past an irrecoverable tipping point. The second is a 1700lb breaking strength of weak ropes should only be viewed as an interim step, not the Solution. Weak ropes do not remove the vertical lines from the water column and therefore, does not reduce the risk of the entanglement itself. We know that weak ropes will not protect calves or juveniles from lethal entanglements. Of all. You know, the study that was done showed sub adults and adults. It also does not protect adult whales with chronic entanglements from the long-term health impacts of those entanglements. And then, finally, the transition to ropeless; we urge the agency to increase the incentives and assistance to fishers transition to ropeless fishing. While we recognize that progress has occurred with the inclusion of ropeless in some areas of the plan, more needs to be done and fishers need to have a streamlined permitting process that allows them to thrive on ensuring the survival of the species. So again I want to thank you for the opportunity to comment, and we'll be providing more comprehensive written comments. Thank you.

Thank you. Sheridan, we're going to come back to you OK. Let's try again. I think we're close. All right, I've unmuted you. You unmuted you. OK, you're unmuted. Can you hear me? We're not able to hear you at this time. I see that you, why don't you try in your audio, the audio bar, click phone Call, then use the numbers. It gives you to dial in, making sure to enter your audio pin, then we'll come back to you. OK, let's see who's next on my list, Elizabeth Clemmie. You're unmuted.

OK, I'm all set?

Yes.

OK, so basically, I will be submitting comments that are a lot more detailed on the specifics and the science, if you want to call it that. But my basic comment tonight is, I've just been involved as a lay person, and a concerned citizen, my entire adult life. I'm 61 years old. Um, and it's the same rhetoric that's been going on for 20 years. I get the plight of the lobstermen and the fisherman but we have whale's that are not going to be here, potentially in five years, they can't come back. That's the, that's the prediction. We have technology that does amazing things all

over the world, out of space, on the ocean floor, why we cannot subsidized government. But with the government, with our tax dollars, cannot subsidize these fishermen, so they can afford to use ropeless gear. Immediately, this has been talked about in the ropeless gear has been talked about for 20 years. It just seems like it's just a lot of rhetoric, It keeps going on and on and nothing happens and the whale's keep dying and we just have less and less of them. And we keep having hearings and we keep meeting. And we keep talking about how we're going to save them. And we're not so I I've read through a lot of this. I'll be more detailed in my, in my comments when I write in, but my we're just not doing the job. And these meetings aren't helping and nothing's getting accomplished except we're losing whales. So it's all very disappointing to me. Um, it's all very frustrating and for a lot of other people. And I don't think the fishermen need to suffer I think we can subsidize I think the government can subsidize and create and subsidize what they need to get started to stop being a problem for the whales. You also have ship strikes. I think we can do a much better job at monitoring where whales are and so that so they can avoid ship strikes. And I guess that's pretty much my comment.

Awesome, Thank you so much. OK Sheridan, I have a really good feeling about this.

Can you hear me?

Yes!

OK, great. Hi, my name is Sheridan O'Connor and I'm currently a vet student at Virginia Tech. I attended BC for undergrad Boston College, where I was lucky enough to spend time by the water, visit the New England Aquarium, and where I really solidified my dream of becoming a veterinarian. I've learned about different animal species, but my favorite are the different Whale species that inhabit our oceans and seas. We studied many over the course of vet school so far. But the one near and dear to my heart, definitely the North Atlantic right whale, because it desperately needs our help. Right whales are critically endangered. And soon could reach the point of no return from extinction. Scientists estimate that in five years, right whales could be functionally extinct, which means they could die off in our near future if we do not act fast and take swift conservation measures now. I have poured over the data from venerable scientists, marine biologists, and veterinarians. That show 86.1% of right whales have been entangled, at least one, and more than half of them entangled twice. Some right whales had been entangled in fishing lines as many as eight times over the course of their lives. We cannot keep letting this happen. We cannot fail right whales and have them continually become entangled in fishing gear, new technology, to prevent entanglement, ropeless gear, or pop up gear to prevent right whale entanglement, while still allowing fishermen to continue to harvest. There do not need to be closures up and down the Eastern seaboard. If we start to implement ropeless gear now, this gear is safe, it works. And it can help save both fishermen and whales. As a vet student, a biologist and as a human who cares about how our actions today have great consequences in the future. I'm asking you to please create a ropeless gear permit program now so we can get gear in the water before. it's too late. We owe it to the North Atlantic. Right Whales to do all we can. And this is the strongest start. Thank you.

Thank you.

OK, next is Nina. It should be unmuted.

Yes. Thank you very much for this opportunity to make a comment on this very important issue. I appreciate all of the information that has been developed thus far this evening regarding the North Atlantic, right whale. I represent the coastal black women's ocean memory and conservation Collective in the state of Georgia. As you all have so eloquently stated that Georgia, as one of the southeastern states, where these North Atlantic, these beautiful creatures calve each year. I also represent the faith community. This is a part of a larger question about the, biodiversity of life, but the vitality of this species. That is on the brink of extinction is deeply troublesome to us all. I believe one of your persons on the call attendees on the call this evening mentioned the King's Bay Naval Base in which the, whales have calved in this area for many decades now. I had the opportunity earlier today to read your DEIS and some parts of it was a very troubling regarding large whales, that anthropogenic noise can impact whales both physiologically and behaviorally. Physiologically, noise causes a stress response in the North Atlantic, right whale, over an extended period of time, physiological stress can impact marine mammal health by altering metabolism and energy stores. Decreasing immunity and impacting reproduction, noise can also impact behavior, including initiation of avoidance behavior in large whales, changing communication patterns that can reduce mating opportunities, and interrupting feeding behavior. The physiological impact of these behavioral changes is unclear but could impact nutritional health and reproductive success. Small populations with limited home ranges, may be more vulnerable to the physiological impact of noise. Given this information, impacts of noise on large whales is likely to be low, negative, to negative. I find this conclusion and this, this very small paragraph to just be incomprehensible and I just don't understand it. However, given that the Naval base is here, we know that the testing, the submarine testing that is done here on the Coast it does impact the whales. And I just implore you all to make a better decision in terms of the vitality and regeneration of the North Atlantic right whales. Thank you.

Thank you. OK. We'll take a question at this time, Marin. Marin, you should be able to ask your question now.

Yep. So those are the question, my husband's lobsterman. So in terms of the insertion points for the different, you know, three miles, and then what does it, I don't have in front of me that slide, six, and then out to 12, you have it ideally, with 50% in state waters although that will be different for Massachusetts, and then 25%, 50%, And then 35% outside, 12 miles. But I just wondered how strict the enforcement was, and I want to say that I am supportive of those measures, but in terms of picking up, you know, 6 to 8 trawls, and moving them from one spot to another. And you've got all that rope on deck. And you've got two blue lines per trawl, and now you're trying to measure out you know, 600 feet for the 25% mark. That 50% mark, and then even deeper for that 35% mark. I'm just curious what enforcement will look for that, because you don't want to make it too burdensome on these guys, but that's a lot of rope. And you've got 160 traps on board, and you're trying to offload them And you don't actually know where you're going to go. Know, you get out there, and you look at all the effort, so you can pick your spot. Um, so you know they have to It sounds easier than it is, but they're going to take out the sleeves or the weak rope points and then they have you know navigate back to that that marker. So how strict will enforcement be for these guys to give them a little leeway on that stuff?

So We don't have our enforcement plan completed yet, but I am if it's not operationally feasible, it's not going to be effective. This was developed partly because the feeling was that as fishermen move back and forth they could connect lengtheners using weak insertion points. I mean, we're not going to be measuring to feet or to inches, certainly. And maybe not to specific feet but I do think that we're going to want it to be defensively at those places. Right now, there's a pilot study being done by our enforcement program. And While piloting, they've already made some cases using ROV's to do underwater enforcement rather than hauling gear, and I suspect that that's one of the ways they're going to try and enforce this aspect as well. Um so you know I'll work with the gear specialists that we have and have them work with fishermen to figure out how to make this as easy to implement as possible and include that direction in our outreach materials. But, you know it's us, the measures are being assessed with those insertion points and if that gets eroded it's going to erode the effectiveness of the measure's further. So, um, you know, we need to be as close as possible and, you know, Marin we'd love comments from you, your husband, other fishermen, on how they could try to do it. I do think that there are some places like we have heard from a couple of fishermen from Rhode Island that want to use weak rope because they don't want to have to worry about measurements. And they just want to use weak rope throughout or weak rope in their top half or third of their line. So, which would be easier for everyone to not have to put an insertions. But insertions allow fishermen to fish without replacing their entire blue line. So, there's some savings in that as well. Um, one of the reasons I think that 10 fathoms insertions were suggested as an option at some of our scoping meetings was that it's a fairly common lengthener apparently in some segments of the fishery. So, the states every 60 foot insertion requirement is similar to that. And, you know, we do have some fishermen without weak insertions being required. They're already fishing with them now, at every 40 foot. In Massachusetts, well just a handful, or maybe just two. But, um, no, they're able to do it moving back and forth. So, I think it's doable. Love your input and your comments on, you know, help us guide you, on how to do it, in a way that's operationally feasible.

Yeah, Can I, can I ask a follow up to that? So if he puts in just more weak insertion points to kind of cover himself, will you know they say anything to the 25% and 50%. if he's got maybe three within the top, 50% you know, and then he uses that as because he may use different toppers with different add ons because he tends to fish deeper. So if he has, sorry toddler.

That's a comment we like.

He's actually got a baby shark costume on right now.

If I wasn't seen it, so if you, but if he is able to put in more, weak insertion points, then that may help cover him. Or you know, instead of the 25 and 50% Or is that 25 a magic number? If he's got something? Above and below it and then as 50%, you know, if there's some flexibility, there might be easier for him to move gear. Just because not like you said not that not everybody has the add ons at 60 feet. I know he does not, but I know a lot of other guys do.

So the lowest point is important because whales are using the entire water column. And so if a whale intersects the rope below the weak insertion, there is no risk reduction as far as we would know. So the lowest point is probably going to be important. But I think you bring up a good point and when we finalize the rule, I think we would say, you know, at least, one at 25%, but it

can be more and more is, is more is more risk reduction. Um. So it could, we can try and figure out how to write that to allow for more than one above but we still would probably stick with the lowest insertion as a requirement.

Yeah, no, I agree with it. Like I said, I'm in favor of this and just, know, especially this time of year they're out there, he's only fishing, maybe 2 or 3 days a week picking weather and is moving gear like crazy to, you know, chase what he can for the price. Yeah, that's 200 Traps on board and maxes out 'because he's only got two days to fish And all of a sudden is dealing with trying to re rig buoy lines with all that, You know, thousands of feet on board, so. It's just finding that balance of how to make this best work with whatever flexibility you can offer them. I guess. This is the point which sounds like you guys are doing so I appreciate that.

Yeah. And if you send written comments with specifics, you know, with input from him and other fishermen, on specifics on how to how to write it that way, that's exactly the kind of input we're looking for.

OK, I appreciate that. Thank you Colleen

Thank you.

So, thank you. OK, Eric Anderson, coming back to you to give, I believe you asked questions in the beginning, but did not have the opportunity to give your public comment. So, if you would like to, let me find the right one, if you'd like to give your public comment now. Oh, Yep. Can't Hear you.

Can you hear me?

Yes.

Thank you. A couple of things. You, you asked for comments on the weak link. Whether it's still appropriate or not. It's hard to it's hard to speak for the whole community, but at least they've been in practice for such a long time that it's not a new, it's not, it's not a new requirement. So, and we think that it has, it has it has a benefit in a multitude of ways. So, we probably want us to stay, say that, to keep them included, again, I represent the New Hampshire Commercial Fisheries Association and trying to, we're trying to get this, this thing resolved. There is one provision in there for the state waters in New Hampshire might be small, but it's still an important thing, five trap trawls were required to reduce down to one buoy line. Um, normally they had two. If anything is to be considered to reach and reduce it down to four traps, one buoy line. Um, These guys have used to buoy Lines, eliminating one, creates a lot of confusion operationally in knowing where the gear is and because two buoy lines always marked the both ends of the gear, if they have to go to one, we would like to see shorter trawls, um, be reduced to shorter trawls four trap trawls vs. five, it's a small matter, but it's a big matter for some of these fishermen here. Um, I know you are able to respond to the variety of comments that have, um, uh, promoted ropeless fishing gear. And they seem to come from, with no offense. The comments are legitimate, but they come from an aspect of the commenters that don't have a lot of experience in the fishery. Ropeless gear is just not as easily implemented. As saying some

words, it has some very, it's expensive. It has some operational difficulties that would upset the fishery, and cause more damage, or more, more of a chaotic condition as the fishery tries to promulgate itself. Um, that needs to be overcome. There is some technical aspects of it that have been accomplished but there's some operational aspects of it that have a long way to go before it can have some feasibility. And I think that has to be expressed from the industry or people that work with the gear. You just can't say this, a just have ropeless fishing gear in. It has the ability to solve some things. It has the ability to create tremendous problems in other aspects that have been discussed within the TRT. So I just want to get that that point for us. Anything else? Thank you very much for this time.

Thank you. Does anybody, I don't have any e-mails. Does anybody have any more public comment they would like to give? They're saying questions. Does anybody know any good jokes while we wait?

Kara did you get any e-mails for people on phones?

I did, I did not. Let me just double-check though. No. Nothing in my inbox.

So it looks like we can probably wrap this up tonight.

Just a couple of things. One second.

One more scan? While we're scanning, I'd like to thank the take reduction team members that are on the phone tonight, including some of our original team members. I think there's about 15 team members and alternates on and, um, a, this has been a really, it's the most busy and most active of all the take reduction teams. They work really hard and it's a really hard job trying to come to consensus across such a large group of stakeholders. So I really appreciate their participation and their joining on the call tonight, as well. So maybe everyone's going to be sending their comments in writing, which would be great.

Colleen, I do have one comment somebody made. I will let them speak. Rain, You're unmuted, you can make your comment now.

Can you hear me?

Yes.

Yes.

Hello. I was just, you know, I've been following along with all of the webinars that you have had and you've put out and it's been going on for months. This has been going on and there hasn't been any real significant change. And I listened to the fishermen and they're trying but I feel like their Interests would be better served if the whole industry was shut down until they could figure out a way they could agree to get back out on the water in a safe fashion. I live on Nantucket, we're picking up fishing gear along. Every beach along every massive tangles of them. There has to be a better way.

Thanks, Rain.

OK, Colleen we have one more in the queue. OK, Jim, you should be able to unmute yourself. Hey, Jim, can you hear me?

Is that better now?

Yes, I can hear you.

I lost that screen for a moment. Yeah, I've got two comments I'd like to make. And some are relative to the last 2 that you had on. I've been a commercial fisherman for 32 years. And the last 25, I've served as either a representative or an advocate for the fishing industry. Including terms on a New England Fishery Management Council, I would like to caution you. And the people who are trying to help the right whales. That is not as easy as what it may seem. one of the questions had to do with enforcement. Enforcement at sea is basically relative to what's written on the paper. You have a lot of young coastguard men. Trying to enforce these regulations with probably not much of an understanding of what it takes to write these regulations so that they're enforceable and fair and workable. You want these to work for the whale but you need them to work for the fishermen as well. So the people that think that you can shut down a fishery, consider shutting down your own occupation while you fix a problem. It's not that easy. Let me say that I've never been a lobstermen, I've always been a commercial mobile gear guy. And there are several problems that come in with the mobile gear and the fixed gear. And that's being able to identify where that gear is. So, we don't have gear mishaps where we tow up their gear, tear up the gear, and we're both at a loss. At some point, you need to identify where this gear is being fished. Ropeless gear will not make that possible for the mobile fleet. There's been discussions about how one lobsterman can identify another one's area. I have yet to hear someone say, How does the mobile gear or, even someone with a trawl gear, touch trawl gear, Gillnets, In other words, identify these areas if they're not part of that program. When, when you have the unidentified areas or lost gear, and they're towed up by a mobile gear fishermen. I'm not sure if this rule still applies, but I believe it does. If I was to take up someone's mobile gear with ropeless gear at a tremendous cost, I can't even return it to him. I have to throw it back overboard and leave it where I found it. There's a lot more to this than what meets the eye. So while we're trying to save the whale, we do not want to lose the fishermen and I thank you.

Thank you. OK, we have 1 last 1, I believe, and I check my e-mail while we're on the last one, Joel, Erickson. Joel, you're unmuted.

Hello. Can you hear me?

Yes.

Great. Thank you. I'm pretty new to this whole situation with the right whales. And I was listening to the meeting last night, and tonight. And I'm wondering if any consideration has been given to trying some method. Somehow, letting the right whales themselves know of the presence of ropes in the water column. Where they're visually or probably more acoustically with

some sort of pinger or something attached to the line to just basically say, hey, danger. There's a something in the water that you can't see, but you can swim into and get entangled with and stay away and swim around us. Um, you know. It seems that there's sort of an assumption that the right whales may not be as intelligent as, as they may be and we really don't know. Um, and I'm wondering if there's been any research or any thought given to that, you know, allowing them to sort of see the lines or know about the lines. Similar, for instance, to signs on a freeway or a highway that alerts drivers to you know, upcoming invisible danger. Um, so that they don't because those lines are pretty thin, you know. They can't see them and they just swim into them. So if there's some way that we could communicate to them, hey danger, stay away, swim around us. Because the lines to them, the lines just must appear randomly and sort of Ah. Yeah. They're in their normal course of Migration. And, you know, if, if we could somehow shift the burden and rely upon their intelligence, maybe we could shift the burden away from the humans and the fishermen, um, to allow them to know of the danger and avoid it. Thank you. This has been really great, really, educational. And I really appreciate all the effort that's gone into this. Thank you.

OK, and I can actually take a shot at answering your question a little bit. New England Aquarium has done some studies that indicate that, right whales may be able to see red line, at least near the surface column and that's one of the reasons some fishermen in Massachusetts try using a red line. We don't really have enough information to know, for sure. And we don't know how far down in the water column, color would be visible to the right whales. Sound does not work with baleen whales. We do use pingers on gillnets, to alert Harbor Porpoise, that the nets are there, it makes the nets visible to the porpoise, or alert them that there's something there, But sound doesn't work as well on baleen whales we have trouble using sound, even trying to herd whales. When they're up in dangerous locations, the baleen whales themselves, they react unpredictably to sound if at all, a feeding right whale probably wouldn't react at all. And, I mean, you have heard some people talk about a calf, that was struck, um, recently off of Florida, right whales are not on, you know, periodically, hit by vessels. And the vessels are making noise and the whales, if they're reacting to the noise, might be coming up under the vessel. They're not reacting in a way that lets them avoid being hit. We have seen a couple of videos of right whales encountering line, not necessarily getting entangled. Recently, a crab pot, a right whale, in the South, came along a crab pot and it almost circled there, their eyes, you know, not looking frontwards like ours they're sort of looking to the side and down which is where their food would be. And it sort of circled that pot or that line, as if it was trying to figure out what the heck did I just bump into. And that kind of behavior, if it actually gets entangled, and then starts thrashing, is probably what would create what creates these complicated entanglements. So at this point, from what we do know and have observed, they're not able to detect and avoid, on their own.

Thank you.

OK, Colleen, I, There's nothing left in my e-mail. We have one more person with someone who has commented previously, that had another comment, And I think that's probably the last one. Let's see. Hi Rain,

Hi, Thank you for letting me speak again, and thank you for all the hard work that you're doing and, to the fishing community. I'm not cold and heartless. You know, and I don't remember the

gentleman's name. That said like, if my industry was in trouble and being regulated like this, how would I react? But my response to that is, like, any other industry that was causing so much harm would have been shut down long ago. You know, like, we know the migratory paths of the right whale, we know where they are. But yet, we're still killing them. Like, it's just, it's unacceptable. Like, we just have to do more. And I know the fishing community are really ingenuitive people. Like, if we leave it up to them, to maybe figure out a way they can get back safely out onto the water, we might have new technologies that, none of the scientists could have come up with. You know? Because, we're not fishermen, and I think it should be shut down, shut down until they can come back out safely. What, 366 whales left? We don't have time to do this anymore. Thank you. That's all I have to say.

OK, let me just check on my list of things Colleen you're on mute.

I was just saying I don't see anyone in the queue at this point.

Erik Anderson has one more comment.

OK, and I would like to say please remember direct your comments to us and not at each other. I'd appreciate that. That was one of our operating protocols. And I let that slip a couple of times. So, um. Eric?

Eric I might need to come unmute you, hold on one second. OK, you're unmuted.

Yes I am? All right. Thank you. I think I've thoroughly worn out my welcome and, you know, with comments, but thank you for the final opportunity. I just want to say that, you know, this has been a as far as a TRT, it's been a long, long journey to try and come up with some solutions here, and I think there is a prospect of them. This, this plan has to have a chance to work, and in a way that works for both um, interests here. But I know whether the complete knowledge of everybody that's listening in is, unless our Canadian counterparts, come to the table with the same sincerity as we have this, we're going to have some problems. It upsets this community or our domestic fishing community to see that they're putting in such a variety of effort are sincere effort to try and, you know, take this issue on and in come to resolution with it. When we see that there's probably been a lack of response from the Canadian, um, government to take it on as seriously as we have. There is just far, far more, the majority of the mortality and serious injury that has recently taking place in use. It's caused the device or the downfall of that part of the right whale population is taking place in Canada. And until that is also addressed, anything that we do here is not is it is not for not, it will always help. But if it's not equally taken under consideration, we're not going to have the progress that people expect out of this. And, um, that just has to be recognized. These whales don't understand domestic boundaries or international boundaries, and, um, would just hope that the Canadian government could come to the table with equal sincerity on this issue, or there's going to be a lot more frustration. Thank you.

Thank you.

OK, Joel, uh nope, Yes, Joel Cohan. So I've unmuted. You yell. You'll have to unmute yourself.

Yes. Oh,

OK.

OK, hi. I'm Joe Cohen. I'm from Florida, I'm a wildlife photographer. And my comment is basically I get to watch the moms come down and give birth with their calves and I get to take pictures of them. And I really can't stand to watch any more come down with scarring all over them. The majority of the Whale's I've seen over the last three years all have scarring all over them. It's from the ropes and gear being entangled around them. It's really hard to stomach it. And so, yeah. I want I want something to change, I don't want to hurt the fishermen. I understand that it's a livelihood. It's uh, it's a tough thing. I do believe ropeless, I've gotten into this a lot recently. The last year I spent the summer and the fall, trialing ropeless gear with commercial fishermen and a few different states that so much. I just I want to want to get involved with this and ropeless gear does work for sure. It. It has potential to solve many issues. Of course, it's not an absolute perfect system yet. It's not completely done, but it certainly has great potential and the trials, I did it. It absolutely works. And, and from my perspective, there's even a chance that there's a financial part of this that the fisheries side has or the fishers side hasn't realized and that is that you may not lose as much gear. There's a possibility where you won't lose as much gear where people won't mess with your gear as much. Um, so, I know there's a lot of concern about ropeless and all that, but I do believe it's, it's very close and, and should be very, strongly considered. So, also, as far as some of the other concerns, the Canadian thing, you know, we have to lead by doing the right thing. We can't worry about other, You know, if we do the right thing, other people will follow other countries and follow, So. Yeah, that's, that's most of my comment. It's, I can't stomach watching. Another whale come down here with scarring. And knowing that 86% of the population has been entangled, and 50% of that has been entangled more than more than once. And that the female population is 85 or less and that they're not reproducing at the same rates they used to because they're not as healthy. So, there's all these things. It's just, it's so, it's very hard and maybe I'm over my three minutes, but anyway, yeah, thank you. And that's my comment.

You could not see the timer that was going, but you left 3 seconds on the table. So, nice job staying under three minutes.

OK, Pete, Peter. You should be able to unmute yourself, Peter, and make your comment. Well, Peter, OK, I see you're unmuted, but I can't hear you.

Hi is this all right now?

Yes. I can hear you now.

It is part question. Having listened to this, I'm a member of the Marine mammals on Nantucket Island. And my question is this more of a I'm just wondering how much will be available. I mean I have an opinion a feeling that there shouldn't be anything available to the fishermen and we should really get into the tech of this ropeless technology. We don't have any more time with the whales, that's moved. But we also don't have any I don't think we're you guys have a lot of responsibility. We can't leave the fishermen hanging either and I think that's the bigger fear. So

you definitely have to, you know, work that out. But bottom line is that we don't need any more of this entanglement. And I think that the ropeless will work. There are situations. The fishermen will report and what will happen is after they report, they're going to want to make some changes, and we have to make sure that our subsidy will change with them so they can improve the ropeless, so it's not a negative thing anymore. It becomes much larger, positive. So, and I think generally, the group our group out here, agrees with this. But there are other officers that may want to talk, and they would add to that. And thank you for what you do. Thank you for if you all lived for five years through the government. Thanks for still being here at the end. And have a good night.

Thank you for that comment, Peter. OK, up next we have Tessa. Tessa Brown. Tessa, you, I've unmuted you. You can just unmute yourself.

I just had a question sort of, for other people listening, or because I'm more of a stakeholder in this, about what sort of development you guys have, or data you have with the ropeless fishing so far at the point were at. Because so many people are asking questions and want that to come into play so much sooner. Where we're sort of not even at that point, and have other regulations that have already been put forth. But just sort of what hurdles and status the ropeless fishing data is at this point?

I'll, I'll try this one Tessa, so we don't have our ropeless gear specialists on with us today, as far as I know. But we have NOAA, First of all, we don't appropriate funds. So I can't develop subsidies by myself or through rulemaking. That's done by Congress. Congress has appropriated over a million dollars a year, the last two years for us to engage in ropeless research. And there's also been a lot of private funds and NGO's developing funds, some of whom are on the phone with us now or listening in now. And this is a partnership between NOAA, fishermen, I would say fishermen are more or less lead and many of these projects. I believe there are about 14 fishermen participating right now in New England. And I know there is another project going on in the south-east their offshore, their near shore there, inshore their fishing in various habitats. NOAA has developed gear cache or a gear library and can lend gear out to fishermen. There are a number of organizations that are developing this equipment, which is most commonly, it's remotely uh, the fisherman goes to where their gear is. And they remotely release the buoy. So it comes to the surface and then they can pull up the gear. The buoy doesn't persist. The buoy line doesn't persist in the water column. It is retrieved with an acoustic retrieval system. They are also working on an ability to mark. For vessels, at the surface mark, where the gear is, down below the space, to Jim Candles point, that a really big problem is gear conflict if mobile If other mariners, mobile gear users and others don't know, the gear is down there, it can cause a lot of problems including safety concerns when there's a gear conflict. Recently, the people doing research at NOAA and others are reaching out to the mobile gear fleet to get them involved in the research to improve the ability to detect the gear from the surface. So that work is being done. It's advanced a lot in the last couple of years and particularly over the last year, as fishermen have been more engaged in doing it, it is still a requirement that they get an exempted fishing permit. And we're working on making that easier by doing the environmental assessment work for them, if they follow certain conditions under their permit, they won't have to go through the whole NEPA compliance and ESA compliance. Those would be conditions that would prevent, um, prevent risk from the efforts that they're that they're taking. So, it is progressing

very quickly, it is, it has attracted a lot of public and private funding, you know, Congress, the, the, the Congressional representatives, particularly in New England, particularly Massachusetts, have been very supportive of this. And they have funded some gear research. There's now some social science research being done. And the State of Massachusetts has just initiated a study where they'll be working with fishermen to consider attitudes and all of all kinds of social science and other information to determine how to make ropeless more operationally feasible and more acceptable across the industry. So, it's, it's developing, um, there are still problems. There are, there, there are still problems under certain fishing conditions. So it's, I would say it's not fully baked. Operationally yet, but, um, it is something that's progressing and it's progressing fairly quickly, with the input of fishermen. This is not something that can be done without fishermen participating.

No, I agree, and I think it's sort of important to have, like, you're saying, the Mobile Gear, people involved. Because I know it's, like, has a direct impact on lobsterman, and people that are going to have to consider taking this on, but it's really the whole entire fishery. And people that are involved that it's going to affect just as much, that might not have, right now, any clue of what's going on, or how it might impact them. But I think it would be important to get more stakeholders involved in what's actually going on and how the implementation would actually take place.

Thanks for the question.

Thank you, Tessa. OK, Colleen, I don't have any e-mails. There's nobody left in the questions or comment queue. So, I think, um, for folks who are still with us, I put up on the slide, the instructions for providing written comment. As Colleen mentioned, you know, we sort of specific details on how we can make this rule better, We'd love to get that in written comment as well. All of your comments that you've given tonight have been captured, and thank you for attending.

Yes, thank you very much, everybody, for attending. We have two more public hearings next week. There was one question about whether or not this webinar will be available. I don't think we'll be posting this entire audio webinar. We are recording this primarily to make sure we get all the public comments. But there is a longer presentation on our website at the address shown here at Fisheries dot NOAA dot gov backslash ALW TRP, where you can also find the documents and these directions for commenting as well. Thanks very much, everybody. Have a good night.

Sorry. I was just trying to put the link in the chat, and it started playing.

Goodnight all.

Public Hearing 3

Southern Maine, Tuesday, February 23, 2021, 6:30-8:30 pm

As Kara has already said, If you're interested in providing public comments tonight, please, type "comment" into the question box to get in the queue. Um. We will call your name in somewhat in order. If you change your mind and no longer want to comment, you can type "Pass", or you can say Pass when we call your name in the queue. If, if you're joining by phone only, Kara will be letting you know how you can also provide comments. We'll call on each commenter, will try to let you know who's up next in the queue. And please remember, we are recording this public hearing. As always, We'd like you to be respectful and direct your comments at us, the presenters, and not at each other. When you're called on, you'll be unmuted, and then you'll need to unmute yourself. Comments will be limited to three minutes. You'll be muted after three minutes because of the large crowd. If you've already provided comment but want to give another comment, or if we had to cut you off, we will place you at the end of the queue, and if there's time, at the end of the night, you might get enough at another opportunity to provide your comments. If you do not want to come back at the end tonight, or if we can't get to, because of the number of people here tonight, please do submit your comments in writing. We do want all your comments. And at this point, I'm going to, shortly, I'm going to turn the mic over to Kara to help us run through the comment queue. I understand Commissioner Kelleher is with us tonight, and he would like to thank you all for attending and open public comment session with comments of his own Kara?

Yes, hi. Commissioner Kelliher I am going to unmute you. Give me one second. I've unmuted you. You should be able to unmute yourself.

Great. Thank you. Can you hear me?

Yes.

Great. Thank you. For the record. my name is Patrick Kelliher, I'm the Commissioner to the Maine department Marine resources. And I'm here tonight also speaking on behalf of Governor Mills directly related to our deep concerns in the direction we seem to be going with protection of North Atlantic Right whales. The lobster Fishery is the most single. The most valuable single species fishery in the country. In Maine it comprises one point five billion in economic activity and touches thousands and thousands of families. While we understand and even support some additional levels of protection being put in place for north Atlantic right whales, it seems the agency is moving in the direction of species protection with no care about collateral damage. I know we're here to focus on the proposal, but I do have to say that the BiOp itself has the potential to drastically change the Maine Lobster fishery and worse, has the potential to see it close. I just also want to just raise the fact for the record. It's a very troubling that the biological opinion hinges on the Canadian Government. For the National Marine Fisheries Service to move forward with implementation. Excuse me. The national marine fisheries service needs to move forward the implementation of the marine mammal protection fishing court rules and finally puts a meaningful pressure on Canada to implement measures that are comparable to the significant measures already put in place by the United States. The focus more specifically on the rule as it pertains to conservation equivalency to trawling up Keystone, part of the Department's proposal

in conservation equivalencies, And it seems to have been somewhat ignored by the service. one area in particular was that a trawl with two end lines is equivalent to a trawl with half the traps and one endline. Again, this type of flexibility is paramount. And we need that type of flexibility in order for the safety. It's interesting that the agency is cited fishermen safety and gear conflict for a reason for not implementing this type of equivalency, ironically, it's the reason that it is needed. Specifically to the closed area, I'd like the first point out, the fact that your decision support tool indicates the only one closure, if, if to be implemented, will become the most important conservation area to right whales along the coast. But it doesn't say, however, is the support supporting that it supports the findings. When DMR mapped out the right whale, detections against the boundaries of the closure. Always 70%, 73% of the detections were outside the area. I can see I've got 10 seconds left Colleen, and I don't know if I'm going to get some leeway from the state perspective here on that timeframe, um, the agency continues to feel Excuse me, Maine DMR would also like to reiterate, as we did, during the hearing, some of the phased closures, gear will just move outside of the boundary and you need it really need to take a look at that about the kind of the collateral damage It could be. It could be more harmful to the right whales, not to mention gear conflicts. Um, the state is really willing to work with the agency on a trigger mechanism as it pertains to the closed areas. We have some ideas and thoughts on that, and we will make sure that we address those directly if you are looking for comments. The preferred alternatives, for the sake of expediency will state that there are areas that you have accepted to the Maine plan when we submitted over a year ago. We do appreciate that. We'd like to speak directly to the issue, of weak point. So, you know, we support the configurations. We will be submitting and believe that the agency must strongly consider weak points. They're very practical, given the diverse conditions along the coast. Weak points are a common thread throughout the zone specific conservation equivalencies that we will be submitting as part of our written proposals. And again, I want to stress that a one size fits all does not, does not work along on the coast of Maine. Quickly, I want to thank you for the issue, the recognition of the gear marking work we've done. It's troubling though that the economic impact from the DEIS did not include any the cost associated with that we've done directly and in anticipation of the rule. So we would ask for that to be corrected. Also, I would, I implore you to take the time to listen to the industry about implementation days. That is a critical factor here and we need to make sure that anything that is done is done with the idea of the operation of the industry in mind. And changing mid-stream will be very difficult. Specifically, I'd want to comment about Ropeless. Based on the proposed rule, and especially the BiOp the agency is attempting to move the US lobster fishery in the direction of ropeless. Maine DMR intends to continue working with, NOAA on the development of this technology, but we all need to work within the operational realities, and acknowledge that this technology is years away from use at any meaningful scale. Need to deal with these real challenges before the technology can be reliable tool to protect whales. Gear laid down on the bottom, without end lines, must still be, quote, seen by mobile gear fleet. And others within the fixed gear fleet and ropeless gear must also be able to be retrieved, inspected, and reset by law enforcement agencies who enforce the lobster regulations. Let's not drive this issue of ropeless just to try to deal with the right whale issue when we also have to clearly manage sustainably the lobster resource. In closing I just want to reiterate a one size fits all managing approach will not work in Maine. it's difficult for Maine fishermen to see themselves as part of the problem when we have not seen any entangled right whales for more than a decade. It's time for the agency to finally recognize Maine's risk to right Whales is very low compared to other areas. The agency knows this yet, based on your proposed

rule, compared to the BiOp, the economic harm, is far and away, greater domain, than in any other jurisdiction. Well, thank you very much, Colleen and staff, for the time this evening, we will be submitting, written, detailed comments, prior to the deadline. Thank you to the indulgence on the extra time.

Thank you Commissioner Kelliher. At this time, we're going to move on to comments from the public. If we have time at the end, we will get to questions but that's only if time allows depending on how many people are in the queue. So I see that people do have questions and we are getting them in the questions box. Just know that we may not get to them. OK, up next is Bill McQueeney. I've unmuted you, Bill, so you'll just need to unmute yourself.

Can you hear me, Kara?

Yes. I can.

Thank you. My name is Bill McQueeney and I live in Brooksville, Maine. I have been a volunteer, right whale scientists for more than 20 years. For the past 16 years, I have directed a school club called the Calvineers that studies the North Atlantic, right Whale. Each calvineer has submitted a comment letter to you. Tonight, I speak for another group I am part of. And it's called Mainers Guarding Right Whales. Mainers Guarding Right Whales Is Formed. Was formed by a group of concerned Maine citizens wishing to ensure the recovery of the critically endangered right whale. Mainers Guarding right whales supports both short term and long term initiatives to reduce the impact of the Maine lobster industry on the recovery of the North Atlantic right Whale. In the short term, we support the implementation of weak insertions throughout the entire vertical lines. We also support time area closures that reduce the risk of entanglements, substantially. Therefore, we support Alternative three of the proposed rule with a 50% reduction of vertical lines in Federal waters. And the three closures, Georges basin, LMA one, and Massachusetts south to the islands where a year round closure, makes sense. Finally, we support weak rope insertions, be included, every 40 feet in all end lines, in all areas Maine fishermen used, which is the way they were designed, tested and currently are being used. 1 or two weak insertions in an end line will not reduce the risk of serious entanglement. In the long term, Mainers Guarding right whales supports the reduction of gear in the water both through sustainable effort reduction and ultimately the complete conversion of the industry to Ropeless fishing. We also support the Maine Lobster fishery regaining its Maine Stewardship Council certification by adopting the innovations just noted. The Maine fishing industry have proved themselves to be incredibly resourceful and had tremendous success as stewards of the lobster resource. Over the last 10 years, 682 whale entanglements were documented on the East Coast in US waters that includes at least 25 serious or lethal and entanglements of right whales. A recent study has concluded that, for every documented right whale death, there are almost three more deaths not documented. Most likely, they are actually 2 or 3 times more right whales killed each year in the United States waters than we know. We believe this is both a moral and humane issue that the fishing industry needs to take responsibility for and work to change. Some fishermen are already working to change and help solve the problem. Mainers Guarding right whales, looks forward to the day where, fishermen could fish without harming right whales And the right whales can thrive in their natural environment. We believe both scenarios are necessary and possible.

Thank you. Next, Cindy. OK, Cindy, it looks like you're unmuted.

Hi. My name is Cindy Dawn. I am the wife and mother of three fishermen and a daughter that has a retail lobster business. We will be terribly impacted along with all the other men, women, and children in the industry. And future fishermen, my grandsons are planning on growing up as lobstermen as well. Is there any concern for human casualty you are creating? Is this small number of whales' more important than humans? The Maine lobstermen have always been conservation-minded dating back to the late 18 hundreds. We have repeatedly been told to and complied with, painting ropes, which requires months to do and then they asked us to do it again and again, changing colors and how many spots they want painted. It has been very difficult, watching my sons and husbands bring all their gear in to comply with these requests over and over. They also changed ropes, biodegradable bends, put in weak links over and over You have asked them to modify their gear and they did it. Are you taking into consideration the loss of income when you pull all of our gear out of the water for repeatedly for God knows how long it takes. These men do not catch whales. Why are you after them? So intensely with all that has gone on in the past couple of years. I have watched many, many fishermen's whose families depend on them to become depressed and unable to handle all that you throw at them. It brings me to tears just talking about it. What is wrong with a society that cares more about a pod of whales that are doomed to extinction due to inbreeding then a whole band of fishermen that are struggling and have no way to feed their families. These men and women, all and all of the big companies, wholesale companies, boat builders, trap builders, and many, many other companies depend, dependent on the industry are hurting both financially and emotionally. I think it is time for you to consider the loss of humans rather than whales. I am sorry, but the children in the State of Maine deserve your consideration of them. Their fathers are ready to jump off a bridge and who will care for their families. I am sick and tired of the very men and women who go out in the cold and risk their lives every day to never be considered in this formula. These men and women are hard-working Americans that deserve the right to lobster in peace. This industry has coexisted with Nature Forever. Leave them alone. They are participating in the most sustainable fishery in the world. They have historically fished these waters. The American Indians have had their fishing industry protected as should these men and women. It is time to stop this nonsense and think about human casualties and in closing, I just want to bring up that the ropeless fishing is never going to work. How are they going to know where everybody's gear or they don't tell each other where they're fishing. That's a very private thing in their industry And weak links you're going to end up with more rope in the water tangling up whales than you ever thought of. Thank you for your time and consideration.

Thank you for your comment. Up next is Sarah Stewart.

Hi.

Hi. Um. I feel very much for people who are having to change their lives because they are fishermen or related to fishing in this industry. And I can really appreciate how hard that is. Both personally and well in a bunch of ways. But I also do want to speak up for I have a place in Maine. I'm also in Massachusetts. And I love whales as do a whole group of people who I go watching doing Whale watching with. And really, I'm holding the perspective of that. Whales are

incredibly precious to our planet, and that human beings do have the extraordinary capacity as a group to grow and change. And I'm a therapist by profession, so I know how difficult it is for individuals to have to grow and change. But in fact, we can shift into doing different things if we have to. And the extinction of these incredible mammals who can't actually speak up for themselves would be forever and an enormous human loss like the many other extinctions that we cause. Unless we change our ways. So I want to support all being done for the right whales as much as possible. And, um, and I actually would support whatever is most going to protect them and trust that human beings will find a way to sort this out over time. Because we are intrepid and are able to do that. And that's all I have to say. Thank you.

Thank you. Up next we have Maya. Made this joke the other night, but it's not imagine that I'm running around a crowded auditorium with a microphone. That's, that's me finding you guys in the attendees list, So it might take me a second, so just bear with me. Maya, you should be able to unmute yourself.

Can you hear me?

Yes.

OK, great. My name is Maya and I'm an Oceans Intern with Environment America. We are a nationwide network of state based non-profits dedicated to protecting our air, water, and open spaces. We have a chapter in Maine called Environment Maine. I'm testing, I'm testifying at today's hearing, because I like many environment America members love our oceans and wants to do everything we can to keep our ocean wildlife safe, and healthy. When I was a child, one of my most memorable experiences was going on a SCUBA diving trip in the ocean. Only a small distance from off shore. The amount of life was astounding, filled with sea stars, and colorful small fish, The bountiful life held underneath the surface is one of my favorite aspects about the ocean. And this memory always comes to mind and people ask why I care so much about protecting the life, the ocean holds. North Atlantic right Whales, which swim right off the Maine Coast are one of these animals that call our oceans home. Tragically, this species only numbers at less than 360 whales. If we don't create strong policies to protect them, this species could vanish from our ocean forever. We want to create a healthy future for our oceans, where future generations can continue to wonder at all the treasures our oceans hold. as I did when I was little. We have to start by standing up for our most vulnerable species, like the North Atlantic right Whales, as written in the proposed rule fail fails to give right whales the protections they need, as it doesn't do enough to prevent one of their top causes of death. I urge you to formulate a much stronger rule, keeping in mind the following considerations. one, the draft rule is based on outdated population data. To best protect the species, you must use the best available science, and this means using updated population counts. Two, additionally, the proposed seasonal habitat closures in the rule will not do enough to prevent right, right whale entanglement in fishing gear. The proposed closures to vertical buoy lines are too small and too short and durations. Three, weak rope, another major tool used in the rule is not a proven effective solution to preventing fatal or seriously damaging entanglement events. Organizations, including Pew and the Conservation Law Foundation, have recently petitioned NOAA to take emergency action. And we at Environment America echo those words. The agency should close certain areas to the use of vertical buoy lines immediately until a better set of rules is proposed using the best

available science. We think this set of rules should include larger and longer plan closures for right whale habitats that prohibit commercial fishing. We also would like to see this rule take concrete steps towards creating a pathway for the eventual widespread adoption of ropeless fishing gear. I urge you to do everything you can to save our right whales. We can't let the species disappear on our watch. Thank you.

Thank you. What's next is. Brennan strong, Brennan, you should be able to unmute yourself.

Yeah. Can you hear me?

Yes.

Hey, thank you, everyone, For your time and consideration tonight. My name is Brennan Strong, Lobstermen Entrepreneur and Nature lover from Yarmouth, Maine. Can we please have a serious discussion about pausing the new vertical line, process, immediately, in light of Maine, Department of Marine Resources, comments? On the biological opinion, the Department of Marine Resources Comments prove beyond a doubt that the biological opinion is both inaccurate and incomplete. In the meantime, NOAA and NMFS need to do a study specifically on the decline in ocean going vessels in 20 20, due to covid 19 and the positive effect that had on the population of the North Atlantic right whale. The CDC issued a no sail order for cruise ships in 20 20. Almost all Maine lobsterman, however, deployed a normal number of traps. Two right whales died in 20 20, neither from entanglement. How can I willingly sacrifice my operation to accept deadly regulation changes, when there's no proof that the regulation changes will help right whales? NOAA own suggestions in their Vessel Speed report plus other evidence backed vessel regulation, suggestions should be fast, tracked immediately to protect whales from vessel strikes. The North Atlantic right Whale deserves 100% compliance on vessels, speed, and route regulations. NOAA has the power to demand 100% compliance. Current compliance is far below that. We cannot have a legitimate discussion about new risk reduction regulations for fishermen, when it has been proven by the Department of Marine Resources in their comments that the risk assessment calculations are flawed. How can you propose a closed area without giving State and area specific gear marking a few years to create legitimate data? Any closed areas at all will cause extreme financial stress as well as gear conflicts for fishermen. What is the latest data on whale's being able to see? Potentially red or orange end lines. Has that been studied? I watch healthy whales, porpoises and seals navigate dense vertical lines every day with ease. They are very intelligent creatures. What is the optimum line scope to avoid entanglements? What is the most whale safe way to use a tide buoy? It sounds like you are unsure if buoy breakaways even work. How can this be when we have been using them for years with positive results? Why are some of these more common sense solutions being skipped over in pursuit of ropeless gear that will never work? Ropeless gear would be a disaster for everyone. The cost alone would put me and most others out of business, as well as it being unenforceable for marine patrol. Why are there no offers from our government to pay for whale safe endlines and buoys? We truly want the whales and all sea life to prosper. And I mean that, but we also need our coastal communities to prosper too. Thank you.

Thank you. Brennan.

Next up we have, Erica, Fuller. Erica?

Thanks, Kara. Can you hear me?

Yes.

Thank you, I'm Erica Fuller and I represent the Conservation Law Foundation. I also serve as an alternate on the take reduction team. Starting in 2017, scientists unanimously agreed that right whales are dying at unsustainable rates and that immediate action to address entanglements and ship strikes is necessary in both the US and Canada. For several reasons, CLF cannot support this proposal, or the deeply flawed framework that presumes to take another 10 years to comply with the Marine Mammal Protection Act. It is destined for failure and it needs to be redone. First, the risk reduction target of 60% needs to be revised. It is based on outdated population estimates, outdated mortality estimates, and then outdated PBR zero point nine. Using NMFS's own data and methodology in the DEIS, new population estimates, the current PBR and estimated annual deaths in this gear including undocumented deaths. Risk must be reduced by more than 80%, given that no alternatives in the DEIS achieve such reductions, additional and more protective alternatives need to be identified. Second, the rule relies far too heavily on weak rope and weak insertions. Weak rope does not prevent entanglements. It does not reduce sublethal impacts. It does not protect the most vulnerable animals, and it is not a viable option in the offshore fishery. It is unfair to ask fishermen to invest in gear modifications now that they will later be told, we're never enough to save the species. Third it's not clear that the seasonal closures proposal would result in the risk reduction predicted. Some segments of the industry will be unable to remove their gear and will ultimately redirect this effort somewhere else. The proposed rule does not appear to analyze this redirected effort or the associated risks. Fourth, the efficacy of any new rule requires a well-established monitoring and enforcement plan which this proposal currently lacks. As part of this rule, NMFS should require 100% harvester reporting. And vessel tracking systems on all federally permitted boats. NMFS should also significantly increase its aerial survey effort in order to better understand, right whale, location and behavior. We appreciate that this rule incentivizes ropeless fishing, but acknowledge the need for additional input from industry before this technology is commercially operational. We urge NMFS to prioritize this transition and seek additional funding from Congress immediately. In the meantime, for those areas that pose the highest risk outside of the closures, NMFS should require a single vertical buoy line on all trawls, CLF, urges the agency to revise this proposal. Implement the emergency measures requested in our MMPA petition submitted with partners on December second, 2020. Expedite the rulemaking requested in our vessels strike petition submitted on August 6, 2020, and aggressively engage in open and transparent process with Canada to ensure that appropriate risk reduction measures are implemented bilaterally. Thank you.

Thank you. Eben? You should be able to unmute yourself.

Yeah. Hello, This is Eben I'm a Monk fishermen, Ground fishermen and Lobstermen out of Kennebunkport and Portland, Maine. Um, I guess I am opposed to running ropeless buoys and whatnot. I feel like the whales have been safe from us for many of years, and I've been able to fish around them with Gillnets, as well as lobster traps and not had any issues ever. Never have I ever had a whale entanglement And that I feel like that \$15,000 a buoy is kind of ridiculous and

absolutely unacceptable to expect small boat fishermen to be able to afford. At 1 buoy for \$15,000 like a lot of guys, they're string of gear cost, then than 60,000 So four buoys, a lot of guys run, triples, doubles, singles fish up inside. I don't really see where that would work out all too well unless the government was to pay for it and I don't see how the government could ever cough up that kind of money, and a lot of the buoys are really, really heavy. I am actually working with a group of people to try to, I was working on an EFP to get into closed areas, to fish monkfish gear. And it was, that is \$15,000 a buoy. I don't see how the Maine lobstermen can afford that. And it'll drive all the small boats out. I am now 1 of 12 ground fishermen left because of what national marine fisheries has done with the PTMS program. That was an absolute failure. It drove all the small boats out of the fishery and is now 12 small boat gillnetters left in the north-east. That is a very small number, it is very sad it came to that. All it is a big boat fishery now. Uh I. Don't want to see that happen to lobstering, and price guys right out of it, end up like deadliest catch where those 15 boats own all the quota and all big boats. It should be for a young people that want to work hard and make a buck. They should have the opportunity to be able to do it and having really expensive gear will price, all of the young people out of it. It is absolutely unacceptable. That's all I have to say. Thank you very much.

Thank you. Madison Lynch, coming to you next, You should be able to unmute yourself.

Hi, can you hear me?

Yes.

OK, great, yeah. So my name is Maddie, and I'm a college student from Dartmouth. And over the past few years, I've spent a lot of time studying right whales and all the different threats facing the population. So if things continue the way they're going, right whales will become extinct. NOAA's own scientists recognize that right whales are dying at a rate that's very concerning and attempts to blame, to ship this blame to Canada. It does nothing to help the whales. Really, the fact is that their entire migration path is cluttered with millions of vertical lines and that does include the Gulf of Maine. So I understand that Maine lobstermen and have been working to modify their gear over the past few years in an effort to save the whales. But we need to keep moving forward. There are solutions that can benefit both right whales and the fishing industry. And most importantly, ropeless fishing gear is that option. So NOAA scientists have been studying ropeless gear for over 20 years. And we need to act now to move ropeless gear forward. The proposed rule change, needs to fast track permits for ropeless gear and also provide a funding mechanism so that this technology can be widely accessible to fishermen. Thank you.

Thank you, Gib Brogan coming to you next. Just Sang the ABC song in my head to get to the Gs. You're unmuted, you can make your comment.

I'm unmuted there. There I am. Good Evening. My name's Gib Brogan. I'm a campaign manager at Oceana. Oceana is the largest international conservation organization solely focused on protecting the world's oceans. With one point two million members around the world and over 340,000 members in the US Atlantic seaboard, We appreciate the opportunity to comment on the risk reduction rule that's proposed by the agency. The rule as currently proposed is inadequate

for the job. First off, it aims at a target. That is outdated. The 60 to 80% reduction is based on outdated information, and needs to be updated with current estimates and current information and then revised based on that target. The tools that are proposed are also inadequate. Time area management is a good first step, but needs to be expanded to include both seasonal closures in known aggregation areas and the authority of the fishery service to react with dynamic management to respond to unexpected aggregations of right whales. The primary weakness of this proposal is the reliance on weak rope. Weak rope, as discussed in the EIS, relies on two scientific papers, both of them are theoretical. And both of them are focused on adult right whales. The weak rope. If in fact it does work as proposed, will only protect adults, provides very little protection for juveniles and calves, and doesn't reduce takes under the ESA, will only reduce, in theory, reduce the lethality of the takes. Finally, the range of alternatives that are included in the EIS is incomplete and inappropriately rejects a number of proposals and ideas that were put forth during stakeholder scoping process. The agency should revise the EIS and properly analyze and consider those alternatives. Going forward, what should the agency do here? The agency needs to significantly improve the document and strengthen the conservation measures that are included in this to provide a clear path to protection of right whales from this known risk. If the agency doesn't approve or improve the proposed rule at this time to offer this protection, we suggest that the agency revoke this rule and go back to the drawing board and put interim rules in place that will offer immediate protection. Not in that 10 year timeframe. But this summer, right whales don't have time to wait. Oceana, Thanks you, for the opportunity to comment, will be submitting written comments before the deadline. Thanks very much.

Thank you. Matt, Gilly, you are up. Next. You are unmuted. You should be able to unmute yourself.

Hello. My name's Matt Gilly, Lobster Boat Captain up in Harpswell Maine, and I just wanted to start off and reiterate what Brennan said Earlier, he hit a lot of major points that I was going to hit, so I'm going to try not to repeat anything. Um, I think one thing that I've heard so far is both parties, whether we're fisherman or on the environmental, the environmental side. We all agree on one thing, and that is that the data is flawed, in what direction that remains to be seen. But, when you have two groups, that, both are telling you the data is flawed. It might be time to look and say maybe the data is wrong, or even your own data says that if we remove all end lines out of the water, the population of whales is still going to plummet. So I guess, why are we taking these efforts? It's not going to help, even if we removed everything. I was at a NOAA meeting early or late last week, where it was said that NOAA has difficulty enforcing vessel speed. Because of the transit between state and federal waters and everything like that. I find it ironic that they have a difficult time enforcing vessel speed because of where the vessel may be, but they can seem to enforce regulations on us. Ah. Who's going to tell my family when I don't come home that the reason I didn't come home is to save a whale that nobody's ever seen? There's been no risk assessment done on the risk that the fishermen are taking it. It's all about a whale that none of us have ever seen by. No means do. We want to injure this whale when we would love to see it flourish. But this is a whale that nobody, I know has ever seen. And I'm going to end with, I guess, a rhetorical question. Is there anything that any of us fishermen could say that would change anyone's mind or is this just merely a process that is being done because that's the legal way it has to be done? I've gone through this before. It's rare that anything happens. I feel like I'm wasting my breath. Thank you.

Thank you, Matt. Next step is CT Harry.

Can you hear me Kara?

Yes, I can.

Great, thank you. Um, my name is CT Harry. I represent the International Fund for Animal Welfare. I'm a Marine campaigner. I'd like to start off by thanking Colleen and the NOAA team for, for holding these meetings and allowing me the opportunity to provide comments tonight on an extremely complex problem. But, one that I feel has an answer, I'm an alternative member to take Reduction Team. with IFAW and reviewing this proposed rule. I think there's three areas that I'd like to briefly address. We've heard it tonight, The risk reduction goal. back in April of 2019, it was believed that approximately 60% would be the best that we could hope for. That would be enough for risk reduction. Well there has been 13 deaths since that time period and the situation is even worse than we realize. With the hindsight of almost two years of additional data and continued decline of the population, of the population, that risk reduction needs to be increased to 80% to ensure that the deaths and serious injuries do not push the species, past, an Irrecoverable tipping point. Second regarding, uh, 1700lb breaking strength, breaking strength line. Weak rope. Weak ropes, are an interim solution. And they're an interim step at best. Weak ropes do not do not remove the vertical lines from the water column and therefore do not reduce the risk of entanglement. We know that weak ropes will not protect calves or juveniles from lethal entanglements. It does not protect adults with chronic entanglements, from the long term health impacts. The burden of proof shouldn't be a dead carcass. It should also be the sub lethal effects of entanglement. And if weak ropes are used, the entanglement threat is still there. And finally, regarding ropeless, we urge the agency to increase incentives. And assistance to fisherman to transition to this technology, moving forward. We recognize that this process has occurred with the inclusion of ropeless in some areas and particularly some of the closed areas. But more needs to be done particularly over for a streamlined permitting process that allows fishermen to use 21st century technology to harness their innovation. And for them to be part of this solution of removing the of the removing, the vertical line threat and saving the species. This is the solution. This is a solution that can keep fishermen on the water and keep right whales alive. My colleagues at IFAW and our partners, including leaders in the fishing community, are resolved that the right whale cannot go extinct on our watch. State and federal officials and regulators should reflect that same resolve. I think more reflection and attention is needed to improve this proposed rule. We Welcome. We would be submitting further comment in written form later on, and thank you again for chance to speak.

Thank you CT. Star Scott. I've unmuted you. You'll also need to unmute yourself.

Thank you. Can you hear me?

Yes.

Great. Thanks so much for this opportunity to speak with you today, and thanks for having this hearing. I just wanted to say that fewer. So I work at a I'm a scientist and wildlife biologist, and I

work at an R one research institution. I'm in Georgia. Fewer than 375 right whales currently exist on the entire planet. And since 2017, at least 46 right whales have died because of boat strikes and entanglement in fishing rope. So most right whales migrate over a thousand miles each year, traveling from their feeding grounds off of Canada and New England to the warm shallow coastal waters of South Carolina, Georgia, and Florida's coast. So right whales first give birth at an average, age of about 9 or 10, and they have a gestation period of almost a whole year. And what this means is it impacts to right whale populations take a long time to recover from. We have to be very mindful when we're, when we're determining what to do here. So I know, according to NOAA the proposed changes are going to reduce, right whales encounters with fishing rope in gear by 60%. I wanted to request that NOAA recalculate the risk reduction with up to date data, and publish a rule that achieves a minimum of 80% risk reduction. So I want to support what's going to most protect right whales, knowing that humans are resilient and will adapt. So right whales have a right to live. I have a deep compassion for the fishermen and lobstermen and the families impacted by these efforts. I do feel that we need to find solutions, which will work for both whales and people. The fishermen and the lobstermen don't own the right whales. They don't own the oceans and they don't get to make decisions for an entire future, for the future of an entire species. So scientists should be making these decisions. And I would humbly request that you don't show favor to industry or state agencies, such as not even having to adhere to communication standards and time limits of this very hearing. Preference should be given to right whales. They don't have social safety nets, people do. They don't have voices, but we do, and the loss of a species, the loss of biodiversity not only impacts those of us who love whales. It impacts the entire planet by creating an ecosystem imbalance, and would also contribute to climate change which impacts communities all over the planet, especially marginalized and minority communities. So according to an analysis by the International Monetary Fund, whales provide the critical ecosystem service sequestering carbon in the ocean, and this service is estimated to be worth millions of dollars per whale. I know a lot goes into this. I just want to thank all of you for your time, and consideration, and Thank you very much.

Thank you. Dustin Delano. You should be able to unmute yourself.

All right, thanks. Good evening, my name is Dustin. Lobster fisherman from Friendship ME. First of all, I'm commenting to urge you to accept the conservation equivalencies provided to you by the Maine Department of Marine Resources. It would give each zone the flexibility to comply with the percentage of risk reduction in their own abilities. Second, I'm urging knots being available source for weak rope links rather than sleeves and whatnot. Third, national marine fisheries has drastically underestimated the amount of fishermen actively fishing in the LMA one closure. I do not support closures in the Gulf of Maine. There a slippery slope. And as we can see from Massachusetts, they get larger, and they stay closed for longer. Fourth, fishermen need an appropriate timeline for gear reconfiguration. I urge you to implement the new regulation between seasons or the downtime in fishing. fifth, I want to emphasize that environmentalists' know nothing about fishing. They know nothing about our lives, about our communities and what we strive to take care of every day. They do not have the right to tell us how to fish and they do not have the right to think that they are better people than us. Fourth, the future for all Lobsterman is at stake. Maine Lobstermen have created themselves one of the most sustainable fisheries in the world. We have coexisted with marine mammals for decades and the health of the ocean ecosystem is one of the most important things to us all. Maine lobstermen are real people.

As some commenters have inaccurately stated we can't just do something different. Our entire life savings are tied up in this industry along with the blood, sweat, and tears associated. There is no way all Maine lobstermen can accomplish having a ropeless fishery which would appear to be the 10 year goal. 90% of us will have to find something else to do. If that's the case, who will buy our mortgaged boats, our homes our wharves our trucks? who will help us feed our families and help send kids to college, will there be a buyout for fishermen if the livelihoods are destroyed by their own government? Before government interference based off bias, inaccurate information and false right whale counts, fishermen wouldn't need help but if our government is going to destroy us. We're at least owed a way out if we can't survive. Thank you.

Thank you. Renee, Renee. You should be able to unmute yourself.

Thank you. Just because these mammals do not look like us, just because they do not need opposable thumbs just because they have evolved to live seamlessly and harmoniously in their environments such that they don't need buildings for shelter or infrastructure for transportation. Does not mean that they are not otherwise just like us. They have complex and immense feelings, love, fear, compassion, sadness, the sense of loss of a loved one. With this in mind, I want to appeal to your sense of right and wrong. Your morals and ethics. if these proposed measures would not be enough for humans, they are not enough for whales. If doing too little would feel wrong to you. In the case of saving humans, it should feel wrong to you in this case of right whales. So, please do what is right.

Thank you. Next, we have William Clayton. Hello, William you are unmuted can you hear me? I can see you are unmuted.

OK, can you hear me now?

Yes, I can.

So I just swapped to a Chromebook I'm getting used to it. My name is, Will Clayton I'm a sternmen for my father-in-law on a family owned island called Green Island here in Maine. I'd like to start saying with the Onset of covid and the reduction in shipping traffic. And near complete stoppage of cruise lines, it has proved undoubtedly what the precipitating factor in right whale deaths are. And that's ship strikes. Can you please explain to all Maine fishermen and families how you continually push the theory of entanglement deaths while not having the gusto to rail against shipping and the cruise lines? I referenced RW, SAS, which is NOAA's own, personally, developed right Whale sighting advisory system. And I always look at that constantly to see where the migratory patterns develop. In fact, I keep it on my cell phone at all times to show people. And year after year, you can clearly see once again through NOAAs own application, that the right whales do not come close to the coast of Maine. How on Earth you continue to push lobster line entanglement when the real cause is as blatant as the propeller marks on a whales back. We are sick, think of, continually bending over backwards to incorporate time consuming and costly, quote unquote upgrades to the gear. Now we can fully understand why the real cause is not being addressed. It's big money. It's politics. We get it. You referenced it today when you said just how many thousands of comments came in from conservation groups and a few from fishermen. We get that it's an uphill battle for your agencies

to fight them, But someone needs to step up and they need to do so now, If you continue down the same path and bleed us all dry, and lobster fishing is gone, you will still have ship strikes being the cause of right whale deaths. Will everybody fight them at that point? And I got to say, in closing, I find it ironic that every single previous commenter tonight, that was part of a conservation, didn't mention cruise lines, shipping, nor did they mention Whale watch agencies. I find it extremely ironic that there's a love affair with an entity which is whale watching that actually takes money from patrons and goes out multiple times a day on multiple vessel's owned by multiple companies to find and harass whales. When Lobsterman do everything they can to stay away from them, including the right whales, which we don't ever see anyway. So, where are the hearts of the conservation agencies, when are they going to rail against shipping, cruise lines, and whale watch agencies, thank you, everybody for your time tonight.

Thank you Jarod Bray, you're up next I've unmuted you, you can go ahead and unmute yourself.

Can you hear me?

Yes.

OK, I'll try to make this short and sweet. So really what it needs to come down to is, we really need to start tracking the whale's. I know people have brought it up plenty of times, but it's really frustrating that I think we can all get on that page. You know, lobstermen, scientists, environmentalists, I think we just need real data. Not educated guesses, it's I mean, we just put a rover on Mars. Why can't we tag a whale? I just, I don't know why we haven't gotten to that point yet. Getting off that, I was curious to why we ended up with a October to January Closure. That impacts a rough guess would be 75 to 80% of, you know, our lobster season out in that area. Realistically, a spring closure would be a lot easier on us. And I would assume that whales migrating, coming and going, that would pose the same risk? I'm not really sure. But that would that would really help out the fishermen, if there was a closure, if we could move it into the spring fishery, I believe. Also, I'd like to say that if ropeless was implemented, I don't believe there would be any change in whale deaths at all. Because realistically, we're not a big enough threat that's been said a lot of times. And I know, I know scientists and environmentalists really don't want to believe that. And I don't know how to make them see that. That's the truth, but it's, you know, it's hard for them. In other states, You know, reading the report isn't really the same thing as being on the boat, and seeing it with your own eyes. They're just aren't right whales around in our area, I'm I fished in that closed area. for 5 to 10 years. I've literally never seen a right whale. So, you know, lack of understanding, shouldn't lead to policy making is, you know, it's just very frustrating on our end. But the other part is, the whale population has increased in the last 20 years, if I'm not mistaken. And our fishery has stayed the same. So it just, it doesn't seem to make sense to all the blame should fall on to us, or really any of the blame actually. But thank you for allowing me to make a comment, Have a good night.

Thank you Jarod. Douglas McClennan? Oh, yes you were just unmuted. There you go.

Can you hear me?

Yes I can.

My name is Douglas, I'm commercial fisherman from Spruce Head Maine. I'd just like to go on the record as agreeing about everything that Pat said. And a lot of everything else the fisherman said against this modification for us. And I would even go on to say, I agree with most of the environmental groups that have spoken tonight that the data is outdated. It's just not good data that we're getting regulated by, not going to spend a lot of time here I didn't prepare a speech, like a lot of these people did. I just was listening to all the opposition to the fisherman, and I figured I ought to just get my word and say something. So, basically, what Pat said and what Dustin said. What Will said, What Jarod said is how I feel, you'll find that if you could question, lobstermen on the coast of Maine We all pretty much have the same outlook on this. We never see these whales. You could get rid of us. The whales are still going to be killed by ship strikes. Their own model that they use is flawed. It even shows if you took every endline out of the water, the whales are still going to decline. So I don't think we're at a problem. I guess that's all I got to say. Thank you for letting me speak.

Thank you. Zach Klyver, you are. Next. You just unmuted, you just muted yourself again. I can see you're unmuted, Zach, but I can't hear you if you're speaking.

You hear me now?

Yes, I can.

OK, thank you. I'm Zach with Blue Planet Strategies. I grew up in a Maine fishing family in East Port and fell in love with the ocean and became a whale watch Naturalist, and did that for 30 years from Bar Harbor. I've been on over 3000 trips, in the Gulf of Maine, I saw on those trips dozens of times. Right whales on one trip in August. We saw seven right whales on a trip. I've also helped in leading winter surveys for Right Whales in 2010, 11. We did a number of them out off the Coast of Maine. And Jordan Basin. And we saw a 35 right whales on one trip. I've also over my career encountered dozens of whales, entangled, humpback, finback, and minke. And I've spent many necropsies and seen whales those whale species entangled in Maine lobster gear. And those were the most of those entanglements I just mentioned were: Maine gear. Um, I want to say that on page 10 of the DEIS The numbers of known entanglements during the time period between 2010 and 2018 in the waters between Canada and the US are given. And over that nine year period. The document points out There's 267 minke whale entanglements 264 Humpbacks 89 right whales and 62 finbacks For a total of 682 entanglements. That's an average of 75 whales per year, and it points to the crisis situation that we're in and that we've been in for a long time. So I do not support any of the trawling up provisions in this DEIS Because they add more traps in weight to each endline. And I believe they make them more lethal. I hope the agency will conduct additional analysis of the risks to pose to whales from adding more weight to the trawls. I do support Alternative three, um, to reduce endlines by 50% per month. For 15 years, there's been a serious discussion among fishermen and I have a lot of really great lobster fisherman friends that I value. Some of my best friends are lobster fisherman and I've heard the discussions about Trap reductions and about entry into the fishery. There are numerous studies that show that reducing effort will not equal necessarily or poor proportional reduction in catch. The research that Carl Wilson conducted showed around Monhegan in the closed area that when you went from 800 traps to 600, 600 caught almost as much as the 800. And there's been

research done in Nova Scotia, the Myerson/Moore paper that showed that with 300 traps the fishermen had very high catch rates. That trap reduction will also dramatically reduce costs, and fuel, bait, wear and tear on the boats and gear. Additional conservation risk is still needed, so I support Alternative three provisions for closures and weak rope with these caveats. I support the three Area closures and the one.

So, sorry to interrupt you. Your three minutes is up but we can put you at the end of the list and if there's time, we can circle back to you.

OK, Thank you.

Thank you so much for your comment. Gina, I'm coming to you. Next. You should be able to unmute yourself.

I think I just did that. Can you hear me?

Yes. We can.

Hi. Hi. Good evening. Thank you for giving me a moment to support some of the comments that we've already heard. My name is Gina, Gary. I've already submitted written comments to the website. However, I did want to weigh in this evening specifically, um, and note, many of the comments made by the fishermen here in Maine, I reside in Portland, Maine. I'm the State Director for Animal Wellness Action, and I'd like to support the comments made by my friend and colleague, Zach Klyver, who just spoke before me. Also, the, the emphasis placed on updating data by Erica Fuller at Conservation Law, Gib from Oceana, as mister Scott from IFAW And to all of the fishermen, I will I just want you to know, I was pulling up traps at the age of 11 with my brother in Massachusetts Bay. So, I do understand the need to maintain their fisheries and healthy fisheries. So I want to reference my comments of the August ninth, 2019 scoping hearing that you held in South Portland, Maine, in which I commented on. As one of our scientists did this evening from Georgia, the importance of the whales presence, all of the whales, all species of whales to the Gulf of Maine, to the health of their fisheries in the long term health of their families in the fishing industry here in the great state of Maine. And I know that all of the fishermen want to make sure that these animals are looked after, but Zach is, right. The truth is 83% of the right whale population show, entanglement scars and that's been documented. So that's not a false approach. We do at animal wellness action support a revision to your rulemaking effort to increase what we find the level of reduction of risk, to from 60 to 80%. We do support further research. And we do support in terms of the use of weak rope. But we do support. We do not support the trawling up of additional traps as a danger to the fishermen. And we do support, um, bilateral work from the Congress and appropriate funding vehicles for these fishermen. And their families to make whatever changes they need to make to come into compliance with protecting. Um, all of the whales in the Gulf of Maine, all of whom are currently listed by Maine statute as endangered species here in their own state. So, with that, I will say thank you for the time to speak with you this evening. I do really want to also add that, as Canada has done, could we consider funding a funding vehicle for observation of whale migration and population patterns in the Gulf of Maine? And bring that up to speed with what Canada has already been doing. Thank you.

Thank you, Caroline Coburn, you're next, you should be able to unmute yourself.

Hi, my name is Caroline. I grew up in Portland, Maine, and I'm currently a senior at Boston College. Some of my favorite memories of home include sitting by the water and visiting the lobster shack. I've even had the pleasure of learning how to lobster on a commercial fishing boat. I'm studying to become an elementary school teacher, and worry that my students will not have the chance to ever know the majesty of the North Atlantic, right whale. North Atlantic right whales are one of the most endangered species on the planet. And if we don't act fast, they could be extinct in my lifetime. What's worse is that the young children I want to teach may only ever see a right whale in a history book because they could be extinct fast. That disturbs me, how can we let a beautiful species die off when we know that there are stronger solutions out there to save them, the modifications in your plan don't do enough to help save young right whales and calves. The new generation of whales desperately needed to bring the population away from the brink of extinction. Weak rope and links are not a long term solution, but ropeless gear is. Ropeless gear devices have been created specifically to prevent marine life entanglements for mammals like the North Atlantic Right Whale. ropeless gear is real. And it works. Period. Fishermen are using it on the West Coast, in South Africa and in the UK and Australia. Why can't we be doing the same thing over here? Ropeless gear will help us save the livelihood of the men and women in our coastal communities that harvest lobster while also ensuring right whales can remain safe and most importantly alive. NOAA, please implement, implement ropeless gear in your plan to save right whales. Thank you.

Thank you, Hayden. Hayden Brewer. You are unmuted, you should be able to make your comment.

My name is Hayden Brewer, Can you? Can everyone hear me?

Yes, we can hear you.

Um, one thing that I'm going to comment on that I have not heard so far. I came in a little late, so I don't know if it's been talked about. My question is we are focusing on Lobstermen, but there is something that is going to very in the near future, going into Maines waters, and that is the wind turbines that are going to be out at sea, and unlike the breakaway lines that we already have on our lobster traps, I'm also a 9th generation Lobstermen for the record, um, unlike the Breakaway lines that they have. I don't believe that lines on the wind turbines are going to have breakaway lines, because then, that wind turbine is going to go away or the power line that brings the power back to the mainland is going to go away and that renders it useless. So while Lobstermen are being looked at and I hope the cruise ships will be looked at after all that my other lobsterman friends have pointed out. I think that the wind turbine should be looked at as well, because they are going to be lines heavily placed in the water. And that's what I have to say.

Thank you so much, David. Not going to pronounce your last name, I have a hard one to that if it makes you feel any better.

Don't try. It took my classes until third grade were able to. I want to point out that my background is my 53rd year, lobstering. Prior to that, I was in pre-med. I did four years on my doctorate, Marine bacteriology, and taught chemistry for 13 years. So, my background is scientific but this is my 53rd year lobstering. And I raised a family of three daughters doing it. What I've seen and don't think that I'm not a part to it, Tree hugging, granola, eater, I love nature. I love the water. I sympathize with everybody that's spoken tonight. But what we have to look at here is data. What I see and reading and reading the publication that you put out, NOAA put out, it's quite evident that there is no empirical data that supports what we're asking fisherman to do. And until we get that empirical data, we're not going to have any direction. We're not going to, we're not going to know where we're going. So I strongly urge to regroup, get some data on where these whales are, what they're doing, don't impose, rules and regulations on fishermen that are not going to be impacted by the whale's presence. Only subject these areas where the whales are known to be, but it's obvious that we don't know where they all are and when they're going to be there. So you have to go back, regroup, and then come up with another program. Breakaways not the answer. Well, we're not going to get into it. But anyhow, you need your data. And it's very important that you put it all together and then we come up with a brand-new program. So I sympathize with everyone, all sides. So, thank you for your time and we'll go from there.

Thank you. Chris Smith. I'm coming to you. I'm not sure if you have a comment, but I just want to make sure.

Yeah, can you hear me?

Yes, I can hear you.

OK, thank you, so my name is Chris Smith, I'm a 30 year old 30 year Lobsterman from Monhegan Island. And I would really urge NOAA to listen to the comments by Commissioner Kelliher with Maine DMR There is no one size fits all solution. Um, I'll also echo what David just said, the data is flawed here. Folks. It's very, very flawed it uses data from, you know, a decade ago. And I really would hope that some credence would be given to the fact that we've had very few entanglements this year. And it's been said, many times tonight, that the lack of cruise ships in the Gulf of Maine this year have a big part in that. And I really would hope that that gets looked at closely. And I would also encourage NOAA to really step up surveillance of where the right whales are that seems to be also flawed. So I know there's others that want to talk, so I'll sign off, And I thank you for your time tonight.

Thank you, Chris. Jack. You should be able to unmute yourself.

Yeah, can you hear me?

Yes.

Alright, so, I'm a 19 year old lobstermen out of Yarmouth Maine. I would just like to comment that this these, when you're making these trawl regulations, you have to come into account a lot of people. My age who come into this industry We don't can't afford a 40, 45 foot boat, you know, even a 35 foot boat. I was just fishing out of a 22 foot Eastern. And I was, and I had to

fish inshore, which was good out of that size boat, but if I were to upgrade to something like 25 or 35, but that wouldn't be big enough for me to fish. Fish off by you know 3-6 mile, so there has to be a way for, for lobstermen like me to be able to get into this industry. Now, I'm lucky enough that I was able to make enough money beforehand to get in, get into this and get a bigger boat. But a lot of people are not, a lot of people, are going into this. They don't have they don't have a financial backing that I do. They don't have when they try to go into this. They don't they just can't afford that big boat And as a result they are forced to only the fish in the summer and it's hard to make money if you only fish in the summer. So you got to keep that in account as well for the financial costs for the younger fishermen, for the rules. Thank you.

Thank you so much. OK Troy plumber. You're unmuted.

There we go, I think I'm unmuted now, I'm a lobstermen, from Boothbay Harbor just going to run through a quick list. A few things here. Where a right whale isn't there zero risk imposing restrictions where a whale isn't makes no sense it has no benefit to a whale, And only affects fishermen. Canada's been flying flights, spot whales. It seems like to me, the tagging whales are spotting whales is the best way to both protect whales. Allow our fishery to continue. It's been awhile. But I seem to remember in a meeting a long time ago, that 90% or more of the rope taken off the Entangled Whales has been large rope 6-7/16 or larger. You don't know where Maine fishermen fish. You don't know how we fish. We haven't been doing 100% reporting. And that's probably hurt us in the long run. A lot of this is just guesses. I've heard the population in this meeting at the beginning, NMFS was talking about around 400 whales. Some of the eco groups are saying around 365 whales. It seems like a lot of this data. It just seems to be incomplete, and there's just not enough data out there. We sit there and watch the PR from the media Against Us. They show a picture of an entangled whale and we're looking at it, it's like inch thick rope. with these Massive Polly balls, nothing that you know, Maine near shore fishermen use. And we know that, the public doesn't, I'm not sure these eco groups do, I'm not sure NMFS does because there's no concrete data on how Maine fishermen, fish and where they fish. The population of these right whales was somewhere around 250 you know years ago. Some around 2000 and it rebounded all the way up to 500 whales. While our industry was moving right along with a lot less restrictions than we have now. Apparently, there's a lot of other fact factors affecting these whales. I'm not sure if a whale gets bumped on the head by a ship's, more likely, or not to swim into a rope and get entangled. And in the end, the NMFS and the agency has no accountability. If you're wrong, this round and the whales keep going down, you can say, Well, we didn't do enough, and you can do more. We have everything to lose. And in the Eco groups, non-profits, and the federal government, you have nothing to lose, you know, just keep regulating, see what happens, keep, keep finding out. We're sitting here, paying the cost, means very beginning of this meeting, and I think it'd be interesting to talk about it more, the idea that our 600lb Breakaways on our buoys may actually be hindering the Whale's ability to snap the rope if they are entangled in it, because there's less drag against it. That was pretty interesting, we've been buying these 600lb links now for years, and we're just throwing out there casually to know, maybe that wasn't right, know, if it wasn't right, are we going to get our money back and all the 600lb links and all the buoys we've lost because of the 600lb links. Of course, not. It's just incomplete data, incomplete idea of the picture. And really whales need to be tracked or spotted because it's completely pointless to regulate somewhere where there isn't a right whale because there's not going to help the right whale. It makes no sense at all. So that's about all I got to say tonight.

Thank you for your comment, OK, Chris MacIntyre. You're next. You are unmuted, you should be able to unmute yourself.

Hey, can you hear me?

Yes.

Hi, my name's Chris MacIntyre, federally and State permitted Lobstermen from Harpswell Maine, I'd like to comment tonight against the use of the LMA one closure mainly do, because of the lack of data around the usage of the area. I know that, you know, what's helpful to you guys is, you know, specific data around, you know, from fishermen who do use the area I do not. So I can't provide you with that. But what's obvious to me and it should be obvious to you, is that the financial cost of that proposed closure is laughable. It's. And, NOAA should wait until, you know, there's better data about usage of the area by lobsterman and by whales, before considering such a closure. Um, and when it comes to ropeless fishing being allowed within the closed area, I mean, you're, you're proposing something that's against the law. You know fishing, fixed gear, without end lines is illegal. It's illegal for very good reasons. You're proposing something and without answering any of the questions around how would mobile gear fleet be able to fish around the fixed gear? How would other fixed gear fishermen be able to fish around the fixed gear? How would NOAA, Coast Guard, the State of Maine anybody be able to enforce any of the regulations around the lobster fishery if they can't find or haul the gear to check for compliance? The, the big push towards ropeless fishing makes absolutely no sense because NOAA's own model used in the biological opinion shows that even if you take all the fixed gear rope fisheries out of the water, the right whale population is still going to decline. So there's no doubt that you know the question. What can we do to save right Whales is an important question. But the answer of destroying the lobster fishery to do it it's just completely backwards, you know, why do we need to go to all ropeless fishing? If even if we go to all ropeless fishing, the whales are still going to decline, it shows the models. If run with us not taking any more risk reduction currently shows only a difference of five breeding females over the next 50 years. So I mean, that proves that we do not interact with these whales in a way that will determine whether the species survives or doesn't survive. I'd also like to comment that NOAA should take the conservation equivalencies that will be provided by the Maine DMR into consideration in order for individuals' areas of the coast of Maine to be able to comply with the risk reduction targets. Thank you very much.

Thank you. Joshua. Just got to get to the J's. I know, Josh, that you are back online. You should be able to unmute yourself.

Can you hear me?

Yes, I can.

My name is Josh I fish out of Spruce Head. I'd just like to start off by saying that none of us fisherman are interested in harming any whales and we, we have complied with everything that's been thrown our way. We, I mean, there's, there's a lot of questions with, with what's going on.

And, and one of the big issues like Jarod had Explained is about tracking whales. Um, like he said, if we can land a rover on Mars, we should be able to track the whale's. That's something that I realize that some of the conservationists have said. It's been very difficult to do that because the trackers won't stick in the whales. Um, that's, I mean, we can, we can track everything else, it just seems impossible that we couldn't track the whales. Also, in regards to Zac Klyver speaking, and he has seen all these right whales and seeing them entangled, and he knows it was Maine fishing gear. Last year was the first year that Maine specifically had their own marking system. So, if that was other than last year, how would it be known that it was Maine fishing gear? Um, the number of documented deaths for vs. births and undocumented, that goes hand in hand. They don't know how many actually died, but you don't know how many actually, have been born. There's just so many questions. And as everybody has stated, that the data is flawed. There needs to be more research done before anything can effectively be done. Um, there's just too many questions. And especially for Maine where, I mean, nobody that I have heard of has ever seen a Right Whale. It's going to affect far too many people For, as other people have said, something that that's never existed. Never, never been, Never been an issue before that we've seen. Also, as far as the shipping industry, if we're going to have all these regulations put on us, how I realize that they are a huge part of import export or cruise ships. It just doesn't seem fair that that something that size is not going to be affected. Like, we are, we, we may be something smaller, but we are big, big part of the north-east. And it's just, it's tragic that that they're above all the other regulations that we're going to deal with. I think that's all I've got for tonight. Thank you very much.

Thank you. John Tripp.

Can you hear me?

Yes.

Thank you, my name is John Tripp. I'm a fisherman in the Mid Coast. Um, I would just like to speak against the LMA one closure. I do not believe that establishing a closure based on assumptions of congregations in the future is an acceptable management tool. I feel like it'll cause a gold rush mentality. You guys seem to think that only 45 guys might fish over there out there right now but If you put in a closure, I think you need to worry about when it reopens having 90 guys in there and just the fact that you'll have gear stacked up outside of the closure waiting to get in. Um, and I'm also worried that what may start as a three month closure could turn into a dynamic closure, dynamic area management didn't work in the past and I don't think without tracking the whale's and, uh, tracking the boat's and it will work in the future. Another big fear is that it could turn into a permanent closure. I believe management should be based on facts and hard evidence. I agree with what Jared said, whales need to be tagged and tracked. And that information needs to be available to The fishermen on a live basis. We need to know where they are. Um, I have no issue in doing things that will actually help save a species, my issue comes with guess and check management. I urge you to listen to the fishing organizations, in particular, the MLA, which I am a board member of. The MLAs worked tirelessly on this and I believe they have the best input. I echo Dustin and Jared's comments they hit the nail on the head, same with Troy. And I would I would also urge you to consider the conservation equivalencies from the Maine DMR. Thank you.

Thank you. Ryder, we're coming to you. Next. You're unmuted.

OK. My name is Ryder Noyse, and not this really matters much, But I actually went to the University of Maine and I minored in environmental studies. So you know, I do understand where everyone's coming from as far as, you know, saving the right whales and can strongly say that every fisherman agrees with that. We're not out here in the middle of the ocean trying to endanger these whales or hurt them or anything of that precedent. That being said, we rarely come into contact with these whales to begin with. And it's really difficult for me as a fisherman to support these rules, regulations being put in place that are designed to save whales, I understand, However, they're not designed to save fishermen. I guess what I'm getting at is if we're doing you know 20 trap and 30 trap trawls, even the trawl increase, that's a danger to every person on the boat. You're adding more rope. You're adding more traps. You're putting guys in situations that they don't need to be in necessarily and at what cost? The other one I wanted to mention was as far as an area being closed, I'd like to know how DMR would even be able to enforce the fishing, as has been stated before. Um, it doesn't really seem to me like that's something that's even possible for them to maintain. It was also stated, I believe that there would also just be a wall around that closed area. Um, the other one that also was mentioned earlier and I'm going to mention that again is the windmills, there's windmills being put out. That's the whole goal coming out here There's, you know, the efficiency Maine That's just going to create issues. If you're worried about 600lb breakaway, imagine three inch chain, also agreeing with David from earlier, we need more accurate data. We need to find what the direct correlation is to the right whales deaths. There's plenty of graphs and plots out there that are available. And it shouldn't be that difficult to find the correlation coefficient or Value R Seems to me that there is no direct correlation from lobster fishery to right whale deaths. And it does seem like it more not just, but more so leans towards ship strikes. Um, we all do care about the ocean, and all the creatures that inhabit it. We treat the ocean as if it were our home, mainly because it is. We treat it with respect, we take care of it, and we maintain. So anyways, that's all I've got. Thank you very much.

Thank you. Ira Miller?

Hello! Can you hear me?

Yes. I can.

I'd just like to start by saying that fishermen were the stewards of this ocean for 100s years long before it was cool. They were the environmentalists out there. That doesn't mean all, most fishermen. Uh, we all have impacts. I don't think that the impacts are anywhere near understood on this species. There's a lot of knee jerk science going on has been brought up. I like David's comments to that. I think, really the crux of the problem. You don't have good data. We're be persecuted by that because we can be, Uh, this wouldn't fly. I don't think in a lot of situations, it's only, because we don't have something to refute it. Our job is going out on the ocean, making a living. We're not lawyers, we're not, paper writers were not academia. So were taking time out of our day to try and fight a battle that's way out of our league. Um. I Like Commissioner Kelliher's comments, I think they were to the point I think a lot of the fishermen, Troy Plumber was

definitely to the point where a lot of others I think tagging needs to happen or tracking. You know, there's ways to prosecute this fishery. I've been fishing out all over the Gulf of Maine for over 50 years. And I can tell you right now, that ropeless fishing, no matter what these people speaking to it think, they don't live in our world. They don't understand. They're making comments, being very uneducated. They don't understand what it takes to accomplish that in our area of the world. Yes. It goes on in some other areas of the world, West Coast of Australia or something like that, where there's a minimum number of fishermen. If they think that that's going to take place in our area without having a massive impact, they'd be wrong, they are way off base. I think enforcement is going to be a problem. You have area closures that don't make sense. Uh, I think that Jarod's point transiting animals back and forth through there a Spring closure, if you got to, have a closure, which I don't support at all, doesn't make sense. I think that, you know, the gear marking estimate times was way under done. You know, the cost involved to the fishermen. I think a lot of these people, a lot of these environmental groups instead of working with us to try and make things better, all they've done is try and pit us against each other. And, uh, they haven't made a situation that we could actually work together on a solution. Haven't come to the industry that I've ever seen and I've been pretty involved. come to the industry offering much in the way of solutions. Anyway. Thank you for allowing me to comment. Have a good night.

Thank you, Ira.

Judith Howard. I'm not sure if you have a comment, but I just wanted to double check. You should be able to unmute yourself. Judith Howard, Not sure if you can hear me.

I can hear you. I didn't really have a comment. I wrote you a bunch of questions, but, um, so I guess my one comment listening as a, as an open minded listeners, how different the data are interpreted and I think our job as scientists, is to find out what the true data are. That's what worries me right now.

Thank you OK, Cindy Donnell Coming back to you, you're unmuted.

I find it interesting that the conservationist that have spoken tonight are going back to years previous for the whale entanglements, previous to all the trap modifications that have been made over the past 10 years. And the past 10 years have been very successful. And the fishermen are not getting any credit for the whales that have not been entangled in the past 10 years in the Gulf of Maine because of their gear modifications, perhaps, who knows what it was. But it's been very successful that we haven't entangled any and that Canada has entangled whales, and they are not doing even what we're doing. And nobody does anything about that. And we're asked to do more. And they are the ones catching the whales, it makes no sense. And Then, you know. They talked about that whale down South, that was killed the baby whale that was a ship strike. I mean, it had nothing to do with gear. And I just don't understand why they've not caught up with us in the Northeastern United States. And Canada has started a program of following the whales, why aren't we doing that? There they are talking about if the whales come into a certain area, closing it, we don't even talk about that. Now, we're just going to close an area, just a random area that the whales may not even be and it makes absolutely no sense. My husband has been a fisherman for over 45 years. And my sons are both fishermen and none of them and none of the fishermen

in York, have ever seen a right whale. So they're out there every day. They're out there today. I mean, you conservationists aren't out in the water and the guy that said that he saw the entanglements. He was going back, years ago, Before, we had the gear modifications and the teacher that talked about the kids, you know, not being able to see the whales, the right whales someday. Well, it's darn good possibility with the number of whales that are left that they probably aren't going to be here, reality is they're not going to be here and they're going to be talking about them like they talk about dinosaurs. I mean, it's sad, but we get along without dinosaurs. We talk about them all the time. And Troy, I like what Troy said, is correct about Canada, you know, they're, they're doing some things right and they're doing some things wrong and maybe we ought to take the things that they are doing that are right and track the whales. that's all I have to say.

Thank you, Cindy. Zach, I'm coming to you to give you time to finish up your comment.

OK, thank you Kara. Yes, I will say a few follow up comments. To the question about risk. Whether right whales are in Maine waters we, we collected all right, whale sightings and we have over 100 from whale watching trips in the 30 year period. And the majority of those sightings I think 85 to 90% or more are in 300 feet of water or more. So, out 15 to 20 miles offshore. That's what we found. So that's where co-occurrence is. I sit in on the take reduction team when I had a chance to speak, last meeting two years ago. And I think that's where we get our greatest conservation effort. Um, also, I wanted to say that we looked at the sighting data from Mount Desert Rock, the Lighthouse tower data, there was a long term watch by Allied whale researchers counting whales from Mount Desert Rock, which, I think most of you know, is 25 miles off the coast of Maine. And in a 18 year period between 1976-92 there were 59 days when right whales were seen. So if we add that all together, that's a 50 year set of sighting data. Right Whales are in Maine waters and I'm not surprised that a lot of fishermen haven't seen them. If you're working, I've worked on boats, your head down. But right Whales dive, they spent 10 or 20 minutes underwater, they come up with good distance away. They're not, they're not the easiest, whale to see. Um, but fishermen have reported them to us. Many times. We had a trip on July fifth, 1991 that I remember vividly, where a couple of fishing boats off of Jones port reported five right whales when we got there. It was five right whales. I do want to say that I support the EFP proposal for ropeless and allowing testing and I heard the comments tonight and I'm really surprised that so many are full of fear and concern about ropeless. No. No. None of us that are working in this area to develop it, want to put a technology on your boat that doesn't work, that's not, That isn't subsidized and supported by Federal funding. We aren't, we don't want you to pay for all of it, the transition. We want it, it has to work on every level. But just like the comment was made about the rover going to Mars, we use technology to solve human problems Here. We have an opportunity to have a win-win solution. The fishermen could be the heroes of the whales. And we're trying to develop it, so, So just come with me, or let me come with you, and you can see, and I hope that you'll keep an open mind. Thank you.

Thank you, we have two last commenters, and just a reminder, please direct your comments at the presenters at us. Eben. Eben do you have another comment, Or was the entry into new to the questions?

I do have another comment. Ah.

It's quite hard to hear.

This is about the windmills and a lot of the scientists are in favor of the windmills I do want it be known that 5 thousand whales have been killed, for the green energy. Because of the windmills are wiping out the sonar, these scientists all for it, they will shut us down. They will successfully kill the last right whales. What is happening over 220 decibels loud and the brain can only tolerate 150 before it kills us. So the whale Doesn't know, left right up from down and end up beaching. So this energy that All these centers are all about that are so for saving the planet. In which you're going to have these floating mills off of Maine with floating, cable, it is inches thick, it's going to be hanging in between each windmill, that is absolutely 100% against everything that they want to save the whales. A great big cable drooping in between miles becomes a wall that whales will not cross from the sounds. Also, the clanging of the chains and multiple, 7 to 12 anchors of huge Chain. Nowhere whale safe. So I want it to be known. They'd be the death of the whales by being clean energy, that is 6x more expensive. Or else, it's saying clean energy. That'll do OK.

Thank you. OK, and last up Douglas, you should be able to unmute. You are unmuted.

Yeah I just wanted to point out that what everybody has said earlier from the fishing side of this of what Zach was just saying all the data that he gave us is 30 years old. He just said, he saw all these right Whales around Mount Desert, we all know Mount Desert is a hotspot for whales. He's given 30 year old data. Every scientific thing I read now, is about how the Gulf of Maine is warming faster than any ocean on the planet. With that said, the copepods, the right whales Feed on just do not come in the Gulf of Maine, anymore. So I just wanted to point out the kind of data that were living with on this side, is from people Like him saying, all this stuff about all these right whales being seen is 30 year old information. That's all I had to say. Thank you.

Thank you. Colleen?

Yeah, I'd like to thank everyone for coming tonight. It's nearly nine o'clock. Thanks for all of you. Quite a few of you who stuck with us all night. Um, this is a public hearing session. We really were interested in getting public comments, And that's what we prioritized tonight. But if you have questions that can also be turned into comments, please include those in comments that you can submit in writing in our in our final documents. In our final rule, we will be responding to comments, and a lot of those questions would be answered there, or well, and or incorporated into the final documents. So, thanks, everyone, for your interest tonight. I'd like to thank Commissioner Kelliher for joining us and for his comments tonight. As well as I saw a number of take reduction team members and alternates on thank you as well and everyone else. And I really appreciate the number of fishermen who spoke up tonight. We were concerned that our remote meeting would make it harder for us to provide access for you. And your active participation is really appreciated. So, thank you, everybody. Goodnight.

Public Hearing 4

Northern Maine, Wednesday, February 24, 2021, 6:30-8:30 pm

The of the meeting. If you have not already, but want to provide comments tonight, please go ahead and type “comment” into the questions box. We've already got quite a queue going. If you change your mind, you can type or say, Pass when we call your name in the queue. We'll call on each commenter and we'll try to let you know who's up next in the queue by showing the next few names. Remember, we are recording this public hearing. As always, we ask you to please be respectful, and please direct your comments to us, the presenters, and not to each other. When you're called on, you will be unmuted, and then you'll need to unmute yourself for the recording tonight. Please state your name before your comment. Comments will be limited to three minutes, given the size of our audience tonight. You will be muted after three minutes if you've already provided comments. But wish to give another one tonight. So if you've come up, we called your name. You provided comments, you don't finish, or you wish to give another comment, you'll be placed at the end of the queue to give everyone an opportunity to speak. If there is still time at the end of the night, you may get that other opportunity to complete comments. If not, please provide your additional comments to us in writing. This is a public hearing. We want to maximize the opportunity for you to provide comments. If we wrap comments up very early tonight, we may have time to answer clarifying questions. If we don't, you can please send in questions as comments. As written comments, we are required to respond to comments, and the answers will be in the documents in the preamble to the rule. In a minute, I'm going to turn the mic over to Kara to help us run through the comment queue, But I'd like to welcome and thank the many state representatives and staff from Senators King and Collins offices tonight that we've seen in the queue tonight. I'd like to thank as well, a special thanks to Representative Golden, who's on tonight as well for joining us. Commissioner Kelliher is also with us. And we're going to start out introducing allowing him to introduce representative Golden and inviting Representative Golden to make some remarks tonight. So with that, I'm going to turn the mic over to Kara to unmute as needed.

Yes, Commissioner Kelleher, you should be able to unmute yourself and Congressman Golden, I'm going to unmute you, as well, So you'll be able to unmute yourself when the time comes.

OK, thank you Kara, and thank you, Colleen, and your staff, for, again, hosting another meeting. As you said, it's too bad, I think we probably would have filled the Civic Center tonight. So, but I am very pleased to see the number of participants. I want to thank all the staff that are here from all of the Congressional offices, Collins, King and Congresswoman Pingree's office. And I'm very pleased to now introduce Congressmen, Jared Golden. Jarod has been very active in these discussions. And we appreciate him taking the time this evening to address the agency. So, Congressman, the floor is yours.

Thank you, You hear me all right?

Yeah.

Very well.

Thank you for that. I appreciate it very much And I also want to thank everyone who joined tonight as well as all the folks that are presenting and everyone at NOAA I do appreciate the opportunity. I did want to start by acknowledging to the folks on the line tonight that the delegation has sent a letter just today to the President, to the President, the United States, to President Biden asking him to pay attention to what's going on here, as we did with the last administration. And I think that the delegation is United, continuing to push to represent the lobster community in Maine, But I'm not going to read the letter I'll spare you all that. But I did think it was worth repeating a couple of key points, which I know you're all familiar with. I know the folks at NOAA recognize the importance of this fishery to the state of Maine and to the country really financially. It's incredibly important to these communities. It's everything. I also wanted to point out, I know, you know, as well how hard they have strived through many years now to work with you on risk reduction related to right whales. Quickly, I'll go through it. Implementing weak links in 97, gear marking in 2002. Sinking ground lines in 2009 reduced vertical lines in 2014. Working with you most recently on trying to come up with a plan working with Maine DMR and NOAA on further potential rope reductions. I think that this community has bent over backwards. But at the same time, I think they have some really valid questions of NOAA about the evidence that is out there that they are, in fact, part of the problem because they very strongly and passionately believe that they are not and the data seems to back that up. It seems very problematic from their perspective, from my perspective and from the entire congressional delegations. As NOAA has pointed out, out of 10, right whale entanglements in US Lobster Gear from 1997 through 2017, 8 occurred before 2009. I'm sure we can tie that to the move to go to sinking ground Lines. Made a big difference. In addition, the other two involve gear from another state successfully removed, neither of which cause serious injury or mortality to a whale. It has been since 2002 since there was a right whale serious injury or mortality attributed to the Gulf of Maine or Georges Bank Lobster fishery. One of the points we made to the president was that this fishing community, these families. And really the state I think, deserves an understanding of how what they're being asked to do in regards to further regulations is going to have any positive impact upon the whales whatsoever. If NOAA had data showing that this fishery was at fault for serious injury and mortality, you surely would have presented it in court. Uh, you know, We have, we have a common set of data here to look at, in regards to what's happening, to right whales in the Gulf of Maine, you know, I guess what I would ask tonight is, do you have documentation? Do you have some kind of set of best practices? What evidence are you, are you using to inform the regulations that you've proposed, and how can you show us the kind of agency, you know, best practices for how this is going to make a difference? If any? one thing we pointed out was that the draft, BiOps projections said even if all 10 federal fisheries that you covered were completely shut down, the North Atlantic right Whale population would still decline at the same rate as it would under the 98% risk reduction is currently pending finalization. I think this raises big questions about whether or not this is really going to have the desired effect. And the outcome for the right whales but it is going to come at a very high cost for these fishing communities. So now I think it's important that they have the opportunity to provide feedback and be heard but also I think they need to hear an explanation about what impact this is going to have. On the right whale population. I'm sure you're going to hear a lot of testimony tonight about how hard of an impact it's going to have on them and on their ability to make a living, very concerning, and I'm sure you don't want to move forward with regulations that the data wouldn't back up. I know that's not why you do your jobs. I know that certainly you can point to laws like the Endangered Species Act but would you move forward with these

regulations, absent lawsuits, and in some ways, it looks given the lack of data that there's a problem that's being solved here, it looks like this is regulation of the fishery by non-governmental organizations through a strategy of lawsuits. Oh, And it's just that is not the spirit of the law as far as, as far as I can see it. You know, this fishery wants to be helpful. They want to make a difference. But they don't want to be regulated out of work, especially when they suspect they're going to sit back and see that it won't actually have any positive outcome for this whale population. We continue to see the focus of the problem up and up in Canada, as you've heard repeatedly, I guess with that I would turn it back over to you so that the community can weigh in on and I'm sure that they've got a lot to say and plenty for you to learn, but I suspect you've heard a lot of it are already. So we're looking for a proactive and productive working relationship as we have here and hopefully the best outcome for these lobster communities, as well as for the whales.

Thank you very much.

Yeah, thank you, Congressman. And I appreciate, again, and appreciate your support and the support of Senator Collins, Senator King, Senator Pingree on this important matter. I'll go right into my comments, and knowing the knowing the large crowd, I will try to keep them brief and try to also help focus some comments from the industry here tonight. And for the record, my name is Patrick Kelliher, I'm the Commissioner at the Maine Department of Marine Resources. I'd like to highlight a few of the comments from the Department. First around conservation equivalencies, Trawling up. A key part of DMR's proposal is trawl length equivalencies, whereby a trawl with two end lines is equivalent to a trawl, with half the traps, and only one endline. This type of flexibility is paramount. A one size fits all approach in the State of Maine will not work. Our coast is too large, and it has too much geographic and oceanographic diversity to make it work. DMR will also be recommending the inclusion of conservation equivalency proposals that have been developed by our zone councils. Throughout 2020, the Zone councils worked with the department to develop conservation equivalencies that would work better for their individual zones. The proposed closed area, the Agency Decision Support tool indicates the LMA one closure if it was to be implemented, would become the most important conservation area to right whales along the coast. There is very little data supporting this finding when DMR mapped out the right whale detections from the Acoustical gliders mentioned in the DEIS against the boundaries of the closure, 73% of the detections were outside of that area. If the agency continues to feel that that area must be defined and in some way used for management in the protection of right whales, we strongly urge you to consider a trigger approach. With the trigger approach, the agency must also avoid creating a scenario where actions by a fisherman licensed outside of Maine would trigger a closure that would only impact Maine fishermen. Implementation date. And again, I would ask you to take the time to listen closely to the industry members as it pertains to the implementation date. We think a reasonable timeline based on the operational reality of the fishery will be needed. Ropeless fishing. Based on the proposed rule, and especially the biological opinion, the agency is attempting to move the US lobster fishery, in the direction of ropeless fishing. Maine DMR will continue to work with NOAA on the development of this technology. But we must need to work within the operational realities and acknowledge that technology is years away from this use at a meaningful scale. Gear laid out on the bottom, without end lines, must still be, quote seen, by mobile gear, fleets, and others within the fixed gear fleet. Ropeless gear must also be retrieved, inspected and reset by law enforcement

agencies to enforce lobster regulations, not just whales rules. Again in your race to protect right whales we must also manage sustainably manage the lobster fishery. Our next comments are directed to the industry itself. I would ask the industry tonight please focus your comments on some key areas that's very important for the for the National Marine Fisheries Service folks to hear these comments. They are looking for feedback on whether you support trawl length equivalencies, like the ones who included in Maine's proposals and the zone. And the zone conservation equivalency proposals that were created by the industry. They also need to know the LMA one closure, how it would impact you, particularly the economic impacts, and where you would move your gear. And please also comment on the time it takes to mark your gear, as well as how long it takes to implement these measures and the best time of year to do it. It's very important that they hear from you tonight on those matters. In closing, I would like to highlight the Maine lobster fishery is the most valuable single species in the country. In Maine it comprises over one point five billion dollars in economic activity. And touches thousands and thousands of families. In the background of this proposed rule is a draft biological opinion. That could very well be very devastating to this fishery and to the people who depend on it. We look forward to trying to work with this agency and navigate through this very difficult time. Thank you for your time. And as stated yesterday, the department will be submitting very detailed comments on the proposed rule. Thank you very much.

Thanks. Commissioner Kelliher.

Thank you. OK, so now, as you can see on the screen, and people who have been put in the queue so far, there are there are more, but as we go through the queue, I'll add them on. At the end, the timer on the screen is three minutes. We ask that you keep your comments to three minutes. I will let you know when you're over time. And as Colleen mentioned, we may be able to come back to you at the end, but there are quite a few people in the queue tonight. So, as I call on you, I will unmute you, and you will also need to unmute yourself. So to start us off for tonight is Micheala. Yes. You are unmuted. Michaela, I can see that you're unmuted, but I can't hear you. You'll need to make sure your audio settings OK. We can come back to you. Oh, thanks. Thank you. OK, next up, we have Shayne Mcfarland. Shayne, you should be able to unmute yourself. OK, Jim, O'Connell coming to you. OK, Jim, you should be able to unmute yourself.

One second. Hang on.

I can hear you.

OK. I'm looking for my name. There it is, Hi. Can you hear me?

Yes. I can hear you.

My question. So how did you get 411 that's the amount of whales that you think are out there, minus the 47 of the ones who had died. In that period of time, and 14, a serious injury decided to call dead. So that comes. That means about 366 whales, is what you're saying, is out there. But how did you get the number 411 to start with? And why does F, the one that looks like a mountain, that, that shows the 411, Why does that graph go down, suddenly, in 2010, at the peak

of a baby boom, from 481 to 411. That means, while the whale's, we're actually increasing, you guys were killing off 27 per year on paper. That is the whole crux of this. I'm afraid the whole thing is based on a terrible graph. Error. We're not going into extinction. We that. only for three years, did we lose a population And that was 2017, 18, and 19. The rest of the time we're gaining, and apparently, according to the math, we should be, we should be looking at 702 whales, not 366. So it seems like you're rationalizing a whole bunch of ways of cutting down on the population, and none of it is needed. We would, we should go to status quo. We're on the, we're in the beginning of a baby boom right now. The were came out of the boom from 2010. The females are ready to give birth now. And they're starting to go for quite a while. Because 200 whales of sudden pop up, around 2000 to 2010, I mean, in 2010, there was 20 whales. Then the follow, 2011 was another 20. Meanwhile, you, guys, just subtract 27 whales per year on paper. It's just doesn't make any sense. There's so much more to look at here. Like the whales. The Whale's that there was seven unknown whales found in Canada, in the Gulf of saint Lawrence, there was 33 deaths, That's 21%, we don't know out there. For forever, we haven't been able to count all the whales. And they're not marked and not registered. And they weren't in so bad shape, you couldn't identify him. These were kind of fresh whales, just see killed by a ship. And that was their guidance, whole fruit and critical, is the explosion in saint Lawrence. Approach per year, tips per year? That it's been fixed. We're on the way up. We're into the second baby. Boom. It's going to be a boom. Boom. Didn't mean I'm exponential, it seems. So that's where I'd say just leave everything don't make these lobstermen paint all these ropes, that's a heck of a job. They don't even know how to paint. Probably can't hold the paintbrush. I'm sorry. I'm getting carried away. There's so much more, uh, that we don't know about these whales. Why haven't we seen these 10%? Where are they hanging out? I would suggest that you, next time you see an unknown Whale, to actually put a tag on and track a couple of them. Just a couple of me not going to harm the whole thing. And satellite for, do, are they going, why haven't you gotten them.

Hi Jim Thank you so much for your comment.

OK, thank you for listening.

Thank you. Hey, John Emerson. You are unmuted.

OK, Thank you. I have a very short comment. And it is as follows, I don't have confidence in the low number of right whales being used as the premise for adopting more strict measures such as more traps on a line, more weak links, closures. And perhaps most troubling of all to me, adopting ropeless fishing. I do think more work needs to be going into identifying the number of whales and having that be accurate. And in addition to that, the collisions with the ships from what I can tell, are doing way more damage to the whales than ropes from, especially from Maine fishermen. So, that's my comment. Thank you.

Thank you. Bill McWeeney, coming to you, you're unmuted.

You hear me, Kara?

Yes, I can, Bill.

OK, my name is Bill McWeeney I live and work on the Blue Hill Peninsula. Contrary to what some people think entanglements have continued to happen in US Waters. three, right whale entanglements have been found in US. Waters Just since October. As usual, no gear was retrieved, nor were any of the whales disentangled. two are presumed dead, and one is probably dying. As I speak, 86% of right whales have been entangled, and 60% have been entangled more than once. There have been more than 1500 documented entanglements of right whales and only 16 of them have been traced back to the source. That means 99% of entanglement will not be traced back to the point of origin. It is not so easy to find a smoking gun, like King Fisher in 2004 that actually had Maine gear on him. By the way, Kingfishers Flipper was wrapped with rope so bad, his flipper turned white. That was just, before, he was last seen in 20 15. He suffered for over a decade with that entanglement. With 87% of the pot trap gear on the East Coast of the United States, it is extremely likely that Maine Lobster gear is responsible for many of the 1500 entanglements of unknown origin. Some people, miss interpreted the 1700lb breaking strength research. I heard people saying last night that weak ropes will not help young and juvenile right whales. That these weak ropes will entangle those whales. This is a direct contradiction to the research that was done showing that no young or juvenile right whales were caught in ropes with a breaking strength of less than 1700lb. That is why the Recommendation for weak ropes is 1700lb and those ropes let young whales get free. There's been a lot of talk about ropeless fishing. This current rule does not rely on ropeless fishing to reduce risk. That is something for the future. If fishermen think they're going to be forced to use ropeless in the near future. They are not. The current rule uses weak ropes and line number reductions. And closures to lower risk. Finally, I agree that fishermen should not have to trawl up any more than they are doing. It is dangerous, fishermen and regulators should look closely at the research done showing the trap reduction will not hurt the bottom line when fishing and the Gulf of Maine lobsters. There are three peer reviewed papers showing that less traps in a given area will catch just about as many lobsters as the full complement of traps. Thank you.

Thank you, Bill. OK, Jason, Joyce, coming to you. You should be able to unmute yourself Jason.

OK, Yeah, just came off can you hear me fine?

Yes I can.

Yep. OK, Jason Joyce Lobster fishermen of Swans Island Um, my family goes back here over 200 years fishing in this area. Um, I appreciate what Jared Golden said. I appreciate the well thought comments that the Congressional delegation has put forth. I appreciate Commissioner Kelleher's comments on some of the things I'll try to hit on. I made a note here, obviously, at first, they said, Not to just have a gripe session. I don't want anybody to say, Would you like to have some cheese with that wine? But in my opinion, ropeless will not work. The technology is not there, so I don't even, really want to talk about it because that will put us completely out of business. I don't feel like there's enough data to support this plan or the closures. If the data supported the closures in zones C, D, and E, then the proposed windfarm by the Governor should not be allowed to be introduced near that area. Because if it was, it would likely change the whale's migration pattern. The negative effects of this plan on Maine's economy and my Island's economy will be catastrophic. We have 370 year round residents. If, as I look at, not just this

year's plan, but the extended plan for 10 years, what the reductions are going to be, it will make us into a seasonal community and my family has been here since 1806. It doesn't make any sense. We are small boat fishery as well. So the trawling up is difficult. If we have to do it, we will, I, I do support Zone B's Request. To be able to split the trawls so they can have one end line. Lot of the boats are smaller where they've traditionally fish. If they have to go in with two lines, it's very difficult. And some guys fish by themselves. This is going to be very difficult on them because they're going to have to come up with some crew. We don't have that many people on the island. So, I'd have to dig up somebody. one thing I'd like to mention, I'm good friends with the fellow down in Chatham Masters name is Billy Chaparralus, he worked tagging great whites when they first showed up 6, eight years ago down in Massachusetts. And he was telling me when they watch the tagging of those great whites, they end up down off of that. I think it's south of Carolina's maybe off of the Florida coast where the right whale birthing areas and his theory is a great whites are down there for cheap meal. And I've never heard that studied to check if that's where maybe some of these low birth rates come from, but I think that's a possibility. He's a fisherman. And he has worked on a lot of these projects, and he studies it. And that is his theory for the low birth rate, low birthing success because the great whites are down there having a snack. Other than that, I appreciate the time to speak out and again, I agree with that the Commissioners comments as well as Jared Golden and our Congressional delegation. Thank you.

Thank you, Jason. Gina, you are next. OK, Gina, you should be able to unmute yourself.

Can you hear me?

Yes, I can.

Hi, good evening. My name is Gina Gary. Thank you very much to for the opportunity to speak with you this evening. I wanted to add some comments to what I had to say last night. I'm in Portland, Maine. I am the Maine State Director for Animal Wellness action. And although I have spent my entire life on the New England Coast and understand the delicate balance of healthy fisheries and environmental obstacles in particular, those related to driving the potential extinction of a keystone species such as the North Atlantic right Whale. I'm going to leave specific comment on the gear, and the recommendations surrounding gear to the experts and the fishermen that you have on the line tonight. But I will say that we believe at animal wellness action and the Center for Humane Economy that resolving the fisherman's dilemma and the lobstering industry's dilemma in terms of their wish to also protect the marine mammals in their waters and saving the North Atlantic right whale. That those propositions are not mutually exclusive. But we do have no time to waste with less than 85 breeding females, and in excess of 80% of the population documented with scars and injuries from entanglement from fishing gear. So, more needs to be done, and while the rule proposal is a good first step, it does not go far enough. I will say that what we support, Well, sorry. What we do not support is the trawling up proposal, as has been mentioned, as it increases the risk of lethal threat to whales and increases the risk to the fishermen. We do request and support longer and larger feeding habitat closures through the northeastern fisheries, especially in the Gulf of Maine. And we do support an increase to the proposed risk reduction measures from 60% to 80% given the updated numbers on the population counts. We'd also like to add that Commerce needs to create financial

incentives around this proposal for fisheries to offset the anytime off the water to our local fishermen and any reduce catches that evolve from being off the water to their practices. And also to cover the cost of any gear changes. And we also recommend further that this proposal consider creating a funding mechanism for a state-of-the-art tracking monitoring system. As Canada has done using drones with live feeds, accessible to the fishermen, 24/7 on the location of feeding whale pods and to substantiate the necessity of the closures that are proposed in summary with so few animals left in our waters. We need to get this right the first time, and I appreciate your consideration. And we at Animal Wellness action and the Center for Humane Economy, hope you will amend your rule to consider the request. Thank you.

Thank you, Gina. Hey Jack, Merrill. Coming to you. OK, Jack, you should be able to unmute yourself. Yep you're unmuted.

I'm on?

Yes, I can hear you.

I've got a degree in Marine biology, and I've done oceanographic work, but I chose, instead a 45 year old career as a Lobsterman. After spending the last month researching the scientific data, there's clearly a disconnect between what it says and what NMFS is proposing, even a further disconnect between what the data and what environmental corporations are alleging. The fact is that no, right whale death or serious injury event has been attributed to Maine lobster gear ever. The fact is, there is only one documented entanglement in Maine gear in the last 20 years. And that whale was disentangled 9 years ago. I sent NMFS 20 reasons I found fault with the bio opinion. And here's a few of those. It assumes mortality and serious injury of unknown origin occurs equally in the US and Canadian waters while acknowledging that the overwhelming number of entanglements and ship strikes have been happening in Canadian waters in recent years. It assumes no future reduction in mortality and significant injury from ship strikes or entanglements in Canadian waters, despite the most recent evidence to the contrary. It acknowledges that entanglement rates have been markedly less since 2010, but fails to recognize the importance of the significant gear reconfiguration. It fails to evaluate the importance of the most significant threats, disease, toxins, pollutants, and the overriding factor of global warming. It fails to evaluate pollution effects on feed health, birth rate, and survival. The absorption of plastic by all levels of sea life, for example. It acknowledges, but fails to calculate the drop in surveillance and the parallel relationship to less whales seen and counted. It fails to recognize the importance of co-occurrence information, which shows a change in right whale travel patterns, taking them to the outer boundaries of Maine's possible, lobster efforts. It gives very little recognition to scarring caused by ship strikes, natural scarring caused by the attack from other marine animals or their own attempts to rid themselves of predator sea lice. It fails to acknowledge that while attempting to calculate minimum population numbers and incorporating the unusual losses from 2015 through 2018, the right whale population has increased over the last 40 years by 56% when most other animal species have significantly declined. It fails to consider that since serious known entanglements in US Lobster Gear remain Minimal, or Non-existent, Other factors must be the primary causes of population threats. And three final comments: Trawling up is dangerous for both Whales and humans. Random seasonal closed areas, is a bad scenario for both whales and humans. Conditions, right whales are now facing are

changing rapidly. We're looking at a no analog future predicting right whale populations one year ahead is hard enough, but making 10 to 50 year projections impossible. Everyone seems to be ignoring 2020, was on all accounts a good year for right whales. Thank you.

Thank you. OK, Karen. All right. OK, Karen. You're unmuted.

Hi. Thank you for this opportunity. I've attended all three of the previous sessions on right whales. I'm an ordinary citizen living in Florida. And I'm an advocate for the environment and all creatures living in it. While, I'm not unsympathetic with the plight of the people whose incomes depend on fishing, lobstering, crabbing, shipping and cruising. I'd like to send out a reminder that there are alternatives as unpleasant as they might seem for some. If jobs are impacted, or even end, there are other options. In contrast, if right whales are killed off, or if their numbers dwindled to the point of no return. That's it. It's over. There are no second chances. Whales are an important part of the ecosystem that we all depend on for life. Scientific data shows that they even affect climate, without whales, all life would be negatively impacted. There are complaints that data is old and more research is needed. But no more research is needed to demonstrate that right whales are in extreme danger of extinction, and that there is a dire emergency. Now, According to the Marine Mammal Commission, which is part of the US government, there used to be a minimum of 10,000 right whales. Some who work at sea say that whales aren't where they work, they never see them. Well, maybe they never see them because they're almost all dead. So as the situation of the right whale is urgent, I urge that every measure possible will be taken to save the species and prevent the suffering of whales who are victims of human activity, fishing, crabbing, lobstering, shipping, and cruising. Thank you.

Thank you. OK, Russel, Wray. OK, you should be unmuted.

Yep. Can you hear me?

Yes, Russel I can hear you.

Good evening, I'm Russel Wray and I'm providing comments for Citizens Opposing Active Sonar Threats or COAST. The proposed rule states alternative 2 was selected as the preferred alternative quote. With extensive input from fishing industry stakeholders who will be directly affected by the measures unquote. COAST acknowledges fishermen in their communities will be affected. Firmly believes that state and federal government must financially assist them in making any required changes. This statement and the proposed rule on the whole implies others will not be affected, which is far from the truth, especially seen as some measures proposed, most likely will not prevent right whales To be injured and killed at rates exceeding your PBR. Thus moving a species closer to extinction. This negatively affects the ecological community in which the right whale plays a vital role like the whales themselves, these community members are also stakeholders. The draft EIS did not properly consider ecological impacts. In addition, a great many people care about the well-being of our oceans, whales, in particular, for some they are a source of awe and wonder and mystery. I'm one of those people having been totally fascinated by whales and dolphins as a young kid. To this day as a professional artist, their beauty inspires much of my work. So while we may not be directly affected economically, we are stakeholders all the same who are directly impacted by the inadequacy of the proposed

protections. News of the whales' impending extinction has caused people across the globe to show sadness, anxiety, depression, and anger. Given the fact we are already facing multiple environmental disasters. Looming extinction of this iconic animal further drains people's hopes for the future, no doubt hitting young people, particularly hard. NMFS gave these widespread, direct effects. Little consideration and No, real wait. A few lines included in Draft EIS were lip service and nothing more, this heavy bias on the part of NMFS decision makers in favor of those economic interests. It's not fair or justified. Any final rule must consider and give due weight, All impacted stakeholders not just those affected economically, the protective measures must be made effective in the real world, not just on paper. Thank you.

Thank you. OK, Katherine Deuel

Can you hear me?

Yes, I can.

OK, Great. This is Katherine Deuel with the Pew Charitable Trusts. Pew agrees with others that the proposed rule is fatally flawed and needs to be significantly revised. The data and analysis used to develop the risk reduction target is based on an outdated understanding of both documented and undocumented deaths and serious injuries. NOAA has also failed to apportion PBR for right whales between US and Canada and between entanglement and ship strikes, even though there is ample scientific basis for doing so. If this were done, it would clearly show that NOAA needs to bring the level of mortality and serious injury in this fishery to effectively zero. Unfortunately, the situation for right whales has only gotten worse during the three years it has taken NOAA to develop these proposed rules. NOAA should take immediate action and implement several temporary closures to vertical lines, while working to revise and propose a new set of alternatives. We'll have more details in our written comment, but I wanted to make a few more key points tonight. First, I want to emphasize that public comment from all stakeholders, similar to what Russell just mentioned, should be considered, including those who sign onto group letters that are submitted into the online portal. Many Americans across the country have weighed in on this issue already because they don't want whale species to go extinct. And they care deeply about the status of an endangered whale. Even if most of them will never get to see a right whale in person, please ensure all comments are counted no matter how they are submitted. Next, on ropeless Gear Pew's glad to see that NOAA has proposed allowing ropeless fishing in areas that would be closed to vertical lines. But NOAA can and should do more to advance ropeless gear beyond these areas and work to solve the legitimate economic technical and logistical issues with ropeless that are being raised by the fishing industry. These issues are not impossible to solve. People are working towards solutions already, and the issues can be overcome within the next year or two if all stakeholders work together and keep an open mind.

NOAA should keep ropeless moving forward, by demonstrating leadership and tackling challenges and providing funding opportunities. Finally, it has been mentioned by different stakeholders. And I agree that NOAA should more fully explore the concept of dynamic management. Closing some areas to vertical lines when right whales are spotted, and then re-opening if there are no additional sightings. NOAA has not recently analyzed or explored dynamic management and should consider that there have been advances in technology since this

system was last used in the US 15 years ago. And NOAA can look to similar programs in Canada. Just last week, Canada announced their plans for 2021 to once again, use real-time detections to close areas. to vertical lines when right whales are present and then re-open them if no whales are detected again. The US should follow suit. The decline of the right whale population requires all options to be on the table. And unfortunately, this proposed rule only offers a narrow set of measures that will not do enough to reduce risk of entanglement in US waters. Thank you for the opportunity to comment tonight.

Thank you. Michaela Morris, You should be able to unmute yourself.

Great. Are you able to hear me?

Yes. I can hear you.

Great. Thank you Also, like everyone else, has said for the opportunity to speak tonight, my name is Michaela Morris and I'm an Oceans associate with Environment America Research and Policy Center. We are a nationwide non-profit that works to protect clean air, water, and open spaces. We are fortunate in the United States, and that the United States has a rich natural legacy. oceans, where whales dolphins, and sea turtles thrive, forests where families hike together like I grew up doing I'm from New Hampshire. And mountain ranges that stretch into the distance, right whales are a part of this natural legacy of natural beauty. And in sharing that future generations are able to experience the beauty of our wildlife and wild places, starts with standing up for our most vulnerable species like these whales. A framework of strong environmental protection laws, like the National Environmental Policy Act, Marine Mammal Protection Act, and the Endangered Species Act, codify this set of values. It is in this spirit today that I testify tonight with grave concern for the future of our north Atlantic right whale. Scientists estimate that we can lose less than one right whale per year, but since 20 17, we have had over 30 documented, right whales deaths most caused by human activity. And as we all know, Entanglement in Fishing gear accounts for at least eight of these deaths, and has caused at least 13 more serious injury. At Environment America, we believe that the current draft of the risk reduction rule to modify the Atlantic large whale take reduction plan, as proposed by the agency, does not uphold the American legacy of environmental protection and will not do enough to protect right whales from one of their top threats. I will submit more comments through the portal, officially from our organization, but I would like say a couple of key points. First, I encourage the agency to formulate a much stronger rule, taking into account the input of all stakeholders, like Katherine and Russel, just mentioned. I'll also say that we need more and longer habitat closures. To truly save the species, we need to dramatically reduce the amount of vertical lines in the water. And the proposed closures are too short in duration and not large enough to protect these whales. Looking in the long term, we also believe that ropeless fishing gear is the best path forward. We know the best way to prevent entanglement is by removing vertical lines from the water and in the long term. This means ropeless fishing gear and forging a path for the widespread adoption of such technology. NOAA Fisheries must continue efforts to test, and foster a market for ropeless technologies. Um, NOAA was petitioned. Actually, I'm not going to. Finally, we encourage the agency to rewrite the rule according to updated right whale population data. The risk reduction measures in place aimed at achieving a significant sufficient level of risk reduction to prevent seriously damaging and fatal fishing equipment, entanglement

so that the population, can avoid extinction are based upon an outdated right whale population estimate. Today, I urge you ultimately to uphold our legacy of environmental protection and do everything you can to save the North Atlantic right whales. Thank you.

Thank you. Robert Simmons, I'm coming to you next. I'm not sure which one to unmute, so, you should be able to, unmute yourself. Robert, Simmons, you should be able to unmute yourself, if you can hear me. Oh, I'm so sorry. Yes, you did. I apologize. Yes, thank you. Thank you for that reminder. OK, Christian Porter, I'm coming to you next. Sorry The list is so long. Imagine me running around the auditorium, bringing you a mic OK, I'm in the K's now, Kristin Porter. There you are, OK, you're unmuted.

Can you hear me?

Yes, I can.

OK, thank you. My name is Kristin Porter and I'm president of the Maine Lobstermen's Association. I'm here tonight just to give a few comments from the association, but we will be submitting lengthy written testimony. So I'm going to be here too long. But I just wanted to say that this plan has to be based on sound science, lobstermen want to do our share, but we can't prevent whales from dying in Canada. Just a few facts from National Marine Fisheries Service data. From 2016 to 2019, 39% of the right, right whales serious, injury and death, we're in Canadian fishing gear, and that was 0% from US fishing gear. And because there was so much prevalent gear, there was, there was a, a person testifying earlier said that 90% of the gear was unknown, that rate went down to 61%, because there was so much Canadian gear on from that time period. So, and 10 of the deaths are in Canada in 2019. So, but yet the US fishery is supposed to take 50% of the unknowns. Which means that we are, we're at 60% risk reduction. And that just doesn't pass the straight face test. And MLA has been saying that since day one of this process. And we continue to say that, um, your data shows that right whales are rare in Maine, and it seems it seems pointless. For us to be doing all of this with no sound data, there are thousands of families and dozens of communities that are being affected by this. Please consider the cost of these regulations compared to the little real benefit it has to the right whales. And I also want to comment on a couple of things as a fisherman, that I do support the trawl up equivalencies. If you think about if you have a 20 trap trawl rate requirement. And so that would be two lines for 20 traps, But if you, if somebody wanted to fish 15 traps with a single end, they wouldn't be able to do that. And that would be a lot less lines in the water. So just. And so just so it could be a chance to have less lines in the water by those equivalencies. And also, I support the conservation equivalencies because Maine is such a big state and the zones are so different. that as long as they meet, that the threshold for the, for the 60% or whatever percent that we have to use. I support those. So thank you.

Thank you. OK, Brian Tripp, you are up. next. You should be able to unmute yourself. I can see that you're unmuted, but I can't hear you yet. If you have headphones in, then just make sure on your audio settings that then your microphone and speaker settings match whatever device you're using. We're going to, we're going to go to Jacob, and then we'll come back to you. So, you'll be up next. OK, Jacob Thompson, coming to you next. OK, Jacob, you should be able to unmute yourself.

Yes. Can you hear me now?

Yes. I can hear you.

OK. I just had a few things. We've heard from a lot of people that are paid employees of non-profits. And you have to realize that a lot of the fishermen aren't comfortable commenting on these forums. So that kind of goes by that but also you guys have a whale sighting app on the i-phone iPad. And I don't see where in January there have been any whales in that area one closure that you guys are talking about. And it also seems pretty convenient that it follows the Area three line. When, I mean, obviously, whales don't know where these arbitrary lines that you guys draw on the water are. And all these people that don't know anything about fishing are talking about this ropeless, ropeless fishing, I would like to see them have to do their jobs with no internet, That would be comparable of us doing our jobs with No rope in the water. Maybe that would get them thinking about how hard, uh, of a job that would be, too, for us to do. Also, Since we started doing all of our things that you've mandated. We've gone from 200 to less than 300 whales to over 500 whales before climate change in feed sources. And God knows what changed to make all the whales die in the last 4 or 5 years. And the last thing I'll speak on is I am in favor of the conservation equivalencies. Some boats in Maine are 30 feet, some boats are 50 feet. You can't have a one size fits all rule. And with the area one closure, I think there if it has to go through. there should be some kind of a mechanism. But we shouldn't be lumped in with the all area one fishermen, because down in Massachusetts, obviously they've had a closed area for years. So they obviously have a problem. So it shouldn't be if so many whales are entangled in area one that we get closed out, it should be just in the zone around where they are, which I know will be hard since you don't fly any planes or know where any of the whales really are. Then, the last thing was about the how we didn't get any credit on how much money we spent for the gear marking because that was the big, big time suck for me last year, that probably cost me a lot of money that you guys didn't include. And I know my three minutes is up, so thank you.

Thank. You, Jacob. Thank you so much for your comment. OK, Brian, I'm going to come back to you. Oh, OK, we're going to come back to Brian. After that, he looks like he's fixing audio, OK? Max Strahan I'm coming to you next. OK, Max, you should be able to unmute yourself.

All right. Can you hear me?

Yes, I can.

All right, so my name is Richard Maximus Strahan, I'm with Whale Safe USA. And I'm the whale guy. I started I am the responsible for most of this stuff going on. I'm a scientist and also a commercial fisherman in New Hampshire and Massachusetts, a green fisherman. The problem here started when Congress handed the right whales and all endangered marine wildlife over to NOAA. NOAA is corrupt and has had corruption and fraud since day one, because all NOAA wants to do is support the small, insignificant, commercial fishing community in New England in the north-east. We have 350 million Americans want right whales to survive, but it has this forum today shows. We only have a handful. A teeny percentage of people who actually want to kill the right whales off so that they can make their cheap profit of destroying ocean wildlife.

Instead of having real jobs, they make things like farmers do, instead of just ripping off the ocean for all its biomass? All of this is actually illegal that NOAA's brigade is spent most of its time trying to evade the Endangered species act enforcement, and it's done that till this day. The Atlantic large whale take reduction plan, as it's now operate is completely illegal. NOAA can't make that negligible impact determination required under the Act. And it's formed this Atlantic Take Reduction Team of commercial fisherman in their support WINGO or get your supporting whale interested NGO's, despite the fact that they can't allow a single take of any northern right whale or any other endangered whale in mass in the New England area. And despite that, they're going forward with this plan. And they ignore the number one alternative they should have put in the plan, which is to ban all vertical buoy, ropes. But because they're controlled by the commercial fishing industry, they ignore this obvious thing that would stop the killing the whales. They claim the right whales are going extinct even if they stop fishing because they don't want to recognize after decades of driving the whale population down, just like the codfish. The right whales are so few in number. They can't bounce back if they wanted to. And that's the problem. Right whales are gone. They're extinctions inevitable, and it's caused by NOAA And now as a green fishermen, the problem is we need to fire all these lobster pot fisherman and open up the fisheries to green fishermen who can't even get a permit now and go fishing. And that's what is going to be decided in the Federal courts in Washington and in Massachusetts and Maine, because state federal judges or rule states have to get incidental take permits under the ESA that Marine Protection Act Regulations do not work, are invalid and illegal. And I personally well not obey these regulations because they're in violation of the Endangered Species Act and killing whales. CLF and other WNGOs have only backed up now, NOAA and prevented the protection of these whales, and if there's one agent in the world that's responsible for their extinction would be the Conservation Law Foundation, which told the federal judge after re-ordered.

Hey, Brian, have you oh no Don't worry. We're going to keep you on the list and come back to when your audio is connected again. OK, Richard Howeland. I am coming to you, Richard.

I'm going to just jump in, while Kara's looking.

Yeah, yeah, I'm right here. Can you hear me?

Yes, OK, hold on one second, Richard, and I'll come back.

Sorry Richard, we won't start the timer until I'm done. Colleen again. I want to remind everyone, Max was directing most of those comments at us, and so we did let him finish. But we, yes, we do ask that people be respectful and do please direct comments at us, and we will limit folks to three minutes. If we had heard foul language or any kind of threats or anything like that, We certainly would have cut him off. So, thank you for the chats in the question boxes.

Great. Can you hear me?

Yes, I can hear you.

OK great, I'm Richard Howland and I'm a lobster fisherman from Little Cranberry Island. I guess, I'd like to offer the previous speaker an opportunity to come on the boat with me. and actually see the operation I'm running and see the modifications I've made to protect whales. You know, We really I think we probably have more in common than then we Don't, but he sounded pretty negative. That's too bad for him, but I've heard a lot of people on this call thanking the politicians and the government officials. I want to thank the lobster fisherman for being on here. We're actually the ones that have something to lose, the politicians, the scientists. And the government officials are still going to have a job after this is over. I really understand this process pretty well. I've been involved in the industry for a number of years. I've always been willing to compromise, but I'm actually starting to question, is this really about saving the whales. Or is this about the environmental groups that are pushing a radical agenda to have something to hold up to their donors so they can say, look, we put lobstermen out of business, could be saving whales, please donate money. When the honest truth is, after you guys have cut us back by 98% by the year 2030, similar to what representative Golden said, ships are going to continue to strike whales and kill them. And all you're going to have left is it decimated coastal economy on the coast of Maine, a coast of full of hard-working, honest guys. That just want to earn a living, have never hurt whales in the first place. Please think about that. What is this all about, and what will this actually accomplish? Thank you.

Thank you. OK, we're going to go to Barry. All right, Barry, you're unmuted.

Hi Barry had to step away, so this is Gretchen Catlin his wife, I'm speaking on his behalf.

OK When he gets back we can put him back on the list as well, but.

OK thank you. So Barry has been a lobstermen since he was eight years old, he's never seen a North Atlantic, right Whale in the Gulf of Maine, he was also in the merchant Marines for over eight years and has been in every ocean except the Antarctic. during that time. He'd only seen right whales on the East Coast of Florida. While he was on a 700 foot break bulk shifts doing 19 knots, and the vessel never slowed down, through that pod of whales in the wintering grounds. So that's a concern that we have is regarding the ships. And the negative impact they're having on the whales, down, off the coast of Florida. The amount of shipping traffic in the Gulf of Maine has been reduced. But we encourage further reduction, of the nautical speeds for the shipping vessels to help protect the whales. Thirdly the economic impact of closing Area one would not only put Barry out of business, but it would put several other lobstermen out of business without sound data to support these measures. So we encourage further research to be conducted before we implement, further changes that will negatively impact all of the lobsterman, not only in Maine, but Massachusetts, New Hampshire, as well. Thank you.

Thank you. OK, Darren Turner, Brian. I will come back to you, we are so close. Darren Turner, you're next. I'm not sure which account. You should be able to unmute.

Hi can you hear me?

Yes. I can hear you.

OK I'm a fishermen, Maine fishermen, lobster fisherman, and other fisheries. I've had 25 years on the water. I love all ocean life. Um, but while I'm fishing, I've never seen a right whale or an Entangled Whale of any species. With that said, I'm focusing on science here. The ocean is really big. And it's really big for fine-tuned science, that we're trying to achieve. With all due respect, very intelligent people doing the best they can with, with what resources they have but, science is repeatable and peer reviewed, and it just seems like there's a lot of holes in it. I just ask that, we put data before agenda, and if we don't have the data, that's solid, and we really are going down the wrong road. Um, moving forward with questionable data, it ruins the National Marine Fisheries Service's credibility, that's just the road that we're all heading down. With that said, I just disagree with the whole proposal based on the premise of the, of the of the holes in the data. So, but specifically, the 1700lb breakaway will cause me to lose extensive amounts of gear, I fish, weigh up in the Bay of Fundy. And the tides are enormous, and we have tangles in. Anytime there's a storm that blows through, and we get a big sea, we have our gear our trawls tangled together. And, I am telling you it is heavy when you try to pick them up and untangle them, and the breakaways are going to cause us to lose a large amount of gear and there's going to be huge costs, not just the gear lost. Um, and if you lose a couple of trawls right during the run, we have like 5, 6 week season where we make most of our money if you lose trawls you're losing a huge amount of your income percentage, so the costs will be enormous, not to mention, It's going to leave a mess on bottom. So, that's all I have to say. Thank you.

Thank you. OK, Brian, I think we're there. Brian, you should be able to unmute yourself. I can see that you're unmuted, but we can't hear you yet. OK, we'll come back to you, I promise. We will not give up tonight, OK, Matt Gilley, you're next.

OK, Can you hear me?

Yes.

Alright. I spoke last night and I'm a lobstermen I'll try to keep it short. I'm not very good speaker. I spent most of my time on a boat not most my time, speaking to different groups, like a lot of the people that have spoken before me. one thing I will comment on is I think the whole way that this has been done with the Zoom meetings is unfair to fishermen. We have an industry we're averaging 58 years old. A lot of these guys don't understand how to use the technology that has come out within the last year or two. We've just started using since the pandemic began. And we have environmentalist who this is. Their whole job is to go to Zoom meetings and make presentations and stuff like that. As lobstermen our job is to lobster. We don't understand how a lot of this works and we're doing, the best we can to make an effort to make our voice heard. Following that up, the few points I do have is I want to reiterate something I heard last night last year is a prime example that we're not the problem. There was no reduction in effort or by the lobstering community in Maine, and the only thing that's stopped happening during the pandemic with cruise ship, the amount of right whales that were hit last year, and killed were two, none were entangled, so that right there shows that we're not the problem. It is the shipping industry 56% of deaths NOAA themselves has contributed to the shipping industry. So, even if you take all of our line out of the water, the population is still going to decline. Last year, I was at one of these meetings, and a ship came into Portsmouth. With a whale draped over its bow. We're not the problem. Furthermore, ropeless fishing, It isn't feasible financially, safety-wise or anything.

Let's say we sent out a string and my crew get snagged in the rope in the string goes over. What do I do to haul him back, I can grab the rope now and throw it in the hull, and get my crew back but if its ropeless what buoy do I grab to pull my crew back? You're asking me to put my life. My crews life, Anybody else, life at risk for a whale that we've never seen? Let's just call this what this is. And this is just a way to get us out the way so they can put the windfarms out there. You have to follow the money. The money is coming from the environmentalists groups, funneling into a wind farm. And they can't put their wind farm in If our gear is there. This is a direct way to get us out of the way. So they can put windmills in. And windmills have been shown to cause whale deaths between the electrical signal that they omit and the sound from them spinning, they screw up their sonar and the whales beach themselves. We are not the problem, and Max Strahan can go back to the street. I'll end it on that.

OK, Tyler, well, Brian, let's come back to you real quick. OK, Brian. You should be able to unmute yourself. Brian If you wouldn't mind calling our Help desk number. I've put the number in a private chat to you. We should be able to figure this out for you. OK, Tyler Bemis and coming to you next. OK, Tyler, you should be able to unmute yourself.

Can you hear me?

Yes.

Alright, I'd like to thank everybody on this meeting for letting me speak. I'd like to start off by saying I agree with Commissioner Kelliher and Jared Golden and I thank them for speaking as well. I'm a lobstermen from Matinicus Maine and I fish in Area one as well as inside the three Mile line. And I disagree with just having a one size fit all plan just because, where we fish, the majority of boats are under 35 feet and you can't, not going to be able to fish trawls and stuff with these small boats. And another thing with putting more traps on one line with, uh, with weaker rope is you're going to have more gear, parted, you're going to have more snarl ups with the gear that's in there because guys aren't used to setting that many traps in an area. On one line. So with a weaker rope, you're going to have risk of parting with your hands in there. It can rip you overboard, you know you lose limbs, rip you overboard, cause a lot of damage and I just don't agree with that at all. Also, with that, you're going to have a lot more ghost gear. You're going to have a lot more rope in the water column. And, you're going to have seabed pollution from the ghost gear rope, et cetera, which isn't good for anything. And then with more rope, when you fishback ghost gear, you're more likely to part and lose more, which is just a revolving door. And it's the same deal with that, add, more traps, to a trawl line. You know, and with that, it's increases the size of the boat that you're going to need. And a lot of guys, then, they can't make that financial burden. So, it's pretty much just going to force them out of area one, which I don't think is fair at all. And then the zone closure For area one that you guys are talking about from October till January, I don't think that very just either, just because that's during their southern migration. And that's when the whales are the strongest. I think that if there was to be an Area one closure it should be during the spring migration when the calves are the weakest. That way they'll have a free path to get up there which I don't think that there should be a closure without some satellite surveillance or flyovers, which there are none in Maine right now. If they were flyovers and stuff and you to pinpoint where they were close down that one area and then you could leave the rest of the area one open, until they're no longer there. But we don't do any

of that. Instead, we're just going to blanket everything over and just say, Yeah, you guys are screwed, and, uh, we're going to just close you down which is, which is crazy, because from October until January is our most profitable time of the year. Thank you. That's all I got.

Thank you. Julie Rabinowitz you are next you should be yep, you're unmuted, can you hear me?

Yes. Good evening. Julie Rabinowitz with Maine people before politics I live in Falmouth, Maine. And we echo the comments made tonight that the prior forms made by Maine's lobster industry, have had a tremendous positive effect in the rebound of the right whale population up to the 2017 mortality event. However, the data surrounding the recent decline in the right whale population does not support these new regulations to the lobster fishery in the Gulf of Maine. We continue to see mortality is tied to ship strikes. Many in Canadian waters, which these regulations do not prevent 2020's decline in shipping due to the Pandemic correlated with a sharp decline in ship Strike, right whale deaths in the North Atlantic. A study published in June 2019 into Journal Diseases of Aquatic organisms, reviewed all 70 right whale deaths from 2003 to 2018. Entanglement was identified as the cause of death in 22 cases, of which 14 involved Canadian snow crab fishing gear. one involved US gear and the remainder were unidentified since the period of that study. Here are the facts. The 2019 deaths in Canadian waters were either ship strikes or undetermined. The single 20 19 death in US. Waters was an entanglement off the coast of New York. that whale snake eyes had been seen gear free in the Gulf of saint Lawrence on July 16th, just a few weeks earlier than the entanglement when he was seen entangled in the Gulf of saint Lawrence on August six. Excuse me. The deaths in 20 20 were in the Mid and South Atlantic. Both calves, one killed by a vessel strike, and the other was determined to have died during or shortly after birth. The sole death this year is a calf from a ship strike off the coast of Florida. We should save these whales, however, the regulations under discussion tonight would not have saved a single one of them and long after the rules are in effect. Right whales will continue to die in Canadian waters and by ship strikes. Reducing risk on a computer model is not the same as saving whales. Regulating Maine's lobstermen do not stop deaths by ship strikes in Canadian Waters, Studies also indicate ocean noise. such as that from ships or energy generation could be a significant source of whales stress possibly causing both increased ship strikes and fewer calves. Maine's lobster fishery is unfairly bearing the brunt of the risk reduction yet NOAA continues to grant right whales Incidental take authorizations for offshore wind turbine development, which pose a significant risk to right whales and other marine mammals, because of the interference with the sonar and may be it may also be affecting the birth birth rates. Before implementing regulations. We ask NOAA to further investigate the dangers posed right whales and other endangered marine mammals by the incidental take authorizations and the development of wind energy in the region under discussion. Thank you.

Thank you. OK, we have Rebecca Johns, next, I've unmuted you. You should be able to unmute yourself.

Thank you. Can you hear me?

Yes, I can.

Thanks. So I guess I'm one of the few people on the call who has seen a right whale, which is, which is one of my obviously many, many, many years ago, I came here from the UK. Must be 23 years ago, I drove down to the Sagamore Bridge because a friend called me and said a right whale was coming through the canal, went down and watched a right whale swim through the canal and under more underneath the second one bridge got a photograph of it. But clearly, I'm one of a really small percentage of people on the planet. With that, I'm a marine biologist, originally by training. Had a different career since, and I now live and work on the coast. And in Maine there is a, and I, I haven't got prepared. I'm not reading a prepared statement. I've been listening to what has happened tonight. Big believer in multi stakeholder groups. And there is huge expertise in the take reduction team. And you've done amazing work over many decades now. But it's really clear that the work of the team has been completely overtaken by the speed of the decline in the population. And we can talk about 20 whales up, 20, whales down in the population. Data. But we're talking about a small, a small potential percentage, and a really, really small population. We're talking in a way, we're looking at a classic running to catch up in the situation facing our proposals on science. But the nature of a good science is that results of peer reviewed publications. We just can't keep up with the speed of the situation that we're dealing with were nickel and diming the population estimates. Uh, and we really need to be, if we're going to work with this narrow a margin for the survival of a species, we absolutely have to be working with the latest population estimates, and it doesn't seem to me that we are. on top of that. In terms of last year's numbers, the latest numbers were just not, our margin is not big enough to be making the plans that we're making. With the estimates that we have, So, I would really, really encourage the team to work with absolutely the latest. If we're going on the latest data, if we're going to work with such small margins of error in terms of survival of the species, the, the second piece is about the ropeless gear. My, my neighbors are lobstermen, wonderful, wonderful people that I live and work alongside. But it's clear, if you, if you talk to my neighbors, and, to, the kids in the elementary schools, along the coast here, that the only sustainable, long-term future for the marine environment is ropeless gear if we want to everything to survive. And we need a pathway to that. And it's not that we need everybody to switch overnight. But we need an ability to have some piloting and some granting and financing programs and none of that can happen without permitting scale. Thank you very much for your time.

Thank you, Rebecca. Virginia, Olson, you are up next.

Hi, thank you. I wanted to thank Commissioner Kelliher, and Senator Golden. I agree with them completely. Um, a few things I wanted to point out: I think that it is vital that NOAA looks at Maine's conservation equivalency on our zone proposals. That's what our trawl lines are very important to our zones. The Closure and LMA one. I think that it is very important that to have any sort of closure that NOAA has got to be able to show some sort of data that has is showing that we have whales in some sort of seasonal aggression across multiple years in LMA one in Zone C, D, and E, for this Closure to be an effect because we don't have whales there. And having a closure on LMA one would hurt us considerably, ropeless fishing. It's not ready. It would not be good to put ropeless fishing in any capacity in LMA one for a seasonal closure, or in a future. Looking at a fishery at 98% risk reduction to a ropeless fishery. I think that is a very scary future for Maine. And we need better science. If we're looking to save whales, we can go on a satellite and look at my eight foot skiff on the dock, but we cannot tell where a whale is, the

size of my house. I think that it's not feasible. We need to be able to tell where the whales are, to be able to save whales. If that's where we're going, then let's let Max be a hero again, maybe he can fix that for us. And I think that's all I have right now. Thank you for the time.

Thank you. OK, Jan. I'm coming to you, lots of Js on here tonight, OK Jan, you should be able to unmute yourself.

Yes, hello. So first of all, I'd just like to say how much I respect, lobsterman and their lifestyle. I just have a comment, and kind of a question: The density of lobster traps in some offshore areas are so dense. It's hard to negotiate a boat through the maze. No less the skill a whale would have to master to do so. So I'm, I'm just wondering if NMS has considered limiting the amount of gear in given areas and maintaining wide unhindered corridors for whale-safe travel. That's my question. Thank you so much, everybody. Goodnight.

Thank you. OK, next we have John. OK, John.

Do you hear me OK?

Yes. I can hear you.

Great. Thank you. Thank you very much. My name is John Drouin and I'm a lobster fisherman, Cutler Maine. I've been lobster fishing for 42 years. Cutler is in the mouth of the Bay of Fundy and we'll bring that up in a minute here. I have a couple comments and questions about your data. And then I'll have a couple comments about your proposed rules. Looking at your marine mammals Stock assessment, which was written dated April of 2020. You folks state that there are 270 whales that were in 1990. And there were 481 in 2011. And currently, your estimates are that there's 428.

And yet, this is out of your report. And yet at the beginning of the presentation, Colleen states that there are below 400 whales. I've seen other people report, since these webinars are taking place, numbers of like 366. It baffles me the inaccurate data that you're basing people's livelihoods on and communities in. Anyways, it also continues on in your report that's in from 1990 to 2017 447 calves were born into the population all while you're claiming a decline. To me that shows that we existed with the whales and a lot while they were rebounding. What happened in 2011 is The Gulf of Maine warmed, the food sources had shifted again, I fish in the mouth of the Bay of Fundy and I've never seen a right whale even though that's where the Right whales summer for decades. They don't come through the Grand Manan channel. They go around the other way. Um, what took place in 2017? Oh, back to 2011. So climate change, and the food source shifted. So now, whales are stressed, they have no feed. And that's what, in my opinion, attributed to the low birth rates. In 2017, what took place up in the Gulf of Saint Lawrence? Oh, that's right. Whale showed up there now because they found feed so they're now feeding. And in the last year, the birth rates have gone back up, um, doesn't seem to me that the problem with things were with the Maine fishery. According to your proposed plan. I support no closures anywhere in the Gulf of Maine, along the Maine coast. The trawling up scenario that Maine has provided for you. We feel will work for most. It doesn't work for everybody, but nothing does. If we're trying to work and trying to help, to save something that, again, we're not the problem of, we will do our part. Give time for the gear markings to work. We've only implemented them last

year, this is the second year. As with any regulation, you need to give time to work. The weak links, again in the Bay of Fundy. They do not work. And I also fish in the gray zone, which is disputed Waters with Canada. I would be put out of business sooner than the BiOp is suggesting because Canadians will sit on top of us and we have no way of retrieving our gear. Thank you.

Thank you. OK, let me go. Michael Myers. You should be able to unmute yourself now, Michael.

Hello?

Hi.

I'm Michael Myers. I've been lobstering out of Tenants Harbor and the surrounding area as a kid my whole life. Ah, this whole right whale thing is, it's really got a bunch of us in, shaken us up. I've been fishing my whole life, I've. I've traveled pretty much every inch of the, oh, this ocean on the East Coast between Georges Bank to Massachusetts. And I mean, I've never seen a right whale, I've been lobstering my whole life as a child, my grandfather was a lobstermen. we're, we've been we've always advocated for wildlife, we're, you know, we're not, we're not this. We're not a whale fleet out there trying to rid the ocean of these creatures, because we think they're there just as beautiful, domestic, as anyone does. And we've gone through great lengths. I think we've proven it with our efforts to just, you know, to, to keep up with you, guys. And not only keep up with you, but do stuff on our own to, to implement, you know, on our own. You know, our own regulations. And in order to keep the resource alive that's what it's all about. We want to keep it alive for everybody, not just for us. And we want to keep whales alive. We want to keep the ocean alive. And that's what we're there for. We were not there, too So, I don't approve of the traps and I don't approve of the closures. Um, I think, it all needs to go to the data and the Science. And I think if this is what you guys are implementing on us, this is a big hit. I mean, we've took hit after hit after hit. This is, I mean, this is, this is really food out of our mouths, our families mouths, not only our families, I mean it, trickles all the way all the way down the line. Car salesman's, auto insurance. I mean, it's not just us, its everybody I mean, we're all going to pay for it if this is, if this is the way life is really going to be. So I think we've done enough, I think, but if we can't back this up with science, then I think this is a raw deal, And I don't think we're think we're getting this **** end of it. I don't really have much more to say. And I hope, I hope everybody can see it through. You know, if you can prove the science that we're killing whales, I think, you know. We will. we will gladly go out of our way to change anything we can. But I don't think the science will prove that it's the Maine fisherman. Or any fishermen harm at that mount so that I will leave my time. Thank you.

Hi. Thank you. OK, Julie Eaton. Julie you should be able to unmute yourself.

Can you hear me?

Yes, I can hear you.

Can you hear me?

Yes.

Oh, yeah. Hi, my name is Julie. I'm a Maine lobstermen I've been fishing for 37 years. And I have over 10,000 hours commercially diving underwater. I've never seen a right whale. As a matter of fact, I've never seen any kind of whale. Maine lobstermen want to protect all marine mammals. We don't just fish, because it's what we do to feed our families. But rather, it's who we are. It's our calling. Most fishermen, in Maine live in small coastal communities or islands with no other job opportunities. We don't have a Wal-Mart, a McDonalds, or even traffic lights. Communities, our schools, and our way of life will die without the support of the Maine Lobstering industry. We've worked hard to protect our ocean and our fishery. We have a sustainable fishery. Maine should never be lumped in together with states that have actual whale issues. The copepods, which are the preferred food source for the right whales, is no longer in Maine water due to climate change, right whales do not come to Maine on vacation. Please address the issue where it exists. Blaming Maine lobstermen for the decline in right whales is comparable to blaming Mexico for the polar bear decline. They just don't have them and neither do we. NOAA has stated. It doesn't fly over Maine looking for whales. Why is that? Because there are no right whales are not here. We welcome NOAA to start flying over our waters, please. We'd like to have some proof. If you intend on closing an area, give us documentation that that area actually is a problem. We're willing to do whatever we can to save these animals. They are amazing majestic creatures. But if they're not in our waters, we can't do that. I want to thank Jared Golden and our commissioner and I entire federal delegation for going to bat for us. I think that if you're going to close an area. Why isn't it in area three? Why does it have to be all in Maine when Maine isn't a problem? I guess I guess I have to say I'm very concerned about the safety of our fishermen, ah, Who already take huge risks, fishing offshore and uh, I'm very concerned about increased trawl lengths and at what cost, if the whales aren't here, It's not going to save anybody but could really cost our fishermen, their lives and their lives that has to be of value too. Thank you.

Thank you. OK Hannah. You should be able to unmute yourself, Hannah.

OK, Can you hear me now?

Yes. I can hear you.

OK, great. Thank you. My name is Hannah McGowan. I am a Native Mainer. I'm not a fisherman. I have done some work, documenting the lives and work of our fishermen here in the state. I'm a photographer. I wanted to speak mainly about two things and it feels like we're looking to implement a lot of really massive changes here based on incomplete data that ultimately is pointing to entanglement happening elsewhere. Um, now, my first big point here, as we're talking about all of this stuff, really casual casually, We keep saying implementing measures and just throwing all this, really great environmentalist, talk around, but like, let's talk, like we're real people who aren't just paid by environmental agencies. I want to urge every single one of you listening tonight, to consider that the actual implementation will be done by real people, like Real Mainers who every day, get up before the Sun comes up, and they risk their lives to feed their families. And ultimately, they feed all of us. You know surf and turf doesn't happen without these guys. These guys feed us, giving over, the human element of all of that is a

huge error. We need to not villainize our fishermen. They are some of our best conservationists And they care so much about our oceans and our marine life being on the water as not just a job. I mean, the time I've spent with, all of these fishermen, its who they are. It's the blood their blood. It's their heritage, it's everything about who they are, and, skipping over that, in my opinion, a massive error. Then, regarding trawling up, how do we really expect our fishermen to trawl up? I've been on mostly small boats, and it would be extremely dangerous. Also, you need to think about our older fisherman. Our older population, I mean, I spent time at Virginia Max Oliver down in Spruce Head All and Miss Virginia as 100 years old, and her son. Is elderly as well, sorry Max! They could not safely trawl up. They absolutely could not do that. They not only do not have the deckhands to be able to handle that but their boat is small. I know several other fishermen who will also have small boats, and that would be really dangerous. This is something that we need to not forget about. We shouldn't be imposing costly and under researched regulations on these guys, their jobs are dangerous enough as it is. And, you know, if you think about what I'm saying here and you think, Oh she's just waxing poetic about fishing because she's a Mainer and she's a photographer and blah, blah blah. Call up a lobstermen and go Out for a haul for a day. It's grueling. And we really need to respect that when we start making them bear the brunt of all of these changes. Um, yeah, I just really want you guys to think about the human element of that these guys care about our oceans and We need to care about them, too. Thank you.

Thank you. OK, Brian, let's give it a go. You should be able to unmute yourself. Oh, I'm sorry, I muted you. OK, try again.

Am I really unmuted now?

Yes!

Haha, that's crazy. All right,

Thank you for hanging in there with us.

Yeah, well, thank you. Alright, I'm not I'm not paid to speak to anybody. Pretty much keep to myself like most fisherman. I go to work. And I come home and I live in a small world and I'm an old fashioned type person. So bear with me. My name is Brian Tripp I'm a lobstermen and I live in Sedgwick Maine, I fish offshore area one year round and I've done that for the past three years. Before that I fished inshore for nine years I've got a 38 foot boat. It's a pretty, pretty small 38 foot boat, actually the way it's rigged. I employ a single stern man, and our, our boat, I say ours, because he's just as much a part of the operation as I am, our boat earns a modest income, and that provides for 4 adults and 8 children all under the age of 12. Maine's fishing fleet is, is diverse. And I think that needs to be taken into account, and I appreciate Commissioner Keliliher bringing that up because that's what makes Maine special. We're all different and there's a place here for everybody. I went to Prince Edward Island with Maine Lobstermen's Association. I saw how they operate. It's just a cookie cutter fishery. They're all the same size boats. They only have enough berths for the number of permits. There's no room for anybody to be any different. Everything's 45 feet long, 15 feet wide. And it's got to fit in in a certain box. What makes Maine special is is my wife fishes a 20 foot boat. She fishes 180 traps, not that that matters to anybody.

But that's what fits her. I've got an eight year old and an 11 year old. They both fish out of a flat bottom skiff and, and they certainly aren't going to trawl up and neither is my wife, but, but I fish 10 trap trawls right now. I don't fish anchors because it's just Matt and I and we're not going to lug 75lb anchors down to the stern. It's just not how we're going to work. We fish a single end line, and we do that, basically, just voluntarily, It works best for us, because there's less rope on the platform in this. We can turn and set them back quicker, and we can get home to our families quicker. We fish. Like I said, 10 trap trawls single ends we haul 440 a day. We leave at Whatever, four, 4:15 every morning. When we get back. It's usually after 5 or 6 o'clock, if things don't go well. So, I just think it's important to take into account who we are, real people, and what we actually go through, and what we do. I think single endline equivalency is important trawl equivalencies. I think gearmarking it's way more time consuming than you give it credit for because I have to change that, endline out that takes a lot longer throughout the day. And closed areas create a gear curtain, which is way more dangerous for whales that we obviously don't want to harm. Thank you, I know my time's up, and I appreciate you guys all waiting, working with me to be able to hear what I had to say.

Thank you, Brian. That was really helpful and, and anything like that, if you'd like to type that into the chat, if you have anything else to say, type it in the chat, we can come back to you or submit it as a written comment. That was really helpful. OK, next we have Dwight. Dwight?

Can you hear me?

Yes.

Very good. Thank you, guys for having this meeting tonight. And all the fishermen that have come on tonight to share their thoughts and questions and comments. Not so much of a fan of the environmentalists that have come on with their some derogatory. I could care less about that. It's not their industry that's at jeopardy. My first comment and question would be what other industry has had a 60 to 80% reduction and made out, OK? oh, you said, Colleen, that we had to be resilient to change, 80% of anything in a reduction is quite a change. And you'd have to be nothing but resilient in order to change and adapt to that. So I'd be curious to know if, if, maybe you could even answer it, if there's time left. What other industry has had that type of reduction? Even 60% reduction and not had a monumental effect on really their way of living. Everyone on, probably this meeting tonight is established with a financial burden based on an income that they've generated. Even myself, I make X amount a year. I base my bills off that you dropped that reduction to 60 to 80%, that's less income. Now, someone said that if you take the, everyone fishes 600 traps, well, yes, you're going to be close to the same amount of pounds per year. Maybe you'll have more pounds per trap. But that does not mean that the price is going to be there for us. So that, I mean, you guys say, OK, let's reduce that but you don't control the price. Actually matter of fact and I'm sure you all know this is that there's big businesses buying up waterfront properties that are selling these lobsters premium brands. one of them that's another factor fishermen have to fight with is the price of a lobster. pretty soon that's going to be controlled and dictated just like this type of the end of the industry is. My other comment and question is, we talked about the gear marking up and down the state of the coast and in Canada, what's to say? And who's to say that those other states don't throw some purple tracer on their rope down the line up in Canada? There's nothing saying that. And I'm sure that they're not going

to comply with that, They're going to throw every color on that rope. But it seems to me, if I was them, I would too. It looked like Maine did it and Massachusetts as well. I mean, what's And you guys can say, well, that's the job of Maine Marine Patrol. And I think that you're exactly right, but I got to be honest, the turnaround on Maine Marine Patrol is incredible. And, I think it's because of the low pay and the what, not that has to do with it. And I know my time's running short, but please don't shut me off. Um, I've always been feeling like this has been an argument going on for several years. Why is it that we still don't have a solution to the problem? but we just keep chipping away at this block? It seems as though all the money that these environmental groups and NOAA and whoever else has had, invested in this time and energy would have had the solution that would have compromised this whole problem so that we wouldn't even be having this meeting. And the last thing I have to say is if and when as our good buddy Max said, the whales are going to die, does that mean our fishery can go back to what it was before? Or is it going to just be reduced and restricted again even more even if the whales aren't there? So I'm just, those are my comments. And those are my questions is what other industry has had that reduction. And survived? that the whales aren't the only ones that are going to, fishermen are the stewards of the sea. We love all that. We're out there, because we love the ocean and everything that's in it. And I am a resilient person. I'm Young. I can go through some change. I, I feel like there's already Been. It's going to happen.

Thank you, Dwight OK, Krista Tripp.

Hi. Can you hear me?

Yes, I can hear you.

Hi, my name is Krista Tripp. I am a Lobster woman. Out of Maine. I am third generation. Um, and I, um, finally, just got my Lobstering captain's license, just five years ago. I was on the waiting list for 12 years, and I grew up fishing. I grew up going fishing with my dad. My uncle, my brother, I've been on several different boats. And I have never, in my life ever seen a whale offshore and definitely not inside fishing. Where I fish is within the three mile line. And there is just, it is, is just baffling to me that we are all having to do these gear modifications. I could understand the offshore fishery you know Area one having to do some of these regulations with weak links and their ropes. But for me, who have just gotten into the fishery, all of my ropes are old ropes that I fish. I have all of my grandfather's gear and I have traps that break all the time when I'm hauling my gear because I've tried to keep costs down in order to be able to get into this fishery. So for me, to put weak links in already old gear is going to be extremely cost. It's costly to me, because I'm going to have to buy all new rope. And last year, in just doing the gear marking, I mean, it took me a month to go through all of the gear that I already had. This is going to take me months, and it is going to cost me tens of thousands of dollars and is, I'm going to make nothing this year, and I mean, I can't even fathom the thought of trawling up. I'm going to have to hire another crewmember it's going to be extremely dangerous for, for me to put more traps on my very small boat. And I just, I am just completely baffled that this is happening right now. My dad was on the Atlantic Take Reduction Team when it first started to come out years ago, because we care so much about the ocean, the marine creatures, the whales and we have done everything in our power. And since we've put gear model modified our gear since then, years ago, I mean, I think the last whale death in Maine was seven years ago. And I mean, we

haven't even heard of an entanglement in our area for, for, for many years. So I don't know why Maine is being bundled up with Canada and with the ship strikes that have killed the whales. Because we're definitely not the ones to blame. And you guys are going to be just cutting a lifeline to Maine's economy, our fishery, um, my time is up so I'll end it there. Thank you for letting me speak.

Thank you Krista. OK, Blake,

I'm going to jump in while we're waiting. Thank you, Krista saying the three minutes, and sorry, that we sometimes have to cut people off on a breath, but it is late, and there are still at least three more people who are interested in speaking tonight. Thank you.

OK, Blake, You are not connected to audio. So, if you are using your computer, you'll get, you're going to want to, under audio settings, either choose computer or off, or use phone for audio. If you're on your phone, you're going to want to connect to your audio, and won't be able to unmute you, if you are not connected to audio, so I'll keep you on the oh, OK. Excellent. Can you hear me Blake? I believe that you have not entered your audio pin.

NOAA?

Excellent! Yes Blake, I can hear you.

Hello There.

Yes.

My name's Blake Alley. I'm 37 years old. I fish out of Steuben. So in Washington County, the poorest, most uneducated county in our great state of Maine. I just wanted to say a couple of things and I'll answer your, actual questions at the end of it here but I mean it's pretty obvious everybody. I'm not going to keep going over what's already been said but it's pretty obvious that there's a line in the sand here, there's two sides being taken and both saying facts saying what we think is right up X or whatever. one of us has to be right. one of us has to be wrong. So if all the data, a lack of data, no news is good news kind of thing. There's zero whale deaths. How can who is the one collecting the data? How are they coming up with these numbers? Who's supposed to be the? The actual one. Who's like the official data? I mean I would almost think it would be like the National Oceanic Atmospheric Administration. I mean, you guys should have this data. I mean, you guys are the ones paid hundreds of millions, Probably billions. I don't even know what your budget is, to find all this stuff out. And here we are, where we border another country. We're putting these regulations in, Canada, Doesn't have to do the same things we do, They're going to have a whole nother set of rules, They're not all packaged together. I mean, this is complete insanity. And I'm glad that everybody's getting involved in everything, but at the end of the day, this is a total manipulation of the Endangered Species Act. People are worried about dangerous trawls endangering species. I call it completely dangerous at one man with little man syndrome, can completely control a group of people? I mean, it doesn't even, How can you manipulate the law and you favor that way? That's what these Congressmen should be looking at. And everybody else, we can, obviously, it's going to be economic. We know what's going to

happen at all bad things that are going to come with it. But isn't that insane that one man can, basically, with zero data, no facts whatsoever, completely wipe out an industry? It doesn't make any sense. It's a complete failure of our laws and our government to let it happen. I mean, where does it end? So, I don't know, I wasn't going to say anything, but my buddy, Max just has a way to motivate people. Everybody's awful mad at him, but I feel bad for the poor bugger. Somebody really needs to give them a hug. I don't like you got enough money you get. But anyway, so, and to actually comment real quick on things that you wanted to actually comment, I disagree with every regulation, the trawling up, everybody should be able to fish just as we're fishing, its' not a problem, we cannot find a solution. When there is no problem, there cannot be a reduction to zero, we can artificially inseminate Whales and get negative numbers. It doesn't work that way. Were at zero, we can't get any less. So I can't speak for Canada, I can't speak for Area 3. The state of Maine, that's where we're at. Thanks everybody for listening. Please write your opinions. Write where you can.

Thank you OK, Joel Cohen, I'm coming to you. OK, Joel, you should be able to unmute.

OK, hi, can you hear me?

Yes.

OK, thank you for letting me speak. Yeah, my name is Joel Cohen And I am in Florida. I have no, like chips in this game. I'm not a commercial fisherman, I'm not a government official. I'm not an environmental person. As far as with a group, I'm a wildlife photographer. Now, I was the automotive parts distributor for the majority of my life, so I kind of have a unique perspective on this. And the last speaker, I agree, we have two sides that, that, there's not much budging going on. So I want to give my perspective real quick. I'm not paid by anyone, I'm a volunteer to go out. I do, I do have a lot of experience. Because I watch the moms come down here to Florida in my backyard. I've lived on the beach for 34 years or five years and 34 years. I'm on the B, I'm not a commercial fishermen, but I fish and I surf, and I'm on the beaches and I've seen plenty of right whales. Because they all come down here. The reproductive mothers come down here to give birth, and because I'm a photographer, I like to take pictures of them and I've volunteered with groups to go out and, and, uh, help monitor them. I'm not a scientist, but I take pictures. I look at the whales, and I see these white marks down their body or all around their tail and I asked the people, what does this? Those are scars, OK, That's interesting. I also see a lot of Manatees in Florida and almost eight out of ten Manatees have propeller scars down their back. And when I see a right whale, it's I see both propeller scars and entanglement scars. And it does bother me very much to say that the entanglement issue is not happening or that. It's mostly boat strikes is just patently false. I mean, I see it with my own eyes through my own pictures. I can see the scars on these whales. Real fast story of my last seven days. I did get to see the calf that was run over by a vessel. We I also saw the pictures of the mom that was also hit by that same vessel. And then a few days later, I was on a boat with researchers as a photographer volunteer, using my own time, my own money, my own gear, because I love being out on the ocean just like you guys, the fishers. And I watched a whale named Cottontail, who's 11 year old male, 11 year old, boy whale. It was down here in Florida now. Who just swam past my house and we went out on a boat and I got to get close to cottontail and see how horrible how horrible condition. His body is in. Extremely emaciated that there's a rope wrapped around it, is through

his jaw, wrapped around his head, and seems to be hanging straight down with something very heavy. Pulling down them and I just, I can't stomach to see that anymore. Real fast, please don't cut me off I have one more comment Real quick comment. On the entanglement deaths versus ship strike death's, ship strike death is many times more obvious, Especially when they wash up with the ship when the ship come in or when they just wash up next morning just like this calf did. Entanglements are much more difficult to see them, because they get entangled as they. They swim. They get entangled, and they slowly die. Like, is what's happening to cottontail right now that, whale to me, has days left? So anyway, I applaud the measure to allow fishers to get a exempted permit to try ropeless and to get fishing with it. I got to fish with it all last summer with commercial,

I'm so sorry Joel Thank you so much for your comments. Thank you. Well, if you can put your name back in the queue we can we can come back to you. But thank you so much. OK, Genevieve! Yeah. OK Genevieve. You should be able to unmute yourself.

Thank you. I'm Representative Genevieve McDonald, Lobstermen out of Stonington Maine and a member of the Maine House of Representatives. As fishermen we take great pride in our heritage and our relationship with the sea. Few people are fortunate to have an intimate connection with the changes of the seasons, the weather, and the tides. We're stewards of the sea and depend on a vibrant and thriving marine ecosystem for our success. The current regulatory argument over North Atlantic right whale protections is not between lobstermen and whales. The question is how to move forward with regulations that will best protect the struggling species and the fishery. Reducing vertical lines in areas of the Gulf of Maine where North Atlantic right whales are visiting less frequently. And for shorter durations, due to the shift of their primary platonic food source, is not an effective solution To protect the right whales. We need by-national policy. And research collaborations focused on learning the North Atlantic Right Whales Adaptive Migration patterns, based on oceanographic conditions that best support their primary prey. Reducing the potential of a right whale being entangled based on where they were instead of where they are, will not save any whales, but will inflict grave damage on the Maine lobster fishery and the coastal communities that depend on it. Instead of dedicating resources to crafting effective regulations that would help protect right whales. The National Oceanic and Atmospheric Administration is demanding arbitrary restrictions that will benefit neither right whales nor Maine Lobstermen. These regulations would check a box in Washington DC. and temporarily appease the special interest groups who neither understand nor care about what lobster means to the people of Maine. It's hard to draw a direct line between these developing rules and actual remedy or relief for right whales. There's time for us to demand peer reviewed science, dedicated resources and effective, rather than arbitrary regulations. The value of the people who contribute to one of Maine's most iconic industries. And I will be submitting written comments, as well. Thank you.

Thank you Representative McDonald. OK, Gabe Shadis, you are next. Ok Gabe?

Yes, hello.

Hi.

Hi, just a quick analogy, kind of from the perspective of what most of the fishermen in Maine here, view this as. So you're on a Boeing 747 max, It is doomed to crash. So, what's the solution? The solution is to lower the speed limit on the turnpike. Um, really, there are so many entities involved in this. And it looks like this is the weakest member. And the easiest really with the least defense to defend itself against what really appears to be an effort to, you know knock this fishery down a peg. You've got the Department of Defense, doing sonar testing. You've got the shipping industry. And I know people are arguing about ship strikes versus entanglements whatnot. It's all bad. Whales in Maine, If there are whale's passing through the Gulf of Maine, certainly in the last decade, they've seem to fare pretty well. In this day of, like, everybody's got their own set of facts, it's a, it's a pretty hard thing to defend. Um, you know, and you've got, you've got powers to be with the money making the choices. Um, anyway, it's not just the Maine Lobster and it's not just the coastal communities. It's the state of Maine. It's New England as a whole. Um, this is going to have impact far, far, reaching. I guess that's about all I have to say. Thank you for listening.

Thank you, Gabe. OK, Corey. You should be able to unmute yourself.

You're asking an awful lot, can you hear me?

Yes, I can.

OK, actually, my name's Matt Samuels I'm using Corey's iPad. I'm a fishermen, out of Rockport Maine. And couple of things I just wanted to throw in everybody has pretty much answered everything: Um, I think a young lady put an important point out earlier, and the whole human element of this. Fishing really isn't what we do. It's really who we are. And that's really different from most other jobs. Whoever was saying that earlier, there are scientists, they go home. They get to go do what they do. We go home, We go to sleep. We dream about fishing, we think about fishing. it's in our blood. It is what we do. My daughters has been on my boat since they were toddlers and fish. Now they're fishing, commercially on their own, it's a big deal. The next would be it's really important. if we haven't learned anything over the last few years, facts matter. We talk about it all the time. And this is a great example of that. All the facts that we have, all the data that we have, shows that the whales are not being impacted by our fishing gear. And I guess I'm really kind of stunned as to why as soon as we say that there's just a silence. Um, that should really end the discussion. We should then be doing whatever it takes to be able to prove where the whales are, what they're doing, where they're eating. And, you know, maybe we should be putting the same amount of effort to regulate shipping, the cruise ships, the wind power industry. It seems kind of silly to be putting the most draconian measures, the group least, responsible for the whale interaction. Uh, hopefully, that's it. I'm going to mute myself again. Thanks a lot, bye.

Thank you. Let's take Jennifer Johnson. OK, Jennifer, You should be able to unmute yourself.

Awesome. Can you hear me?

Yes. I can hear you.

Awesome. Hi. My name is Jennifer. I'm a trained anthropologist with a background in, Environmental Science. I teach high school history right here in Maine, as well as climate policy, and on top of that, I'm also a photographer working with fishermen off the coast of Maine. I'm typically considered the hippie teacher, the granola crunching, sort of environmentalist, but, um, I really take issue with the proposed regulation for a few reasons. I've been using this as a case study in my environmental policy class, and I've had to pause because, I have students with unanswered questions, and the biggest one has been, Why is this being based off data that doesn't seem to support the policy? And I have had to stop talking about crafting policy and switch gears to talk more about lobbyists and politics. It's really difficult to help my students understand the way this is happening when I myself am baffled. I guess that's my first point. My second issue is that I worry about the future for these students, a worry about the lack of jobs for young people in Maine as of right now, and how our young people are leaving the state already. It would seem we continue to narrow down options for the future of our state. I don't need to restate the data issue, everyone else has spoken to, but I need to speak for the coming generations of young people in Maine. Our economy based on tourism is already suffering seriously. And when you rip out the fishing industry, the whole thing, Crumbles. And I could explain the chain of jobs and economics that's been off this industry, but we already know. And lastly, I just want to say that good, solid Policy is based on excellent data, as well as an analysis of environment economy, and the human element. It would seem as though this policy is either not based on those things, or it's not doing a good job of presenting whatever data does exist. I would ask that if you have crafted this regulation, that you can stand behind, that you present it in a way that is more easily digestible, and to the point and explanatory, I suggest that if this regulation is inevitable, it's accompanied by funding for fishermen to be able to pivot more easily while continuing to support Maine, economy. And I will be writing this all out, and thank you for your time.

Thank you. OK, Lee Watkinson, you are next. Lee.

Kara, thanks, Appreciate your hard work tonight and shout out to Brian Tripp for holding on. and that was the hour and a half of, uh, good for him. I wouldn't have done it, but I've listened to some of the data And I've looked at NOAA's website and compiled some figures. And some of the stats kind of, uh, I don't know, they alarm me, I guess, because when you look at what went on, when I was a, I was a senior in high school, in 98. And my father encouraged me to go to college, because he was worried about the initial right whale rules, and to see that we've grown the population by almost 50% since then. Um, since I've come back home to fish for last, you know, 20 years on my own as a captain, and probably since the age of five, it's a little, it's a little hard to take for me just to say that we're the problem where we've actually grown that population that much. I mean, if you compare every other whale that's in the Gulf of Maine, that are living in the same environmental conditions that that the right whales are in, I mean, the Humpbacks have grown from the Endangered Species List to over 35,000. The pilot whales have grown 71%, up to almost 40,000 whales. And the blue whales, you know, they're at 308 in 1995 to 402 that gives you 31%. So the right whales are actually doing better than the blue whales. And you know, it's hard for me to sit here. And you know, I've listened to the environmentalists, and I get it were the first persons on the scene when there's an Entangled Whale which it does happen. I don't deny that. But we're the ones that take care of the ocean. Um, the Stock Assessment Data on NOAA webpage alone, I don't get how we dropped from 408 to 366, So quick, I guess the 2019 one was 422. But we just had a birth in the Canary Islands, which is off Europe. two years

ago we had a whale, a male whale documented there. So that is the population migrating back to Europe is the loss of whales that you guys aren't documenting because of that?. I mean, it just, it causes alarm for me. I went to college for education in math mathematics, because you can't lie about math and the numbers that you guys are presenting. Just kind of worry me, I mean, how, how are the whales shifting back to Europe. And how do we have births going over there from North Atlantic, Right whales. And you're, you're, you're saying that the population here is shifting that you've subtracted 90 whales. I just don't get the math. I think the current fishery that we're doing now, it's where we're working together to grow. I mean, any species that you're growing by 50% over 30 years isn't a negative thing. Are there ways that we could tweak it? Yes. But we should get a pat on the back that we're trying. I just want to say that, thanks.

Thank you, Lee. OK, Michael Stone, next. You should be able to unmute yourself.

Hear me?

Yes.

All right, first. First, I would like to thank you for the chance to speak tonight. I'd also like to thank Jared Golden, Commissioner Kelliher, for their support and comments tonight. My name is Michael Stone. I'm a commercial lobster license holder and a student at Maine Maritime Academy. Lobstering is my passion. But I went to school because policies like this make the industry uncertain. I'm sorry if I repeat some, I've been doing my homework, and listening to this webinar. In my short time, in the merchant marine industry, I've heard of more whale deaths from ship strikes than from fishermen. A training ship, which only sails for three months a year, if that, has killed more whales than anyone I know in the lobstering industry. My second question is I want to ask why we the small business owners who are fighting with each other most of the time, are subjects, to spend our money on speculative, speculative, tactics, why can't the costs that we will be subjected to in this policy will be put into research specimens? Would this not be the most logical approach? Thank you for your time.

Thank you, OK? Zach Klyver You're up Next?

Can you hear me?

Yes Zach I can hear you.

OK. Thank you for the opportunity to speak. I believe fishermen are marine mammals. They spend half their life on the ocean. Conservation and fishermen have common cause in protecting the oceans. We have way more in common with fishermen and I grew up in a fishing family. So I consider myself in love with fishermen and with the with protecting the oceans. I want to thank all my great fishermen friends that are on this call tonight and say I look forward to working with you. I believe this isn't fishermen versus whales or a win lose situation. There is a win-win option and fishermen are going to solve this. Last night I presented 160 right whale sightings of between 1 to 7 whales from Whale Watch tours and from sighting data at Mount Desert Rock since 19 76 up to the present. I was on 30 or 40 of those tours that saw right whales off the coast of Maine. The vast majority of those sightings are offshore in 300 feet of water or more and 15 to

25 miles offshore. Now, that's important. That's where the co-occurrence is happening primarily. And secondly, this also points to the fact that we have 50 years of right whales showing up off the coast of Maine. Even this past year in 2020, 2 were photographed from whale watching tours from Bar Harbor at a very limited season. And right whales were also photographed, off of Eastport, and Frenchboro, and there was a report from Skutik that was very detailed. There are absolutely right whales in Maine Waters, they've been here for a long time. And they will continue to come through here. This is their habitat. For that reason, I presently support trap reductions offshore to reduce risk. I believe less traps can catch more lobster or a lot of lobster and reduce fuel bait and boat wear. For now, I think that's our best alternative to reduce risk. I support increased surveys, acoustic, boats and planes that I hope NOAA will invest more, and I hope the State of Maine will invest more in that. I support evolving the fishery to overcome all entanglements of whales not just right whales. I have personally seen dozens of whales entangled in Maine lobster gear. That's why I'm but I'm involved in developing ropeless fishing gear to allow fishermen and whales to both win in the long run. We can do it. We can do it in the next 10, 20, 30 years. Whatever it is, we can do it. We do know that from the DEIS there, there's 700 entanglements reported in nine years in that document: 89 of those were right whales. That's from Canada, to Florida. That's 75 whales per year. That's a crisis. These are the animals that are entangled, 75 a year. They're scared. They're in pain. And we can't say that we don't have culpability. The lobster and crab industry is 93% of line

Hey Zach I'm so sorry. Your three minutes is up.

OK, thank you very much.

Thank you, Zach. OK?

Hey guys can you hear me alright? Thanks for giving me a chance to speak. My name is Julie Albert.

It just sounds very faint.

I just wanted to put out some clarifying remarks that a lot of people have reported. As far as differences in the populations sizes that are out there and people are referencing or whales just drop off paper and aren't accounted for anymore. I want to make sure people understand that sometime models change from year to year. But helps us with what he size of the population is. The north Atlantic right whale Consortium puts out a report card with multiple numbers in it from best case scenarios to worst case scenarios. Its available to everybody on Consortium website. I highly suggest everybody that thinks the data is flawed, or inconsistent, or does not exist, to go look at those reports. For those people who say they've been on the water a lot and don't see whales, and I don't mean for this comment to sound snarky, but I'm guessing you're not on the water 24/7 so I'm just wondering how many of you considered that maybe the whales go by when you're not out there or at night when you can't see. A right whale was discovered off of Georgia in December trailing a trap and entanglements do happen and for those animals that we never see again, never rescue, and never recover gear from, there is no way to prove what kind of gear it is. So even though we can't prove how much Maine gear specifically is on the whales, there's also no way to prove it's not Maine gear. So I want to make sure people understand that as well. If anyone has questions I want to refer you to

the right whale report cards on the Right Whale Consortium website that are put out annually. That's where the information is.

Thank you, Julie. I think you're done. You sound it. OK, so, we have three last comments, People who, um, just need a little bit more time and want to wrap up. You'll be given 90 seconds Oh, Oh, boy. You'll be given nanana seconds just singing to us. Oh, oh. Oh, oh. Excellent. The night is young, OK, Ooh! Michael Myers. I'm coming back to you. Oh, boy. Oh, boy. OK, Michael.

Mike stepped away for a minute, but my name is Noah Mank and I'm from Midcoast Maine, Saint George. I've had the pleasure of fishing on many boats over the years in the Mid Coast region as long as from as well as from here to Portsmouth, New Bedford. Um. And I've seen a lot of whales I'm not going to say I'm, I'm not a Scientist of whales by any means. But I'm pretty well versed in in what whales are which the Humpbacks, finbacks and stuff like that. And I've never specifically seen a right whale. To answer the lady before, I don't know that the whales they could be there when I'm not there. But I spend just about 24/7 on the water, and I know quite a few other people who do, and I've never heard them talk about right whales either. So. Ah. It's a sensitive subject for everyone, no doubt. It's the question I really have about the regulations and the proposals is that, uh, those are all fine for operations that are up and running. And stuff like that. But I, you know, I just had my second daughter, I delivered her in my house, in the town in which I have grown up in, and I fish in, and I sterned in for 15 plus years. I'm also just getting my Maine state license for myself to go out. How does someone, like my daughters or anyone's children, for that matter, how does the future expect to have a chance to thrive? Not every one of them is going to be born with a captain for a father or mother, and I was always under the impression part of the beauty and the tradition of this business in this lifestyle was to hand it down to someone else, to hand it to another generation. That's part of the beauty of growing up in Maine is that that's what we do here. Even if you're not a fisherman. You know, people are third generation farmers. Um, so, I think you would, honestly, if these things are to go through, for me to just actually weigh in on it, I think you would actually be destroying a way of life. And it would be really unfortunate. So, I don't support closures. I don't support any of it. Thank you.

Thank you, Did you say your name was Noelle?

Noah N O, AH, Like the guy who built the boat.

Awesome, thank you so much, Noah. OK Dwight, you'll be able to unmute yourself.

I'm all set here. It's late. Thank you.

OK Thank you Dwight. OK Joel give me one second.

OK. Can you hear me?

Yes.

Yeah. My name's Joel Cohen and I mentioned before Wildlife photographer from Florida photograph the whales, at least, eight out of ten of the whales I've seen each year are show entanglement scars. But anyway, I wanted to comment on the regulation about allowing ropeless with the exempted fishing permits. So if that passes, I applaud that very much. I know other states didn't really include that. So I think that's great. I think it's a great opportunity for the fishers to get their hands on this stuff and get it. See that it really does work. I spent last year last summer and the fall with commercial fishers in Florida, Georgia, North Carolina, on the water with them active fishing side-by-side. We use six different manufacturers, gear, and different alterations of there of each one. It absolutely works. I don't agree with the claims of it being once it's adapted, I don't believe it's going to be making it less safe. There's definitely concerns and things to work out, like the overboard concern. But that's, uh, that that can be easily solved in the technology. So anyway, the ropeless gear I believe, has been pushed on the fishermen and there's been articles written that give it an incorrect assessment in everyone's eyes. I am really hope that some guys that are really doing is the Maine fishers can use this stuff and play with it and see that it's not, as some of those Articles, claim it does work and I also argue that there's a financial case for fishermen because there's a very good chance you'll lose less gear. And my time is up.

Your time is up. Yes. Thank you.

No one wants to hear from you.

Oh. So, sorry. Please keep yourselves muted unless I've called on you. OK, Jack Merrill Coming to you next. OK, Jack.

OK, thanks. Yes. So I wanted to respond to Julie's comment about not being not knowing where the entanglements come from. You can definitely tell where they come from, by the rope that's taken, off of them. And I had the opportunity years ago to be at a meeting with TRT meeting. And we had a pile of rope on the floor, hotel in Massachusetts. It was a huge pile of rope, it was taken off whales that were entangled, not right whales, necessarily, but whales. We were asked if any of it looked like our gear where we fished, and I was, did not anticipate that opportunity. But I was pleasantly surprised that absolutely none of it even remotely resembled Maine gear. It was much larger, and I don't know where it came from, I can't say, but it was much larger than anything we fish. So you can identify that. I also want to urge NOAA and environmental groups, or anybody else that concerned, to seriously consider the use of drones for surveillance. Canada just invested in a drone. They have, it's unbelievable, the technology they have. I'm pretty sure we can track right whales with drones. Um, so, and my final comment is, to you guys, please pay attention to the data, because it's not the Gulf of Maine, that's the problem. Thank you.

Thank you. OK, we have two last comments, Sam Rosen, you should be able to unmute yourself? Sam, let me send you a unmute request. OK? OK, Brian. OK, Brian, you should be able to unmute yourself.

Yeah, I am. Can you hear me?

Yes, I can hear you.

It's was so good The first time I couldn't help but come back. The ropeless thing it's easy to say that that would work great when you aren't a fisherman in the Gulf of Maine. We have so much gear and so much tide. And the bottom is jagged. It's not like Florida. Those people that believe that this is a solution they need to come and see for themselves. We are not stupid. Maine fishermen know what works. We have had to adapt for hundreds of years and we simply do what works. It's a financial thing. It's how to keep it. I have \$80,000 in lobster traps. If you think I'm going to throw \$80,000 overboard without a way to get it back, you're crazy. That's all I have to say.

Thank you, Brian. OK, OK, Sam, I'll come back to you. Really quickly give me one second. try one more time. Ok Sam you're unmuted.

Can you hear me?

Yes, I can hear you,

Yeah. I just wanted to say, I'm a lobstermen in Maine, fish offshore. Lot of things I could talk about. But I just wanted to specifically address the ropeless fishing. I've actually fished in Australia, New Zealand at high school and in New South Wales, and I've seen ropeless in action. And I can say the technology is not to a point where we could use it. It's not even close. There are a number of reasons why I say that. First, they're fishing single traps or pairs and they're only fishing about 50 to 200 traps and their price per kilos, like 100 to upwards of that per kilo. So, there it's a lot more valuable fishery. And there, we would have to contend with lines of gear. I mean, trawls that are actually covering more area than just a single point. So, the gear conflict between our gear and then, mobile, gear, like, like, Drags and whatnot. They'd have to be able to see our gear and avoid it. And in order to see it, or, sorry, in order to avoid it, they'd be able to see it long in advance. I mean, upwards of probably a mile or something like that if they're towing or dragging in deep water. And I don't, I don't really know what technology, where the technology is at right now, but I know it's quite a ways from being able to avoid our gear a mile in advance, so, that's all I have to say.

Thank you, everyone, for your participation this evening.

I just quickly wanted to show you guys, again, maybe what slide can you see?

We can see the written comments slide.

You can see that, comments, Excellent.

That's right.

OK, so just a reminder, and if you guys have any comments after this evening, you can go to regulations dot gov, It will be a blue page like this. You'll be able to search by the docket number, which is NOAA Dash NMFS dash 2020 dash 0031. It'll come up with a list of documents. Under the Proposed Rule, you should see a comment button, and if you click

Comment, you'll be able to type or attach any written comments that you might have. So if you have anything else you'd like to tell us after this evening, you can submit written comments. Everything that you have typed to us and said to us tonight was recorded as a comment, as well. Colleen I think that's it.

Yeah, people are leaving quickly, but I'd like to thank the last 150 hanging around, that that's a marathon meeting over three hours. I'd like to thank all the NOAA staff that helped and Marissa, great job tonight presenting. And I'd really like to shout out Kara today and our other calls. Today was like, you know, like running, like, landing planes. She was looking at so many screens at once. So thanks, Kara. You made it pretty smooth and I appreciate the help. And thanks everyone, especially all the TRT members that were on and all the fishermen and others that commented tonight really appreciate it. Hopefully next time we'll see you in person.

Thank you all. And I will just leave this slide up as people and in case they would like to write anything down. Have a great evening.

Appendix 7.4: Form Letters

Form Letter A

Total matches 70-100%: 22,933

Right whales are intelligent, sentient beings that have a right to an ocean not overrun with lethal hazards of ship hulls and propeller blades ready to kill any whale unfortunate enough to collide with them. These intelligent, sentient animals have inhabited the Atlantic for vastly longer than humans have exercised their covetous jurisdiction over it. There is no amount of cost avoidance or convenience for the shipping and groundfish industries that can justify the gross violation of the rights of whales to existence, to not suffer torturous deaths at human hands, or justify industry's reappropriation of their oceans. The North Atlantic Right Whales are out of time and out of space in their struggle to stay biologically and demographically ahead of the human assault upon their bodies and their homes. These precious animals desperately need expansive, robust, legally enforceable shields against fishing rope ensnarement, reckless shipping vessel strikes, and the acoustic warfare of seismic oil exploration. The striking and killing of whales with ships and fishing gear, even if ostensibly accidental, is a cruel and heinous fate to which to subject our fellow mammals. NOAA must enforce their right to exist through, regardless of self-serving industry complaints with no moral merit. The North Atlantic right whale is critically endangered and needs immediate help to recover. It is NOAA Fisheries legal responsibility under the Endangered Species Act and the Marine Mammal Protection Act to protect this species from injury and death in U.S. waters. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear. NOAA Fisheries estimates that entanglement risk from lobster and crab fisheries needs to be reduced by 60% to 80%. The calculations in the Draft Environmental Impact Statement showing how NOAA Fisheries proposes to achieve that risk reduction rely on an old stock assessment using 2016 population estimates, whereas the most recent population estimates indicate that the North Atlantic right whale has further declined to about 366 animals. So there is no question that a risk reduction target of at least 80% which accounts for unseen whale mortalities is required. The alternative measures that NOAA Fisheries released would achieve only 60-69% risk reduction. Further, these risk reduction measures rely on an ineffective gear modification called weak rope that has not proved to reduce serious injury and death in whales. It is not worth the economic burden on the industry to change to this rope if there is no proven conservation benefit. In addition, the closures outlined in the proposed rule are too small and too short in duration. Specifically, the closure south of Nantucket and Marthas Vineyard should be year-round, because right whales have been present nearly every month of the year in that area for the past several years. NOAA Fisheries proposed rule simply does not do enough to save the right whale from extinction. On the most optimistic timeline, the measures included in the final rule to reduce risk to whales would not be in effect on the water until 2022 or later. While this rule is revised, finalized, and implemented, NOAA Fisheries must immediately implement emergency action designating a year-round closure south of Marthas Vineyard and Nantucket and in three areas in the Gulf of Maine that would be closed seasonally to vertical buoy lines in the American lobster and Jonah crab fisheries. Targeted vertical buoy line closures where right whales interact with this heavy, lethal fishing gear are the fastest and most effective management tools to prevent unlawful deaths and extinction of the North Atlantic right whale. Closures in offshore areas would also minimize the impact on fishermen, because the majority of lobster fishing occurs closer to shore. North Atlantic right whales can recover if NOAA Fisheries takes swift, effective action to protect them from the vertical buoy lines that entangle and kill them. The proposed rule must be revised, and the final rule must meet the level of risk reduction required by the most recent scientific information. In the meantime, NOAA Fisheries must immediately implement closures to lobster and crab fishing with vertical buoy lines in the areas where right whales concentrate, and help prevent the extinction of this iconic animal.

Form Letter B

Total matches 70-100%: 12,622

National Oceanic and Atmospheric Administration (NOAA), The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear does not go far enough to save this species from

extinction. With only about 360 individuals remaining, the right whale is one of the world's most critically endangered whales. The species has suffered a 25% population loss in less than a decade. Fishing gear entanglements are the leading cause of skyrocketing rates of right whale deaths and serious injuries and are also preventing them from reproducing, pushing calving rates to historic lows. National Marine Fisheries Service officials have acknowledged for years that the right whale's situation is dire and that more needs to be done. More right whales are being harmed and killed by fishing gear entanglements while we wait for action. The proposed rule must do more to protect right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. The Democratic Party platform should support: Animal Rights, Defending the Affordable Care Act, Ending Citizens United, Ending Marijuana Prohibition, Giving Greater Visibility to Pro-Life Democrats, Gun Control, Net Neutrality, Raising the Minimum Wage to \$15 an Hour, Responding to the Scientific Consensus on Global Warming, and a Sustainable Energy Policy. Democrats for Life of America, 10521 Judicial Drive, #200, Fairfax, VA 22030, (703) 424-6663 Thank you for considering my perspective. Vasu Murti vasumurti@netscape.net 30 Villanova Lane Oakland, California 94611

Form Letter C

Total matches 70-100%: 9,360

North Atlantic right whales are dying solely due to human activities. Without bold action, I fear these whales may go extinct in my lifetime. The National Marine Fisheries Service has the opportunity to make the necessary changes to save this species. I am glad to see steps are being outlined to promote the protection and survival of right whales but, unfortunately, the proposed steps are based on outdated science. I urge NMFS to redraft these regulations using the most up-to-date population estimates of North Atlantic right whales in order to develop an accurate risk reduction plan. I also urge NMFS to aim to reduce risk to right whales by at least 80 percent, as recommended by the US Marine Mammal Commission, rather than the less effective risk reduction outlined in the current proposal. In the interim, NMFS should immediately implement temporary emergency regulations to protect right whales. I strongly encourage NMFS to further invest in developing ropeless technology as quickly and responsibly as possible, while establishing a plan to assist commercial trap fisheries in a transition to whale-safe gear. This rule relies too heavily on a costly and inadequate transition to weaker rope, which has not been proven to protect younger whales and does not reduce the long-term health effects of chronic entanglements on whales. In October 2020, it was estimated that fewer than 360 right whales remain. Although right whales received protection from whaling in 1935, the population has struggled to recover since then. They face growing modern-day threats from fishing gear entanglements, vessel strikes, habitat loss, and pollution. Thus, the need for NMFS to redraft, strengthen, and improve the Atlantic Large Whale Take Reduction Plan is critical to the whales' survival and recovery. Thank you for the opportunity to comment on enhanced protections for the North Atlantic right whale. It is my hope that my suggestions will be considered in this process and that NMFS will prioritize right whale protections.

Form Letter D

Total matches 70-100%: 7,822

Please accept these comments on the proposed modifications to the Atlantic Large Whale Take Reduction Plan as published in the Federal Register. As NOAA has recognized, entanglement in outmoded fishing gear is the leading cause of death for North Atlantic right whales. 85% of right whales have become entangled at least once as they navigate through more than one million buoy ropes attached to fishing gear on the East Coast of the United States. Where there is rope, there is real and imminent risk to right whales. Time is running out. According to NOAA's most recent estimate, fewer than 370 right whales remain. The proposed rule modifications do not represent a serious, science and technology-based effort to save this species from extinction. If NOAA is going to change the rules protecting right whales, the new rules should reflect the most recent population estimate produced by the Agency's own scientist, not data considered obsolete by NOAA itself. Proposals to reduce entanglement risks to right

whales must promote and accelerate the permitting process for ropeless fishing gear. This 21st century technology, pioneered by New England lobstermen, reduces entanglement risk to right whales while maintaining fishermen's access to otherwise closed areas. The NOAA-preferred option of reduced breaking strength or weak rope is a short-term policy option that offers no protection to right whale calves or juveniles from potentially lethal entanglements. We cannot state strongly enough our outrage that these magnificent mammals are being killed as collateral for profiteering greed, and treating the deaths with a shrug of the shoulder. We urge you to strengthen the proposed rule changes to ensure they are based on the best available science and technology and to accelerate the adoption of ropeless fishing, a win-win solution for endangered whales, fishermen and coastal economies. Otherwise, the use of any ropes, nets, or any other type of fishing gear that "may" entangle any species should be completely banned with fines and incarceration upon conviction to be large enough to create compliance incentives. Thank you.

Form Letter E

Total matches 70-100%: 552

My name is Mara Lyn Leverett, and I am a resident of New York, but was born in Georgia, where my family has lived for generations. I was born the same year that the Endangered Species Act passed and the year after the Marine Mammal Protection act was passed. The right whale is my home state's Marine mammal. and right whales' calving area are off the coast of Georgia where I spent every summer. I appreciate that the National Oceanic and Atmospheric Administration (NOAA) has given the public an opportunity to comment on the new regulations regarding the lobster and crab fisheries. I encourage the agency to take every step possible to protect the North Atlantic right whales and enact stricter regulations than what are currently proposed, especially after reading about the death of the right whale known as Cottontail's death by entanglement off the coast of South Carolina today. With fewer than 375 North Atlantic right whales in the Atlantic, NOAA must act quickly to implement emergency closures to restrict the use of vertical buoys in high-risk areas while the agency finalizes the proposed regulations. The North Atlantic right whale population is at a tipping point, and without emergency action, they will suffer irreversible harm before new regulations can even be implemented. NOAA must rely on the best and most up-to-date data available to determine the final regulations and aim for a minimum of an 80% risk reduction. The unusual mortality events that have resulted in 46 known deaths since 2017 must be considered in NOAA's calculated risk reduction, but NOAA must also account for unknown deaths, which the latest science shows is significant. The weak rope equipment suggested as an alternative in the proposed rule has not been proven to effectively reduce harm to right whales. In fact, many fishermen have stated that they will use more rope if the weak rope requirement is implemented, overall increasing the likelihood of entanglements. Ropeless gear should be encouraged and as technology is improved, required, instead of weak rope. Finally, the rules should extend the duration of closures in high-risk areas where historical observation documents that right whales are present year-round. Thank you for your consideration of these comments.

Form Letter F

Total matches 70-100%: 62

North Atlantic right whales are dying solely due to human activities. Without bold action, I fear these whales may go extinct in my lifetime. The National Marine Fisheries Service has the opportunity to make the necessary changes to save this species. I am glad to see steps are being outlined to promote the protection and survival of right whales but, unfortunately, the proposed steps are based on outdated science. I urge NMFS to redraft these regulations using the most up-to-date population estimates of North Atlantic right whales in order to develop an accurate risk reduction plan. I also urge NMFS to aim to reduce risk to right whales by at least 80 percent, as recommended by the US Marine Mammal Commission, rather than the less effective risk reduction outlined in the current proposal. In the interim, NMFS should immediately implement temporary emergency regulations to protect right whales. I strongly encourage NMFS to further invest in developing ropeless technology as quickly and responsibly as possible, while establishing a plan to assist commercial trap fisheries in a transition to whale-safe gear. This rule relies too heavily on a costly and inadequate transition to weaker rope, which has not been proven to protect younger

whales and does not reduce the long-term health effects of chronic entanglements on whales. It is cruel and inhumane and against God's wishes for us to be so gluttonous & selfish re: life that He created. We humans take and take and destroy and destroy and take until there is no more - every living thing deserves to live, and to live well . We humans have trawlers that scoop up everything in their nets' path - WE don't require that much seafood, but the seafood and waters do. Zoos are bad enough in that the only way many kinds of life are able to still live from extinction. Tell me, where could whales live if not in the oceans. Only about 2 aquariums are large enough for 2-3 whales, and even then, it's as bad for the whales as it is for goldfish in a bowl. They deserve better!!! Thank you for the opportunity to comment on enhanced protections for the North Atlantic right whale. It is my hope that my suggestions will be considered in this process and that NMFS will prioritize right whale protections.

Form Letter G

Total matches 70-100%: 46

National Oceanic and Atmospheric Administration (NOAA), The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear does not go far enough to save this species from extinction. With only about 360 individuals remaining, the right whale is one of the world's most critically endangered whales. The species has suffered a 25% population loss in less than a decade. Fishing gear entanglements are the leading cause of skyrocketing rates of right whale deaths and serious injuries and are also preventing them from reproducing, pushing calving rates to historic lows. National Marine Fisheries Service officials have acknowledged for years that the right whale's situation is dire and that more needs to be done. More right whales are being harmed and killed by fishing gear entanglements while we wait for action. The proposed rule must do more to protect right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. In closing I'd like to share my poem on what's happening to right whales, in hopes that it will lead to this necessary measure to protect them. RIGHT WHALE Bound up in plastic floats and ropes, it washes ashore, unrecognizable, an enormous garbage heap feathery baleen ripped and bedraggled beside its body, hardened wounds on its skin like craters edges, moon rocks. Its sightless eyes accuse us. Can I avenge this mauled being which can live a hundred years, span a thousand miles? I recognize my kindred. By mourning. By framing it for others to see. (c) Lisa Fleck Pleas

Form Letter H

Total matches 70-100%: 40

Thank you. I am writing to comment on the proposed modifications to the Atlantic Large Whale Take Reduction Plan as published in the Federal Register. As NOAA knows, entanglement in outmoded fishing gear is the leading cause of death for North Atlantic right whales, and fewer than 400 of these whales remain in the world. Fortunately, there is a perfect fix for this, to save this species! Ropeless gear technology. Ropeless gear is the long-term solution to reduce entanglements of right whales and other marine life, while keeping fishermen working and on the water. And these rules could be put in place now. Nearly the entire existing population of right whales, 85%, have become entangled at least once as they navigate through more than one million buoy ropes attached to fishing gear on the East Coast of the United States. Ridiculous and wasteful! We know, our best marine research scientists know, that where there is rope, there is real and imminent risk to right whales. And time is running out. According to NOAA's own most recent estimate, fewer than 370 right whales remain. Please save this species from extinction. If NOAA is going to change the rules protecting right whales, the new rules should reflect the most recent population estimate produced by the Agency's own scientist, not data consider obsolete by NOAA itself. Proposals to reduce entanglement risks to right whales must promote and accelerate the permitting process for ropeless fishing gear. This 21st century technology -- pioneered by New England lobstermen, no less (and they should know what is feasible, what will work for fishing AND whales) -- reduces entanglement risk to right whales while maintaining fishermen's access to otherwise closed areas. The NOAA-preferred option of reduced breaking strength or weak rope is a short-

term policy option that offers no protection to right whale calves or juveniles from potentially lethal entanglements. In closing, my family and I urge you: Strengthen the proposed rule changes to ensure they are based on the best available science and technology and to accelerate the adoption of ropeless fishing, a win-win solution for endangered whales, fishermen and coastal economies. Thank you for making this fortuitous and effective solution happen now. Fishermen and scientists know what to do, and so do federal regulators. Let's make it happen now.

Form Letter I

Total matches 70-100%: 32

Dear NOAA Fisheries: I am writing in reference to Docket No. 201221-0351 - the rulemaking process to protect critically endangered North Atlantic right whales. The North Atlantic right whale is Georgia's state marine mammal. Our coast is one of the few known calving grounds and each winter, calving North Atlantic right whales make their annual journey from New England and the Canadian Maritimes to give birth and rear young here. Since 1981, when they were first spotted along our coast, each calving season has been met with anticipation by right whale supporters. Successful reproduction is a challenge for the North Atlantic right whale. Female right whales reach reproductive maturity at around 10 years of age. Historically, the species can give birth to only one calf every three to five years, yet trauma from entanglement has increased this interval to nearly 10 years. With an estimated population of fewer than 100 breeding females, every birth is a cause for celebration and, unless action is taken by your agency, this species will be lost forever. The National Marine Fisheries Service (NMFS) released new data on October 26, 2020 indicating that the population estimates, and mortality and serious injury rates are worse than previously thought. Given the low population numbers (including fewer than 94 breeding females remaining), it is essential that we work together to protect every North Atlantic right whale in order to avoid extinction for this endangered species. Based on the expert opinions of scientists, trusted non-governmental organizations and conservation groups, I don't believe NOAA Fisheries' proposal to reduce the serious injury and mortality of right whales can move the lobster and crab fisheries into compliance with the Marine Mammal Protection Act (MMPA) and the Endangered Species Act (ESA). NOAA Fisheries' proposed measures aim to achieve only 60-69% risk reduction, but they must recalculate the potential biological removal (PBR) level using updated data and publish a final rule that achieves a minimum of an 80% risk reduction. We have a biological, legal, and moral responsibility to curtail human-caused deaths of this species. The U.S. federal government is required to protect these animals in our waters, under the MMPA and the ESA. Please strengthen the proposed North Atlantic right whale take reduction plan and consider emergency action. Thanks for your consideration and efforts to preserve this symbol of our state, our ecosystem and biological diversity. Sincerely,

Form Letter J

Total matches 70-100%: 31

The North Atlantic right whale is critically endangered and needs immediate help to recover. As we already know, NOAA Fisheries legal responsibility is to protect this species from injury and death in U.S. waters. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear. NOAA Fisheries estimates that entanglement risk from lobster and crab fisheries needs to be reduced by 60% to 80%. The calculations in the Draft Environmental Impact Statement showing how NOAA Fisheries proposes to achieve that risk reduction rely on an old stock assessment using 2016 population estimates, whereas the most recent population estimates indicate that the North Atlantic right whale has further declined to about 366 animals. So there is no question that a risk reduction target of at least 80% which accounts for unseen whale mortalities is required. The alternative measures that NOAA Fisheries released would achieve only 60-69% risk reduction. Further, these risk reduction measures rely on an ineffective gear modification called weak rope that has not proved to reduce serious injury and death in whales. It is not worth the economic burden on the industry to change to this rope if there is no proven conservation benefit. In addition, the closures outlined in the proposed rule are too small and too short in duration. Specifically, the closure south of Nantucket and Marthas Vineyard should be year-round, because right whales have been present nearly

every month of the year in that area for the past several years. NOAA Fisheries proposed rule simply does not do enough to save the right whale from extinction. On the most optimistic timeline, the measures included in the final rule to reduce risk to whales would not be in effect on the water until 2022 or later. While this rule is revised, finalized, and implemented, NOAA Fisheries must immediately implement emergency action designating a year-round closure south of Marthas Vineyard and Nantucket and in three areas in the Gulf of Maine that would be closed seasonally to vertical buoy lines in the American lobster and Jonah crab fisheries. Targeted vertical buoy line closures where right whales interact with this heavy, lethal fishing gear are the fastest and most effective management tools to prevent unlawful deaths and extinction of the North Atlantic right whale. Closures in offshore areas would also minimize the impact on fishermen, because the majority of lobster fishing occurs closer to shore. North Atlantic right whales can recover if NOAA Fisheries takes swift, effective action to protect them from the vertical buoy lines that entangle and kill them. The proposed rule must be revised, and the final rule must meet the level of risk reduction required by the most recent scientific information. None of this is intended to curtail the fishing industry. Rather, overall environmental and economic futures depend on a renewed sense of cooperation between humanity and nature. Small adjustments based on positivity can create ripples and ultimately tides of positivity ... just as negativity has been so contagious along the way to the crossroads in history reached here.

Form Letter K

Total matches 70-100%: 21

National Oceanic and Atmospheric Administration (NOAA), The current National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear does not go far enough to save this species from extinction. There are only about 360 individuals remaining. The right whale is one of the world's most critically endangered whales. The species has had a 25% population loss in less than ten years. Fishing net/gear entanglements are the leading cause of increasing rates of right whale deaths and serious injuries. This type of fishing equipment and use are also preventing right whales from reproducing, causing calving rates to spiral to historic lows. Thankfully, National Marine Fisheries Service officials have acknowledged for years that the right whale's situation is dire and that more needs to be done. And, more must be done now. Unfortunately, more right whales are being harmed and killed by fishing gear entanglements as we wait for needed action. The recently proposed rule must do more to protect the lives of and reproduction of right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power, now, to save this species from extinction. Thank you. Judy Lukasiewicz
jsteel@cruzio.com 701 Happy Valley Rd. Santa Cruz, California 95065

Form Letter L

Total matches 70-100%: 17

I write to you as a taxpayer who cares deeply about the extinction crisis and believes that it must be treated as the emergency that it is. I am writing to comment on the proposed modifications to the Atlantic Large Whale Take Reduction Plan as published in the Federal Register - a plan that is clearly inadequate. As NOAA has recognized, entanglement in outmoded fishing gear is the leading cause of death for North Atlantic right whales. 85% of right whales have become entangled at least once as they navigate through more than one million buoy ropes attached to fishing gear on the East Coast of the United States. Where there is rope, there is real and imminent risk to right whales. This situation never should have been allowed to happen in the first place and it has to be remedied fast. We are talking about extinction of an endangered species. This is an emergency. According to NOAA's most recent estimate, fewer than 370 right whales remain. The proposed rule modifications do not represent a serious, science and technology-based effort to save this species from extinction. Whatever the intention, they look like a plan to kick addressing this lethal fishing gear down the road, at which point it will be too late. NOAA should deal with this issue realistically now. Its new rules should reflect the most recent population estimate produced by the Agency's own scientist, not data considered obsolete by NOAA itself. Proposals to reduce entanglement risks to right whales

must promote and accelerate the permitting process for ropeless fishing gear. This 21st century technology, pioneered by New England lobstermen, reduces entanglement risk to right whales while maintaining fishermen's access to otherwise closed areas. The NOAA-preferred option of reduced breaking strength or weak rope is a short-term policy option that offers no protection to right whale calves or juveniles from potentially lethal entanglements. It is a diversion from what will actually work best. If right whales are to survive, we cannot afford to lose any right whale calves. I urge you to strengthen the proposed rule changes to ensure they are based on the best available science and technology and to accelerate the adoption of ropeless fishing, a win-win solution for endangered whales, fishermen and coastal economies. Again, we are in an extinction crisis. Right whales are a species at extreme risk. It is incumbent upon NOAA to take action immediately and to do it in a way that will actually work. Thank you.

Form Letter M

Total matches 70-100%: 17

National Oceanic and Atmospheric Administration (NOAA), The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear does not go far enough to save this species from extinction. With only about 360 individuals remaining, the right whale is one of the world's most critically endangered whales. The species has suffered a 25% population loss in less than a decade. Fishing gear entanglements are the leading cause of skyrocketing rates of right whale deaths and serious injuries and are also preventing them from reproducing, pushing calving rates to historic lows. National Marine Fisheries Service officials have acknowledged for years that the right whale's situation is dire and that more needs to be done. More right whales are being harmed and killed by fishing gear entanglements while we wait for action. The proposed rule must do more to protect right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. The whales are also disturbed by all the damn ships. There should be a place they could be safe. Here where I live, people take out whale watching ships. It's like they have no idea that the whales did not come out to be seen but they are trying to eat. Every time these fools do that it makes me unhappy. We're losing our orcas because of people/dam interface and your losing the right whales because of fishermen whining about making a living and being unwilling to change their behavior. I hope you can save the poor damn whales, they don't deserve the way they are being treated. Most of the living things left don't de

Form Letter N

Total matches 70-100%: 15

Dear NOAA Fisheries, My name is Daryn Clevesy and I currently reside in Portsmouth, NH. I have grown up in NH my entire life and have always been drawn to nature, both the mountains and the sea. My love for nature only grew as I did, leading me to earn a Bachelor's degree in Environmental Conservation and Sustainability from the University of New Hampshire. Today I am lucky to be working at the Seacoast Science Center (SSC) located inside the beautiful Odiorne Point State Park where I work everyday to educate the public about our World's Ocean importance, and what we can do to help protect the oceans themselves, as well as the many species that depend on it. Thats why Im writing to you today about our North Atlantic right whales. Im asking you to do everything you can to save this critically endangered species from extinction. While your proposed rule is a step in the right direction, it does not go far enough. I urge NOAA Fisheries to consider the following in formulating the final draft of the rule: Weak rope will not do enough: modifications to fishing gear, called weak rope, are intended to reduce risk of entanglement. But weak rope has not been thoroughly evaluated and has not been proven to reduce risk. We need more, and longer, habitat closures: to truly save the species, we need to dramatically reduce the amount of vertical lines in the water, for a longer period of time. The proposed closures are not long enough or large enough to protect these whales. Ropeless fishing gear is the best path forward: NOAA Fisheries must continue efforts to test and foster

a market for ropeless technologies by creating incentives for fishermen to try them. Right whales are majestic, social creatures that are a critical part of the ecosystem. We are their greatest threat, and only hope We have to act now to save them. Please do everything you can to prevent their extinction. Sincerely, Daryn Clevesy

Form Letter O

Total matches 70-100%: 13

Dear NOAA Fisheries: We are writing in reference to Docket No. 201221-0351 - the rulemaking process to protect critically endangered North Atlantic right whales. The North Atlantic right whale is Georgia's state marine mammal. Our coast is one of the few known calving grounds and each winter, calving North Atlantic right whales make their annual journey from New England and the Canadian Maritimes to give birth and rear young here. Since 1981, when they were first spotted along our coast, each calving season has been met with anticipation by right whale supporters. Successful reproduction is a challenge for the North Atlantic right whale. Female right whales reach reproductive maturity at around 10 years of age. Historically, the species can give birth to only one calf every three to five years, yet trauma from entanglement has increased this interval to nearly 10 years. With an estimated population of fewer than 100 breeding females, every birth is a cause for celebration and, unless action is taken by your agency, this species will be lost forever. The National Marine Fisheries Service (NMFS) released new data on October 26, 2020 indicating that the population estimates, and mortality and serious injury rates are worse than previously thought. Given the low population numbers (including fewer than 94 breeding females remaining), it is essential that we work together to protect every North Atlantic right whale in order to avoid extinction for this endangered species. Based on the expert opinions of scientists, trusted non-governmental organizations and conservation groups, we don't believe NOAA Fisheries' proposal to reduce the serious injury and mortality of right whales can move the lobster and crab fisheries into compliance with the Marine Mammal Protection Act (MMPA) and the Endangered Species Act (ESA). NOAA Fisheries' proposed measures aim to achieve only 60-69% risk reduction, but they must recalculate the potential biological removal (PBR) level using updated data and publish a final rule that achieves a minimum of an 80% risk reduction. PARK CANNON REPRESENTATIVE DISTRICT 58 931 MONROE DRIVE SUITE 102, NUMBER 460 ATLANTA, GA 30308 PARK.CANNON@HOUSE.GA.GOV House of Representatives COVERDELL LEGISLATIVE OFFICE BUILDING, ROOM 512 ATLANTA, GEORGIA 30334 (404) 656-7859 (O) (404)656-5605 (FAX) STANDING COMMITTEES: ETHICS CODE REVISION HUMAN RELATIONS & AGING INSURANCE SMALL BUSINESS DEVELOPMENT CREATIVE ARTS & ENTERTAINMENT WORKING GROUP We have a biological, legal, and moral responsibility to curtail human-caused deaths of this species. The U.S. federal government is required to protect these animals in our waters, under the MMPA and the ESA. Please strengthen the proposed North Atlantic right whale take reduction plan and consider emergency action. Thanks for your consideration and efforts to preserve this symbol of our state, our ecosystem and biological diversity. Sincerely, Representative Park Cannon Georgia House of Representatives, Dist. 58

Form Letter P

Total matches 70-100%: 12

Dear NOAA Fisheries: As a non-profit environmental law center, Midwest Environmental Advocates works to defend public rights, protect natural resources, and ensure transparency and accountability in government. That is why today we write with concern for the North Atlantic right whale. Right whales, which exist in Atlantic coastal waters off the eastern United States and Canada, are critically endangered with fewer than 360 left on Earth. Since 2017, 47 known right whale deaths have been documented – including the tragic death of a newborn calf in St. Augustine this month. Sadly, right whales are not dying of natural causes – they are hit by moving vessels or entangled in commercial fishing lines that connect lobster and crab traps on the seafloor to buoys at the water's surface. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear. Once entangled in vertical buoy lines, whales may drown or drag and swim with attached gear for long distances, ultimately resulting in fatigue, compromised feeding ability, or severe injuries that lead to reduced reproductive

success and long, protracted deaths. Scientists estimate that 85% of right whales have been entangled at least once, and over 50% of right whales have been entangled multiple times. We believe there is a biological, legal, and moral responsibility to end these human-caused deaths and keep the right whale from extinction. In fact, the U.S. federal government is required to protect these animals in our waters, under the Marine Mammal Protection Act (MMPA) and the Endangered Species Act (ESA). While we appreciate the agency's work on new rules for the U.S. American lobster and Jonah crab fishery, to reduce the risk this fishery poses to endangered North Atlantic right whales, the rule must be reworked and strengthened to save right whales from extinction. As it is proposed, the rule 1) uses outdated data to calculate risk reduction to whales, 2) proposes fishing technology which has not been proven to help, Regarding: Docket No. 201221-0351 – The Taking of Marine Mammals Incidental to Commercial Fishing Operations Page 2 of 3 and 3) does not go far enough in its recommendation for closures. NOAA Fisheries estimates that entanglement risk from lobster and crab fisheries needs to be reduced by 60% to 80% for the right whale to survive extinction. Unfortunately, the calculations in the Draft Environmental Impact Statement showing how you achieve that risk reduction relies on 2016 population estimates of 412 whales, whereas the most recent population estimates indicate that the North Atlantic right whale has declined to about 366 animals. So there is no question that a risk reduction target of at least 80% which accounts for all whale mortalities is required. The latest preliminary data suggests the average annual right whale mortality is approximately 24 whales per year – meaning the risk of entanglement needs to be reduced to near zero for the population to survive. The proposed rule relies on the use of ineffective gear modifications, called “weak rope” (or “weak inserts”) to reduce risk, but weak rope has not been thoroughly evaluated or shown to reduce risk. Though intended to help entangled whales break free, this new style of rope does not prevent entanglements, has not been proven to sufficiently reduce serious injury and death in whales, and is especially risky for younger, smaller right whales. In addition, many fishermen say that if forced to use weak rope, they will add rope to their buoy lines for hauling traps, thus potentially increasing the risk of entanglement. It is not worth the economic burden on the industry to change to this rope if there is no proven conservation benefit. Closures and “ropeless” technologies are a step in the right direction but the rule doesn't go far enough in either regard. The proposed closures to vertical buoy lines are too small, and too short in duration. The closure south of Nantucket and Martha's Vineyard, in the most conservative alternative (3a) may be an appropriate size but is far too short in time at February through April. This should be a year-round closure as right whales have been seen almost every month of the year here for the last several years. Closures should be based on the best available science which includes recent and historical sightings, acoustic data, and prey data. As proposed by the rule, new and existing closures will allow for the use of ropeless fishing with special permits. NOAA Fisheries must continue the effort to test and foster a market for ropeless technologies by creating incentives for fishermen to try them. The technologies are a promising practice that can prevent extinction of the right whale and meet the needs of the fishing industry and its employees. Overall, the use of ropeless technologies in new and existing closed areas is a good idea. Because measures will not be implemented for at least another year, and the right whale cannot sustain more deaths while we wait for stronger rules to be developed, NOAA Fisheries must use its emergency authority to put vertical buoy line closures in place in areas where large numbers of right whales and harmful fishing gear co-exist in Southern New England and offshore in the Gulf of Maine. Regarding: Docket No. 201221-0351 – The Taking of Marine Mammals Incidental to Commercial Fishing Operations Page 3 of 3 The North Atlantic right whale is critically endangered, dangerously close to the tipping point for extinction, but their population can rebound if we lower human-caused deaths. If we don't act now, it would mark the first human-caused extinction of a large whale. This would be tragic for right whales and detrimental to the ocean ecosystem, to the lobster and crab fisheries, and to people who care about the health of our oceans and marine wildlife. Sincerely,

Form Letter Q

Total matches 70-100%: 11

Your plan is inadequate. You can do better than this. North Atlantic right whales can recover if NOAA Fisheries takes swift, effective action to protect them from the vertical buoy lines that entangle and kill them. The proposed rule must be revised, and the final rule must meet the level of risk reduction required by the most recent scientific information. In the meantime, NOAA Fisheries must immediately implement closures to lobster and crab fishing with vertical buoy lines in the areas where right whales concentrate, and help prevent the extinction of this iconic animal.

Form Letter R

Total matches 70-100%: 10

Dear NOAA Fisheries, My name is Michael Paige and I am from Newburyport, MA. I walk the beach every day. Every day the beach is littered with lobster traps and rope. We can't allow these marine mammals to be decimated by thousands of lines where they swim. That's why I'm writing to you today about our North Atlantic right whales. I'm asking you to do everything you can to save this critically endangered species from extinction. While your proposed rule is a step in the right direction, it does not go far enough. I urge NOAA Fisheries to consider the following in formulating the final draft of the rule: Weak rope will not do enough: modifications to fishing gear, called weak rope, are intended to reduce risk of entanglement. But weak rope has not been thoroughly evaluated and has not been proven to reduce risk. We need more, and longer, habitat closures: to truly save the species, we need to dramatically reduce the amount of vertical lines in the water, for a longer period of time. The proposed closures are not long enough or large enough to protect these whales. Ropeless fishing gear is the best path forward: NOAA Fisheries must continue efforts to test and foster a market for ropeless technologies by creating incentives for fishermen to try them. Right whales are majestic, social creatures that are a critical part of the ecosystem. We are their greatest threat, and only hope we have to act now to save them. Please do everything you can to prevent their extinction. Sincerely, Michael Paige

Form Letter S

Total matches 70-100%: 10

National Oceanic and Atmospheric Administration (NOAA), It is not any humans place to drive any species into extinction! AND in Nature: every species play a vital role, be it small or large. Think of Nature as a puzzle; all pieces are needed for the full picture. The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear ***does not go far enough to save this species from extinction.*** With only about 360 individuals remaining(!), the right whale is one of the world's most critically endangered whales. The species has suffered a 25% population loss in less than a decade. Fishing gear entanglements are the leading cause of skyrocketing rates of right whale deaths and serious injuries and are also preventing them from reproducing, pushing calving rates to historic lows. SO STOP THEM. National Marine Fisheries Service officials have acknowledged -'for years-' that the right whale's situation is dire and that more needs to be done. Still more right whales are being harmed and killed by fishing gear entanglements while we wait for action.... The proposed rule must do more to protect right whales by: 1) expanding the proposed closures and 2) fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact --emergency regulations-- to close i

Form Letter T

Total matches 70-100%: 8

National Oceanic and Atmospheric Administration (NOAA), The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear does not go far enough to save this species from extinction. With only about 360 individuals remaining, the right whale is one of the world's most critically endangered whales. The species has suffered a 25% population loss in less than a decade. Fishing gear entanglements are the leading cause of skyrocketing rates of right whale deaths and serious injuries and are also

preventing them from reproducing, pushing calving rates to historic lows. National Marine Fisheries Service officials have acknowledged for years that the right whale's situation is dire and that more needs to be done. More right whales are being harmed and killed by fishing gear entanglements while we wait for action. The proposed rule must do more to protect right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. Thank you for considering my perspective. Colette Flake-Bunz colette.flakebunz@gmail.com 84-12 35th Avenue, Apt 2A, Apt.2A Jackson Heights, New York 11372

Form Letter U

Total matches 70-100%: 6

North Atlantic right whales are dying solely due to human activities. Without bold action, I fear these whales may go extinct in my lifetime. The National Marine Fisheries Service has the opportunity to make the necessary changes to save this species. I am glad to see steps are being outlined to promote the protection and survival of right whales but, unfortunately, the proposed steps are based on outdated science. I urge NMFS to redraft these regulations using the most up-to-date population estimates of North Atlantic right whales in order to develop an accurate risk reduction plan. I also urge NMFS to aim to reduce risk to right whales by at least 80 percent, as recommended by the US Marine Mammal Commission, rather than the less effective risk reduction outlined in the current proposal. In the interim, NMFS should immediately implement temporary emergency regulations to protect right whales. I strongly encourage NMFS to further invest in developing ropeless technology as quickly and responsibly as possible, while establishing a plan to assist commercial trap fisheries in a transition to whale-safe gear. This rule relies too heavily on a costly and inadequate transition to weaker rope, which has not been proven to protect younger whales and does not reduce the long-term health effects of chronic entanglements on whales. I strongly support full protection for the critically endangered North Atlantic right whales, which are cherished gentle giants who traverse the busy waters of the US East Coast. Many of these docile creatures wear the painful evidence of fishing gear entanglements and ship strikes which is a reminder of the dangers they face. Eighty-five percent of North Atlantic right whales bear scars from being entangled in gear at least once in their lives, while over half bear scars from being entangled at least twice. Right whales nearly went extinct due to commercial whaling but were able to slowly recover after whaling on them ceased. Now, they are once again in serious jeopardy of extinction due to human actions. I thank the NMFS for consideration of my letter and strongly urge the NMFS to please institute emergency protective measures and regulations to ensure the survival of the critically endangered North American right whale species. Please prioritize the enforcement of these protective measures. Thank you for the opportunity to comment on enhanced protections for the North Atlantic right whale. It is my hope that my suggestions will be considered in this process and that NMFS will prioritize right whale protections.

Form Letter V

Total matches 70-100%: 6

Dear NOAA Fisheries: As a Florida resident, I have spent my life energizing and inspiring the community around me to value diverse ecosystems, because they are fundamental to the health and wellbeing of us all, human and non-human; because they help us redefine our relationships upon socially just and ecologically sustainable terms; and because I believe we need to work collaboratively to conserve, restore and protect Florida's precious waters for our children and theirs, for generations to come. That is why I write today with deep concern for the survival of the North Atlantic right whale. Right whales, which exist in Atlantic coastal waters off the eastern United State and Canada, are critically endangered with fewer than 360 left on Earth. Since 2017, 47 known right whale deaths have been documented – including the tragic death of a new born calf in St. Augustine this month. Sadly, right whales are not dying of natural causes – they are dying because of unsustainable fishing practices, ship strikes, and the impacts of a changing climate. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear. Once entangled in vertical buoy lines, whales may drown or drag and swim with attached gear for long distances,

ultimately resulting in fatigue, compromised feeding ability, or severe injuries that lead to reduced reproductive success and long, protracted deaths. Scientists estimate that 85% of right whales have been entangled at least once, and over 50% of right whales have been entangled multiple times. NOAA Fisheries estimates that entanglement risk from lobster and crab fisheries needs to be reduced by 60% to 80% for the right whale to survive extinction. Unfortunately, the calculations in the Draft Environmental Impact Statement showing how you achieve that risk reduction relies on 2016 population estimates of 412 whales, whereas the most recent population estimates indicate that the North Atlantic right whale has declined to about 366 animals. So there is no question that a risk reduction target of at least 80% which accounts for all whale mortalities is required. The latest preliminary data suggests the average annual right whale mortality is approximately 24 whales per year – meaning the risk of entanglement needs to be reduced to near zero for the population to survive. The proposed rule relies on the use of ineffective gear modifications, called “weak rope” (or “weak inserts”) to reduce risk, but weak rope has not been thoroughly evaluated or shown to reduce risk. Though intended to help entangled whales break free, this new style of rope does not prevent entanglements, has not been proven to sufficiently reduce serious injury and death in whales, and is especially risky for younger, smaller right whales. In addition, many fishermen say that if forced to use weak rope, they will add rope to their buoy lines for hauling traps, thus potentially increasing the risk of entanglement. It is not worth the economic burden on the industry to change to this rope if there is no proven conservation benefit. Closures and “ropeless” technologies are a step in the right direction but the rule doesn’t go far enough in either regard. The proposed closures to vertical buoy lines are too small, and too short in duration. The closure south of Nantucket and Martha’s Vineyard, in the most conservative alternative (3a) may be an appropriate size but is far too short in time at February through April. This should be a year-round closure as right whales have been seen almost every month of the year here for the last several years. Closures should be based on the best available science which includes recent and historical sightings, acoustic data, and prey data. As proposed by the rule, new and existing closures will allow for the use of ropeless fishing with special permits. NOAA Fisheries must continue the effort to test and foster a market for ropeless technologies by creating incentives for fishermen to try them. Overall, the use of ropeless technologies in new and existing closed areas is a good idea. Because measures will not be implemented for at least another year, and the right whale cannot sustain more deaths while we wait for stronger rules to be developed, NOAA Fisheries must use its emergency authority to put vertical buoy line closures in place in areas where large numbers of right whales and harmful fishing gear co-exist in Southern New England and offshore in the Gulf of Maine. The North Atlantic right whale is critically endangered and dangerously close to the tipping point for extinction, but their population can rebound if we lower human-caused deaths. Unless we act now, it would mark the first human-caused extinction of a large whale. This would be tragic for right whales and detrimental to the ocean ecosystem, to the lobster and crab fisheries, and to people who care about the health of our oceans and marine wildlife. Sincerely, John Moran

Form Letter W

Total matches 70-100%: 6

It is NOAA Fisheries legal responsibility under the Endangered Species Act and the Marine Mammal Protection Act to protect the North Atlantic right whale from injury and death in U.S. waters. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear. The most recent population estimates indicate that the North Atlantic right whale has further declined from the 2016 population estimates to about 366 animals. So there is no question that a risk reduction target of at least 80% which accounts for unseen whale mortalities is required. The alternative measures that NOAA Fisheries released would achieve only 60-69% risk reduction. The ineffective gear modification called weak rope has not proved to reduce serious injury and death in whales. It is not worth the economic burden on the industry to change to this rope if there is no proven conservation benefit. NOAA Fisheries must immediately implement emergency action designating a year-round closure south of Martha’s Vineyard and Nantucket and in three areas in the Gulf of Maine that would be closed seasonally to vertical buoy lines in the American lobster and Jonah crab fisheries. Targeted vertical buoy line closures where right whales interact with this

heavy, lethal fishing gear are the fastest and most effective management tools to prevent unlawful deaths and extinction of the North Atlantic right whale. Closures in offshore areas would also minimize the impact on fishermen, because the majority of lobster fishing occurs closer to shore. North Atlantic right whales can recover if NOAA Fisheries takes swift, effective action to protect them from the vertical buoy lines that entangle and kill them. The proposed rule must be revised, and the final rule must meet the level of risk reduction required by the most recent scientific information. In the meantime, NOAA Fisheries must immediately implement closures to lobster and crab fishing with vertical buoy lines in the areas where right whales concentrate, and help prevent the extinction of this iconic animal.

Form Letter X

Total matches 70-100%: 6

Lobstermen are fully in support of protecting the Right Whales but the proposed measures go too far and this could put many Lobsterman out of business. The regulations should be reviewed further before they are mandated as these fishing restrictions will end up seriously harming the lobster industry.

Form Letter Y

Total matches 70-100%: 6

National Oceanic and Atmospheric Administration (NOAA), The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear is not sufficient to save this endangered species from extinction. It is estimated that there are about 360 individuals remaining. The North Atlantic right whale is one of the world's most critically endangered whale species. The species has suffered a 25% population loss in less than a decade, with fishing gear entanglements as the leading cause of death and serious injuries. The steep population decline and low population density are also preventing them from reproducing, pushing calving rates to historic lows. National Marine Fisheries Service officials have acknowledged for years that the right whale's situation is a policy priority with extinction looming. The proposed rule must do more to protect right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. Thank you for considering my perspective. Madeline Piscetta mpiscetta17@gmail.com 2366 Osage Trail Wadsworth, Ohio 44281-8474

Form Letter Z

Total matches 70-100%: 5

The North Atlantic right whale is critically endangered and needs immediate help to recover. It is NOAA Fisheries legal responsibility under the Endangered Species Act and the Marine Mammal Protection Act to protect this species from injury and death in U.S. waters. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear.

Form Letter ZA

Total matches 70-100%: 5

As per the following statement from the Turtle Island Restoration Network: "Lobster and crab are caught with vertical buoy lines in areas where right whales concentrate. Because vertical lines run from the trap up to the surface buoy, traps and pots can entangle marine animals including endangered North Atlantic right whales, humpback whales, fin whales, and grey whales. The effects of entanglement can range from no permanent injury to serious injury and death. If the traps are weighted down, entangled whales, dolphins, and sea turtles can drown if they cannot reach the surface to breathe. NOAA Fisheries estimates that entanglement risk from lobster and crab fisheries needs to be reduced by 60% to 80%. The calculations in the Draft Environmental Impact Statement showing how NOAA Fisheries proposes to achieve that risk reduction rely on an old stock assessment using 2016 population

estimates, whereas the most recent population estimates indicate that the North Atlantic right whale has further declined to about 366 animals. So there is no question that a risk reduction target of at least 80% which accounts for unseen whale mortalities is required. The alternative measures that NOAA Fisheries released would achieve only 60-69% risk reduction. North Atlantic right whales can recover if NOAA Fisheries takes swift, effective action to protect them from the vertical buoy lines that entangle and kill them. The proposed rule must be revised, and the final rule must meet the level of risk reduction required by the most recent scientific information." I support any revisions that will help in the recovery of the North Atlantic Right Whales. Our world is losing way too many species that keep it in balance and we absolutely must take bold steps in protecting wildlife and marine species.

Form Letter ZB

Total matches 70-100%: 5

The North Atlantic right whale is critically endangered and needs immediate help to recover. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear. NOAA Fisheries estimates that entanglement risk from lobster and crab fisheries needs to be reduced by 60% to 80%. There is no question that a risk reduction target of at least 80% which accounts for unseen whale mortalities is required. The alternative measures that NOAA Fisheries released would achieve only 60-69% risk reduction. On the most optimistic timeline, the measures included in the final rule to reduce risk to whales would not be in effect on the water until 2022 or later. While this rule is revised, finalized, and implemented, NOAA Fisheries must immediately implement emergency action designating a year-round closure south of Marthas Vineyard and Nantucket and in three areas in the Gulf of Maine that would be closed seasonally to vertical buoy lines in the American lobster and Jonah crab fisheries. Targeted vertical buoy line closures where right whales interact with this heavy, lethal fishing gear are the fastest and most effective management tools to prevent unlawful deaths and extinction of the North Atlantic right whale. Closures in offshore areas would also minimize the impact on fishermen, because the majority of lobster fishing occurs closer to shore. The proposed rule must be revised, and the final rule must meet the level of risk reduction required by the most recent scientific information. NOAA Fisheries must immediately implement closures to lobster and crab fishing with vertical buoy lines in the areas where right whales concentrate, and help prevent the extinction of this iconic animal.

Form Letter ZC

Total matches 70-100%: 5

National Oceanic and Atmospheric Administration (NOAA), The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear does not go far enough to save this species from extinction. Fishing gear entanglements are the leading cause of skyrocketing rates of right whale deaths and serious injuries and are also preventing them from reproducing, pushing calving rates to historic lows. The proposed rule must do more to protect right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. Thank you for considering my perspective. Tim Barrington tim_barrington@hotmail.com 344 N 5th St, APT 6 San Jose, California 95112-5237

Form Letter ZD

Total matches 70-100%: 5

I am commenting on the proposed modifications to the Atlantic Large Whale Take Reduction Plan as published in the Federal Register. As NOAA is aware, the leading cause of death for North Atlantic right whales is getting entangled in old fishing gear. The vast majority of right whales (85%) have become entangled in gear at least once as they attempt to swim through over a million buoy ropes attached to fishing gear on the U.S. East Coast. These ropes are real risk to right whales. As a result, the right whales are practically extinct. According to NOAA's most

recent estimate, fewer than 370 right whales remain. The proposed rule modifications won't solve the problem and are not science and technology-based. If NOAA is going to change the rules protecting right whales, those rules should be based on the most recent population estimate produced by the Agency's own scientists, not obsolete data. Proposals to reduce entanglement risks to right whales must promote and speed-up the permitting process for ropeless fishing gear. This latest technology, pioneered by New England lobstermen, reduces entanglement risk to right whales while maintaining fishermen's access to otherwise closed areas. The NOAA-preferred option of reduced breaking strength or weak rope can still kill young right whales that get tangled. I urge you to strengthen the proposed rule changes based on the latest science, and to accelerate the use of ropeless fishing - a win-win for endangered whales, fishermen and coastal economies. Thank you

Form Letter ZE

Total matches 70-100%: 5

I wish to comment on the proposed modifications to the Atlantic Large Whale Take Reduction Plan shown in the Federal Register. As NOAA has recognized, entanglement in outmoded fishing gear is the leading cause of death for North Atlantic right whales. Where there is rope, there is real and imminent risk to right whales. Leveraging ropeless fishing technology is the best way forward. Time is running out. According to NOAA's most recent estimate, fewer than 370 right whales remain. The proposed rule modifications do not represent a serious, science and technology-based effort to save this species from extinction. If NOAA is going to change the rules protecting right whales, the new rules should reflect the most recent population estimate produced by the Agency's own scientist, not data considered obsolete by NOAA itself. Proposals to reduce entanglement risks to right whales must promote and accelerate the permitting process for ropeless fishing gear. This 21st century technology, pioneered by New England lobstermen, reduces entanglement risk to right whales while maintaining fishermen's access to otherwise closed areas. The NOAA-preferred option of reduced breaking strength or weak rope is a short-term policy option that offers no protection to right whale calves or juveniles from potentially lethal entanglements. Please strengthen the proposed rule changes to ensure they are based on the best available science and technology and to accelerate the adoption of ropeless fishing, a win-win solution for endangered whales, fishermen and coastal economies. Thank you.

Form Letter ZF

Total matches 70-100%: 5

North Atlantic right whales are dying solely due to human activities. Without bold action, I fear these whales may go extinct in my lifetime. The National Marine Fisheries Service has the opportunity to make the necessary changes to save this species. I am glad to see steps are being outlined to promote the protection and survival of right whales but, unfortunately, the proposed steps are based on outdated science. I urge NMFS to redraft these regulations using the most up-to-date population estimates of North Atlantic right whales in order to develop an accurate risk reduction plan. I also urge NMFS to aim to reduce risk to right whales by at least 80 percent, as recommended by the US Marine Mammal Commission, rather than the less effective risk reduction outlined in the current proposal. In the interim, NMFS should immediately implement temporary emergency regulations to protect right whales. I strongly encourage NMFS to further invest in developing ropeless technology as quickly and responsibly as possible, while establishing a plan to assist commercial trap fisheries in a transition to whale-safe gear. This rule relies too heavily on a costly and inadequate transition to weaker rope, which has not been proven to protect younger whales and does not reduce the long-term health effects of chronic entanglements on whales. I can absolutely appreciate the time and effort that would have to be put into a transition to ropeless technology and an updated risk reduction plan, but the reality is that we, as human beings with a significant impact on the environment, have a moral responsibility to protect wild animal life. I sincerely and wholeheartedly plead that we take these small steps towards taking a greater responsibility for our place in the world around us. I love animals, but loving animals is not my job or my passion in life. I personally believe that humans have emerged as one of the most intelligent and impactful species through the natural process of evolution, and there's no reason why we can't take pride in that

position. I say this to be clear that I speak from a position of concern but not a position of bias. Ultimately, any position of power comes with responsibility, and taking care of animal species that share the world with us is simply right, especially when such simple measures would go such a long way. Thank you for the opportunity to comment on enhanced protections for the North Atlantic right whale. It is my hope that my suggestions will be considered in this process and that NMFS will prioritize right whale protections.

Form Letter ZG

Total matches 70-100%: 5

The Georgia Conservancy is pleased to provide comments for the rulemaking related to the NMFS Large Whale Take Reduction Plan Regulations ("proposed rule"). The members of our organization, along with residents across the state of Georgia, have a strong interest in the North Atlantic right whale (*Eubalaena glacialis*) ("right whale"), which spends part of each year off of our shores. Founded in 1967, the Georgia Conservancy is one of Georgia's oldest nonprofit conservation organizations. Working to protect our coast for more than 50 years, the Georgia Conservancy is a statewide conservation organization whose goal is to develop practical solutions for protecting Georgia's environment. We establish policy decisions under a vision statement that seeks to cultivate a Georgia where people and the environment thrive. In the 1980's, Georgia Conservancy staff played a role in discovering the then unknown calving grounds off our shore. Since that time, this iconic animal has played a role in the organization's conservation outreach and advocacy. Right whales are critically endangered, but their population can rebound if we lower human-caused deaths using updated science and fishing technologies. Currently, conservation of the right whale is of principal concern now that the species' apparent recovery seems to have stalled. The National Marine Fisheries Service (NMFS) has proposed rules to amend the regulations to reduce serious injury to North Atlantic right whales in the northeast commercial lobster and crab trap/pot fisheries. The most recent stock assessments during the regulation development have shown that the species is declining more rapidly than initially anticipated. The numerous right whale deaths since 2017 have rendered the measures in the proposed rule to be "too little, too late." However, Georgia Conservancy supports updated regulations that build off of three primary elements of the proposed rules (closures, gear, and technology). COASTAL OFFICE 428 Bull Street, Suite 210 Savannah, GA 31401 tel 912.447.5910 fax 912.447.0704 coastal@gaconservancyorg georgiaconservancy.org. PRESIDENT Katherine Moore* BOARD CHAIR Mark S. Berry, Douglasville* BOARD OF TRUSTEES Felicia Adkins, Canton Brent Beatty, Atlanta Hardie Davis Jr., Hephzibah Richard S. Downey, Atlanta Patrice T. Francis, Atlanta* Stephen Green, Savannah Virginia Harman, Cave Spring* Peter Hartman, Atlanta Holden Hayes, Savannah Byron Kirkpatrick, Atlanta* Mike LaFerle, Marietta Leslie D. Mattingly, St. Simons* Tim McKinley, Atlanta Chris Miller, LaGrange Robert Morris, Tybee Island PJ Newcomb, Decatur Amanda Brown Olmstead, Atlanta Russ Pennington, Brookhaven* Steven E. Pohl, Atlanta* Stacy Shailendra, Atlanta* W. Michael Stubbs, Macon Charles Thomas, Mableton* Malon Wickham, Columbus* ADVISORY COUNCIL Claire L. Arnold, Atlanta Braye Boardman, Augusta Joel Cowan, Peachtree City Ann Q. Curry, Atlanta C. Edward Dobbs, Atlanta Amir Farokhi, Atlanta Elliott Levitas, Atlanta J. Lacey Lewis, Atlanta Hank Linginfelter, St. Simons Clay C. Long, Atlanta Joe Montgomery, Rome Marci Collier Overstreet, Atlanta Laura Turner Seydel, Atlanta Ron Shipman, Macon Jim Timmons, Atlanta *Executive Committee Member These updates should reflect recent developments that could shift the recovery trajectory, namely. • Expanded and improved fishery monitoring to account for interactions between fishing gear and right whales • Additional measures provided for fisheries that must close due to the presence of whales and • Interim emergency management measures including vertical line reductions, seasonal closures, and ropeless fishing areas We realize that these proposed regulations create significant economic impacts on fishermen and their communities. Though the restrictions will impact fisheries, we anticipate that they will create areas off of Georgia's shores that can be used for right whale protection. Opportunities, which build on and support NOAA regulatory changes: Investing in longer-term adaptations (technology and fishery practices) that take effective action over the years will once more place the right whale on a trajectory to becoming a truly viable population. Hopefully, this combination will encourage a future where local fisheries prosper while protecting our stock of whales from entanglement. We want to emphasize that these measures will minimize conflicts across the

range (northern and in southeastern waters too): Equipment adaptation and incentives across the range: "Ropeless (or buoyless) fishing" adaptations carry the promise to improve fishing and protect whales. These systems allow fishers to continue operating in areas where right whales are present without further endangering these marine mammals. We advocate for NOAA Fisheries to continue to test and foster a market for ropeless technologies by creating incentives for their use. Additional funding and scientific inquiry: Improvements in stock assessment and support for science related to right whale conservation are very much needed. We hope for additional funding from legislation such as the proposed "Scientific Assistance for Very Endangered North Atlantic Right Whales Act of 2019" (S.2453), also known as the SAVE Right Whales Act. This bill seeks to establish "a grant program to promote collaboration between states, nongovernmental organizations, and members of the fishing and shipping industries to reduce human impacts on right whales and promote the recovery of the population." Another bill, titled the Right Whale Protection Act, goes a long way to furthering much needed NOAA research, stock assessments, and gear adaptation. The bipartisan Senate bill, which former Senator Johnny Isakson of Georgia co-signed, was introduced in September 2019 and would authorize up to \$5 million annually from 2019 - 2029 to projects that promote or contribute to the wild population's sustainability and recovery. The SAVE Right Whales Act also encourages North Atlantic right whale recovery efforts between the United States and Canadian governments. We see a perilous need for a spirit of cooperative action that furthers right whale conservation. To that end, we would like to see agency support for speeding up the adaptation of new technologies and added funding that will lead to a reduction in human/right whale conflicts. The Georgia Conservancy has been involved with North Atlantic right whale conservation issues for nearly 40 years. Stewardship of our iconic state marine mammal is a legacy for the Georgia Conservancy and thus provides a policy lens through which we view our advocacy, research, and outreach. Specifically, the proposed rulemaking is directed to New England fisheries; however, notable changes in Southeastern US fisheries may be made to reduce rope entanglements as well. By way of example, the Georgia Conservancy seeks to support the early, promising work being done in Georgia to adapt ropeless gear in the black sea bass fishery. With less than 400 right whales left and deaths occurring at a rate that far exceeds the sustainable level, there is an imperative to approve strong regulatory changes and to do more across the entire migration range-north and southeast. Further protective measures will need to be implemented across the whole range, from the Southeastern shores to New England and Canadian waters. As they stand now, the proposed regulations do not meet the threshold of strength needed to support this critical species. If there is no significant revision to the Proposed Risk Reduction Rule by NMFS, the Georgia Conservancy recommends that it be withdrawn and updated and emergency measures put in place. We look for an informed and comprehensive implementation of these measures.

Form Letter ZH

Total matches 70-100%: 4

Dear NOAA Fisheries, My name is Deb Wills, and I am from Oakland, CA. I have fundamental concerns about the decline in biodiversity. While no longer pursued for its oil, meat and bones, North Atlantic right whales continue to be the victim of ship strikes and entanglement in fishing gear, which can result in protracted, painful deaths. This whale population is declining so quickly that they may be functionally extinct by 2040, in not before, if more isn't done to protect them. That's why I'm writing to you today about our North Atlantic right whales. I'm asking you to do everything you can to save this critically endangered species. While your proposed rule changes are a step in the right direction, it does not go far enough. I urge NOAA Fisheries to consider the following in formulating the final draft of the rule: 1. Weak rope will not do enough: modifications to fishing gear, called weak rope, are intended to reduce risk of entanglement. But weak rope has not been thoroughly evaluated and has not been proven to reduce risk. 2. We need more, and longer, habitat closures: to truly save the species, we need to dramatically reduce the amount of vertical lines in the water. Additionally the proposed closures are too short in duration and not large enough to protect these whales, so some areas need to be enlarged, and some areas need to be protected for longer periods of time, possibly year-round in some cases. 3. Ropeless fishing gear is the best path forward: NOAA Fisheries must continue efforts to test and foster a market for ropeless technologies by creating incentives for

fishermen to try them. Right whales are majestic, maternal creatures that live in our own local oceans. Its up to us to save them. Please do everything you can to prevent their extinction.

Form Letter ZI

Total matches 70-100%: 4

The North Atlantic right whale is critically endangered and needs immediate help to recover. It is NOAA Fisheries legal responsibility under the Endangered Species Act and the Marine Mammal Protection Act to protect this species from injury and death in U.S. waters. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear. NOAA Fisheries estimates that entanglement risk from lobster and crab fisheries needs to be reduced by 60% to 80%. The calculations in the Draft Environmental Impact Statement showing how NOAA Fisheries proposes to achieve that risk reduction rely on an old stock assessment using 2016 population estimates, whereas the most recent population estimates indicate that the North Atlantic right whale has further declined to about 366 animals. So there is no question that a risk reduction target of at least 80% which accounts for unseen whale mortalities is required. The alternative measures that NOAA Fisheries released would achieve only 60-69% risk reduction. North Atlantic right whales can recover if NOAA Fisheries takes swift, effective action to protect them from the vertical buoy lines that entangle and kill them. The proposed rule must be revised, and the final rule must meet the level of risk reduction required by the most recent scientific information. In the meantime, NOAA Fisheries must immediately implement closures to lobster and crab fishing with vertical buoy lines in the areas where right whales concentrate, and help prevent the extinction of this iconic animal.

Form Letter ZJ

Total matches 70-100%: 4

This is a test Form Letter, please ignore

Form Letter ZK

Total matches 70-100%: 4

National Oceanic and Atmospheric Administration (NOAA), The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear is inadequate to save this species from extinction. With only about 360 individuals remaining, the right whale is one of the world's most critically endangered whales. The right whale population has declined 25% in less than a decade. The leading cause of skyrocketing rates of right whale deaths and serious injuries is fishing gear entanglements, which are also preventing reproduction, pushing calving rates to historic lows. More right whales are being harmed and killed by fishing gear entanglements every day. The proposed rule must do more to protect right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. Thank you for considering my perspective. Patricia Harlow harlowpp@gmail.com 624 Erlen Road Plymouth Meeting, Pennsylvania 19462

Form Letter ZL

Total matches 70-100%: 4

National Oceanic and Atmospheric Administration (NOAA), Can we please make the changes we need to make an order to protect the north Atlantic right whale? I think so. It will be a terrible thing if this whale becomes extinct under our watch. The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear does not go far enough to save this species from extinction. More right whales are being harmed and killed by fishing gear entanglements while we wait for action. The proposed rule must do more to protect right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important

right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. Thank you for considering my perspective. Rose Latino roselatino@gmail.com 133 East 2nd St Brooklyn , New York 11218

Form Letter ZM

Total matches 70-100%: 4

I am writing to comment on the proposed modifications to the Atlantic Large Whale Take Reduction Plan as published in the Federal Register. As NOAA has recognized, entanglement in outmoded fishing gear is the leading cause of death for North Atlantic right whales. 85% of right whales have become entangled at least once as they navigate through more than one million buoy ropes attached to fishing gear on the East Coast of the United States. Where there is rope, there is real and imminent risk to right whales. Proposals to reduce entanglement risks to right whales must promote and accelerate the permitting process for ropeless fishing gear. This 21st century technology, pioneered by New England lobstermen, reduces entanglement risk to right whales while maintaining fishermen's access to otherwise closed areas. The NOAA-preferred option of reduced breaking strength or weak rope is a short-term policy option that offers no protection to right whale calves or juveniles from potentially lethal entanglements. I urge you to strengthen the proposed rule changes to ensure they are based on the best available science and technology and to accelerate the adoption of ropeless fishing, a win-win solution for endangered whales, fishermen and coastal economies. Thank you.

Form Letter ZN

Total matches 70-100%: 4

North Atlantic right whales are on the brink of extinction. Current population studies estimate that there are fewer than 366 living whales, with only 82 reproductively active females. Entanglement in commercial fishing gear is the leading cause of serious injury and death for this iconic species. The law requires NOAA Fisheries to make new rules to protect endangered North Atlantic right whales in U.S. waters. After years of delay, the agency finally released a proposed rule to reduce entanglement risk, but its risk reduction measures are based on outdated science and do not go far enough to save right whales from extinction. Also, on the most optimistic timeline, measures included in the final rule to reduce risk to whales would not be in effect on the water until 2022 or later, and the right whale population cannot sustain more deaths in the interim. NOAA Fisheries officials must take emergency action and create immediate fishing closures in areas where right whales are most prevalent while the agency develops stronger protections for the long term.

Form Letter ZO

Total matches 70-100%: 4

CENTER FOR A SUSTAINABLE COAST 221 Mallery Street, Suite B Saint Simons Island, Georgia 31522 Voice: 912.506.5088 REVISED Draft We share the concerns of millions who are witnessing the alarming decline of marine mammals pushing them to the brink of extinction, including the Right Whale. The population of these magnificent animals has plummeted, making them extremely vulnerable to further risks, including offshore fishing that is the cause for most fatalities, in combination with ship-strikes. According to marine scientists, since 2017, 45 right-whale deaths have been documented, and many more are suspected. Because injuries and deaths are often caused by entanglement with vertical buoy lines, rules governing related offshore fisheries activities are extremely important. We are advised that some 85% of right whales have been entangled at least once, and an alarming 50% or more have been entangled repeatedly. As currently drafted, marine biologists advise that unacceptable risks would be propagated despite efforts intended to reduce hazards to right whales and other marine mammals. The proposed requirements are based on obsolete information, leaving right whales needlessly vulnerable to further fatalities and suffering. Moreover, in the interim period of at least a year prior to these new measures being implemented, the right whale population remains dangerously exposed to continued destruction. Due to the dire predicament of near

extinction and such unacceptable hazards, we strongly urge NOAA Fisheries to adopt added protection of the right whale, using the agency's lawful emergency authority to impose restrictions suspending the use of vertical buoy lines in zones where large numbers of right whales are known to have been entangled. Fisheries experts advise that new technologies, called rope-free (or buoy-free) fishing are an opportunity for lobster and crab fishermen to continue operating in areas where right whales are present without further endangering these marine mammals. To develop these alternatives, NOAA Fisheries must continue efforts to test and foster a market for rope-free technologies, including the creation of incentives for fishermen to try them. Accordingly, rope-free testing in closure areas should be authorized under carefully monitored and evaluated conditions, using "exempted" fishing permits. We have a biological, legal, and moral responsibility to end these cruel and avoidable human-caused deaths. Under the Marine Mammal Protection Act (MMPA) and the Endangered Species Act (ESA), the U.S. federal government is required to protect these animals in our nation's waters. We implore you to take our comments to heart by adopting the most protective approach possible to prevent extinction of the right whale.

Form Letter ZP

Total matches 70-100%: 4

I am writing to comment on the proposed modifications to the Atlantic Large Whale Take Reduction Plan as published in the Federal Register. As NOAA has recognized, entanglement in outmoded fishing gear is the leading cause of death for North Atlantic right whales. 85% of right whales have become entangled at least once as they navigate through more than one million buoy ropes attached to fishing gear on the East Coast of the United States. Where there is rope, there is real and imminent risk to right whales. Time is running out. According to NOAA's most recent estimate, fewer than 370 right whales remain. The proposed rule modifications do not represent a serious, science and technology-based effort to save this species from extinction. If NOAA is going to change the rules protecting right whales, the new rules should reflect the most recent population estimate produced by the Agency's own scientist, not data consider obsolete by NOAA itself. Proposals to reduce entanglement risks to right whales must promote and accelerate the permitting process for ropeless fishing gear. This 21st century technology, pioneered by New England lobstermen, reduces entanglement risk to right whales while maintaining fishermen's access to otherwise closed areas. The NOAA-preferred option of reduced breaking strength or weak rope is a short-term policy option that offers no protection to right whale calves or juveniles from potentially lethal entanglements. I urge you to strengthen the proposed rule changes to ensure they are based on the best available science and technology and to accelerate the adoption of ropeless fishing, a win-win solution for endangered whales, fishermen and coastal economies. I have been advocating this same issue for these creatures for 40 years. Enough talk and review just take action. I am exhausted by the tedious continuation of debate that goes no where. We are loosing this battle. The North Atlantic Right Whales are loosing this battle and we keep meeting, discussing, debating to no avail. We have equipment roaming planets beyond countless miles from this planet and yet somehow we can't get fishermen the equipment they need to maintain their livelihood while keeping whales from entanglement or monitor whales right here on this planet to keep them safe from ship strikes. Just how incompetent are we. or more accurately just how much don't we care? Get this done-rope less gear totally subsidized by government for immediate implementation and increase monitoring to avoid ship strikes immediately. We are out of time. The North Atlantic Right Whale is out of time. How ironic #3920-Cottontail has just died after months and months of suffering with entangled line. Thank you. Elizabeth Clemmey 175 Essex Street Mansfield Ma 02048

Form Letter ZQ

Total matches 70-100%: 3

Please protect the whales!

Form Letter ZR

Total matches 70-100%: 3

Time is running out to save the right whales. NOAA's own scientists estimate only 366 remain. We must act now to save them from extinction. The main threat to the survival of this species is entanglement in fishing gear up and down the East coast, and recent proposed rule changes are supposed to reduce this threat. Some of these rule changes might help, but they do not do enough to save right whales from extinction. And whales are not the only ones threatened. NOAA's proposals close more areas to fishing but fail to provide support and fast-track permitting for rope-less fishing gear, a win-win solution that reduces entanglement while fishermen continue to make a living. Ropeless gear technology is the only long-term solution to reduce entanglements while keeping fishermen on the water. NOAA should include a fast-track permitting process to ensure ropeless is legal. Let's get as much rope out of the water as we can and give the North Atlantic right whale a fighting chance. Thank you for your consideration.

Form Letter ZS

Total matches 70-100%: 3

North Atlantic right whales are among the most endangered animals on the planet and without strong, evidence-based protections, the species will continue to decline. And so my family and I urge the NIAA to create immediate fishing closures in areas where right whales are most prevalent, while the agency develops stronger protections in the long term.

Form Letter ZT

Total matches 70-100%: 3

NOAA Fisheries 1315 East-West Highway Silver Spring, MD 20910 RE: Docket No. 201221-0351 - the rulemaking process to protect critically endangered North Atlantic right whales. Dear NOAA Fisheries: Successful reproduction is a challenge for the North Atlantic right whale. Female right whales reach reproductive maturity at around 10 years of age. Historically, the species can give birth to only one calf every three to five years, yet trauma from entanglement has increased this interval to nearly 10 years. With an estimated population of fewer than 100 breeding females, every birth is a cause for celebration and, unless action is taken by your agency, this species will be lost forever. The National Marine Fisheries Service (NMFS) released new data on October 26, 2020 indicating that the population estimates, and mortality and serious injury rates are worse than previously thought. Given the low population numbers (including fewer than 94 breeding females remaining), it is essential that we work together to protect every North Atlantic right whale in order to avoid extinction for this endangered species. Based on the expert opinions of scientists, trusted non-governmental organizations and conservation groups, I don't believe NOAA Fisheries' proposal to reduce the serious injury and mortality of right whales can move the lobster and crab fisheries into compliance with the Marine Mammal Protection Act (MMPA) and the Endangered Species Act (ESA). NOAA Fisheries' proposed measures aim to achieve only 60-69% risk reduction, but they must recalculate the potential biological removal (PBR) level using updated data and publish a final rule that achieves a minimum of an 80% risk reduction. We have a biological, legal, and moral responsibility to curtail human-caused deaths of this species. The U.S. federal government is required to protect these animals in our waters, under the MMPA and the ESA. Please strengthen the proposed North Atlantic right whale take reduction plan and consider emergency action. Thanks for your consideration and efforts to preserve our ecosystem and biological diversity for future generations. Sincerely, Representative Rachel Hunt North Carolina House District 103 Rachel.Hunt@ncleg.gov

Form Letter ZU

Total matches 70-100%: 3

My name is Brennan Strong and I have already shared a lot of my thoughts with you and others regarding the new BiOp and regulations for right whales. I wanted to share a few more genuine suggestions while you are still accepting comments. Instead of more U.S. fishing industry regulation, we all need a lot more research. The only new

U.S. trap/pot regulation I support is increased gear marking with state and area specific colors and that all gear buoys everywhere have at least the same marking requirements as Maine (license number unique to that fisherman/gear owner). Beyond this, anymore regulation is not backed by enough credible research to justify immediate implementation. I can say this with absolute certainty for Maine, I can not speak specifically for other states. I heard the testimony of a Man at a recent public hearing, who was at an ALWTRT meeting and saw a pile of fishing gear pulled off a whale and immediately could tell none of it was from Maine. Please re - direct all effort to increased research and whale disentanglement efforts. We need whale disentanglement teams that are as fearless and tenacious as they are intelligent, willing to do whatever it takes whenever needed to disentangle whales safely. I applaud those who have led the way with these brave rescues. You have my contact so I would happy to be trained on how to help, as well as many others I know. We should be conducting a world-class study on what specific gear configurations and locations are causing entanglements, and during what times of the year. We need both public and private, state and federal, U.S. and Canadian scientists, engineers, ocean goers, and fishermen for an all hands on deck effort to get to the bottom of this serious issue. As well as the gear studies, we need to do much better with tracking right whales. I appreciate and congratulate the work that has been done so far, but it is time to build on our successes, and turn away from the scary path we appear to be going down. If you do not make serious and timely changes to your plans, I will go out of business in 10 years or less. The job I've loved and pursued for over half of my 22 years on earth will be illegal to do practically, safely, or efficiently. I will have to sell my boat and gear which will be rendered worthless, and try to fit in somewhere in the world that I don't belong. As far as vessel strikes go, the U.S. and Canada need immediate world-class research and regulations to reach 0 vessel strike injuries/deaths. Again utilizing both public and private, state and federal, U.S. and Canadian scientists, engineers, ocean goers, and fishermen. This research needs to include a specific study on how the complete shutdown of cruise ships and reduction in freight ships in 2020 positively effected the right whale population. Remembering that during this time the U.S trap/pot fishery still deployed almost 100% of our gear. Personally, I actually doubled gear and production from 2019 to 2020. Most vessel speed and route information can be easily tracked with AIS, so 100% enforcement and compliance is very realistic. Frankly the fact that we don't yet have 100% enforcement and compliance for the current vessel speed/route rule is a failure. I see 10 knots is the number, but that is twice the speed of a right whale. Our dynamic management areas need to be accurate, enforced, and continually updated and moved if necessary to provide the best whale protections possible. Ship noise interferes with right whale communication. I truly care deeply about the whales , all sea life, our way of life, and coastal communities, I hope and pray everyone else involved in this process does too. If there is any way I can be of help in making things work for everyone, please don't hesitate to contact me.

Form Letter ZV

Total matches 70-100%: 3

The North Atlantic right whale is critically endangered and needs immediate help to recover. It is NOAA Fisheries legal responsibility under the Endangered Species Act and the Marine Mammal Protection Act to protect this species from injury and death in U.S. waters. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear. NOAA Fisheries estimates that entanglement risk from lobster and crab fisheries needs to be reduced by 60% to 80%. The calculations in the Draft Environmental Impact Statement showing how NOAA Fisheries proposes to achieve that risk reduction rely on an old stock assessment using 2016 population estimates, whereas the most recent population estimates indicate that the North Atlantic right whale has further declined to about 366 animals. So there is no question that a risk reduction target of at least 80% which accounts for unseen whale mortalities is required. The alternative measures that NOAA Fisheries released would achieve only 60-69% risk reduction. Further, these risk reduction measures rely on an ineffective gear modification called weak rope that has not proved to reduce serious injury and death in whales. It is not worth the economic burden on the industry to change to this rope if there is no proven conservation benefit. In addition, the closures outlined in the proposed rule are too small and too short in duration. Specifically, the closure south of Nantucket and Marthas Vineyard should be year-round, because right whales have been present nearly every month of the year in that area for the past several

years. NOAA Fisheries proposed rule simply does not do enough to save the right whale from extinction. OVERWHELMINGLY, the American people want to PROTECT THE ENVIRONMENT and PROTECT ENDANGERED SPECIES such as the right whale. I IMPLORE YOU TO TAKE IMMEDIATE STRONG ACTIONS to protect the right whale. NOAA Fisheries must take IMMEDIATE EMERGENCY ACTION to PERMANENTLY CLOSE the areas south of Marthas Vineyard and Nantucket and in three areas in the Gulf of Maine. Fisheries for lobster and Jonah crab hurt right whales with their lines, etc. NOAA Fisheries must immediately implement closures to lobster and crab fishing with vertical buoy lines in the areas where right whales concentrate, and help prevent the extinction of this iconic animal.

Form Letter ZW

Total matches 70-100%: 3

The North Atlantic right whale is critically endangered and needs immediate help to recover. It is NOAA Fisheries legal responsibility under the Endangered Species Act and the Marine Mammal Protection Act to protect this species from injury and death in U.S. waters. The greatest threat to right whales in U.S. waters is entanglement in commercial fishing gear. North Atlantic right whales can recover if NOAA Fisheries takes swift, effective action to protect them from the vertical buoy lines that entangle and kill them. The proposed rule must be revised, and the final rule must meet the level of risk reduction required by the most recent scientific information. In the meantime, NOAA Fisheries must immediately implement closures to lobster and crab fishing with vertical buoy lines in the areas where right whales concentrate, and help prevent the extinction of this iconic animal.

Form Letter ZX

Total matches 70-100%: 3

National Oceanic and Atmospheric Administration (NOAA), The National Marine Fisheries Services proposed rule to address North Atlantic right whale entanglements in fishing gear does not go far enough to save this species from extinction. Only about 360 individual whales remain, which means the right whale is one of the world's most critically endangered whales. The population has declined by 25% in only ten years. Fishing gear entanglements have proven to be the leading cause of skyrocketing rates of right whale deaths and are also preventing them from reproducing. National Marine Fisheries Service officials have acknowledged for years that the right whale's situation is dire and that more needs to be done. Right whales are continuing to be harmed and killed by fishing gear entanglements while we wait for action. In order to protect the right whales, we must expand proposed closures and require "ropeless" fishing gear much quicker than the proposed rule outlines. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. Thank you for considering my perspective. Heather Maresh Heather Maresh heather@gscobiz.com 3245 Curtis St Denver, Colorado 80205

Form Letter ZY

Total matches 70-100%: 3

National Oceanic and Atmospheric Administration (NOAA), National Marine Fisheries Service officials have acknowledged for years that the right whale's situation is dire and that more needs to be done. More right whales are being harmed and killed by fishing gear entanglements while we wait for action. The proposed rule must do more to protect right whales by expanding the proposed closures and fast-tracking the transition to requiring "ropeless" fishing gear. The Fisheries Service has the statutory authority to enact emergency regulations to close important right whale habitat to fishing with static vertical buoy lines. Please use that power to save this species from extinction. Thank you for considering my perspective. kathy knapik kathyknapik@gmail.com 797 Iroquois Trail Macedonia, Ohio 44056

Form Letter ZZ

Total matches 70-100%: 3

I support limiting the number of buoys, it would help reduce the chances of whales becoming entangled, the ocean should not be an obstacle course for whales and other marine life to swim through.

Form Letter ZZA

Total matches 70-100%: 3

Everyone wants to save the right whales. INCLUDING the Lobster man. We have done everything possible at this point to coexist modifying our gear, even though we are NOT the problem! All of these so called “entanglements” have been proven they are not American lobster gear. One thing that CAN NOT happen is ROPELESS fishing! Ropeless is not real and will not work! Ropeless technology will never be able to combat with the north Atlantic Ocean and the elements along with impossible avoidance of gear conflict not being able to mark our gear from the surface! We have more safe regulations now then ever INCLUDING closures when the whales are even in our waters! The lobsterman have eliminated every factor of harming these whales possible. Ropeless needs to be forgotten, it’s not needed with the precautions we have now taken and is a impractical fantasy that would miserably fail and ruin the lobstering industry.

Form Letter ZZB

Total matches 70-100%: 3

I am writing to comment on the proposed modifications to the Atlantic Large Whale Take Reduction Plan as published in the Federal Register. And to simply say that I urge you to strengthen the proposed rule changes to ensure they are based on the best available science and technology and to accelerate the adoption of ropeless fishing gear, a win-win solution for endangered whales, fishermen and coastal economies. Thank you.

Appendix 7.5 Comment Submission List

Received Date	Original Document ID	Title	Received Date	Original Document ID	Title
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0019	Comment from Lee Winslow	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5022	Comment from Loretta Tiefen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0020	Comment from Jana Doak	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5023	Comment from Laren Kessler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0021	Comment from Carole Arbour	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5024	Comment from Peggy Yeargain
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0022	Comment from Jean Hanson	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5025	Comment from Stephen Silva
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0023	Comment from Patrick Hartnett	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5026	Comment from Joe Cundari
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0024	Comment from Sharon Morrison	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5027	Comment from Stevee Malamas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0025	Comment from Karen Sinclair	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5028	Comment from Lorna Wood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0026	Comment from Lisa Krieger	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5029	Comment from Leah Wilson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0027	Comment from Diane Watson	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5030	Comment from Danielle Wilson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0028	Comment from Lillian Nordin	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5031	Comment from Sasha Gibbons
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0029	Comment from Riley Canada	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5032	Comment from Holly Zersen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0030	Comment from Laurel Gress	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5033	Comment from Trina White
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0031	Comment from Carolyn O'Shea	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5034	Comment from Fred Quaderer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0032	Comment from Christy Spear	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5035	Comment from Fred Brodsky
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0033	Comment from Fiona Nolan	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5036	Comment from Kelsey McCallie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0034	Comment from Karyn Morales	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5037	Comment from Marceline Garry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0035	Comment from Lillyam Barberi	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5038	Comment from Stephani Ellenwood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0036	Comment from Franceline Malone	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5039	Comment from Annette bailey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0037	Comment from Tracy Butler-Oberste	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5040	Comment from Carrie Watson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0038	Comment from Michael Utley	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5041	Comment from Debbie Bonnet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0039	Comment from Galina Krichmar	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5042	Comment from Erica Stanojevic
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0040	Comment from Christen King	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5043	Comment from Michelle Barbour
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0041	Comment from Simone Sello	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5044	Comment from ALEXANDRA DiGiacomo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0042	Comment from Christine Sell	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5045	Comment from Nancy Bland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0043	Comment from Deborah Perrero	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5046	Comment from Matthew Cloner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0044	Comment from Bob Gaskins	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5048	Comment from Susan Severino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0045	Comment from Diane Kraft	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5049	Comment from Stephen Badger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0046	Comment from Mason GRIFFITH	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5051	Comment from Caleb Pollack
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0047	Comment from B. Lemonik	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5052	Comment from Linda Savage
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0048	Comment from Elizabeth Jackson	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5053	Comment from Michael Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0049	Comment from Lindsay Haukebo	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5054	Comment from Kathy Gruber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0050	Comment from Bob Davis	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5055	Comment from Teresa Iovino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0051	Comment from Lorraine Martinez	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5056	Comment from Jean Pulee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0052	Comment from Jay Levine	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5057	Comment from Cheryl Ferguson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0053	Comment from Stephen Courim	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5058	Comment from Nancy Rittenhouse
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0054	Comment from Cindy Blue	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5059	Comment from JACKIE EDMONDSON
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0055	Comment from Laurie Toner	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5060	Comment from Kelly Henderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0056	Comment from David Lavender	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5061	Comment from J N
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0057	Comment from Eleanor Weisman	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5062	Comment from Theodora Boura
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0058	Comment from William Drake	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5063	Comment from Denee Scribner

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0059	Comment from Mary Curro	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5064	Comment from Janice Hughes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0060	Comment from terr badger	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5065	Comment from jan scott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0061	Comment from Janet Hofmann	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5066	Comment from F Bean
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0062	Comment from Lisa Goldman	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5067	Comment from Kimberly Seater
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0063	Comment from Maryann Kauffman	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5068	Comment from A. Todd
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0064	Comment from Lisa bass	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5069	Comment from Craig Zimmerman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0065	Comment from Scott Messick	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5070	Comment from Nancy McLean
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0066	Comment from Donna Ingenito	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5071	Comment from Alan Mickey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0067	Comment from N Coyle	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5072	Comment from Elizabeth Grainger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0068	Comment from Lisa Jefko	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5073	Comment from Patricia Ferguson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0069	Comment from Ann Thryft	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5074	Comment from Nagisa VanVliet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0070	Comment from Kathryn Johanessen	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5075	Comment from Katherine Ransier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0071	Comment from Charlotte Smith	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5076	Comment from Michael Newport
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0072	Comment from Paul Breeden	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5077	Comment from Kathy Moseley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0073	Comment from Ann Luft	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5078	Comment from Tim Moore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0074	Comment from John McMillan	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5079	Comment from Dyan Draper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0075	Comment from brenda evans	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5080	Comment from Sarah Ksiazek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0076	Comment from Sheila Enright	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5081	Comment from Danielle Stanley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0077	Comment from Blair Miller	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5082	Comment from Sherry Elliott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0078	Comment from Vivian Newman	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5083	Comment from Betty Ramsey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0079	Comment from Bonnie Zotos	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5084	Comment from Sheila Stevens
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0080	Comment from Aimee LaLonde-Norman	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5085	Comment from Tanya Baccarat
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0081	Comment from Hilma Crowfoot	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5086	Comment from Jessica Grubbs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0082	Comment from Leo Shapiro	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5087	Comment from Joline Barth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0083	Comment from Susan McRae	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5088	Comment from Claire Jackson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0084	Comment from Lisa Dian	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5089	Comment from jean appleton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0085	Comment from Kristine Winnicki	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5090	Comment from Sue Simmons
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0086	Comment from Ronald Sverdlove	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5091	Comment from Heidi Shorey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0087	Comment from Angelika Altum	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5092	Comment from Patrick McLaughlin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0088	Comment from Shana Gerwens	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5093	Comment from gaby morales
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0089	Comment from Kathy Franz	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5094	Comment from Don Faia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0090	Comment from Copley Smoak	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5095	Comment from Tom Sunlake
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0091	Comment from Jerry Lee	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5096	Comment from Patty Buttlere
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0092	Comment from DONALD PREISTER	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5097	Comment from Eleanor Lesh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0093	Comment from Connor Hansell	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5098	Comment from Steph Vesey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0094	Comment from Jan Leath	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5099	Comment from Shanna Brandow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0095	Comment from Kathleen Medina	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5100	Comment from Elisabeth Price
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0096	Comment from Jeanette McDonald	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5101	Comment from Phyllis Chavez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0097	Comment from Jed Aicher	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5102	Comment from Josh Heffron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0098	Comment from Sofia Gutierrez	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5103	Comment from Josh Heffron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0099	Comment from Paula ihne	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5104	Comment from Josh Heffron

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0100	Comment from Macaire Grambauer	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5105	Comment from Josh Heffron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0101	Comment from Gretchen Roberts	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5106	Comment from Josh Heffron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0102	Comment from Alice Moore	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5107	Comment from Kate Gualtieri
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0103	Comment from Sharon Latta	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5108	Comment from Donna McGhee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0104	Comment from Peter Sigmann	01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5109	Comment from Cynthia Brooks-Fetty
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0105	Comment from Gary Dunn	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5110	Comment from Janine Vinton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0106	Comment from Robert Moscato	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5111	Comment from Marilyn Garrett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0107	Comment from Ken Bowman	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5112	Comment from Marilyn Garrett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0108	Comment from Thomas Oglin	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5113	Comment from Eva Papoutsis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0109	Comment from Michael Bankston	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5114	Comment from Robyn Lauren
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0110	Comment from John Cecil	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5115	Comment from Donald Evans
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0111	Comment from Jerry Cleveland	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5116	Comment from Patrice Wallace
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0112	Comment from Desiree Nagyfy	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5117	Comment from Amanda Yoder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0113	Comment from Doherty Joanne	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5118	Comment from Sandra Hoover
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0114	Comment from Clifford Phillips	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5119	Comment from Renae McKeon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0115	Comment from Susan P.	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5120	Comment from Roberta Swanson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0116	Comment from Jane Broendel	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5121	Comment from Carol Downey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0117	Comment from Marla Bottesch	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5122	Comment from t mullarkey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0118	Comment from Valrie Horne	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5123	Comment from Doug Sleight
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0119	Comment from mardy weinstein	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5124	Comment from Carol Voeller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0120	Comment from Michael Klausung	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5125	Comment from Patricia Duran
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0121	Comment from Sandra Middour	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5126	Comment from Barbara Peterson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0122	Comment from Bianca Molgora	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5127	Comment from Tom Rolofson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0123	Comment from Kathy Keating	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5128	Comment from Jean Ross
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0124	Comment from Dixie Mullineaux	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5129	Comment from David White
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0125	Comment from Barry Goldfarb	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5130	Comment from Paula Eppler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0126	Comment from Janis Todd	01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5131	Comment from Tina King
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0127	Comment from Elaine Eudy	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5135	Comment from Alexis Khalil
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0128	Comment from Naomi Zurcher	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5137	Comment from Eileen McCloskey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0129	Comment from Meryl Alexander	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5138	Comment from Keyla Cruz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0130	Comment from Diane Kuc	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5139	Comment from Kata Heffron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0131	Comment from James Helmers	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5140	Comment from Shelby McIntosh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0132	Comment from Ellis Woodward	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5141	Comment from Ben Wishnie-Edwards
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0133	Comment from Mary Baker	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5142	Comment from Maddie Lynch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0134	Comment from Jaimee Stransky	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5143	Comment from Nick Marshall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0135	Comment from Robert Hillenbrand	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5144	Comment from Alanna Kelly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0136	Comment from Carol Storthz	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5145	Comment from Barb Kruse
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0137	Comment from Carol Shelton	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5146	Comment from Denise Griffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0138	Comment from Michele Ochsner	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5147	Comment from Yvette fernandez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0139	Comment from Maureen Gwynn	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5148	Comment from Kimberly Phillips
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0140	Comment from Barry Grimecy	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5149	Comment from Melissa Evask

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0141	Comment from Sherri CONSTABLE	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5150	Comment from Deborah Lipman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0142	Comment from Deborah Crosset	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5151	Comment from Kathy Hunter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0143	Comment from Jaimee Stransky	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5152	Comment from Don Wattenbarger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0144	Comment from WENDY FOSSA	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5153	Comment from Kelly Luna
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0145	Comment from Karen Stimson	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5154	Comment from Mary Ovecoglu
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0146	Comment from Katherine Hutchins	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5155	Comment from jackie demarais
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0147	Comment from Charles Hensel	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5156	Comment from Anne Girard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0148	Comment from Theresa Waldspurger	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5158	Comment from Ally Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0149	Comment from Laurie Thompson	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5159	Comment from Haley Hughes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0150	Comment from David Friend	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5161	Comment from Gary Brooker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0151	Comment from Brenda Nieland	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5162	Comment from Nikki Doyle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0152	Comment from Peter Gradoni	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5163	Comment from Teresa McCartney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0153	Comment from Nicky Edelman	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5164	Comment from Gabriella Frey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0154	Comment from David Clapper	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5166	Comment from Susan Diaz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0155	Comment from Barbara OConnor	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5167	Comment from Pat Lawson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0156	Comment from Karen Lavee-Myers	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5168	Comment from Vicki Matheny
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0157	Comment from Dawn Franklin	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5170	Comment from Maryn Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0158	Comment from Thomas Artin	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5171	Comment from Leo Lieber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0159	Comment from Denise Rossi	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5173	Comment from Greg Zupansic
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0160	Comment from Sue Rosenbach	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5174	Comment from Beverly Conroy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0161	Comment from Karen Wolf	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5177	Comment from Mary Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0162	Comment from Deborah Pfeiffer-Traum	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5179	Comment from Dawn Cumings
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0163	Comment from Kimberly Derwent	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5180	Comment from sandra Rakestraw
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0164	Comment from peter travers	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5181	Comment from Holly Hope
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0165	Comment from Charles Favorite	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5183	Comment from Ed Atkins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0166	Comment from Nancy Juskowich	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5184	Comment from Patty Teubner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0167	Comment from janet maker	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5185	Comment from Stephanie Garofalo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0168	Comment from John Green	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5186	Comment from Dawn Dowdy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0169	Comment from Manda Mckay	01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5187	Comment from Lynette Rynders
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0170	Comment from Katherine Hoak	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5188	Comment from Sheila Cowden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0171	Comment from Eva Havas	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5189	Comment from Ellen Desruisseaux
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0172	Comment from Cathy Barton	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5190	Comment from William Schoene
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0173	Comment from Jonathan Rettmann	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5191	Comment from Patricia Morris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0174	Comment from Janet Glaspie	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5192	Comment from Karen Duda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0175	Comment from Sandra Varvel	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5193	Comment from Jennifer Books
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0176	Comment from Mona Spangler	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5197	Comment from Jackson Oberlink
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0177	Comment from Vincent Da Forno	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5199	Comment from Haley Clinton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0178	Comment from Tracy Snell	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5200	Comment from Susan Mathison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0179	Comment from Bennie Scott	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5201	Comment from Nicole Gallo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0180	Comment from Gary Miller	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5202	Comment from lingjie zhou
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0181	Comment from Pamela Kane	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5204	Comment from Lauren Kofsky

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0182	Comment from David Cleveland	01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5206	Comment from Caro Fett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0183	Comment from Denise Day	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5207	Comment from Mark Whitlock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0184	Comment from Blaine Converse	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5208	Comment from Jennifer Mechling
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0185	Comment from Gary Barton	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5209	Comment from Astra Kalodukas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0186	Comment from Robert Carr	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5210	Comment from Barbara Bryan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0187	Comment from Eric Ross	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5211	Comment from Barrie Conger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0188	Comment from Cynthia Opperbeck	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5212	Comment from Joseph Hill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0189	Comment from Janice Thompson	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5213	Comment from Karen Shapiro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0190	Comment from Ivalee Wilson	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5214	Comment from Paul Chidester
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0191	Comment from Cori Ellison	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5215	Comment from Bryan Brooks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0192	Comment from Martin Judd	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5216	Comment from Holly Binns
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0193	Comment from rob fursich	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5217	Comment from Michaela Davis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0194	Comment from Matthew Herrin	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5218	Comment from RHODA STAFF
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0195	Comment from Leigh Begalske	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5219	Comment from David Paquette
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0196	Comment from Melissa Heithaus	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5220	Comment from Vicki Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0197	Comment from Carlos Mata	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5221	Comment from Traci Hamilton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0198	Comment from Lauren Tartaglia	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5222	Comment from Christine B.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0199	Comment from Jeffrey LaGasse	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5223	Comment from Flora Cagno
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0200	Comment from Jake Shirmer	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5224	Comment from Elinor Dankner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0201	Comment from Becky Keenan	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5225	Comment from Kathi Proper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0202	Comment from Ruth Craig	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5226	Comment from Melissa Prescott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0203	Comment from Amy Armstrong	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5227	Comment from Lisa Dean
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0204	Comment from Deanna Homer	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5228	Comment from Lynn Young
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0205	Comment from Caroline Richardson	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5229	Comment from Olga Gonzalez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0206	Comment from JAN DALLESSANDRO	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5230	Comment from Jane Gerardi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0207	Comment from Lisa Stimpson	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5231	Comment from Michael Ewanus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0208	Comment from Nancy Kilgore	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5232	Comment from Carol glazet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0209	Comment from chrisine harker	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5233	Comment from Kirk Litkowiec
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0210	Comment from Joyce Schwartz	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5234	Comment from Beverly Eadie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0211	Comment from Janice Le Blanc	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5235	Comment from Jenifer Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0212	Comment from Johnny Hall	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5236	Comment from Andy Lynn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0213	Comment from John Chase	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5237	Comment from Thomas Sanders
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0214	Comment from Gene DeJoannis	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5238	Comment from Emily English
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0215	Comment from Cathy Becker	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5239	Comment from Stephan Sacco
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0216	Comment from Jennifer Waldo	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5240	Comment from Lisa Stone-Mutti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0217	Comment from Jane Schnee	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5241	Comment from Arnette Sherman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0218	Comment from Robert Findlay	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5242	Comment from Nancy Murrah
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0219	Comment from Bechi Currier	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5243	Comment from John Silvia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0220	Comment from Janet Lindsey-Hays	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5244	Comment from Carole Albertson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0221	Comment from Shelley Vereen	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5245	Comment from Susan LoFurno
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0222	Comment from P Pak	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5246	Comment from Freddy Hernandez

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0223	Comment from Gustaf Sarkkinen	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5247	Comment from Sharon DeLuca
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0224	Comment from Catherine Crow	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5248	Comment from Barbara Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0225	Comment from Greg Singleton	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5249	Comment from Alan McPherson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0226	Comment from Leonard Epstein	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5250	Comment from Janis Wilder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0227	Comment from M Lopez	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5251	Comment from Anna Stunkel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0228	Comment from Mary Southard	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5252	Comment from Nancy Fahey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0229	Comment from Naomi Dunlap	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5253	Comment from Jo Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0230	Comment from Jane White	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5254	Comment from Ruth Tranquillo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0231	Comment from eric naji	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5255	Comment from Kyle McAdam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0232	Comment from Steve Donoso	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5256	Comment from Dennis Tabella
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0233	Comment from Monica Graff	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5257	Comment from Jeremy Brock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0234	Comment from Robert Durych	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5258	Comment from George Neste
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0235	Comment from Stacie Malone	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5259	Comment from Maryanne Adams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0236	Comment from Gabby Johnson	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5260	Comment from Kris Sagar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0237	Comment from Ann Wiseman	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5261	Comment from Jill waldon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0238	Comment from Annette Mello	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5262	Comment from Andrea Holle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0239	Comment from Mary Dickson	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5263	Comment from Eric Schwartz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0240	Comment from Sandra Hoppmann	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5264	Comment from Pamela Wade
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0241	Comment from Jeanine Greene	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5265	Comment from Leslie Irving
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0242	Comment from Mark Gotvald	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5266	Comment from David Dresser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0243	Comment from Lisa Mistretta	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5267	Comment from Ronald Baltrunas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0244	Comment from Norma Kline	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5268	Comment from Natalie Kissel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0245	Comment from Weslie Phillips	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5269	Comment from susan mchugh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0246	Comment from Jeanine Fair	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5270	Comment from Marcia Morton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0247	Comment from bert corley	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5271	Comment from Emily Dugan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0248	Comment from craig figtree	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5272	Comment from Christel Marvin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0249	Comment from Julia Hart	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5273	Comment from Linda Giere
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0250	Comment from SERENA NYIKES	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5274	Comment from DANIEL WAITE
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0251	Comment from Mayelly Moreno	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5275	Comment from Faith Thibodeau
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0252	Comment from Robert Frank	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5276	Comment from Monja Lacasse
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0253	Comment from William Shattuck	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5277	Comment from Waver Broers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0254	Comment from Chris van hook	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5278	Comment from Marsha Chastain
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0255	Comment from Ed Young	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5279	Comment from Dameta Robinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0256	Comment from Rochelle Gravance	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5280	Comment from Patrick Lee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0257	Comment from Patricia Heiden	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5281	Comment from Natasha Saravanja
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0258	Comment from Diane Eisenhower	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5282	Comment from Donald Gropman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0259	Comment from steve lucas	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5284	Comment from Dianne Joyce
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0260	Comment from Judy Trohkimoinen	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5285	Comment from Steven Boyle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0261	Comment from Angela Knable	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5286	Comment from Twaina Forster
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0262	Comment from Debra Miller	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5287	Comment from Carlotta Christy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0263	Comment from Suzanne parodi	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5288	Comment from kristine cervini

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0264	Comment from JOHN PRYBYLSKI	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5289	Comment from Keith Orschell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0265	Comment from nadine vergilia	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5290	Comment from Suzanne Orschell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0266	Comment from Sandra McPherson	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5291	Comment from Lara Post
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0267	Comment from Robert Weinberg	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5292	Comment from Richard Stern
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0268	Comment from Judith Waite	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5293	Comment from Liz s.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0269	Comment from Anita Gryska	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5294	Comment from Lauren Bond
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0270	Comment from Robin Coleman	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5295	Comment from Kathleen Frederiksen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0271	Comment from Jackie Pomies	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5297	Comment from Stephanie Benson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0272	Comment from Kathy Spera	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5298	Comment from Barry Goldfarb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0273	Comment from Daniel O'Brien	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5299	Comment from Dennis DiTullio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0274	Comment from Martha Siegel	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5300	Comment from Dorothy Neff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0275	Comment from Elke Baitis	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5301	Comment from tara wheeler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0276	Comment from Nancy Gregory	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5302	Comment from cynthia molinero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0277	Comment from Michael Sarabia	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5303	Comment from Kerry Hodges
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0278	Comment from ROXANE DOW	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5304	Comment from Kerry Hodges
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0279	Comment from michael morris	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5305	Comment from alice becker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0280	Comment from John Sutherland	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5306	Comment from Mike Vanlandingham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0281	Comment from Michaela Batstone	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5307	Comment from Keith Croes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0282	Comment from vicki jenkins	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5308	Comment from Jane McNulty
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0283	Comment from Judith Levinton	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5309	Comment from Madeline Wright
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0284	Comment from Marion Subjenski	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5310	Comment from Janel Compton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0285	Comment from Dayna Cooper	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5311	Comment from Sherron Bull
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0286	Comment from Hector Bertin	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5312	Comment from Richard Stern
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0287	Comment from William Odonnell	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5313	Comment from Will Morel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0288	Comment from Michael Johan	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5314	Comment from Liliana Silvano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0289	Comment from Michael Golembeski	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5316	Comment from Tom Benton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0290	Comment from Betsy McGill	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5317	Comment from Alan Linn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0291	Comment from Robert Jehn	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5318	Comment from Gary Thaler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0292	Comment from Ann Barnes	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5319	Comment from Alissa Solitto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0293	Comment from Julie Levine	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5320	Comment from Aaron Beer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0294	Comment from Rob Jenkin	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5321	Comment from Amy Biggs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0295	Comment from Robert Greenbaum	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5322	Comment from Jeffrey Ward
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0296	Comment from Gregory Barton	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5323	Comment from Lauren Kupp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0297	Comment from Janet Carmichael	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5324	Comment from Anita Dranetz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0298	Comment from Beth Freeman	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5325	Comment from Alice Moore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0299	Comment from Leslie Leslie	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5326	Comment from April Gilbert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0300	Comment from David Haskins	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5327	Comment from Lucie Laberge
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0301	Comment from alena Jorgensen	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5328	Comment from Ashley Ouellette
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0302	Comment from Claudia Sabine	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5329	Comment from AIXA KENDRICK
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0303	Comment from Shatoiya De La Tour	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5330	Comment from Andra Heide
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0304	Comment from Faith Franck	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5331	Comment from Amanda Cox

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0305	Comment from Bruce Krawisz	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5332	Comment from Ardis Johnston
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0306	Comment from Jeffrey Colledge	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5333	Comment from Denise Griffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0307	Comment from Michael Light	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5334	Comment from Mary Wilson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0308	Comment from melody alexander	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5335	Comment from Alea Chevalier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0309	Comment from Lesley Lillywhite	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5336	Comment from Angela Leventis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0310	Comment from Elizabeth Sima	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5337	Comment from Alexa Wall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0311	Comment from Sherman. Baylin	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5338	Comment from Anthony Celaya
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0312	Comment from Lee White	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5339	Comment from Allison Matteodo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0313	Comment from Gina Norman	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5340	Comment from Elaine Eudy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0314	Comment from Gregory Marks	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5341	Comment from ALVERA PRITCHARD
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0315	Comment from joan peaslee	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5342	Comment from J.A. Perry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0316	Comment from Peggy Herlihy	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5343	Comment from Ivan Flow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0317	Comment from mike butkiewicz	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5345	Comment from John Hardy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0318	Comment from Kicab Castaneda-Mendez	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5346	Comment from Suzanne Shaffer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0319	Comment from Diane Faircloth	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5348	Comment from Edward Handley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0320	Comment from Sarah Wiedel	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5349	Comment from Todd Monson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0321	Comment from Amy Hansen	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5350	Comment from Jennifer Schally
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0322	Comment from kathleen king	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5352	Comment from Judith Ferrell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0323	Comment from Margo Margolis	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5353	Comment from Linda Olson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0324	Comment from j M	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5354	Comment from Bill O'Brien
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0325	Comment from Robyn DeCiccio	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5355	Comment from Mary more
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0326	Comment from John Sailer	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5356	Comment from Joan Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0327	Comment from Rebecca Canright	01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5357	Comment from Mary Breitlow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0328	Comment from Beverly Hoff	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5358	Comment from Kathleen Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0329	Comment from Mark Canright	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5359	Comment from Heidi Lorenz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0330	Comment from Mike Chyba	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5360	Comment from Nancy Hall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0331	Comment from Jane Alexander	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5361	Comment from Darren Frale
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0332	Comment from Eva Marks-Curatolo	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5362	Comment from Thomas Zatolokin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0333	Comment from Yvonne Grams	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5363	Comment from Phillip Woolever
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0334	Comment from Joseph Azzarello	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5365	Comment from Jerry Banks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0335	Comment from marion irwin	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5366	Comment from Joanne Conti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0336	Comment from Sue Koehler	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5367	Comment from Bruno Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0337	Comment from Susan O'Rourke	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5368	Comment from Joseph Wenzel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0338	Comment from Randall Griswold	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5369	Comment from Amanda Griffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0339	Comment from Nancy Ashley	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5370	Comment from Amber Trophy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0340	Comment from Cynthia Sherman-Jones	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5371	Comment from diana banducci
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0341	Comment from A.L. Steiner	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5372	Comment from Carol Knight Watson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0342	Comment from David Grimm	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5373	Comment from Amelia Linder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0343	Comment from Rachel Gullett	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5374	Comment from amy foster
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0344	Comment from Susan Kepner	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5375	Comment from Amy Freeman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0345	Comment from Catherine Clifton	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5376	Comment from Andrea Ferguson

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0346	Comment from Iodiza Lepore	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5377	Comment from Andrew Scott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0347	Comment from Marianne Hines	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5378	Comment from Gail Helland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0348	Comment from John Everett	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5379	Comment from Marguerite Lovett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0349	Comment from HENRY MILLER	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5380	Comment from Anna Lukaszewicz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0350	Comment from Polly Taylor	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5381	Comment from april doyle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0351	Comment from Louise Rickard	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5382	Comment from Anjali Athavale
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0352	Comment from m. baca	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5383	Comment from Stan Dunayer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0353	Comment from Billie Anderson	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5384	Comment from Ann Braman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0354	Comment from Susan Hathcock	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5385	Comment from James Jeffrey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0355	Comment from Ann Wright	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5386	Comment from Becky Savoie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0356	Comment from Wayne Toven	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5387	Comment from Richard Peterson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0357	Comment from Aaron Turkewitz	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5388	Comment from Erica Munn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0358	Comment from Holly Koppenhaver	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5389	Comment from Lisa Burton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0359	Comment from Ron Season	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5390	Comment from Michael Henderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0360	Comment from JAMES LOVICH	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5391	Comment from Linda MacLeman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0361	Comment from Valerie Apel	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5394	Comment from Jim Tschudy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0362	Comment from Ramona Krause	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5395	Comment from Thomas Bennett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0363	Comment from Raymond Arent	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5396	Comment from Valerie Hildebrand
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0364	Comment from Adrienne Mintzer	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5397	Comment from Emily Keuthen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0365	Comment from Michael Smith	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5399	Comment from DK Bolen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0366	Comment from C. Keating	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5400	Comment from shane yellin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0367	Comment from daniel volpatti	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5401	Comment from susan bullen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0368	Comment from Dennis Dougherty	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5403	Comment from Donna Yong
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0369	Comment from Jeffery Biss	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5404	Comment from Janis Kinslow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0370	Comment from Kathy Ralph	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5405	Comment from Laura Dodge
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0371	Comment from Marie Zwicker	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5406	Comment from Laura Troll
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0372	Comment from Jean Saja	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5407	Comment from Daniel Shively
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0373	Comment from Michael Hlis	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5408	Comment from Marilyn Platt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0374	Comment from Patricia Rossi	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5409	Comment from Jeremy Baptist
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0375	Comment from catherine cosman	01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5410	Comment from Heidi Handsaker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0376	Comment from M S	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5411	Comment from Patricia Espinosa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0377	Comment from Annie Dawid	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5413	Comment from Helen Faller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0378	Comment from Dennis Guiney	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5414	Comment from Barbara Carthy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0379	Comment from Jurissah Naive	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5415	Comment from Holly Roe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0380	Comment from Mary Bristow	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5416	Comment from LJ Uchno
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0381	Comment from A Sid	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5417	Comment from Scott Maclowry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0382	Comment from Sharon Fors	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5419	Comment from Lisa Willenbrock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0383	Comment from David Worley	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5420	Comment from Allison Argo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0384	Comment from Todd Fletcher	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5421	Comment from Amy Henry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0385	Comment from Molly Karpin	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5422	Comment from arlene butters
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0386	Comment from Peter Dooley	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5423	Comment from Andrea Taylor

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0387	Comment from Scott Barlow	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5424	Comment from Julie Buxton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0388	Comment from Liz Field	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5425	Comment from Bobbi McClelland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0389	Comment from Arlene Taylor	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5426	Comment from Alex Weiland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0390	Comment from Michael Bondoc	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5427	Comment from Kelly Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0391	Comment from Susan Berry	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5428	Comment from Barbara Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0392	Comment from Phillip Hope	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5429	Comment from Barbara Struss
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0393	Comment from Mel Apodaca	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5430	Comment from Barbara Cetrone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0394	Comment from Pippa Pearthree	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5431	Comment from Barbara Helms
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0395	Comment from Daniel Goldberg	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5432	Comment from Elizabeth Cruise
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0396	Comment from Jerry Curow	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5433	Comment from Barry De Jasu
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0397	Comment from Helen Stuehler	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5434	Comment from Ben Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0398	Comment from Karen Wathen	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5435	Comment from John Rossi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0399	Comment from Rebecca McDonough	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5436	Comment from Becky Sillasen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0400	Comment from Shannon Marshall	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5437	Comment from Joy Sakelson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0401	Comment from Caitlin Lang	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5438	Comment from Diana Reale
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0402	Comment from William Ridgeway	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5439	Comment from Beth Alvernaz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0403	Comment from Diane Verna	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5440	Comment from Elizabeth Werner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0404	Comment from Marc Imlay	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5441	Comment from Betsy McGill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0405	Comment from Glenis Ramirez	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5442	Comment from Wayne Kessler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0406	Comment from B.J. Herbison	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5443	Comment from Beverly Simone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0407	Comment from Christine Angeles	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5444	Comment from Beverly Rice
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0408	Comment from Moraima Suarez	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5445	Comment from Larry Ryan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0409	Comment from Caroline Kern	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5446	Comment from Tom Benton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0410	Comment from Barbara Stenross	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5447	Comment from Alan Linn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0411	Comment from Douglas McCormick	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5448	Comment from Jane Bisson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0412	Comment from Anne brown	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5449	Comment from Bryon Sundberg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0413	Comment from Mariam Andalibi	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5450	Comment from Bahareh Kianpourian
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0414	Comment from Chris Loo	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5451	Comment from Bryan Kirshon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0415	Comment from Nile Arena	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5452	Comment from Barb Morrison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0416	Comment from David Haskins	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5453	Comment from Wolfgang Burger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0417	Comment from Gail Donath	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5454	Comment from Blithe Hogan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0418	Comment from Andrea Wilson	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5455	Comment from Pam Koller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0419	Comment from Bruce Hallett	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5456	Comment from David Davidson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0420	Comment from Timothy Castine	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5457	Comment from Andrew Pudzianowski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0421	Comment from Susan Bortolussi	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5458	Comment from Lee Dalton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0422	Comment from Ava Sneddon	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5459	Comment from Daniel Mink
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0423	Comment from Andy Lynn	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5460	Comment from Andrew Pudzianowski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0424	Comment from Kurt Schwarz	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5461	Comment from Nancy-liane Burger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0425	Comment from Martha Perlmutter	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5462	Comment from Brock Cordeiro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0426	Comment from Richard Stehlik	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5463	Comment from Bob Roach
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0427	Comment from Grace Hepler	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5464	Comment from Robert Schicker

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0428	Comment from Marj Waite	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5465	Comment from Janet Robinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0429	Comment from Monja Lacasse	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5466	Comment from Ryan Rosenthal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0430	Comment from Jerry Davis	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5467	Comment from Bonnie Barfield
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0431	Comment from John Benschoter	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5468	Comment from Elizabeth Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0432	Comment from Logan Johnson	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5469	Comment from Bernard Rafferty
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0433	Comment from Sallie Donkin	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5470	Comment from Nancy and Breslin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0434	Comment from Berte Rosin	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5471	Comment from Brooke Kane
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0435	Comment from A Diamond	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5472	Comment from Brooke Dyer-Bennet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0436	Comment from Claire Gadbois	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5473	Comment from Arthur Schurr
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0437	Comment from Janet Heinle	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5474	Comment from John Burrige
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0438	Comment from nancy sowersby	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5475	Comment from Lisa Hurley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0439	Comment from Stephen roll	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5476	Comment from Cathy Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0440	Comment from Sundae Shields	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5477	Comment from Caitlin Stewart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0441	Comment from Don Waller	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5478	Comment from Annie Laurie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0442	Comment from Margot Wiener	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5479	Comment from Barbara Bradley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0443	Comment from Etta Robin	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5480	Comment from Cara McCormick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0444	Comment from Barbara Kienzle	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5481	Comment from Flavio Cardoso
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0445	Comment from C. Cook	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5482	Comment from Carol Berkeley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0446	Comment from Cate Swan	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5483	Comment from Carol Ramo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0447	Comment from Beatrice Broughton	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5484	Comment from Caryl Speck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0448	Comment from Susan Williams	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5485	Comment from Peter McCormick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0449	Comment from Mary McGaughey	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5486	Comment from Catherine Kroeger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0450	Comment from Jackie Ramirez	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5487	Comment from margo roy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0451	Comment from Daniel Sude	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5488	Comment from Cathie Mestemaker-Harris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0452	Comment from Deedi dayan	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5489	Comment from Pam Patterson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0453	Comment from Michael Lewandowski	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5490	Comment from June Elliott-Cattell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0454	Comment from SBS Challinor	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5491	Comment from Craig Downer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0455	Comment from Jamie Greer	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5492	Comment from Claire Goldthwaite
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0456	Comment from Sheila Tran	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5493	Comment from Catherine McNamara
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0457	Comment from Deanne Romano	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5494	Comment from Carole Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0458	Comment from Harry Knapp	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5495	Comment from Kathy Chakoutis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0459	Comment from irene kubosh	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5496	Comment from Karen Rome
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0460	Comment from sara villanyi	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5497	Comment from Eric Naji
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0461	Comment from Bret Smith	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5498	Comment from Tracy Strickland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0462	Comment from Cara Anderson	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5499	Comment from Christopher Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0463	Comment from Barry Mowday	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5500	Comment from chris burson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0464	Comment from Michael Raymond	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5501	Comment from Christine Roane
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0465	Comment from Jean Allgood	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5502	Comment from Christine Koehler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0466	Comment from sonja franz	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5503	Comment from Christopher Tumolo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0467	Comment from Victoria Brandon	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5504	Comment from Cecyl Ivie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0468	Comment from Karen Hughes	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5505	Comment from Christopher Hughes

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0469	Comment from Thomas Filip	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5506	Comment from Colleen Carroll
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0470	Comment from Glenn Novak	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5507	Comment from Clare Goslant
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0471	Comment from Stephen Evans	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5508	Comment from Claudia Leff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0472	Comment from Dirk Reed	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5509	Comment from Cora Luce
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0473	Comment from Carrie Staton	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5510	Comment from Christina Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0474	Comment from Maria Dabrowski	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5511	Comment from Chris Marx
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0475	Comment from James Cooper	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5512	Comment from Cindy McEwen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0476	Comment from Oceanah D'amore	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5513	Comment from Caryl Sawyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0477	Comment from rona rosen	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5514	Comment from Casey Cochran
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0478	Comment from Chris Buelow	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5515	Comment from James Huychison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0479	Comment from Tim Fleischer	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5516	Comment from Rebecca Straw
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0480	Comment from Dena Hernandez-Kosche	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5517	Comment from Lasha Wells
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0481	Comment from Jack Balch	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5518	Comment from Colleen Cleary
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0482	Comment from Bob Moyer	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5519	Comment from Connie Hershman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0483	Comment from Merrilee Morgan	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5520	Comment from Steven Cook
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0484	Comment from charles Rinear	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5521	Comment from Bobbie Daniels
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0485	Comment from Jazmine Harvey	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5522	Comment from Fred Coppotelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0486	Comment from David Holingue	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5523	Comment from Elise Hanley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0487	Comment from Debbie Friesen	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5524	Comment from Susan Courtney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0488	Comment from Gary Mazzotti	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5525	Comment from Chas Griffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0489	Comment from Elloie Jeter	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5526	Comment from Cricket Blanton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0490	Comment from Lauri Moon	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5527	Comment from Cristina Carata
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0491	Comment from Silvana Depetris	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5528	Comment from Carrie Cannon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0492	Comment from Lynn Killam	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5529	Comment from Freya Harris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0493	Comment from Heather Schlichter	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5530	Comment from Dwight Caldararo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0494	Comment from Traver Cowles	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5531	Comment from Jamie Long
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0495	Comment from maureen rogers	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5532	Comment from danny james
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0496	Comment from Michelle McKenney	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5533	Comment from Daniel Weinberger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0497	Comment from Bob Hagele	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5534	Comment from Douglas &Elvira Rivalsi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0498	Comment from Elizabeth Waldron	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5535	Comment from Lily Beaumont
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0499	Comment from Lisa Whipple	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5536	Comment from Tracey Mangus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0500	Comment from Marcella Hammond	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5537	Comment from David Levinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0501	Comment from Tracy Drake	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5538	Comment from Dawn Matta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0502	Comment from Stephanie Smedley	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5539	Comment from Daniel Belachew
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0503	Comment from Julie Sacco	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5540	Comment from Deborah Coble
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0504	Comment from Melissa K	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5541	Comment from Dorian Charles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0505	Comment from Jackie Creager	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5542	Comment from Debra DeFurio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0506	Comment from Helen Morgan	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5543	Comment from DIANA MCNAIR
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0507	Comment from Mark Crane	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5544	Comment from Debi Combs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0508	Comment from David Moore	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5545	Comment from Jerusalem Wise
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0509	Comment from Sharon McNamare	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5546	Comment from Debra Lancia

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0510	Comment from Walt Mintkeski	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5547	Comment from Deborah Fexis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0511	Comment from Ronald Shenberger	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5548	Comment from Debra Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0512	Comment from Katherine Werner	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5549	Comment from Debra Cahill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0513	Comment from Tim Duda	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5550	Comment from Dominique Edmondson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0514	Comment from Matthew Roth	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5551	Comment from Donna Mastracchio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0515	Comment from Maurice Samuels	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5552	Comment from Barbara Delgado
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0516	Comment from Richard Spotts	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5553	Comment from Dennis Carrig
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0517	Comment from Michael Lawrence	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5554	Comment from Derin Parker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0518	Comment from Radha Singh	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5555	Comment from Dennis Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0519	Comment from Lisa Hughes	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5556	Comment from Diane Sacchetti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0520	Comment from Cheryl Arvio	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5557	Comment from danielle hipworth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0521	Comment from Lisha Doucet	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5558	Comment from Diane Clark
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0522	Comment from Wanda Frostick	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5559	Comment from Ms Wildes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0523	Comment from Rob Puc	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5560	Comment from Richard George
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0524	Comment from Noell Jackson	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5561	Comment from Dimitri Lefever
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0525	Comment from Marguerite Juliusson	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5562	Comment from dina schmidt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0526	Comment from Val Silver	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5563	Comment from Tana Naftzinger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0527	Comment from Beth Hawes	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5564	Comment from Pete Fairley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0528	Comment from April Woolley	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5565	Comment from Alice Gard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0529	Comment from Leann Huber	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5566	Comment from David Erickson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0530	Comment from Carol Modrell	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5567	Comment from Diane Lesser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0531	Comment from Lionel Friedberg	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5568	Comment from dawn kenyon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0532	Comment from claudia bourks	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5569	Comment from Donna Bender
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0533	Comment from Judy Folus	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5570	Comment from Diane Narron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0534	Comment from Jean Bevsek	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5571	Comment from Dobi Dobroslawa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0535	Comment from Martin Tripp	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5572	Comment from Paul Siegel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0536	Comment from Judy McDonald	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5573	Comment from Carole McAuliffe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0537	Comment from Myra Toth	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5574	Comment from MaryAnna Foskett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0538	Comment from Katherine Bohn	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5575	Comment from S Mullins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0539	Comment from Chad Evans	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5576	Comment from Diane Balin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0540	Comment from Steve Jones	01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5577	Comment from Matthew Perry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0541	Comment from Mina Bornn	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5578	Comment from Jill Brothers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0542	Comment from Suzanne Keiffer	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5579	Comment from Laurel Temple
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0543	Comment from Charles Bolick	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5581	Comment from LEANNE MACIAS
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0544	Comment from Aneleh Noslede	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5582	Comment from Nadia Herrera
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0545	Comment from Kimberly Vaz	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5584	Comment from Donna Austin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0546	Comment from Bonnie Thompson	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5585	Comment from Donna Leavitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0547	Comment from Anne Robison	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5586	Comment from doug krause
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0548	Comment from Sally Wise	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5587	Comment from Deborah Perrero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0549	Comment from Richard Clough	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5588	Comment from Bea Shemberg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0550	Comment from chris lewis	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5589	Comment from David Meade

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0551	Comment from Ron Baker	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5590	Comment from Dietlinde Wolf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0552	Comment from Selene Seltzer	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5591	Comment from Elizabeth Ashby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0553	Comment from Max Salt	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5592	Comment from Eva Landeo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0554	Comment from Kristin dubovsky	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5593	Comment from Elizabeth Cherubin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0555	Comment from Patricia Dishman	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5594	Comment from Eric Griffith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0556	Comment from Carlos Acosta	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5595	Comment from Ellie McGuire
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0557	Comment from Andrea Albu	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5596	Comment from Elizabeth Jonach
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0558	Comment from Wendie Lash	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5597	Comment from Eric Fournier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0559	Comment from John Lynch	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5598	Comment from eileen juric
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0560	Comment from Gary Hull	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5599	Comment from Liz Fuekd
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0561	Comment from Jackie Lunz	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5600	Comment from elaine sloan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0562	Comment from Sissi Asperti	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5601	Comment from Elana Rose
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0563	Comment from Nancy Breslin	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5603	Comment from Louis Fischer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0564	Comment from Rochelle Cohen	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5604	Comment from Elizabeth Watts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0565	Comment from Virginia Carton	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5605	Comment from elizabeth mcMahon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0566	Comment from Robert Vasiluth	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5606	Comment from Ellen Callahan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0567	Comment from Elana Eli	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5607	Comment from Kristen Elmes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0568	Comment from David Sarricks	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5608	Comment from Elaine Longo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0569	Comment from Lucille Thibodeau	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5609	Comment from Shelia Ellis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0570	Comment from Bill Holt	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5610	Comment from Judith Embry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0571	Comment from Theresa Johnson	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5611	Comment from Elizabeth Melo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0572	Comment from Pati Jio	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5612	Comment from Zoe Nelson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0573	Comment from Lisa Hoch	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5613	Comment from Bonnie Jerro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0574	Comment from Maria Mutter	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5614	Comment from Mimi Gertler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0575	Comment from Debra Brooks	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5615	Comment from Emily Sagovac
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0576	Comment from Mark Hammond	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5616	Comment from Emily Dickinson-Adams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0577	Comment from Bryan Smith	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5617	Comment from E. Neal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0578	Comment from Peter O'Hara	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5618	Comment from Arlene Macintosh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0579	Comment from steven rule	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5619	Comment from Marty Cowden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0580	Comment from Walt Luerken	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5620	Comment from Et Naji
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0581	Comment from Shannon Jacobs	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5621	Comment from Tom Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0582	Comment from Daniel Kurz	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5622	Comment from Liz Garratt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0583	Comment from tj bolduc	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5623	Comment from Elizabeth Garratt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0584	Comment from Stephen Pittman	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5624	Comment from Evangeline Soter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0585	Comment from La Standridge	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5625	Comment from Karen Estel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0586	Comment from Carol Whitehurst	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5626	Comment from Evelyn Coltman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0587	Comment from Louis Fischer	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5627	Comment from ellen wertheim
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0588	Comment from Susanne Groenendaal	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5628	Comment from Evangeline Tarver
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0589	Comment from Stephanie Huntington	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5629	Comment from Patrick Beaudry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0590	Comment from Marnie Gaede	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5630	Comment from Jane Fallis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0591	Comment from Kelly Grogan	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5631	Comment from Fanny Whitman

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0592	Comment from terese rule	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5632	Comment from Richard Rizzo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0593	Comment from Clyde Willson	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5633	Comment from Karen Lyons kalmenson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0594	Comment from Joanne Marcus	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5634	Comment from fay forman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0595	Comment from Reuben Wade	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5635	Comment from Frances Crocco
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0596	Comment from David Jones	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5636	Comment from Susan Lowe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0597	Comment from Alan Bromborsky	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5637	Comment from Sonja Plumb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0598	Comment from Peter Bailey	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5638	Comment from Fiayo Agbaje
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0599	Comment from Gail Ohara	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5639	Comment from Edith Kelman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0600	Comment from Steven Rule	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5640	Comment from scott finamore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0601	Comment from CARL LUHRING	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5641	Comment from ANNE-MARIE FITZGERALD
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0602	Comment from Judith Beltz	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5642	Comment from Devon Taylor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0603	Comment from J.L. Evans	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5643	Comment from Kathy Flocco-McMaster
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0604	Comment from Cheryl Berkey	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5644	Comment from Richard Lasseter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0605	Comment from a w	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5645	Comment from Sharon Fors
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0606	Comment from Eric Lane	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5646	Comment from Karin Francis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0607	Comment from Cynthia McKeen	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5647	Comment from Frank Repensek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0608	Comment from Drew Pelton	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5648	Comment from Donald Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0609	Comment from Fran Seldin	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5649	Comment from Gail Flanders
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0610	Comment from Patricia Lauer	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5650	Comment from Gail Richardson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0611	Comment from Marianne Bentley	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5651	Comment from Debbie McCarthy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0612	Comment from Dirk Kortz	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5652	Comment from kristin gallanosa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0613	Comment from Robert Tinsley	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5653	Comment from Gary Thaler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0614	Comment from William Gordon	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5654	Comment from Melissa Gaskins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0615	Comment from Barbara Rogers	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5655	Comment from Theresa DeLuca
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0616	Comment from Diane Arnal	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5656	Comment from George Bilyeu
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0617	Comment from Sharon Mora	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5657	Comment from Gudrun Dennis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0618	Comment from Andrew Cross	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5658	Comment from Annie McCann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0619	Comment from Tobe Martin	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5659	Comment from Kenneth Ruby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0620	Comment from Joan Mccoy	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5660	Comment from Eugene Brusin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0621	Comment from Tonia Howe	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5661	Comment from Geneine Payne
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0622	Comment from Patrick Lynch	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5662	Comment from Georgeta Burca
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0623	Comment from Mark Messing	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5663	Comment from Janice Le Blanc
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0624	Comment from Tracey Katsouros	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5664	Comment from gilbert hall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0625	Comment from Vincent Rusch	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5665	Comment from Gina Benevento
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0626	Comment from Dacia Murphy	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5666	Comment from Gina Henrichon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0627	Comment from donna roddvik	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5667	Comment from Gilda Levinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0628	Comment from johanna bensalel	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5668	Comment from Gloria Shen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0629	Comment from Philip Louie	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5669	Comment from Elsy Shallman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0630	Comment from anaundda elijah	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5670	Comment from Heide Coppotelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0631	Comment from MARK SONDERSKOV	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5671	Comment from Amanda Gordon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0632	Comment from Bruce Hlodnicki	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5672	Comment from Gerry Quintero

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0633	Comment from Linda Wasserman	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5673	Comment from Graham Joy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0634	Comment from Catherine Quinlog	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5674	Comment from Joan Tokarz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0635	Comment from Norman Peters	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5675	Comment from Gregory Esteve
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0636	Comment from Jessica Jakubanis	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5676	Comment from Greg Gazzana
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0637	Comment from Deborah Williamson	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5677	Comment from George Stradtman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0638	Comment from Kathleen Houda	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5678	Comment from Greg Strauss
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0639	Comment from Judith Radovsky	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5679	Comment from Christine Norman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0640	Comment from Michael Tomlinson	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5680	Comment from J Grause
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0641	Comment from Janet Hellweg	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5681	Comment from Gregory Esteve
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0642	Comment from Heather Cross	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5682	Comment from Hilary Aquino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0643	Comment from Dorothy Knudson	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5683	Comment from H. Rosenberg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0644	Comment from Annie Eicher	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5684	Comment from Hamilton Regen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0645	Comment from Steven Verinis	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5685	Comment from Bailey Salerno
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0646	Comment from Sherri Williams	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5688	Comment from Elizabeth Fahy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0647	Comment from Donna Renninger	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5689	Comment from Malia Libby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0648	Comment from Tina Wilson	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5690	Comment from Catherine DeGraw
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0649	Comment from Patrick Mitchell	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5692	Comment from Karen Burton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0650	Comment from Barbara Gerhart	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5693	Comment from Jane Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0651	Comment from Virginia Breza	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5694	Comment from Pamella Neely
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0652	Comment from Patricia Palermo	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5695	Comment from Deborah Walden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0653	Comment from Branstetter Kevin	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5696	Comment from Sian McDonald
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0654	Comment from Mark Gowan	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5698	Comment from Cindy Tucker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0655	Comment from Alyson Winters	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5699	Comment from Lynne Hughes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0656	Comment from Bridget Wyatt	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5700	Comment from Sandy DAmbrosio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0657	Comment from Charlie Bergstedt	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5701	Comment from Heather Marx-Zavattero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0658	Comment from Nanette cook	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5702	Comment from Helen Reynolds
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0659	Comment from Kathleen Gallagher	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5703	Comment from Karol Hickman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0660	Comment from Jill Mulato	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5704	Comment from Hilary McGregor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0661	Comment from Jill Alibrandi	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5705	Comment from willie hinze
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0662	Comment from Lorelei Edrosa	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5706	Comment from Howard Chezar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0663	Comment from James van Maanen	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5707	Comment from Holly Bevagna
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0664	Comment from Sabrina Sarne	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5708	Comment from Sherry Holt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0665	Comment from Chris Moore	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5709	Comment from Susan Porter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0666	Comment from George Schneider	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5710	Comment from HENRY MILLER
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0667	Comment from Jennifer Finley	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5711	Comment from Lisa Barth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0668	Comment from Brian Gorra	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5712	Comment from B. R. Lemonik
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0669	Comment from Lois White	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5713	Comment from Lorraine Whispell-Gonzalez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0670	Comment from Thomas Hart	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5714	Comment from Janice Banks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0671	Comment from Valerie Conrad	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5715	Comment from John Leonard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0672	Comment from Teresa Mays	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5716	Comment from Jaxob Pendlebury
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0673	Comment from Helen Navaline	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5717	Comment from J.A. McSwain

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0674	Comment from Carolyn Johnson	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5718	Comment from James Mejuto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0675	Comment from Jean Zanol	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5719	Comment from Jamie Thomas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0676	Comment from Tonya Michel	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5720	Comment from Jan Axelrod RN
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0677	Comment from Michael Freedman	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5721	Comment from Jane Alexander
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0678	Comment from Maryam faresh	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5722	Comment from Janell Copello
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0679	Comment from Heather Denney	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5723	Comment from Jan Emerson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0680	Comment from Paul Bickmore	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5724	Comment from Janine Vinton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0681	Comment from Kelly Brannigan	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5725	Comment from Jared Cornelia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0682	Comment from Hunter Klapperich	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5726	Comment from Jasmina Georgovska
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0683	Comment from Gary LaMaster	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5727	Comment from Jay Rose
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0684	Comment from Katharine Odell	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5728	Comment from Jayne Arrowood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0685	Comment from Todd Milligan	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5729	Comment from Dennis DiTullio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0686	Comment from Barbara Beierl	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5730	Comment from Dr John Brooks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0687	Comment from Thomas Bailey	01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5731	Comment from Dionne Toye
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0688	Comment from Roxy Gray	01/26/2021	NOAA-NMFS-2020-0031-DRAFT-5733	Comment from Barbara MacDonald
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0689	Comment from Peter Farris	01/26/2021	NOAA-NMFS-2020-0031-DRAFT-5734	Comment from Tina Thacker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0690	Comment from Gerald Brookman	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5739	Comment from Michael Evans
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0691	Comment from Linda Horn	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5740	Comment from Adrienne Kellogg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0692	Comment from Vicki Witte	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5741	Comment from Danika Hyssong
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0693	Comment from Patti Barnes	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5742	Comment from patricia field
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0694	Comment from Charlotte Reichert	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5743	Comment from Cynthia Ballard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0695	Comment from Nancy Loftin	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5744	Comment from Ester Fuchs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0696	Comment from Patrick Senkel	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5745	Comment from Joseph Leedy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0697	Comment from Anatole Olczak	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5746	Comment from Marilyn Hawrylik
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0698	Comment from Rachel Cox	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5747	Comment from Margaret Carter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0699	Comment from Claudia Martins	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5748	Comment from lana gurney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0700	Comment from Katherine simon	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5749	Comment from steve Lucas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0701	Comment from denise malcher	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5750	Comment from steve lucas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0702	Comment from Nancy Johnson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5751	Comment from JULIEN JEGOU
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0703	Comment from Cari Brookbanks	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5752	Comment from VIRGINIA BARBER
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0704	Comment from Ellen Fleishman	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5753	Comment from Sarah Meyers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0705	Comment from Constance Franklin	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5754	Comment from Julia Hartman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0706	Comment from Christopher Tumolo	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5755	Comment from Carl Oerke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0707	Comment from Lin Provost	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5756	Comment from Patricia Soteropoulos
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0708	Comment from Michele Osland	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5757	Comment from John slupski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0709	Comment from Gloria Picchetti	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5758	Comment from Dorothea Leicher
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0710	Comment from Ralph Guay	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5759	Comment from sandra hazzard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0711	Comment from L. Adams	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5760	Comment from Adam D'Onofrio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0712	Comment from Deborah Spencer	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5761	Comment from Dawn Lutsky
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0713	Comment from Ken Bosch	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5762	Comment from Jessica Weber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0714	Comment from Robert Nesbit	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5763	Comment from Ann Heinrich

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0715	Comment from Kathleen Roche	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5764	Comment from Wendy Daniel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0716	Comment from Nathaniel Hammerli	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5765	Comment from Susan Crawford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0717	Comment from Harriett Pooler	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5766	Comment from Tim Walsh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0718	Comment from Ellen Homsey	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5767	Comment from Joanne Robrahn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0719	Comment from Annie Caton	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5768	Comment from M Stanley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0720	Comment from Ann Downey	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5769	Comment from Melvin Hoot
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0721	Comment from Sherri Nourse	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5770	Comment from Jt Hyland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0722	Comment from Amanda Collins	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5771	Comment from Richard Crosland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0723	Comment from Timothy Gaudin	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5772	Comment from Karen Paul
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0724	Comment from Sherry Macias	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5773	Comment from Donna Franklin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0725	Comment from Cathy Wootan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5774	Comment from Gwendolyn Sky
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0726	Comment from Gloria Morrison	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5775	Comment from Theodore Steck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0727	Comment from Corinna Hasbach	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5776	Comment from Joseph Gordon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0728	Comment from Michele Vaillancourt	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5777	Comment from Art Shervs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0729	Comment from Eric Steinberg	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5778	Comment from Marilyn Guterman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0730	Comment from Adriana Bernstein	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5779	Comment from RAV FREIDEL
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0731	Comment from Mark Trumbull	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5780	Comment from Mills Tandy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0732	Comment from Dennis Ledden	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5781	Comment from Maureen Swiss
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0733	Comment from Shirley Jackson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5782	Comment from Virginia Freeland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0734	Comment from Lara Kramer-Smith	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5783	Comment from Catherine Bushueff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0735	Comment from James Moss	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5784	Comment from Michael Nelson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0736	Comment from Jessie Kilguss	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5785	Comment from Christina Jackson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0737	Comment from Judith Anderson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5786	Comment from Mark Porter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0738	Comment from Jon Olson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5787	Comment from James Togashi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0739	Comment from Joe Buhowsky	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5788	Comment from Irene Radsack
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0740	Comment from Robin Kory	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5789	Comment from Robert Thomson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0741	Comment from Laura Wilder	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5790	Comment from Theodore Brazeau
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0742	Comment from Vincent Geiger	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5791	Comment from Richard Ruscitto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0743	Comment from Brad Walrod	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5792	Comment from Elena Colicelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0744	Comment from M Sambuchino	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5793	Comment from Marian Simmons
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0745	Comment from MARGARET OROURKE	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5794	Comment from Heather Holly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0746	Comment from Margaret Blakley	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5795	Comment from Patricia Risso
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0747	Comment from Sandra Speicher	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5796	Comment from Christine Joslyn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0748	Comment from Ralph Anderson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5797	Comment from Shari Peto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0749	Comment from Rachel Morr	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5798	Comment from Mary Fudeman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0750	Comment from James Talbot	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5799	Comment from Brian Amos
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0751	Comment from Michelle Mehlhorn	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5800	Comment from marilyn brock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0752	Comment from Georgia Locker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5801	Comment from Ellen Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0753	Comment from Chuck Jesse	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5802	Comment from Jeffrey Teas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0754	Comment from Howard Petlack	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5803	Comment from Karen Osgood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0755	Comment from George Baschiera	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5804	Comment from Phyllis Erwin

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0756	Comment from Bruce Blum	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5805	Comment from Paula Morgan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0757	Comment from Donna Mulvey	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5806	Comment from Amanda Reid
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0758	Comment from Daniel Figueroa	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5807	Comment from Meghan Tracy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0759	Comment from Celia O'Kelley	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5808	Comment from Stephen Samuels
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0760	Comment from Susan Thompson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5809	Comment from Alan Coulter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0761	Comment from robin wright	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5810	Comment from Bethanne Portala
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0762	Comment from Judy White	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5811	Comment from Mariko wheeler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0763	Comment from Wendy Brown	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5812	Comment from Ruth Fernandez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0764	Comment from Fay Lupacchini	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5813	Comment from Lakota Crowchild
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0765	Comment from Kathleen Lewis	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5814	Comment from John Moellers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0766	Comment from Jennifer Abernathy	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5815	Comment from allison alberts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0767	Comment from David Landskron	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5816	Comment from Margie Hancock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0768	Comment from Michael Sixtus	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5817	Comment from Elizabeth Flanigan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0769	Comment from Elena Mavros	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5818	Comment from Carole Klumb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0770	Comment from Susan Bradshaw	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5819	Comment from Cammy Colton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0771	Comment from Bob P.	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5820	Comment from Ann Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0772	Comment from Joseph Corbett	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5821	Comment from B.J. Herbison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0773	Comment from Patricia Kromer-Parsons	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5822	Comment from mattie goodwin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0774	Comment from Barbara Giorgio	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5823	Comment from Eric Abrams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0775	Comment from Susan Turney	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5824	Comment from Brenda Cumpston
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0776	Comment from J.M. Hiatt	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5825	Comment from Peggy Jakopak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0777	Comment from margaret donovan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5827	Comment from Sarah Lerda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0778	Comment from Terry Gunning	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5828	Comment from Scott Gibson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0779	Comment from Anne Aylor	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5829	Comment from Peggy Patti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0780	Comment from Danette Haley	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5830	Comment from Chad Armknecht
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0781	Comment from Lynn arnheim	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5831	Comment from Sandra Materi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0782	Comment from Rich Panter	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5832	Comment from Frederick Glazier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0783	Comment from Robert Rivera	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5833	Comment from Judith Foran
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0784	Comment from Pamela Esser	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5834	Comment from Vicki Perizzolo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0785	Comment from Lynn Lang	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5835	Comment from randy sailer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0786	Comment from GAIL SORENSEN	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5836	Comment from Deirdre Morris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0787	Comment from Louis Rodemann	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5837	Comment from Laurie LaGoe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0788	Comment from John charbonneau	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5838	Comment from heidi Ahlstrand
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0789	Comment from Sandra Dal Cais	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5839	Comment from William Shearer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0790	Comment from Richard Reichmann	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5840	Comment from Gian Morresi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0791	Comment from ed sobey	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5841	Comment from Steve Kline
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0792	Comment from Sally Jennings	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5842	Comment from Ron Season
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0793	Comment from Dawson Pan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5843	Comment from Kimberly Vaz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0794	Comment from Dorothy Hatch	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5844	Comment from Tracey Kleber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0795	Comment from Dana Linder	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5845	Comment from Siobhan Miura
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0796	Comment from Terry Carlin	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5846	Comment from Wendy Connolly

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0797	Comment from William Hayden	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5847	Comment from stephen jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0798	Comment from Carol Becker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5848	Comment from Robert Feaser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0799	Comment from Javier Flores	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5849	Comment from Kelley Charnas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0800	Comment from Jill Wittenbrader	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5850	Comment from Mary Brende
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0801	Comment from Mary Levan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5851	Comment from Shatoiya De La Tour
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0802	Comment from Robin Robinson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5852	Comment from Bruce Kiesel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0803	Comment from Marsha Jarvis	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5853	Comment from Christine Fraser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0804	Comment from Thadeus Dziekonski	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5854	Comment from chad plumly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0805	Comment from Lindy Von Dohlen	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5855	Comment from Sasha Kirby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0806	Comment from Mary Whitehead	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5856	Comment from Sue Wood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0807	Comment from Ann breslauer	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5857	Comment from Steven Fenster
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0808	Comment from Gina Paige	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5858	Comment from Robert Schuessler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0809	Comment from Kevin Bannon	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5859	Comment from Simon Buzzard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0810	Comment from Ann Sinica	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5860	Comment from Dana Ashton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0811	Comment from Randi Byron	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5861	Comment from Tim Durnell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0812	Comment from Pete Sinica	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5862	Comment from Thomas Bailey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0813	Comment from Judith Ackerman	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5863	Comment from Ruth Brennan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0814	Comment from Rick Larsen	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5864	Comment from William Ryerson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0815	Comment from Lynn Ryan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5865	Comment from James Ropicki
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0816	Comment from Juliette Skurka	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5866	Comment from Greg Campbell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0817	Comment from Leslie Michetti	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5867	Comment from Howard McCoy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0818	Comment from Sandra Naidich	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5868	Comment from Virginia Caraco
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0819	Comment from Susan Rambo	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5869	Comment from Catherine White
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0820	Comment from John Teevan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5870	Comment from Barb Crumacker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0821	Comment from Alice Markey	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5871	Comment from Della Oberst
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0822	Comment from Robert Rivera	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5872	Comment from Ann Wiseman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0823	Comment from John Renfrew	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5873	Comment from BARBARA MATHEWS
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0824	Comment from Tami Strong	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5874	Comment from Adrianna Aylard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0825	Comment from Sheila Spencer	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5875	Comment from Sandra Breakfield
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0826	Comment from Karen Peterson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5876	Comment from Anna Kauffman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0827	Comment from Marcy Wasinski	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5877	Comment from Nancy Howard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0828	Comment from M Hodgson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5878	Comment from Malcolm Groome
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0829	Comment from Jay Brasher	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5879	Comment from Eithne Clarke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0830	Comment from oliver smith	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5880	Comment from Jenna Manheimer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0831	Comment from Janet Rafferty	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5881	Comment from Jamila Garrecht
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0832	Comment from Theodore Burger	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5882	Comment from Julie Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0833	Comment from Sherry Toy	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5883	Comment from don dicken
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0834	Comment from George Flores	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5884	Comment from Kelly Paquette
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0835	Comment from Sandra Materi	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5885	Comment from Lisa Tam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0836	Comment from Alan Gonzalez	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5886	Comment from Copley Smoak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0837	Comment from Lisa Annecone	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5887	Comment from Sherry Beck

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0838	Comment from Deimile Mockus	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5888	Comment from Bob Ramlow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0839	Comment from Rochelle Foran	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5889	Comment from Sherry Beck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0840	Comment from Todd Powers	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5890	Comment from Bennie Scott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0841	Comment from Sue Janssen	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5891	Comment from Jean Tabin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0842	Comment from Adam Trauger	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5892	Comment from John Ray
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0843	Comment from Patty Hatcher	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5893	Comment from Priscilla Newcomer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0844	Comment from Mark Waltzer	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5894	Comment from Danielle Graham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0845	Comment from JL Angell	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5895	Comment from Jeff Garmon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0846	Comment from mary ruliffson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5896	Comment from Vicki Sarnecki
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0847	Comment from Christie Ruppel	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5897	Comment from Susan Allen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0848	Comment from Sabine Williams	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5898	Comment from Janet Draper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0849	Comment from Jesse Reyes	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5899	Comment from Mr Bowman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0850	Comment from Cheryl Walker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5900	Comment from Barbara Stenross
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0851	Comment from Tracey Bonner	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5901	Comment from Chris Hazynski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0852	Comment from Janice Zelazo	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5902	Comment from Elsie Maio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0853	Comment from Joan Baseman	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5903	Comment from Steven Adams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0854	Comment from Sheila Erlbaum	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5904	Comment from Kathleen Hynes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0855	Comment from Gerolynn Laukevicz	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5905	Comment from Carol Wiley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0856	Comment from jeff hansen	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5906	Comment from Sara Rabbani
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0857	Comment from Sharon Baker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5907	Comment from Sam Eaton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0858	Comment from Lorrie Ogren	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5908	Comment from Marilyn Siddiqi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0859	Comment from Terry Vollmer	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5909	Comment from Jerry Kahn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0860	Comment from Brian TRUAX	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5910	Comment from Theresa DuBois
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0861	Comment from Thalia Ayoub	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5911	Comment from George Jackman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0862	Comment from David Sickles	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5912	Comment from deborah cady
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0863	Comment from Sherlene Evans	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5913	Comment from Diana Duncan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0864	Comment from Ed Zych	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5914	Comment from Catherine Ayoub
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0865	Comment from tim storer	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5915	Comment from Dave Fischer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0866	Comment from Rhonda Bast	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5916	Comment from Mike Rapoza
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0867	Comment from Jan Salas	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5917	Comment from Jeri Romero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0868	Comment from Susan O'Connor	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5918	Comment from Kathy Nelson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0869	Comment from Lois Shelton	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5919	Comment from Doug Thompson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0870	Comment from Lorenz Steininger	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5920	Comment from Carol Gibson-Kish
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0871	Comment from B. Bergeron	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5921	Comment from Caitlin Lang
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0872	Comment from Elizabeth Bible	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5922	Comment from Stephanie Green
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0873	Comment from Ron Mittan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5923	Comment from Nike Stevens
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0874	Comment from Peggine Vincent	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5924	Comment from Sean Russell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0875	Comment from Paula Beall	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5925	Comment from Julie Hagen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0876	Comment from Richard Weiss	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5926	Comment from Judith Zufi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0877	Comment from Libba Miller	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5927	Comment from M S
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0878	Comment from Shelley Driskell	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5928	Comment from rob fursich

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0879	Comment from pam zimmerman	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5929	Comment from Myrna Castaline
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0880	Comment from Laurie Leland	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5930	Comment from Donna Butler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0881	Comment from Margaret Eschbach	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5931	Comment from JEFFERY BLANTON
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0882	Comment from George Gavaras	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5932	Comment from Edward Sullivan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0883	Comment from Betty Sabo	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5933	Comment from Patrick Doyle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0884	Comment from Guy Zahller	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5934	Comment from Michelle Sewald
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0885	Comment from Robert Ortiz	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5935	Comment from Denise Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0886	Comment from Chuck Graver	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5936	Comment from Kelly Melnyk
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0887	Comment from Misty Jackson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5937	Comment from Maile Anthopoulos
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0888	Comment from Larry Caudill	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5938	Comment from Stephen Dutschke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0889	Comment from jim Barber	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5939	Comment from Dorothea Cappadona
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0890	Comment from Lorraine Gray	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5940	Comment from Carole Dadurka
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0891	Comment from Nina Davis	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5941	Comment from Elizabeth Kawazoe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0892	Comment from Karen Hodges	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5942	Comment from robert gordon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0893	Comment from Katie Morgan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5943	Comment from David Frederick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0894	Comment from Sherry Byers	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5944	Comment from Wandis Wilcox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0895	Comment from Gail Ohara	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5945	Comment from Wayne Steffes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0896	Comment from Elizabeth Way	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5946	Comment from Lauren Griffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0897	Comment from Pattie Meade	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5947	Comment from Lorie Obal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0898	Comment from Kate Harder	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5948	Comment from Armand Gammarino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0899	Comment from Brianna Knickerbocker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5949	Comment from James Hadcroft
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0900	Comment from David Balan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5950	Comment from Tonya Rose
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0901	Comment from Mary Ellis	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5951	Comment from Michael Renfrow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0902	Comment from Silvia Noell	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5952	Comment from Anne Robison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0903	Comment from William Welkowitz	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5953	Comment from Juanita Bittle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0904	Comment from Natalia Laisure	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5954	Comment from Nancy Juskowich
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0905	Comment from Nicola Nicolai	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5955	Comment from Larry Orzechowski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0906	Comment from Lore Weber	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5956	Comment from Ellen Kinney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0907	Comment from Teresa Edmonds	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5957	Comment from John Laing
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0908	Comment from Beth Levin	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5958	Comment from misha cohen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0909	Comment from Janice Parker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5960	Comment from Jeffery Garcia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0910	Comment from Katrin Winterer	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5961	Comment from Joseph Spurgas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0911	Comment from Ester Fuchs	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5962	Comment from Annalee Pineda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0912	Comment from Michael Halloran	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5963	Comment from Liza Connelly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0913	Comment from Michael Secino	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5964	Comment from T Thompson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0914	Comment from Darlene Baker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5965	Comment from Marc Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0915	Comment from Dorothy Labi	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5966	Comment from Dorian Charles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0916	Comment from Kathleen Ruiz	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5967	Comment from Barbara Baird
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0917	Comment from Sarah Lee	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5968	Comment from Jahna Schadt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0918	Comment from Marguerite Barragan	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5969	Comment from Sheila Silan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0919	Comment from Brandon Perras	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5970	Comment from Eva Klein

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0920	Comment from Mark Hollinrake	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5971	Comment from Sherry Griffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0921	Comment from Brian Moscatello	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5972	Comment from Guy Nguyen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0922	Comment from Virginia Kingery	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5973	Comment from Jeffery Morton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0923	Comment from Bryan Daniel	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5974	Comment from Elaine Berg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0924	Comment from Sally Woodard	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5975	Comment from Theresa Campbell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0925	Comment from nancy siebert	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5976	Comment from Harriet Rose
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0926	Comment from Cynthia Haritatos	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5977	Comment from J.B. Johnson-Allen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0927	Comment from Morgan Cormia	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5978	Comment from MS Tomasello
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0928	Comment from Maria Williamson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5979	Comment from Gordon Parker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0929	Comment from Julie Tyler	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5980	Comment from Brandt Amlie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0930	Comment from Cynthia Hicks	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5981	Comment from Anthony Donnici
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0931	Comment from Lucia Pasqualini	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5982	Comment from Mathew Vipond
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0932	Comment from janet maker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5983	Comment from CHARLES RYBURN
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0933	Comment from Vicki Ferguson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5984	Comment from Robert Keiser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0934	Comment from Sue Jarrard	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5985	Comment from Benita Musleve
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0935	Comment from Matt Buckmaster	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5986	Comment from Sandra Marquez-Hall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0936	Comment from Kerry Witmer	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5987	Comment from Peggy Lyle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0937	Comment from Jan Hamilton-Sherwonit	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5988	Comment from David Crouch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0938	Comment from John Massman	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5989	Comment from Michael Graves
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0939	Comment from Manon Roberge	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5990	Comment from Dianne Alpern
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0940	Comment from Kathy Ruopp	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5991	Comment from gayle richardson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0941	Comment from Daniel Figueroa	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5992	Comment from Jason LaBerge
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0942	Comment from Rebecca Tucker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5993	Comment from Michael Stricker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0943	Comment from Steve Sheehy	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5994	Comment from William Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0944	Comment from Carol Dearborn	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5995	Comment from Lorraine Lowry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0945	Comment from Christi DeMark	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5996	Comment from Erin Foley-Collins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0946	Comment from Lynda Means	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5997	Comment from Kristen Lowry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0947	Comment from Kimm Carter	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5998	Comment from Kurt Cruger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0948	Comment from LAURA ARIAS	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5999	Comment from Heather Grunwald
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0949	Comment from Nan Matthews	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6000	Comment from Carolyn Pettis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0950	Comment from Ralf Schuetz	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6001	Comment from Janice McLaughlin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0951	Comment from Lisa Phinney	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6002	Comment from Charlene Kerchevall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0952	Comment from Janet Bindas	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6003	Comment from Sandra Uribe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0953	Comment from S. Chapek	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6004	Comment from Rob Seltzer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0954	Comment from Jamie Shields	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6005	Comment from Linda Deschaine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0955	Comment from Janet Carlisle	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6006	Comment from Marilyn Dempsey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0956	Comment from Art Bogie	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6007	Comment from Katie McCracken
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0957	Comment from Emanuel Falcone	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6008	Comment from Kristyn MacPhail
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0958	Comment from Lyn Pegg	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6009	Comment from Lynne Reynolds
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0959	Comment from Susan Bassett	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6010	Comment from Sean Ring
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0960	Comment from Randolph Schoedler	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6011	Comment from Katherine Nolan

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0961	Comment from Piero Soligo	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6012	Comment from Richard Peterson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0962	Comment from Jessica Taylor	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6013	Comment from Philip Louie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0963	Comment from Marianne White	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6014	Comment from Richard Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0964	Comment from Judith Hansell	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6015	Comment from Richard Alley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0965	Comment from Ronald Warren	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6016	Comment from gayle richardson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0966	Comment from Anett Young	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6017	Comment from Paul Toomey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0967	Comment from Marcella Crane	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6018	Comment from Christine Hayes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0968	Comment from Thom Sherman	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6019	Comment from John Gieser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0969	Comment from Steven Kennie	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6020	Comment from Diane Loughbom
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0970	Comment from Laura Belgiorno	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6021	Comment from freddy sall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0971	Comment from Donita Sparks	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6022	Comment from Heather Hanly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0972	Comment from Beth Drewelow	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6023	Comment from Lourdes Guzman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0973	Comment from Elizabeth Bettenhausen	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6024	Comment from Carolyn Abreu
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0974	Comment from Dennis Kreiner	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6025	Comment from Amy Holt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0975	Comment from Delia Gerhard	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6026	Comment from Patti Jahsman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0976	Comment from steve simmons	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6027	Comment from Jay Falconer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0977	Comment from C Moses	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6028	Comment from Howard Fernandez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0978	Comment from Dameon Hansen	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6029	Comment from Nora Coyle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0979	Comment from Dawn Kosoc	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6030	Comment from John Beck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0980	Comment from L. Sinclair	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6031	Comment from Nicole Gillespy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0981	Comment from Timothy Frock	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6032	Comment from Vanessa Diserio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0982	Comment from Pamela Jarvis	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6033	Comment from pam doran
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0983	Comment from Nina Yates	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6034	Comment from ANDREW YOUNG
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0984	Comment from Diane Weinstein	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6035	Comment from M .
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0985	Comment from Don Bentley	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6036	Comment from Mary Naby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0986	Comment from Holly Putman	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6037	Comment from Hugh Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0987	Comment from Dalyn Ortega	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6038	Comment from George Grace
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0988	Comment from Jim Leske	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6039	Comment from Barbara Fernandez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0989	Comment from Barbra Raymond	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6040	Comment from Mary Pelletier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0990	Comment from Jenifer Johnson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6041	Comment from Isabel Cervera
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0991	Comment from Alan Schenck	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6042	Comment from Christina Huggins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0992	Comment from Richard Han	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6043	Comment from saul schreier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0993	Comment from Margaret Phillips	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6044	Comment from Bill Harmon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0994	Comment from Andrew Karen	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6045	Comment from Katherine Skirvin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0995	Comment from Patty Bachner	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6046	Comment from john naylor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0996	Comment from Vikki Dannecker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6047	Comment from Carmen Lee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0997	Comment from Martina Strbuncelj	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6048	Comment from Sally Evans
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0998	Comment from Chris Grill	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6049	Comment from Jeanie Kilgour
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0999	Comment from Bill Wood	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6050	Comment from Norm Seelbinder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1000	Comment from Larry Lewis	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6051	Comment from Rebecca Holzer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1001	Comment from Sandra Marquez-Hall	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6052	Comment from Susana Soares

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1002	Comment from Pat Rose	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6053	Comment from Jayson Minio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1003	Comment from Veronica Bourassa	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6054	Comment from Merry Guben
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1004	Comment from Jennifer Andrews	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6055	Comment from Diane Weinstein
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1005	Comment from Diane loughbom	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6056	Comment from Steve Tardif
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1006	Comment from jonette bronson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6057	Comment from Peter Kasabian
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1007	Comment from amy pick	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6058	Comment from Sarah Lee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1008	Comment from Jennifer Adams	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6059	Comment from Jerry Lee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1009	Comment from Mary Guard	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6060	Comment from Barbara Campbell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1010	Comment from Brigitte Jenkins	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6061	Comment from Pam Beattie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1011	Comment from Robert Clemens	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6062	Comment from susan ditzler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1012	Comment from Ron De Stefano	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6063	Comment from Gerald Scharf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1013	Comment from Norman Sandel	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6064	Comment from Ellen Goodman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1014	Comment from Charles Casper	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6065	Comment from Elizabeth Sundquist
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1015	Comment from Carola Tschiemer	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6066	Comment from Kristin Nam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1016	Comment from Rick Priebe	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6067	Comment from Denise Hosta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1017	Comment from Pat Ellison	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6068	Comment from Jill B.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1018	Comment from Sue Farro	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6069	Comment from Sandra Joos
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1019	Comment from Michael Hoover	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6070	Comment from Janet Duran
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1020	Comment from April Jacob	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6071	Comment from virginia sheheen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1021	Comment from Nancy Goldberg	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6072	Comment from Eric Lane
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1022	Comment from les roberts	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6073	Comment from Donovan McCall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1023	Comment from david bradbury	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6074	Comment from Raven Vergara
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1024	Comment from Liz Kauffman	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6075	Comment from Dell Goldsmith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1025	Comment from Ursula Cohrs	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6076	Comment from Kyrsten Bellen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1026	Comment from Ted Clark	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6077	Comment from Hope Maruzo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1027	Comment from Shawn Hall	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6078	Comment from Carmela Micheli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1028	Comment from Madhu Ashtakala	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6079	Comment from Freddy Luke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1029	Comment from A. Zamudio	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6080	Comment from Lourdes Lopez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1030	Comment from JOHN STEYH	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6081	Comment from Judith Embry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1031	Comment from Steven Korson	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6082	Comment from Patricia Snowden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1032	Comment from Ronnie Bolling	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6083	Comment from Kraig Schweiss
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1033	Comment from Susan Ancona	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6084	Comment from Paul Fields
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1034	Comment from SUSAN BABBITT	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6085	Comment from Greg Holt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1035	Comment from Thomas Struhsaker	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6086	Comment from Teri Koslen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1036	Comment from Jeannie perry	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6087	Comment from Cynthia Upp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1037	Comment from Eddie Pittmon	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6088	Comment from William Visscher
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1038	Comment from Victoria Brandon	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6089	Comment from Nancy Frakes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1039	Comment from Mary Collier	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6090	Comment from Allen Hindin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1040	Comment from Norman Traum	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6091	Comment from Nicholas Bridgett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1041	Comment from Vivian Dowell	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6092	Comment from J. Moreira
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1042	Comment from Laurel Kornfeld	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6093	Comment from Francesca Gallo

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1043	Comment from Frances Blythe	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6094	Comment from Michelle Bienick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1044	Comment from Donna Varcoe	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6095	Comment from Jen Holtz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1045	Comment from Joe Roy	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6096	Comment from Karen Felts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1046	Comment from Cyndee Newick	01/27/2021	NOAA-NMFS-2020-0031-DRAFT-6097	Comment from Ady Larsen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1047	Comment from Claire Goldthwaite	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6098	Comment from Myra Toth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1048	Comment from Donald Hill	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6099	Comment from Debbie Thorn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1049	Comment from Lois White	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6100	Comment from Tamaira Patton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1050	Comment from Erin Quist	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6101	Comment from Jessie Osborne
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1051	Comment from bruce raymond	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6102	Comment from Josefina Lopez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1052	Comment from Linda Mitchell	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6103	Comment from JOE EARNSHAW
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1053	Comment from Therese Hall	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6104	Comment from Bonnie Faith-Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1054	Comment from Gabriella Turek	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6105	Comment from Radha Shenoy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1055	Comment from Karen Quay	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6106	Comment from Susan Babbitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1056	Comment from g clemson	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6107	Comment from Gladys Gonzalez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1057	Comment from Dawn Hendry	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6108	Comment from Martha Seibert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1058	Comment from John McPeek	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6109	Comment from Anna Hornick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1059	Comment from Robert Souza	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6110	Comment from Devon Kendall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1060	Comment from Marney Reed	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6111	Comment from Maria Miranda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1061	Comment from Tom Beatini	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6112	Comment from Kris Gata
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1062	Comment from Kerby Miller	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6113	Comment from Irene de Forges
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1063	Comment from David Middleton	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6114	Comment from Kathy Popoff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1064	Comment from Elizabeth Slikas	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6115	Comment from Romy Overstreet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1065	Comment from Jordan Briskin	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6116	Comment from Anthony Patricco
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1066	Comment from Henry Kimbell	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6117	Comment from Anthony Patricco
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1067	Comment from Kenneth Yates	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6118	Comment from Joy Marzolf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1068	Comment from Jessica Cresseveur	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6119	Comment from Richard Cullerton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1069	Comment from DANIEL WAITE	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6120	Comment from Linda Gertig
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1070	Comment from William McWha	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6122	Comment from Holloway, Sandra
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1071	Comment from Lisa-May Reynolds	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6126	Comment from Pool, Joan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1072	Comment from Stephen Fitch	01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6128	Comment from Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1073	Comment from Mary OConnor	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6130	Comment from Vanja Hathcock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1074	Comment from Richard Klene	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6131	Comment from Valerie Brown
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1075	Comment from Doug Harder	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6132	Comment from Angela OHare
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1076	Comment from Jasmene Smith	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6133	Comment from Judith Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1077	Comment from Kathleen Kiselewich	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6134	Comment from Timothy Gaudin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1078	Comment from Carole Trickett	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6135	Comment from Victor Heinrich
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1079	Comment from Morgan Lazenby	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6136	Comment from Lyda Stillwell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1080	Comment from Daphne Figueroa	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6137	Comment from Riley Canada
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1081	Comment from mark youd	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6138	Comment from Gordon Abrams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1082	Comment from Roberta Parrish	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6140	Comment from Richard Detar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1083	Comment from Meghan Lempa	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6141	Comment from kathy haverkamp

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1084	Comment from James Robertson	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6142	Comment from Shannon Powers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1085	Comment from Emily Van Alyne	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6143	Comment from Erin kiesow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1086	Comment from Ra Szumal	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6144	Comment from Caitlin Walsh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1087	Comment from Jan Bargaen	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6145	Comment from Tina Bailey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1088	Comment from Mary OConnor	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6146	Comment from Petra Hays
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1089	Comment from PATRICIA EVERLY	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6147	Comment from Jamaka Petzak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1090	Comment from David Dragon	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6148	Comment from Linda Claycomb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1091	Comment from Patricia Mctigue	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6149	Comment from Barbara Hart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1092	Comment from Robert Wallace	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6150	Comment from m p
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1093	Comment from Harry Blumenthal	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6151	Comment from Andrea Schneider
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1094	Comment from Linda Fowler	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6152	Comment from Annie Laurie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1095	Comment from Jill Mossor	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6153	Comment from June Summers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1096	Comment from Roger Hollander	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6154	Comment from Lilly Dakouris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1097	Comment from Robert Giambruno	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6156	Comment from Kymberly Escobar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1098	Comment from Kate Skolnick	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6157	Comment from Aaron Kornbluth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1099	Comment from Babs Marchand	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6158	Comment from Bobby Hayden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1100	Comment from lyn mont	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6159	Comment from Haley Marino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1101	Comment from Brett Schultz	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6160	Comment from William Nusbaum
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1102	Comment from Joseph McCullough	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6161	Comment from Sharyn Magee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1103	Comment from Michael McCartin	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6162	Comment from Bonnie Thompson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1104	Comment from Ian Shelley	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6163	Comment from Cheryl Albert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1105	Comment from Joe Racine	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6164	Comment from Deborah Iannizzotto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1106	Comment from Tim Durnell	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6165	Comment from Sharon greenrod
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1107	Comment from erin znidar	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6166	Comment from Lynda Nesbitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1108	Comment from Charles Patterson	01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6167	Comment from Eileen Levin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1109	Comment from Michael Orloff	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6168	Comment from Natasha Varner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1110	Comment from Maia Van Pelt	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6169	Comment from John Thompson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1111	Comment from Jini Fisher	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6170	Comment from francis mastri
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1112	Comment from Barbara MacAlpine	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6171	Comment from Christine King
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1113	Comment from Patricia Lenzen	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6172	Comment from Kerry Heck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1114	Comment from Peter Klosterman	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6173	Comment from Jody Tatum
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1115	Comment from Michael King	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6174	Comment from Barbara Sorgeler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1116	Comment from ANNE RETTENMAIR	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6175	Comment from Nancy Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1117	Comment from Mitch M	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6176	Comment from Lura irish
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1118	Comment from susan ellis	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6177	Comment from Randall Sorscher
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1119	Comment from Susan Lee	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6178	Comment from Curtis Barnett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1120	Comment from Gavin Kramer	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6180	Comment from Mary Carrick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1121	Comment from Brian McKee	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6181	Comment from Amy Roberts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1122	Comment from Kathy Kosinski	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6182	Comment from Madison Hoover
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1123	Comment from Mark Molloy	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6183	Comment from Diana Bohn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1124	Comment from Victoria Cross	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6184	Comment from Kathleen O'Connell

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1125	Comment from sunday kraushaar	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6185	Comment from Denise Lytle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1126	Comment from Linda Klein	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6186	Comment from Astrid Jarvis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1127	Comment from Beverly Bradshaw	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6187	Comment from Otto Salm
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1128	Comment from Joseph Gulas	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6188	Comment from Melissa Bishop
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1129	Comment from Hal Glidden	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6189	Comment from Warren Kerrigan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1130	Comment from Nicole Bickel	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6190	Comment from Nicholas Sherman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1131	Comment from jacqueline knable	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6191	Comment from Ryan Orgera
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1132	Comment from Amy Cyr	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6192	Comment from Todd Monson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1133	Comment from Tori Herbst	01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6193	Comment from Mary Sanders
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1134	Comment from Terri Blake	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6194	Comment from julie peppard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1135	Comment from barbara levedahl	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6195	Comment from Paul Spiers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1136	Comment from Deb Lincoln	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6196	Comment from Kerry Heck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1137	Comment from sheila draughon	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6197	Comment from Karen Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1138	Comment from Wilcox Kenneth	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6198	Comment from Karen Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1139	Comment from June Balish	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6199	Comment from Cristina Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1140	Comment from Elizabeth Luebbers	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6201	Comment from Steven Steele
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1141	Comment from Patricia Gashlin	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6202	Comment from Anne Kreider
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1142	Comment from R. Mandelblatt	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6203	Comment from John Paone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1143	Comment from Rebecca Frank	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6204	Comment from Jean Tabin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1144	Comment from Robert Johnson	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6205	Comment from Paul Bickmore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1145	Comment from Joe Balsamo	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6206	Comment from Judy Kading
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1146	Comment from Jo K.	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6207	Comment from Eric Griffith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1147	Comment from John Kim	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6208	Comment from Anna Camarata
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1148	Comment from Dolores Saenz	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6209	Comment from Susan Gerry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1149	Comment from Renee Grant	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6210	Comment from Molly duffy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1150	Comment from diane cote	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6211	Comment from Rosalyn Rohloff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1151	Comment from Elizabeth Hoffman	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6213	Comment from eric pash
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1152	Comment from David Randall	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6214	Comment from Colleen Robson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1153	Comment from Shirley Sutter	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6215	Comment from Robert Hartford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1154	Comment from Carol Patton	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6216	Comment from Jean Bakowycz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1155	Comment from Gordon Cook	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6217	Comment from Cohn Nancy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1156	Comment from Leticia Garcia	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6218	Comment from Judi Travis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1157	Comment from Thomas Hamilton	01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6219	Comment from Alice Felix
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1158	Comment from Georgeann ventola	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6220	Comment from Robert Park
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1159	Comment from Jenny Reeves	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6221	Comment from Kris Aaron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1160	Comment from Wendy Pratt	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6222	Comment from Kelly Carlson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1161	Comment from Donald Greenberg	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6223	Comment from Cynthia Allen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1162	Comment from Janet Harwell	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6224	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1163	Comment from Linda Tonnesen	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6225	Comment from Edward Flanagan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1164	Comment from Tristan Sophia	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6226	Comment from Nicole Byrd
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1165	Comment from Dana Sanchez	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6227	Comment from Aimee Schmidt

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1166	Comment from Kay Sundstrom	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6228	Comment from Gretchen holtz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1167	Comment from Cathy Reynolds	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6229	Comment from Saula Siegel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1168	Comment from Kelly Hibbert	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6230	Comment from Deb Schneider-Murphy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1169	Comment from Michelle MacKenzie	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6231	Comment from Lisa Selby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1170	Comment from Robert Anderson	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6232	Comment from A D
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1171	Comment from Carlene Deits-Lebehn	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6233	Comment from Lisa Salazar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1172	Comment from Angela Ramirez	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6234	Comment from Ann Phelan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1173	Comment from Sarah Gray	02/01/2021	NOAA-NMFS-2020-0031-DRAFT-6235	Comment from Kathleen O'Connell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1174	Comment from Chad Johnson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6236	Comment from Hyde Post
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1175	Comment from doug krause	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6237	Comment from Sean Harper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1176	Comment from David Rockwell	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6239	Comment from MP Atha
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1177	Comment from steve schatvet	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6240	Comment from Dayanara De Oca
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1178	Comment from Alice LeTourneau	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6241	Comment from Donna Hunt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1179	Comment from Jan Siemucha	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6242	Comment from Liz Ernst
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1180	Comment from Angelika Pfutzner	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6243	Comment from jennifer thompson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1181	Comment from Elaine Preston	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6244	Comment from Jeffrey Albertson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1182	Comment from Marilyn Guterman	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6245	Comment from Linda Waine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1183	Comment from JULIANNA BENEFIELD	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6246	Comment from Lizbeth Simpson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1184	Comment from pat lukensmeyer	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6247	Comment from Roy Taylor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1185	Comment from Becky Hixson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6248	Comment from michelle lang
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1186	Comment from Ruth Curiale	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6249	Comment from Gayle Edelman-Tolchin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1187	Comment from alicia jackson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6250	Comment from Paige RN
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1188	Comment from Glenna Harris	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6251	Comment from SUSAN RATKIEWICH
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1189	Comment from Patricia Pook	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6252	Comment from Douglas Robinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1190	Comment from Elaine Benjamin	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6253	Comment from Melody Masi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1191	Comment from Dawn Reed	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6254	Comment from Lauren Schoenleber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1192	Comment from Judith Glixon	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6255	Comment from Morgan Boots
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1193	Comment from Kenneth Wright	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6256	Comment from Ilya Speranza
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1194	Comment from Robbi Courtaway	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6257	Comment from Silvana Camera
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1195	Comment from Rick Edmondson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6258	Comment from Caleb Pollack
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1196	Comment from Michael Violante	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6259	Comment from Carla Korrick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1197	Comment from Alan Foster	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6260	Comment from Margaret Raynolds
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1198	Comment from Jeffrey Ward	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6261	Comment from Ronald Thuemler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1199	Comment from Marilyn Koff	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6262	Comment from Ellen Weisbecker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1200	Comment from Joseph White	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6263	Comment from Lynne Morrissey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1201	Comment from Frank Blake	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6264	Comment from Marcos Minozzo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1202	Comment from Michele Temple	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6266	Comment from Maureen Schiener
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1203	Comment from Tara Gonzales	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6267	Comment from Lashes Wells
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1204	Comment from Mana Iluna	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6268	Comment from Lynn Young
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1205	Comment from Linda Moorehead	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6269	Comment from Cathy Weisbecker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1206	Comment from Dan Racz	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6270	Comment from Bekki Bearheart

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1207	Comment from Kermit Cuff	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6273	Comment from Doreen Testani
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1208	Comment from Claire Bush	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6274	Comment from Cindy Falabella
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1209	Comment from Sandy Stuhaan	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6275	Comment from cheryl kathan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1210	Comment from Maria Yepes	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6276	Comment from Brian Gingras
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1211	Comment from Ann Myers	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6277	Comment from Carol glazer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1212	Comment from S. Barnhart	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6278	Comment from Robert Davis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1213	Comment from Chris Frost	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6279	Comment from Barbara Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1214	Comment from Carol g	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6280	Comment from Mary Winter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1215	Comment from Barbara Sorgeler	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6281	Comment from Lisa Jasay
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1216	Comment from Ruth Steenwyk	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6282	Comment from Kyle McAdam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1217	Comment from Lori Bryan	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6283	Comment from Jo Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1218	Comment from sherrri hodes	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6284	Comment from Jenny Gray
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1219	Comment from Carol Sears	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6285	Comment from Susan Lupo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1220	Comment from Jeff Levicke	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6286	Comment from Anona Stetson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1221	Comment from ina pillar	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6287	Comment from Carol Hagarty
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1222	Comment from Sheila Silan	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6288	Comment from Martha Bowen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1223	Comment from Alan Peterson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6289	Comment from Ruth Tranquillo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1224	Comment from Tansy Woods	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6290	Comment from Julie Sabella
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1225	Comment from Jack Dunham	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6291	Comment from Jo White
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1226	Comment from Kenneth Krehn	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6292	Comment from Phyllis Huang
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1227	Comment from Terrence Pyle	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6293	Comment from Laura Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1228	Comment from tami mccready	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6294	Comment from Jack longo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1229	Comment from Sharon Wushensky	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6295	Comment from Barrie Conger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1230	Comment from Edward Temple	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6296	Comment from Polly McCleendon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1231	Comment from Gary Wrasse	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6297	Comment from Jeffrey Freilich
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1232	Comment from S Dragieff	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6298	Comment from PETER HEWITT
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1233	Comment from Scott Cecile	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6299	Comment from Mary Dunlap
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1234	Comment from Tom Wendel	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6300	Comment from Deborah Charlow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1235	Comment from Melissa Ambrose	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6301	Comment from Jacqueline Daly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1236	Comment from ina pillar	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6302	Comment from Jim Norris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1237	Comment from Bridgett Heinly	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6303	Comment from Susan Tomaselli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1238	Comment from Sara Miller	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6304	Comment from Patricia Vincent
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1239	Comment from Cynthia Sampson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6305	Comment from Corinne Case
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1240	Comment from Eileen Patch	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6306	Comment from Sara Warner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1241	Comment from Thinh Ngo	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6307	Comment from Anna Jacus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1242	Comment from Mimi Abers	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6308	Comment from Giana Gelsey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1243	Comment from Michael Kenny	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6309	Comment from patricia Eaton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1244	Comment from Peter Tafuri	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6310	Comment from David Kay
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1245	Comment from Kathleen Clark	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6311	Comment from Jenifer Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1246	Comment from Karen Witty	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6312	Comment from Holly Crawford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1247	Comment from George Marsh	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6313	Comment from Rena Maalouf

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1248	Comment from Alastair Green	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6314	Comment from Terry Bulla
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1249	Comment from Dianna Holland	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6315	Comment from Constance Graham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1250	Comment from Lance Kammerud	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6316	Comment from Rachel Vandinter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1251	Comment from Victoria Randall	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6317	Comment from Kari Dennis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1252	Comment from Magdalena Czech	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6318	Comment from Michelle Billings
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1253	Comment from Tracy Marotta	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6319	Comment from Jilliana DeVenuto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1254	Comment from Lisa Acher	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6320	Comment from Donna Rudy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1255	Comment from J Anderson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6321	Comment from michael bcoian
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1256	Comment from Peter Kukla	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6322	Comment from Rick Spates
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1257	Comment from Sylvia Duncan	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6323	Comment from Suzan Woychuk
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1258	Comment from Sharron Coontz	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6324	Comment from Joanna Craig
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1259	Comment from Jeff fromberg	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6325	Comment from Kam Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1260	Comment from Linda Rea	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6326	Comment from Deborah Schafer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1261	Comment from Amelia Boyer	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6327	Comment from Paul Brendel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1262	Comment from tess Fraad	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6328	Comment from Carol Komstock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1263	Comment from Terry Bulla	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6329	Comment from lee derus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1264	Comment from Valeria Mola	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6330	Comment from Jerry Mastriano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1265	Comment from Mary Keil	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6331	Comment from Susan Cerniglia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1266	Comment from Virginia Caraco	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6332	Comment from Deborah Kyle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1267	Comment from John Cox	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6333	Comment from Barbara Jannicelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1268	Comment from Jill Singer	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6334	Comment from Aaron Caye
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1269	Comment from Marc Fleisher	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6335	Comment from Karen Ryckman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1270	Comment from Martha Swartz	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6336	Comment from Lisa Jacobson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1271	Comment from Andrew Lenz	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6337	Comment from Doug Roaten
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1272	Comment from Pat Dufau	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6338	Comment from Bette McNally
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1273	Comment from JILL KOTCH	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6339	Comment from Lisa Toth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1274	Comment from Steven Fenster	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6340	Comment from Fredette Hallstead
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1275	Comment from Lillian Yamamoto	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6341	Comment from Melissa Barnard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1276	Comment from Reg Jones	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6342	Comment from Ralph Montilio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1277	Comment from Peggy Alpert	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6343	Comment from Mary Rush
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1278	Comment from Tim Ryan	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6344	Comment from Rosemary Heydt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1279	Comment from Daniel Wilkinson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6345	Comment from Susan Wheatley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1280	Comment from Don Thomsen	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6346	Comment from Charlene Naper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1281	Comment from Blair Kangley	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6347	Comment from Dennis Mayo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1282	Comment from Annie McMahon	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6348	Comment from Elizabeth McSweeney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1283	Comment from Mary Carroll	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6349	Comment from Dianne Holmes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1284	Comment from Mark Caso	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6350	Comment from Eric Schwartz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1285	Comment from Ellen Kabat	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6351	Comment from ellen roth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1286	Comment from Greg Brown	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6352	Comment from Betsy Lundell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1287	Comment from Cathleen Burns	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6353	Comment from Nancy Harris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1288	Comment from Carolyn Haupt	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6354	Comment from Daniel OBrien

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1289	Comment from Dona Ward	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6355	Comment from Lilian Napoles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1290	Comment from Loisann Sciarrillo	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6356	Comment from Kathryn Holy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1291	Comment from Patricia Stock	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6357	Comment from Carol Gay
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1292	Comment from Kathleen Mcwhorter	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6358	Comment from Therese Eby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1293	Comment from Rosemary Hewett	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6359	Comment from Trudy Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1294	Comment from Janet Tice	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6360	Comment from Nancy Vinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1295	Comment from Michael Bond	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6361	Comment from Winnie Riester
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1296	Comment from John Weston	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6362	Comment from Jimmy Fleming
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1297	Comment from Suanne Williams-Lindgren	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6363	Comment from Karen Guilliams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1298	Comment from Ingrid Rochester	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6364	Comment from John Neumeister
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1299	Comment from Juanita Garcia	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6365	Comment from So Allen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1300	Comment from John Dervin	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6366	Comment from Sonny Griffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1301	Comment from Nancy Carl	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6367	Comment from Maureen Dunn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1302	Comment from Richard DeGroot	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6368	Comment from Benjamin Sinwell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1303	Comment from Jack Sobel	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6369	Comment from Jamie Thomas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1304	Comment from Byron Dale	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6370	Comment from Christel Gezels
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1305	Comment from Valory Mitchell	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6371	Comment from Glenn Hufnagel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1306	Comment from kimble darlington	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6372	Comment from Edrie Irvine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1307	Comment from Gary Cooper	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6373	Comment from Hilary markoe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1308	Comment from Deborah Doolittle	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6374	Comment from B Royer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1309	Comment from Debbie Bonnet	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6375	Comment from Christine Doering
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1310	Comment from simona podskubkova	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6376	Comment from Theresa Scharff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1311	Comment from Andrea Fenwick	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6377	Comment from Glenna Waterman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1312	Comment from Craig Kaspark	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6378	Comment from Marca Leigh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1313	Comment from Stephanie clark	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6379	Comment from Sara Hubner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1314	Comment from George Gatcomb	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6380	Comment from Waver Broers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1315	Comment from Elaine Russell	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6381	Comment from Peter Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1316	Comment from Malcolm Glass	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6382	Comment from Andrew Henry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1317	Comment from Hope Schnee	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6383	Comment from Paige RN
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1318	Comment from Janet Wheeler	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6384	Comment from Caryl Speck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1319	Comment from David Whiteman	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6385	Comment from Chris Davenport
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1320	Comment from John Borland	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6386	Comment from Barbara Abraham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1321	Comment from Jody Goldstein	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6387	Comment from Emily Dugan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1322	Comment from Becky Monger	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6388	Comment from Christine Mcalpine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1323	Comment from Robin Morton	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6389	Comment from Kathy Rutkowski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1324	Comment from Michael Brooke	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6390	Comment from Margaret Divona
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1325	Comment from James Duncan	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6391	Comment from lynn pax
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1326	Comment from sandy draus	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6392	Comment from Margaret Marinari
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1327	Comment from Doreen McCammon	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6393	Comment from Katherine Cregger-Marshall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1328	Comment from Randy Davis	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6394	Comment from Melanie Viola
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1329	Comment from Soretta Rodack	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6395	Comment from Catherine Kowalczyk

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1330	Comment from Nancy McLaughlin	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6396	Comment from Carl Hoffmeister
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1331	Comment from Mary McMahon	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6397	Comment from David Bache
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1332	Comment from David Gussman	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6398	Comment from Jessica Basi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1333	Comment from william mittig	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6399	Comment from Kelly Fiske
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1334	Comment from Kim Westlake	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6400	Comment from Karen Fain
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1335	Comment from Linda Andrade	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6401	Comment from Kelly Luna
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1336	Comment from Linda Bruce	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6402	Comment from Grace Agnew
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1337	Comment from Mary Stanton	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6403	Comment from William Ralston
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1338	Comment from Laurie Merline	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6404	Comment from Paula Nowicki
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1339	Comment from Dennis Clark	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6405	Comment from Donna Mckenney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1340	Comment from Andrew Jackson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6406	Comment from Victori Rubietta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1341	Comment from Deborah Collodel	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6407	Comment from Jackie Cheek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1342	Comment from Sandra Joos	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6408	Comment from Virginia LeBlanc
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1343	Comment from Marlene Miller	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6409	Comment from Catharine Erwin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1344	Comment from e wait	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6410	Comment from Sallie Donkin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1345	Comment from Kevin Brown	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6411	Comment from loretta pegg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1346	Comment from Susi Higgins	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6412	Comment from Nataliia Dusanovska
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1347	Comment from don dicken	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6413	Comment from Suzanne zeliff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1348	Comment from Ann Williams	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6414	Comment from Lisa Carlotta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1349	Comment from Walter Bock	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6415	Comment from Carol Prunhuber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1350	Comment from Richard Perkowski	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6416	Comment from Susan Willson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1351	Comment from Bruce HIGGINS	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6417	Comment from Carol Davenport
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1352	Comment from Anne Wolfenbarger	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6418	Comment from Carol Davenport
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1353	Comment from Patti Eckert	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6419	Comment from Robyn Sharpe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1354	Comment from Kat Davis	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6421	Comment from Eric Brooker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1355	Comment from Marie Dopico	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6422	Comment from Angela Brancati
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1356	Comment from Joan Johnson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6423	Comment from Patt Hunt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1357	Comment from Eileen Prefontaine	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6424	Comment from Cathie Rivera
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1358	Comment from David Allara	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6425	Comment from Eileen Snitzer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1359	Comment from Gary Overby	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6426	Comment from Candace Dorsey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1360	Comment from Melva Meyer	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6427	Comment from Sonia Bagdoian
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1361	Comment from Sandra Kuschel	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6428	Comment from Sonya Putlack
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1362	Comment from Robert Schuessler	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6429	Comment from Mini B
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1363	Comment from Alana Willroth	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6430	Comment from Mr. Dunbar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1364	Comment from John Provencher	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6431	Comment from John Arnaldi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1365	Comment from Sue Ochs	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6432	Comment from Linda Janney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1366	Comment from Ileana Clavijo	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6433	Comment from Betty Cloninger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1367	Comment from Carroll Abshier	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6434	Comment from Sara Leonard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1368	Comment from Nancy Coulombe	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6435	Comment from Sherry Thompson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1369	Comment from Flora Martinez	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6436	Comment from Cara R
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1370	Comment from Thomas Gardner	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6437	Comment from Peter Willwerth

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1371	Comment from June Picard	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6438	Comment from Jon Warcup
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1372	Comment from Sarah Hearon	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6439	Comment from Dawn Corby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1373	Comment from Anthony Albert	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6440	Comment from Kathleen Vadnais
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1374	Comment from David Kuether	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6441	Comment from Louise Perret
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1375	Comment from Jeannine Lish	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6442	Comment from Gayle Edelman-Tolchin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1376	Comment from Wendy Wittl	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6443	Comment from Helen Prokopchuk
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1377	Comment from Margaret Richardson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6444	Comment from Elka Zwick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1378	Comment from Peter Evans	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6445	Comment from Mari Passananti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1379	Comment from Walter Bishop	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6446	Comment from Brenda Roy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1380	Comment from John Brennan	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6447	Comment from Debora Hojda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1381	Comment from Phyllis Annett	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6448	Comment from Karen Shepp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1382	Comment from Roslynn Budoff	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6449	Comment from Jacqueline Semit
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1383	Comment from Sam Butler	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6450	Comment from Joan Wuischpard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1384	Comment from Donna Brown	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6451	Comment from Linda Campbell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1385	Comment from Terri Coppersmith	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6452	Comment from Patricia Evans
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1386	Comment from Colleen Kelly	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6453	Comment from TJ Murphy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1387	Comment from Tracy Troth	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6454	Comment from MARK OFFERMAN
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1388	Comment from Renee Thomas	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6455	Comment from Richard Blauman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1389	Comment from Jennifer Reed	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6456	Comment from Sharon Hammon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1390	Comment from Jacquelyn Scioscia	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6457	Comment from Kathleen Jonas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1391	Comment from Wendy Bowman	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6458	Comment from David Jenkins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1392	Comment from Steve Disch	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6459	Comment from Jennifer Fraley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1393	Comment from Bjorn Mollersten	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6461	Comment from Kari King
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1394	Comment from Donna Polson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6462	Comment from Carol Batchelder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1395	Comment from Thi TonOlshaskie	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6463	Comment from Cindy Carter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1396	Comment from Kelly Allison	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6464	Comment from Carol Pulley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1397	Comment from Macey Mott	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6465	Comment from Tammy Evans
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1398	Comment from A. Hart	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6466	Comment from Pamela Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1399	Comment from Allan Chen	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6467	Comment from Thomas Artin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1400	Comment from Russell Weisz	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6468	Comment from Mark Relano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1401	Comment from Claudia Devinney	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6469	Comment from Nancy Fahey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1402	Comment from Amy Roberts	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6470	Comment from Jacqueline McGrath-Curtis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1403	Comment from Kathleen Hutchins	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6471	Comment from Deb Bowen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1404	Comment from Sam Garbi	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6472	Comment from Julie Spry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1405	Comment from Alison Zyla	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6473	Comment from Sheila Brenes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1406	Comment from Andrea Lynch	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6474	Comment from Melissa Mullinax
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1407	Comment from susan kalan	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6475	Comment from Melody Wilkes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1408	Comment from Ann Allen	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6476	Comment from Christine Hilton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1409	Comment from Barbara Bonfield	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6478	Comment from J. Lee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1410	Comment from Michael Oblander	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6480	Comment from Elizabeth Cruickshank
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1411	Comment from Noel-Anne Brennan	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6481	Comment from Mercedes Caraco

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1412	Comment from vana spear	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6482	Comment from Pamela Dugan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1413	Comment from Randi Gustafsson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6483	Comment from Holly Ducharme
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1414	Comment from Dave Baine	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6484	Comment from Michele Osland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1415	Comment from Rosanne Tedesco	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6485	Comment from Alia MacStay
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1416	Comment from JOHN CERVANTES	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6486	Comment from Edward Roberts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1417	Comment from Susan Dobbelaere	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6487	Comment from Pamela Harper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1418	Comment from Robert Bruce	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6488	Comment from Janet Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1419	Comment from Maryann Wardach	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6489	Comment from Rebeca Bennett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1420	Comment from Diane Klump	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6490	Comment from Brenda Guilford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1421	Comment from Bettie Reina	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6491	Comment from Mary Parish
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1422	Comment from L. Wilkinson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6492	Comment from Marca Leigh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1423	Comment from Cheri Mattina	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6493	Comment from Nancy Woolley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1424	Comment from Nancy Bauer	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6494	Comment from Lesley Staples
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1425	Comment from Jill McManus	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6495	Comment from Ada O.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1426	Comment from Ty Webster	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6496	Comment from Chere High
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1427	Comment from Sherry Monie	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6497	Comment from Min Luetschwager
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1428	Comment from Beverly Bradshaw	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6498	Comment from Cynthia Brown
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1429	Comment from Darren Mitton	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6499	Comment from Michelle Atkins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1430	Comment from Susan Deemer	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6500	Comment from Will walkthedog
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1431	Comment from Joan Loney	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6501	Comment from Mariza Cerff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1432	Comment from s l	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6502	Comment from Sagar Patel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1433	Comment from Jamie Klem	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6503	Comment from Diane Walls
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1434	Comment from s l	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6504	Comment from Karen Rosa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1435	Comment from Donna Brown	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6505	Comment from Alyce Phillips
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1436	Comment from Diana Crispi	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6506	Comment from Debi Winegar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1437	Comment from Darla kravetz	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6507	Comment from Dedra Routh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1438	Comment from Beverly Bradshaw	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6508	Comment from Doreen Tetreault
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1439	Comment from PAMELA SMITH	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6509	Comment from D hodge
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1440	Comment from Laurel Watson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6510	Comment from Jamie Thomas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1441	Comment from Joanna Behrens	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6511	Comment from Becky Botts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1442	Comment from Rita Collins	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6512	Comment from Nancy Pearl
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1443	Comment from Mary Gershanoff	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6513	Comment from Holly Denham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1444	Comment from CHAR HERSH	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6514	Comment from Tammy Zier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1445	Comment from Nicola Giorgio	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6515	Comment from Mitchell London
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1446	Comment from Michelle Barbour	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6516	Comment from Shanti Copeland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1447	Comment from Liz Tymkiw	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6517	Comment from Lisa Randall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1448	Comment from MELISSA HUEBNER	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6518	Comment from Lisa Lajoie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1449	Comment from Beverly Bradshaw	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6519	Comment from Pam Giardino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1450	Comment from Barb Crumpacker	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6520	Comment from Sagar Patel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1451	Comment from Francine Lipka	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6521	Comment from Ramirez Mary
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1452	Comment from Dorothy Brooks	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6522	Comment from Jennifer Day

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1453	Comment from Nina Wouk	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6523	Comment from Heidi Allen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1454	Comment from Beverly Bradshaw	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6524	Comment from Jennifer Sellers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1455	Comment from Penelope Andrews	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6526	Comment from Aileen Scurato
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1456	Comment from Arthur Miller	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6527	Comment from Nancy Weber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1457	Comment from Diana Hall	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6528	Comment from Lou Indy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1458	Comment from Marina Mooney	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6529	Comment from GLoria Cefalo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1459	Comment from Diana Rowell	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6530	Comment from Suzanne Cavallo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1460	Comment from James Lin	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6531	Comment from Cyndy Young
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1461	Comment from Christopher Tobias	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6532	Comment from Corinne Chapman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1462	Comment from Eric Crouch	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6533	Comment from Linda Phelan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1463	Comment from Carol Devoss	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6534	Comment from Debora Moon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1464	Comment from Chris Jones	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6535	Comment from Margaret RICHARDS
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1465	Comment from Paul Lima	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6536	Comment from Linda Bean
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1466	Comment from DAVID KASTELINE	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6537	Comment from Patricia Cunningham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1467	Comment from Gida Naser	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6538	Comment from JoAnna Chapin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1468	Comment from kathleen casson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6539	Comment from Jo Blackstone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1469	Comment from O Lewis	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6540	Comment from Anne Hawkinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1470	Comment from Ashley partridge	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6541	Comment from Susan Garvey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1471	Comment from Sandra Franz	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6542	Comment from Margaret Marinari
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1472	Comment from nico mcafee	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6543	Comment from Joan Seguin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1473	Comment from David Cencula	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6544	Comment from Cynthia Tribuzio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1474	Comment from Barbara Whyman	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6545	Comment from Susan Barry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1475	Comment from Patricia Lewis	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6546	Comment from Vilem Helesic
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1476	Comment from Michael Anderson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6547	Comment from Susan Jordan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1477	Comment from Nancy Miller	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6548	Comment from Karen Eskelin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1478	Comment from ERIC JARMAN	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6549	Comment from Jayson Gold-Pambianchi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1479	Comment from James Vallejos	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6550	Comment from Faustina Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1480	Comment from Maureen Schiener	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6551	Comment from Rebecca Lambery
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1481	Comment from Abigail Gindele	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6552	Comment from Daniel OBrien
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1482	Comment from Doris Luther	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6553	Comment from Jenifer Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1483	Comment from Holly Windle	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6554	Comment from Andrea Chait
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1484	Comment from Meha Kamdar	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6555	Comment from Julie G
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1485	Comment from Rachel Sorensen	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6556	Comment from Aoife Barrington-Haber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1486	Comment from Nancy Burke	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6557	Comment from Linda Knowles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1487	Comment from Lynne Teplin	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6558	Comment from Lenore Cunningham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1488	Comment from George Klipfel	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6559	Comment from Lisa larue
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1489	Comment from Amy Zink	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6560	Comment from Courtney Sloane
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1490	Comment from Jessica wardlaw	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6561	Comment from Patty Downs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1491	Comment from Ben Ruwe	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6562	Comment from Laura Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1492	Comment from Rebecca Weinberg	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6563	Comment from Christine Chmielewski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1493	Comment from Geoffrey Symcox	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6564	Comment from Abbie Fuksman

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1494	Comment from Cody Dolnick	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6565	Comment from Olga Copson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1495	Comment from Diane de groot	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6566	Comment from lea c
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1496	Comment from Elizabeth Mahony	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6567	Comment from Karen Wagner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1497	Comment from Catherine Nelson	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6568	Comment from Janis Lenderman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1498	Comment from Linda Laddin	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6569	Comment from Aurora Madrigal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1499	Comment from Sabine Lang	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6570	Comment from Bitgitte Carlsen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1500	Comment from Charlie Gedi	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6571	Comment from Alfred Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1501	Comment from Roger May	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6572	Comment from Tammy Bonnema
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1502	Comment from Scott Emsley	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6573	Comment from Gail Larkin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1503	Comment from Simmons Buntin	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6574	Comment from Catherine Fiek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1504	Comment from Justin Chernow	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6575	Comment from Tiffany Schiff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1505	Comment from Max Burg	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6576	Comment from Janice Douglas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1506	Comment from Andrea Pellicani	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6577	Comment from Carolyn Kempley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1507	Comment from Inna Gergel	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6578	Comment from Sue Stanton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1508	Comment from Suba Gunawardana	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6579	Comment from Nora de Gillespie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1509	Comment from Christine Harris	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6580	Comment from Lori Bryant
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1510	Comment from Patricia DeLuca	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6581	Comment from Lorraine Avallone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1511	Comment from Scott Bishop	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6582	Comment from Virginia Snyder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1512	Comment from Denise Clarke	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6583	Comment from Marca Leigh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1513	Comment from Stephanie Fairchild	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6584	Comment from Lisa Nance
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1514	Comment from stacey murrow	02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6585	Comment from Liesa Berkson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1515	Comment from Bruce Nowak	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6586	Comment from Lisa Fink
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1516	Comment from Don Thompson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6587	Comment from Julie Walsh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1517	Comment from Pam Little	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6588	Comment from Mary Peterson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1518	Comment from Mike Kelly	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6589	Comment from Lillian Swindell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1519	Comment from Sharon Hobrock	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6590	Comment from Deborah Farmer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1520	Comment from Katherine Nelson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6591	Comment from Richard Hallstead
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1521	Comment from Louis Drinkwater	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6592	Comment from Annette Luffman-Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1522	Comment from Bob Steininger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6593	Comment from Jeri England
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1523	Comment from LuAnn Yocky	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6594	Comment from Frank Montilli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1524	Comment from marilyn evenson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6595	Comment from Patrick Boyce
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1525	Comment from Erin McCarty	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6596	Comment from Vicki Karlsson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1526	Comment from Sheila Martin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6597	Comment from Erolyn Green
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1527	Comment from David Wassilak	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6598	Comment from Brenda Henness
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1528	Comment from Kerry Dearborn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6599	Comment from Donna Peronace
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1529	Comment from Bridget Koch-Timothy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6600	Comment from Christine Doering
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1530	Comment from Shawana Sienko	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6601	Comment from Carolyn Borden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1531	Comment from N. Dumser	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6602	Comment from Debra Raymond
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1532	Comment from Jacob Listerud	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6603	Comment from Nalan Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1533	Comment from Nancy Schuhrke	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6604	Comment from Kat Elliott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1534	Comment from Allison Mielniczuk	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6605	Comment from ED. Cubero

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1535	Comment from David Berry	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6606	Comment from annette yates
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1536	Comment from Richard Coreno	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6607	Comment from Sandra Critelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1537	Comment from Len Carella	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6608	Comment from Linda Knowles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1538	Comment from April Tackett	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6609	Comment from H S
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1539	Comment from Pamela Johnson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6610	Comment from Denise Millet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1540	Comment from M Sanders	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6611	Comment from Merilyn Phillips
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1541	Comment from Cheryl Detar	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6612	Comment from Paul Saint
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1542	Comment from Lisa Wegman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6613	Comment from Renata Entley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1543	Comment from Kirsten Wolner	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6614	Comment from Valerie Cranmer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1544	Comment from Sandra Sweetwood	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6615	Comment from Rachael Riccobene
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1545	Comment from Rod Garner	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6616	Comment from Leona Will
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1546	Comment from Merry Moore	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6617	Comment from Susaan straus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1547	Comment from Kelly Choi	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6618	Comment from Jennifer Rabren
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1548	Comment from Douglas Cooke	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6619	Comment from John Tribuna
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1549	Comment from Max Barack	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6621	Comment from Laura Dally
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1550	Comment from Michelle Yarber	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6622	Comment from Cheryl Dorchinsky
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1551	Comment from Diane Pierce	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6623	Comment from Ava Coleman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1552	Comment from Laurie Brinkle	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6624	Comment from Cynthia West
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1553	Comment from Karen Emanuel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6625	Comment from Joanne Spry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1554	Comment from Karen Emanuel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6626	Comment from Corinne Chapman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1555	Comment from Mark Weinberger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6627	Comment from Cynthia Charvala
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1556	Comment from Shauna Sparlin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6628	Comment from Leslee Duncan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1557	Comment from Teri Yazdi	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6629	Comment from MARILYN EGAN
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1558	Comment from Kathleen Hynes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6630	Comment from Pam Parisi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1559	Comment from Anita Wisch	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6631	Comment from Lisa Celli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1560	Comment from Tony Segura	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6632	Comment from El Apodaca
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1561	Comment from Louise McNulty	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6633	Comment from Teri Smyth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1562	Comment from Bobby Vaughn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6634	Comment from Bill Groves
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1563	Comment from Pierina Provenzano	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6635	Comment from AMANDA STONEBANK
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1564	Comment from Toby Blauwasser	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6636	Comment from Mary Dunlap
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1565	Comment from Carol Pucak	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6637	Comment from Elaine Eudy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1566	Comment from Barb Morrison	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6638	Comment from Mark Lavonn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1567	Comment from Mary Urbanovich	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6639	Comment from Colonel Meyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1568	Comment from DALE ZALE	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6640	Comment from Shirley Drought
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1569	Comment from Gary Wattles	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6641	Comment from Carolee Spero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1570	Comment from Larry Forrest	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6642	Comment from James Stockwell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1571	Comment from Mark Reback	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6643	Comment from sheila fetterhoff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1572	Comment from Greg Campbell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6644	Comment from Penny f
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1573	Comment from Judy Fairless	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6645	Comment from Celeste VeZolles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1574	Comment from Andrew Mramor	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6646	Comment from Bailey McKay
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1575	Comment from Janice Higgins	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6647	Comment from Elly Ross

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1576	Comment from Teri Vlasak	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6648	Comment from Summer Mitchell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1577	Comment from Marilyn Hawthorn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6649	Comment from Robert Abbatecola
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1578	Comment from Michael Martin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6650	Comment from Teri Smyth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1579	Comment from William Crist	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6651	Comment from Nataliia Dusanovska
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1580	Comment from Mary Rose	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6652	Comment from Laurie Mcgrath
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1581	Comment from Herbert Lord	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6653	Comment from Stephanie peacock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1582	Comment from sharon byers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6654	Comment from Jessica Stewart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1583	Comment from Dinah Bear	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6655	Comment from Cheryl Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1584	Comment from Jeanne Held-Warmkessel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6656	Comment from Stphanie Maughan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1585	Comment from Susan Fladager	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6657	Comment from Billie Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1586	Comment from Greg Onsel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6658	Comment from Liza ZANDONELLA
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1587	Comment from Jody Turner	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6659	Comment from Nancy Hendrickson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1588	Comment from Sherry Dunn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6660	Comment from Robyn Sharpe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1589	Comment from Patricia Chelmecki	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6661	Comment from Carol Tomusiak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1590	Comment from John Wiles	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6662	Comment from debbie stapleton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1591	Comment from Pat Petro	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6663	Comment from Carolyn Black
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1592	Comment from CHRISTINA CROSBY	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6664	Comment from Jeane Casey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1593	Comment from Gayle Spencer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6665	Comment from Andrea Snyder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1594	Comment from Julia Fleeman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6666	Comment from Deb Kozak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1595	Comment from Gary Landgrebe	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6667	Comment from Dawn Ramsey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1596	Comment from John Bertaina	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6668	Comment from Reba Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1597	Comment from Sharon Orser	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6669	Comment from James Kerr
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1598	Comment from Charles Brumleve	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6670	Comment from Bridget Snedden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1599	Comment from Gail Koza	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6671	Comment from Elena Fernandez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1600	Comment from Pat Randow	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6672	Comment from Barbara Howerton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1601	Comment from Kimberly Brandimarte	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6673	Comment from Cynthia Pierce
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1602	Comment from Kathy Chakoutis	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6674	Comment from Brenda Cooke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1603	Comment from Adele Dawson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6675	Comment from Martha Ross
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1604	Comment from Robert Clark	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6676	Comment from Earl Gallup
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1605	Comment from Becki Leigh	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6677	Comment from Roy Fouts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1606	Comment from Karolyn Beebe	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6678	Comment from Sagar Patel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1607	Comment from Marvin Guymon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6679	Comment from Michael Gitcho
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1608	Comment from Barbara Keller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6680	Comment from Colonel Meyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1609	Comment from Stephen Andersen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6681	Comment from Patricia Tillman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1610	Comment from ah ho	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6682	Comment from Mary Laughlin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1611	Comment from Michele Wise	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6683	Comment from Robin Ramp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1612	Comment from Kristi Wilson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6684	Comment from Jill Ewbank
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1613	Comment from joyce kolasa	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6685	Comment from Antonio Kelley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1614	Comment from Charlene Woodcock	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6686	Comment from Thes Surrey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1615	Comment from Glenn Schuetz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6687	Comment from Terri David
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1616	Comment from Kathy Gosselin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6688	Comment from Carol Modrell

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1617	Comment from Janet Witzeman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6689	Comment from paula horton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1618	Comment from Haven Knight	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6690	Comment from Laura Alleman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1619	Comment from Betsey Porter	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6691	Comment from Adrienne Hochberg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1620	Comment from Barbara Swyden	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6692	Comment from Patricia Burke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1621	Comment from Lynn Skibinski	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6693	Comment from Alison Thompson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1622	Comment from Brenda Miller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6694	Comment from Lisa Fink
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1623	Comment from Margith maughan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6695	Comment from Joyce Conlon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1624	Comment from Daniel Weber	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6696	Comment from Carolyn Moy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1625	Comment from Andrea Alquati	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6697	Comment from David Satz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1626	Comment from fran malsheimer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6698	Comment from Maria Hackman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1627	Comment from Monica Trujillo	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6699	Comment from Wendy Stevens
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1628	Comment from Lisbett Christensen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6700	Comment from Amy Wolfcale
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1629	Comment from Jennifer Spring	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6701	Comment from Sonnia Alfonso
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1630	Comment from Terry Dailey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6702	Comment from Catherine Krug
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1631	Comment from Steven Kline	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6703	Comment from Jennifer Benoit
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1632	Comment from Rachel Henba	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6704	Comment from Loretta Murray
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1633	Comment from Sherman Lewis	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6705	Comment from Christina Dupuy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1634	Comment from Guen Han	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6706	Comment from Mariza Cerff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1635	Comment from Stacy Gounaris	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6707	Comment from Elizabeth Hartrick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1636	Comment from Jean King	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6708	Comment from Lillian Swindell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1637	Comment from Philomena Easley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6709	Comment from Wendy Wieser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1638	Comment from Susan Dickerson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6710	Comment from Sandy Horne
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1639	Comment from Lynn konieczny	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6711	Comment from Jennifer Prozonic
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1640	Comment from Katherine Skirvin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6712	Comment from Graydon Tunstall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1641	Comment from Michele Horenstein	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6713	Comment from Cole Hague
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1642	Comment from Michael Smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6714	Comment from Francine Levine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1643	Comment from Cynthia Enlow	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6715	Comment from John Kosiorek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1644	Comment from Barry Stover	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6716	Comment from Linda Teachey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1645	Comment from Joan Peter	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6717	Comment from Alina Szostak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1646	Comment from Elizabeth Saltz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6718	Comment from Janette Mejia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1647	Comment from Kimberly Morrill	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6719	Comment from Jim Plaisted
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1648	Comment from Michelle Allison	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6720	Comment from Patricia Bechtold
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1649	Comment from SALLY SPELBRING	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6721	Comment from Debora Hojda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1650	Comment from Larisa Long	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6722	Comment from Jackie Cheek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1651	Comment from k. paro	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6723	Comment from Elena Alfandari
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1652	Comment from Arthur Alfreds	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6724	Comment from Cristle Leavitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1653	Comment from Linda Olson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6725	Comment from Phyllis Morris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1654	Comment from Janet Almond	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6726	Comment from Leslie Burby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1655	Comment from Janet Cook	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6727	Comment from illisa kelman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1656	Comment from YING COOPER	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6729	Comment from audrey stansbury
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1657	Comment from Anita Wisch	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6730	Comment from Evelyn Asting

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1658	Comment from Alex King	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6731	Comment from Kay Campbell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1659	Comment from Mara Wiley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6732	Comment from Janet Phillips
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1660	Comment from Liz Kochis	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6733	Comment from Maritza Bosch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1661	Comment from Jody Lewis	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6734	Comment from Barbara Avakian
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1662	Comment from Cynthia Upp	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6735	Comment from Gayle Edelman-Tolchin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1663	Comment from Tim Speece	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6736	Comment from Ericka Shimkonis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1664	Comment from Norm Hansen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6737	Comment from gail cavanaugh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1665	Comment from Dmit Ian	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6738	Comment from Michele Reardon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1666	Comment from Jason Chinn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6739	Comment from Marie Zwicker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1667	Comment from Anita Wisch	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6740	Comment from Alex Manley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1668	Comment from Nancy Humphrey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6741	Comment from Arnette Sherman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1669	Comment from J. Woodworth	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6742	Comment from Constance Lalena
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1670	Comment from Mariko Kahn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6743	Comment from Elizabeth Haskell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1671	Comment from Stuart Mork	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6744	Comment from Lisa Jacobson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1672	Comment from Thomas Dawley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6745	Comment from VIRGINIA ELLIOTT
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1673	Comment from Scott Sinclair	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6746	Comment from Alice Soler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1674	Comment from Hurd Hess	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6747	Comment from Marlen Cruz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1675	Comment from Robin Slate	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6748	Comment from Catherine Marie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1676	Comment from Hilda Gilman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6749	Comment from Stphanie Maughan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1677	Comment from Deborah Richards	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6750	Comment from Linda Janney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1678	Comment from Anne Kelly	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6751	Comment from Christine Chromiak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1679	Comment from Bill O'Brien	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6752	Comment from Janet Allison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1680	Comment from Judith Casino	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6753	Comment from Jane White
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1681	Comment from Barbara Gregory	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6755	Comment from Meredith Goswami
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1682	Comment from David Larson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6756	Comment from Ruth Slates
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1683	Comment from Sarah Sloane	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6757	Comment from Susan VanPelt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1684	Comment from Brent Tucker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6758	Comment from Diana Alourdas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1685	Comment from Debra Greenberg	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6759	Comment from Mary Bennett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1686	Comment from Jenny Sowell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6760	Comment from Sherry Erdmann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1687	Comment from Joette Borzik	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6761	Comment from Charles Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1688	Comment from Ruthie Bernaert	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6762	Comment from E MacNabb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1689	Comment from William Hayes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6763	Comment from Barbara Howard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1690	Comment from Vicki Sarnecki	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6764	Comment from Linda Rankl
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1691	Comment from Jana Perinchief	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6765	Comment from Sharon Shohfi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1692	Comment from Eilene Janke	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6766	Comment from Margo Santoro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1693	Comment from Rob Roberto	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6767	Comment from john pace
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1694	Comment from Maria Clair-Howard	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6768	Comment from Alicia Quintero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1695	Comment from Glen Weissman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6769	Comment from Nanci nugent
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1696	Comment from Joan LaCasse	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6770	Comment from Martha Jaquith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1697	Comment from Richard Smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6771	Comment from Fanny Whitman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1698	Comment from Christy Dunn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6772	Comment from Elizabeth Kuch

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1699	Comment from Joanna Behrens	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6773	Comment from Laura Staples
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1700	Comment from Mike Souza	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6774	Comment from Debra VanEerd
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1701	Comment from Lou Sanderson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6775	Comment from Carolyn Machado
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1702	Comment from Margaret Shekell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6776	Comment from Evie Brewer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1703	Comment from Nancy Boyce	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6777	Comment from b hinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1704	Comment from Laurie Cooper	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6778	Comment from Rosemary Hansbury
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1705	Comment from Paul Ghenoiu	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6779	Comment from Lisa rose
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1706	Comment from Bridgette Jessen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6780	Comment from Kimberly Perry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1707	Comment from Frank Rouse	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6781	Comment from Marilyn Shup
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1708	Comment from I. Engle	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6782	Comment from Paige RN
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1709	Comment from Carol Gordon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6783	Comment from Phil Cavallini
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1710	Comment from Theodore Snyder	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6784	Comment from Leslie Niquette
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1711	Comment from Quentin Fischer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6785	Comment from Midian VonThorne
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1712	Comment from Catherine George	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6786	Comment from Lois Sprague
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1713	Comment from Bernadette Payne	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6787	Comment from Deborah Kittle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1714	Comment from gary ehatt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6788	Comment from Kenneth Glover
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1715	Comment from Julie Wade	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6790	Comment from Karen Hyslop
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1716	Comment from Yvonne Quilenderino	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6791	Comment from Linda Hinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1717	Comment from Linda Rudman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6792	Comment from Dianne Sorrell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1718	Comment from Mary Lester	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6793	Comment from Donna Eagan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1719	Comment from Caro Anderson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6794	Comment from Susan Aarons
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1720	Comment from Kellie Miller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6795	Comment from Bethanie Petitpas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1721	Comment from David Miller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6796	Comment from Amy Halstead
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1722	Comment from Scott Crockett	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6797	Comment from Thom Carling
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1723	Comment from Amber Sumrall	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6798	Comment from Tom Warhol
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1724	Comment from Andrea Zajac	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6799	Comment from Virginia LeBlanc
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1725	Comment from Bash Judy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6800	Comment from Kim Stoecklein
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1726	Comment from Judy Cassada	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6801	Comment from Marguerite Abramo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1727	Comment from Amanda OBrien	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6802	Comment from Meredith Cody
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1728	Comment from Kevin McAlister	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6803	Comment from Katherine Mayers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1729	Comment from Aimee Miller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6804	Comment from Susan King
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1730	Comment from Shelley Aanerud	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6805	Comment from Al Santella
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1731	Comment from Anita Dauberman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6806	Comment from Valerie Collins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1732	Comment from Patricia Keoughan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6807	Comment from Mary Bangs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1733	Comment from Karen Hall	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6808	Comment from Glo Webel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1734	Comment from G.Dale Mathey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6810	Comment from Liz piercey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1735	Comment from Joyce Greenberg	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6811	Comment from Melody Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1736	Comment from Stephanie Buresh	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6812	Comment from Francis Matula
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1737	Comment from Sue Holtz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6813	Comment from Susan Dillon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1738	Comment from Stephen Dutschke	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6814	Comment from Joanie Steinhaus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1739	Comment from Tina Bartlett	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6815	Comment from Sallie Becker

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1740	Comment from Laura Long	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6816	Comment from David Ringle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1741	Comment from Maureen O'Shea	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6817	Comment from REGAN EBERT
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1742	Comment from Cathy Thornburn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6818	Comment from Sherry Monie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1743	Comment from Irene Duffy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6819	Comment from Jennifer Tulo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1744	Comment from Vinit Allen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6820	Comment from Robin Vincent
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1745	Comment from Harold Quinn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6821	Comment from Anne Watts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1746	Comment from Anna Schwadron	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6822	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1747	Comment from Karen Freeman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6823	Comment from James Pentelov
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1748	Comment from Linda Rudman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6824	Comment from Lynn Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1749	Comment from Pete Childs	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6825	Comment from Linda Townill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1750	Comment from Barbara Stevenson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6826	Comment from Andria Ganley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1751	Comment from Michael Burmester	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6827	Comment from Elizabeth Seltzer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1752	Comment from elizabeth sexton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6828	Comment from Michael Lee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1753	Comment from Marilyn Livote	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6829	Comment from Dick Merrill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1754	Comment from Rebecca Sundberg	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6832	Comment from Michelle Ramauro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1755	Comment from Sarah Straus	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6834	Comment from Michael Kolb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1756	Comment from James Hickey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6835	Comment from Yvonne Lang
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1757	Comment from William Sarovec	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6836	Comment from Jack Bedford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1758	Comment from Krista Dana	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6837	Comment from Kathi Cooley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1759	Comment from Janice Beyer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6838	Comment from Tami Schreurs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1760	Comment from GEORGE ERCEG	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6839	Comment from Carol Becker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1761	Comment from Paul Vesper	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6840	Comment from Charles Oliveri
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1762	Comment from Amie Corrado-Babe	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6841	Comment from Anne Barker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1763	Comment from Debra Hunter	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6843	Comment from Darlene Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1764	Comment from John Clair	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6844	Comment from Nicole Berkheimer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1765	Comment from cathy crum	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6845	Comment from Carole Speck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1766	Comment from Dennis Hough	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6846	Comment from Kathy Nix
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1767	Comment from Julie Goodwin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6847	Comment from Nick Flaig
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1768	Comment from Vivian J	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6850	Comment from Ken Kurtz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1769	Comment from Amanda Dewey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6852	Comment from Gudrun Dennis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1770	Comment from Daniel Solano	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6853	Comment from Matthew Humphrey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1771	Comment from Bob Hannigan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6854	Comment from Felicia Lewis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1772	Comment from Andi Shotwell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6856	Comment from Brittany Chang
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1773	Comment from Marjorie Rathbone	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6858	Comment from Pilar Quintana
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1774	Comment from Mark Ashley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6860	Comment from Jill Alibrandi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1775	Comment from Hal Trufan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6861	Comment from Carol Devoss
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1776	Comment from Rudy Ramp	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6862	Comment from Annie Dawid
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1777	Comment from Anita Wisch	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6864	Comment from Lionel Ca
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1778	Comment from Suzanne Kunstman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6865	Comment from Kim Duncan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1779	Comment from Michelle Sewald	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6870	Comment from Karen Shapiro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1780	Comment from Christina Beliveau	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6872	Comment from Susan LoFurno

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1781	Comment from Paul Skarvinko	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6873	Comment from Vincent Rusch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1782	Comment from Jacomina Newman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6875	Comment from Warwick Hansell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1783	Comment from Russell Jones	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6876	Comment from Dorothea Swint
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1784	Comment from Gail Sullivan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6877	Comment from Susan Yarnell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1785	Comment from Patrick Grady	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6878	Comment from Caryn Graves
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1786	Comment from sara hopewell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6879	Comment from Shakil hamid
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1787	Comment from Danielle Miele	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6880	Comment from gianluca barbuto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1788	Comment from Dawn Skok	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6881	Comment from John Gambriel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1789	Comment from Carol Hill	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6883	Comment from Thomas Guaraldi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1790	Comment from Seth Silverman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6884	Comment from Mary louise Whitlow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1791	Comment from Milt Weisman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6885	Comment from Thomas Steele
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1792	Comment from Richard Decker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6886	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1793	Comment from Lorraine Moore	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6887	Comment from Martha Waltman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1794	Comment from Steven Lowenthal	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6888	Comment from Susan Berzac
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1795	Comment from BRUCE Revesz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6889	Comment from David Burns
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1796	Comment from Christine Sepulveda	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6890	Comment from Lisa Mazzola
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1797	Comment from Michele Hondo	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6891	Comment from Ricardo Filipe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1798	Comment from jon mocey-hanton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6892	Comment from Robert Ortiz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1799	Comment from Barbara Tillman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6893	Comment from Nicholas Pierotti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1800	Comment from Neil Shargel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6896	Comment from Shawn Hall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1801	Comment from anthony tedesco	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6897	Comment from Arnold Schildhaus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1802	Comment from Christine Reeder	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6898	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1803	Comment from H Lee	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6899	Comment from Joan Glasser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1804	Comment from mark semet	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6900	Comment from Carol E. Hoke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1805	Comment from Carol Prost	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6901	Comment from Linda Janney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1806	Comment from Tina Messamore	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6902	Comment from Maryann Piccione
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1807	Comment from Mike Inganamort	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6904	Comment from Timothy Mullen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1808	Comment from Edward Spevak	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6906	Comment from Vicky Brandt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1809	Comment from Misti Reif	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6907	Comment from Dan Silver
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1810	Comment from Donna Wolz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6908	Comment from Lozz Starseed
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1811	Comment from Douglas Estes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6909	Comment from Michael Haskell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1812	Comment from Vincent Messineo	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6910	Comment from Jrg Gaiser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1813	Comment from Allen Gibas	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6911	Comment from Vic Bostock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1814	Comment from Karen Redd	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6912	Comment from Alicia Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1815	Comment from Amy Young	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6915	Comment from Tracy Callow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1816	Comment from Heather Schraeder	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6916	Comment from Pamyllie Greinke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1817	Comment from Petra Hays	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6917	Comment from Mary Shabbott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1818	Comment from Tina Cook	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6918	Comment from Deborah Richerson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1819	Comment from Andrea Whitson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6919	Comment from John Carlson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1820	Comment from John Long	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6920	Comment from Douglas Schantz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1821	Comment from Daniel DuBoise	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6921	Comment from Diane Demee-Benoit

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1822	Comment from Karin Kozie	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6924	Comment from Suzanne Koelega
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1823	Comment from Karol Klein	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6925	Comment from Alicia Salazar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1824	Comment from Brenda Haig	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6928	Comment from D Schoech
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1825	Comment from chantal Herron	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6931	Comment from Ruth Darden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1826	Comment from Sarah Rowe	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6932	Comment from Eliza Fragkopoulou
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1827	Comment from Laurie Spraga	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6934	Comment from Mark Reback
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1828	Comment from Heidi Jarratt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6935	Comment from Shannon Clare
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1829	Comment from Anne Mitchell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6936	Comment from Doris Potter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1830	Comment from Wendy Wells	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6937	Comment from Meryl Pinque
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1831	Comment from Marlene Testaguzza	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6938	Comment from James Seramba
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1832	Comment from Setsuko Furuike	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6940	Comment from Bonnie Barfield
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1833	Comment from Timothy Hopwood	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6941	Comment from Sally Sheck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1834	Comment from Lily Caron	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6942	Comment from Tracy Marotta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1835	Comment from Eric Voorhies	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6943	Comment from Elisabeth Celentano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1836	Comment from Victoria Silver	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6944	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1837	Comment from Alana Crow	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6946	Comment from Diane Gentile
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1838	Comment from Mitchell Stargrove	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6947	Comment from Julie Donoho
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1839	Comment from Briana Purcell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6948	Comment from Marilyn Logan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1840	Comment from Gary Holcomb	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6950	Comment from Leona Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1841	Comment from Maria Magana	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6951	Comment from Alicia Edmunds
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1842	Comment from Suzy Juncker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6952	Comment from Catherine Chambers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1843	Comment from Robin Steeves	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6953	Comment from Louise Slattery
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1844	Comment from Tyson Peterson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6956	Comment from Stacey Bradley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1845	Comment from Amber Manske	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6957	Comment from Daryl Lucas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1846	Comment from Carol King	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6958	Comment from Barbara Chichester
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1847	Comment from Debbi Weiler	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6959	Comment from Carin Sappelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1848	Comment from meg Titus	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6960	Comment from Heide Coppotelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1849	Comment from Neal Steiner	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6962	Comment from Gillian Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1850	Comment from Joan Heilman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6963	Comment from Eric Edwards
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1851	Comment from Krystal Fletcher- Dunne	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6965	Comment from James Klein
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1852	Comment from Ronald Bogin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6966	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1853	Comment from Tiffany Spahn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6967	Comment from Kathryn Johanness
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1854	Comment from Maureen Sullivan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6968	Comment from Bernadette Andaloro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1855	Comment from Mathew Vipond	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6970	Comment from W. G.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1856	Comment from Malcolm Groome	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6971	Comment from Linda Penrose
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1857	Comment from Shawn Troxell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6972	Comment from Jonathan Warner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1858	Comment from Carol Easton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6973	Comment from John Crowley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1859	Comment from Elvi Bjorkquist	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6974	Comment from roy fuller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1860	Comment from Nicole Olivier	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6975	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1861	Comment from Michae Gertz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6977	Comment from Carlos Acosta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1862	Comment from Pauline Bedford	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6978	Comment from Anja Landon

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1863	Comment from Stephen Bartlett-R	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6979	Comment from Dave and Rita Cross
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1864	Comment from cathyelizabeth levin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6980	Comment from MariaGrazia Sanguin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1865	Comment from Earl Grove	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6981	Comment from Antonella Nielsen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1866	Comment from Susan Sellers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6982	Comment from Andrew Arneson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1867	Comment from Stefanie Kaku	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6983	Comment from Virginia Oliva
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1868	Comment from timothy villalobos	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6984	Comment from Anike Evdemon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1869	Comment from Joshua Angelus	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6985	Comment from Ken Goldsmith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1870	Comment from Stephen Edinger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6986	Comment from Holly Crawford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1871	Comment from Pat Button	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6988	Comment from Manisha Das Sangma
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1872	Comment from Catherine France	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6990	Comment from Denise Giroux
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1873	Comment from Cherine Bauer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6992	Comment from Elena De Fanis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1874	Comment from Steve Hanloon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6994	Comment from Graham Brace
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1875	Comment from Rosina Inlender	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6995	Comment from Joanne Reynolds
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1876	Comment from Julie Nolon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6996	Comment from Len Jacobs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1877	Comment from Robert Uebel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6997	Comment from Claudia Wornum
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1878	Comment from Diana Glixman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6998	Comment from Jim Brunton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1879	Comment from Joseph Boone	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6999	Comment from Jacyln Gerakios
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1880	Comment from Rita Pesini	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7001	Comment from Anne Mitchell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1881	Comment from Gerard Corsini	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7002	Comment from Kathy Aub
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1882	Comment from gm whiting	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7004	Comment from Jessica Weber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1883	Comment from Susan Reid	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7006	Comment from Lindsay Mugglestone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1884	Comment from Johnny Pflugrad	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7007	Comment from Mimi Gertler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1885	Comment from Scott Coahran	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7008	Comment from Marlene Zamora
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1886	Comment from Mary Parodi	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7009	Comment from Joann Gilkes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1887	Comment from Cheryl Spinelli	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7011	Comment from G. Saffren
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1888	Comment from Mark Johnsen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7012	Comment from louis gauci
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1889	Comment from Fernando Robles	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7013	Comment from Rosemary Pasquarello
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1890	Comment from Andy Tomsky	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7015	Comment from Jay Rice
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1891	Comment from Michael Martin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7016	Comment from Eryn Cook
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1892	Comment from Joseph Pluta	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7018	Comment from Erika Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1893	Comment from Joseph Nowak	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7019	Comment from dawn sartori
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1894	Comment from Judy Shively	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7020	Comment from Alex Bucciarelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1895	Comment from Christopher Moyer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7021	Comment from Beverly McPherson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1896	Comment from James Ashcraft	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7022	Comment from Jason Nichols
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1897	Comment from Julie Geveshausen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7023	Comment from Lisa Shaffer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1898	Comment from Stephen Anderson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7025	Comment from Massimiliano Urso
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1899	Comment from Jon Hager	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7026	Comment from Cynthia & Barry Marks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1900	Comment from Martina Porras	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7027	Comment from Dana Doliber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1901	Comment from Connor Hansell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7028	Comment from Carole McAuliffe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1902	Comment from Frances Whiteside	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7029	Comment from Jared Cornelia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1903	Comment from Judy Greenfield	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7030	Comment from David Ross

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1904	Comment from Debbie Schlinger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7033	Comment from Jeanne Grifo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1905	Comment from Sharyn Magee	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7034	Comment from Paula Cummings
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1906	Comment from Yvonne Fisher	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7035	Comment from Andrew Barsom
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1907	Comment from Meredith Needham	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7036	Comment from Donna Hays
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1908	Comment from Kevin Hines	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7038	Comment from Zanne Piard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1909	Comment from Gary Bender	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7039	Comment from Michel Collin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1910	Comment from Andrew Reilly	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7040	Comment from Bill Ruh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1911	Comment from Mike Abler	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7041	Comment from Elizabeth Leitao
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1912	Comment from Debra Vitola	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7044	Comment from Patricia Blackwell-Marchant
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1913	Comment from Cathy Bledsoe	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7045	Comment from Amber Davidson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1914	Comment from Carleton Vickers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7046	Comment from Neal Steiner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1915	Comment from Jill Turco	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7047	Comment from Sam Roe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1916	Comment from Ellen DeMarco	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7048	Comment from Larry Trout
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1917	Comment from Mary Germain	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7049	Comment from Norman Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1918	Comment from Margaret Rogers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7050	Comment from Dr Stefan Petersen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1919	Comment from Rosiris Paniagua	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7051	Comment from Desdra Dawning
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1920	Comment from Gloria Diggle	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7052	Comment from Chere High
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1921	Comment from Tara Warfield	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7054	Comment from Barbara Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1922	Comment from Joel Jensen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7055	Comment from Abigail Gindele
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1923	Comment from Judith Embry	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7056	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1924	Comment from kristin carstarphen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7057	Comment from Portland Coates
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1925	Comment from Deborah Childers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7058	Comment from Anita Youabian
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1926	Comment from Wally Sykes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7059	Comment from Alison T.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1927	Comment from LM Drucker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7061	Comment from Terri Faircloth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1928	Comment from Pamela Cubberly	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7064	Comment from Bronwen Evans
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1929	Comment from Rich Speer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7065	Comment from Marsha Halper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1930	Comment from Chemen Ochoa	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7066	Comment from L Mathews
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1931	Comment from Richard Beal	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7067	Comment from Jamie Fairchild
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1932	Comment from Alicia Liang	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7068	Comment from Sheila Desmond
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1933	Comment from Dr Smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7069	Comment from Dan Esposito
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1934	Comment from Daniel Gonzales	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7070	Comment from Jon Berges
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1935	Comment from Tina Overland	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7071	Comment from Stacy Parker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1936	Comment from Ralph Lopez	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7072	Comment from Boaz Shacham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1937	Comment from JL Charrier	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7073	Comment from Marta Dawes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1938	Comment from Julie O'Donnell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7074	Comment from Douglas McAlinden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1939	Comment from Douglas Kinney	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7075	Comment from Marilyn Quindo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1940	Comment from Julie Hawkins	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7076	Comment from susan hendrickson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1941	Comment from Debra Harris	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7079	Comment from SUSAN WALAJTYS
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1942	Comment from Wandis Wilcox	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7080	Comment from Susan Esposito
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1943	Comment from Joshua Asel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7081	Comment from Lorenz Steinger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1944	Comment from Susan Schneeberger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7082	Comment from Gail Kieler

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1945	Comment from Dan Silver	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7083	Comment from Ramona Jackson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1946	Comment from Amy Anderson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7085	Comment from Martin Archer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1947	Comment from Nikki Martin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7086	Comment from Barbara Bennigson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1948	Comment from Rhoda Herrold	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7087	Comment from Jeffery Garcia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1949	Comment from Cynthia Bernett	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7088	Comment from Deborah Reiter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1950	Comment from Jane Montonen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7089	Comment from Kristi Buchanan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1951	Comment from Pamela Lyngen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7090	Comment from Cynthia Fry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1952	Comment from Warren Pope	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7091	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1953	Comment from Gloria Boyd	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7092	Comment from Jerald Vinikoff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1954	Comment from Gail Wing	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7093	Comment from Marjorie Angelo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1955	Comment from Constantine Bogios	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7094	Comment from Harriet Downie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1956	Comment from Steven Lamers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7096	Comment from Mark Klugiewicz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1957	Comment from Erin Foley-Collins	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7097	Comment from Karen Villarreal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1958	Comment from Barbara Brett	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7098	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1959	Comment from Elizabeth Merz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7099	Comment from Maddox Pellegrino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1960	Comment from Fred Akers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7100	Comment from Natalia Sousa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1961	Comment from Diane Barbera	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7101	Comment from George Milkowski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1962	Comment from Patrick Eggleston	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7102	Comment from Evi Skidmore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1963	Comment from Daniel Cole	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7103	Comment from Rebecca Ruiz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1964	Comment from Karen Anderson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7104	Comment from Brenda Jaenicke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1965	Comment from Nancy Harter	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7105	Comment from Jenny Sherman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1966	Comment from Steve Zimet	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7106	Comment from Ann Nevans
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1967	Comment from Steven Christian	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7107	Comment from Cathy Barton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1968	Comment from Chantal Eldridge	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7108	Comment from Brian Gingras
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1969	Comment from Douglas Koch	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7110	Comment from Russell F Wells, PhD
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1970	Comment from Judy Kowalczyk	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7111	Comment from Donna D'Fini
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1971	Comment from Mary Al-Tukhaim	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7112	Comment from mari elvi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1972	Comment from Angela Steinberg	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7114	Comment from Krista Dana
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1973	Comment from Leslie Kuhn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7115	Comment from Beverly Odom
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1974	Comment from james hicks	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7116	Comment from sandy kavoyianni
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1975	Comment from Gail Atkins	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7117	Comment from Gary Bettega
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1976	Comment from Larry Weingart	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7118	Comment from Nicholas Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1977	Comment from Allison Matthews	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7119	Comment from Marce Walsh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1978	Comment from Federico Casagran	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7120	Comment from Dorothea Stephan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1979	Comment from Jean Cameron	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7121	Comment from Patricia Vineski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1980	Comment from Edward Dillon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7122	Comment from Heather McHugh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1981	Comment from Cynthia McMath	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7123	Comment from Carol Edwards
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1982	Comment from Denise Romesburg	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7124	Comment from Susan Brandes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1983	Comment from Cindy Grimes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7125	Comment from Carol Collins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1984	Comment from Sally Webb	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7126	Comment from Janet Forbes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1985	Comment from Jamie Le	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7127	Comment from Mike Kelly

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1986	Comment from Anjali Athavale	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7128	Comment from Angela Slawinski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1987	Comment from don smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7129	Comment from Linda Figuera
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1988	Comment from Mike Kelly	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7130	Comment from Susan Sloan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1989	Comment from Joan Miller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7131	Comment from Deanna Horton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1990	Comment from Rudy Zeller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7132	Comment from marina sagardua
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1991	Comment from Laraine Lebron	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7133	Comment from Ellen Easum
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1992	Comment from Michael Reppy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7134	Comment from dan horton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1993	Comment from Michele Roberts	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7135	Comment from Danya Kuperstein
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1994	Comment from Maria Botello	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7136	Comment from Paul Russell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1995	Comment from April Hosty	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7137	Comment from Charles Fox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1996	Comment from SAMUEL POPAILO	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7138	Comment from Richard Rothstein
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1997	Comment from Steve Thunberg	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7139	Comment from Laurel Collins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1998	Comment from Eliot Kaplan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7140	Comment from Lura Messier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-1999	Comment from Don Pew	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7141	Comment from Anna White
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2000	Comment from Thomas Klusaritz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7142	Comment from Linda Van Jahнке
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2001	Comment from Dennis Manning	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7143	Comment from Kathryn Law
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2002	Comment from John Christopher	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7145	Comment from Ariana Marchena
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2003	Comment from Cindy Charnetski	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7147	Comment from Stefan Taylor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2004	Comment from Tami Oleson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7149	Comment from Maggie Topalian
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2005	Comment from Jean Rodriguez	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7150	Comment from Kelly Connolly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2006	Comment from Jennifer Robins	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7151	Comment from Maureen saldi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2007	Comment from Clayton Jones	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7153	Comment from Antje Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2008	Comment from Robert Reed	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7154	Comment from David Boyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2009	Comment from ADAM BERNSTEIN	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7155	Comment from Robin Costello
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2010	Comment from Elaine Berg	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7157	Comment from John Bailey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2011	Comment from Susan Walker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7158	Comment from Sandy Moynihan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2012	Comment from Gregory Hubbard	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7159	Comment from Claire Thibault
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2013	Comment from Jennifer Tulo	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7160	Comment from Sue McNally
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2014	Comment from Janet Monfredini	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7161	Comment from Susan Hodgson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2015	Comment from Jon Krueger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7162	Comment from jeanne hobert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2016	Comment from Penelope Ward	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7164	Comment from V irginia Matney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2017	Comment from Marc Anderson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7165	Comment from Enid Cardinal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2018	Comment from Dave Searles	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7166	Comment from Steve Marshall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2019	Comment from Edward Sullivan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7167	Comment from Darleen Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2020	Comment from Christopher Feehan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7168	Comment from Virginia Callan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2021	Comment from Kerrie Shisila	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7170	Comment from Dawn Albanese
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2022	Comment from Angela Grattan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7172	Comment from Gregory Esteve
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2023	Comment from Barbara Chaffin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7173	Comment from Marilyn Hanson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2024	Comment from Tracey B	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7174	Comment from Kurt Cruger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2025	Comment from Greg Nicholas	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7175	Comment from Sue Horwood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2026	Comment from Terry Hill	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7176	Comment from Alan Bedard

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2027	Comment from Kat Howren	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7177	Comment from Anne Armstrong
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2028	Comment from Laura Weiss	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7178	Comment from Judith Spell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2029	Comment from Gail Roberts	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7179	Comment from Silvia Pasqualato
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2030	Comment from Norman Baker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7180	Comment from Gary Beckerman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2031	Comment from Mary Thornton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7181	Comment from Joan How
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2032	Comment from pablo Voitzuk	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7182	Comment from Kia Hendrix
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2033	Comment from Chris Phoenix	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7183	Comment from Camille Gilbert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2034	Comment from Mary Thornton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7184	Comment from Liz piercey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2035	Comment from Robin Martin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7185	Comment from Jim Chapman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2036	Comment from Nancy Gregory	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7186	Comment from Christine Trinidad
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2037	Comment from JULIEN JEGOU	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7187	Comment from Mary Finelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2038	Comment from gabriele hollnd	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7188	Comment from Carly Clements Owens
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2039	Comment from Marilyn Montgomery	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7189	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2040	Comment from D Rader	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7190	Comment from Sarai Feria
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2041	Comment from Nawal Tamimi	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7191	Comment from Billie Jo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2042	Comment from Valerie Sanderson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7192	Comment from Namita Dalal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2043	Comment from RAUL DEL SOLAR	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7193	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2044	Comment from Mary True	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7194	Comment from Jenifer Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2045	Comment from Gerald Orcholski	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7195	Comment from Kate Crowley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2046	Comment from Jared Cornelia	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7198	Comment from Hollis Blinn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2047	Comment from Har Canto	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7199	Comment from francis mastri
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2048	Comment from James Donahue	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7200	Comment from Kris Pagenkopf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2049	Comment from Shelby Hood	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7201	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2050	Comment from Marilyn Davis	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7202	Comment from Larry Arnold
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2051	Comment from Wilma Davison	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7203	Comment from Claudia Gruetter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2052	Comment from Stepheny McGraw	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7204	Comment from Rayline Dean
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2053	Comment from Karl Kernehan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7205	Comment from P Nunez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2054	Comment from Rheama Koonce	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7206	Comment from Tim Hubbard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2055	Comment from ethan zachadnyk	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7207	Comment from Fred Granlund
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2056	Comment from Cyndi Clough	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7208	Comment from Stephanie Townsend
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2057	Comment from Jesse Mallory	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7209	Comment from Allen Leslie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2058	Comment from Marilyn H	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7210	Comment from Jessica Langford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2059	Comment from Kathryn Giesler	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7211	Comment from Michelle Waters
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2060	Comment from James Murphey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7213	Comment from thalia lubin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2061	Comment from Manny Correa	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7214	Comment from Chris Clarke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2062	Comment from Alexandra Grossi	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7215	Comment from Richard Van Aken
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2063	Comment from Gloria Skouge	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7216	Comment from Cindy Childers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2064	Comment from April Oros	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7217	Comment from Lawrence Thompson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2065	Comment from Kim Brower	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7218	Comment from Scott Species
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2066	Comment from EILEEN MASSEY	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7219	Comment from Roxanne Dinkines
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2067	Comment from Marla feierabend	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7220	Comment from Glenna Waterman

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2068	Comment from Karen Taatjes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7221	Comment from Nancy Pearlman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2069	Comment from DoRi Miles	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7222	Comment from Rosiris Paniagua
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2070	Comment from Ben Earle	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7223	Comment from Stephanie Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2071	Comment from Jason Steadmon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7224	Comment from Luisa Schillo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2072	Comment from Pam Woodard	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7226	Comment from Christa Rounsavall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2073	Comment from Carlos Arnold	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7227	Comment from erin white
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2074	Comment from John Mora	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7228	Comment from Rob Rondanini
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2075	Comment from Richard Pavek	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7229	Comment from Marie Dickenson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2076	Comment from Carol Fletcher	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7230	Comment from Bill Both
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2077	Comment from patricia holbrook	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7232	Comment from Barry Sprince
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2078	Comment from Jocelyn Weight	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7234	Comment from Kellen Dunn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2079	Comment from Catherine Ream	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7236	Comment from Jean Chagnon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2080	Comment from Harold Hubbard	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7237	Comment from jesper knutson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2081	Comment from Tim Porter	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7238	Comment from Anita Wisch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2082	Comment from Renee DeMartin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7239	Comment from Melissa Polick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2083	Comment from Dena Schwimmer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7240	Comment from elsa knutson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2084	Comment from Terry Bergeron	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7241	Comment from elsa knutson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2085	Comment from Maxine Goodyear	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7242	Comment from Roy Richards
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2086	Comment from Richard Smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7243	Comment from Rebeca Bennett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2087	Comment from Pat Bryan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7244	Comment from kane haugen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2088	Comment from Thomas Peel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7245	Comment from Anita Wisch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2089	Comment from Kathleen Grossman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7246	Comment from kellen clarke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2090	Comment from Belinda Dodd	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7247	Comment from palle kemper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2091	Comment from John Laing	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7248	Comment from Larson Sven
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2092	Comment from John Essman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7249	Comment from elsa knutson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2093	Comment from Sandra Breakfield	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7250	Comment from Mary Gill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2094	Comment from Theresa Campbell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7251	Comment from Jon Povill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2095	Comment from Karen Naifeh	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7252	Comment from Rosemary Pasquarello
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2096	Comment from Piers Strailley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7253	Comment from Sullie LeFrancois
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2097	Comment from Teresia LaFleur	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7254	Comment from Kimberly Perry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2098	Comment from Lacey Chaffee	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7256	Comment from Maria Shepard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2099	Comment from Bill Butler	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7257	Comment from Darilynn McCoy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2100	Comment from quinten putnam	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7259	Comment from Matthew Erickson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2101	Comment from Lisa LeBlanc	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7260	Comment from Scott W
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2102	Comment from Michael Wherley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7261	Comment from Laura Berry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2103	Comment from Megan Wright	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7262	Comment from Annerose Albus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2104	Comment from Cindy Jackson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7263	Comment from Stephanie Trasoff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2105	Comment from Gill Fahrenwald	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7264	Comment from Michaela Davis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2106	Comment from Paula Shafrensky	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7265	Comment from Sharon Intilli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2107	Comment from Rose Riker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7267	Comment from Olga Gonzalez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2108	Comment from Sean Craig	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7268	Comment from Tamila Tupikina

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2109	Comment from Linda Schmidt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7269	Comment from xavier petit
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2110	Comment from Abigail Fanestil	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7270	Comment from Betsy Nordenholz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2111	Comment from Kurt Cruger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7271	Comment from Nancy Gregory
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2112	Comment from Sheri Minix	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7272	Comment from Teresa C C Farrajota
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2113	Comment from B Sitkin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7273	Comment from Debi Griepsma
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2114	Comment from Linda Perrigoue	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7274	Comment from Lynne Russert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2115	Comment from Juliann Pinto	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7275	Comment from Judith Anshin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2116	Comment from Stewart Wiggers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7276	Comment from Marilyn Mangione
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2117	Comment from Leslie Valentine	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7277	Comment from Paul M
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2118	Comment from WILLIAM O'HARE	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7279	Comment from Edna Mullen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2119	Comment from Gemma Peckinpah	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7281	Comment from Deanne Hart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2120	Comment from jim hite	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7282	Comment from Lowell Harrison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2121	Comment from Gabriel Amaro	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7283	Comment from John Doneman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2122	Comment from Anne Legene	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7284	Comment from Kathleen Neely
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2123	Comment from Danielle Shannon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7285	Comment from Laurie Tabor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2124	Comment from MICHAEL SCHUMM	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7286	Comment from Jennifer Hagens
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2125	Comment from Roger Ellis	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7287	Comment from Marie Wakefield
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2126	Comment from Bryn HammarstromRN	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7288	Comment from Victoria Dickey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2127	Comment from Janine Nordquist	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7289	Comment from Jillian Fiedor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2128	Comment from Mike Souza	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7291	Comment from Nancy Yarosis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2129	Comment from Dennis Sweeney	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7293	Comment from Ronald Silver
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2130	Comment from Nicolas Duon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7294	Comment from freddie williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2131	Comment from Karina Andraesen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7295	Comment from Margaret Silver
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2132	Comment from Matthew Janusauskas	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7296	Comment from Steve Aydelott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2133	Comment from Doug Helliesen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7297	Comment from Diane Zinni
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2134	Comment from Marianne Salamone	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7298	Comment from Margaret Maloney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2135	Comment from Laura Stevens	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7299	Comment from Pamela Emery
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2136	Comment from E. Neal	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7300	Comment from Thomas Artin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2137	Comment from Michael Stricker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7301	Comment from Jo Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2138	Comment from Jocelyn Stowell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7302	Comment from Antoinette Penkala
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2139	Comment from Linda Bolduan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7303	Comment from James Riggs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2140	Comment from Bruce Triplett	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7304	Comment from Sandra Girouard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2141	Comment from Brian Christian	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7305	Comment from Christie Hartmann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2142	Comment from Terry Derchia	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7306	Comment from Jennifer Wells
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2143	Comment from Vic Bostock	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7307	Comment from Barbara Becker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2144	Comment from Denise Couey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7308	Comment from Samuel McIntyre
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2145	Comment from Christa Neuber	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7309	Comment from Kelly Carlson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2146	Comment from Ingrid Eichenbaum	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7310	Comment from Brandy Garnett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2147	Comment from Robin Finley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7311	Comment from Ted Odom
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2148	Comment from Taryn Geer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7312	Comment from Ruth Howard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2149	Comment from Martin Rickman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7313	Comment from Meredith Russo

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2150	Comment from SUSAN GALANTE	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7314	Comment from Nancy Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2151	Comment from Becky Calhoun	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7315	Comment from Steven Sugarman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2152	Comment from Edward Wardwell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7316	Comment from Dianne Douglas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2153	Comment from Steven Barlow	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7317	Comment from Suzanne Leichtling
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2154	Comment from John Kosiorek	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7318	Comment from John Squire
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2155	Comment from Patricia Baker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7319	Comment from Maria Schultz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2156	Comment from Gary Cantara	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7320	Comment from Julie Sanford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2157	Comment from Kathleen Lee	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7321	Comment from Michelle Palladine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2158	Comment from Bob Rankin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7322	Comment from Pamela Guyon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2159	Comment from Paul Pfau	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7323	Comment from Tylar-Ann Bender
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2160	Comment from Linda Williams	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7324	Comment from Julie Henry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2161	Comment from Kim Beeler	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7325	Comment from A. Todd
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2162	Comment from Kathleen Fullerton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7327	Comment from Cameron McElroy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2163	Comment from Peter Hennessy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7329	Comment from Jack Hough
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2164	Comment from Bonnie MacRaith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7330	Comment from Bonnie Horeski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2165	Comment from Barbara Glassheim	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7331	Comment from Jared Brenner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2166	Comment from David Ross	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7333	Comment from Barbara Ramirez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2167	Comment from Rae Furcha	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7334	Comment from Richard Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2168	Comment from Romula Navarro	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7335	Comment from Catherine Beauchamp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2169	Comment from James McBride	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7337	Comment from Tajeer Robinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2170	Comment from Rumeysa Kusdogan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7338	Comment from Rickey Buttery
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2171	Comment from Kristine Riccardi	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7339	Comment from Taffy Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2172	Comment from William Barnes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7340	Comment from Rick Brown
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2173	Comment from Eithne Clarke	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7341	Comment from Candace Park
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2174	Comment from Pamela Miller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7342	Comment from Gabrielle Gaffney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2175	Comment from Gary Green	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7343	Comment from Robert Schicker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2176	Comment from Juanita Hull	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7344	Comment from Michal Lynch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2177	Comment from Dave Roehm	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7345	Comment from Karen Kravcov Malcolm
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2178	Comment from Lucy Wu	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7346	Comment from Brian Gingras
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2179	Comment from Hilary Simonetti	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7347	Comment from Lisa Chicoine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2180	Comment from Perry Matlock	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7348	Comment from Jennifer Valentine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2181	Comment from Sarah Ralph	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7349	Comment from Bobbi Lempert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2182	Comment from Debora Michel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7350	Comment from Valerie Frederick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2183	Comment from Carol Collins	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7351	Comment from Laura Blanchette
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2184	Comment from Lindsay Mugglestone	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7352	Comment from Rochelle Mons-Larson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2185	Comment from April Schmitt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7354	Comment from Kelley Price
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2186	Comment from Josh Schafer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7356	Comment from Ken Gibb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2187	Comment from Stephanie Aguilar	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7357	Comment from Holly Marczak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2188	Comment from Margery Barlow	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7358	Comment from Wilfred Robin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2189	Comment from Wendy childress	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7359	Comment from Anna Drummond
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2190	Comment from Heidi Klee	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7360	Comment from Olga Abella

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2191	Comment from Bonnie New	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7361	Comment from Anne Kobayashi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2192	Comment from Melvin Hughes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7363	Comment from Gina LoBiondo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2193	Comment from Jeffrey Fernandez	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7364	Comment from Gail Sikorski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2194	Comment from Nina Berry	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7365	Comment from Patty Shuttleworth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2195	Comment from Gretchen Dickson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7366	Comment from Rebecca McDonough
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2196	Comment from thomas lux	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7367	Comment from Heidi Erdmann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2197	Comment from Jeffery McConaughy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7368	Comment from Carol Hayes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2198	Comment from Christopher Michaels	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7369	Comment from Jacob Raitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2199	Comment from Kathleen Wong	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7372	Comment from Pamela Forshay
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2200	Comment from RandyL Rupar	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7373	Comment from Chris Grill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2201	Comment from Brian Dunn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7376	Comment from John Jacobs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2202	Comment from Valerie Holland	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7377	Comment from Mary Lightner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2203	Comment from Peter Smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7378	Comment from JOHN DEFOREST
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2204	Comment from Connie Rogers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7379	Comment from Teresa Morris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2205	Comment from Christopher Sechow	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7380	Comment from Page Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2206	Comment from Nick Byrne	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7382	Comment from Chris Davenport
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2207	Comment from Frances Heath	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7383	Comment from Peter Wood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2208	Comment from Robert Meyer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7384	Comment from Emily Scrivener
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2209	Comment from John Sonin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7385	Comment from Leslie Irving
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2210	Comment from Tara Spires	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7386	Comment from Antonia Pavlovich
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2211	Comment from Shirley Midyette	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7387	Comment from Jan Hansen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2212	Comment from Mary Sims	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7388	Comment from Maria Lorek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2213	Comment from Christie Vaughn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7389	Comment from Jackie Tryggeseth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2214	Comment from Susan Wechsler	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7390	Comment from Celeste Watt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2215	Comment from James Moran	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7391	Comment from Michael J Kunkel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2216	Comment from Rosalie McMenamin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7392	Comment from Kim Brightman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2217	Comment from robert manchester	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7393	Comment from Susan Goldin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2218	Comment from Sally Maish	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7394	Comment from Ilya Speranza
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2219	Comment from Jason Gibson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7395	Comment from Nina Garvey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2220	Comment from Robert Applebaum	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7396	Comment from Fay Payton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2221	Comment from Marci Cochran	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7397	Comment from Mary Venos
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2222	Comment from Christopher Michaels	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7398	Comment from Steve Overton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2223	Comment from Pepper Gamroth	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7399	Comment from Jaromir Guzinski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2224	Comment from Miranda Young	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7400	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2225	Comment from Bert Lustig	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7401	Comment from Pam Nelson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2226	Comment from Carolyn Yee	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7402	Comment from Callie Riley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2227	Comment from LISA O'RELL	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7403	Comment from Nancy Nachman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2228	Comment from James Bullock	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7404	Comment from mark glasser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2229	Comment from Eileen Donnelly	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7405	Comment from Rebecca Holzer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2230	Comment from Max Parron	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7406	Comment from Robin Bradley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2231	Comment from Regan Ebert	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7407	Comment from Debra Rehn

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2232	Comment from Deborah Gandolfo	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7408	Comment from Nicole Shaffer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2233	Comment from Meredith Kent-Berman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7409	Comment from Daniel Taroli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2234	Comment from Myra Dewhurst	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7410	Comment from Daniel Taroli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2235	Comment from Abigail Rome	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7411	Comment from steve lucas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2236	Comment from Alan Canfield	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7412	Comment from wendy weiner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2237	Comment from D. Deloff	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7413	Comment from Tanja Rieger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2238	Comment from Nolen Scott	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7414	Comment from pamela VITALE
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2239	Comment from Thomas Humphrey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7415	Comment from Rob Seltzer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2240	Comment from Lisa Isley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7416	Comment from Jacqueline Eckert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2241	Comment from Lori Nell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7417	Comment from Judith Gottesman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2242	Comment from Helene Whitson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7419	Comment from Elizabeth Jacobowitz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2243	Comment from ANDREW HOFFMAN	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7420	Comment from Debbie Collins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2244	Comment from Karen Powers	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7421	Comment from Linda Loving
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2245	Comment from Deb Giannetti	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7422	Comment from Christine Costello
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2246	Comment from Cynthia Walton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7423	Comment from David de la Mora
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2247	Comment from Margaret Tyska	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7424	Comment from David R Wilcox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2248	Comment from NORA MANCHESTER	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7425	Comment from Paola De Fanis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2249	Comment from Deja Morlan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7426	Comment from Patricia Radder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2250	Comment from Jonathan Hancock	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7427	Comment from Elena De Fanis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2251	Comment from Ben Basin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7428	Comment from Terry Vaccaro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2252	Comment from Cathy McDow	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7429	Comment from Stewart Cooper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2253	Comment from James Walker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7430	Comment from Chris Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2254	Comment from Matthew Meier	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7431	Comment from Mary Simmons
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2255	Comment from Linda Addis	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7432	Comment from gloria decker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2256	Comment from Tami Phelps	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7433	Comment from Renee Haines
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2257	Comment from Elizabeth smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7434	Comment from Kristen Allbritton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2258	Comment from Carol Long	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7435	Comment from Maryann Barulich
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2259	Comment from Jill Hein	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7436	Comment from Kari Percival
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2260	Comment from Michael Henderson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7437	Comment from Brigitte Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2261	Comment from Tania Roa	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7438	Comment from Sandy Dalcais
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2262	Comment from AA Lloyd	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7439	Comment from Ewa Gio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2263	Comment from Eric Edwards	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7440	Comment from Marcey Lachance
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2264	Comment from Dawn-Marie Staccia	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7441	Comment from Jennifer Kelly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2265	Comment from Deidra Smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7442	Comment from Joan Lipp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2266	Comment from s klof	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7443	Comment from Reece Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2267	Comment from Mary Baier	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7444	Comment from Kathie Hegert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2268	Comment from Sylvia Lewis-Gunning	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7445	Comment from Kerri McGoldrick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2269	Comment from Janet Draper	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7446	Comment from Wally Baldwin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2270	Comment from Pamela Finnegan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7447	Comment from Tammy Hollifield
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2271	Comment from Michelle Benes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7448	Comment from Holly Langer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2272	Comment from Deborah Fobes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7449	Comment from Holly Cook

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2273	Comment from Leon Cheong	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7450	Comment from Waver Broers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2274	Comment from Susan Berzac	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7451	Comment from Jaedra Luke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2275	Comment from Francine Traniello	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7452	Comment from Donata Maluzenska
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2276	Comment from Diana Boom	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7454	Comment from Beverly Nowling
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2277	Comment from Diann Rose	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7455	Comment from Laura Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2278	Comment from Nicole Durden-Mundy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7457	Comment from Ann Malyon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2279	Comment from Dennis Heinzig	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7458	Comment from Joan Shapiro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2280	Comment from Michele Anthony	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7459	Comment from Sue Hall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2281	Comment from Gary Gover	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7460	Comment from JEAN Katsaros
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2282	Comment from Jordan Longever	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7461	Comment from Lowell Harrison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2283	Comment from Michael Weaver	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7462	Comment from Lisa Deckert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2284	Comment from Joseph Cota	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7463	Comment from Dorothy Perry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2285	Comment from Renee Estelle	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7464	Comment from Marie Val
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2286	Comment from Mark Redmond	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7465	Comment from Betty Mosley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2287	Comment from Lois Hoot	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7466	Comment from Debbie Lapierre
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2288	Comment from Norbert Mietus	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7467	Comment from Monina Martini
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2289	Comment from Lill d	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7468	Comment from Alene Graham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2290	Comment from jeremy fryberger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7469	Comment from Janet Neihart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2291	Comment from Thomas Talbot	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7470	Comment from Rosalind Andrews
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2292	Comment from Joan Bonnington	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7471	Comment from Teresia LaFleur
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2293	Comment from Jason LaBerge	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7472	Comment from Kelly Reymers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2294	Comment from Linda Bridges	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7473	Comment from Fran Crilley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2295	Comment from Jeff Freels	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7474	Comment from Christine Chaplik
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2296	Comment from Karen Baka	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7475	Comment from O Lewis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2297	Comment from Larry Karns	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7476	Comment from Carolyn Black
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2298	Comment from Mary Baker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7477	Comment from MARINA ARDOVINO
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2299	Comment from Rikki Eriksen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7478	Comment from Ruliffson Mary
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2300	Comment from Ramsay Kieffer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7479	Comment from Lenore Nieters
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2301	Comment from Norda Gromoll	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7480	Comment from Albert Koehler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2302	Comment from Scott Kennedy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7481	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2303	Comment from Lenore Humphrey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7482	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2304	Comment from Christina Viljoen	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7483	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2305	Comment from Matthew Gray	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7484	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2306	Comment from Michelle Rice	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7485	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2307	Comment from Steven Iszauk	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7486	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2308	Comment from James Hadcroft	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7487	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2309	Comment from Marie Young	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7488	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2310	Comment from Donald Rosenberger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7489	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2311	Comment from Nancy Hendrickson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7490	Comment from Michelle Hayward
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2312	Comment from Marian Cooley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7491	Comment from Glen Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2313	Comment from Emery Goff	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7492	Comment from Mary Oconnell

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2314	Comment from Mary Ramirez	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7493	Comment from David Laramie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2315	Comment from Paul Ward	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7494	Comment from Simone Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2316	Comment from Susan Siniard	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7495	Comment from Elaine Beal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2317	Comment from Mina Bish	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7497	Comment from Cathy Reid
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2318	Comment from Myrna Torrie	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7498	Comment from Susan Cerniglia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2319	Comment from AnnaLea Elliott	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7499	Comment from Paul and Katherine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2320	Comment from Ali Van Zee	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7500	Comment from Lisa Hughes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2321	Comment from Pam Doran	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7501	Comment from DEVIN McCORMICK
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2322	Comment from Gary Moore	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7502	Comment from Regina Marone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2323	Comment from Kathleen Bates	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7503	Comment from Judy Schmidtke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2324	Comment from Stuart Weiss	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7504	Comment from Patricia Towers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2325	Comment from Tony Wise	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7505	Comment from Nina Monasevitch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2326	Comment from Karla Devine	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7506	Comment from MURRAY MURRAY B. ZAKLIN B. ZAKLIN
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2327	Comment from Lori Moog	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7507	Comment from Doug Helliesen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2328	Comment from Shea Nace	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7508	Comment from Sandra Rodriguez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2329	Comment from Angie Mackey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7509	Comment from Michael Dover
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2330	Comment from michael page	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7510	Comment from Xiomara Aguabella
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2331	Comment from Laura Silverman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7511	Comment from Sherry Watkins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2332	Comment from Tyler Miranda	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7512	Comment from Lisa Knapp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2333	Comment from juli van brown	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7513	Comment from Sarah Tackett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2334	Comment from andrew kaplan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7514	Comment from Kirk Keel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2335	Comment from Amelia Linder	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7515	Comment from Becky Nordlum
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2336	Comment from Dennis Toll	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7516	Comment from Diane Summerville
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2337	Comment from Samuel Aley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7517	Comment from Matt Brzezinski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2338	Comment from Pam koller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7518	Comment from Maureen Porcelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2339	Comment from Corinne Monk	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7519	Comment from Diane Gangemi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2340	Comment from Thomas Kuspel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7520	Comment from Terry Pitt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2341	Comment from Jamie Shultz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7521	Comment from R. Miles Mendenhall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2342	Comment from David Smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7522	Comment from Sandra Girouard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2343	Comment from Sgt. Palloc	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7523	Comment from Leslie Cullis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2344	Comment from Brian Scott	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7524	Comment from Maureen Mooney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2345	Comment from Cheryl Scher	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7525	Comment from Elizabeth Kramer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2346	Comment from Cynthia Slomin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7526	Comment from Ray Rodney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2347	Comment from Barbara Mintz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7527	Comment from Michelle Hagan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2348	Comment from Joan Sitomer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7528	Comment from Jen Kopack
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2349	Comment from Catherine Williams	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7529	Comment from Pat Bryan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2350	Comment from Kenneth Fisher	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7530	Comment from Staci Sherwood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2351	Comment from Georgia Shankel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7532	Comment from Sarah Provost
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2352	Comment from Mr Racine	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7533	Comment from Carolyn Taylor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2353	Comment from Meg Brown	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7534	Comment from Katie Clifford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2354	Comment from Judith Melvin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7535	Comment from Leslie Kriebel

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2355	Comment from Rosemary Lojo	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7536	Comment from Grace Agnew
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2356	Comment from Kirk Rhoads	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7537	Comment from Elisa Townshend
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2357	Comment from Jon Singleton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7538	Comment from Erica Johanson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2358	Comment from Emily Alpert	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7539	Comment from Phyllis Huang
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2359	Comment from Linda Just	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7540	Comment from Cheryl Ferguson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2360	Comment from Donna Hart	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7541	Comment from Laurie Dalke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2361	Comment from Rhoda Levine	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7542	Comment from Cindy Berezny
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2362	Comment from Donald Williams	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7543	Comment from Mary Irving
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2363	Comment from Lisa Deville	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7544	Comment from Sheila Daniel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2364	Comment from Margaret Newhart	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7545	Comment from Sue Amell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2365	Comment from Hylin White	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7546	Comment from Lisa Klepek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2366	Comment from John Cairns	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7547	Comment from Wanda Crawford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2367	Comment from Peter Cutting	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7548	Comment from Bev Griffiths
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2368	Comment from Ruth Steger	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7549	Comment from Donald Walden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2369	Comment from Angela Hayes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7550	Comment from Russell Weisz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2370	Comment from Niki Wise	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7551	Comment from Barbara Green
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2371	Comment from Carol Kuelper	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7552	Comment from Ruth Quinones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2372	Comment from William Roberson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7553	Comment from Tracy Templin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2373	Comment from Bruce Ross	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7555	Comment from Carrie Swank
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2374	Comment from Danielle Pyevich	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7556	Comment from Maura Pichette
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2375	Comment from Ruth Driscoll-Lovejoy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7557	Comment from Laura Chariton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2376	Comment from Mina Bish	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7558	Comment from John Barger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2377	Comment from T C	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7559	Comment from Sarika Arora
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2378	Comment from Lynn Gazik	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7560	Comment from Lisa Fink
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2379	Comment from Lora Leland	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7561	Comment from claudia roberson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2380	Comment from Tobey Thatcher	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7562	Comment from Judith Spell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2381	Comment from Mark Feldman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7563	Comment from Donna Cox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2382	Comment from James Dawson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7564	Comment from Tamara Little
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2383	Comment from Edye Calderon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7565	Comment from Kimberly Dwyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2384	Comment from Lynn Costa	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7566	Comment from Mariza Cerff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2385	Comment from Patricia Gehring	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7568	Comment from Karen Parra
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2386	Comment from Steve Prince	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7569	Comment from Elana Auerbach
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2387	Comment from Donna Bender	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7570	Comment from Rena Mcvey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2388	Comment from Richard Tregidgo	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7571	Comment from Kelly Milan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2389	Comment from John Merriman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7572	Comment from Jillian Fiedor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2390	Comment from Patricia Gehring	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7573	Comment from Michael Adler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2391	Comment from Kathleen Eaton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7574	Comment from Diane George
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2392	Comment from Karen Thomas	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7575	Comment from Marianne Alfano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2393	Comment from Christine Drea	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7576	Comment from Rosamund Downing
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2394	Comment from Marc Silverman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7578	Comment from David Seifert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2395	Comment from Marci Robinson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7579	Comment from Phyllis Stowe

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2396	Comment from Faith Herschler	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7580	Comment from Steven Nelson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2397	Comment from Susan Mantee	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7581	Comment from Sandy Tabin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2398	Comment from Pat Wolff	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7582	Comment from Yvonne Townsley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2399	Comment from Patricia Cole	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7583	Comment from Eric Brooker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2400	Comment from Don Swall	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7584	Comment from Joanne Martinez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2401	Comment from Donna Thelander	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7586	Comment from April Chenevert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2402	Comment from William Grant	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7587	Comment from Sarah Stewart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2403	Comment from Irina Kurland	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7588	Comment from Jenna Fallaw
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2404	Comment from Kelli Gilbert	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7589	Comment from Mary Stewart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2405	Comment from Michael Garitty	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7590	Comment from Diana Stewart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2406	Comment from Diane Ensign	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7591	Comment from Rachel Wolf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2407	Comment from Jackie Bocchino	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7592	Comment from Chris Stewart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2408	Comment from Frederick Blosser	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7593	Comment from Jean Huffman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2409	Comment from ROBERT NERGER	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7594	Comment from Zachary Butler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2410	Comment from Craig Kleber	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7595	Comment from Chris Kiefer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2411	Comment from Brian Florian	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7596	Comment from Lisa Celli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2412	Comment from Thomas VanMatre	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7597	Comment from Adina Parsley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2413	Comment from Ana Herold	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7598	Comment from Mark Stowe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2414	Comment from Gerald Kretmar	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7599	Comment from Gay Goden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2415	Comment from KELLY BARRIOS	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7600	Comment from Bernadette Chambers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2416	Comment from Elisabeth Youngclaus	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7601	Comment from Best Painter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2417	Comment from Donn Carroll	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7602	Comment from Donna Coutant
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2418	Comment from Andrelene Babbitt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7603	Comment from Claire Prevost
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2419	Comment from Margaret Keene	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7604	Comment from Pat Gibson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2420	Comment from Caroline Gakenheimer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7605	Comment from James Fitzgerald
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2421	Comment from kym harris	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7606	Comment from Paula Brookshire
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2422	Comment from Tara Strand	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7607	Comment from Cathy Lazarewicz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2423	Comment from Susan Alexander	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7608	Comment from Teresa Variano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2424	Comment from Lee Bunyard	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7609	Comment from Alida Margolin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2425	Comment from Sandra Thompson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7610	Comment from Anthony Mehle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2426	Comment from Benton Elliott	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7611	Comment from Anthony Mehle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2427	Comment from Dara Errichetti	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7612	Comment from Anthony Mehle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2428	Comment from Janeene Porcher	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7613	Comment from Melody Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2429	Comment from jai parekh	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7614	Comment from Graydon Tunstall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2430	Comment from Maria Morales	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7615	Comment from Michele Wojnar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2431	Comment from Perry Gx	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7616	Comment from Susan Allen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2432	Comment from Lisa G	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7617	Comment from Dominique Matthews
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2433	Comment from Emily Danielson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7618	Comment from Carol Pratt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2434	Comment from Kelley Price	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7619	Comment from Karen Slote
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2435	Comment from Andrew Rowlas	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7620	Comment from virginia sheheen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2436	Comment from Pamela Vasquez	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7621	Comment from Barbara Schrier

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2437	Comment from Corinne Case	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7622	Comment from Rebekah Laros
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2438	Comment from Jim Gear	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7623	Comment from Rhonda Pulliam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2439	Comment from Melinda Encinas	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7624	Comment from Gary Clontz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2440	Comment from Vic DeAngelo	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7625	Comment from Jennifer Adams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2441	Comment from T Hruska	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7626	Comment from Diane Leonard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2442	Comment from John Brown	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7627	Comment from Nancy Irvine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2443	Comment from Arlene Dreeste	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7628	Comment from Chris Bufano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2444	Comment from Ed Schmitt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7629	Comment from James Dawson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2445	Comment from Tracey Mangus	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7630	Comment from Linda Phelan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2446	Comment from Robert Cassinelli	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7631	Comment from Tara Ducharme
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2447	Comment from Rochelle Douglas-Holt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7632	Comment from M n
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2448	Comment from Deborah Reiter	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7633	Comment from Gretchen Witt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2449	Comment from Ernesto Marquez	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7634	Comment from Lora Hamrock
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2450	Comment from Theresa Baroni	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7635	Comment from Liz Davis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2451	Comment from James Marsden	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7636	Comment from Sophia Vassilakidis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2452	Comment from Mary Wood	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7637	Comment from Elisa Plauche
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2453	Comment from Mary Harte	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7638	Comment from Allison Bergeron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2454	Comment from Dan Perdios	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7640	Comment from Darlene Marturano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2455	Comment from Vanessa Lundheim	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7641	Comment from Saran K.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2456	Comment from TRAVIS JENNINGS	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7642	Comment from Adriana Nunez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2457	Comment from Rebecca Augustin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7643	Comment from Ron Mittan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2458	Comment from Lisa Krausz	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7644	Comment from phyllis free
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2459	Comment from Alfred Mancini	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7645	Comment from Patti Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2460	Comment from Andrea Jordan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7646	Comment from Michael Braude
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2461	Comment from brandon gregg	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7647	Comment from Sally Brainerd
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2462	Comment from Colleen Lobel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7648	Comment from Grisell Garcia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2463	Comment from Kara Lau	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7649	Comment from Mary More
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2464	Comment from Glenn Hufnagel	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7650	Comment from Francine Cohen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2465	Comment from Pat Parran	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7651	Comment from Grisell Garcia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2466	Comment from Shannon Milhaupt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7652	Comment from Olga Botcharova
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2467	Comment from Natalie Blasco	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7653	Comment from Leslie Richardson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2468	Comment from Joei Fischer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7654	Comment from Christina Ripoll
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2469	Comment from Nadya Schmeder	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7655	Comment from Adam Pastula
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2470	Comment from Michael Clarke	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7656	Comment from Maria Shepard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2471	Comment from Stephanie Fox	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7657	Comment from Alison Newcomb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2472	Comment from Rebecca Kimsey	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7658	Comment from Barbara Fernandez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2473	Comment from Carol Stevens	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7659	Comment from Terry Bulla
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2474	Comment from Anna Simle	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7660	Comment from Rosemary Wyman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2475	Comment from Paula Lozar	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7661	Comment from Caroline Sweeney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2476	Comment from Marilyn Thompson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7662	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2477	Comment from Christine Viramontes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7663	Comment from Gary Goetz

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2478	Comment from Donald Mackay	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7664	Comment from Richard Meyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2479	Comment from Jane Bidinian	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7665	Comment from Tom Hiney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2480	Comment from Danika Bevirt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7666	Comment from Deborah Kieffer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2481	Comment from Lupe Torre	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7667	Comment from Lisa Frascone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2482	Comment from Lynne Weiske	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7668	Comment from Elizabeth Cruickshank
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2483	Comment from Rayline Dean	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7669	Comment from Lawrence Abbott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2484	Comment from Howard McCoy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7670	Comment from JILL ALIBRANDI
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2485	Comment from p perron	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7671	Comment from Darci Halloran
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2486	Comment from Nancy Consolloy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7672	Comment from Denise Llerena
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2487	Comment from Omar Siddique	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7673	Comment from Mike Lanka
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2488	Comment from Taryn Braband	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7674	Comment from Joyce Grajczyk
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2489	Comment from Arline Fass	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7675	Comment from Stacy Ortiz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2490	Comment from Daphne Lake	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7676	Comment from Gina Dargento
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2491	Comment from Sean O'Dell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7677	Comment from Janice santos
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2492	Comment from Jo Feldman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7679	Comment from Frances Baty
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2493	Comment from Carmen Nichols	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7680	Comment from Cindy Letourneau
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2494	Comment from Amy Mower	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7682	Comment from joseph tippett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2495	Comment from Patricia Walker	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7683	Comment from Michelle Gage
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2496	Comment from James Holbrook	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7684	Comment from Samantha Solomon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2497	Comment from Jones Jan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7685	Comment from Carol Younes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2498	Comment from Donald Taylor	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7686	Comment from Colleen Wade
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2499	Comment from Priscilla Newcomer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7687	Comment from DM Warner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2500	Comment from Paul Schmalzer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7688	Comment from Samantha Turetsky
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2501	Comment from jeannette gavin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7689	Comment from Ada O.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2502	Comment from Devon Benton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7690	Comment from Maryann Barulich
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2503	Comment from Lisa Lashaway	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7691	Comment from Angelica Kash
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2504	Comment from Stephen Babb	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7692	Comment from Lou Baxter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2505	Comment from Pamela Marshall	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7693	Comment from Shani Schulman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2506	Comment from Jennifer Scott	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7694	Comment from Holly Marczak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2507	Comment from Thomas Windberg	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7695	Comment from Phyllis Perna
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2508	Comment from Ralph Palmer	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7696	Comment from The Rev Dr Edward Kern
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2509	Comment from Patricia Foschi	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7697	Comment from Judy Acosta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2510	Comment from Tom Creswell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7699	Comment from Annette Tchelka
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2511	Comment from Kay Corum	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7700	Comment from Gavin Bornholtz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2512	Comment from ronald smith	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7701	Comment from Joan Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2513	Comment from Elizabeth Taylor	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7702	Comment from Donna Donnelly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2514	Comment from David Kelley	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7703	Comment from Joanne Tinsley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2515	Comment from Tom Hohn	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7704	Comment from Brian Gingras
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2516	Comment from Rebecca Thomas	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7705	Comment from Jamie Thomas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2517	Comment from Robert Waller	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7706	Comment from Mark Giese
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2518	Comment from Alix Bowman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7707	Comment from Mary Peterson

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2519	Comment from Jahna Schadt	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7708	Comment from Stefanie Hedrick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2520	Comment from Christina Nillo	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7709	Comment from jesse williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2521	Comment from Julia Dalton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7710	Comment from Joann Koch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2522	Comment from Mary Easton	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7711	Comment from Kathryn Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2523	Comment from Jewell Batway	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7712	Comment from Sherri Foschini
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2524	Comment from Jamie Green	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7713	Comment from Carin Baer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2525	Comment from Jane Luu	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7714	Comment from Monique cote
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2526	Comment from Marcia Godich	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7715	Comment from Bradford Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2527	Comment from Lisa Critchlow	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7716	Comment from David Miranda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2528	Comment from Steve Wilson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7717	Comment from Brenda Guilford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2529	Comment from Lori Surmay	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7718	Comment from Laurie Storm
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2530	Comment from M D	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7719	Comment from Caryl Speck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2531	Comment from Karen Duckwall	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7720	Comment from Wendy Enos
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2532	Comment from Jim Stone	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7721	Comment from Catherine Kowalczyk.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2533	Comment from George Grant	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7723	Comment from Philip Shook
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2534	Comment from Erica Runge	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7724	Comment from Mary Metts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2535	Comment from Selina Harris	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7726	Comment from Ralph Mazzacane
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2536	Comment from David Henderson	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7727	Comment from Dani L
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2537	Comment from Donna Lenhart	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7728	Comment from Audrey Tillinghast
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2538	Comment from Gregory Garnant	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7729	Comment from Karen McGreevy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2539	Comment from STAFFORD KRAMER	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7730	Comment from Leo Kucewicz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2540	Comment from Nick Brannan	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7732	Comment from Sandra reeves
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2541	Comment from Sondra Boes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7733	Comment from Joseph Quirk
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2542	Comment from Tamara Abashian	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7734	Comment from Emily Willoughby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2543	Comment from Gloria Muszynski	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7735	Comment from Shellee Davis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2544	Comment from Ann Collins	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7736	Comment from Katlynn Griffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2545	Comment from Marian Blue	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7737	Comment from Cynthia Watt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2546	Comment from Wayne Steffes	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7738	Comment from Shani Schulman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2547	Comment from adam joe	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7739	Comment from Susan Pawlowski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2548	Comment from Phillip Mixon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7740	Comment from Tracey Aquino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2549	Comment from Felicia Saunders	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7741	Comment from Karen Burroughs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2550	Comment from Elizabeth Ashby	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7742	Comment from George Danner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2551	Comment from Elaine Edell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7743	Comment from Holly Cox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2552	Comment from Hillary Ostrow	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7744	Comment from Glenda Macemore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2553	Comment from Camille McPhee	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7745	Comment from Kristi Mattiello
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2554	Comment from D. Barcilon	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7746	Comment from Jacqueline Shaw
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2555	Comment from Teresa Lyman	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7747	Comment from Melissa Berger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2556	Comment from Bob Merlin	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7748	Comment from Michelle Duby
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2557	Comment from Cynthia McFall	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7749	Comment from Krista Reynolds
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2558	Comment from Jaime Grimwood	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7750	Comment from Megan Holden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2559	Comment from Joseph Flasch	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7751	Comment from Karen Parry

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2560	Comment from Jane Ball	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7752	Comment from Diane-michele petrillo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2561	Comment from neil illiano	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7753	Comment from Kimberly Carlson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2562	Comment from Kara Gallant	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7754	Comment from David Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2563	Comment from Susan Lindell	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7755	Comment from Alexandre Haudeville
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2564	Comment from Debra Bruegge	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7756	Comment from JoanLee Stassi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2565	Comment from Sharon McCarthy	02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7757	Comment from Marilyn Garrett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2566	Comment from Neil Puckett	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7758	Comment from Linda Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2567	Comment from Heather Walker-Dale	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7759	Comment from Kerry Dockery
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2568	Comment from Marcus Straub	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7760	Comment from Armando A. Garcia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2569	Comment from Katherine Patterson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7761	Comment from Wendy kneeland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2570	Comment from Michael Hill	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7762	Comment from Shaun Levin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2571	Comment from Marilyn Olson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7763	Comment from Melanie Barberio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2572	Comment from Randy Harrison	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7764	Comment from Joe Kissel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2573	Comment from Louise Friedenson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7765	Comment from Anita Coca
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2574	Comment from Kathleen Espamer	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7766	Comment from Ken Scott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2575	Comment from Toni Moore	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7767	Comment from kristine cervini
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2576	Comment from Laurel Przybylski	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7768	Comment from Deborah Shea
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2577	Comment from Renee Kermeen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7769	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2578	Comment from Anne Van Alstyne	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7770	Comment from G. Sikes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2579	Comment from Michelle Buerger	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7771	Comment from Paul Bolden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2580	Comment fromCarolynn Griffith	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7772	Comment from Marion Albu
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2581	Comment from Mary Puckett	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7773	Comment from Amy Bombard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2582	Comment from Brenda Boudreaux	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7774	Comment from Susan Goldin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2583	Comment from Lorilie Morey	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7775	Comment from Carmen Harbuck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2584	Comment from Robin Parish	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7776	Comment from Ann Oliver
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2585	Comment from Kimberly Wade	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7777	Comment from Grard COUCHOUD
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2586	Comment from Quinn Abrams	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7778	Comment from Brian Gingras
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2587	Comment from Paul Hunrichs	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7779	Comment from Janet Garrison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2588	Comment from Natalie Youngberg	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7780	Comment from Jesse Gennarelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2589	Comment from Edward Butler	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7781	Comment from Debby Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2590	Comment from Sarah Bauman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7782	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2591	Comment from C M	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7783	Comment from Barbara Guinn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2592	Comment from Heidi Ananthakrishnan	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7784	Comment from Julie Scaramella
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2593	Comment from James Miles	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7785	Comment from Laurie Muscat
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2594	Comment from Theresa Sullivan	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7786	Comment from Diane Moore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2595	Comment from Linda Szurley	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7788	Comment from Mari Dominguez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2596	Comment from Anne Gregory	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7789	Comment from Belinda Ford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2597	Comment from Helen Haggins	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7790	Comment from Kristin Betz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2598	Comment from Kathryn Christian	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7791	Comment from Henry Atterbury
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2599	Comment from Terry Vaccaro	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7792	Comment from Ramona Kyall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2600	Comment from Steven Collins	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7793	Comment from Beth Carr

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2601	Comment from Mary Green	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7794	Comment from Jean Naples
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2602	Comment from Angel Moreno	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7796	Comment from Geneva Allen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2603	Comment from Kate Kenner	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7797	Comment from Dwain Wider
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2604	Comment from Wolfgang burger	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7798	Comment from Jennifer Kopczynski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2605	Comment from Terry Vaccaro	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7799	Comment from Jeremy Benjamin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2606	Comment from Nathan Hall	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7800	Comment from Maryellen Redish
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2607	Comment from James Roberts	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7801	Comment from Virgene Link-New
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2608	Comment from Paul Lapidus	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7802	Comment from Brian Boyle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2609	Comment from Kellen Dunn	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7803	Comment from Martha Wilson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2610	Comment from Candice Hoz	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7804	Comment from Andy Henry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2611	Comment from MAddalena Bearzi	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7805	Comment from Lanka Dupont
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2612	Comment from Taylor Justason	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7806	Comment from Christine Donovan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2613	Comment from Nancy-liane burger	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7807	Comment from Pietro Poggi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2614	Comment from Tony Gray	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7808	Comment from Silvia Bertano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2615	Comment from Chris Nolasco	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7810	Comment from Jessica Osburg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2616	Comment from Bradley Holmes	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7811	Comment from Claudine Farro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2617	Comment from Candace Slivinski	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7812	Comment from Harmony Van Eaton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2618	Comment from Nancy Stamm	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7813	Comment from emma Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2619	Comment from Ben Grego	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7814	Comment from David Holloway
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2620	Comment from Becky Lippmann	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7815	Comment from Vivien Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2621	Comment from Sharen Oxman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7816	Comment from Lila Brtko
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2622	Comment from David Abalos	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7817	Comment from Yannis Karaouzas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2623	Comment from Ruby Grad	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7818	Comment from Tessa Thomas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2624	Comment from Cathy Clucas	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7819	Comment from Bonnie Stucker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2625	Comment from Rick Romito	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7820	Comment from Nicholas Lenchner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2626	Comment from Ajay Dave	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7821	Comment from Christine Doering
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2627	Comment from Barbara Hoch	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7822	Comment from John James
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2628	Comment from Eli Celli	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7823	Comment from Jorge De Cecco
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2629	Comment from Marilee Meyer	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7824	Comment from Karen Berger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2630	Comment from Christine Hayes	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7825	Comment from Gerald Bowman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2631	Comment from Anita Laskaris	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7826	Comment from Robert Piller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2632	Comment from Tom Harris	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7827	Comment from Geoff Niswander
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2633	Comment from Sandi Aden	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7828	Comment from Nancy Beaverrs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2634	Comment from E.P. P.	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7829	Comment from Chip Fontaine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2635	Comment from Dianne Douglas	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7830	Comment from Linda Satter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2636	Comment from Betty Ware	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7831	Comment from Daria Walton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2637	Comment from Erika Sirabian	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7833	Comment from Zlata Filipenko
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2638	Comment from Jean Wiant	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7834	Comment from AMANDA STONEBANK
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2639	Comment from Iris Carman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7836	Comment from Jean Yermes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2640	Comment from Jeffery Trotta	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7837	Comment from Maja L
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2641	Comment from Linda Waine	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7838	Comment from Colonel Meyer

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2642	Comment from Tamara Cain	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7839	Comment from Cheryl Metzger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2643	Comment from Will Sage	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7840	Comment from Laurie Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2644	Comment from Roseanne Belsito	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7841	Comment from Cathy Sikes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2645	Comment from Joan Murray	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7842	Comment from Marjatta Heinonen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2646	Comment from Karen Hauser	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7843	Comment from Kristin Walsh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2647	Comment from Carol Guffey	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7844	Comment from Jimmy Fleming
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2648	Comment from Carol Rahbari	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7845	Comment from Laurie Siederman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2649	Comment from Deborah Payne	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7846	Comment from Ainga Dobbelaere
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2650	Comment from Richard Klett	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7847	Comment from Debbie Sorrell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2651	Comment from Craig Warren	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7849	Comment from Deanne O'Donnell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2652	Comment from Christine Trela	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7850	Comment from Mark Vargo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2653	Comment from judy pizarro	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7851	Comment from DeDe O'Donnell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2654	Comment from Robert Neuzil	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7852	Comment from Pam Hepfer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2655	Comment from Julie Beer	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7853	Comment from Julie Motl
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2656	Comment from Geoffrey Ogden	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7854	Comment from Karen James
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2657	Comment from Richard Evans	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7855	Comment from Alice Morris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2658	Comment from Patti Fink	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7856	Comment from Laura Grove
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2659	Comment from Donna Crossman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7857	Comment from Arifa Isabel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2660	Comment from Karen Bonnell	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7858	Comment from Nancy Neumann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2661	Comment from Carolyn Dickson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7859	Comment from Deb DeRosa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2662	Comment from John Weber	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7861	Comment from Larry Swain
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2663	Comment from Elizabeth Sanders	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7862	Comment from Tamara Quartin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2664	Comment from mark wenzel	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7863	Comment from Janet Delaney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2665	Comment from Anthony Celaya	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7864	Comment from Adriauna Diaz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2666	Comment from Deanna Horton	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7865	Comment from Linda Wettrhus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2667	Comment from Chris Silcox	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7867	Comment from Kenneth Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2668	Comment from Jill Madsen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7868	Comment from Thomas Sanders
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2669	Comment from dan horton	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7869	Comment from Donna Vassallo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2670	Comment from Kyrie Elesion	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7870	Comment from Arlene Macintosh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2671	Comment from Kellee Anderson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7871	Comment from Mai Hermann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2672	Comment from Laura Ray	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7872	Comment from Krystal krause
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2673	Comment from Leslie Burpo	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7873	Comment from Carmen Sucre
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2674	Comment from John Markham	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7874	Comment from Lou Indy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2675	Comment from Robert Stark	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7875	Comment from Vicki Keehner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2676	Comment from Ann McDermott	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7876	Comment from Mario Merlonghi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2677	Comment from Barbara Scheinman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7877	Comment from TRISH GEIDEL
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2678	Comment from Christine Koehler	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7878	Comment from Debi Holt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2679	Comment from Emily Pitner	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7879	Comment from Carole Arbour
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2680	Comment from Kiley Newton	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7880	Comment from Andrew Esterman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2681	Comment from Susan Campanini	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7881	Comment from Nancy Diaz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2682	Comment from Harry Knox	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7882	Comment from Colonel Meyer

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2683	Comment from Carol Masuda	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7883	Comment from Cynthia Karst
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2684	Comment from Nancy Lewis	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7884	Comment from Susan Marchini
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2685	Comment from Meaghan Leavitt	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7885	Comment from Tammy More
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2686	Comment from Isabel Cervera	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7886	Comment from Cynthia Simpson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2687	Comment from David Bernstein	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7887	Comment from Mary Flaherty
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2688	Comment from P.P. Soucek	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7888	Comment from debbie andrews
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2689	Comment from Sharon Kaylen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7889	Comment from Nina Perino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2690	Comment from Leda Zimmerman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7890	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2691	Comment from Mary Buckley	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7891	Comment from kathy korff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2692	Comment from Irene Mills	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7892	Comment from Jeff Cook
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2693	Comment from Eric Arroyo	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7893	Comment from Lisa Harnett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2694	Comment from RJ Cooper	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7894	Comment from Sue Bush
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2695	Comment from christine etapa	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7895	Comment from Stephanie Mieke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2696	Comment from John Ballo	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7896	Comment from Deborahk Filion
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2697	Comment from Lauren Linda	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7897	Comment from Laura Withers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2698	Comment from Alan Miller	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7898	Comment from Monica Levine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2699	Comment from Laura Guttridge	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7899	Comment from Adelino Carreira
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2700	Comment from Lawrence Plummer	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7900	Comment from Karen Gleason
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2701	Comment from MARLENE SMITH	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7901	Comment from Janet Marthers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2702	Comment from Raymond Valinoti	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7902	Comment from Cecilia Wolff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2703	Comment from David Anderson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7903	Comment from Fanny Whitman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2704	Comment from Hilary Harris	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7904	Comment from Craig Fritz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2705	Comment from Jessica Baskett	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7905	Comment from Carol Berkowicz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2706	Comment from Marianne Lazarus	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7906	Comment from Amber Owens
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2707	Comment from Marcia Liotard	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7907	Comment from Jen Marks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2708	Comment from stacey francis	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7908	Comment from Rachel Gardiner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2709	Comment from Gary Raymond	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7909	Comment from Wendy Armstrong
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2710	Comment from Lorna McCaslin	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7910	Comment from Bill Morelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2711	Comment from Sherry Vatter	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7911	Comment from Louise Frontiero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2712	Comment from Kathy Bouvier	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7912	Comment from ADRIANA Mathews
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2713	Comment from Rozalind Smith	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7913	Comment from Katie Campbell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2714	Comment from Jennifer Taylor	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7914	Comment from Susan Meyerholz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2715	Comment from JEAN ROHRER	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7915	Comment from Brenda Stepp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2716	Comment from Janice McLaughlin	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7916	Comment from Cindy Page
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2717	Comment from Charlene Kerchevall	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7917	Comment from Annette bailey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2718	Comment from Donald Dobesh	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7918	Comment from Debra Jamieson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2719	Comment from Dave Frank	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7919	Comment from Linda Montanaro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2720	Comment from Maura Schaeffer	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7920	Comment from Joanne Minton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2721	Comment from Kelli Lent	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7921	Comment from Caroline Trickey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2722	Comment from marilyn gockowski	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7922	Comment from Paul Needles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2723	Comment from Ben Badger	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7923	Comment from Jason Colon

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2724	Comment from Marc Westler	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7924	Comment from Anneke Corbett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2725	Comment from Bill Leikam	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7925	Comment from Katherine Mayers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2726	Comment from Laura Vera	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7926	Comment from Maria Clara Leito
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2727	Comment from Shiela Cockshott	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7927	Comment from Jeanne Hobert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2728	Comment from Kay Reinfried	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7928	Comment from Joy Marzolf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2729	Comment from Karen Milstein	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7929	Comment from Doreen Jefferson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2730	Comment from Lourdes Guzman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7930	Comment from Joyce Feron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2731	Comment from Maureen Verwiel	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7931	Comment from Trish Stevens
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2732	Comment from Philip Englert	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7932	Comment from Crystal Rector
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2733	Comment from Ellen Dryer	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7933	Comment from Nicola Nicolai
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2734	Comment from Michael Newman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7934	Comment from Elysia Rohr
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2735	Comment from Peter Hodum	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7935	Comment from Vickie Dinardi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2736	Comment from Surya-Patricia Hood	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7936	Comment from Jane White
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2737	Comment from Karen Pecsok	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7937	Comment from Deborah Klein
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2738	Comment from Jane Poklemba	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7939	Comment from Rachel Vandinter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2739	Comment from Peter Townsend	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7940	Comment from Jason Chin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2740	Comment from Dr Plotkin	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7941	Comment from Winona Boalt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2741	Comment from William Pogue	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7942	Comment from Patrick Lynch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2742	Comment from David G	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7943	Comment from Sheryl Becker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2743	Comment from Shela Hadley	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7944	Comment from Michael Gitcho
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2744	Comment from Paula Summers	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7945	Comment from Geraldine Osorio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2745	Comment from Mary Maher	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7946	Comment from Steve Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2746	Comment from Darcy Bergh	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7947	Comment from Janet Steggerda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2747	Comment from Christopher Evans	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7948	Comment from Patricia Grace
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2748	Comment from Cara Busch	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7949	Comment from Linda Burdwell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2749	Comment from Charles Looney	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7950	Comment from Will Kern
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2750	Comment from David Schoenberg	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7951	Comment from Ann Crea
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2751	Comment from Phil Fitzgerald	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7952	Comment from Dorothy Marshall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2752	Comment from Laura Phelan	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7953	Comment from David Rye
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2753	Comment from Robert Johnson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7954	Comment from Gregory Brown
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2754	Comment from Thomas Boswell	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7955	Comment from Ainslie Gilligan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2755	Comment from Claudia Richner	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7956	Comment from Eric Adler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2756	Comment from Joy Zadaca	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7957	Comment from Debora Hojda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2757	Comment from Judith Julian	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7958	Comment from Suzanne Dean
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2758	Comment from Rita Glasscock	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7959	Comment from Margaret McGinnis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2759	Comment from Tracey Fried-Kasofsky	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7960	Comment from Vivi Hugues
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2760	Comment from Darby Stone	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7961	Comment from Andrea Bianchi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2761	Comment from BERNARD HARTWIG	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7962	Comment from Sheryl Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2762	Comment from Shelley Billik	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7963	Comment from Frances Coppola
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2763	Comment from Jennifer Will	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7964	Comment from Beverly Dodson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2764	Comment from Will Richardson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7965	Comment from Lee Derus

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2765	Comment from MarySue Baker	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7966	Comment from Claire Bush
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2766	Comment from Margaret Neumann	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7967	Comment from Amanda Perry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2767	Comment from Stephan Silen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7968	Comment from Martha Ferris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2768	Comment from Tim Eaton	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7969	Comment from Trevor Southlea
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2769	Comment from Roderic Stephens	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7970	Comment from Rita Droste
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2770	Comment from John Eckler	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7971	Comment from Pasquale Vairo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2771	Comment from Lisa Caver	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7972	Comment from wanda farmer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2772	Comment from Linda Freeman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7973	Comment from Maryke Petruzzi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2773	Comment from Gregory Penchoen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7974	Comment from Carolyn Machado
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2774	Comment from jack Stockslager	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7975	Comment from James Zipp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2775	Comment from Adrian Smith	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7976	Comment from Candace Park
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2776	Comment from Mary Johnson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7977	Comment from Emily S Buttermore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2777	Comment from Ann Cohen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7978	Comment from Kezia Snyder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2778	Comment from betty winholtz	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7979	Comment from Marie Cox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2779	Comment from Patricia Blackwell-Marchant	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7980	Comment from April Hamilton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2780	Comment from James Henriksen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7981	Comment from Eileen Gregoire
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2781	Comment from Linda Muntner	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7982	Comment from Martha Burton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2782	Comment from Maria Bustamante	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7984	Comment from Rachael Riccobene
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2783	Comment from Lynn Funkhouser	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7985	Comment from Lee Alton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2784	Comment from Sandra Barros	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7986	Comment from Linda Stanley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2785	Comment from Robert Newman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7987	Comment from Kelly Burgess
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2786	Comment from Quida Jacobs	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7988	Comment from Shel Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2787	Comment from Cynthia Coley	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7989	Comment from Dianna BRZYCKI
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2788	Comment from marina sagardua	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7990	Comment from Michelle Hartsoe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2789	Comment from Angie Williams	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7991	Comment from Nancy Pearl
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2790	Comment from Rob Ruggiero	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7992	Comment from Ronnie Bolling
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2791	Comment from Geraldine Battistessa	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7993	Comment from Nan Beatty
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2792	Comment from Marie Weis	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7994	Comment from Margaret Walden
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2793	Comment from Tracy Foster	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7995	Comment from Michelle Hur
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2794	Comment from Medora Van Denburgh	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7996	Comment from Dawna Nelson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2795	Comment from Gregory Ortiz	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7997	Comment from Mark Fiske
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2796	Comment from Julie Richards	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7998	Comment from Michelle Peters
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2797	Comment from Nilah MacDonald	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7999	Comment from Karla Benoit
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2798	Comment from Beverly Solomon	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8000	Comment from Nancy Rittenhouse
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2799	Comment from Avie Hern	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8001	Comment from Janeen Walsh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2800	Comment from Tammy Bullock	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8002	Comment from Alisa Rhodes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2801	Comment from Malisa Harding-DeOchoa	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8003	Comment from Merrily Locke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2802	Comment from Rachel Resnikoff	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8004	Comment from Rachel Parnell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2803	Comment from Ken Martin	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8005	Comment from Manuela Gattasse
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2804	Comment from Charlotte Jones	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8006	Comment from Alicia Quintero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2805	Comment from Delaine Spilsbury	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8007	Comment from Regina Lippert

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2806	Comment from Thomas Durst	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8008	Comment from sean harper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2807	Comment from Laura Comstock	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8009	Comment from shirley mills
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2808	Comment from Nina French	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8010	Comment from Jamie Brennan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2809	Comment from kate nyne	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8011	Comment from Maryellen Marek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2810	Comment from John Livingston	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8012	Comment from Linda Bean
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2811	Comment from Richard Zimmermann	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8013	Comment from Cherie Granger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2812	Comment from Cohn Nancy	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8014	Comment from Jean Chagnon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2813	Comment from casee maxfield	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8015	Comment from Jean Chagnon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2814	Comment from Lisa Norman	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8016	Comment from Rabbi Dr. Adele Plotkin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2815	Comment from S. Jordan	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8017	Comment from lin farley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2816	Comment from John Gieser	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8018	Comment from Leslie Valentine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2817	Comment from Gracie King	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8019	Comment from Catherine Kowalczyk.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2818	Comment from Wendy Diamond	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8020	Comment from Tammy Underwood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2819	Comment from MARY EMERICH	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8021	Comment from Nicole Olson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2820	Comment from Anjanette Caron	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8022	Comment from Terrie Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2821	Comment from Fay Payton	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8023	Comment from Paul Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2822	Comment from WALTER EMERICH	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8024	Comment from Samantha DeBellis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2823	Comment from Suzanne Barns	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8025	Comment from Wanda Zubr
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2824	Comment from Jason LaBerge	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8026	Comment from Janet Potts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2825	Comment from Mark Koritz	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8027	Comment from Peggy Coquet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2826	Comment from Kathi Ridgway	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8028	Comment from Debbie Hiller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2827	Comment from Sally Madigan	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8029	Comment from Jillian Walaski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2828	Comment from Marvin Cohnen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8030	Comment from Maria Velasquez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2829	Comment from Nancy Ellingham	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8032	Comment from Jacquelyn Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2830	Comment from Edward McDowell	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8033	Comment from Martin Silver
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2831	Comment from Cheryl Albert	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8034	Comment from Sagar Patel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2832	Comment from Aliaa Abdel-Gawad	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8035	Comment from Manuela Locke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2833	Comment from Elizabeth Melo	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8036	Comment from Susan Walajtys
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2834	Comment from Debbie Stinehart	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8037	Comment from Pat kosky
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2835	Comment from Elizabeth Gilson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8038	Comment from Teri Smyth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2836	Comment from Nancy Smith	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8039	Comment from Lori Beth Kidd
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2837	Comment from Graciela Huth	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8040	Comment from Alberto Meotti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2838	Comment from David Hall	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8041	Comment from Monique McNaughton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2839	Comment from Jane Aukshunas	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8042	Comment from Deb Hall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2840	Comment from Kim Frazier	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8043	Comment from Linda Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2841	Comment from Kathleen McCann	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8044	Comment from Martha Stewart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2842	Comment from Gerard Gaudin	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8045	Comment from Susan Querze
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2843	Comment from Kathleen Wilson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8046	Comment from Esther Curry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2844	Comment from Lizzie Vierra	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8047	Comment from Larry Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2845	Comment from Karen OBrien	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8048	Comment from Janet Weltzin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2846	Comment from Joel Stoup	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8049	Comment from JOHN BREIBY

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2847	Comment from Kevin Kimmel	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8050	Comment from Annette bailey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2848	Comment from Gerald Alberts	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8051	Comment from Sarah Eaton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2849	Comment from Carol Fly	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8052	Comment from Flvio Mendona
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2850	Comment from Nancy Martin	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8053	Comment from Sara Leonard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2851	Comment from Anne Steward	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8054	Comment from Liz piercey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2852	Comment from Rhonda Berger	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8055	Comment from Katherine Napolitano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2853	Comment from Norm Wilmes	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8056	Comment from Liliana Valera
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2854	Comment from Margo Salone	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8057	Comment from Sue thornton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2855	Comment from Kristine Jorgensen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8058	Comment from Tena Fleming
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2856	Comment from Harley Armentrout	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8059	Comment from Susan Goldin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2857	Comment from Stephanie Christoff	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8060	Comment from Jeff Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2858	Comment from Dat Tran	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8061	Comment from Pamela Edwards
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2859	Comment from Karin Boixo	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8062	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2860	Comment from Darlene Noesen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8063	Comment from Susan VanDerzee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2861	Comment from barbara poland	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8064	Comment from Ilya Speranza
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2862	Comment from Barry Horney	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8065	Comment from Constance Merwin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2863	Comment from Jacqueline Eliopoulos	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8066	Comment from Scott C. Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2864	Comment from Richard Crosland	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8067	Comment from Craig Rhoads
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2865	Comment from Beverly Thomas	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8068	Comment from Pamela Taranto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2866	Comment from Carlene Moscott	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8069	Comment from Jacqueline Nardi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2867	Comment from Ron McGill	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8070	Comment from Renee Ruggeri
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2868	Comment from Pam Moore	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8071	Comment from Chris OBrien
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2869	Comment from Louise Rangel	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8072	Comment from Mikki Lewis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2870	Comment from Kaylene Schultz	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8074	Comment from Marty Murray
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2871	Comment from DANIEL D	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8075	Comment from Elaine Eudy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2872	Comment from Mavis Belisle	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8076	Comment from Margaret Raynolds
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2873	Comment from Irene Roos	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8078	Comment from Eve Botelho
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2874	Comment from Claudia Martinez	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8079	Comment from Teresa Morris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2875	Comment from LINDA SULLIVAN	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8080	Comment from Carrie Davis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2876	Comment from Art Van Kampen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8081	Comment from Perry Carter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2877	Comment from Carson Martin	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8082	Comment from Linda Jennings
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2878	Comment from Ryan O'Neill	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8084	Comment from Tammy Zier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2879	Comment from Debra Wilks	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8085	Comment from nancie Rodriguez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2880	Comment from Sharyn Dreyer	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8086	Comment from Lisa Goetz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2881	Comment from Pamela Lanagan	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8087	Comment from Pamela Holmes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2882	Comment from Sarah Sheets	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8088	Comment from Marilyn Leisz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2883	Comment from Lisa Pezzella	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8089	Comment from Ron Dennis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2884	Comment from Robert Hyer	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8090	Comment from Mary Dosch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2885	Comment from Jack West	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8092	Comment from Holly Crawford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2886	Comment from Delores Stachura	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8093	Comment from Kathleen Healey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2887	Comment from Sharon Ponsford	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8094	Comment from Kathleen Healey

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2888	Comment from Roberta Glaze	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8095	Comment from Jacqueline Ellis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2889	Comment from Ann Bein	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8096	Comment from Susan Emery
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2890	Comment from Kate McQueen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8097	Comment from Melody Sweet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2891	Comment from Dan Weprin	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8098	Comment from Ronald Fuller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2892	Comment from uly silkey	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8099	Comment from Christine Hilton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2893	Comment from John Felton	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8100	Comment from Lynn Langford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2894	Comment from Tiffany Ehnes	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8101	Comment from Pat Sherrer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2895	Comment from Pat Dingleberry	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8102	Comment from Tracy Fisk
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2896	Comment from freya christensen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8103	Comment from Treatreopieas TheeTreatAnimals
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2897	Comment from Bruce Taub	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8104	Comment from Margaret witt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2898	Comment from Janet Murr	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8105	Comment from kurt dahlke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2899	Comment from Nalei Kahakalau	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8106	Comment from Tara McQuade
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2900	Comment from Cynthia Kishinchand	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8107	Comment from Christi Tarallo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2901	Comment from John Fuhrer	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8108	Comment from Donna Abear
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2902	Comment from Gabrielle Swanberg	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8109	Comment from Cynthia Holt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2903	Comment from Bryan Johns	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8110	Comment from Becky Phillips
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2904	Comment from Cynthia Smith	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8111	Comment from Susan Watts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2905	Comment from Jan Rydeen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8112	Comment from Donna Crail-Rugotzke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2906	Comment from Noah Hall	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8113	Comment from Bonnie Harvell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2907	Comment from Rodney Whisenhunt	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8114	Comment from Mary Afifi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2908	Comment from Don Nardone	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8115	Comment from John Kastner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2909	Comment from Nicole Weber	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8116	Comment from Josie Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2910	Comment from valerie clark	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8117	Comment from Debbie Bybee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2911	Comment from Elaine Becker	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8118	Comment from Carol B
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2912	Comment from Crystal Mitchell	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8119	Comment from Donald Garlit
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2913	Comment from Christine Johnson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8120	Comment from Margaret Millman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2914	Comment from Melissa Hastings	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8121	Comment from Kathie Kingett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2915	Comment from Sandra MOREY	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8122	Comment from Shannon R
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2916	Comment from karyn barry	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8123	Comment from Terri Robinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2917	Comment from Susan Petersen	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8124	Comment from Patricia Shaskin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2918	Comment from Regina Brooks	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8125	Comment from Barb Purdie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2919	Comment from Keith Kellogg	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8126	Comment from Jacquelyn Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2920	Comment from Robin Reinhart	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8127	Comment from Arthur Kopelman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2921	Comment from Felicia Chase	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8128	Comment from Barbara Doucet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2922	Comment from Patrick Felix	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8129	Comment from Suzanne Grill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2923	Comment from Ken Epstein	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8130	Comment from Anthony Barris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2924	Comment from Jarrett Cloud	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8131	Comment from russell smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2925	Comment from Lisa Johnson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8132	Comment from Tracey Gilmore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2926	Comment from lisa Jacobson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8134	Comment from Sarah Sheehan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2927	Comment from kathy hart	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8135	Comment from Bettyjane Gibney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2928	Comment from Jack McCall	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8136	Comment from Margaret Matheus

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2929	Comment from Spencer Adams	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8137	Comment from Tim Eaton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2930	Comment from Maria Balicka	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8138	Comment from Cindy Childers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2931	Comment from Maureen McCool	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8139	Comment from Diane Kent
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2932	Comment from Tammera Hinshaw	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8140	Comment from Darlene Banach
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2933	Comment from kay bushnell	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8141	Comment from Cindy Beck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2934	Comment from Dan Larson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8142	Comment from Wendy Lukowitz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2935	Comment from Debra Swartz	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8143	Comment from Sam Right
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2936	Comment from Joyce Harrington	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8144	Comment from Gloria Cerreta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2937	Comment from Denise Hosta	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8145	Comment from Carol Long
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2938	Comment from Kat Klahn	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8146	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2939	Comment from Sidney Goldstein	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8147	Comment from Mary Lewis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2940	Comment from Rosemary Seifert-Graf	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8148	Comment from Shelly Skidmore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2941	Comment from Heather Collins	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8149	Comment from Noreen Guregian
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2942	Comment from Susanne Press	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8150	Comment from karen Moulder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2943	Comment from Kelley Quattrucci	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8152	Comment from Peter Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2944	Comment from Donna Frye	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8153	Comment from Andrew Werthmann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2945	Comment from Jennifer Salhus	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8154	Comment from jose de Arteaga
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2946	Comment from ROBERTA SEBASTIAN	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8155	Comment from Mary Wylie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2947	Comment from Susan Cox	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8156	Comment from Jaedra Luke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2948	Comment from karen stickney	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8157	Comment from Kathleen Arnold
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2949	Comment from Mari McShane	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8158	Comment from Brad Bowers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2950	Comment from LAURIE HARDIES	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8159	Comment from Susan Gottfried
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2951	Comment from John Petrak	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8160	Comment from Georgia Arbo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2952	Comment from Laura Zerr	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8161	Comment from christine morgan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2953	Comment from Pat Magrath	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8162	Comment from Chris Tonkinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2954	Comment from Trish Dobreiner	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8163	Comment from Donald Chambers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2955	Comment from Gary Droeger	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8164	Comment from Annette Luffman-Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2956	Comment from Linda Herron	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8165	Comment from Robin Ladouceur
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2957	Comment from Wendy Garbart	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8166	Comment from Mary Metzger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2958	Comment from Laurie Stoker	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8167	Comment from Maryann Staron
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2959	Comment from Arlene Macintosh	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8169	Comment from Sandra Couch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2960	Comment from Kathleen Maiani-Thomas	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8170	Comment from Susan Stone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2961	Comment from Shari Johnson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8171	Comment from Jose Duran
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2962	Comment from Rita Gagliani	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8172	Comment from Lindsay Byrne
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2963	Comment from Arden Green	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8173	Comment from Terrie Tannehill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2964	Comment from Michelle Davis	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8174	Comment from Rita Ryder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2965	Comment from Michael Tomczynsyn	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8175	Comment from Mike Rigoli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2966	Comment from Georgeanne Samuelson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8176	Comment from Sammy Low
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2967	Comment from Tracey Aquino	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8177	Comment from Sharon Philipson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2968	Comment from Bobbi Segal	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8178	Comment from Deborah Santone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2969	Comment from Susan Termini	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8179	Comment from Mark Cohen

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2970	Comment from Dianne Hurst	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8180	Comment from DR. BOB WALLING
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2971	Comment from Michele Coakley	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8181	Comment from Sandra McKinney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2972	Comment from Georgia Mattingly	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8182	Comment from Susan Wolfram
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2973	Comment from steve mcMahon	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8183	Comment from Robbie Hacha
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2974	Comment from KENNY BONNIE	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8184	Comment from Sharilyn Kading
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2975	Comment from Mr. Morningstar	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8185	Comment from Charlie Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2976	Comment from Connie Trea	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8186	Comment from Emily Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2977	Comment from Sue Hayden	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8187	Comment from Kathleen Tuttle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2978	Comment from Lynn Merle	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8188	Comment from Barbara Kass
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2979	Comment from Elizabeth Johnson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8189	Comment from Laura Herndon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2980	Comment from Melissa Miller	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8190	Comment from Bernard Rafferty
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2981	Comment from Jo Harvey	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8191	Comment from Johanna Cox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2982	Comment from Elizabeth Watts	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8192	Comment from Ellen McCann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2983	Comment from Dorothea King	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8193	Comment from Steven Collins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2984	Comment from Gene Majewski	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8194	Comment from Mera Kenney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2985	Comment from Krista Taylor	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8195	Comment from David Ellringer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2986	Comment from Yola Hesser	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8196	Comment from Loren Wieland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2987	Comment from Maryrose Cimino	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8197	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2988	Comment from Harry Freiberg	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8198	Comment from Holly Powell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2989	Comment from Margo Vanderhill	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8199	Comment from JUANITA MOCARSKI
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2990	Comment from Davis Wolf	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8200	Comment from Michelle Wallhagen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2991	Comment from Pat MacRae	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8201	Comment from Louis Vega
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2992	Comment from Jan Letson	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8202	Comment from Anastasia Vishnevsky
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2993	Comment from Sandy Zelasko	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8203	Comment from Haven Knight
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2994	Comment from Jared Collins	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8204	Comment from Sophie Zyla
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2995	Comment from Gabrielle Peak	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8205	Comment from Rebecca Lamoreaux
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2996	Comment from SHARON KOESTER	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8206	Comment from Jennifer Hayes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2997	Comment from Michael Stuart	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8207	Comment from Kelly House
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2998	Comment from Frank Seewester	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8209	Comment from Olivia Busuttil Cashman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-2999	Comment from N. Kaluza	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8210	Comment from Robbie Hacha
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3000	Comment from Linda Ross	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8211	Comment from Jennifer Cason
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3001	Comment from Dorothy Russell	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8212	Comment from Joseph Molotsky
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3002	Comment from Marni Holmes	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8213	Comment from Mitchell Dormont
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3003	Comment from Nora Lewis	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8214	Comment from Nancy Hanson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3004	Comment from Tina Ann	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8215	Comment from leslie spoon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3005	Comment from Steven Keena	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8216	Comment from Michael Olenjack
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3006	Comment from David Soares	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8217	Comment from Peter Maguire
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3007	Comment from Joann Sonenstein	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8218	Comment from Andy Becker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3008	Comment from Gary Goetz	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8219	Comment from Kim OSteen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3009	Comment from Mary Wylie	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8220	Comment from Maisie Devine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3010	Comment from Robert Flath	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8221	Comment from Nancy Horvath

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3011	Comment from James Ed.D.	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8222	Comment from Christine Zane-Ott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3012	Comment from Rachel Wolf	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8223	Comment from Angela Marte
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3013	Comment from Frank Ostlinger	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8224	Comment from Chris Buske
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3014	Comment from Nancy Sidebotham	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8225	Comment from Laurel Yost
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3015	Comment from Jennifer Otto	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8226	Comment from Peter Rosenbaum
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3016	Comment from George Walther	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8227	Comment from Grant Fujii
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3017	Comment from Phyllis Komesor	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8228	Comment from Joshua Skolnick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3018	Comment from Irene Svete	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8229	Comment from Dana Palka
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3019	Comment from Annette Dekanich	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8230	Comment from susanne moh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3020	Comment from pamelau guyon	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8231	Comment from Christopher Greffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3021	Comment from Martin Evans	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8232	Comment from Erika Boka
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3022	Comment from Michael Renfrow	02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8233	Comment from Susan OBrien
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3023	Comment from Anissa Gage	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8234	Comment from Subathra Sudarsan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3024	Comment from Melinda Campos	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8235	Comment from Melissa Warfield
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3025	Comment from Rhenda Price	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8236	Comment from Shani Schulman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3026	Comment from Brad Yoho	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8237	Comment from Eric Spiegel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3027	Comment from Jane schmit	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8238	Comment from Brenda Psaras
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3028	Comment from Michael Miller	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8239	Comment from Linda Knowles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3029	Comment from Jay Wolff	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8240	Comment from L Gols
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3030	Comment from Kaitlyn Peeler	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8241	Comment from Carmen Harbuck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3031	Comment from Mary Wolney	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8242	Comment from Robert Hensman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3032	Comment from K. Keiser	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8243	Comment from Caroll Franklin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3033	Comment from Susan Worden	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8244	Comment from Anna Stein
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3034	Comment from Marlena Lange	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8245	Comment from Ann Russell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3035	Comment from Richard Henshaw	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8247	Comment from Judy Remington
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3036	Comment from S Tyroler	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8248	Comment from Rochelle Crunk
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3037	Comment from Sally Brown	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8249	Comment from Michelle Wood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3038	Comment from Darrell Clarke	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8250	Comment from Joan Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3039	Comment from Margaret Lohr	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8251	Comment from Jan Shimp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3040	Comment from Sue Michelson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8253	Comment from Barbara Jannicelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3041	Comment from Lorraine Johnson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8254	Comment from Ya Hui Shih
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3042	Comment from laura raforth	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8255	Comment from Evelyn Scimone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3043	Comment from Susan Preston	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8256	Comment from Cynthia Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3044	Comment from Dennis McGee	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8257	Comment from Donna LaMotte
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3045	Comment from Michele Rose	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8258	Comment from Ken Brown
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3046	Comment from Laura Pakaln	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8259	Comment from Ken Brown
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3047	Comment from Sonia Wilson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8260	Comment from Ken Brown
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3048	Comment from Terri Henry	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8261	Comment from Helene Fanara
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3049	Comment from Leonard Meyer	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8262	Comment from Conall Chambers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3050	Comment from Susan Gresens	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8263	Comment from angela torres
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3051	Comment from Mary Decker	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8264	Comment from Maria Searles

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3052	Comment from Richard Worth	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8265	Comment from Aileen Scuratok
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3053	Comment from Gina Johansen	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8266	Comment from Julie Becker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3054	Comment from Janet Howe	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8267	Comment from Linda Tesser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3055	Comment from Ed Fiedler	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8268	Comment from Tina Blankenship
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3056	Comment from Joan Hughes	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8269	Comment from Charlotte Webb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3057	Comment from Robert Kessler	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8270	Comment from Morgan Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3058	Comment from Scott Carr	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8271	Comment from Linda Chesky
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3059	Comment from susanne berntsson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8272	Comment from Laura Hensley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3060	Comment from Judy Savard	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8273	Comment from Brenda Guilford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3061	Comment from Maria Aragon	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8274	Comment from Nancy Vinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3062	Comment from Tina Brenza	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8275	Comment from Amy Roberts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3063	Comment from Lesley Meyer	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8276	Comment from Ray Hester
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3064	Comment from J.A. Perry	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8277	Comment from Pamela Check
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3065	Comment from Andrea Kaufman	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8278	Comment from Leslee Duncan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3066	Comment from MS Martin	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8279	Comment from Crystal Strauch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3067	Comment from robin mater	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8280	Comment from Deborah Mangan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3068	Comment from T Hibben	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8281	Comment from Krys McConville
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3069	Comment from Shannon Markley	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8282	Comment from Thomas Sanders
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3070	Comment from Gail Frost	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8283	Comment from Jeanette Briscoe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3071	Comment from Deon Bell	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8284	Comment from Louis Ladyga
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3072	Comment from kathleen fernandez	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8285	Comment from Linda Hendrickson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3073	Comment from Eric Tauer	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8286	Comment from Sharon Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3074	Comment from Dana Palka	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8287	Comment from Jacqueline Rojas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3075	Comment from Sara Burgess	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8288	Comment from Mary Neiderhiser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3076	Comment from carolyn massey	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8289	Comment from Shelly Skidmore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3077	Comment from Arielle Verinis	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8290	Comment from Shamus lol
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3078	Comment from Joyce Davis	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8291	Comment from Glenna Waterman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3079	Comment from Gayla Cremin	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8292	Comment from Elina Krki
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3080	Comment from Nancy Harlow	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8293	Comment from Marilyn mckinstry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3081	Comment from Race Margery	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8294	Comment from Holly DesVergnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3082	Comment from chris anctil	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8296	Comment from Maria Shepard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3083	Comment from Tami Lukachy	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8299	Comment from Robert Fisher
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3084	Comment from Candace Rocha	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8301	Comment from Maryann Collins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3085	Comment from Kathy Abby	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8302	Comment from Kristen Soothill
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3086	Comment from Katherine Wright	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8305	Comment from John McClendon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3087	Comment from Jamie Owens	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8306	Comment from Cary Bennett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3088	Comment from Wade McCallum	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8307	Comment from Megan Wood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3089	Comment from Charlotte Pisoni	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8308	Comment from Monica Depaul
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3090	Comment from Cynthia Pirie	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8309	Comment from Kevin Hughes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3091	Comment from Jim Howard	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8311	Comment from Sonja Lowenfish
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3092	Comment from carolyn massey	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8312	Comment from Tanya Manning

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3093	Comment from Taylor Surratt	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8313	Comment from Jane Gerardi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3094	Comment from Debra Gley	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8314	Comment from Carmen Dominguez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3095	Comment from Mark Chudzik	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8315	Comment from William Morris
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3096	Comment from Chris Law	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8316	Comment from Kelly Langlois
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3097	Comment from Charlotte Pisoni	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8317	Comment from Linda Phelan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3098	Comment from Silvia Hall	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8318	Comment from Lillian Pintado
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3099	Comment from Roberta Schear	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8319	Comment from Debora Hojda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3100	Comment from Jillian Unger	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8320	Comment from Susan Kuehnling
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3101	Comment from jo crane	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8321	Comment from JULIA SHIELDS
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3102	Comment from Eyad Buhaissi	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8322	Comment from Gayle Edelman-Tolchin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3103	Comment from STACIE CHARLEBOIS	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8323	Comment from Gloria Navan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3104	Comment from Patricia Carlton	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8324	Comment from Cynthia Allen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3105	Comment from Roseann Santangelo	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8325	Comment from Liz piercey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3106	Comment from Ronald Jacob	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8326	Comment from Donald Lubowicki
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3107	Comment from Ellen Dexter	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8327	Comment from Jennifer teffer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3108	Comment from Carol Robinson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8328	Comment from Jacqueline semit
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3109	Comment from Chris Jasinski	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8329	Comment from Julie Guido
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3110	Comment from Nina Kornstein	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8330	Comment from Virginia Deary
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3111	Comment from Alan CITRON	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8331	Comment from Va Boyle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3112	Comment from Leah LeFebvre	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8332	Comment from Orva M Gullett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3113	Comment from Marsha Byrne	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8333	Comment from Thomas Sanders
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3114	Comment from s. cook	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8334	Comment from Teri-Lynn Colgan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3115	Comment from Dona LaSchiava	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8335	Comment from Robin Bornstein
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3116	Comment from Joshua Wang	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8336	Comment from KAREN SMITH
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3117	Comment from Daniel Rebson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8337	Comment from Sharon Bender
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3118	Comment from allie palmer	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8338	Comment from Terry Porter-Fahey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3119	Comment from Carol Patterson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8339	Comment from Nan Beatty
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3120	Comment from Brenda Thompson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8340	Comment from Judy Weller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3121	Comment from Vincent Vandenbosch	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8341	Comment from Amy Halstead
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3122	Comment from Sarah Salter	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8342	Comment from Karen McHugh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3123	Comment from Jim Abbondante	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8343	Comment from Mark Lotito
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3124	Comment from Robert Mammon	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8345	Comment from Joyce Shovah
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3125	Comment from kelvin hobson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8346	Comment from Oganedba Craig
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3126	Comment from Diane Craig	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8347	Comment from Kathy Sorrentino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3127	Comment from Lori Williams	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8348	Comment from Donna D'Fini
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3128	Comment from Jeannie Roberts	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8349	Comment from Nicole Cayer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3129	Comment from Laurence Margolis	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8350	Comment from Kiran Athavale
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3130	Comment from Linda Pawloski	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8351	Comment from Teiju Lahti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3131	Comment from Kenneth Large	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8352	Comment from Marie Zwicker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3132	Comment from ROBIN HUDSON	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8353	Comment from Loren Ficca
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3133	Comment from Gary Binderim	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8354	Comment from April Chenevert

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3134	Comment from Victoria Rodoyianni	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8355	Comment from Robin Wellborn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3135	Comment from Marie Veek	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8356	Comment from Carolyn MULLEN
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3136	Comment from Lisa Kingsley	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8357	Comment from Margaret Divona
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3137	Comment from Gary Naake	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8358	Comment from Tami Schraufnagel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3138	Comment from Barbara Schwartz	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8359	Comment from Michelle Hofmann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3139	Comment from Margaret Jimenez	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8360	Comment from Kelli Brannon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3140	Comment from Susan Lea	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8361	Comment from Laurie LaGoe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3141	Comment from Robert Haslag	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8362	Comment from Jeremy Gragert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3142	Comment from Beth Darlington	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8363	Comment from Jill Mulato
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3143	Comment from Nicholas Marton	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8364	Comment from Christy Valsente
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3144	Comment from Steve Shapiro	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8365	Comment from Lisa Saad
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3145	Comment from Darleen Brown	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8366	Comment from Megan Wood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3146	Comment from Marilyn Dempsey	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8367	Comment from Susan Goldin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3147	Comment from Patricia Stead	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8368	Comment from Karen Quay
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3148	Comment from Fred Martin	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8369	Comment from Laurie Muscat
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3149	Comment from Annette Long-Stinnett	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8370	Comment from Francene Kilichowski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3150	Comment from Sherron Bull	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8371	Comment from Lora Lopes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3151	Comment from Mary Tilden	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8372	Comment from April Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3152	Comment from Brooks Obr	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8373	Comment from Barbara Snyder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3153	Comment from Joseph Gordon	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8374	Comment from Althea Mosa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3154	Comment from Lonnie Gordon	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8375	Comment from Joyce Duarte
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3155	Comment from Roger Lebow	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8376	Comment from Lark whiteside
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3156	Comment from Dan Matthews	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8377	Comment from Katherine Goree
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3157	Comment from Denise Bunge	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8378	Comment from Donna Bradley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3158	Comment from Diane Rohn	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8379	Comment from Aurelia Pozas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3159	Comment from Ruth Yurchuck	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8380	Comment from John Reaves
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3160	Comment from Katey Buster	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8381	Comment from Theresa Henderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3161	Comment from Margaret Wessels	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8382	Comment from Maureen Andresen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3162	Comment from eileen Juric	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8383	Comment from Susan Seban
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3163	Comment from Nancy LaRoche	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8384	Comment from Cindy Berezny
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3164	Comment from Mary Foley	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8385	Comment from Audrey Yingling
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3165	Comment from Ian Dogole	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8386	Comment from Laraine Reedy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3166	Comment from Patricia Luck	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8387	Comment from Katrina Hall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3167	Comment from Pat Vassilakidis	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8388	Comment from Susan Karneckis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3168	Comment from Allison Jones	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8389	Comment from Jacqueline McGrath-Curtis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3169	Comment from Laura Prestridge	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8391	Comment from john heidecker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3170	Comment from James Thoman	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8392	Comment from JULIA SHIELDS
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3171	Comment from Robert Arvidson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8393	Comment from Susie Bolser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3172	Comment from Joy Strasser	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8394	Comment from Carol Conrad
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3173	Comment from David Scott	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8395	Comment from Janet Kinahan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3174	Comment from john schaechter	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8396	Comment from Lucy Koitsch

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3175	Comment from Nicole Mikals	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8397	Comment from Karen McGreevy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3176	Comment from Brandie Deal	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8398	Comment from Anett Berindan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3177	Comment from Carla Hervert	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8399	Comment from kimberly dunbar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3178	Comment from Carla Holmes	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8400	Comment from Glenna Waterman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3179	Comment from Margaret Reynolds	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8401	Comment from kimberly dunbar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3180	Comment from Gretchen Dysart	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8402	Comment from Virginia LeBlanc
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3181	Comment from lynn matarelli	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8404	Comment from Peter Helmuth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3182	Comment from David Koeller	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8405	Comment from Harry and Jill Brownfield
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3183	Comment from Denise Lenardson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8406	Comment from Carole Arbour
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3184	Comment from Susan Porter	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8407	Comment from Melody Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3185	Comment from Elinore Evans	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8408	Comment from Susan Borzenski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3186	Comment from Katrina Child	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8409	Comment from KAREN SMITH
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3187	Comment from Guillermo Valencia	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8410	Comment from Elisabeth Carroll
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3188	Comment from Barbara Charles	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8411	Comment from Patti Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3189	Comment from Kathie Takush	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8412	Comment from Julia Varbalow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3190	Comment from Margo Clark	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8413	Comment from Scott Powers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3191	Comment from Nena Cook	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8414	Comment from Carol Walters
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3192	Comment from Gordon Foster	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8415	Comment from PAULA MERRIS
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3193	Comment from Susie Lopez	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8416	Comment from Lydia Coates
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3194	Comment from Betty Hart	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8417	Comment from Kim Begay
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3195	Comment from Mollie Smith	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8418	Comment from Sally Sorensen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3196	Comment from Robin Brown	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8419	Comment from Mary Mascelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3197	Comment from Deirdre Newsom	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8420	Comment from Ruth Arnone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3198	Comment from Elizabeth Pomper	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8421	Comment from Georgia Braithwaite
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3199	Comment from Sidne Baglini	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8422	Comment from Michele LaViolette
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3200	Comment from John Catherine	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8423	Comment from Silvana Garcia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3201	Comment from Colleen Bergh	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8424	Comment from Lee Schondorf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3202	Comment from Suzanne a'Becket	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8425	Comment from Ron Dennis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3203	Comment from Kathryn Young	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8426	Comment from Chris Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3204	Comment from Eric Hensgen	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8427	Comment from Rhonda Pulliam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3205	Comment from angelo. sturino	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8428	Comment from Natalie Rakowski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3206	Comment from Martha Bushnell	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8429	Comment from Catherine Black
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3207	Comment from Cara Schmidt	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8430	Comment from Shelia Tussey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3208	Comment from Susan Lynch	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8431	Comment from Janis Keller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3209	Comment from Nicole Everling	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8432	Comment from Monica Maes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3210	Comment from Tim Hezzey	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8433	Comment from Kathryn Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3211	Comment from Michelle Mondragon	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8434	Comment from Kathryn Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3212	Comment from Elliot Daniels	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8435	Comment from Elizabeth Christensen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3213	Comment from Cara Schmidt	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8436	Comment from Myles Davis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3214	Comment from Ryan Schrader	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8437	Comment from Stephen Bellows
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3215	Comment from Ari Meyer	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8438	Comment from Carol Downey

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3216	Comment from Paul Eisenberg	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8439	Comment from Carol Downey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3217	Comment from Jackie Tryggeseth	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8440	Comment from Lisa Saad
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3218	Comment from Leslie Calambro	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8441	Comment from Desiree Mitchell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3219	Comment from Kathleen Colwill	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8442	Comment from Lidia Lucaci
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3220	Comment from Zsanine Alexander	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8444	Comment from Robin Pandorf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3221	Comment from MS MARSH	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8445	Comment from Carmen Sucre
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3222	Comment from Allen Wheeland	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8446	Comment from Frank Tucciarone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3223	Comment from Monique Edwards	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8447	Comment from Ellaine Janicki
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3224	Comment from C Emerson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8448	Comment from Mary Johannsen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3225	Comment from KATHY SCHAEFFER	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8449	Comment from Doreen Tetreault
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3226	Comment from Sandi Cornez	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8450	Comment from Glo Webel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3227	Comment from Sharon Lozon	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8451	Comment from Pauline DeMairo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3228	Comment from Kelly Bauer	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8452	Comment from Debbie Retherford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3229	Comment from Barbara Tacker	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8453	Comment from Karen Legg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3230	Comment from Gary Gilardi	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8454	Comment from Maria Hornbuckle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3231	Comment from Tami Hillman	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8455	Comment from Patti Packer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3232	Comment from Garry Kramchak	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8456	Comment from Patti Packer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3233	Comment from James Bodsberg	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8457	Comment from Beverly Alba
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3234	Comment from Donald Beaver	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8458	Comment from SHERRY WEILAND
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3235	Comment from Emilie Marlinghaus	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8459	Comment from Ray Nelson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3236	Comment from Ray Pingle	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8460	Comment from Stewart Hutchings
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3237	Comment from David Hammond	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8461	Comment from Filomena Mascolo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3238	Comment from Gerard Zimney	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8462	Comment from Brian Baltin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3239	Comment from Marcine McBride	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8463	Comment from Sherry Erdmann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3240	Comment from Veronica Rosing	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8465	Comment from Daniel OBrien
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3241	Comment from Lenore Nieters	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8466	Comment from Marcela Jurado
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3242	Comment from Joseph Stark	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8467	Comment from Debora Hojda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3243	Comment from Stephen Markel	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8468	Comment from Susan Kuehnling
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3244	Comment from Patsy Hillebrecht	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8469	Comment from Diana Vargas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3245	Comment from James French	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8470	Comment from Mark Fiske
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3246	Comment from Randy HAMMER	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8471	Comment from April Mc
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3247	Comment from Leslie Harper	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8472	Comment from Lynda Wright
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3248	Comment from Dorinda DeGross	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8473	Comment from Lynda Wright
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3249	Comment from James Taylor	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8474	Comment from Elaine Eudy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3250	Comment from Marie Long	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8475	Comment from Caryl Speck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3251	Comment from Gale Oppenberg	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8476	Comment from Sallie Donkin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3252	Comment from Sharon Rodrigues	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8477	Comment from Susan Barry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3253	Comment from Thomas Armstrong	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8478	Comment from Jeff Thayer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3254	Comment from ellen friedman	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8479	Comment from Susan Tomaselli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3255	Comment from Patricia Duran	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8480	Comment from Donna Cox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3256	Comment from Karen Donaldson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8482	Comment from Cindy Childers

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3257	Comment from Glenn Carson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8483	Comment from S Reed
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3258	Comment from Jesse Nartker	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8484	Comment from Lidia Lucaci
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3259	Comment from Catherine Dubarr	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8485	Comment from Katie McDougall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3260	Comment from Richard Koda	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8486	Comment from GAYLE HAVENS
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3261	Comment from Arlene Wolf	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8487	Comment from Lorraine Avallone
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3262	Comment from Matthew Schaut	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8488	Comment from Sharon Szews
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3263	Comment from Sue Honey	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8489	Comment from Jeanne Moskal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3264	Comment from Rachael marie	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8490	Comment from Lisa Jacobson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3265	Comment from Margaret Wells	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8491	Comment from JULIA SHIELDS
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3266	Comment from graciela ramirez	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8492	Comment from Matt Fountain
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3267	Comment from Dawn Longo	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8493	Comment from Jerry Banks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3268	Comment from Richard Crandall	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8494	Comment from Karen Waltman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3269	Comment from Jenn Watabayashi	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8495	Comment from John Nader
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3270	Comment from Nancy Roberts-Moneir	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8496	Comment from Janet kern
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3271	Comment from Vinnedge Lawrence	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8497	Comment from Dimitra Arneson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3272	Comment from Marjorie Angelo	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8498	Comment from Danielle Colucci
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3273	Comment from Lenore Reeves	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8499	Comment from Susan Querze
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3274	Comment from Arthur Rosenberg	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8500	Comment from Drew Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3275	Comment from Paul Blackburn	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8501	Comment from Sarika Arora
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3276	Comment from Deborah Haws	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8502	Comment from H S
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3277	Comment from K R	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8503	Comment from Mel Paulson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3278	Comment from Mitchell Dormont	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8504	Comment from Laura Sherman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3279	Comment from John Paladin	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8505	Comment from Jill Herbers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3280	Comment from Sheridan NEIMARK	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8506	Comment from Evelyn Mirabella
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3281	Comment from Kathy Alcott	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8507	Comment from Doyle Jorgensen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3282	Comment from Sara Turbeville	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8508	Comment from Catherine Korman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3283	Comment from Virginia Baksa	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8509	Comment from Lynn Killam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3284	Comment from Scott Swanson	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8510	Comment from Lisa Niebling
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3285	Comment from Barbara Wood	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8511	Comment from Sheila Millard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3286	Comment from John Foley	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8512	Comment from Merry Goldman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3287	Comment from Barb Fitzgerald	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8513	Comment from Dorothy Kochka
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3288	Comment from Michelle Dugan	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8514	Comment from Leslee Duncan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3289	Comment from Diane Knight	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8515	Comment from Judy Cox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3290	Comment from Kara Howard	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8516	Comment from Larry Oconner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3291	Comment from ms dewitt	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8517	Comment from Thomas Artin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3292	Comment from Mary DeCraemer	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8518	Comment from Mary DeGannett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3293	Comment from Jessica Rollins	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8519	Comment from Kelley Quattrucci
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3294	Comment from Cedra Spragett	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8520	Comment from Michael Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3295	Comment from Kyle McAdam	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8521	Comment from Maureen joubert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3296	Comment from Margi Mulligan	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8522	Comment from Nancy Moore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3297	Comment from Marie Wakefield	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8523	Comment from Jean Robinson

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3298	Comment from Sally Lunn	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8524	Comment from Teri Smyth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3299	Comment from Wicki Van De Veer	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8525	Comment from Michelle Hyllested
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3300	Comment from Debra Bruce	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8526	Comment from Lisa Perry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3301	Comment from Richard Gillaspie	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8527	Comment from Martha Samuel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3302	Comment from Diane Klenner	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8528	Comment from Deborah Wilson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3303	Comment from David Judd	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8529	Comment from Dora Ponce
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3304	Comment from Johnny Pflugrad	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8530	Comment from Theresa Sanders
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3305	Comment from Sheila Ward	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8531	Comment from Mary Coughlan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3306	Comment from Sarah Gavison	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8533	Comment from Anita Garrison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3307	Comment from Linda Smyth	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8534	Comment from Charlene Cordero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3308	Comment from Marlene Dick	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8535	Comment from Anna Surban
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3309	Comment from Kevin O'Brien	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8536	Comment from Karen Parry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3310	Comment from Terrance Stodolka	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8537	Comment from DK Bolen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3311	Comment from David Bailey	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8538	Comment from Lara Robinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3312	Comment from Cindy Page	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8539	Comment from Barbara Fernandez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3313	Comment from Camie Rodgers	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8540	Comment from Mark Taylor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3314	Comment from Morgaen Hansen	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8541	Comment from Paula Currier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3315	Comment from Aggie Beletsky	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8542	Comment from Rita Taylor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3316	Comment from Deborah Gessaman	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8543	Comment from Miriam Leiseroff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3317	Comment from M Leszczynski	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8544	Comment from Joan Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3318	Comment from Joanne McGrath	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8545	Comment from Michael Scuderi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3319	Comment from Mary Leon	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8546	Comment from Miriam Berkley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3320	Comment from richard acosta	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8547	Comment from Bonnie Baumann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3321	Comment from Thomas Josephi	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8548	Comment from Laura T
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3322	Comment from Marco de la Rosa	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8549	Comment from Martha Eberle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3323	Comment from Anneliese White	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8550	Comment from Sylvia Mrozewski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3324	Comment from Laura Kiholm	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8551	Comment from Melanie Osment
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3325	Comment from Jeff Reynolds	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8552	Comment from Sylvia Mrozewski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3326	Comment from Jody Kim-Eng	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8553	Comment from Cynthia Robinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3327	Comment from Teresa Phillips	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8554	Comment from Iseti Reis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3328	Comment from David Burnett	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8555	Comment from Mary Palenza
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3329	Comment from Lori Knight-Whitehouse	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8556	Comment from kate larsen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3330	Comment from Linda Hansen	02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8557	Comment from Lisa Goldberg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3331	Comment from Raymond Bissonnette	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8558	Comment from Reisa Gould-Donath
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3332	Comment from Barbara Brukner	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8559	Comment from Linda Knowles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3333	Comment from Vianney Ventura	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8560	Comment from Carol Faber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3334	Comment from Ruth Reagel	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8561	Comment from Kyle Stevenson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3335	Comment from Stephen Zettel	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8562	Comment from John Gaunt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3336	Comment from Spyros Braoudakis	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8563	Comment from Laura Hahn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3337	Comment from Carol Siewert	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8564	Comment from Jackie Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3338	Comment from David Christiansen	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8565	Comment from kristine cervini

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3339	Comment from Betti Jones	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8566	Comment from Diane Lynch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3340	Comment from Rosemarie SantiEsteban	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8567	Comment from elizabeth gray
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3341	Comment from Tracy Templin	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8568	Comment from Janis Wilder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3342	Comment from Margaret Doherty	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8569	Comment from Kkm H
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3343	Comment from Lois Dunn	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8570	Comment from Anonymous Anonymous
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3344	Comment from Joel Scharf	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8571	Comment from Henry Atterbury
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3345	Comment from Robin Gotfrid	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8572	Comment from Janell Curtis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3346	Comment from Carol Tao	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8573	Comment from Kim Gates
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3347	Comment from Carol Rue	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8574	Comment from Annette Luffman-Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3348	Comment from Anthony Flores	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8575	Comment from Lori Wiles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3349	Comment from Bruce Aird	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8576	Comment from Rita Taylor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3350	Comment from Carol scoti	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8577	Comment from Christine Piekarski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3351	Comment from Mary Black	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8578	Comment from Terri David
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3352	Comment from Torunn Sivesind	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8579	Comment from Jacqui Lipschitz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3353	Comment from Carla Williams	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8580	Comment from Jerry Melton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3354	Comment from faye santos	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8581	Comment from Mark Lavonn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3355	Comment from Roger Schmidt	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8582	Comment from Daniel Padilla
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3356	Comment from Rebecca Redford	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8583	Comment from Francie Fillatti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3357	Comment from Dennis Vieira	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8584	Comment from Maria Lorek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3358	Comment from Madeline Wright	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8585	Comment from Leonard Rosenblum
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3359	Comment from Sue Torgersen	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8586	Comment from Lisa Zafar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3360	Comment from TOM PEACE	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8587	Comment from Nancy Perreault
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3361	Comment from J. Passty	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8588	Comment from Linda Givens
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3362	Comment from Sherrill Faunce	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8589	Comment from Debra Smith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3363	Comment from Michael Kolassa	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8590	Comment from Karen Holland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3364	Comment from Phyllis Jollie	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8591	Comment from Elizabeth Castigliero
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3365	Comment from Kenneth Bierman	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8592	Comment from Kars Sprague
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3366	Comment from Susan Linden	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8593	Comment from Pam Ayres
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3367	Comment from Lana Grom	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8594	Comment from Marcelo carvalho
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3368	Comment from Lily Mejia	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8595	Comment from Grisell Garcia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3369	Comment from CAROL THOMAS	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8596	Comment from Frances Gangitano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3370	Comment from JOHN MAYBURY	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8597	Comment from Tammy Pelletier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3371	Comment from Debra Floyd	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8598	Comment from Jillian Lucchini
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3372	Comment from Patrick Gallagher	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8599	Comment from Jaye Clayton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3373	Comment from JoEllen Rudolph	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8600	Comment from Matt Borland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3374	Comment from CHARLENE DONOVAN	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8601	Comment from Karen Heap
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3375	Comment from Anna Lukaszewicz	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8603	Comment from Judith Mosso
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3376	Comment from Nina Monasevitch	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8604	Comment from Paula Scott
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3377	Comment from Sharon McCluskey	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8605	Comment from Alyssa Ducharme
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3378	Comment from Margaret DeArdo	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8606	Comment from Martina Doshan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3379	Comment from Stephen Dickstein	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8607	Comment from Lidia Lucaci

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3380	Comment from Kris Head	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8608	Comment from Jean Riehl
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3381	Comment from Kathy OBrien	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8609	Comment from Anne Miranda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3382	Comment from Brian Yu	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8610	Comment from Jeri Ryan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3383	Comment from Leslie Hardyman	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8612	Comment from Maureen Christensen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3384	Comment from Lori Kegler	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8613	Comment from Andy Lynn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3385	Comment from Robert Mutascio	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8614	Comment from Valerie Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3386	Comment from Nancy Newton	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8615	Comment from Susan KIVER
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3387	Comment from Susan Weinstein	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8617	Comment from Tracy Torres
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3388	Comment from Patricia Christianson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8618	Comment from Sharon Fithian
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3389	Comment from Christopher Calise	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8619	Comment from rosa guierrezmina romoa sneider
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3390	Comment from j g	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8620	Comment from sheila fetterhoff
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3391	Comment from Helene Devin	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8621	Comment from Julie Houle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3392	Comment from Clifford Spencer	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8622	Comment from Kathleen Neely
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3393	Comment from TONI Stark	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8623	Comment from Jessica Lee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3394	Comment from Derek Benedict	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8624	Comment from Marsha Lanigan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3395	Comment from Julia Austbo	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8625	Comment from Sonnia Alfonso
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3396	Comment from Slowomir Przybysz	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8626	Comment from John Gauthier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3397	Comment from Mary Leitch	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8627	Comment from Sonnia Alfonso
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3398	Comment from Tyra Pellerin	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8628	Comment from Amy Poe
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3399	Comment from Valerie Sotere	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8629	Comment from Mary Hayes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3400	Comment from Stacy Duarte	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8630	Comment from jo strohbehn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3401	Comment from Bruce DeNunzio	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8631	Comment from Paul Constantino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3402	Comment from Laura Taylor	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8632	Comment from Caroline Haines
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3403	Comment from Vincent Vially	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8633	Comment from Victori Rubietta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3404	Comment from Tammy Luppino	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8634	Comment from Catherine Kowalczyk.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3405	Comment from Lucy Valenti	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8635	Comment from Mary Yontz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3406	Comment from Casey Cochran	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8636	Comment from Jacqueline Nardi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3407	Comment from Eileen Hennessy	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8637	Comment from Susan carey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3408	Comment from Dave Cross	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8638	Comment from Paul Meyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3409	Comment from Valerie Bergeron	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8639	Comment from Diana Alourdias
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3410	Comment from James Deshotels	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8640	Comment from Craig Carney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3411	Comment from Catherine DeGraw	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8641	Comment from Ali Marlow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3412	Comment from Dana Sklar	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8642	Comment from Diane Eisenhower
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3413	Comment from Elaine CIARDELLO	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8643	Comment from Barbara Denslow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3414	Comment from Nagender Kaushik	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8644	Comment from Jacquelyn Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3415	Comment from michael rifkind	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8645	Comment from Stephen Gilbert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3416	Comment from Melissa Williams	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8646	Comment from Rose Barton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3417	Comment from Natalie Malec	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8647	Comment from Carol Pulley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3418	Comment from Mari Heart	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8648	Comment from Mary Poulos
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3419	Comment from Robert Schicker	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8649	Comment from Heather Staub
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3420	Comment from Maia de Raat	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8650	Comment from Sharon Killay

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3421	Comment from Alice Polesky	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8651	Comment from Ellen Jackson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3422	Comment from Diana Wilkinson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8652	Comment from Rachael Pappano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3423	Comment from Mary Tarallo	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8653	Comment from Sharla Godfrey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3424	Comment from Lea Boyle	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8654	Comment from Danielle Amodeo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3425	Comment from Jennifer Brandon	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8655	Comment from Laura Staples
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3426	Comment from David Fiedler	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8656	Comment from David. Murphy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3427	Comment from Jody Mahnken	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8657	Comment from Deborah Radwan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3428	Comment from Maegan Squibb	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8658	Comment from Rebecca michalski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3429	Comment from Barbara Arlen	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8659	Comment from Carol-Ann Dearnaley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3430	Comment from Shannon Soltysiak	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8660	Comment from Maria Morley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3431	Comment from Bo Svensson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8661	Comment from Maria Englebrect
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3432	Comment from Gudrun Dennis	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8662	Comment from James Scotto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3433	Comment from Ellen Atkinson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8663	Comment from Rebecca Zamora
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3434	Comment from Kristine Metzner	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8664	Comment from Brenda Campbell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3435	Comment from Helen Weber	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8665	Comment from Shelley King
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3436	Comment from Susanne Murray	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8666	Comment from Ann Byrnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3437	Comment from Wally Bubelis	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8667	Comment from Susan Purdie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3438	Comment from Erica Johanson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8668	Comment from Bev Austin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3439	Comment from Ken Reeves	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8669	Comment from Gregory Zark
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3440	Comment from Mark Sarnacki	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8670	Comment from Andrew Magel
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3441	Comment from Carol Yerden	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8671	Comment from Phyl Morello
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3442	Comment from Jackie Griffeth	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8672	Comment from Iseti Reis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3443	Comment from C Tracy	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8673	Comment from Copley Smoak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3444	Comment from Dorothy Savage	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8674	Comment from Anna Jasiukiewicz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3445	Comment from Liz Erpelding-Garratt	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8675	Comment from Judy Hanlon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3446	Comment from Lea Faulks	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8676	Comment from Jane White
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3447	Comment from Irene Carr	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8677	Comment from Josephine Colon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3448	Comment from Kathleen Hall	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8678	Comment from Jackie Tutko
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3449	Comment from Sherrill Futrell	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8679	Comment from Henry Clement
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3450	Comment from Wendi Myers	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8680	Comment from Mary Murphy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3451	Comment from Dave Nuetzel	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8681	Comment from Margaret Gallagher
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3452	Comment from Thomas Guaraldi	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8682	Comment from Anna Kendall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3453	Comment from Dennis O'Brien	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8683	Comment from Donna Thomas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3454	Comment from Bryan Bennett	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8684	Comment from Sara Fontani
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3455	Comment from Russell Fowler	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8686	Comment from Tammie Hunt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3456	Comment from Susan Haywood	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8687	Comment from Debra Zapata
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3457	Comment from Pat Bowers	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8688	Comment from Marie Pirkle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3458	Comment from Mary McCauley	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8689	Comment from Janine Dalton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3459	Comment from Hilary McGregor	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8690	Comment from John Fitzgerald
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3460	Comment from Rebecca Harper	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8691	Comment from Susan Goldin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3461	Comment from Cheryl Shushan	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8692	Comment from Kimberly Baldrige

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3462	Comment from Anthony Arn	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8693	Comment from denice cornell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3463	Comment from Tons Calderone	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8694	Comment from Suzanne Ecklund
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3464	Comment from Pat Copenhaver	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8695	Comment from lin farley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3465	Comment from Elizabeth Rosenthal	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8696	Comment from John Pope
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3466	Comment from Kenneth Lapointe	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8697	Comment from Brie Bortmess
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3467	Comment from Lisa Manthey	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8698	Comment from Susan Aarons
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3468	Comment from L Nelson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8699	Comment from Angela Conneally
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3469	Comment from Kellie Smith	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8700	Comment from Carolyn Stewart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3470	Comment from Michelle Profant	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8701	Comment from Mary mccarthy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3471	Comment from Jessica Paolini	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8703	Comment from lea c
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3472	Comment from Marilyn Trybus	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8704	Comment from Sue Hanson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3473	Comment from John Re	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8705	Comment from Maryke Petruzzi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3474	Comment from Jaye Duncan	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8706	Comment from Jym Dyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3475	Comment from Teresa Pitts	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8707	Comment from Allen Leslie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3476	Comment from Dennis Kaplan	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8708	Comment from Linda Biller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3477	Comment from Estella Edwards	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8709	Comment from Grace Montalbano
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3478	Comment from Wanda Graff	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8710	Comment from Ann Russell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3479	Comment from Teresa Pitts	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8711	Comment from Sarah Skvir
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3480	Comment from Donna Smith	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8712	Comment from Mirta Abreu
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3481	Comment from Bradford Renee	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8713	Comment from Elizabeth Wulfson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3482	Comment from Robert Wilkerson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8714	Comment from Jane Parker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3483	Comment from Donna Cohen	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8715	Comment from Lisa McKillop
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3484	Comment from Nika Kollar	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8716	Comment from Alese Tait
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3485	Comment from Janice Bailey	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8717	Comment from Robert Kattkus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3486	Comment from John Schmittauer	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8719	Comment from Carlos Sio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3487	Comment from Patricia Nazzaro	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8720	Comment from Susan Borzenski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3488	Comment from Shirley Schue	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8721	Comment from Kylie Wilson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3489	Comment from Janice Wilfing	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8722	Comment from JP Caviston
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3490	Comment from Diane Nowak	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8723	Comment from Peter Thompson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3491	Comment from Susan Burns	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8724	Comment from Harriett Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3492	Comment from Laura Hahn	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8725	Comment from Susan Goldin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3493	Comment from Mike Vanlandingham	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8726	Comment from Nancy Irvin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3494	Comment from Diane Pitzel	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8727	Comment from William Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3495	Comment from Ruth Galindo	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8728	Comment from Kenneth Hollman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3496	Comment from Karen Berger	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8729	Comment from Pamela Roberts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3497	Comment from Chris Dacus	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8730	Comment from Deborah Johnston
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3498	Comment from Ellen Leonard	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8731	Comment from Courtney Coarsey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3499	Comment from Matt Brzezinski	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8732	Comment from Timothy Burnham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3500	Comment from Janet Pielke	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8733	Comment from Michael Gold
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3501	Comment from Mark Smith	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8734	Comment from Maria Campos
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3502	Comment from Tracy Leinbaugh	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8735	Comment from April Lang

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3503	Comment from Brian Yanke	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8736	Comment from Michael Haskell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3504	Comment from Mark Galbraith	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8737	Comment from Paul Needles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3505	Comment from Ellen Jahos	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8738	Comment from Lois Hoot
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3506	Comment from Audrey Morgan	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8739	Comment from Elaine Maitz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3507	Comment from Dave Ruud	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8740	Comment from Ryan Walde
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3508	Comment from Patty Du	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8741	Comment from Dennis Rogers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3509	Comment from Aaeron Robb	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8742	Comment from Rose Barton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3510	Comment from Alan Carter	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8743	Comment from D Lanter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3511	Comment from Judy Rhee	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8744	Comment from M n
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3512	Comment from John Joadwine	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8745	Comment from Jeane Casey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3513	Comment from Loretta Olsen	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8746	Comment from Denise Lytle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3514	Comment from Shabaka Moore	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8747	Comment from Nikki Doukas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3515	Comment from Martha Carrington	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8748	Comment from Ericka Shimkonis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3516	Comment from Alicia Salazar	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8749	Comment from Jon Russell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3517	Comment from Donald Beduhn	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8750	Comment from Kelly Peterson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3518	Comment from Rachel Berg	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8751	Comment from Cheryl Whitehurst
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3519	Comment from V A	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8752	Comment from Jean Yermes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3520	Comment from Gina LoBiondo	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8753	Comment from Lidia Lucaciu
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3521	Comment from Jeffrey Lindquist	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8754	Comment from Mari m
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3522	Comment from Jeffrey Lindquist	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8755	Comment from Laurel Nakanishi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3523	Comment from Jeffrey Lindquist	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8756	Comment from Rahul Iyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3524	Comment from Jeffrey Lindquist	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8757	Comment from Deb Delsole
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3525	Comment from Catherine Carney- Faldessa	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8758	Comment from Patti Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3526	Comment from Elizabeth Davis	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8759	Comment from Wendy Klish
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3527	Comment from Watson Gooch	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8760	Comment from Ilya Speranza
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3528	Comment from Sharon Kocher	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8761	Comment from Anne Haynes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3529	Comment from Peggy Mondada	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8762	Comment from Terrie Phenicie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3530	Comment from Leslie Smith	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8763	Comment from Steven Phenicie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3531	Comment from Shelley Abbate	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8764	Comment from Alese Tait
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3532	Comment from Joan Tokarz	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8765	Comment from Donna Cox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3533	Comment from Savannah Hawkins	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8766	Comment from Marnee Reilly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3534	Comment from William Black	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8767	Comment from Marnee Reilly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3535	Comment from Val Basom	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8768	Comment from Christine becker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3536	Comment from Maggie Davidson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8769	Comment from Jill Clark
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3537	Comment from Heidi Bixby	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8770	Comment from Kathleen Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3538	Comment from Vicki Bruno	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8771	Comment from Betsy Japp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3539	Comment from Carl Estes	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8773	Comment from Claire McDonald
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3540	Comment from Carol Ruth	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8774	Comment from Ann Oliver
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3541	Comment from Robert Banning	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8775	Comment from Julia Fuller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3542	Comment from Marlene Todd	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8776	Comment from L. Rodriguez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3543	Comment from Alice West	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8777	Comment from Catherine Kowalczyk.

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3544	Comment from Barbara Burke	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8778	Comment from Gayle Logan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3545	Comment from Nick Jenkins	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8779	Comment from Kelly Milan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3546	Comment from Kay Johnson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8780	Comment from Sara Hewson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3547	Comment from Glen Holstein	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8781	Comment from Patricia Audrain
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3548	Comment from Georgia Carver	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8782	Comment from Julie Brinkman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3549	Comment from Lydia Garvey	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8783	Comment from Heidi Rabinowitz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3550	Comment from michael waters	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8784	Comment from Kelly Murphy-Kennerson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3551	Comment from David Boyer	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8785	Comment from Kathrine Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3552	Comment from sabine greger	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8786	Comment from Kelley cathcart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3553	Comment from Alice Steijn	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8787	Comment from Margaret Horn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3554	Comment from KAREN OSTEEN	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8788	Comment from Kat Bowley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3555	Comment from Donna O'Berry	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8789	Comment from Margaret Vernon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3556	Comment from John Haines	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8790	Comment from Tracy Gourville
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3557	Comment from Janice Banks	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8791	Comment from Kristen Chamberlain
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3558	Comment from Judith Anderson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8792	Comment from Pamela Decker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3559	Comment from Todd Heiler	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8793	Comment from Jo Hunter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3560	Comment from Joseph Porporino	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8794	Comment from Denise Corbitt-Coppola
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3561	Comment from Jane Krawisz	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8795	Comment from Marion Saragosa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3562	Comment from DB Falk	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8796	Comment from Liz Newlands
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3563	Comment from Daniel Stopfer	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8797	Comment from Margaret Raynolds
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3564	Comment from Cynthia chrystal	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8798	Comment from Donna McCready
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3565	Comment from susan mufson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8799	Comment from Carol Tomusiak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3566	Comment from Joy Sullivan	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8800	Comment from Richard Fehr
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3567	Comment from terrence ward	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8801	Comment from Nancy Djemant
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3568	Comment from Bob Stevens	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8802	Comment from Cindy Childers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3569	Comment from Steven Bal	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8803	Comment from Elizabeth Hartrick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3570	Comment from Annemarie Prairie	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8804	Comment from Veronica Carroll
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3571	Comment from Rachel Gonzalez	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8806	Comment from Laurie DePinto
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3572	Comment from Nancy Woolley	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8807	Comment from Carly Monnin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3573	Comment from jaci Wilkins	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8808	Comment from Jean Ross
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3574	Comment from Gail Balsler	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8810	Comment from William Houghton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3575	Comment from Susan Lowe	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8811	Comment from Jocelyn Stowell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3576	Comment from LISA MILLER	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8812	Comment from Jaye Clayton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3577	Comment from Michele Johnson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8813	Comment from Jeremy Benjamin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3578	Comment from Eugenia Ahern	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8814	Comment from Luciana Jabrieh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3579	Comment from Ana Jacques	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8815	Comment from Jane Packard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3580	Comment from Joy Lesperance	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8816	Comment from Ed Perry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3581	Comment from Donna Sherman	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8817	Comment from Vicki Powers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3582	Comment from Virginia Van Andel	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8818	Comment from Carrie Loper
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3583	Comment from Holly Graves	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8820	Comment from Sarika Arora
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3584	Comment from Diane Weyer	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8821	Comment from Alexis Mekalonis

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3585	Comment from James Smock	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8822	Comment from Vicki Bacila
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3586	Comment from Elizabeth Milliken	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8823	Comment from Julie Tj
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3587	Comment from Pamela Raup-Kounovsky	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8824	Comment from Reisa Gould-Donath
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3588	Comment from Carol Walker	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8825	Comment from Kathleen Neely
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3589	Comment from Marlin Henderson	02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8826	Comment from Kay Brathol-Hostvet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3590	Comment from Holly Perez	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8827	Comment from Linda Knowles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3591	Comment from L Kifer	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8828	Comment from Cindy Grimes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3592	Comment from Kenneth Honig	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8829	Comment from Alan Keith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3593	Comment from David Wellman	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8830	Comment from Jill Pearson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3594	Comment from Cheryl Cusella	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8831	Comment from Pamela VourosCallahan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3595	Comment from Melissa Doss	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8832	Comment from Michelle Mitchell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3596	Comment from Sharon Nicodemus	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8833	Comment from Jayson Gold-Pambianchi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3597	Comment from William George	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8834	Comment from Sandy Todd
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3598	Comment from steve kent	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8835	Comment from Cynthia Robinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3599	Comment from Linda McKillip	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8836	Comment from Peggy Waltz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3600	Comment from Pam Westerheide	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8837	Comment from Christine Renaye
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3601	Comment from Ron McCullough	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8838	Comment from D. Gragam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3602	Comment from Susan Kilgore	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8839	Comment from Christine Donovan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3603	Comment from David Elfin	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8840	Comment from Robin Hoffman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3604	Comment from Ally Benoit	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8841	Comment from Carlos g
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3605	Comment from Sholey Argani	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8842	Comment from Jana Kiscenko
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3606	Comment from Robert Beggs	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8843	Comment from Cheryl Snyder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3607	Comment from Todd Heiler	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8844	Comment from Glenda Loucks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3608	Comment from CARA AMMON	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8845	Comment from Christie Garbin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3609	Comment from CARA AMMON	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8846	Comment from Richard Fehr
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3610	Comment from joie winnick	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8847	Comment from David Bazinet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3611	Comment from David Dzikowski	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8848	Comment from AD Hall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3612	Comment from Andy Sayles	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8849	Comment from Julia Freund
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3613	Comment from Lisa Walthers	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8850	Comment from Juanita Jordan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3614	Comment from Deborah Coble	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8851	Comment from Janice Ferrier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3615	Comment from Catherine Loudis	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8852	Comment from Robert Frank
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3616	Comment from Marilyn Pierson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8853	Comment from Alison Werther
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3617	Comment from Jake Elfenbein	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8854	Comment from Jane Laberee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3618	Comment from lynne Jeffries	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8855	Comment from Esther hernandez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3619	Comment from Ronni Emilio	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8856	Comment from Mary McCarthy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3620	Comment from Jean Schwinberg	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8857	Comment from Heather Blacha
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3621	Comment from Daniel Tayrien	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8858	Comment from Karen Austin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3622	Comment from Jennifer Greenidge	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8859	Comment from Bethany Clark
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3623	Comment from Mary Erickson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8860	Comment from Natalia Arcila
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3624	Comment from Christian Richer	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8861	Comment from Janice Bretti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3625	Comment from Meredith Goswami	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8862	Comment from Janice Bretti

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3626	Comment from Gail Markus	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8863	Comment from Sara Quaglia
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3627	Comment from Sally Nelson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8864	Comment from John Kosiorek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3628	Comment from Jessica Koran	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8866	Comment from Sonia D
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3629	Comment from Jane Wilken	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8867	Comment from Kathleen Neely
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3630	Comment from Rich Moser	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8868	Comment from Caroline connor
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3631	Comment from Rachel Krucoff	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8869	Comment from Maria Hackman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3632	Comment from Ann Debolt	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8870	Comment from Christine Doering
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3633	Comment from Anthony Jammal	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8871	Comment from Joy Marzolf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3634	Comment from cynthia edwards	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8872	Comment from Sharon Szews
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3635	Comment from M Strimbu	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8873	Comment from Cheryl Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3636	Comment from Stefan Ciosici	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8874	Comment from Carolyn Heamer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3637	Comment from Janet Parkins	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8875	Comment from Jill Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3638	Comment from Edie Bruce	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8876	Comment from Al Santella
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3639	Comment from Omar Siddique	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8877	Comment from Kimberly Betts
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3640	Comment from Peter DiSpigno	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8878	Comment from Christine McPherson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3641	Comment from Jessica Wardlaw	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8879	Comment from Florie Castroman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3642	Comment from Danny Goodman	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8880	Comment from Melodie OBrien
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3643	Comment from Anna Schofield	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8881	Comment from Peter Valente
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3644	Comment from Suzi Goller	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8882	Comment from Susan Querze
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3645	Comment from Steven nasta	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8883	Comment from Robert Hensman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3646	Comment from Kenneth Balmes	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8884	Comment from Stacie MacRae
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3647	Comment from Linda Granato	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8885	Comment from Martha Turlington
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3648	Comment from Alex Harris	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8886	Comment from Kerry Daw
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3649	Comment from Charlie Speno	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8887	Comment from Gail Zwerman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3650	Comment from Ruth Bauer	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8888	Comment from Alejandra Sanchez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3651	Comment from michael klein	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8889	Comment from Denise Nunez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3652	Comment from Valeri Fornagiel	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8890	Comment from Robyn Bolton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3653	Comment from Michael Friedman	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8891	Comment from Michael Wood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3654	Comment from T Meyer	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8892	Comment from Joan Boyce
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3655	Comment from David Grant	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8893	Comment from Toben Cherry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3656	Comment from Kristin Campbell	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8895	Comment from Carla Christianson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3657	Comment from Jorgen Ramstead	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8896	Comment from Joney Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3658	Comment from Pam Evans	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8897	Comment from Candace Temple
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3659	Comment from Heather Walters	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8898	Comment from Katherine Mayers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3660	Comment from James Roberts	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8899	Comment from KM Eichhof
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3661	Comment from Joshua Seff	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8900	Comment from Michelle Hagan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3662	Comment from Baylee Markwell	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8901	Comment from Eva Squires
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3663	Comment from William Maynard	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8902	Comment from Elisa Broad
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3664	Comment from Linda Prostko	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8903	Comment from stephen koury
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3665	Comment from Tommy Hendrix	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8905	Comment from Marilyn Leisz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3666	Comment from Tonya Stiffler	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8907	Comment from Stephanie Townsend

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3667	Comment from Richard Fehr	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8908	Comment from Jamie MacLaren
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3668	Comment from Samuel Riccillo	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8909	Comment from Glenda Macemore
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3669	Comment from Wendy Frado	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8910	Comment from Robert Hite
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3670	Comment from jeffrey miller	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8911	Comment from D Fine
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3671	Comment from Carlene Reuscher	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8912	Comment from Terrie Williams
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3672	Comment from Charlotte Feck	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8913	Comment from Alana Mawson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3673	Comment from Leslie Lethridge	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8914	Comment from Neil Joslin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3674	Comment from Thomas Trenchard	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8915	Comment from Elizabeth Moch
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3675	Comment from Joe LeBlanc	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8916	Comment from Mitzi Combs
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3676	Comment from karen kindel	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8917	Comment from Gina Henrichon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3677	Comment from Jorge De Cecco	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8918	Comment from Allen Wiener
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3678	Comment from Beverly Mitchell	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8919	Comment from Marcos Minosso
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3679	Comment from Dennis Morley	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8920	Comment from Connie Nelson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3680	Comment from Linda Anderson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8921	Comment from Amanda Gordon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3681	Comment from Philip Rampi	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8922	Comment from Benjamin Fields
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3682	Comment from Amanda McCoy	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8923	Comment from Barbara Lang
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3683	Comment from scott finamore	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8924	Comment from Ivan Flow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3684	Comment from s. kaehn	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8925	Comment from Karen Swan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3685	Comment from Cheryl Eames	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8926	Comment from Catherine Black
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3686	Comment from Hugh Curtler	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8927	Comment from P. Kee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3687	Comment from Jonathan Skurnik	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8928	Comment from Debi Holt
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3688	Comment from Eleanor Dubois	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8929	Comment from Judith u
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3689	Comment from M Gutierrez	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8930	Comment from jeanne lussier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3690	Comment from Larry D	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8931	Comment from Ann Sheffield
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3691	Comment from Mary Graffagnino	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8932	Comment from Fran Crilley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3692	Comment from David Hermanns	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8933	Comment from Jan Shimp
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3693	Comment from James Patton	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8934	Comment from Ken Anderson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3694	Comment from Marilyn Rock	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8935	Comment from Kelly Thomas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3695	Comment from Bob Brucker	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8936	Comment from Karen Burke
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3696	Comment from Kenneth Miller	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8937	Comment from Shirley Mogensen
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3697	Comment from Roger Podewell	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8938	Comment from Sylvia Mrozewski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3698	Comment from Jalil Badran	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8939	Comment from Kathleen Drescher
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3699	Comment from Jean Kammer	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8940	Comment from Rhiannon Barrett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3700	Comment from Karen Burroughs	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8941	Comment from Claire Campbell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3701	Comment from Joann Ramos	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8942	Comment from Julie Spry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3702	Comment from Edward Rengers	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8943	Comment from Janis Wilder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3703	Comment from Mark Blandford	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8944	Comment from Kuldeep Singh
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3704	Comment from lisa watson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8945	Comment from Janis Wilder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3705	Comment from Marianne Shaw	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8946	Comment from Carolyn Hendrick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3706	Comment from Joyce Rohr	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8947	Comment from Mari Mennel-Bell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3707	Comment from Danielle Leonetti	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8948	Comment from Thomas Mayer

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3708	Comment from Clairone Delaney	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8949	Comment from Marcia Wade
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3709	Comment from Catherine Miller	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8950	Comment from Robert Turski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3710	Comment from Cassie Alford	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8951	Comment from michael wright
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3711	Comment from Richard Gilman	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8952	Comment from Kasia Kaczmarek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3712	Comment from Holley Taylor	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8953	Comment from Marion Russell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3713	Comment from Barbara Sargent	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8954	Comment from Maria Vicareo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3714	Comment from Teresa gingras	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8955	Comment from Eric Griffith
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3715	Comment from Perry Chapdelaine	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8956	Comment from Jeanette Kelly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3716	Comment from Rachel Cairns	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8957	Comment from Joanna Jessup
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3717	Comment from Lauren A.	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8958	Comment from Jamie Wilson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3718	Comment from Deirdre Santaniello	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8959	Comment from Steve Christianson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3719	Comment from Stefon Lira	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8960	Comment from Ann Lokey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3720	Comment from Joan Kolessar	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8962	Comment from Joann Gilkes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3721	Comment from Barbara Carew	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8963	Comment from Susan Tomaselli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3722	Comment from Terri Reischl	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8964	Comment from Joann Gilkes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3723	Comment from Trisha Thomas	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8965	Comment from Dianne Laplante
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3724	Comment from Christine Fergusson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8967	Comment from Carol Batchelder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3725	Comment from David Rieckmann	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8968	Comment from Sandra Ruiz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3726	Comment from Julia Skelton	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8969	Comment from Cindy Childers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3727	Comment from Christina Babst	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8970	Comment from Donald Evans
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3728	Comment from Claire Leavitt	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8971	Comment from Kelly Murphy-Kennerson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3729	Comment from Nancy Heintz	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8972	Comment from Ilya Speranza
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3730	Comment from Stuart Francis	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8973	Comment from Renee Carbarry
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3731	Comment from Carol Taggart	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8974	Comment from Rhonda Pulliam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3732	Comment from James Ropicki	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8975	Comment from Shirley Glynn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3733	Comment from Laura Fleming	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8976	Comment from lin farley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3734	Comment from Genevieve Esson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8977	Comment from Laura Ellenwood
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3735	Comment from Isaac Ehrlich	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8978	Comment from Aurelio Arredondo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3736	Comment from Janet offer	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8979	Comment from Magdeline Sahdala
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3737	Comment from Alexandra Welsko	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8980	Comment from Angela Lambru
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3738	Comment from Alan Wojtalik	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8981	Comment from Jeremy Benjamin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3739	Comment from Jenni Brodie	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8982	Comment from Toni Seeds
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3740	Comment from Nathan Van Velson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8983	Comment from Felicia Mckoy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3741	Comment from Ingrid Wendt	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8984	Comment from K Baker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3742	Comment from debra tiritilli	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8985	Comment from Rena Rouse
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3743	Comment from Cynthia Betts	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8986	Comment from elizabeth gray
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3744	Comment from Linda Peveto	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8989	Comment from Daniel OBrien
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3745	Comment from Robert Krone	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8990	Comment from Lizabeth Southworth
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3746	Comment from Catherine Santos	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8991	Comment from Marcos Minozzo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3747	Comment from Winke Self	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8992	Comment from McClenny Sherri
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3748	Comment from Darrin McKeehen	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8993	Comment from linda prive

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3749	Comment from Kris Knoll	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8995	Comment from Astra Kalodukas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3750	Comment from Barbara Cartwright	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8996	Comment from anthony basso
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3751	Comment from Danielle Schneider	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8997	Comment from Caroline Schnell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3752	Comment from Debbie Gonzales	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8998	Comment from Bill Groves
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3753	Comment from lee jenkinson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8999	Comment from Rob Shannon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3754	Comment from Colleen K	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9000	Comment from Susan Borzenski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3755	Comment from Georgeta Burca	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9001	Comment from Chris Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3756	Comment from DJ Wagner	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9002	Comment from William Harrell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3757	Comment from Carrie Breen	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9003	Comment from elaine peters
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3758	Comment from Marie Rago	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9004	Comment from Larry Oconner
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3759	Comment from Irene Franzis	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9005	Comment from Marcia Kalman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3760	Comment from Steven Tracy	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9007	Comment from Lisa Celli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3761	Comment from Pat A	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9008	Comment from Dwain Wider
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3762	Comment from Linda Rudin	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9009	Comment from Tim Chambo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3763	Comment from Dana Bingham	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9010	Comment from Pamela Hannula
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3764	Comment from Kevin Walsh	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9011	Comment from Jim Goulet
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3765	Comment from WILLIAM HARRIS	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9012	Comment from Elaine Eudy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3766	Comment from Paul Norup	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9013	Comment from Marcilyn Crawford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3767	Comment from Mickey McCarthy	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9014	Comment from Kimberly Mays
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3768	Comment from Reevyn Aronson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9015	Comment from Sathya Moodley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3769	Comment from Karl Koessel	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9016	Comment from Cherie Mazzenga
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3770	Comment from Cynthia Willette	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9017	Comment from Lynn Thornton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3771	Comment from darrell rolstone	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9018	Comment from Aila Sundelin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3772	Comment from Kimberly Cleland	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9019	Comment from May Lattanzio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3773	Comment from John Marro	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9020	Comment from Linda Kann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3774	Comment from john Labella	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9021	Comment from Carlene McLaughlin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3775	Comment from Melda Montgomery	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9022	Comment from Renate Hamilton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3776	Comment from Heather Kalman	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9024	Comment from Diane Clark
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3777	Comment from Dan Hubbard	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9025	Comment from Cathy McIntee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3778	Comment from Lorraine Markoff	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9026	Comment from Rachael Johnson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3779	Comment from Jan Wilson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9027	Comment from Carol Batchelder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3780	Comment from Dee Carroll	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9028	Comment from Catherine Kowalczyk.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3781	Comment from melissa spengler	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9029	Comment from Robert Hutchinson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3782	Comment from Claudio Henriques	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9030	Comment from Michael Golembeski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3783	Comment from Heloisa Henriques	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9031	Comment from Karen Waltman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3784	Comment from Brian Larson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9032	Comment from Annette Tchelka
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3785	Comment from Claudio Mattos	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9033	Comment from Jane Gerardi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3786	Comment from Kimberly Simms	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9034	Comment from Victoria Mackey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3787	Comment from Heloisa Mattos	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9035	Comment from Chey Richmond
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3788	Comment from Claudio Simoes	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9036	Comment from John Ventre
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3789	Comment from Freda Ballas	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9037	Comment from Steffani Magnus-Redinger

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3790	Comment from Daniel Hunter	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9038	Comment from Sundae Fassig
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3791	Comment from Ann Wasgatt	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9039	Comment from Terence Sperringer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3792	Comment from Paul West	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9040	Comment from Penny Rand
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3793	Comment from Kathy Kuyper	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9041	Comment from Harvey Kaiser
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3794	Comment from Diana Spears	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9042	Comment from Susan Magdanz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3795	Comment from Crystal Hernandez	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9043	Comment from Cheryl Shushan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3796	Comment from Dave King	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9044	Comment from Susan Magdanz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3797	Comment from Cassandra Tereschak	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9045	Comment from Judith Bank
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3798	Comment from Mauria McClay	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9046	Comment from Kathy Morrison
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3799	Comment from Claudia Reed	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9047	Comment from Rebecca Keaton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3800	Comment from Chris Scranton	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9048	Comment from Steven Sardo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3801	Comment from Nandita Shah	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9049	Comment from Sharon doti
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3802	Comment from Anita Gore	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9050	Comment from Missy Kendrick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3803	Comment from Peter Kahigian	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9051	Comment from Traci Wolf
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3804	Comment from Charles Biviano	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9052	Comment from Joan Clark
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3805	Comment from Trigg Wright	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9053	Comment from Georgeta Burca
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3806	Comment from Laurence Buckingham	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9054	Comment from Robyn Frandemo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3807	Comment from Pati Tomsits	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9055	Comment from Brian Baltin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3808	Comment from Carolyn Kiel	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9056	Comment from Diane Summerville
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3809	Comment from Tung Vu	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9057	Comment from Deborah Schafer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3810	Comment from D Muraco	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9058	Comment from Janet Benoit
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3811	Comment from Mark Grzegorzewski	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9059	Comment from Debora Hojda
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3812	Comment from adrienne pond	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9060	Comment from Dianne Walker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3813	Comment from Pamela Goodman	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9061	Comment from Patricia Alam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3814	Comment from Michelle Thomas	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9062	Comment from John Herington
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3815	Comment from Candice Schellenger	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9063	Comment from Anne Kaufmann
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3816	Comment from Sandy Levine	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9064	Comment from Deborah jackson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3817	Comment from Marsha Dalton	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9065	Comment from Susan Goldin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3818	Comment from stanley sayer	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9066	Comment from Kathrine Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3819	Comment from Jerry Matson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9067	Comment from Ruth Tranquillo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3820	Comment from Elizabeth Adan	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9068	Comment from Dawn Motes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3821	Comment from Rita Gentry	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9069	Comment from Cindy Childers
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3822	Comment from John Moy	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9070	Comment from Susan Stewart
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3823	Comment from Judy Miller-Lyons	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9071	Comment from Ilya Speranza
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3824	Comment from Eve Oconnor	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9072	Comment from Alice Welchert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3825	Comment from Brett O'Sullivan	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9073	Comment from Chuck Levin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3826	Comment from Drena LaPointe	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9074	Comment from Barbara Rosenberg
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3827	Comment from Charlotte Al-Jamal	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9076	Comment from Adam Silber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3828	Comment from Midori Furutate	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9077	Comment from Marietta Boeck
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3829	Comment from JL Burns	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9078	Comment from Maria Zoltek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3830	Comment from Linley Fray	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9079	Comment from Kristy Barrett

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3831	Comment from Jim Lindsay	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9080	Comment from Rebecca Hoeschler
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3832	Comment from Sherry Knoppers	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9081	Comment from Robert Emory
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3833	Comment from Susan Ferrer	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9082	Comment from Rhonda Pulliam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3834	Comment from Jo-Ann Murphy	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9083	Comment from Katherine Hampton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3835	Comment from Pamela Sieck	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9084	Comment from nadine voelz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3836	Comment from Patricia Dobson	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9085	Comment from Philip Giglio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3837	Comment from William Hewes	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9086	Comment from Marilyn Garrett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3838	Comment from Helen Syen	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9087	Comment from Wendy Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3839	Comment from Lanora Ovino	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9088	Comment from Edy Radovic
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3840	Comment from Greg Gillis	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9089	Comment from Linda Satter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3841	Comment from Arlene Renshaw	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9091	Comment from Ahmid Muwwakkil
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3842	Comment from Ken Goldsmith	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9092	Comment from Linda Knowles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3843	Comment from Matthew Genaze	02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9093	Comment from Carla Lussier
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3844	Comment from Ruth Boice	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9094	Comment from Katherine Martin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3845	Comment from Annika Swenson	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9095	Comment from Amanda Kenny
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3846	Comment from Julie Kramer	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9096	Comment from Catherine Kowalczyk.
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3847	Comment from John Darmody	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9097	Comment from Conor Corkrum
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3848	Comment from Sibyll Gilbert	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9098	Comment from Cathy McIntee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3849	Comment from Earl Guy	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9099	Comment from Donna Donnelly
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3850	Comment from Megan Anderson	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9100	Comment from Theresa Sanders
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3851	Comment from Eric Nichandros	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9101	Comment from Darlene Powell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3852	Comment from Jeff Colton	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9102	Comment from stacey malles
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3853	Comment from Kim Tran	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9103	Comment from Carin Baer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3854	Comment from Sarah Manno	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9104	Comment from Cheryl Strube
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3855	Comment from Janet Brooks	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9105	Comment from Delia Symons
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3856	Comment from Dr. Kush	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9106	Comment from cheryl kathan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3857	Comment from Donna Harris	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9107	Comment from cheryl kathan
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3858	Comment from Sharon Levine	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9108	Comment from Stacey Waldrop
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3859	Comment from Kathleen Funck	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9109	Comment from Rachel Vandinter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3860	Comment from Yogi Caldwell	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9110	Comment from G.O. Young
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3861	Comment from Frank Wilsey	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9111	Comment from Bonnie Stucker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3862	Comment from Jennifer Downing	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9112	Comment from Cherie Mazzenga
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3863	Comment from Morley Schloss	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9113	Comment from Jennifer Skerrett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3864	Comment from John Hoffman	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9114	Comment from Sally PERZANOWSKI
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3865	Comment from Mary Shellman	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9115	Comment from Julia Freund
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3866	Comment from Greg Goodmacher	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9116	Comment from LouAnn Yebba
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3867	Comment from jon kiesling	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9117	Comment from Kris Sagar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3868	Comment from lynn hoang	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9118	Comment from Tina Blankenship
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3869	Comment from Gerry Royle	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9119	Comment from Michelle Morrow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3870	Comment from bernard hochendoner	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9120	Comment from Deborah Vessels
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3871	Comment from Joanne Groshardt	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9121	Comment from Sharon Roper

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3872	Comment from Kevin Ryle	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9122	Comment from Chris Lomaka
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3873	Comment from Elizabeth Ishmael	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9123	Comment from Stephanie Abraham
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3874	Comment from Becky Andrews	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9124	Comment from Ann Alessi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3875	Comment from Suzanne Meredith	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9125	Comment from Christel Gezels
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3876	Comment from Bernadette Andaloro	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9126	Comment from Nancy Daniels
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3877	Comment from Mary Lassett-Egbert	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9127	Comment from Mary Al-Tukhaim
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3878	Comment from Kathrine Jones	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9128	Comment from Rhonda Pulliam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3879	Comment from Roger Kulp	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9129	Comment from bonita nicolodi-Ward
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3880	Comment from Marla Jacquinot	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9130	Comment from Monica Clark
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3881	Comment from Dave Karrmann	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9131	Comment from Slavka Bilka
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3882	Comment from Sandra Burson	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9132	Comment from Linda DeMent
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3883	Comment from kathleen kaysinger	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9133	Comment from Katherine Maney
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3884	Comment from James Kuhn	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9134	Comment from Renate Dahlin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3885	Comment from Charles Lyon	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9136	Comment from Gabrielle Ackerman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3886	Comment from Theodore Voth	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9137	Comment from Anna Surban
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3887	Comment from Teresa Sem	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9138	Comment from Elizabeth Alexander
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3888	Comment from Catherine Donnelly- Harris	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9139	Comment from Kathrine Jones
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3889	Comment from Stephen Carrillo	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9140	Comment from INES MONTALVO
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3890	Comment from Linda Hilf	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9141	Comment from Beth Banas
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3891	Comment from Pat Duncan	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9142	Comment from John Outland
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3892	Comment from Margaret Petkiewicz	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9143	Comment from Joan James
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3893	Comment from Jim Petkiewicz	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9144	Comment from Kelly Lyon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3894	Comment from Emily McDonald	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9145	Comment from Sophie Herndon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3895	Comment from Krystal Krause	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9147	Comment from Mary Reposa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3896	Comment from Rita Carlson	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9148	Comment from Carol Fonvielle
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3897	Comment from Duncan Brown	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9149	Comment from Mariellen Mckeon
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3898	Comment from Pamela Speagle	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9150	Comment from Mary ruliffson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3899	Comment from Maria Mariorezzi	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9151	Comment from Michelle Dechristofaro
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3900	Comment from Steve Wanninger	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9152	Comment from Diane George
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3901	Comment from Nicole Poston	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9153	Comment from Margaret Marshall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3902	Comment from sherrill gary	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9154	Comment from Rhonda Pulliam
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3903	Comment from Carrie Darling	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9156	Comment from Regina Lippert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3904	Comment from Joan Costelow	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9158	Comment from Bonnie Stucker
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3905	Comment from Louis Esposito	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9159	Comment from Glenna Waterman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3906	Comment from Patrizia Gestro	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9160	Comment from Althea Mosa
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3907	Comment from Tracy kanno	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9161	Comment from Fiona Lennox
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3908	Comment from Shani Schulman	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9162	Comment from Tracy Drake
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3909	Comment from Marc Beschler	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9163	Comment from Richard Meyer
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3910	Comment from Ellen Hall	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9164	Comment from Jessica Lee
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3911	Comment from Liz Szabo	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9165	Comment from Sue Ratkiewich
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3912	Comment from frank belcastro	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9166	Comment from Rosemary Pasquarello

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3913	Comment from Christine Stewart	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9167	Comment from Patricia Lohn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3914	Comment from Gilda Levinson	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9168	Comment from dawn sartori
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3915	Comment from Wendy Niemeyer	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9169	Comment from Debbie Zarr
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3916	Comment from Charleen Strelke	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9170	Comment from Susan Tjarks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3917	Comment from wendy niemeyer	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9171	Comment from Kelli Vogltance
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3918	Comment from Stephen Keener	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9172	Comment from Cindy Lewis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3919	Comment from Georgina Wright	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9173	Comment from Rose Collins
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3920	Comment from Eric West	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9174	Comment from jayne lello
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3921	Comment from Bash Dave	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9175	Comment from Susan Armistead
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3922	Comment from winn wilson	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9176	Comment from Lorna Fortune
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3923	Comment from Doug Bender	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9177	Comment from Marilyn Leisz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3924	Comment from Richard Steiger	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9178	Comment from Janis Wilder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3925	Comment from Maureen O'Neal	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9179	Comment from BECKY HERRON
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3926	Comment from Marc Kiefer	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9180	Comment from Kris Sagar
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3927	Comment from Kara Horstman	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9181	Comment from Margo Bliss
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3928	Comment from Ronald Clayton	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9182	Comment from Jenna Brooks
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3929	Comment from Janet Pecci	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9183	Comment from Dolores Zaninelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3930	Comment from Dorothy Davies	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9184	Comment from Tim Eaton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3931	Comment from Bernadette Bauman	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9185	Comment from Patricia Nininger
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3932	Comment from Joe Marsala	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9186	Comment from martha goodman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3933	Comment from Patricia Nadreau	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9187	Comment from Sharon Bender
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3934	Comment from Martha Akers	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9188	Comment from Michelle Malaspino
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3935	Comment from Elizabeth Scherbak	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9189	Comment from Arleen Weber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3936	Comment from Wanda Russell	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9190	Comment from Christine Morrow
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3937	Comment from Martha Wallace	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9191	Comment from Donna Morelli
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3938	Comment from Claire Flewitt	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9192	Comment from Ana PEREZ
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3939	Comment from Richard Mercer	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9193	Comment from Karen Fain
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3940	Comment from Judy Dufficy	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9194	Comment from Sarika Arora
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3941	Comment from Carolyn Young	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9195	Comment from Sieglinde Seidelman
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3942	Comment from Debra Culwell	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9196	Comment from Barbara Fernandez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3943	Comment from Richard Jackson	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9197	Comment from David Keech
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3944	Comment from Nancy Paskowitz	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9198	Comment from Suzy Murphy
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3945	Comment from Virginia Hitchcock	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9199	Comment from Eileen. Quinn
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3946	Comment from Jacqueline Glyde	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9200	Comment from Charles Young
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3947	Comment from Martha Stopa	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9201	Comment from Tina Machael
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3948	Comment from Lisa Blanck	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9203	Comment from Regina Coffin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3949	Comment from Tina Godlove	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9204	Comment from Christine Carter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3950	Comment from joe weis	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9205	Comment from Jayson Gold-Pambianchi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3951	Comment from Rita Grolitzer	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9206	Comment from Hilda Troche
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3952	Comment from J Trosper	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9207	Comment from Denise Henryard
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3953	Comment from Lorna Holmes	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9208	Comment from Heather Rajotte

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3954	Comment from Lynn Peters	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9209	Comment from Anne Katz
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3955	Comment from Mary Roehrig	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9210	Comment from Francene Amari
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3956	Comment from Stephanie Linam	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9211	Comment from Helen Fisher
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3957	Comment from Shari DePauw	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9212	Comment from Katie DiCarlo
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3958	Comment from Chanda Farley	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9213	Comment from Pam Parisi
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3959	Comment from Sara Lazarus	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9214	Comment from Karen Bagley
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3960	Comment from Karen Lampke	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9215	Comment from Laurie Samuels
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3961	Comment from Gloria Aguirre	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9216	Comment from Pam Nusb
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3962	Comment from Clara Cracchiolo	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9218	Comment from Roseanne Davidson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3963	Comment from Katherine Blevins	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9219	Comment from Debbie Carreira
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3964	Comment from Judy Alter	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9220	Comment from Denise Desjardin
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3965	Comment from Joanna Hollis	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9221	Comment from KIMBERLY BALDRIDGE
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3966	Comment from George Burnash	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9222	Comment from Patti Barnes
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3967	Comment from Pamela Nowell	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9225	Comment from Linda Satter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3968	Comment from Susie Cassens	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9226	Comment from James Majors
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3969	Comment from Bonnie Grossman	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9227	Comment from Ilya Speranza
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3970	Comment from Jeffrey White	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9228	Comment from Allen Leslie
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3971	Comment from Hitomi K	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9229	Comment from Enid Cardinal
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3972	Comment from Cassie Alford	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9230	Comment from Stephen Lieber
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3973	Comment from Clare Halloran	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9231	Comment from Jerilyn Duefrene
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3974	Comment from Katy Dealy	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9232	Comment from Cheryl Grabowski
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3975	Comment from Cindy Wines	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9233	Comment from Amber Davidson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3976	Comment from Janine Morgan	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9234	Comment from Gaia Cole
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3977	Comment from Shireen Farrahi	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9235	Comment from Carrie Fundarek
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3978	Comment from Nancy Brown	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9236	Comment from Lesley Touchton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3979	Comment from Maryann Foss	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9237	Comment from Kate Harder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3980	Comment from C so	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9238	Comment from Kate Harder
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3981	Comment from Cary Appenzeller	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9239	Comment from Lin Vasquez
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3982	Comment from Helen Buckley	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9240	Comment from Julia Stevenson
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3983	Comment from molly mendez	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9241	Comment from Katherine Sevall
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3984	Comment from Jennifer Piche	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9242	Comment from Luis Matheus
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3985	Comment from Roy Adsit	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9243	Comment from Janet Leavell
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3986	Comment from Nikisha Ross	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9244	Comment from Gerardo French
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3987	Comment from Janet Delaney	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9245	Comment from Lynn Sajdak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3988	Comment from Donna Gensler	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9246	Comment from Thes Surrey
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3989	Comment from Philip Hult	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9247	Comment from Leslie Cullis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3990	Comment from Deb Staudt	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9248	Comment from Vicki Satterwhite
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3991	Comment from Sandra Parciak	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9249	Comment from Susan Ford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3992	Comment from cynthia crawford	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9250	Comment from Denise Bence
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3993	Comment from Usha Honeyman	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9252	Comment from Sharon Russick
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3994	Comment from Samantha Peterson	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9253	Comment from Ruth Gravel

01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3995	Comment from Jessica Weber	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9254	Comment from Margie Miller
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3996	Comment from Stephanie Colony	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9255	Comment from Sandra Ciavatta
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3997	Comment from Vickie McClintock	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9256	Comment from Nataliia Dusanovska
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3998	Comment from Marie Hyder	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9257	Comment from Tim Cotter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-3999	Comment from Joel Perkins	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9258	Comment from Martha Lockett
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4000	Comment from Gretchen Randolph	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9259	Comment from Ruth Demeter
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4001	Comment from Bob Mooney	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9260	Comment from Diane Liptak
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4002	Comment from Breana Driscoll	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9261	Comment from Dorota Kolodziejczyk
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4003	Comment from Darlene Harris	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9262	Comment from Jesse Haddix
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4004	Comment from Walter Barnes	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9263	Comment from MaryLou Minerva
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4005	Comment from Christina Warrington	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9264	Comment from Barbara Lewis
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4006	Comment from Mha Khalsa	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9265	Comment from Harold Osorio
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4007	Comment from Maryann Smale	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9266	Comment from Patricia Audrain
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4008	Comment from Tracy Brophy	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9267	Comment from Holly Crawford
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4009	Comment from Karen Kuhnle	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9268	Comment from Rosemary Carton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4010	Comment from Marie Garescher	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9269	Comment from Vickie Britton
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4011	Comment from CYNTHIA CAMPBELL	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9270	Comment from Tamah Lettieri
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-4012	Comment from Margaret Davies	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9271	Comment from Naomi Sikes
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4013	Comment from Karen Valentine	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9272	Comment from Christine Desser
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4014	Comment from Charles Beeghly	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9273	Comment from Nancy Larson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4015	Comment from Joyce Grajczyk	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9274	Comment from Karen Dodge
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4016	Comment from Ellen Ayalin	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9275	Comment from Laurie Muscat
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4017	Comment from William Bader	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9276	Comment from Jeff Keswick
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4018	Comment from Noel Barnes	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9277	Comment from Susan Barry
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4019	Comment from Charlotte Harbeson	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9278	Comment from Liza Szarejko
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4020	Comment from Roth Woods	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9279	Comment from Elizabeth Hopp
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4021	Comment from Michelle Unger	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9280	Comment from Terry Bulla
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4022	Comment from Kae Bender	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9281	Comment from Steve Jesseph
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4023	Comment from Merrie Thornburg	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9282	Comment from Lauren A.
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4024	Comment from Marilyn Mosley	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9283	Comment from kate linton
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4025	Comment from Lisa Price	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9284	Comment from Marianne Weiss
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4026	Comment from Bryan Wishik	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9285	Comment from Susaan straus
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4027	Comment from Linda Carroll	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9286	Comment from Bob Bugnacki
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4028	Comment from Sally Cloud	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9287	Comment from Arthur Trupp
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4029	Comment from Jacqueline Glyde	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9288	Comment from Pat Morales
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4030	Comment from JEROME WEBER	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9289	Comment from Mary Miller
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4031	Comment from David Philleo	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9290	Comment from Darby Stone
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4032	Comment from Eloise Maughan	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9291	Comment from I lubonty
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4033	Comment from Bryan Wyberg	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9292	Comment from Lynn Hervey
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4034	Comment from Nancy Cormia	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9293	Comment from Candice Zollicoffer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4035	Comment from Debbie Criswell	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9294	Comment from Lisa Niebling

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4036	Comment from Giancarlo Vacca	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9295	Comment from Diana Avila
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4037	Comment from Sg g	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9296	Comment from vicki Anderson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4038	Comment from elyette weinstein	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9297	Comment from Shani Schulman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4039	Comment from Katherine Schulte	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9298	Comment from Naomi Dunlap
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4040	Comment from Karen Ratzlaff	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9299	Comment from Christine Doering
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4041	Comment from Brant Kotch	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9300	Comment from Marilyn Garrett
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4042	Comment from Michael Zeller	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9301	Comment from Bruce McPherson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4043	Comment from Stephen Johnston	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9302	Comment from Debby Libolt
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4044	Comment from Kira Durbin	02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9304	Comment from Erik Goldman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4045	Comment from Mike Lyman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9305	Comment from Marcine McBride
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4046	Comment from Pat Condon	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9306	Comment from Mark Edwards
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4047	Comment from Elena Nau	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9307	Comment from Christa angel
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4048	Comment from Mick Robinson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9308	Comment from Michelle Dumar
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4049	Comment from Zora Hocking	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9309	Comment from Eileen Juric
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4050	Comment from Cindy Lance	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9310	Comment from Tara Conant
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4051	Comment from Scott Paling	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9311	Comment from Kathleen Gowdy
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4052	Comment from Yolanda Ferguson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9312	Comment from Beth Carr
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4053	Comment from Elyse Sternberg	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9313	Comment from Brian von Helms
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4054	Comment from John Varga	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9314	Comment from Carol Keiter
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4055	Comment from Martin Marcus	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9315	Comment from Mike Bartlett
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4056	Comment from robert minnick	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9316	Comment from Barbara Fernandez
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4057	Comment from Richard Esten	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9317	Comment from Elizabeth Weiner
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4058	Comment from Fayette Krause	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9318	Comment from Jennifer DeGrandchamp
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4059	Comment from Lyn Younger	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9319	Comment from Candis Whitney
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4060	Comment from Vicki Leeds	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9320	Comment from kris berner
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4061	Comment from Virgene Link-New	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9321	Comment from Mary Nowak
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4062	Comment from Lorrin Koran	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9322	Comment from Lisa Weaver
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4063	Comment from Edward Macan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9323	Comment from Melody Barnes
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4064	Comment from Michael Miller	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9324	Comment from Ronnie DiComo
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4065	Comment from Lynn Glasscock	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9325	Comment from Elaine. Stephens
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4066	Comment from Tony Jones	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9326	Comment from Lynda Giuliani
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4067	Comment from Gerald Meslar	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9327	Comment from Joan Thorne
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4068	Comment from Neil Fisher	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9328	Comment from Tanya Polhill
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4069	Comment from Jessica Stewart	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9330	Comment from Heather Behrens
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4070	Comment from Harry Corsover	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9331	Comment from Carmine Tocci
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4071	Comment from alba perea	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9332	Comment from Lynn Ciccone
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4072	Comment from Francisco Salazar	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9333	Comment from Jacquelyn Barnes
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4073	Comment from Kristin Green	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9334	Comment from Suzanne Dean
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4074	Comment from Allen Myers	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9335	Comment from Karen thomas
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4075	Comment from Karen Jacques	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9337	Comment from Kerry Heck
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4076	Comment from STEVE SIPOS	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9338	Comment from David Kyler

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4077	Comment from Miriam Neff	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9339	Comment from Debbie Lynch
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4078	Comment from Nancy Faulk	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9340	Comment from Maria Zoltek
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4079	Comment from Justin Philipps	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9341	Comment from Maria Zoltek
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4080	Comment from priscilla martinez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9342	Comment from Ken Ferris
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4081	Comment from Alva Pingel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9343	Comment from Diamanda Bifshas
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4082	Comment from Mika Gentili-Lloyd	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9344	Comment from Douglas Henderson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4083	Comment from Julie Falkenberg	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9345	Comment from Teresa Torres
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4084	Comment from Nancy Fohn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9346	Comment from Mark Lotito
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4085	Comment from Mary Creighton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9347	Comment from Norma hanson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4086	Comment from Frances Recca	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9348	Comment from James Porcello
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4087	Comment from namita dalal	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9349	Comment from Laura Brown
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4088	Comment from Mary Kennedy	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9350	Comment from Alejandra Sanchez
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4089	Comment from Veronica Goode	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9351	Comment from Sharon Levy
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4090	Comment from Sharon Case	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9352	Comment from Lillian Swindell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4091	Comment from Dina Hussain	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9353	Comment from Ken Schefter
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4092	Comment from Donald Paden	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9354	Comment from Susan Ward
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4093	Comment from Stu Farnsworth	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9355	Comment from alena Jorgensen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4094	Comment from susan delles	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9356	Comment from BERNA NITZBERG
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4095	Comment from Aaron Dukes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9357	Comment from Gail Ohara
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4096	Comment from Steven Vogel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9358	Comment from Neil Prater
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4097	Comment from Joseph Roman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9359	Comment from Angelika Pftzner
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4098	Comment from Paula Starin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9360	Comment from David Ringle
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4099	Comment from Nan Warshaw	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9361	Comment from Nancy Loftin
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4100	Comment from Andrew R.	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9362	Comment from Jodi Rodar
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4101	Comment from Lauren Schiffman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9363	Comment from Tim Pokela
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4102	Comment from Diana Kostelecky	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9364	Comment from Erica Rose
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4103	Comment from Timmie Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9365	Comment from William Clifford
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4104	Comment from Thomas Esposito	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9366	Comment from Nicola Giorgio
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4105	Comment from Dennis Trembly	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9367	Comment from James Roberts
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4106	Comment from J Esposito	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9368	Comment from Liam Dineen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4107	Comment from Rick Pearson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9369	Comment from Barbara Gerhart
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4108	Comment from Shoshanah McKnight	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9370	Comment from Hans Hagedorn
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4109	Comment from Julia Buck	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9371	Comment from Holly Crawford
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4110	Comment from Lorraine Barrie	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9372	Comment from Adrienne Naylor
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4111	Comment from Philip Ratcliff	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9373	Comment from Carol Collins
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4112	Comment from Zoe Kane	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9374	Comment from Amy Anderson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4113	Comment from Rhys Atkinson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9375	Comment from Lauren Liuza
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4114	Comment from Pamela VourosCallahan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9376	Comment from Marcia Kellam
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4115	Comment from Cat A	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9377	Comment from shirley mccarthy
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4116	Comment from Forest Frasier	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9378	Comment from Sheila Erlbaum
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4117	Comment from Heather Stuhlmann	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9379	Comment from Catherine Lambeth

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4118	Comment from Richard Bartkowicz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9380	Comment from Janine Solano
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4119	Comment from Sarah Peters	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9381	Comment from Lynne Brimecombe
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4120	Comment from Mari Dominguez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9382	Comment from Kim Streich
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4121	Comment from Sandy Rhein	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9383	Comment from Jared Howe
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4122	Comment from Mary Will	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9384	Comment from Sherry Macias
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4123	Comment from Grace Padelford	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9385	Comment from Edward Laurson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4124	Comment from Kathryn Davidson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9386	Comment from LuAnn Yocky
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4125	Comment from Joan Walker	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9387	Comment from Patrick DAnnunzio
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4126	Comment from CARLINA MORA	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9388	Comment from Lori Kuebler
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4127	Comment from Shakayla Thomas	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9389	Comment from Karen Christiansen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4128	Comment from Cathy Cousins	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9390	Comment from John Cipora
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4129	Comment from Mary Miller	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9391	Comment from Shannon Foreman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4130	Comment from Ben Rall	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9392	Comment from Robbie White
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4131	Comment from GERALYN GULSETH	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9393	Comment from Mark Soenksen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4132	Comment from Patrick Soby	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9394	Comment from Melissa Sheppard
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4133	Comment from Celeste Watt	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9395	Comment from Denise Hosta
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4134	Comment from april doyle	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9396	Comment from ron weiss
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4135	Comment from Melissa Warfield	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9397	Comment from Elaine Eudy
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4136	Comment from The Kern	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9398	Comment from Kathy Spera
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4137	Comment from Robert Meier	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9399	Comment from Joseph Gulas
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4138	Comment from Theodore King	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9400	Comment from James Hickey
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4139	Comment from stewart casey	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9401	Comment from Elihu Cohen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4140	Comment from Eric Fosburgh	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9402	Comment from Kelly schwartz
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4141	Comment from Ragen Serra	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9403	Comment from David Worley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4142	Comment from Patricia Claussen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9404	Comment from Leonard Samford
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4143	Comment from Charles Miller	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9405	Comment from Steve Mattan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4144	Comment from Patricia Horter	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9406	Comment from Alice LeTourneau
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4145	Comment from Tamara Voyles	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9407	Comment from Elsy Shallman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4146	Comment from Justin Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9408	Comment from Carroll Abshier
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4147	Comment from Ellen Beschler	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9409	Comment from Holly Burgin
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4148	Comment from Beverly Antonio	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9410	Comment from JANINE COMRACK
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4149	Comment from Beverly Menosky	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9411	Comment from Maxine Goodyear
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4150	Comment from Tory Ewing	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9412	Comment from Deborah Rodell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4151	Comment from DALE ANANIA	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9413	Comment from Cheryl Troser
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4152	Comment from Rolf Best	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9414	Comment from Krystle Viola
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4153	Comment from Beth Carr	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9415	Comment from Leann Huber
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4154	Comment from Randy Gerlach	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9416	Comment from Geoffrey Ogden
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4155	Comment from David Neral	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9417	Comment from Richard Kite
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4156	Comment from Stacie Dullmeyer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9418	Comment from Rick Savage
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4157	Comment from Mary Johns	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9419	Comment from helen goodspeed
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4158	Comment from Dianna MacLeod	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9420	Comment from Joan Baseman

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4159	Comment from Robert Fingerman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9421	Comment from donna roddvik
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4160	Comment from Kacey Donston	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9422	Comment from Clivonne Corbett
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4161	Comment from Maurine Canarsky	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9423	Comment from Nicholas Frederick
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4162	Comment from Carol Meehan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9424	Comment from Diane Abbysinian
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4163	Comment from Adolfo Bermeo	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9425	Comment from Theresa Johnson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4164	Comment from Laura Wheeler	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9426	Comment from Ingrid Rochester
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4165	Comment from Dan Morgan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9427	Comment from Melissa Heithaus
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4166	Comment from Marianne Kai	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9428	Comment from Clivonne Corbett
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4167	Comment from Christie Sanders	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9429	Comment from Linda Osborn
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4168	Comment from Sue Halligan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9430	Comment from Judy bierbaum
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4169	Comment from Jennifer Gilbert	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9431	Comment from Peter Wood
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4170	Comment from Bob Miller	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9432	Comment from Terry Cummings
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4171	Comment from Danielle Wolf	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9433	Comment from Paul Collins
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4172	Comment from Satya Vayu	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9434	Comment from Jennifer Miller
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4173	Comment from David Stanley	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9435	Comment from Rachel Morr
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4174	Comment from Robert Frcek	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9436	Comment from Robert Duke
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4175	Comment from Leigh Barrett	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9437	Comment from Valory Mitchell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4176	Comment from Amelia Jones	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9438	Comment from Roberta Parrish
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4177	Comment from Ira Gerard	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9439	Comment from Kathleen Broderick
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4178	Comment from Angel McCarter	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9440	Comment from Lucinda Tucker
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4179	Comment from Jane Yater	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9441	Comment from Julia Hart
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4180	Comment from Alice Murrell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9442	Comment from Steve Troyanovich
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4181	Comment from Aida Marina	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9443	Comment from John Ziegler
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4182	Comment from Cindy Artist	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9444	Comment from Jennifer Rogers
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4183	Comment from betsy levy	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9445	Comment from Amber Manske
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4184	Comment from Rita Castillo	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9446	Comment from Danielle Howley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4185	Comment from Terrell Rodefer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9447	Comment from Judy Barringer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4186	Comment from Tracy Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9448	Comment from Terry Warkentine
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4187	Comment from gregory.a.. dewell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9449	Comment from nancy siebert
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4188	Comment from Shelley Ottenbrite	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9450	Comment from Peter Gradoni
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4189	Comment from Alexandre Kaluzhski	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9451	Comment from chris lewis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4190	Comment from Bea MacGregor	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9452	Comment from Anne hammond
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4191	Comment from Cathy Sikes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9453	Comment from Ellie McGuire
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4192	Comment from Anne Russell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9454	Comment from Star Seastone
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4193	Comment from Rungruedee Nualchawee	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9455	Comment from Michael Lombardi
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4194	Comment from Ann Kinney	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9456	Comment from Greg Schuett
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4195	Comment from Kim Wick	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9457	Comment from Julie Sacco
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4196	Comment from Malcolm Elgut	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9458	Comment from Daniel Kozminski
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4197	Comment from mary camardo	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9459	Comment from Gerald Kretmar
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4198	Comment from David Meade	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9460	Comment from A Lindemann
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4199	Comment from Justina Gruling	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9461	Comment from Carolyn Denton

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4200	Comment from Stephen Anderson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9462	Comment from William Fisk
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4201	Comment from Melissa Barnard	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9463	Comment from Jerry Lee
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4202	Comment from Kathy Oppenhuizen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9464	Comment from Tara Warfield
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4203	Comment from Anne St John-Kodish	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9465	Comment from julia knaz
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4204	Comment from David Rosmer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9466	Comment from Arthur Schurr
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4205	Comment from Monya Duvall	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9467	Comment from r tippens
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4206	Comment from George Ruiz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9468	Comment from David Wassilak
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4207	Comment from Diane Sparks	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9469	Comment from Jennifer Hehle
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4208	Comment from Guadalupe Yanez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9470	Comment from Scott Emsley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4209	Comment from Matthew VonderHaar	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9471	Comment from Stephen Edinger
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4210	Comment from Kerry White	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9472	Comment from Anca Vlasopolos
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4211	Comment from joe smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9473	Comment from j M
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4212	Comment from Kirk Bails	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9474	Comment from Mariko Kahn
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4213	Comment from Diane Williams	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9475	Comment from Suzanne Claggett
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4214	Comment from Heidi Baird	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9476	Comment from Linda Anderson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4215	Comment from Sarah Dorst	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9477	Comment from Janice Higgins
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4216	Comment from Karen Boehler	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9478	Comment from Ronda O'Bryant
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4217	Comment from Vicky VanValkenburg	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9479	Comment from Corinna Hasbach
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4218	Comment from Nancy Freedland	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9480	Comment from Sally Stroud
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4219	Comment from Rothery Gensel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9481	Comment from Susan Herman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4220	Comment from Joseph Reel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9482	Comment from Linda Andrade
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4221	Comment from Tom Ress	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9484	Comment from Kyle Embler
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4222	Comment from David Adams	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9485	Comment from jeannie perry
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4223	Comment from gertrude robinson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9486	Comment from Larry Denio
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4224	Comment from Becky Lechner	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9487	Comment from Dominique Edmondson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4225	Comment from Monika Seegler	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9488	Comment from Jessica Pate
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4226	Comment from Andrew Hughes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9489	Comment from Carol Modrell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4227	Comment from Patti Mickelsen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9490	Comment from Nicola Nicolai
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4228	Comment from Jim Noordyk	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9491	Comment from Linda Bdescript
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4229	Comment from Peter Lee	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9492	Comment from Elaine Johnson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4230	Comment from Oron Bass	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9493	Comment from Neal Steiner
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4231	Comment from arline lohli	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9494	Comment from Deborah Thelen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4232	Comment from Virginia Bottorff	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9495	Comment from Susan Jordan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4233	Comment from Mary Armstrong	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9496	Comment from George Jackman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4234	Comment from Neville Bruce	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9497	Comment from ed sobey
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4235	Comment from Brian Ainsley	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9498	Comment from Daniel Wilkinson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4236	Comment from Mary Hamilton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9499	Comment from Leticia Garcia
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4237	Comment from Sara Graziosa	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9500	Comment from Eileen Fazzini
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4238	Comment from Deborah Walsh	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9501	Comment from Katherine simon
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4239	Comment from Anita Cafferty	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9502	Comment from Mayelly Moreno
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4240	Comment from Jimmy Fleming	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9503	Comment from Edythe Quinn

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4241	Comment from LETICIA HENRIQUEZ	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9504	Comment from Richard Coreno
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4242	Comment from Lynn Simpson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9505	Comment from Emily Towell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4243	Comment from Gail Beaudain	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9506	Comment from Pieter Hull
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4244	Comment from JENNY COLLIER	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9507	Comment from JOANNA HEILING
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4245	Comment from Harold Tipping	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9508	Comment from Pablo Bobe
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4246	Comment from jeff bohan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9509	Comment from Rob Weltner
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4247	Comment from David George	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9510	Comment from Tim Shortell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4248	Comment from Harold Tipping	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9511	Comment from Dawson Pan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4249	Comment from Marguerite Winkel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9512	Comment from Greg Onsel
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4250	Comment from William Bruno	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9513	Comment from Justin Chernow
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4251	Comment from Doris Verkamp	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9514	Comment from Tracey Lall
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4252	Comment from Kathleen obre	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9515	Comment from Adarsh Ayyar
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4253	Comment from obie hunt	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9516	Comment from Karen Sindair
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4254	Comment from Joseph DiMaggio	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9517	Comment from Randy Hernandez
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4255	Comment from Jean Farris	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9518	Comment from Candace Russell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4256	Comment from Howard Blaz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9519	Comment from Cody Dolnick
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4257	Comment from Dale Ryder	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9520	Comment from Robin Covino
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4258	Comment from Mindy Kruckenberg	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9521	Comment from Amber Abascal
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4259	Comment from Lori Ugolik	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9522	Comment from Renee Burgan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4260	Comment from Louise Simone	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9523	Comment from michael zuckerman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4261	Comment from Sigrid Asmus	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9524	Comment from Cynthia Hicks
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4262	Comment from Braxton Worth	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9525	Comment from Meha Kamdar
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4263	Comment from T Hibben	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9526	Comment from Freda Karpf
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4264	Comment from Pamela Coker	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9527	Comment from barbara cunningham
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4265	Comment from Susan Harrie	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9528	Comment from Christian Rocklein
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4266	Comment from Freya Harris	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9529	Comment from Debra heatherly
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4267	Comment from Nate Schmidt	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9530	Comment from Peter Ollendorf
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4268	Comment from Harriet Forman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9531	Comment from Janet Harwell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4269	Comment from Tony McCraney	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9532	Comment from Felicia Lewis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4270	Comment from Andrew Anderson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9533	Comment from Bert Barry
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4271	Comment from John Hammel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9534	Comment from Gene Fox
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4272	Comment from Cindy Hatcher	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9535	Comment from Rochelle Foran
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4273	Comment from Karen Garone	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9536	Comment from Jonathan Nash
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4274	Comment from Yvonne Snyder	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9537	Comment from Gregory Freeman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4275	Comment from Lou Orr	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9538	Comment from James Herther
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4276	Comment from Kathleen Mulhall	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9539	Comment from Anita Dauberman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4277	Comment from Therese MacKenzie	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9540	Comment from Sarah Dean
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4278	Comment from Lee Carson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9541	Comment from Feli Devlin
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4279	Comment from Paul Kerman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9542	Comment from Beth Drewelow
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4280	Comment from Lisa Hamilton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9543	Comment from Leona Klerer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4281	Comment from Tara Hottenstein	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9544	Comment from Laura Aurilio

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4282	Comment from Michele Bazan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9545	Comment from John Lynch
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4283	Comment from kathryn lynch	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9546	Comment from Kevin Rolfes
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4284	Comment from Kristof Haavik	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9547	Comment from Jennifer Terrock
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4285	Comment from Nathan Hetrick	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9548	Comment from Julia Larsen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4286	Comment from Keyla Cruz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9549	Comment from Christian Tabone
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4287	Comment from ROSALIE WIND	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9550	Comment from Terry WOLFE
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4288	Comment from Stacey Holliday	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9551	Comment from Ron Mittan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4289	Comment from Diane Doesserich	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9552	Comment from Diana Donovan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4290	Comment from Carol Van Vliet	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9553	Comment from Randy Kraege
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4291	Comment from Jacquelyn Cramer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9554	Comment from Jeff Keswick
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4292	Comment from Marnee Reilly	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9555	Comment from Marc Silverman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4293	Comment from Silva Harr	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9556	Comment from Tamela Donnelly
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4294	Comment from Kathryn Kaffer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9557	Comment from Rita Mullis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4295	Comment from Janine long	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9558	Comment from Jane Bauman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4296	Comment from Eric Nylen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9559	Comment from Jay Armbruster
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4297	Comment from Mary Deckman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9560	Comment from John Chase
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4298	Comment from Mary Paynter	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9561	Comment from simona podskubka
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4299	Comment from Karen Esposito	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9562	Comment from Thomas Dawley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4300	Comment from jeri ichikawa	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9563	Comment from Tim P
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4301	Comment from Alicia Thompson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9564	Comment from William Grant
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4302	Comment from John Klacik	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9565	Comment from D L
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4303	Comment from Patricia Winkelmayr	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9566	Comment from George Blahun
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4304	Comment from Gwendolyn Torres	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9567	Comment from Debra Cosentino
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4305	Comment from Melissa Harlan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9568	Comment from Joyce Gamroth
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4306	Comment from Gary Thaler	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9569	Comment from Linda Porter
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4307	Comment from Donna Pemberton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9570	Comment from abigail correia
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4308	Comment from Jessica Likens	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9571	Comment from Candace Berthrong
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4309	Comment from Walter Zurko	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9572	Comment from Deena Nick
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4310	Comment from Sherilyn Coldwell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9573	Comment from carol sardo
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4311	Comment from Mary Totty	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9574	Comment from Pamela Colony
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4312	Comment from Barbara Delgado	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9575	Comment from Barbara Rogers
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4313	Comment from Catharine Crockett	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9576	Comment from sandra garcia
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4314	Comment from Michael Moeller	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9577	Comment from D L
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4315	Comment from Margaret McGinnis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9578	Comment from Norma Kline
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4316	Comment from Debasri Roy	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9579	Comment from Sandra Speicher
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4317	Comment from Shirley Schue	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9580	Comment from Warren Pope
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4318	Comment from Diane Randgaard	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9581	Comment from Dara Rider
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4319	Comment from Joe Day	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9582	Comment from Gail Richardson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4320	Comment from Lesley Ross	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9583	Comment from Doris Luther
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4321	Comment from Pablo Bobe	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9584	Comment from Elizabeth Luebbers
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4322	Comment from Pamela Sedei-Rodden	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9585	Comment from Sherry Dunn

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4323	Comment from Pat Lemay	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9586	Comment from Kristina Younger
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4324	Comment from Catherine Milovina	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9587	Comment from Mark Waltzer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4325	Comment from Marisa Morales	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9588	Comment from Michael Kenny
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4326	Comment from Linda Cooper	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9589	Comment from Caroline Kane
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4327	Comment from Richard Ranieri	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9590	Comment from Melanie Vliet
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4328	Comment from Susan Green	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9591	Comment from Lorraine Martinez
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4329	Comment from bruce sowden	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9592	Comment from Keyla Cruz
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4330	Comment from Lisa Sons	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9593	Comment from Terry WOLFE
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4331	Comment from Holly Bevagna	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9594	Comment from Jill Wittenbrader
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4332	Comment from Daniel Scharaldi	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9595	Comment from Lynn Ricci
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4333	Comment from Sharma Gaponoff	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9596	Comment from Pippa Pearthree
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4334	Comment from Carl Tyndall	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9597	Comment from Doug Helliesen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4335	Comment from Mary Nuss	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9598	Comment from Gabriela Romanow
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4336	Comment from Peter Monie	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9599	Comment from Pippa Pearthree
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4337	Comment from Nezka Pfeifer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9600	Comment from Catherine Ayoub
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4338	Comment from Arielle Crickenberger	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9601	Comment from Robin Choate
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4339	Comment from Dorien Zaricor	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9602	Comment from Larry Welsh
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4340	Comment from Devon Seltzer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9603	Comment from Carlos Quiroga-Lassepas
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4341	Comment from Alan shannon	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9604	Comment from Tom Beatini
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4342	Comment from John Thayer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9605	Comment from Colleen Lobel
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4343	Comment from Gary Christensen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9606	Comment from Molly Hauck
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4344	Comment from Russell Chiappa	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9607	Comment from Susan Lewis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4345	Comment from Jane Crossover	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9608	Comment from JESSICA FIELDEN
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4346	Comment from Anita Capshaw	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9609	Comment from Jenny Nicklin
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4347	Comment from Denise Edwards	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9610	Comment from william Prokop
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4348	Comment from Tom Sharkey	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9611	Comment from Misty Jackson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4349	Comment from Nick Hood	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9612	Comment from Bill Rosenthal
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4350	Comment from janet drew	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9613	Comment from Sara Flamm
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4351	Comment from Susanna Stone	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9614	Comment from Hal Forsen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4352	Comment from Nancy Freyer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9616	Comment from Michele Roberts
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4353	Comment from Rebecca Esche	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9617	Comment from Stephanie Smedley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4354	Comment from Barbara Rosenkotter	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9618	Comment from Brigitte Forster
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4355	Comment from Gayle Doukas	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9619	Comment from Michael bordenave
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4356	Comment from R. Zierikzee	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9620	Comment from sammia panciocco
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4357	Comment from Debra Hoyt	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9621	Comment from Shawn Hall
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4358	Comment from Tatiana Mandel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9622	Comment from Jennifer Emerle-Sifuentes
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4359	Comment from Paula Wanzer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9623	Comment from Evelyne Williams
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4360	Comment from Carolyn Hall	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9624	Comment from Art Shervs
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4361	Comment from Donna Browne	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9625	Comment from jody solow
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4362	Comment from C W	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9626	Comment from Patricia Rossi
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4363	Comment from Richard Lombard	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9627	Comment from Veronica Michael

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4364	Comment from Donna Held	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9628	Comment from John LaMantia
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4365	Comment from Robert Ramirez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9629	Comment from Tracy Butler-Oberste
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4366	Comment from Danial Border	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9630	Comment from Howard McNinch
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4367	Comment from Samantha Turetsky	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9631	Comment from dk anestos
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4368	Comment from Deborah Nelson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9632	Comment from Deborah Williamson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4369	Comment from Joan McGrath	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9633	Comment from Beatrice Long
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4370	Comment from Lisa Daloia	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9634	Comment from Diana Williams
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4371	Comment from Susan Hamann	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9635	Comment from Glenn Koehrsen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4372	Comment from Edith Simpson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9636	Comment from steve lucas
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4373	Comment from Lynne Bemer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9637	Comment from Magda Santiago
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4374	Comment from Jennifer Messina	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9638	Comment from Larry Karns
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4375	Comment from Frances Rove	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9639	Comment from Deborah Bishop
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4376	Comment from Elizabeth LeFever	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9640	Comment from Randall Foreman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4377	Comment from Charles Hassrick	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9641	Comment from Robert Gibb
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4378	Comment from Jennifer Cunningham	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9642	Comment from KYLE BATES
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4379	Comment from Alan Linville	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9643	Comment from Christen King
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4380	Comment from Claudia CMPE	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9644	Comment from Amanda Gentile
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4381	Comment from cay fisher	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9645	Comment from Lisa Annecone
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4382	Comment from Sierra Bright	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9646	Comment from Ellen Place
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4383	Comment from Kim nero	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9647	Comment from Douglas Estes
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4384	Comment from James Gifford	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9648	Comment from Sue Bradley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4385	Comment from Larry Musson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9649	Comment from Susan Ancona
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4386	Comment from Barbara Addis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9650	Comment from John Kay
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4387	Comment from Laura Ramon	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9651	Comment from Chris Frost
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4388	Comment from Mary Fleming	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9652	Comment from Joanne Kondratieff
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4389	Comment from Eowyn Grecco	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9653	Comment from Michael Hall
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4390	Comment from Victor Chirel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9654	Comment from GERARD VACHEZ
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4391	Comment from Stephanie Brancaforte	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9655	Comment from Patricia Claytor
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4392	Comment from Denice Cornell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9656	Comment from Robert Oberdorf
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4393	Comment from Jenna Carodiskey-Wiebe	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9657	Comment from Vincent Geiger
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4394	Comment from Wendy Worth	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9658	Comment from RICHARD KETTYLE
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4395	Comment from Karen Goozner	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9659	Comment from Mary Follis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4396	Comment from Suzanne Dalton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9660	Comment from Nile Arena
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4397	Comment from Janice Newville	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9661	Comment from Silvia Raum
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4398	Comment from Andrea Snyder	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9662	Comment from Harold Veeder
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4399	Comment from Jennifer Spease	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9663	Comment from JAMES BARBER
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4400	Comment from Judith Singsen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9664	Comment from Jane Ball
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4401	Comment from amanda spalt	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9665	Comment from Frances Blythe
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4402	Comment from Arielle Wolff	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9666	Comment from Kim Altana
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4403	Comment from Lisa Knight	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9667	Comment from Tammy bullock
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4404	Comment from Tammy Ensmann	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9668	Comment from Heather Schlichter

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4405	Comment from Gina Carollo	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9669	Comment from Michael Parsons
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4406	Comment from Daniela Rossi	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9670	Comment from Charles Casper
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4407	Comment from Connie George	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9671	Comment from patricia winters
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4408	Comment from Pamela Alvesteffer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9672	Comment from Doreen Mann
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4409	Comment from Richard Rheinberger	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9673	Comment from Richard Coreno
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4410	Comment from Angel Orona	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9674	Comment from Vicki Word
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4411	Comment from Katherine Martin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9675	Comment from David Friedman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4412	Comment from Paulette Zimmerman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9676	Comment from Sophie McCoy
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4413	Comment from David Hall	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9677	Comment from Michael Hoover
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4414	Comment from Joelle Porter	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9678	Comment from E Heyman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4415	Comment from Stormy Jech	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9679	Comment from Jessica Jakubanis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4416	Comment from Christine Perry	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9680	Comment from Allen Krantz
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4417	Comment from Jeff Seitz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9681	Comment from Joseph Corbett
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4418	Comment from Peter Ware	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9682	Comment from Patricia Michaels
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4419	Comment from nicole Hoekstra	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9683	Comment from Victoria Urias
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4420	Comment from David Katz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9684	Comment from Mana Iluna
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4421	Comment from David Spaethe	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9685	Comment from Marcella Crane
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4422	Comment from Robert Chirpin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9686	Comment from MarySue Baker
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4423	Comment from Paul Luehrmann	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9687	Comment from Jan ebersole
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4424	Comment from elizabeth gray	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9688	Comment from Peggy Kocoras
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4425	Comment from d robinson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9689	Comment from Jan Lowrey
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4426	Comment from Kimberly Sheehan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9690	Comment from Barry Medlin
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4427	Comment from KC Young	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9691	Comment from Susanna Askins
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4428	Comment from Philip Kritzman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9692	Comment from Jonathan Maller
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4429	Comment from Jacob Pendlebury	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9693	Comment from Terry Bulla
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4430	Comment from Elizabeth Zenker	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9694	Comment from Rick Priebe
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4431	Comment from Lisa Vaughan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9695	Comment from Christopher Lord
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4432	Comment from Frances Meenan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9696	Comment from Jacqui Skill
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4433	Comment from Anne Clark	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9697	Comment from donna adams
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4434	Comment from jameson bergen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9698	Comment from sara rahbar
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4435	Comment from Laura Klina	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9699	Comment from Jill Mossor
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4436	Comment from Cynthia Arneson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9700	Comment from Donna Noyes
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4437	Comment from Rosemary Ward	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9701	Comment from Janet Zeh
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4438	Comment from Dmitry Landa	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9702	Comment from Jo Jones
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4439	Comment from Richard Taylor	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9703	Comment from Barbra Raymond
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4440	Comment from Tanya Piker	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9704	Comment from Andrea Nutley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4441	Comment from Steve Bloom	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9705	Comment from Sally Jennings
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4442	Comment from Shelley anixter	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9706	Comment from Lisa Patrick
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4443	Comment from Rob Lozon	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9707	Comment from Joan Pariseau
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4444	Comment from Janet Rutigliano	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9708	Comment from Leo Shapiro
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4445	Comment from Brooke Perry	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9709	Comment from Bret Sher

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4446	Comment from robert hughes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9710	Comment from Ian Shelley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4447	Comment from Elizabeth Cronin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9711	Comment from Tanya Roland
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4448	Comment from Meghan Frost	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9712	Comment from Samuel Popailo
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4449	Comment from Allan Campbell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9713	Comment from Robin Coleman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4450	Comment from Dorothy Dobbyn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9714	Comment from Betty David
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4451	Comment from Dixie Nihsen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9715	Comment from Robb Mottl
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4452	Comment from Robert Wagner	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9716	Comment from Carol Dodson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4453	Comment from Eric Esposito	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9717	Comment from Jan ebersole
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4454	Comment from Matt Hanes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9718	Comment from Daniel Deveau
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4455	Comment from Susan Flyer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9719	Comment from Rick Stack
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4456	Comment from Jim Watkins	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9720	Comment from Sarah Gensler
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4457	Comment from Amanda Dickinson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9721	Comment from Leda Zimmerman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4458	Comment from Donna Buscemi	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9722	Comment from Jane Luu
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4459	Comment from Frances gallante	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9723	Comment from Michael Bondoc
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4460	Comment from John Venter	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9724	Comment from Mary Smith
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4461	Comment from Glenda Bennett	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9725	Comment from Mary Thiel
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4462	Comment from Sybil Schlesinger	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9726	Comment from Claudia Devinney
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4463	Comment from ERIC ERICKSON	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9727	Comment from Linda Addis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4464	Comment from Sheila Schally	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9728	Comment from Patrick Maloney
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4465	Comment from Nancy Bukowski	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9729	Comment from Sybil Schlesinger
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4466	Comment from Julie Levin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9730	Comment from Vicki Peters
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4467	Comment from Barbara Meislin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9731	Comment from Carol Easton
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4468	Comment from Cheryl Ritenbaugh	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9732	Comment from Jean Bevsek
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4469	Comment from Lorraine Lowry	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9733	Comment from JANUSZ MAK
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4470	Comment from Julie Wilson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9734	Comment from Sherry Byers
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4471	Comment from Valerie Farrell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9735	Comment from Gary Miller
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4472	Comment from Gene Ammarell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9736	Comment from Rick Sutton
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4473	Comment from Mary Adkins	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9737	Comment from rob fursich
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4474	Comment from Nancy White	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9738	Comment from george Ludwig
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4475	Comment from Kendra knight	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9739	Comment from Patrick Quinn
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4476	Comment from Katherine Zywan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9740	Comment from Edward Bruner
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4477	Comment from John Delgado	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9741	Comment from Sophia McAllister
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4478	Comment from Robert Strauss	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9742	Comment from Ernesto Marquez
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4479	Comment from Nicola Reddwoodd	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9743	Comment from Susan Montague
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4480	Comment from Debby Goldman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9744	Comment from Leilani Rothrock
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4481	Comment from Pilar Millhollen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9745	Comment from DAWNE SANTOPIETRO
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4482	Comment from Ruth Maule	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9746	Comment from Ronald Silver
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4483	Comment from Kathy Golic	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9747	Comment from Karynn Merkel
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4484	Comment from Linda Lee McEachern-Taylor	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9748	Comment from Charles Dykema
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4485	Comment from Yanisa Anaya	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9749	Comment from Karen Freeman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4486	Comment from Sr.Barbara Bartlett	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9750	Comment from Jo Daiber

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4487	Comment from Pascale Macleod	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9751	Comment from Lori Esposito
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4488	Comment from William Anderson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9752	Comment from denise walsh
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4489	Comment from Valerie Snyder	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9753	Comment from William Montgomery
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4490	Comment from Cheryl Mitchell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9754	Comment from Mary Shabbott
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4491	Comment from Lexi Loch	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9755	Comment from Lisa Witham
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4492	Comment from Cynthia Sterle	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9756	Comment from Alice Nicholson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4493	Comment from Susan Lopez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9757	Comment from Marilyn Lee
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4494	Comment from Kathleen Carr	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9758	Comment from Steven Christian
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4495	Comment from Krystina Boyle	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9759	Comment from John Bello
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4496	Comment from Bryan Bouma	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9760	Comment from Shirley Midyette
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4497	Comment from Nigel Sawyer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9761	Comment from Joan Conca
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4498	Comment from Shelley Deshotel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9762	Comment from Gretchen Byrne
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4499	Comment from Whitney watters	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9763	Comment from Ellen Fleishman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4500	Comment from David Woolsey	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9764	Comment from joyce robinson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4501	Comment from Tiana Brachel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9765	Comment from John Beavers
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4502	Comment from Ronald Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9766	Comment from Beth Brennehan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4503	Comment from Rick Sibson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9767	Comment from Karen Elly
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4504	Comment from Erica Munn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9768	Comment from Mike Brinkley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4505	Comment from Linsley Pietsch	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9769	Comment from Brenda Bull
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4506	Comment from Steve Vicuna	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9770	Comment from Eli Peer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4507	Comment from Cyd Groff	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9771	Comment from Susan Boudreau
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4508	Comment from Nancy Parsons-Borland	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9772	Comment from pamelala Durkalski
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4509	Comment from cheryl watters	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9773	Comment from Patti Davis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4510	Comment from William Anderson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9774	Comment from Madeleine Arnheim
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4511	Comment from Dipali N	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9775	Comment from Ann Wiseman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4512	Comment from Marianna Riser	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9776	Comment from Colonel Meyer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4513	Comment from Tanya Rodriguez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9777	Comment from Richard Smith
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4514	Comment from Gary Dykman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9778	Comment from Barbara Jenkinson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4515	Comment from Kenneth Rowe	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9779	Comment from Sally Marone
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4516	Comment from M Millar	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9780	Comment from Judy Young
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4517	Comment from Catherine Macan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9781	Comment from Nancy Martin
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4518	Comment from lelia bogard	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9782	Comment from Rolando Rodriguez
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4519	Comment from Pamela Peck	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9783	Comment from candace l
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4520	Comment from Rene Gelsomino	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9784	Comment from Michael Malone
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4521	Comment from Paul Fitzpatrick	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9785	Comment from Takako Ishii-Kiefer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4522	Comment from DeAnna Baier-Barnes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9786	Comment from Janine Nordquist
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4523	Comment from Naomi Addit	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9787	Comment from Jill Alibrandi
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4524	Comment from Wingate Steitz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9788	Comment from Linda Gray
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4525	Comment from Gabriel Cohen-Glinick	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9789	Comment from Sheri Cutright
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4526	Comment from Robert Hicks	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9790	Comment from Marianne Hines
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4527	Comment from Kenneth nelson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9791	Comment from Pam Hines

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4528	Comment from Jennie Sabato	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9792	Comment from Jeanine mielke
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4529	Comment from John Savlove	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9793	Comment from Shawn Alexander
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4530	Comment from Daniel Shapiro	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9794	Comment from James Holbrook
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4531	Comment from Robert Carnevale	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9795	Comment from James Holbrook
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4532	Comment from Barbara Pray	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9796	Comment from Lisa Hood
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4533	Comment from julie mckeon	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9797	Comment from Michael Lieberman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4534	Comment from Bruce Vaben	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9798	Comment from Alice Gard
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4535	Comment from Katie Clifford	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9799	Comment from robert mitch
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4536	Comment from Ken Lesem	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9800	Comment from Karen Hughes
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4537	Comment from Julie Griffith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9801	Comment from Glenna Harris
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4538	Comment from Cynthia Hart	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9802	Comment from Elaine meqdad
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4539	Comment from Jane Rich	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9803	Comment from P.S. Padula
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4540	Comment from Zoe Nelson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9804	Comment from Anthony Albert
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4541	Comment from Lawrence Thompson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9805	Comment from Janet Dingle
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4542	Comment from Catherine Johnson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9806	Comment from Karen Collins
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4543	Comment from Terri Decker	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9807	Comment from Mark DePalma
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4544	Comment from Marcia Powdermaker	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9808	Comment from ellen wertheim
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4545	Comment from Gay Arnold	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9809	Comment from Peggy Alpert
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4546	Comment from Brandy Schumacher	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9810	Comment from Abigail Villodas
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4547	Comment from Laura Riley	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9811	Comment from Kaitlyn Reisner
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4548	Comment from Callie Riley	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9812	Comment from Anita Sallas
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4549	Comment from Carol Saulsbury	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9813	Comment from Walt Luerken
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4550	Comment from Linda Indyke	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9814	Comment from Claudia Cinaro
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4551	Comment from Dorothy Stango	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9815	Comment from Larry Caudill
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4552	Comment from Lisa Simms	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9816	Comment from Kim Westlake
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4553	Comment from Bruce Blackwell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9817	Comment from Alina Grinshpun
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4554	Comment from Thomas Knecht	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9818	Comment from Marj Waite
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4555	Comment from Keri Merriman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9819	Comment from Roel Bergema
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4556	Comment from Gillian Miller	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9820	Comment from Michael Claps
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4557	Comment from Janis Sawyer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9821	Comment from Mary Rodarte
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4558	Comment from Drew Panko	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9822	Comment from Mary Dickson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4559	Comment from Tina Doolen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9823	Comment from Paul Williams
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4560	Comment from Chelsea Ducharme	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9824	Comment from Gerolynn Laukevicz
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4561	Comment from Sammy Low	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9825	Comment from Lynda Kieffer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4562	Comment from Helen Drwinga	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9826	Comment from Cheryl Middleton
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4563	Comment from Janet Callum	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9827	Comment from Bryan Bell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4564	Comment from Andrea Neal	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9828	Comment from Rich Panter
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4565	Comment from Steven Black	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9829	Comment from LouAnn Nichols
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4566	Comment from sarah brown	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9830	Comment from JOANNE BURTON
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4567	Comment from david lafond	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9831	Comment from Judy Jolin
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4568	Comment from Dobi Dobroslawa	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9832	Comment from Nancy McLaughlin

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4569	Comment from Blake Wu	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9833	Comment from Marcus Ferreira
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4570	Comment from Frederique Joly	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9834	Comment from David Balan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4571	Comment from Paul Moss	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9835	Comment from Lozz Starseed
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4572	Comment from Amalia Stephens	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9836	Comment from Catherine Clifton
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4573	Comment from Christopher Leppele	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9837	Comment from Jessica Johnson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4574	Comment from Edward Thornton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9838	Comment from Cindy Porter
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4575	Comment from Judy Schultz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9839	Comment from Barbara Manildi
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4576	Comment from Kathleen Gulbransen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9840	Comment from Guen Han
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4577	Comment from Stephanie Fox	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9841	Comment from Becky Monger
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4578	Comment from Katherine Lux	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9842	Comment from Christopher Dowling
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4579	Comment from Marilyn Carse	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9843	Comment from Kristen Trusty
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4580	Comment from michael quillin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9844	Comment from Dawn Foster
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4581	Comment from Ruthann McDermott	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9845	Comment from Anita Wisch
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4582	Comment from Ruthann McDermott	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9846	Comment from Patti Jahsman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4583	Comment from Abby Hamilton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9847	Comment from Kenneth Barter
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4584	Comment from Adina Parsley	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9848	Comment from Arlene Zuckerman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4585	Comment from Catherine Milovina	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9849	Comment from Adam DOnofrio
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4586	Comment from janet forman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9850	Comment from brigitte green
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4587	Comment from Alaina Schwartz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9851	Comment from Michael Hlis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4588	Comment from Ruth Schechter	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9852	Comment from Gre Prr
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4589	Comment from Helen Cooluris	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9853	Comment from Louise Stark
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4590	Comment from Tim Milam	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9854	Comment from Agnes Bahm
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4591	Comment from Yuru Feng	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9855	Comment from Howard Petlack
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4592	Comment from Kathleen Durkin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9856	Comment from Anita Wisch
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4593	Comment from Eric Stiff	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9857	Comment from Maggie Shields
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4594	Comment from Mark Kidd	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9858	Comment from Jessica LoCicero-Walsh
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4595	Comment from Gail Roach	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9859	Comment from Charles Patterson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4596	Comment from Linda Mezieres	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9860	Comment from Krystal Fletcher-Burroughs
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4597	Comment from Kay BRainerd	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9861	Comment from Ralph Guay
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4598	Comment from Noel Emswiler	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9862	Comment from Bill Hoxie
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4599	Comment from Alex Rappaport	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9863	Comment from betsy levy
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4600	Comment from Ruth Swan-Brown	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9864	Comment from robin nadel
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4601	Comment from Chris Beck	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9865	Comment from Jim Leske
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4602	Comment from Marjorie Hancock	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9866	Comment from Thomas Bailey
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4603	Comment from C. Bower	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9867	Comment from Cindy Fine
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4604	Comment from Craig Fulton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9868	Comment from GALO ARGUELLO
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4605	Comment from Jeannette Welling	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9869	Comment from Anita Wisch
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4606	Comment from Alice Lorenz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9870	Comment from Shelley Driskell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4607	Comment from SHERRY WEILAND	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9871	Comment from MILES PATTERSON
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4608	Comment from Mara Sabinson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9872	Comment from Richard Han
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4609	Comment from Michael Prete	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9873	Comment from Sarah Frechette

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4610	Comment from Veronica Bassil	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9874	Comment from Sylvia Vairo
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4611	Comment from G Y	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9875	Comment from Anna Aydinyan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4612	Comment from Kate Leahy	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9876	Comment from Ray Batch
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4613	Comment from Bruno Cilione	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9877	Comment from sharon byers
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4614	Comment from Warren Souders	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9878	Comment from Eugene Brusin
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4615	Comment from Andrew Weaver	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9879	Comment from Carla Behrens
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4616	Comment from Noah Youngelson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9880	Comment from Adam DOnofrio
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4617	Comment from Susan Villanueva	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9881	Comment from Eva Marks-Curatolo
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4618	Comment from Ayesha Vavrek	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9882	Comment from Bruce Hallett
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4619	Comment from Vicki Black	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9883	Comment from Magdalena Czech
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4620	Comment from Hugh Carola	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9884	Comment from Sundae Shields
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4621	Comment from JoAnne Cohen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9885	Comment from Cari Brookbanks
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4622	Comment from Nicole DiVirgilio	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9886	Comment from Barb Livingston
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4623	Comment from Jana Kitzinger	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9887	Comment from Rainbow Di Benedetto
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4624	Comment from Heidi Welte	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9888	Comment from Linda Schmidt
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4625	Comment from Robert Ferrara	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9889	Comment from Brianna Knickerbocker
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4626	Comment from Stephanie Hammond	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9890	Comment from Michael Tomlinson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4627	Comment from ALVERA PRITCHARD	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9891	Comment from Wendy Friedman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4628	Comment from William Pickens	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9892	Comment from Paul Riley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4629	Comment from JERI LANGHAM	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9893	Comment from Daniel Heyduk
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4630	Comment from Tracie Gabrisko	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9894	Comment from Hector Bertin
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4631	Comment from Karen Ryan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9895	Comment from Michaelle Dewitt
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4632	Comment from Emily Hauer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9896	Comment from Cindy Voss
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4633	Comment from Lisa Salazar	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9897	Comment from Mark Weinberger
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4634	Comment from Heath Post	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9898	Comment from Diana Glixman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4635	Comment from Rebecca Menin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9899	Comment from Lin Provost
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4636	Comment from Denise Martini	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9900	Comment from Lawrence Crowley
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4637	Comment from Christine Lockhart	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9901	Comment from Robert Stark
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4638	Comment from Joanne Fetting	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9902	Comment from Linda Barnett
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4639	Comment from Denise Whitney	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9903	Comment from James Hemm
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4640	Comment from James Daly	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9904	Comment from Michael Halloran
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4641	Comment from Judith Hansell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9905	Comment from John Schneider
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4642	Comment from Stephen Greenberg	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9906	Comment from Miilt Weisman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4643	Comment from Suzanne Kirby	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9907	Comment from Hillary Tiefer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4644	Comment from roberta penn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9908	Comment from Gary Schiendelman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4645	Comment from Dana Barela	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9909	Comment from Darla kravetz
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4646	Comment from Stacie Hartman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9910	Comment from Rich Speer
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4647	Comment from Mary Madeco-Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9911	Comment from Fiona H
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4648	Comment from JOHN PETSCO	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9912	Comment from Wendy Wells
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4649	Comment from Julia Roos	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9913	Comment from marilynn mitchell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4650	Comment from Barbara Blackwood	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9914	Comment from Merrill Ahrens

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4651	Comment from Gigi Contreras	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9915	Comment from Clou Herd
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4652	Comment from Jen Scibetta	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9916	Comment from Chris Silcox
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4653	Comment from Terry Friedman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9917	Comment from Neal Umphred
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4654	Comment from Jenny Pierucki	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9918	Comment from Carol Miller
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4655	Comment from Gatha Pierucki	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9919	Comment from Ken Odenheim
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4656	Comment from Ashley Venanzi	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9920	Comment from Mary LeVine
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4657	Comment from Cindy Greer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9921	Comment from Glenn Gragg
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4658	Comment from Nancy Mills	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9922	Comment from A Keegan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4659	Comment from Kristen Krupicka	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9923	Comment from Michelle Cobert
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4660	Comment from Donna Juzkiw	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9924	Comment from Ashley Carter
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4661	Comment from Honorable Snyder	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9925	Comment from Michelle McCoy
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4662	Comment from Cassandra Treppeda	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9926	Comment from Robert Rutkowski
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4663	Comment from Michelle Shinn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9927	Comment from Teresa Edmonds
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4664	Comment from Doug Dyer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9928	Comment from Cherie Levinsohn
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4665	Comment from Robert MacLean	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9929	Comment from Anna Simle
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4666	Comment from Kate Sherwood	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9930	Comment from Dawn Skok
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4667	Comment from Kathryn Lemoine	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9931	Comment from David Wilen
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4668	Comment from Brian Reynolds	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9932	Comment from JILL KOTCH
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4669	Comment from Mark Giese	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9933	Comment from Seth Bright
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4670	Comment from Nancy Eichler	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9934	Comment from Sandra Britton
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4671	Comment from Jeanne Rothwarf	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9935	Comment from Laurie Thompson
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4672	Comment from Roger Carlson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9936	Comment from Vicki Macina
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4673	Comment from Nicholas Bridgett	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9937	Comment from Ann Cockrell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4674	Comment from Shawn Anderson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9938	Comment from Ann Cockrell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4675	Comment from Jon Silver	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9939	Comment from Marguerite Barragan
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4676	Comment from Terrance Hutchinson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9940	Comment from Candace Bassat
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4677	Comment from Tara Verbridge	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9941	Comment from Ann Cockrell
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4678	Comment from Bonnie McGill	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9942	Comment from linda albarran
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4679	Comment from Laurence Skirvin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9943	Comment from Maryanne Preli
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4680	Comment from Betsy Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9944	Comment from Desba Silvers
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4681	Comment from Janine Giaime	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9945	Comment from James Miles
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4682	Comment from Leanne Wolf-Webber	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9946	Comment from Peggy Herlihy
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4683	Comment from Mark Giese	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9947	Comment from Jeff Levicke
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4684	Comment from Lee Varian	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9948	Comment from Cathie Leslie
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4685	Comment from William Krause	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9949	Comment from Veda White
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4686	Comment from Glen Anderson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9950	Comment from Emma Houseman
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4687	Comment from Lisa Cubeiro	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9951	Comment from Dennis Clark
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4688	Comment from Suzann McAlister	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9952	Comment from Patty Bachner
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4689	Comment from Melinda Allen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9953	Comment from Steve Lewis
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4690	Comment from Donna Oliver	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9954	Comment from Gregory Marks
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4691	Comment from Kristin Logerquist	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9955	Comment from juli van brown

01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4692	Comment from M. W.	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9956	Comment from James Ropicki
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4693	Comment from Lisa Hill	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9957	Comment from Tiffany Ray
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4694	Comment from William Hollingshead	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9958	Comment from Gary Mazzotti
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4695	Comment from Dana Wullenwaber	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9959	Comment from Jeff Garmon
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4696	Comment from Barbara Root	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9960	Comment from Theresa Bradbury
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4697	Comment from Jane Perkins	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9961	Comment from Edward Butler
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4698	Comment from Phyllis Van Leuven	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9962	Comment from Margaret Smith
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4699	Comment from Randall Mierow	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9963	Comment from Michael Norden
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4700	Comment from Tom Csuhta	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9964	Comment from Brooke Kane
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4701	Comment from Wendy Weldon	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9965	Comment from Diane Kokowski
01/16/2021	NOAA-NMFS-2020-0031-DRAFT-4702	Comment from Laurel Wilson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9966	Comment from Stacia Haley
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4703	Comment from David Levinson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9967	Comment from mary n
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4704	Comment from Ruby Weeks	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9968	Comment from Karren Crouch
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4705	Comment from Ellen Jessen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9969	Comment from Thomas Hart
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4706	Comment from Sue Johnston	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9970	Comment from Kathryn Choudhury
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4707	Comment from Brent Miller	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9971	Comment from Kathi Squires
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4708	Comment from Cheryl Robison	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9972	Comment from Betty Sabo
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4709	Comment from Maria Jablonska	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9973	Comment from Kim Peterson
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4710	Comment from Beth Eisenbeis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9974	Comment from Esther Weaver
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4711	Comment from Mary Jackson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9975	Comment from David Hall
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4712	Comment from Shawn Anderson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9976	Comment from Alan Schenck
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4713	Comment from Crystal Hart	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9977	Comment from Ruth Steenwyk
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4714	Comment from Sandy Nichols	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9978	Comment from Anthony Mehle
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4715	Comment from Susanna Purucker	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9979	Comment from Charity Moschopoulos
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4716	Comment from Erica Maranowski	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9980	Comment from Carolyn Marion
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4717	Comment from Robert Snyder	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9981	Comment from Aliaa Abdel-Gawad
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4718	Comment from Michelle Jacobsen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9982	Comment from Cleveland Tom
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4719	Comment from Susan Walker	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9983	Comment from Stefanie Guynn
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4720	Comment from Karen chinn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9984	Comment from Richard Tregidgo
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4721	Comment from Gaetane Gonzales	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9985	Comment from Stacey McDonald
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4722	Comment from Patt Bourland	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9986	Comment from Nycolle Lfe
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4723	Comment from Rose Quade	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9987	Comment from David Clapper
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4724	Comment from Hank Keeton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9988	Comment from Melanie Stopyra
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4725	Comment from jason husby	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9989	Comment from Dena Hernandez-Kosche
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4726	Comment from sharon wolfsohn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9990	Comment from Wayne Ott
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4727	Comment from Adrian Brock	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9991	Comment from Bianca Molgora
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4728	Comment from Tania Malven	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9992	Comment from Renee Woodman
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4729	Comment from mary haines	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9993	Comment from Robyn DeCiccio
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4730	Comment from Keith Ignatowicz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9994	Comment from Charles Hereford
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4731	Comment from Tiffany Casler	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9995	Comment from john hogan
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4732	Comment from Darlene Banach	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9996	Comment from Katherine Werner

01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4733	Comment from Peggie Kirkpatrick	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9997	Comment from Herschel Flowers
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4734	Comment from Arleen Ferrell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9998	Comment from Donna Ingenito
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4735	Comment from Rebecca Nelson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9999	Comment from Colleen McKenna
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4736	Comment from Michelle Huskey	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10000	Comment from Lisa Udel
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4737	Comment from Jeffrey Cody	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10001	Comment from sharon mora
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4738	Comment from D Stirpe	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10002	Comment from Michael Sarabia
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4739	Comment from Sara Fogan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10003	Comment from M Hodgson
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4740	Comment from Colleen Young	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10004	Comment from Carolyn Haupt
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4741	Comment from Elke Savala	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10005	Comment from Kathleen Moraski
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4742	Comment from Rosalind Bresnahan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10006	Comment from William Roberson
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4743	Comment from Sudeshna Ghosh	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10007	Comment from Edna Gruvman
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4744	Comment from Claire Brothers	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10008	Comment from Pat Lang
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4745	Comment from Elaine Fischer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10009	Comment from Lisa Taylor
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4746	Comment from ELENA ALLARD	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10010	Comment from Antonio Gonzalez
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4747	Comment from Tammy Shaw	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10011	Comment from Robert Strelke
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4748	Comment from Suzanne Valencia	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10012	Comment from Al Dickinson
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4749	Comment from Frances Bell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10013	Comment from David Clapper
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4750	Comment from Barry Gurdin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10014	Comment from Madison Hoover
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4751	Comment from Lisa Kenion	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10015	Comment from Todd Clark
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4752	Comment from Melody Huffman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10016	Comment from Gail Roberts
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4753	Comment from Carmel Ammon-Mulloli	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10017	Comment from Keith Comess
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4754	Comment from Adrienne Whyte	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10018	Comment from John Cairns
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4755	Comment from Candis Whitney	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10019	Comment from Michelle Macy
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4756	Comment from Saskia Saint-Sulpice	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10020	Comment from Mary Ramirez
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4757	Comment from Marie pappas	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10021	Comment from Clifford Provost
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4758	Comment from DAVID BRAVMANN	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10022	Comment from S Arroyo
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4759	Comment from LJ Lanfranchi	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10023	Comment from Edward Scott
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4760	Comment from Starr Christ	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10024	Comment from Mark Caso
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4761	Comment from Christina Alger	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10025	Comment from James Viney
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4762	Comment from Karin Koff	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10026	Comment from john Naylor
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4763	Comment from Lisa Goodlander	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10027	Comment from Geraldine Maslanka
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4764	Comment from Diane Clark	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10028	Comment from Glenda Lilling
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4765	Comment from Annick Richardson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10029	Comment from Tammy Nogles
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4766	Comment from Ivan Russell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10030	Comment from K Krupinski
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4767	Comment from Mary Dorfman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10031	Comment from David Crawford
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4768	Comment from Margaret Gallagher	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10032	Comment from Lisa Taylor
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4769	Comment from Angela Bellacosa	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10033	Comment from Steve Graff
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4770	Comment from Kevin Hughes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10034	Comment from Steven Cook
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4771	Comment from Marsha Schaub	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10035	Comment from Victoria Sanden
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4772	Comment from Keir Novak	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10036	Comment from Karen Stansbury
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4773	Comment from Joy Edwards	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10037	Comment from Tricia Kob

01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4774	Comment from Caroline Duley	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10038	Comment from Mary Jones
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4775	Comment from Zoe Sollenberger	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10039	Comment from Charles Fitze
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4776	Comment from Jennifer Buchanan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10040	Comment from Rebecca Martin
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4777	Comment from Wallace Farrell	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10041	Comment from Kellie Miller
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4778	Comment from Cheryl Krucek	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10042	Comment from Elaine Larson
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4779	Comment from Joseph Webster	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10043	Comment from Daniel D.
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4780	Comment from Alyssa Neri	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10044	Comment from Brenda Haig
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4781	Comment from Martha Clutter	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10045	Comment from Dean Borgeson
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4782	Comment from Sue Schuetz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10046	Comment from JC Corcoran
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4783	Comment from Claire Dudan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10047	Comment from Wendy Ysasi
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4784	Comment from Joyce Moscovitz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10049	Comment from Gary Overby
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4785	Comment from Marissa Ferraro	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10050	Comment from Jeffery Biss
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4786	Comment from Jane Winn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10051	Comment from Ed Loosli
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4787	Comment from Mark Pezzati	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10052	Comment from Beverly Harris
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4788	Comment from Keith Taylor	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10053	Comment from Teresa Yrastorza
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4789	Comment from Cindy Risvold	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10054	Comment from Alexandra Grossi
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4790	Comment from Daniela Pardo	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10055	Comment from Katherine Russell
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4791	Comment from Grace Payne	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10056	Comment from Laura Malka
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4792	Comment from Jennifer Griffith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10057	Comment from Christine Taylor
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4793	Comment from Marilyn Platt	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10058	Comment from Trish Tuley
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4794	Comment from Margot Lowe	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10059	Comment from P McKenna
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4795	Comment from Nancy Goodwin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10060	Comment from Mari Serrano
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4796	Comment from Christie Davis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10061	Comment from Lisa G
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4797	Comment from Rio Valencia	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10062	Comment from Allen Gibas
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4798	Comment from Becca Schwartz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10063	Comment from Greg Campbell
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4799	Comment from Susan Hill	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10064	Comment from Edith Alston
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4800	Comment from Nelson Molina	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10065	Comment from Cori Ellison
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4801	Comment from Lindsay Pugh	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10066	Comment from Chad Evans
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4802	Comment from Richard LaBudie	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10067	Comment from STEPHANIE LONG
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4803	Comment from Joyce Bartner	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10068	Comment from John Meserve
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4804	Comment from Sandra Lee	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10069	Comment from John Provencher
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4805	Comment from Jennifer Barbara	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10070	Comment from Ruth Hodum
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4806	Comment from Caroline Miller	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10071	Comment from Deborah Crump
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4807	Comment from Carol Hulst	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10072	Comment from Christine Viramontes
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4808	Comment from Stephani Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10073	Comment from Gail Sullivan
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4809	Comment from Carol DeCrescentis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10074	Comment from John Michalik
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4810	Comment from Nanci Cox	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10075	Comment from Aleasa Crary
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4811	Comment from Robert Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10076	Comment from David Lowe
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4812	Comment from N. Schneider	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10077	Comment from Katherine Kowalczyk
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4813	Comment from Marie Petras	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10078	Comment from Kathlene Henry-Gorman
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4814	Comment from Arthur Altree	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10079	Comment from Pamela Bolton

01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4815	Comment from Barbara Huggins	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10080	Comment from claudia Bourks
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4816	Comment from MARIETTA MONTAINE	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10081	Comment from Susan Hall
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4817	Comment from Donna Barrett	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10082	Comment from Rebecca Frank
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4818	Comment from Nadine Wallace	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10083	Comment from Anne Winicki
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4819	Comment from Kim Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10084	Comment from Joe McQueeney
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4820	Comment from Joseph Tolerico	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10085	Comment from Mark Reback
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4821	Comment from Len Fennessy	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10086	Comment from Bechi Currier
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4822	Comment from robert cobb	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10087	Comment from Nicholas Williams
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4823	Comment from Lorrie Stillings	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10088	Comment from Rebecca Sundberg
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4824	Comment from Karen Lund	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10089	Comment from John Wiles
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4825	Comment from Steve Finucane	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10090	Comment from Peter Burval
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4826	Comment from Don Parsons	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10091	Comment from L. Adams
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4827	Comment from Debra Haynes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10092	Comment from Becky Daiss
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4828	Comment from Jana Ruditis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10093	Comment from Albert Gamble
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4829	Comment from Heloisa Henriques	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10094	Comment from Michele Vaillancourt
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4830	Comment from Claudio Mattos	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10095	Comment from Michelle Sewald
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4831	Comment from Heloisa Mattos	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10096	Comment from Sharyn Magee
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4832	Comment from Debbie Thorn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10097	Comment from John Flater
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4833	Comment from Elizabeth Sundquist	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10098	Comment from David Allara
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4834	Comment from Claudio Simoes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10099	Comment from B Van Camp
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4835	Comment from Joanmarie Angelo	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10100	Comment from Matthew Weaver
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4836	Comment from Wendy Lukowitz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10101	Comment from Susan Lackey
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4837	Comment from Nina Grant	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10102	Comment from Larry Weingart
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4838	Comment from Susan Knutsen	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10103	Comment from Mary Schmidt
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4839	Comment from Sandra Kuschel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10104	Comment from Debbie Schwer
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4840	Comment from William Gonzalez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10105	Comment from Tim Barrington
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4841	Comment from Mary Swilling	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10106	Comment from Ronnie Bolling
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4842	Comment from Karen Varney	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10107	Comment from Judith Glixon
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4843	Comment from Jourdan Reis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10109	Comment from Barbara Abraham
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4844	Comment from Jude Green	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10110	Comment from Ra Szumal
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4845	Comment from Nina Garfinkel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10111	Comment from Gonzalo Costa
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4846	Comment from Janice Biederman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10112	Comment from Donald Barker
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4847	Comment from James Morrison	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10113	Comment from Wendy Bowman
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4848	Comment from Charles Emminger	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10114	Comment from Harold Brundage
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4849	Comment from Kenneth Clucas	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10115	Comment from Eloise Swenson
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4850	Comment from Linda Skisak	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10116	Comment from Robert DeFerrante
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4851	Comment from Heather Ruckman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10117	Comment from ROBERT LANDOLT
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4852	Comment from Susan Lewis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10118	Comment from Joan Wilce
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4853	Comment from Phyllis Chavez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10119	Comment from Eric Streett
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4854	Comment from Caroline Finley	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10120	Comment from Mark Davis
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4855	Comment from Gordon Seyfarth	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10121	Comment from Sheila Martin

01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4856	Comment from Steven Christian	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10122	Comment from Robert Missimer
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4857	Comment from Kerry Hodges	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10123	Comment from Palmeta Baier
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4858	Comment from Dale Micherone	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10124	Comment from Judith Ackerman
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4859	Comment from Teri Forester	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10125	Comment from Kevin Kimmel
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4860	Comment from Marcelo Vazquez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10126	Comment from Benjamin Allen
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4861	Comment from Malvina Landau-Blake	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10127	Comment from Darlene Wolf
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4862	Comment from Albert Ulrich	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10128	Comment from Meredith Needham
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4863	Comment from Katharine Molnar	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10129	Comment from Loren Lugg
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4864	Comment from Taylor Reed	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10130	Comment from Ramona Mayer
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4865	Comment from Rosie Khan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10131	Comment from John Colyer
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4866	Comment from James Donahue	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10132	Comment from Kelly McTigue
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4867	Comment from warren tadlock	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10133	Comment from Tina Gorman
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4868	Comment from Ming Ong	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10134	Comment from Victoria Wallington
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4869	Comment from Sara Katz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10135	Comment from Victoria Heil
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4870	Comment from R. Peterson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10136	Comment from Glory Arroyos
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4871	Comment from raymond Wager	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10137	Comment from Lory Keller
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4872	Comment from Dave Cross	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10138	Comment from Vincent Da Forno
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4873	Comment from Linda Nelson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10139	Comment from Leanne Friedman
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4874	Comment from Richard McCrary	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10140	Comment from Gerald Kolbe
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4875	Comment from Phyllis Arist	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10141	Comment from David Kuether
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4876	Comment from Cathy Sleva	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10142	Comment from Rodney Bowen
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4877	Comment from William Dykoski	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10143	Comment from Jessica Anderson
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4878	Comment from Joan Wickham	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10144	Comment from Alan Bromborsky
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4879	Comment from Barbara Winner	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10145	Comment from Fran Smyth
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4880	Comment from Sally Newman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10146	Comment from Kelly Choi
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4881	Comment from Karen Curry	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10147	Comment from Allie Tennant
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4882	Comment from Elisabeth Carroll	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10148	Comment from Amy Hopkins
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4883	Comment from Daniel Aquino	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10149	Comment from Simone Sello
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4884	Comment from Michelle Black	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10150	Comment from Eric Duggan
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4885	Comment from Reynold Tharp	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10151	Comment from Mo Kafka
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4886	Comment from Carrie West	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10152	Comment from Richard Gorringer
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4887	Comment from Bill Macartney	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10153	Comment from Debora Hojda
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4888	Comment from Fermin Morales	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10154	Comment from Janet Phillips
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4889	Comment from ingeborg glier	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10155	Comment from Zinta Konrad
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4890	Comment from Mary Romanek	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10156	Comment from Dan Silver
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4891	Comment from Nicole Hilkovitch	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10157	Comment from Peter Mark
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4892	Comment from Scott Prince	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10158	Comment from Perry Matlock
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4893	Comment from Karen McGuinness	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10159	Comment from Sam Butler
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4894	Comment from Ellen Miller	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10160	Comment from Nadine Parish
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4895	Comment from Nataliia Dusanovska	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10161	Comment from Rachel Soares
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4896	Comment from John Kirk	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10162	Comment from Robert Robinson

01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4897	Comment from Robert Glover	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10163	Comment from allie palmer
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4898	Comment from Ming Ong	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10164	Comment from Abigail Fanestil
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4899	Comment from Eugene Mariani	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10165	Comment from Delores Stachura
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4900	Comment from Jan Gates	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10166	Comment from Janice Zelazo
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4901	Comment from Mary DeLavan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10167	Comment from Jo Chapman
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4902	Comment from Lori Ricciardi	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10168	Comment from Ellen Kinney
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4903	Comment from Sarah Carr	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10169	Comment from Todd Fletcher
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4904	Comment from Joseph Guilin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10170	Comment from Carlie Doebereiner
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4905	Comment from John Kocer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10171	Comment from michael morris
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4906	Comment from Jenny North	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10172	Comment from THEODORE Johns
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4907	Comment from Kelley Coleman-Slack	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10173	Comment from Mary Stevens
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4908	Comment from Kelley Coleman-Slack	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10174	Comment from Georgia Locker
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4909	Comment from Kim McReavy	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10175	Comment from Kate Solisti
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4910	Comment from Logan Paul	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10176	Comment from Caroline Svilla
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4911	Comment from CASSIDY BOULAN	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10177	Comment from Carlene Estacion
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4912	Comment from Percy Hicks-Severn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10178	Comment from REGAN EBERT
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4913	Comment from Heather Davis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10179	Comment from William Castle
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4914	Comment from Susan Wright	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10180	Comment from Jeff Johnston
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4915	Comment from Karen Rehm	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10181	Comment from Kathy Jost-Keating
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4916	Comment from Linda Howie	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10182	Comment from Elvira Johns
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4917	Comment from Laura Colston	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10183	Comment from Katherine Bohn
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4918	Comment from Neil Bleifeld	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10184	Comment from David Miller
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4919	Comment from John Dunn	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10185	Comment from Jonathan Piper
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4920	Comment from Cori Bishop	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10186	Comment from Stephen Rosen
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4921	Comment from ste ho	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10187	Comment from Gina Whitlock
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4922	Comment from Jan Barshis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10188	Comment from Michael Herbert
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4923	Comment from Yvonne Albrecht	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10189	Comment from Antonio Dettori
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4924	Comment from Barbara Greenwood	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10190	Comment from Jeanne Stulb
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4925	Comment from Diane Schwarz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10191	Comment from jolanta wright
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4926	Comment from Rhonda Danner	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10192	Comment from Susan Sellers
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4927	Comment from Adam Pastula	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10193	Comment from Joan Murtagh
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4928	Comment from Ellen Ayalin	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10194	Comment from Sherrie Moore
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4929	Comment from Ana Andrade	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10195	Comment from Barbara Collins
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4930	Comment from Joy Napier	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10196	Comment from Bill Christie
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4931	Comment from Hilary Danehy	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10197	Comment from Judith Murphy
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4932	Comment from Ellen Walsh	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10198	Comment from Shirley Sutter
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4933	Comment from Jessica Taliaferro	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10199	Comment from Barbara Sullivan
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4934	Comment from Laurie Fisher	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10200	Comment from Dave Baine
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4935	Comment from Jessica Heiden	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10201	Comment from Martin Slater
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4936	Comment from Susan Dameron	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10202	Comment from Becky Muradian
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4937	Comment from Kate Goetz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10203	Comment from Michael Smith

01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4938	Comment from Katherine Wiese	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10204	Comment from Maryann Barulich
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4939	Comment from CATHLEEN BREW	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10205	Comment from Robert Heller
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4940	Comment from John Moszyk	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10206	Comment from Richard Van Aken
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4941	Comment from Robert Brown	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10207	Comment from J E
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4942	Comment from Joann Mizutani	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10208	Comment from John Massman
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4943	Comment from Glenda Henning	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10209	Comment from Tracy Jones
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4944	Comment from Pierre Schlemel	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10210	Comment from Nadia Ronchi
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4945	Comment from Danielle Raymond	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10211	Comment from David Drecktrah
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4946	Comment from Sharon Parshall	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10212	Comment from Cynthia Sherman-Jones
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4947	Comment from Randall Nerwick	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10213	Comment from Harvinderjit Saran
01/17/2021	NOAA-NMFS-2020-0031-DRAFT-4948	Comment from Theresa Ochoa	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10214	Comment from Sandra Materi
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4949	Comment from Danielle deConge	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10215	Comment from Tracey Flater
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4950	Comment from Jeanette Desmond	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10216	Comment from Jeff Omans
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4951	Comment from Kimberly Rigano	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10217	Comment from Nicole Shaffer
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4952	Comment from Stephanie Nunez	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10218	Comment from Karen Rivers
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4953	Comment from Lisa Allis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10219	Comment from Vickie Wagner
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4954	Comment from Katie Yu	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10220	Comment from Richard Stempien
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4955	Comment from Brad Nelson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10221	Comment from Heidi Schloss
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4956	Comment from Leslie Smith	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10222	Comment from Charles Banks
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4957	Comment from Carole Harper	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10223	Comment from Nathaniel Hammerli
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4958	Comment from Irene Sriboonwong	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10224	Comment from Rita Reed
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4959	Comment from V Evan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10225	Comment from Dave Berkenbush
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4960	Comment from Steve Hylton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10226	Comment from Robert Jehn
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4961	Comment from Susan Harrison	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10227	Comment from Lynn Raiser
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4962	Comment from Nick Barcott	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10228	Comment from Bruno Rescigna
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4963	Comment from Rachael Stalker	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10229	Comment from Joel Leitner
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4964	Comment from Alicia Rues	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10230	Comment from Michael Stella
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4965	Comment from Judy Hart	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10231	Comment from Leone de Sousa
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4966	Comment from Torun Almer	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10232	Comment from Patrick Kroll
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4967	Comment from Vicky Gannon	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10233	Comment from constance walker
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4968	Comment from Melissa Gaskins	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10234	Comment from Barbara Brockell
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4969	Comment from Nigel Lim	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10235	Comment from Eric Ross
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4970	Comment from William Hewes	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10236	Comment from Ed Young
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4971	Comment from Joanne Watchie	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10237	Comment from Ken Hart
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4973	Comment from Michelle Woods	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10238	Comment from Race Margery
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4974	Comment from Sara Graziosa	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10239	Comment from Joseph Haemmerle
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4975	Comment from Patricia Pruitt	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10240	Comment from Kelly Hibbert
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4976	Comment from Sue Correia	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10241	Comment from Nancy Brun
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4977	Comment from Berylean Ludwig	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10242	Comment from Amy Stoller
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4979	Comment from Lantow Susan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10243	Comment from Terri Resley
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4980	Comment from Deborah Coviello	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10244	Comment from Angie Mackey

01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4981	Comment from Sharon Balzano	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10245	Comment from J P
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4982	Comment from Michelle Trajanovska	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10246	Comment from Julie Lawell
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4983	Comment from Kristin Huntton	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10247	Comment from Ron McCutcheon
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4984	Comment from Mark Persons	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10248	Comment from Larry Needleman
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4985	Comment from Shelly Wallace	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10249	Comment from Sally Tucker
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4986	Comment from Kendra Williams	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10250	Comment from Bonnie Thompson
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4987	Comment from Karyn Hyland	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10251	Comment from Kevin Branstetter
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4988	Comment from Aaron Kornbluth	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10252	Comment from Priscilla Wright
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4989	Comment from Enzo Barrios	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10253	Comment from Jordan Briskin
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4990	Comment from William leben	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10254	Comment from David Cencula
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4991	Comment from Joyce Coogan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10255	Comment from Carla Albers
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4992	Comment from Lisa McColman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10256	Comment from Beth Thomas
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4993	Comment from James Jackson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10257	Comment from Kyra Legaroff
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4994	Comment from Jonathan Tholl	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10258	Comment from Katherine Mouzourakis
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4995	Comment from Lisa Travis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10259	Comment from Lisa Robinson
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4996	Comment from Terrie Williams	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10260	Comment from Claudia Gray
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4997	Comment from Diana Patterson	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10261	Comment from Bob Ramlow
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4998	Comment from Cheri Hill	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10262	Comment from Gary Barton
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4999	Comment from Peggy Schultz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10263	Comment from Margaret Fish
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5000	Comment from Jordan Weiner	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10265	Comment from Allen Rozelle
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5001	Comment from Jennifer Dreher	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10266	Comment from Merlin Wilson
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5002	Comment from Suzanne Carder	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10267	Comment from Debbi Weiler
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5003	Comment from Tamara Reinke	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10268	Comment from Alan Sanborn
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5004	Comment from Greg Skutches	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10269	Comment from MS Tomasello
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5005	Comment from Laura Rudd	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10270	Comment from Mary McAuliffe
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5006	Comment from Twyla Cook	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10271	Comment from Lucia Millella
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5007	Comment from Pamela Hall	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10272	Comment from Andrew Jackson
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5008	Comment from Janet Bovitz-Sandefur	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10273	Comment from Priscilla Mezrahi
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5009	Comment from Amy Schumacher	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10274	Comment from Setsuko Furuike
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5010	Comment from Daniel Solano	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10275	Comment from Lily Caron
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5011	Comment from William Klock	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10276	Comment from Kimberly Derwent
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5012	Comment from patricia walsh	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10277	Comment from Elizabeth Scott
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5013	Comment from Iris Sinai	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10278	Comment from Sally Morrow
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5014	Comment from Virgil Pauls	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10279	Comment from James McBride
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5015	Comment from Tanya Glasser	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10280	Comment from John Young
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5016	Comment from Koll Ellis	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10281	Comment from Mary Casey
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5017	Comment from Sharon Matticola	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10282	Comment from Carole Smudin
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5018	Comment from Susan Kutz	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10283	Comment from Monica Graff
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5019	Comment from John Fleming	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10284	Comment from Samuel Durkin
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5020	Comment from Joanne McMillan	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10285	Comment from Norman Race
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5021	Comment from Lisa Pace	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10286	Comment from Lori White

Received Date	Original Document ID	Title	Received Date	Original Document ID	Title
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10287	Comment from Shannon G	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15438	Comment from kathy hart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10288	Comment from William Vernon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15439	Comment from Elena Lamb
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10289	Comment from Patricia DeLuca	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15440	Comment from Helene Diamond
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10290	Comment from James Costello	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15441	Comment from Christine Lytle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10291	Comment from Alexa McMahan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15443	Comment from Charleen Ounsworth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10292	Comment from Virginia Caraco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15444	Comment from Tanya Piker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10293	Comment from Bonnie Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15445	Comment from Cheri Mattina
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10294	Comment from Straight Wayne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15446	Comment from Fanny Whitman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10295	Comment from Lynne Teplin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15447	Comment from Glenn Eklund
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10296	Comment from Christine Walton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15448	Comment from Cindy Curran
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10297	Comment from Lorrie Kazan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15449	Comment from Kelly Walker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10298	Comment from David Friend	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15450	Comment from Marci Stathis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10299	Comment from Stepheny McGraw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15451	Comment from Carole Olson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10300	Comment from Julia French	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15453	Comment from Margaret Vernon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10301	Comment from Robin Lorentzen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15454	Comment from Marlene Wilson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10302	Comment from Shelley Carlisle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15455	Comment from Carrie Garneau
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10303	Comment from Jane poklemba	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15456	Comment from meecy carmichael
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10304	Comment from Gary Raymond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15457	Comment from Lupe Torre
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10305	Comment from Julius Salinas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15458	Comment from Michiele Jones
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10306	Comment from Marilyn Rose	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15459	Comment from Kathi Lombardi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10307	Comment from gary cohen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15460	Comment from Krystle Viola
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10308	Comment from David Walsh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15461	Comment from Sharon Balzano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10309	Comment from Jan Emerson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15463	Comment from Linda Bradley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10310	Comment from Sharon Parshall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15464	Comment from Amanda Griffin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10311	Comment from Marcia Godich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15465	Comment from PAMELA ALUND
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10312	Comment from Jennifer Harrison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15466	Comment from Jill Nicholas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10313	Comment from Sheilagh Bergeron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15467	Comment from Kim Gannon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10314	Comment from Anita Youabian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15468	Comment from Donna May
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10315	Comment from Tom Cordaro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15469	Comment from Margaret Vernon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10316	Comment from Joseph McCullough	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15470	Comment from Jean Kammer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10317	Comment from Kelli Gilbert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15471	Comment from Cheri Baranowski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10318	Comment from Julie Nolon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15472	Comment from Camilla Comanich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10319	Comment from Diana Rowell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15473	Comment from Brenda Agnew
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10320	Comment from Joette Borzik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15474	Comment from Courtney Combs
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10321	Comment from Jan Modjeski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15475	Comment from James Amling
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10322	Comment from Phil Kneer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15476	Comment from Jo Ann Kiva
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10323	Comment from Jesse Mallory	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15477	Comment from Jerry Banks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10324	Comment from Jerry Gremling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15478	Comment from Jill Alibrandi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10325	Comment from Rhodie Jorgenson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15479	Comment from Loren Wieland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10326	Comment from Melanie Cohick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15480	Comment from Richard Reichmann

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10327	Comment from Darnell Barsness	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15481	Comment from Kristina Younger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10328	Comment from Kathleen Ruiz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15482	Comment from Debra Miller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10329	Comment from s l	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15483	Comment from Yahm Reichart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10330	Comment from Janice Kropczynski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15484	Comment from Laurie Carr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10331	Comment from Gary Gover	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15485	Comment from Val Bigelow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10332	Comment from LINDA LEONARD	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15486	Comment from Debra Miller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10333	Comment from Stephanie Seymour	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15487	Comment from Lisa Zato
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10334	Comment from Don Pew	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15488	Comment from Mary Zogzas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10335	Comment from Eric naji	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15489	Comment from Holly Crawford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10336	Comment from William Geoghegan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15490	Comment from Edward Morgan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10337	Comment from Paul Skarvinko	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15491	Comment from Lucille Greller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10338	Comment from Bruce Hlodnicki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15492	Comment from STEPHEN DONNELLY
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10339	Comment from Julie Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15493	Comment from Winifred Rossi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10340	Comment from Robert Posch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15494	Comment from Tiffany J
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10341	Comment from Eileen Prefontaine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15495	Comment from Lisa McNany
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10342	Comment from Rebecca McDonough	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15496	Comment from Pamela Sierra
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10343	Comment from Merry Moore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15497	Comment from Robert Auger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10344	Comment from Ronda Reynolds	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15498	Comment from Glenn Fain
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10345	Comment from April Parkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15499	Comment from Susan Hathcock
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10346	Comment from Andrew Campbell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15500	Comment from Kim Jones
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10347	Comment from Omar Siddique	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15501	Comment from Gail Davis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10348	Comment from Gary Wattles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15502	Comment from Penny Pickles
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10349	Comment from Eric naji	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15503	Comment from Gary Plummer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10350	Comment from alain guichonnet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15504	Comment from william crawford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10351	Comment from Barbara Gregory	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15505	Comment from Cherine Bauer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10352	Comment from G. Simmons	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15506	Comment from Rhoda Levine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10353	Comment from Kate Kenner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15507	Comment from Gail Bell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10354	Comment from Janet Cools	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15508	Comment from Joan Helgeson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10355	Comment from Guy Zahller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15509	Comment from Sally Morrow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10356	Comment from dan khann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15510	Comment from Ronald Pasquarosa
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10357	Comment from Loisann Sciarrillo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15511	Comment from Marisa Pisani
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10358	Comment from Gloria Uribe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15512	Comment from RAUL DEL SOLAR
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10359	Comment from Cynthia Edney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15513	Comment from Carolyn Machado
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10360	Comment from Thomas Sarelas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15514	Comment from Marjorie Holcombe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10361	Comment from Elaine Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15515	Comment from Carolina Camarillo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10362	Comment from Jennifer Will	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15516	Comment from Noah Ehler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10363	Comment from Kari Fosse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15517	Comment from Mac Norfleet
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10364	Comment from Debra Hunter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15518	Comment from Michelle Palladine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10365	Comment from Judy McDonald	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15519	Comment from Kristi Parson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10366	Comment from Nancy Carl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15520	Comment from Ryan Baka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10367	Comment from Nancy Huntington	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15521	Comment from Marellyn Westfall

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10368	Comment from Carolyn Yee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15522	Comment from K Strong
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10369	Comment from James Cooper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15524	Comment from James Boerner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10370	Comment from Beth Merrill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15525	Comment from Brian Resh
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10371	Comment from JoAnn McIntosh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15526	Comment from Sallie Donkin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10372	Comment from Sherry Sites	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15527	Comment from Diane Wildes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10373	Comment from Arlene Rudin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15529	Comment from Ashley Lawrence
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10375	Comment from Ben Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15530	Comment from Diana Ward
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10376	Comment from sandra rakestraw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15531	Comment from Catherine Baxter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10377	Comment from Jason Vinokur	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15532	Comment from Martha Mitchell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10378	Comment from John Long	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15533	Comment from William Ridgeway
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10379	Comment from Elana Eli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15534	Comment from Theresa Walls
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10380	Comment from Rob Roberto	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15535	Comment from gary zahler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10381	Comment from Anne Robison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15536	Comment from Sharon Breaman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10382	Comment from Beth Palumbo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15537	Comment from Elizabeth Cherubin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10383	Comment from Nancy Rupp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15538	Comment from MaryAnna Foskett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10384	Comment from Charles Cassagnol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15539	Comment from Steve Robey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10385	Comment from Steve Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15540	Comment from Mary Thornton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10386	Comment from Alison Zyla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15541	Comment from Angela Duck
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10387	Comment from Sheets Aida	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15542	Comment from Lisa Barrera
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10388	Comment from Liza Connelly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15543	Comment from Diane Steele Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10389	Comment from Leigh Warren	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15544	Comment from Kacey Donston
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10390	Comment from Donna Alleyne-Chin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15546	Comment from Mel Vance
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10391	Comment from Dennis Villavicencio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15547	Comment from David Newman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10392	Comment from David Berry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15548	Comment from Janet Maker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10393	Comment from Beverly Nichols	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15550	Comment from Paul Hill
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10394	Comment from Lisa Chicoine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15551	Comment from Donna Morgan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10395	Comment from Stephen Howard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15552	Comment from Daniel Newmark
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10396	Comment from Nancy Boyce	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15553	Comment from Siegrid Berman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10397	Comment from Darlene Lovernick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15554	Comment from Marjorie Wilner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10398	Comment from Marc Imlay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15555	Comment from Susan Kelley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10399	Comment from Paul Potts	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15556	Comment from Janet Maker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10400	Comment from A Sid	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15557	Comment from M Shahvali
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10401	Comment from Darcy Brooks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15558	Comment from Stephanie Anderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10402	Comment from Gida Naser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15559	Comment from Louis Grittani
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10403	Comment from Garrett Hutcheson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15560	Comment from Emily Ward
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10404	Comment from Peter Hodum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15561	Comment from Camille DeRaimo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10405	Comment from Royal Graves	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15562	Comment from Margaret Garr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10406	Comment from Michael Klausung	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15563	Comment from Barbara Brueckner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10407	Comment from Thomas Gardner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15564	Comment from Ellen North
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10408	Comment from Jane Love	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15565	Comment from Minivere Rezniew
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10409	Comment from Rita Buquoi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15566	Comment from Cliff Long

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10410	Comment from Joshua Asel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15567	Comment from Leilani Rothrock
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10411	Comment from Patrick Linehan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15568	Comment from Lou Reznew
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10412	Comment from Sherry Sharpnack	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15569	Comment from Stephen Faes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10414	Comment from Anne Aylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15570	Comment from Kelley Griffin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10415	Comment from Pam Doran	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15571	Comment from Kory Benedicto
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10416	Comment from Michael Watson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15572	Comment from Jeffrey Tieger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10417	Comment from Janice Parker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15573	Comment from Rose Marie Wilson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10418	Comment from Alana Crow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15574	Comment from Mari C
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10419	Comment from John Hathaway	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15575	Comment from Patricia Nelson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10420	Comment from Nicky Edelman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15576	Comment from Terry Burton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10421	Comment from Janice Parker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15577	Comment from Michelle Heller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10422	Comment from Lindsay Haukebo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15578	Comment from Hillary Tiefer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10423	Comment from Jean Stidham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15579	Comment from carla ashley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10424	Comment from Kelly Allison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15580	Comment from Lauren Horwitz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10425	Comment from Edward Cavasian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15581	Comment from William Shelton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10426	Comment from Carol Masuda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15582	Comment from Jeanette Shutay
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10427	Comment from Jazmine Harvey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15583	Comment from Jodi Rodar
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10428	Comment from Christina Viljoen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15584	Comment from Debbie Davis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10429	Comment from JL Charrier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15585	Comment from Hedy Kulka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10430	Comment from Andrea Zajac	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15586	Comment from Joyce O'Malley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10431	Comment from Carrie Swank	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15587	Comment from Elizabeth Enright
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10432	Comment from Sally Wise	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15588	Comment from Charlie Mylod
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10433	Comment from Ted Haglund	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15589	Comment from Karen Mathers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10434	Comment from MeriBeth Koch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15590	Comment from Al Loewy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10435	Comment from Richard Spotts	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15591	Comment from Steve Gruber
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10436	Comment from John Cooke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15592	Comment from Mary Landrum
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10437	Comment from jon Collins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15593	Comment from Lidia Lucaciu
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10438	Comment from Tiffany Buell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15594	Comment from George Bond
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10439	Comment from Jamila Viandier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15595	Comment from MICHAEL CUSHING
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10440	Comment from Hilma Crowfoot	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15596	Comment from Lillian Santana
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10441	Comment from Holly Putman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15597	Comment from Meaghan Doherty
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10442	Comment from Stephanie Buresh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15598	Comment from Gail Roberts
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10443	Comment from Erik Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15599	Comment from Ronald Warren
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10444	Comment from Dorene Randall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15600	Comment from Carolyn Barker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10445	Comment from Johnny Pflugrad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15601	Comment from Abigail Gindele
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10446	Comment from Barry Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15602	Comment from Deborah Mackie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10447	Comment from Marco Protano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15603	Comment from Andrea Zajac
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10448	Comment from Deborah Stark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15604	Comment from Eugene Gorrin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10449	Comment from Larry Hannon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15605	Comment from Anne Haflich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10450	Comment from Samantha Colner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15606	Comment from JerriLyn Miller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10451	Comment from Tim Durnell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15607	Comment from Nancy Currah

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10452	Comment from Beth Hawes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15608	Comment from Carolyn Marshall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10453	Comment from Robert Rivera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15609	Comment from VALERY BURKS
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10454	Comment from gina anson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15610	Comment from carla ashley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10455	Comment from John Steponaitis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15611	Comment from Anthony Flores
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10456	Comment from Kathleen Mireault	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15612	Comment from Karen Beth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10457	Comment from Robert Nobrega	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15613	Comment from sarah payette
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10458	Comment from Ramona Krause	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15614	Comment from Lynn Lowin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10459	Comment from Mary Kraeszig	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15615	Comment from Thomas Boughan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10460	Comment from Gretchen Dickson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15616	Comment from Ellen Jahos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10461	Comment from Jennifer Corrigan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15617	Comment from VIRGINIA MARTIN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10462	Comment from Sandra Uribe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15618	Comment from Penny Sundstrom
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10463	Comment from Alina Szostak	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15619	Comment from Alice Anderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10464	Comment from Patricia Richard-Amato	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15620	Comment from Mary Naismith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10465	Comment from Marianne Salamone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15621	Comment from Terrence Snyder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10466	Comment from Mary Diercks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15622	Comment from Libia Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10467	Comment from Nicole Bickel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15623	Comment from Debbi Meredith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10468	Comment from Robert Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15624	Comment from Delwin Goss
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10469	Comment from marylen kincer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15625	Comment from Lisa Newkirk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10470	Comment from Linda Perrigoue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15626	Comment from Lynette Ching
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10471	Comment from Lynn Boone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15627	Comment from Lisa Fues
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10472	Comment from Joanne Linden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15628	Comment from Alex Giron
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10473	Comment from GS Anson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15629	Comment from Erin Neubauer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10474	Comment from Libba Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15630	Comment from Lirael Armstrong
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10475	Comment from Russell Weisz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15631	Comment from Robin Kory
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10476	Comment from LISA STIMPSON	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15632	Comment from Lucinda Tucker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10477	Comment from Raymond Valinoti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15633	Comment from Cassie Wimberly
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10479	Comment from Amy Young	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15634	Comment from Patricia Palermo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10480	Comment from catherine cosman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15635	Comment from Kathryn Dittmore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10481	Comment from Amber Sumrall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15636	Comment from Laura Nicholas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10482	Comment from Alana Hendrickson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15637	Comment from Kathleen Duffus
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10483	Comment from Carmel Parr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15638	Comment from Sheila Malone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10484	Comment from Gianna Garcia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15639	Comment from Damira Pullins
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10485	Comment from robert Yancey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15640	Comment from Bobbie Flowers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10486	Comment from Maureen Sullivan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15641	Comment from Meredith Erickson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10487	Comment from Len Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15642	Comment from Gary Schneider
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10488	Comment from kym harris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15643	Comment from Tina Driscoll
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10489	Comment from Juliana Wells	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15644	Comment from Alabama Sarah
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10490	Comment from Nancy Linder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15645	Comment from stacy parr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10491	Comment from Geoffrey Symcox	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15646	Comment from Jennifer Wolff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10492	Comment from Pat Bryan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15647	Comment from Babbie Chapman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10493	Comment from Beth Olson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15648	Comment from Mary Guitierrez

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10494	Comment from Katrin Winterer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15649	Comment from Sharlene Osorio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10495	Comment from James Klein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15650	Comment from Paul Eisenberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10496	Comment from Karen Quay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15651	Comment from jacqueline wolfe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10497	Comment from Stuart Fisk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15652	Comment from Terry WOLFE
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10498	Comment from Isaiah Plovnick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15653	Comment from Rachel Imholte
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10499	Comment from Susan Powers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15654	Comment from Melissa Gaskins
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10500	Comment from Steven Iszauk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15655	Comment from Jenna Fallaw
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10501	Comment from Janet Draper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15656	Comment from joe weis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10502	Comment from Wayne Teel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15657	Comment from Anna Laidler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10503	Comment from Teresa Lyman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15658	Comment from Jenni Brodie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10504	Comment from Ronald Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15659	Comment from Luisa Brooks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10505	Comment from James van Maanen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15660	Comment from Gina Tomaselli
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10506	Comment from stephen armstrong	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15661	Comment from Karen Rossner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10507	Comment from Rick Koury	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15662	Comment from Laakea Laano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10508	Comment from Glenis Ramirez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15663	Comment from Steve Downing
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10509	Comment from Matthew Vigil	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15664	Comment from susan delles
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10510	Comment from Amy Henry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15665	Comment from Darlene Saraggonndha
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10511	Comment from Deirdre Fitzsimmons	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15666	Comment from Linda Franklin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10512	Comment from mark wenzel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15667	Comment from Celeste Anacker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10513	Comment from William Wilson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15668	Comment from Jewel Grutman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10514	Comment from Michael Langlais	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15669	Comment from Debbie Kelly
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10515	Comment from Melinda Abbott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15670	Comment from August Neitzel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10516	Comment from Robert Jacobson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15671	Comment from Emma Goode DeBlanc
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10517	Comment from Tristan Sophia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15672	Comment from Donna Blomquist
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10518	Comment from Katherine McLean	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15673	Comment from Stephen Hemrick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10519	Comment from JAMES LOVICH	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15674	Comment from Ray Cunningham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10520	Comment from Julie Clayman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15675	Comment from Jane Grove
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10521	Comment from Joan Andersson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15676	Comment from Kathe Garbrick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10522	Comment from Bridgett Heinly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15677	Comment from Daniel O'Brien
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10523	Comment from James Stuhlmacher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15678	Comment from Anna Laidler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10524	Comment from Mel Apodaca	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15679	Comment from Kay S
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10525	Comment from dagmar mclaughlin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15680	Comment from Andrew Berkson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10526	Comment from Laura Weiss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15681	Comment from Michael Gresh
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10527	Comment from Annie Bien	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15682	Comment from Carrie Swank
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10528	Comment from Jan Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15683	Comment from Patricia R Wendell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10529	Comment from John Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15684	Comment from Irene Hilgers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10530	Comment from Michael Cushing	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15685	Comment from Gudrun Dennis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10531	Comment from Deimile Mockus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15686	Comment from Erika Wanenmacher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10532	Comment from Gregory Gibson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15687	Comment from Luana Rubin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10533	Comment from Renee Carl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15688	Comment from Brenda Gamache
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10534	Comment from Carol King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15689	Comment from Samantha Averill

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10535	Comment from Mary Thibaudeau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15690	Comment from Daniel Rebson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10536	Comment from ron landskroner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15691	Comment from Susan Hindman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10537	Comment from Lupe Torre	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15692	Comment from Martha Burton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10538	Comment from Robert Gerosa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15693	Comment from Kristin Lewis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10539	Comment from Diane Riley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15694	Comment from Samantha Averill
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10540	Comment from timothy villalobos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15695	Comment from Robert Nolter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10541	Comment from Jazmene Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15696	Comment from Michael Nelson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10542	Comment from Tom Hohn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15697	Comment from Patti Wolff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10543	Comment from Catherine Ross	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15698	Comment from Sonja Birdsong
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10544	Comment from Kevin Hines	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15699	Comment from Kim Young
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10545	Comment from Cari Chenkin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15700	Comment from Lisha Doucet
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10546	Comment from Tracy Foster	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15701	Comment from Sandy Iwanski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10547	Comment from Catherine George	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15702	Comment from Kathleen Moraski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10548	Comment from Kerrie Shisila	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15703	Comment from olivia silensky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10549	Comment from Lisa Bemis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15705	Comment from Karen Carbone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10550	Comment from Deirdre Morris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15706	Comment from John and Robbie Wertin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10551	Comment from Dale shuffler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15707	Comment from Christine MARLER
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10552	Comment from Darlene Baker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15708	Comment from Blaise Brockman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10553	Comment from Gail Yborra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15709	Comment from Charles Muehlhof
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10554	Comment from Elin Defrin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15710	Comment from Salissa Chavez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10555	Comment from Dorothy Holtzman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15711	Comment from Susan Cole
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10556	Comment from Janet Monfredini	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15712	Comment from Monique Edwards
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10557	Comment from Carl Prellwitz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15713	Comment from Kurt Allen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10558	Comment from David States	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15714	Comment from D Colfer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10559	Comment from Lynn Zipse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15715	Comment from Gail Atkins
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10560	Comment from Meredith Hayward	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15716	Comment from Joan Pradetto
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10561	Comment from Kym Waugh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15717	Comment from Glenis Ramirez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10562	Comment from John Dalla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15718	Comment from Rachel Asturias
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10563	Comment from Benton Elliott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15719	Comment from Sarita Karve
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10564	Comment from Guy Westgaard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15720	Comment from Kathleen McHendry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10565	Comment from Carol Rahbari	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15721	Comment from Laurie Ellis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10566	Comment from Dan Pepin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15722	Comment from Kimberly Hurtt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10567	Comment from Terry Bergeron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15723	Comment from Brok Burchatz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10568	Comment from Tim Fleischer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15724	Comment from Holly Gates Mayer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10569	Comment from Mike Swensen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15725	Comment from Lisa Celli
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10570	Comment from richard camp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15726	Comment from Dawn DiBlasi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10571	Comment from Lodiza LePore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15727	Comment from Deborah Griffith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10572	Comment from Bridget Koch-Timothy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15728	Comment from Jo Cole
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10573	Comment from Laura Winters-Duke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15729	Comment from Debra Chandler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10574	Comment from Robin Budry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15730	Comment from Steven Carrell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10575	Comment from Shirley Bensetler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15731	Comment from Julie Hagen

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10576	Comment from Kevin Brown	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15732	Comment from Robert Fingerma
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10577	Comment from Vicki S	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15733	Comment from Kathy Stark
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10578	Comment from Arnold Kaplan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15734	Comment from Gail Veiby
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10579	Comment from Dorian Sarris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15735	Comment from Samuel Newman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10580	Comment from Terry Ph.D.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15736	Comment from Beth Darlington
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10581	Comment from Kathleen Wong	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15737	Comment from Barbara McMahan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10582	Comment from Shirley Smithson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15738	Comment from Ned Overton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10583	Comment from Janie Lucas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15739	Comment from Luann Riley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10584	Comment from Christine Fletcher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15740	Comment from gabriela Monge
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10585	Comment from Ashleigh Britton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15741	Comment from MaryAnn Stanislawsky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10586	Comment from Amy Bushnell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15742	Comment from Irene Mazur
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10587	Comment from Kimberly Morse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15743	Comment from Abigail Ramirez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10588	Comment from Amanda Sweet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15744	Comment from Theresa Skager
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10589	Comment from Ron Richter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15745	Comment from Andrea Lancer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10590	Comment from Ramona Ponessa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15746	Comment from Nancy Currah
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10591	Comment from Karen Wolf	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15747	Comment from Maria Cecilia Correia
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10592	Comment from Catherine Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15748	Comment from Jan Emerson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10593	Comment from Kathy Lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15749	Comment from Yvonne Minor
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10594	Comment from David Sweet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15750	Comment from Nikki Nafziger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10595	Comment from Dennis Waterhouse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15751	Comment from Jane Robinson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10596	Comment from Tim Dressel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15752	Comment from Pablo Cortez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10597	Comment from James Ashcraft	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15753	Comment from Bill Donaldson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10598	Comment from Chris Lykins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15754	Comment from Lauren Hartung
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10599	Comment from Thomas Keane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15755	Comment from Angela Neutzling
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10600	Comment from Barry Cutler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15756	Comment from Morgan Lazenby
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10601	Comment from Darrell Schmidt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15757	Comment from Carolyn Rand
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10602	Comment from Jaremy Lynch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15758	Comment from Lori Georges
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10603	Comment from Robert Sandgrund	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15759	Comment from Ninon Estinto
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10604	Comment from Christopher Evans	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15760	Comment from Jennifer Porter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10605	Comment from James Murphy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15761	Comment from Steven Bal
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10606	Comment from gina writz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15762	Comment from robert garcia
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10607	Comment from Margaret Keene	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15763	Comment from Debra Ricci
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10608	Comment from curt bohlen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15764	Comment from Cathy Stephens
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10609	Comment from Jane Broendel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15765	Comment from Shane Culgan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10610	Comment from Rebecca Reynolds	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15766	Comment from Karin Boixo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10611	Comment from Gary Dunn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15767	Comment from Lonny Lachapelle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10612	Comment from Gary Holcomb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15768	Comment from Anne Wangman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10613	Comment from J.L. Evans	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15769	Comment from Jackie Cole
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10614	Comment from Joseph Buhowsky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15770	Comment from Kristi Dolch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10615	Comment from Nadya Schmeder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15771	Comment from Cindy Murphy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10616	Comment from Nevena Georgieva	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15772	Comment from Arthur Meeder

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10617	Comment from William Cromwick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15773	Comment from Patti Pimento
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10618	Comment from Cyndi Clough	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15774	Comment from Paula Hensel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10619	Comment from Margaret Philhower	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15775	Comment from Vanyoska gee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10620	Comment from p Marks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15776	Comment from Marianne Gooding
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10621	Comment from Cheryl Carnahan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15777	Comment from Douglas Spring
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10622	Comment from Francis Groff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15778	Comment from Bettie Molenkamp
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10623	Comment from Mark Coates	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15779	Comment from Pauletta Borew
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10624	Comment from E. Darby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15780	Comment from Julia Cranmer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10625	Comment from Monica Wiesener	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15781	Comment from Sara Fitzsimmons
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10626	Comment from Deborah Gandolfo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15782	Comment from Susan Lantow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10627	Comment from Phoenix Giffen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15783	Comment from Patricia Chambers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10628	Comment from Richard Pavek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15784	Comment from Olivia Bergner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10629	Comment from Christa Neuber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15785	Comment from Flo Fender
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10630	Comment from Kathleen Cridge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15786	Comment from Robert Irwin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10631	Comment from Laurel Tucker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15787	Comment from Iwona Stefanska
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10632	Comment from George Baschiera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15788	Comment from Emily Sagovac
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10633	Comment from Bob Hannigan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15789	Comment from Anne Hui Bretse
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10634	Comment from Robert Auger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15790	Comment from Maureen Wasley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10635	Comment from Gloria Morrison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15791	Comment from Pat Lang
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10636	Comment from Irene Bucko	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15792	Comment from Angela Steinberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10637	Comment from Evangeline Tarver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15793	Comment from Virginia Mendez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10638	Comment from maryan infield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15794	Comment from Jennifer Loch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10639	Comment from LAURA ARIAS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15795	Comment from Donna Selquist
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10640	Comment from Kathleen Casson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15796	Comment from Kathryn Kushman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10641	Comment from Sharon Sullivan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15797	Comment from Kortney Lillestrand
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10642	Comment from Theresa Deery	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15798	Comment from Laura Benge
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10643	Comment from Rebecca Bralek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15799	Comment from Kim Tharington
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10644	Comment from Wilcox Kenneth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15800	Comment from Patricia Savage
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10645	Comment from Sue Ochs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15801	Comment from Carol Knight Watson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10646	Comment from Herbert Lord	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15802	Comment from Jessica Hollander
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10647	Comment from Bonnie Elconin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15803	Comment from Susan Ford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10648	Comment from Cathy Holden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15804	Comment from Mary Jo Giudice Bowler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10649	Comment from Patricia Mctigue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15805	Comment from Lauren McCarthy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10650	Comment from Marilyn Guterman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15806	Comment from Judith Edwards
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10651	Comment from Robert English	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15807	Comment from Jennifer Pies
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10652	Comment from Jamie Reifman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15808	Comment from Eva Rohr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10653	Comment from Valerie Charbonneau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15809	Comment from Doris Luther
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10654	Comment from Samantha Gill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15810	Comment from Paul Eisenberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10655	Comment from Terry Jess	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15811	Comment from Jaye Trottier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10656	Comment from lyn mont	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15812	Comment from Taylor Reed
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10657	Comment from Robert Mitchell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15813	Comment from michelle mitchell

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10658	Comment from Linda Hendrix	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15814	Comment from Derinda Nilsson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10659	Comment from Andrews Fortenberry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15815	Comment from Carol Haines
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10660	Comment from Leslie Kuhn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15816	Comment from Candice Mahki
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10661	Comment from Margaret Sharp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15817	Comment from Karen van Es
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10662	Comment from Stewart Wilber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15818	Comment from Ausra Dwyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10663	Comment from Deborah Crosset	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15819	Comment from Susan Benavidez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10664	Comment from Shelly Scott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15820	Comment from Deborah Gandolfo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10665	Comment from david bradbury	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15821	Comment from Joan Andersson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10666	Comment from nan matthews	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15822	Comment from Arica Whiteman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10667	Comment from Eleanor Beram	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15823	Comment from Kristen Bossert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10668	Comment from Cathy Nieman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15824	Comment from Lucia DePreto
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10669	Comment from Dianna Holland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15825	Comment from Kevin Rodriguez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10670	Comment from Brenda Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15826	Comment from Drorit Erickson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10671	Comment from John Mora	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15827	Comment from Marilyn Mooshie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10672	Comment from marta cramer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15829	Comment from pinkyjain pan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10673	Comment from Ted Cheeseman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15830	Comment from Ashley Lewis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10674	Comment from MICHAEL SCHUMM	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15831	Comment from Teresa Woods
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10675	Comment from Patrick Doyle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15832	Comment from Kristin Green
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10676	Comment from Felice Mark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15833	Comment from Paulette Furnia
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10677	Comment from Blaine Converse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15834	Comment from Penny Lambrianos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10678	Comment from Scott Kennedy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15835	Comment from Lori Fitzgerald
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10679	Comment from Mark Fields	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15836	Comment from Robina Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10680	Comment from Christy Dunn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15837	Comment from Mary Variola
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10681	Comment from Laura Long	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15838	Comment from Hiroshi Suzuki
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10682	Comment from Tom Pipal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15839	Comment from Jennifer Fisher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10683	Comment from Naomi Zurcher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15840	Comment from Jerry Napom
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10684	Comment from Michael Balsai	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15841	Comment from maria Overpeck McCrocker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10685	Comment from Olive De Andrade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15842	Comment from Elena Starr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10686	Comment from sherrri hodges	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15843	Comment from Gregory Knapik
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10687	Comment from Josh e	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15844	Comment from Patti Sobecke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10688	Comment from Melissa Bryan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15845	Comment from Susan Carter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10689	Comment from Sarah Hearon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15846	Comment from Jill Dione
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10690	Comment from Walter Bock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15847	Comment from Frances Saykaly
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10691	Comment from Debbie Schlenoff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15848	Comment from Susanne Weil
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10692	Comment from Natalia Laisure	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15849	Comment from Kirk Rhoads
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10693	Comment from Marilyn Berling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15850	Comment from Carla Durkin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10694	Comment from Suzanne Kunstman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15851	Comment from Jon Martell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10695	Comment from Janice Farry-Menke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15852	Comment from kathy knapik
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10696	Comment from Allison Mielniczuk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15853	Comment from Lory Ono
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10697	Comment from Susan Lambert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15855	Comment from donna esposito
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10698	Comment from Mark van Rossen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15856	Comment from Pamela Spears

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10699	Comment from Christina Pasillas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15857	Comment from Pamela Noyes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10700	Comment from Lourdes Guzman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15858	Comment from Donna Myers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10701	Comment from Karen Colbourn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15859	Comment from Jo Ann Randolph
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10702	Comment from Jennifer Duffy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15860	Comment from Bronwen Evans
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10703	Comment from Dave Potter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15861	Comment from Barbara Bivona
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10704	Comment from Kay Allen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15862	Comment from Ellen Singer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10705	Comment from Robin Steeves	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15863	Comment from Brooke Coln
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10706	Comment from Robert Kolesnik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15864	Comment from Tim Pendergast
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10707	Comment from Amy Delaney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15865	Comment from Janeene Porcher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10708	Comment from David Middleton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15866	Comment from Randy Harrison
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10709	Comment from Susan McRae	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15867	Comment from Barry Flaherty
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10710	Comment from riccardo liotta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15868	Comment from Barbara Sondra Levine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10711	Comment from Robert Mark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15869	Comment from Eric Yurkanin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10712	Comment from Samuel Aley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15870	Comment from Colene Flaherty
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10713	Comment from Hurd Hess	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15871	Comment from Silvia Rocha
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10714	Comment from Michael Barnes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15872	Comment from Caroline Kirsch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10715	Comment from Mary Epatko	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15873	Comment from Michelle Billadeau
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10716	Comment from susan foley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15874	Comment from Patty Raines
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10717	Comment from Michelle Allison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15875	Comment from Christine Badura
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10718	Comment from Beverly Webman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15876	Comment from Deborah Gambone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10719	Comment from Jennifer Abernathy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15877	Comment from Joan Roberts
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10720	Comment from Wayne Steffes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15878	Comment from Denise Carey Costa
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10721	Comment from L.L. Kauffman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15879	Comment from Dean Butts
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10722	Comment from Teresa Quinn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15880	Comment from Barbara Schallmo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10723	Comment from Kathy Crist	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15881	Comment from John Hila
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10724	Comment from Lori Surmay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15882	Comment from Lisa Pisano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10725	Comment from Richard Stehlik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15883	Comment from Carol Taggart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10726	Comment from Felena Puentes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15885	Comment from Sally Rosenman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10727	Comment from David Ross	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15886	Comment from pam zimmerman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10728	Comment from Constance Graham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15887	Comment from Tracy Pellonari
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10729	Comment from Victoria Laird	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15888	Comment from Michelle Wilson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10730	Comment from Douglas McCormick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15889	Comment from Jacqueline Aikin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10731	Comment from Patrick Craig	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15890	Comment from Dave Frank
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10732	Comment from elaine sloan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15891	Comment from Ninette Nielsen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10733	Comment from Mary Parodi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15892	Comment from Linda Williams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10734	Comment from Andrew Reilly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15893	Comment from Jennifer Rier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10735	Comment from Bonnie Gorman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15894	Comment from Jessica Mitchell Shihabi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10736	Comment from Stephanie Green	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15895	Comment from Stephanie Stilwell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10737	Comment from Zoe Strassfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15896	Comment from Brandi Adams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10738	Comment from Lanna Ultican	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15897	Comment from Carole Smudin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10739	Comment from elaine sloan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15898	Comment from Rick Sanchez

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10740	Comment from RICHARD KETTYLE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15899	Comment from JOANN PICHIARELLO
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10741	Comment from Jini Fisher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15900	Comment from Shirlene Harris
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10742	Comment from Linda Evinger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15901	Comment from Andrea Decker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10743	Comment from Don Dudan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15902	Comment from Amanda Young
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10744	Comment from lowell abellon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15903	Comment from Joan Rossignol
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10745	Comment from Zachary Bryson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15904	Comment from Rebecca Gagliano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10746	Comment from laura braggiotti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15905	Comment from Tami Hillman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10747	Comment from Sharon Hobrock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15906	Comment from Heather Decker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10748	Comment from Nancy Petersen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15907	Comment from Mary Barbezat
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10749	Comment from Peggy Jakopak	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15908	Comment from Nimia Reyes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10750	Comment from Gail Atkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15909	Comment from Tracey Dellinger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10751	Comment from Tom Nash	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15910	Comment from WILLIAM DYLEWSKY
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10752	Comment from JULANNA BENEFIELD	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15912	Comment from Katusha Colombier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10753	Comment from Tonya Edgington	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15913	Comment from Maggie Paren
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10754	Comment from Frank Rouse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15914	Comment from Tonia Neal
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10755	Comment from Alexander Koning	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15915	Comment from Rebecca Oberlin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10756	Comment from Ellen Kabat	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15916	Comment from Dolores Mackenzie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10757	Comment from Stefanie Kaku	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15917	Comment from Patricia Cummings
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10758	Comment from Sandy Stuhaan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15918	Comment from Marshall McCorkle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10759	Comment from James Small	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15919	Comment from Lisa Hammermeister
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10760	Comment from Martha McNamee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15920	Comment from Jane Ory
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10761	Comment from John Weber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15921	Comment from Norma Anthony
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10762	Comment from Sharon Graham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15922	Comment from Ryan Hanson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10763	Comment from William Forbes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15923	Comment from Elaine Benvenuto
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10764	Comment from Don Coddling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15924	Comment from Larry Grunspan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10765	Comment from Alejandra Parapar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15925	Comment from Karen Dennen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10766	Comment from William Barnes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15926	Comment from Laura DeGrace
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10767	Comment from Peter Hennessy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15927	Comment from Georgia Brewer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10768	Comment from Angela Zellner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15928	Comment from Caryl McIntire Edwards
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10769	Comment from Randy Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15929	Comment from Vicky Miller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10770	Comment from Gavin Kramer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15930	Comment from Elizabeth Davis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10771	Comment from Tracy Ouellette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15931	Comment from James Hartley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10772	Comment from Andrew Kearney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15932	Comment from Randi Vincent
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10773	Comment from Victoria Silver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15933	Comment from Nancy Juskowich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10774	Comment from Sandra Sweetwood	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15934	Comment from Evelyn Missey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10775	Comment from Ralph Lopez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15935	Comment from Cara Shea
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10776	Comment from Lillian Santana	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15937	Comment from Julie Clare
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10777	Comment from Mary Davenport	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15938	Comment from ann schnaidt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10778	Comment from alicia jackson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15939	Comment from Mary Cooney
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10779	Comment from John Teevan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15940	Comment from Mary Flynn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10780	Comment from Richard Fehr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15941	Comment from Eric Edwards

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10781	Comment from Maryann Kauffman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15942	Comment from Jena Hammel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10782	Comment from Dennis Hough	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15943	Comment from Katherine Hutchins
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10783	Comment from Janice Holkup	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15945	Comment from Shannon Nall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10784	Comment from Chemen Ochoa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15946	Comment from David Snutes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10785	Comment from Joyce Coombs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15947	Comment from Sheryl Benning
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10786	Comment from Karl Kernehan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15948	Comment from Peter Townsend
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10787	Comment from John Eckler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15949	Comment from Peri Doubleday
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10788	Comment from Andy Tomsky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15951	Comment from Susannah Phillips
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10789	Comment from Kathryn Christian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15952	Comment from Joe M Rivera
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10790	Comment from Jane Gullely	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15953	Comment from Victor Castellanos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10791	Comment from Nikola zegarac	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15954	Comment from Lisa May Reynolds
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10792	Comment from Glenn Hufnagel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15955	Comment from Linda Detels
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10793	Comment from Rochelle La Frinere	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15956	Comment from Penny Mackenzie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10794	Comment from Rumeysa Kusdogan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15957	Comment from Melissa Cleaver
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10795	Comment from Macey Mott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15958	Comment from Nancy L Reynolds
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10796	Comment from Theodore Snyder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15959	Comment from Kathleen Lovan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10797	Comment from Elizabeth Walton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15960	Comment from Charles Ray
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10798	Comment from Michelle McKenney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15961	Comment from Brittney Rice
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10799	Comment from Michael Freedman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15962	Comment from Liz Field
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10800	Comment from Mary Gomez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15963	Comment from Lisa Gee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10801	Comment from Susan Catherwood	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15964	Comment from Marie Ange Berchem
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10802	Comment from Char Hersh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15965	Comment from Sandra Naidich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10803	Comment from David Brockett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15966	Comment from Jud Woodard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10804	Comment from Mary Day	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15967	Comment from Steve Gross
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10805	Comment from Jeanne Held-Warmkessel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15968	Comment from Kimberly Derwent
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10806	Comment from ROBERT NERGER	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15969	Comment from Nancy VARIN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10807	Comment from Susanne Richey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15970	Comment from Brent Tucker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10808	Comment from Laraine Turk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15971	Comment from Joyce McDonnell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10809	Comment from Janis Millu	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15972	Comment from Peter Sayre
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10810	Comment from Henry Goff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15973	Comment from Joanne Adamis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10811	Comment from Steve Gould	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15974	Comment from Tim Midboe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10812	Comment from Cherine Bauer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15975	Comment from Donna O'Berry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10813	Comment from Mary Curro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15976	Comment from Nancy Tucker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10814	Comment from jeremy fryberger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15977	Comment from Eric Piccolo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10815	Comment from Cindy Charnetski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15978	Comment from John Lamb
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10816	Comment from joan peaslee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15979	Comment from Lisa Lundberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10817	Comment from Alan Harper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15980	Comment from Carol Murray
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10818	Comment from Christine Gasco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15981	Comment from LINDA STARR
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10819	Comment from Maureen Gwynn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15982	Comment from Mary Mallas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10820	Comment from T Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15983	Comment from Helen Manchester
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10821	Comment from Amy Kiba	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15984	Comment from Tina Durakov

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10822	Comment from Scott Barlow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15985	Comment from Celeste Watt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10823	Comment from Kent Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15986	Comment from steven nasta
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10824	Comment from Roberta Glaze	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15987	Comment from Ann Hansen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10825	Comment from Georgeta Burca	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15988	Comment from James Richardson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10826	Comment from Pamela Emery	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15989	Comment from Nancy Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10827	Comment from Rev. Costanzo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15990	Comment from Lori Williams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10828	Comment from Christie Ruppel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15991	Comment from Carolyn King
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10829	Comment from jon mocey-hanton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15992	Comment from Danielle Schultz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10830	Comment from Jocelin Newhouse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15993	Comment from Edward Cowan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10831	Comment from Cynthia McFall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15994	Comment from Chris Washington
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10832	Comment from Annapoorne Colangelo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15995	Comment from Randy Harper
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10833	Comment from Jill Robison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15996	Comment from cameron mansfield
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10834	Comment from Julie Berberi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15997	Comment from Dawn Weber
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10835	Comment from Susan Schneeberger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15998	Comment from Stephen Antoniadis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10836	Comment from Terry Pyle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15999	Comment from Anne Goldberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10837	Comment from Ed Zych	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16000	Comment from Nicole Shaffer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10838	Comment from Gloria Diggle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16001	Comment from Stephen Mitchell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10839	Comment from Dwight Fellman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16002	Comment from Mary Christy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10840	Comment from Bradley Colden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16003	Comment from Dawn Harrod
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10841	Comment from Michael McMahan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16004	Comment from Barbara Carew
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10842	Comment from Thaddeus Zajdowicz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16006	Comment from Karla LaVoie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10843	Comment from wenda williamson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16007	Comment from Lisa Graham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10844	Comment from Miriam Harlan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16008	Comment from Carin Pavlinchak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10845	Comment from Tom Tripp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16009	Comment from Trois Moore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10847	Comment from Meredith Kent-Berman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16010	Comment from Tricia Kob
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10848	Comment from Brandon W	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16013	Comment from Kevin Mahaffey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10849	Comment from Kathleen Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16014	Comment from Judy Germain
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10850	Comment from Evan McDermit	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16015	Comment from Jody Gibson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10851	Comment from Diane Loughbom	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16016	Comment from Cody Goin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10852	Comment from Victoria Groshong	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16017	Comment from Arpineh Mehrabi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10853	Comment from Roger Walter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16018	Comment from Deborah Topley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10854	Comment from Jared Cornelia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16019	Comment from Jan Hammond
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10855	Comment from Lou-Anne Amberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16020	Comment from Darryl A San Souci
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10856	Comment from Prem Mulberry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16021	Comment from Elaine Taylor
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10857	Comment from Jenna Harris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16022	Comment from David Dougherty
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10858	Comment from Ken Rosen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16023	Comment from Judy Pollard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10859	Comment from robin anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16024	Comment from Karen Hildebrandt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10860	Comment from Dennis Ledden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16025	Comment from Bonnie Kenny
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10861	Comment from Katherine Hsu	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16026	Comment from tony lorito
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10862	Comment from Lorenz Steininger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16027	Comment from Sheri Abramson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10863	Comment from Joe Racine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16028	Comment from Sandra Lynn

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10864	Comment from Lahela Barcenilla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16029	Comment from Amy Barker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10865	Comment from Robert Dickinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16030	Comment from Cindy Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10866	Comment from Michelle Wilson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16031	Comment from Risa Mandell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10867	Comment from Gerritt Baker-Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16032	Comment from Laura Altman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10868	Comment from Lauren Meredith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16033	Comment from Katherine Maynard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10869	Comment from maureen oshea	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16034	Comment from Cristy Murray
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10870	Comment from Jennifer Scriven	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16035	Comment from Glenda Staats
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10871	Comment from Janet Pinneo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16036	Comment from Susan Borys
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10872	Comment from Michelle Wilson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16037	Comment from Elena Lange
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10873	Comment from Adele Dawson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16038	Comment from Robert Oberdorf
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10874	Comment from Connie Hinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16039	Comment from Laura LaRocca
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10875	Comment from Paul Lapidus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16040	Comment from Pamela Miller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10876	Comment from paul bosch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16041	Comment from maureen Carron Friedman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10877	Comment from Tracy Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16042	Comment from Janna Gelfand
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10878	Comment from Karen Good	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16043	Comment from juli ingram
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10879	Comment from Kelley Price	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16044	Comment from Sharon Hawkinson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10880	Comment from Betsey Porter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16045	Comment from patricia cachopo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10881	Comment from Krista McKee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16046	Comment from Cynthia Wizeman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10882	Comment from June Picard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16047	Comment from Richard Guier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10883	Comment from Lisa Whipple	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16048	Comment from Danielle Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10884	Comment from Carol Kaploe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16049	Comment from Kathleen Ayres
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10885	Comment from Heidi Erdmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16050	Comment from Joni LAMB
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10886	Comment from Louise Rangel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16051	Comment from Patricia Moguel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10887	Comment from Genevieve Santalucia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16052	Comment from Clarence Sutton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10888	Comment from Kathleen Coffman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16053	Comment from Norman Dickinson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10889	Comment from Adrian Schilke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16054	Comment from ELI HEGEMAN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10890	Comment from Thomas Kuspel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16055	Comment from Natalia Stadelbauer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10891	Comment from Jill Turco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16057	Comment from Gail Trammell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10892	Comment from Mark Galbraith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16058	Comment from Kathryn Capelli
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10893	Comment from Jen DeHart	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16059	Comment from Deborah Parker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10894	Comment from Jeff Fromberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16060	Comment from Stephen Stales
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10895	Comment from kellyann morander	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16061	Comment from LINDA NORRIS
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10896	Comment from Betty Neuenschwander	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16062	Comment from Liz Dyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10897	Comment from Barbara Mintz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16063	Comment from Katherine simon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10898	Comment from Hugh Ballem	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16064	Comment from Kate Skolnick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10899	Comment from Joel Gelb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16065	Comment from Dr Kristi Dunn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10900	Comment from Scott Grubb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16066	Comment from Barbara McCane
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10901	Comment from Megan Wright	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16067	Comment from Allan Campbell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10902	Comment from Brian Kirk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16068	Comment from LISA STIMPSON
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10903	Comment from Brenda Hattisburg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16069	Comment from Alan Gonzalez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10904	Comment from Daniel Polley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16070	Comment from Kristin Gallanosa

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10905	Comment from Kim Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16071	Comment from June Berkhimer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10906	Comment from Stephen Muser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16072	Comment from David Myers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10907	Comment from Julie Wade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16073	Comment from June Berkhimer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10908	Comment from Lori Bryan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16074	Comment from David Aronovitch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10909	Comment from David Knutzen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16075	Comment from Victoria Peyser
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10910	Comment from Tamara Wecker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16076	Comment from Cliff Atendido
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10911	Comment from Michael Nelson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16077	Comment from George Klipfel II
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10912	Comment from Harry Blumenthal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16078	Comment from Tim Oswald
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10913	Comment from Patricia Blenk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16079	Comment from Laura Baldwin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10914	Comment from Ute Baker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16080	Comment from Sorinda Meza
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10915	Comment from Julie Geveshausen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16081	Comment from Laura Arias
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10916	Comment from Jennifer Wittlinger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16082	Comment from sandra steinle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10917	Comment from Annette Benton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16083	Comment from Cathy Jones
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10918	Comment from Susan McLaughlin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16084	Comment from elizabeth mcmahon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10919	Comment from Mike Chyba	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16085	Comment from Tammy Rafter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10920	Comment from Ed Schmitt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16086	Comment from Elva Munro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10921	Comment from robert crenshaw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16087	Comment from Scott Neuhaus
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10922	Comment from Dave Searles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16088	Comment from Eleanor Dowson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10923	Comment from Emmanuel Ramirez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16089	Comment from Eliana Munk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10924	Comment from Geoffrey McCluskey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16090	Comment from Brad Yoho
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10925	Comment from Ann Wright	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16091	Comment from Brian Mckee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10926	Comment from Bettemae Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16092	Comment from Erica Munn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10927	Comment from Megan king	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16093	Comment from Angela Greene
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10928	Comment from Karen Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16094	Comment from Linda McKillip
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10929	Comment from Wendy Chrisman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16095	Comment from Douglas McCormick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10930	Comment from Annette Raible	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16096	Comment from Rachel Cox
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10931	Comment from Terry Cooper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16097	Comment from Glenn Mooney
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10932	Comment from Karen DeSalvo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16098	Comment from Becky Giarratano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10933	Comment from Patricia Chambers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16099	Comment from jim strickland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10934	Comment from Inna Gergel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16100	Comment from Cheri Mezzapelle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10935	Comment from Paul Moser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16101	Comment from Cheryl Conley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10936	Comment from Barbara Baxter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16102	Comment from Donna Hart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10937	Comment from Louise Rickard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16103	Comment from Jon Maller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10938	Comment from Jane Bender	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16104	Comment from Melinda Whalen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10939	Comment from Yvonne Quilenderino	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16105	Comment from Ed Gruver
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10940	Comment from ki paul	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16106	Comment from Michelle Barbour
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10941	Comment from Sylvia Lewis-Gunning	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16107	Comment from Margaret Gallagher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10942	Comment from DONETTE ERDMANN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16108	Comment from Melissa Lawrence
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10943	Comment from Sherry Wilmsen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16109	Comment from Penny Richards
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10944	Comment from Nicole Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16110	Comment from Mary Hullander
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10945	Comment from Antoinette Daab	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16111	Comment from Lecil McGlocklin

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10946	Comment from Vic Bostock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16112	Comment from marilyn evenson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10947	Comment from Clyde Willson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16114	Comment from Natalie Martinez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10948	Comment from Bret Polish	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16115	Comment from Heather aka Heth Drees
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10949	Comment from BARBARA MAGGAMBRIDGE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16116	Comment from Michelle Cobert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10950	Comment from Franklin Matias	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16117	Comment from Karen Mate
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10951	Comment from Ashley Wilcox	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16118	Comment from Gail Thompson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10952	Comment from Anthony Stratton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16119	Comment from Mal Gaff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10953	Comment from Herbert Herschlag	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16120	Comment from Marlene Phelan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10954	Comment from Lori Girshick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16121	Comment from Kergan Street
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10955	Comment from Martin Henderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16122	Comment from Donna Gabehart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10956	Comment from Dominic melita	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16123	Comment from Clint Stankiewicz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10957	Comment from Maria Botello	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16124	Comment from Liz Szabo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10958	Comment from Stephen Dutschke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16125	Comment from Jami Dougan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10959	Comment from Howard Lepzelter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16126	Comment from Michael Lentina
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10960	Comment from Steven Carpenter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16127	Comment from Michael Nagy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10961	Comment from Kim Brower	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16128	Comment from George Bilyeu
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10962	Comment from David Sickles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16129	Comment from Karen Redd
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10963	Comment from James McConkey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16130	Comment from Shubra Sachdev
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10964	Comment from Ken Windrum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16131	Comment from Adil Mehta
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10965	Comment from Clarice Glandon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16133	Comment from Jeff Lowry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10966	Comment from kristin carstarphen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16134	Comment from Sheila Grimes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10967	Comment from Bonnie Zotos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16135	Comment from Michael Malinick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10968	Comment from John Laing	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16136	Comment from Lynne Gaudette
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10969	Comment from Marilyn Platt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16137	Comment from Christine Wrazen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10970	Comment from Sylvia Rogers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16138	Comment from Celeste Crago
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10971	Comment from Dan Cappello	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16139	Comment from KELLI VILLIS
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10972	Comment from Tracey Fried-Kasofsky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16140	Comment from FRED DAVIS
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10973	Comment from Michael Crowley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16141	Comment from Joy McMahan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10974	Comment from John Livingston	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16142	Comment from Gina Giaccardo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10975	Comment from Rhonda Berger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16143	Comment from Lynne Jeffries
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10976	Comment from Carol Dearborn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16144	Comment from Summer Shah
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10977	Comment from Mary True	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16145	Comment from Joyce Davis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10978	Comment from Max Salt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16146	Comment from Lance Polya
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10979	Comment from Allison Cox	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16147	Comment from Donna Seeger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10980	Comment from Eric Lemberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16148	Comment from Jacqueline Mills
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10981	Comment from Fred Granlund	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16149	Comment from Diane St Angelo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10982	Comment from Richard Harden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16151	Comment from Alfred Papillon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10983	Comment from dANIEL FIGUEROA	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16152	Comment from Donald Davis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10984	Comment from Vicki Sarnecki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16153	Comment from Gail Evans
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10985	Comment from Ben Ruwe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16155	Comment from Kelly Schwartz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10986	Comment from Lill d	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16156	Comment from Kathryn Christian

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10987	Comment from Nancy Moynihan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16157	Comment from Darcel Kashmark
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10989	Comment from Jean Siegel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16158	Comment from Darleen Morano Brown
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10990	Comment from Johnny Hall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16159	Comment from Roy Wilensky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10991	Comment from Susan Hathcock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16160	Comment from Susi Higgins
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10992	Comment from Maryam Rostamian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16161	Comment from Raffaella Selvaggio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10993	Comment from Marita Mayer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16162	Comment from Joe Messer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10994	Comment from Robin Craft	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16163	Comment from Martha Auerbach
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10995	Comment from Suzanne Barns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16164	Comment from Gilda Levinson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10996	Comment from Tania Roa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16165	Comment from Ronalee Thatcher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10997	Comment from Robert Sparks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16166	Comment from Dawn and Ken Richardson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10998	Comment from Lisa Caver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16167	Comment from Justin Walker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10999	Comment from Rachel Gullett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16168	Comment from Barbara Gross
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11000	Comment from Sue Rosenbach	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16169	Comment from Penny Dorfman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11001	Comment from quinten putnam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16170	Comment from Margaret Guilfooy Tyler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11002	Comment from David Spivac	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16171	Comment from katrina gergely
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11003	Comment from Russell Rauscher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16172	Comment from Brandi Small
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11004	Comment from Neil Glaser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16173	Comment from Rob Roberto
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11005	Comment from Hiett Cooper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16174	Comment from Brad Bowers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11006	Comment from Daniel Figueroa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16175	Comment from Peter Syre
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11007	Comment from Marty Judd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16176	Comment from Angela Anonymous
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11008	Comment from Yvonne Fedeyko-Kirby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16177	Comment from Cheryl Thomas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11009	Comment from Jan Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16178	Comment from Ann Munoz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11010	Comment from STAFFORD KRAMER	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16179	Comment from Alta Harrison
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11011	Comment from Bryan Gilbert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16180	Comment from Patricia Baley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11012	Comment from Jennifer Romans	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16181	Comment from Diane Belmont
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11013	Comment from Deborah Luciano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16182	Comment from Betty Finley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11014	Comment from Warren Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16183	Comment from Janis Wilder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11015	Comment from Ann Becherer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16184	Comment from Renee Chotiner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11016	Comment from Yvonne Fedeyko-Kirby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16185	Comment from Dan Hornaday
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11017	Comment from David Lang	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16186	Comment from Pat Rose
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11018	Comment from Cynthia Sampson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16187	Comment from sharon Franco
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11019	Comment from Valerie Conrad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16188	Comment from Jeffrey Bains
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11020	Comment from Bruce Rhoades	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16189	Comment from Dave Pashman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11021	Comment from freya christensen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16190	Comment from Juanita Fernandez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11022	Comment from Pat Ellison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16191	Comment from Jayne Vitulli
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11023	Comment from Reinhard Frenzel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16192	Comment from Suzanne Middleton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11024	Comment from Ann Joseph	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16194	Comment from Lynn Reed
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11025	Comment from Lynn Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16195	Comment from Janis Wilder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11026	Comment from Connie Carter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16196	Comment from Aaron Chad Alvarez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11027	Comment from Meghan Lempa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16197	Comment from ReNae Nowicki
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11028	Comment from J Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16200	Comment from Rebecca Hoeschler

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11029	Comment from Ann Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16201	Comment from Steve Reed
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11030	Comment from Lois Ruble	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16202	Comment from Cynthia Murphy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11031	Comment from Barbara Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16203	Comment from yvonne butler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11032	Comment from Jesse Kessler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16204	Comment from Martha W D Bushnell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11033	Comment from Peggy Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16205	Comment from Patricia Mctigue
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11034	Comment from Wendy Diamond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16206	Comment from Nancy Klukowski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11035	Comment from Robert Mize	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16207	Comment from barbara steinberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11036	Comment from Gustaf Sarkkinen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16208	Comment from Gloria Albert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11037	Comment from Jesse Kessler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16209	Comment from Alison Hewitson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11039	Comment from Stephen Andersen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16210	Comment from Trigg Wright
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11040	Comment from Frances Harriman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16211	Comment from Marie Zwicker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11041	Comment from Jeffrey Dix	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16212	Comment from Clinton Roche
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11042	Comment from Nancy Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16213	Comment from Kathleen Lee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11043	Comment from Kim Rutkowski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16214	Comment from Piero Soligo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11044	Comment from Adrienne Pritchard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16215	Comment from Sandra Briggs
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11045	Comment from Melodie Middlebrooks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16216	Comment from Tony Menechella
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11046	Comment from Craig Robinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16217	Comment from Sharon Fortunak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11047	Comment from Sandra Cobb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16218	Comment from Lynn Ricci
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11048	Comment from Alix Bowman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16219	Comment from Karen Kawszan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11049	Comment from Ilya Speranza	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16220	Comment from Kathryn Bienemann
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11050	Comment from Kristi Turner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16221	Comment from Danielle Hipworth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11051	Comment from Marce Walsh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16222	Comment from Andrelene Babbitt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11052	Comment from Cheryl Vana	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16223	Comment from Gerald Brookman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11053	Comment from Lester Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16224	Comment from Thomas Kuehler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11054	Comment from Diana Duffy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16225	Comment from Michele Chernis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11055	Comment from Kirk Rhoads	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16226	Comment from Linda Lokensgard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11056	Comment from Steve Donoso	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16227	Comment from Marcy Wasinski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11057	Comment from Veronica Bourassa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16228	Comment from Tara Egan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11058	Comment from Thomas Cooney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16229	Comment from Alan Robert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11059	Comment from Scott Harris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16230	Comment from David Crawford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11060	Comment from Pat Marriott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16231	Comment from DARRELL DISHMAN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11061	Comment from Mollie Baker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16232	Comment from Maryann Cuddeback
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11062	Comment from William Huber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16233	Comment from Kathleen Moore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11063	Comment from Harry Heiden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16234	Comment from Danielle Spitz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11064	Comment from Marilyn Fuller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16235	Comment from Heather Murphy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11065	Comment from Sandra Varvel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16236	Comment from Anne Baker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11066	Comment from William Odonnell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16237	Comment from Jake Elfenbein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11067	Comment from Pam Rensch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16238	Comment from Amy Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11068	Comment from Dave Frank	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16239	Comment from Marsha Stanek
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11069	Comment from Julie Moylan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16240	Comment from Carol Bishop
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11070	Comment from Laura Silverman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16241	Comment from Beth Stein

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11071	Comment from Cindy Borske	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16242	Comment from Randa Bitar
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11072	Comment from Kim Beeler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16243	Comment from Jodi Daniels
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11073	Comment from David Stetler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16244	Comment from Darla Wood
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11074	Comment from DAVID KASTELINE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16245	Comment from Randa Nahra
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11075	Comment from Nina Wouk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16246	Comment from Carrie Darling
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11076	Comment from Arthur Reynolds	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16247	Comment from Tammy Haller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11078	Comment from Mark Trumbull	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16248	Comment from Thomas Roy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11079	Comment from Jack Schonewolf	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16249	Comment from Veronica Bourassa
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11080	Comment from Michelle Rice	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16250	Comment from Ashton Still
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11081	Comment from Sheila Spencer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16251	Comment from George Casner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11082	Comment from M D	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16252	Comment from Catherine Williams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11083	Comment from Donna Varcoe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16253	Comment from Susan Porter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11084	Comment from Sallie Donkin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16254	Comment from steven zimmerman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11085	Comment from Roberta Young	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16255	Comment from donna hotes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11086	Comment from Michele Anthony	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16256	Comment from Brett Cohen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11087	Comment from Paul Brooks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16257	Comment from Osh Morethstorm
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11088	Comment from Bonnie MacRaith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16258	Comment from Amanda Moore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11089	Comment from Randy Harrison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16259	Comment from Katarina Lang
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11090	Comment from Donald Mackay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16260	Comment from Michele Cataldo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11091	Comment from Janet Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16261	Comment from Gary Goetz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11092	Comment from Louis Drinkwater	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16262	Comment from ROBERT MAHER
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11093	Comment from David Dewenter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16263	Comment from Thomas Cox
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11094	Comment from amy pick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16264	Comment from Jennifer Rozler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11095	Comment from Dennis Sweeney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16265	Comment from Jane Hersey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11096	Comment from Irene Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16266	Comment from Alice Gard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11097	Comment from Lore Weber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16267	Comment from Gina Cashier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11098	Comment from Chris Loo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16268	Comment from Dana Woods
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11099	Comment from Peter Cutting	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16269	Comment from Stephen Dutschke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11100	Comment from Patrick Grady	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16270	Comment from Anne Pinkerton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11101	Comment from bruce hirayama	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16271	Comment from Marilyn Alessandra
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11102	Comment from Wolfgang burger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16272	Comment from Susan Morseth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11103	Comment from Becky Keenan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16273	Comment from Susan Reichel Halverson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11104	Comment from Margaret DeMott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16274	Comment from Lawrence Jackson Rosen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11105	Comment from Renae Beeker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16275	Comment from Susan Horthy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11106	Comment from margo wyse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16276	Comment from Cathy McDow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11107	Comment from Dennis Dougherty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16277	Comment from Cathy Reynolds
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11108	Comment from John Heigl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16278	Comment from Suz CERNIGLIA
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11109	Comment from Debi Griepsma	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16279	Comment from Karen Brant
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11110	Comment from Lilli Ross	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16280	Comment from Jane Van Haaften
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11111	Comment from Dan Murray	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16281	Comment from Pamela Sweeney
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11112	Comment from daniel volpatti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16282	Comment from Claude English

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11113	Comment from Raymond Santiago	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16283	Comment from Laura Long
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11114	Comment from Karen Collins-Fleming	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16284	Comment from Rosalie DeVore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11115	Comment from Brian Christian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16285	Comment from Elizabeth Balvin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11116	Comment from melinda armistead	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16286	Comment from Julie Kirsh
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11117	Comment from Nancy burger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16287	Comment from Sandra Woodall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11118	Comment from Marilyn Mick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16288	Comment from Susan Tucker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11119	Comment from Summer Buzzell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16289	Comment from Chris Kosta
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11120	Comment from Gale Swiontkowski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16290	Comment from Maria Vazquez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11121	Comment from James Byers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16291	Comment from sue carpenter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11122	Comment from Tiffany Coley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16292	Comment from Jana Pendragon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11123	Comment from Maxine Bernstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16293	Comment from Chris Lewis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11124	Comment from Rande Mandelblatt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16294	Comment from Julie Miro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11125	Comment from Blair Kangley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16295	Comment from Melisa McMannis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11126	Comment from Richard Taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16296	Comment from Lisa Nathan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11127	Comment from Claudia Richner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16297	Comment from Tara Mudry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11128	Comment from Patricia Pook	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16298	Comment from Lynne Casner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11129	Comment from THOMAS KLUSARTZ	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16299	Comment from Keith D'Alessandro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11130	Comment from Jennifer Andrews	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16300	Comment from james hughes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11131	Comment from Lyda Stillwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16301	Comment from Dorene Randall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11132	Comment from Richard Romito	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16302	Comment from Laurry Michlin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11133	Comment from Barbara Langan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16303	Comment from Janine Nordquist
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11134	Comment from Phyllis White	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16304	Comment from David Stewart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11135	Comment from Nancy Tucker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16305	Comment from Gavin Bornholtz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11136	Comment from Theresa Baroni	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16306	Comment from Michael Flees
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11137	Comment from CAROL THOMPSON	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16307	Comment from Vivian Sciacca
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11138	Comment from Christina Beliveau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16308	Comment from Marliene Fuller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11139	Comment from Bob P.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16309	Comment from Tracy Weldon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11140	Comment from Richard Alley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16310	Comment from Susan Shurow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11141	Comment from Carolita McGee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16311	Comment from Adam Udovich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11142	Comment from Earl Poteet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16312	Comment from Dana Ward
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11143	Comment from Cheryl Pokomo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16313	Comment from Peggi Martin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11144	Comment from Gerry Stamper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16314	Comment from Peter Thoegersen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11145	Comment from Joe Tutt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16315	Comment from J M Harris
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11146	Comment from Adriana Bernstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16316	Comment from louis koczi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11147	Comment from David Stone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16317	Comment from LeeAllen Meyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11148	Comment from Rael MD	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16318	Comment from Pamyllie Greinke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11149	Comment from Robert Jansen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16319	Comment from Katherin Balles
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11150	Comment from Sue McNally	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16320	Comment from Michael Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11151	Comment from Julie Krasin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16321	Comment from Nancy Loftin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11152	Comment from Jade Madrid	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16322	Comment from Maureen Porcelli
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11153	Comment from Diana Maxell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16323	Comment from LaVaughn Standridge

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11154	Comment from Donna Sherman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16324	Comment from Glen Wetzel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11155	Comment from Karla Hinton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16325	Comment from Etienne DiPaolo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11156	Comment from Michael Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16326	Comment from Carole Mathews
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11157	Comment from Niki Wise	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16327	Comment from Katie Acomb
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11158	Comment from Kristen R	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16328	Comment from Mary Erickson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11159	Comment from Melissa Cleaver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16329	Comment from Tara Strand
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11160	Comment from Kevin Wiker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16330	Comment from Ikuko Hibbs
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11161	Comment from Evelyn Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16331	Comment from Diane Pease
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11162	Comment from Tom Wardell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16332	Comment from Rebecca Paulson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11163	Comment from Bill O'Brien	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16333	Comment from PJ Vasconcellos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11164	Comment from Michael Pan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16334	Comment from Mary Baker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11165	Comment from Howard Whitaker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16335	Comment from Marie Colvin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11166	Comment from Sharon Evans-Ford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16336	Comment from Steve & Nancy Gould
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11167	Comment from George Schneider	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16337	Comment from Meredith Priestley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11169	Comment from Christopher Sechow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16339	Comment from Dolores Harrison
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11170	Comment from Stuart Weiss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16340	Comment from Kyle Kinkade
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11172	Comment from Andrew Bear	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16341	Comment from Don Thompson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11173	Comment from Sandra Franz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16342	Comment from Harriet Levine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11174	Comment from Lorraine Gray	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16343	Comment from Magdalena Craig
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11176	Comment from Ben Earle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16344	Comment from Cathy Martin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11177	Comment from Kristine Winnicki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16345	Comment from Anna Marie Soper
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11178	Comment from Nancy Warlick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16346	Comment from Marlene Lowery
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11179	Comment from Pattie Meade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16347	Comment from Susan Glarum
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11180	Comment from vicki hughes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16348	Comment from Eve Danner Lentz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11181	Comment from ROMULA NAVARRO	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16349	Comment from wendy howes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11182	Comment from Angie F.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16350	Comment from Vianney Ventura
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11183	Comment from marilyn evenson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16351	Comment from Kathleen Pearson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11184	Comment from Suzy Juncker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16352	Comment from Kirk Rhoads
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11185	Comment from A. Albanese	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16353	Comment from Nigel Sawyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11186	Comment from Autumn-Ray Russell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16354	Comment from ann tagawa
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11187	Comment from Debora Michel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16355	Comment from Paula Mahoney
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11188	Comment from N M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16356	Comment from Wally Bubelis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11189	Comment from Sarah Hafer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16357	Comment from Kelly Fiske
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11190	Comment from Michael Oblander	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16358	Comment from Lisa Zafar
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11191	Comment from Jonel Stahr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16359	Comment from Susan Schwarz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11192	Comment from Katharine Odell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16360	Comment from Tracey Aquino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11193	Comment from Kristina Paris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16361	Comment from Dona LaSchiava
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11194	Comment from Eva Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16362	Comment from Freda Davis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11195	Comment from Linda Rea	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16363	Comment from Kimberly Seger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11196	Comment from Jaimee Stransky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16364	Comment from Maris Hocking
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11197	Comment from Ariel Stouder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16365	Comment from BC Shelby

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11198	Comment from Amber Murphy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16366	Comment from Julie Brown
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11199	Comment from jon longsworth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16367	Comment from Julie Turner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11200	Comment from Lois Kaufmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16368	Comment from Dixie Mullineaux
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11201	Comment from Shereen Gillette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16369	Comment from Kathie Moore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11202	Comment from Kerby Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16370	Comment from Joanne Oneill
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11203	Comment from Candace Rocha	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16371	Comment from Miranda Allison Young
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11204	Comment from Art Van Kampen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16372	Comment from Kathryn Powers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11205	Comment from Sue Ervin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16373	Comment from Karen Doerr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11206	Comment from William Hayes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16374	Comment from Kathleen Broniak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11207	Comment from Shela Hadley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16375	Comment from Mary Blue
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11208	Comment from Tamara Cain	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16376	Comment from JERRY BALABANIAN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11209	Comment from Dena Schwimmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16377	Comment from Nora Coyle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11210	Comment from Joseph Razo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16378	Comment from alice bennett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11211	Comment from Delia Gerhard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16379	Comment from Carl Stapler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11212	Comment from J Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16380	Comment from Frances Recca
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11213	Comment from Emily Van Alyne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16381	Comment from Patti Mickelsen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11214	Comment from Barbara Ito	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16382	Comment from Sheena Lonecke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11215	Comment from Melva Meyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16383	Comment from Sue Seargent
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11216	Comment from Mark Gotvald	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16384	Comment from Midori Furutate
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11217	Comment from A SHOUSE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16385	Comment from Mark and Patti McMahan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11218	Comment from KEITH KLEBER	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16386	Comment from Shannon Allsop
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11219	Comment from William George	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16387	Comment from Elise Margulis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11220	Comment from Susan Knight	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16388	Comment from suzanne coughlin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11221	Comment from Christine Angeles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16389	Comment from PATRICIA NARDONE
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11222	Comment from Ruby Grad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16390	Comment from Patti Herring
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11223	Comment from G.Dale Mathey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16391	Comment from Randy Blau
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11224	Comment from Richard Rutherford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16392	Comment from Jennifer Miller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11225	Comment from Clare Wheeler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16393	Comment from Rob Rowe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11226	Comment from Ben Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16394	Comment from Deborah Voves
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11227	Comment from Desiree Nagyfy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16395	Comment from Ilene Kazak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11228	Comment from Kimm Carter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16396	Comment from Lauren Contino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11229	Comment from Tom Wendel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16397	Comment from Christine Mullie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11230	Comment from Gretchen Herrmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16398	Comment from Elizabeth Fahy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11231	Comment from Arline Fass	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16399	Comment from Linda Nall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11232	Comment from Judy Fore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16400	Comment from Linda Buckingham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11233	Comment from William Goldberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16401	Comment from Karen Charette
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11234	Comment from Karen Redd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16402	Comment from Nina Arthur
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11235	Comment from Tracey Katsourous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16403	Comment from Stephanie Gutierrez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11236	Comment from Hannah Salvatore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16404	Comment from Mariko Wheeler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11237	Comment from Mary Landrum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16405	Comment from George Latta M D MBA
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11238	Comment from Barry Goldfarb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16406	Comment from Margaret Christensen

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11239	Comment from Michael Fine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16407	Comment from Juliette F Skurka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11240	Comment from William Kenney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16408	Comment from Dianne Croft
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11241	Comment from IHerman Hardy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16409	Comment from Marianne Bentley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11242	Comment from James Bullock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16410	Comment from Steven Strode
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11243	Comment from Perry Gx	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16411	Comment from Laurie Blain
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11244	Comment from lauren horwitz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16412	Comment from Barbara Coy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11245	Comment from Ben Flint	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16413	Comment from Diana Andrews
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11246	Comment from Johanna Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16414	Comment from Lynne Teplin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11247	Comment from Lionel Friedberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16415	Comment from felipe diaz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11248	Comment from Renae Nowicki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16416	Comment from sue mcmullen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11249	Comment from Nancy Schuhrke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16417	Comment from Helen Torosian
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11250	Comment from L. Wilkinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16418	Comment from Jaime Alcantara
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11251	Comment from Diana Lunceford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16419	Comment from Nelson Courser
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11252	Comment from Nalei Kahakalau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16420	Comment from Karen Cucci
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11253	Comment from Wilson Ross	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16421	Comment from Nicola Nicolai
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11254	Comment from Carolyn Hawk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16422	Comment from Sharon Wushensky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11255	Comment from Barbara Scheinman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16423	Comment from Janice Banks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11256	Comment from Julie Maisel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16424	Comment from Gwen Carlson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11257	Comment from Mal Gaff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16425	Comment from Brenda Nieland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11258	Comment from Donalyn Gross	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16426	Comment from Trudy Lannon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11259	Comment from Richard Zimmermann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16427	Comment from Roberta Bech
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11260	Comment from Daphne Lake	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16428	Comment from Bev Lips
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11261	Comment from Randal Little	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16429	Comment from Lynn Pearson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11262	Comment from Christopher Michaels	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16430	Comment from Ricky Gitt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11263	Comment from Willam Ridgeway	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16431	Comment from David Hand
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11264	Comment from Karen Rehm	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16432	Comment from Kathryn Moot
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11265	Comment from Tim Duda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16433	Comment from Ama Latorre
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11266	Comment from Ed Kraynak	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16434	Comment from Thierry Brouzet
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11267	Comment from Marilyn Montgomery	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16435	Comment from Rob Menti
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11268	Comment from Elizabeth Werner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16436	Comment from Desiree Nagyfy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11269	Comment from Margaret Weant-Leavitt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16437	Comment from Amy Cyr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11270	Comment from Deborah Stewart	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16438	Comment from Sydney Dunlap
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11271	Comment from Steven Cypher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16439	Comment from Alice Savage
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11272	Comment from Deborah Henriksen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16440	Comment from Dan Begay
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11273	Comment from Tim Hanson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16441	Comment from Ana Verlaine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11274	Comment from Shane Daly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16442	Comment from Ryan Persad
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11275	Comment from Shana Gerwens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16443	Comment from Kathlene Henry Gorman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11276	Comment from Joelle Porter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16444	Comment from Carol Jagiello
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11277	Comment from Michele Hondo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16445	Comment from Donna McClure
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11278	Comment from Ed Rosenblum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16446	Comment from Carol Latchana
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11279	Comment from Amy Roberts	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16447	Comment from Krista Taylor

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11280	Comment from Bennie Scott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16448	Comment from judy pizarro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11281	Comment from Pat Heron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16449	Comment from Lisa Shea
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11282	Comment from Hilary Rausher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16450	Comment from Barbara Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11283	Comment from Sam holm	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16451	Comment from Laurence Margolis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11284	Comment from C. Brezina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16452	Comment from Vanesa Cascino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11285	Comment from Mark Hollinrake	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16453	Comment from Peter Kahigian
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11286	Comment from John Lopez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16454	Comment from Donna Lozano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11287	Comment from Brookie Judge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16455	Comment from Evelyn Bailey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11288	Comment from Alan Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16456	Comment from Beverly Conway
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11289	Comment from Andy Lynn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16457	Comment from Sherry Byers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11290	Comment from Kelley Jonske	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16458	Comment from Nancy Niemeir
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11291	Comment from M. Baca	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16459	Comment from Paula Andersen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11292	Comment from Miriam Kurland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16460	Comment from janice greenberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11293	Comment from David Kuzmeskus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16461	Comment from Natalia Ilina
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11294	Comment from Nawal Tamimi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16462	Comment from Lance Kammerud
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11295	Comment from Lina Downes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16463	Comment from Barbara Giorgio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11296	Comment from Kathleen Doctor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16464	Comment from Judy Armstrong
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11297	Comment from Mike peale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16465	Comment from Dee Buttimer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11298	Comment from Robert Paterno	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16466	Comment from Nancy Sharak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11299	Comment from Long Pham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16467	Comment from Noreen Michaud
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11300	Comment from Mary Holm	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16468	Comment from Pauline Burak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11301	Comment from Katherine Hutchins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16470	Comment from Wendi Neckameyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11302	Comment from Heather Cross	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16471	Comment from Daniel Polley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11303	Comment from Boril Iordanov	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16472	Comment from Priscilla Trudeau
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11304	Comment from N Coyle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16473	Comment from LESLIE THORP
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11305	Comment from Barbara Ocskai	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16474	Comment from Joel Perkins
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11306	Comment from S T	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16475	Comment from Ron Katz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11307	Comment from Erik Hvoslef	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16476	Comment from Linda Alwardt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11308	Comment from Margaret Schiff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16477	Comment from James Stratman PhD
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11309	Comment from Paula Summers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16478	Comment from christine reel brander
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11310	Comment from Judi Robinson-Kerr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16479	Comment from Roger Hollander
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11311	Comment from Susan Grabowski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16480	Comment from Melissa Grondin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11312	Comment from James Hadcroft	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16481	Comment from Kathleen Love
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11313	Comment from Valeria Mola	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16482	Comment from Tim Porter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11314	Comment from Brian Gray	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16483	Comment from Jeannette Ellis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11315	Comment from Harold Robinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16484	Comment from Mary Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11316	Comment from Lascinda Goetschius	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16485	Comment from Betty Sabo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11317	Comment from Richard Guier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16486	Comment from Frank King
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11318	Comment from Moriah Barth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16487	Comment from Tamara Bragg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11319	Comment from Kathleen Kiselewich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16488	Comment from Susan Thurairatnam
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11320	Comment from dawn rutigliano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16489	Comment from Katie Clifford

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11321	Comment from Don Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16490	Comment from Shawna Upole
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11322	Comment from Priscilla Newcomer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16491	Comment from Vesna Glavina
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11323	Comment from Rhonda Bast	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16492	Comment from Jon Singleton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11324	Comment from John Hitchins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16493	Comment from Catherine Goeggel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11325	Comment from Carlos Arnold	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16494	Comment from Doreen Perry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11326	Comment from Judith Levinton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16495	Comment from Halima Padilla Moyon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11327	Comment from Susan Lilley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16496	Comment from Taryn Braband
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11328	Comment from Marilyn Watkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16497	Comment from Sarah Wiedel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11329	Comment from Sandra Hoppmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16498	Comment from John Comella
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11330	Comment from Marianne Lazarus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16499	Comment from Lynn Costa
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11331	Comment from Laurie Spraga	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16500	Comment from Nathalie Camus
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11332	Comment from kathy haverkamp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16501	Comment from rosemarie Gonzales Mialon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11333	Comment from Bonnie Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16502	Comment from Gayle Martin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11334	Comment from Johann Schumacher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16503	Comment from Rawil Ismail
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11335	Comment from Lory Ono	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16504	Comment from Carol Anderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11336	Comment from Michele Wise	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16505	Comment from Sue DiMoia
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11337	Comment from Allison Matthews	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16506	Comment from Robin Terry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11338	Comment from Liz Wirtz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16507	Comment from Brian Reynolds
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11339	Comment from Aron Silberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16508	Comment from Sheri Carl
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11340	Comment from Dave Roehm	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16509	Comment from Elise Caplan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11341	Comment from Diane Barbera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16510	Comment from John Comella
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11342	Comment from Brian Boortz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16511	Comment from Aggie Shapiro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11343	Comment from Glenn Gawinowicz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16512	Comment from Leslie Engelmeier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11344	Comment from Jonathan Kennedy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16513	Comment from Jen Kraemer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11345	Comment from Jay Denniston	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16514	Comment from Victoria Childers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11346	Comment from Sandra Bonham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16515	Comment from Deb Kilgore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11347	Comment from Natalia Stadelbauer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16516	Comment from Teresa Lyman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11348	Comment from Bryan Wyberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16517	Comment from Tamara Bragg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11349	Comment from Stephanie Larro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16518	Comment from Lynn Bengston
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11350	Comment from Travis Gomez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16519	Comment from Joyce Rossel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11351	Comment from Christine Wrazen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16520	Comment from Mike Grunblatt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11352	Comment from Susan Seban	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16521	Comment from Cathy Wootan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11353	Comment from Clarence Sutton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16522	Comment from Nicholas Huss
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11354	Comment from Ricki Walsh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16523	Comment from Peggy Bow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11355	Comment from Paula Wieser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16524	Comment from Leonard Epstein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11356	Comment from Sandy Beck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16525	Comment from Herbert Lord
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11357	Comment from Jane Schnee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16526	Comment from Catherine Loudis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11358	Comment from Greg Elems	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16527	Comment from Herbert Lord
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11359	Comment from Kathy Kelly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16528	Comment from Rob Myers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11360	Comment from Lynn Costa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16529	Comment from Daniel Grassi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11361	Comment from christy park	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16530	Comment from Joan Martorano

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11362	Comment from Mary Maher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16531	Comment from Monica Mayes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11363	Comment from Stephanie Fairchild	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16532	Comment from Ann VanWagenen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11364	Comment from Lena Fransioli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16533	Comment from Erin Ryan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11365	Comment from Linda Seaver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16534	Comment from chris lewis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11366	Comment from David Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16535	Comment from Susan Siniard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11367	Comment from Justine Shelton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16536	Comment from Ronald Lemmert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11369	Comment from Joyce Olsen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16537	Comment from Adarsh ayyar
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11370	Comment from Ellen Dryer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16538	Comment from Laurel Starr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11371	Comment from B Sitkin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16539	Comment from Michael Lockhart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11372	Comment from Rebecca Welch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16540	Comment from Sandra Oliver Poore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11374	Comment from Dawn Ohlsson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16541	Comment from Marge Kniola
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11375	Comment from Melvin Hughes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16542	Comment from Caitlin Tennant
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11376	Comment from Bruce Barker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16543	Comment from Morgan Meyers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11377	Comment from Andrew Kistler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16544	Comment from Linda Brunner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11378	Comment from Lollie Ragana	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16545	Comment from Lalit Wadhwa
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11379	Comment from Carole Pappas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16546	Comment from Debra Floyd
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11380	Comment from Nadine Larsen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16547	Comment from Julie Marquez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11381	Comment from Marie Weis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16548	Comment from Lynn C Lang
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11382	Comment from Sarah Rowe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16549	Comment from Renata Rollins
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11383	Comment from Kat Noll	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16550	Comment from Barbara Kayser
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11384	Comment from Mark Cosgriff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16551	Comment from Bridget Palecek
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11386	Comment from Fred Fall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16552	Comment from Ellen McCann
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11387	Comment from Duane Choy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16553	Comment from Karen Kirschling
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11388	Comment from Dan Racz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16554	Comment from Ken Martin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11389	Comment from Dan Racz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16555	Comment from Lisa Reich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11390	Comment from Sally Webb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16556	Comment from Jennifer Rankin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11391	Comment from Liz Mahony	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16557	Comment from sonna hosta
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11392	Comment from Carol Levy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16558	Comment from Barbara Ginsberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11393	Comment from Barbara Hatcher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16559	Comment from John Monti
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11394	Comment from Dennis Manning	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16560	Comment from Polly O'Malley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11395	Comment from Marilyn Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16561	Comment from lisa Jacobson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11396	Comment from Nina Hamilton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16562	Comment from Marilyn Filomia Garrett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11397	Comment from Sara Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16563	Comment from Irini Dieringer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11398	Comment from Michael Cloud	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16564	Comment from Isaac Ehrlich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11399	Comment from Margaret Tyska	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16565	Comment from Bruce Cutts
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11400	Comment from Mary Dahl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16566	Comment from Kathy Ford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11401	Comment from sheila munson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16567	Comment from Linda Serfass
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11402	Comment from Joshua Paterno	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16568	Comment from Robert Ferrara
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11403	Comment from Florencia Morales	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16569	Comment from Dean Onessimo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11404	Comment from George Klipfel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16570	Comment from Jess Graffell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11405	Comment from Vic DeAngelo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16571	Comment from DEVIN McCORMICK

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11406	Comment from CHARLENE GLASSMAN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16572	Comment from Joe Piecuch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11407	Comment from Lloyd Hedger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16573	Comment from Kenneth Fisher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11408	Comment from Michael Harkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16574	Comment from Monica Bertoia
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11409	Comment from Kelly Armour	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16575	Comment from holly smallwood
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11410	Comment from Marc Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16576	Comment from Debra Jones
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11411	Comment from Nancy Tucker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16577	Comment from Jared Brenner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11412	Comment from Theresa Morris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16578	Comment from Michael Dearth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11413	Comment from Carol Lake	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16579	Comment from Madeleine Licausi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11415	Comment from Tracey Mangus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16580	Comment from Greta Aul
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11416	Comment from Ronit Corry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16581	Comment from Krystal Rietzner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11417	Comment from Katie Wood	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16582	Comment from kalina veintimilla
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11418	Comment from Marian Blue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16583	Comment from Marie Raich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11419	Comment from Eric McLaughlin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16584	Comment from Renae McKeon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11420	Comment from Carol g	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16585	Comment from Linley Fray
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11421	Comment from Kathleen Lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16586	Comment from Sheila Powers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11422	Comment from Terry King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16587	Comment from Marco Pardi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11423	Comment from Marci Cochran	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16588	Comment from lisa fisk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11424	Comment from Erin Neubauer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16589	Comment from Nancy Pointer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11425	Comment from Charlene J	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16590	Comment from Martin Horwitz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11426	Comment from Ann McDermott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16591	Comment from Sharon Hesse
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11427	Comment from Virginia Stone-Meyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16592	Comment from Wrenn Reed
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11428	Comment from Matthew Bergles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16593	Comment from Kathy Bradley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11429	Comment from Daniel Hawley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16594	Comment from Brenda Harper
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11430	Comment from Harriett Pooler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16595	Comment from Michael Fine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11431	Comment from Kimberly Vaz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16596	Comment from Linda Pezzullo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11432	Comment from Gordon Parker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16597	Comment from Probyn Gregory
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11433	Comment from Peter Broderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16598	Comment from Rosanne Anderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11434	Comment from David Snope	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16599	Comment from Nancy Thelot
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11435	Comment from Norman Traum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16600	Comment from Susie Cassens
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11436	Comment from Lisa Goldman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16601	Comment from Claire Flewitt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11437	Comment from Rosemarie Paolinelli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16602	Comment from Doreen Gruchawka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11438	Comment from Carol Stevens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16603	Comment from Sarah Stewart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11439	Comment from Debra Taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16604	Comment from Maria Mariorenzi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11440	Comment from Dan Mohl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16605	Comment from El Pe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11441	Comment from Brenda Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16606	Comment from karen stickney
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11442	Comment from Ada Sneddon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16607	Comment from Marlene Chomsky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11443	Comment from Robin Kory	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16608	Comment from Tina Wilson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11444	Comment from Darren Strain	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16609	Comment from Ronda Emmrich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11445	Comment from Marilyn Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16610	Comment from MARY ROJESKI
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11446	Comment from R Weiss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16611	Comment from Nancy Shulman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11447	Comment from Laura LaRocca	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16612	Comment from Michelle Macy

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11448	Comment from Lynn Rambo-Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16613	Comment from Andrea Amar
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11449	Comment from Karen Bond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16614	Comment from Linda Ashman Hicks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11450	Comment from Denise Ress	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16615	Comment from Elizabeth Garratt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11451	Comment from Gregory Strauss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16616	Comment from Suzanne Winter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11452	Comment from Shel Neu	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16617	Comment from Albert Fecko
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11453	Comment from Patricia Lauer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16619	Comment from John Borland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11454	Comment from Terry Travis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16620	Comment from Joei Fischer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11456	Comment from Blass Jaqui	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16621	Comment from Dawn Albanese
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11457	Comment from Susan Tjarks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16622	Comment from Nelson S
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11458	Comment from Mark Feldman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16623	Comment from Sylvia L Gutierrez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11459	Comment from maureen lynch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16624	Comment from David Harris
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11460	Comment from Kathy Bradley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16625	Comment from Barbara Porter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11461	Comment from Grace Pan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16626	Comment from Suzanne Estus
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11462	Comment from Terry Proeger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16627	Comment from Perry Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11463	Comment from Marianne Hoffman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16628	Comment from Chris witmer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11464	Comment from Norm Doebel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16629	Comment from Leslie Pfost
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11465	Comment from Zachary Todd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16630	Comment from Denise Hall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11466	Comment from Juliann Rule	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16631	Comment from Cheryl Eames
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11467	Comment from MonicaL Colgan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16632	Comment from Lillian Hyland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11468	Comment from Janet Hellweg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16633	Comment from Rickey Buttery
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11469	Comment from Tracy Crawford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16634	Comment from Elizabeth Chiribi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11470	Comment from John Ota	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16635	Comment from Andrew Jackson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11471	Comment from Richard Yust	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16636	Comment from Debra White
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11472	Comment from Gary Moore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16637	Comment from Lynn Forsht
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11473	Comment from Rudy Ramp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16638	Comment from Maureen Morse
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11474	Comment from Sarah ECKBERG-STEVENS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16639	Comment from Mary Leary
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11475	Comment from Laurel Eckert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16640	Comment from Marilyn Greenberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11476	Comment from Diane Soddy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16641	Comment from Anna Hamre
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11477	Comment from Christina Lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16642	Comment from Tammy Luppino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11478	Comment from Robert Cassinelli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16643	Comment from Christopher Wall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11479	Comment from Jessica Motta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16644	Comment from Mel Apodaca
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11480	Comment from John Wyatt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16645	Comment from Sharon Bunch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11481	Comment from Annie McMahon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16646	Comment from Cindy Dupray
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11482	Comment from Jamie Green	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16647	Comment from Susan Palmer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11483	Comment from Jan DAllessandro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16648	Comment from karen winnubst
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11484	Comment from Faith Herschler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16649	Comment from Constantine Bogios
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11485	Comment from Donna Rader	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16650	Comment from Jason Bowman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11486	Comment from Anthony Colangeli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16651	Comment from Keith Kirsch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11487	Comment from Faith Kauffmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16652	Comment from Keith Wilkins
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11488	Comment from Catherine Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16653	Comment from Stephen Sprowls
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11489	Comment from James Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16654	Comment from Joann Ramos

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11490	Comment from Diane Weinstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16655	Comment from Jerald VandeVoort
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11491	Comment from Patrick Marooney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16656	Comment from Sharyn Shubert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11492	Comment from betty winholtz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16657	Comment from Charlie Burns
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11493	Comment from Christopher Moyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16658	Comment from Natacha Lascano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11494	Comment from Amanda Gordon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16659	Comment from Dawn Kosec
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11495	Comment from Robert Ortiz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16660	Comment from Mr Lynnward Lacy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11496	Comment from Sonia Ness	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16661	Comment from Amber Kuppert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11497	Comment from Dawn Clarke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16662	Comment from Susan Preston
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11498	Comment from Leland Wiggam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16663	Comment from Nadia Burns
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11499	Comment from William Wekselman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16664	Comment from Hilary Zankel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11500	Comment from Lillian Swindell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16665	Comment from Debra Spear
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11501	Comment from John Beck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16666	Comment from Beverly Menosky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11502	Comment from vicki jenkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16667	Comment from John Kirchner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11503	Comment from Joanna Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16668	Comment from John Lopez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11504	Comment from James Knott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16669	Comment from Lisa Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11505	Comment from Patricia Coleman-Cordella	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16670	Comment from Jeanne Faust
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11506	Comment from Joseph Boone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16671	Comment from Dana Barela
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11507	Comment from Carl Van Dyke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16672	Comment from P Nunez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11508	Comment from Allen Altman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16673	Comment from Lorilie Morey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11509	Comment from Cynthia Hellmuth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16674	Comment from Arthur Schurr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11510	Comment from Lorena Cox	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16675	Comment from Linda duke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11511	Comment from Sandra Wilson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16676	Comment from Lois Lommel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11512	Comment from Kathy Silvey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16677	Comment from Maria Asteinza
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11513	Comment from Jackie Ramirez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16678	Comment from Gwenn Schemer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11514	Comment from Oliver Weltzien	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16679	Comment from Barb Galordi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11515	Comment from Shawn Blaesing	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16680	Comment from John Joadwine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11516	Comment from casee maxfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16681	Comment from Jeannette Allan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11517	Comment from Donald Hunt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16682	Comment from Nancy Heintz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11518	Comment from Charlie Burns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16683	Comment from Marc Lionetti
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11519	Comment from JOHN DEISS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16684	Comment from Joan Ford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11520	Comment from Gary Cantara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16685	Comment from Christine Fearing
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11521	Comment from Elizabeth Thorpe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16686	Comment from Andrew Hellingner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11522	Comment from Gail Donath	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16687	Comment from Julia Wziontka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11523	Comment from Charlie Burns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16688	Comment from Sonnta Simon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11524	Comment from Lorenza Amico	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16689	Comment from Tina Zenko
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11525	Comment from Tony Segura	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16690	Comment from Ellyn De Guida
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11526	Comment from Ralph Collier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16691	Comment from Debbie McCarthy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11527	Comment from Charlie Burns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16692	Comment from jennifer valentine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11528	Comment from Corinna Hasbach	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16693	Comment from Melinda Tossani
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11529	Comment from Sharen Oxman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16694	Comment from Traci Moreno
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11530	Comment from Becky Calhoun	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16695	Comment from Karen Parker

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11531	Comment from Catherine Palmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16697	Comment from Bianca Tenneriello
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11532	Comment from Ann Collins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16698	Comment from Laura Pakaln
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11533	Comment from Vance Arquilla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16699	Comment from Gina Ness
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11535	Comment from Jeffrey Meyers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16700	Comment from Jan Dougherty
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11536	Comment from Deborah cummins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16701	Comment from MICHAEL NEWMAN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11537	Comment from John Lampson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16702	Comment from carolyn massey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11538	Comment from Tonia Howe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16703	Comment from Robin Bousquet
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11539	Comment from Henry Coleman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16704	Comment from Heather Dunford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11540	Comment from Priscilla Martinez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16705	Comment from Ginny Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11541	Comment from Debra Elder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16706	Comment from KATHRYN WATKINS
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11542	Comment from Alice Burns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16707	Comment from Kathy Alcott
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11543	Comment from Christine Koehler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16708	Comment from Grayson Torgersen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11544	Comment from Elizabeth Cherubin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16709	Comment from Valerie Mccarthy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11545	Comment from Anne Wolfenbarger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16710	Comment from Stephan Donovan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11546	Comment from Angela Celli-Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16711	Comment from J Moye
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11547	Comment from Margaret Stofsky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16712	Comment from alli cohen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11548	Comment from James Neal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16713	Comment from Irini Dieringer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11549	Comment from Jan Leath	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16714	Comment from Valeri Caprio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11550	Comment from Juanita Westberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16715	Comment from Jessica Rocheleau
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11551	Comment from ALEXANDRA DiGiacomo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16716	Comment from Laura Lyons
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11552	Comment from Christine FitzGerald	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16717	Comment from Stephanie C Fox
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11553	Comment from B.J. Herbison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16718	Comment from James Chittenden
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11554	Comment from Esther Frances	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16719	Comment from Brad Krestakos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11555	Comment from Cathy Finley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16720	Comment from William Turner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11556	Comment from claire cohen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16721	Comment from denise suskie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11557	Comment from Doug Dunkle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16722	Comment from Sarah Bracken
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11558	Comment from Pamela Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16723	Comment from Anthony Calvelage
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11559	Comment from Nonna Noto	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16724	Comment from Eileen O'Connell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11560	Comment from Norda Gromoll	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16725	Comment from Norm Mika
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11561	Comment from Sheila Tran	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16726	Comment from Mary Ann Clark
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11562	Comment from Gail Battaglia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16727	Comment from Pamala McKenna
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11563	Comment from Roger Hollander	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16728	Comment from Felicia Chase
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11564	Comment from Robert Findlay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16729	Comment from Kathy Geyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11565	Comment from Candice Lowery	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16730	Comment from Julia Ballard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11566	Comment from Heather Walters	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16731	Comment from Viktoria Cohen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11567	Comment from Cammy Colton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16732	Comment from Cynthia Narkoff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11568	Comment from Lisa Deville	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16733	Comment from LYNDA ERICKSON
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11569	Comment from Claire Nordvik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16734	Comment from M B
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11570	Comment from Cammy Colton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16735	Comment from Loren Marks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11571	Comment from Maren Kentfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16736	Comment from Dawn Farr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11572	Comment from Michelle Yarber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16737	Comment from Carol Baier

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11573	Comment from thomas lux	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16738	Comment from alicia jackson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11574	Comment from Marlene Campanella	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16739	Comment from kathleen fernandez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11575	Comment from Richard Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16740	Comment from Jackie Casano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11576	Comment from Nancy Breslin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16741	Comment from Greg Rosas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11577	Comment from Bruce Blum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16742	Comment from Raisa Hebra
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11578	Comment from Rozalind Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16743	Comment from Barbara Schatz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11579	Comment from gerald kuhn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16744	Comment from Debra Cross
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11580	Comment from Hunter Klapperich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16745	Comment from Anna Freed
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11581	Comment from Vikki Blondin-smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16746	Comment from Joe R
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11582	Comment from Theresa Morris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16747	Comment from Benita J Campbell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11583	Comment from Shirley Collins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16748	Comment from Lynette Belew
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11584	Comment from Debra Goodrich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16749	Comment from Dori Bailey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11585	Comment from Andrea Jordan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16750	Comment from Debra Cross
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11586	Comment from Charlie Palmgren	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16751	Comment from Ben Ruwe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11587	Comment from Joan Peter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16752	Comment from Margaret Tan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11588	Comment from Frederick Lucies	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16754	Comment from Joy Smiley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11589	Comment from Karen Hauser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16755	Comment from Palmeta Baier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11590	Comment from Ellen Gugel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16756	Comment from Mary Presnell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11591	Comment from Hugh Harwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16757	Comment from Palmeta Baier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11592	Comment from Marge Taniwaki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16758	Comment from Aliaa Abdel Gawad
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11593	Comment from Cheryl Scher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16759	Comment from Tina Noland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11594	Comment from Pat Rose	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16760	Comment from Sandra Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11595	Comment from Laurie Toner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16761	Comment from David Mitchell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11596	Comment from Tammy Rohatynski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16762	Comment from Jane Schnee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11597	Comment from Liz Dyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16763	Comment from Michelle Redington
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11598	Comment from Patricia Poole	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16764	Comment from Kerrie Shisila
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11599	Comment from Judy Shively	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16765	Comment from Joan Hansen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11600	Comment from Christopher Brown	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16766	Comment from Gino Czaster
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11601	Comment from Joey Henson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16767	Comment from Barbara Harper
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11602	Comment from Troy Bidwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16768	Comment from Ron Goldberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11603	Comment from Timothy Schacht	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16769	Comment from Timothy Hall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11604	Comment from Kaylene Schultz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16770	Comment from Susan Thornton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11605	Comment from Stephen MacAusland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16771	Comment from Rhetta Walter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11606	Comment from Damon Brown	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16772	Comment from Sarah ECKBERG STEVENS
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11607	Comment from James Comeau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16773	Comment from Michael Nush
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11608	Comment from Roberta Aber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16774	Comment from John Joadwine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11610	Comment from Cathy Grassi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16775	Comment from Roxanne Donohue
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11611	Comment from Shauna Boyd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16776	Comment from Julia richardson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11612	Comment from BARBARA GRAPER	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16777	Comment from Mari Mennel Bell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11613	Comment from Mary Keil	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16778	Comment from Robert Ricewasser
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11614	Comment from joyce wisdom	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16779	Comment from Ruth Boice

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11616	Comment from Nancy Ellingham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16780	Comment from Beverly Hoff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11618	Comment from Peter Townsend	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16781	Comment from jennifer valentine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11619	Comment from David Kelley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16782	Comment from Traci Moreno
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11620	Comment from uly silkey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16783	Comment from Chris Busby
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11621	Comment from Gill Fahrenwald	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16784	Comment from Bianca Tenneriello
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11622	Comment from Michael Daley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16785	Comment from DAN RATKOWSKI
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11623	Comment from E. Neal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16786	Comment from Casey Kaemerer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11624	Comment from Kimble Darlington	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16787	Comment from jon kiesling
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11625	Comment from Karen Bravo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16788	Comment from Kathy Bradley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11626	Comment from Jason LaBerge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16789	Comment from Luke Metzger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11627	Comment from Kathleen Medina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16791	Comment from Claire Chambers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11628	Comment from Adi S	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16792	Comment from Deirdre Davis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11629	Comment from Richard Shannahan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16793	Comment from Amanda Thompson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11630	Comment from Abigail Gindele	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16794	Comment from Riley Madden
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11631	Comment from Kathy Ralph	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16795	Comment from Karen Burroughs
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11633	Comment from Gerald McNellis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16796	Comment from Karen Roland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11634	Comment from Eric Edwards	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16797	Comment from Kathleen Mc Mahon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11635	Comment from Marilyn Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16798	Comment from Patricia Smetanka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11636	Comment from Susan Reid	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16799	Comment from Cheryl Krause
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11637	Comment from Marilyn Baldo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16800	Comment from Charles Nohava
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11638	Comment from Patrece Meza	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16801	Comment from Bryan Ham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11639	Comment from Joseph Walseth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16802	Comment from Diana Lewis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11640	Comment from Carmen Wiseman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16803	Comment from Pam Gagliardo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11641	Comment from Dawn Kosec	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16804	Comment from Tisha Bahena
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11642	Comment from Patricia PERRON	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16805	Comment from gerald gushleff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11643	Comment from Marta Dawes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16806	Comment from Seth Coffey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11644	Comment from Denise Brown	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16807	Comment from Brenda Peterson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11645	Comment from James Courneen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16808	Comment from Bria Minnis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11646	Comment from Darlene Noesen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16809	Comment from Nancy Thelot
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11647	Comment from Emily Dickinson-Adams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16810	Comment from Steven Urquhart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11648	Comment from Rachel Ford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16811	Comment from Leslie Hickcox
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11649	Comment from Vicki Black	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16812	Comment from Karyn Sederberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11650	Comment from Elaine Russell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16813	Comment from Jessica B
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11651	Comment from Lisa Mistretta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16814	Comment from J Grause
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11652	Comment from Andi Shotwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16815	Comment from Maggie Topalian
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11653	Comment from Nancy Walsh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16816	Comment from Amy Carpenter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11654	Comment from C.C. Hollis-Franklyn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16817	Comment from Aaron Ucko
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11655	Comment from Henry Mobley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16818	Comment from Anne Meadows
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11656	Comment from Jean Mixer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16819	Comment from Rochelle Massey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11657	Comment from Gale Lord	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16820	Comment from Melissa Rondilla
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11658	Comment from Lydia Clifton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16821	Comment from Beverly Eadie

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11659	Comment from Emanuel Falcone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16822	Comment from dawn rutigliano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11660	Comment from Michele Fisk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16823	Comment from Sarah Cardinale
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11661	Comment from Cindy Grimes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16824	Comment from Michelle Daniels
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11662	Comment from Mark Fiore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16825	Comment from Wendy Niemeyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11663	Comment from Vito Degrioli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16826	Comment from Izabella Dabrowski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11664	Comment from Bridget Irons	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16827	Comment from Roy Coleman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11665	Comment from Katherine Brock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16828	Comment from Karen Guarino Spanton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11666	Comment from Mary Adkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16829	Comment from Monika Keller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11667	Comment from Michele Blackwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16830	Comment from Elizabeth Javinsky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11668	Comment from Julie Richards	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16831	Comment from Natalia Klimova
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11669	Comment from Beth Braun	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16832	Comment from Cece Samp
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11670	Comment from Michael Tucker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16833	Comment from Shannon Montoya
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11671	Comment from Sharon Newman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16834	Comment from Vernon Weir
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11672	Comment from Louise Zimmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16835	Comment from Sam Catron
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11673	Comment from Janice Le Blanc	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16836	Comment from Gordon Kanan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11674	Comment from Gabriel Amaro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16837	Comment from Marcine McBride
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11675	Comment from joe karr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16838	Comment from Bill Rubin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11676	Comment from Lisa Hammermeister	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16839	Comment from Thomas Kendrick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11677	Comment from Tara Strand	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16840	Comment from Lindalou Dunphy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11678	Comment from Monica Trujillo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16841	Comment from Karin Rettig
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11679	Comment from Marcia Rogers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16842	Comment from Arthur Eldridge
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11680	Comment from Elizabeth Garratt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16843	Comment from Suzanne Cook
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11681	Comment from Earl Grove	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16844	Comment from Christine Bodner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11682	Comment from Matthew Janusauskas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16845	Comment from Theresa Sivori
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11683	Comment from Thomas Brandes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16846	Comment from Paula Stevens
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11684	Comment from Jaime Grimwood	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16847	Comment from Scott Toland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11685	Comment from Christopher Tobias	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16848	Comment from Lori Williams Philipsen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11686	Comment from Gabriel Amaro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16849	Comment from Renee Arnett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11687	Comment from Gregory Penchoen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16850	Comment from Terry Strauss
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11688	Comment from Rhoda Levine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16851	Comment from Andrea Lazar
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11689	Comment from Kristin Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16852	Comment from Yvette LaRosr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11690	Comment from Paul Marceau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16853	Comment from Patricia Rossi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11691	Comment from Karen Orner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16854	Comment from Joe R
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11692	Comment from Sgt. Palloc	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16855	Comment from Clarissa Marsh
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11693	Comment from Paul Marceau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16857	Comment from Maureen Wheeler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11694	Comment from Dorothy Labi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16858	Comment from Debra Cross
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11695	Comment from Barbara Dinger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16859	Comment from Michael Norwood
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11696	Comment from Judy Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16860	Comment from Stuart Weiss
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11697	Comment from Marilyn Brown	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16861	Comment from Heather Ryan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11698	Comment from Robin Fellner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16862	Comment from Jamie Green
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11699	Comment from Philip Englert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16863	Comment from A Rossner

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11700	Comment from Judith Deantonellis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16864	Comment from CHELLY GLANCY
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11701	Comment from Philip Englert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16865	Comment from Gigi vento
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11702	Comment from Stephen Stales	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16866	Comment from Jessie Bacon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11703	Comment from WALTER EMERICH	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16867	Comment from Stacey Dillingham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11704	Comment from Will Richardson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16868	Comment from Palmeta Baier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11705	Comment from MARY EMERICH	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16869	Comment from LANE King
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11706	Comment from Bill DOUGLAS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16870	Comment from Douglas Sedon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11707	Comment from Karen Shoop	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16871	Comment from Pete Sandifer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11708	Comment from Mandee Hernandez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16872	Comment from Edward Dillon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11709	Comment from Nikki Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16873	Comment from Jacob Louviere
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11711	Comment from Marie Hutchens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16874	Comment from Rebecca Vitale Mandich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11712	Comment from Susan MacKenzie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16875	Comment from Michael Villanova
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11713	Comment from John Knoten	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16876	Comment from John Armstrong
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11714	Comment from Brandon Perras	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16877	Comment from ariel spilsbury
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11715	Comment from Joel Vignere	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16878	Comment from Michelle Yarber
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11716	Comment from Cheryl Albert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16879	Comment from Pat Knoop
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11717	Comment from Mara Wiley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16880	Comment from Floencia Morales
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11718	Comment from Summer Devlin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16881	Comment from Diane Weinstein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11719	Comment from Dayna Cooper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16882	Comment from Linda Inness
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11720	Comment from Kathleen Bates	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16883	Comment from K Jackson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11721	Comment from Pamyllie Greinke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16884	Comment from Jana Kitzinger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11722	Comment from Veronica Schweyen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16885	Comment from Margo Margolis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11723	Comment from Deedi dayan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16886	Comment from Marti Schmauss
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11724	Comment from Lisa Krausz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16887	Comment from Valerie Pitaluga
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11725	Comment from kathleen king	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16888	Comment from Margaret Guyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11726	Comment from Arlyn Fernandez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16889	Comment from Margaret Wallace
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11727	Comment from Mark Jennerjohn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16890	Comment from Jeannie Finlay Kochanowski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11728	Comment from Robert Stroud	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16891	Comment from Anna Sanchez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11729	Comment from Christina Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16892	Comment from Jeannette Allan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11730	Comment from Jeanette Desmond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16893	Comment from MATT LOPER
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11731	Comment from Brian Hicks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16894	Comment from Victoria Holzendorf
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11732	Comment from Heidi Wollum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16895	Comment from Donna London
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11733	Comment from Alexis B	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16896	Comment from cherie garrett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11734	Comment from Claudia Mansfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16897	Comment from Shirley Loftis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11735	Comment from David Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16898	Comment from Don Walden
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11736	Comment from Ann Brannan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16899	Comment from Marie Elaina Rago
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11737	Comment from Nancy Heck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16900	Comment from julia French
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11738	Comment from Debbi Pratt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16901	Comment from Carol Modrell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11739	Comment from Cynthia clement	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16902	Comment from Ruth Cole
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11740	Comment from Keith Neuner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16903	Comment from Cornelia Teed
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11741	Comment from Christopher Tumolo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16904	Comment from Moira Landis

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11742	Comment from bart rivezzi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16905	Comment from Darlene Vales
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11743	Comment from JOHN PRYBYLSKI	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16906	Comment from Charles Tetoni
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11744	Comment from Carolyn Stabenow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16907	Comment from Rick Sutton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11745	Comment from V.L. Brandt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16908	Comment from William St George
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11746	Comment from Jo Ellis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16909	Comment from Ken French
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11747	Comment from Susan Yarnell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16910	Comment from Dorothy Chandler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11748	Comment from Heidi Andrade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16911	Comment from Maureen Burke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11749	Comment from Lynn Lichtenberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16912	Comment from Charles Tetoni
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11750	Comment from Jeff Burns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16913	Comment from Missie Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11751	Comment from Susan Dobbelaere	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16914	Comment from Amy Filiano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11752	Comment from Rose Nielsen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16915	Comment from Renee Detore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11753	Comment from DJ Fura	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16916	Comment from Kimberly Gough
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11754	Comment from Steve Berman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16917	Comment from Trevanne Foxton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11755	Comment from Bobbi Segal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16918	Comment from Rachel Holland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11756	Comment from Tracey Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16919	Comment from Melissa Shinneman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11757	Comment from Robert Fladger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16920	Comment from Patricia Mazzoni
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11758	Comment from Carol brickel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16921	Comment from Julia Bottom
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11759	Comment from Barb Crumpacker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16922	Comment from Cheryl Carney
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11760	Comment from Sharon Ketcherside	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16923	Comment from Karen Staples
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11761	Comment from Carmen Nichols	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16924	Comment from Ron and Dorene Richman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11762	Comment from Courtney Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16925	Comment from Nell McBride
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11763	Comment from Shannon Milhaupt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16926	Comment from Kim Frazier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11764	Comment from Lee BBible	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16927	Comment from Donna Roberts
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11765	Comment from Susan Haas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16928	Comment from Jeffery Lambert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11766	Comment from Lynne Rosenfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16929	Comment from Cesarina Somogy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11767	Comment from Mark Redmond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16930	Comment from Marcus N
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11768	Comment from Shannon Milhaupt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16931	Comment from Heather Westphal
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11769	Comment from Charlotte Cook	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16932	Comment from Nilesh Shah
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11770	Comment from Pat Button	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16933	Comment from Debra Cosentino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11771	Comment from pauline bedford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16934	Comment from Kathy Koenig
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11772	Comment from John Foxen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16935	Comment from Allison Fradkin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11773	Comment from Angrika Leverette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16936	Comment from Robert Janusko
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11774	Comment from Devon Benton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16937	Comment from Andy Lynn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11775	Comment from Anne Gregory	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16938	Comment from Gloria Shen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11776	Comment from Pamela Cubberly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16939	Comment from Tonya Morrison
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11777	Comment from Edye Calderon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16940	Comment from Barbara Brown
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11778	Comment from Barbara Cross-Tedesco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16941	Comment from Anita Kuhn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11779	Comment from Lynn Eland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16942	Comment from JOAN MCMUNN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11780	Comment from Pat Pike-Dimel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16943	Comment from Tracy Cheek Cannell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11781	Comment from Phoebe McLeod	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16944	Comment from Brenda Murphy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11782	Comment from Alissa Sollitto	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16945	Comment from Richard Stern

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11783	Comment from C M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16946	Comment from Laurie Franklin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11784	Comment from Georgeanne Samuelson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16947	Comment from fay forman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11785	Comment from Tami Harvey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16948	Comment from Martha Brown
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11786	Comment from Steve Tardif	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16949	Comment from Yolanda Rodriguez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11787	Comment from Evelyn Adams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16950	Comment from Tina Fearnow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11788	Comment from Andrea Castellanos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16951	Comment from Sarah Garn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11789	Comment from William Parkinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16952	Comment from steve kent
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11790	Comment from Jerry Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16953	Comment from Robert Arneach
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11791	Comment from Kassie Wheeler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16954	Comment from Janice Phillips
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11792	Comment from Kathryn Bomey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16955	Comment from Karylee Feldman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11793	Comment from Marty Hertz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16956	Comment from Monique Balaban
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11794	Comment from Anne Kelly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16957	Comment from mark rist
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11795	Comment from Beatriz Pallanes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16958	Comment from Susan Jessen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11796	Comment from lee jordan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16959	Comment from Michele Wise
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11797	Comment from Harrie Kessler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16960	Comment from Nadine Godwin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11798	Comment from John McPeek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16961	Comment from Cathy Nelson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11799	Comment from Cathy Bledsoe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16962	Comment from Riccardo Savi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11800	Comment from Peter Gaudette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16963	Comment from Zo Osteen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11801	Comment from Todd Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16964	Comment from Ann Alsobrook
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11802	Comment from Tracey Bonner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16966	Comment from Jonathan Peter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11803	Comment from Jim Fritch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16967	Comment from Joanne Rist
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11804	Comment from Michael Hegemeyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16968	Comment from Jill Thompson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11805	Comment from Ana Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16969	Comment from Marc Hoffman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11806	Comment from Kathleen Danchise	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16970	Comment from Carolina Valenzuela
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11807	Comment from Barbara Scavezze	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16971	Comment from Timothy RITZ
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11808	Comment from Renette Jasphy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16972	Comment from Jane Bidinian
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11809	Comment from Kristine Jorgensen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16973	Comment from Jane Bidinian
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11810	Comment from Douglas Koch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16974	Comment from Carol Tomusiak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11811	Comment from Susan Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16975	Comment from Richard Ignelzi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11812	Comment from Frank Pilholski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16976	Comment from Dawn Florio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11813	Comment from David Clayman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16977	Comment from Nancy Sidebotham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11814	Comment from Elizabeth MacKelvie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16978	Comment from Patty Watson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11815	Comment from Jane Hartmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16979	Comment from Mark Schemm
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11816	Comment from Carrie Darling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16980	Comment from Mark Schemm
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11817	Comment from Luisa Green	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16981	Comment from Dawn Florio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11818	Comment from Carrie Anthony	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16982	Comment from Yohanna Willheim
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11819	Comment from Sarah Sloane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16983	Comment from Melissa Burchett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11820	Comment from Lorraine Hartmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16984	Comment from Sally Wise
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11821	Comment from George Beasley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16985	Comment from Jean Cheesman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11822	Comment from Michael King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16986	Comment from Margery Gray
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11823	Comment from William Nusbaum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16987	Comment from Linda Townill

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11824	Comment from stephanie miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16988	Comment from Shawn Jones Bunn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11825	Comment from Greg Nicholas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16989	Comment from Karen Freeman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11826	Comment from Sharon Lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16990	Comment from Margaret Benson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11827	Comment from Paula Morgan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16991	Comment from Francine Dellinger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11828	Comment from alison sky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16992	Comment from Lynn Pooley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11829	Comment from Ann Cohen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16993	Comment from DALE HOG Lund
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11830	Comment from Marion Lakatos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16994	Comment from Phyllis Park
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11831	Comment from Rich Hladky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16995	Comment from DARLYNE SCHNEIDER
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11832	Comment from J. F.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16996	Comment from Linda Abbott
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11833	Comment from Kristyn MacPhail	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16997	Comment from Mary Guillet
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11834	Comment from Marvin Guymon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16998	Comment from Laura Clement
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11835	Comment from Robert Keiser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16999	Comment from Stacey Marchig
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11836	Comment from Arline Mathews	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17000	Comment from Mary Guillet
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11837	Comment from Michele St Peter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17001	Comment from Ralph Herman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11838	Comment from Michael Prete	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17002	Comment from Nicholas Prychodko
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11839	Comment from judy pizarro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17004	Comment from Richard Bold
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11840	Comment from Barbara Giorgio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17005	Comment from Sheldon Rosenp
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11841	Comment from Marilee Nagy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17006	Comment from Jolynn Jarboe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11842	Comment from Laurie Tabor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17007	Comment from Tammy Edmonds
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11843	Comment from Roderic Stephens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17008	Comment from Ron Schmidt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11844	Comment from Arline Mathews	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17009	Comment from Denice Eldridge
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11845	Comment from Rosemarie Kozdron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17010	Comment from Debbie Bolsky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11846	Comment from Krista Nordstrom	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17011	Comment from Eric Baizer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11847	Comment from John McArthur	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17012	Comment from william pendergrass
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11848	Comment from Sally Jacques	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17013	Comment from Victoria Shankling
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11849	Comment from James Gonsman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17014	Comment from Jane DeAngelo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11850	Comment from kate nyne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17015	Comment from priscilla martinez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11851	Comment from Mina Bish	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17016	Comment from Gerald Hassett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11852	Comment from Hilary Harris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17017	Comment from Kendra Alexis Nerl
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11853	Comment from D Sizemore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17018	Comment from Robert Carnevale
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11854	Comment from Anna Victoria	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17019	Comment from Sandra Kuschel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11855	Comment from Barb Powell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17020	Comment from Suzanne MacDougall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11856	Comment from Myrna Houle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17021	Comment from James Henriksen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11857	Comment from Susan Gill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17022	Comment from James Jones
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11858	Comment from Hillary Ostrow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17023	Comment from Ron Richter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11859	Comment from Jon Anderholm	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17024	Comment from Ruth Carlson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11860	Comment from Laurel Watson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17025	Comment from Dolores Fifer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11861	Comment from maria mutter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17026	Comment from Janine Ruffo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11862	Comment from Darrel Whipple	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17027	Comment from Sharon Wallace
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11863	Comment from gary ehatt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17028	Comment from Elisabeth Simpson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11864	Comment from Marilee Meyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17030	Comment from Mary McGovern

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11865	Comment from barbara poland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17031	Comment from Shelley Wehberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11866	Comment from Jacqui Tomaszewski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17032	Comment from Nowell Overby
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11867	Comment from Steve Garrett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17033	Comment from Roberta Hamilton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11868	Comment from Susan Vessicchio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17034	Comment from Joanne Purnell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11869	Comment from Ann Tagawa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17035	Comment from Allister Layne
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11870	Comment from Jeanne Mackay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17036	Comment from Debbie Criswell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11871	Comment from Steven Collins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17037	Comment from Geri Ott
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11872	Comment from Ann Tagawa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17038	Comment from Mary D'Errico
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11873	Comment from Chris Berlet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17039	Comment from Kathy Sugarman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11874	Comment from Teree Parman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17040	Comment from Cheryl Gaiefsky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11875	Comment from Vicki Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17041	Comment from Sharon Ann Ridings
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11876	Comment from Mike Whyman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17042	Comment from Mark White
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11877	Comment from Melissa Dorval	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17043	Comment from Vanessa Van Doorne
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11878	Comment from Paula Lozar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17044	Comment from Marilyn Saunders
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11879	Comment from Cindy Lance	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17045	Comment from Vincent Veitas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11880	Comment from Martin Rickman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17046	Comment from Marketa Anderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11881	Comment from ALLEN FREIHOFER	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17047	Comment from Margaret Jenco
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11882	Comment from WILLIAM O'HARE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17048	Comment from Janice Pemberton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11883	Comment from JOHN MCGLADE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17049	Comment from Anita Newman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11884	Comment from Jean Hanson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17050	Comment from Sandra Joos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11885	Comment from Holly Koppenhaver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17051	Comment from Donna Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11886	Comment from Tina Freeman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17052	Comment from Glenda Krause
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11887	Comment from Margaret Shekell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17053	Comment from Deborah Lewis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11888	Comment from Jennifer Noel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17054	Comment from Linda Marshall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11889	Comment from Ron De Stefano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17055	Comment from Liz LaFour
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11890	Comment from Kathleen Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17056	Comment from Sharon Ann Ridings
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11891	Comment from Regina Embry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17057	Comment from Ruthann McDermott
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11892	Comment from Peter Ayres	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17058	Comment from Dario Morell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11893	Comment from Steve Gray	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17059	Comment from Amy Halstead
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11894	Comment from Rob Puc	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17060	Comment from Andy Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11895	Comment from Paige Ziehlermartin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17061	Comment from Brian Gibbons
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11896	Comment from Patricia Walker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17063	Comment from Cheryl Pendola
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11897	Comment from les roberts	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17064	Comment from Donna Marie Slack
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11898	Comment from Mary Baier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17065	Comment from carolyn massey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11899	Comment from Terry Vaccaro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17066	Comment from Paula Aszkler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11900	Comment from g clemson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17067	Comment from Denise Derk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11901	Comment from Kate Bolton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17068	Comment from Ellen Pomeroy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11902	Comment from Cara Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17069	Comment from John Andreykovic
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11903	Comment from John Hawkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17070	Comment from Lorraine Akiba
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11904	Comment from Andrei Harabadji	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17071	Comment from Sue Holtz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11905	Comment from Elisabeth Brisebois	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17072	Comment from Kim Smith

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11906	Comment from Carrie Staton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17073	Comment from Teresa Shelton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11907	Comment from Sheila Dillon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17074	Comment from Diane Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11908	Comment from Cassandra Kirk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17075	Comment from Ann Khambholja
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11909	Comment from Caroline Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17076	Comment from Soretta Rodack
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11910	Comment from Jason Gibson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17077	Comment from Nancy Heck
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11911	Comment from Karen Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17078	Comment from M Davidson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11912	Comment from Carol Whitehurst	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17079	Comment from Nancy Schuhrke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11913	Comment from Karen Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17080	Comment from Barbara Thomas Kruse
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11914	Comment from Jeanne Mackay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17081	Comment from Mike Peale
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11915	Comment from Rayline Dean	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17083	Comment from Rob Walker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11916	Comment from I lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17084	Comment from Richard LaBudie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11917	Comment from Sandy Menden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17085	Comment from Stacy Austin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11918	Comment from Paul Hunrichs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17086	Comment from Ken Bosch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11919	Comment from Stephen Arvay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17087	Comment from Sandra Eschbach
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11920	Comment from Judith Radovsky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17089	Comment from maria ferrero
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11921	Comment from Hazel Champagne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17090	Comment from mike moran
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11922	Comment from Randall Griswold	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17091	Comment from Mark Canright
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11923	Comment from Lynn OShea	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17092	Comment from Michael Tomczyszyn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11924	Comment from Norm Seelbinder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17093	Comment from Debbie Williams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11925	Comment from Sharon Kaylen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17094	Comment from Richard Wallace
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11926	Comment from Marie Musante	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17095	Comment from Rebecca Canright
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11927	Comment from charles rinear	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17096	Comment from Peggy Loveless
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11928	Comment from Dianne Douglas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17097	Comment from Heather Black
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11929	Comment from Robert Boyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17098	Comment from Amy Hansen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11930	Comment from Jeff Harvey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17099	Comment from Terrence Kkysz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11931	Comment from Steven Kennie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17100	Comment from Hardy Kuenzl
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11932	Comment from Karen Spurr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17101	Comment from Ellen Wasfi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11933	Comment from James Helmers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17102	Comment from William Fraley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11934	Comment from Rebecca Gentry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17103	Comment from Nancy Hayden
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11935	Comment from Pat Dingleberry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17104	Comment from Eileen Karzen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11936	Comment from Louise Friedenson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17105	Comment from Tammy Lettieri
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11937	Comment from Sue Covello	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17106	Comment from Madra Christian
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11938	Comment from BETSY BERLIN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17107	Comment from Hannah Lemke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11939	Comment from j g	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17108	Comment from Diana Avery
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11940	Comment from Edda Spielmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17109	Comment from Joanne Tenney
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11941	Comment from irene kubosh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17110	Comment from Tracy Feldman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11942	Comment from Cassy S	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17111	Comment from Nancy Craker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11943	Comment from Patricia Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17112	Comment from Debby Thiel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11944	Comment from Richard Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17113	Comment from Suzi Knee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11945	Comment from Robert Carroll	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17114	Comment from Patricia Browne
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11946	Comment from Katherine Patterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17115	Comment from Esther Friedman

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11947	Comment from Dennis Stephen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17116	Comment from Norm Mika
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11948	Comment from pablo voitzuk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17117	Comment from Judith Peter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11949	Comment from Jim Gear	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17118	Comment from Kathryn Burns
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11950	Comment from Nancy Nelligan-McGarry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17119	Comment from Laura Caseley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11951	Comment from Patricia Blackwell-Masobian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17120	Comment from Sally Maish
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11952	Comment from Donna Held	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17121	Comment from JONATHAN REGITSKY
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11953	Comment from Barbara Sorgeler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17122	Comment from Annette Dekanich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11954	Comment from Malvina Landau-Blake	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17123	Comment from Rebecca Vitale Mandich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11955	Comment from Michael Stricker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17124	Comment from Colleen Wheeler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11956	Comment from Randy Guthrie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17125	Comment from Patty Linder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11957	Comment from Angie Moore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17126	Comment from Pam Harper Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11958	Comment from Vicki Bruno	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17127	Comment from Debbie Stephens
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11959	Comment from Nancy Griffith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17128	Comment from Karen Isaacs
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11960	Comment from AnnMarie Sardineer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17129	Comment from Diane Kuzma
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11961	Comment from Stephen Fitch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17130	Comment from Linda Martinez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11962	Comment from Antonia Chianis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17131	Comment from Melissa Ramundo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11963	Comment from MaryJo Wilkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17132	Comment from Carole Hines
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11964	Comment from Gail Hanford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17133	Comment from Anubhav Chhabra
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11965	Comment from Ana Herrero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17134	Comment from Debra Germain
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11966	Comment from Concepcion Elvira	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17135	Comment from kaja ingelsson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11967	Comment from Amy Cyr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17136	Comment from Tod Foulk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11968	Comment from Kay Reinfried	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17138	Comment from Randy Thomas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11969	Comment from JEAN ALLGOOD	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17139	Comment from Helen Drwinga
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11970	Comment from Ronald Kestler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17140	Comment from Deborah Longino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11971	Comment from Susan Grey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17141	Comment from Carol Makris
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11972	Comment from Kimberly Boden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17142	Comment from Julia Rinaldi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11973	Comment from Christine Daum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17143	Comment from Linda Eidelberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11974	Comment from Corey Schade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17144	Comment from sasha silverstein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11975	Comment from Barney Fortier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17145	Comment from Kirsten White
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11976	Comment from Jann Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17146	Comment from Vicki Peters
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11977	Comment from Tony Marra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17147	Comment from Linda Sparks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11978	Comment from Eric Abrams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17148	Comment from Marge Arnold
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11979	Comment from Carla Taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17149	Comment from Kathy Consagra
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11980	Comment from Paul Bechtel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17150	Comment from Julie MORIN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11981	Comment from Ruthie Bernaert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17151	Comment from Barbara Gregory
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11982	Comment from Righthouse Victoria	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17152	Comment from Gary Babb
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11983	Comment from Lisa Hoch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17153	Comment from Elliot Comunale
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11984	Comment from Tracy Marotta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17154	Comment from Chris Rose
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11985	Comment from Dorothy Battle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17155	Comment from Amy Dozier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11986	Comment from Amy King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17156	Comment from Kathy OBrien
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11987	Comment from Gayle Kerr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17157	Comment from E Neal

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11988	Comment from Anne Van Alstyne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17158	Comment from Hunter Klapperich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11989	Comment from Natalie Youngberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17159	Comment from David Elfin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11990	Comment from Jane Marquet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17160	Comment from Amy Assael
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11991	Comment from Gail Sredanovic	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17161	Comment from Joan Milford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11992	Comment from Mary Dorfman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17162	Comment from Jennifer Rials
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11993	Comment from Elaine Berg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17163	Comment from Adriana Chalson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11994	Comment from toni logan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17164	Comment from Dr Lori Ugolik
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11995	Comment from Karen giugno	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17165	Comment from Rosemary Bernier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11996	Comment from Elizabeth Nation	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17166	Comment from LISA MACCARO
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11997	Comment from Jacqueline Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17167	Comment from Mark Giordani
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11998	Comment from Linda Muntner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17168	Comment from Diane Pires
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11999	Comment from David Whiteman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17169	Comment from Faith Schulman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12000	Comment from John Breiby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17170	Comment from Madeline Grant
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12001	Comment from Lanie Cox	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17171	Comment from Tammi Stewart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12002	Comment from Jeremy Foisy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17172	Comment from Rebecca Hofmeyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12003	Comment from Barbara Lintz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17173	Comment from Susan Shields
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12004	Comment from Ryan O'Neill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17174	Comment from Javier Rivera Diaz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12005	Comment from Laura Garro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17175	Comment from Dorothea Laster
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12006	Comment from John Sailer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17176	Comment from Robert Stark
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12007	Comment from Kelli Reynolds	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17177	Comment from Debra Berlan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12008	Comment from Karen Austin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17178	Comment from Hillary Delgado
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12009	Comment from James Mulcare	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17179	Comment from Paula Rock
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12010	Comment from David Maceira	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17180	Comment from Sharon Anderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12011	Comment from Sharon Ponsford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17181	Comment from Norma Kafer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12012	Comment from Scott Girard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17182	Comment from Julie Teague
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12013	Comment from Elizabeth Slikas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17183	Comment from Jane Doub
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12014	Comment from Kurt Schwarz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17184	Comment from Phillip Mitchell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12015	Comment from Nolen Scott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17185	Comment from Pete Wash
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12016	Comment from Jessica Wardlaw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17186	Comment from Linda Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12017	Comment from Tobey Thatcher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17187	Comment from Noreen Lassandrello
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12018	Comment from Barry Barnett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17188	Comment from Shirley Klimowicz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12019	Comment from Liza H	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17189	Comment from Patricia Eaton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12020	Comment from Mary Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17190	Comment from Donald Hunt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12021	Comment from Rick auman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17191	Comment from Shirley Klimowicz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12022	Comment from Nina French	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17192	Comment from Patricia Lauer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12023	Comment from Krista Dana	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17193	Comment from Joanne DeHart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12024	Comment from Jeffery McConaughy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17194	Comment from Patricia Wilson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12025	Comment from Meryle Korn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17195	Comment from Vivian J Watkins
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12026	Comment from Valerle Leonard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17196	Comment from Michele Horenstein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12027	Comment from Melony Paulson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17197	Comment from CW Cox
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12028	Comment from Jasmine Gouveia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17198	Comment from Erika Luchterhand

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12029	Comment from Mike Kelly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17199	Comment from Shelly Seales
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12030	Comment from Claudia Sabine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17200	Comment from Schantz Basir
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12031	Comment from Charlene Kerchevall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17201	Comment from Lynette Wuest
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12032	Comment from William Grannell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17202	Comment from Michelle Prince
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12033	Comment from Donald Crosby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17203	Comment from debbie andrews
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12034	Comment from Art Meeder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17204	Comment from Cliff Hoy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12035	Comment from sue parsell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17205	Comment from cyndee kruggel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12036	Comment from Bob Steininger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17206	Comment from kathleen vick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12037	Comment from Laurie Izzo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17207	Comment from Irina Kurland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12038	Comment from Robert Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17208	Comment from Patty Duffy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12039	Comment from Bridget Williamson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17209	Comment from Taryn Geer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12040	Comment from Sara Avery	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17210	Comment from Sherry Marsh
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12041	Comment from Carol Sedillo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17211	Comment from Kelly Ciccone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12042	Comment from Jacquelyn Scioscia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17212	Comment from Kevin Sullivan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12043	Comment from James DeLeon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17213	Comment from Stephen Appell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12044	Comment from Wanda Graff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17214	Comment from Erika Woods
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12045	Comment from Debra Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17216	Comment from Pamela Sumlin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12046	Comment from Frank Pellegrino	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17217	Comment from Bob Druwing
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12047	Comment from Jonathan Hancock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17218	Comment from Ruth Motley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12048	Comment from Jason Kedmenec	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17219	Comment from Cindy Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12049	Comment from Cindy Shoaf	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17220	Comment from Lacey Chaffee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12050	Comment from Jason Steadmon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17221	Comment from Colleen Bergh
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12051	Comment from Kathleen Grossman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17222	Comment from Michael Levenson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12053	Comment from margaret scripp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17223	Comment from Barbara Esposito
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12054	Comment from Cheryl Fergeson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17224	Comment from Michael Hogan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12055	Comment from Susan O'Connor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17225	Comment from Dominic Libby
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12056	Comment from Carolyn Turner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17226	Comment from Ashley Partridge
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12057	Comment from William Pogue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17227	Comment from Michele Lauren
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12058	Comment from Trese Biagini	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17228	Comment from Gwendolyn Kent
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12059	Comment from Hugh McFadden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17229	Comment from Marvin Guymon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12060	Comment from Nicole Weber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17230	Comment from Deborah Brown Ridley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12061	Comment from Jeff Montejo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17231	Comment from Joe Griffo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12062	Comment from Denise Clarke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17232	Comment from Silvia Franke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12063	Comment from Deborah Perrero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17233	Comment from Amanda Felt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12064	Comment from doug krause	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17234	Comment from Norm Wilmes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12065	Comment from BRENDA EVANS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17235	Comment from Yvonne Donner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12066	Comment from T Hruska	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17236	Comment from Susan Martinez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12067	Comment from Marrha Skinner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17237	Comment from Carol Hauschild
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12068	Comment from Mellina Simon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17238	Comment from Meg Kelly
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12069	Comment from Nico Duon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17239	Comment from Ann Nowicki
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12070	Comment from Gail Wing	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17240	Comment from Angela Ramirez

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12071	Comment from Ray Bernhardt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17241	Comment from Shannon Markley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12072	Comment from Bruce Ross	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17242	Comment from Kathy Barnett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12073	Comment from Ben Basin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17243	Comment from Rosemary Butka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12074	Comment from Rosiris Paniagua	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17244	Comment from Pat Balko
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12075	Comment from Pat Copenhaver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17245	Comment from Yusuf Khan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12076	Comment from Francis Cleary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17246	Comment from Wayne Stalsworth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12077	Comment from ADAM BERNSTEIN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17247	Comment from J ODonnell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12078	Comment from Rev. Cline	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17248	Comment from Rhonda Berger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12079	Comment from Joel Maguire	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17249	Comment from Kathryn Donaldson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12080	Comment from Leslie Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17250	Comment from Jill Wettersten
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12081	Comment from Susan Bradshaw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17251	Comment from Danny Bryan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12082	Comment from claudia bourks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17252	Comment from Bethany Bradshaw
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12083	Comment from Danielle Dryden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17253	Comment from Ruth Cassidy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12084	Comment from Karen Alqasem	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17254	Comment from Javier Hernandez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12085	Comment from Donna brooks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17255	Comment from G J
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12086	Comment from Beth Arndtsen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17256	Comment from Paula Murphy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12087	Comment from Christopher Marrs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17257	Comment from Rob Peters
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12088	Comment from Molly Swabb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17258	Comment from Paula Rock
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12089	Comment from Donald Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17259	Comment from Julie Teague
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12090	Comment from Sandra Breakfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17260	Comment from Jessica Robertson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12091	Comment from S. Urton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17261	Comment from Elizabeth Ishmael
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12092	Comment from Stephen Babb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17262	Comment from paula Vanbuskirk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12093	Comment from S. Urton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17263	Comment from Joanne DeHart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12094	Comment from Bruno Cilione	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17264	Comment from Shirley Klimowicz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12095	Comment from Seda Sonentz-Papazian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17265	Comment from Janet Harmon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12096	Comment from David Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17266	Comment from Greg Kay
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12097	Comment from Judith Embry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17267	Comment from Neenah LancasterRiemer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12098	Comment from Katy Landolfi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17268	Comment from D H
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12099	Comment from Karen Hodges	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17269	Comment from HEidi Schmitz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12100	Comment from Amanda Graham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17270	Comment from V Psrks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12101	Comment from sybille Dubois	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17271	Comment from Rebecca Rabinowitz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12102	Comment from Melissa Anglin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17272	Comment from Ann Barnes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12103	Comment from Fay Payton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17273	Comment from Gail Camhi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12104	Comment from Sally Madigan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17274	Comment from Jennifer Noel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12105	Comment from Jeffrey LaGasse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17275	Comment from Terrence Thompson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12106	Comment from NM Porter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17276	Comment from Peggie Foster
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12107	Comment from Keith Portka	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17277	Comment from Benita Auge
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12108	Comment from Jean Dibble	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17278	Comment from Howard Lepzelter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12109	Comment from Rosalind Ivens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17279	Comment from Yvonne Upchurch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12110	Comment from Stephanie Potgieter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17280	Comment from Nicole Bickel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12111	Comment from Joseph Breazeale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17281	Comment from Mercedes Benet

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12112	Comment from Phil Fitzgerald	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17282	Comment from Angie Heide
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12113	Comment from Sarah Wiedel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17283	Comment from Dessaline Moore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12114	Comment from GARY MADOLE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17284	Comment from Karl Koessel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12115	Comment from Tamara Abashian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17285	Comment from Sharon James
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12116	Comment from Erika Walton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17286	Comment from Kelly Murphy Kennerson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12117	Comment from Ron Ives	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17287	Comment from Sharon Michael
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12118	Comment from P.P. Soucek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17288	Comment from Virginia Jastromb
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12119	Comment from Kermit Cuff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17289	Comment from Mandy Weeks Green
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12120	Comment from Becky Hixson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17290	Comment from Debbie Hagstrom
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12121	Comment from Sue Kenney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17291	Comment from Charlene 5275
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12122	Comment from Jeannette Zeiler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17292	Comment from Larry Liou
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12123	Comment from David Savige	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17293	Comment from Aubrey Lees
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12124	Comment from Lynn Skibinski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17294	Comment from Donna Ingenito
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12125	Comment from Nancy Goldberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17295	Comment from Diane Soddy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12126	Comment from Michael Torosian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17296	Comment from Tina Colafranceschi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12127	Comment from Ward Giblin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17297	Comment from Carolyn Silvestro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12128	Comment from Juliann Pinto	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17298	Comment from Simone Fonseca
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12129	Comment from Helen Torosian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17299	Comment from Charles Hundley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12130	Comment from Michael McLaughlin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17300	Comment from Marilyn Logan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12131	Comment from George Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17301	Comment from Catherine J Stout
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12132	Comment from S caff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17302	Comment from Marcela Bordes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12133	Comment from Barbara Remund	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17303	Comment from Eric Hui
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12134	Comment from Ann Bein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17304	Comment from Laurie Izzo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12136	Comment from Bruce Kiesel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17305	Comment from Jieun Kwon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12137	Comment from Sheila Enright	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17306	Comment from Barbara Tountas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12138	Comment from Lawrence Wallen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17307	Comment from KAREN OROURKE
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12139	Comment from Edward Pfeiffer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17308	Comment from Susan McClure
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12140	Comment from John Brennan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17309	Comment from Mindie Sivey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12141	Comment from Maureen Porcelli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17310	Comment from LIII D
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12142	Comment from Dixie Mullineaux	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17311	Comment from kim fetters
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12143	Comment from Michael Shapiro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17312	Comment from Mindy Mahood
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12144	Comment from Robert Waller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17313	Comment from Darla Reeves
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12145	Comment from Kyle Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17314	Comment from Cheryl Thompson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12146	Comment from Dat Tran	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17315	Comment from Jean Thurston
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12147	Comment from Crystal Mitchell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17316	Comment from Florence Harty
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12148	Comment from Jan Beauchamp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17317	Comment from Angela Gantos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12149	Comment from Marina Mooney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17318	Comment from MaryAnn Sanchez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12150	Comment from Maria Ramos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17319	Comment from Frederick Elliott
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12151	Comment from Maria Cardenas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17320	Comment from Eileene Gillson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12152	Comment from Tara D	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17321	Comment from Wesley Wolf
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12153	Comment from Lee Winslow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17322	Comment from James Pszanka

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12154	Comment from Sharon Kanter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17323	Comment from Kel Wall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12155	Comment from Gail Tewalt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17324	Comment from Christina Vigil
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12156	Comment from Jamila Garrecht	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17325	Comment from Frances Goff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12157	Comment from Mevelyn Richardson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17326	Comment from carmen marti
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12158	Comment from Donna Wiggins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17327	Comment from Erika Schiegg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12159	Comment from Sue Morrison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17328	Comment from Doris Eley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12160	Comment from Katie White	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17329	Comment from C W
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12161	Comment from ben baxter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17330	Comment from Carol Westerfield
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12162	Comment from Cinda Sabol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17331	Comment from Kim Brower
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12163	Comment from Amy Harlib	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17332	Comment from Carol Montgomery
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12164	Comment from Michele Martuszewski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17333	Comment from D L
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12165	Comment from George Casner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17334	Comment from Katherine Robertson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12166	Comment from Laurel Powers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17335	Comment from Rita Pachitu
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12167	Comment from Bruce Bonifaci	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17337	Comment from Feli Hohenshelt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12168	Comment from Stephanie Shine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17338	Comment from Jana W
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12169	Comment from Michael Clarke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17339	Comment from Dona Ward
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12170	Comment from Kristen Beck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17340	Comment from nancy J danard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12171	Comment from Anna Reed	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17341	Comment from Sal Tumia
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12172	Comment from Camille McPhee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17342	Comment from Patti Morris
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12173	Comment from Allan Weiss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17343	Comment from Jana Bassman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12174	Comment from John Sutherland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17344	Comment from Anne Enderle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12175	Comment from Beverly Solomon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17345	Comment from Marissa Malen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12176	Comment from Mary McMahon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17346	Comment from Tina Rogers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12177	Comment from Byron Dale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17347	Comment from Donna Jenny
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12178	Comment from Albert Wilson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17348	Comment from Jean Siegel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12179	Comment from Amy Hansen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17349	Comment from Tonya Cockrell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12180	Comment from Catherine Bylinowski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17350	Comment from Steven Bagenski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12181	Comment from Stephanie Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17351	Comment from Debra Willey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12182	Comment from Mark Canright	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17352	Comment from Dan Murray
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12183	Comment from Lucia Samaras	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17353	Comment from Venetia Large
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12184	Comment from warren nystrom	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17354	Comment from Tracey Katsourous
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12185	Comment from Deb Giannetti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17355	Comment from Britton Saunders
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12186	Comment from Russell James	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17356	Comment from russ ziegler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12187	Comment from karen horton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17357	Comment from Susanne Bell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12188	Comment from Mary Al-Tukhaim	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17358	Comment from John Connor
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12189	Comment from Janet Handford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17359	Comment from Cherie McCoy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12190	Comment from LILLIAN MAHANEY	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17360	Comment from cindy perilstein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12191	Comment from Frank Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17361	Comment from lynn henderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12192	Comment from Sherry Vatter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17362	Comment from beverly rice
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12193	Comment from Jason Caramico	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17363	Comment from Irene Brinkerhoff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12194	Comment from brandon gregg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17364	Comment from Louise Stark

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12195	Comment from Joe Roy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17365	Comment from Linda McMullin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12196	Comment from Dennis Hough	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17366	Comment from Mary Beth Schmidt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12197	Comment from Fawn King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17367	Comment from Angie Baker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12198	Comment from Brian Dunn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17368	Comment from Mary Dickson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12199	Comment from Donna McCarthy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17369	Comment from Kim Kunkel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12200	Comment from Hyun Lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17370	Comment from Mary Ann Cooper
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12201	Comment from Gavi Stevens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17371	Comment from ELLEN Straw
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12202	Comment from Dedra Routh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17372	Comment from Mark Sussek
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12203	Comment from David Burtis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17373	Comment from Rena Santomauro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12204	Comment from Kimberly Crane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17374	Comment from Bonnie Cail
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12205	Comment from Sherry Quinn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17375	Comment from Lenore Bussing
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12206	Comment from Sondra Morales	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17376	Comment from Kathy Lyles Diers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12207	Comment from E Haskell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17377	Comment from Lesa Dilorio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12208	Comment from Marsha Chomko	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17378	Comment from Emily Boone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12209	Comment from Karen Milstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17379	Comment from Mike LeHew
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12210	Comment from Rebecca Sanne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17380	Comment from Edna Metcalf
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12211	Comment from Linda Knowles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17381	Comment from Tania Malven
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12212	Comment from Dixie Parker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17382	Comment from Judi Calvi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12213	Comment from Susan Turney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17383	Comment from ron weiss
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12214	Comment from Arlene Drete	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17384	Comment from Anne McClenachan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12215	Comment from Meaghan Leavitt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17385	Comment from Isis Garcia
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12216	Comment from Megan Lankenau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17386	Comment from Loretta Goldenberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12217	Comment from Susan Proietta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17387	Comment from Murielle Antoku
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12218	Comment from Samuel Newman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17388	Comment from Debbie McMahan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12219	Comment from Marilyn H	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17389	Comment from Jonathan Mitchell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12220	Comment from Becky kurth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17390	Comment from Marcia Kellam
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12221	Comment from Kathleen Pfeiderer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17391	Comment from Melissa O'Rourke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12222	Comment from Vernon Batty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17392	Comment from Mary rivas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12223	Comment from Raphael Sulkovitz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17393	Comment from Robert Hollerbach
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12224	Comment from Joel Quaintance	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17394	Comment from Mary Nostramo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12225	Comment from Lynelle Behler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17395	Comment from Rosemary Busterna
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12226	Comment from Larry Chandler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17396	Comment from Geary Buydos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12227	Comment from Jamie Shultz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17397	Comment from Wendy Harris
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12228	Comment from Barb Kruse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17398	Comment from Julia Mildenerger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12229	Comment from Gloria Carlton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17399	Comment from Kerrie Pons
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12230	Comment from Robert DeMuth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17400	Comment from Douglas Schneller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12231	Comment from Gregory Barton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17401	Comment from Dr William M Smith Jr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12232	Comment from Emily Willoughby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17402	Comment from Maura Chazin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12233	Comment from Marya Zanders	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17403	Comment from Katie Morgan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12234	Comment from Jennifer Hauge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17404	Comment from Krista Saunders
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12235	Comment from Schneider R	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17405	Comment from JANUS WOODS

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12236	Comment from Marilyn Campolettano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17406	Comment from Winke Self
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12237	Comment from Mary JuneK	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17407	Comment from Lindsay Reeve
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12238	Comment from Nancy Lasley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17408	Comment from Lauren Mota
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12239	Comment from Mary JuneK	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17409	Comment from Patricia Baker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12240	Comment from Lisa Critchlow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17410	Comment from Evelina Dillmann
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12241	Comment from Dorothy Knudson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17411	Comment from Julie Harris
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12242	Comment from Cyndee Jimenez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17412	Comment from C M
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12243	Comment from Rebecca Walding	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17413	Comment from Cheryl Aakeberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12244	Comment from Patricia Brech	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17414	Comment from S M McFarland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12245	Comment from Graciela Huth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17415	Comment from Song Kinnamon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12246	Comment from Ellen McConnell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17416	Comment from Alicia Silvestri
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12247	Comment from Jody Kim-Eng	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17417	Comment from Sherry Holt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12248	Comment from Hank Schlinger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17418	Comment from Christine Churchill
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12249	Comment from Judy Trohkimoinen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17419	Comment from Jeff Burns
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12250	Comment from John Murray	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17420	Comment from Henry Kimbell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12251	Comment from Brian Scott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17421	Comment from Tim Linerud
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12252	Comment from Joan McCormick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17422	Comment from Roseann Flores
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12253	Comment from F Olson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17423	Comment from Dan Cappello
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12254	Comment from Myrna Torrie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17424	Comment from LAURA PAYAN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12255	Comment from Norbert Mietus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17425	Comment from Ellen Mullery
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12256	Comment from Kathlyn Grabenstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17426	Comment from Constance Franklin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12257	Comment from Kay Lockridge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17427	Comment from Asmah Khan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12258	Comment from Margaret Neumann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17429	Comment from Todd Fletcher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12259	Comment from Julia Petipas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17430	Comment from Robert Gerhart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12260	Comment from Laura Guttridge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17431	Comment from Albert Coffman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12261	Comment from Robert Aguirre	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17432	Comment from Dan Esposito
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12262	Comment from Lynne Weiske	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17433	Comment from Eric Naji
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12263	Comment from Ellen Dollar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17434	Comment from Patti Schultze
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12264	Comment from randall potts	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17435	Comment from Lori Nell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12265	Comment from Lynn Cascio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17436	Comment from Sarah Welte
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12266	Comment from Paul Kirsch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17437	Comment from lynn hoang
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12267	Comment from Kevin O'Donnell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17438	Comment from Cheryl Whitehurst
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12268	Comment from William Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17439	Comment from Lisa Annecone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12269	Comment from Lynda Cook	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17440	Comment from Dee Perron
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12271	Comment from Margo Salone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17441	Comment from Rosemary delPino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12272	Comment from Annie Dawid	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17442	Comment from Phyllis Hatch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12273	Comment from Merry Bolt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17443	Comment from Joie Budington
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12274	Comment from Jane LaLone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17444	Comment from Pamela Speagle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12275	Comment from Damon Franke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17445	Comment from Daniel Rosenthal
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12276	Comment from Nicholas Cardwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17446	Comment from Heidi Mugrauer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12277	Comment from Maura Schaeffer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17447	Comment from Gehan Klele

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12278	Comment from Andi Wright	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17448	Comment from Cheryl Van Reeth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12279	Comment from L. Wilkinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17449	Comment from Gayle Civalo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12280	Comment from Sandra Hall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17450	Comment from Elliott Birkhead
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12281	Comment from Mary Baker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17451	Comment from Lana Henson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12282	Comment from Mercedes Benet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17452	Comment from Lorraine Brabham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12283	Comment from Martha Guilford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17453	Comment from Sam Jones
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12284	Comment from m sanders	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17454	Comment from Edward Lemieux Jr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12285	Comment from Jane Makowski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17455	Comment from Karen Liza Avelino David
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12286	Comment from Eugene Falik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17456	Comment from Elizabeth Ketz Robinson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12287	Comment from El. Pe.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17457	Comment from Patricia Burgert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12288	Comment from Frances Mentch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17458	Comment from Leslie Stewart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12289	Comment from Jeanne Gray	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17459	Comment from Helen Reynolds
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12290	Comment from Deb Lincoln	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17461	Comment from Stephen Keener
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12291	Comment from Nicole Deter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17462	Comment from Kelly Miller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12292	Comment from Wynn Johanson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17463	Comment from Anne Farley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12293	Comment from Karen McGreevy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17464	Comment from Pam Plummer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12294	Comment from Nicole Deter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17465	Comment from Ana Paula Martins Fernandes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12295	Comment from Cathy Wootan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17466	Comment from Susan Hampton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12296	Comment from Caroline Kern	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17467	Comment from Paula Denissen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12297	Comment from Honorable Snyder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17468	Comment from Christina Nillo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12298	Comment from Marco Khanlian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17469	Comment from Barbara Blackwood
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12299	Comment from El. Pe.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17470	Comment from Alan MacLamroc
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12300	Comment from Nancy Kondracki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17471	Comment from Eve Duplissis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12301	Comment from Ken Lawson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17472	Comment from Denise Carmosino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12302	Comment from Gail Bolka	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17473	Comment from Concepcion Elvira
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12303	Comment from Kristin Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17474	Comment from Lynn Murphy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12304	Comment from Bruce Nowak	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17475	Comment from Marcella Manslow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12305	Comment from Stevie Sugarman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17476	Comment from michael guest
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12306	Comment from B. Conelley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17477	Comment from Christy Ruoff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12307	Comment from Piero Soligo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17478	Comment from Lindy A Von Dohlen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12308	Comment from Jenene Garey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17479	Comment from Denise Carmosino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12309	Comment from Jennifer Adams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17480	Comment from June Tullman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12310	Comment from Mina Bish	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17481	Comment from Yvonne Zinter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12311	Comment from Carl Stapler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17482	Comment from kathy monaco
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12312	Comment from Gloria Boyd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17483	Comment from Kenneth Koenigshofer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12313	Comment from sheila draughon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17484	Comment from Terry De Simone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12314	Comment from Kristin Kline	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17485	Comment from Linda Feitell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12315	Comment from Bebe Elsamahy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17486	Comment from Kathleen O Zemoli
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12317	Comment from robin wright	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17487	Comment from Holly Graves
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12318	Comment from Theresa Corrigan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17488	Comment from Kathleen Jefferies
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12319	Comment from Liz Reed	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17489	Comment from Denise Anzelmo

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12320	Comment from Coralie Carraway	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17490	Comment from Clare Halloran
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12321	Comment from Kristina Bradwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17491	Comment from Bianca Molgora
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12322	Comment from Lynn Ryan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17492	Comment from Ann Myers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12323	Comment from Ingrid Eichenbaum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17493	Comment from Jeremy Marks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12324	Comment from Norman Baker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17494	Comment from Lisa Ridge
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12325	Comment from Linda Shirey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17495	Comment from Sheila O'Neill
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12326	Comment from Deborah Lyons	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17496	Comment from Laurie Mcdougall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12327	Comment from Mark Youd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17497	Comment from Nico Mcafee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12328	Comment from Ralph Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17498	Comment from Bernadette Andaloro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12329	Comment from shelley mckee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17499	Comment from Elizabeth Watts
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12330	Comment from Jack Milton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17500	Comment from Norman Stephens
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12331	Comment from Kathleen Eaton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17501	Comment from Lisa McKillop
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12332	Comment from Ana Herold	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17502	Comment from Robert Lombardi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12333	Comment from Thomas Giblin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17503	Comment from Jill McClendon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12334	Comment from daniel uiterwyk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17504	Comment from Tim Duda
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12335	Comment from Kari Stringer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17505	Comment from Nicolette Froehlich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12336	Comment from Patricia Randazzo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17506	Comment from Elak Swindell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12337	Comment from Cynthia McMath	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17507	Comment from Lesley Triptow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12338	Comment from Bob Neuzil	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17508	Comment from Jeanine Garber
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12339	Comment from Lira Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17509	Comment from Diana Sanderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12340	Comment from Sandra Lane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17510	Comment from Mike Halegua
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12342	Comment from Lesley Jorgensen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17511	Comment from Elena Mavros
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12343	Comment from Linda Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17512	Comment from Donna Grubbs
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12344	Comment from Edward Wardwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17513	Comment from Alice Petersen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12345	Comment from Karen Spradlin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17514	Comment from Adrienne Cadway
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12346	Comment from Ramona Hillier-O'Hara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17515	Comment from leslie spoon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12347	Comment from Sanndi vanacore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17516	Comment from Josette Le Beau
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12348	Comment from Autumn Garcia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17517	Comment from Maria Iavarone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12349	Comment from Anne Rettenmair	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17518	Comment from Peggy Fry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12350	Comment from tia pearson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17519	Comment from Traci Hamilton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12351	Comment from Nikki Adams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17520	Comment from barbara cunningham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12352	Comment from Mady bergs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17521	Comment from Pati Jio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12353	Comment from Patricia Foschi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17522	Comment from James Mather
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12354	Comment from Blair Hopkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17523	Comment from Liana Castro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12355	Comment from Steve Hess	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17524	Comment from Patricia Sullivan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12356	Comment from Mady bergs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17525	Comment from melissa spengler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12357	Comment from Robert Frank	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17526	Comment from Joanne Grossi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12358	Comment from Marcella Hammond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17527	Comment from Carol Brady
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12359	Comment from Jan Hillegas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17528	Comment from Elaine Parker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12360	Comment from Eileen McLeod	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17529	Comment from Jim Frageman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12361	Comment from Diana Owens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17530	Comment from J FRIED

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12362	Comment from Bob Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17531	Comment from Irene Franzis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12363	Comment from Miranda Vorhees	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17532	Comment from Tamara Miller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12364	Comment from Gary Blair	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17533	Comment from Megan Lankenau
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12365	Comment from Richard Ward	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17534	Comment from Katie Wood
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12366	Comment from joyce cotter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17535	Comment from Maria Gabrielle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12367	Comment from Catherine Elverston	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17536	Comment from Melanie Lavimoniere
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12368	Comment from Georgiann Young	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17537	Comment from Sandra Farkas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12369	Comment from Ron Wish	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17538	Comment from Patricia Aranibar
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12370	Comment from Tammy Lettieri	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17539	Comment from janna piper
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12371	Comment from Michelle Benes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17540	Comment from Linda Malik
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12372	Comment from James Tandoo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17541	Comment from Mary Thibaudeau
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12373	Comment from Ellen Callahan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17542	Comment from Jean Browman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12374	Comment from Bill Triplett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17543	Comment from Catherine Crawford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12375	Comment from KURT STEINMAN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17544	Comment from Jesse Gennarelli
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12376	Comment from Brenda Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17545	Comment from Lenore Nieters
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12377	Comment from Sabrina Fedel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17546	Comment from Annette Benton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12378	Comment from Patti Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17547	Comment from Maureen Shockley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12379	Comment from Billie Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17548	Comment from Richard Weavil
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12380	Comment from angelo sturino	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17549	Comment from Joyce Grajczyk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12381	Comment from Lisa Norman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17550	Comment from Roz goldstein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12382	Comment from Charles Favorite	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17551	COMMENT FROM CLAUDIA VARGAS MCCORMACK
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12383	Comment from Stephen Whitt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17552	Comment from John Chase
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12384	Comment from Ken Loehlein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17553	Comment from Shawn Grause
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12385	Comment from MARY EASTMAN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17554	Comment from Stephanie Jones
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12386	Comment from Richard Fish	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17555	Comment from Pam Lewis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12387	Comment from Anita Nowell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17556	Comment from Donna Pope
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12388	Comment from Kimberly Jannarone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17557	Comment from Jan Rydeen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12389	Comment from Dr Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17558	Comment from William Reavis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12390	Comment from Cheryl Kirby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17559	Comment from Laree Farmer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12391	Comment from Dave Kisor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17560	Comment from Toy Michel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12392	Comment from Heather Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17561	Comment from Cindy Meloni
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12393	Comment from Julia DeNiro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17562	Comment from Christine Capaldo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12394	Comment from Alan Berg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17563	Comment from Monica Rangne
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12395	Comment from Patricia Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17564	Comment from Jackie Duval
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12396	Comment from Silvia Hall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17565	Comment from Anne Henry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12397	Comment from Todd Powers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17566	Comment from Minerva Mollica
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12398	Comment from Donna Polson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17567	Comment from Jacqueline Burr Lonnon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12399	Comment from Bernie Hartwig	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17568	Comment from Karen Emanuel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12400	Comment from Corinne Marrone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17569	Comment from Tracy Ouellette
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12401	Comment from Margaret Friedenbach	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17570	Comment from GISELE BRYCE
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12402	Comment from Susan Porter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17571	Comment from Kristi Wilson

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12403	Comment from David Haskins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17572	Comment from Jacqueline Kimzey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12404	Comment from Katherine DeAngelis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17573	Comment from murry cohen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12405	Comment from Debbie Friesen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17574	Comment from Joyce Carlson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12406	Comment from Melissa Friedman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17575	Comment from Deborah Tyler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12407	Comment from Janet Carlisle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17576	Comment from Tammy Williams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12408	Comment from Eleanor Leo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17577	Comment from Jessica Freeman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12409	Comment from Amanda Young	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17578	Comment from jj skiddy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12410	Comment from Laura Ray	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17579	Comment from Amir Niknam
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12411	Comment from Cathy Barton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17580	Comment from Patricia Krasinski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12412	Comment from Anthony Celaya	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17581	Comment from David Nez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12413	Comment from Tina Brenza	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17582	Comment from Maureen Sanderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12414	Comment from James Talbot	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17583	Comment from Cynthia Liss
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12415	Comment from Jeffrey Colledge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17584	Comment from Hyun Lee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12416	Comment from Judy Greenfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17585	Comment from Eustacia Hall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12417	Comment from Marlys Reid	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17586	Comment from James Walton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12418	Comment from Cathy Reynolds	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17587	Comment from Marlene Miller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12419	Comment from Darcy Silver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17588	Comment from Carolyn Hawk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12420	Comment from Lee Bartell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17589	Comment from Holly Marczak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12421	Comment from Nancy Weil	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17590	Comment from Kaylouise Cook
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12422	Comment from Erika Seibel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17591	Comment from Samantha Boyce
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12423	Comment from Rae Furcha	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17592	Comment from Jeannine Trattner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12424	Comment from Michelle Pavcovich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17593	Comment from Debra Bruegge
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12425	Comment from Angela Cole	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17594	Comment from Zoraya Michel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12426	Comment from Carol Adamec	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17595	Comment from Donna Leavitt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12427	Comment from John Dylla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17596	Comment from MICHELLE OROZ
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12428	Comment from nancy deblanco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17597	Comment from Matthew Richcreek
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12429	Comment from Sarah Bauman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17598	Comment from Suzi Goller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12430	Comment from Grace Padelford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17599	Comment from Dawn Schanz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12431	Comment from Dorothy Parshall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17600	Comment from Vicki Ferguson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12432	Comment from Karen Mehner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17601	Comment from David Nichols
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12433	Comment from Carole Newsome	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17602	Comment from Brittany Barringer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12434	Comment from Hope Blume	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17603	Comment from Wendy Weldon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12435	Comment from mardy weinstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17604	Comment from Elaina Ozeroff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12436	Comment from Erika Lehmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17606	Comment from Kevin Bannon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12437	Comment from Julie Tyler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17607	Comment from Thomas Dow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12438	Comment from Gwendolyn Harper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17608	Comment from Katherine Godwin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12439	Comment from Carol Clarkin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17609	Comment from Dan Pepin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12440	Comment from Peggy Gilges	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17610	Comment from barbara leviness
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12441	Comment from Linda Lee McFarber-Taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17612	Comment from Tammy Fenske
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12442	Comment from Maurice Samuels	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17613	Comment from Sharon Leavell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12443	Comment from Todd Hack	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17614	Comment from Sherri Hodges

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12444	Comment from Michael Lawrence	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17615	Comment from Marge Maloney
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12445	Comment from Diane Huber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17616	Comment from Nadine Duckworth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12446	Comment from Dennis Heinzig	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17617	Comment from cecilia nevel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12447	Comment from Anne-Marie Read	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17618	Comment from Linda Singer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12448	Comment from James Walton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17619	Comment from Sharon Edmondson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12449	Comment from Dana Sklar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17620	Comment from Jerusalem Wise
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12450	Comment from Stephanie Claypoole	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17621	Comment from Autumn Monnahan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12451	Comment from Holly carper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17622	Comment from Jesse Mallory
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12452	Comment from Erin Dalessandro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17623	Comment from Nathan Trimble
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12453	Comment from Patricia Benjamin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17624	Comment from Linda Malik
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12454	Comment from John Essman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17625	Comment from Kirstin Robertson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12455	Comment from Barbara Stafford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17626	Comment from Glen Benjamin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12456	Comment from Michael Hill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17627	Comment from Mark GOODMAN
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12457	Comment from Lisa Winters	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17628	Comment from Sheila Simonson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12458	Comment from Gloria Muszynski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17629	Comment from SUE KREMER
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12459	Comment from Howard Graham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17630	Comment from Sierra Partlan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12460	Comment from thomas nolan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17632	Comment from Ranko Balog
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12461	Comment from Jan Salas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17633	Comment from Len Clark
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12462	Comment from Irene Osborn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17634	Comment from Steven Wolff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12464	Comment from Fred Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17635	Comment from Anita Braddock
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12465	Comment from Monya Duvall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17636	Comment from Linda Malik
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12466	Comment from Terry Vollmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17637	Comment from Stephanie Witkoski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12467	Comment from Myra Dewhurst	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17638	Comment from Richard Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12468	Comment from Elaine Becker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17639	Comment from Jeannette Welling
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12469	Comment from cindy chuplis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17641	Comment from Christopher Lopez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12470	Comment from Naomi Klass	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17642	Comment from barbara leviness
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12471	Comment from Lois Karasek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17643	Comment from Ruby Warren
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12472	Comment from William Fast	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17644	Comment from Medina Larkin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12473	Comment from Edward Colley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17645	Comment from Janell Copello
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12475	Comment from Maggie Mandzuk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17646	Comment from KAREN ROCKWELL
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12476	Comment from Heather Walker-Dale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17647	Comment from Joan Tokarz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12477	Comment from Justin Grover	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17648	Comment from Alexandra Nicole
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12478	Comment from Catherine McCabe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17649	Comment from Sue McCCasey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12479	Comment from Nandita Shah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17650	Comment from Donna Chiordi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12480	Comment from Constance Baus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17651	Comment from Greg Hendricks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12481	Comment from Karen Husocki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17652	Comment from Nonna Settlemyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12482	Comment from Valerie Sanderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17653	Comment from Jerrilynne Titsworth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12483	Comment from Anne Randolph	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17654	Comment from Cynthia Loucks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12484	Comment from Katherine O'Sullivan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17655	Comment from Christopher DiFonso
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12485	Comment from Sue Velez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17656	Comment from Charles Arnold
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12486	Comment from Keith Hammond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17657	Comment from Patty Viers

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12487	Comment from Kerry Ducan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17659	Comment from Andi Fregosi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12488	Comment from Diana Proper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17660	Comment from Susan Howard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12489	Comment from Jason Green	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17661	Comment from Debora Hojda
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12490	Comment from Kay Campbell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17662	Comment from Margaret Fularczyk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12491	Comment from Lissa McCullough	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17663	Comment from Susan Pelakh
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12492	Comment from Stephen Kornbluth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17664	Comment from Jeanne Fletcher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12493	Comment from Judith King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17665	Comment from Georgeta Burca
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12494	Comment from Lisa Gherardi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17666	Comment from Evelyn Marencik
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12495	Comment from Linda Hayes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17667	Comment from gm whiting
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12496	Comment from Toni Hamilton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17668	Comment from Geri Marshall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12497	Comment from Janell Curtis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17669	Comment from Elizabeth Publicover
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12498	Comment from Jack Stockslager	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17670	Comment from Alex Zukas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12499	Comment from Terry Evans	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17671	Comment from Barbara McClain
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12500	Comment from Theresa Owens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17672	Comment from Pat Lang
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12501	Comment from Theresa Waldspurger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17673	Comment from Alfina Bruce
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12502	Comment from Shannon Elliott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17674	Comment from Georgina Wright
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12503	Comment from Linda Freeman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17675	Comment from Cynthia Schumann
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12504	Comment from Cynthia McHale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17676	Comment from maxine bookbinder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12505	Comment from Ron Torretta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17677	Comment from Frank Wilson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12506	Comment from Jennifer Tulo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17678	Comment from Barbara Van Dusen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12507	Comment from Carlene Reuscher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17679	Comment from Rolf Friis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12508	Comment from Susan Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17680	Comment from Charmaine Henriques
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12509	Comment from Dan Perdios	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17681	Comment from Gehan Klele
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12510	Comment from Toby Reese	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17682	Comment from Lori Quigley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12511	Comment from Jill DeBender	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17683	Comment from Jennifer Cunningham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12512	Comment from Thinh Ngo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17684	Comment from Siegrid Berman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12513	Comment from Gary LaClair	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17685	Comment from Katherine Wright
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12514	Comment from Debra Wilks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17686	Comment from Jim Lindsay
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12515	Comment from Stacey Farley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17687	Comment from Deborah Gripp
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12516	Comment from David Laramie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17688	Comment from Laurence Laverty
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12517	Comment from Doreen Gruchawka	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17689	Comment from Susan Goldberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12518	Comment from karen donofrio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17690	Comment from Leigh Warren
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12519	Comment from Cynthia McKeen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17691	Comment from Geri Sterling
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12520	Comment from James Sweeney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17692	Comment from Janice Durbin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12521	Comment from Nancy Schwall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17694	Comment from Gayle Brennan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12522	Comment from R. Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17695	Comment from J Barry Gurdin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12523	Comment from Cynthia Florenzen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17696	Comment from Joseph Brigandi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12524	Comment from Luz Marina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17698	Comment from Linda Shirey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12525	Comment from Sondra Boes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17699	Comment from Jeannie Rumble
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12526	Comment from Donna Bender	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17700	Comment from C Lamb
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12527	Comment from Barry Grimecy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17701	Comment from C Golya

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12528	Comment from Jordan Longever	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17702	Comment from Tina Phillips
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12529	Comment from Carol Becker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17703	Comment from Kathleen Shabi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12530	Comment from Laura Horowitz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17704	Comment from John Viacrusis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12531	Comment from James Vallejos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17705	Comment from Victoria MacDonald
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12532	Comment from Bill Millican	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17706	Comment from Nichole Oneal
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12533	Comment from Gerald Orcholski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17707	Comment from Cyndy Blackledge
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12534	Comment from Peter Weinberger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17708	Comment from LC Sanders
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12535	Comment from Thomas Brenner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17709	Comment from Brad Koehler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12536	Comment from Marvin Chartoff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17710	Comment from Donna C
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12537	Comment from Susan Lozoraitis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17711	Comment from Curtis Phillips
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12538	Comment from Selina Harris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17712	Comment from James Klein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12539	Comment from Cate Swan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17713	Comment from Carla Freels
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12540	Comment from Ronald Drahos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17714	Comment from Judy Moran
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12541	Comment from Esther Mooncrest	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17715	Comment from Robert Kalovsky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12542	Comment from Steve Robey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17716	Comment from Patricia Goodson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12543	Comment from Sharon Orser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17717	Comment from Chris Byczek
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12544	Comment from Barbara Letsom	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17718	Comment from Carole McAuliffe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12545	Comment from ROB DOUCETTE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17719	Comment from KELLY LEWIS
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12546	Comment from Anne Jackson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17720	Comment from Jillian Unger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12547	Comment from Debra Care	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17721	Comment from Karen Baka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12548	Comment from Patrease Durgin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17722	Comment from Debra Pumphrey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12549	Comment from roger schmidt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17723	Comment from Chris Grill
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12550	Comment from Whitney watters	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17724	Comment from Frank Pierrri
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12551	Comment from Daniel Costa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17725	Comment from Carol Boyd
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12552	Comment from Nicole Mola	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17726	Comment from Eva Grzelak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12553	Comment from Bruce Kelley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17727	Comment from Roz goldstein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12554	Comment from Lynn Lang	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17728	Comment from anne veraldi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12555	Comment from Janeene Porcher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17729	Comment from Susan Fraser
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12556	Comment from anthony tedesco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17730	Comment from Sheila Cowden
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12557	Comment from Britton Saunders	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17731	Comment from Raquel Buxton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12558	Comment from Tiffany Maldonado	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17732	Comment from Joe Sims
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12559	Comment from Steven Barlow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17733	Comment from John Moszyk
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12560	Comment from Jaime Bernthaler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17735	Comment from Ji Young Kim
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12561	Comment from Nicole Maurone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17736	Comment from Christine Reeder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12562	Comment from Dianne Minicucci	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17737	Comment from Danielle Kelly
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12563	Comment from Pat Rabin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17738	Comment from Amy Graf
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12564	Comment from Linda Olson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17739	Comment from Colleen Kelly
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12565	Comment from Kate Skolnick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17740	Comment from john papandrea
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12566	Comment from Dale Dapprich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17741	Comment from Meg Casey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12567	Comment from Julie Drevenkar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17742	Comment from Marie Wakefield
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12568	Comment from Michael Secino	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17743	Comment from Elizabeth Mitchell

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12569	Comment from Steve Disch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17744	Comment from Mason Griffith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12570	Comment from Carol Kelley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17745	Comment from Patricia Panitz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12571	Comment from Helen Spalding	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17746	Comment from Patricia Gleason
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12572	Comment from Karen Stewart	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17747	Comment from jan k stewart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12573	Comment from Claudette Ashley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17748	Comment from Jennifer Schmidt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12574	Comment from Deanne Romano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17749	Comment from Helen Knauer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12575	Comment from Jamie Klem	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17750	Comment from Peter Lockwood
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12576	Comment from Lucille Thibodeau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17751	Comment from Dylan Flather
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12578	Comment from Carol Sears	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17752	Comment from Roslynn Budoff
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12579	Comment from Ann Eastman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17753	Comment from Oliver E Knox
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12580	Comment from Carlos Acosta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17754	Comment from Lee Stinson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12581	Comment from Wendy Niemeyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17755	Comment from Linda Muntner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12582	Comment from Margie Hunter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17756	Comment from John Desimone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12583	Comment from Mark Umphred	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17757	Comment from Larry Benvenuti
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12584	Comment from Lynn Killam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17758	Comment from Debbie D
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12585	Comment from David Ashley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17760	Comment from Birgit Hermann
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12586	Comment from LINDA DIMAGGIO	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17761	Comment from Kay Reinfried
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12587	Comment from Penny Mackenzie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17762	Comment from Priscilla Wagner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12588	Comment from d 'Anne Y MacNeil	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17763	Comment from Sonya Borowsky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12589	Comment from Laura Vera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17764	Comment from Christina Salazar
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12590	Comment from Amanda Dewey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17765	Comment from Pamela Draper
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12591	Comment from Laurie Springer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17766	Comment from Casey Yarder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12592	Comment from Maia Van Pelt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17767	Comment from Michele Ham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12593	Comment from Jean Heaps	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17768	Comment from Jaxon Brooks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12594	Comment from Nancy Niemeir	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17769	Comment from shelley mckee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12595	Comment from Deborah King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17770	Comment from Gail Schuessler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12596	Comment from Alice Goodman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17771	Comment from Anthony Ricciardi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12597	Comment from Susie Shapira	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17772	Comment from LONDA FOWLER
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12598	Comment from Jane Zimmerman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17773	Comment from Jennifer Witt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12599	Comment from Janet Rees	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17774	Comment from Kathleen Bentley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12600	Comment from Lauren Bauman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17775	Comment from Lisa Connolly
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12601	Comment from Andrew Willman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17776	Comment from Dawn Matta
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12602	Comment from john ordway	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17777	Comment from Robert Schoonmaker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12603	Comment from Kimberly Brandimarte	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17778	Comment from Joel Stein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12604	Comment from Mike Lesley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17779	Comment from Dawn Matta
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12605	Comment from Mike Mahler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17781	Comment from yola ileen gitter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12606	Comment from Elaine Costolo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17782	Comment from G Paxton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12607	Comment from Vicky Hollowell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17783	Comment from Kristine Riccardi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12608	Comment from eileen donnelly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17784	Comment from Sonia Wilson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12609	Comment from Wilma Davison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17785	Comment from Whitney Metz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12610	Comment from Brittney Rice	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17786	Comment from Terry Cummings

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12611	Comment from JM Villalobos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17787	Comment from Elizabeth Madden
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12612	Comment from Penelope Andrews	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17788	Comment from Karla Devine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12613	Comment from Nina Diamante	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17789	Comment from Deborah Thelen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12614	Comment from Stu Farnsworth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17790	Comment from Davindranauth Shiwraton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12615	Comment from Lorna Emdy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17791	Comment from Alejandra Torres
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12616	Comment from Sarah Bauman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17792	Comment from Gary Thaler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12617	Comment from Charlene Ferguson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17793	Comment from Nick Barcott
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12618	Comment from Larry M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17794	Comment from Nancy DiBartolo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12619	Comment from Lorraine Dumas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17796	Comment from Albert Koehler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12620	Comment from Kathryn Giesler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17797	Comment from Rebecca Levinson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12621	Comment from Stephanie Phillippi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17798	Comment from Linda Leeser
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12622	Comment from Ken Rosenblad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17799	Comment from Cindy Girgenti
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12623	Comment from Rachel Henba	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17800	Comment from Lois Karasek
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12624	Comment from Helen Stuehler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17801	Comment from Kara Howard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12625	Comment from Nancy Juskowich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17802	Comment from Barry Cutler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12626	Comment from James Bodsberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17803	Comment from Ana Jacques
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12627	Comment from Mark Koritz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17804	Comment from Jan Suche
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12628	Comment from Bonnie Farmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17805	Comment from David Williams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12629	Comment from Patricia Savage	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17806	Comment from Rosemary Colson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12630	Comment from Maude Burns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17807	Comment from Lori Grace
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12631	Comment from Phyllis Grande	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17808	Comment from Michael Thuring
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12632	Comment from Lori Nell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17809	Comment from Emily Nrokaw
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12633	Comment from P Turick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17810	Comment from Jennifer Corrigan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12634	Comment from Cheryl Kallenbach	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17811	Comment from Martha Olavarrieta
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12635	Comment from GEORGE ERCEG	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17812	Comment from Susan Vogt
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12636	Comment from Anita Rinaldi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17813	Comment from Jill Boyle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12637	Comment from Christian Andrade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17814	Comment from Danny Castori
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12638	Comment from Mary Green	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17815	Comment from David Walker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12639	Comment from Raffaella Selvaggio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17816	Comment from Mary Lawrence
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12640	Comment from Debra Gagliano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17817	Comment from Kathrine Fegette
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12641	Comment from M Rivera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17818	Comment from Natasha Weaver
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12642	Comment from Amy Zink	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17819	Comment from Mark Giese
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12643	Comment from Rosemarie Sawdon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17820	Comment from Laura Rose Fortmueller
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12644	Comment from Zola Packman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17821	Comment from KIM EMERSON
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12645	Comment from Stephanie Weber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17822	Comment from Barbara B
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12646	Comment from Shan Albert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17823	Comment from Lorrie Ogren
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12647	Comment from Donna Duncan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17824	Comment from Linda Greene
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12648	Comment from Debra Gagliano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17825	Comment from Elizabeth Walters
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12649	Comment from Jana Perinchief	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17826	Comment from Kenneth Epstein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12650	Comment from Robin Pinsof	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17827	Comment from Cierra Buer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12651	Comment from Maria Lorek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17828	Comment from Caryn Ackerman

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12652	Comment from Terry Tedesco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17829	Comment from Dena Desantis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12653	Comment from Barbara Fernandez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17830	Comment from John Picard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12654	Comment from Patricia Lenzen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17831	Comment from Rosemary Plonka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12655	Comment from Tria Shaffer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17832	Comment from Lauren Felicione
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12656	Comment from Kathy Rapp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17833	Comment from Patrick Felix
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12657	Comment from Meaghan Doherty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17834	Comment from Susan Ostlie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12658	Comment from Cindy Schultz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17835	Comment from Kristen Frame
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12659	Comment from David LeRoy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17836	Comment from Darlene Carpenter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12660	Comment from Sandra McPherson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17837	Comment from Vanessa Jamison
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12661	Comment from Nancy Gregory	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17838	Comment from Gwen Gay
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12662	Comment from Diann Rose	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17839	Comment from Ann Bein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12663	Comment from Mary flynn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17841	Comment from Miriam Moran
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12664	Comment from Jake Shirmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17842	Comment from Bill McCormick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12665	Comment from Alice Markey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17843	Comment from Paul West
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12666	Comment from Natalie Alexander	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17844	Comment from Jonathan Giegear
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12668	Comment from Alan Carter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17845	Comment from MICHAEL MEL
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12669	Comment from Roz Connor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17846	Comment from Paul Slack
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12670	Comment from Mary Baker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17848	Comment from V Garvy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12671	Comment from K. King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17849	Comment from Barbara Brockell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12672	Comment from liz gonzalez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17850	Comment from Cara O'Neill
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12673	Comment from Sue Holtz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17851	Comment from Paula Giesing
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12674	Comment from Maria Miranda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17852	Comment from Linda Fighera
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12675	Comment from Barbara Hoch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17853	Comment from Ben Grego
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12676	Comment from Susan Getzschman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17854	Comment from C B
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12677	Comment from Johnna Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17855	Comment from Marla Echeverria
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12678	Comment from gabriela monge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17856	Comment from Marion Marsh
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12679	Comment from Donna Renninger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17857	Comment from Tracy Nguyen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12680	Comment from MARTHA GREEN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17858	Comment from Jill Martin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12681	Comment from Alan Young	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17859	Comment from Letitia Noel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12682	Comment from Carson Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17860	Comment from Elsie Au
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12683	Comment from Florence Leto	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17861	Comment from Kim Lobasso
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12684	Comment from Robert Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17862	Comment from Roi Mitchell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12685	Comment from June Curley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17863	Comment from Donna Barham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12686	Comment from Brenda Nieland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17864	Comment from Linda Bock
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12687	Comment from Ellen Lalier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17865	Comment from joseph Racano
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12688	Comment from Sharon Lloyd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17866	Comment from Christina Babst
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12689	Comment from Lessli Nielsen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17867	Comment from Perry Wong
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12690	Comment from Susan Tucker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17868	Comment from WILLIAM goell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12691	Comment from David Katz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17869	Comment from mia heavyrunner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12693	Comment from Hal Pillinger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17870	Comment from Pat Condon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12694	Comment from Karissa Zastrow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17871	Comment from Starrlet Rogers

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12695	Comment from Lindy Von Dohlen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17872	Comment from Janice Schenfisch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12696	Comment from Andrew Joseph	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17873	Comment from mia heavyrunner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12697	Comment from Karen Morton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17874	Comment from Maryann Piccione
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12698	Comment from Lajeane Leveton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17875	Comment from Karen Fostel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12699	Comment from Sarah Straus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17876	Comment from Leonie Olin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12700	Comment from cathi soule	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17877	Comment from Richard Maricic
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12701	Comment from Maryann Barulich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17878	Comment from Anissa Otero
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12702	Comment from Wm Briggs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17879	Comment from Beth Larson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12703	Comment from Judith Hansell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17880	Comment from Nicholas Williams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12704	Comment from Gayle Countryman-Mills	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17881	Comment from Glenda V
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12705	Comment from Jamie Perron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17882	Comment from J L Evans
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12706	Comment from G Caviglia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17883	Comment from Erin Garcia
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12707	Comment from Joan Mahoney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17884	Comment from Tom Armagost
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12708	Comment from William Evans	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17885	Comment from Sandra Varvel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12709	Comment from Dave Albrecht	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17886	Comment from Carol Williamson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12710	Comment from MikeAnthony Moffa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17887	Comment from Kathleen Frasco
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12711	Comment from Terri Richmond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17888	Comment from Deborah Cosentino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12712	Comment from Sheila Marshall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17889	Comment from Marion Bennett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12713	Comment from Annie Belt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17890	Comment from Maggie Rady
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12714	Comment from Michael Renfrow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17891	Comment from Lorraine Avallone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12715	Comment from Anna Schwadron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17892	Comment from Terry Tedesco
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12716	Comment from Chris Davenport	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17893	Comment from Reginald Spengler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12717	Comment from Emily danielson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17894	Comment from celine devlin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12718	Comment from Kenya Pena	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17895	Comment from Patricia Blackwell Marchant
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12719	Comment from Adrian Bergeron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17896	Comment from Daviann McClurg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12720	Comment from Helen Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17897	Comment from Taven Vergara
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12721	Comment from Jo Glancy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17898	Comment from Trisha Picco
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12722	Comment from Deidre Gotjen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17899	Comment from Amy Lund
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12723	Comment from Andrelene Babbitt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17900	Comment from Joan Arnold
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12724	Comment from Len Carella	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17901	Comment from Michael Young
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12725	Comment from Darleen Brown	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17902	Comment from Anthony Byrne
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12726	Comment from Stephen Bohac	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17903	Comment from Karin Winter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12727	Comment from Luis Camero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17905	Comment from Amanda Graham
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12728	Comment from Kun Kang	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17906	Comment from Kevin Grimes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12729	Comment from Faye Gregory	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17907	Comment from Tracey Jernigan Bethea
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12730	Comment from Ina Pillar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17908	Comment from Aimee Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12731	Comment from Robert Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17909	Comment from Sheila Sartin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12732	Comment from Craig Grube	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17910	Comment from Sarah aquino
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12733	Comment from Bash Judy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17911	Comment from Heidi Powell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12734	Comment from steve zimet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17912	Comment from Marian Carter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12735	Comment from Flo Vannoni	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17913	Comment from Sonia King

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12736	Comment from James Langenhahn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17914	Comment from Kathleen Kirkpatrick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12737	Comment from Carole Criddle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17915	Comment from Candace LaPorte
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12738	Comment from Donald Greenberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17916	Comment from Petite Resch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12739	Comment from Amanda Jovanovich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17917	Comment from Candace Russell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12740	Comment from Lyn Huston	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17918	Comment from Karen Schoenhals
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12741	Comment from Michael Sutera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17919	Comment from Imara Francioni
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12742	Comment from Julia Cranmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17920	Comment from Lorraine Rowe Conlan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12743	Comment from Therese DeBing	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17921	Comment from LM Drucker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12744	Comment from Lee White	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17922	Comment from Donald Betts
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12745	Comment from Jamie Le	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17923	Comment from Dave and Rita Cross
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12746	Comment from Mary Jeffrey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17924	Comment from Connie Raper
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12747	Comment from Adela Estudillo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17925	Comment from Paula Towry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12748	Comment from Pamela Lanagan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17926	Comment from Hilda Landaeta
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12749	Comment from Lynn Greene	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17927	Comment from Drena LaPointe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12750	Comment from Heidi Schmitz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17928	Comment from Julie Fisher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12751	Comment from Mark McQuitty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17929	Comment from Barbara Ramirez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12752	Comment from Diane Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17930	Comment from Mika Gentili Lloyd
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12753	Comment from Michael Goldberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17931	Comment from Dawn Mello
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12754	Comment from Hal Trufan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17932	Comment from Catherine Krug
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12755	Comment from Deborah Allison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17933	Comment from Rita D
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12756	Comment from June MacArthur	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17934	Comment from Lillian Kraemer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12757	Comment from Rob Rowe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17935	Comment from Craig Carpenter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12758	Comment from Lillyam Barberi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17936	Comment from Erin Ferguson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12759	Comment from Sacha de Nijs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17937	Comment from Michael Krane
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12760	Comment from Alix Nunez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17938	Comment from Catherine Alsafi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12761	Comment from Jeannie Boyd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17939	Comment from Eleanor Porciello
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12762	Comment from Jon Singleton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17940	Comment from Mary Helen Venos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12763	Comment from Helen Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17941	Comment from Margaret Adams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12764	Comment from Alyssa Freeman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17943	Comment from Claudia Folch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12765	Comment from Roth Woods	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17944	Comment from William Morrow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12766	Comment from Marie Young	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17945	Comment from Ami Jambusaria
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12767	Comment from Carolyn Eden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17946	Comment from Kitty Kessler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12768	Comment from EllenJo Lancey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17947	Comment from Kellen Dunn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12769	Comment from Christina Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17948	Comment from Debbie Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12770	Comment from Denise McGregor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17949	Comment from Patti Schultze
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12771	Comment from steven nasta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17950	Comment from Linda Tonnesen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12772	Comment from Ayana Airakan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17951	Comment from Erik Carlson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12773	Comment from Diane Tabbott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17952	Comment from Anne Grime
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12774	Comment from Meredith Blackwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17953	Comment from Amber Abascal
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12775	Comment from Anne-Marie Mallon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17954	Comment from Frances Blair
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12776	Comment from Janet Kennington	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17955	Comment from Paul Blackburn

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12777	Comment from Sharyn Dreyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17956	Comment from Loisann Sciarrillo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12778	Comment from Ahmet Argon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17957	Comment from Monica Defelice
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12779	Comment from Frank Boggio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17958	Comment from Caroline Chesebrough
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12780	Comment from Thomas Berg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17959	Comment from Palmeta Baier
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12781	Comment from Larry Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17960	Comment from Jana Harker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12782	Comment from Bernadette Andaloro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17961	Comment from David Suarez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12783	Comment from Terry Hill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17962	Comment from Kelly Chenoweth
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12784	Comment from Sandra Barros	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17963	Comment from Vickie Mowry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12785	Comment from Nancy Boderick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17964	Comment from Aaron Beer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12786	Comment from Deb Christensen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17965	Comment from Hal Trefry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12787	Comment from Mary Guard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17966	Comment from Jamie Jansen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12788	Comment from Jean Clement	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17967	Comment from Nancy White
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12789	Comment from Cindy Kasnicka	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17968	Comment from Sissi Asperti
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12790	Comment from Julie Beer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17969	Comment from Dana Palka
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12791	Comment from Lisa Wirth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17970	Comment from David Mowry
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12792	Comment from Laurie Ryan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17971	Comment from Marcus Gottlieb
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12793	Comment from Patricia Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17972	Comment from Shirley Minich
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12794	Comment from Tiffany Ehnes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17973	Comment from edna anderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12795	Comment from Louise Schwartz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17974	Comment from Jennifer Shea
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12796	Comment from Ron Season	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17975	Comment from Cindy Alba
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12797	Comment from carolyn massey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17976	Comment from Mary White
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12798	Comment from Marilyn Koff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17977	Comment from gregory a Clewell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12799	Comment from James Falsken	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17978	Comment from Jill Klein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12800	Comment from Robert Gardiner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17979	Comment from Sheila Marshall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12801	Comment from Jean Chagnon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17980	Comment from Elaine Livingston
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12802	Comment from Steven Skal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17982	Comment from Catherine Macan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12803	Comment from Scott Crockett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17983	Comment from Julie Roedel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12804	Comment from Bruce Triplett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17984	Comment from Sheila Marshall
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12805	Comment from Todd Reich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17985	Comment from Charlotte Reichert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12806	Comment from Donna Simmonds	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17986	Comment from Dorothy Macnak
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12807	Comment from joyce kolasa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17987	Comment from ROBERT and Susan Burdick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12808	Comment from Scott Crockett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17988	Comment from Sandi Petty
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12809	Comment from diana kolaski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17989	Comment from Gabriele Ansay
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12810	Comment from Phyllis Perna	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17990	Comment from Frankie Harris
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12811	Comment from Rachel Cox	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17991	Comment from Lillian Kraemer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12812	Comment from Malcolm Glass	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17992	Comment from Sam Scirencio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12813	Comment from Derinda Nilsson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17993	Comment from Kit Dugan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12814	Comment from Geraldine Battistessa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17994	Comment from Lori Weber
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12815	Comment from Dave Beck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17995	Comment from Teri Luttrell Rowan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12816	Comment from ROBERT HARRIS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17996	Comment from Maria Grigoriadis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12817	Comment from Devin Baker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17997	Comment from Michelle Blackley

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12818	Comment from Steven Fenster	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17998	Comment from Sandra Russell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12819	Comment from Marcia Behrens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17999	Comment from Diana Sinclair
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12820	Comment from Justin Stricker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18000	Comment from Lisa Eddy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12821	Comment from Leigh Slater	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18001	Comment from Karen Delgado
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12822	Comment from Garvey Alyson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18002	Comment from Debi McDowell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12823	Comment from Robert Tinsley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18003	Comment from Twyla Meyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12824	Comment from Sherrill Futrell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18004	Comment from Megan Ramsey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12825	Comment from Rob Seltzer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18005	Comment from Aaron Dukes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12826	Comment from LJ Lanfranchi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18006	Comment from Beth Dubay
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12827	Comment from Gay Kramer-Dodd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18007	Comment from Nadine Parish
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12828	Comment from Paul Lima	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18008	Comment from Jonathan Hartman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12829	Comment from Anna Towns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18009	Comment from Jodi Jackson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12830	Comment from Lisabeth Faller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18010	Comment from Madalyn Benoit
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12831	Comment from CARL DETTWILER	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18011	Comment from Trish Sanford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12832	Comment from Kristen Hermel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18012	Comment from Sarah Kreisher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12833	Comment from Karen Brant	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18013	Comment from Bonnie Hearthstone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12834	Comment from Catherine Kowalczyk.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18014	Comment from Lynda Zehnder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12835	Comment from Christina Cowan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18015	Comment from Cindy Jefferys
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12836	Comment from Debra Sicard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18016	Comment from Linda Larsen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12837	Comment from Martin Tripp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18017	Comment from Alan Carter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12838	Comment from carolyn massey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18018	Comment from Shandra Officer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12839	Comment from Rachel Weber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18019	Comment from Jeannine Guern
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12840	Comment from Cathy Zollo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18020	Comment from David Amrod
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12841	Comment from Andrea Prieto	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18021	Comment from Mary Cato
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12842	Comment from Fran Ransom	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18022	Comment from Joyce Harris
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12843	Comment from James Bartlett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18023	Comment from Alyce Fritch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12844	Comment from Serena Van Buskirk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18024	Comment from Nancy Dezio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12845	Comment from Karina Dansie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18025	Comment from Susan Farrell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12846	Comment from Myrna Docherty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18026	Comment from Margaret Bachtler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12847	Comment from Michael Gennarelli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18027	Comment from Maryann Kage
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12848	Comment from Clayton Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18028	Comment from Michael Henderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12849	Comment from Dee Green	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18029	Comment from Gary Cantara
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12850	Comment from Gloria McCracken	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18030	Comment from Hannah Liu
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12851	Comment from La Standridge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18031	Comment from RONALD FARRELL
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12852	Comment from Gabriel Sheets	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18032	Comment from Hayley Somers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12853	Comment from Kristina MacKinnon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18033	Comment from Chris Drumright
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12854	Comment from Cathy Baynar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18034	Comment from Becky Calhoun
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12855	Comment from Cay White	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18035	Comment from Debbie Sequichie Kerchee
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12856	Comment from Susan Siniard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18036	Comment from Bernadette Gero
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12857	Comment from Kari Jackson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18037	Comment from Hayley Somers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12858	Comment from Barry De Jasu	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18038	Comment from Rita Jaskowitz

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12859	Comment from Sharon Edmondson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18039	Comment from Helen Blue
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12860	Comment from Russell Stone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18040	Comment from Frank Pilholski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12861	Comment from Robert Fisher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18041	Comment from Debora Moon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12862	Comment from Alyssa Melton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18042	Comment from Jaedra Luke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12863	Comment from G J	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18043	Comment from Becky McClain
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12864	Comment from Michael Utley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18044	Comment from Joyce Maloney
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12865	Comment from Ned Overton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18045	Comment from Sara Lazarus
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12866	Comment from Kat Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18046	Comment from Ralph Santana
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12867	Comment from Robert Lentz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18047	Comment from barry farley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12868	Comment from Sharon Fetter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18048	Comment from Nasrin Mazuji
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12869	Comment from peter souza	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18049	Comment from Kristof Haavik
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12870	Comment from Cynthia Slomin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18050	Comment from Elizabeth Shepherd
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12871	Comment from Alfred Epding	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18051	Comment from Colleen Carroll
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12872	Comment from Brady Hurley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18053	Comment from Tessa Ryan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12873	Comment from Joan Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18054	Comment from chris burns
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12874	Comment from Laura Thurner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18055	Comment from Cal Meuser
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12875	Comment from Lisa Brehm	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18056	Comment from Carla Morin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12876	Comment from Sharon Wushensky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18057	Comment from Julio Ruben Terveen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12877	Comment from Diana Munson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18058	Comment from Elke Binder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12878	Comment from Michele Ondre	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18059	Comment from Gail Ferriera
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12879	Comment from Todd Heiler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18060	Comment from Elizabeth Metcalf
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12880	Comment from Iris Shpak	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18061	Comment from Tajeer Robinson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12881	Comment from Barb Stenross	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18062	Comment from Lillyam Barberi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12882	Comment from Belinda Dodd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18063	Comment from Georgiann Young
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12883	Comment from Lynn Dimmick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18064	Comment from Charleen Strelke
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12884	Comment from Janet Rafferty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18065	Comment from Sharon Brown
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12885	Comment from Deborah Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18066	Comment from Gloria Walters
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12886	Comment from diane marchisio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18067	Comment from Gary Cantara
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12887	Comment from Gaia Schubert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18068	Comment from Irvonne Newman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12888	Comment from patricia shore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18069	Comment from Deborah Williams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12889	Comment from Nancy Buchik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18070	Comment from Anna Lipsig
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12890	Comment from Cynthia Springer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18071	Comment from Tina Pirazzi
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12891	Comment from matt ravenda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18072	Comment from Diane Berliner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12892	Comment from Mary Southard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18073	Comment from Donald Strohm
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12893	Comment from Colleen Crowden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18074	Comment from Lisa Mellinger
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12894	Comment from Allan Chen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18075	Comment from kathy grieves
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12895	Comment from Glenn Pierce	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18076	Comment from Paula Loftis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12896	Comment from Pamela Esser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18077	Comment from Leslie Richardson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12897	Comment from Michael Henderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18078	Comment from Yazmin Gonzalez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12898	Comment from Susan Anduskey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18079	Comment from Carol Lynn Anderson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12899	Comment from Barbara Merrill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18080	Comment from ALAN MURAWSKI

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12900	Comment from Judith Hansell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18081	Comment from Norma Kline
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12901	Comment from Art Bogie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18082	Comment from Julie Block
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12902	Comment from Brian Sesack	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18083	Comment from Jennifer Taylor
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12903	Comment from Sandra Zaninovich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18084	Comment from Cindy Stein
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12904	Comment from Kirsten Perez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18085	Comment from David Stetler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12905	Comment from Evan Krichevsky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18086	Comment from Jamie Thomas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12906	Comment from Trisha Sherman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18087	Comment from Debbie Dillon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12907	Comment from Catherine Tucher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18088	Comment from Sue Rosenbach
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12908	Comment from Johana Flores	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18089	Comment from Krystina Boyle
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12909	Comment from Scott Kanter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18090	Comment from darcy lion
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12910	Comment from Melene Rose	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18091	Comment from Toni Moore
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12911	Comment from Kristine Moy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18092	Comment from Ruth Woodcock
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12912	Comment from Pat Hanbury	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18093	Comment from Beverly Fowler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12913	Comment from bernard hochendoner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18094	Comment from Greg Gazzana
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12914	Comment from Nanciann Rogers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18095	Comment from Iraida Capaccio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12915	Comment from JULIEN JEGOU	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18096	Comment from Donna Nelson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12916	Comment from Harriet Redwine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18097	Comment from Larry Crabtree
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12917	Comment from Peggy Baldwin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18098	Comment from John Blaha
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12918	Comment from Ann Barnes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18099	Comment from Martha D Perlmutter
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12919	Comment from Roni madorma	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18100	Comment from Rich Mayerhofer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12920	Comment from Ann Barnes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18101	Comment from Carolyn Potts
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12921	Comment from Chloe Key	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18102	Comment from Nicholas Bridgett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12922	Comment from Gunther Ruckl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18103	Comment from Sybil Tracey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12923	Comment from Elizabeth Seltzer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18104	Comment from Robin Kaweck
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12924	Comment from kathryn broughton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18105	Comment from kristin carstarphen
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12925	Comment from SUSAN GALANTE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18106	Comment from Dee Dixon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12926	Comment from Sandra Kuschel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18107	Comment from Deborah Calloway
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12927	Comment from Sandra Kuschel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18108	Comment from linda petrulias
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12928	Comment from Sandra Kuschel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18109	Comment from Aaron Irvin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12929	Comment from Sandra Kuschel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18110	Comment from Bruce Rauscher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12930	Comment from Rebecca Picton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18111	Comment from Karin Hoggard
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12931	Comment from Gracie King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18112	Comment from frank belcastro
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12932	Comment from Anavai Harish	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18113	Comment from anthony terrulli
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12933	Comment from Maureen Schiener	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18114	Comment from Dawn Sweat
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12934	Comment from Susan Harmon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18115	Comment from Pauline Bedford
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12935	Comment from David Silver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18116	Comment from Diane and Syd Marcus
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12936	Comment from Karol Klein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18117	Comment from JR Stratton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12937	Comment from Dan Schneider	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18118	Comment from Seychelle Cannes
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12938	Comment from Lacey Chaffee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18119	Comment from jim roberts
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12939	Comment from Patricia Gehring	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18120	Comment from Sherre Lamberson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12940	Comment from Raymond McGrath	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18121	Comment from Susan Jordan

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12941	Comment from Marguerite Shuster	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18122	Comment from kaj oldenburg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12942	Comment from Kathryn Conrad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18123	Comment from David Sickles
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12943	Comment from Jole Lheureux	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18124	Comment from Sue Johnston
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12944	Comment from Bonnie New	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18125	Comment from Geoff Regalado
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12945	Comment from Linda Gillaspy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18126	Comment from susi williams
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12946	Comment from Gabriel Alberti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18127	Comment from Frank Ayers
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12947	Comment from Patricia Jones-Stahnke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18128	Comment from Susan Emery
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12948	Comment from Suzanne Kalbach	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18129	Comment from Dennis Hartman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12949	Comment from Dorota Kolodziejczyk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18130	Comment from Linda Weinberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12950	Comment from Karen Waltman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18131	Comment from Nelson Baker
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12951	Comment from Michael Bankston	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18132	Comment from Leandra Block
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12952	Comment from Kenneth Hildebrandt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18134	Comment from Sunnie Noellert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12953	Comment from Robert Swett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18136	Comment from Kathryn Melton
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12954	Comment from Heather Turbush	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18137	Comment from Jan Mcdonagh
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12955	Comment from Heather Marsh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18138	Comment from Alexander Dolowitz
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12956	Comment from A. Zamudio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18139	Comment from Jessica Mojica
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12957	Comment from David Levy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18140	Comment from T Johnson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12958	Comment from Barry Marchessault	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18141	Comment from Courtney Chandel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12959	Comment from Tanya Hatfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18142	Comment from Tracy Gray
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12960	Comment from Julie Roe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18143	Comment from JoAnn Lopez
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12961	Comment from Bonita Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18144	Comment from Gary Lichtenberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12962	Comment from Marsha Lowry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18145	Comment from Suzanne Hodges
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12963	Comment from Steven Garland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18146	Comment from Koral Campbell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12964	Comment from PAMELA SMITH	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18147	Comment from Michael Lentini
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12965	Comment from Kathy Chakoutis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18148	Comment from Jewell batway
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12966	Comment from Radha Shenoy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18149	Comment from Melissa Newman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12967	Comment from Lauren Mader	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18150	Comment from Tara Becsey
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12968	Comment from Cohn Nancy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18151	Comment from Starla Morgan
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12969	Comment from Komona Czichos-Flanigan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18152	Comment from Leigh Winn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12970	Comment from Phillip Hope	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18153	Comment from Karen Cornell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12971	Comment from Robert Long	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18154	Comment from Lesa Mccoy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12972	Comment from Anthony Yee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18155	Comment from isabelle golion
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12973	Comment from David Kaplan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18156	Comment from V Psrks
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12974	Comment from Ronald Houghton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18157	Comment from Peter Burval
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12975	Comment from Janet Glaspie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18158	Comment from Lin Westler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12976	Comment from Jenna Fallaw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18159	Comment from Robin Patten
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12977	Comment from Kay Olan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18160	Comment from Marisa Landsberg
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12978	Comment from Braxton Worth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18161	Comment from Maria Grigoriadis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12979	Comment from Ellen Ayalin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18162	Comment from Michelle Blackley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12980	Comment from Jan McDonagh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18163	Comment from Anne Orticerio
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12981	Comment from Kerry Burkhardt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18164	Comment from Betty Green

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12982	Comment from Celine Montijo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18165	Comment from Pamela Duffy
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12983	Comment from Diane Pierce	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18168	Comment from Judith Ferrell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12984	Comment from Hilda Gilman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18169	Comment from Angie Zerance
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12986	Comment from Charlie Gedi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18170	Comment from Madeline Spain
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12987	Comment from Gina Sheridan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18171	Comment from marlena tzakis
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12988	Comment from Shani Schulman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18173	Comment from Alisha Nickols
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12989	Comment from Elaine Becker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18174	Comment from Kathy Kosinski
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12990	Comment from Bonnie Orkow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18175	Comment from Cara Russo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12991	Comment from Elizabeth Taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18176	Comment from Jill Turco
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12992	Comment from Jeri Romero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18177	Comment from Susan Sander
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12993	Comment from Ken Cohn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18178	Comment from Alexander Vollmer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12994	Comment from Maria Gabrielle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18180	Comment from Melissa Vinch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12995	Comment from Maria Yepes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18181	Comment from Carolyn Coxon
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12997	Comment from Stephanie McFadden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18182	Comment from marna herrington
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12998	Comment from Peter Kahigian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18183	Comment from Carol Musante
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12999	Comment from Glenda Logan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18184	Comment from patty song
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13000	Comment from Simah Kraus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18185	Comment from Eloise Hill
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13001	Comment from Janet Romano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18186	Comment from Kendra Kendrick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13002	Comment from Kay Carey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18187	Comment from Christie Ruppel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13004	Comment from Nancy Daniel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18188	Comment from Alan Harper
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13005	Comment from Judy Cassada	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18189	Comment from Juan Hernandez Garibay
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13006	Comment from Jan Siemucha	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18190	Comment from clinton burdette
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13007	Comment from Jeannine Lish	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18191	Comment from Judah Watson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13008	Comment from Rick Sparks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18192	Comment from Marcie Colpas
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13009	Comment from dana Bleckinger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18194	Comment from Amy Dalporto
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13010	Comment from Kelly Schumann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18195	Comment from Steve BOYCE
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13011	Comment from Maja Dordevic	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18196	Comment from Marion Stewart
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13012	Comment from Robert Burkowski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18197	Comment from David Warner
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13013	Comment from Tiffany Grant	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18198	Comment from Vicki Hambrick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13014	Comment from Johnny Pflugrad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18199	Comment from DIANE HENZLER
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13015	Comment from Timothy Beitel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18200	Comment from Elyse Dubow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13016	Comment from Joan Rossignol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18201	Comment from Sandra Caputo
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13017	Comment from Chris Guillory	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18202	Comment from Shaina Bloom
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13018	Comment from Mary Harte	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18203	Comment from John Tyson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13019	Comment from Linda Savage	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18204	Comment from Sommes McGregor
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13020	Comment from Jane hunziker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18205	Comment from Noelle Armstrong
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13021	Comment from Aaron Kenna	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18206	Comment from Maria Lasorsa
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13022	Comment from Harriet McCleary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18207	Comment from Mary Hirsch
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13023	Comment from Peter Tegstad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18208	Comment from Debbie Harrington
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13024	Comment from Jane hunziker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18209	Comment from Amber Abascal
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13025	Comment from Craig Guenther	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18210	Comment from Nick Notte

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13026	Comment from Jon Hager	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18211	Comment from Sandra Burnett
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13027	Comment from Susan Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18212	Comment from Rachel Cairns
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13028	Comment from William Heuser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18213	Comment from Kristina Wunder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13029	Comment from Karen Feiler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18214	Comment from Peggy Wynn
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13030	Comment from Theo Giesy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18215	Comment from Andrea Holwager
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13031	Comment from Victoria Tuorto	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18216	Comment from Barbara Dockus
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13032	Comment from Richard Watson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18217	Comment from Donna Gensler
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13033	Comment from Roxanne Hewitt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18218	Comment from Cindy Borske
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13034	Comment from Marna Gasperino	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18219	Comment from Kevin Worker
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13035	Comment from Elaine Carlini-Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18220	Comment from Linda Hilf
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13036	Comment from Kathleen Colwill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18221	Comment from Linda Eberhard
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13037	Comment from Marjory Clyne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18222	Comment from Ana Schroeder
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13038	Comment from Jeremy Wales	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18223	Comment from Sheila Pereira
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13039	Comment from Michael Friedmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18224	Comment from Michelle Profant
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13040	Comment from DIANA BOOM	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18225	Comment from Ariel Wynn
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13041	Comment from Angi Tilley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18226	Comment from Tiffany Teachout
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13042	Comment from Patricia Rain	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18227	Comment from Carol Affleck
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13043	Comment from Mirabai Nagle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18228	Comment from Gareth Wynn
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13044	Comment from Iliana Lopez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18229	Comment from Adrian Schilke
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13045	Comment from Debbie Martinez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18231	Comment from Bobby Wynn
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13046	Comment from David Lavender	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18232	Comment from Michael Kenosky
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13047	Comment from Susan Lefler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18233	Comment from Eunice Richmond
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13048	Comment from Darby Stone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18234	Comment from Donna Lampkin
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13049	Comment from Robert Applebaum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18235	Comment from Tami Trearse
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13050	Comment from Fredette Hallstead	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18236	Comment from Dianne Kenosky
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13051	Comment from Richard Hallstead	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18237	Comment from Alexa Morgan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13052	Comment from Brenda Roy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18238	Comment from Sandra Falcon
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13053	Comment from William Barrett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18239	Comment from Diane Marchisio
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13054	Comment from Thyme Council	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18240	Comment from Joseph Kenosky
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13055	Comment from Patricia Dishman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18241	Comment from d'Anne MacNeil
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13056	Comment from Lynne Walters	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18242	Comment from Enrico Pelusa
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13057	Comment from Carol Fly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18243	Comment from Vicki Wheeler
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13058	Comment from Chris Larsen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18244	Comment from Barbara Peters
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13059	Comment from Teresia LaFleur	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18245	Comment from Matt Ravenda
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13060	Comment from EVA CANTU	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18246	Comment from Jeff Charity
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13061	Comment from Sandra Joos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18247	Comment from Candice Schellenger
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13062	Comment from Sonya Starbuck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18248	Comment from Jennifer Neff
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13063	Comment from Catherine Schultz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18249	Comment from Vicki Richards
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13064	Comment from Sharon Paltin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18250	Comment from Barbara Becker
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13065	Comment from Robert Rivera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18251	Comment from Janice Kidd
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13066	Comment from Jean-Paul Bergeron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18252	Comment from Stephanie Snyder

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13067	Comment from Larry Oconner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18253	Comment from Wolfey Buydos
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13068	Comment from Michelle Unger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18254	Comment from Angelique St Pierre
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13069	Comment from Susan Pfretzschner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18255	Comment from Christine Piekarski
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13070	Comment from Susana Lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18256	Comment from ROB DOUCETTE
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13071	Comment from Kay Lowe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18257	Comment from Mary Keithler
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13072	Comment from Susana Lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18258	Comment from Marcel Liberge
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13073	Comment from Frances Alet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18259	Comment from Dogan Ozkan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13074	Comment from Ann McGill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18260	Comment from gary zahler
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13075	Comment from Ryan Nestler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18261	Comment from Vicki Gaffney
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13076	Comment from Ryan Nestler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18262	Comment from Victoria Behar
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13077	Comment from Ryan Nestler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18263	Comment from Jeane Gogerty
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13078	Comment from Hellene Chapman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18264	Comment from Aleksandra Kaporovskaya
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13079	Comment from Mia Kodzik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18265	Comment from Judith Laik
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13080	Comment from Nancy Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18266	Comment from Ernet Garayan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13081	Comment from Elaine Edell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18267	Comment from Leslie Kreinin Robertson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13082	Comment from Kim Wick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18268	Comment from Kathleen Doctor
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13083	Comment from Susan Michetti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18269	Comment from Maryellen Redish
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13084	Comment from Lauren A.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18270	Comment from Linda Guthrie
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13085	Comment from Barbara Gross	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18271	Comment from Teresa Sem
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13086	Comment from Stacy Cornelius	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18272	Comment from Alex Weiland
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13087	Comment from Saran K.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18273	Comment from Mark Kapec
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13088	Comment from joyce heyne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18274	Comment from Robin Rysavy
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13089	Comment from Pat Petro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18275	Comment from Larry Friedman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13090	Comment from Savannah Hawkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18276	Comment from Amy Schaupter
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13091	Comment from kathy Jarman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18277	Comment from Hooman Larimi
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13092	Comment from Hans Deutsch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18278	Comment from Laurie Gorman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13093	Comment from jennifer robinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18279	Comment from Debbie Kahn
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13094	Comment from Kristina Wunder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18280	Comment from Lisa Iffland
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13095	Comment from Brenda Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18281	Comment from Shelley Winters
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13096	Comment from james mckee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18282	Comment from Robert Schicker
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13097	Comment from Alan Linville	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18283	Comment from Terri Knauber
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13098	Comment from S Mendon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18284	Comment from KIMBERLY BRENOWITZ
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13099	Comment from Lynn Roebuck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18285	Comment from Neilia Pierson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13100	Comment from Maya Kurtz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18286	Comment from ALAN MURAWSKI
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13101	Comment from John Markham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18287	Comment from Evangeline Miranda
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13102	Comment from Marlene Tucay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18288	Comment from Rosemary Rukavena
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13103	Comment from Sharon Braswell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18289	Comment from Pamela Cornish
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13104	Comment from David Bryan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18290	Comment from Jennifer Taylor
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13105	Comment from Robyn Lauren	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18291	Comment from Helen Pruzan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13106	Comment from Mary Breitlow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18292	Comment from Katherine Wentworth
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13107	Comment from Kristine Kennedy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18293	Comment from regula hess

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13108	Comment from Philip Dooley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18294	Comment from dana Bleckinger
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13109	Comment from Scott Jennings	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18295	Comment from John Essman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13110	Comment from Blake Wu	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18296	Comment from Juli Kring
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13111	Comment from Debra Harpole	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18297	Comment from Lydia Garvey
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13112	Comment from Cheryl Odoardi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18298	Comment from Michelle Collar
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13113	Comment from Susan Rambo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18299	Comment from Joanne Anderson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13114	Comment from Arrie Hammel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18300	Comment from Tracy Gourville
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13115	Comment from Brenda Griswold	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18301	Comment from Kristin Arioli
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13116	Comment from Patricia Taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18302	Comment from Maureen O'Neal
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13117	Comment from Har Canto	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18303	Comment from Eury Ramos
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13118	Comment from Laura Huddlestone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18304	Comment from James Beeler II
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13119	Comment from Beverly Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18305	Comment from Marion Mcnamara
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13120	Comment from Cynthia Vartenuk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18306	Comment from Isadora Avett
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13121	Comment from Christina Nillo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18307	Comment from Maureen Simpson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13122	Comment from Jane Van Praag	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18308	Comment from Nan Schmid
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13123	Comment from Carol Gordon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18309	Comment from hilary sochacki
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13124	Comment from Stanley Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18310	Comment from Diane Murphy
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13126	Comment from Donna Lynn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18312	Comment from MARIA VENIDIS
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13127	Comment from Robin Esterkin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18313	Comment from Aitor Suarez
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13128	Comment from Marney Reed	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18314	Comment from Gina Petty
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13129	Comment from terr badger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18315	Comment from Naomi Durbin
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13130	Comment from Linda Taffet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18316	Comment from Sandra Denninger
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13131	Comment from jonathan weinstock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18317	Comment from Donna D Varcoe
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13133	Comment from Barbara Diederichs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18318	Comment from Jeremy Carpenter
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13134	Comment from Jolayne Justice	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18319	Comment from D J Lubonovich
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13135	Comment from Jacqueline Jenkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18320	Comment from Susan Garman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13136	Comment from Rosemary delPino	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18321	Comment from Michelle Walls
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13137	Comment from Melissa Mazias	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18322	Comment from johna Rice
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13138	Comment from Gaia Cole	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18323	Comment from Kyle Haines
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13139	Comment from Elena Rumiantseva	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18324	Comment from Donna Thomas
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13140	Comment from Bridgette Jessen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18325	Comment from Lex Hames
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13141	Comment from robert moeller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18326	Comment from Patricia Monacella
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13142	Comment from Reverend Scholar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18327	Comment from Barbara Culbert
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13143	Comment from Norm Wilmes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18328	Comment from Cynthia McCray
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13144	Comment from Linda Sherwood	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18329	Comment from Jennifer Hurlburt
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13145	Comment from Nick Byrne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18330	Comment from MJ mashburn
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13146	Comment from Heidi Steffy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18332	Comment from Natalie Santiago
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13147	Comment from Kristine Kennedy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18333	Comment from Mary Kinney
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13148	Comment from Kelsey Kennedy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18334	Comment from Elizabeth Mitchell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13149	Comment from Linda Carroll	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18335	Comment from M W
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13150	Comment from K R	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18336	Comment from Rumeysa Kusdogan

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13151	Comment from Margaret Christman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18337	Comment from Kermit Cuff
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13152	Comment from Cindy Koch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18338	Comment from g clemson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13153	Comment from Ankea Kkoutas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18339	Comment from Alexandra Simmonds
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13154	Comment from Carlo Zucchi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18340	Comment from Patricia McLean
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13155	Comment from David Arnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18341	Comment from Robert Davenport
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13156	Comment from Alicia Bernhardt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18342	Comment from Margaret Sellers
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13157	Comment from Tami Phelps	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18343	Comment from Hannelore Kennedy
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13158	Comment from Eileen Moceri	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18344	Comment from Ruth Curiale
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13159	Comment from Sanja Lalic	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18345	Comment from Frances Bell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13160	Comment from Sun kim	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18346	Comment from Kathleen Margulis
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13161	Comment from Janna Caughron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18347	Comment from Leslie Sutliff
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13162	Comment from Eliot Schickler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18348	Comment from Sharon Durniak
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13163	Comment from Mary Williamson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18349	Comment from Carole Courtney
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13164	Comment from Karen Pecsok	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18350	Comment from Cynthia Skandis
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13165	Comment from Michael Fletty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18351	Comment from Diana Farfan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13166	Comment from Jen Plishka	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18352	Comment from Teresa DeNardo
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13167	Comment from Mike Evans	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18353	Comment from Mark Koritz
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13168	Comment from Lorna Kepes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18354	Comment from Michael Peterman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13169	Comment from Christy Matherne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18355	Comment from Irene Osten
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13170	Comment from Thomas Talbot	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18356	Comment from Janet Martucci
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13171	Comment from Danika Esden-Tempski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18357	Comment from Marian Cruz
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13172	Comment from ISABEL CERVERA	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18358	Comment from Cathy Stansell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13173	Comment from Gaetano Amato	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18359	Comment from S Emmel
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13174	Comment from Peter Tello	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18360	Comment from Elaine Preston
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13175	Comment from Sara Roderer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18361	Comment from Nicole Hoekstra
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13176	Comment from Elizabeth Schauer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18362	Comment from Laura Prohaska
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13177	Comment from Peg Kucek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18363	Comment from Okiyo Ososaka
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13178	Comment from Mary Creighton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18364	Comment from Jeanette Taylor
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13179	Comment from Don Meriwether	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18365	Comment from David Lavender
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13180	Comment from Mike Rossi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18366	Comment from Dina Morena
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13181	Comment from Emma Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18367	Comment from Dave Searles
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13182	Comment from Stephanie Cawley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18368	Comment from Patricia Vance
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13183	Comment from Andre Meaux	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18369	Comment from Attila Aczel
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13184	Comment from Barbara Blount-Powell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18370	Comment from Aleta Wallach
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13185	Comment from Carole Arbour	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18371	Comment from William McCullough
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13186	Comment from Benedict Di Salvo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18372	Comment from Theresa Dudley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13187	Comment from Hajara Ntale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18373	Comment from Timothy Beitel
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13188	Comment from Stephen Antoniadis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18374	Comment from Stephen Mudrick
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13190	Comment from Jan Gustafson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18375	Comment from James Kawamura
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13191	Comment from Jacob Pendlebury	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18376	Comment from Pat Hackett
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13192	Comment from Cheryl Fontaine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18377	Comment from John Stofko

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13193	Comment from Christel Marvin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18378	Comment from Adrienne Pritchard
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13194	Comment from Deb Horan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18379	Comment from Alberdina Schmidt
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13195	Comment from Uwe Dotzauer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18380	Comment from Katherine Barrett Zywan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13196	Comment from Laura Brown	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18381	Comment from Theodora Sable
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13197	Comment from Matthew Boguske	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18382	Comment from Denise White
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13198	Comment from John Furlong	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18383	Comment from LJ Harris
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13199	Comment from Mike McCool	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18384	Comment from Roberta Stephan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13200	Comment from Valerie Stains	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18385	Comment from Lex Hall
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13201	Comment from Delaine Spilsbury	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18386	Comment from Barbara Methvin
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13203	Comment from Karen Alexander	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18387	Comment from Stacy Schrader
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13204	Comment from debbie stapleton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18388	Comment from Jody Lewis
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13205	Comment from Judy LaVaute	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18389	Comment from Kelly Eaves
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13206	Comment from Carrie Breen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18390	Comment from Leslie Lomas
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13207	Comment from Kim Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18391	Comment from Lois nottingham
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13208	Comment from Paul Laney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18392	Comment from Barbara Rose
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13209	Comment from Eileen Conner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18393	Comment from Lisa Stanley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13210	Comment from Roel Cantu	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18394	Comment from Susan Irvine
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13211	Comment from Gary Ardito	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18395	Comment from L Fielder
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13212	Comment from Rod Garner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18396	Comment from Liisa Kingsley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13213	Comment from Constance Lorig	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18398	Comment from Anitra P
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13214	Comment from Douglas Morrison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18401	Comment from Celeste VeZolles
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13215	Comment from Christelle Stubbs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18402	Comment from Bruce and Penny Triplett
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13216	Comment from Erica Minglis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18403	Comment from Johnny Pflugrad
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13217	Comment from Carl Oerke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18404	Comment from Lisa Piner
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13218	Comment from Susy Palou	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18405	Comment from Donald Wilson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13219	Comment from Alison Werther	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18406	Comment from STACIE CHARLEBOIS
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13220	Comment from John LaPolla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18407	Comment from Betty Meade
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13221	Comment from Ann Downey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18408	Comment from Thomas Guaraldi
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13222	Comment from Sharon Teagardin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18409	Comment from Kelly Paquette
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13223	Comment from Gordon Cook	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18410	Comment from Marilyn Matye
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13224	Comment from Leslie Janoe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18411	Comment from Richard Pendarvis
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13225	Comment from Caroline Kipling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18412	Comment from Norbert Langer
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13226	Comment from Caroline Kipling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18413	Comment from sharon simmons
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13227	Comment from Brett Schultz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18414	Comment from Marcella Crane
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13228	Comment from Diane Levy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18415	Comment from Susan Berzac
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13229	Comment from Elisabeth Youngclaus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18416	Comment from Vanessa Gonzales
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13230	Comment from Cassia Charles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18417	Comment from Charlotte Ryan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13231	Comment from Joy Kunc	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18418	Comment from Hector A Pol
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13232	Comment from Linda McDougal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18419	Comment from Ann Katcef
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13233	Comment from Christina Crosby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18420	Comment from manuel santod
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13234	Comment from Ann-Marie Corkett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18421	Comment from Andrew Arneson

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13235	Comment from Heather Pattee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18422	Comment from Marlena Lovewell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13236	Comment from Diane Arnal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18423	Comment from Nancy Dollard
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13237	Comment from Teresa Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18424	Comment from Sherry McCullough
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13238	Comment from Chris Nolasco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18425	Comment from Margaret Tice
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13239	Comment from szu burgess	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18426	Comment from Monique Williams
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13240	Comment from Charles Goldsmith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18427	Comment from Evelyn Coltman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13241	Comment from Vicki Casarett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18428	Comment from D'Anna Fortunato
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13242	Comment from Sarah Stansill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18429	Comment from Linda Allen
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13243	Comment from Sarah Yonder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18430	Comment from John Rokas
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13244	Comment from Laura McMullen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18431	Comment from Diane OBrien
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13245	Comment from Raymond Arent	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18432	Comment from Deborah Butler
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13246	Comment from Nan Faile	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18433	Comment from Margarita Perez
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13247	Comment from Lina-Lave Zastrow-Hendrickson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18434	Comment from Frederick Blosser
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13248	Comment from Eddie Konczal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18435	Comment from Carlos Medina
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13249	Comment from David Elwell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18436	Comment from Margarita Gonzalez
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13250	Comment from Jay Brasher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18437	Comment from Paula Standley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13252	Comment from Ray Barlow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18438	Comment from Connie Kirkham
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13253	Comment from Misti Kane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18439	Comment from Jane W
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13254	Comment from BRETT KENGOR	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18440	Comment from Michelle Vallee
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13255	Comment from lin farley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18441	Comment from Simona Burshteyn
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13256	Comment from Dave Stevens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18442	Comment from ALISON APLIN
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13257	Comment from Ruchir Vora	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18443	Comment from julia holleran
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13258	Comment from Sarah Gerard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18444	Comment from Kelly Caffrey
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13259	Comment from Jocelyn Parris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18445	Comment from Lawrence Spinner
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13260	Comment from Dara Errichetti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18446	Comment from Aaron Kenna
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13261	Comment from Mike Shields	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18447	Comment from Debasri Roy
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13262	Comment from Eugene Bae	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18448	Comment from Vickie Jacobs
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13263	Comment from Lisa Knight	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18449	Comment from Pam Reeves
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13264	Comment from andres venegas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18450	Comment from Melody Anne Boatright
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13265	Comment from Lenore Solomon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18451	Comment from Elaine Edell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13266	Comment from David Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18452	Comment from Joyce Cantino
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13267	Comment from william rastetter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18453	Comment from Mary Shannon
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13268	Comment from Linda Shultis-Hoffmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18454	Comment from Ginny Rocco
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13269	Comment from Barry Horney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18455	Comment from fern clark
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13270	Comment from mary coulter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18456	Comment from sarah vanderwaall
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13271	Comment from Chad Pearson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18457	Comment from Taffi Newhouser
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13272	Comment from GLORIA SHARP	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18458	Comment from Mary Bissell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13273	Comment from Robert Long	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18459	Comment from Karen Winnick
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13274	Comment from Kevin Henry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18460	Comment from Gerald Karlovitz
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13275	Comment from Pamela Hamilton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18461	Comment from Barbara Merrill
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13276	Comment from Joe Balsamo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18462	Comment from Roberta Stern

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13277	Comment from Diane Faircloth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18463	Comment from Debbie Cieplinski
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13278	Comment from Denise Henyard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18464	Comment from Lynette Rynders
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13279	Comment from Paula Eaton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18465	Comment from Karen Kravcov Malcolm
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13280	Comment from Karyn Sederberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18466	Comment from Patricia Rogers
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13281	Comment from ANDREW HOFFMAN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18467	Comment from Flavia Sollecito
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13282	Comment from Elizabeth Cherubin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18468	Comment from Lily Doris
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13283	Comment from Wendy Ryden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18469	Comment from Laura BLANCHETTE
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13284	Comment from Riley Canada	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18470	Comment from Sheree Bala
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13285	Comment from Sandra. Langer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18471	Comment from Larry Bosket
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13286	Comment from Janette Klein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18472	Comment from Kevin Bickers
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13287	Comment from Johanna Scott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18473	Comment from judith keeley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13288	Comment from Mark Lotito	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18474	Comment from Michael Smith
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13289	Comment from Laraine Lebron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18475	Comment from Susan Worden
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13290	Comment from S Simpson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18476	Comment from Lise Hull
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13291	Comment from Patricia Heiden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18477	Comment from Claudia D
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13293	Comment from Kathleen Mulhall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18478	Comment from Louis Sambuco
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13294	Comment from Nicole Kennedy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18479	Comment from Marguerite Fortin
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13295	Comment from Carolyn Warner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18480	Comment from Erin Meadows
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13296	Comment from Beverly Boling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18481	Comment from Gayle Janzen
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13297	Comment from Mel Vance	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18482	Comment from Katherine Anderson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13298	Comment from Jeffery Olson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18483	Comment from Shawna Zanney
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13299	Comment from Dorothy Hatch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18484	Comment from Valerie Masi
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13300	Comment from Michele Fulton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18485	Comment from Rita Mullis
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13301	Comment from Angel Hissley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18486	Comment from Ruth Dyke
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13302	Comment from Michael Brezin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18487	Comment from Lilia Casarez
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13303	Comment from Michele Horenstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18488	Comment from Connie Colvin
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13304	Comment from Sandy Kasper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18489	Comment from Robert Scott
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13306	Comment from Tracy Nguyen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18490	Comment from Mikaela Sierra
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13307	Comment from Monroe Quinn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18491	Comment from M Timmins
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13308	Comment from Janet Romine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18492	Comment from Malcolm Elgut
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13309	Comment from Cynthia Bernett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18493	Comment from Mark Davis
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13310	Comment from Shira Miess	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18494	Comment from Alma Spaulding
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13311	Comment from Leah Olson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18495	Comment from Kendra Knight
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13312	Comment from Nicholas Stott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18496	Comment from Katherine Stano
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13313	Comment from Kathy Goltry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18497	Comment from Susan Canada
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13314	Comment from Terri Hartsfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18498	Comment from Gail Clark
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13315	Comment from Mark Gowan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18499	Comment from Michael Zeller
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13316	Comment from William leben	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18500	Comment from Judith Rubin
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13317	Comment from Michael Raymond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18501	Comment from Lisa Bonaldi
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13318	Comment from Timothy Wuthier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18502	Comment from Mary Dudley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13319	Comment from Phyllis White	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18503	Comment from Kevin Stodolski

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13320	Comment from Shannon Marshall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18504	Comment from Terri Fields
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13321	Comment from steve simmons	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18505	Comment from Ellen Peterson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13322	Comment from John Cohen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18506	Comment from Jim Anthis
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13323	Comment from don smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18507	Comment from Estella Edwards
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13324	Comment from Erin Kennedy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18508	Comment from joyce heyn
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13325	Comment from Paul Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18509	Comment from James Frattarola
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13326	Comment from Bill Marotz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18510	Comment from Sheri Opp
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13327	Comment from Annie McCann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18511	Comment from Arlene Ng
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13328	Comment from Nancy Feuerbacher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18512	Comment from Kennedy Roop
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13329	Comment from Irene Casey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18513	Comment from Nina Perino
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13330	Comment from Hal Glidden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18514	Comment from anh nguyen
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13331	Comment from Jimmie Lunsford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18515	Comment from Jason Alexander
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13332	Comment from Clara sharp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18516	Comment from Suzy Siegmann
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13333	Comment from Tammy Bittler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18517	Comment from pamela guyon
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13334	Comment from Lena Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18518	Comment from Marvis J Phillips
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13335	Comment from Lena Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18519	Comment from Glenna Dowling
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13336	Comment from Carol Kain	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18520	Comment from Rebecca Wang
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13337	Comment from Bob Rushford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18521	Comment from Susan Emery
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13339	Comment from Surya-Patricia Hood	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18522	Comment from Judy Manning
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13340	Comment from EMMA JENNINGS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18523	Comment from Margarita Politte
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13341	Comment from TRAVIS JENNINGS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18524	Comment from Linda Blodgett
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13342	Comment from Michele B	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18525	Comment from JUNE SCHNEIDERMAN
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13343	Comment from Lawrence Joe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18526	Comment from Margaret Lloyd
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13344	Comment from Tina Messamore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18527	Comment from Sherry Frey
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13345	Comment from Robert Bagley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18528	Comment from fern clark
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13346	Comment from Russell Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18529	Comment from Angela Poinsett
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13347	Comment from Claire Bush	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18530	Comment from Michalle Gleason
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13348	Comment from Frances Heath	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18531	Comment from Natalie Aharonian
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13349	Comment from KELLY BARRIOS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18532	Comment from Jay R Hipol
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13350	Comment from Kristina Ruhland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18533	Comment from Sher Pullen
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13351	Comment from Tina Overland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18534	Comment from David Hombokau
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13352	Comment from Nicholas Bridgett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18535	Comment from Faith Conroy
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13354	Comment from Pam Moore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18536	Comment from Beverly Saks
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13355	Comment from Luanne Alomair	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18537	Comment from Mary Dabney
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13356	Comment from Ronlyn Schwartz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18538	Comment from Edward Macan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13357	Comment from Francine Lipka	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18539	Comment from Ben Martin
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13358	Comment from Stephanie Haines	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18540	Comment from Diane Rohn
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13359	Comment from Diane Loughbom	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18541	Comment from Leonid Volovnik
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13360	Comment from Sam Eaton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18542	Comment from Peggy Bergen
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13361	Comment from elaine peters	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18543	Comment from Suzanne Marienau
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13362	Comment from Lizzie Vierra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18544	Comment from Kate Hein

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13364	Comment from Jennifer Shanks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18545	Comment from Carlos Echevarria
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13365	Comment from Georgeta Burca	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18546	Comment from Heather Lapensee
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13366	Comment from Angel McCarter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18547	Comment from Susan DaSanto
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13367	Comment from Gabriella Turek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18548	Comment from Sarah Mattingly
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13368	Comment from Julian Siminski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18549	Comment from Patricia Allen
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13370	Comment from Lauri Moon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18550	Comment from Elizabeth Meszaros
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13372	Comment from barbara maat	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18551	Comment from Patricia Dishman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13373	Comment from Linda Camp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18552	Comment from Pamela VourosCallahan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13374	Comment from Sean Jaquiss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18553	Comment from PAMELA J SMITH
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13375	Comment from Elizabeth Hartrick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18554	Comment from Elizabeth Meszaros
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13376	Comment from Catherine Nelson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18555	Comment from Sima K
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13377	Comment from Kerry Witmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18556	Comment from Debra Harpole
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13378	Comment from Joel Jensen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18557	Comment from Amanda Ellixson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13379	Comment from Nick Brannan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18558	Comment from Phyllis Kaiser
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13380	Comment from Karen Scanlon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18559	Comment from Lorraine Small
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13381	Comment from Christopher Michaels	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18560	Comment from Debbie Lapierre
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13382	Comment from Patricia Auer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18561	Comment from Kelly Brannigan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13383	Comment from Mario Melo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18562	Comment from Dave Beck
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13384	Comment from Carter Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18563	Comment from Reanna Flores
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13385	Comment from Jacquelyn Fay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18564	Comment from Sharon Fenderson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13386	Comment from Mary Easton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18565	Comment from James Knott
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13387	Comment from Diana Sanderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18566	Comment from Maureen Drews
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13389	Comment from Lisa Niebling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18567	Comment from Sarah Hafer
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13390	Comment from Frances M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18568	Comment from Gary Worthy
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13391	Comment from Amy M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18569	Comment from rochelle ellison
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13392	Comment from Gary Maedl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18570	Comment from Ki Jung
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13393	Comment from Ruth Quinones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18571	Comment from MaryAnn Tittle
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13394	Comment from Valerie Apel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18572	Comment from Michael Collier
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13395	Comment from Leah Hallow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18573	Comment from Adrienne Metter
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13396	Comment from Matt Nesbit	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18574	Comment from Shannon Fox
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13397	Comment from Albert Honican	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18575	Comment from Mr Derlin Clair
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13398	Comment from Alfred Wilson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18576	Comment from ENOCI BEN GAURIEL JINAO Sheba Viregal Das
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13399	Comment from Stephen Pittman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18577	Comment from Pamela Gray
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13400	Comment from Judith Karlovsky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18578	Comment from GEENA DURAN
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13401	Comment from Jeff Kulp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18579	Comment from Kimberly Mann
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13402	Comment from JAMES JOHNSON	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18580	Comment from Rachel Docherty
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13403	Comment from Roger Vaughan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18581	Comment from Warren Potter
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13404	Comment from Cathi Campbell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18582	Comment from David Carter
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13405	Comment from Laura Hughes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18583	Comment from Debra Dorfman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13406	Comment from Jennifer Romans	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18584	Comment from Tammie Thier
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13407	Comment from Erica Runge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18585	Comment from Kimberly Mann

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13408	Comment from John Dixon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18586	Comment from Melinda Weisser Lee
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13409	Comment from Wendy McGowan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18587	Comment from Susan Loscher
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13410	Comment from tara wheeler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18588	Comment from Virgene Link New
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13411	Comment from Sheila Kelley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18589	Comment from Carol Oller
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13412	Comment from Gail Hoehn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18590	Comment from Valerie Emery
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13413	Comment from CHRISTOPHER PARSONS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18591	Comment from Caroline Mead
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13414	Comment from carl tegethoff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18592	Comment from Caroline Oneal
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13415	Comment from Dawn Hendry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18593	Comment from t bell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13416	Comment from Sabrina Sarne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18594	Comment from Renee Owens
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13417	Comment from tami mccready	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18595	Comment from Angi Tilley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13418	Comment from Cynthia Lawrence	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18596	Comment from Katie Haber
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13419	Comment from April Narcisse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18597	Comment from Robert DeMuth
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13420	Comment from Robert Wahl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18598	Comment from Sandra Klueger
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13421	Comment from Skot McDaniel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18599	Comment from Evan Oakley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13422	Comment from Julie Hawkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18600	Comment from Sandra Webster
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13423	Comment from Matt Reola	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18601	Comment from Valerle Leonard
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13425	Comment from Mavis Belisle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18602	Comment from Thomas Libbey
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13426	Comment from Debra Raymond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18603	Comment from Mari Dominguez
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13428	Comment from Derinda Nilsson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18604	Comment from Susan Quickel
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13429	Comment from Aubre Walther	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18605	Comment from Bruce Ross
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13430	Comment from Larry Chandler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18606	Comment from Dave Howard
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13431	Comment from Lara Hutchin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18607	Comment from Sarah Jordan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13432	Comment from Juan Garcs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18608	Comment from Angela Norse
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13433	Comment from Deidra Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18609	Comment from John Everett
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13434	Comment from Ashleigh Britton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18610	Comment from Colonel Meyer
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13436	Comment from Ramsay Kieffer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18611	Comment from David Wilcox
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13437	Comment from Norbert Mietus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18612	Comment from Sheila Tran
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13438	Comment from Maria Balicka	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18613	Comment from A French
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13439	Comment from Janet Carmichael	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18614	Comment from Nano McNamara
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13440	Comment from Rebecca Doane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18615	Comment from Mary Callison
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13441	Comment from Danielle Miele	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18616	Comment from Sharmayne Busher
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13443	Comment from Karen Witty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18617	Comment from Sally Kyle
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13445	Comment from Michael Garitty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18618	Comment from Alicia Paravola
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13446	Comment from Claudia Gorecki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18619	Comment from Anne Barker
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13447	Comment from Michael Puntillo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18620	Comment from Michael Deckard
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13448	Comment from Leslie Kriebel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18621	Comment from Katy Adcock
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13449	Comment from Michael Puntillo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18622	Comment from Charlene Homady
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13450	Comment from Karyn Blue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18623	Comment from Claire Prevost
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13451	Comment from Michael Favata	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18624	Comment from Mary Fleming
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13452	Comment from Joanna Leary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18625	Comment from Barbara Adkins
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13453	Comment from Diana Rodgers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18626	Comment from Bonnie Butts

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13454	Comment from T Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18627	Comment from Kay Spidle
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13455	Comment from Shan Magnuson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18628	Comment from Janet Uyeki
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13456	Comment from David Wimsatt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18629	Comment from Arlene Baker
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13457	Comment from Sandra Joy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18630	Comment from Raymond Mlynczak
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13459	Comment from V Evan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18631	Comment from Steven Kranowski
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13460	Comment from Amarynthia Schalin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18632	Comment from SANDA AKERLUND
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13461	Comment from Cheryl Arthur	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18633	Comment from Pam Hobbs
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13462	Comment from Marc Westler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18634	Comment from Dawn Skok
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13463	Comment from Philip Ritter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18635	Comment from Julia Westfall
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13464	Comment from Diane Klump	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18636	Comment from Ali Mosa
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13465	Comment from Leslie Valentine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18637	Comment from Lauren Schiffman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13466	Comment from Pamela Hall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18638	Comment from Yulia Brockdorf
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13467	Comment from Lee McCann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18639	Comment from Meredith Miller
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13468	Comment from Mary Splan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18640	Comment from Hannah Smith
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13470	Comment from Paul Doscher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18641	Comment from Vicky Chan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13471	Comment from Manucher Baybordi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18642	Comment from Lisa Zarafonetis
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13472	Comment from Patricia Gashlin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18643	Comment from Lori Crowley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13473	Comment from Shelby Hood	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18644	Comment from Melissa Johnson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13474	Comment from Robert De Beck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18645	Comment from Susan Gilcreast
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13475	Comment from Beth Williamson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18646	Comment from Irham Saeed
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13478	Comment from Arci Jimenez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18647	Comment from Georgie Song
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13479	Comment from Loretta Iaconetti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18648	Comment from Melissa Amberson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13480	Comment from Deb Buckler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18649	Comment from Cassy S
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13481	Comment from L. Sinclair	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18650	Comment from Catherine Squier
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13482	Comment from Sean Egan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18651	Comment from Patricia Crail
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13483	Comment from m'lou christ	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18652	Comment from Jen Shanks
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13484	Comment from Irina Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18653	Comment from Steve Scott
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13485	Comment from Barbara DeCoursey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18654	Comment from Sue Christiansen
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13486	Comment from Stephanie Cloak-Sander	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18655	Comment from Sharon Jenkins
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13487	Comment from Linda Gertig	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18656	Comment from Gabriel Funes
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13488	Comment from M Gosline	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18657	Comment from Lauren Hembree
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13489	Comment from Randi McManus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18658	Comment from Rosiris Paniagua
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13490	Comment from Erika Sirabian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18659	Comment from Tammy Bullock
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13491	Comment from Christie Vaughn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18660	Comment from Domingo Hermosillo
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13492	Comment from Susan Perez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18661	Comment from Wayne Cohen
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13493	Comment from f t	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18662	Comment from Virginia Dwyer
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13494	Comment from catherine podojil	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18663	Comment from Melissa Santucci
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13495	Comment from Ivonne Montero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18664	Comment from Beverly Bullock
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13496	Comment from Rebecca Lippmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18665	Comment from Don McKelvey
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13497	Comment from Heidi Howell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18666	Comment from Ava Lee
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13504	Comment from MaryJo Fontenot	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18667	Comment from Lorraine Small

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13505	Comment from Katie Clifford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18668	Comment from Jeri Fioramanti
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13506	Comment from Kathy lawless	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18669	Comment from OC Oliveira
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13507	Comment from Katie Clifford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18670	Comment from John McMillan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13508	Comment from Hannah King	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18671	Comment from Laura Long
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13509	Comment from Diane Kraft	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18672	Comment from Denise Day
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13510	Comment from Dee Morin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18673	Comment from G G Johnson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13511	Comment from Jennifer Schieffer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18674	Comment from Kim Seger
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13512	Comment from Medora Van Denburgh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18675	Comment from Carol King
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13513	Comment from Rax Green	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18676	Comment from Angela Plagge
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13514	Comment from Claire Phillips	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18677	Comment from D Bello
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13515	Comment from James Murpheyj	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18678	Comment from Robin Kohn
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13516	Comment from Candace. Slivinski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18679	Comment from David Berry
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13517	Comment from Kris Gata	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18680	Comment from roger schmidt
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13518	Comment from Lorraine Avallone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18681	Comment from George Bond
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13519	Comment from Lauren Bas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18682	Comment from James Hartley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13520	Comment from Stephen Bamford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18683	Comment from Nancy Stamm
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13521	Comment from Nina Gondos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18684	Comment from Dennis Lyday
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13522	Comment from Laura Nilson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18685	Comment from Judi Poulson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13523	Comment from Robert Morton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18686	Comment from Robin Dumler
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13524	Comment from Patricia Grace	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18687	Comment from Katelyn Acevedo Perez
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13525	Comment from Brian Gingras	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18688	Comment from Michael Tucker
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13526	Comment from Lynne Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18689	Comment from Norm Wilmes
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13527	Comment from SUSAN BABBITT	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18690	Comment from Sherry Macias
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13528	Comment from Sally Brainerd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18691	Comment from Yvonne Marley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13529	Comment from April Tackett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18692	Comment from Michael Halloran
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13530	Comment from Beverly Bradshaw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18693	Comment from Jared Howe
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13532	Comment from Beverly Bradshaw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18694	Comment from Reed Fenton
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13533	Comment from Laurel Watson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18695	Comment from William Robinson-Neuwirth
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13534	Comment from Robert Abbatecola	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18696	Comment from TRACY JONES
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13535	Comment from Julia French	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18697	Comment from Julie Richards
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13536	Comment from pat turney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18698	Comment from Sarah Dean
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13537	Comment from Christopher O'Brien	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18699	Comment from Susan Carroll
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13538	Comment from Debbie Jarae	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18700	Comment from John and Judy Knoten
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13539	Comment from Arline Hoskinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18701	Comment from Marla Feierabend
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13540	Comment from Allison Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18702	Comment from Cody Hoff
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13541	Comment from Patricia Snowden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18703	Comment from Jason Steadmon
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13542	Comment from stacey murrow	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18704	Comment from Tim Durnell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13543	Comment from James Whitelock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18705	Comment from Terry Derchia
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13544	Comment from Doug Roaten	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18706	Comment from Michael Hoover
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13545	Comment from Rebecca Glass	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18707	Comment from Jenna Harris
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13546	Comment from Russell Brooks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18708	Comment from Julie Moylan

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13547	Comment from H Lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18709	Comment from Terri Cordell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13548	Comment from Sandra Bell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18710	Comment from Cheri Moore
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13549	Comment from Pamela Roberts	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18711	Comment from Carol Devoss
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13550	Comment from Shylah valley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18712	Comment from JOHN DEISS
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13551	Comment from Sharon Szews	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18713	Comment from David Miller
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13552	Comment from Glenn Moody	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18714	Comment from Randy Harrison
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13553	Comment from Carol Kommerstad-Reiche	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18715	Comment from James Walton
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13554	Comment from Marianne White	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18716	Comment from susanne madden
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13555	Comment from Kathy simonik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18717	Comment from Christina Nillo
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13556	Comment from Maryann Piccione	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18718	Comment from Deirdre Morris
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13558	Comment from Colleen Conrade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18719	Comment from Valerie Bollini
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13559	Comment from Mark Crane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18720	Comment from Tiffany Buell
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13560	Comment from jason husby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18721	Comment from Patricia Foschi
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13561	Comment from Kimberly Troxell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18722	Comment from george jackman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13562	Comment from Lou MacNaughton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18723	Comment from Margaret Stephens
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13563	Comment from Susie Tortell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18724	Comment from Beth Braun
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13564	Comment from Kathleen Roche	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18725	Comment from Michael Violante
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13565	Comment from David Dragon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18726	Comment from Laurie Toner
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13566	Comment from Brieaux Poche	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18727	Comment from Peter Townsend
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13567	Comment from Paula Shafransky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18728	Comment from Marianne Hines
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13568	Comment from Carol Guffey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18729	Comment from John Chase
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13569	Comment from Gina Cipriano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18730	Comment from Katherine Germano-Kowalski
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13570	Comment from Rita Storie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18731	Comment from Linda Lemmel
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13571	Comment from Max Burg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18732	Comment from Amy Hopkins
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13572	Comment from elizabeth shore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18733	Comment from Nicole Shaffer
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13573	Comment from Anita Hayden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18734	Comment from Nicolas Duon
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13574	Comment from Pamela Williamson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18735	Comment from Holly Wilson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13575	Comment from Michael Donofrio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18736	Comment from Julie Schampel
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13576	Comment from Erin Znidar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18737	Comment from David Casker
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13577	Comment from William Harrison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18738	Comment from jurissah naive
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13578	Comment from Andrew Auerbach	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18739	Comment from Richard Kite
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13579	Comment from Patsy Matthews	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18740	Comment from Maude Burns
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13580	Comment from Janet Almond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18741	Comment from John Lindsay
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13581	Comment from Lorena Larez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18742	Comment from Michael Laird
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13582	Comment from Melissa K	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18743	Comment from Gaia Schubert
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13583	Comment from Dana Wrich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18744	Comment from Laura Schuman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13584	Comment from Susan Didrichsen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18745	Comment from Jesse Reyes
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13585	Comment from Sandra Naidich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18746	Comment from Ralph Guay
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13586	Comment from Dennis Hough	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18747	Comment from Pamela Gliutenkamp
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13587	Comment from Cindy Grimes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18748	Comment from lauren horwitz
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13588	Comment from Glenn Nappi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18749	Comment from Ted Weber

02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13589	Comment from Tibsherany Bill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18750	Comment from Katherine Werner
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13590	Comment from Mary Cato	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18751	Comment from Bruce Ross
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13591	Comment from Shani Schulman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18752	Comment from Seymour Gross
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13592	Comment from M n	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18753	Comment from Nalei Kahakalau
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13593	Comment from Elizabeth Lowell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18754	Comment from Karen Bond
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13594	Comment from Elizabeth Walker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18755	Comment from TIM DRESSEL
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13595	Comment from Ronna Kabler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18756	Comment from Steve Berman
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13596	Comment from Carlos Mata	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18757	Comment from Scott Rubel
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13597	Comment from Debbie Mahder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18758	Comment from Robbie White
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13598	Comment from David Wilcox	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18759	Comment from Tony Espinosa
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13599	Comment from Patricia KETELSEN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18760	Comment from Angela Judy
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13600	Comment from Lena Fine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18761	Comment from Diane Arnal
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13601	Comment from Stacy Temeyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18762	Comment from Katie Morgan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13602	Comment from FLORI STROE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18763	Comment from Ann Bein
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13603	Comment from Natalie DeBoer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18764	Comment from Heidi Klee
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13604	Comment from Milissa Burge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18765	Comment from Maria Williamson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13605	Comment from Milissa Burge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18766	Comment from Graciela Huth
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13606	Comment from Tatyana Shats	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18767	Comment from Clare Wheeler
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13607	Comment from Glen Weissman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18768	Comment from Julie Parcels
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13608	Comment from Kelly Grogan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18769	Comment from Michael Bittner
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13610	Comment from Christopher Greffin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18770	Comment from Richard Coreno
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13611	Comment from Frank Blake	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18771	Comment from John Gordon
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13612	Comment from Sharon Atkinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18772	Comment from Carrie Breen
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13613	Comment from Sonja Wong	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18773	Comment from Amelia Linder
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13614	Comment from Bob Leppo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18774	Comment from Judith Weis
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13615	Comment from Pat Petro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18775	Comment from jess odoski
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13616	Comment from Joan Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18776	Comment from Patricia Kavet
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13617	Comment from Lilian Cimadoro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18777	Comment from Charles Dineen
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13618	Comment from Wendy Wiberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18778	Comment from Scott Emsley
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13619	Comment from Matthew Hartlieb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18779	Comment from Heidi Kausch
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13620	Comment from Ms. Menard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18780	Comment from eric pash
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13621	Comment from Joseph Wiesner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18781	Comment from Joseph Lawson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13622	Comment from Amy Morneault-Mentz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18782	Comment from Barbra Raymond
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13623	Comment from Larry Beane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18783	Comment from Carol Modrell
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13624	Comment from Kevin Stueven	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18784	Comment from Patricia May
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13625	Comment from Vincent DiTizio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18785	Comment from Anne Robison
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13626	Comment from Edward Sullivan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18786	Comment from Susan Grabowski
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13627	Comment from Pilar Zorrilla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18787	Comment from Julie Sacco
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13628	Comment from Catherine Kowalczyk.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18788	Comment from Mina Bornn
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13629	Comment from Anna Kolovou	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18789	Comment from Caitlin Burke
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13630	Comment from Dennis Nelson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18791	Comment from Jon Olson

02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13631	Comment from Sumiko Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18792	Comment from Debra Kern
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13632	Comment from Christine Hayes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18793	Comment from KATHY CARROLL
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13633	Comment from Zinnia Politzer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18794	Comment from Frances Blythe
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13634	Comment from Jeff Burns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18795	Comment from Christel Bolgiano
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13635	Comment from Jane Alexander	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18796	Comment from Lara Kramer-Smith
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13636	Comment from Carmen Buono	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18797	Comment from Kelly Berdeaux
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13637	Comment from Lisa Answeeney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18798	Comment from Nicole Bickel
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13638	Comment from Susan Enzinna	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18799	Comment from Susan Finsterer
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13639	Comment from William Schaffer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18800	Comment from Allan Campbell
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13640	Comment from Barbara Walls	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18801	Comment from Paula Beall
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13641	Comment from Nancy Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18802	Comment from Sarah Meyers
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13642	Comment from Francie Fillatti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18803	Comment from Patrick Senkel
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13643	Comment from Daun Kilpatrick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18804	Comment from Holly Hall
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13644	Comment from David Halperin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18805	Comment from Brianna Knickerbocker
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13645	Comment from Ruth Housman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18806	Comment from Julie Miro
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13646	Comment from Linda Rudman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18807	Comment from Carol Masuda
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13647	Comment from Gail Leakan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18808	Comment from Joanne Tenney
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13648	Comment from Weldon Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18809	Comment from Barbara Bonfield
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13649	Comment from Pam Hepfer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18810	Comment from Steve Green
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13650	Comment from Mai Hermann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18811	Comment from Marilyn H
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13651	Comment from Michele Osland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18812	Comment from Marcy Wasinski
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13652	Comment from Ian Proctor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18813	Comment from Brenda Evans
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13653	Comment from Desiree Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18814	Comment from Lloyd Hedger
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13654	Comment from Bonnie Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18815	Comment from Teresa Sem
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13655	Comment from Lorna Mccaslin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18816	Comment from Seth Silverman
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13656	Comment from Jennifer Purvis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18817	Comment from Marya Zanders
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13657	Comment from Jeffrey Christo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18818	Comment from Robert Bamford
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13658	Comment from Vicki Puluso	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18819	Comment from Judith Fry
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13659	Comment from Ellen Jessen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18820	Comment from Barry Goldfarb
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13660	Comment from Mike Sheppard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18821	Comment from Victoria Heil
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13661	Comment from Elena Fernandez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18822	Comment from Brooks Obr
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13662	Comment from AnnaLea Elliott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18823	Comment from Lumina Greenway
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13663	Comment from Monica Bonualas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18824	Comment from Edward Bielaus
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13664	Comment from Janice Ferrier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18825	Comment from Nicole Staudinger
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13665	Comment from Tara Nestleroad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18826	Comment from JoAnne Metzler
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13666	Comment from Kathrine Jones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18827	Comment from Merrilee Morgan
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13667	Comment from Sheri Hirsch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18828	Comment from LILLIAN MAHANEY
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13668	Comment from Debora Hojda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18829	Comment from Angela Jones
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13669	Comment from Meryl Alexander	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18830	Comment from Kris Lacy
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13670	Comment from Robert Cauley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18831	Comment from Daniel Polley
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13671	Comment from Patricia Ruggles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18832	Comment from Jodi Rodar

02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13672	Comment from Rhonda Pulliam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18833	Comment from Margaret Quentin
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13673	Comment from Michele Johansson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18834	Comment from Valerie Shideler
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13674	Comment from Kate Mullan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18835	Comment from Christine Arroyo
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13675	Comment from Stanley Charles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18836	Comment from Brian Sesack
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13676	Comment from Sirbrenna Jeansonne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18837	Comment from Edward Laurson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13677	Comment from Lorraine Lucas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18838	Comment from Barbra K
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13678	Comment from Andrea Loft	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18839	Comment from Bob Farrell
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13679	Comment from Linda Kilgore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18840	Comment from Deborah Perrero
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13680	Comment from Michele Hutchins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18841	Comment from Paul Zachow
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13681	Comment from Lisa Neste	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18842	Comment from Melanie Stopyra
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13682	Comment from Annie Laurie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18843	Comment from Don Thompson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13683	Comment from sam bleecker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18844	Comment from Jonathan Kennedy
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13685	Comment from Nancy McLure	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18845	Comment from Steven Lamers
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13686	Comment from dawn sartori	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18846	Comment from Joseph Suarez
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13687	Comment from Mary Shea	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18847	Comment from Pat Kemmerer
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13688	Comment from Sabine ZELL	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18848	Comment from JC Corcoran
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13689	Comment from Elizabeth Stewart	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18849	Comment from Clarence Sutton
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13690	Comment from Juan Reyes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18850	Comment from Janice Beyer
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13691	Comment from Katy Mahlum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18851	Comment from Rochelle Gravance
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13693	Comment from L. Wilkinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18852	Comment from Antonia Cx
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13694	Comment from Bonita Shea	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18853	Comment from Hillary Ostrow
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13695	Comment from Terrie Phenicie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18854	Comment from Shannon Lucas
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13696	Comment from Steven Phenicie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18855	Comment from Mark Reback
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13697	Comment from Frank DiMarzo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18856	Comment from katharine egan
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13698	Comment from Connelee Shaw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18857	Comment from laura malka
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13699	Comment from Cathie Bell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18858	Comment from Robert Duke
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13700	Comment from ALEXIS NAZARIO	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18859	Comment from Beth Hawes
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13701	Comment from Lee Alton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18860	Comment from Peter Gradoni
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13702	Comment from RUTH CISNEROS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18861	Comment from Teri Yazdi
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13703	Comment from Kelly Burgess	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18862	Comment from Sasha Jackson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13704	Comment from a w	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18863	Comment from Geraldine Battistessa
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13705	Comment from James Boos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18864	Comment from Matthew Young
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13706	Comment from Manuela Gattasse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18865	Comment from Katie Wood
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13707	Comment from John Eckler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18866	Comment from Stephanie Potgieter
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13708	Comment from John Eckler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18867	Comment from Jennifer Emerle-Sifuentes
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13709	Comment from Kai Butscher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18868	Comment from Gwen Davis
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13710	Comment from Mary Trybul	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18869	Comment from Paula Morgan
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13712	Comment from Peggy Lyle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18870	Comment from Molly Hauck
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13713	Comment from Merry Guben	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18871	Comment from Michael Daveiga
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13714	Comment from victoria boucher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18872	Comment from Germano Brandes
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13715	Comment from Misti Reif	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18873	Comment from Marla Bottesch

02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13716	Comment from William Forbes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18874	Comment from Vicki Smith
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13717	Comment from Brandon Oakley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18875	Comment from Vivian Dowell
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13718	Comment from Tanya Manning	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18876	Comment from Angela Steinberg
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13719	Comment from Evelyn Dassau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18877	Comment from sandy kavoyianni
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13720	Comment from Anita Laskaris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18878	Comment from Maria Magana
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13723	Comment from Carol Batchelder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18879	Comment from Juliann Rule
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13724	Comment from Dennis Hough	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18880	Comment from Brad Walker
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13725	Comment from DAVID FURA	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18881	Comment from Marlene Miller
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13726	Comment from Anthony Tadda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18882	Comment from Tobey Thatcher
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13727	Comment from Wynima Cavagnaro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18883	Comment from Basey Klopp
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13728	Comment from Wynima Cavagnaro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18884	Comment from John Markham
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13729	Comment from nicolas estvez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18885	Comment from bert corley
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13730	Comment from Lindsey Loperena	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18886	Comment from Taryn Braband
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13731	Comment from Sue VanDerzee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18887	Comment from Annie McMahon
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13732	Comment from Penelope Ward	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18888	Comment from Coree Spencer
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13733	Comment from Dale Morris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18889	Comment from Paul Walker
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13734	Comment from Margaret Quentin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18890	Comment from Elizabeth Grainger
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13735	Comment from Julie Wireman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18891	Comment from Susan Hampel
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13736	Comment from Dalia Salgado	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18892	Comment from Maria Aragon
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13737	Comment from Meredith Erickson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18893	Comment from Marylen kincer
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13738	Comment from Joan Mccoy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18894	Comment from Dena Schwimmer
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13739	Comment from Angela Brancati	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18895	Comment from Kristine Winnicki
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13740	Comment from Catherine Kowalczyk.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18896	Comment from Melissa Cleaver
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13741	Comment from Bruce McCullough	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18897	Comment from Jessica Motta
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13742	Comment from Catherine Ream	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18898	Comment from Chris Buelow
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13743	Comment from Linda Oller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18899	Comment from Michael Martin
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13744	Comment from Heidi Shorey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18900	Comment from Beverly Bradshaw
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13745	Comment from Debra McPherson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18901	Comment from Keith DAlessandro
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13746	Comment from Marlene Testaguzza	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18902	Comment from cathy delaware
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13747	Comment from Michelle Hagan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18903	Comment from Karen Ryan
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13748	Comment from oscar zamora	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18904	Comment from Nancy Schuhrke
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13749	Comment from Jennifer Love	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18905	Comment from jim strickland
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13750	Comment from Catherine Long	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18906	Comment from Ralf Schuetz
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13751	Comment from Catherine Lipnick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18907	Comment from Bruce Hellemn
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13752	Comment from Kathetine Napolitani	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18908	Comment from Leuse Crumble
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13753	Comment from Pat Edley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18909	Comment from John Beavers
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13754	Comment from Carol Batchelder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18910	Comment from glen gorsetman
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13755	Comment from Dwight Hughes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18911	Comment from Janice Le Blanc
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13756	Comment from Anita Lane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18912	Comment from Walt Brown
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13758	Comment from Joseph Nowak	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18913	Comment from Cathy Grassi
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13759	Comment from Jennifer Valentine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18914	Comment from Coree Spencer

02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13760	Comment from Ericka Abrams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18915	Comment from Guy Perkins
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13761	Comment from LISA HEY	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18916	Comment from Mia Dravis
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13762	Comment from Joe Kaleel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18917	Comment from Cheryl Arvivo
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13763	Comment from robert cobb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18918	Comment from Cori Ellison
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13765	Comment from JoAnn McGeorge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18919	Comment from Michael Langlais
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13766	Comment from Chantal Eldridge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18920	Comment from REGAN EBERT
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13767	Comment from Marion Patrick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18921	Comment from Yvonne Snyder
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13768	Comment from Leo Lieber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18922	Comment from Sylvia Duncan
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13769	Comment from Jennifer Storm	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18923	Comment from Monica Urias
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13770	Comment from RedElisa Mendoza	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18924	Comment from ALAN Weiskott
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13771	Comment from Dreyer, David	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18925	Comment from William Taylor
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13772	Comment from Ellen DeMarco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18926	Comment from Gail Yborra
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13773	Comment from Diane Monsef	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18927	Comment from Judith Anshin
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13774	Comment from Nancy Hendrix	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18928	Comment from Fred Granlund
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13776	Comment from Douglas Nolan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18929	Comment from Rebecca Miller
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13777	Comment from Judith Foran	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18930	Comment from Lisa Acher
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13778	Comment from Edward Cubero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18931	Comment from Maria Correia
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13779	Comment from jean publee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18932	Comment from Kal Krishnan
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13780	Comment from Rita Kain	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18933	Comment from Scott Steinman
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13781	Comment from Adam Pastula	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18934	Comment from Sharon Wilson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13782	Comment from SUDIE SALLEE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18935	Comment from Louis Drinkwater
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13783	Comment from Michelle Dumar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18936	Comment from Lisa Knight
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13784	Comment from Carol Berard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18937	Comment from Alexandra Grossi
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13785	Comment from Tara De Veau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18938	Comment from Susan Ford
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13786	Comment from Susan Rives-Denight	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18939	Comment from Theresa Baroni
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13787	Comment from Frank Palmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18940	Comment from Donna Varcoe
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13788	Comment from Janice Kobi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18941	Comment from Norman Traum
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13789	Comment from Karin Maher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18942	Comment from Wendy Stevens
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13790	Comment from Jude Lotz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18943	Comment from Chris Guillory
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13791	Comment from Ellen Leonard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18944	Comment from Jennifer Will
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13792	Comment from Peter Lizotte	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18945	Comment from Dorothy Brown
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13793	Comment from Dona Farishta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18946	Comment from Wendy Fast
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13794	Comment from Karen Fain	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18947	Comment from Art Van Kampen
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13795	Comment from Freya Harris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18948	Comment from winston huang
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13796	Comment from Sarah Provost	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18949	Comment from Christine Harris
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13797	Comment from Candis Whitney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18950	Comment from Maureen Nolan
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13798	Comment from Joseph Quirk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18951	Comment from marilyn evenson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13799	Comment from Kimberly Kubik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18952	Comment from Maria Correia
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13800	Comment from Bruce HIGGINS	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18953	Comment from Paula Morgan
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13801	Comment from Shelby Buck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18954	Comment from Alice Stack
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13802	Comment from Jeanne Fitzpatrick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18955	Comment from Zachary Todd

02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13803	Comment from Luerra Hammond	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18956	Comment from Beverly Bradshaw
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13804	Comment from Jeremy Bleech	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18957	Comment from Chris Calvert
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13805	Comment from dawn sartori	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18958	Comment from Ed Kraynak
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13806	Comment from Kimberly Wade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18959	Comment from Leo Shapiro
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13807	Comment from Kimberly Wade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18960	Comment from Randall Brown
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13808	Comment from David Snutes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18961	Comment from Ed Dillon
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13809	Comment from Ezra van	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18962	Comment from Liz Tymkiw
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13810	Comment from Mark Molloy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18963	Comment from christine raffetto
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13811	Comment from Tina Lynch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18964	Comment from Patricia Harlow
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13812	Comment from Sherry Wisler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18965	Comment from Jacqueline donel
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13813	Comment from Karen Fabiane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18966	Comment from Eric Lezotte
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13814	Comment from Judith Barton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18967	Comment from diane larsen
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13815	Comment from Pat Van alstyne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18968	Comment from michele rule
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13816	Comment from Theresa Carmody	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18969	Comment from Tobey Thatcher
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13817	Comment from Brenda Campbell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18970	Comment from Savi Chadha
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13818	Comment from Serene Henry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18971	Comment from Pierina Provenzano
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13819	Comment from Linda Granato	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18972	Comment from Terry Inouye
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13820	Comment from Brenda Roy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18973	Comment from George Baschiera
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13821	Comment from Terry Hares	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18974	Comment from Rita Glasscock
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13822	Comment from Elmon Kissling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18975	Comment from Stephanie Cook
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13823	Comment from Constance Merwin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18976	Comment from Christopher Tumolo
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13824	Comment from Nicholas Galante	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18977	Comment from Sharon Wushensky
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13825	Comment from Miguel Marquez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18978	Comment from Kara Harms
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13826	Comment from Tim Chambo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18979	Comment from Bridget Wyatt
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13827	Comment from Donna Daniels	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18980	Comment from Kelley Price
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13828	Comment from Eliot Kaplan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18981	Comment from Amanda Sweet
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13829	Comment from Karen Wagner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18982	Comment from Stewart Casey
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13830	Comment from John Kosiorek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18983	Comment from Melinda Armistead
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13831	Comment from Rosemary Bernier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18984	Comment from As stewards Zerzan
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13832	Comment from Karla Schuster	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18985	Comment from Glenn Hufnagel
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13833	Comment from Mary Gutierrez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18986	Comment from Margery Race
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13834	Comment from Kimberly Carlson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18987	Comment from Beverly Bradshaw
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13835	Comment from Laura Schwind	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18988	Comment from Jodi Daniels
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13836	Comment from EVA LOVE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18989	Comment from Patricia Rossi
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13837	Comment from Marjorie Tortajada	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18990	Comment from Marilyn Platt
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13838	Comment from Jacqueline Brethen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18991	Comment from Heather Cross
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13839	Comment from Deborah Doolittle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18992	Comment from Claudia Cinardo
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13840	Comment from Robert Mayworth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18993	Comment from Debra Gagliano
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13841	Comment from Cherie Schofner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18994	Comment from John engineer
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13842	Comment from Rosemary Carton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18995	Comment from Beverly Solomon
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13843	Comment from TIMOTHY HOPWOOD	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18996	Comment from Goldyn Summitt

02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13844	Comment from Kim Mewhorter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18997	Comment from Sallie Robbins-Druian
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13845	Comment from Ellen Pennington	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18998	Comment from rebecca scheckler
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13846	Comment from Nicole Lauren	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18999	Comment from Craig Nazor
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13847	Comment from William Cordero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19000	Comment from Bash Judy
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13848	Comment from Virginia LeBlanc	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19001	Comment from Ellen Shively
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13849	Comment from Stacey Liguori	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19002	Comment from Donna Tromans
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13850	Comment from eric pash	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19003	Comment from Jerry Hokanson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13851	Comment from Heike horning	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19004	Comment from Thi TonOlshaskie
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13852	Comment from Ronna Kabler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19005	Comment from Darren Strain
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13853	Comment from Nicholas Potter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19006	Comment from Alice LeTourneau
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13854	Comment from Elizabeth Javinsky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19007	Comment from Vicky Brandt
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13855	Comment from Carol Hillson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19008	Comment from Susan Coffi
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13856	Comment from Anne Sotelo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19009	Comment from Pam Nelson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13857	Comment from Kristin Keating	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19010	Comment from Ellin Stiteler
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13858	Comment from Cynthia Papia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19011	Comment from Debra Vitola
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13859	Comment from Bruce Wheeler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19012	Comment from Joel Hencken
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13860	Comment from Elizabeth Chiribi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19013	Comment from George Marsh
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13861	Comment from Lisa Zafar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19014	Comment from Jeannie Pollak
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13862	Comment from Maura Pichette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19015	Comment from Kat Klahn
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13863	Comment from Cheryl Pittman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19016	Comment from Jennifer Carver
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13864	Comment from Kristan Uruchurtu	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19017	Comment from Mary Allen
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13865	Comment from Dedra Routh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19018	Comment from L. Adams
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13866	Comment from Angela Brancati	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19019	Comment from Joyce McDonald
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13867	Comment from Stephanie Travers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19020	Comment from Debi Griepsma
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13868	Comment from Nancy Mesa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19021	Comment from Carmen Chacon
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13869	Comment from Joe Vecchi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19022	Comment from Margaret Wessels
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13870	Comment from Nancy Rose	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19023	Comment from Suzanne Smither
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13871	Comment from Michael Hogan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19024	Comment from Carrie Swank
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13872	Comment from Ileana Garcia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19025	Comment from Diane Guernsey
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13873	Comment from Chuck Hoover	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19026	Comment from Linette Foley
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13874	Comment from Thomas Hallock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19027	Comment from Marian Shaaban
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13875	Comment from Jenifer Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19028	Comment from Viv. K
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13876	Comment from Mary Bucley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19029	Comment from Rachel Gullett
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13877	Comment from Suzanne Carreker-Voigt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19030	Comment from Maia Van Pelt
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13878	Comment from Kathleen Brodbeck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19031	Comment from Mari Kozlowski
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13879	Comment from Kathleen Brodbeck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19032	Comment from j M
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13880	Comment from Joy Campbell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19033	Comment from Paul Gregory
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13881	Comment from Sharon Al-Haddad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19034	Comment from Annette Sergi
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13882	Comment from Adrienne Moumin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19035	Comment from Deirdre Gately
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13883	Comment from Frances Breitkopf	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19036	Comment from Renee Carl
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13884	Comment from Debbie d	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19037	Comment from David Knopf

02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13885	Comment from Maggie Rady	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19038	Comment from Serena Van Buskirk
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13886	Comment from Danielle Shannon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19039	Comment from Allan Rubin
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13887	Comment from Vern Southard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19040	Comment from Bob Hagele
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13889	Comment from Celeste Langston	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19041	Comment from Beverly Bradshaw
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13890	Comment from Ana-Paula Martins-Ferreira	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19042	Comment from Tom Wendel
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13891	Comment from Mitchell Deighan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19043	Comment from Janelle Bowen
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13892	Comment from Bob-Marie Rayburn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19044	Comment from susan peirce
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13893	Comment from Shobhana Natu	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19045	Comment from Irene Bucko
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13894	Comment from Anik Mancuso	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19046	Comment from Anita Dauberman
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13895	Comment from George Brieger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19047	Comment from Carol Collins
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13896	Comment from Josefina Gutierrez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19048	Comment from Carol Ross
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13897	Comment from Crystal Rector	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19049	Comment from terese rule
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13898	Comment from Jef Shelby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19050	Comment from Laura Ray
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13899	Comment from Barbara B	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19051	Comment from Dana Sanchez
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13900	Comment from Robert Freeman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19052	Comment from Hazel Champagne
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13901	Comment from Nancy McLean	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19053	Comment from Harry Freiberg
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13902	Comment from Annie Katzman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19054	Comment from Liz Porter
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13903	Comment from Steven Studdard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19055	Comment from Betty Mello
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13904	Comment from Michael Heinsohn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19056	Comment from Barry Miller
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13905	Comment from Vanessa Simmons	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19057	Comment from Victoria Chennault
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13906	Comment from Laura T	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19058	Comment from David Allara
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13907	Comment from Anna Stein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19059	Comment from Gay Linfante
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13908	Comment from cheryl greenwood	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19060	Comment from Eric McLaughlin
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13909	Comment from Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19061	Comment from Corey Schade
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13910	Comment from Raissa Holt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19062	Comment from Matthew Grussing
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13911	Comment from Valerie Haugen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19063	Comment from Cheryl Gilchrist
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13912	Comment from Dolores Wynne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19064	Comment from Barbara Kelly
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13913	Comment from Jane Church	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19065	Comment from Beverly Bradshaw
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13914	Comment from Margaret Olness	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19066	Comment from Patricia Richard-Amato
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13915	Comment from Gaia Cole	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19067	Comment from Tami Linder
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13916	Comment from Debbie pierce	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19068	Comment from Edith Gonzalez
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13917	Comment from christine sirias	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19069	Comment from Richard Evans
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13918	Comment from Rachel Vandinter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19070	Comment from Dominique Edmondson
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13919	Comment from Rose Mellino	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19071	Comment from Donna Varcoe
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13920	Comment from Dana Winkler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19072	Comment from Carlos Acosta
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13921	Comment from Colonel Meyer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19073	Comment from william mittig
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13922	Comment from Doris Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19074	Comment from tj bolduc
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13923	Comment from Eric Lohman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19075	Comment from David Ringle
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13924	Comment from Michael Mager	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19076	Comment from Janice Shields
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13925	Comment from Lisa Pezzella	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19077	Comment from Carole Pontius
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13926	Comment from Julia Toomey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19078	Comment from DJ Schubert

02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13927	Comment from Sara Graziosa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19079	Comment from Sharon Newman
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13928	Comment from Carol Goetschius	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19080	Comment from Andi Shotwell
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13929	Comment from Ann-Marie Corkett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19081	Comment from Judy Fairless
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13930	Comment from Ellaine Janicki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19082	Comment from Janet Harley
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13931	Comment from Lisa Kunsch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19083	Comment from Vic Bostock
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13932	Comment from Dawna Nelson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19084	Comment from Angela Embree
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13933	Comment from Sandra Wolf-Dean	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19085	Comment from Colleen Nielsen
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13934	Comment from Hollee Hansen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19086	Comment from Joan Hansen
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13935	Comment from nathan schaefer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19087	Comment from Michael Rees
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13936	Comment from Melissa Carter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19088	Comment from Sets Furuike
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13937	Comment from Ruth Housman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19089	Comment from Jonathan Hancock
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13938	Comment from Barbara Schrier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19090	Comment from Tara Strand
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13940	Comment from Melissa Cunningham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19091	Comment from Rebecca Tinsley
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13941	Comment from Marsha Hicks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19092	Comment from Steven Nelson
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13942	Comment from Peter Crockett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19093	Comment from Robert Posch
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13943	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19094	Comment from Kim Streich
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13944	Comment from Marianne Reynolds	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19095	Comment from Marsha Chomko
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13945	Comment from Eowyn Grecco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19096	Comment from Chad Johnson
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13947	Comment from Debora Hojda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19097	Comment from Erica Rose
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13948	Comment from Mary Blackmur	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19098	Comment from William Nusbaum
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13949	Comment from Chris Brock	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19099	Comment from dagmar mclaughlin
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13950	Comment from Dana Meadows	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19100	Comment from Carmen Celea
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13951	Comment from Bernard Morris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19101	Comment from Oceanah D'amore
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13952	Comment from Sharon Fors	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19102	Comment from Angela Zellner
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13953	Comment from Scott Heinze	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19103	Comment from John Blaha
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13954	Comment from Mauricio Espineira	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19104	Comment from Sandra Barros
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13955	Comment from Sandra Gather	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19105	Comment from Ashley Ouellette
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13956	Comment from Beverly Eadie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19106	Comment from Barbara Mesney
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13957	Comment from John Swienicki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19107	Comment from Sarah Yonder
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13958	Comment from Ed Olivo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19108	Comment from Gina Bassetti
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13959	Comment from Nataliia Dusanovska	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19109	Comment from Patricia Stewart
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13960	Comment from Gary Rosenberger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19110	Comment from sherrri hodges
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13961	Comment from Mamie Robbins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19111	Comment from Janet Heinle
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13962	Comment from Marilyn Garrett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19112	Comment from BB Mielke
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13963	Comment from Janet Witzeman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19113	Comment from Aimee Goff
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13965	Comment from Jeffrey Jenkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19114	Comment from Jane Zimmerman
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13966	Comment from ROSEMARY GRIFFITH	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19115	Comment from Jennifer Miller
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13967	Comment from Ella Robson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19116	Comment from melody alexander
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13968	Comment from Lisa Wahle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19117	Comment from Jane Whiteside
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13969	Comment from Susan Perry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19118	Comment from Fred Licht
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13970	Comment from Susie Weitzenkamp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19119	Comment from Karen Porter

02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13971	Comment from Judy hanlon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19120	Comment from Scott Clark
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13972	Comment from Miranda Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19121	Comment from Susanna Stone
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13973	Comment from Sasha Kirby	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19122	Comment from Ben Basin
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13974	Comment from Gary Maedl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19123	Comment from James Stuhlmacher
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13975	Comment from Haylee Gerard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19124	Comment from Mary Bristow
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13976	Comment from Nancy Tomlinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19125	Comment from Susan Schlessinger
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13977	Comment from Mera Kenney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19126	Comment from Beverly Johnston
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13978	Comment from Mara Sansevero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19127	Comment from Sennuwu Arisawa
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13979	Comment from Bonnie Scudder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19128	Comment from Steve Mattan
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13980	Comment from Maria Matone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19129	Comment from Beverly Bradshaw
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13981	Comment from Janet Reynolds	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19130	Comment from Jeanine Mielke
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13982	Comment from denice cornell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19131	Comment from Gregory Fite
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13983	Comment from Ronald Woolford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19132	Comment from Corbett Kroehler
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13984	Comment from Devin Detwiler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19133	Comment from Lisa Daloia
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13985	Comment from Lisa Brylczyk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19134	Comment from Shereen Gillette
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13986	Comment from Debra Thornley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19135	Comment from karen mcguire
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13987	Comment from Jerine Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19136	Comment from Heather Mack
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13988	Comment from Ann MacDonald	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19137	Comment from Mimi Sherin
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13989	Comment from Mayelin Torna	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19138	Comment from Sally Jacques
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13991	Comment from Crista Abel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19139	Comment from Jeremy Trimm
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13992	Comment from Stephanie Christoff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19140	Comment from ISABELLE PRITCHETT
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13993	Comment from Deborah Pelter-Laman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19141	Comment from Lisa Krausz
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13994	Comment from Philip Wartel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19142	Comment from Leslie Wissing
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13995	Comment from Barbara Federman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19143	Comment from Susan Smith
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13996	Comment from Mara Hall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19144	Comment from F Fitz
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13997	Comment from Kathleen Tortolano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19145	Comment from Sharon Black
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13998	Comment from Sarah Gielink	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19146	Comment from Richard Kite
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13999	Comment from Laura Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19147	Comment from Katherine Bohn
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14000	Comment from Cheryl Leonard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19148	Comment from AIMEE MILLENSIFER
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14001	Comment from Erin Fleck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19149	Comment from Alana Crow
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14002	Comment from Richard Saklad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19150	Comment from Capt Tara Chase
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14003	Comment from Lorraine Skibitcky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19151	Comment from Mona Spangler
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14004	Comment from Corinne Case	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19152	Comment from Harley Pierce
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14005	Comment from Nancy Graupner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19153	Comment from Elisabeth Ritter
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14006	Comment from Patricia Stone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19154	Comment from Tricia Kob
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14007	Comment from Ann Bailey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19155	Comment from Tony Meinering
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14008	Comment from Linda Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19156	Comment from Jeanette LeTourneau
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14009	Comment from Catherine Milovina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19157	Comment from Matthew Janusauskas
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14010	Comment from Jessica Flores	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19158	Comment from David Haskins
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14011	Comment from Kate Hinton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19159	Comment from Rayline Dean
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14012	Comment from Julie Osborn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19160	Comment from Leigh Begalske

02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14013	Comment from Gina Evers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19161	Comment from Peggy Patti
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14014	Comment from Elaine Kinder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19162	Comment from Carol Souva
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14015	Comment from Robert Hugi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19163	Comment from Terri Greene
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14016	Comment from Jo Herr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19164	Comment from Mary Fitzpatrick
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14017	Comment from Nicholas Bearce	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19165	Comment from Ginette Maisee
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14018	Comment from Kim Lyon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19166	Comment from Robert Kennedy
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14019	Comment from Andrea Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19167	Comment from Jazmine Harvey
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14020	Comment from Bridget Faria	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19168	Comment from Cathy Stoner
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14021	Comment from Julianna Dunn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19169	Comment from r tippens
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14022	Comment from Robert Collins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19170	Comment from Nikita Jones
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14023	Comment from Sheila Bell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19171	Comment from Gustaf Sarkkinen
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14024	Comment from Nyleene Land	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19172	Comment from William Malmros
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14025	Comment from Eva Lazarus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19173	Comment from Aimie McDaniel
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14026	Comment from Renu Nahata	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19174	Comment from Maria Clair-Howard
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14027	Comment from Jean Garretson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19175	Comment from Marilyn Thompson
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14028	Comment from monique sonoquie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19176	Comment from Jessica Koran
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14029	Comment from Vivian Kalaher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19177	Comment from Elsy Shallman
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14030	Comment from Alan Nishman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19178	Comment from Beverly Bradshaw
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14031	Comment from Joy Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19179	Comment from Kelly Hibbert
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14032	Comment from Lori Morin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19180	Comment from Timothy Smith
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14033	Comment from Evita Sandoval	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19181	Comment from Michael Bondoc
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14034	Comment from Ellen Phinney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19182	Comment from Pamela Haddad
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14035	Comment from Jesse Livingston	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19183	Comment from Gary Raymond
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14036	Comment from Kelly Burgess	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19184	Comment from linda martinez
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14037	Comment from Melissa Sunshine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19185	Comment from Natalie Alexander
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14038	Comment from Debra Hubbs	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19186	Comment from Regina Embry
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14039	Comment from Cheryl Erb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19187	Comment from Carmen Wiseman
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14040	Comment from Diana BloseGarcia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19188	Comment from Kathy Bradley
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14041	Comment from Peggy Waltz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19189	Comment from Anne Prost
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14042	Comment from Andy Rodriguez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19190	Comment from Elizabeth Butler
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14043	Comment from George Moschella	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19191	Comment from Leon Epperly
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14044	Comment from Ben Yong	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19193	Comment from Michael Malone
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14045	Comment from Dawna Fackrell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19194	Comment from Kelly Armour
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14046	Comment from Elaine Quinones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19195	Comment from Debra Bruegge
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14047	Comment from Sean Burger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19196	Comment from Daniel Goldberg
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-14048	Comment from Paul senyszyn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19197	Comment from Carroll Arkema
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14049	Comment from Joanne Delprete	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19198	Comment from Daniel Prost
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14050	Comment from Jaime Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19199	Comment from Eleanor Beram
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14051	Comment from Maritza Martinez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19200	Comment from tami mcreedy
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14052	Comment from Debra Magee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19201	Comment from Martin Wieland
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14053	Comment from Courtney Sloane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19202	Comment from Shannon Brossia

02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14054	Comment from Nicole Tursi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19204	Comment from Maria Cardenas
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14055	Comment from Renee Loger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19205	Comment from Melinda Lewis
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14056	Comment from Joe Guilfoyle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19206	Comment from Ken Peterson
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14057	Comment from Stephanie Rossi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19207	Comment from Elena Fowler
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14058	Comment from Beverly Beck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19208	Comment from David Brockett
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14059	Comment from Janis Keller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19209	Comment from RENATE DOLIN
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14060	Comment from Darlene Falk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19210	Comment from Sharon DERENCE
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14061	Comment from Linda Tesser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19211	Comment from GERARD VACHEZ
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14062	Comment from Brenda Benoit	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19212	Comment from Ronnie Tiner
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14063	Comment from Marie Dopico	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19213	Comment from Valrey Van Gundy
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14064	Comment from Sara Ogden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19214	Comment from Linda Schmidt
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14065	Comment from noah hall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19215	Comment from Eric Naji
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14066	Comment from Frank Palmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19216	Comment from Brenda Haig
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14067	Comment from Alexander Gasik	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19217	Comment from Jay Roth
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14068	Comment from Carol Brooks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19218	Comment from Camille McPhee
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14069	Comment from Catherine Polcorni-Kovalev	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19219	Comment from Linda Perrigoue
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14070	Comment from Cynthia Okolichany	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19220	Comment from Laura Stice
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14071	Comment from Jesse Winder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19221	Comment from Leah Yamaguchi
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14072	Comment from Lisa LaSpina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19222	Comment from Christine Daum
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14073	Comment from Christin Murphy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19223	Comment from Esther Zepeda
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14074	Comment from Robert Healey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19224	Comment from Mary Smith
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14075	Comment from Terri Robinson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19225	Comment from Julie Allnutt
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14076	Comment from Omar Boumali	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19226	Comment from ROSEMARIE DI GIOVANNI-Nestor
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14077	Comment from Jerome Motley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19227	Comment from Catherine Delaney
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14078	Comment from Marti Hinchey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19228	Comment from Bob Miller
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14080	Comment from Jeannette Rodriguez-Carpio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19229	Comment from Alan Bromborsky
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14081	Comment from Sue O'donnell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19230	Comment from chris ottosen
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14082	Comment from Tina Blankenship	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19231	Comment from Wendy Honold
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14083	Comment from Maureen Verwiel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19232	Comment from Theresa Melof
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14084	Comment from Debbie Collins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19233	Comment from Ellen Homsey
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14085	Comment from Bonnie Langford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19234	Comment from Elizabeth Nation
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14086	Comment from Cathy Clucas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19235	Comment from Paula Plasky
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14087	Comment from Dana Maguire	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19236	Comment from Tracy Richards
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14089	Comment from Carolyn Hall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19237	Comment from David Wilen
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14090	Comment from John Velnor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19239	Comment from Carol Drabin
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14091	Comment from Judith Keller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19240	Comment from Marc Anderson
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14092	Comment from Cynthia Barrett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19241	Comment from Michael Hampu
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14093	Comment from Robert Sproggell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19242	Comment from Elizabeth Krocheski
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14094	Comment from Elizabeth foster	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19243	Comment from Sandra Kerr
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14095	Comment from Heidi Steinert-Bresilge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19244	Comment from Kathy Colletti
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14096	Comment from Deirdre Chonail	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19245	Comment from Michael Hlis

02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14097	Comment from Olivia Saachi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19246	Comment from Susie Heiss
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14098	Comment from Dawn-Marie Staccia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19247	Comment from Heather Schlichter
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14099	Comment from Catherine Kowalczyk.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19248	Comment from Valerie Apple
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14100	Comment from Carol Goetschius	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19249	Comment from Douglas Estes
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14101	Comment from Mary Botti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19250	Comment from ROBERT KOCH
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14102	Comment from Carol Goetschius	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19251	Comment from S. Almskaar
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14103	Comment from GREGORY NAVARRO	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19252	Comment from Julie sasaoka
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14104	Comment from Kelly Bickford	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19253	Comment from Sandra Hoppmann
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14105	Comment from Lara Villavicencio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19254	Comment from Ashley Carter
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14106	Comment from Katherine Cregger-Maschell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19255	Comment from Thomas Reese
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14107	Comment from Jennifer Milo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19256	Comment from Kathy Chakoutis
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14108	Comment from Terry stark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19258	Comment from Laurel Przybylski
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14109	Comment from Leslie MacPhail	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19259	Comment from Graciela Huth
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14110	Comment from Patricia Tannenbaum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19260	Comment from Emmanuel Ramirez
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14111	Comment from Steven Steele	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19261	Comment from Patti Harter
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14112	Comment from Joseph Rando	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19262	Comment from Joel Stoup
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14113	Comment from Susanne Gallivan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19263	Comment from Paul Vesper
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14114	Comment from Richard Balducci	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19264	Comment from Sue Janssen
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14115	Comment from Mark Ditzler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19265	Comment from Cynthia Bauer
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14116	Comment from Norma Torres	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19266	Comment from Maddalena Bearzi
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14117	Comment from Ruth McElvain	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19267	Comment from Maddalena Bearzi
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14118	Comment from Susan Siens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19268	Comment from Ludmila Dmitriev-Odier
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14119	Comment from Marilyn Garrett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19269	Comment from Kathy Bouvier
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14120	Comment from Marilyn Garrett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19270	Comment from Gina Maria Picone
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14121	Comment from Allison Yungclas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19271	Comment from lynne Rpsenfield
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14122	Comment from LynnMeta Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19272	Comment from J.B. CIESIELSKI
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14123	Comment from Mary Matott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19273	Comment from James Llewellyn
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14124	Comment from Pat Tomasello	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19274	Comment from cathelizabeth levin
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14125	Comment from Heather Payne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19275	Comment from Regina Lee
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14126	Comment from Peggy Waltz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19276	Comment from Ivonne Sanchez
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14127	Comment from Susan Coffey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19277	Comment from Grace Sharnington
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14128	Comment from Leslie Cullis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19278	Comment from Ben Badger
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14129	Comment from Elaine Eudy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19279	Comment from Melissa Naundorff
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14130	Comment from jan nelson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19280	Comment from Ian Bosserman
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14131	Comment from Melissa Gilbert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19281	Comment from Christopher Michaels
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14132	Comment from Jeff Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19282	Comment from Scott Jordan
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14133	Comment from Cogsil Nancy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19283	Comment from Jo Harvey
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14134	Comment from Eileen McCorry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19284	Comment from Michael Klausung
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14135	Comment from Marc Clarke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19285	Comment from Linda Freeman
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14136	Comment from Cheri Hitesman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19286	Comment from David Groode
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14137	Comment from James Burns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19287	Comment from Judith Maron Friend

02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14138	Comment from Laura Kaiser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19288	Comment from Lynn Krupa
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14139	Comment from E Larson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19289	Comment from Cathleen Burns
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14140	Comment from David Marchant	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19290	Comment from Deborah Peregrina
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14141	Comment from Linda Fronk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19291	Comment from Tom Butch
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14142	Comment from Michael Womack	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19292	Comment from Jeannine Lish
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14143	Comment from Lynne Pendleton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19293	Comment from Sylvia Rodriguez
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14144	Comment from Rachel Lentini	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19294	Comment from Luis Mon
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14145	Comment from Myra Toth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19295	Comment from Susan Grodsky
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14146	Comment from Cheryl Parker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19296	Comment from Rev. Coughlin
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14147	Comment from carrie harbison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19297	Comment from Francine Traniello
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14148	Comment from Sonja Bryant	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19298	Comment from Mary Shabbott
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14149	Comment from Peggy Kauffman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19299	Comment from Grace Hepler
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14150	Comment from MICHELLE HOFF	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19300	Comment from Stacey Smith
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14151	Comment from Doug Frug	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19301	Comment from Linda Gray
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14152	Comment from Hilary Dyson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19302	Comment from khai hang
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14153	Comment from Dianne Johnson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19303	Comment from lucia fabbo
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14154	Comment from Bill Groves	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19304	Comment from Meg Massaro
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14155	Comment from Rick Guerrero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19305	Comment from Annie McCann
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14156	Comment from fa La	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19306	Comment from LindaF Claycomb
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14157	Comment from Liz Derr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19307	Comment from Kim White
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14158	Comment from Steve Schildwachter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19308	Comment from Valerie Clark
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14159	Comment from Jennifer Griffith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19309	Comment from Leo Souto
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14160	Comment from Amy Bombard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19310	Comment from Alice Gard
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14161	Comment from Elaine Quinones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19311	Comment from Ludmila Dmitriev Odier
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14162	Comment from Alex Rickel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19312	Comment from Pamela Gibberman
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14163	Comment from Marie Dopico	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19313	Comment from Emily Van Alyne
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14164	Comment from Susan Rabideau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19314	Comment from Janet Romine
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14165	Comment from Catherine Kowalczyk.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19315	Comment from Veronica Salas
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14166	Comment from Christine Fluor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19316	Comment from ANGELA Drunasky
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14167	Comment from Maria Hernandez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19317	Comment from Cara O'Neill
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14168	Comment from Manuel Moreno	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19318	Comment from Carol Dearborn
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14169	Comment from David Charbonneau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19319	Comment from Silvia Bertano
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14170	Comment from NOLA Family	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19320	Comment from Denise Campbell
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14171	Comment from Bonnie Epstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19321	Comment from MICHAEL SCHUMM
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14172	Comment from cheryl kathan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19322	Comment from Roni Unger
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14173	Comment from Lois Feuerle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19323	Comment from Eva Marks-Curatolo
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14174	Comment from Anne Lentz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19324	Comment from Don Riepe
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14175	Comment from Robert Frank	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19325	Comment from Kelly Deese
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14176	Comment from Karen Shepp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19326	Comment from Robert Newman
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14177	Comment from Doug Bataille	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19327	Comment from claudine murray
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14178	Comment from Sherri West	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19328	Comment from Brenda Arson

02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14179	Comment from dawn sartori	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19329	Comment from E. Neal
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14180	Comment from Maggie Louden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19330	Comment from Joan Roncalli-Cummings
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14181	Comment from EDITH KERN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19331	Comment from Ellen Dryer
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14182	Comment from Adriana Sordelli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19332	Comment from Lynn Skibinski
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14183	Comment from Crystal Reppert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19333	Comment from Merlin Wilson
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14184	Comment from Jeffrey Gephart	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19334	Comment from Duncan Brown
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14185	Comment from Amy McCoy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19335	Comment from Noah Haydon
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14186	Comment from Jessica Weber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19336	Comment from Marie Zwicker
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14187	Comment from Jennifer Marshall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19337	Comment from Pamela Haddad
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14188	Comment from Soumya Naidu	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19338	Comment from David Dewenter
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14189	Comment from Louise Harbour, Esquire	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19339	Comment from Reevyn Aronson
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14190	Comment from Deanna Horton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19340	Comment from Pete Childs
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14191	Comment from dan horton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19341	Comment from Christine Carol Abraham
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14192	Comment from Ian Zickler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19342	Comment from kristy Bragg
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14193	Comment from Jerome Schmidt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19343	Comment from laura raforth
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14194	Comment from Mary Heyworth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19344	Comment from Donna Parente
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14195	Comment from Annette Didrickson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19345	Comment from Stephen Fitch
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14196	Comment from Debra Marier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19346	Comment from Andrea Vera
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14197	Comment from Melissa Milano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19347	Comment from Andrew Rowlas
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14198	Comment from Georgina Reyes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19348	Comment from Mary Ann Doychak
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14199	Comment from Jane Montonen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19349	Comment from Felicia Lewis
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14200	Comment from Jane Montonen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19350	Comment from Elaine Drody
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14201	Comment from Dalia Jakubauskas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19351	Comment from Eyad Buhaissi
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14202	Comment from Maggie Louden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19352	Comment from Eilene Janke
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14203	Comment from Madria Everson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19353	Comment from Richard Martin
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14204	Comment from Melanie Homan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19354	Comment from Crystal Hart
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14205	Comment from John Daneke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19355	Comment from Marianne Hoffman
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14206	Comment from Nichole Stilkey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19356	Comment from Helene Christina Weiss
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14207	Comment from Steven Ketchel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19357	Comment from Linda Peterson
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14208	Comment from Jule Oneal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19358	Comment from nancy siebert
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14209	Comment from Einger Desjardins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19359	Comment from Christa Neuber
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14210	Comment from Diane Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19360	Comment from Terry Bergeron
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14211	Comment from Keiko M.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19361	Comment from Sheri Cutright
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14212	Comment from Jordan Blank	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19362	Comment from Timothy Castine
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14213	Comment from Bruce lougee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19363	Comment from Deborah Williamson
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14214	Comment from Dionne Heilman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19364	Comment from Chris Kermiet
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14215	Comment from Gabriela Vera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19365	Comment from Karylee Feldman
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14216	Comment from Jean Saja	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19366	Comment from Rhonda Berger
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14217	Comment from Hannah Wild	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19367	Comment from Barbara Swyden
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14218	Comment from Michael Martin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19368	Comment from Todd Fletcher
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14219	Comment from Rita Taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19369	Comment from myra berario

02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14220	Comment from Suzanne Morine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19370	Comment from Joan Mccoy
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14221	Comment from Mariam Andalibi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19371	Comment from RENATE DOLIN
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14223	Comment from Debora Hojda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19372	Comment from Mya Shone
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14224	Comment from Valerie Felicione	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19373	Comment from Jared Cornelia
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14225	Comment from Reba Reiser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19374	Comment from Mary Carrick
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14226	Comment from Karen Cassidy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19375	Comment from Colette Van Os
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14227	Comment from Kristin Steuerle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19376	Comment from Aimee Jordan
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14228	Comment from Becca Greenstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19377	Comment from Dawn Harrod
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14229	Comment from Fernando Suarez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19378	Comment from Stefanka Ilieva
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14230	Comment from Carolyn Coder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19379	Comment from Priscilla mezrahi
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14231	Comment from Catherine Kowalczyk.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19380	Comment from Luanne Stone
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14232	Comment from Maria Lorek	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19381	Comment from Joan Murtagh
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14233	Comment from Juanita Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19382	Comment from Lorraine Sanchez
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14234	Comment from Alan McRae	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19383	Comment from William Fisk
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14235	Comment from Jean Stidham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19384	Comment from Judy Jolin
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14236	Comment from Wendy Gold	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19385	Comment from Bert Lustig
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14237	Comment from Stephen Griffiths	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19386	Comment from Skylar Storm
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14238	Comment from Melissa Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19387	Comment from Carl Prellwitz
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14239	Comment from Maria Blaszczyk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19388	Comment from Amelia Jones
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14240	Comment from Abbie Nestler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19389	Comment from Barbara Sallee
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14241	Comment from Donna Banks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19390	Comment from Cathy McDow
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14242	Comment from Charles Culbertson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19391	Comment from Cheryl Turnbough
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14244	Comment from Randy Cabrera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19392	Comment from Gina Bates
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14245	Comment from Denise Lytle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19393	Comment from Wolfgang burger
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14246	Comment from Bruce Kinney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19394	Comment from Jeffrey Dravis
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14247	Comment from Sandra Gallagher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19395	Comment from Alan Firth
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14248	Comment from Barbara Harmer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19396	Comment from Nancy Sharak
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14249	Comment from Brenda Brooks	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19397	Comment from Gail Donath
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14250	Comment from Gayle Carr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19398	Comment from Marilee Meyer
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14251	Comment from James Roberts	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19399	Comment from Heather Schraeder
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14252	Comment from Jerone Ellis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19400	Comment from Marilyn Koff
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14253	Comment from Lisa Cameron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19401	Comment from Robert Rivera
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14254	Comment from Anjanette Donlan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19402	Comment from Chelsea Ruth
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14255	Comment from Aubrianna Schlottman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19403	Comment from norman pont
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14256	Comment from Dianna Kilroy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19404	Comment from Asdur Triff
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14257	Comment from Dianna Kilroy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19405	Comment from Felicia Bruce
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14258	Comment from Randy Kight	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19406	Comment from Wendy Pratt
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14259	Comment from Dianne Angelikoussis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19407	Comment from Marilyn Rose
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14260	Comment from Patricia Tillman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19408	Comment from Charles Brumleve
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14261	Comment from Dennis Marinuzzi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19409	Comment from Katherine Russell
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14262	Comment from Paul Bickmore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19410	Comment from Francois De La Giroday

02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14263	Comment from carol strobel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19411	Comment from Alana Willroth
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14264	Comment from Peggy Kauffman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19412	Comment from Annette Pieniazek
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14265	Comment from Sheila Kirsch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19413	Comment from Gordon Cook
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14266	Comment from Sheila Kirsch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19414	Comment from Barbara Hood
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14267	Comment from Kathi Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19415	Comment from wendy denny
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14268	Comment from Kathryn Drobish	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19416	Comment from Sarah Hallowell
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14269	Comment from k. paro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19417	Comment from Tony Romero
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14271	Comment from Jennifer Benoit	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19418	Comment from Wayne Steffes
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14272	Comment from sara habis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19419	Comment from andrew kaplan
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14273	Comment from Steve Webster	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19420	Comment from Patricia PERRON
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14274	Comment from Jule Oneal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19421	Comment from Kimberly Teraberry
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14275	Comment from Tom Wheys	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19422	Comment from Jodi Flynn
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14276	Comment from Mary Estep	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19423	Comment from Linda Pflugrad
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14277	Comment from John Ferguson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19424	Comment from Wendy Jordan
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14278	Comment from Frank Carola	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19425	Comment from Angel Moreno
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14279	Comment from Sarika Arora	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19426	Comment from Dennis Kreiner
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14280	Comment from maryellen todd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19427	Comment from Brandon Perras
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14281	Comment from Sandy Commons	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19428	Comment from Susan Biccum
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14282	Comment from Meredith Cody	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19429	Comment from audrey ross
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14283	Comment from Alisanne Wegman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19430	Comment from Douglas McCormick
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14284	Comment from Marianne Ruggiero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19431	Comment from Lucille Thibodeau
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14285	Comment from Karen Locke	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19432	Comment from Christine Koehler
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14286	Comment from Aixa Acevedo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19433	Comment from Charlene Kerchevall
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14287	Comment from Roxanne Barksdale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19434	Comment from Maggie Paren
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14288	Comment from Cheryl Baker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19435	Comment from Amy Roberts
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14289	Comment from Daryl Gale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19436	Comment from Josephine Biagi
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14290	Comment from Donald Hodge	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19437	Comment from Kate Harder
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14291	Comment from Hadley Fowler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19438	Comment from THOMAS KLUSARITZ
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14292	Comment from Jan Shimp	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19439	Comment from Kimberly Derwent
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14293	Comment from Sonia Waddell1234	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19441	Comment from Robert Ortiz
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14294	Comment from Betsy Duffy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19442	Comment from billie ambrose
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14295	Comment from Marilyn Jordan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19443	Comment from Paul Riley
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14296	Comment from Michael Kelly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19444	Comment from Choky Alvarez
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14297	Comment from Kiana Gomez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19445	Comment from Denise Turner
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14298	Comment from Debra Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19446	Comment from MariLynn Herman
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14299	Comment from Carol Dewees	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19447	Comment from Stephen Mahoney
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14300	Comment from Michelle Wood	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19448	Comment from Donna Bender
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14301	Comment from Virginia Whitaker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19449	Comment from Robert Oliver
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14302	Comment from Virginia Whitaker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19450	Comment from pam zimmerman
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14304	Comment from Celeste Almaral	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19451	Comment from Shirley Allison
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14305	Comment from Mari Mennel-Bell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19452	Comment from Ron Ives

02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14306	Comment from Evelyn Dassau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19453	Comment from Steve Gould
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14307	Comment from Richard Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19454	Comment from Diana Covington
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14308	Comment from Liz Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19455	Comment from Louise McNulty
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14309	Comment from Amy Benham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19456	Comment from andrea Feig
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14311	Comment from Martin Ariola	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19457	Comment from Patty Lehr
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14313	Comment from Frauke Argyros	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19458	Comment from Tom Cleveland
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14314	Comment from Gretchen Zeiger-May	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19459	Comment from irina kurland
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14315	Comment from Ken Cassell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19460	Comment from David Henderson
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14316	Comment from Paula jarrel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19461	Comment from Christi DeMark
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14317	Comment from Stephanie Ferris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19462	Comment from Choky Alvarez
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14319	Comment from Lindsey Ladd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19463	Comment from D. Rader
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14320	Comment from Jennifer Adams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19464	Comment from William Shearer
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14321	Comment from Heather Watkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19465	Comment from ellen wertheim
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14322	Comment from Williams, Mary Frances	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19466	Comment from louis caravaglia
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14323	Comment from Anne M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19467	Comment from Dana Linder
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14324	Comment from Anne Pascucci	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19468	Comment from Lisa Annecone
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14325	Comment from Wil O'Leary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19469	Comment from Laurie Cocheo
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14326	Comment from Ali Van Zee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19470	Comment from Arthur Fornari
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14327	Comment from Emily Bragonier	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19471	Comment from Karin Kozié
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14328	Comment from Parent, Elena	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19472	Comment from Eunice Daily
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14331	Comment from John Blanchard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19473	Comment from Pauline Elera
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14332	Comment from Lori Vadnais	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19474	Comment from Cynthia Blackledge
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14333	Comment from Patrick Jacobson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19475	Comment from Pat Ellison
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14334	Comment from Catherine Gurnow-Ferris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19476	Comment from Wally Sykes
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14335	Comment from Catherine Kowalczyk.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19477	Comment from Janice Brown
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14336	Comment from Sierra Bassett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19478	Comment from Ernie Sanchez
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14338	Comment from Mary More	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19479	Comment from Shirley Evans
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14339	Comment from Larry Oconner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19480	Comment from Tom Tripp
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14340	Comment from Brian Goss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19481	Comment from Leslie Kuhn
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14341	Comment from Ursula Pruitt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19482	Comment from Betty Butler
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14343	Comment from Natalie Mudd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19483	Comment from Karen Rivers
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14344	Comment from Patricia Turner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19484	Comment from Susan Emery
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14345	Comment from John Outland	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19485	Comment from Marina af Grivas
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14346	Comment from Mary Carrick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19486	Comment from Marvin Guymon
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14347	Comment from Daniel Brower	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19487	Comment from Raymie Roland
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14348	Comment from Peggy Kauffman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19488	Comment from A F
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14349	Comment from Liselle McFletcher	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19489	Comment from Stephen Babb
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14350	Comment from Joann Gilkes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19490	Comment from Karla Devine
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14351	Comment from Maisa Aziz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19491	Comment from Niki Wise
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14352	Comment from Sheri Howe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19492	Comment from Karen Stewart
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14353	Comment from Julie Mirbach	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19493	Comment from Sandra Morales

02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14354	Comment from Jennifer Flocco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19494	Comment from Dee Downing
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14356	Comment from Rob Edwards	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19495	Comment from Karen Wilson
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14357	Comment from Mike Feria	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19497	Comment from Dawn Kosec
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14358	Comment from Donna Gattuso	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19498	Comment from Karen Spradlin
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14359	Comment from Kendall Reiss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19499	Comment from Holly Barr
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14360	Comment from Bonnie Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19500	Comment from Frederick Glazier
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14361	Comment from Tanya Osterman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19501	Comment from LeRoy Holcomb
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14363	Comment from Melissa Conard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19502	Comment from Maureen Fogerty
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14364	Comment from Armand Gadbois	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19503	Comment from Danika Esden-Tempski
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14365	Comment from Becky Bauer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19504	Comment from Jerry Lee
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14366	Comment from Joann Dahmen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19505	Comment from Lisa Goodson
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14367	Comment from Karen Yarnell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19506	Comment from Linda Waive
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14368	Comment from Christina McCulley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19507	Comment from Abigail Gindele
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14369	Comment from Eric Brooker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19508	Comment from Mary Stanton
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14370	Comment from Erika Gesue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19509	Comment from Linda Williams
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14371	Comment from Milena Nestic	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19510	Comment from Robert Jacobson
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14372	Comment from Gulfem Bilgic	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19511	Comment from Stevie Sugarman
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14373	Comment from Jennifer Work	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19512	Comment from Andy Lynn
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14374	Comment from Margaret Hall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19513	Comment from Adrian Paul
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14375	Comment from Paw Taw	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19514	Comment from William Anderson
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14376	Comment from Katherine Babiak	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19515	Comment from Kathryn Lambros
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14377	Comment from John Walker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19516	Comment from Mark Gotvald
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14378	Comment from Jo RomanizsakSanchez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19517	Comment from Julie Strother
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14379	Comment from Shani Schulman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19518	Comment from Bettina Goodall
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14380	Comment from Chris Blyth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19519	Comment from Roslynn Budoff
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14382	Comment from Dana Adams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19520	Comment from CARL LUHRING
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14383	Comment from Jessie Medina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19521	Comment from Stephanie Mistretta
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14384	Comment from Keiko M.	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19522	Comment from Ralph Ciavatti
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14385	Comment from Claudia Panzer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19523	Comment from Edmund Wright
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14386	Comment from John Delgado	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19524	Comment from Margaret Philhower
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14387	Comment from Miriam Merino	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19525	Comment from Brandon Kozak
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14388	Comment from Eddie Plotts	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19526	Comment from William Sarovec
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14389	Comment from Michael Dorer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19527	Comment from Elena Fowler
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14390	Comment from Cheryl Chubokas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19528	Comment from Lorraine Martinez
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14391	Comment from Katrina Neber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19529	Comment from Sharon Sullivan
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14392	Comment from Mary Nuss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19530	Comment from David Clapper
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14393	Comment from Michele Testa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19531	Comment from Sally Madigan
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14395	Comment from Alison Osment	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19532	Comment from John Christopher
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14396	Comment from Priscilla Hunt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19533	Comment from Wanda Almodovar
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14397	Comment from Ilse Singer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19534	Comment from Laurel Watson
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14398	Comment from Rachel Langsam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19535	Comment from Leslie Nirenstein

02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14399	Comment from Dolores Saenz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19536	Comment from Richard Van Aken
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14400	Comment from JILL AUXER	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19537	Comment from Alfred Staab
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14401	Comment from Jessica Stewart	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19538	Comment from Elaine Russell
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14402	Comment from Cathy Satiro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19539	Comment from Sharon Baker
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14403	Comment from Ellen May	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19540	Comment from Jacob Listerud
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14404	Comment from Georgia Cosenza	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19541	Comment from Julie Hawkins
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14405	Comment from Jessalyn Timson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19542	Comment from Susan Anderson
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14406	Comment from Kelly Saindon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19543	Comment from Priscilla Martin
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14407	Comment from Terri S	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19544	Comment from Jacob Listerud
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14408	Comment from Michelle Stein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19545	Comment from Gary Hull
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14409	Comment from Tammy Boleng	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19546	Comment from Mary Tindukasiri
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14410	Comment from Karen Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19547	Comment from Selim Uzuner
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14411	Comment from Kimberly Schmidt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19548	Comment from Lisa Mistretta
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14412	Comment from Jane White	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19549	Comment from James Bullock
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14413	Comment from kathy Branagan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19550	Comment from Ryan Gardner
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14416	Comment from Sally Perzanowski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19551	Comment from Karyn Morales
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14417	Comment from Nicke Hetzel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19552	Comment from S Mendon
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14418	Comment from Nicole Sievers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19553	Comment from Sheila Enright
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14419	Comment from Ann Marie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19554	Comment from Dorothy Holtzman
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14421	Comment from Litsa Katsarou	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19555	Comment from Vic DeAngelo
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14422	Comment from Eugene Bae	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19556	Comment from Richard Hammer
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14424	Comment from Litsa Katsarou	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19557	Comment from Suzanne Gordon
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14425	Comment from Jo Herlovski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19558	Comment from Renee Janton
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14426	Comment from Deanna LaBella	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19559	Comment from Linda Michalopoulos
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14427	Comment from Pat Wyman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19560	Comment from Ken Martin
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14428	Comment from Dom Citrullo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19561	Comment from Mitch M
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14429	Comment from Joelle Ziemian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19562	Comment from Tim Ryan
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14430	Comment from Nan Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19563	Comment from Kim Altana
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14431	Comment from Penny Webster	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19564	Comment from nathan carl
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14432	Comment from Corinne Lamour	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19565	Comment from Sally Maish
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14433	Comment from Misty Stone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19566	Comment from Pauline Burak
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14434	Comment from Michelle Warmath	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19567	Comment from Frances Mcaroy
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14435	Comment from DawnMoon Jaques	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19568	Comment from David Worley
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14436	Comment from Lucy John	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19569	Comment from Gia Granucci
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14437	Comment from Michelle Malaspino	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19570	Comment from Laurel Kornfeld
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14438	Comment from Alese Tait	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19571	Comment from kori olaso
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14439	Comment from Elizabeth Hunt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19572	Comment from Laura Ray
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14440	Comment from Cindy Beck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19573	Comment from Robin Lorentzen
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14442	Comment from Steven DeSanctis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19574	Comment from Linda Hendrix
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14443	Comment from Johannessen, Kathryn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19575	Comment from Kim Frazier
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14444	Comment from Smith, Judith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19576	Comment from Jean Wiant

02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14445	Comment from DONALD PREISTER	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19577	Comment from Ellen Phillips
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14446	Comment from A, NK	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19578	Comment from Bob P.
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14447	Comment from Carrison, Yvonne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19579	Comment from Patricia Carpenter
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14448	Comment from Cobb, Sandra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19580	Comment from Susan Pfretzschner
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14449	Comment from Segar, Beth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19581	Comment from Tracey Flater
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14451	Comment from Fletcher, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19582	Comment from Harold Hubbard
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14452	Comment from Atkins, Theresa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19583	Comment from John Lynch
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14453	Comment from Bescript, Linda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19584	Comment from Julia Bottom
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14454	Comment from Judy Monson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19585	Comment from Tim Hayes
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14455	Comment from Alexander, Jim	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19586	Comment from Wayne Ott
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14456	Comment from Elaine Quinones	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19587	Comment from Nina Berry
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14457	Comment from Goldbaugh, Dennis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19588	Comment from Liam Dineen
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14458	Comment from Howell, Valerie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19589	Comment from Marilyn Montgomery
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14459	Comment from wolf, val	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19590	Comment from L Haage
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14461	Comment from l, s	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19591	Comment from Mike Chyba
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14462	Comment from Cassianna, Frank	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19592	Comment from Amy Stoller
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14463	Comment from Monger, Becky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19593	Comment from Patricia Warden
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14464	Comment from S, Patti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19594	Comment from Kyle Peterson
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14465	Comment from Suzann Daley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19595	Comment from Hayli Walker
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14466	Comment from Scott, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19596	Comment from tom taylor
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14467	Comment from CHAURASIA, Tawnya	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19597	Comment from Elizabeth McSweeney
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14469	Comment from Babaian, Caryn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19598	Comment from Caroline Svilla
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14470	Comment from Gabaree Wayne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19599	Comment from Janet Monfredini
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14471	Comment from Mulvey, Donna	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19600	Comment from casee maxfield
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14472	Comment from Mistretta, Jill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19601	Comment from Judy Cassada
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14473	Comment from Ayers, Robert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19602	Comment from Kelly Fiske
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14474	Comment from Koplrow, Maureen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19603	Comment from Cathy Holden
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14475	Comment from Mireault, Kathleen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19604	Comment from Sherron Collins
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14476	Comment from Kotlyar, Sofia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19605	Comment from Thomas Boswell
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14477	Comment from Klawiter, Michelle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19606	Comment from Paul Brooks
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14478	Comment from Kenner, Kate	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19607	Comment from Theodore Burger
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14479	Comment from Passoa, Valerie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19608	Comment from James van Maanen
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14480	Comment from Dudan, Don	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19609	Comment from Don Hon
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14481	Comment from Alexander, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19610	Comment from Julia Hart
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14482	Comment from Och, Evelyn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19611	Comment from Mary Diercks
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14483	Comment from Hauer, Emily	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19612	Comment from Theodore Burger
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14484	Comment from Fitch, Tom	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19613	Comment from Emily Dickinson-Adams
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14485	Comment from McNally, Sue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19615	Comment from Barbara Sullivan
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14486	Comment from Garvett, Esther	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19616	Comment from Gary Miller
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14487	Comment from Grosshans, Lois	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19617	Comment from Roderic Stephens
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14488	Comment from Peter, Joan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19618	Comment from Kristin Lewis

02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14489	Comment from Rebecca Weisser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19619	Comment from MaryEllen Meli
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14490	Comment from Shultz, Jamie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19620	Comment from Anne Randolph
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14491	Comment from Stoller, Amy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19621	Comment from Melissa K
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14492	Comment from Sidelnikova, Julia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19622	Comment from Carolyn Maguire
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14493	Comment from Bobe, Pablo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19623	Comment from Nathan Vogel
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14494	Comment from Frederick, Nicholas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19624	Comment from John Bertaina
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14495	Comment from Miller, Carol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19625	Comment from Terry Gunning
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14496	Comment from Keys, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19626	Comment from Lisa Annecone
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14497	Comment from Gillespie, Sharon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19627	Comment from Chantal livernois
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14498	Comment from Przytycz, Siomomir and Teresa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19628	Comment from Elizabeth Gann
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14499	Comment from Skyler Nathanson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19629	Comment from Gavin Dillard
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14500	Comment from Otero, Julia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19630	Comment from Eugene Brusin
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14501	Comment from Duong, Nicolas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19631	Comment from Gretchen Byrne
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14502	Comment from Levitt, Lacey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19632	Comment from Alicia Barnes
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14503	Comment from broenner, Cindra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19633	Comment from Evelyn Bailey
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14504	Comment from Abellorentzen, Katherine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19634	Comment from Alan Decker
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14505	Comment from Costa, Lynn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19635	Comment from Jo jones
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14506	Comment from Duong, Nicolas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19636	Comment from Dale shuffler
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14507	Comment from Lind, A Eric	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19637	Comment from Sgt. Palloc
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14508	Comment from Deinzio, Bruce and Maurice	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19638	Comment from Carol prost
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14509	Comment from Reeves, Lenore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19639	Comment from Barbara Abraham
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14510	Comment from Peterson, Robin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19640	Comment from James Carley
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14511	Comment from McMaken, Jean	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19641	Comment from kristin carstarphen
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14512	Comment from Cloud, Jarrett	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19642	Comment from Randle Sink
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14513	Comment from McDonald, Mark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19643	Comment from Cammy Colton
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14514	Comment from Wilson, Ivalee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19644	Comment from Julia Cranmer
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14515	Comment from Sotere, Valerie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19645	Comment from Anthony Mehle
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14516	Comment from Apostolos, Andrew	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19646	Comment from Dan Racz
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14517	Comment from Wolf, Mera	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19647	Comment from Jane Van Praag
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14518	Comment from Streich, Kim	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19648	Comment from Sarah Cooke
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14519	Comment from Thibodeau, Lucille	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19649	Comment from Russell De La Mare
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14520	Comment from Vially, Vincent and Tess	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19650	Comment from Delores Dyke
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14521	Comment from BERRY, JASON	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19651	Comment from Linda Anderson
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14522	Comment from Ratcliff, Philip	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19652	Comment from ALISON APLIN
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14523	Comment from Huber, Dr Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19653	Comment from Gianna Garcia
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14524	Comment from Root, TAMMY	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19654	Comment from Harold Brundage
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14525	Comment from Gregory, Nancy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19655	Comment from Mary Al-Tukhaim
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14526	Comment from Brenza, Tina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19656	Comment from Clifford Provost
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14527	Comment from Denning, Asphodel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19657	Comment from Jon Hudson
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14528	Comment from Vander Poel, James	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19658	Comment from JimBetty Burrell
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14529	Comment from Bousquet, Bob	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19659	Comment from Alice Nicholson

02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14530	Comment from Cavallaro, Joseph	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19660	Comment from Robin Kory
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14531	Comment from alayza mujica, bernardo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19661	Comment from Bruce Hallett
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14532	Comment from Hicks, Lacey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19662	Comment from Kevin Wiker
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14533	Comment from Baron, Roger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19663	Comment from Richard Anderson
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14534	Comment from Reback, Mark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19664	Comment from Bennie Scott
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14535	Comment from landskroner, ron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19665	Comment from Barry Mowday
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14536	Comment from Beldin, Joanie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19666	Comment from joyce cotter
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14537	Comment from Elder, Melissa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19667	Comment from sandra garcia
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14538	Comment from Barth, Patricia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19668	Comment from Jennifer Planeta
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14539	Comment from Oppenheim, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19669	Comment from Leonard Way
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14540	Comment from Fleming, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19670	Comment from John Sonin
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14541	Comment from Goodman, Margaret	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19671	Comment from Anne Kelly
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14542	Comment from Frederick, Nicholas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19672	Comment from Michael Anderson
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14543	Comment from Delugach, Joie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19673	Comment from Vincent Geiger
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14544	Comment from Wylie, Michael and Ann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19674	Comment from Lance Polya
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14545	Comment from Gorak, Martha	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19675	Comment from Dale Janssen
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14546	Comment from Guarnieri, Tony and Cristina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19676	Comment from Angela Hayes
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14547	Comment from Brown, Maryetta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19677	Comment from Jackie Cole
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14548	Comment from Tedesco, Terry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19678	Comment from Aimee Miller
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14549	Comment from Berridge, Nigel Paul	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19679	Comment from Janet Witzeman
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14550	Comment from Chinofsky, Laura	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19680	Comment from Bill Holt
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14551	Comment from Bozgacki, Paul and Jackie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19681	Comment from Debi Holt
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14552	Comment from Herwig, Gary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19682	Comment from Jan ebersole
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14553	Comment from McCleary, Harriet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19683	Comment from Delaine Spilsbury
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14554	Comment from Gannon, Michael	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19684	Comment from Stephanie Lovell
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14555	Comment from CORTE, ALLEN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19685	Comment from Susan Stoll
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14556	Comment from Bajaj, Ashok and Kiran	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19686	Comment from Raffaella Selvaggio
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14557	Comment from Donnell, Bruce	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19687	Comment from Howard Lepzelter
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14558	Comment from Lyons kalmenson, Karen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19688	Comment from Suzanne Barns
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14559	Comment from Devin, Helene	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19689	Comment from Valerie Lloyd
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14560	Comment from Perinchief, Jana	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19690	Comment from Rita Ceresini
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14561	Comment from Fusco, Barbara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19691	Comment from Paul Bird
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14562	Comment from Sylvia Tolley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19692	Comment from Barry Cutler
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14563	Comment from Julie Alicea	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19693	Comment from Carrie Campbell
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14564	Comment from Kimberly Nickles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19694	Comment from Maria Dabrowski
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14565	Comment from Ethel Hinchy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19695	Comment from Kathy Kelly
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14567	Comment from Joseph Capuano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19696	Comment from Christina Babst
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14568	Comment from John Carpenter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19697	Comment from Jane lanzoni
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14572	Comment from Patricia Hunt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19698	Comment from Nikki Martin
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14575	Comment from Jillian Fiedor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19699	Comment from Emily Pitner
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14576	Comment from Beth Kinkade	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19700	Comment from Chuck Jesse

02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14578	Comment from Claire dean	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19701	Comment from Mimi Abers
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14579	Comment from Carla Porter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19702	Comment from Robin Eddington
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14580	Comment from Sarika Arora	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19703	Comment from Gabriel Lautaro
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14581	Comment from Shannon Geis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19704	Comment from Linda Stabile
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14582	Comment from Karen Waltman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19705	Comment from Carol Ramo
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14583	Comment from VANDA JAGGARD	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19706	Comment from cathy crum
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14584	Comment from Brenda Spinella	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19707	Comment from John Essman
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14585	Comment from Melody Ludwig	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19708	Comment from Mark Fields
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14586	Comment from Larry Oconner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19709	Comment from Janice Fitcha
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14587	Comment from Beverly Spohr	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19710	Comment from Lynne Weiske
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14588	Comment from Jill Waldon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19711	Comment from Crystal wolf
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14589	Comment from Jill Waldon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19712	Comment from Jan Clae
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14590	Comment from M Coulter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19713	Comment from Detlef Joerss
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14591	Comment from sonia velez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19714	Comment from Melissa Dorval
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14592	Comment from Casey Proctor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19715	Comment from Lisa Jefko
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14593	Comment from Pam Parisi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19716	Comment from cathy crum
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14594	Comment from Anne Kuo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19717	Comment from Peter Burval
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14595	Comment from Anne Opuda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19718	Comment from Linda Webb
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14596	Comment from Francoise Desoutter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19719	Comment from Janet Harwell
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14597	Comment from kevin O'Halloran	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19720	Comment from Hector Bertin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14598	Comment from Michelle Lindo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19721	Comment from Rochelle La Frinere
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14599	Comment from Isabela Mihajic	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19722	Comment from Wendy Bowman
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14600	Comment from Brad Nahill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19723	Comment from raymond Wager
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14601	Comment from Jeremy Benjamin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19724	Comment from Anne Aylor
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14602	Comment from Leslee Duncan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19725	Comment from George Quasha
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14603	Comment from Geri Marshall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19726	Comment from Barbara Stannard
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14604	Comment from Deb faroe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19727	Comment from Patty Hatcher
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14605	Comment from Joseph taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19728	Comment from Juanita Hull
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14606	Comment from Jessica LaSalla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19729	Comment from Suzanne Marienau
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14607	Comment from Geier, Eric	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19730	Comment from Edward Scott
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14608	Comment from McMahon, Annie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19731	Comment from Jeanne Stulb
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14609	Comment from Sauner, Diane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19732	Comment from EILEEN MASSEY
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14610	Comment from Whillock, Laurel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19733	Comment from Sandra Swisher
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14611	Comment from Edmondson, Dominique	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19734	Comment from Maura Schaeffer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14612	Comment from Milano, Joseph and Mary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19735	Comment from Julie Shuman
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14613	Comment from Kincer, M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19736	Comment from HENRY MILLER
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14614	Comment from Eskew, Jerry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19737	Comment from Steve Kline
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14615	Comment from Hunter, Shannon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19738	Comment from Janette Teevan
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14616	Comment from Jacobs, Kathy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19739	Comment from marc silverman
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14618	Comment from O'Dell, Sean	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19740	Comment from Florencia Morales
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14619	Comment from Townsend, Sarah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19741	Comment from Walter Bock

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14620	Comment from Stephanie Lovell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19742	Comment from Carol Sears
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14621	Comment from Smith, Kathleen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19743	Comment from Jeffery Garcia
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14622	Comment from Campbell, Carrie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19744	Comment from Rev. Cline
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14623	Comment from Osterman, Tamara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19745	Comment from Elena Fowler
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14624	Comment from Baez, Nellie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19746	Comment from Pamela Mcdonald
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14625	Comment from Kommerstad Keitner, Carol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19747	Comment from Sam Butler
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14626	Comment from Hayman, Lauren Elise	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19748	Comment from Dana Greathouse
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14627	Comment from Comstock, Christian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19749	Comment from Barbara Lintz
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14628	Comment from Ginsburg, Marvin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19750	Comment from Soretta Rodack
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14629	Comment from Spraga, Laurie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19751	Comment from Mara Sansevero
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14630	Comment from Vickers, Barbara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19752	Comment from Margaret Griffin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14631	Comment from Sutton, Dawn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19753	Comment from Kathleen Cridge
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14632	Comment from R, Chris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19754	Comment from Steven Cool
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14633	Comment from Faulkner, Martha	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19755	Comment from Brenda Earl
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14634	Comment from Shields, Jamie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19756	Comment from Leonard Epstein
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14635	Comment from Taylor, Alexia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19757	Comment from Lory Ono
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14636	Comment from Graff, Steve	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19758	Comment from Pinky Peterson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14637	Comment from Goldstein, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19759	Comment from Fawn King
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14638	Comment from Frantz Crafton, Candy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19760	Comment from Melissa Barnard
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14639	Comment from sterner, daniel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19761	Comment from Donalyn Gross
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14640	Comment from Porter, Kaye M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19762	Comment from David Edwards
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14641	Comment from Chappell, Christina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19763	Comment from Maria Botello
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14642	Comment from krause, doug	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19764	Comment from Jeffrey Fernandez
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14643	Comment from Wood, Beth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19765	Comment from Steve Loe
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14644	Comment from A, Colette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19766	Comment from Katherine Hinson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14645	Comment from Lucas, Kathy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19767	Comment from Samuel Case
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14646	Comment from Askins, Susanna	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19768	Comment from Mark Volans
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14647	Comment from Heverly MID FAUER, Debra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19769	Comment from Tony Meinerding
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14648	Comment from Simmons, Julia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19770	Comment from diane cote
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14649	Comment from Guarneri, Anthony and Christina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19771	Comment from Michael Martin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14650	Comment from naive, jurissah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19772	Comment from Maxine Goodyear
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14651	Comment from Marotta, Tracy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19773	Comment from Dennis Heinzig
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14652	Comment from Atkins, Todd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19774	Comment from James Lin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14653	Comment from Schuman, Laura	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19775	Comment from Georgeanne Matranga
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14654	Comment from Haynes, Andrew	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19776	Comment from Frann Spiess
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14655	Comment from Willroth, Alana	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19777	Comment from Carol Craig
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14656	Comment from Atlas, Debra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19778	Comment from T C
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14657	Comment from Hendon, Marie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19779	Comment from Barbara Gregory
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14658	Comment from Clark, Maxine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19780	Comment from Isabelle Richard
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14659	Comment from capra, michele	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19781	Comment from Sharen Oxman
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14660	Comment from Steve Mineau	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19782	Comment from Tammera Hinshaw

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14661	Comment from Stein, Zbigniew	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19783	Comment from Ira Raab
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14662	Comment from Campbell, Gary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19784	Comment from Michael DeLoye
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14663	Comment from Esslinger, Angela	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19785	Comment from Victoria Randall
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14664	Comment from Moreno, Di	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19786	Comment from George Ruiz
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14665	Comment from Taylor, Polly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19787	Comment from simona podskubka
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14666	Comment from Arfin, Danielle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19788	Comment from Nico McAfee
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14667	Comment from Clarke, Leta	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19789	Comment from kate nyne
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14668	Comment from Moog, Lori	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19790	Comment from Sija Sur
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14669	Comment from Johnson, Lorraine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19791	Comment from Susan Lefler
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14670	Comment from Michaels, Melissa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19792	Comment from Megan Sommers
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14671	Comment from Yancey, Robert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19793	Comment from A M Lindemann
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14672	Comment from Thompson, Reva	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19794	Comment from Michele Blackwell
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14673	Comment from Arnold, Melissa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19795	Comment from dANIEL FIGUEROA
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14674	Comment from Berinstein, Paula	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19796	Comment from David Burtis
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14676	Comment from rader, bradley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19797	Comment from Christine Dougherty
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14677	Comment from Janet Lindsey-Hays	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19798	Comment from Marie Weis
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14678	Comment from Yamamoto, Lillian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19799	Comment from dANIEL FIGUEROA
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14679	Comment from Dinehart, Sue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19800	Comment from Michele Vaillancourt
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14680	Comment from Kautz, Sue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19801	Comment from Darryl San Souci
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14681	Comment from de arteaga, jose	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19802	Comment from Michael Clarke
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14682	Comment from Lewis, Barbara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19803	Comment from Tonya Sexton
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14683	Comment from Sheibley, Kathryn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19804	Comment from Kathleen Parisi
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14684	Comment from MARIANNE DEBONIS, MARIANNE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19805	Comment from Vincent Messineo
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14685	Comment from davis, anne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19806	Comment from Bonnie Zotos
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14686	Comment from davis, anne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19807	Comment from Jo Kirsch
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14687	Comment from Braunsberger, Karin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19808	Comment from Beth Palumbo
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14688	Comment from Cynthia Boyd	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19809	Comment from Gloria Fisher
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14689	Comment from Lori Baske	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19810	Comment from Betsey Porter
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14690	Comment from Bleecker, Sam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19811	Comment from Holly Ceriale
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14691	Comment from Neumann, Ann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19812	Comment from Jeff Lutrell
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14692	Comment from Yazdi, Teri	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19813	Comment from Bruce Hlodnicki
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14693	Comment from Shankel, Georgia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19814	Comment from Merle Suhayda
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14694	Comment from Ulrich, Albert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19815	Comment from Deborah Wilk
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14695	Comment from Kohn, Laura	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19816	Comment from Thomas Warner
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14696	Comment from Blevins, Patti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19817	Comment from Sabine Persenaire
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14697	Comment from Wolf, Karen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19818	Comment from Pippa Pearthree
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14698	Comment from Kantz, Karen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19819	Comment from Rick Priebe
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14699	Comment from Graham, Lisa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19820	Comment from Mary Dickson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14700	Comment from Miller, Victoria	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19821	Comment from Robert Gibb
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14701	Comment from Santos, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19822	Comment from Daniel Figueroa
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14702	Comment from Barros, Suzanne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19823	Comment from Rondane Hollar

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14703	Comment from spurr, karen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19824	Comment from Sharon Longyear
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14704	Comment from Malaroche, Christine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19825	Comment from Richard Guier
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14705	Comment from Maher, Mary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19826	Comment from George Weaver
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14706	Comment from Walter Manley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19827	Comment from robin nadel
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14707	Comment from Mcwhorter, Kathleen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19828	Comment from Carol Hewitt
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14708	Comment from Smith, Lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19829	Comment from Linda Andrade
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14709	Comment from Morrison, Barb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19830	Comment from Ashley Farreny
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14710	Comment from Kay, Joel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19831	Comment from Mark Hollinrake
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14711	Comment from Vasquez, Heather	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19832	Comment from Michelle Cobert
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14712	Comment from Levine, Marilyn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19833	Comment from Rajat Kapoor
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14713	Comment from Wilson, Theresa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19834	Comment from george patterson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14714	Comment from Solvang, Mark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19835	Comment from Karen Berger
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14715	Comment from Embler, Kyle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19836	Comment from Janice Dutka
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14716	Comment from Harlib, Amy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19837	Comment from Michael Weaver
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14717	Comment from Kelly Burgess	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19838	Comment from Hurd Hess
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14718	Comment from Phillips, Suyin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19839	Comment from Theresa Morris
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14719	Comment from Troccia, Michael	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19840	Comment from Helena Zofchak Zofchak
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14720	Comment from Wieland, Chuck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19841	Comment from Beti Trauth
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14721	Comment from Bush, Sam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19842	Comment from Beti Trauth
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14722	Comment from Bradley, Rhonda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19843	Comment from Kenneth Krehn
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14723	Comment from Langelan, M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19844	Comment from Annabelle Herbert
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14724	Comment from Kraynak, Ed	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19845	Comment from Lynne Rustad
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14725	Comment from Jackson, James	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19846	Comment from Louise Krus
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14726	Comment from Elder, Elizabeth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19847	Comment from Karen Lyons kalmenson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14727	Comment from Diller, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19848	Comment from Lisa Jablow
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14728	Comment from McDowell, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19849	Comment from Gloria Carlton
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14729	Comment from Bowen, Janelle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19850	Comment from Dara Rider
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14730	Comment from Davenport, Dave	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19851	Comment from Jason Chinn
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14731	Comment from Karen Shain	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19852	Comment from Dorothy Brooks
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14732	Comment from Rhazi, Carolyn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19853	Comment from Jani Sena
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14733	Comment from Miville, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19854	Comment from Kathleen Casson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14734	Comment from Black, Morrigan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19855	Comment from Scott Girard
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14735	Comment from Spratley, Jodi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19856	Comment from irene kubosh
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14736	Comment from Wilson, Merlin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19857	Comment from Angel Hissley
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14737	Comment from Spratley, Richard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19858	Comment from John Rodriguez
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14738	Comment from Kelly, Mike	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19859	Comment from Jill Robison
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14739	Comment from Wells, Lasha	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19860	Comment from Virginia Breza
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14740	Comment from Lynch, Linda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19861	Comment from Mary Joyce
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14741	Comment from Gibney, Jody	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19862	Comment from Brenda Boudreaux
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14742	Comment from Phillips, Jodi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19863	Comment from Benjamin Martin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14743	Comment from Harlib, Amy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19864	Comment from Francine Cohen

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14744	Comment from Krikorian, Lynn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19865	Comment from Mina Bish
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14745	Comment from Hempfling, Grace	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19866	Comment from j g
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14746	Comment from McLaren, Kim	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19867	Comment from Elena Knox
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14747	Comment from Raible, Annette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19868	Comment from John George
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14748	Comment from Kenakin, Deborah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19869	Comment from Michele Wise
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14749	Comment from Rahbari, Carol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19870	Comment from Catherine Ricciardo
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14750	Comment from Brown, Koniala and Daida	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19871	Comment from Mary Munday
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14751	Comment from Terletzky, Doreen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19872	Comment from Todd Priest
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14752	Comment from Gonzales, Tara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19873	Comment from susan kalan
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14753	Comment from Nowak, Diane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19874	Comment from Benny Holdren
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14754	Comment from Debra Ashton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19875	Comment from Janet Maker
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14756	Comment from Brown, Robert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19876	Comment from Briana Purcell
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14757	Comment from Quimby, Mary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19877	Comment from Mike Peale
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14758	Comment from Boston, Caroline	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19878	Comment from Steve Gross
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14759	Comment from Altman, Jeri	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19879	Comment from Bill Vartnaw
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14760	Comment from Royer, Elana	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19880	Comment from Sabrina Sarne
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14761	Comment from Gaman, Steven	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19881	Comment from Peggy Jakopak
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14762	Comment from Cowan, Jan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19882	Comment from Ingrid Frassl
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14763	Comment from Kahigian, Peter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19883	Comment from Bryan Daniel
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14764	Comment from Dorchin, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19884	Comment from Bonnie Oliver
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14765	Comment from Martin, Karla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19885	Comment from Adriana Bernstein
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14766	Comment from Elayne McKenna	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19886	Comment from Judith Levinton
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14767	Comment from Kozak, Brandon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19887	Comment from James Cooper
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14768	Comment from Wood, Sharon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19888	Comment from Nancy McBride
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14769	Comment from Fierro, Tallia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19889	Comment from Darian Mark
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14770	Comment from Sims, Catherine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19890	Comment from Jill McManus
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14771	Comment from Conrad, Valerie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19891	Comment from Kristin Kline
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14772	Comment from Cindy Carter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19892	Comment from Don Pew
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14773	Comment from Kawaritanakoa, Maunani V	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19893	Comment from melanie griffith
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14774	Comment from McLean, Diane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19894	Comment from Peggy Goldberg
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14775	Comment from Lahaie, Ann Marie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19895	Comment from Dawn Reed
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14776	Comment from Grimmer, Katie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19896	Comment from Daniel Carrillo
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14777	Comment from Lyons, Marcia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19897	Comment from Joyce Coombs
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14778	Comment from Sharon Towsley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19898	Comment from Thomas Conroy
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14779	Comment from Bohannan, Theresa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19899	Comment from Iris Owens
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14780	Comment from Meaux, Andre	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19900	Comment from Brenda Riddle
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14781	Comment from Ross, Katherine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19901	Comment from Michael Parsons
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14782	Comment from Blumenthal, Robert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19902	Comment from Tim Curry
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14783	Comment from Walsh, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19903	Comment from Alice Neuhauser
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14784	Comment from PERRON, Patricia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19904	Comment from TIMOTHY GEHRKE
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14785	Comment from Martenson, Julie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19905	Comment from Denise Brown

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14786	Comment from Graham Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19906	Comment from Christian Tabone
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14787	Comment from Richard Peterson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19907	Comment from Philip Quadrini
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14788	Comment from Whitely, Catherine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19908	Comment from Herman Villamizar
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14789	Comment from Walsh, Gerald	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19909	Comment from Connor Hansell
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14790	Comment from Jansen van Kensburg, Iana	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19910	Comment from John Marro
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14791	Comment from Lee, Rex	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19911	Comment from Gerri Ricciardi
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14792	Comment from Servello, John	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19912	Comment from Holly Koppenhaver
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14793	Comment from Lensenmayer, Kathleen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19913	Comment from Glenn Secor
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14794	Comment from Herschlag, Jane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19914	Comment from Marilyn Warren
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14795	Comment from Jose Fernandes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19915	Comment from Nancy Gathing
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14796	Comment from Bronstein, Deborah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19916	Comment from Brandt Mannchen
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14797	Comment from Mckinley, Patti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19917	Comment from Bill Christie
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14798	Comment from Nilssen, Nancy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19918	Comment from S G Bower
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14799	Comment from Castro, Katherine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19919	Comment from ANGELA MORGAN
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14800	Comment from Moog, Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19920	Comment from ANGELA MORGAN
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14801	Comment from Kirk, John	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19921	Comment from william nyikes
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14802	Comment from field, pat	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19922	Comment from Bridget Williamson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14803	Comment from Delagarza, David	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19923	Comment from Jose Greco
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14804	Comment from Livingston, Barb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19924	Comment from Joe Roy
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14805	Comment from Ramirez, Enrique	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19925	Comment from Laurel Whillock
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14806	Comment from Vortman, Roger	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19926	Comment from Christina DeRespiris
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14807	Comment from LePore, Lodiza	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19927	Comment from Raymond Valinoti
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14808	Comment from Dominick, Gail	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19928	Comment from Herbert Lord
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14809	Comment from dawn sartori	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19929	Comment from peggy tallyn
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14810	Comment from Frisella, Michele	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19930	Comment from Jana Perinchief
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14811	Comment from Long, Kit	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19931	Comment from Lynn Forsht
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14812	Comment from Mills, Alice	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19932	Comment from Randall Bash
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14813	Comment from Fowler, Linda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19933	Comment from Mary Lebert
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14814	Comment from Lambert, Kay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19934	Comment from lisa black
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14815	Comment from Duffy, Dina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19935	Comment from Susan Breitbart
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14816	Comment from Lohman, Wendy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19936	Comment from Kyle Embler
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14817	Comment from McWhorter, Elaine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19937	Comment from Kimberly Jannarone
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14818	Comment from BEAUDET, MELISSA	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19938	Comment from Thomas Fair
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14819	Comment from Miller, Cindy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19939	Comment from Lisa Elderton
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14820	Comment from Robinson, Dawn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19940	Comment from Iris Owens
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14821	Comment from Westberg, Juanita	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19941	Comment from mia heavyrunner
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14822	Comment from Larson, Cliff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19942	Comment from James Thompson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14823	Comment from Wolkiewicz, Chris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19943	Comment from Susan Siniard
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14824	Comment from Allen PhD DVM, Julia N	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19944	Comment from Peggy Alpert
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14825	Comment from lane, john	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19945	Comment from Anthony Trotta
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14826	Comment from Machusic, Karin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19946	Comment from Nancy Cole

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14827	Comment from perry, Jeannie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19947	Comment from Jodi Bell
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14828	Comment from DeBaal, Karen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19948	Comment from Rob Rondanini
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14829	Comment from Fahmy, Natalie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19949	Comment from Morgan Cormia
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14830	Comment from Lange, Marlena	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19950	Comment from Susan Dorchin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14831	Comment from Krieger, Jim	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19951	Comment from Nico Font
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14832	Comment from Arnold, Tina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19952	Comment from Doug Sleight
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14833	Comment from Hoerlein, Sara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19953	Comment from Janine Nordquist
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14834	Comment from Brown, Meghan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19954	Comment from Jeff Fromberg
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14835	Comment from Stieber, Frank	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19955	Comment from Anita Wisch
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14836	Comment from Diaz, Kristen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19956	Comment from Stephanie Kana
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14837	Comment from Betti, Mark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19957	Comment from Frank Dall
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14838	Comment from Lee, Jann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19958	Comment from Cathy Thompson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14839	Comment from OBrien, Robert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19959	Comment from Susan Wigfield
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14840	Comment from Peiris, Ravi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19960	Comment from Elizabeth Ramsey
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14841	Comment from Kolessar, Joan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19961	Comment from Andrew Kistler
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14842	Comment from Crowleu, Marty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19962	Comment from Anita Wisch
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14843	Comment from John Fleming	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19963	Comment from Anita Wisch
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14844	Comment from Mary Korde	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19964	Comment from Sharon Marchisello
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14845	Comment from McGregor, Hilary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19965	Comment from Terrence McNally
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14846	Comment from Echevarria, Mario	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19966	Comment from Judy Barringer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14847	Comment from Rodgers, Camie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19967	Comment from Faith Herschler
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14848	Comment from Stimmel, Christina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19968	Comment from Margie Schiff
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14849	Comment from Dobson, Deborah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19969	Comment from Mina Bornn
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14850	Comment from Mehrer, Russell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19970	Comment from Jennifer Scull
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14851	Comment from Alice Moore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19971	Comment from Karen Emanuel
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14852	Comment from Bender, Gary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19972	Comment from Karen Hughes
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14853	Comment from Reis, Judith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19973	Comment from Patricia Randazzo
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14854	Comment from Lowrey, Jan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19974	Comment from Rebecca Garrett
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14855	Comment from James Bonee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19975	Comment from Catherine Johnson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14856	Comment from Allison, Paulette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19976	Comment from Joseph Hamilton
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14858	Comment from Greene, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19977	Comment from sheila draughon
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14859	Comment from XX, Vicki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19978	Comment from Lucia Pasqualini
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14860	Comment from Saks, Jane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19979	Comment from Lori McMurdy
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14861	Comment from Lam, Charisma	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19980	Comment from Diane Eisenhower
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14862	Comment from Puffer, Deidre	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19981	Comment from candace l
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14863	Comment from Loomis, Gregry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19982	Comment from Mary McMahon
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14864	Comment from Pratt, Wendy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19983	Comment from lori conley
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14865	Comment from Stewart, Linda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19984	Comment from Beth Werner
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14866	Comment from Halizak, Kim	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19985	Comment from Debbie Hunter
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14867	Comment from Korn, Meryle A	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19986	Comment from susanne moh
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14868	Comment from Rullmann, Gale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19987	Comment from Martin Diedrich

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14869	Comment from Angell, JL	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19988	Comment from Victoria Groshong
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14870	Comment from Van Gelder, Lindsay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19989	Comment from Jo K.
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14871	Comment from Jaasko, Lisbeth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19990	Comment from Oksana Brodie
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14872	Comment from Bowman, Wendy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19991	Comment from Jan Modjeski
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14873	Comment from Ochoa Rounkles, Sherry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19992	Comment from Janet Glaspie
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14874	Comment from Schuchard, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19993	Comment from Jacqueline Peipert
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14875	Comment from Abers, Mimi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19994	Comment from pam ward
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14876	Comment from Dougherty, Dennis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19995	Comment from Rhoda Herrold
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14877	Comment from Mulroy, Rhonda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19996	Comment from Linda Knowles
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14878	Comment from Mccacron Taylor, Madeline	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19997	Comment from Jordan Longever
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14879	Comment from Elaine Eudy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19998	Comment from D Alex
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14880	Comment from VonBenken, Barbara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19999	Comment from Rachel Morr
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14882	Comment from Griepsma, Debi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20000	Comment from david bradbury
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14883	Comment from Elizabeth Carroll	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20001	Comment from Sarika Arora
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14884	Comment from Warren, Roxanne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20002	Comment from Paul Horne
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14885	Comment from Riddell, Catherine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20003	Comment from Susan Reid
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14886	Comment from Ragana, Lollie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20004	Comment from Sandra Bader
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14887	Comment from Greenberg, Alexandra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20005	Comment from Drew Pelton
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14888	Comment from Welch, Kristi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20006	Comment from Carol Wiley
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14889	Comment from Nelson, Paige	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20007	Comment from Claudia Richner
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14890	Comment from Wadstrup, David	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20008	Comment from Nick Byrne
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14891	Comment from Leckliter, Linda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20009	Comment from Carolyn Dickson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14892	Comment from Tucker, Michael	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20010	Comment from Bob Gaskins
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14893	Comment from Uzmed, Arlene	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20011	Comment from Jeffrey Ward
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14894	Comment from Brophy, Heather	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20012	Comment from Anna Brewer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14895	Comment from Saint Clair, Catherine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20013	Comment from Julie Wade
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14896	Comment from Halverson, Janet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20014	Comment from Jon Singleton
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14897	Comment from Michelson, Sue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20015	Comment from Dennis Villavicencio
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14898	Comment from Humrich, Gilia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20016	Comment from Joseph Guariglia
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14899	Comment from Dooley, Katherine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20017	Comment from Susana Soares
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14900	Comment from Zersen, Holly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20018	Comment from Laura Stevens
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14901	Comment from ELSE, CAROL	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20019	Comment from Dorothy Sturges
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14902	Comment from Prellwitz, Carl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20020	Comment from Theodore Snyder
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14903	Comment from Swyden, Barbara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20021	Comment from Mark Feldman
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14904	Comment from Palladino, Mary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20022	Comment from Lisa Ventura
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14905	Comment from Bowles, Rebecca	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20023	Comment from John Sailer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14906	Comment from Claudio, Christian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20024	Comment from Janet Handford
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14907	Comment from Taffurelli, Linda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20025	Comment from Andrew Karen
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14908	Comment from Ladiana, Elizabeth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20026	Comment from Dorothy Hammer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14909	Comment from Hammond, Gretchen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20027	Comment from Migdalia Ortega
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14910	Comment from Huynh, Suong	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20028	Comment from Evelyn Malone

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14911	Comment from Miller, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20029	Comment from Christopher Tumolo
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14912	Comment from Robb, Aaeron	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20030	Comment from Amy Van Schijndel
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14913	Comment from Murphy, Dacia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20031	Comment from Marguerite Barragan
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14914	Comment from Smith, Jaszmene	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20032	Comment from Debra heatherly
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14915	Comment from dillon, joan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20033	Comment from Gaetano Amato
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14916	Comment from Palladino, Mary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20034	Comment from Suzy Siegmann
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14917	Comment from Eric Griffith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20035	Comment from Anne Mocella
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14920	Comment from Hall, Carol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20036	Comment from Patricia Brech
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14921	Comment from Will, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20037	Comment from Jan Leath
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14922	Comment from Sellers, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20038	Comment from Sandy Mariucci
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14923	Comment from Sévilla, Caroline	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20039	Comment from Ruby Mitchell
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14924	Comment from Trauger, Adam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20040	Comment from michele martin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14925	Comment from Hovermill, Earl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20041	Comment from marina prifti
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14926	Comment from farber, joan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20042	Comment from Sharon siodmak
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14927	Comment from Althiser, Kenneth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20043	Comment from Lisa Iffland
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14928	Comment from Nicholas, Kathleen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20044	Comment from Carole Smudin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14929	Comment from fromberg, jeff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20045	Comment from Peggy Savides
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14930	Comment from Erin Mccue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20046	Comment from Uwe Dotzauer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14931	Comment from Glendon Frank	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20047	Comment from Kathryn Burns
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14932	Comment from bonham, jimmy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20048	Comment from William Gabbard
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14933	Comment from Lee, Jerry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20049	Comment from Nancy Vlasvich
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14935	Comment from Clough, Cyndi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20050	Comment from Steve Troyanovich
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14936	Comment from Sunde, John	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20051	Comment from Susan Plubell
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14937	Comment from Lake, Carol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20052	Comment from Ann Allen
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14938	Comment from Rocheleau, Sophie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20053	Comment from Tom Norris
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14939	Comment from Huber, Diane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20054	Comment from Larry Welsh
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14940	Comment from Cohick, Melanie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20055	Comment from Rheama Koonce
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14941	Comment from Loholdt, Elizabeth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20056	Comment from Tammy Manthe
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14942	Comment from Mart, Helene	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20057	Comment from Beatrice Simmonds
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14943	Comment from William Collins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20059	Comment from Amanda Briggs
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14944	Comment from Wilson, Christa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20060	Comment from ELOISE PETERSON
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14945	Comment from West, Carrie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20061	Comment from Tatiana Medina
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14946	Comment from Sketo, Steve	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20062	Comment from Donna Alleyne-Chin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14947	Comment from Peterson, Tracey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20063	Comment from Rodney Whisenhunt
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14948	Comment from Perez, Velma	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20064	Comment from Louise Priest
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14949	Comment from Chandler, Wendy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20065	Comment from John Breiby
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14950	Comment from MILLENSIFER, AIMEE	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20066	Comment from marion irwin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14951	Comment from hazzard, sandra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20067	Comment from Nancy Howard
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14952	Comment from Vogel, Steven	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20068	Comment from Geri Ott
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14953	Comment from Adler, Barbara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20069	Comment from Stacey Solum
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14954	Comment from Brian Davis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20070	Comment from Jamie Shields

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14955	Comment from mary campbell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20071	Comment from Karren Crouch
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14956	Comment from Jain, Rasika	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20072	Comment from Grace Malara Aiello
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14957	Comment from Vargas, Alisa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20073	Comment from Long Pham
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14958	Comment from Fore, Judy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20074	Comment from Nancy Nolan
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14959	Comment from Straus, Sarah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20075	Comment from Kathleen Kiselewich
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14961	Comment from Holland, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20076	Comment from Vicki Davis
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14962	Comment from Summers, Isaac	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20077	Comment from Anne Dawid
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14963	Comment from speros, george	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20078	Comment from Barry Cutler
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14964	Comment from Tate, Connie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20079	Comment from Dorothy Dunlap
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14965	Comment from Dill, Elizabeth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20080	Comment from Barbara Pray
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14966	Comment from Polk, Docken	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20081	Comment from barbara shalaew
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14967	Comment from Quackenbush, Kay	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20082	Comment from Carla Brown
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14968	Comment from Doucet, Pauline	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20083	Comment from Michael Brandes
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14969	Comment from Salama, Karen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20084	Comment from Jean Kim
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14970	Comment from Jennings, Jami e	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20085	Comment from Malcolm Groome
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14971	Comment from dawn sartori	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20086	Comment from Marc Fleisher
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14972	Comment from Durham, Veronica	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20087	Comment from Priscilla Newcomer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14973	Comment from speros, george	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20088	Comment from Melissa Duralia
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14974	Comment from Shipley, Leslie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20089	Comment from Elaine McCabe
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14975	Comment from Morgenstein, Grace	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20090	Comment from Gavin Kramer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14976	Comment from Kestler, Ronald	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20091	Comment from Donna Blair
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14977	Comment from Hartz, Shelley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20092	Comment from Sandra Stock
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14978	Comment from Lilly, Haley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20093	Comment from Pat Petro
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14979	Comment from Finn, Julie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20094	Comment from Florence Girvin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14980	Comment from Wallace, Patrice	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20095	Comment from Meryl Pinque
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14981	Comment from Knutson, Julie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20096	Comment from Scott Harris
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14982	Comment from Meier, Jill	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20097	Comment from Mike Kelly
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14983	Comment from Maura Hendry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20099	Comment from Shawn Cline
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14984	Comment from Lira, Stefon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20100	Comment from Robert Kastigar
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14985	Comment from Burns, Cathleen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20101	Comment from Sherry Wilmsen
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14986	Comment from Schulman, Shani	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20102	Comment from Kathy Morrison
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14987	Comment from Fredericksen, Karen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20103	Comment from Michael Hoaster
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14988	Comment from Socha, Diane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20104	Comment from Don Dudan
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14989	Comment from Haig, Brenda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20105	Comment from Michael Giansiracusa
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14990	Comment from Aurilio, Laura	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20106	Comment from Abigail Longo
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14991	Comment from Reynolds, Margaret	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20107	Comment from Christy Smith
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14992	Comment from Torget, Marie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20108	Comment from Fred Brodsky
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14993	Comment from madden, kendra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20109	Comment from Diane Falk
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14994	Comment from GALANTE, SUSAN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20110	Comment from Samantha Rosa Re
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14995	Comment from Pineda, Faye	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20111	Comment from Nancy Lasater
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14996	Comment from Madagan, Sharon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20112	Comment from daniel uiterwyk

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14997	Comment from Terry Bulla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20113	Comment from James Peloquen
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14998	Comment from Saran, Harvinderjit	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20114	Comment from Christopher Evans
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14999	Comment from Carlson, Rita	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20115	Comment from Ellen Atkinson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15000	Comment from Baker Smith, Elizabeth and Colette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20116	Comment from Mary Anders
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15001	Comment from Sommers, Megan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20117	Comment from Alan Gonzalez
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15002	Comment from Morales, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20118	Comment from gregory whynett
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15003	Comment from Chadderdon, Christina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20119	Comment from cathy adams
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15004	Comment from Krause, Crystal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20120	Comment from Laura Belgiorno
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15005	Comment from ilse singer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20121	Comment from Todd Clark
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15006	Comment from Hollander, Cynthia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20122	Comment from Rhonda Rohlifing
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15007	Comment from Merchant, Pranav	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20123	Comment from Erin Dalessandro
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15008	Comment from Guarino, Donna	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20124	Comment from Denise Guevara
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15009	Comment from Allen, Ann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20125	Comment from Tess Hacker
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15010	Comment from Parr, Sarah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20126	Comment from Susan Leibowitz
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15011	Comment from Moser, Rich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20127	Comment from Sherry Toy
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15012	Comment from Woods, Roth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20128	Comment from Leslie King
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15013	Comment from goodfellow, joan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20129	Comment from m sanders
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15014	Comment from Jurus, Nicholas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20130	Comment from Jon Bream
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15015	Comment from Wirtz, Liz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20131	Comment from Stephen Knox
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15016	Comment from PETERSON, MARY	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20132	Comment from Mary Garcin
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15017	Comment from Young, Melanie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20133	Comment from Elizabeth MacKelvie
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15018	Comment from Masek, M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20134	Comment from Sandy Ranallo
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15019	Comment from Durham, Jerry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20135	Comment from Tamara Abashian
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15020	Comment from Gaiti, Phyllis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20136	Comment from Kat Stevens
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15021	Comment from Midgett, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20137	Comment from Cathy Saunders
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15022	Comment from Kilfoyle, Emma	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20138	Comment from Janet Walls
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15023	Comment from Jacobson, Joyce	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20139	Comment from Colleen Cleary
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15024	Comment from Feld, Lowell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20140	Comment from Michele Mendelsohn
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15025	Comment from Hufnagel, Glenn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20141	Comment from Beth Ross
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15026	Comment from Jesse Winder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20142	Comment from Laurel Wagner
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15028	Comment from Dean, Deborah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20143	Comment from Katie Zukoski
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15029	Comment from Weinstein, Bob	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20144	Comment from Elaine hill
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15030	Comment from Cole, Shelley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20145	Comment from Bruce Krawisz
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15032	Comment from Thompson, Carol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20146	Comment from Margaret Lohr
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15033	Comment from Amell, Sue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20147	Comment from Linda Owen
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15034	Comment from Terry Tinsley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20148	Comment from Joan Peter
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15035	Comment from Williamson, Deborah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20149	Comment from Danette Haley
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15036	Comment from Holden, John	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20150	Comment from Jacqui Bowman
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15037	Comment from Hasan, Terry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20151	Comment from jean publiee
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15038	Comment from Grassi, Cathy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20152	Comment from Cathie Leslie
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15039	Comment from Jespersen, Karla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20153	Comment from Alexis Frankian

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15040	Comment from S, Marjorie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20154	Comment from kay bushnell
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15041	Comment from Timothy Moody	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20155	Comment from Caroline Svilla
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15042	Comment from Grul, tessa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20156	Comment from Sue Holtz
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15044	Comment from Karen Kenngott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20157	Comment from Barbara Collins
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15046	Comment from Stephen Hale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20158	Comment from Juanita Garcia
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15047	Comment from Margie Miller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20159	Comment from Diane Eisenhower
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15049	Comment from Paul DAntonio	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20160	Comment from Carol Mock
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15050	Comment from Molly Williams	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20161	Comment from Sharon Campanella
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15051	Comment from Cheryl Pittman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20162	Comment from Heidi Steinert Bresilge
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15052	Comment from Kimberly Yates	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20163	Comment from Jim Green
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15053	Comment from Susan Galante	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20164	Comment from Stephanie Fox
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15062	Comment from Sanura Fernandez-Abeonkash	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20165	Comment from Josh Craven
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15066	Comment from troy testa	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20166	Comment from G. Countryman-Mills
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15072	Comment from Tina Max	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20167	Comment from Debra Gleason
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15073	Comment from Sarika Arora	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20168	Comment from Catherine Saint-Clair
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15075	Comment from Bryan Johns	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20169	Comment from Kendall Ayers
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15076	Comment from Pepper Trail	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20170	Comment from nick evans
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15077	Comment from Debora Hojda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20171	Comment from Marilyn Switzer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15078	Comment from Beth Foye	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20172	Comment from Rumi Kusdogan
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15079	Comment from Yevgeniy Kievskiy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20173	Comment from Joei Fischer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15080	Comment from Daniel Gan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20174	Comment from Enid Breakstone
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15081	Comment from Teresa Gallar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20175	Comment from sonja franz
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15082	Comment from Wayne Langley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20176	Comment from Helen Dimmitt
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15083	Comment from Tracie Edwards	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20177	Comment from Jane Warring
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15084	Comment from Derinda Nilsson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20178	Comment from Valerie Charbonneau
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15086	Comment from elizabeth myrinshore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20179	Comment from Carla Compton
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15087	Comment from Gail Deppen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20180	Comment from Diane Hopkins
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15088	Comment from Stanley Davidson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20181	Comment from Dave Scherer
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15089	Comment from Stanley Davidson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20182	Comment from Steve Schueth
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15090	Comment from Matthew Mahoney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20183	Comment from Lynn Nelson
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15092	Comment from Gloria Abramowitz	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20184	Comment from Judy Bokhoven
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15093	Comment from Karen Maish	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20185	Comment from Brooke Kane
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15095	Comment from Villary LaRue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20186	Comment from Heather Hogge
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15096	Comment from Yvonne Scott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20187	Comment from Elaine Johnson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15099	Comment from Linda Hall	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20188	Comment from Patrick Beaudry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15100	Comment from Sandra Lawson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20189	Comment from Martina Patterson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15101	Comment from Rita Taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20190	Comment from Joseph Boone
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15102	Comment from Jean Naples	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20191	Comment from Astra Kalodukas
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15103	Comment from Albert Fiorini	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20192	Comment from Jennifer Dimarco
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15104	Comment from Chris Bernard	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20193	Comment from Alisa Battaglia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15105	Comment from Becky Muldowney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20194	Comment from Patti S

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15106	Comment from Amanda Seissian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20195	Comment from Mary Crocker
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15107	Comment from Joi Marker	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20196	Comment from James Byers
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15108	Comment from Maria Mondaca	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20197	Comment from Marcia Meredith
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15109	Comment from Joanne Minton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20198	Comment from Megan Wright
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15110	Comment from Barbara Staab	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20199	Comment from Marge Galloway
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15111	Comment from Janis Wilder	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20200	Comment from Stephen Roberson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15112	Comment from Collins, Carol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20201	Comment from Richard Petryk
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15113	Comment from Bernard, Frankie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20202	Comment from Meredith Mohr
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15114	Comment from Rothschild, Laurence	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20203	Comment from Renee McGrath
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15115	Comment from Lepore, Paula	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20204	Comment from Lisa Goldman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15116	Comment from White, Rob	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20205	Comment from Sandy Ellis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15117	Comment from Hansen, Marsha	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20206	Comment from Robert Mark
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15118	Comment from Glass, Jordan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20207	Comment from Donald Houser
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15119	Comment from Feil, Fran	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20208	Comment from Cynthia Hautzinger
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15120	Comment from Masbaum, Judy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20209	Comment from Betty Stewart
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15121	Comment from Blandford, Mark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20210	Comment from Erica Munn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15122	Comment from Cranmer, Cassandra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20211	Comment from Mary Ann Belshaw
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15123	Comment from McCaffrey, Carol	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20212	Comment from steve shalaew
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15124	Comment from Reed, Jennifer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20213	Comment from Juli Hamilton
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15125	Comment from Rose, Skye	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20214	Comment from Sylvia Briones
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15126	Comment from Peek, Aileen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20215	Comment from Linda Mullaney
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15127	Comment from Bukowski, Nancy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20216	Comment from Steven Biggio
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15128	Comment from Victor, Joan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20217	Comment from Richard Wilkins
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15129	Comment from Sumrall, Amber	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20218	Comment from Sisse Jensen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15130	Comment from Evans, Pam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20219	Comment from Virgile Bobot
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15131	Comment from Corbin Beaver, Pamela	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20220	Comment from Hannah Curzio
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15132	Comment from Cornelia Jerviss	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20221	Comment from david thomas
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15133	Comment from Fontaine, Cheryl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20222	Comment from Diana Lewis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15134	Comment from Serkes, Nanette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20223	Comment from Ron Richter
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15135	Comment from Cappetta, Mark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20224	Comment from Carolyn REPETA
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15136	Comment from Dreyer, Sharyn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20225	Comment from Rudy Zeller
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15137	Comment from Robinson, Janet	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20226	Comment from Lynda Hulsopple
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15138	Comment from bohnert, allen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20227	Comment from Cris Quinn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15139	Comment from Baker, Barbara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20228	Comment from Paula Harrington
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15140	Comment from Cross, Heather	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20229	Comment from Ralph Ferrara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15141	Comment from Gabriel, Candace	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20230	Comment from Carrie Keske
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15142	Comment from Reuscher, F Carlene	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20231	Comment from Limor Zomer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15143	Comment from L, Jean	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20232	Comment from Robert Neuzil
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15144	Comment from Cristobal, Josie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20233	Comment from Edith Nash
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15145	Comment from Nolasco, Michael	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20234	Comment from Cynthia Ruder
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15146	Comment from Dalton, Mary Ann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20235	Comment from Barbara Schittino

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15147	Comment from Havers, LuAnn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20236	Comment from Kim Munchel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15148	Comment from Shari Broyles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20237	Comment from Tyler Miranda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15149	Comment from Swabb, Molly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20238	Comment from Lenore Sivulich
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15150	Comment from Haberman, Chrystal	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20239	Comment from Peter Sutherland
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15151	Comment from Runion, Keith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20240	Comment from Mary Johnson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15152	Comment from Gorski, Elizabeth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20241	Comment from Zorina Weber
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15153	Comment from kiene, beth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20242	Comment from Laurel Tucker
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15154	Comment from naylor, john	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20243	Comment from Jamila Viandier
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15155	Comment from Zech, Gisela	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20244	Comment from Rosina I
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15156	Comment from Ewing, Marianne	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20245	Comment from Erin Byrne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15157	Comment from Spitzer, Sarah	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20246	Comment from Todd Snyder
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15158	Comment from Zappala, Sam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20247	Comment from B.J. Herbison
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15159	Comment from Olsgard, Christine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20248	Comment from Susan Esposito
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15160	Comment from dunkum, john	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20249	Comment from Mariko Kahn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15161	Comment from C, L	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20250	Comment from Susang Talamo Family
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15162	Comment from Thomas, Toni	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20251	Comment from Cathy Martin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15163	Comment from Derry, Bridget	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20252	Comment from Jennifer Spirakis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15164	Comment from Deans Smith, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20253	Comment from Robert DeFerrante
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15165	Comment from Aziz, Mark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20254	Comment from Monika Seegler
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15166	Comment from Norlund, Rick and Sharon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20255	Comment from Donald Barker
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15167	Comment from Johnson, Elizabeth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20256	Comment from Christina Park
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15168	Comment from Straus, Elizabeth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20257	Comment from Melodie Middlebrooks
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15169	Comment from Sawyer, Holli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20258	Comment from Julie Pierson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15170	Comment from Johnson, Chad	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20259	Comment from R Weiss
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15171	Comment from Zelazo, Janice	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20260	Comment from Sandra Schilling
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15172	Comment from McFadden, Stephanie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20261	Comment from James Mulcare
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15173	Comment from Wolf, Betsy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20262	Comment from elizabeth gardner
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15174	Comment from MITCHELL, SANDRA	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20263	Comment from Cheri Mattina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15175	Comment from Haas, Pamela	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20264	Comment from Devon Seltzer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15177	Comment from Grant, Renee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20265	Comment from Tyler Miranda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15178	Comment from Rogers, Sherry	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20266	Comment from Tyler Miranda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15179	Comment from G, S	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20267	Comment from Tyler Miranda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15180	Comment from Field, Brian	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20268	Comment from Richard Starling
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15181	Comment from Bruno, Linda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20269	Comment from Misty Ferrara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15182	Comment from Byerly, Barbara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20270	Comment from Laura Canino
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15183	Comment from Rubin, Mary Jo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20271	Comment from Tim Barrington
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15184	Comment from Voss, Craig	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20272	Comment from K. Youmans
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15185	Comment from Patton, James	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20273	Comment from Nycolle Lfe
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15186	Comment from Honsberger, Chris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20275	Comment from Deborah Goodman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15187	Comment from Newmark, Michelle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20276	Comment from Susan Bellevue
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15188	Comment from Diercks, Mary Ann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20277	Comment from Janet Bindas

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15189	Comment from Steinberg, Eric	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20278	Comment from Jean Fricano
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15190	Comment from NOVAK, Suzie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20279	Comment from Sandra Marquez-Hall
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15191	Comment from Lindgren, Heather	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20280	Comment from Curtis Tomlin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15192	Comment from Gallagher, Leslie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20281	Comment from Janice Mackanic
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15193	Comment from s, c	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20282	Comment from Cathy Swanson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15194	Comment from Giuliano, Matty	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20283	Comment from Doreen Smithwick
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15195	Comment from Jardine, Robert	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20284	Comment from Michele Johnson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15196	Comment from Williams, Olivia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20285	Comment from Gene Fox
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15197	Comment from Boyd, Shauna	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20286	Comment from Donna Cohen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15198	Comment from Hahler, Pamela	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20287	Comment from Mike Inganamort
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15199	Comment from Potenza, Frank	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20288	Comment from Kevin Brehm
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15200	Comment from Abbate, Shelley	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20289	Comment from debbie stapleton
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15201	Comment from Nelson, Debbie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20290	Comment from Joseph Klym
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15202	Comment from McNamara, Nano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20291	Comment from Robert Frank
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15203	Comment from Halloran, Michael	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20292	Comment from ellen schecter
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15204	Comment from Yamauchi, Saeko	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20293	Comment from Laurel Eckert
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15205	Comment from Henches, Elizabeth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20294	Comment from Stacy Sarai
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15206	Comment from Rohrbaugh, Stephanie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20295	Comment from Gordon James
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15207	Comment from Aime, Lynn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20296	Comment from Robert Burns
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15208	Comment from Herman, MariLynn	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20297	Comment from Courtney Caligiuri
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15209	Comment from Ross, Sue	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20298	Comment from Steve Hartley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15210	Comment from BOLEMBACH, KEVIN	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20299	Comment from Sylvia Smithwick
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15211	Comment from Juliusson, Marguerite	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20300	Comment from Rose Elscics
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15212	Comment from Janney, Susan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20301	Comment from marina sagardua
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15213	Comment from riehart, dale	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20302	Comment from claire cohen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15214	Comment from Grube, Craig	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20303	Comment from DOUG FRITSCH
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15215	Comment from Johnson Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20304	Comment from Ashley Wentzel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15216	Comment from Hinkle, Janice	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20305	Comment from Jamie Perron
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15217	Comment from siebert Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20306	Comment from Stephanie Berry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15218	Comment from Nemirow Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20307	Comment from Robert Rush
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15219	Comment from Smith Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20308	Comment from Fred Martin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15220	Comment from Jacob, April	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20309	Comment from Jacqueline Murtha
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15221	Comment from Albert, Anthony	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20311	Comment from Pamela Kjono
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15222	Comment from Antrim Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20313	Comment from Pia Vartabedian
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15223	Comment from Bailis Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20314	Comment from Carol Davies
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15224	Comment from Bagdonas Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20315	Comment from Brenda Robinson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15225	Comment from Krupinski, K	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20316	Comment from Amber Murphy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15226	Comment from Branson Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20317	Comment from Tammy Lettieri
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15227	Comment from Sundarajan, Aditi	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20318	Comment from Cindy Higgins
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15228	Comment from Gantz Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20319	Comment from Liz Davis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15229	Comment from DeFranco Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20320	Comment from Barbara Miller

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15230	Comment from Bedgood Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20321	Comment from Marta Reyes
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15231	Comment from Smeltzer, Debra	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20322	Comment from Trena Anderson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15232	Comment from Rausch Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20323	Comment from Lynda Means
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15233	Comment from Rivers, Karen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20324	Comment from Mollie Vreeland
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15234	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20325	Comment from Anna Donnelly
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15235	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20326	Comment from maurice saunders
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15236	Comment from Lukes, Zachary	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20327	Comment from John Cairns
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15237	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20328	Comment from Jane Davidson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15238	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20329	Comment from Susan Hastings
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15239	Comment from Platte, Leigh	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20330	Comment from Robert Mitchell
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15240	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20331	Comment from Jean Saja
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15241	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20332	Comment from Harry Blumenthal
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15242	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20333	Comment from Angela Teixeira
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15243	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20334	Comment from Kathy Brigger
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15244	Comment from Meeks Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20335	Comment from Janet Weissman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15245	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20336	Comment from Sharon Hobrock
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15246	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20337	Comment from Carolyn Marion
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15247	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20338	Comment from Walt Koenig
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15248	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20339	Comment from karen korec
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15249	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20340	Comment from Christine Leeman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15250	Comment from Lourdes Caballero	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20341	Comment from Fernando Robles
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15251	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20342	Comment from John Stark
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15252	Comment from Anonymous Anonymous	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20343	Comment from Robert Hensman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15253	Comment from Jill Russo Downey	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20344	Comment from Steven Sowell
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15254	Comment from Tyra Pellerin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20345	Comment from Debora Hojda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15255	Comment from Alice Neuhauser	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20346	Comment from Don Pew
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15256	Comment from Sherry Davila	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20347	Comment from Teresa Lyman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15257	Comment from Denna Bowman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20348	Comment from gabriele holInd
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15258	Comment from Diane Pierce	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20349	Comment from Victor Alvarez Tapia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15259	Comment from Helen Goodspeed	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20350	Comment from Linda Yaffe
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15260	Comment from Bonnie Maloney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20351	Comment from Stephen Davie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15261	Comment from Leonard Piersialla	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20352	Comment from Jan Shimp
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15262	Comment from Thomas Conroy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20354	Comment from Ronald Partridge
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15263	Comment from Jamie Arbuckle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20355	Comment from Tanja Rieger
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15264	Comment from Ross Heckmann	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20356	Comment from Bechi Currier
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15265	Comment from Valeria Mola	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20357	Comment from Mara Wiley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15266	Comment from Deborah Webb	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20358	Comment from Katherine O'Sullivan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15267	Comment from Austin Stark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20359	Comment from Keely McLeod
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15268	Comment from Jay Lewis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20360	Comment from Pat Vaselewski
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15269	Comment from t b	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20361	Comment from John Costanzo
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15270	Comment from Jill Mulato	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20362	Comment from Kevin Silvey

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15271	Comment from Michelle Jorgensen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20363	Comment from Betty Thomas
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15272	Comment from Diana Yee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20364	Comment from Elizabeth Nussbaumer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15273	Comment from Stacey Larson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20365	Comment from A.L. Hern
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15274	Comment from Laurie Slatniske	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20366	Comment from Michael Perez
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15275	Comment from Eric Naji	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20367	Comment from Nellie Medlin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15276	Comment from Scott Kennedy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20368	Comment from Mary Vorachek
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15277	Comment from Michael Carter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20369	Comment from Sheila Draughon
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15278	Comment from Kira Velella	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20370	Comment from Joe Lopze
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15279	Comment from Lynn Ryan	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20371	Comment from Angelika Braxton
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15280	Comment from carrie harbison	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20372	Comment from Courtney Borley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15281	Comment from Lisa Cubeiro	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20373	Comment from Pam Longenecker
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15282	Comment from Mary Ferguson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20374	Comment from Anita Brandariz
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15283	Comment from Kathryn Massel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20375	Comment from Pat Pike-Dimel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15284	Comment from DeAnna Baier Barnes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20376	Comment from Daniel Danner
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15285	Comment from Anne Marie Gorman	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20377	Comment from Patricia Lewis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15286	Comment from carol smythe	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20378	Comment from Denise Foehl
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15287	Comment from Lynda West	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20379	Comment from Andria Childs
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15288	Comment from Kathleen Byrnes	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20380	Comment from Bonnie RN
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15289	Comment from Nancy Harter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20381	Comment from Lowell Palm
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15290	Comment from Joyce Mays	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20382	Comment from Stacey Liguori
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15291	Comment from Roxy Darling	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20383	Comment from Stephanie Miller
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15292	Comment from Kristen Thomas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20384	Comment from Elizabeth Zumchak
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15293	Comment from Sally Hodson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20385	Comment from Diana Boom
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15294	Comment from Joseph Folino Gallo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20386	Comment from Lorianne Viglione Rose
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15295	Comment from Edward Ott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20387	Comment from Betty Lininger
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15296	Comment from Marilyn Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20388	Comment from Kim White
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15297	Comment from Jamelyn Purdy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20389	Comment from Michael Chamberlain
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15298	Comment from Peggy Rollie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20390	Comment from Ginnie Preuss
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15299	Comment from Linda Lane	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20391	Comment from Byron Dale
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15300	Comment from Carol Kemmerer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20392	Comment from Jacquelyn Digiovanni
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15301	Comment from Melvin Sheets	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20393	Comment from Douglas Meacham
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15302	Comment from Julia Keating	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20394	Comment from Lorraine Irvine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15303	Comment from Katharine Sommerfield	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20396	Comment from Mary Mann
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15304	Comment from Wendy Lyden	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20397	Comment from Sue Counterman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15305	Comment from nadine vergilia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20398	Comment from Zonda Mercer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15306	Comment from Mike Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20399	Comment from Susan Harmon
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15307	Comment from Jennifer Tulo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20400	Comment from Cynthia Simms
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15308	Comment from Kimberly Brandimarte	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20401	Comment from Gregory Mattice
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15309	Comment from Margaret Silver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20402	Comment from steven smeregilia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15310	Comment from jeanette mayer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20403	Comment from Lisa Manthey
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15311	Comment from Caryl Speck	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20404	Comment from Susan Summers

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15312	Comment from Amy Wrobel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20405	Comment from Sharon Meagher
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15313	Comment from Susan Rubin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20407	Comment from Deanne O'Donnell
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15314	Comment from Sherry Macias	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20410	Comment from Robbi Chisholm
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15315	Comment from MJ Jackson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20411	Comment from Heidi Baird
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15316	Comment from Thomas Koslo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20412	Comment from Gregory Barton
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15317	Comment from Monica Miranda	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20413	Comment from Madison Hoover
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15318	Comment from Leslie Smith	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20414	Comment from Elizabeth Christensen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15319	Comment from Robin Bernoski	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20415	Comment from Stephanie Van Campen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15320	Comment from shirley jenkins	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20416	Comment from Gary Barton
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15321	Comment from Ronald Silver	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20417	Comment from Cathleen Olsen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15322	Comment from Vivian Yost	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20418	Comment from Chris Moore
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15323	Comment from Jennifer DeLoia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20419	Comment from Kathleen O'Sullivan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15324	Comment from Susan Porter	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20420	Comment from Cynthia Dudley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15325	Comment from Evelyn Lilly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20421	Comment from Gary Cornett
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15326	Comment from George Hurst	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20422	Comment from Kim Block
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15327	Comment from d o	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20423	Comment from GARY MADOLE
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15328	Comment from Karina Black	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20424	Comment from Kathleen Espamer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15329	Comment from Glen Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20425	Comment from Bonnie Clouser
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15330	Comment from Berenice Cedillo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20426	Comment from Kim Smith
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15331	Comment from Cheryl Dzubak	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20427	Comment from Elaine Cuttler
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15332	Comment from Miriam Harris	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20428	Comment from Stephen Evans
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15333	Comment from Linda Barrientos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20429	Comment from Laurie Storm
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15334	Comment from Georgia Mattingly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20430	Comment from Susan Fox
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15335	Comment from Brooke Stufflebeam	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20431	Comment from Vivian Romano
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15336	Comment from Catherine Milovina	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20432	Comment from Lance Kammerud
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15337	Comment from Mykel Reese	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20433	Comment from Cindy Bernard
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15338	Comment from l lee	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20434	Comment from Marc Moshman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15339	Comment from Sherita Wilson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20435	Comment from J S
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15340	Comment from priscilla stephens	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20436	Comment from Arlene Zuckerman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15341	Comment from Debra Bouton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20437	Comment from Chereale Cormack
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15342	Comment from Linda Douglas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20438	Comment from Mashawn Zimmerman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15343	Comment from Ronald Drahos	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20439	Comment from Suzanne Wooldridge
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15344	Comment from Dennis Kreiner	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20440	Comment from Lynn Eland
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15345	Comment from Beniko Yamasaki	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20441	Comment from ROMULA NAVARRO
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15346	Comment from Deborah Acquiti	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20442	Comment from Jessica Stepp
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15347	Comment from Bill Mclaughlin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20443	Comment from Christina heldenbrand
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15348	Comment from Angela Porsch	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20444	Comment from Stephen Evans
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15349	Comment from Michael Kemper	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20445	Comment from Elena Jurgela
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15350	Comment from Teresa Young	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20446	Comment from Patti Davis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15351	Comment from Adrienne Abbott	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20447	Comment from Jen Manders-Raney
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15352	Comment from John Wiles	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20448	Comment from jeff burdoff

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15353	Comment from Stephen Taylor	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20449	Comment from John Deddy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15354	Comment from Lisa Stone	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20450	Comment from Mike McCool
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15355	Comment from Linda Millar	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20451	Comment from Mark Weinberger
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15356	Comment from Suzanne Wright	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20452	Comment from Brenda Priddy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15357	Comment from Cathy Anderson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20453	Comment from Rose Magness
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15358	Comment from Robin Pappas	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20455	Comment from A Diamond
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15359	Comment from Michele Hondo	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20456	Comment from Kathi Ridgway
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15360	Comment from Sara Vevia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20458	Comment from Hope Prather
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15361	Comment from Janet Binette	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20459	Comment from Susan Grant
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15362	Comment from M G Lind	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20460	Comment from Karen Orner
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15363	Comment from Abbie Carrasco	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20461	Comment from Sharon Newman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15364	Comment from DEBRA LANCIA	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20462	Comment from JoElla Mang
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15365	Comment from Jennifer Howenstine	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20463	Comment from teseo staffilani
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15366	Comment from Annie Fernald	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20464	Comment from Joanne Heiling
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15367	Comment from Elisabeth Armendarez	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20465	Comment from Judy Nalbandian
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15368	Comment from Jackie Tryggeseth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20466	Comment from Mark van Rossen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15369	Comment from Danielle M	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20467	Comment from Tina Stewart
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15370	Comment from Molly Brown	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20468	Comment from Elizabeth Schauer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15371	Comment from karen Francis	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20469	Comment from Norman Baker
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15372	Comment from Dana Greathouse	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20471	Comment from Jane Thompson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15374	Comment from Melissa McGaygirl	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20472	Comment from kathy hilt
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15375	Comment from ron slosky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20473	Comment from George Lewis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15376	Comment from Patricia Oseroff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20474	Comment from John Finazzo
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15377	Comment from Laura Lidral	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20475	Comment from Ursula Pelka
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15378	Comment from Eric Stiff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20476	Comment from Kathy Bockelman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15379	Comment from Alison Glennon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20477	Comment from Robin McKay
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15380	Comment from Tina Beedle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20478	Comment from Chris Loo
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15381	Comment from Joline Barth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20479	Comment from Timothy Schacht
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15382	Comment from Deborah Roney	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20480	Comment from Elisa Guss
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15383	Comment from Kathe Garbrick	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20481	Comment from William Anderson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15384	Comment from Sheila Spencer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20482	Comment from Roger Cardillo
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15385	Comment from Brianne Evans	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20483	Comment from Monique Weatherspoon
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15386	Comment from Anne Tuddenham	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20484	Comment from William Rave
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15387	Comment from Rob Puc	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20485	Comment from Robert Slomer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15388	Comment from Sophie Kyriacou	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20486	Comment from DIANA MCNAIR
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15389	Comment from Bryon Sundberg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20487	Comment from Ann Bradshaw
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15390	Comment from Charles Butler	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20488	Comment from Leona Klerer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15391	Comment from Kelly Paulk	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20489	Comment from Darleen Brown
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15392	Comment from Alice Stehle	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20490	Comment from Erin McCarty
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15393	Comment from Gayle Evezich	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20491	Comment from Mike Van Dyne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15394	Comment from Karen Esposito	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20492	Comment from marja leino

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15395	Comment from Janis Branneky	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20493	Comment from Jessica Halverson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15396	Comment from Flavia Pellizzari	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20494	Comment from Susan Messerschmitt
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15397	Comment from Gina Cipriano	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20495	Comment from Barbara Kates
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15398	Comment from April A	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20496	Comment from Laura Manz
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15399	Comment from Michelle MacKenzie	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20497	Comment from C Keating
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15400	Comment from Natalie Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20498	Comment from Donna Ennis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15401	Comment from Laura Rose Fortmueller	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20499	Comment from Cynthia Murphy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15402	Comment from Jeannette Gavin	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20500	Comment from chris lewis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15404	Comment from Deborah Spencer	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20501	Comment from Mary Baier
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15405	Comment from Joe May	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20502	Comment from Pamela Wilber
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15406	Comment from Natalie Clark	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20503	Comment from Nancy Saad
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15407	Comment from cathy crum	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20504	Comment from Sarah Meyers
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15408	Comment from Becky Sorrells	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20505	Comment from Lena Williams
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15409	Comment from Lawrence Hager	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20507	Comment from Daniel Miller
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15410	Comment from Laura Pennington	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20508	Comment from Myles Hunt
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15411	Comment from Stacey Mitchell	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20509	Comment from Chris Aldrich
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15412	Comment from Deborah Shea	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20510	Comment from Patricia Lewis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15413	Comment from Karen Milstein	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20511	Comment from Tiffany Piscitello
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15414	Comment from Anita McNamara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20512	Comment from Etta Robin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15415	Comment from Susanne Schneider	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20513	Comment from Maura Scherrer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15416	Comment from Kathy Kelly	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20514	Comment from Jacqueline Palumbo
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15417	Comment from Janet SCHMIDT LEIN Cassidy	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20515	Comment from Karen Foley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15418	Comment from Pete Put	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20516	Comment from Isabel Vanover
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15419	Comment from naomi cohen	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20517	Comment from Mary Levan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15420	Comment from Claudia Garouute	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20518	Comment from William Jones
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15421	Comment from Sonja Nelson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20519	Comment from Gina Marie Sapanaro
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15422	Comment from Gail Wing	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20520	Comment from Annemarie Nauert
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15423	Comment from Lisa Thompson	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20521	Comment from Marley McDermott
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15424	Comment from Patricia Mondore	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20522	Comment from Judy McDonald
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15425	Comment from Phyllis Simon	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20523	Comment from Gail Haaz
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15426	Comment from Richard Jandoli	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20524	Comment from Nina Davis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15427	Comment from Barry Lazarus	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20525	Comment from Bonita Lockhart
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15428	Comment from Frederick Hamilton	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20526	Comment from Nikki Burkett
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15429	Comment from Mary Roma	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20527	Comment from David Wassilak
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15430	Comment from Robin Sternburg	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20528	Comment from Lisa Mulrane
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15431	Comment from Steffie Curth	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20529	Comment from Jeanine Werntz
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15432	Comment from Thomas Crothers	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20530	Comment from Lisa Lashaway
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15433	Comment from Marguerite Winkel	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20531	Comment from Nancy Drockelman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15434	Comment from Susan Cerniglia	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20532	Comment from Sharon Haney
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15436	Comment from Catherine McNamara	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20533	Comment from Colleen Keegan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15437	Comment from James Duff	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20534	Comment from Jill Alibrandi

Received Date	Original Document ID	Title	Date	Original Document ID	Title
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20535	Comment from Elizabeth Oliver	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25753	Comment from Harris, Brenda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20536	Comment from Francisca Blackburne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25754	Comment from Fisher, Susan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20537	Comment from Angela Wilkinson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25755	Comment from Henriques, Claudio
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20538	Comment from Ellen Jessen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25756	Comment from Henriques, Heloisa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20539	Comment from Alan Kennedy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25757	Comment from Ruiz, Shirley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20540	Comment from Mark Miller	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25758	Comment from Mattos, Claudio
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20541	Comment from Joshua Wallman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25759	Comment from Mattos, Heloisa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20542	Comment from Bonnie Roscinski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25760	Comment from Johnson, T.
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20543	Comment from Marcia Grabowski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25761	Comment from Simoes, Claudio
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20544	Comment from Alison Zyla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25762	Comment from massey, carolyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20545	Comment from John Adams	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25763	Comment from Murdock, Lauren
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20546	Comment from Jerilyn Sackler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25764	Comment from Tscheiner, Kathy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20547	Comment from scott Finamore	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25765	Comment from Countryman, Sarah
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20548	Comment from Priscilla Mezrahi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25766	Comment from Childers, MaryLouise
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20549	Comment from Anna Wibalda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25767	Comment from Dixon , Staci
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20550	Comment from Heather Keast	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25768	Comment from Carson, Glenn and Debbie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20551	Comment from James Glucroft	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25769	Comment from Turner, Ashley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20552	Comment from Carol Elder	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25770	Comment from Lewis, Nancy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20553	Comment from Karen Spradlin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25771	Comment from McMullen, Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20554	Comment from Karynn Merkel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25776	Comment from Hawkins , Diana
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20555	Comment from Mary Ellen Milesnick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25777	Comment from Hong, Kit Yee
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20556	Comment from Melissa & Steven Lawrence	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25778	Comment from Rodriguez , Ange9
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20557	Comment from jera petersen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25779	Comment from Enriquez, Mireya
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20558	Comment from Barry Greenhill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25780	Comment from levin, cathelizabeth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20559	Comment from Diann Rose	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25781	Comment from Goldberg, James
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20560	Comment from Aline Rosenzweig	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25782	Comment from Herrmann, Kerstin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20561	Comment from Toni Kimmel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25783	Comment from LANDRY, ELIZABETH
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20563	Comment from Yvonne Albrecht	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25784	Comment from Stone, Julie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20564	Comment from Tony M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25785	Comment from Faulks, Lea
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20565	Comment from Bonnie Smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25786	Comment from Reed, Claudia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20566	Comment from Robert Reed	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25787	Comment from McNamara, Andrew
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20567	Comment from Melissa Bishop	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25788	Comment from Tibbett, Jillian
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20568	Comment from Lorin Swinehart	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25789	Comment from Rimestad, Pat
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20569	Comment from Pam Rensch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25790	Comment from Voloshin, Lara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20570	Comment from Jamie Fairchild	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25791	Comment from Followill, Peter
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20571	Comment from Joan Smelkinson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25792	Comment from Kidder, Lynn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20572	Comment from Beth Stauber	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25793	Comment from Bosh, Kyle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20573	Comment from Jordan Fixler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25794	Comment from Hein, Laurie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20574	Comment from Peggy Fergus	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25795	Comment from Goncalves, Anita
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20575	Comment from Craig Voss	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25796	Comment from levin, cathelizabeth

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20576	Comment from Adrienne Whyte	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25797	Comment from Payne, Geneine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20577	Comment from Kat Bowley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25798	Comment from Brutzman, Joseph
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20578	Comment from Dawn DiBlasi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25799	Comment from Rawlinson, Deborah
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20579	Comment from allie palmer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25800	Comment from Sawyer, Rebecca
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20580	Comment from Angele Pettinato	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25801	Comment from Schuna, Ramona
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20581	Comment from Christine Hutchison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25802	Comment from Mason , Rhonda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20582	Comment from Kate Million	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25803	Comment from Benge, Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20583	Comment from michele martin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25805	Comment from Guthrie, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20584	Comment from Sue Rosenbach	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25806	Comment from Miller, Lee
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20585	Comment from Barbara Foster	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25807	Comment from Grunden, Kim
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20586	Comment from Bob Moyer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25808	Comment from Moomaw, Shelley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20587	Comment from Lisa Angell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25809	Comment from Gupta, Raju
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20588	Comment from Bill Stahl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25810	Comment from K., Miriam
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20589	Comment from Gail Stewart-Iles	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25811	Comment from Guyer, Margaret
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20590	Comment from yolonda cooper	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25812	Comment from Rrwin, Kelly
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20591	Comment from Kian Daniel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25813	Comment from DEL RIO, DIANA
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20592	Comment from Gabriel Bobek	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25814	Comment from Johnson, Ann
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20593	Comment from Nancy Bauer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25815	Comment from Serra, Thomas and Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20594	Comment from Jo seller	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25816	Comment from Sandoval , Esmeralda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20595	Comment from Robin Clark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25817	Comment from guest, michael
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20596	Comment from Ginny Nolan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25818	Comment from Dagher, Carrie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20597	Comment from Dade Snellgrove	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25819	Comment from Walker, C
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20598	Comment from Kathie Takush	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25820	Comment from Saracini, Deborah
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20599	Comment from James Corrigan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25821	Comment from Black, Vicki
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20600	Comment from M F	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25822	Comment from Goldman, Brenda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20601	Comment from Debra Elder	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25823	Comment from Nicholes, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20602	Comment from Richard Compagni	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25824	Comment from Buri, Matt
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20603	Comment from Kathie Bruscia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25825	Comment from Fiore, Frank
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20604	Comment from Lynn Killam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25826	Comment from Carlson, Peggy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20605	Comment from margith MAUGHAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25827	Comment from Hottle , Susan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20606	Comment from Mark Johnsen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25828	Comment from TAGLIA, DEBRA
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20607	Comment from Sabina Gross	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25829	Comment from Doyle, Frank M
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20608	Comment from Diane Verna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25830	Comment from Hay, Marilyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20609	Comment from Lorelee Brown	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25831	Comment from Allen, III, Doug
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20610	Comment from Elizabeth Ashby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25832	Comment from Bravo, Oly
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20611	Comment from Tanya Manning	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25833	Comment from Wood, Martha
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20612	Comment from Mary Guard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25834	Comment from Hixson, Leslie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20613	Comment from Elizabeth Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25835	Comment from Kirk, Roberta
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20614	Comment from L Yes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25836	Comment from Raich, Denise
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20615	Comment from K Caspers	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25837	Comment from Beville, Richard
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20616	Comment from Karen Sawicki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25838	Comment from Merritt DO, Lindsey

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20617	Comment from Shawn Troxell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25839	Comment from Srichan , Tanitsara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20618	Comment from Dawn Lee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25840	Comment from Handsaker, Heidi
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20619	Comment from cathy arnett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25841	Comment from mainiero, joanne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20620	Comment from barb aylward	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25842	Comment from Gibson, Katherine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20621	Comment from Jeanette Allen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25843	Dr. Robert and Ginny
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20622	Comment from Jodi Cavanaugh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25844	Comment from Fearing, Christine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20623	Comment from Alison Roth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25845	Comment from Bresk, Helena
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20624	Comment from Cynthia Sampson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25846	Comment from ellis, anne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20625	Comment from Elizabeth Tuminski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25847	Comment from Mastrandrea, Deborah
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20626	Comment from Tina Lynch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25848	Comment from Haney-Mcdonald, Cynthia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20627	Comment from Richard Groff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25849	Comment from Dattilo, Geri
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20628	Comment from Louise Rickard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25850	Comment from Schultz, Walter
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20629	Comment from Kelly Garbato	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25851	Comment from Brunton, Jim
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20630	Comment from Peter Lee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25852	Comment from Caldwell, Yogi
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20631	Comment from Marianne Tolken	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25853	Comment from Arbetman, Alacoque
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20632	Comment from Barbara Delgado	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25854	Comment from Holguin , Carla
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20633	Comment from Paula ihne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25855	Comment from Caldwell, Yogi
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20634	Comment from Nancy Griffin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25856	Comment from Arbetman, Stephen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20635	Comment from Allen Gibas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25857	Comment from schwartz , becca
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20636	Comment from Kenneth Ruby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25858	Comment from Overend, Michael
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20637	Comment from Tammy Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25859	Comment from Yurchuck, Ruth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20638	Comment from Valerie Leonard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25860	Comment from C, nicole
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20639	Comment from Gail Roberts	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25861	Comment from Lee, Vena
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20640	Comment from Sylvie Renaudot	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25862	Comment from Vartanian, Donna
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20641	Comment from Eric Crouch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25863	Comment from Church, Philip
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20642	Comment from William Wakerley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25864	Comment from Durbin, Kira
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20643	Comment from Laura Ames	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25865	Comment from DGSFD, GDFS GH
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20644	Comment from jenn fields	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25866	Comment from Wade, Jesse
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20645	Comment from Scott Grubb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25867	Comment from Jackson, Barbara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20646	Comment from Diane McJunkin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25868	Comment from Lord, Christopher
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20647	Comment from priscilla smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25869	Comment from Schmidt, Lindsay
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20648	Comment from Dave Frank	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25870	Comment from N, Michelle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20649	Comment from George Schneider	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25871	Comment from Avila, Dayana
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20650	Comment from Merritt Tilley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25872	Comment from Ingham, Mark
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20651	Comment from Jennifer Laval	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25873	Comment from Carlan, Melvina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20652	Comment from S Repp	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25874	Comment from Arthofer, Klaudia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20653	Comment from Dan Cappello	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25875	Comment from Arthofer, Klaudia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20654	Comment from Bridget Chapman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25876	Comment from valdez, antoinette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20655	Comment from patricia holbrook	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25877	Comment from Notte, Nick
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20656	Comment from Jeff Montejo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25878	Comment from Viator, Louise
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20657	Comment from Mandi Mason	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25879	Comment from Gallagher , Pamela

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20658	Comment from Steven Carpenter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25880	Comment from Sardar, Lucimar
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20659	Comment from Melinda Elkins	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25881	Comment from White, Trina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20660	Comment from Scott Thurman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25882	Comment from Davis, Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20661	Comment from Bharat Adarkar	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25883	Comment from Hayes, Mary Ann
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20662	Comment from Kipp Wessel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25884	Comment from LOCKARD, VALERIE
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20663	Comment from Diana Donovan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25885	Comment from Rea, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20664	Comment from Suzanne Dean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25886	Comment from Kultgen, Karry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20665	Comment from rio valencia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25887	Comment from erikson, justin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20666	Comment from Doug Terry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25888	Comment from Gillam, Deborah
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20667	Comment from Renee Rivard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25889	Comment from Klein, Lisa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20668	Comment from Tara Spellman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25890	Comment from Clark , Alicia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20669	Comment from jenn fields	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25891	Comment from Caputo, Michael
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20670	Comment from Paul Collins	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25892	Comment from Startseva, Irina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20671	Comment from Dina Balint	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25893	Comment from Turner, Bernadine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20672	Comment from Mitzi Frank	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25894	Comment from Sipulski, Marcia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20673	Comment from Angela Stuebben	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25895	Comment from Myers, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20674	Comment from Diane Bugliarelli	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25896	Comment from Turner, Bernadine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20675	Comment from Pamela Vasquez	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25897	Comment from Carter, Catherine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20676	Comment from Lin Provost	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25898	Comment from Andersen, Chantal
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20677	Comment from Michele Fischer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25899	Comment from Kolar , Judy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20678	Comment from Roseann Trezza	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25900	Comment from Cleary, Annette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20679	Comment from Lisa Pezzella	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25901	Comment from cessari, fulvio
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20680	Comment from Alina Parera	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25902	Comment from Gorman, Robert
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20681	Comment from Carol Reilly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25903	Comment from Garcia, Nuria
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20682	Comment from Lynda Dawson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25904	Comment from Brennan, Marina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20683	Comment from Zoe Strassfield	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25905	Comment from sanchez, henry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20684	Comment from E. Wixson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25906	Comment from Russo, Melissa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20685	Comment from Ryan O'Neill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25907	Comment from Flynn-Williams, Patricia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20686	Comment from Gloria Taylor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25908	Comment from sanchez, karen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20687	Comment from Laura Rich	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25909	Comment from Ella (she, her, hers), Jean
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20688	Comment from Michelle Lang	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25910	Comment from Winburn, Tammie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20689	Comment from Marisa Morales	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25911	Comment from Musser, J
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20690	Comment from Patricia Ritter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25915	Management Council
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20691	Comment from Herb Lowrance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25916	Comment from Mallet, Hector
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20692	Comment from Laura Ray	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25917	Comment from Beard, Bob
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20693	Comment from Bill Pipes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25918	Comment from Bohley, Christine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20694	Comment from Bridget Lynch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25919	Comment from Houser, Matt
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20695	Comment from Ward Giblin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25920	Comment from FIGUEROA, dANIEL
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20696	Comment from Ashley Brown	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25921	Comment from Newkirk, Robyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20697	Comment from janna giacoppo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25922	Comment from Sanecki, Janice
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20698	Comment from Gary Bender	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25923	Comment from Hendrickson, Dan

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20699	Comment from Judith Major	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25925	Comment from Conlan, Colleen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20700	Comment from Lisa Garbarino	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25926	Comment from Talerico, Alicia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20701	Comment from JILL KOTCH	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25927	Comment from Szulc-Flissi, Susan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20702	Comment from Dorene Randall	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25928	Comment from Eudy, Elaine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20703	Comment from Frances Rove	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25929	Comment from Geest, Astrid
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20704	Comment from Michael Bordenave	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25930	Comment from White, Cynthia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20705	Comment from Michael Muscato	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25931	Comment from Adler, Davis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20706	Comment from Ellen Peck	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25932	Comment from Townsend, Cheryl
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20707	Comment from Shel Neu	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25933	Comment from Dyck, CHERYL
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20708	Comment from Maureen Kenny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25934	Comment from Lee, Myra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20709	Comment from Jacquelyn Scioscia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25935	Comment from Sherman, Ken
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20710	Comment from Chey Richmond	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25936	Comment from Horan, Teresa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20711	Comment from Annette Straubinger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25937	Comment from Freeman, Antoinette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20712	Comment from Annette Tuzzolino Czachor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25938	Comment from McGoldrick, William
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20713	Comment from Dawne Santopietro	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25939	Comment from Hesse, Susanne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20714	Comment from CATHY WALLACH	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25940	Comment from Senft, Rebecca
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20715	Comment from Eileen Patch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25941	Comment from Winters, Jonie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20716	Comment from Bonnie Mitchell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25942	Comment from Bethea, Janine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20717	Comment from janet maker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25943	Comment from Dyer, Doug
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20718	Comment from Patricia Maher	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25944	Comment from Beale, Carolyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20719	Comment from Shirley Bensetler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25945	Comment from Leinicke, Sally
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20720	Comment from Bruce Bryant	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25946	Comment from Ussini, Monique
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20721	Comment from Erin Neubauer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25947	Comment from Fitzgerald, Kevin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20722	Comment from Wendelin Giebel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25948	Comment from Rosenblatt, Carrie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20724	Comment from Julie Beer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25949	Comment from Ward, Darryl
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20725	Comment from Kimm Carter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25950	Comment from Prichard, Phillip
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20726	Comment from Karen Wonders	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25951	Comment from Alvarez, Maria T.
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20727	Comment from Barbara Tillman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25952	Comment from Howard, Gloria J
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20728	Comment from Michael Wallace	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25953	Comment from Narayan, Frances
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20729	Comment from Janette Durant	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25954	Comment from Gowland, Kathe
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20731	Comment from Tim Lewandowski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25955	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20732	Comment from George Wilder	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25956	Comment from Claire, Claire
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20733	Comment from Nancy Rupp	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25957	Comment from Ballah, Joan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20734	Comment from Patrick Eggleston	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25958	Comment from Lakin, Justine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20735	Comment from Donna Larschan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25959	Comment from Byrd, James
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20736	Comment from Janise Fitzpatrick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25960	Comment from chitto, Elizabeth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20737	Comment from Katherine Ransier	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25961	Comment from Allison, Candace
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20738	Comment from Raffaella Selvaggio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25962	Comment from Klepek, Lisa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20739	Comment from Jennifer Emerle Sifuentes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25963	Comment from pynn, doug
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20740	Comment from Michele Temple	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25964	Comment from McClean, Sharman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20742	Comment from Dave Baine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25965	Comment from Martin, Melody

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20743	Comment from Sonny Chen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25966	Comment from Paul, Abigail
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20744	Comment from Kevin Kimmel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25967	Comment from Putman, Holly
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20745	Comment from Lynn Diakogiannakis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25968	Comment from Stith , Doni
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20746	Comment from Hillary Tiefer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25969	Comment from Smith , Debbie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20747	Comment from Rebecca Tucker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25970	Comment from MARSHALL??, CRYSTAL??
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20748	Comment from BK Young	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25971	Comment from Burke, John
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20749	Comment from Lynn Merle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25972	Comment from Chasteen, Donald
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20750	Comment from Robin Coleman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25973	Comment from JEFFERES, ELISSA
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20751	Comment from Angelisse Santiago	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25974	Comment from Yurkanin, Eric
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20752	Comment from Kari Mueller	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25975	Comment from Plishka , Debra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20753	Comment from Tiffany Deal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25976	Comment from V, M
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20754	Comment from Roger Nelson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25977	Comment from Travers , Cheryl
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20755	Comment from Andrea Smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25978	Comment from Carlson, April
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20756	Comment from Marsha Jarvis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25979	Comment from Douglas-Holt, Rochelle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20757	Comment from craig rhoads	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25980	Comment from Hartwig Sr., Daniel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20758	Comment from Diane Fulcher	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25981	Comment from kleen, james
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20759	Comment from Esmeralda Sandoval	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25982	Comment from Sowa, Marilyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20760	Comment from Patricia Mctigue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25983	Comment from Hodges, E
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20761	Comment from Andrea Smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25984	Comment from Zavodny, Cassie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20762	Comment from Thomas Peel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25985	Comment from Skiada, Chrysanthi
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20763	Comment from Lisa Hurley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25986	Comment from Oguni, Justin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20764	Comment from Ken Loehlein	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25987	Comment from Hudgins-Manzel, Kathleen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20765	Comment from Philip Hipps	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25988	Comment from Speer, Rich
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20766	Comment from Christina Robertson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25989	Comment from Nicol, Tiffany
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20767	Comment from margo wyse	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25990	Comment from Crowley, Mark
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20768	Comment from Jeannette Vieg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25991	Comment from Cramer, Marilyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20769	Comment from Cheryl Carnahan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25992	Comment from Marwick , Jean Ann
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20770	Comment from Ellen Fleishman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25993	Comment from Moore, Shabaka
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20771	Comment from Lynne Russert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25994	Comment from Hunter, Nan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20772	Comment from Beth Freeman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25995	Comment from Darden, Paula
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20773	Comment from Daniel Wood	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25996	Comment from Smyth, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20774	Comment from arline lohli	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25997	Comment from Boura, Teodora
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20775	Comment from Joan Smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25998	Comment from Lange, Chris
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20776	Comment from Peter Wood	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25999	Comment from Meyer, Michelle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20777	Comment from William Achramowicz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26000	Comment from Radoccia, Judy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20778	Comment from Maxine Bernstein	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26001	Comment from Chase, Capt tara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20779	Comment from Suzanne Claggett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26002	Comment from Christensen, Debra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20780	Comment from Linda Leonard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26003	Comment from Whyman, John
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20781	Comment from Justin Rauzon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26004	Comment from Esker, Minna
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20782	Comment from Julia Serrago	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26005	Comment from Koritz, Mark
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20783	Comment from Emily Haggerty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26006	Comment from Reynolds, Patricia

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20784	Comment from Cat Smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26007	Comment from Blancato, Nadine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20785	Comment from Phyllis Perna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26008	Comment from Bragg, Tamara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20786	Comment from Nancy Dillard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26009	Comment from Behrens, Joanna
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20787	Comment from RICHARD AMERLING	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26010	Comment from Erdmann , Donette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20788	Comment from Sara Murray	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26011	Comment from Risvold, Cindy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20789	Comment from Cass Bielski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26012	Comment from Bodner, Rob
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20790	Comment from Michelle Yarber	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26013	Comment from Foden, John
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20791	Comment from Diane Arnal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26014	Comment from BRADY, JAMIE
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20792	Comment from Jody Coakley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26015	Comment from Overkamp, Roberta
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20793	Comment from Arleen Ferrell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26016	Comment from Arias, Hector
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20795	Comment from Kathy Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26017	Comment from Tugwell, Thomas
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20796	Comment from James +Yvonne Tittle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26018	Comment from Wall, Debbie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20797	Comment from SHELLEY STEFANIC	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26019	Comment from Demorales, Nikole
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20798	Comment from Richard Grooms	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26020	Comment from EDMONDSON, JACKIE
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20799	Comment from Karen and Allen Perry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26021	Comment from Cowan, Scott
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20800	Comment from Marie zimmerman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26022	Comment from Bobick, Sherry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20801	Comment from Lenise Mitchell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26023	Comment from Kiefer, Marion
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20802	Comment from Ericka Kohn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26024	Comment from Ludlow, Marlene
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20803	Comment from Robin Martin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26025	Comment from Santana, Lillian
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20804	Comment from Kathleen Medina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26026	Comment from Arnold, Maureen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20805	Comment from Joan Conca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26027	Comment from Marcus, Heather
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20806	Comment from Theresa Waldspurger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26028	Comment from Alvarado, Angie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20807	Comment from Scott Cecile	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26029	Comment from Chimiklid, Lynne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20808	Comment from Mark Huckel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26030	Comment from Skinner, Phyllis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20809	Comment from Dawn Longo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26031	Comment from Manthey, Lisa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20810	Comment from Marianne White	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26032	Comment from Fransioli, Lena
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20811	Comment from Linda Ross	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26033	Comment from Cohen, Juliet
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20812	Comment from Neville Bruce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26034	Comment from Taylor, Tracey
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20813	Comment from Donald Mackay	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26035	Comment from Mandato, Rhonda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20814	Comment from William Roberson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26036	Comment from Romero Villanueva, Sonia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20815	Comment from Leslene Dunn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26037	Comment from Ike, Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20816	Comment from Danya Kuperstein	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26038	Comment from Price, Dennis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20817	Comment from Oly bravo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26039	Comment from SELLERS, ROBIN
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20818	Comment from Julie Christensen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26040	Comment from Gonçalves, Luciana
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20819	Comment from Lewis Gould	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26041	Comment from vermaaten, seth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20820	Comment from Carlos Acosta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26042	Comment from arpin, susan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20821	Comment from Daniel Cole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26043	Comment from Bortoluzzo, Virginia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20822	Comment from Maureen Swiss	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26044	Comment from chuplis, cindy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20823	Comment from Jeffrey Roughgarden	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26045	Comment from Meyers, Robert
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20824	Comment from Lorie Mc Cracken	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26046	Comment from Zola, Yvonne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20825	Comment from lauren becker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26047	Comment from Friedman, Marc

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20826	Comment from Debbie Bonnet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26048	Comment from Friedman, Marc
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20827	Comment from Gina Read	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26049	Comment from Shifflett, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20828	Comment from Keith Lyle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26050	Comment from REAVELL, GLENNA
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20829	Comment from Susa Querze	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26051	Comment from Hanigan, Kathy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20830	Comment from Joni Karnopp	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26052	Comment from Aronoff, Elaine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20831	Comment from sara rahbar	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26053	Comment from Curry, Jane
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20832	Comment from Kate Kenner	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26054	Comment from Jennings, Lynn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20833	Comment from Barbara Fleming	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26055	Comment from Zeshonski, Mark
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20835	Comment from Michael Goehring	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26056	Comment from Fieldd, Carol
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20836	Comment from Nancy Boyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26057	Comment from Bell, Kay
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20837	Comment from Julia Arafa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26058	Comment from Taylor, Gloria
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20838	Comment from Cecilia Correia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26059	Comment from Hydeman, Jinx
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20839	Comment from C. Brezina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26060	Comment from Correa, Monique
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20840	Comment from Connie Cotton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26061	Comment from Correa, Monique
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20841	Comment from Laurie Denis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26062	Comment from Grubbs, Jessica
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20842	Comment from Aurora Caiano	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26063	Comment from Dresch, Phaedra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20843	Comment from Charles Webb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26064	Comment from Roach, Cana
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20844	Comment from Deborah Dahlgren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26065	Comment from McCauley, Leah
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20845	Comment from Rosemary Ward	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26066	Comment from Fripp, Robert
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20846	Comment from Macy Ciriaco	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26067	Comment from Kautz, Felicia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20847	Comment from Sarah Becker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26069	Comment from McDougal, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20848	Comment from Kathrin Dodds	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26070	Comment from toll, dennis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20849	Comment from Nancy Lien	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26071	Comment from Riley, David & Angela
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20850	Comment from Cynthia Brady	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26072	Comment from reedy, karen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20851	Comment from Stephanie Trujillo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26073	Comment from Rambo, Jane
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20852	Comment from Tina Seagraves	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26074	Comment from Fornaroli, Fabio
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20853	Comment from Elizabeth Migliore	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26075	Comment from LeCates, Karen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20854	Comment from Linda Millet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26076	Comment from Charland, Chadd
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20855	Comment from Sandra Cobb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26077	Comment from venegas, andres
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20856	Comment from p schalge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26078	Comment from Allen, Cynthia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20857	Comment from REGAN EBERT	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26079	Comment from Bostwick, Victoria
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20858	Comment from Kathryn Christian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26080	Comment from Bergeron, Marlana
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20859	Comment from Ken Box	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26081	Comment from Earey, Christine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20860	Comment from Robert Stark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26082	Comment from martin, juan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20861	Comment from Donna Polson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26083	Comment from Petras, Carrington
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20862	Comment from Kristin Davis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26084	Comment from Serra, Ruth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20863	Comment from Robert Oliver	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26085	Comment from Geiger, Michelle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20864	Comment from Jan Hamilton-Sherwonit	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26086	Comment from Schmidt, Anita
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20865	Comment from Susan Brown	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26087	Comment from Engle, Angela
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20866	Comment from Maggie Pappageorge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26088	Comment from Messer, Gretchen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20867	Comment from Mary Totty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26089	Comment from Hyde , Karen

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20868	Comment from Sylvia Cardella	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26090	Comment from Belvaux, Luna
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20869	Comment from Sigfredo Galdamez	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26091	Comment from Medina , Joe
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20870	Comment from Samantha Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26092	Comment from Roussel, Jamie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20871	Comment from KAMALA CHAPMAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26093	Comment from plumly, chad
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20872	Comment from Linda Higgins	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26094	Comment from Rubin, Bill
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20873	Comment from Brian Draper	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26095	Comment from Martin, Robin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20874	Comment from Emanuel Falcone	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26096	Comment from Morihara, Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20875	Comment from Robert Posch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26097	Comment from Jarvis, Janis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20876	Comment from Bijan Foroutan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26098	Comment from Schulte, RolfViol
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20877	Comment from Tabitha Purcell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26099	Comment from Hanon, James
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20878	Comment from Stephanie Seymour	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26100	Comment from Bertrand, Chris
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20879	Comment from Katherine Cregger Marshall	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26101	Comment from Cheverton, Erica
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20880	Comment from Lynn Konieczny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26102	Comment from Mathes, Jean
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20881	Comment from Jean Allgood	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26103	Comment from Kozel, Susan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20882	Comment from John Voehringer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26104	Comment from Haggins, Helen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20883	Comment from Lily Fortin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26105	Comment from Lewis, Allyson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20884	Comment from Lisa Beveridge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26106	Comment from Newton, Pat
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20885	Comment from jeanette casciano	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26107	Comment from Gieseking, Melissa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20886	Comment from Daniel Kozminski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26108	Comment from Schulz, Alexandra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20887	Comment from Jennifer Romans	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26109	Comment from Ryser, Kathryn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20888	Comment from christina scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26110	Comment from Jayagopal, Sharada
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20889	Comment from Richard McConnell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26111	Comment from Lund, Adria
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20890	Comment from Jacqueline Eliopoulos	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26112	Comment from Cardone, Michele
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20891	Comment from Katherine Hutchins	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26113	Comment from Braum, Morris
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20892	Comment from Joan Little	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26114	Comment from Caster, Arina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20893	Comment from Debra Christensen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26115	Comment from Remilien, Sandra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20894	Comment from O Lewis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26116	Comment from Pavlova, Karina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20895	Comment from G Ramsey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26117	Comment from Craven, Stephen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20896	Comment from Susan Porter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26118	Comment from Kasparova, Nela
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20897	Comment from Lyn Pegg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26119	Comment from odell, katharine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20898	Comment from Jonette Bronson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26120	Comment from Northrup, Lisa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20899	Comment from Ryan Burger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26121	Comment from Lawrence, Ashley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20900	Comment from Diana Johnson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26122	Comment from Troccoli, lyleen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20902	Comment from Sherry Taylor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26123	Comment from Casperson , Mary
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20903	Comment from Linda Schiffer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26124	Comment from DeLassus, Dana
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20904	Comment from Gerald Quenell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26125	Comment from Shiarella, Richard
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20905	Comment from Curtis Barnett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26126	Comment from Carroll, Kristina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20906	Comment from Sandra Remilien	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26127	Comment from Liner, Tom
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20907	Comment from Debbie Goodykoontz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26128	Comment from Marose, Ciannat
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20908	Comment from Mary Schmidt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26129	Comment from Stewart, Jennifer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20909	Comment from Janie Roberts	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26130	Comment from Herrington, Mary

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20910	Comment from eric biemuller	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26131	Comment from Gandy, Betsy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20911	Comment from Larry Zim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26132	Comment from Matturro, Bill
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20912	Comment from Stacey Eichner	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26133	Comment from Reed, Elizabeth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20913	Comment from Sharon Krikorian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26134	Comment from Deveau, Patty
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20914	Comment from Cindy Blue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26135	Comment from Southby, Helen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20915	Comment from Lauren Teresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26136	Comment from Pérez , Lucy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20916	Comment from Elizabeth Hunter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26138	Comment from Tomeske, Patricia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20917	Comment from Judy Desreuisseau	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26139	Comment from Reed, Patricia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20918	Comment from Jesse Mallory	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26140	Comment from Church, Judith G
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20919	Comment from robert mitch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26141	Comment from Suszylo, Anna
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20920	Comment from Linda Dezotelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26142	Comment from mahoney, linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20921	Comment from Sandra Colacurti	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26143	Comment from Regnery, Russell
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20922	Comment from Darren Mitton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26144	Comment from Peace, Julia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20923	Comment from Ruliffson Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26145	Comment from Hawlins, Phyllis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20924	Comment from Deborah Robinson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26146	Comment from Barlow, Susan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20925	Comment from Christy Spear	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26147	Comment from Laird, Nancy Clair
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20926	Comment from Suzanne Hamer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26148	Comment from MEARS, SUSANJ
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20927	Comment from Aurora Caiano	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26149	Comment from Hanna, Megan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20928	Comment from Donna Bender	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26150	Comment from Kruger, Sandra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20929	Comment from Beverly Jahn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26151	Comment from Keegan, Carter
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20930	Comment from Naomi Avissar	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26152	Comment from Truex, Jess
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20931	Comment from Leslie Mlawski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26153	Comment from Ha, Sooki
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20932	Comment from Patricia Mathis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26154	Comment from Hopper, Grace
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20933	Comment from Samora Whitlow	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26155	Comment from Newell, Steve
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20934	Comment from Catherine Palmer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26156	Comment from Bourlotos, George
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20935	Comment from Rhonda Lieberman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26157	Comment from Helton, Lynn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20937	Comment from Kris Schmidt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26158	Comment from wiesner, leesa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20938	Comment from Linda Addis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26159	Comment from Curtis, Marnelle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20939	Comment from Pam Emery	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26160	Comment from Braverman, Margrie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20940	Comment from Dominic Garcia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26161	Comment from Dexter, Rob
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20942	Comment from Scott Grubb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26162	Comment from Bressan, Katherine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20943	Comment from alena Jorgensen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26164	Comment from Webb, Caitlin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20944	Comment from Eileen Fonferko	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26165	Comment from Pavlinac, Sheryl
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20945	Comment from Jonathan McVey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26166	Comment from Wolf, Darlene
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20946	Comment from Frederick Semel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26167	Comment from MacIntyre, Dan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20947	Comment from Allie Tennant	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26168	Comment from Gillis, Nancy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20948	Comment from Marina Mooney	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26169	Comment from stewart, mark
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20949	Comment from Leslie Bender	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26170	Comment from Chewing, Stephanie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20950	Comment from Jackie Pomies	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26171	Comment from Hull, Juanita
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20951	Comment from Christopher Scheller	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26172	Comment from Welch, Meredith
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20952	Comment from Patria Santini	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26173	

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20953	Comment from Ronald Woolford	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26174	Comment from RAHGO, WILLIAM
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20954	Comment from Jan Moore	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26175	Comment from Johnson, Greg
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20955	Comment from B Hearn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26176	Comment from Suzman, Maxine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20956	Comment from Daniel Heyduk	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26177	Comment from Peddicord, Lisa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20957	Comment from Karen Suit	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26178	Comment from Flournoy, Carrie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20958	Comment from Martin Iseri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26179	Comment from Williams, Steve
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20959	Comment from Laurie Ellis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26180	Comment from Nabel, Yvette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20960	Comment from Patricia DeLuca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26181	Comment from Stephens, Donna
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20961	Comment from Angie Mackey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26182	Comment from Lacasse, Monja
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20962	Comment from Joan Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26183	Comment from Beresford, Sara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20963	Comment from Victoria Brandon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26184	Comment from Foley, Valerie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20964	Comment from Jane Anderson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26185	Comment from Chaney, Elaine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20965	Comment from Judy Shively	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26186	Comment from Caraco, Virginia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20966	Comment from Carla Albers	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26187	Comment from Collada, Rosa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20967	Comment from Laura Tartaglia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26188	Comment from Tollman , Larry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20968	Comment from Fran Seldin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26190	Comment from maes, simone
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20969	Comment from Stephanie Limpert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26191	Comment from Mongillo, Michael
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20970	Comment from Margaret Phillips	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26192	Comment from Spencer, Arlene
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20971	Comment from Cheryl Sperber	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26193	Comment from Psychas, Sherry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20972	Comment from Alan Harper	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26194	Comment from Allbritton, Kristen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20973	Comment from Albert Wilson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26195	Comment from Kowing, Kerri
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20974	Comment from Heather Walker-Dale	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26196	Comment from Anderson, Ralph
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20975	Comment from Jason LaBerge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26197	Comment from Butler, Zachary
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20976	Comment from David Balan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26198	Comment from Arias-Anderson, Juliana
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20977	Comment from Kimberly Carignan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26199	Comment from Graham, Gary
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20978	Comment from Carol Churchill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26200	Comment from Dezendorf, andrea
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20979	Comment from Bridget Irons	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26201	Comment from Sharp, Charon
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20980	Comment from Bruce McHenry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26202	Comment from Yeomans , Kathy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20981	Comment from Cindy Page	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26203	Comment from Speirs, Moira
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20982	Comment from william tibby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26204	Comment from Piehl, Jeanne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20983	Comment from Cb Michaels	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26205	Comment from E., K.
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20984	Comment from Gemma Peckinpah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26206	Comment from Beauvoir, Annette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20985	Comment from Dana Griffin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26207	Comment from DuBose, Elizabeth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20986	Comment from Lauri Barish	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26208	Comment from Elsten, Bonnie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20987	Comment from Jenifer Johnson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26209	Comment from Beauvoir, Annette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20988	Comment from Cathy menendian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26210	Comment from Bell, Stacy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20989	Comment from Stefan Taylor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26211	Comment from Grynkewich, Rsy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20990	Comment from Kristine George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26212	Comment from Hawkins, Marta
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20991	Comment from JUDY SMARIO-JOHNSON	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26213	Comment from Nelson, Anne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20992	Comment from Anita Burton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26214	Comment from McQueen, Ashley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20993	Comment from Bonnie Thompson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26215	Comment from LaMonica, Gina

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20994	Comment from Andrew Yerian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26216	Comment from Smeti, Mari
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20995	Comment from Debra Shea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26217	Comment from Richmond , Robert
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20996	Comment from Nancy Williams	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26218	Comment from ROBERTS, Sharon
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20997	Comment from Joette Borzik	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26219	Comment from Jordan, Julie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20998	Comment from Sandra Middour	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26220	Comment from Muller, Rosita
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20999	Comment from Michelle Wilson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26221	Comment from gullo, andrea
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21000	Comment from Elaine Johnson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26222	Comment from V brandwijk , Wilma
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21001	Comment from Fiona Nolan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26223	Comment from Felker, Ric
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21002	Comment from kristin arce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26224	Comment from Loza, Jayne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21003	Comment from Jennifer Lo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26225	Comment from Carroll , Kevin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21004	Comment from Cynthia Cripps	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26226	Comment from Hudson, Sara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21005	Comment from Dawn Ohlsson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26227	Comment from Diaz, Yelina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21006	Comment from Judith Ackerman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26228	Comment from Schultze, Patti
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21007	Comment from Laura Smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26229	Comment from cloud, peter
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21008	Comment from Felena Puentes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26230	Comment from SMITH, DEBORAH
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21009	Comment from Deborah McMahan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26231	Comment from Altenbach , Marilyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21010	Comment from Jill Dudek	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26232	Comment from Lopes, Maria Manuela
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21011	Comment from Sarah Rowe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26233	Comment from Leonard, Cami
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21012	Comment from Susan Servis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26234	Comment from Carlson, Kelly
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21013	Comment from Mana Iluna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26235	Comment from Simms, Kimberly
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21014	Comment from Adam Burns	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26236	Comment from Kilpatrick, Gail
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21015	Comment from Robert Reece	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26237	Comment from Kutz, Susan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21016	Comment from Patricia Benjamin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26238	Comment from Nehring-Bliss, Diane
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21017	Comment from Thinh Ngo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26239	Comment from Curtis, Patrice
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21018	Comment from Janelle Chase	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26240	Comment from Audsley, Madeleine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21019	Comment from Nancy Walsh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26241	Comment from Slater, Jody
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21020	Comment from Bennie Scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26242	Comment from Martin, Joanna
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21021	Comment from Dena Hernandez Kosche	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26243	Comment from Rizzi, Tricia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21022	Comment from Margaret Handley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26244	Comment from Beaulieu , Richard
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21023	Comment from Paula Hooser	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26245	Comment from Fast, Yvonne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21024	Comment from Thinh Ngo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26246	Comment from Romans, Jennifer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21025	Comment from Susan Schneeberger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26247	Comment from Shuler, Carol
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21026	Comment from dana Bleckinger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26248	Comment from Tamimi, Nawal
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21027	Comment from Ann Lahaie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26249	Comment from Muñoz, Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21028	Comment from Ray Derrickson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26250	Comment from Rohr, Andrea
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21029	Comment from Deepak Vohra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26251	Comment from Sanchez, Rose
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21030	Comment from Brigitte Forster	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26252	Comment from Charlton, Elizabeth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21031	Comment from Jean Dibble	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26253	Comment from Leary, Ellen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21032	Comment from james ashcraft	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26254	Comment from East, Terri
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21033	Comment from Cynthia Hicks	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26255	Comment from Davis, Ken
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21034	Comment from Carol g	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26256	Comment from McLeod, Keely

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21035	Comment from Patricia Flynn-Williams	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26257	Comment from KUIPERI, CHRISTINA
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21036	Comment from Judith Grisel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26258	Comment from Renta, Anne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21037	Comment from Karen OBrien	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26259	Comment from MILLER, LOYCE
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21038	Comment from Darla Kravetz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26260	Comment from Kane, Austin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21039	Comment from Ken Bosch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26261	Comment from Whitt, Amesha
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21040	Comment from Silvia Hall	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26262	Comment from Freund, Julia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21041	Comment from Paula Parker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26263	Comment from Ryan, Bev
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21042	Comment from Amanda Gordon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26264	Comment from REED, DONALD
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21043	Comment from Kristine Jorgensen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26265	Comment from Nakayama, Midori
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21044	Comment from Barbara Mintz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26266	Comment from Gitman, Samantha
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21045	Comment from Aliaa Abdel-Gawad	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26267	Comment from gedney, harry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21046	Comment from Lauren OKEEFE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26268	Comment from Schrey, Natalie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21047	Comment from Amber Sumrall	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26269	Comment from Graef, Alicia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21048	Comment from Linda Meiberg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26270	Comment from Hinton, Robin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21049	Comment from Barbara Lintz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26271	Comment from Hano, Sara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21050	Comment from Linda Szurley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26272	Comment from Holland, Kim
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21051	Comment from Feli Devlin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26273	Comment from Dixon, Vicki
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21052	Comment from Carla Compton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26274	Comment from Moreno, Carolina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21053	Comment from JULIEN JEGOU	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26275	Comment from SCANLON, SANDRA
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21054	Comment from Susan Bortolussi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26276	Comment from jordan, patti
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21055	Comment from Joan Reilly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26277	Comment from Jennings, Barbara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21056	Comment from nan matthews	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26278	Comment from Boccagna, emilia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21057	Comment from Calvin Cole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26279	Comment from Flood, Patricia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21058	Comment from Mark Jennerjohn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26280	Comment from Fillat de Acosta, Loreto
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21059	Comment from Spencer Adams	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26281	Comment from Lindsey, Judith
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21060	Comment from tony lorito	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26282	Comment from Rubera, Kathy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21061	Comment from Delores Stachura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26283	Comment from Kraushaar, Sunday
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21062	Comment from Weisman Milt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26284	Comment from Mills, Constance
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21063	Comment from Daniel Hawley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26285	Comment from Foshee, Margaret
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21064	Comment from Brian TRUAX	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26286	Comment from Hrycuna, Charles and
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21065	Comment from Wayne Toven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26287	Comment from Fournier, Suzanne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21066	Comment from Susan Crowle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26288	Comment from Poole, Marybeth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21067	Comment from Timothy Schacht	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26289	Comment from McLean , Diane
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21068	Comment from Elizabeth Chiribi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26290	Comment from Hill, Sandra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21069	Comment from Rebecca Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26291	Comment from Rozhkova , Viktoriya
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21070	Comment from Mark Crane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26292	Comment from Brune, Michael
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21071	Comment from Wilma Davison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26293	Comment from Mariani, Eugene
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21072	Comment from Jennifer Reed	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26294	Comment from Nowak, Mary
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21073	Comment from William McGoldrick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26295	Comment from Grooms , Teri
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21074	Comment from Frank Blake	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26296	Comment from Scibetta , Jen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21075	Comment from Bruce Nowak	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26297	Comment from Covington, Pamela

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21076	Comment from BRUCE Revesz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26298	Comment from Macy, Cecilia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21077	Comment from Lori Unick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26299	Comment from Hughes, Royce
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21078	Comment from betty winholtz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26300	Comment from Bichler, Ingrid
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21079	Comment from Sunday Kraushaar	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26301	Comment from Sokolowski, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21080	Comment from Edythe Quinn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26302	Comment from Wallace , Shelly
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21081	Comment from Kristyn MacPhail	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26303	Comment from Wilson, June
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21082	Comment from Stephen Maxwell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26304	Comment from Glass, Ann
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21083	Comment from Patrick Mitchell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26305	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21084	Comment from Lyn Lowry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26306	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21085	Comment from Daniel Wilkinson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26307	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21086	Comment from Ben Ruwe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26308	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21087	Comment from Eva Havas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26309	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21088	Comment from Tia Pearson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26310	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21089	Comment from Robert Durych	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26311	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21090	Comment from Lynn Ricci	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26312	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21091	Comment from Doris Luther	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26313	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21092	Comment from Sandra Russell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26314	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21093	Comment from Mel Kahrs	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26315	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21094	Comment from John Joadwine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26316	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21095	Comment from Jean Bevsek	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26317	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21096	Comment from Joan Bonnington	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26318	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21097	Comment from Tracey Peterson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26319	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21098	Comment from Patrick Maloney	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26320	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21099	Comment from Heidi Davis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26321	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21100	Comment from Gretchen Dickson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26322	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21101	Comment from John Burchard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26323	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21102	Comment from E Wait	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26324	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21103	Comment from Charlie Gedi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26325	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21104	Comment from Gloria Boyd	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26326	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21105	Comment from Deborah Reiter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26327	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21106	Comment from Steve Sheehy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26328	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21107	Comment from Leslie Gladstone	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26329	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21108	Comment from Amy Mower	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26330	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21109	Comment from Michael Johan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26331	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21110	Comment from J.L. Evans	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26332	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21111	Comment from Susan Schuchard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26333	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21113	Comment from Joshua Paterno	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26334	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21114	Comment from ki paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26335	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21115	Comment from Laura Vera	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26336	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21116	Comment from Frank Boggio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26337	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21117	Comment from Nancy Pichiotino	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26338	Comment from Anonymous Anonymous

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21118	Comment from Melissa Grondin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26339	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21119	Comment from Joshua Paterno	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26340	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21120	Comment from Loretta Aja	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26341	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21121	Comment from Jason Green	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26342	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21122	Comment from Janis Todd	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26343	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21123	Comment from Steven Iszaak	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26344	Comment from Cynde McInnis
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21124	Comment from Karen Bonnell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26345	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21125	Comment from Donald Taylor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26346	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21126	Comment from Leonard Samford	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26347	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21127	Comment from Shelley Vereen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26348	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21128	Comment from cathi soule	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26349	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21129	Comment from Andrew Mittelman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26350	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21130	Comment from Georgiann Young	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26351	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21131	Comment from Grace Neff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26352	Comment from Gaess, Judie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21132	Comment from Ann Luft	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26353	Comment from A., Colette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21133	Comment from Koral Campbell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26354	Comment from Warner, Cherie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21134	Comment from Claire Goldthwaite	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26355	Comment from Schorin, Susan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21135	Comment from Jean Johnston	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26356	Comment from Sanders, Krista
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21136	Comment from Susan Yarnell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26357	Comment from berario, myra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21137	Comment from John Brown	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26358	Comment from McFarland, S.M.
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21138	Comment from Ron McGill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26359	Comment from Voorhies, Eric
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21139	Comment from Pablo Bobe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26360	Comment from urias, rose
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21140	Comment from Susan Halloran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26361	Comment from Black, Sharon
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21141	Comment from Chris Nolasco	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26362	Comment from Roth, Margaret
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21142	Comment from Linda Fowler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26363	Comment from Nichols, Claudia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21143	Comment from Sandra Breakfield	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26364	Comment from Grimes, Christiane
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21144	Comment from Brian Jones	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26365	Comment from Ennis, Mark
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21145	Comment from Laura Guttridge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26366	Comment from Krom, Beverly
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21146	Comment from Lisa Bass	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26367	Comment from Shultz, Doris
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21147	Comment from Kathleen Doctor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26368	Comment from Dominguez, Mari
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21148	Comment from Sally Tucker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26369	Comment from Staab , Kathleen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21149	Comment from Barbara Burton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26370	Comment from Edison , Fern Marcia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21150	Comment from L. Wilkinson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26371	Comment from Pellegrini, Annika
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21151	Comment from Patricia Baker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26372	Comment from Renk, Edeltraut
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21152	Comment from Linda Klein	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26373	Comment from johnson, nigel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21153	Comment from Gwen Hadland	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26374	Comment from Winter, Bonnie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21154	Comment from Dan Schneider	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26375	Comment from Mortimer, Karl
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21155	Comment from Claudia Leff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26376	Comment from Clark , Brenda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21156	Comment from Andrea Zajac	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26377	Comment from Scionti, Cynthia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21157	Comment from Kit Mason	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26378	Comment from renard, mary
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21158	Comment from Tania Roa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26379	Comment from Thurston, Vanda

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21159	Comment from David Landskron	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26380	Comment from Visconti, Angela
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21160	Comment from Suzette Hoyt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26381	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21161	Comment from Robert Johnson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26382	Comment from Cohrs, Sabrina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21162	Comment from Joe Tutt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26383	Comment from Schwartz , Julianne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21163	Comment from I. Engle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26384	Comment from Kuster, Lorien
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21164	Comment from Janet Hofmann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26385	Comment from Carsten, R
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21165	Comment from Nina Davis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26386	Comment from Sirois, Brent
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21166	Comment from Jill Mulato	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26387	Comment from Profeta, Sara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21167	Comment from C. Cook	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26388	Comment from Vie, Phoenix
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21168	Comment from lee jordan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26389	Comment from Mehring, Gwen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21169	Comment from gertz michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26390	Comment from de Castro, Brian
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21170	Comment from Sylvia Byerley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26391	Comment from Gunn, Errol
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21171	Comment from Sylvia Byerley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26392	Comment from Ritzmann, Mary
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21172	Comment from Rod Garner	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26393	Comment from Benet, Mercedes
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21173	Comment from Raisa Hebra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26394	Comment from troalic, paul
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21174	Comment from Raisa Hebra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26395	Comment from Regan, Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21175	Comment from sue parsell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26396	Comment from Gatehouse, John
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21176	Comment from Thomas Dawley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26397	Comment from contreras, alfred
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21177	Comment from JoAnna Redman-Smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26398	Comment from Jacobson, Ruth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21178	Comment from Stephen Rosen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26399	Comment from Oliver, Bonnie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21179	Comment from Chad Evans	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26400	Comment from Toomey, Jacinda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21180	Comment from Lynn arnheim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26401	Comment from Lindau , Roberta
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21181	Comment from Rebecca Sundberg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26402	Comment from Zarbano, Angela
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21182	Comment from Gail Veiby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26403	Comment from Scott, Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21183	Comment from bonnie kohleriter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26404	Comment from Thallon, Ruhi
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21184	Comment from Randall Griswold	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26405	Comment from Braghiroli, Iris
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21185	Comment from Sharon Mora	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26406	Comment from Vandiver, Dwayne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21186	Comment from Katherine Valentino	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26407	Comment from Dragonheart, Debra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21187	Comment from Felicia Saunders	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26408	Comment from whitehall, lee
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21188	Comment from Leslie Smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26409	Comment from Lee, Marcy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21189	Comment from dana Bleckinger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26410	Comment from Verkamp, Doris
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21190	Comment from Mark Waltzer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26411	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21191	Comment from Marianne Bentley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26412	Comment from Toy, Sherry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21192	Comment from Sheilagh Bergeron	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26413	Comment from Paoluzzi, Sara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21193	Comment from Phoenix Giffen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26414	Comment from cobb, gene
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21194	Comment from Pam Doran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26415	Comment from Thomas, Carrie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21195	Comment from Linsley Pietsch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26416	Comment from Mackenzie, Kristine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21196	Comment from bonnie mandel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26417	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21197	Comment from Ed Loosli	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26418	Comment from McKee, Lary
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21198	Comment from Debbie Stinehart	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26419	Comment from Jensen, Anne Lise Bai
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21199	Comment from Laurie Habel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26420	Comment from Barton, Bethany

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21200	Comment from Catherine Vedder	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26421	Comment from LeBlanc, Heather
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21201	Comment from Viviana Yost	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26422	Comment from Besteiro, Marisa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21202	Comment from Christina Schlitt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26423	Comment from Privett, Donald
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21203	Comment from Judy Hollingsworth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26424	Comment from Collins, John
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21204	Comment from William Harris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26425	Comment from durant, helen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21205	Comment from Arthur Schurr	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26426	Comment from Knowlton, Elizabeth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21206	Comment from Jamie Greer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26427	Comment from Kalabakas, Maggie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21207	Comment from Kerri Piazza	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26428	Comment from Smith, Dez
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21208	Comment from Cecile Ervin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26429	Comment from Waddell, Sonia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21209	Comment from rob fursich	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26430	Comment from Petryk, Richard
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21210	Comment from Aleasa Crary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26431	Comment from Foulger, Paul
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21211	Comment from Daniel Carrillo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26432	Comment from Campbell, michelle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21212	Comment from Mary Buckley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26433	Comment from Iradah, Anahata
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21213	Comment from Patricia Bzker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26434	Comment from Sallee, Sandra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21214	Comment from Donna Wolz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26435	Comment from Meadors, Helen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21215	Comment from Carole Arbour	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26436	Comment from Jones, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21216	Comment from Pamela Esser	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26437	Comment from jung, marilou
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21217	Comment from cynthia dietzmann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26438	Comment from Schilg, Ursula
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21218	Comment from Melanie Vliet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26439	Comment from Rigas, Misty
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21219	Comment from Gretchen Dysart	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26440	Comment from Lee, JoAnn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21220	Comment from Anthony Vessicchio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26441	Comment from LaNeve, Patti
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21221	Comment from Carol Rahbari	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26442	Comment from Gibson, Connie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21222	Comment from Paul Lifton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26443	Comment from Charnetski, Cindy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21223	Comment from Barry Horney	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26444	Comment from Fouts, Amber
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21224	Comment from Liz Kochis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26445	Comment from Bruen, Harry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21225	Comment from Gretchen Dysart	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26446	Comment from Wellington , Deborah
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21226	Comment from Judith Radovsky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26447	Comment from JANKELOW, MICHELE
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21227	Comment from Linda Thompson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26448	Comment from Forrest, Ellie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21228	Comment from Genie Hatch	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26449	Comment from Nix, Cecilia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21229	Comment from Judith DeAntonellis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26450	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21230	Comment from ALLEN FREIHOFER	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26451	Comment from Vitelli, Karen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21231	Comment from Travis Jardon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26452	Comment from Longino, Lynette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21232	Comment from Kay Clement	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26453	Comment from Forrest, Ellie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21233	Comment from Sarah Leighton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26454	Comment from Sanders, Evelyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21234	Comment from Tim Hughes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26455	Comment from Ellman, Tonya
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21235	Comment from RICHARD KETTYLE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26456	Comment from FARRARE, DENISE
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21236	Comment from Anne Hammond	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26457	Comment from Lohne, Laurie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21237	Comment from Mary Demaso	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26458	Comment from Jordan, Alexander
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21238	Comment from Carroll Abshier	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26459	Comment from Smith, Thomas
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21239	Comment from Warren Clark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26460	Comment from Muñoz, Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21240	Comment from Annette Benton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26461	Comment from Zakreski, Ann

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21241	Comment from Christopher Dill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26462	Comment from Diner, Randy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21242	Comment from Gregory Barton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26463	Comment from Willingham, Kathy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21243	Comment from Sherry brown	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26464	Comment from Garrard, Bryan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21244	Comment from Elana Eli	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26465	Comment from Feketis, Karen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21245	Comment from Peter Kuhn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26466	Comment from George, Misha
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21246	Comment from Hank Schlinger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26467	Comment from mcmichael, rebecca
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21247	Comment from r d	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26468	Comment from Coffman, Kathleen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21248	Comment from Karen Wolf	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26469	Comment from Hainley, Tim
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21249	Comment from Barb Morrison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26470	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21250	Comment from Virginia Leslie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26471	Comment from G, M
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21251	Comment from Mandy Tshibangu	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26472	Comment from Penney, RE
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21252	Comment from Gail Battaglia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26473	Comment from Cochran , Valerie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21253	Comment from Jewell Batway	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26474	Comment from Callalway, Sharrell
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21254	Comment from Nicholas Huss	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26475	Comment from Loveland, Jim
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21255	Comment from Miranda Vorhees	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26476	Comment from Rivalsi, Douglas & Elvira
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21256	Comment from Jackie Bachor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26477	Comment from Wilbourn, Pam
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21257	Comment from Benton Elliott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26478	Comment from Borriello, Christy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21258	Comment from Jackie Bachor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26479	Comment from WAGNER, CAROL
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21259	Comment from Joseph Otto	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26480	Comment from DeBryne, Tristine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21260	Comment from barbara Murray	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26481	Comment from Wilkinson, Brad
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21261	Comment from Rae Furcha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26482	Comment from Mayhew-Bergman, Megan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21262	Comment from Patricia Carlton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26483	Comment from Lukowitz, Wendy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21263	Comment from Jill Mossor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26484	Comment from paulson, wendy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21264	Comment from Debbie Earley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26485	Comment from Emrich, Michelle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21265	Comment from Janet Lindsey-Hays	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26486	Comment from Mclean, Leslie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21266	Comment from Norma Rouser	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26487	Comment from Zakova-Laney, Pavla
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21267	Comment from Robert Hobe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26488	Comment from O'Keeffe, Kathryn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21268	Comment from Beverley Clarke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26489	Comment from Sasnett , Gail
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21269	Comment from KAREN HODGES	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26490	Comment from Leibowitz, Lynda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21270	Comment from Diane Loughbom	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26491	Comment from Rearick, Cathleen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21271	Comment from William Boteler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26492	Comment from Camp, Cynthia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21272	Comment from Bridgett Heinly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26493	Comment from Majoue, Daniel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21273	Comment from Geoffrey Symcox	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26494	Comment from Linder, Nancy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21274	Comment from jon mocey-hanton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26495	Comment from jonas, mary
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21275	Comment from Jamie Shultz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26496	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21276	Comment from Carolyn O'Shea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26497	Comment from Lamb, Peta-Maree
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21277	Comment from Nicole Dick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26498	Comment from SCHOEN, BROOKS
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21278	Comment from Mary Gershanoff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26499	Comment from Money, Christine M.C.
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21279	Comment from Heather Walters	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26500	Comment from Tattoli, Chantel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21280	Comment from Deirdre Morris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26501	Comment from Howard, Gloria J
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21281	Comment from Michael Burgess	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26502	Comment from Budde, Sharon

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21282	Comment from William George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26503	Comment from Leitner, Joel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21283	Comment from Mary Platter-Rieger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26504	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21284	Comment from Mo Kafka	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26505	Comment from Keeler, Thomas
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21285	Comment from Tonia Howe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26506	Comment from Lipps, Teresa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21286	Comment from Heather Walters	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26507	Comment from Hughes, Vera
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21287	Comment from Raymond Ballweg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26508	Comment from newman, roberta e.
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21288	Comment from Lynn Artz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26509	Comment from Woodman, Renee
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21289	Comment from char hersh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26510	Comment from Marsh, Marie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21290	Comment from Pamyille Greinke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26511	Comment from Nehring, Nancy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21291	Comment from Clifford Phillips	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26512	Comment from Bouchard, Robyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21292	Comment from Michelle Macy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26513	Comment from South , Wendy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21293	Comment from suanne Williams-Lindgren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26514	Comment from ALDRICH, JIM
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21294	Comment from Lori Bryan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26515	Comment from Hallstead, Fredette
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21295	Comment from James Murphy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26516	Comment from Hattori, Takako
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21296	Comment from Marie Hutchens	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26517	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21297	Comment from Cindy Fine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26518	Comment from Hadcock, Jan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21298	Comment from Mina Tang	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26519	Comment from Glynn , Kathy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21299	Comment from Tracy Shortle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26520	Comment from T, John
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21300	Comment from Constance Graham	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26521	Comment from Briley, Samantha
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21301	Comment from Nola Family	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26522	Comment from Al-Tukhaim, Mary Jo
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21302	Comment from Cindy Grimes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26523	Comment from Whorton, Adrian
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21303	Comment from Laree Farmer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26524	Comment from Woods, Roth
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21304	Comment from Barb Kruse	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26525	Comment from Nix, Kathy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21305	Comment from Daniel Solano	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26526	Comment from Sheehan, Kimberly
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21306	Comment from Alethea Kehas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26527	Comment from Fairley, Kathleen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21307	Comment from Linda Just	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26528	Comment from Girard, Anne Marie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21308	Comment from Marie Dickenson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26529	Comment from Molloy, Mark
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21309	Comment from Edwyna Spiegel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26530	Comment from Girard, Anne Marie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21310	Comment from Maryke Petruzzi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26531	Comment from Hester, Ray
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21311	Comment from John Wiles	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26532	Comment from parmenter, zephreny
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21312	Comment from Marcia Henning	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26533	Comment from Head, Dottie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21313	Comment from Katherine Skirvin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26534	Comment from t, j
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21314	Comment from Stephen Howard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26535	Comment from Webster, Cassandra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21315	Comment from cheryl Minieri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26536	Comment from Hodorowich , Rick
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21316	Comment from Valerie Conrad	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26537	Comment from Tasheff, Jennie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21318	Comment from Julia Dalton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26538	Comment from Susi, Christine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21319	Comment from Andrew Hinz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26539	Comment from Phillips, Phree
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21320	Comment from Thomas Page	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26540	Comment from Horton, Jennifer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21321	Comment from Josephine Girardin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26541	Comment from Giovengo, Keren
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21322	Comment from Siegel Martha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26542	Comment from Felts, Karen D
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21323	Comment from Sally Morrow	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26543	Comment from Johnson, T.

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21324	Comment from Renee Grant	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26544	Comment from McNulty, Kathleen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21325	Comment from Lynn Costa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26545	Comment from Bilisoly, Kandice
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21326	Comment from Gida Naser	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26546	Comment from Keifner, Shannon
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21327	Comment from John Doucette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26547	Comment from DeBacco, Tony
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21328	Comment from Ingrid Rochester	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26548	Comment from Keyes, Margaret
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21329	Comment from jack Stockslager	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26549	Comment from Cork, Victoria
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21330	Comment from Jon Hager	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26550	Comment from Rabinowitz, Jennifer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21331	Comment from Tracey Bonner	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26551	Comment from Henegar, Terry
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21332	Comment from Donna Ingenito	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26552	Comment from Mears, Tina
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21333	Comment from Jones Jan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26553	Comment from Finley, Tracie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21334	Comment from Steve Tardif	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26554	Comment from Noren, Debra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21335	Comment from Marie DeLuna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26555	Comment from Scott, Raine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21336	Comment from Douglas Cooke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26556	Comment from Schacke, John
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21337	Comment from ROCHELLE FORAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26557	Comment from Hall, Jeannie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21338	Comment from Lynn Raiser	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26558	Comment from Hall, Jeannie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21339	Comment from Catherine Vedder	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26559	Comment from Leijonros , Nadja
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21340	Comment from Carolyn Edmunds	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26560	Comment from Stone, Cati
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21341	Comment from Eric Davis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26561	Comment from Holmqvist, Magnus
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21342	Comment from Scarlet Sobranie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26562	Comment from Waguespack, Patrice
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21343	Comment from Melissa Kallick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26563	Comment from Jang, Anne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21344	Comment from Michael Pitt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26564	Comment from Kruzan, Teresa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21345	Comment from Phyllis Grande	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26565	Jonathan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21346	Comment from Gregg Oelker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26566	Comment from Woolf, Wesley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21347	Comment from Mary McGaughey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26567	Comment from Reid, Cathy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21348	Comment from Seda Sonentz-Papazian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26568	Comment from Watson, Maddy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21349	Comment from Scott Coahran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26569	Comment from McQueen-Allinger, Eve
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21350	Comment from Leah Bush	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26570	Comment from Jarosz, June
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21351	Comment from Leon Cheong	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26571	Comment from Black, Angela
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21352	Comment from Becky Calhoun	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26572	Comment from Talbott, Frances
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21353	Comment from Nolen Scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26573	Comment from McAlear, Elissa
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21354	Comment from Terry Hill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26574	Comment from Aguilar , Angelica
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21355	Comment from Sally thompson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26575	Comment from Jorgensen , Michelle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21356	Comment from Jeffery Biss	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26576	Comment from Mendieta, Vince
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21357	Comment from William Forbes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26577	Comment from Hatcher, Jennifer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21358	Comment from Earl Frounfelter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26578	Comment from Machinske, Kevin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21359	Comment from James Murphey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26579	Comment from Patterson, Carol Joan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21360	Comment from Jeffery McConaughy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26580	Comment from Furlong, Jenn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21361	Comment from Paul Bechtel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26581	Comment from Briggs , Abby
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21362	Comment from Gale Swiontkowski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26582	Comment from Tusinac, Michele
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21363	Comment from Gloria Diggle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26583	Comment from Deasy, Ashley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21364	Comment from Pat Randow	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26584	Comment from Smith, Gemma

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21365	Comment from Meaghan Doherty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26585	Comment from Whorton, Adrian
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21366	Comment from s l	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26586	Comment from Kroger, Christine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21367	Comment from Paul Hunrichs	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26587	Comment from Hancock, Georgia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21368	Comment from Michael Lewandowski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26588	Comment from House, Suzanne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21369	Comment from Deb Buckler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26589	Comment from Redding, Bryan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21370	Comment from Linda Rudman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26590	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21371	Comment from Carol Fletcher	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26591	Comment from May, Lindsey
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21372	Comment from John Holtzclaw	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26592	Comment from Howard, Gloria J
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21373	Comment from Gary Mazzotti	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26593	Comment from Kaniewski, Julianne
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21374	Comment from Ellie McGuire	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26594	Comment from Lock, Frank
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21375	Comment from RON WISH	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26595	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21376	Comment from David Cottrell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26596	Comment from HEIMAN, DIANE
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21377	Comment from Kathy Kosinski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26597	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21378	Comment from Prem Mulberry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26598	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21379	Comment from Nicole Mola	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26599	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21380	Comment from Michael Nelson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26600	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21381	Comment from Louise Stark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26602	Comment from Ray, Amber
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21382	Comment from Tina Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26603	Comment from Combs, Debi
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21383	Comment from Michael Lindley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26604	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21384	Comment from Carol Miller	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26605	Comment from Flores, Annie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21385	Comment from Dorota Kolodziejczyk	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26606	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21386	Comment from L. Sinclair	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26607	Comment from Dale, Maureen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21387	Comment from Charlotte Cook	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26608	Comment from Paren, Maggie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21388	Comment from Tom Beatini	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26609	Comment from Lindberg , Karin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21389	Comment from Patricia Gashlin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26610	Comment from BenHaim, David
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21390	Comment from Michelle Barbour	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26611	Comment from Maddock, June
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21391	Comment from Meredith Hayward	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26612	Comment from van der Walt, Mandy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21392	Comment from SHARON PONSFORD	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26613	Comment from Bowler, Leslee
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21393	Comment from Jessica Anderson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26614	Comment from Cook, Jeanie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21394	Comment from stacey francis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26615	Comment from White, Robin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21395	Comment from Suzann Daley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26616	Comment from Fleter, Carol
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21396	Comment from Cynthia Edney	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26617	Comment from Staples , Laura
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21397	Comment from Joanna Behrens	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26618	Comment from Le Marquand, Jean
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21398	Comment from Christine Gasco	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26619	Comment from Diamond, Nichole
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21399	Comment from deborah cushman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26620	Comment from Garcia, Gabrielle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21400	Comment from Rogard Ross	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26621	Comment from Boone, Margaret
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21401	Comment from Johnny Hall	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26622	Comment from Chenoweth, Linda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21402	Comment from Olivia DiNardo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26623	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21404	Comment from William Wollner	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26624	Comment from Barry, Patrick
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21405	Comment from Kimberley Wisdom	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26625	Comment from Mason, Ralph
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21406	Comment from Catherine Scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26626	Comment from Lemire, Kara

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21407	Comment from Alan Canfield	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26627	Comment from Floyd, Bradley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21408	Comment from Thomas Hendrickson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26628	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21409	Comment from William Hayes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26629	Comment from Price, Elysée
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21410	Comment from Mary Fedullo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26630	Comment from Kirova, Tanya
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21411	Comment from Michael Garitty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26631	Comment from Haynes, Sandra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21412	Comment from Elaine Benjamin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26632	Comment from Haynes, Sandra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21413	Comment from David Savige	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26633	Comment from Reid, Tyler
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21414	Comment from Perry Gx	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26634	Comment from Kulcsárová, Klára
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21415	Comment from Sam Garbi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26635	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21416	Comment from Rohana Wolf	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26636	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21417	Comment from Georgia Shankel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26637	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21418	Comment from Joe Buhowsky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26638	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21419	Comment from Dyan donofrio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26639	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21420	Comment from Mason Griffith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26640	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21421	Comment from Peter McCone	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26641	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21422	Comment from Joseph Pluta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26642	Comment from Bobbi Lempert
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21423	Comment from Wanda Graff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26643	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21424	Comment from Tracy Drake	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26644	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21425	Comment from Deb Christensen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26645	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21426	Comment from Lawrence Bojarski	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26646	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21427	Comment from Antonio Bayona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26647	Comment from Susan Porter
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21428	Comment from Ina Lippard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26648	Comment from Jenna Fallaw
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21429	Comment from Anne Winicki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26650	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21430	Comment from Christopher Tobias	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26651	Comment from Nicole Cloutier
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21431	Comment from Robert Cassinelli	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26653	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21432	Comment from Sagen Smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26654	Comment from Bronwen Evans
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21433	Comment from Richard Zimmermann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26655	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21434	Comment from Debbi Pratt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26656	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21435	Comment from Tatiana Maxwell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26657	Comment from Tracey Aquino
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21436	Comment from Roz Goldstein	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26658	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21437	Comment from Glenis Ramirez	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26659	Comment from Chuck Levin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21438	Comment from Kimberly Sheehan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26660	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21439	Comment from Bernie Hartwig	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26661	Comment from Alicia Salazar
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21440	Comment from Joyce Appel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26662	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21441	Comment from Jo Baxter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26663	Comment from Tracy Drake
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21442	Comment from Jeanne Esposito	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26664	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21443	Comment from G J	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26665	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21444	Comment from Michael Bond	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26666	Comment from Maureen Burke
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21445	Comment from Fran Ransom	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26667	Comment from Vicky Brandt
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21446	Comment from Hana correa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26668	Comment from Kevin Vaught
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21447	Comment from Paula Berry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26669	Comment from Rayline Dean

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21448	Comment from roger schmidt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26670	Comment from Arnold Schildhaus
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21449	Comment from George Ferrell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26671	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21450	Comment from roger schmidt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26672	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21451	Comment from Maureen Schiener	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26673	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21452	Comment from Don Waller	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26674	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21453	Comment from Trisha Sherman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26675	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21454	Comment from Sherry Troutwine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26676	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21455	Comment from Karen Robbins	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26677	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21456	Comment from Vikki Blondin-smith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26678	Comment from Mark Reback
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21457	Comment from William Grant	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26680	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21458	Comment from Jennifer Corrigan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26681	Comment from Patricia Perron
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21459	Comment from Ellen Callahan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26682	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21460	Comment from Michael Hunter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26683	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21461	Comment from Timothy Raymond	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26684	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21462	Comment from Lisa G	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26685	Comment from Julie Schampel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21463	Comment from Roberta Young	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26686	Comment from Melanie Stopyra
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21464	Comment from Grace Padelford	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26687	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21465	Comment from Nancy Harter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26688	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21466	Comment from Kristin dubovsky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26689	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21467	Comment from Nancy Griffith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26690	Comment from Rita Lemkuil
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21468	Comment from Rainbow Di Benedetto	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26691	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21469	Comment from Shela Hadley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26692	Comment from Caroline Svilla
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21470	Comment from Marie O'Meara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26693	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21471	Comment from melony Paulson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26694	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21472	Comment from Martin Judd	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26695	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21473	Comment from Alberta Morgan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26696	Comment from Spoden, Lynn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21474	Comment from Craig Warren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26697	Comment from Schwamberger, Christine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21475	Comment from Debbie Friesen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26698	Comment from George, Janelle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21476	Comment from Marcy Gordon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26699	Comment from Kyra Rice
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21477	Comment from Brian Resh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26700	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21478	Comment from Lisa Zato	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26701	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21479	Comment from Ann Sinica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26702	Comment from Lisa Mazzola
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21480	Comment from Jane Spini	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26703	Comment from Kathy Aub
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21481	Comment from Teresa Mays	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26704	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21482	Comment from Pete Sinica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26705	Comment from Linda Jones
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21483	Comment from Julie Griffith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26706	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21484	Comment from Kat Davis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26707	Comment from Kelley Price
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21485	Comment from sonia Cobo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26708	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21486	Comment from Francis Groff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26709	Comment from Barbara Bennigson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21487	Comment from karen clausen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26710	Comment from Dorothea Stephan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21488	Comment from Andy Tomsy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26711	Comment from Emese Wood

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21489	Comment from Jennifer Reed	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26712	Comment from Lawrence Thompson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21490	Comment from Cynthia Springer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26714	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21491	Comment from Sylvia Selverston	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26715	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21492	Comment from Ed gruver	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26716	Comment from Ann Debolt
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21493	Comment from Diane George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26717	Comment from Susan Sloan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21494	Comment from Ed gruver	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26718	Comment from Heide Coppotelli
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21495	Comment from Shari Galve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26719	Comment from Debi Griepsma
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21496	Comment from Kathy Ralph	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26720	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21497	Comment from JERI REMILLARD	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26721	Comment from Skot McDaniel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21498	Comment from Deborah Randall	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26722	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21499	Comment from Natalia Laisure	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26723	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21500	Comment from Albert Gamble	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26724	Comment from Cynthia & Barry Marks
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21501	Comment from Sandra Reeves	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26725	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21502	Comment from David Dragon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26726	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21503	Comment from Lourdes Guzman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26728	Comment from Caryn Graves
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21504	Comment from Karen Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26729	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21505	Comment from Mary Kerins	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26730	Comment from Peter Wood
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21506	Comment from Alina grinshpun	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26731	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21507	Comment from Rachel Henba	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26732	Comment from Elena Darden
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21508	Comment from richard jackson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26733	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21509	Comment from Maria Asteinza	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26734	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21510	Comment from Anne Wolfenbarger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26735	Comment from Jrg Gaiser
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21511	Comment from Patricia Johnson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26736	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21512	Comment from Mary Puccini	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26737	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21513	Comment from Emma Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26738	Comment from Bridgett Heiny
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21514	Comment from Stepheny McGraw	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26739	Comment from Jared Brenner
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21515	Comment from Irene Mills	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26740	Comment from Mary Jeffrey
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21516	Comment from Robert Jehn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26741	Comment from Ainslie Gilligan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21517	Comment from Valerie Sanderson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26742	Comment from Campbell, Christine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21518	Comment from Michelle Rice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26743	Comment from Ruge, Richard and
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21519	Comment from Doris Applebaum	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26744	Comment from Wells, Gayle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21520	Comment from Sherrill Futrell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26745	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21521	Comment from Kerrie Shisila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26746	Comment from Rob Seltzer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21522	Comment from Amber Murphy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26748	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21523	Comment from Deb Giannetti	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26749	Comment from Tracey Mangus
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21524	Comment from Chelsea Vukovich	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26750	Comment from jesse williams
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21525	Comment from Gloria Lash	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26751	Comment from Marce Walsh
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21526	Comment from Judy Moran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26753	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21527	Comment from Tim Porter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26754	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21528	Comment from Rama Paruchuri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26755	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21529	Comment from Susan Kollar	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26756	Comment from Anonymous Anonymous

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21530	Comment from Daniel D	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26757	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21531	Comment from Sandy Stuhaan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26760	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21532	Comment from Joseph White	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26761	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21533	Comment from Elizabeth Melo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26762	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21534	Comment from Charlie Burns	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26763	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21535	Comment from Michael Henderson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26765	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21536	Comment from Ronda O'Bryant	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26767	Comment from Sorokina, Elena
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21537	Comment from Charlie Burns	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26768	Comment from Heller, Patrice
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21538	Comment from Gordon Parker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26769	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21539	Comment from Charlie Burns	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26770	Comment from Ottenbrite, Shelley
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21540	Comment from ConsueloMaria Mata	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26771	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21541	Comment from Charlie Burns	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26772	Comment from Nelson, Steven
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21542	Comment from Carol Baier	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26773	Comment from Zoll, Donna
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21543	Comment from Hon. Mayor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26774	Comment from Ridolfo, Angela
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21545	Comment from John Lampson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26775	Comment from deConge, Danielle
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21546	Comment from Ronda Reynolds	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26776	Comment from Beaulieu , Carol
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21548	Comment from Pamela Johnson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26777	Comment from Topper, Sarah
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21549	Comment from Mary Pruiim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26778	Comment from Stepp, Jessica
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21550	Comment from John LoBuono	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26779	Comment from Ussini, Monique
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21551	Comment from Shannon Jacobs	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26780	Comment from Mason, Ralph
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21552	Comment from Philomena Easley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26781	Comment from Armando A. Garcia
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21553	Comment from Meg Brown	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26782	Comment from Asencio, Adam
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21554	Comment from Randolph Schoedler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26783	Comment from Vic Bostock
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21555	Comment from Dana Sklar	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26784	Comment from hanley, malveena
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21556	Comment from Jamie Le	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26785	Comment from Bloom, Amanda
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21557	Comment from Elizabeth Jache	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26786	Comment from Mezarlis, Gun
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21558	Comment from Alice Markey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26787	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21559	Comment from Michelle Mitchell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26789	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21560	Comment from Nancy loeb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26790	Comment from Ashleigh Wolven
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21561	Comment from John Weston	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26791	Comment from Claudia Wornum
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21562	Comment from Faith Strailley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26793	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21563	Comment from Silvia Noell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26794	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21564	Comment from Samantha Ayin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26795	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21565	Comment from Stacey Lopez	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26796	Comment from Carrie West
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21566	Comment from Barbara Giorgio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26797	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21567	Comment from Paula Shafransky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26798	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21568	Comment from Lynn Lang	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26799	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21569	Comment from Roberta Glaze	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26800	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21570	Comment from Clara Restivo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26801	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21571	Comment from Sally Wise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26802	Comment from David Sumner
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21572	Comment from Eugenia Guilin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26803	Comment from Anonymous Anonymous

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21573	Comment from Lindy Von Dohlen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26805	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21574	Comment from DJ Fura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26806	Comment from Probyn Gregory
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21575	Comment from Leah Hallow	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26807	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21576	Comment from Kerby Miller	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26808	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21577	Comment from Tim Speece	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26809	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21578	Comment from Haven Knight	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26810	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21579	Comment from Lorraine Gray	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26811	Comment from Neal Steiner
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21580	Comment from carolyn star	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26812	Comment from Marilyn Hanson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21581	Comment from Heather Marsh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26813	Comment from Judy Smario-Johnson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21582	Comment from DJ Fura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26814	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21583	Comment from Michael Bowe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26817	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21584	Comment from Yvonne Fedeyko-Kirby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26818	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21585	Comment from Maria Venidis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26819	Comment from Taryn Sanders
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21586	Comment from Liz Field	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26820	Comment from Charlene Kerchevall
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21587	Comment from fritzi redgrave	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26821	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21588	Comment from Lisha Doucet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26822	Comment from Maggie Topalian
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21589	Comment from Bob Phillips	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26823	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21590	Comment from Denise White	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26824	Comment from Carol Hoke
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21591	Comment from Gabriel Sheets	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26825	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21592	Comment from Lester Thompson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26826	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21593	Comment from Sarah Sheets	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26827	Comment from Judy Bensinger
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21594	Comment from Lisa Lipscomb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26828	Comment from Mary Johannsen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21595	Comment from steven nasta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26829	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21596	Comment from Stephanie Toohey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26830	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21597	Comment from Bobby Hayden	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26832	Comment from Alexandria Luostari
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21598	Comment from John Zillioux	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26833	Comment from Jeffrey Perrone
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21599	Comment from Mary Baker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26835	Comment from Leinss-Doyle, Jamie
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21600	Comment from Dorothea Leicher	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26836	Comment from Valencia, Marcy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21601	Comment from Charles Rinehart	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26837	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21602	Comment from Christopher Rose	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26838	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21603	Comment from Marie Dopico	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26839	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21604	Comment from Lisa Tobias	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26840	Comment from Martha Burton
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21605	Comment from Andrea Chisari	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26841	Comment from diana kliche
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21606	Comment from Tajeer Robinson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26842	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21607	Comment from Kay Randall	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26843	Comment from Gail Kieler
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21608	Comment from Melissa Donley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26844	Comment from Fred Coppotelli
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21609	Comment from Maryann Stork	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26845	Comment from Emily Bovee
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21610	Comment from Charlotte Jones	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26847	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21611	Comment from Patricia Lauer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26848	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21612	Comment from Susan Bradshaw	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26849	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21613	Comment from Ah Ho	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26850	Comment from Anonymous Anonymous

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21614	Comment from Donn Carroll	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26851	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21615	Comment from Joanne Doherty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26852	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21616	Comment from stacey murrow	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26853	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21617	Comment from Veena singwi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26854	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21618	Comment from Rodney Bowen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26855	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21619	Comment from marie torget	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26856	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21620	Comment from Laura McMullen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26857	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21621	Comment from Ivalee Wilson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26858	Comment from Jennifer Valentine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21622	Comment from Marian Cooley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26859	Comment from Karen Toyohara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21623	Comment from Rebecca Lippmann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26860	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21624	Comment from Jim Clapp	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26862	Comment from Neff, Dorothy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21625	Comment from Nancy Thelot	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26863	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21626	Comment from Lorren James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26865	Comment from Lana Raby
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21627	Comment from m sambuchino	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26867	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21628	Comment from Penny Birch-Williams	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26868	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21629	Comment from Florence Leto	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26869	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21630	Comment from linda b	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26870	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21631	Comment from Susan Perry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26871	Comment from Edward Dorson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21632	Comment from Margaret Olness	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26872	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21633	Comment from Stuart Newberg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26873	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21634	Comment from John Seidel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26874	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21635	Comment from Bill Wood	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26875	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21636	Comment from Nancy Carl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26876	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21637	Comment from Samantha Gill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26877	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21638	Comment from Peter Maronge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26878	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21639	Comment from Jordan Briskin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26879	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21640	Comment from Brenda Albanese	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26880	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21641	Comment from Sybil Schlesinger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26881	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21642	Comment from MARTHA GREEN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26882	Comment from Lisa Hughes
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21643	Comment from David Cagle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26883	Comment from Jenifer Johnson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21644	Comment from Glenn Novak	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26884	Comment from Debra Hunt
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21645	Comment from Rachel Gonzalez	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26885	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21646	Comment from Mark Wheeler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26886	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21647	Comment from Cathy Bledsoe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26887	Comment from Lanier, Carolyn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21648	Comment from Melissa Norman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26888	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21649	Comment from Dene Larson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26889	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21650	Comment from Gay Goden	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26890	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21651	Comment from Mara Obelcz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26891	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21652	Comment from John Livingston	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26892	Comment from Nancy Fleming
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21653	Comment from LJ Lanfranchi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26893	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21654	Comment from Joel Maguire	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26894	Comment from Anonymous Anonymous

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21655	Comment from Jaye Bergen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26895	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21656	Comment from Lynne Kane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26896	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21657	Comment from Manon Roberge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26897	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21658	Comment from Susan O'Connor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26898	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21659	Comment from Helen Stuehler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26899	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21660	Comment from Peggy Herlihy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26900	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21661	Comment from HARRIET COHEN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26901	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21662	Comment from Ellen Pedersen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26902	Comment from Lund , Alex
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21663	Comment from Candice Lowery	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26903	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21664	Comment from don dicken	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26904	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21665	Comment from Paul Skarvinko	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26905	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21666	Comment from nancy blastos	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26906	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21667	Comment from Philip Le Roux	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26907	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21670	Comment from susanne madden	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26908	Comment from Ellen McCann
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21676	Comment from McQueen, Kate	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26909	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21677	Comment from Forster, Brigitte	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26910	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21678	Comment from Tytlar, Paula S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26911	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21679	Comment from Fisher, Lori	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26912	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21680	Comment from Heinle, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26913	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21681	Comment from Ancona, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26914	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21682	Comment from Long, Tiffani	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26915	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21683	Comment from schmitt, mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26916	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21684	Comment from Carella, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26917	Comment from Grasmugg, Franziska
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21685	Comment from Kiselewich, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26918	Comment from Card-Derr, Geraldine
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21686	Comment from Kob, Stephanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26919	Comment from Mendieta, Vince
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21687	Comment from Massei, Paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26921	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21688	Comment from Moreland, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26922	Comment from Fratkin, Bryan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21689	Comment from Mynhier, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26923	Comment from Patrick Guiney
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21690	Comment from Cohen, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26924	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21691	Comment from O'Bryant, Ronda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26925	Comment from Dripps, Todd
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21692	Comment from Ottosen, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26926	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21693	Comment from Lazarus, Marianne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26927	Comment from Robson, Eric
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21694	Comment from Wade, Aaron	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26928	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21695	Comment from odoski, jess	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26929	Comment from Gosselin, Kathryn
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21696	Comment from Kanarish, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26931	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21697	Comment from Bourlotos, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26932	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21698	Comment from Gansle, Rose	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26933	Comment from Hoy, Judy
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21699	Comment from bekhet, leigh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26934	Comment from Elliott, Lynette
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21700	Comment from Huijier, Natalie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26935	Comment from Brayton, DeAnna
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21701	Comment from O'Connell, Morgane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26936	Comment from zucker, m. lee
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21702	Comment from Wood, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26937	Comment from Anonymous Anonymous

02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21703	Comment from Piazza, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26938	Comment from Evelyn Coltman
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21704	Comment from Paprocki, Douglas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26939	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21705	Comment from Schultz, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26940	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21706	Comment from Danilak, Eva	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26941	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21707	Comment from Johnson, Angie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26942	Comment from kowalski, josephine
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21708	Comment from Waite, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26943	Comment from Belgiorno, Laura
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21709	Comment from Covello, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26944	Comment from Coll, Karen
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21710	Comment from dos santos, jamie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26945	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21711	Comment from Tamayo, Cristina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26946	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21712	Comment from Basse, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26947	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21713	Comment from Dunn, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26948	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21714	Comment from Yerkes, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26949	Comment from Rye, Faye
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21715	Comment from Taylor, Tracey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26950	Comment from Stoeckel, Sue
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21716	Comment from Doerler, Jan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26951	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21717	Comment from Charles, Stanley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26952	Comment from Boletchek, Stephen
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21718	Comment from Caldwell, Jaclyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26953	Comment from Johnson, Keith
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21719	Comment from Sandritter, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26954	Comment from Holden, Megan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21720	Comment from DALRYMPLE, MARTHA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26955	Comment from Conlon, Laurie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21721	Comment from Cole, Kayla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26956	Comment from Ybarra, Katherine
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21722	Comment from Kvislen, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26957	Comment from Graham, Danielle
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21723	Comment from McCrohan, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26958	Comment from Davis, Scheree
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21724	Comment from Symington, Michele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26959	Comment from Uhlir, Christina
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21725	Comment from Morton, Alan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26960	Comment from Tina Brenza
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21726	Comment from Speranza, Ilya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26961	Comment from Asbury, Craig
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21727	Comment from Roesch, Al	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26962	Comment from Clothier-Krupa, Susan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21728	Comment from Strain, Darren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26963	Comment from Anita Wisch
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21729	Comment from Moy, Kristine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26964	Comment from Jaedra A Luke
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21730	Comment from Risso, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26965	Comment from Murray, Marilee
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21731	Comment from Riesberg, Jody	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26966	Comment from Lewis, Norman
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21732	Comment from Simmons, Shelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26967	Comment from Anderson, Robert
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21733	Comment from Abrams, Ericka	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26968	Comment from O'Connor, Naomi
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21734	Comment from Baum, Miriam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26969	Comment from Anita Wisch
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21735	Comment from Bloom, Joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26970	Comment from Koehrsen, Glenn
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21736	Comment from Richardson, Aleda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26971	Comment from Moore, Chris
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21737	Comment from Spencer, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26972	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21738	Comment from Vescio, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26973	Comment from Hunkler, Lisa
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21739	Comment from Agnew, Erika	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26974	Comment from Fisher, Donna
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21740	Comment from Melnyck, Robby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26975	Comment from Buffie, Elise
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21741	Comment from Anderson, Laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26976	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21742	Comment from Preston, Iris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26977	Comment from Anita Wisch
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21743	Comment from Kalinski, Ray	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26978	Comment from Hicks, Will

02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21744	Comment from Rogers, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26979	Comment from Browning, Marjorie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21745	Comment from Ruderman, Paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26980	Comment from Newton, Laura
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21746	Comment from Bergeron, Allison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26981	Comment from Encarnacao, AnneMarie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21747	Comment from Dewberry, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26982	Comment from weaver, laura
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21748	Comment from SHARP, GLORIA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26983	Comment from Frank, Rose
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21749	Comment from Jolley, Dee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26984	Comment from Brannigan, Kelly
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21750	Comment from Stegeman, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26985	Comment from weaver, laura
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21751	Comment from Pawloski, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26986	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21752	Comment from Green, Steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26987	Comment from Moreton, Shannon
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21753	Comment from Ullberg, Dan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26988	Comment from Reed, Towner
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21754	Comment from Simpson, Lou	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26989	Comment from Blackmore, Susan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21755	Comment from Wilkas, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26990	Comment from Hall, Justen
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21756	Comment from Gates, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26991	Comment from Moffett, Will
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21757	Comment from Franz, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26992	Comment from Hamer, Suzanne
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21758	Comment from Cutler, Edward	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26993	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21759	Comment from Campeau, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26994	Comment from Fritz, Marilyn
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21760	Comment from Stimson, Christopher	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26995	Comment from Flory, Evelyn
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21761	Comment from Delaney, Amy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26996	Comment from Janson, Sharon
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21762	Comment from Klass, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26997	Comment from Kelly, Alanna
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21763	Comment from Roberts, Janie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26998	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21764	Comment from Christ, Starr aka Shirlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26999	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21765	Comment from Bee, Sha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27000	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21766	Comment from Twaddell, Cheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27001	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21767	Comment from Bloom, Joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27002	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21768	Comment from Pflugh, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27003	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21769	Comment from Lemmon, Courtney	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27004	Comment from Fortgang, Mindye
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21770	Comment from DeFazio, Heather	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27005	Comment from Alten, Margot
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21771	Comment from Miller, Connie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27006	Comment from Kusdogan, Rumi
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21772	Comment from Downey, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27007	Comment from Cueto, Joey
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21773	Comment from Camacho, MC	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27008	Comment from Oliver Borquez, Maureen
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21774	Comment from Lascari, Eleanor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27009	Comment from Patricia Wittig
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21775	Comment from VanWinkle, Jean Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27010	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21777	Comment from coniglio, mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27012	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21779	Comment from Benton, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27013	Comment from Schwartz, Eric
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21780	Comment from OConnor, Keri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27014	Comment from Schwartz, Eric
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21781	Comment from Schwartz, Joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27015	Comment from Fratkin, Bryan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21782	Comment from Schneebeli, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27016	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21783	Comment from Rosenfeld, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27017	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21785	Comment from Moskal, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27018	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21786	Comment from Wheeler, Theresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27019	Comment from Rosenkotter, Barbara
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21787	Comment from T, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27020	Comment from Austin, Christine

02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21788	Comment from Jordan, Jill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27021	Comment from Grove, Scott
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21789	Comment from Olsen, Joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27022	Comment from Agnew, Brenda
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21790	Comment from Kaemerer, Casey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27023	Comment from Margaret Goodale
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21791	Comment from Capstick, Hilary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27024	Comment from Leas, Arlene
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21792	Comment from Damon, Matt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27025	Comment from Janson, Sharon
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21793	Comment from Roy, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27026	Comment from Nihsen, Dixie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21794	Comment from McDonald, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27027	Comment from Marxuach, Antonio
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21795	Comment from Richey, Harry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27028	Comment from Miller, Paula
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21796	Comment from schampel, julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27029	Comment from Robinson, Pat
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21797	Comment from Iovino, Teresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27030	Comment from LeFebvre, Dave
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21798	Comment from Montgomery, Marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27031	Comment from W., P.
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21799	Comment from Ashkettle, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27032	Comment from Wood, Kim
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21800	Comment from St Denis Searle, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27033	Comment from Graham, Lisa
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21801	Comment from Barquet, Yamile M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27034	Comment from Princip, Stephanie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21802	Comment from Kaufman, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27035	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21803	Comment from Klumb, Carole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27036	Comment from Nihsen, Dixie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21804	Comment from Embree Lavoie, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27037	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21805	Comment from Higdon, Maxxcell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27038	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21806	Comment from Gross, Elaine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27039	Comment from Layne, Allister
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21807	Comment from Boomershine, Renee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27040	Comment from Eudy, Elaine
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21808	Comment from Hamer, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27041	Comment from Barfield, Bonnie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21809	Comment from Durrer, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27042	Comment from Straw, Rebecca
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21810	Comment from Durrer, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27043	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21811	Comment from Oerke Jr, Carl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27044	Comment from Oberdorf, Robert
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21812	Comment from Irvine, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27045	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21813	Comment from Hershey, Donald	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27046	Comment from Weisman, Milt
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21814	Comment from Lutsky, Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27047	Comment from DAnnunzio, Patrick
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21815	Comment from Roney, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27048	Comment from Hendershot, Tamara
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21816	Comment from Witherington, Allen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27049	Comment from Smoller, Merry
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21817	Comment from Avila, Olivia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27050	Comment from Klein, Philip
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21818	Comment from Chiappa, Russell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27051	Comment from Bains, Jeffrey
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21819	Comment from Serafin, Kiara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27052	Comment from Wright MD, Rhonda D.
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21820	Comment from Owens, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27053	Comment from Peter, John
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21821	Comment from Allison, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27054	Comment from Smith, Priscilla
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21822	Comment from Josselin, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27055	Comment from Argo, Allison
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21823	Comment from Pier, Italia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27056	Comment from Eddy, Brendan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21824	Comment from Gummel, Janis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27058	Comment from McBride, Nancy
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21825	Comment from Vie, Phoenix	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27059	Comment from Ajemian, Peter
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21826	Comment from Wise, K	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27060	Comment from Axelrod RN, Jan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21827	Comment from Ruth, Sherry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27061	Comment from Vayda, Karen
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21828	Comment from Lalumiere, Valerie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27062	Comment from Graf, Rosemary

02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21829	Comment from bauer, pf	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27063	Comment from Sorrells, James
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21830	Comment from Azzarello, Joseph	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27064	Comment from Marshall, Sheila
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21831	Comment from dabrowski, mike	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27065	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21832	Comment from wolfskill, laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27066	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21833	Comment from Boylston, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27067	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21834	Comment from Slonaker, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27069	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21835	Comment from Courson, Tim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27071	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21836	Comment from Brady, Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27072	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21837	Comment from Gramigna, Lynda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27073	Comment from Kate Crowley
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21838	Comment from goodwin, mattie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27074	Comment from David Boyer
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21839	Comment from Pullins, Bette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27075	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21840	Comment from Sober, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27076	Comment from Kathryn Fenley
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21841	Comment from Flannery, Elisabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27077	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21842	Comment from Lario, Rocio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27078	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21843	Comment from Fishman, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27079	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21844	Comment from Young, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27080	Comment from Hermann-Wu, Kate
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21845	Comment from Cannon Huffman, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27081	Comment from McAuliffe, Carole
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21846	Comment from Fairhurst, Samantha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27082	Comment from Stewart, Sarah
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21847	Comment from Cliff, Tara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27083	Comment from Arguello, Sylvana
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21848	Comment from Rolon, Jennie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27084	Comment from Burca, Georgeta
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21849	Comment from Greene, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27085	Comment from Henry, Amy
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21850	Comment from Brannan, Nick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27086	Comment from katz rose, elana
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21851	Comment from Scott, Shelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27087	Comment from Pighetti, Heather
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21852	Comment from Rosenfeld, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27088	Comment from Fossa, Wendy
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21853	Comment from Tsouristakis, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27089	Comment from Watson, Carol Knight
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21854	Comment from Florez, Alejandro	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27090	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21855	Comment from Grosu, Camelia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27091	Comment from Knowles, Linda
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21856	Comment from Beerheide, Erna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27092	Comment from Kelly, Alanna
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21857	Comment from Montoya, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27093	Comment from gamache, jussi
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21858	Comment from R, Alison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27094	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21859	Comment from Williams, Donald	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27095	Comment from Hilton, Adina
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21860	Comment from Boop, Tracy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27096	Comment from Snight, Elise
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21861	Comment from Tomori, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27097	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21862	Comment from Hochtritt, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27098	Comment from The Pew Charitable Trusts
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21863	Comment from Filkins, Joanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27099	Comment from Marcia. Ostrowski
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21864	Comment from Newmark, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27100	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21873	Comment from Harrison, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27101	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21874	Comment from Mudge, Muriel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27102	Comment from Orva M Gullett
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21875	Comment from McConnell, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27103	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21876	Comment from Kellman, Steven G	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27104	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21877	Comment from Shulman, Rose	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27105	Comment from Anonymous Anonymous

02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21878	Comment from CAMBERDELLA, ROBERT	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27106	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21879	Comment from weger, evan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27107	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21880	Comment from Neidell, Merle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27108	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21881	Comment from chapman, carolynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27109	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21882	Comment from Toone, Kristen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27110	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21883	Comment from Oswald, Judi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27111	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21884	Comment from Morales, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27112	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21885	Comment from McCrea, Peter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27113	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21887	Comment from Carrier, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27114	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21888	Comment from Gross, Howard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27115	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21889	Comment from Underwood, Tammy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27116	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21890	Comment from Robinett, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27117	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21891	Comment from Holtz, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27118	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21892	Comment from horton, dan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27119	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21894	Comment from Minchuk, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27120	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21895	Comment from Shields, Sundae	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27121	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21896	Comment from Snyder, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27122	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21897	Comment from Teders, Meredith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27123	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21898	Comment from Peacock, Vivian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27124	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21899	Comment from Ailstock, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27125	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21900	Comment from Carver, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27126	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21901	Comment from Gershanoff, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27127	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21902	Comment from Howe, Amy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27128	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21903	Comment from Moneymaker, Christy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27129	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21904	Comment from Simek, Teresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27130	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21909	Comment from Corrigan, Brigid	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27131	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21910	Comment from REHMERT, DONNA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27132	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21911	Comment from Gaubatz, Gary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27133	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21912	Comment from Marshall, Dorrine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27134	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21913	Comment from Colton, Cammy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27135	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21914	Comment from Gleckel, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27136	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21915	Comment from Russo, Bob	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27137	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21916	Comment from Decker, Dorothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27138	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21917	Comment from bennett, gina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27139	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21918	Comment from Bennett, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27140	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21919	Comment from Horton, Deanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27141	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21920	Comment from Coville, Betsy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27142	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21921	Comment from O'Malley, Sunny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27143	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21922	Comment from Bishop, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27144	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21923	Comment from Fleury de Castro, Gabriela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27145	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21925	Comment from Clairmonte, Amanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27146	Comment from Anonymous Anonymous

02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21926	Comment from Warters, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27147	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21927	Comment from Davis, Elaine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27148	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21929	Comment from Ryder, Stacey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27149	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21930	Comment from Barns, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27150	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21931	Comment from Kotcher, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27151	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21932	Comment from Smith, Bonnie J	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27152	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21933	Comment from Ryan, Jack	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27153	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21934	Comment from Abrams, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27154	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21935	Comment from May, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27155	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21936	Comment from Sink, Randle no moo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27156	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21937	Comment from Chavez, Fred	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27157	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21938	Comment from Shinn, Michon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27158	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21939	Comment from Han, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27159	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21940	Comment from Beeman, Joanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27160	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21941	Comment from Bishop, Sonya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27161	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21942	Comment from Clairmonte, Amanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27162	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21943	Comment from Hoffman, Cathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27163	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21944	Comment from Sizelove, Betty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27164	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21945	Comment from Anderson, Allison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27165	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21947	Comment from Gallinger, Rob	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27166	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21948	Comment from Mathews Connally, Jeanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27167	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21949	Comment from Larence, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27168	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21950	Comment from Mannino, Ross	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27169	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21951	Comment from Rose, Tona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27170	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21953	Comment from Brown, Valerie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27171	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21954	Comment from foley, susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27172	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21955	Comment from Lynch, Terri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27173	Comment from Tennant, Allie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21957	Comment from Richardson, Mevelyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27174	Comment from burger, nancy
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21958	Comment from Tewalt, Gail	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27175	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21959	Comment from White, Katie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27176	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21960	Comment from Seegott, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27177	Comment from Patterson, Pam
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21961	Comment from Martuszewski, Michele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27178	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21962	Comment from Hegedus, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27179	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21963	Comment from Turner, Jean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27180	Comment from Lazenby, Morgan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21964	Comment from Propst, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27181	Comment from Wright, Karen
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21965	Comment from Sanchez, Michaela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27182	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21966	Comment from Arguello, Sylvana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27183	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21967	Comment from Berkeley, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27184	Comment from Ferguson, Andrea
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21968	Comment from broll, carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27185	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21969	Comment from Johnson, Jenifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27186	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21970	Comment from King, Kate	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27187	Comment from Anonymous Anonymous

02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21971	Comment from Hawn, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27188	Comment from Soly, Kristine
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21972	Comment from Rinas, Juanita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27189	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21973	Comment from Guzman, Lourdes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27190	Comment from katz rose, elana
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21974	Comment from Hartman, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27191	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21975	Comment from Kurman, Tania	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27192	Comment from Carroll, Colleen
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21976	Comment from Wilder, Andrew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27193	Comment from LaBella, Katherine
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21977	Comment from Sullivan, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27194	Comment from Maloney, Katie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21978	Comment from Boyle, Virginia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27195	Comment from Reiter, Deborah
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21979	Comment from Hansen, Angela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27196	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21980	Comment from Kovash, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27197	Comment from Traniello, Francine
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21981	Comment from Purnell, Dan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27198	Comment from Smith, Marjorie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21982	Comment from Wiggins, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27199	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21983	Comment from schalge, pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27200	Comment from Long, Jamie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21984	Comment from flagg, bob	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27201	Comment from Grove, Richard
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21985	Comment from Berke, Laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27202	Comment from Bank, Helene
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21986	Comment from Kemble Teller, Evanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27203	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21987	Comment from knaz, julia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27204	Comment from Grove, Richard
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21988	Comment from Butler, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27205	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21989	Comment from Smith, Stacey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27206	Comment from Gray, Lorraine
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21990	Comment from Sullivan, Joseph	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27207	Comment from Miller, Christopher
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21991	Comment from Caydler, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27208	Comment from Dash, Sandy
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21992	Comment from Chavez, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27209	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21993	Comment from Hodes, Harold T	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27210	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21994	Comment from Belachew, Daniel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27211	Comment from Cordeiro, Brock
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21995	Comment from alberts, allison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27212	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21996	Comment from Manning, Gretchen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27213	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21997	Comment from Holcomb, Natalie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27214	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21998	Comment from Sanchez, Amalia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27215	Comment from Hsrrison, Michaela
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21999	Comment from Autry, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27216	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22000	Comment from Liou, Larry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27217	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22001	Comment from Byron, Randi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27218	Comment from SMITH, PAMELA J.
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22002	Comment from McDonough, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27219	Comment from PRESSER, IRVING
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22003	Comment from Hoen, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27220	Comment from Hartz, Shelley
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22004	Comment from Denny, Mahi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27221	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22005	Comment from Bogovic, Tomaz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27222	Comment from Lynch, Joan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22006	Comment from Melchoni, Frank	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27223	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22007	Comment from JETTE, DONNA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27224	Comment from Matteodo, Allison
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22008	Comment from Materi, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27225	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22009	Comment from Wilson, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27226	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22010	Comment from Romans, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27227	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22011	Comment from merker, fran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27228	Comment from Bouilland, Stacy

02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22012	Comment from McGovern, Sandy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27229	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22013	Comment from Sanchez, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27230	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22014	Comment from Sargent, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27231	Comment from Levin, Katherine
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22015	Comment from Kunkel, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27232	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22016	Comment from Cochran, Casey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27233	Comment from Sheytanian, Lauren
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22017	Comment from Van Rossum, Patrice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27234	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22018	Comment from Ramos, Paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27235	Comment from Blank, Jordan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22019	Comment from Knuth, Lilly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27236	Comment from Tamagini, Sheryle
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22020	Comment from Pike, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27237	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22021	Comment from Eller, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27238	Comment from Kosiorek, John
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22022	Comment from Roney, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27239	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22023	Comment from Nunez, Adriana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27240	Comment from Denis, Laurie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22024	Comment from Dean, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27241	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22025	Comment from Martin, Chas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27242	Comment from angelo, marjorie
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22026	Comment from Nunez, Adriana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27243	Comment from Henrichon, Gina
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22027	Comment from Groenendaal, Susanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27244	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22028	Comment from Marashinsky, Amy Sophia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27245	Comment from Strelke, Robert
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22029	Comment from Beierl, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27246	Comment from DiTullio, Dennis
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22030	Comment from Wallace, Tamyra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27247	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22031	Comment from serrano, mari	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27248	Comment from Goslant, Clare
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22032	Comment from Miranda, Evangeline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27249	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22033	Comment from Barger, Kirsten	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27250	Comment from Anonymous Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22034	Comment from Mitchell, Ronald	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27251	Comment from DeLuca, Theresa
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22035	Comment from Eaton, Sam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27252	Comment from MacLamroc, Alan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22036	Comment from Sampson, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27253	Comment from Groves, Rosamond
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22037	Comment from Waters, Constance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27254	Comment from Wolf, Dietlinde
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22040	Comment from Boisseranc, Virginie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27255	Comment from LaFleur, Teresia
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22041	Comment from Bunner, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27256	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22042	Comment from lucas, steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27257	Comment from Bortolussi, Susan
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22043	Comment from Veach, Andrea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27258	Comment from Billadeau, Michelle
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22044	Comment from Marrone, Marnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27259	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22045	Comment from Block, Jack	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27260	Comment from Elmes, Kristen
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22046	Comment from Dee, Laurice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27261	Comment from Moosbruker, Jane
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22047	Comment from Homsey, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27262	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22048	Comment from Ginepro, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27263	Comment from Fossa, Wendy
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22049	Comment from wilson, colette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27264	Comment from Vlasopolos, Anca
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22050	Comment from Donoso, Steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27265	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22051	Comment from Ludtke, Allison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27266	Comment from Dyer-Bennet, Brooke
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22052	Comment from Quinn, Patrick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27267	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22053	Comment from Schiele, Lori	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27268	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22054	Comment from Howell, Crystal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27269	Comment from Williams, Donald

02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22055	Comment from Cotton, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27270	Comment from Turner, Traci
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22056	Comment from Ungar, Autumn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27271	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22057	Comment from Hansell, Connor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27272	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22058	Comment from Lindner, Roberta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27273	Comment from Kroeger, Catherine
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22059	Comment from Ash, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27274	Comment from Roane, Christine
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22060	Comment from Marrone, Marnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27275	Comment from Speck, Caryl
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22061	Comment from morander, kellyann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27276	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22062	Comment from Skeggs, Nicola	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27277	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22063	Comment from Sweeney, Wesa Asgaya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27278	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22064	Comment from Briner, Helen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27279	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22065	Comment from Albright, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27280	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22066	Comment from Bj, Nigel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27281	Comment from Sandra Cais
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22067	Comment from H, A	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27282	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22068	Comment from Schnitzer, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27283	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22069	Comment from Embree, Harland	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27284	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22071	Comment from thompson, susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27285	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22072	Comment from Calabrese, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27286	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22073	Comment from Daugherty, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27288	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22074	Comment from cobb, robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27289	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22075	Comment from Cj, Sandi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27290	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22076	Comment from Dotzauer, Uwe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27291	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22077	Comment from Kale, Nivedeeta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27292	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22078	Comment from Cox, CJ	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27293	Comment from Wilson, Mary
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22079	Comment from caccia, david	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27294	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22080	Comment from Giovannini, Aldo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27295	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22081	Comment from Cellurale, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27296	Comment from Chakoutis, Kathy
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22083	Comment from David, Bet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27297	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22084	Comment from roberts, les	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27298	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22085	Comment from Hull, Gary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27299	Comment from Braman, Ann
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22086	Comment from Mazzone, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27300	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22087	Comment from Parris, Jocelyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27301	Comment from Alvernaz, Beth
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22088	Comment from SZELA, STANLEY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27302	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22089	Comment from Holloway, Dempsey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27303	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22090	Comment from T, L	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27304	Comment from Johnston, Ardis
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22091	Comment from Wynn, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27305	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22092	Comment from Alpert, Peggy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27306	Comment from Hassinger, Richard
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22093	Comment from DeLuca, Milva	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27307	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22094	Comment from Hawkins, Savannah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27308	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22095	Comment from Patoray, Arlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27309	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22096	Comment from Betancourt, Dolores	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27310	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22097	Comment from Gordon, Amanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27311	Comment from Gershanoff, MaryDana

02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22098	Comment from elliot, phyllis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27312	Comment from Sankey, Karen
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22099	Comment from Kaslander, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27313	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22100	Comment from ahlstrand, Heidi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27314	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22101	Comment from Eckberg, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27316	Comment from Cantrell, Victoria
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22102	Comment from Ruopp, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27317	Comment from B, Barbara
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22103	Comment from Martin, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27318	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22104	Comment from Hooten, Dustin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27319	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22105	Comment from Lindemulder Harris, Laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27320	Comment from Richardson, Gail
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22106	Comment from Cambouris, Jeanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27321	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22107	Comment from glasser, mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27322	Comment from Navan, Gloria
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22108	Comment from Katen, Colleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27323	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22109	Comment from Szela, Carolyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27324	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22110	Comment from Cambouris, Jeanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27325	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22112	Comment from Coppotelli, Fred	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27326	Comment from Stringham, Deb
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22113	Comment from Tarantino, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27327	Comment from Repp, S.
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22114	Comment from Coppotelli, Heide	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27328	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22115	Comment from Peterson, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27329	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22116	Comment from Comfoirt, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27330	Comment from Milligan, Todd
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22117	Comment from Arboleda, Lillian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27331	Comment from Barringer, Joyce
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22118	Comment from Paddock, Estelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27332	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22119	Comment from Brenner, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27333	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22120	Comment from Muehlhof, Charles	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27334	Comment from Swindell, Elak
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22121	Comment from De guardi, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27335	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22122	Comment from Shapiro, Aggie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27336	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22123	Comment from jorgensen, Alena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27337	Comment from Lahaie, Ann Marie
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22124	Comment from lancman, deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27338	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22125	Comment from Mason, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27339	Comment from Grabill, Aurora
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22126	Comment from Gleason, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27340	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22127	Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27341	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22128	Comment from Gleason, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27342	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22129	Comment from Sandgrund, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27343	Comment from youd, mark
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22130	Comment from Ruthman, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27344	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22131	Comment from Elliott Cattell, June	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27345	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22132	Comment from McMullins, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27346	Comment from Field, Liz
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22133	Comment from Wertheim, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27347	Comment from Berkland, John
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22134	Comment from Hutcheson, Garrett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27348	Comment from Inglis, Jennie
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22135	Comment from fox jr, Richard K	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27349	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22136	Comment from Callahan, Kara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27350	Comment from Goldthwaite, Claire
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22137	Comment from Nolan, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27351	Comment from gray, patricia
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22138	Comment from Turner, Phyllis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27352	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22139	Comment from Speicher, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27353	Comment from Hughes, Christopher

02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22140	Comment from McPeek, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27354	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22141	Comment from Fields Lardie, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27355	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22142	Comment from Kydes, Parthena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27356	Comment from Magee, John
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22143	Comment from Jesse, Chuck	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27357	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22144	Comment from Homer, Rona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27358	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22145	Comment from Boxman, Jerry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27359	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22146	Comment from farber, joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27360	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22147	Comment from Reid Johansson, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27361	Comment from Smith, Kellie
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22148	Comment from Lover, Freedom	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27362	Comment from Sagovac, Emily
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22149	Comment from Rossi, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27363	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22150	Comment from May, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27364	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22151	Comment from Cuthbertson, Jacqueline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27365	Comment from Keith, Lindsay
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22152	Comment from DeGerolamo, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27366	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22153	Comment from Mercer, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27367	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22154	Comment from Herdon, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27368	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22155	Comment from Neubauer, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27369	Comment from fetterhoff, sheila
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22156	Comment from Creighton, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27370	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22157	Comment from Reagab, Carolee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27371	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22158	Comment from cook, kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27372	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22159	Comment from Quednau, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27373	Comment from Mackle, Susan
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22160	Comment from Slott, Lucas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27374	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22161	Comment from Mohning, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27375	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22162	Comment from Kromschroeder, Ardyth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27376	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22163	Comment from Hyland, Lillian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27377	Comment from Freeman, Amy
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22164	Comment from Rodgers, Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27378	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22165	Comment from Connor, Phillip	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27379	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22166	Comment from Warfield, Tara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27380	Comment from Weiland, Sherry
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22167	Comment from Hogarty, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27381	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22168	Comment from Mitchell, Rick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27382	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22169	Comment from Smtih, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27383	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22170	Comment from Jolley, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27384	Comment from Dean, Shelagh
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22171	Comment from Wolf, Dietlinde	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27385	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22172	Comment from O'Leary, Madison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27386	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22173	Comment from Hnatowich, Don	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27387	Comment from Ann Malyon
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22174	Comment from MacLeod, Soози	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27388	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22175	Comment from tavani, carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27389	Comment from Sid, A
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22176	Comment from Hays, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27390	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22177	Comment from beebe, lauren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27391	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22178	Comment from Mahncke, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27392	Comment from Chivian, Susanna
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22179	Comment from Novak, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27393	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22180	Comment from Ritter, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27394	Comment from Robinson, Janet

02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22181	Comment from Franklin, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27395	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22182	Comment from Wiseman, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27396	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22183	Comment from Bouret, John P	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27397	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22184	Comment from Hollowell, Minerva	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27398	Comment from Rosenberg, H.
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22185	Comment from Whitener, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27399	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22186	Comment from Coulson, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27400	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22187	Comment from Singh, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27401	Comment from CUSHING, MICHAEL
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22188	Comment from Eaton, Hilary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27402	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22189	Comment from Cruickshank, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27403	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22190	Comment from Lopez, Susan D	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27404	Comment from Wildes, Diane
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22191	Comment from Bradley, Stacey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27405	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22192	Comment from Jeckel, Craig	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27406	Comment from Whitford, Tracy
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22193	Comment from CURLE, HEATHER	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27407	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22194	Comment from Cachola, Ben	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27408	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22195	Comment from Zwicker, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27409	Comment from Holscher, Loretta
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22196	Comment from Peterson, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27410	Comment from Norman, Christine
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22197	Comment from Amey, Annette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27411	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22198	Comment from gilson, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27412	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22199	Comment from Parker, Dixie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27413	Comment from Plumb, Sonja
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22200	Comment from Lowe, Manuela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27414	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22201	Comment from watters, Whitney	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27415	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22202	Comment from Barry, Walter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27416	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22203	Comment from Huggins, Margie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27417	Comment from Fexis, Deborah
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22204	Comment from constantine, kyle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27418	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22205	Comment from Petri, Sharman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27419	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22206	Comment from Garcia, Eric	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27420	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22207	Comment from Souza, Mike	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27421	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22208	Comment from Collins, Joseph	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27422	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22209	Comment from Pattison, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27423	Comment from Naji, Eric
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22210	Comment from Garcia, Juanita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27424	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22211	Comment from Mitchell, Beverly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27425	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22212	Comment from BROADBENT, DAWN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27426	Comment from Naji, Eric
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22213	Comment from Falcon, Jenn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27427	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22214	Comment from Hunt, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27428	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22215	Comment from P, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27429	Comment from douglas, norman
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22216	Comment from Cooney, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27430	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22217	Comment from Noell, Silvia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27431	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22218	Comment from b, linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27432	Comment from Banks, Janice
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22219	Comment from Andrews, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27433	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22220	Comment from Case, Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27434	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22221	Comment from Whitehead, Charleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27435	Comment from Anonymous Anonymous

02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22222	Comment from Jennings, LeeAnn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27436	Comment from Loveland, Jim
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22223	Comment from Pastuszak, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27437	Comment from Rogers, Dennis
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22224	Comment from Dugin, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27438	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22225	Comment from Roth, Twila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27439	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22226	Comment from Nunn, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27440	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22227	Comment from Kastner, Margean pop	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27441	Comment from Boura, Theodora
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22228	Comment from Adams, Jay	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27442	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22229	Comment from Vaz, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27443	Comment from Rush, Catherine
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22230	Comment from Maglione, Jude	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27444	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22231	Comment from Wolner, Kirsten	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27445	Comment from Huychison, James
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22232	Comment from Sutton, Beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27446	Comment from Morrison, Barb
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22233	Comment from Dodson, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27447	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22234	Comment from anthony, wanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27448	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22235	Comment from Hoopes, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27449	Comment from Friedman, Heidi
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22236	Comment from Joyce Parr, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27450	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22237	Comment from Serotini, Camille	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27451	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22238	Comment from Friedland, Rachel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27452	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22239	Comment from Platt, Penny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27453	Comment from O'Rourke, Susan
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22240	Comment from Chapin, Madeleine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27454	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22241	Comment from Garcia, Leticia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27455	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22242	Comment from Dean, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27456	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22243	Comment from Braithwaite, Ruth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27457	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22244	Comment from Graham, Karyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27458	Comment from Reed, Wrenn
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22245	Comment from Clark, Lorelee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27459	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22246	Comment from Daschbach, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27460	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22247	Comment from Richardson, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27461	Comment from Peters, Lydia
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22248	Comment from O'Neill, Erin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27462	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22249	Comment from Torres, Shelley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27463	Comment from Whitman, Fanny
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22250	Comment from Weiner, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27464	Comment from Burton, Martha
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22251	Comment from Bradshaw, Emma	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27465	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22252	Comment from Trufan, Hal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27466	Comment from Burrige, John
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22253	Comment from Guard, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27467	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22254	Comment from Snyder, Todd	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27468	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22255	Comment from Lindley, Gail	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27469	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22256	Comment from Ridder, Lynette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27470	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22257	Comment from Bailey, Laurel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27471	Comment from Kurland, Miriam
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22258	Comment from Harter, Rosina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27472	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22259	Comment from Cleveland, Jill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27473	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22260	Comment from Shuell, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27474	Comment from Macintosh, Arlene
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22261	Comment from Bartolomeo, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27475	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22262	Comment from Gomez, Ruby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27476	Comment from Anonymous Anonymous

02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22263	Comment from Wilson, Leah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27477	Comment from Beer, Aaron
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22264	Comment from watters, cheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27478	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22265	Comment from Vaughn, Christie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27479	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22266	Comment from Asbury, Craig	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27480	Comment from Lemont, Susan
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22267	Comment from Wald, Aloysius	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27481	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22268	Comment from Shaw, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27482	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22269	Comment from Gordon, Lonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27483	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22270	Comment from Rogers, Gary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27484	Comment from roy, margo
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22271	Comment from Reams, Shirley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27485	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22272	Comment from Biederman, Janice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27486	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22273	Comment from McGunagle, William	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27487	Comment from Cahill, Debra
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22274	Comment from McMclaughlin, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27488	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22275	Comment from Kump, Angela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27489	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22276	Comment from Fraser, Evelyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27490	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22277	Comment from Castaldi, Sincerely	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27491	Comment from Weldon, Wendy
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22278	Comment from Schilling, Christy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27492	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22279	Comment from Walsh, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27493	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22280	Comment from Krane, Fran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27494	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22282	Comment from Savage, Dorothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27495	Comment from Flanders, Gail
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22283	Comment from Michl, Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27496	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22284	Comment from Morgan, Audrey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27497	Comment from Wall, Alexa
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22285	Comment from Godzicki, Joanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27498	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22286	Comment from Foxton, Trevanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27499	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22287	Comment from Goldstein, Jody	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27500	Comment from Barth, Joline
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22288	Comment from Phillips, Weslie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27501	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22289	Comment from Riker, Rose	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27502	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22290	Comment from Sollitto, Alissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27503	Comment from Walker, Kelly
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22291	Comment from Miller, Valerie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27504	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22292	Comment from Terk, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27505	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22293	Comment from Wenrich, Tanya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27506	Comment from Wells, Lasha
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22294	Comment from Ensmann, Tammy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27507	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22295	Comment from Harrison, Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27508	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22296	Comment from Stenberg, Fran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27509	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22297	Comment from Williams, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27510	Comment from Gazzana, Greg
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22298	Comment from Borrelli, Bruno	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27511	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22299	Comment from Soletzky, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27512	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22300	Comment from Vyas, Shelley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27513	Comment from Peterson, Robin
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22301	Comment from Snyder, Renee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27514	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22302	Comment from Raymond, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27515	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22303	Comment from robinson, joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27516	Comment from Brennan, Margot
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22304	Comment from Somers, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27517	Comment from Anonymous Anonymous

02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22305	Comment from Goldstein, Laura R	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27518	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22306	Comment from Forster, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27519	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22307	Comment from MacLagan, Lynette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27520	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22308	Comment from Clayman, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27521	Comment from Belachew, Daniel
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22309	Comment from Wilson, Eve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27522	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22310	Comment from Kosinski, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27523	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22311	Comment from Bush, Claire	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27524	Comment from Wolak, Marina
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22312	Comment from Santana, Lillian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27525	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22313	Comment from Cox, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27526	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22314	Comment from Medina, Tatiana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27527	Comment from Denton, April B.
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22315	Comment from Holcomb, Sherry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27528	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22316	Comment from Gauthier, Jayne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27529	Comment from Walker, Randy
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22317	Comment from Garcia, Leah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27530	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22318	Comment from Courtland, Katie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27531	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22319	Comment from McLaughlin, Julia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27532	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22320	Comment from Coniglio, B	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27533	Comment from Jahos, Ellen
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22321	Comment from Ollinger, Marge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27534	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22322	Comment from Triplett, Bill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27535	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22323	Comment from Franke, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27536	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22324	Comment from Sirois, Anne Brigitte	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27537	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22325	Comment from Rigano, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27538	Comment from Peters, Lydia
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22326	Comment from D'Apollo, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27539	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22327	Comment from Martin, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27540	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22328	Comment from halverson, yancette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27541	Comment from landry, maureen
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22329	Comment from Bernett, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27542	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22330	Comment from Martin, Jaime	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27543	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22331	Comment from Carter, Calesse	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27544	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22332	Comment from Santana, Lillian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27545	Comment from Ward, Suzan
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22333	Comment from Witty, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27546	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22334	Comment from Steelhammer, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27547	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22335	Comment from Miller, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27548	Comment from Bains, Jeffrey
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22336	Comment from Faust, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27549	Comment from Barfield, Bonnie
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22337	Comment from smith, kristin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27550	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22338	Comment from Arsenault, Deb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27551	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22339	Comment from Marina, Aida	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27552	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22340	Comment from Ferre, Corinne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27553	Comment from Heide, Andra
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22341	Comment from Fox, Lynda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27554	Comment from Schieron, Nanette
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22342	Comment from Allard, Becky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27555	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22343	Comment from Robertson, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27556	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22344	Comment from Szurley, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27557	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22345	Comment from jackson, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27558	Comment from Anonymous Anonymous

02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22346	Comment from schrek, ai	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27559	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22347	Comment from Kelling, Lorie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27560	Comment from Mcswain, J.
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22348	Comment from BLANTON, JEFFERY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27561	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22349	Comment from Mullins, Holly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27562	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22350	Comment from Irwin, Shannon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27563	Comment from Dennis, Gudrun
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22351	Comment from Kincer, M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27564	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22352	Comment from Staats, Alycia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27565	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22353	Comment from Hope, Phillip	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27566	Comment from Gilbert, April
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22354	Comment from Ruggiero, Kristen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27567	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22355	Comment from Hatsis, Craig	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27568	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22356	Comment from Koran, Lorrin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27569	Comment from Carata, Cristina
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22357	Comment from Wolf, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27570	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22358	Comment from Ludtke, Betty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27571	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22359	Comment from Vitro, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27572	Comment from Anderson, Tom
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22360	Comment from Commons, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27573	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22361	Comment from Youabian, Anita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27574	Comment from mcguire, karen
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22362	Comment from Saye, Garett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27575	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22363	Comment from Barlow, Steven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27576	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22364	Comment from Barri, Val	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27577	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22365	Comment from McKenna, Elayne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27578	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22366	Comment from Lofgren, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27579	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22367	Comment from Mathes, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27580	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22368	Comment from Baneky, Darlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27581	Comment from Gee, Michael
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22369	Comment from Stawinoga, Greg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27582	Comment from Esteve, Gregory
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22370	Comment from Edwards, Nena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27583	Comment from Anonymous Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22371	Comment from sauci, Greg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27584	Comment from Anonymous Anonymous
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22382	Comment from Dan Perdios	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27585	Comment from LeBlanc, Janice
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22390	Comment from Strijicova , Larisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27586	Comment from Anonymous Anonymous
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22391	Comment from Mann , Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27587	Comment from Kirshon, Bryan
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22392	Comment from Budniak , Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27588	Comment from Anonymous Anonymous
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22393	Comment from Rowe, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27589	Comment from Anonymous Anonymous
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22394	Comment from Young, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27590	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22398	Comment from Steiner, Neal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27591	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22399	Comment from Savage, Lenore	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27592	Comment from Dobi Dobroslawa
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22400	Comment from Martin, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27593	Comment from Zimmerman, Jacqueline
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22401	Comment from Di Stefano, Julia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27594	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22402	Comment from gauci, louis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27595	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22403	Comment from Mont Eton, Elaine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27596	Comment from Cochran, Casey
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22404	Comment from miranda, maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27597	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22405	Comment from Mozuch, Lee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27598	Comment from Mazzola, Lisa
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22406	Comment from Herbs, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27599	Comment from Keller, Monika

02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22407	Comment from Amend, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27600	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22408	Comment from Villani, Seb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27601	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22409	Comment from Louchard, O'Neill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27602	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22410	Comment from Carter, Kimm	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27603	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22411	Comment from Sprague, Kara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27604	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22412	Comment from Bluhm, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27605	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22413	Comment from Johnson, Stefanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27606	Comment from Trea, Connie
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22414	Comment from Horejsi, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27607	Comment from Strauss, Gregory
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22415	Comment from Wolff, Miriam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27608	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22416	Comment from Linder, LC	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27609	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22417	Comment from Rodeman, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27610	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22418	Comment from Hendry, Trina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27611	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22419	Comment from Geer, Matt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27612	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22420	Comment from Gonzales, Martine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27613	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22421	Comment from Kelly, Deirdre	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27614	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22422	Comment from Storm, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27615	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22423	Comment from Wiley, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27616	Comment from Arnone, Melanie
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22424	Comment from Selner, Trudi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27617	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22425	Comment from Zatrine, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27618	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22426	Comment from Drozdyk, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27619	Comment from Sawicki, Karen
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22427	Comment from TREUHAF, LINDA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27620	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22428	Comment from Hall, Alice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27621	Comment from Sidbeck, Sarah
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22429	Comment from Alon, Jan Paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27622	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22430	Comment from Fitzpatrick, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27623	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22431	Comment from Lohr, Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27624	Comment from Costa, Lynn
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22432	Comment from Anosova, Anya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27625	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22433	Comment from Sabine, Claudia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27626	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22435	Comment from Stevenson, Nan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27627	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22436	Comment from hughes, vicki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27628	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22437	Comment from Hemm, Lois	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27629	Comment from McNamara, Catherine
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22438	Comment from Akers, Carole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27630	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22439	Comment from Jimenez, Arci	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27631	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22440	Comment from Hagen, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27632	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22441	Comment from christoff, Stephanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27633	Comment from Finamore, scott
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22442	Comment from Lavy, Fred	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27634	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22443	Comment from Jacobs, Quida	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27635	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22444	Comment from McMahan, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27636	Comment from Holt, Sherian
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22445	Comment from Ross, Marsha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27637	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22446	Comment from rosa, lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27638	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22447	Comment from Earley, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27639	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22449	Comment from CHRISTISON, YVONNE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27640	Comment from Bradley, Barbara

02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22450	Comment from Saglimbene, Connie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27641	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22451	Comment from Werkmam, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27642	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22452	Comment from Smith, Leslye	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27643	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22453	Comment from Rutter, Gene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27644	Comment from Peter, John
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22454	Comment from Smith, Leslie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27645	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22455	Comment from Ruge, Mox	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27646	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22456	Comment from Wright, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27647	Comment from Plessis, Martin
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22457	Comment from Harris, Shirlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27648	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22458	Comment from Hanson, Lorin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27649	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22459	Comment from Abrams, Saliha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27650	Comment from Austin, Sarah
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22460	Comment from Bryan, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27651	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22461	Comment from Brown, Steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27652	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22462	Comment from Lippmann, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27653	Comment from Dorfman, Penny
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22463	Comment from Angell, Lynnette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27654	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22464	Comment from Hestich, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27655	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22465	Comment from spainhower, blanche	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27656	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22466	Comment from Thorpe, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27657	Comment from Jennings, Linda
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22467	Comment from Butler, William	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27658	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22468	Comment from Infante, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27659	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22469	Comment from Watts, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27660	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22470	Comment from SALLEE, SUDIE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27661	Comment from panciocco, sammia
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22471	Comment from Braverman, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27662	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22472	Comment from Kanz, Isabelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27663	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22473	Comment from Corrado Babe, Amie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27664	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22474	Comment from Bethke, Ashley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27665	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22475	Comment from Orser, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27666	Comment from Adams, James
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22476	Comment from Sykes, Wally	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27667	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22477	Comment from Cavasian, Edward	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27668	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22478	Comment from Sullivan, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27669	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22479	Comment from Burr, Brandon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27670	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22480	Comment from Humpston, Paige	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27671	Comment from Gordon, Amanda
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22481	Comment from Steinbach, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27672	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22482	Comment from Wilson, Sharon K	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27673	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22483	Comment from Brown, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27674	Comment from Baughan, Constance
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22484	Comment from Oakes, Bobbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27675	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22485	Comment from Koszeelak, Norman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27676	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22486	Comment from Vadnais, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27677	Comment from Burton, Martha
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22487	Comment from Sewald, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27678	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22488	Comment from Matijega, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27679	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22489	Comment from Nill Snow, Kris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27680	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22490	Comment from Howrey, Kristi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27681	Comment from Ranallo, Sandy

02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22491	Comment from Bostock, Vic	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27682	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22492	Comment from Hartman, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27683	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22493	Comment from Lipson, Jacquelyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27684	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22494	Comment from Cardoso, M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27685	Comment from MacLamroc, Alan
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22495	Comment from souza, peter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27686	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22496	Comment from Bouilland, Stacy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27687	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22497	Comment from Clark, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27688	Comment from Oberdorf, Robert
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22498	Comment from Lucas, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27689	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22499	Comment from Bolden, Arlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27690	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22500	Comment from Boud, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27691	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22501	Comment from Fromowitz, Allen and Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27692	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22502	Comment from man, cave	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27693	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22503	Comment from Frasca, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27694	Comment from Garratt, Elizabeth
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22504	Comment from Foley Saxon, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27695	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22505	Comment from Campolettano, Marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27696	Comment from Brooks, Dr John
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22506	Comment from Ngo, Thinh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27697	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22507	Comment from Gold, Francyne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27698	Comment from Rizzo, Richard
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22508	Comment from Bair, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27699	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22509	Comment from Herman, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27700	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22510	Comment from Rees, Marian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27701	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22511	Comment from Hoyt, Suzette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27702	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22512	Comment from Ganley, Andria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27703	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22513	Comment from King, Marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27704	Comment from Garratt, Liz
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22514	Comment from Molano, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27705	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22515	Comment from Aylward, Andie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27706	Comment from Pezzella, Lisa
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22516	Comment from Fox, Effie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27707	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22517	Comment from Hutton, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27708	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22518	Comment from Stidger, Dave	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27709	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22519	Comment from Miller, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27710	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22520	Comment from DeGross, Dorinda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27711	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22521	Comment from Bradley, Kristin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27712	Comment from Taylor, Ross
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22522	Comment from Dana, Krista	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27713	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22523	Comment from Meyer, Ronald	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27714	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22524	Comment from Hess, Hurd	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27715	Comment from Adkins, Mary
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22525	Comment from Knodel, Andrea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27716	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22526	Comment from Keyser, Kristina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27717	Comment from Martin, Cathy
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22527	Comment from Haigh, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27718	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22528	Comment from Gaffey, Matthew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27719	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22530	Comment from Bowman, Constance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27720	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22531	Comment from Br, M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27721	Comment from Stewart, Caitlin
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22532	Comment from Sambdman, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27722	Comment from Anonymous Anonymous

02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22533	Comment from Collier, Tracy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27723	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22534	Comment from Van Dyke, Carl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27724	Comment from Morgan, Paula
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22535	Comment from GARCZYNSKI, ROSEMARIE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27725	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22536	Comment from Hazen, Erika	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27726	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22537	Comment from Lynch, Dennis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27727	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22538	Comment from Zacari, Joanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27728	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22539	Comment from Fravel, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27729	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22540	Comment from Wrasse, Gary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27730	Comment from PRITCHARD, ALVERA
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22541	Comment from Fobes, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27731	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22542	Comment from Hancock, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27732	Comment from Thaler, Gary
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22543	Comment from Higgins, j	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27733	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22544	Comment from Janac, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27734	Comment from Glassman, Jean
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22545	Comment from Boguske, Matthew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27735	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22546	Comment from Aldrich, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27736	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22547	Comment from Warren, Mobi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27737	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22548	Comment from Strauss, Gregory	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27738	Comment from Sagovac, Emily
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22549	Comment from Rocha, Candace	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27739	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22550	Comment from Helliessen, Doug	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27740	Comment from Austin, Donna
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22551	Comment from Flores, Margo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27741	Comment from Hanley, Elise
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22552	Comment from Krakauer, Alice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27742	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22553	Comment from West, Alice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27743	Comment from Biel, Melissa
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22554	Comment from Gleason, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27744	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22555	Comment from Hay, Alec	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27745	Comment from Arnold, Charles
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22556	Comment from Ponchot, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27746	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22557	Comment from Riedler, Monica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27747	Comment from OConnor, Shari
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22558	Comment from Hurst, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27748	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22559	Comment from Andrews, Marian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27749	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22560	Comment from Morris, Theresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27750	Comment from Curtin, Margaret
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22561	Comment from Strayton, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27751	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22562	Comment from Gleason, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27752	Comment from Caso, Mark
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22563	Comment from Mulligan, Margi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27753	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22564	Comment from Hunt, Cyndi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27754	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22565	Comment from Gossard, Tamara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27755	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22566	Comment from Mallard, Ron	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27756	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22567	Comment from rinear, charles	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27757	Comment from Boyce, Susan
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22568	Comment from Esposito, Lori	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27758	Comment from Rosenberg, H.
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22569	Comment from Holt, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27759	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22570	Comment from Felix, Alice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27760	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22571	Comment from Butler, Cassandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27761	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22572	Comment from Turba, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27762	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22573	Comment from kramer, cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27763	Comment from Anonymous Anonymous

02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22574	Comment from Slate, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27764	Comment from von Hippel, Ted
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22575	Comment from Walsh, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27765	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22576	Comment from George, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27766	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22577	Comment from Dalcais, Sandy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27767	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22578	Comment from Winterrowd, Kirk	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27768	Comment from Griffith, Jennifer
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22579	Comment from Matisa, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27769	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22580	Comment from Rose, Erica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27770	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22581	Comment from Giannetti, Deb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27771	Comment from Axelrod RN, Jan
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22582	Comment from Ouellette, Leah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27772	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22583	Comment from Simeone, Lynne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27773	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22584	Comment from Connolly, Catherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27774	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22585	Comment from Cummings, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27775	Comment from Looney, Teresa
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22586	Comment from Ray, Rachele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27776	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22587	Comment from Kiesel, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27777	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22588	Comment from Foster, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27778	Comment from DeWitt, Susan
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22589	Comment from DeVecchi, Lara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27779	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22590	Comment from Boucher, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27780	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22591	Comment from Segura, Tony	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27781	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22592	Comment from Dash, Amitav	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27782	Comment from Ransford, Patricia
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22593	Comment from Nguyen, Guy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27783	Comment from Catherine Prince
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22594	Comment from Fay Muzar, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27784	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22595	Comment from Trock, Yael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27785	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22596	Comment from Weinstein, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27786	Comment from bald, Barbara
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22597	Comment from Edwards, John and Phyllis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27787	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22598	Comment from Thomas, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27788	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22599	Comment from House, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27789	Comment from Melo, Elizabeth
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22600	Comment from Newman, Sally	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27790	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22601	Comment from Shore, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27791	Comment from Laurie, Annie
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22602	Comment from Rodriguez, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27792	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22603	Comment from Franck, Faith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27793	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22604	Comment from Jablow, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27794	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22605	Comment from Bharadwaj, Rama	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27795	Comment from Combes, Steven
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22606	Comment from McRae, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27796	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22607	Comment from Forbes, J Dana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27797	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22608	Comment from Faith Smith, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27798	Comment from Shurling, Tamara
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22609	Comment from Vickers, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27799	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22610	Comment from LaBedz, Gordon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27800	Comment from Ivens, Rosalind
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22611	Comment from Enright, Todd	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27801	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22612	Comment from Daversa, Fran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27803	Comment from Burca, Georgeta
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22613	Comment from Dubman, Amy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27804	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22614	Comment from Crowell, Donneva	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27805	Comment from Anonymous Anonymous

02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22615	Comment from Campbell, Tara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27806	Comment from Layne, Allister
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22616	Comment from Carter, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27807	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22617	Comment from KLEIN, DOUGLAS	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27808	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22618	Comment from Loom, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27809	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22619	Comment from Winters, Drusilla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27810	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22620	Comment from Crockett, Jamie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27811	Comment from Doucette, John
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22621	Comment from Ioretta, Vincent	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27812	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22622	Comment from Allen, Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27813	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22623	Comment from Walker, Felicia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27814	Comment from Chevalier, Alea
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22624	Comment from Reback, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27815	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22625	Comment from Pierucki, Jenny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27816	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22626	Comment from JARA, JOHANNA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27817	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22627	Comment from Ogden, Valerie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27818	Comment from Driskell, Shelley
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22628	Comment from Gasco, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27819	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22629	Comment from Covie, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27820	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22630	Comment from Winterburn, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27821	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22631	Comment from Cruikshank, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27822	Comment from Cook, Steven
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22632	Comment from Atwater, Ken	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27823	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22633	Comment from Goetschius, Lascinda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27824	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22634	Comment from Charles, Dorian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27825	Comment from Mancini, Alfred
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22635	Comment from Mory, Stephanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27826	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22636	Comment from Jedlicka, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27827	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22637	Comment from Franchi, Irena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27828	Comment from Reynolds, Jeff
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22638	Comment from Lang, Stacy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27829	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22639	Comment from Panarelli, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27830	Comment from Vinton, Janine
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22640	Comment from Bell, Gillian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27831	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22641	Comment from McNall, Shirley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27832	Comment from Matta, Dawn
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22642	Comment from Armas, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27833	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22643	Comment from Cataldo, Claudia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27834	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22644	Comment from Friedley, Paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27835	Comment from Kovarik, Christiane
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22645	Comment from Balan, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27836	Comment from Carly Owens
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22646	Comment from Bechmann, Elisabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27837	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22647	Comment from Clarke, Eithne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27838	Comment from Matta, Dawn
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22648	Comment from Veilove, Rosewind	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27839	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22649	Comment from Lewis, Nora	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27840	Comment from Brennan, Noel-Anne
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22650	Comment from Villeneuve, Michele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27841	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22651	Comment from Joncas, Barb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27842	Comment from Reynolds, Helen
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22652	Comment from Fuller, Lesley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27843	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22653	Comment from Quezada, Vanessa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27844	Comment from Weisman, Milt
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22654	Comment from Quezada, Vanessa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27845	Comment from Krause, Doug
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22655	Comment from Langelier, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27846	Comment from Anonymous Anonymous

02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22656	Comment from Sheck, Sally	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27847	Comment from Timothy Castine
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22658	Comment from Goodstein, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27848	Comment from Coffey, Seth
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22659	Comment from Kennedy, Nicole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27849	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22660	Comment from McGuire, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27850	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22661	Comment from Orrock, Senator Nan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27851	Comment from Eshbaugh, Missie
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22662	Comment from Elias, Angela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27852	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22663	Comment from Eaton, Samuel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27853	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22664	Comment from Unger, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27854	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22665	Comment from Chirpin, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27855	Comment from Schooley, Kimberly
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22666	Comment from Birkby, Doug	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27856	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22667	Comment from CROSBIE, MERYL	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27858	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22668	Comment from Rim, Alice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27859	Comment from McGrath, Joan
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22669	Comment from Eaton, Samuel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27860	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22670	Comment from Winton, Greg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27861	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22671	Comment from Careccia, Maryfrances	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27862	Comment from Miro, Julie
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22672	Comment from Kenefick, Blanca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27863	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22673	Comment from Pongallo, Dan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27864	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22674	Comment from LoBuono, Joanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27865	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22675	Comment from Villalobos, Lydia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27866	Comment from Koester, Sharon
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22676	Comment from Gomes, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27867	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22677	Comment from Denniston, Jay	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27868	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22678	Comment from Bering, Caroline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27869	Comment from Luce, Cora
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22679	Comment from Canty, Marlynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27870	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22680	Comment from Ausman, Candi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27871	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22681	Comment from Nickelsen, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27872	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22682	Comment from Pou, Tessa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27873	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22683	Comment from Johnson, Pam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27874	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22685	Comment from Lambeth, Larry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27875	Comment from Cassens, Susie
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22686	Comment from Kiholm, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27876	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22687	Comment from Dotson, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27877	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22688	Comment from MILLER, PAMELA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27878	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22689	Comment from Lowe, susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27879	Comment from Erickson, David
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22690	Comment from Blanton, Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27880	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22691	Comment from Galdo, Querido	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27881	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22692	Comment from Wagner, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27882	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22693	Comment from Bazylewski, Conrad	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27883	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22694	Comment from B, Shary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27884	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22695	Comment from Ng, Mrs Won	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27885	Comment from Hogan, Blithe
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22696	Comment from Wick, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27886	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22697	Comment from Hall, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27887	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22698	Comment from Kravick, Annette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27888	Comment from Anonymous Anonymous

02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22699	Comment from cook, necole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27889	Comment from DONNELLY, STEPHEN
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22700	Comment from Mendoza, Redelisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27890	Comment from Lasseter PhD, Richard
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22701	Comment from Walters, Ernie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27891	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22702	Comment from schoeman, gayle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27892	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22703	Comment from fabulian, marybeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27893	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22704	Comment from Will, Leona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27894	Comment from Harris, Freya
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22705	Comment from lynch, cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27895	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22706	Comment from Epstein, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27896	Comment from Ouellette, Ashley
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22707	Comment from Revak, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27897	Comment from Weiland, Alex
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22708	Comment from Barrett, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27898	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22709	Comment from McCarty, Valerie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27899	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22710	Comment from Hardenburg, C	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27900	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22711	Comment from Nam, S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27901	Comment from Chezar, Howard
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22712	Comment from Resa, Gloria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27902	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22713	Comment from Pham, Xuanmai	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27903	Comment from Levinson, Gilda
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22714	Comment from Resa, Gloria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27904	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22715	Comment from Werner, Dawna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27905	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22716	Comment from Boone, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27906	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22717	Comment from Bartlett, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27907	Comment from Herlihy, Peg
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22718	Comment from Gannon, Vicki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27908	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22719	Comment from Rabbitt, Paulette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27909	Comment from Foskett, MaryAnna
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22720	Comment from Cannon, Helen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27910	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22721	Comment from Finen, Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27911	Comment from De Jasu, Barry
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22722	Comment from Fister, Lee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27912	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22723	Comment from Caporali, Cinzia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27913	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22724	Comment from Hazelton, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27914	Comment from Mastracchio, Donna
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22725	Comment from Edelman, Alysha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27915	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22726	Comment from AKANA, TERRY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27916	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22727	Comment from Gruver, Chere	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27917	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22728	Comment from Pettinger, Jana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27918	Comment from Lefever, Dimitri
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22730	Comment from McCarter, Earl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27919	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22731	Comment from Lerma, Luis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27920	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22732	Comment from Miller, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27921	Comment from Fitzsimmons, Sara
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22733	Comment from Darish, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27922	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22734	Comment from Jostad, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27923	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22735	Comment from Kidd, Lori Beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27924	Comment from Eisler, Julia
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22736	Comment from Knoeppel, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27925	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22737	Comment from Mclasky, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27926	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22738	Comment from Mendoza, Jorge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27927	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22739	Comment from Lukaszewicz, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27928	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22740	Comment from Hobrock, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27929	Comment from Anonymous Anonymous

02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22741	Comment from Kowall, Betty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27930	Comment from James, Danny
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22742	Comment from Whitehurst, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27931	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22743	Comment from Santangelo, Roseann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27932	Comment from Reyes, Nimia
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22744	Comment from Brannin, Tamara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27933	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22746	Comment from Headden, Makenzi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27934	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22747	Comment from Devinney, Claudia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27935	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22748	Comment from Pehkoff, Jacqueline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27936	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22749	Comment from ranieri, rich	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27937	Comment from Najj, Eric
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22750	Comment from Smith, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27938	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22751	Comment from Bradley, Ryan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27939	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22752	Comment from Hourigan, Stacey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27940	Comment from Levinson, David
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22753	Comment from Harper, Tracey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27941	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22754	Comment from Skop, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27942	Comment from Anonymous Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22765	Comment from Beaton, Allie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27943	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22766	Comment from Jim OConnell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27944	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22767	Comment from Dave Sammons	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27945	Comment from Tokarz, Joan
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22768	Comment from Cynthia Satterfield	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27946	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22769	Comment from Green, Sara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27947	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22770	Comment from Williams, Moira	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27948	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22771	Comment from Wright, Teri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27949	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22772	Comment from Cook, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27950	Comment from Rosenthal, Ryan
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22773	Comment from Kennedy, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27951	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22774	Comment from Caracci, Gina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27952	Comment from Lohr, Krista
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22775	Comment from Linder, Amelia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27953	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22776	Comment from WARRENS, DEBRA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27954	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22777	Comment from P, Crystal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27955	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22778	Comment from P, Crystal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27956	Comment from Najj, Eric
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22779	Comment from Pepkowski, Nona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27957	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22780	Comment from mater, robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27958	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22781	Comment from Wolfsohn, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27959	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22782	Comment from KASTELINE, DAVID	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27960	Comment from Schicker, Robert
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22783	Comment from Dernoga, Lenora	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27961	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22784	Comment from Turetsky, Samantha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27962	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22786	Comment from Broughton, Marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27963	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22787	Comment from Dunn, Lois	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27964	Comment from Quintero, Gerry
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22788	Comment from Sanders, Dwight	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27965	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22789	Comment from Hills, Claudette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27966	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22790	Comment from Potter, Doris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27967	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22791	Comment from Nam, Kristin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27968	Comment from Swindell, Elak
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22792	Comment from Turov, Ilya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27969	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22793	Comment from Scofield, Jeff & Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27970	Comment from Anonymous Anonymous

02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22794	Comment from Upchurch, Yvonne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27971	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22795	Comment from Kovich, Jenni	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27972	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22796	Comment from Glasser, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27973	Comment from Eudy, Elaine
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22797	Comment from Abashian, Tamara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27974	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22798	Comment from RYBURN, CHARLES	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27975	Comment from Caputo, Michael
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22799	Comment from Kirkwood, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27976	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22801	Comment from swift, robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27977	Comment from Shemberg, Bea
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22802	Comment from O'Grady, Darlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27978	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22803	Comment from Steadmon, Jason	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27979	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22804	Comment from dice, alison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27980	Comment from Lee, Hyun
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22805	Comment from Kent Berman, Meredith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27981	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22806	Comment from Williams, Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27982	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22807	Comment from Keafer, Trina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27983	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22808	Comment from George, Janelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27984	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22809	Comment from Marceron, Dennis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27985	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22810	Comment from Devlin III, Cornelius	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27986	Comment from Cannon, Carrie
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22812	Comment from Bassett, Sally	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27987	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22813	Comment from Seymour, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27988	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22814	Comment from stanianas, cathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27989	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22817	Comment from Macintosh, Arlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27990	Comment from Hanmer, Noah
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22818	Comment from Babineau, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27991	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22819	Comment from Adams, Kaatje	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27992	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22820	Comment from Jammal, Anthony	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27993	Comment from galdo, joe
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22821	Comment from Perez, Rolando	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27994	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22822	Comment from Stuchinsky, Doreen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27995	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22823	Comment from f, d	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27996	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22824	Comment from Bryden, Renny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27997	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22825	Comment from Fischer, Shoreen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27998	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22826	Comment from Brown, H	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27999	Comment from Cetrone, Barbara
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22827	Comment from Strelke, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28000	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22828	Comment from Sackar, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28001	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22829	Comment from Sardineer, AnnMarie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28002	Comment from Quevedo, Robert
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22830	Comment from Harper, Shannon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28003	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22831	Comment from Halbert, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28004	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22832	Comment from Mani, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28005	Comment from Gregg, Rachel
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22833	Comment from Scroggin, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28006	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22834	Comment from Gormley, Daniel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28007	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22835	Comment from Gayer, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28008	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22836	Comment from Avola, Christopher	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28009	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22837	Comment from Savino, Heather	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28010	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22838	Comment from Petta, Vincent	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28011	Comment from Shabbott, Mary

02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22839	Comment from Goodman, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28012	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22840	Comment from Tabb, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28013	Comment from Thaler, Gary
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22841	Comment from Moran, Irene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28014	Comment from Erica Johanson
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22842	Comment from Zentura, Ms	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28015	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22843	Comment from Mundy, Ken	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28016	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22844	Comment from Whitney, Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28017	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22845	Comment from Bodzislav, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28018	Comment from Jordan, S.
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22846	Comment from Rosenberg, Arthur	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28019	Comment from Shallman, Elsy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22847	Comment from Flores, Victoria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28020	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22848	Comment from Miller, Gillian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28021	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22849	Comment from Kustka, Tamara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28022	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22850	Comment from Lipka, Francine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28023	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22851	Comment from Inganamort, Mike	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28024	Comment from Copello, Janell
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22852	Comment from Mani, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28025	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22853	Comment from DeBlasio, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28026	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22854	Comment from Lang, Kar	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28027	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22855	Comment from Robberson, Liz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28029	Comment from Copello, Janell
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22856	Comment from S, H	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28030	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22857	Comment from Rice, Erin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28031	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22858	Comment from Martin, MILLARD	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28032	Comment from Compton, Patricia
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22859	Comment from Lamb, Holly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28033	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22860	Comment from Hutchison, Stanley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28034	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22861	Comment from Meli, MaryEllen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28035	Comment from Benevento, Gina
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22862	Comment from MOON, PATRICIA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28036	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22863	Comment from Webb, Shawncey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28037	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22864	Comment from McLean, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28038	Comment from Mahoney, Stephen
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22865	Comment from Dempsey, Sheila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28039	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22866	Comment from faletti, dianne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28040	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22867	Comment from Smith, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28041	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22868	Comment from DeLuke, Jan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28042	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22869	Comment from Garman, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28043	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22870	Comment from MILLER, JANICE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28044	Comment from Thomasson, Tabitha
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22871	Comment from Aragon, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28045	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22872	Comment from Griffin, Katherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28046	Comment from Starseed, Lozz
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22873	Comment from Murray, S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28047	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22874	Comment from Park, Candace	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28048	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22875	Comment from Hockenbrouch, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28049	Comment from Worth, Richard
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22876	Comment from Mackenzie, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28050	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22877	Comment from Parker, Erin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28051	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22879	Comment from Marshall, Beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28052	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22880	Comment from Mcllwain, Beverly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28053	Comment from Orem, Jennifer

02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22881	Comment from espinoza, marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28054	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22882	Comment from Seidner, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28055	Comment from Courtney, Susan
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22883	Comment from Duncan, Jeannette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28056	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22884	Comment from Kuita, Jujuolui	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28057	Comment from Nelson, Lynn
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22885	Comment from wheeler, tara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28059	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22886	Comment from Freyer, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28060	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22887	Comment from Albright, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28061	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22888	Comment from Mallon, Frank	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28062	Comment from Chapman, Jo
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22889	Comment from Glinsman, Kay	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28063	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22890	Comment from Borngen, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28064	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22891	Comment from Pinkham, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28065	Comment from Zufi, Judith
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22892	Comment from Zack, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28066	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22893	Comment from McNeill, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28067	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22894	Comment from Spring, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28068	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22895	Comment from Powell, Shirley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28069	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22896	Comment from Fleming, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28070	Comment from Reddick, Sandra
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22897	Comment from Learch, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28071	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22898	Comment from Tanz, Audrey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28072	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22899	Comment from Nicholas, Greg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28073	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22900	Comment from Gilliland, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28074	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22901	Comment from Ransom, Cat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28075	Comment from Ruby, Kenneth
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22902	Comment from Scanlon, Anita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28076	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22903	Comment from SPELBRING, SALLY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28077	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22904	Comment from Center for a Sustainable Coast	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28078	Comment from St.Sauveur, Stephanie
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22905	Coast	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28079	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22906	Comment from Stiff, Eric	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28080	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22907	Comment from Jerez, Maribel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28081	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22908	Comment from Gomez, Irma	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28082	Comment from Draughon, Sheila
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22909	Comment from Rosner, Anthony	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28083	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22910	Comment from Miller, Sara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28084	Comment from Oconnell, Marck
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22911	Comment from Gomez, Aracely	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28085	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22912	Comment from Gomez, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28086	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22913	Comment from Bishop, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28087	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22914	Comment from Carson, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28088	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22915	Comment from Rogers, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28089	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22919	Comment from Underwood, Becky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28090	Comment from Williams, Christina
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22920	Comment from Jager, Calvin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28092	Comment from Hersey, Jane
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22921	Comment from Wessinger, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28093	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22922	Comment from Savage, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28094	Comment from Norman, Christine
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22923	Comment from Conlon, Laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28095	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22924	Comment from Anderson, Lance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28096	Comment from Anonymous Anonymous

02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22925	Comment from Dillon, Christi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28097	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22926	Comment from forman, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28098	Comment from Chmielinski, Robert
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22927	Comment from DiBlasi, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28099	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22928	Comment from Kunc, Patrick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28100	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22929	Comment from LeVesque, Jeanette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28101	Comment from Soler, Al
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22930	Comment from Davidson, Maggie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28102	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22931	Comment from Arias, Hector	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28103	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22932	Comment from barrett, gabriela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28104	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22933	Comment from Nespoli, Edmund	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28105	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22934	Comment from Moissant, Helen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28106	Comment from Sarangi, Prabha
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22935	Comment from Byrd, Kenneth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28107	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22936	Comment from Landreth, Jo Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28108	Comment from MCNAIR, DIANA
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22937	Comment from Kilian, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28109	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22938	Comment from Hart, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28110	Comment from Bouilland, Stacy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22939	Comment from Gholz, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28111	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22940	Comment from Schmittauer, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28112	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22941	Comment from Bevagna, Holly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28113	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22942	Comment from Aliperti, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28114	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22943	Comment from Larivey, Dan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28115	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22944	Comment from Y, G	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28116	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22945	Comment from Greenfield, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28117	Comment from Pendlbury, Jacob
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22946	Comment from C, G	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28118	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22947	Comment from Norton, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28119	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22948	Comment from Agelopoulos, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28120	Comment from Forsht, Lynn
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22949	Comment from Berry, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28121	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22950	Comment from Heiler, Todd	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28122	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22951	Comment from benner, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28123	Comment from Esler, Carol
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22952	Comment from Logan, donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28124	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22953	Comment from Coffey, Rosemary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28125	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22954	Comment from Bostaph, Stacey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28126	Comment from Adler, Judi
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22955	Comment from Tribble, Peggy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28127	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22956	Comment from Byrne, Grace	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28128	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22957	Comment from Moss, Paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28129	Comment from Watson, Carol Knight
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22958	Comment from Kott, Cyndee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28130	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22959	Comment from S, Cornelius	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28131	Comment from Keiser, Robert
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22960	Comment from Magana, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28132	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22961	Comment from Wall, Alexa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28133	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22962	Comment from Hume, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28134	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22963	Comment from Felci, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28135	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22964	Comment from Wyatt, Ashley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28136	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22965	Comment from Ward, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28137	Comment from Delgado, Barbara

02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22966	Comment from Frigo, Dina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28138	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22967	Comment from Guttridge, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28139	Comment from Ligorelli, Teresa
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22968	Comment from Manzano, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28140	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22969	Comment from Krug, Ilana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28141	Comment from Longo, Elaine
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22970	Comment from Brickman, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28142	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22971	Comment from Holmes, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28143	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22972	Comment from Krueger, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28144	Comment from Gonzalez, kristiin
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22974	Comment from Savage, Kitty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28145	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22975	Comment from Felci, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28146	Comment from Derence, Lea
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22976	Comment from Hood, Terrance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28147	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22977	Comment from Kiholm, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28148	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22978	Comment from Carr, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28149	Nancy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22979	Comment from Shokohi, Azhand	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28150	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22980	Comment from Schulz, Stan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28151	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22981	Comment from Acosta, Peggy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28152	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22982	Comment from Bragg, Tessa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28153	Comment from Mooney, Marina
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22983	Comment from Walls, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28154	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22984	Comment from Ruggieri, Isabella	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28155	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22985	Comment from Doyle, apri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28156	Comment from Blanchett, Nancy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22987	Comment from THLN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28157	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22988	Comment from Crane, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28158	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22990	Comment from Turner, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28159	Comment from Kozuch, Michael
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22991	Comment from Crane, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28160	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22992	Comment from Zipse, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28161	Comment from Callahan, Ellen
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22993	Comment from Crane, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28162	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22995	Comment from Simms, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28163	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22996	Comment from low, cody	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28164	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22997	Comment from OHara, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28165	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22998	Comment from winchester, linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28166	Comment from foster, amy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22999	Comment from Bailie, Janae	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28167	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23001	Comment from ward, rosanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28168	Comment from Devine, Lauren
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23002	Comment from Ruggiero, Marianne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28169	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23003	Comment from V, V	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28170	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23004	Comment from Agrusa, Traulane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28171	Comment from thurman, scott
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23005	Comment from bennett, tami	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28172	Comment from Emery, Pamela
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23006	Comment from Edwards, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28173	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23007	Comment from Rowland, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28174	Comment from Roussel, Jamie
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23008	Comment from Cardella, Sylvia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28175	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23009	Comment from Kunstman, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28176	Comment from Fitzpatrick, Janise
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23010	Comment from Glynn, Aileen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28177	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23011	Comment from Oros, April	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28178	Comment from Anonymous Anonymous

02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23012	Comment from Staron, Maryann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28179	Comment from Flocco-McMaster, Kathy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23013	Comment from Malo, Karin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28180	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23014	Comment from Maca, Rob	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28181	Comment from Posch, Robert
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23015	Comment from Alderson, Johnny and Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28182	Comment from Handy, Vivienne
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23016	Comment from Orona, Angel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28183	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23017	Comment from gallante, Frances	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28184	Comment from lee, I
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23018	Comment from Kharche, Roxanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28185	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23019	Comment from Knight, Haven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28186	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23020	Comment from Perry, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28187	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23021	Comment from Fowler, Russell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28188	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23022	Comment from Giolli, Andrea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28189	Comment from Rizzolo, James
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23023	Comment from Baker, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28190	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23024	Comment from Siptroth, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28191	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23025	Comment from Eldridge, Chantal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28192	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23026	Comment from Pysson, Cheri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28193	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23027	Comment from Collins Moon, Nathalie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28194	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23028	Comment from Halbisen, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28195	Comment from Stamm, Nancy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23029	Comment from Wyrembelski, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28196	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23030	Comment from Stclair, Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28197	Comment from Lees, Jon
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23031	Comment from Slack, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28198	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23032	Comment from Black, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28199	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23033	Comment from Cyzner, Steven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28200	Comment from Fournier, Eric
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23034	Comment from Cyzner, Steven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28201	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23035	Comment from Ja, Tia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28202	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23036	Comment from Ratliff, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28203	Comment from Estel, Karen
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23037	Comment from Tomas, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28204	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23038	Comment from Anduskey, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28205	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23039	Comment from DiLeo, Carmine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28206	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23040	Comment from Stauffer, Ernest	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28207	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23041	Comment from Dobroslawa, Dobi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28208	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23042	Comment from Sur, Penny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28209	Comment from Brydges, Sara
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23043	Comment from Hursh, Gretchen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28210	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23044	Comment from Robertson, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28211	Comment from Tarver, Evangeline
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23045	Comment from Walton, Paulette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28212	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23046	Comment from brown, joy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28213	Comment from Scott, Andrew
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23047	Comment from Vorhees, Miranda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28214	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23048	Comment from Genovese, Kristen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28215	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23049	Comment from Pintar, Brittany	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28216	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23050	Comment from WYMER, MARY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28217	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23051	Comment from Woodman, Renee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28218	Comment from Hall, Gilbert
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23052	Comment from ward, terrence	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28219	Comment from Anonymous Anonymous

02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23053	Comment from Charron, Craig	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28220	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23054	Comment from Cyzner, Steven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28221	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23055	Comment from Luu, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28222	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23056	Comment from marquette, chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28223	Comment from Taliaferro, Jessica
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23057	Comment from Carter, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28224	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23058	Comment from mufson, susan alice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28225	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23059	Comment from Frayer, Marivee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28226	Comment from Gravely, Brittany
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23060	Comment from Barile, Rita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28227	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23061	Comment from Blankinship, Ramona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28228	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23062	Comment from Marchock, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28229	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23063	Comment from Rice, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28230	Comment from Dunayer, Stan
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23064	Comment from Cason, Regina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28231	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23065	Comment from Lacotta, Janice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28232	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23066	Comment from Plesser, Carole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28233	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23067	Comment from Clark, Kent John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28234	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23068	Comment from Slone, Sheree	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28235	Comment from Repensek, Frank
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23069	Comment from Vance, Mel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28236	Comment from Berkvist, Andy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23070	Comment from Rehn, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28237	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23071	Comment from Heimbach, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28238	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23072	Comment from Vercos, Stasia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28239	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23073	Comment from Ohlendorf, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28240	Comment from Vadnais, Kathy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23074	Comment from Thorpe, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28241	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23075	Comment from Zenzen, Jessie Mia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28242	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23076	Comment from Marckesano, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28243	Comment from McBride, Nancy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23077	Comment from Fiscus, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28244	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23078	Comment from Kasnicka, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28245	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23079	Comment from MARTIN, BRENDA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28246	Comment from Hurley, Lisa
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23080	Comment from Melville, Joke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28247	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23083	Comment from test, Angelo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28248	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23086	Comment from Nieuwkerk, Nick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28249	Comment from Anonymous Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23089	Comment from Papkee, Justin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28250	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23098	Comment from Cassiano, Nathan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28251	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23099	Comment from Gutfleisch, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28252	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23100	Comment from Ohlendorf, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28253	Comment from Kelman, Edith
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23101	Comment from W, A	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28254	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23102	Comment from Magin, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28255	Comment from Desreuisseau, Judy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23103	Comment from Melville, Steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28256	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23104	Comment from Melville, Erica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28257	Comment from Grant, Angellynn
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23105	Comment from FORTIE, MIKE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28258	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23106	Comment from Hunt, Teri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28259	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23107	Comment from Granados, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28260	Comment from Anonymous Anonymous

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23109	Comment from Borlo, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28261	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23110	Comment from Woods, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28262	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23111	Comment from Varon, Joseph M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28263	Comment from Moore, Alice
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23112	Comment from Kurtz, Steven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28264	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23113	Comment from stein, al	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28265	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23114	Comment from Reis, Jourdan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28266	Comment from Dragon, David
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23115	Comment from Levine, Beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28267	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23116	Comment from Alexander, Meryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28268	Comment from Burson, Chris
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23117	Comment from Hodgkins, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28269	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23118	Comment from Dudeck, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28270	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23119	Comment from Kaye, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28271	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23120	Comment from Samp, Cece	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28272	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23121	Comment from Bennett, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28273	Comment from Granofsky, gabrielle
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23122	Comment from Cooper, Charlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28274	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23123	Comment from Mocine, Peggy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28275	Comment from Baris, Sonja
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23124	Comment from Ellenwood, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28276	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23125	Comment from Hayes, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28277	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23126	Comment from fiore, melody	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28278	Comment from Arguello, Sylvia
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23127	Comment from Bartel, Pauline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28279	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23128	Comment from Lozow Cleary, Karen and Will	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28280	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23129	Comment from Trindle, Carolyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28281	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23130	Comment from Hudson, Jaime	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28282	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23131	Comment from Kang, Kun	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28283	Comment from Tarlow, Robert
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23132	Comment from Weiss, Arwen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28284	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23133	Comment from Gunter, Kalita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28285	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23134	Comment from Graff, Wanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28286	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23135	Comment from Greenfield, Cheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28287	Comment from Skipworth, Carl
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23136	Comment from De Baca, Sylvia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28288	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23137	Comment from lewis, lucy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28289	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23138	Comment from Muller, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28290	Comment from McHendry, Kathleen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23139	Comment from Dorer, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28291	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23140	Comment from Dosky, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28292	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23141	Comment from Kline, Chante'	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28293	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23142	Comment from Coffin, Regina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28294	Comment from Gard, Alice
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23143	Comment from Zales, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28295	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23144	Comment from ELOW, ABBEY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28296	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23145	Comment from King Chuparkoff, Cathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28297	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23146	Comment from cousins coleman, betsy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28298	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23147	Comment from byers, sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28299	Comment from Dean, Suzanne
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23148	Comment from Rowell, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28300	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23149	Comment from Atkins, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28301	Comment from Anonymous Anonymous

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23150	Comment from Novkov, Russell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28302	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23151	Comment from Spear, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28303	Comment from Puntasecca, Juanita
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23152	Comment from Lemire, Kara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28304	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23153	Comment from Hill, Krista	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28305	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23154	Comment from Tanner, Marquita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28306	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23155	Comment from Garcia, Yasmin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28307	Comment from walsh, patricia
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23156	Comment from Shayne, Vivian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28308	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23157	Comment from Puccini, Gabrielle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28309	Elvira
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23158	Comment from Griffin, Jill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28310	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23159	Comment from Mancini, Alfred	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28311	Comment from Shapiro, Felice and Mark
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23160	Comment from franklin, doug	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28312	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23161	Comment from Thomas Hill, Pam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28313	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23162	Comment from Kendall, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28314	Comment from Pointer, Donna
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23163	Comment from Mulcahy, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28315	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23164	Comment from Levin, Shaun	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28316	Comment from Reinlander, Olivia
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23165	Comment from Baron, Jo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28317	Comment from Leary, Joanna
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23166	Comment from Webb, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28318	Comment from Caron, Belinda
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23167	Comment from Simonin, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28319	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23168	Comment from Komara, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28320	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23169	Comment from O'Connell, Jim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28321	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23170	Comment from Smiley, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28322	Comment from Waiane, Linda
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23171	Comment from Davis, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28323	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23172	Comment from Riney, Jeffrey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28324	Comment from Rhodes, William
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23173	Comment from Petronik, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28325	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23174	Comment from thomas, marla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28326	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23175	Comment from Bawks, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28327	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23176	Comment from Lipman, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28328	Comment from Osadon, Nieve
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23177	Comment from Klos Huber, Toni	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28329	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23178	Comment from Schwind, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28330	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23179	Comment from Gizzi, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28331	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23180	Comment from Kost, Jess	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28332	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23181	Comment from Broughton, Beatrice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28333	Comment from Hollis, Wendy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23182	Comment from Slote, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28334	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23183	Comment from Jones, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28335	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23184	Comment from Keating, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28336	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23185	Comment from Sitnick, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28337	Comment from youd, mark
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23186	Comment from Gotjen, Deidre	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28338	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23187	Comment from hartman, nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28339	Comment from Price, Maureen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23188	Comment from Crimmins, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28340	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23189	Comment from Ferguson, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28341	Comment from McCarthy, Debbie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23190	Comment from Crimmins, William	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28342	Comment from Anonymous Anonymous

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23191	Comment from Stermer, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28343	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23192	Comment from Haebig, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28344	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23193	Comment from kaufmann, debi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28345	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23194	Comment from Shaw, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28346	Comment from Payne, Geneine
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23195	Comment from Harmon, Tommy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28347	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23196	Comment from Dana Henderson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28348	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23197	Comment from silverman, ayn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28349	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23198	Comment from schomberg, sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28350	Comment from Roberts-Moneir, Nancy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23199	Comment from Buch, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28352	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23200	Comment from Fine, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28353	Comment from Bonoyer, K
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23201	Comment from Head, Jim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28354	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23202	Comment from Hottenstein, Tara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28355	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23203	Comment from Morales, Emily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28356	Comment from McCormick, Cara
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23205	Comment from McGrath, Joanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28357	Comment from McCormick, Peter
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23206	Comment from Lehr, Rachael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28358	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23207	Comment from Ciempola, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28359	Comment from Lombard, Richard
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23208	Comment from Crimmins, Mary Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28360	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23209	Comment from Noll, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28361	Comment from Combs, Debi
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23210	Comment from Hildebrand, Valerie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28362	Comment from Regan, John
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23211	Comment from Perdios, Dan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28363	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23212	Comment from Fleetwood, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28364	Comment from Sherman, J.P.
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23213	Comment from Moon, Brooke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28365	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23214	Comment from Sanderson, Valerie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28366	Comment from Robertson, James
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23215	Comment from Torres, Angela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28367	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23216	Comment from McMath, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28368	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23217	William	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28369	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23218	Comment from Forister, Kristin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28370	Comment from Beaudry, Patrick
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23219	Comment from Gillespy, Nicole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28371	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23220	Comment from Mauriello, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28372	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23221	Comment from Timme, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28373	Comment from Lauren, Nicole
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23222	Comment from Burchell, Christopher	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28374	Comment from Francis, Karin
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23223	Comment from Stachura, Delores	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28375	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23224	Comment from Rolofson, Tom	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28376	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23225	Comment from Burger, Ryan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28377	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23226	Comment from lukensmeyer, pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28378	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23227	Comment from Beyda, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28379	Comment from Hackett, Bonnie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23228	Comment from Ferraro, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28380	Comment from McIntosh, Murray
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23229	Comment from ROBBINS, ANDREW	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28382	Comment from butters, arlene
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23230	Comment from MEDINA, MARIO	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28383	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23231	Comment from Davis, Summer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28384	Comment from Gonzalez, kristiin
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23232	Comment from Davidson, Nora	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28385	Comment from Anonymous Anonymous

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23233	Comment from Villarreal, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28386	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23234	Comment from Corcoran, JC	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28387	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23235	Comment from POPAILO, SAMUEL	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28388	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23236	Comment from Bajoie, Aimee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28389	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23237	Comment from test, Josh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28390	Comment from Schooley, Kimberly
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23238	Comment from Noor, Farhat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28391	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23239	Comment from Noor, Farhat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28392	Comment from krause, doug
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23240	Comment from Noor, Farhat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28393	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23241	Comment from Noor, Farhat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28394	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23242	Comment from Bauer, Monty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28395	Comment from Dorfman, Penny
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23243	Comment from Prewett, Marcy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28396	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23244	Comment from Greenrod, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28397	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23245	Comment from Metzler, Bev	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28398	Comment from Prker, Derin
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23246	Comment from Masuda, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28399	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23247	Comment from Berg, Sheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28400	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23248	Comment from Corby, Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28401	Comment from khan, Sheri
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23249	Comment from Mohammed, Rick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28402	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23250	Comment from Range, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28403	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23251	Comment from Bernstein, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28404	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23252	Comment from Dangle, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28405	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23253	Comment from McKenna, Jacci	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28406	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23254	Comment from Kidd Goodman, Lisa Glenn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28407	Comment from Dart, Rebecca
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23255	Comment from Oltman, Meagan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28408	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23256	Comment from Croasdale, Kathlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28409	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23257	Comment from Lerinc, Stevan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28410	Comment from Esteve, Gregory
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23258	Comment from Fohn, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28411	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23259	Comment from Nelson, Vicki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28412	Comment from Roussel, Jamie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23260	Comment from Pirrong, Josephine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28413	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23261	Comment from Doane, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28414	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23262	Comment from Lang, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28415	Comment from Lancia, Debra
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23263	Comment from Fields, Madeleine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28416	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23264	Comment from Lambert, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28417	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23265	Comment from Brooks, Laurianne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28418	Lorraine
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23266	Comment from Kehew, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28419	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23267	Comment from Hartman, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28420	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23268	Comment from Wightman, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28421	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23269	Comment from NESBITT, LYNDA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28422	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23270	Comment from hughes, marcus	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28423	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23271	Comment from Bouckaert, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28424	Comment from Whitlow, Samora
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23272	Comment from Biddle, Gail	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28425	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23273	Comment from Marsala, Joe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28426	Comment from Mejuto, James

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23274	Comment from Bailey, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28427	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23275	Comment from Williams, Sabine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28428	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23276	Comment from Frazier, Destiny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28429	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23277	Comment from Medina, Jessie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28430	Comment from Vogt, Taryn
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23278	Comment from Stumpf, Phil	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28431	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23279	Comment from Hernandez, Maria L	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28432	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23280	Comment from Ljusic, Dostana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28433	Comment from Shallman, Elsy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23281	Comment from Bates, Bobbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28434	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23282	Comment from Buckland, Waltraud	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28435	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23283	Comment from Rodriguez, Rebeca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28436	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23284	Comment from Dubin, Harris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28437	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23285	Comment from MONTAGNO, ARLYN SKYE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28438	Comment from Buzzell, Kristen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23286	Comment from Salek, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28439	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23287	Comment from Kobayashi, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28440	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23288	Comment from Montalvo, Monica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28441	Comment from Walsh, Ann
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23289	Comment from Duran, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28442	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23290	Comment from Serra, Ragen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28443	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23291	Comment from Hall, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28444	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23292	Comment from Delaine, Sheri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28445	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23293	Comment from Womack, Kristin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28446	Comment from Orszulak, LJ
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23294	Comment from Warfield, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28447	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23295	Comment from L'Ecuyer, Danielle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28448	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23296	Comment from HALE, LISA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28449	Comment from Elliott-Cattell, June
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23297	Comment from Silva, Jessica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28450	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23298	Comment from Compton, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28451	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23299	Comment from Tulu, Baysan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28452	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23300	Comment from Liszewski, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28453	Comment from Kulp, Jeff
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23301	Comment from Yermak, Iris Patty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28454	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23302	Comment from Nason, Sheila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28455	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23303	Comment from Stalnaker, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28456	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23304	Comment from Vaticano, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28457	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23305	Comment from Roberts, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28458	Comment from Coltman, Evelyn
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23306	Comment from Norling, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28459	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23307	Comment from Sabella, Katie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28460	Comment from Linder, Amelia
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23308	Comment from Warfield, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28461	Comment from Biggs, Amy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23309	Comment from Hlsock, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28462	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23310	Comment from Boutin, Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28463	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23311	Comment from Wirth, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28464	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23312	Comment from Whitehead, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28465	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23313	Comment from West, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28466	Comment from Harris, Scott
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23314	Comment from Curtis, Janell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28467	Comment from Anonymous Anonymous

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23315	Comment from Image, Sweet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28468	Comment from Saunders, Kelly
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23316	Comment from Weatherbee, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28469	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23317	Comment from Morgan, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28470	Comment from Lewandowski, Michael
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23318	Comment from CALLEN, MARY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28471	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23319	Comment from Gear, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28472	Comment from S, Sarah
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23320	Comment from Fish, Jason	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28473	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23321	Comment from kohler, lilly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28474	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23322	Comment from Young, Shirley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28475	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23323	Comment from Goodwin, Kristen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28476	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23324	Comment from Harper, Sean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28477	Comment from Kuhn, James
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23325	Comment from Rushworth, Jerily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28478	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23327	Comment from Repensek, Gail	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28479	Comment from Griffin, Chas
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23328	Comment from Propst, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28480	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23329	Comment from McElyea, Sierra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28481	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23330	Comment from Cameron, Gloria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28482	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23331	Comment from Bails, Jean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28483	Comment from Morris, T
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23333	Comment from Garber, Jeanine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28484	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23334	Comment from Rynes, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28485	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23335	Comment from Stacy, Tricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28486	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23336	Comment from Pasqualini, Jude	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28487	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23337	Comment from Klodnicki, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28488	Comment from Joy, Graham
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23338	Comment from Espinosa, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28489	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23339	Comment from Lozon, Kristina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28490	Comment from Knight, Lisa
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23340	Comment from dudarenke, jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28491	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23341	Comment from Dively, Claudia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28492	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23342	Comment from Davidson, Amber	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28493	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23343	Comment from Kehm, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28494	Comment from Coppotelli, Heide
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23344	Comment from Sterrett, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28495	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23345	Comment from Trock, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28496	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23346	Comment from McMurray, Britt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28497	Comment from Coppotelli, Fred
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23347	Comment from Dobbyn, Dorothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28499	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23348	Comment from Curtis, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28500	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23349	Comment from FLournoy, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28501	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23350	Comment from Arent, Raymond	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28502	Comment from O'Sullivan, Kathleen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23351	Comment from Reich, Bi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28503	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23353	Comment from Gregorio, Penny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28504	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23354	Comment from Giorgianni, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28505	Comment from Shen, Gloria
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23356	Comment from Dillon, Ginger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28506	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23357	Comment from Vidal, Maureen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28507	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23358	Comment from Marcellino, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28508	Comment from Guichard, Oliver
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23359	Comment from Vistine, Gayle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28509	Comment from Anonymous Anonymous

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23360	Comment from Island, Adak	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28510	Comment from Laberge, Lucie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23361	Comment from Heffner, Nikki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28511	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23363	Comment from Steege, Evelyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28512	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23364	Comment from DOUGE, TONI	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28513	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23365	Comment from Lindgren, Kristie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28514	Comment from Navan, Gloria
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23366	Comment from Hamilton, Michele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28515	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23367	Comment from Wilkinson, Brad	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28516	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23368	Comment from Johannsen, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28517	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23369	Comment from de Usabel, Frances	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28518	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23370	Comment from Lanigan, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28519	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23371	Comment from Harris, Freya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28520	Comment from Kane, Brooke
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23372	Comment from Deciccio, Robyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28521	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23373	Comment from Siddall, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28522	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23374	Comment from Rodak, Steven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28523	Comment from lee, I
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23375	Comment from Wolf, Torah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28524	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23376	Comment from Norton, Gina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28525	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23377	Comment from Cetrulo, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28526	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23378	Comment from Keohane, Bryan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28527	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23379	Comment from Middleton, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28528	Comment from Thomas, Jamie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23380	Comment from Simpson, Eric	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28529	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23381	Comment from Goodyear, Maxine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28530	Comment from Perrero, Deborah
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23382	Comment from Rapp, Lanette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28531	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23383	Comment from Wilkinson, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28532	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23384	Comment from Rapp, Lanette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28533	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23385	Comment from Johnson, Andrea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28534	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23386	Comment from lloyd, sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28535	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23387	Comment from Lau, Kara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28536	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23388	Comment from Fesi, Annemarie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28537	Comment from Wright, Kathy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23389	Comment from Dimmitt, Sara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28538	Comment from Cruise, Betsy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23390	Comment from gordon, dallas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28539	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23391	Comment from Bickelhaupt, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28540	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23392	Comment from Drazek, Andrew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28541	Comment from Conway, Maureen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23393	Comment from Dayan, Eva	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28542	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23394	Comment from Rall, Ben	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28543	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23395	Comment from Shadwick, Angela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28544	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23396	Comment from Leary, Joanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28545	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23397	Comment from Velasquez, Lizzette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28546	Comment from Tunstall, Jean
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23398	Comment from McDonald CVT, Erin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28547	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23399	Comment from Ashbrook, Doris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28548	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23400	Comment from blechar, heidi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28549	Comment from Aub, Tom
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23401	Comment from Johnson, Brad	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28550	Comment from Bates, Elizabeth

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23402	Comment from Penso Cuculich, Valerie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28551	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23403	Comment from Norman, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28552	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23404	Comment from Rupp, Andrea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28553	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23405	Comment from Shields, Daniel J	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28554	Comment from Rome, Karen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23406	Comment from Heath, Edele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28555	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23407	Comment from Rutherford, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28556	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23408	Comment from Savignac, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28557	Comment from Kory, Robin
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23409	Comment from Mannise, Lourdes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28558	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23410	Comment from Beliveau, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28560	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23411	Comment from Coss, Shelley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28561	Comment from Sivalogan, Luxshmi
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23412	Comment from schreier, saul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28562	Comment from Brewer, Amanda
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23413	Comment from Riccardi, Stacey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28563	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23414	Comment from Anderson, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28564	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23415	Comment from O'Neill, Abigail	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28565	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23416	Comment from Cottier, Lauren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28566	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23417	Comment from Finlay, Natalija	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28567	Comment from McCann, Annie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23418	Comment from Bishop, S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28568	Comment from Ellis, Laurie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23419	Comment from Ladeira, Thelma	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28569	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23420	Comment from Schaeffer, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28570	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23421	Comment from Schaeffer, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28571	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23422	Comment from Orszulak, Samantha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28572	Comment from hipworth, danielle
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23423	Comment from Oshea, Redding	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28573	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23424	Comment from Newville, Janice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28574	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23426	Comment from Sefiane, Claire	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28575	Comment from Schneider, Danielle
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23427	Comment from Trivette, Joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28576	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23428	Comment from Testin, Julia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28577	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23429	Comment from Dunkel, Trevor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28578	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23430	Comment from Kamler, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28579	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23431	Comment from Duggins, Eva	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28580	Comment from Starling, Richard
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23432	Comment from Berry, Nona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28581	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23433	Comment from Hill, Scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28582	Comment from hipworth, danielle
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23434	Comment from Robinson, Marci	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28583	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23435	Comment from Corry, Ronit	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28584	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23436	Comment from Richkus, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28585	Comment from Nicholas, Leslee
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23437	Comment from Greenberg, Randi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28586	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23438	Comment from Schiavone, Joseph	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28587	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23439	Comment from Wells, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28588	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23440	Comment from Lynch, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28589	Comment from Galante, Susan
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23441	Comment from Kirchner, Becky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28590	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23442	Comment from Andrews, Becky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28591	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23443	Comment from Crowley, Kate	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28592	Comment from Rivers, Karen

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23444	Comment from cobb, margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28593	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23445	Comment from Naylor, Pam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28594	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23446	Comment from Ralin, Noelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28595	Comment from Wallace, Robert
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23447	Comment from Collins, C	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28596	Comment from Dranetz, Anita
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23448	Comment from Moore, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28597	Comment from Mark, Captain
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23449	Comment from Boden, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28598	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23450	Comment from Bahnsen, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28599	Comment from MacMartin, Peggi
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23451	Comment from Bouton, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28600	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23452	Comment from Santos, Saskia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28601	Comment from Jensen, Rebecca
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23453	Comment from Kroger, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28602	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23454	Comment from Dobson, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28603	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23455	Comment from Wynne, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28604	Comment from Soter, Evangeline
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23456	Comment from davis, hazel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28605	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23457	Comment from Renois, Marianne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28606	Comment from VanWinkle, Jean Marie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23458	Comment from DiCarlo, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28607	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23459	Comment from Brown, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28608	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23460	Comment from Mellini, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28609	Comment from Green, Jason
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23461	Comment from Covey, Madeline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28610	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23462	Comment from vega, heather	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28611	Comment from Young, Teresa
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23463	Comment from Warren, Megan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28612	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23464	Comment from Sullivan, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28613	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23465	Comment from Holston, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28614	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23466	Comment from Curry, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28615	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23467	Comment from Sullivan, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28616	Comment from FITZGERALD, ANNE-MARIE
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23468	Comment from Fergusson, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28617	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23469	Comment from Brook, Angie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28618	Comment from Catron, Samuel
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23470	Comment from Noel Labieniec, Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28619	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23471	Comment from Kardos, Theresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28620	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23472	Comment from Boschen, marianne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28621	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23473	Comment from Jackson, Whitney	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28622	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23474	Comment from Jackson, Whitney	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28623	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23475	Comment from Willett, Greg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28624	Comment from Arnone, Melanie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23476	Comment from Scott, laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28625	Comment from Kory, Robin
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23477	Comment from Roy, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28626	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23478	Comment from Gieser, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28627	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23479	Comment from Werner, Brandy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28628	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23480	Comment from Wine, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28629	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23481	Comment from Birkby, Doug	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28630	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23482	Comment from Morgan, Spencer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28631	Comment from Jiranek, Pamela
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23483	Comment from Savage, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28632	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23484	Comment from Porter, Brian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28633	Comment from Middlebrooks, Melodie

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23485	Comment from Florez, Alejandro	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28634	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23486	Comment from Cevetello, Jessica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28635	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23487	Comment from Geeen, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28636	Comment from Rogers, Jim
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23488	Comment from cielukowski, john	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28637	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23489	Comment from COOPER, JANELL	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28638	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23490	Comment from Paryzek, Velaine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28639	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23491	Comment from Jones, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28640	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23492	Comment from DAM, RUSSELL	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28641	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23493	Comment from Mejia, Lily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28642	Comment from Longever, Jordan
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23494	Comment from Tober, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28643	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23495	Comment from Sagatelian, Marlo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28644	Comment from Perry, J.A.
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23496	Comment from Pillar, Ina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28645	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23497	Comment from Ortiz, S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28646	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23498	Comment from Smith, Shannon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28647	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23499	Comment from Snavely, Irene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28648	Comment from Meinert, Margaret
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23500	Comment from Bemiller, Greta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28649	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23501	Comment from Bennett, Glenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28650	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23502	Comment from Knoppers, Sherry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28651	Comment from Nobrega, Robert
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23503	Comment from Cross, Tara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28652	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23504	Comment from Krupski, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28653	Comment from Woods, Erika
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23505	Comment from solomon, donald	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28654	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23506	Comment from Frusteri, Marianne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28655	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23507	Comment from Arasteh, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28656	Comment from Cornett, Mitsy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23508	Comment from Harvath, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28657	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23509	Comment from Wilson, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28658	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23510	Comment from Daniels, Caden	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28659	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23511	Comment from Vineski, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28660	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23512	Comment from Bergeron, Lance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28661	Comment from Ray, Laura
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23513	Comment from Schneider, Loxi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28662	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23514	Comment from Voss, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28663	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23516	Comment from Foley, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28664	Comment from Dillon, Christi
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23517	Comment from Ochoa, April	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28665	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23518	Comment from Carr, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28666	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23519	Comment from Moran, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28667	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23520	Comment from Thorn, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28668	Comment from Epatko, Mary
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23521	Comment from moore, thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28669	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23522	Comment from Rosenkotter, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28670	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23523	Comment from Santana, Carlos	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28671	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23524	Comment from Ren, sylvia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28672	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23525	Comment from Eldard, Leslee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28673	Comment from Nuesch, Raymond
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23526	Comment from Dana Henderson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28674	Comment from Anonymous Anonymous

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23527	Comment from Hennessy, Ellison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28675	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23529	Comment from Schuetz, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28676	Comment from Politis, Lee
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23530	Comment from Eastin, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28677	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23531	Comment from Kulp, Jeff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28678	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23532	Comment from Johnson, Katie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28679	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23533	Comment from Martin, Drew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28680	Comment from Martin, Lynn
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23534	Comment from Heisler, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28681	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23535	Comment from weber, kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28682	Comment from Carstarphen, Kristin
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23536	Comment from Campbell, Kristin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28683	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23537	Comment from Green, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28684	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23539	Comment from Eldard, Leslee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28685	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23540	Comment from Trichter, Vivien	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28686	Comment from Daniels, Bobbie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23541	Comment from Aguilar, Mafalda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28687	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23542	Comment from Goldberg, Ellie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28688	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23543	Comment from Kristin Womack	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28689	Comment from Juric, Eileen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23544	Comment from Gann, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28690	Comment from Klinkel, Jason
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23545	Comment from Draudt, Deanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28691	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23546	Comment from Krasner, Shay	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28692	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23547	Comment from Bish, Mina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28693	Comment from Bilyeu, George
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23548	Comment from von Krause, Violé	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28694	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23549	Comment from Marcano, Vanessa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28695	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23550	Comment from McCauley, Brandi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28696	Comment from Combes, Steven
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23551	Comment from Chernetz, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28697	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23552	Comment from Roos, Irene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28698	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23553	Comment from Oscarson, Janice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28699	Comment from Dobrosława, Dobi
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23554	Comment from Alden, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28700	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23555	Comment from Rodriguez, Jinda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28701	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23556	Comment from Gentile, Joyce Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28702	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23557	Comment from WICKS, DEBORAH	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28703	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23558	Comment from Skokowski, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28704	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23559	Comment from Cain, Jamie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28705	Comment from Carrier, Rebecca
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23560	Comment from H, M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28706	Comment from Bender, Donna
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23561	Comment from Connors, Becky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28707	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23562	Comment from Littellmann, Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28708	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23563	Comment from Wiggins, Heather	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28709	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23564	Comment from Couch, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28710	Comment from Quinn, Pat
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23565	Comment from Brehm, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28711	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23566	Comment from Bonk, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28712	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23567	Comment from Fall, Fred	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28713	Comment from Slack, Paul
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23568	Comment from Segedy, Avis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28714	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23569	Comment from Freedman, M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28715	Comment from Anonymous Anonymous

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23570	Comment from Scott, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28716	Comment from Reiland, Melissa
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23571	Comment from Gray, Lorraine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28717	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23572	Comment from Mcdougall, Laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28718	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23573	Comment from Fountain, Randy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28719	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23574	Comment from Henderson, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28720	Comment from Zillioux, John
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23575	Comment from Hill, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28721	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23576	Comment from Schümmer, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28722	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23577	Comment from Gomez, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28723	Comment from Holt, Sherian
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23578	Comment from Pigford, Terri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28724	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23579	Comment from Fogell, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28725	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23580	Comment from Rohloff, Rosalyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28726	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23581	Comment from Happel, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28727	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23582	Comment from Reichert, Robyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28728	Comment from Ounsworth, Charleen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23583	Comment from Johnson, Carole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28729	Comment from HINDMAN, SUSAN
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23584	Comment from Wilson, Dana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28730	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23585	Comment from Casiello, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28731	Comment from Sundberg, Bryon
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23586	Comment from Khodr, Nathalie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28732	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23587	Comment from Groves, Cathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28733	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23588	Comment from Tucillo, Megan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28734	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23589	Comment from Hussar, Holly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28735	Comment from Rutherford, Richard
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23590	Comment from Mandell, Risa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28736	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23591	Comment from Johnson, T	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28737	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23593	Comment from Malone, Annie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28738	Comment from Pitts, Teresa
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23594	Comment from Krichevsky, Evan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28739	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23595	Comment from Watson, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28740	Comment from Pylant, Christa
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23596	Comment from Pigford, Terri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28741	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23597	Comment from Simoes, Claudio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28742	Comment from Wyrembelski, Julie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23599	Comment from taylor, zelma	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28743	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23600	Comment from Mattos, Claudio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28744	Comment from Bradshaw, Beverly
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23601	Comment from Henriques, Heloisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28745	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23602	Comment from Mattos, Heloisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28746	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23603	Comment from Simoes, Claudio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28747	Comment from Schicker, Robert
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23604	Comment from Buckler, Deb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28748	Comment from ENGLER, RAYA
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23605	Comment from Bell, Sheila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28749	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23606	Comment from Chamlou, Parisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28750	Comment from ENGLER, RAYA
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23607	Comment from Robidoux, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28751	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23608	Comment from Woltereck, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28752	Comment from Lommel, Lois
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23609	Comment from Shaw, Melinda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28753	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23610	Comment from Whitmer, Betty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28754	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23611	Comment from Lopez, Lourdes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28755	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23612	Comment from Lopez, Roxanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28756	Comment from Rusch, Vincent

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23613	Comment from Townshend, Elisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28757	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23614	Comment from Danon, Yolanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28758	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23615	Comment from Pierucki, Gatha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28759	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23616	Comment from Poissant, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28760	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23617	Comment from Cook, Theresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28761	Comment from Ehnes, Tiffany
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23618	Comment from Lee, Oak	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28762	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23619	Comment from Shorey, Heidi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28763	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23620	Comment from Stalter, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28764	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23621	Comment from Weber, Jeanine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28765	Comment from Narron, Diane
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23622	Comment from White, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28766	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23623	Comment from maas, monique	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28767	Comment from McEwen, Cindy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23624	Comment from Prakash, Anuradha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28768	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23625	Comment from Castro, Kari	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28769	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23626	Comment from Corrales, Yma	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28770	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23627	Comment from Ducay, Terri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28771	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23628	Comment from Coll, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28772	Comment from Hottenstein, Tara
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23629	Comment from Smale, Maryann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28773	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23630	Comment from Miller, Peter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28774	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23631	Comment from Flanagan, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28775	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23632	Comment from Stupak, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28776	Comment from Hottenstein, Tara
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23633	Comment from Kindschuh, Tyler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28777	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23634	Comment from Owens, Theresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28778	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23635	Comment from Kessler, Laren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28779	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23636	Comment from Tiefen, Loretta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28780	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23637	Comment from Young, S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28781	Comment from Marx-Zavattero, Heather
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23638	Comment from Kessler, Laren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28782	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23640	Comment from Habenicht, Brian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28783	Comment from Blanton, Cricket
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23641	Comment from L, Vincent	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28784	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23642	Comment from Sr, Rick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28785	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23643	Comment from Losee, Nadine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28786	Comment from Grause, J
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23644	Comment from H, Lani	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28787	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23645	Comment from Barton, Gregory	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28788	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23646	Comment from Ostlinger, Frank	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28789	Comment from Schwall, Nancy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23647	Comment from Marshall, Geri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28790	Comment from Mickey, judy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23648	Comment from Marshall, Geri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28791	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23649	Comment from O'Connell, Alyssa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28792	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23650	Comment from Toler, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28793	Comment from Goldsmith, Ken
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23651	Comment from Mannolini, Audrey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28794	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23653	Comment from Saiontz, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28795	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23654	Comment from Telese, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28796	Comment from Kerr, Tara
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23655	Comment from Mosher, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28797	Comment from Anonymous Anonymous

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23656	Comment from RUBIN, MARC	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28798	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23657	Comment from Paulson, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28799	Comment from Lowe, Susan
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23658	Comment from Osborn, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28800	Comment from Hawkins, A J
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23659	Comment from Okone, Brandon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28801	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23660	Comment from Reese, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28802	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23661	Comment from Kleinschmit, Lily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28803	Comment from Helms, Barbara
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23662	Comment from Johnson, Chelsea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28804	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23663	Comment from Brack, Evelyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28805	Comment from Sawyer, Caryl
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23664	Comment from Shabbott, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28806	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23665	Comment from Grogan, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28807	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23666	Comment from Schaub, Marsha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28808	Comment from Singleton, Greg
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23667	Comment from Mullins, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28809	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23668	Comment from Balter, Lauri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28810	Comment from Phillips, Janice
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23669	Comment from Davidson, Nora	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28811	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23670	Comment from Wade, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28812	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23671	Comment from POPA, LARISSA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28813	Comment from Siegel, Paul
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23672	Comment from Bailey, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28814	Comment from Townsend, Cheryl
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23673	Comment from Young, Amanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28815	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23674	Comment from Pappano, Alexandra D	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28816	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23675	Comment from Gennarelli, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28817	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23676	Comment from Snyder, Andrea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28818	Comment from gallanosa, kristin
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23677	Comment from Dadlani, Deepak	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28819	Comment from Basiewicz, Kathleen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23678	Comment from Ferrara, Lynda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28820	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23679	Comment from McClelland, Bobbi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28821	Comment from Adams, Laura
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23680	Comment from Storm, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28822	Comment from Marx, Judith
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23681	Comment from Gingras, Brian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28823	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23682	Comment from Riley, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28824	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23683	Comment from Lytle, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28825	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23684	Comment from Costa, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28826	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23685	Comment from OFlaherty, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28827	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23686	Comment from Swinock, Raylene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28828	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23687	Comment from Mackraz, Barb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28829	Comment from Marx, Chris
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23688	Comment from Faber, Megan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28830	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23689	Comment from burge, elena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28831	Comment from Mondragon, Michelle
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23690	Comment from Munn, Erica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28832	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23691	Comment from Elrod, Dorothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28833	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23692	Comment from Quintero, Gerry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28834	Comment from DeWitt, Susan
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23693	Comment from Griffin, Casey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28835	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23694	Comment from Castle, Allison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28836	Comment from Doyle, apri
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23695	Comment from Emminger, Charles	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28837	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23696	Comment from Lafferty, Lydia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28838	Comment from Downer, Craig

02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23697	Comment from Clendenen, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28839	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23698	Comment from Bailey, Maryanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28840	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23699	Comment from Nonnenberg, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28841	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23700	Comment from Pedersen, Celia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28842	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23701	Comment from DeDario, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28843	Comment from McGreevy, Karen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23702	Comment from Salerno, Bailey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28844	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23703	Comment from Benson, Daniele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28845	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23704	Comment from Yow, Ray	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28846	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23705	Comment from Francisco, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28847	Comment from Tucker, Sally
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23706	Comment from Marston, Sovathey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28848	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23707	Comment from Saini, Arun	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28849	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23708	Comment from Struan, A	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28850	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23709	Comment from Gutierrez, Nichole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28851	Comment from Mitchell, Thomas
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23710	Comment from Mags, bob	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28852	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23711	Comment from Morse, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28853	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23712	Comment from weaver, elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28854	Comment from Athavale, Anjali
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23713	Comment from Porter, NM	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28855	Comment from Anonymous Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23714	Comment from Palin, Jerry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28856	Comment from Garratt, Elizabeth
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23720	Comment from Nguyen, Rep. Bee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28857	Comment from Sayre, Peter
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23721	Comment from Butler, Sen. Gloria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28858	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23731	Comment from Perry, Brooke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28859	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23732	Comment from G, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28860	Comment from Wish, Wendy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23733	Comment from henderson, tamara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28861	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23734	Comment from Medrano, Daniel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28862	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23735	Comment from Cariglia, Renee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28863	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23736	Comment from Stromberg, Bennett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28864	Comment from Brooks, Jaxon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23737	Comment from Siegel, Saula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28865	Comment from Nord, Randall
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23738	Comment from Weber, Nicole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28866	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23739	Comment from Masonturcios, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28867	Comment from rice, beverly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23740	Comment from Duran, Jose A	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28868	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23741	Comment from Austin, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28869	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23742	Comment from McCoy, Amy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28870	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23743	Comment from Morales, Rosy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28871	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23744	Comment from B, Beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28872	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23745	Comment from Doyle, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28873	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23747	Comment from McElligott, Christy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28874	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23748	Comment from vandamme, deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28875	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23749	Comment from GINDT, JENNIFER	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28876	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23750	Comment from Saachi, Olivia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28877	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23751	Comment from spalt, amanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28878	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23752	Comment from Walker, Charlotte	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28879	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23753	Comment from Dupree, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28880	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23754	Comment from Swinehart, Lorin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28881	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23755	Comment from Shryock, Heather	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28882	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23756	Comment from Iadnier, Jean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28883	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23757	Comment from Hamilton, Mitchell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28884	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23758	Comment from Reinlander, Olivia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28885	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23759	Comment from Coelho, Shirley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28886	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23760	Comment from La Torre, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28887	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23762	Comment from Bean, F	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28888	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23763	Comment from Jaffray, Angela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28889	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23764	Comment from Sutton, Russ	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28890	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23765	Comment from McNeal, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28891	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23766	Comment from DeMarco, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28892	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23767	Comment from Dantuono, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28893	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23768	Comment from Coviello, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28894	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23769	Comment from Hawkins, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28895	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23770	Comment from Hermida, Daniela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28896	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23771	Comment from Hutchins, Joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28897	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23772	Comment from Rowland, Amanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28898	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23773	Comment from Burton, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28899	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23774	Comment from Jerrells, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28900	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23775	Comment from Woods, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28901	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23776	Comment from Dillon, Ginger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28902	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23777	Comment from Webster, Joseph	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28903	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23778	Comment from Meyer, Dixie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28904	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23779	Comment from Johnson, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28905	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23780	Comment from Weishaupt, Lisette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28906	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23781	Comment from Scholz, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28907	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23782	Comment from Cox, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28908	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23783	Comment from Lazzara, Fran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28909	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23784	Comment from Whitaker, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28910	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23785	Comment from Johnson, Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28911	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23786	Comment from Dorgan, Shelley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28912	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23787	Comment from Cedillos, Marnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28913	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23788	Comment from Tracy Whitford	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28914	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23789	Comment from Wahlenmaier, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28915	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23790	Comment from Blakely, Carmen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28916	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23791	Comment from Veith, Kymerli	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28917	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23794	Comment from Price, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28918	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23795	Comment from Dynega, Darlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28919	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23797	Comment from Fergus, Peggy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28920	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23798	Comment from Sabin, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28921	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23800	Comment from Brzezinski, Matt	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28922	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23801	Comment from Cortimilia, Uta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28923	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23802	Comment from wilson, agnew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28924	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23803	Comment from Prudden, Beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28925	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23804	Comment from LINN, BOB	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28926	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23805	Comment from Dalinowski, M Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28927	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23806	Comment from frank, alisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28928	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23808	Comment from Walton, Stefne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28929	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23809	Comment from Battaglio, Patty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28930	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23810	Comment from Allison, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28931	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23811	Comment from Hightree, Lucy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28932	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23812	Comment from Swiecka, Izabela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28933	Comment from Anthony Montapert
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23813	Comment from Kilroy, Dianna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28934	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23814	Comment from Yurkovic, Erin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28935	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23815	Comment from Edwards, Duane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28936	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23816	Comment from Osborne, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28937	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23818	Comment from Earnshaw, Shinann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28938	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23820	Comment from Cole, Tracy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28939	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23821	Comment from BALOGH, SYLVIA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28940	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23822	Comment from Ganong, Molly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28941	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23823	Comment from Barton, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28942	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23824	Comment from Sweatland, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28943	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23825	Comment from Angell, Lynnette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28944	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23826	Comment from Richie, Lauren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28945	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23828	Comment from Henriques, Heloisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28946	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23829	Comment from Simoes, Claudio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28947	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23830	Comment from Simoes, Claudio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28948	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23831	Comment from G, Al	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28949	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23832	Comment from Kane, Misti	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28950	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23833	Comment from Roberts, Jack	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28951	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23834	Comment from hart, judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28952	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23835	Comment from Sutherland, Sonja	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28953	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23837	Comment from Rocha, Candace	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28954	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23838	Comment from M, L	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28955	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23839	Comment from trapani, jean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28956	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23840	Comment from fahah, gilava	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28957	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23842	Comment from Taliaferro, Jessica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28958	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23843	Comment from Mattos, Claudio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28959	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23844	Comment from Mattos, Heloisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28960	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23845	Comment from Best, Rolf	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28961	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23846	Comment from Bostic, Marty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28962	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23847	Comment from Kutach, Jeff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28963	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23848	Comment from Dalpe, Erin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28964	Comment from Jennifer Hayes
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23849	Comment from Chin, Jason	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28965	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23850	Comment from Ray, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28966	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23851	Comment from sayer, stanley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28967	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23852	Comment from Arneson, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28968	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23853	Comment from Fogan, Sara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28969	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23854	Comment from Pollet, Tristin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28970	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23855	Comment from Albritton, Brigette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28971	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23856	Comment from Wolfe, Shelley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28972	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23858	Comment from Taylor, Lorrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28973	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23859	Comment from Perez, Tita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28974	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23860	Comment from Dearing, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28975	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23861	Comment from Zorrilla, Pilar	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28976	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23862	Comment from Jobling, Catherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28977	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23863	Comment from Newton, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28978	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23864	Comment from Gersuk Byrd, Eileen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28979	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23865	Comment from Wilson, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28980	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23866	Comment from Segawa, Destry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28981	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23867	Comment from Brodsky, Nathaniel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28982	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23868	Comment from Lyons, Connie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28983	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23869	Comment from Griffith, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28984	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23870	Comment from wills, annemarie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28985	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23871	Comment from Preston, Janice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28986	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23872	Comment from Fry, Debby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28987	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23873	Comment from du Bois, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28988	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23874	Comment from Stevens, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28989	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23876	Comment from Jessepe, Joseph	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28990	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23877	Comment from Teel, Scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28991	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23878	Comment from Bittner, Adele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28992	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23879	Comment from Hensley, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28993	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23880	Comment from monsuer, john	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28994	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23881	Comment from Stewart, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28995	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23882	Comment from Evans, Brianne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28996	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23883	Comment from Burkhardt, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28997	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23884	Comment from Putrich, Steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28998	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23885	Comment from Gosselin, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28999	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23886	Comment from Cross, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29000	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23887	Comment from Anaya, Yanisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29001	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23891	Comment from Herb, Kelsey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29002	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23892	Comment from Bettino, Celeste	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29003	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23893	Comment from Rodriguez, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29004	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23894	Comment from King, Justine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29005	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23895	Comment from Karpel, Jan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29006	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23897	Comment from Stinson, Lori	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29007	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23898	Comment from Valero, Maudie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29008	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23900	Comment from Harper, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29009	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23901	Comment from Cao, Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29010	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23902	Comment from Cain, Jamie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29011	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23903	Comment from means, shaun	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29012	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23904	Comment from vasighi, taylor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29013	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23905	Comment from Garrett, Wanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29014	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23906	Comment from HELTON, JUDITH	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29015	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23907	Comment from RICHARDS, JUDY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29016	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23908	Comment from Lozon, Rob	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29017	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23909	Comment from Nelson, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29018	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23910	Comment from Sinai, Iris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29019	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23911	Comment from Blake, Jocelyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29020	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23912	Comment from Swing, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29021	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23913	Comment from Zito, Shelley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29022	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23914	Comment from Smith, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29023	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23915	Comment from Goldsmith, Ken	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29024	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23916	Comment from Getz, Lynda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29025	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23917	Comment from Fox, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29026	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23918	Comment from Putze, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29027	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23921	Comment from Mancini, Marc J	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29028	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23922	Comment from Misso, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29029	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23924	Comment from Gumtow Farrior, Catherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29030	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23925	Comment from Conklin, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29031	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23926	Comment from Hashemi, Megan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29032	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23927	Comment from BOGRAKOS, IRIS	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29033	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23928	Comment from Poskiene, Lina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29034	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23929	Comment from Book, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29035	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23930	Comment from Quarto, Faith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29036	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23931	Comment from Kesselman, Barry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29037	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23932	Comment from Miller, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29038	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23933	Comment from Gonzalez, Margarita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29039	Comment from Garry Taroli
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23934	Comment from Levy, Claire	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29040	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23935	Comment from Wingenbach, Carla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29041	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23936	Comment from walsh, patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29042	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23937	Comment from Smock, Amanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29043	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23938	Comment from Fedotova, Tatyana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29044	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23939	Comment from Lawrence, Georgia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29045	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23940	Comment from WEBER SLEDGE, HELGA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29046	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23941	Comment from Beeson, Leona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29047	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23942	Comment from Delgado, Lenore	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29048	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23943	Comment from Lahna, Joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29049	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23944	Comment from Urton, S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29050	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23945	Comment from Barker, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29051	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23946	Comment from ARNOLD, FLORENCE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29052	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23947	Comment from Letson, Janette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29053	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23948	Comment from Perry, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29054	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23949	Comment from Hickey, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29055	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23950	Comment from Freedman, M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29056	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23951	Comment from Kumke, Alana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29057	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23953	Comment from Kurtnick, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29058	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23955	Comment from Beasley, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29059	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23956	Comment from Beasley, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29060	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23957	Comment from Burton, Betty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29061	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23958	Comment from Bergstrom, Brittney	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29062	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23959	Comment from Beasley, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29063	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23960	Comment from Hosty, April	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29064	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23961	Comment from Hanson, Art	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29065	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23962	Comment from Spoto, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29066	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23963	Comment from Smithwick, Sylvia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29067	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23964	Comment from Steininger, Kirsten	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29068	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23965	Comment from Callan, Jim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29069	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23966	Comment from Pernot, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29070	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23967	Comment from Coleman-Slack, Kelley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29071	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23968	Comment from Angell, Lynnette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29072	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23969	Comment from Vinton, Janine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29073	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23970	Comment from Curnow, Connie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29074	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23971	Comment from DAVIS, ELIZABETH	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29075	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23972	Comment from BATTERY, Rickey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29076	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23973	Comment from Grossman, Warren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29077	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23974	Comment from KASTEL, DIANE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29078	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23975	Comment from scott, marcus	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29079	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23976	Comment from East, Terri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29080	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23977	Comment from Spring, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29081	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23978	Comment from Settle, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29082	Comment from Barth, Lisa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23979	Comment from Piper-Smyer, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29083	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23980	Comment from Pocholec, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29084	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23981	Comment from Soto, Cheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29085	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23982	Comment from Zaripova, Elvira	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29086	Comment from Rigano, Kimberly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23983	Comment from Morrone, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29087	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23984	Comment from Ferguson, Cory	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29088	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23985	Comment from Suci, Nathalie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29089	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23986	Comment from O'Donnell , Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29090	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23987	Comment from Villa, Bea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29091	Comment from Linn, Alan
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23988	Comment from Andrews, Tammy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29092	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23989	Comment from Henkel-Green, Merideth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29093	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23990	Comment from Golin, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29094	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23991	Comment from Capes, TILLMAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29095	Comment from Emler PAC, Mark
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23992	Comment from Handsaker, Heidi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29096	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23993	Comment from Bailleul, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29097	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23994	Comment from Wagner, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29098	Comment from Steininger, Lorenz
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23995	Comment from Cambouris, Jeanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29099	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23996	Comment from Armbruster, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29100	Comment from hinze, willie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23997	Comment from Bradbury, Jeanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29101	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23998	Comment from Rydant, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29102	Comment from Koester, Sharon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23999	Comment from Dallas, William	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29103	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24000	Comment from Sanchez, Maret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29104	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24001	Comment from DEAN, VALERIE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29105	Comment from Kianpourian, Bahareh
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24002	Comment from Ryan, Gerald	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29106	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24003	Comment from Villa, Bea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29107	Comment from Nord, Randall
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24004	Comment from Dlugosch, Gisela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29108	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24005	Comment from Hernandez, Nicola	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29109	Comment from mcMahon, elizabeth
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24006	Comment from Rademacher, Kristin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29110	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24007	Comment from Lawrence, Rhett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29111	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24008	Comment from Melchior, Susanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29112	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24009	Comment from Reid , Marlys	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29113	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24010	Comment from Dickinson, Hollie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29114	Comment from Lesser, Diane
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24011	Comment from Badawy, Nabila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29116	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24012	Comment from Fitch, Kaitlin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29117	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24013	Comment from Amini, Azie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29118	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24014	Comment from Rasch, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29119	Comment from hart, crystal
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24015	Comment from Parra, Natalie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29120	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24016	Comment from Ferrell, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29121	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24017	Comment from Russell, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29122	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24018	Comment from Blumenfeld, Rachel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29123	Comment from Cardoso, Flavio
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24019	Comment from ciardi, chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29124	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24020	Comment from Garbrick, Kathe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29125	Comment from Vogel, Steven
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24021	Comment from Feldman, Matthew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29126	Comment from Vinton, Janine

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24022	Comment from Jarrett, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29127	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24023	Comment from Durland, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29128	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24024	Comment from Morris, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29129	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24025	Comment from Ingledow, Graham	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29130	Comment from Middour, Sandra
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24026	Comment from goelzer, bobbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29131	Comment from panciocco, sammia
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24027	Comment from Jackson, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29132	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24028	Comment from Johnston, Jessica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29133	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24029	Comment from Mann-Hielscher, Galia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29134	Comment from Jordan, S.
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24030	Comment from Dober, Sofia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29135	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24031	Comment from Elkins, Rachel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29136	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24032	Comment from ??, ??	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29137	Comment from Newhouser, Taffi
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24033	Comment from Kitsos , Doreen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29138	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24034	Comment from Carlson, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29139	Comment from Gaskins, Melissa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24035	Comment from Johnsson, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29140	Comment from Masterson, Lori
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24036	Comment from Elliott, Sam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29141	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24037	Comment from Evask, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29142	Comment from Watts, Elizabeth
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24038	Comment from Burkard, Jerry Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29143	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24039	Comment from Ramnath, Julee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29144	Comment from Arrowood, Jayne
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24040	Comment from Ingle, April	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29145	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24041	Comment from Thompson, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29146	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24042	Comment from Dominguez, Buena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29147	Comment from Newsome, Carole
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24043	Comment from Thompson, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29148	Comment from Severino, Susan
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24044	Comment from Hall, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29149	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24045	Comment from Hoadley, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29150	Comment from Herman, Beth
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24046	Comment from McNeal, Alexandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29151	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24047	Comment from Kirks, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29152	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24048	Comment from A, Olivia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29153	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24049	Comment from Enfield, Marcia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29154	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24050	Comment from McQueen-Allinger, Eve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29155	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24051	Comment from O'Hara, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29156	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24052	Comment from Clarke, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29157	Comment from Clark, Diane
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24053	Comment from Stella, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29158	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24054	Comment from Christensen, Kent	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29159	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24055	Comment from Bach, Ronald	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29160	Comment from McGregor, Hilary
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24056	Comment from Perri, Marianne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29161	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24057	Comment from Zacchino, Stephanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29162	Comment from McIlwain, Beverly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24058	Comment from Mazar, Ozala	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29163	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24059	Comment from mills, shirley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29164	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24060	Comment from Whiting, Anthony	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29165	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24061	Comment from Shabi, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29166	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24062	Comment from Edwards, Maureen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29167	Comment from Dickstein, Stephen

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24063	Comment from Faisy, Veronique	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29168	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24064	Comment from Lake, Shiloh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29169	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24065	Comment from Defosses, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29170	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24066	Comment from Canada II, Riley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29171	Comment from Johnson, Rhonda
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24067	Comment from cano, dora	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29172	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24068	Comment from Rewoldt, Tom	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29173	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24069	Comment from Yee, Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29174	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24070	Comment from Enes, Charla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29175	Comment from Jedlicka, Pamela
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24071	Comment from Sweat, Tally	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29176	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24072	Comment from Barnes, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29177	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24073	Comment from Watts, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29178	Comment from Sullivan, Jennifer
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24074	Comment from rodriguez, lola	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29179	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24075	Comment from Von Allmen, Virginia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29180	Comment from Camp, Linda
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24076	Comment from Barry, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29181	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24077	Comment from Bangers, Ingrid	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29182	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24078	Comment from Onoff, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29183	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24079	Comment from Antin, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29184	Comment from Smoller, Merry
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24080	Comment from Beasley, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29185	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24081	Comment from Emminger, Charles	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29186	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24082	Comment from Kern, Bettie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29187	Comment from Whiteman, Mary
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24083	Comment from Katz, Sara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29188	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24084	Comment from Malloy, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29189	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24085	Comment from Davis , Jamie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29190	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24086	Comment from Carton , Rosemary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29191	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24087	Comment from Cao, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29192	Comment from Grassl, Peter
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24088	Comment from Salazar, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29193	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24089	Comment from V, M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29194	Comment from Rose, Jay
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24090	Comment from Comparetto, Franca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29195	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24091	Comment from Killoran, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29196	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24092	Comment from Lamlech, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29197	Comment from Williams, Terrie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24093	Comment from M., Keiko	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29198	Comment from Bradshaw, Beverly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24094	Comment from Fournier, Eric	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29199	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24095	Comment from Erickson, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29200	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24096	Comment from Musselman, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29201	Comment from mortimer, kristin
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24097	Comment from Sellon, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29202	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24098	Comment from Greenwood, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29203	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24099	Comment from Lauren, Nicole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29204	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24100	Comment from Burley, Tracey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29205	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24101	Comment from Kirby, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29206	Comment from Martin, Ben
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24102	Comment from tucker, victoria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29207	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24103	Comment from Howie, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29208	Comment from Emerle-Sifuentes, Jennifer

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24104	Comment from Bonomo, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29209	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24105	Comment from Stenroos, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29210	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24106	Comment from Lozon, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29211	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24107	Comment from demarais, jackie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29212	Comment from Cornelia, Jared
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24108	Comment from Allarde, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29213	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24109	Comment from Simmons, Carolyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29214	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24110	Comment from Bolton, Rochelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29215	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24111	Comment from Petry, Trent	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29216	Comment from Covino, Robin
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24112	Comment from Lewis, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29217	Comment from Bisson, Jane
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24113	Comment from Luton, Marabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29218	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24114	Comment from McHendry, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29219	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24115	Comment from Staniorski , Roxanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29220	Comment from Yermak, Iris Patty
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24116	Comment from Rivas, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29221	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24117	Comment from Rivas, Teres	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29222	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24118	Comment from Rivas, Will	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29223	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24119	Comment from Bouchard , Michele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29224	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24120	Comment from Kukan, Dane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29225	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24121	Comment from Schulbach, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29226	Cathie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24122	Comment from Leon, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29227	Comment from Naftzinger, Tana
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24123	Comment from Henderson, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29228	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24124	Comment from B8, S7	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29229	Comment from Riedler, Monica
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24125	Comment from Atkinson, Rhys	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29230	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24126	Comment from Mohseni, Leila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29231	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24127	Comment from DiGiacomo, ALEXANDRA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29232	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24128	Comment from Baris, Sonja	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29233	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24129	Comment from Hernandez, Brandy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29234	Comment from COX, AMANDA
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24130	Comment from Steigerwaldt, Samantha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29235	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24131	Comment from Bell, Terra Leigh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29236	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24132	Comment from Picinic , Matthew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29237	Comment from Fors, Sharon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24133	Comment from Picinic , Matthew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29238	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24134	Comment from Dorr, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29239	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24135	Comment from KALLOI, LASZLO	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29240	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24136	Comment from Fischer, Elaine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29241	Comment from Dean, Sarah
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24137	Comment from Gil, Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29242	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24138	Comment from Sapienza, Zachary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29243	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24139	Comment from Dunn, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29244	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24140	Comment from Adams, Marsha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29245	Comment from Breslin, Nancy and Robert
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24141	Comment from Waller, Ben	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29246	Comment from Cherubin, Elizabeth
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24142	Comment from Mahmoud, Gina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29247	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24143	Comment from Cervera, Isabel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29248	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24144	Comment from Jezewski, Katja	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29249	Comment from Akhtar, Sahar

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24145	Comment from Whipple, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29250	Comment from rivezzi, bart
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24146	Comment from Campbell, Lea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29251	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24147	Comment from artman, cara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29252	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24148	Comment from DiSibio, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29253	Comment from Ryan, Stefanie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24149	Comment from Cervera, Isabel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29254	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24150	Comment from Weisberg, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29255	Comment from McGrath, Kyle
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24151	Comment from Das, Anita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29256	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24152	Comment from Puluso, Vicki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29257	Comment from Sudell, Odile
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24153	Comment from Holk, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29258	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24154	Comment from Lattanzi, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29259	Comment from Ivie, Cecyl
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24155	Comment from Baker, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29260	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24156	Comment from Alger, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29261	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24157	Comment from Hartman, Laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29262	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24158	Comment from Armontrout, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29263	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24159	Comment from Schuessler, Meghan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29264	Comment from Ruggeri, Wendy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24160	Comment from Opiel, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29265	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24161	Comment from H, Kate	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29266	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24162	Comment from Roemer, Gloria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29267	Comment from Georgovska, Jasmina
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24163	Comment from Siebens, Heidi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29268	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24164	Comment from Whitt, Amesha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29269	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24165	Comment from hall, beckie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29270	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24166	Comment from Hiner, Blaine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29271	Comment from Mccoy, Joan Ellen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24167	Comment from haverkamp, kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29272	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24168	Comment from Marie, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29273	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24169	Comment from Wagner, Rayleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29274	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24170	Comment from Gregg, Aileen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29275	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24171	Comment from Beck, Catherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29276	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24172	Comment from spelter, katarina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29277	Comment from Werner, Elizabeth
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24173	Comment from Gillis, E.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29278	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24174	Comment from Garlena, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29279	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24175	Comment from Hayman, Lauren Elise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29280	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24176	Comment from Johnson, Rhonda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29281	Comment from Hughes, Lynne
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24177	Comment from Donaho, Shannon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29282	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24178	Comment from Deckel, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29283	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24179	Comment from Blenis , Tiffany	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29284	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24180	Comment from Roberts, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29285	Comment from Griffith, Eric
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24181	Comment from Lipman, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29286	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24182	Comment from Post, Lara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29287	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24183	Comment from Lynch, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29288	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24184	Comment from Gagliani, Rita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29289	Comment from Agbaje, Fiayo
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24185	Comment from Ward, Sonora	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29290	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24186	Comment from wray, anthea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29291	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24187	Comment from Minovitz, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29292	Comment from Bisson, Anne
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24188	Comment from Stevenson, Julia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29293	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24189	Comment from Auger, Sylvie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29294	Comment from Cohen, Justin
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24190	Comment from Steward, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29295	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24191	Comment from Lenardson, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29296	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24192	Comment from THOMAS, JOAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29297	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24193	Comment from Lin, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29298	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24194	Comment from Brazzell, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29299	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24195	Comment from Murphy, Ann Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29300	Comment from Leff, Claudia
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24196	Comment from Merljak, Julija	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29301	Comment from Schurr, Arthur
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24197	Comment from Merljak, Julija	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29302	Comment from Norris, S.
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24198	Comment from Garrison, Anita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29303	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24199	Comment from Houser, Brian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29304	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24200	Comment from Paulk, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29305	Comment from Makris, Olive
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24201	Comment from Lanchester, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29306	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24202	Comment from capurro, lyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29307	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24203	Comment from Elder, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29308	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24204	Comment from Wood, Peter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29309	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24205	Comment from Mariano, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29310	Comment from Reyes, John
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24206	Comment from Soja, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29311	Comment from Struss, Barbara
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24207	Comment from Wilson, Theresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29312	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24208	John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29313	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24209	John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29314	Comment from Young, Roberta
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24210	Comment from Wilson, Theresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29315	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24211	Comment from Wells, Lasha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29316	Comment from Choi, Kelly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24212	Comment from Taylor, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29317	Comment from Jonach, Elizabeth
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24213	Comment from Tarver, Letitia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29318	Comment from Pearson, Kathleen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24214	Comment from Prellwitz, Carl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29319	Comment from Schaftlein, Karin
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24215	Comment from Barden , Lindley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29320	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24216	Comment from Saks, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29321	Comment from obrien, victoria
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24217	Comment from Dill, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29322	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24218	Comment from Pisani, Marisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29323	Comment from devinney, claudia
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24219	Comment from Williams, Reed	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29324	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24220	Comment from hanson, patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29325	Comment from Neal, E.
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24221	Comment from Massey, Lorna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29326	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24222	Comment from Bow, Peggy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29327	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24223	Comment from Boyd, Wanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29328	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24224	Comment from Coyle, Nora	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29329	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24225	Comment from Gates-Mayer, Holly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29330	Comment from Grande, Paula
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24226	Comment from Carrier, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29331	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24227	Comment from Nichols, Beverly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29332	Comment from Polchinski, stanley
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24228	Comment from Lentol, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29333	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24229	Comment from Noll, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29334	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24230	Comment from Lentol, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29335	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24231	Comment from Abbondante, Jim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29336	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24232	Comment from Wiorski, Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29337	Comment from Sawicke, Janis
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24233	Comment from Scharin, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29338	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24234	Comment from Klein , Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29339	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24235	Comment from Babineau, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29340	Comment from Revesz, Mr.&Mrs.
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24236	Comment from Wheeler, Maureen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29341	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24237	Comment from Kerr, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29342	Comment from Ryan, Larry
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24238	Comment from Holt, Sherry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29343	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24239	Comment from Van Camp , Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29344	Comment from Rafferty, Bernard
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24240	Comment from Wheeler, Maureen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29345	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24241	Comment from Boden , Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29346	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24242	Comment from Buchwald, Victoria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29347	Comment from Goel, Sharon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24243	Comment from Gee, Vanyoska	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29348	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24244	Comment from Beierl, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29349	Comment from Fallis, Jane
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24245	Comment from Jager , Calvin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29350	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24246	Comment from Mclinton, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29351	Comment from Koehler, Christine
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24247	Comment from German, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29352	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24248	Comment from Krause, Cheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29353	Comment from Spero, Thomas
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24249	Comment from Jerbert, Jean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29354	Comment from Foster, Pat
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24250	Comment from Wondolowski, William T.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29355	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24251	Comment from Wondolowski, William T.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29356	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24252	Comment from Williams, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29357	Comment from Wertheim, Ellen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24253	Comment from schnaidt, ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29358	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24254	Comment from Hall, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29359	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24255	Comment from Tryon, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29360	Comment from Ramo, Carol
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24256	Comment from Shaver, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29361	Comment from Diamond, j
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24257	Comment from Musson, Larry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29362	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24258	Comment from Gabehart, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29363	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24259	Comment from Lindberg, Kristy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29364	Comment from Emerson, Jan
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24260	Comment from Young, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29365	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24261	Comment from Lindberg, Kristy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29366	Comment from Kirkhart, Karen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24262	Comment from Harper, Alan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29367	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24263	Comment from Rich, susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29368	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24264	Comment from Lowrey, Jan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29369	Comment from sloan, elaine
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24265	Comment from Moreland, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29370	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24266	Comment from drexler, jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29371	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24267	Comment from Davenport, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29372	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24268	Comment from Slater-Giglioli, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29373	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24269	Comment from Cummings , Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29374	Comment from Benton, Tom
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24270	Comment from Cummings , Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29375	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24271	Comment from Kash, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29376	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24272	Comment from Johannessen, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29377	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24273	Comment from Krol, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29378	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24274	Comment from Michaels, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29379	Comment from DeFurio, Debra
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24275	Comment from Viola, Krystle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29380	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24277	Comment from Shelton, Teresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29381	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24278	Comment from Melnyck, Robby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29382	Comment from Miracola, Jessica
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24279	Comment from Fass, Arline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29383	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24280	Comment from Edwards, Stephanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29384	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24281	Comment from Hollon, Hollie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29385	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24282	Comment from Robinson, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29386	Comment from Klusaritz, Thomas
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24283	Comment from Towe, Britton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29387	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24284	Comment from Luongo, Joanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29388	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24285	Comment from Lippman, Alicia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29389	Comment from forman, fay
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24286	Comment from Lemessy, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29390	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24288	Comment from 576, Lisa England	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29391	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24289	Comment from Holtz, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29392	Comment from Wushensky, Sharon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24290	Comment from Nevi-Maguire , Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29393	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24291	Comment from Darrow, Aimee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29394	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24292	Comment from Diggle, Gloria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29395	Comment from Miller, Debra
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24293	Comment from Staunton, Carly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29396	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24294	Comment from Correa, Monique	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29397	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24295	Comment from Laidler, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29398	Comment from Santiago, Natalie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24296	Comment from Tuorto , Victoria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29399	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24297	Comment from FELDMAN, LAURE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29400	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24298	Comment from Urbon, Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29401	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24299	Comment from okolowicz, sofia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29402	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24300	Comment from Mehrman , Evan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29403	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24301	Comment from Smith, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29404	Comment from DeLouchrey, Tim
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24302	Comment from Lill, Nancy Enz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29406	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24303	Comment from Leitner , Shannon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29407	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24304	Comment from h, liza	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29408	Comment from Kendrick, Aixa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24305	Comment from Zatrine, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29409	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24306	Comment from Webb, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29410	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24307	Comment from S, S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29411	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24308	Comment from Webb, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29412	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24309	Comment from Buot, Carolynne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29413	Comment from Pudzianowski, Andrew
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24310	Comment from R, Colette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29414	Comment from Brennan, Timothy

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24311	Comment from Thompson , Janice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29415	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24312	Comment from Moretti, Vicente	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29416	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24313	Comment from Frayer, Marivee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29417	Comment from Leonard, Valerie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24314	Comment from Vickers, Ruth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29418	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24315	Comment from Michaelis, MaryLynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29419	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24316	Comment from Calabrese, Lola	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29420	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24317	Comment from Evans, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29421	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24318	Comment from Kirkham, Connie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29422	Comment from Eschbach, Nathan
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24319	Comment from Sauer , Emma	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29423	Comment from White, Robbie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24320	Comment from Gudis, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29424	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24321	Comment from Montgomery, Ji	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29425	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24322	Comment from Ridgway, Kathi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29426	Comment from Leventis, Angela
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24323	Comment from Morey, Lorilie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29427	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24324	Comment from Mcneal, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29428	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24325	Comment from Weisberg, rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29429	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24326	Comment from Beldner, Brad	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29430	Comment from Aquino, Hilary
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24327	Comment from Epperly, Leon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29431	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24328	Comment from Gibbons, Katherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29432	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24329	Comment from Perry , Geri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29433	Comment from Gradoni, Peter
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24330	Comment from Weisberg, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29434	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24331	Comment from Maisee, Ginette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29435	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24332	Comment from Molina, Nelson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29436	Comment from Griffin, Amanda
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24333	Comment from Stern, Karli	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29437	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24334	Comment from Totten, Tabitha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29438	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24336	Comment from christensen, freya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29439	Comment from Knauber, Terri
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24339	Comment from Yang, Vicky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29440	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24340	Comment from Jurgela, Elena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29441	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24341	Comment from Novak, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29442	Comment from Speicher, Jon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24342	Comment from DeMarco, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29443	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24343	Comment from Williams, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29444	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24344	Comment from Lynch, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29445	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24345	Comment from Trusty, Kristen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29446	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24346	Comment from Kauffman, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29447	Comment from Nicolai, Nicola
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24347	Comment from Anderson, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29448	Comment from Jana Perinchief
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24348	Comment from Waters, Constance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29449	Comment from Ward, Susan
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24349	Comment from Mashburn, MJ.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29450	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24350	Comment from broenner, Cindra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29451	Comment from Baker, Barbara
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24351	Comment from guenther, lavaune	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29452	Comment from Roach, Bob
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24352	Comment from Walker, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29453	Comment from Gordon, Marcy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24353	Comment from Crimmins, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29454	Comment from Paterno, Joshua
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24354	Comment from Jackson, K	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29455	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24355	Comment from Zimmerman, Aileen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29456	Comment from Edmondson, Dominique
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24356	Comment from Schmitt, Tim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29457	Comment from Riley, Kelly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24357	Maiorano	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29458	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24358	Comment from Chamberlain, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29459	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24359	Comment from Uustal, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29460	Comment from Lombardi, Michael
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24360	Comment from Ruzza, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29461	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24361	Comment from Horton, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29462	Comment from Duran, Pat
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24362	Comment from Bazan, Tyler	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29463	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24363	Comment from Haut, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29464	Comment from renard, Jeanine
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24364	Comment from Denny, Mahi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29465	Comment from schmidt, dina
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24365	Comment from Mc ullins, Rhodna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29466	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24366	Comment from Marhefka , Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29467	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24367	Comment from Stuart, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29468	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24368	Comment from Sheppard, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29469	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24369	Comment from Jackson, Claire	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29470	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24370	Comment from Staron, Maryann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29471	Comment from Regen, Hamilton
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24371	Comment from OBrien, Dean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29472	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24372	Comment from Martin, Peggi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29473	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24373	Comment from Schumacher, Amy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29474	Comment from hale, kim
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24374	Comment from Neubauer , Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29475	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24375	Comment from Brite, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29476	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24376	Comment from Hartz, Griffin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29477	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24377	Comment from Russ, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29478	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24378	Comment from Morris, Darlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29479	Comment from Swift, Duchess
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24379	Comment from Hafford, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29480	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24380	Comment from Collins, Carla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29481	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24381	Comment from Comiskey, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29482	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24382	Comment from Miller, Lawrence	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29483	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24383	Comment from Watson, Becky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29484	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24384	Comment from yamada, kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29485	Comment from Krausz, Lisa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24385	Comment from Macias, Marlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29486	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24386	Comment from Poole, Marybeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29487	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24387	Comment from Cross, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29488	Comment from Richter, Ron
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24388	Comment from Smith, Deidra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29489	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24389	Comment from G, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29490	Comment from McGuire, Ellie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24390	Comment from Wheeler, Clare	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29491	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24391	Comment from Gordon, Shyla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29492	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24392	Comment from Padelford, Grace	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29493	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24393	Comment from Rawlins, Elsie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29494	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24394	Comment from Greene, Samantha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29495	Comment from Syre, Peter
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24395	Comment from Lloyd, Valerie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29496	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24396	Comment from Marhefka, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29497	Comment from Thornton, Susan
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24397	Comment from Weaver, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29498	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24398	Comment from Miller, Vicky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29499	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24399	Comment from P, Crystal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29500	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24400	Comment from Joslin, Neil	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29501	Comment from Gertler, Mimi
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24401	Comment from Alibrandi , Jill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29502	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24402	Comment from Thaler, Gary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29503	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24403	Comment from Becker, Sheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29504	Comment from L., Kristin
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24404	Comment from Rave, William	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29505	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24405	Comment from illiano, neil	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29506	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24406	Comment from Spencer, Carolyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29507	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24407	Comment from acuna, constance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29508	Comment from Patricia Eickelberg
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24408	Comment from Wenrich , Tanya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29509	Comment from Stradtman, George
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24409	Comment from Hartung, Bridgette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29510	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24410	Comment from Lenard, Dena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29511	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24411	Comment from Dwyer, Hope	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29512	Comment from Mangus, Tracey
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24412	Comment from Bernas, Edward	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29513	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24413	Comment from Harrington, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29514	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24414	Comment from Hughes, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29515	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24415	Comment from Oda, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29516	Comment from Magaziner, Sally
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24416	Comment from Pedersen, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29517	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24417	Comment from Whitehouse, Katy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29518	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24418	Comment from Gruber, Miranda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29519	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24419	Comment from Rittenhouse, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29521	Comment from Duran, Pat
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24420	Comment from Edwards , Rhonda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29522	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24421	Comment from Rome, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29523	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24422	Comment from Lombardi, Carmella	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29524	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24423	Comment from Koch, Ad	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29525	Comment from Iszauk, Steven
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24424	Comment from Rhangos, Eleanor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29526	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24425	Comment from Books, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29527	Comment from Ruhland, Kristina
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24426	Comment from derey, maura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29528	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24427	Comment from Van Pelt, Maia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29529	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24428	Comment from Richards, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29530	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24429	Comment from Stan , Nicolette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29531	Comment from Nina Monasevitch
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24430	Comment from Emery, Corie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29532	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24431	Comment from Drescher, Fran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29533	Comment from Taylor, Devon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24432	Comment from Newsome, Carole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29534	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24433	Comment from Fergeson, Cheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29535	Comment from Savage, Michael
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24434	Comment from Gargiulo, T	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29536	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24435	Comment from Peters, Dana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29537	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24436	Comment from ciesla, christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29538	Comment from kenyon, dawn

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24437	Comment from belafsky, ryane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29539	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24438	Comment from HANSEN, RUSSELL	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29540	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24439	Comment from Albano, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29541	Comment from Knox, Oliver
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24440	Comment from Wyatt , Charlotte	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29542	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24441	Comment from La Rosa, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29543	Comment from Gibb, Robert
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24442	Comment from Link-New, Virgene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29544	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24443	Comment from Eghbali-Fatourechi, Guiti	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29545	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24444	Comment from Bleifeld, Neil	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29546	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24445	Comment from Eichner, Stacey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29547	Comment from McGill, Betsy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24446	Comment from Daniels, Shannon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29548	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24447	Comment from Lee, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29549	Comment from Kagan, Lisa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24448	Comment from Hoffman, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29550	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24449	Comment from Cole, Jenny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29551	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24450	Comment from mckeon, julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29552	Comment from Monahan, Marissa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24451	Comment from Albrecht, Yvonne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29553	Comment from George, richard
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24452	Comment from Kane , Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29554	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24453	Comment from Fuchs, Aaron	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29555	Comment from Edwards, Robert
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24454	Comment from Curci, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29556	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24455	Comment from Wolf, Torah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29557	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24456	Comment from Prince, Scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29558	Comment from Kessler, Wayne
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24457	Comment from Cohen, Matthew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29559	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24458	Comment from Porciello, Eleanor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29560	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24459	Comment from Sanders George, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29561	Comment from Wheeler, Theresa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24460	Comment from Yaskin , Kyle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29562	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24461	Comment from Kovshun, Rita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29563	Comment from D'Ambrosio, Sandy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24462	Comment from Maino, Paola	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29564	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24463	Comment from Perez, Beatrix	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29565	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24464	Comment from Delin, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29566	Comment from Charles, Dorian
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24465	Comment from Rancourt, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29567	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24466	Comment from koeck, diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29568	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24467	Comment from Burkey, Erin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29569	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24468	Comment from Holland, Brett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29570	Comment from Peters, Kathleen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24469	Comment from Mackiewicz, Frances	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29571	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24470	Comment from Tedesco, Terry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29572	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24471	Comment from Stalker, Megan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29573	Comment from winchester, linda
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24472	Comment from DeFurio, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29574	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24473	Comment from Wisneski, cara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29575	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24474	Comment from Davella, Gina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29576	Comment from Greinke, Pamyllle
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24475	Comment from Johnson, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29577	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24476	Comment from Tiscareno, Karina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29578	Comment from Weinberger, Daniel
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24477	Comment from Crytzer, Erica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29579	Comment from DUGAN, EMILY

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24478	Comment from Harper, Sean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29580	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24479	Comment from Tanner, Milessa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29581	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24480	Comment from Derence, Lea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29582	Comment from Botta, Jeanne
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24481	Comment from Wheeler, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29583	Comment from Lemonik, B. R.
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24482	Comment from Heilman, Dionne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29584	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24483	Comment from Rogers, Ruth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29585	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24484	Comment from Shokohi , Azhand	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29586	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24485	Comment from Paskowitz, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29587	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24486	Comment from Scharer, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29589	Comment from Galvin, Theresa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24487	Comment from Arnone, Ruth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29590	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24488	Comment from Winstead, Cody	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29591	Comment from Isaac, Sheldon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24489	Comment from roche, maureen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29592	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24490	Comment from Germain, Gisele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29593	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24491	Comment from Sobalvarro, Amalia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29594	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24492	Comment from Hankey , Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29595	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24493	Comment from Vayu, Satya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29596	Comment from Porter, Susan
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24494	Comment from Floyd, Amanda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29597	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24495	Comment from Acosta, Carlos	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29598	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24496	Comment from mallie, ethan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29599	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24497	Comment from Battleaxe, Jontonian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29600	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24498	Comment from Neff, Dorothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29601	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24499	Comment from H, Helgaleena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29602	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24500	Comment from Ashman Hicks, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29603	Comment from Salama, Karen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24501	Comment from Kennedy, Heather	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29604	Comment from Porter, Susan
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24502	Comment from Cote, Joy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29605	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24503	Comment from Millu, Janis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29606	Comment from Salama, Karen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24504	Comment from Heath, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29607	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24505	Comment from Murray, Craig	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29608	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24506	Comment from Carmichael, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29609	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24507	Comment from Caballero, Carolina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29610	Comment from Abrams, Jon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24508	Comment from Duon , Nicolas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29611	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24509	Comment from moore, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29612	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24510	Comment from Mcpherson, Tracy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29613	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24511	Comment from Weinberg, Kimme C.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29614	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24512	Comment from Schams, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29615	Comment from Costa, Sandra
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24513	Comment from Janson, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29616	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24514	Comment from Pan, Dawson	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29617	Comment from Hollis, Joanna
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24515	Comment from Caiano, Cilocas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29618	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24516	Comment from Chichester, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29619	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24517	Comment from Weight, Marie Louise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29620	Comment from Rivera, Joyce
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24518	Comment from mier, maricela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29621	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24519	Comment from Howe, Cherie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29622	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24520	Comment from Bowles, Phala	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29623	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24521	Comment from Schafer, Helen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29624	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24522	Comment from Livingston, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29625	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24523	Comment from Butler, Peggy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29626	Comment from Tillman, Barbara
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24524	Comment from Ornaf, Isabella	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29627	Comment from Fornagiel, Valeri
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24525	Comment from Desmond, Joy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29628	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24526	Comment from Simmons, G.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29629	Comment from Alt, Peggy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24527	Comment from Frederick, Nicholas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29630	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24528	Comment from Cooney, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29631	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24529	Comment from Bittar, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29632	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24530	Comment from Humphries, Angela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29633	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24531	Comment from Turner, Virginia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29634	Comment from Waltzer, Mark
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24532	Comment from Pallansch, Jess	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29635	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24533	Comment from Farnell, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29636	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24534	Comment from Sowell, Steven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29637	Comment from wilson, winn
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24535	Comment from Kessler , Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29638	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24536	Comment from Samplawski, Terrance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29639	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24537	Comment from Pennington, Greg	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29640	Comment from Jones, Elizabeth
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24538	Comment from Bolanos-McClain, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29641	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24539	Comment from Aceves, Raquel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29642	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24541	Comment from Heermans, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29643	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24542	Comment from Kincer, M.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29644	Comment from Coble, Deborah
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24543	Comment from Morris, Carla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29645	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24544	Comment from Kravis, Randy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29646	Comment from Katharine Odell
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24545	Comment from Lynch, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29647	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24546	Comment from Johnson, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29648	Comment from Fighera, Linda
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24547	Comment from Dowd, William	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29649	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24548	Comment from desMarais, Lauri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29650	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24549	Comment from Thomas, Tucker	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29651	Comment from Miller, Lori
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24550	Comment from Ansley, Mary Beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29652	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24551	Comment from Spalletta, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29653	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24552	Comment from Thomas, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29654	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24553	Comment from Harris, Beverly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29655	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24554	Comment from Urso, Massimiliano	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29656	Comment from D, Amber
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24555	Comment from mitch, robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29657	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24556	Comment from Rivera, Javier	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29658	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24557	Comment from Gibson, Scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29659	Comment from Troyanovich, Steve
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24558	Comment from lanning, alessa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29660	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24559	Comment from hollander, roger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29661	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24560	Comment from Berkenbush, Dave	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29662	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24561	Comment from Banks, Sandy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29663	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24562	Comment from Snidow, Toni	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29664	Comment from Meade, David
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24563	Comment from Weber, Jim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29665	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24564	Comment from Sullivan, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29666	Comment from Alexander, Jane
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24565	Comment from Poppa, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29667	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24566	Comment from Lindsey, Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29668	Comment from Mary, Ruliffson
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24567	Comment from Ramirez , Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29669	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24568	Comment from Balingit, Tess	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29670	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24569	Comment from Martin, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29671	Comment from brown, valerie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24570	Comment from Bortolussi , Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29672	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24571	Comment from Johns, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29673	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24572	Comment from Freeman, Sherry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29674	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24573	Comment from Hehle, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29675	Comment from Carrig, Dennis
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24574	Comment from Rudman, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29676	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24575	Comment from Lopez, Emily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29677	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24576	Comment from Hardyman , Leslie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29678	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24577	Morgan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29679	Comment from Donath, Gail
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24578	Comment from Andreula, Annmarie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29680	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24579	Comment from Morgan, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29681	Comment from Cleary, Colleen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24580	Comment from Dixon, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29682	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24581	Comment from Sévilla, Caroline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29683	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24582	Comment from heinemann, denine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29684	Comment from Folino Gallo, Joseph
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24583	Comment from Try, Put	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29685	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24584	Comment from Hall, Beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29686	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24585	Comment from walker, kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29687	Comment from Caldararo, Dwight
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24586	Comment from Fenster, Remy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29688	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24587	Comment from Lewis, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29689	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24588	Comment from Obr, Brooks	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29690	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24589	Comment from Johnson, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29691	Comment from Simone, Beverly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24596	Comment from Lykins, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29692	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24597	Comment from Hunter, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29693	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24598	Comment from Knuthson, Keri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29694	Comment from Irwin, Shannon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24599	Comment from Kankaansivu, Laila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29695	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24600	Comment from Camarero, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29696	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24601	Comment from Cortimilia, Uta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29697	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24602	Comment from Drabick, Emily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29698	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24603	Comment from McCarthy, Barb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29699	Comment from Grifo, Jeanne
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24604	Comment from D'Ambrosio, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29700	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24605	Comment from Ghanouni, Lillian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29701	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24606	Comment from Ghanouni, Lillian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29702	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24607	Comment from Lenz, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29703	Comment from Ashby, Elizabeth

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24608	Comment from Nogles , Tammy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29704	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24609	Comment from Nettesheim, Kelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29705	Comment from Dickinson-Adams, Emily
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24610	Comment from Melville, Joke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29706	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24611	Comment from Melville, Steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29707	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24612	Comment from Melville, Erica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29708	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24613	Comment from Kendall, Devon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29709	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24614	Comment from Zanow, Jean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29710	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24615	Comment from mclelland, jeanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29711	Comment from Bradley, Stacey
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24616	Comment from Gruber, Miranda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29712	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24617	Comment from Dellelo, Cheri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29713	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24618	Comment from Connell, Regina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29714	Comment from Hickman, Karol
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24619	Comment from Dyer, Paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29715	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24620	Comment from Orlando, Vivian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29716	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24621	Comment from Graver, Chuck	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29717	Comment from Huss, Nicholas
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24622	Comment from M, Molly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29718	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24623	Comment from Mazzone, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29719	Comment from Landeo, Eva
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24624	Comment from Nguyen, Sophie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29720	Comment from Smith, Donna
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24625	Comment from Cervantes, Lillian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29721	Comment from Wolf, Karen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24626	Comment from Tusinac, Michele	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29722	Comment from Smith, Carole
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24627	Comment from HOLMES, REG	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29723	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24628	Comment from Romani, Monica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29724	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24629	Comment from Faller , Lisabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29725	Comment from Crocco, Frances
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24630	Comment from Wiley, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29726	Comment from Leonard, John
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24631	Comment from Soto, Cheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29727	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24632	Comment from Miller, Laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29728	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24633	Comment from Plishka , Jen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29729	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24634	Comment from K, P	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29730	Comment from Douglass, Sharon
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24635	Comment from Zatirka, Theresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29731	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24636	Comment from Kirby, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29732	Comment from Sheffield, Dr. Steve
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24637	Comment from GRIEGO, GEORGIA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29733	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24638	Comment from Toombs, Doug	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29734	Comment from Packer, Patti
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24639	Comment from Barnes , Patti	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29735	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24640	Comment from Iannetta, Maria elena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29736	Comment from Hershman, Connie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24641	Comment from Agos, Dymphna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29737	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24642	Comment from Skees, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29738	Comment from Cloney, Jodi
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24643	Comment from Skees, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29739	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24644	Comment from Scherbak, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29740	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24645	Comment from MARTIN, ANNE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29741	Comment from Wood, Peter
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24646	Comment from Sobanski, Sandy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29742	Comment from Fischer, Louis
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24647	Comment from williams, pam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29743	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24648	Comment from Jones, Susan S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29744	Comment from Clifford, William

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24649	Comment from Phillips, Phree	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29745	Comment from Crabtree, Larry
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24650	Comment from Alvarez, Brisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29746	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24651	Comment from Degn, Emily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29747	Comment from Taylor, Andrea
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24652	Comment from porcino, nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29748	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24653	Comment from Maxwell, Leslie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29749	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24654	Comment from Dudan, Don	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29750	Comment from Portka, Keith
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24655	Comment from Parmigiani, Diane C	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29751	Comment from Tumolo, Christopher
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24656	Comment from Linn, Jason	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29752	Comment from Klass, Naomi
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24657	Comment from Hayman, Lauren Elise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29753	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24658	Comment from Gates, Joanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29754	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24659	Comment from Raw, We	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29755	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24660	Comment from mason, Alison	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29756	Comment from norris, julie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24661	Comment from Selvaggio, Raffaella	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29757	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24662	Comment from farber, joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29758	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24663	Comment from ross, beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29759	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24664	Comment from Millette, Laurie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29760	Comment from Gagliano, Rebecca
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24665	Comment from Chavez, Phyllis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29761	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24666	Comment from Wadstrup, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29762	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24667	Comment from Babicki, Paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29763	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24668	Comment from Robertson, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29764	Comment from Maxam, Sue
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24669	Comment from Vaccaro, Lori	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29765	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24670	Comment from Bagha, Sajidha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29766	Comment from Cobert, Michelle
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24671	Comment from Giza, Stacy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29767	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24672	Comment from CHASE, TONY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29768	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24673	Comment from Nyquist, Kris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29769	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24674	Comment from Latiker, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29770	Comment from Rafter, Tammy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24675	Comment from Linder, Amelia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29771	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24676	Comment from Forauer, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29772	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24677	Comment from zop, Tony	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29773	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24678	Comment from Bensen, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29774	Comment from Sollitto, Alissa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24679	Comment from Freeman, Amy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29775	Comment from Markoff, Randy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24680	Comment from DAnna, Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29776	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24681	Comment from Yakovleva, Nataliya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29777	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24682	Comment from Potter, Murray	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29778	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24683	Comment from Wallis, Gail	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29779	Comment from Bevagna, Holly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24684	Comment from Cohen, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29780	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24685	Comment from Heiden, Harry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29781	Comment from Maurer, Thomas
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24686	Comment from Martire, Rosa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29782	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24687	Comment from Zygo, Brian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29783	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24688	Comment from Fuller, J.K.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29784	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24689	Comment from Fuller, Glenn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29785	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24690	Comment from Richman, Patti	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29786	Comment from Ellis, Shelia
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24691	Comment from Mensing , Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29787	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24692	Comment from Boone, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29788	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24693	Comment from Mee, Mee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29789	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24694	Comment from Shi, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29790	Comment from Lukaszewicz, Anna
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24695	Comment from McClain Meluso, Bobbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29791	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24696	Comment from Fauci, Joanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29792	Comment from Bradford, Anthony
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24697	Comment from Ryan, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29793	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24698	Comment from Perlman, K	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29794	Comment from Lyons kalmenson, Karen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24699	Comment from Cook, Virginia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29795	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24700	Comment from Li, Stacy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29796	Comment from MILLER, HENRY
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24701	Comment from Davis, Shirley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29797	Comment from Michetti, Leslie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24702	Comment from Goldman, Fatima	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29798	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24703	Comment from Williams, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29799	Comment from Clark, Stephanie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24704	Comment from Duriau, Romane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29800	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24705	Comment from Richardson, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29801	Comment from Leavitt, Donna
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24706	Comment from Dooley, Sheila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29802	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24707	Comment from Ohlsson, Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29803	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24708	Comment from Melville, Colin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29804	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24709	Comment from Hall, Janice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29805	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24710	Comment from Caiazzo, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29806	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24711	Comment from Frank, Marion	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29807	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24712	Comment from Rome, Antonietta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29808	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24713	Comment from Ross, Shannon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29809	Comment from Sterling, Claire
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24714	Comment from Herman, Joni	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29810	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24715	Comment from McDaniel , PJ	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29811	Comment from Walters, Bob
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24716	Comment from Donovan, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29812	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24717	Comment from Riber, Genevieve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29813	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24718	Comment from Aughey, Arlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29814	Comment from Schwartz, Elizabeth
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24719	Comment from Robinette, Mike	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29815	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24720	Comment from Ward, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29816	Comment from Schuster, Loree
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24721	Comment from Williamson , Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29817	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24722	Comment from McConville, Cristen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29818	Comment from Bogusky, Rae
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24723	Comment from Grossman, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29819	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24724	Comment from Latham-Magee, Stephanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29820	Comment from Lynch, cindy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24725	Comment from Hodgson, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29821	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24726	Comment from Virre, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29822	Comment from Hayman, Lauren
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24727	Comment from Hirst , Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29823	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24728	Comment from Gunning, SYLVIA LEWIS	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29824	Comment from DeRosa Wilkie, Marilyn
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24729	Comment from L, L	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29825	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24730	Comment from James-Hooper, April	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29826	Comment from Barnes, Ann

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24731	Comment from MacPhail, Kristyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29827	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24732	Comment from Van der Voort , Wes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29828	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24733	Comment from smith, victoria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29829	Comment from Forman, Sandra
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24734	Comment from Ashton, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29830	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24735	Comment from Gardner, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29831	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24736	Comment from vorreuter, judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29832	Comment from krause, karen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24737	Comment from Gardner , Carolyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29833	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24738	Comment from Hodges, Sherri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29834	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24739	Comment from O'Brien, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29835	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24740	Comment from Aguilera, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29836	Comment from swift, robert
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24741	Comment from Abbassi, Angela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29837	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24742	Comment from M, Tony	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29838	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24743	Comment from kkysz, Beatrice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29839	Comment from Dana, Pet
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24744	Comment from Hutcheson, Garrett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29840	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24745	Comment from FERNANDEZ, JOHN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29841	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24746	Comment from Betz, Constance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29842	Comment from Stimpson, Lisa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24747	Comment from Malloy, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29843	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24748	Comment from King, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29844	Comment from Elliott, AnnaLea
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24749	Comment from Hodgson , Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29845	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24750	Comment from McQuown, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29846	Comment from Temple, Michele
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24751	Comment from Zimmerman, Craig	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29847	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24752	Comment from Weninger, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29848	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24753	Comment from Day, D.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29849	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24754	Comment from Camblin, Cecelia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29850	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24755	Comment from Piper, Jonathan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29851	Comment from Martinez, Karen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24756	Comment from Pennington, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29852	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24757	Comment from defoe, roberta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29853	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24758	Comment from Miller, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29854	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24759	Comment from Arendt, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29855	Comment from Tronolone, Tracey
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24760	Comment from camus, nathalie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29857	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24761	Comment from Peterson, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29858	Comment from Burch, Lilian
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24762	Comment from Hoy, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29859	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24763	Sonar Threats (COAST)	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29860	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24764	Comment from Nedelcovic, Ines	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29861	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24765	Comment from Reback, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29862	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24766	Comment from haage, I	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29863	Comment from Scanlon, Karen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24767	Comment from Hall, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29864	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24768	Comment from Kontzamanys, Krista	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29865	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24769	Comment from beniger, janine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29866	Comment from day, stephen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24770	Comment from Gulickson, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29867	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24771	Comment from Dallari, M.cecilia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29868	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24772	Comment from Holtzhausen, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29869	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24773	Comment from Carroll, Leonora	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29870	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24774	Comment from Lafferty, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29871	Comment from Robinson, Teresa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24775	Comment from Busch, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29872	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24776	Comment from Heyburn, Rhonda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29873	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24777	Comment from Mateyka, Mary-Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29874	Comment from DiBiase, John
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24778	Comment from Chuk-Petroskas , Rita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29875	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24779	Comment from Laupheimer, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29876	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24780	Comment from Kriss, Evan Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29877	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24781	Comment from Mcdonald, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29878	Comment from Carroll, Tracy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24782	Comment from Rabbani, Sara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29879	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24783	Comment from Jones, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29880	Comment from Bohlman, Nicole
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24784	Comment from Clemens, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29881	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24785	Comment from WINTER, ELAINE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29882	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24786	Comment from Barton, Rose	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29883	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24787	Comment from James, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29884	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24788	Comment from Benson, Arlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29885	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24789	Comment from Bancroft, Molly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29886	Comment from Fleming, Linda
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24790	Comment from Peterson, Lars	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29887	Thelma
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24791	Comment from Friedenber, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29888	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24792	Comment from Crabtree, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29889	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24793	Comment from Kelly, Cathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29890	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24794	Comment from Riley, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29891	Comment from Molloy, Mark
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24795	Comment from Brown, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29892	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24796	Comment from Swoboda, Tammy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29893	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24797	Comment from Fluet, Cristine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29894	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24798	Comment from Cherubin, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29895	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24799	Comment from Thompson, r	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29896	Comment from lechner, joann
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24800	Comment from Smith, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29897	Comment from Fleck, Lisa
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24801	Comment from Sierra, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29898	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24802	Comment from Fornillo , Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29899	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24803	Comment from George, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29900	Comment from Syen, Helen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24804	Comment from Quiet, Natalie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29901	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24805	Comment from King, Christen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29902	Comment from Gilbert, Sibyll
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24806	Comment from Emerson, C	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29903	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24807	Comment from Cook, Beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29904	Comment from O'Brien, Daniel
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24808	Comment from Sorrells, Becky	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29905	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24809	Comment from Barnett, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29906	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24810	Comment from baglivi, mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29907	Comment from Christensen, Katherine
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24811	Comment from GROTZKE, MARK	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29908	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24812	Comment from PRICE, LAURA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29909	Comment from Ashton, Debra

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24813	Comment from Phillips, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29910	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24814	Comment from McNamara, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29911	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24815	Comment from Knight, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29912	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24816	Comment from Mosher, Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29913	Comment from Schaefer, Millie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24817	Comment from JONAS, ADRIENNE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29914	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24818	Comment from Cantrell, Elaine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29915	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24819	Comment from Aguirre, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29916	Comment from Bajaj, Ashok and Kiran
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24820	Comment from Colgan, Teri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29917	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24821	Comment from Grenard, Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29918	Comment from Bajaj, Ashok and Kiran
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24822	Comment from goldstein-lustig, debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29919	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24823	Comment from Connon, Vicki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29920	Comment from Kenosky, Michael
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24824	Comment from Bennet, Emily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29921	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24825	Comment from WELSH, JUDITH	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29922	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24826	Comment from DiCarlo, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29923	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24827	Comment from Sieck, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29924	Comment from Kenosky, Dianne
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24828	Comment from Smith, Leslie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29925	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24829	Comment from Binzinger, Evi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29926	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24830	Comment from Bradley, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29927	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24831	Comment from Henry, Amy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29928	Comment from Kenosky, Joseph
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24832	Comment from Swanson, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29929	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24833	Comment from Westlake, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29930	Comment from Johnson, Deborah
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24834	Comment from Durniak, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29931	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24835	Comment from Jones, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29932	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24836	Comment from Briggs , Suzy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29933	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24837	Comment from Swemley, Jeff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29934	Comment from Feldman, Shirley
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24838	Comment from Martin, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29935	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24839	Comment from papierman, sheldon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29936	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24840	Comment from Ciresi, Madeline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29937	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24841	Comment from KP, Jaime	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29938	Comment from Wiker, Kevin
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24842	Comment from Landau, Brooke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29939	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24843	Comment from Bolbol, Deniz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29940	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24844	Comment from COCCO, SUSAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29941	Comment from speros, george
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24845	Comment from Crimi-Gregory, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29942	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24847	Comment from Kevin Palmer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29943	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24859	Comment from Dean Hoegger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29944	Comment from Remak, Jeannette
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24861	Comment from Douglas Jones	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29945	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24862	Comment from Ragan, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29946	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24863	Comment from Majeran, Janina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29947	Comment from Imlay, Marc and Alice -
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24864	Comment from Schlinger , Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29948	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24865	Comment from Taylor , Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29949	Comment from Poklemba, Jane
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24866	Comment from Steffes, Wayne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29950	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24867	Comment from Kim, Jean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29951	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24868	Comment from man, cave	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29952	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24869	Comment from Phillips, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29953	Comment from Hollowell, Karen
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24870	Comment from Byce, Stacy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29954	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24871	Comment from Freed, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29955	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24872	Comment from donnell, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29956	Comment from Haller, Tammy
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24873	Comment from Haley, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29957	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24874	Comment from Correale , Maria Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29958	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24875	Comment from victoria-tyte, susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29959	Comment from Nylen, Eric
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24876	Comment from Howes, Constance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29960	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24877	Comment from Rushton, Louise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29961	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24878	Comment from DeWyngaert, Elyse	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29962	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24879	Comment from Tomaselli, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29963	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24881	Comment from Tibsherany Kris, Gosney Bill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29964	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24882	Comment from Brown , Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29965	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24883	Comment from Renteria, Veronica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29966	Comment from DiMiceli, Crystal
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24884	Comment from Appel, Genevieve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29967	Comment from LoGiudice, R.
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24885	Comment from Ellis, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29968	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24886	Comment from Jennings, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29969	Comment from Robb, Aaeron
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24887	Comment from Williams, Esther	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29970	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24888	Comment from Sinnett, Gina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29971	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24889	Comment from Proctor , Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29972	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24890	Comment from Donaldson, Bill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29973	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24891	Comment from McGaygirl, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29974	Comment from Scarola, Michael
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24892	Comment from Centorrino, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29975	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24893	Comment from Caliarì, Julia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29976	Comment from Cambouris, Jeanne
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24894	Comment from vautier, kiana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29977	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24895	Comment from Leung, Lauren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29978	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24896	Comment from BROWNELL, KIM M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29979	Comment from Rossner, A
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24897	Comment from Murr, Kerstin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29980	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24898	Comment from Gregg, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29981	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24899	Comment from ROSKE, ILA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29982	Comment from Johnson, Ginny
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24900	Comment from CuvIELLO, Pat	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29983	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24901	Comment from White, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29984	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24902	Comment from Schnotala, Isabelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29985	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24903	Comment from Monahan, Marie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29986	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24904	Comment from Sanchez , Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29987	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24905	Comment from Watanabe, Scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29988	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24906	Comment from Carrano , Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29990	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24907	Comment from Price, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29991	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24908	Comment from Edwards, Lynne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29992	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24909	Comment from Riley, Kari	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29993	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24910	Comment from Cicchese, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29994	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24911	Comment from Boniello, Kristen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29995	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24912	Comment from I, s	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29996	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24913	Comment from Cini, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29997	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24914	Comment from Durham, Jerry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29998	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24915	Comment from Segal, Bobbi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29999	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24916	Comment from Hansen, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30000	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24917	Comment from Veal, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30001	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24918	Comment from Otten, Constance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30002	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24919	Comment from Smith , Carole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30003	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24920	Comment from TenHagen, Donald	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30004	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24921	Comment from Finkel , Jodi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30005	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24922	Comment from Slattery, Louise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30006	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24923	Comment from Colton, Cammy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30007	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24924	Comment from Boss, Sandy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30008	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24925	Comment from Marshall, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30009	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24926	Comment from LaMere , Alexis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30010	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24927	Comment from Ruggiero, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30011	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24928	Comment from JohnsonLange, LynnAnne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30012	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24929	Comment from BLAKE, NANCY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30013	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24930	Comment from Riemann, Karl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30014	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24931	Comment from Michon, Mishka	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30015	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24932	Comment from LeBlanc, Virginia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30016	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24933	Comment from Stokes, Lynne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30017	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24934	Comment from Muscio, Andrea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30018	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24935	Comment from Moore, Tony	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30019	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24936	Comment from Lebron, Laraine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30020	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24937	Comment from Sayegh , Kevin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30021	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24938	Comment from Calderone, Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30022	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24939	Comment from Moody, Cathe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30023	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24940	Comment from Rosenman, SM	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30024	Comment from Pilgram, maryanne
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24941	Comment from Belanger, Vicki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30025	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24942	Comment from Gharavi, Roya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30026	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24943	Comment from Schneider, Sybil	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30027	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24944	Comment from Nierenberg, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30028	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24945	Comment from Bowman, Alix	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30029	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24946	Comment from Pierce, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30030	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24947	Comment from McCarthy, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30031	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24948	Comment from dander, katherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30032	Comment from Deborah Voves
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24949	Comment from Shah, Summer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30033	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24950	Comment from Petersen , Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30034	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24951	Comment from Hickcox, Leslie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30035	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24952	Comment from Hugelmeier, B	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30036	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24953	Comment from Garnow, Juanita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30037	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24954	Comment from Dunn, Kellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30038	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24955	Comment from Gard, Doug	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30039	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24956	Comment from Alessandra , Marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30040	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24957	Comment from Herrera , Alexandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30041	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24958	Comment from Halegua, Mike	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30042	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24959	Comment from Kloosterman, L A	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30043	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24960	Comment from Ringnalda, Jonelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30044	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24961	Comment from Robbins-Druian, Sallie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30045	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24962	Comment from Radcliff, Carolin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30046	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24963	Comment from Peraino, Paul	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30047	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24964	Comment from Sauma, Rodolfo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30048	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24965	Comment from Husak, Todd	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30049	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24966	Comment from Bachtler, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30050	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24967	Comment from Martin, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30051	Comment from Lori Beth Kidd
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24968	Comment from Hoen, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30052	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24969	Comment from Casey, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30053	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24970	Comment from Smith, Vicki	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30054	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24971	Comment from Thelot, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30055	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24972	Comment from Whispell-Gonzalez, Lorraine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30056	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24973	Comment from Oswald, Tim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30057	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24974	Comment from Torosian, Helen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30058	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24975	Comment from Tardif, Steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30059	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24976	Comment from dumont, mireille	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30060	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24977	Comment from Brandt, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30061	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24978	Comment from farrell, diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30062	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24979	Comment from Matz, Kenneth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30063	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24980	Comment from Belleville, Sharyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30064	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24981	Comment from Rosenfield, Lynne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30065	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24982	Comment from Trescone, Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30066	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24983	Comment from Aquino, Daniel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30067	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24984	Comment from Elsten, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30068	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24985	Comment from Clough, Christopher	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30069	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24986	Comment from Robertson , Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30070	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24987	Comment from Kurtz, Maya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30071	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24988	Comment from Grigoriou, Vasileios	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30072	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24989	Comment from Kent, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30073	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24990	Comment from Schultz, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30074	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24991	Comment from Mier, RR	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30075	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24992	Comment from Ferrufino, Cecilia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30076	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24993	Comment from Mejuto, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30077	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24994	Comment from Arisman, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30078	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24995	Comment from Scheck, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30079	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24996	Comment from Fierro, Tallia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30080	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24997	Comment from Ridley, Catherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30081	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24998	Comment from rodriguez, sylvia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30082	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24999	Comment from Vistine, Gayle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30083	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25000	Comment from Nistler, Yvonne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30084	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25001	Comment from Phillips, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30085	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25002	Comment from Eldridge , Denice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30086	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25003	Comment from Orner, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30087	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25004	Comment from Cerretani, Holly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30088	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25005	Comment from Merljak, Julija	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30089	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25006	Comment from Salauyeva, Irina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30090	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25007	Comment from ellis, susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30091	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25008	Comment from Windeknecht, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30092	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25009	Comment from Walker , Polly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30093	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25010	Comment from Van , Joann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30094	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25011	Comment from FRIEDMAN, JESS	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30095	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25012	Comment from Ferri, Jessie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30096	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25013	Comment from Albright , Shai	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30097	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25014	Comment from Vitale, Sonia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30098	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25015	Comment from Youngelson , Noah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30099	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25016	Comment from Johnson, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30100	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25017	Comment from Anderson, Kellee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30101	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25018	Comment from De Silva, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30102	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25019	Comment from Oelman, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30103	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25020	Comment from Hynes, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30104	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25021	Comment from Ramsey, Phillip	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30105	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25022	Comment from Walker, Latonya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30106	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25023	Comment from Zechmann, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30107	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25024	Comment from Arnquist, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30108	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25025	Comment from P, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30109	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25026	Comment from Rawlins, Matthew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30110	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25027	Comment from Landress, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30111	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25028	Comment from Sandoval, Terry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30112	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25029	Comment from Helo, Andres	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30113	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25030	Comment from Koons, Stephanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30114	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25031	Comment from Schulz, Maria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30115	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25032	Comment from Landress, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30116	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25033	Comment from Selkowitz, Rhona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30117	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25034	Comment from Matos, Liz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30118	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25035	Comment from Brooks, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30119	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25036	Comment from Scala-Maguire, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30120	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25037	Comment from Welsch, Katharina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30121	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25038	Comment from Pipitone-Sarkar, Dee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30122	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25039	Comment from Blanco, Gloria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30123	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25040	Comment from Steinberg, Arlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30124	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25041	Comment from Judy Wang	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30125	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25042	Comment from Ennis, Ken	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30126	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25043	Comment from BARBER, ANNE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30127	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25044	Comment from TURNER, ROBERT	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30128	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25045	Comment from Rodrigues, Matthew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30129	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25046	Comment from barry, karyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30130	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25047	Comment from Walters , S	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30131	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25048	Comment from Taormina, Charles	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30132	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25049	Comment from Naysmith, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30133	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25050	Comment from maker, janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30134	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25051	Comment from Hodge, Margaret	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30135	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25052	Comment from Walsh, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30136	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25053	Comment from Nelson , Catherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30137	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25054	Comment from Stick, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30138	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25055	Comment from Puglia, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30139	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25056	Comment from EACTIVIST, US	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30140	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25057	Comment from Harter, Patti	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30141	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25058	Comment from Hatchett , Ashley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30142	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25059	Comment from Smith, Lesley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30143	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25060	Comment from Blowers, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30144	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25061	Comment from Weiland, Alex	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30145	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25062	Comment from Wickard, Monine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30146	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25063	Comment from O'Sullivan, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30147	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25064	Comment from gooding, sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30148	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25065	Comment from g, l	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30149	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25066	Comment from McQueen, Kate	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30150	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25067	Comment from Boots, Teri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30151	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25068	Comment from Stevens, Peter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30152	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25069	Comment from Ball, Peter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30153	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25070	Comment from Ball, virginia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30154	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25071	Comment from Tyler, Margaret Guilfooy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30155	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25072	Comment from Leitao, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30156	Comment from Anonymous Anonymous

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25073	Comment from jessler, darynne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30157	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25074	Comment from Hannon, Ian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30158	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25075	Comment from Kelley, Diania	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30159	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25076	Comment from Mittelman, Willard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30160	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25077	Comment from Greenleaf, Brooke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30161	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25078	Comment from Auge, George	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30162	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25079	Comment from McVaigh, Ed	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30163	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25080	Comment from Thornhill, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30164	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25081	Comment from Metzger, Amy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30165	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25082	Comment from Wiseman, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30166	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25083	Comment from Haywood, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30167	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25084	Comment from Carlton, Jean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30168	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25085	Comment from Louis , Kristin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30169	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25086	Comment from Payne, Stephanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30170	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25087	Comment from Fox, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30171	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25088	Comment from Mills, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30172	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25089	Comment from nystrom, warren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30173	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25090	Comment from Pierce, Nuri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30174	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25091	Comment from Obrien, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30175	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25092	Comment from Nicol, Marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30176	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25093	Comment from Hansen, Britta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30177	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25094	Comment from Tzakis, Jerrilynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30178	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25095	Comment from Martell, Carlos	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30179	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25096	Comment from Coons, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30180	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25097	Comment from Haynes, Andrew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30181	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25098	Comment from Romanow, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30182	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25099	Comment from Scott, Star	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30183	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25100	Comment from Burge, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30184	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25101	Comment from Axelrod RN, Jan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30185	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25102	Comment from roddvik, donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30186	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25103	Comment from Behrend, Glen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30187	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25104	Comment from Schafer, Annette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30188	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25105	Comment from Hartsough, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30189	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25106	Comment from Oswald, Patty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30190	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25107	Comment from Goltz, Joe	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30191	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25108	Comment from Hansell, Connor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30192	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25109	Comment from Ellis, Aimee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30193	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25110	Comment from Zimmerman, Stephen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30194	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25111	Comment from mannion, deb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30195	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25112	Comment from Koeller, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30196	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25124	Comment from Loparto, Jeremy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30197	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25127	Comment from Bobisink, Brock	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30198	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25134	Comment from Sevastopoulo, Dimitri	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30199	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25135	Comment from Presnell, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30200	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25136	Comment from Johnson , Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30201	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25137	Comment from Wilson, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30202	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25138	Comment from souza, peter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30203	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25139	Comment from McGowan, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30204	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25140	Comment from Fidati, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30205	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25141	Comment from Mueller, Marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30206	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25142	Comment from Petersen, Per	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30207	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25143	Comment from Dowell, Dorothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30208	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25144	Comment from Mc Kevitt, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30209	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25145	Comment from Kelly, Debbie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30210	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25146	Comment from Franzen, Timothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30211	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25147	Comment from Fain, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30212	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25148	Comment from Myer, Kai	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30213	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25149	Comment from Kellie, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30214	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25150	Comment from Nielsen, Peter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30215	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25151	Comment from Grounds, Shari	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30216	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25152	Comment from Reddick, Jewel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30217	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25153	Comment from Metzler, JoAnne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30218	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25154	Comment from Duncan, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30219	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25155	Comment from Smith, Kristi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30220	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25156	Comment from Sawyer, Tom	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30221	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25157	Comment from Nuse, Bryan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30222	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25158	Comment from O'Brien, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30223	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25159	Comment from RITZ, Timothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30224	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25160	Comment from Crouse, Gray	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30225	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25161	Comment from Williams, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30226	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25162	Comment from Walker, Lance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30227	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25163	Comment from Trivett , Joanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30228	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25164	Comment from Ong, Ming	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30229	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25165	Comment from Nelson, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30230	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25166	Comment from Das, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30231	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25167	Comment from Wiggin, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30232	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25168	Comment from Turbidy, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30233	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25169	Comment from Fadel, Ayman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30234	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25170	Comment from Weale, Karin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30235	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25171	Comment from Portuondo, Pablo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30236	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25172	Comment from Layne , Allister	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30237	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25173	Comment from Daniels, Jenna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30238	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25174	Comment from Wheeler, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30239	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25175	Comment from DIAZ, SILVIA	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30240	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25176	Comment from Eythrib, Myriam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30241	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25177	Comment from Schwartzman, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30242	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25178	Comment from Sailer, Kenneth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30243	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25179	Comment from Pavlinac, Sheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30244	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25180	Comment from Brexel, Charles	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30245	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25181	Comment from Barowicz, Daryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30246	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25182	Comment from Hathaway, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30247	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25183	Comment from Cowans, Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30248	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25184	Comment from Meyerholz, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30249	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25185	Comment from Johannsen, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30250	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25186	Comment from Fenley, Melanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30251	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25187	Comment from Wess, Bobby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30252	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25188	Comment from Adams, Rose	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30253	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25189	Comment from O'Shea, Vania	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30254	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25190	Comment from Maxwell, Miranda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30255	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25191	Comment from Mossor, Jill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30256	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25192	Comment from Pippetti, Lucille	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30257	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25193	Comment from oconnor, mary beth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30258	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25194	Comment from Boyd, Kelley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30259	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25195	Comment from Holyoak, Laurence	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30260	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25196	Comment from Salsman, Ruby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30261	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25197	Comment from Martin, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30262	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25198	Comment from Humiston, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30263	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25199	Comment from Higgins, Teresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30264	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25200	Comment from Rawl, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30265	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25201	Comment from Eubanks, Waverley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30266	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25202	Comment from Gold, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30267	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25203	Comment from Caren, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30268	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25204	Comment from Sasek, Talya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30269	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25205	Comment from Kiene, Annie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30270	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25206	Comment from Chandler , Bill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30272	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25207	Comment from Jordan, Chris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30273	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25208	Comment from Magsig, Steven	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30274	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25209	Comment from Cummings, Buford	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30275	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25210	Comment from Wright MD, Rhonda D.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30276	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25211	Comment from Moosbruker, Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30277	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25212	Comment from Scott, Alexandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30278	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25213	Comment from Streeter, Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30279	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25214	Comment from McDonald, Rick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30280	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25215	Comment from Mendy, M.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30281	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25216	Comment from Mendy, M.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30282	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25217	Comment from Toner, Lawrence	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30283	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25218	Comment from Moss, Mia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30284	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25219	Comment from Wright, Katherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30285	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25220	Comment from Turner, Carolyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30287	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25221	Comment from rancourt, shannon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30288	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25222	Comment from Koceja, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30289	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25223	Comment from Wells, Lasha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30290	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25224	Comment from Roberts, Tony	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30291	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25225	Comment from Roof, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30292	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25226	Comment from Cordier, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30293	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25227	Comment from Bingham, Maddie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30294	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25228	Comment from elliott, tracy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30295	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25229	Comment from Intemann, Raymond	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30296	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25230	Comment from Costa, João	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30297	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25231	Comment from Marks, Josh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30298	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25232	Comment from Kerr, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30299	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25233	Comment from Hudson, Herman	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30300	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25234	Comment from Pardi, Marco	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30301	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25235	Comment from Frederick, Gavin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30302	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25236	Comment from Wilson, Tamar Diana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30303	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25237	Comment from Lima, Svetlana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30304	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25238	Comment from sullivan, linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30305	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25239	Comment from Conrad, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30306	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25240	Comment from Burnette, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30307	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25241	Comment from Rawlins, Nathan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30308	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25242	Comment from Baker, Marcus	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30309	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25243	Comment from Suryanarayana, Guru	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30310	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25244	Comment from Russo, Gay	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30311	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25245	Comment from Callaway, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30312	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25246	Comment from Davies, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30313	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25247	Comment from Bohlen , Ted	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30314	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25248	Comment from Steinberg, Arlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30315	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25249	Comment from Gery, Jill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30316	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25250	Comment from rabe, ursela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30317	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25251	Comment from Hattaway, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30318	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25252	Comment from Hoyle, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30319	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25253	Comment from Barker, Carolyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30320	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25254	Comment from Reeves, Natasha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30321	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25255	Comment from stephenson, lita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30322	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25256	Comment from Morris, Patty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30323	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25257	Comment from Matusovic, Nichole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30324	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25258	Comment from Co, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30325	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25259	Comment from Taylor, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30326	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25260	Comment from Meyer, Eli	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30327	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25261	Comment from Massa, Martine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30328	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25262	Comment from Weathersby, Randy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30329	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25263	Comment from Dorr-Kapczynski, Natasha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30330	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25264	Comment from Hepburn, Isabel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30331	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25265	Comment from Doutre , Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30332	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25266	Comment from Stricker, Roxie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30333	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25267	Comment from Seymour, Frankie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30334	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25268	Comment from Dillon, Ginger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30335	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25269	Comment from Mikals, Nicole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30336	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25270	Comment from Corlito, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30337	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25271	Comment from Gomez, Ruby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30338	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25272	Comment from landskroner, ron	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30339	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25273	Comment from Dixon, Vernon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30340	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25274	Comment from Hernandez, Ana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30341	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25275	Comment from Niemann, Jo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30342	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25276	Comment from Parente, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30343	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25277	Comment from Van de Water, Clara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30344	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25278	Comment from Volk-Anderson, Virginia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30345	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25279	Comment from Price, Rhenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30346	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25280	Comment from Friedman, J	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30347	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25281	Comment from Goodman, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30348	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25282	Comment from Savino, Heather	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30349	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25283	Comment from Hulme, Winnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30350	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25284	Comment from Rhew, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30351	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25285	Comment from Khoury, Mona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30352	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25286	Comment from Javaherian , Emma	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30353	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25287	Comment from Fladger, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30354	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25288	Comment from Clendenen, Gail	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30355	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25289	Comment from STEPHEN, MARGARET	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30356	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25290	Comment from schofield, Ted	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30357	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25291	Comment from vlasiadis, andreas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30358	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25293	Comment from Andreini, Marie Jane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30359	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25294	Comment from Zuckerman , Arlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30360	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25295	Comment from Roland, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30361	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25296	Comment from COLLIER, JENNY	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30362	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25297	Comment from Easton, Eileen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30363	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25298	Comment from white, mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30364	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25299	Comment from Kelso, Carolyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30365	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25300	Comment from Deason, Bartley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30366	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25301	Comment from Cook, Michael and Joy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30367	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25302	Comment from Schwartz, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30368	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25303	Comment from Knopf, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30369	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25304	Comment from Dowding, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30370	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25305	Comment from Bauer, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30371	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25306	Comment from Carter, Kristie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30372	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25307	Comment from Jaudal, Adelina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30373	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25308	Comment from Romero, deb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30374	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25309	Comment from gouge, gerald	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30375	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25310	Comment from Gonzalez, Rachel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30376	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25311	Comment from Rocha, Candace	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30377	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25312	Comment from Dupont, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30378	Comment from Soeldner, Amy
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25313	Comment from D'Esposito, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30379	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25314	Comment from Williams, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30380	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25315	Comment from Pettersen, Nancy-Laurel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30381	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25316	Comment from Furia, Ed	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30382	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25317	Comment from Morris , Marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30383	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25318	Comment from Carothers, Kim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30384	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25319	Comment from Cooke, Douglas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30385	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25320	Comment from Fiore, Frank	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30386	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25321	Comment from Brandon, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30387	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25322	Comment from Kurtz, Ken	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30388	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25323	Comment from Hartwig Sr., Daniel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30389	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25324	Comment from Raymond, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30390	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25325	Comment from Piazza, Bob	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30391	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25326	Comment from Williams, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30392	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25327	Comment from Grimshaw, Treva	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30393	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25328	Comment from Parlevliet, Leotien	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30394	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25329	Comment from De Fanis, Elena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30395	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25330	Comment from Sullivan, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30396	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25331	Comment from Rodriguez, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30397	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25332	Comment from Florez, Alejandro	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30398	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25333	Comment from Loper, Kathryn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30399	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25334	Comment from Alexander , Vickie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30400	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25335	Comment from Leavell, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30401	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25336	Comment from Cherry, J. Howard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30402	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25337	Comment from Banks , Jerry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30403	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25338	Comment from Nader, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30404	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25339	Comment from De Stefano, Ron	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30405	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25340	Comment from Walker, Joan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30406	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25341	Comment from Mikell, Lauren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30407	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25342	Comment from Ricciardi, Anthony	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30408	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25343	Comment from Martin, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30409	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25344	Comment from Laufer, Mariana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30410	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25345	Comment from Ludi, Gary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30411	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25346	Comment from Pflugrad, Johnny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30412	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25347	Comment from Wegel, Catherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30413	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25348	Comment from Wilder, Yvonne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30414	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25349	Comment from Courtney, Sheree	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30415	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25350	Comment from Burge, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30416	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25351	Comment from Tanke, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30417	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25352	Comment from nyne, kate	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30418	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25353	Comment from Helfand-Juraschek, Abby Jo &	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30419	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25354	Comment from Perron, Dyonne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30420	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25355	Comment from Vasquez, Rachelle D Gervais	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30421	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25356	Comment from GROSE, HARRIET	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30422	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25357	Comment from Benedicto, Kory	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30423	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25358	Comment from Scott, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30424	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25359	Comment from Skelton, Dana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30425	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25360	Comment from Post, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30426	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25361	Comment from Smith, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30427	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25362	Comment from Jones , Jo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30428	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25363	Comment from Roberts, Gretchen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30429	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25364	Comment from Kkysz, Terrence	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30430	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25365	Comment from Waller , Deb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30431	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25366	Comment from Strobl, Lynne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30432	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25367	Comment from Fisher , Kay	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30433	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25368	Comment from Kent, Martha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30434	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25369	Comment from Wood, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30435	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25370	Comment from COMRACK, JANINE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30436	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25371	Comment from Gray, Anna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30437	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25372	Comment from Brody, Katherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30438	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25373	Comment from Mossaides, Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30439	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25374	Comment from Savelle, Jeanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30440	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25375	Comment from cachopo, patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30441	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25376	Comment from Kohn, Wendy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30442	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25377	Comment from Brown, Steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30443	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25378	Comment from Dupras, Georges	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30444	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25379	Comment from podskubka, simona	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30445	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25380	Comment from Gestner, Joanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30446	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25381	Comment from Naji, Eric	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30447	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25382	Comment from Kelly, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30448	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25385	Comment from Brooks, Laurin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30449	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25386	Comment from Aitchison, Henry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30450	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25387	Comment from Tym, Alice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30451	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25388	Comment from Nitschke, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30452	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25389	Comment from O'Hearn, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30453	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25390	Comment from Cromeans, Theresa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30454	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25391	Comment from Dittmar, Christian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30455	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25392	Comment from Withers, Ashlee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30456	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25393	Comment from K, M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30457	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25394	Comment from Dearborn, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30458	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25395	Comment from Sawchuk, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30459	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25396	Comment from Cerra, Ken	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30460	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25397	Comment from Clarke, Veronica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30461	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25398	Comment from Jansson, Silvia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30462	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25399	Comment from Smith, Nathaniel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30463	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25400	Comment from Honish, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30464	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25401	Comment from Pavlinac, Nicolas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30465	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25402	Comment from Troendle, Timothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30466	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25403	Comment from Lang, Liana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30467	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25404	Comment from Willman, Andrew	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30468	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25405	Comment from Byers, Jeb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30469	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25406	Comment from Madsen, Jill	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30470	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25407	Comment from Heath, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30471	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25408	Comment from Sumal, Mani	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30472	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25409	Comment from Hornby, Hunter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30473	Comment from Eric Nylen
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25410	Comment from Eversole, April	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30474	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25411	Comment from Holzer, Rebecca	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30475	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25412	Comment from Hartill, Lise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30476	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25413	Comment from Navan, Gloria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30477	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25414	Comment from Meyer, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30478	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25415	Comment from Feld, Lowell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30479	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25416	Comment from Hawkins, John	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30480	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25417	Comment from Victor, Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30481	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25418	Comment from Hansell, Connor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30482	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25419	Comment from Kahigian, Peter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30483	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25420	Comment from Holyoak, Laurence	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30484	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25421	Comment from eager, ginger	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30485	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25422	Comment from c, c	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30486	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25423	Comment from m, j	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30487	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25424	Comment from Jackson, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30488	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25425	Comment from Chacich, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30489	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25426	Comment from Frye, Donna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30490	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25427	Comment from g, j	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30491	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25428	Comment from O'Shields, Miranda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30492	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25429	Comment from Neely, Constance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30493	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25430	Comment from L, Kaitlyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30494	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25431	Comment from Williams, Stacy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30495	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25432	Comment from de Forges, Irene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30496	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25433	Comment from Bode, Liz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30497	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25434	Comment from Tomaszewska, Kamila	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30498	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25435	Comment from Garner, Leuveda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30499	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25436	Comment from Biesinger, Elke	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30500	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25437	Comment from A, A	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30501	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25438	Comment from A, A	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30502	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25439	Comment from Warnken, Ron	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30503	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25440	Comment from Smith, Candace	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30504	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25441	Comment from Kortemeier, Cheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30505	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25442	Comment from Fear, Gail	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30506	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25443	Comment from Walsh, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30507	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25444	Comment from Johnson, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30508	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25445	Comment from van den Ende, Jan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30509	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25446	Comment from Gray, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30510	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25447	Comment from Liljeberg, Julie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30511	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25448	Comment from Newton, Terry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30512	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25449	Comment from Spalding, Madeline	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30514	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25450	Comment from McHugh, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30515	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25451	Comment from Howard, Naomi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30516	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25452	Comment from Holzman, Catherine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30517	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25453	Comment from Rivera , M	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30518	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25454	Comment from Palladino, Josephine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30519	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25455	Comment from Flietner, Maureen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30520	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25456	Comment from Wallach, Aleta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30521	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25457	Comment from Cosper, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30522	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25458	Comment from Burr, Vivian	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30523	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25459	Comment from Smith , Joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30524	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25460	Comment from Nekvasil, Johanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30525	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25461	Comment from Saude, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30526	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25462	Comment from Licl, Anjean	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30527	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25463	Comment from Sanchez, Rose	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30528	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25464	Comment from Shoaf, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30529	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25465	Comment from Samuels, Stan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30530	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25466	Comment from Ferguson, Andrea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30531	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25467	Comment from Mackintosh, Glenn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30532	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25468	Comment from Poole, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30533	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25469	Comment from Conti, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30534	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25470	Comment from Szambelak, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30535	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25471	Comment from Feije, Kirsten	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30536	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25472	Comment from McDonald, Babs	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30537	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25473	Comment from Moses, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30538	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25474	Comment from Murphy, Stephen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30539	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25475	Comment from Burns, Judi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30540	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25476	Comment from Haver, Ann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30541	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25477	Comment from Ioveland, Connie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30542	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25478	Comment from Montgomery, Ji	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30543	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25479	Comment from Shook, Philip	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30544	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25480	Comment from Hollis, Constance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30545	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25481	Comment from Montgomery, Ji	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30546	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25482	Comment from Tumarkin, Alexandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30547	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25483	Comment from Valadao, Margarida	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30548	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25484	Comment from Cotter, Joyce	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30549	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25485	Comment from Johnson, Elaine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30550	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25486	Comment from Lasher, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30551	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25487	Comment from Sutton, Francine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30552	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25488	Comment from Sidwell, Stevie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30553	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25489	Comment from Flores, Erika	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30554	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25490	Comment from Terkalas, Sharla	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30555	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25491	Comment from Porch, Carole J	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30556	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25492	Comment from Harcher, Jenna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30557	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25493	Comment from Saffren, G.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30558	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25494	Comment from Birrell, Glen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30559	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25495	Comment from Swartout, Dawn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30560	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25496	Comment from Garcia, Gianna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30561	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25497	Comment from Taylor, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30562	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25498	Comment from Thomas, Woody	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30563	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25499	Comment from McLandau, Felicia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30564	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25500	Comment from Coy, Tim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30565	Comment from Wilson, Sherita
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25501	Comment from Maleckaite, Vaida	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30566	Comment from Kravetz, Darla
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25502	Comment from Demaintenon, Maritza	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30567	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25503	Comment from Jessie, Charlotte	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30568	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25504	Comment from Gunn, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30569	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25505	Comment from Gruber, Steve	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30570	Comment from Feokhari, Anton
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25506	Comment from Mueller , Jennifer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30571	Comment from Westler, Marc
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25507	Comment from Smith, Brandi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30572	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25508	Comment from Peckham, LJ	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30573	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25509	Comment from Gowen, Wheatie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30574	Comment from Smith, Timmie
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25510	Comment from Derby, Abby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30575	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25511	Comment from Grimes, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30576	Comment from Kelley, Sheila
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25512	Comment from Reynolds, Jeff	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30577	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25513	Comment from Fuqua , Chad	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30578	Comment from Waite, Judith
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25514	Comment from Brennan, Margot	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30579	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25515	Comment from Perez , Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30580	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25516	Comment from Piercy, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30581	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25517	Comment from Larkin, Tim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30582	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25518	Comment from Ray, Emily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30583	Comment from Bray, Laura A.
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25519	Comment from Manley, Carole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30584	Comment from KORTRIGHT, JILL
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25520	Comment from Black , Sherry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30585	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25522	Comment from habis, sara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30586	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25523	Comment from Kauh, Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30587	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25524	Comment from Long, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30588	Comment from hobson, kelvin
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25525	Comment from smith, doris	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30589	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25526	Comment from Young, Barb	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30590	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25527	Comment from Burtis, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30591	Comment from Mola, Nicole
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25528	Comment from Oliver, Jerry	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30592	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25529	Comment from Stefanko, Roxanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30593	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25530	Comment from Levitt, Vera	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30594	Comment from Marczyk, Cathy
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25531	Comment from Arbonies, Denise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30595	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25532	Comment from Burga, Shirley	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30596	Comment from Edwards, Donna
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25533	Comment from Yerden, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30597	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25534	Comment from Tosa, Riko	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30598	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25535	Comment from Darling, Barbara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30599	Comment from Stehle, Alice
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25536	Comment from Raia, Celia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30600	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25537	Comment from Meloni , Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30601	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25538	Comment from Wenthold , Randy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30602	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25539	Comment from Walters, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30603	Comment from Bobe, Pablo
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25540	Comment from Rockers, Michelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30604	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25541	Comment from Chyba, Mike	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30605	Comment from mazzone, tracey
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25542	Comment from Olmstead, Ruby	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30606	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25543	Comment from Ross, Nikisha	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30607	Comment from Deckert, Lisa
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25544	Comment from Mintz, Leah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30608	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25545	Comment from Raulerson, Tom	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30609	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25546	Comment from Trask, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30610	Comment from Lilling, Glenda

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25547	Comment from Wagner, Eileen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30611	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25548	Comment from Miller, Irene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30612	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25549	Comment from Mas, Jessica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30613	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25550	Comment from Shah, Dhiren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30614	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25551	Comment from Cole, Jo	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30615	Comment from Paxton, G.
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25552	Comment from Sidky, A	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30616	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25553	Comment from Coker, Tracy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30617	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25554	Comment from jones, shelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30618	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25555	Comment from Eby, Amber	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30619	Comment from Tshibangu, Mandy
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25556	Comment from Norman, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30620	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25557	Comment from Summey, Nilsa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30621	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25558	Comment from Wineinger, Karen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30622	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25559	Comment from Gleeson, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30623	Comment from knaz, julia
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25560	Comment from Brady, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30624	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25561	Comment from Ruckdeschel, C.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30625	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25562	Comment from Clark, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30626	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25563	Comment from Brown, Andrea	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30627	Comment from Beach, Linda
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25564	Comment from McGilvra, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30628	Comment from Wendell, Patricia R.
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25565	Comment from foster, lorraine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30629	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25566	Comment from Bennett, Bryan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30630	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25567	Comment from Bruen, Stephanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30631	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25568	Comment from Snee, Thomas	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30632	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25569	Comment from Rodak, Colleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30633	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25570	Comment from Hall, Johnny	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30634	Comment from Harasim, Dallas
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25571	Comment from Martin, Cathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30635	Comment from LeFever, Elizabeth
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25572	Comment from Wright, Nicole	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30636	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25573	Comment from Arnone, Ruth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30637	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25574	Comment from Contreras, Liliana	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30638	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25575	Comment from Towns, Travis	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30639	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25576	Comment from Babcock, Pamela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30640	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25577	Comment from rothermel, paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30641	Comment from Rosenfeld, Mimi
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25578	Comment from Galantino, Victoria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30642	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25579	Comment from Bonner, Cynthia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30643	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25580	Comment from Klafuta, Judy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30644	Comment from Jara, Johanna
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25581	Comment from Santangelo, Roseann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30645	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25582	Comment from Larson, Stacey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30646	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25583	Comment from Payden-Travers, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30647	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25584	Comment from loebl, Rob	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30648	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25585	Comment from Naji, Eric	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30649	Comment from Cais, Sandra
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25586	Comment from Dennis, Gudrun	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30650	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25587	Comment from Bailey , Alan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30651	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25588	Comment from Watabayashis, Jenn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30652	Comment from Recca, Frances
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25589	Comment from Boyle, Rhonda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30653	Comment from Skolnick, Kate
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25590	Comment from Mollenauer, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30654	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25591	Comment from Hunnicut, Jordan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30655	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25592	Comment from Badham, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30656	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25593	Comment from Escobar, Victor	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30657	Comment from Miller, Jim
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25594	Comment from Boe, Brandon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30658	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25595	Comment from Tocci, Angela	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30659	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25596	Comment from Wilson, Katrena	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30660	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25597	Comment from Brown, Kay	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30661	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25598	Comment from Peters, Lydia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30662	Comment from Sturt, Pamela
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25599	Comment from woley, m	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30663	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25600	Comment from Weber, Betty	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30664	Comment from Pellegrino, Frank
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25601	Comment from Beal, Richard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30665	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25602	Comment from Cunningham, Stacey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30666	Comment from Smyth, Linda
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25603	Comment from Jordan, Tracy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30667	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25604	Comment from Costa, Sílvia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30668	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25605	Comment from Evanson, Mk	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30669	Comment from Kump, Angela
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25606	Comment from Alford Johnson, Jeannelle	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30670	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25607	Comment from Comer, Melanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30671	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25608	Comment from Martin, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30672	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25609	Comment from Hartman, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30673	Comment from Logan, donna
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25610	Comment from Koopmans, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30674	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25611	Comment from Muncie, Brenda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30675	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25612	Comment from Buckley, Beverly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30676	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25613	Comment from Garay, Rafael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30677	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25614	Comment from Kountz, Edward	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30678	Comment from Brincka, Frank A.
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25615	Comment from Rothschild, Laurence	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30679	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25616	Comment from Martin, Diane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30680	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25617	Comment from Adams, Penelope	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30681	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25618	Comment from Robertson, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30682	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25619	Comment from Froelich, Charles	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30683	Comment from Burton, Patricia
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25620	Comment from Rutherford, Helen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30684	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25621	Comment from Midgett, Suz-Anne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30685	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25622	Comment from Epstein, Nance	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30686	Comment from Kirby, Suzanne
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25623	Comment from GAYHARTT, JC	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30687	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25624	Comment from Koch, Joann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30688	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25625	Comment from Krieglstein, Deanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30689	Comment from Malyon, Ann
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25626	Comment from Bosworth , Paula	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30690	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25627	Comment from Roland, Jelica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30691	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25628	Comment from Martin, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30692	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25629	Comment from Carroll, Maureen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30693	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25630	Comment from Moseman, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30694	Comment from Taylor, Terri
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25631	Comment from Roberts, Sarah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30695	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25632	Comment from Thornton, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30696	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25633	Comment from Tod, Tom	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30697	Comment from Moore, Shabaka
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25634	Comment from Stoneham , Lisa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30698	Comment from Noyes, Michael
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25635	Comment from Kasmicki, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30699	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25636	Comment from Slonaker, Lynn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30700	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25637	Comment from James, Lorren	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30701	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25639	Comment from Bailey, Melissa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30702	Comment from sappelli, Richard
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25640	Comment from Renshaw, Amy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30703	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25641	Comment from Shah, Nandita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30704	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25642	Comment from Boyens, Marguerite	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30705	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25643	Comment from FLANAGAN, JAMES	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30706	Comment from Piccolo, Eric
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25644	Comment from Durrer, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30707	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25645	Comment from Ebers-Radtke, Tammy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30708	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25646	Comment from Poindexter, Annette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30709	Comment from Likos, Dinakos
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25647	Comment from Amarillas, Cristina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30710	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25648	Comment from Munday, Mary Mark	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30711	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25649	Comment from Kloet, Lawrence	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30712	Comment from Wirtenberger, Karl
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25650	Comment from Blick, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30713	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25651	Comment from Velez, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30714	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25652	Comment from Sage, Marina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30715	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25653	Comment from Whitlock, Sue	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30716	Comment from Musumeci, Camillo
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25654	Comment from Curry, Tyna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30717	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25655	Comment from Angelini, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30718	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25656	Comment from Poland, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30719	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25657	Comment from Cox, Lanie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30720	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25658	Comment from Johnson, Lira	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30721	Comment from Tetrault, Aline
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25659	Comment from Swindell, Elak	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30722	Comment from Savage, Kitty
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25660	Comment from Sigel, Liz	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30723	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25661	Comment from Anthony, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30724	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25662	Comment from Hayes, Debra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30725	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25663	Comment from Alderson, Doug	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30726	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25664	Comment from Padula, Kathy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30727	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25665	Comment from Levitt, Linda	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30728	Comment from Coogan, Aimee
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25666	Comment from Ludwick, Heidi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30729	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25667	Comment from Watt, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30730	Comment from petrillo, Diane-michele
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25668	Comment from Cecile, Scott	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30731	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25669	Comment from Torok-pierce, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30732	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25670	Comment from Alexander, Brittany	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30733	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25671	Comment from Kaliban, Timothy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30734	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25672	Comment from Phillips, Marilyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30735	Comment from Foehl, Denise
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25673	Comment from Di Bratto, Connie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30736	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25674	Comment from Ivaldi, Miriam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30737	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25675	Comment from Bordin, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30738	Comment from Burger, Theodore
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25676	Comment from Viramontes, Christine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30739	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25677	Comment from Schultz, Leonard	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30740	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25678	Comment from Mastryukov, Paulina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30741	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25679	Comment from Janzen, Cindy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30742	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25680	Comment from Hearthstone, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30743	Comment from Eckstein, Susan
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25681	Comment from Albrecht-Vegas, Christa	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30744	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25682	Comment from Chapman , Marjorie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30745	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25683	Comment from Correa, Manuel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30746	Comment from Hallahan, Ellen
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25684	Comment from Kern, Claire	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30747	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25685	Comment from Falk, Darlene	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30748	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25686	Comment from Van Leekwijck, Natalie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30749	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25687	Comment from Stowell, Jocelyn	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30750	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25688	Comment from GREEN, CHRISTIAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30751	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25689	Comment from Abramowitz, Maryanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30752	Comment from Turner, Kathy
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25690	Comment from Jacobs, James	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30753	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25691	Comment from Galton, Christopher	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30754	Comment from Jackson, Jane
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25692	Comment from Bolasci, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30755	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25693	Comment from Garavuso, Nancy	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30756	Comment from Fiorella, Pat
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25694	Comment from pope, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30757	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25695	Comment from Rector, Crystal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30758	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25696	Comment from McCoubrie, Elise	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30759	Comment from Ahearn, Francis
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25697	Comment from Braice, Bastet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30760	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25698	Comment from Padgett, Lauretta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30761	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25699	Comment from Early, Laura	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30762	Comment from Ponisciak, Joseph
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25700	Comment from Metzler, Paulette	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30763	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25701	Comment from Stafford, Janet	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30764	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25702	Comment from Rodgers, Camie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30765	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25703	Comment from Bradford, Lynsey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30766	Comment from Collins, Joseph
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25704	Comment from Warrington, Christina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30767	Comment from Franck, Matthew
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25705	Comment from Peddicord, Shelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30768	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25706	Comment from Bilisoly, Kandice	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30769	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25707	Comment from Vosburg, Cheryl	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30770	Comment from Thomas, Barbara
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25708	Comment from Burris, Tina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30771	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25709	Comment from Lee, David	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30772	Comment from King, Megan
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25710	Comment from Walker, Kimberly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30773	Comment from Kreiner, Dennis
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25711	Comment from GREEN, CHRISTIAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30774	Comment from Anonymous Anonymous

02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25712	Comment from Skouge, Gloria	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30775	Comment from Palladino, Mary
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25713	Comment from Sanger, Elizabeth	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30776	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25714	Comment from Buslot, Chantal	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30777	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25715	Comment from Stevens, Carol	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30778	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25716	Comment from Tulpule, Ashwini	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30779	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25717	Comment from Blake, Cara	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30780	Comment from Brooks, Regina
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25718	Comment from Campbell , Gina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30781	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25719	Comment from rowe, william	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30782	Comment from McKillip, Linda
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25720	Comment from Thomas, Suzanne	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30783	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25721	Comment from McCann, Ellen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30784	Comment from Nilsson, Derinda
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25722	Comment from Glasser, Tanya	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30785	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25723	Comment from Salamon, Bonnie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30786	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25724	Comment from Kaspetrus, Rachel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30787	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25725	Comment from Puntasecca, Juanita	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30788	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25726	Comment from Hernandez, Gina	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30789	Comment from Percopo, Dominic
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25727	Comment from Freeman, Carrie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30790	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25728	Comment from McHendry, Kathleen	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30791	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25729	Comment from Molter, Sharon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30792	Comment from Castelli-Hill, Susan
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25730	Comment from Preston, Susan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30793	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25731	Comment from Sinclair, Judith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30794	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25732	Comment from Nazzaro, Patricia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30795	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25733	Comment from HUNT, JOAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30796	Comment from Turco, Jill
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25734	Comment from HUNT, JOAN	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30797	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25735	Comment from Rosenberg, H.	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30798	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25736	Comment from Dunne, Joanna	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30799	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25737	Comment from Taylor, Vernetta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30800	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25738	Comment from Bukowski, Deborah	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30801	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25739	Comment from Dal Cais, Sandra	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30802	Comment from Knott, James
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25740	Comment from Owens, Emily	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30803	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25741	Comment from Erickson, Meredith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30804	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25742	Comment from schrek, ai	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30805	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25743	Comment from Fisher, Robert	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30806	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25744	Comment from Moyle, Eric	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30807	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25745	Comment from Luddy, Mary	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30808	Comment from McCarthy, Shirley
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25746	Comment from Drugos, Alex	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30809	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25747	Comment from Lee, Michael	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30810	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25748	Comment from Weber, Heidi	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30811	Comment from Shah, Nandita
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25749	Comment from romero, veronica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30812	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25750	Comment from Bleecker, Sam	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30813	Comment from Anonymous Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25751	Comment from White, Robin	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30814	Comment from Hartman, Brenda
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25752	Comment from Nunnally, Erica	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30815	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32293	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37305	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32294	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37306	Comment from Banks, Janice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32295	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37307	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32296	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37308	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32297	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37309	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32298	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37310	Comment from Crystal, Dene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32299	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37311	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32300	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37312	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32301	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37313	Comment from Gingras, Brian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32302	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37314	Comment from Noel-Labieniec, Diana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32303	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37315	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32304	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37316	Comment from devoist, robyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32305	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37317	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32306	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37318	Comment from Sankey, William
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32307	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37319	Comment from Fitzpatrick, Janise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32308	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37320	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32309	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37321	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32310	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37322	Comment from Swope, Robin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32311	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37323	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32312	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37324	Comment from Price, Maureen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32313	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37325	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32314	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37326	Comment from Kelly, Joe
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32315	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37327	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32316	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37328	Comment from Woods, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32317	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37329	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32318	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37330	Comment from Bajaj, Ashok and Kiran
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32319	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37331	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32320	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37332	Comment from Schnipper, Allison
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32321	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37333	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32322	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37334	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32323	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37335	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32324	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37336	Comment from Middleton, Pat
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32325	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37337	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32326	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37338	Comment from Hanmer, Noah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32327	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37339	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32328	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37340	Comment from Ford, Joan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32329	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37341	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32330	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37342	Comment from Wedge, Joanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32331	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37343	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32332	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37344	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32333	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37345	Comment from Longever, Jordan

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32457	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37470	Comment from Gosster, Chris
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32458	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37471	Comment from Nickerson, Caroline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32459	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37472	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32460	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37473	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32461	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37474	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32462	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37475	Comment from Nichols, Beverly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32463	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37476	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32464	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37477	Comment from Elias, Angela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32465	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37478	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32466	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37479	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32467	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37480	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32468	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37481	Comment from Burgess, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32469	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37482	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32470	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37483	Comment from Rodriguez, Joanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32471	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37484	Comment from McGrogan, Lori
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32472	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37485	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32473	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37486	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32474	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37487	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32475	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37488	Comment from Morello, Jessica
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32476	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37489	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32477	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37490	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32478	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37491	Comment from Lawrence, Michael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32479	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37492	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32480	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37493	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32481	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37494	Comment from Samuels, Maurice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32482	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37495	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32483	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37496	Comment from Chichester, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32484	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37497	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32485	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37498	Comment from Sussman, Perri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32486	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37499	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32487	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37500	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32488	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37501	Comment from Woll, Ann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32489	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37502	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32490	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37503	Comment from Flynn, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32491	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37504	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32492	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37505	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32493	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37506	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32494	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37507	Comment from Williamson, Janeene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32495	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37508	Comment from Hathaway, Julia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32496	Comment from Jezreela Anderson	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37509	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32497	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37510	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32498	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37511	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32499	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37512	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32500	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37513	Comment from Pilram, Roshanak
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32501	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37514	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32502	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37515	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32503	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37516	Comment from Keefe, Kristen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32504	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37517	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32505	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37518	Comment from Callahan, Ellen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32506	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37519	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32507	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37520	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32508	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37521	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32509	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37522	Comment from Siemian, Lori
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32510	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37523	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32511	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37524	Comment from Fisher, McKenna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32512	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37525	Comment from Roberts, Jaeden
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32513	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37526	Comment from Lenard, Dena
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32514	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37527	Comment from Yavorsky, Donna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32515	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37528	Comment from Watanabe, Osamu
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32516	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37529	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32517	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37530	Comment from Smith, Ange
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32518	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37531	Comment from Thaler, Gary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32519	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37532	Comment from Day, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32520	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37533	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32521	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37534	Comment from Halley, Jack
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32522	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37535	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32523	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37536	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32524	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37537	Comment from Faust, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32525	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37538	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32526	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37539	Comment from Grill, Cally
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32527	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37540	Comment from Bassin, Carolyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32528	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37541	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32529	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37542	Comment from Spencer, Deborah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32530	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37543	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32531	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37544	Comment from Keeting, William
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32532	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37545	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32533	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37546	Comment from Drucker, Laurie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32534	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37547	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32535	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37548	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32536	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37549	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32537	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37550	Comment from Nadel, Victoria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32538	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37551	Comment from LeBeau, Mark

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32539	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37552	Comment from Gerding, Roberta
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32540	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37553	Comment from McGrogan, Lori
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32541	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37554	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32542	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37555	Comment from Rose, Matthew
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32543	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37556	Comment from Shah, Deborah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32544	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37557	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32545	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37558	Comment from bensalel, johanna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32546	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37559	Comment from Guiney, Patrick
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32547	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37560	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32548	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37561	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32549	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37562	Comment from Heilig, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32550	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37563	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32551	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37564	Comment from Marchbanks, Julie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32552	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37565	Comment from Capobianco, Valentino
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32553	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37566	Comment from Hantel, Johanna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32554	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37567	Comment from Engelbrecht, Lindi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32555	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37568	Comment from Kramer, Lauren
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32556	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37569	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32557	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37570	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32558	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37571	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32559	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37572	Comment from Childers, Cindy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32560	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37573	Comment from Van Denburgh, Medora
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32561	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37574	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32562	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37575	Comment from Crawford, Victoria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32563	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37576	Comment from Hanneman, Mindy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32564	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37577	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32565	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37578	Comment from Bock, Tamara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32566	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37579	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32567	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37580	Comment from Bolog, Debra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32568	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37581	Comment from Falcon, Jenn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32569	Comment from Don Schwartz	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37582	Comment from Drucker, Kimberly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32570	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37583	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32571	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37584	Comment from Burgan, Renee
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32572	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37585	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32573	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37586	Comment from Culley, Megan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32574	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37587	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32575	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37588	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32576	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37589	Comment from Sandra Couch
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32577	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37590	Comment from Schlepuner, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32578	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37591	Comment from Hof, Annette
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32579	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37592	Comment from Waller, Sara

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32580	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37593	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32581	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37594	Comment from Marquet, Jane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32582	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37595	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32583	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37596	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32584	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37597	Comment from CARMAN, MIKAYLA
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32585	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37598	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32586	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37599	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32587	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37600	Comment from Bauer, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32588	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37601	Comment from Foster, Pat
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32589	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37602	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32590	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37603	Comment from Hardin, Brenda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32591	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37604	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32592	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37605	Comment from Gornik, April
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32593	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37607	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32594	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37608	Comment from Yaghjian, Lucretia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32595	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37609	Comment from Knudsen, Sandy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32596	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37610	Comment from Williams, Deirdre
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32597	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37611	Comment from Mahoney, Paula
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32598	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37612	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32599	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37613	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32600	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37614	Comment from Papsun, Alan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32601	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37615	Comment from Scalcione, Donna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32602	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37616	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32603	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37617	Comment from O'Hara, Peter
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32604	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37618	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32605	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37619	Comment from Bittner, George
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32606	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37620	Comment from Payne, Richard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32607	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37621	Comment from Thompson, Don
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32608	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37622	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32609	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37623	Comment from Cobb, Emily
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32610	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37624	Comment from nadel, robin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32611	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37625	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32612	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37626	Comment from Lipka, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32613	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37627	Comment from Starseed, Lozz
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32614	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37628	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32615	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37629	Comment from Keehn, Benjamin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32616	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37630	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32617	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37631	Comment from Thomas, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32618	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37632	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32619	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37633	Comment from Arra, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32620	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37634	Comment from MacKenzie, Michelle

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32744	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37758	Comment from Schwimmer, Dena
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32745	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37759	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32746	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37760	Comment from Mellen, Bernice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32747	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37761	Comment from Neiman, Jordan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32748	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37762	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32749	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37763	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32750	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37764	Comment from Whyman, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32751	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37765	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32752	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37766	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32753	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37767	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32754	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37768	Comment from Jay, Nigel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32755	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37769	Comment from Livesey-Fassel, Elaine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32756	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37770	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32757	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37771	Comment from Schneider, George
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32758	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37772	Comment from Banks, Sandy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32759	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37773	Comment from Gardner, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32760	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37774	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32761	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37775	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32762	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37776	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32763	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37777	Comment from Gorman, Laurie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32764	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37778	Comment from Graff, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32765	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37779	Comment from Haydon, Noah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32766	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37780	Comment from Vairo, Sylvia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32767	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37781	Comment from Neuber, Christa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32768	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37782	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32769	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37783	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32770	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37784	Comment from bedford, pauline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32771	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37785	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32772	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37786	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32773	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37787	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32774	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37788	Comment from Teevan, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32775	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37789	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32776	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37790	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32777	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37791	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32778	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37792	Comment from Whitaker, Howard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32779	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37793	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32780	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37794	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32781	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37795	Comment from Lefkowitz, Jay
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32782	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37796	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32783	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37797	Comment from Mitchell-Shihabi, Jessica
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32784	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37798	Comment from Flagg, Bob

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32867	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37881	Comment from Dean, Rayline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32868	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37882	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32869	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37883	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32870	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37884	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32871	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37885	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32872	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37886	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32873	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37887	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32874	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37888	Comment from Leung, Claudia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32875	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37889	Comment from Lang, Pat
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32876	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37890	Comment from Cordova, Kris
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32877	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37891	Comment from Sellers, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32878	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37892	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32879	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37893	Comment from Baris, Sonja
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32880	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37894	Comment from poland, barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32881	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37895	Comment from Nemirow, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32882	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37896	Comment from Reed, Dirk
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32883	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37897	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32884	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37898	Comment from ramirez, grace
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32885	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37899	Comment from Hatcher, Nadine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32886	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37900	Comment from Ramsey, Walter
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32887	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37901	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32888	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37902	Comment from Guillén, Stacy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32889	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37903	Comment from Dunn, Kellen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32890	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37904	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32891	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37905	Comment from Christoffer, Courtney
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32892	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37906	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32893	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37907	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32894	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37908	Comment from Mickelsen, Patti
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32895	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37909	Comment from stockwell, richard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32896	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37910	Comment from Stockwell, Kiana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32897	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37911	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32898	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37912	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32900	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37913	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32901	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37914	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32902	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37915	Comment from Sieck, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32903	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37916	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32904	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37917	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32905	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37918	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32906	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37919	Comment from maxfield, casee
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32907	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37920	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32908	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37921	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32909	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37922	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32910	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37923	Comment from Thomas, Raye Lynn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32911	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37924	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32912	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37925	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32913	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37926	Comment from Macias, Sherry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32914	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37927	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32915	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37928	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32916	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37929	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32917	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37930	Comment from Harper, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32918	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37931	Comment from Brockman, Blaise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32919	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37932	Comment from shirley mills
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32920	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37933	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32921	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37934	Comment from Reed, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32922	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37935	Comment from Heinle, Janet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32923	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37936	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32924	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37937	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32925	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37938	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32926	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37939	Comment from Lozano, Luis
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32927	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37940	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32928	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37941	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32929	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37942	Comment from Bach, Kimberly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32930	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37943	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32931	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37944	Comment from Angell, JL
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32932	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37945	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32933	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37946	Comment from Raible, Annette
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32934	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37947	Comment from Barrington, Tim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32935	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37948	Comment from Pradetto, Joan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32936	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37949	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32937	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37950	Comment from Yazdi, Teri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32938	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37951	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32939	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37952	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32940	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37953	Comment from Davis, Cheryl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32941	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37954	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32942	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37955	Comment from Petersen, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32943	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37956	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32944	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37957	Comment from Altana, Kim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32945	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37958	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32946	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37959	Comment from Sebastian, Joseph
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32947	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37960	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32948	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37961	Comment from Shekell, Margaret
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32949	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37962	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33032	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38045	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33033	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38046	Comment from Glenn, Phillip
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33034	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38047	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33035	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38048	Comment from Granlund, Fred
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33036	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38049	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33037	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38050	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33038	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38051	Comment from Johnson, Chad
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33039	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38052	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33040	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38053	Comment from Filip, Thomas
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33041	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38054	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33042	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38055	Comment from Richmond, Chey
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33043	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38056	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33044	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38057	Comment from Greenwood, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33045	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38058	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33046	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38059	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33047	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38060	Comment from Hilgers, Irene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33048	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38061	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33049	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38062	Comment from Feierabend, Marla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33050	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38063	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33051	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38064	Comment from Mickelsen, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33052	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38065	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33053	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38066	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33054	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38067	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33055	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38068	Comment from Girard, Anne Marie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33056	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38069	Comment from Crawford, Holly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33057	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38070	Comment from biggins, henry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33058	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38071	Comment from Mitchell, Valory
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33059	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38072	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33060	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38073	Comment from Mistretta, Jill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33061	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38074	Comment from Margaret Vernon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33062	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38075	Comment from okolowicz, sofia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33063	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38076	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33064	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38077	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33065	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38078	Comment from Sundberg, Senta
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33066	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38079	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33067	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38080	Comment from kolchins, patricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33068	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38081	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33069	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38082	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33070	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38083	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33071	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38084	Comment from Ringler, Ronald
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33072	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38085	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33114	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38128	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33115	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38129	Comment from Sherwood, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33116	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38130	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33117	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38131	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33118	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38132	Comment from Pool, Joan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33119	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38133	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33120	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38134	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33121	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38135	Comment from Boyer, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33122	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38136	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33123	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38137	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33124	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38138	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33125	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38139	Comment from Nachazel-Ruck, Jane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33126	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38140	Comment from Corrigan, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33127	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38141	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33128	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38142	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33129	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38143	Comment from O'doherty, Kit
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33130	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38144	Comment from Tanselle , Sally
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33131	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38145	Comment from Ristig, Ciara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33132	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38146	Comment from Hendry, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33133	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38147	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33134	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38148	Comment from Gentry, Rebecca
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33135	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38149	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33136	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38150	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33137	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38151	Comment from Anshin, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33138	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38152	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33139	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38153	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33140	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38154	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33141	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38155	Comment from Seil, Fredrick
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33142	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38156	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33143	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38157	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33144	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38158	Comment from Gustafsen, April
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33145	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38159	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33146	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38160	Comment from Taggart, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33147	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38161	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33148	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38162	Comment from Milovina, Catherine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33149	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38163	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33150	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38164	Comment from Puentes, Felena
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33151	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38166	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33152	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38167	Comment from Crase, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33153	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38168	Comment from McCaw, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33154	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38169	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33196	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38211	Comment from Davies, Dorothy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33197	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38212	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33198	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38213	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33199	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38214	Comment from Lewis, Debra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33200	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38215	Comment from patel, sarosh
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33201	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38216	Comment from Weisz, Russell
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33202	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38217	Comment from Roberts, Gail
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33203	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38218	Comment from Shively, Judy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33204	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38219	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33205	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38220	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33206	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38221	Comment from Czichos-Slaughter, Romona
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33207	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38222	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33208	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38223	Comment from Smith, Julie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33209	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38224	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33210	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38225	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33211	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38226	Comment from Mejia, Lily
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33212	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38227	Comment from Wood, Joann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33213	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38228	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33214	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38229	Comment from Anania, Dale
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33215	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38230	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33216	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38231	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33217	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38232	Comment from Robin, Lois
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33218	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38233	Comment from Walters, Ernie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33219	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38234	Comment from Sello, Simone
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33220	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38235	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33221	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38236	Comment from Macias, Deborah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33222	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38237	Comment from Jafari, Katy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33223	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38238	Comment from Oxley, Rhonda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33224	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38239	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33225	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38240	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33226	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38241	Comment from Miller, Victoria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33227	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38242	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33228	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38243	Comment from Saffren, G.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33229	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38244	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33230	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38245	Comment from Laur, Janet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33231	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38246	Comment from Sandra Materi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33232	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38247	Comment from Boteilho, Thelma Renee
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33233	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38248	Comment from Phillip Hope
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33234	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38249	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33235	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38250	Comment from Bishop, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33236	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38251	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33319	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38334	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33320	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38335	Comment from lunsford, jimmie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33321	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38336	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33322	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38337	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33323	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38338	Comment from Chisari, Andrea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33324	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38339	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33325	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38340	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33326	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38341	Comment from Butler, Sam
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33327	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38342	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33328	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38343	Comment from Schultz, Cindy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33329	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38344	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33330	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38345	Comment from Jones-Bunn, Shawn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33331	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38346	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33332	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38347	Comment from Yu, Katie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33333	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38348	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33334	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38349	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33335	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38350	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33336	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38351	Comment from Weston, Karton
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33337	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38352	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33338	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38353	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33339	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38354	Comment from Randolph, Tracy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33340	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38355	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33341	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38356	Comment from Gonzalez, Yazmin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33342	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38357	Comment from Alvarado, Denise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33343	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38358	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33344	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38359	Comment from Nowicki, Maria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33345	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38360	Comment from Klos-Huber, Toni
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33346	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38361	Comment from White, Ann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33347	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38363	Comment from DeBing, Therese
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33348	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38364	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33349	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38365	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33350	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38366	Comment from Cruz, Marian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33351	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38367	Comment from McDade, Shereen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33352	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38368	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33353	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38369	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33354	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38370	Comment from Dickson, Carolyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33355	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38371	Comment from Green, Jamie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33356	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38372	Comment from Covey, Tim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33357	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38373	Comment from Lupenko, Andy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33358	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38374	Comment from Nichandros, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33359	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38375	Comment from Braude, Michael

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33360	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38376	Comment from De Baca, Sylvia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33361	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38377	Comment from Levicke, Jeff
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33362	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38378	Comment from King, Dotti
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33363	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38379	Comment from Shuster, Marguerite
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33364	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38380	Comment from B., Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33365	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38381	Comment from leeds, vicki
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33366	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38382	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33367	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38383	Comment from Esposito, Dan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33368	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38384	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33369	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38385	Comment from Porter, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33370	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38386	Comment from Hall, Sue
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33371	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38387	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33372	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38388	Comment from McCleary, Bob
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33373	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38389	Comment from Whitted, Hannah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33374	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38390	Comment from Bergman, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33375	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38391	Comment from Blasco, Natalie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33376	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38392	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33377	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38393	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33378	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38394	Comment from Lenchner, Nicholas
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33379	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38395	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33380	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38396	Comment from A., Lauren
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33381	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38397	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33382	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38398	Comment from Burnash, George
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33383	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38399	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33384	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38400	Comment from Blackwell-Marcant, Patricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33385	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38401	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33386	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38402	Comment from glasser, mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33387	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38403	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33388	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38404	Comment from Shotts, Tami
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33389	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38405	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33390	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38406	Comment from Goetz, Gary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33391	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38407	Comment from Guined, Jamie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33392	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38408	Comment from heske, amanda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33393	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38409	Comment from Gendron, Cindra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33394	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38410	Comment from Brooks, Regina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33395	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38411	Comment from samuelson, john
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33396	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38412	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33397	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38413	Comment from Brennan, Gayle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33398	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38414	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33399	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38415	Comment from Michelson, Sue
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33400	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38416	Comment from Forester, Teri

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33401	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38417	Comment from Season, Ron
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33402	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38418	Comment from jones, loretta
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33403	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38419	Comment from Jache, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33404	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38420	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33405	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38421	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33406	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38422	Comment from Goff, Frances
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33407	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38423	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33408	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38424	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33409	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38425	Comment from Hargraves, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33410	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38426	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33411	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38427	Comment from Von Schmacht, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33412	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38428	Comment from OBrien, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33413	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38429	Comment from JOHNSON, ALICE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33414	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38430	Comment from Kutchko, Terri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33415	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38431	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33416	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38432	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33417	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38433	Comment from G, C
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33418	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38434	Comment from Ness, Gina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33419	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38435	Comment from Alden, Rory
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33420	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38436	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33421	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38437	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33422	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38438	Comment from Leslie, M. Virginia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33423	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38439	Comment from Benjamin, Elaine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33424	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38440	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33425	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38441	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33426	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38442	Comment from Arnold, Carlos
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33427	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38443	Comment from Olsson, Krister
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33428	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38444	Comment from Freeman, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33429	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38445	Comment from Wang, Rebecca
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33430	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38446	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33431	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38447	Comment from Lenahan, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33432	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38448	Comment from Hall, Holly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33433	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38449	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33434	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38450	Comment from Delgado, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33435	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38451	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33436	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38452	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33437	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38453	Comment from Clark, Stephanie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33438	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38454	Comment from Holloway, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33439	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38455	Comment from Hall, Christopher
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33440	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38457	Comment from Jones, Amelia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33441	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38458	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33442	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38459	Comment from Bresnahan, Rosalind
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33443	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38460	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33444	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38461	Comment from Wey, Cheryl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33445	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38462	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33446	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38463	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33447	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38464	Comment from Pirazzi, Tina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33448	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38465	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33449	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38466	Comment from Bindas, Janet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33450	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38467	Comment from Berger, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33451	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38468	Comment from Steponaitis, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33452	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38469	Comment from Catlin, Christina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33453	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38470	Comment from Aronson, Reevyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33454	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38471	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33455	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38472	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33456	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38473	Comment from price, allen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33457	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38474	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33458	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38475	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33459	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38476	Comment from Schofield, Anna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33460	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38477	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33461	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38478	Comment from Ruiz, George
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33462	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38479	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33463	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38480	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33464	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38481	Comment from Ipe, Lynda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33465	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38482	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33466	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38483	Comment from Scheinman, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33467	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38484	Comment from Collar, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33468	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38485	Comment from Bomarito, MaryAnn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33469	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38486	Comment from Soto, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33470	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38487	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33471	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38488	Comment from smith, joe
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33472	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38490	Comment from Cemenska, Marci
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33473	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38491	Comment from Houghton, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33474	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38492	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33475	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38493	Comment from Wright, Kim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33476	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38494	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33477	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38495	Comment from Lapointe, Kenneth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33478	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38496	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33479	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38497	Comment from Cyr, Amy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33480	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38498	Comment from Hamilton, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33481	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38499	Comment from Poncia, Beverly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33482	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38500	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33566	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38584	Comment from Wilhite, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33567	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38585	Comment from Chevoya, Lynne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33568	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38586	Comment from Eby, Amber
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33569	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38587	Comment from kolchins, patricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33570	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38588	Comment from Aub, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33571	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38589	Comment from Hays, Pam
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33572	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38590	Comment from herzhauer, Caren
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33573	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38591	Comment from Cunningham, Marta
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33574	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38592	Comment from Burtis, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33575	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38593	Comment from Corry, Ronit
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33576	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38594	Comment from Cannon, Helen C
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33577	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38595	Comment from Girardin, Lea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33578	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38596	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33579	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38597	Comment from Arvin, Golzar
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33580	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38598	Comment from Jones, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33581	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38599	Comment from Ledner, Wendy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33582	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38600	Comment from Cotner, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33583	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38601	Comment from Mendales, Ezra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33584	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38602	Comment from Bishop, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33585	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38603	Comment from weiss, sabina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33586	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38604	Comment from Strand, Tara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33587	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38605	Comment from Kingett, Kathie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33588	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38606	Comment from Newton, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33589	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38607	Comment from glasser, mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33590	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38608	Comment from MacDougall, Scott
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33591	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38609	Comment from CHARLEBOIS, STACIE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33592	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38610	Comment from Toth, Maureen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33593	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38611	Comment from Schulz, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33594	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38612	Comment from Wallerstein, Emma
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33595	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38613	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33596	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38614	Comment from Frattaroli, Frank
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33597	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38615	Comment from lafond, david j.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33598	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38616	Comment from McCann, Kelsey
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33599	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38617	Comment from Lowe, Jacklyn J
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33600	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38618	Comment from Wilson, Herb
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33601	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38619	Comment from Gordon, Gail
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33602	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38620	Comment from Stilwell, Stephanie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33603	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38621	Comment from Galdo, Querido
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33604	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38622	Comment from Warzeka, Tom
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33605	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38623	Comment from Smith, Joyce
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33606	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38625	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33607	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38626	Comment from Rettig, Karin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33608	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38627	Comment from Turner, Denise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33609	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38628	Comment from Berliner, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33610	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38629	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33611	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38630	Comment from Oliver, Reilly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33612	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38631	Comment from Terheggen, Logan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33613	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38632	Comment from Zinn, Andrea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33614	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38633	Comment from Coyle, Gregory
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33615	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38634	Comment from OROZ, MICHELLE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33616	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38635	Comment from Murdock, Lauren
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33617	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38636	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33618	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38637	Comment from Krischik-Brinton, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33619	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38638	Comment from Brown, Kariana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33620	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38639	Comment from hang, khai
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33621	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38640	Comment from Venckauskas, Kayla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33622	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38641	Comment from Armstrong, Deborah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33623	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38642	Comment from Dadurka, Carole
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33624	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38643	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33625	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38644	Comment from Dadurka, Carole
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33626	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38645	Comment from Hug, Janis
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33627	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38646	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33628	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38647	Comment from Vickery, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33629	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38648	Comment from Fugate, Deborah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33630	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38649	Comment from Schindele, Paulette
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33631	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38650	Comment from Menne, Suzanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33632	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38651	Comment from Gordon, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33633	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38652	Comment from Wilkinson, Daniel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33634	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38653	Comment from Hodges, Suzanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33635	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38654	Comment from Kooken, Joni
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33636	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38655	Comment from TOW, LOIS
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33637	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38656	Comment from Linarez, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33638	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38657	Comment from Pennington, Kenneth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33639	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38658	Comment from Heck, Kerry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33640	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38659	Comment from Bottorff, Virginia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33641	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38660	Comment from Jacques, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33642	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38661	Comment from Fattahipour, Darius
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33643	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38662	Comment from Anderson, Patricia Evelyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33644	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38663	Comment from Orona, Angel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33645	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38664	Comment from Green, Christian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33646	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38665	Comment from Manda, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33647	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38666	Comment from Jacob, Ron

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33648	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38667	Comment from McKenna, Marci
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33649	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38668	Comment from Swanson, Roberta
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33650	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38669	Comment from Cohen, Joel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33651	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38670	Comment from Drucker, Kenneth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33652	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38671	Comment from Morales, Karla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33653	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38672	Comment from Goldner, Sheila
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33654	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38673	Comment from Durrell, Landa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33655	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38674	Comment from Nunez, Stephanie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33656	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38675	Comment from Goldman, Jill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33657	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38676	Comment from Watson Miles, Priscilla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33658	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38677	Comment from Phelps, Tami
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33659	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38678	Comment from Martinez, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33660	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38679	Comment from Fowlkes, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33661	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38680	Comment from Siwila, James
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33662	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38681	Comment from Brennan, Margot
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33663	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38682	Comment from Chisari, Andrea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33664	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38683	Comment from Granofsky, gabrielle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33665	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38684	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33666	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38685	Comment from Keaveney, Kevin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33667	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38686	Comment from Bond, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33668	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38687	Comment from Steigerwald, Jessie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33669	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38688	Comment from Giganti, Tere
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33670	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38689	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33671	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38690	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33672	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38691	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33673	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38692	Comment from Mazzola, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33674	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38693	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33675	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38694	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33676	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38695	Comment from Gard, Alice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33677	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38696	Comment from Scott, Star
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33678	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38697	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33679	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38698	Comment from Wells, Lasha
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33680	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38699	Comment from Peterson, Robin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33681	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38700	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33682	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38701	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33683	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38702	Comment from Shabbott, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33684	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38703	Comment from Eudy, Elaine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33685	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38704	Comment from Vaz, Kimberly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33686	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38705	Comment from Ridder, Lynette
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33687	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38706	Comment from Morrison, Barb
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33688	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38707	Comment from Cassens, Susie

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33689	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38708	Comment from Watson, Carol Knight
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33690	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38709	Comment from Zufi, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33691	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38710	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33692	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38711	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33693	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38713	Comment from Biel, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33694	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38714	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33695	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38715	Comment from Wolf, Darlene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33696	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38716	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33697	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38717	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33698	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38718	Comment from Oberdorf, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33699	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38719	Comment from Hosta, Denise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33700	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38720	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33701	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38721	Comment from Richardson, Gail
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33702	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38722	Comment from Forsht, Lynn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33703	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38723	Comment from Rollings, Rusty
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33704	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38724	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33705	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38725	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33706	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38726	Comment from Johnston, Ana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33707	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38727	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33708	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38728	Comment from reedy, karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33709	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38729	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33710	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38730	Comment from Arguello, Sylvana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33711	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38731	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33712	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38732	Comment from Naji, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33713	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38733	Comment from Devlin, Summer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33714	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38734	Comment from Carter, Rachel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33715	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38735	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33716	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38736	Comment from Layne, Allister
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33717	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38738	Comment from Musgray, Alex
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33718	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38739	Comment from Smith, Rebecca
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33719	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38740	Comment from Lee, Sherrie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33720	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38742	Comment from Lehr, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33721	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38743	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33722	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38744	Comment from Scott, Jesse
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33723	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38745	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33724	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38746	Comment from Copello, Janell
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33725	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38747	Comment from Keiser, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33726	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38748	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33727	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38749	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33728	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38750	Comment from Cook, Steven
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33729	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38751	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33730	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38752	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33731	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38753	Comment from McBride, Marcine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33732	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38754	Comment from Williams, Amanda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33733	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38755	Comment from Moraiti, Vicky
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33734	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38756	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33735	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38757	Comment from Delgado, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33736	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38758	Comment from Kobrin, Heather
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33737	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38759	Comment from Jennings, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33738	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38760	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33739	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38761	Comment from Perdios, Dan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33740	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38762	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33741	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38763	Comment from Hunter, Reanea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33742	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38764	Comment from Peters, Lydia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33743	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38765	Comment from Prker, Derin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33744	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38766	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33745	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38767	Comment from OConnor, Shari
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33746	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38768	Comment from Grimes, Betsy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33747	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38769	Comment from Johansen, Penelope
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33748	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38770	Comment from Kiba, Amy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33749	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38771	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33750	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38772	Comment from J, Silvia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33751	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38773	Comment from Brush-Hoover, Juliette
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33752	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38774	Comment from McCluskey, Sharon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33753	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38775	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33754	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38776	Comment from Englund, Klaudia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33755	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38777	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33756	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38778	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33757	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38779	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33758	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38780	Comment from Uyenishi, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33759	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38781	Comment from Klunder, Christine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33760	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38782	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33761	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38783	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33762	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38784	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33764	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38785	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33765	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38786	Comment from Brown, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33766	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38787	Comment from Thompson, TJ
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33767	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38788	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33768	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38789	Comment from Crabtree, Summer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33769	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38791	Comment from Huynh, Suong
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33770	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38792	Comment from Crowley, Marty
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33771	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38793	Comment from Trescone, Thomas

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33772	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38794	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33773	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38795	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33774	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38796	Comment from Bowman, Wendy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33775	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38797	Comment from Snow, Donna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33776	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38798	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33777	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38799	Comment from Bechtholt, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33778	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38800	Comment from Chu, J
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33779	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38801	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33780	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38802	Comment from Blitzer, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33781	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38803	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33782	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38804	Comment from Whitford, Tracy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33783	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38805	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33784	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38806	Comment from Michaels, Brenda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33785	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38807	Comment from Lewis, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33786	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38808	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33787	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38809	Comment from Ohlendorf, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33788	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38810	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33789	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38811	Comment from Ohlendorf, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33790	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38812	Comment from Van Alyne, Emily
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33791	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38813	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33792	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38814	Comment from Clayman, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33793	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38815	Comment from Muir, Kirsten
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33794	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38816	Comment from Murphy, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33795	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38817	Comment from Evans, Chad
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33796	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38818	Comment from Greenawalt, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33797	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38819	Comment from Brooks , Cindy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33798	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38820	Comment from Jeffrey, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33799	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38821	Comment from Navan, Gloria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33800	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38822	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33801	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38823	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33802	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38824	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33803	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38825	Comment from Onsel, Greg
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33804	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38826	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33805	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38827	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33806	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38828	Comment from Ehler, Noah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33807	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38829	Comment from Falk, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33808	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38830	Comment from Sederberg, Karyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33809	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38831	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33810	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38832	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33811	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38833	Comment from Wolf, Torah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33812	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38834	Comment from Taylor, Ross

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33813	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38835	Comment from Hamilton, Shari
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33814	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38836	Comment from Urias, Victoria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33815	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38837	Comment from Weisel, Jan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33816	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38839	Comment from Mondragon, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33817	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38841	Comment from Kovarik, Kerry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33818	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38842	Comment from Fierro, Tallia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33819	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38843	Comment from Solomon, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33820	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38844	Comment from Sarah, Alabama
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33821	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38845	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33822	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38846	Comment from Spradlin, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33823	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38847	Comment from Taylor, Karla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33824	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38848	Comment from Whitehurst, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33825	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38849	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33826	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38850	Comment from Low, Sammy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33827	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38851	Comment from Blumenthal, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33828	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38852	Comment from Lauzon, Charlene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33829	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38853	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33830	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38854	Comment from DeWitt, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33831	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38855	Comment from Olson, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33832	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38856	Comment from Deal, Brandie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33833	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38857	Comment from Norman, Christine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33834	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38858	Comment from youd, mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33835	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38859	Comment from Ysasi, Wendy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33836	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38860	Comment from Wojciak, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33837	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38861	Comment from Smih, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33838	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38862	Comment from Parsley, Adina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33839	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38863	Comment from Parker, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33840	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38864	Comment from D, A
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33841	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38865	Comment from Hayden, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33842	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38866	Comment from Burca, Georgeta
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33843	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38867	Comment from mayer, jeanette
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33844	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38868	Comment from Krupicka, Kris
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33845	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38869	Comment from Schneider, Dan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33846	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38870	Comment from Dixon, Angie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33847	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38871	Comment from Torrey, Norma and Don
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33848	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38872	Comment from Weinstein, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33849	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38873	Comment from Dowson, Eleanor
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33850	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38874	Comment from Cohen, Charles
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33851	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38875	Comment from Lambros, Kathryn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33852	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38876	Comment from Link-New, Virgene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33853	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38877	Comment from Dennison, Joni

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33854	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38878	Comment from Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33855	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38879	Comment from Hottenstein, Tara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33856	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38880	Comment from Hibben, T
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33857	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38881	Comment from marks, diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33858	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38882	Comment from march, kendall
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33859	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38883	Comment from Fahrenwald, Gill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33860	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38884	Comment from Haverfield, heather
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33861	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38885	Comment from Viljoen, Christina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33862	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38886	Comment from Lee, Jerry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33863	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38887	Comment from Rosenberg, H.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33864	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38888	Comment from Lesley, Miike
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33865	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38889	Comment from Libbey, Thomas
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33866	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38890	Comment from Rohrig, Kelli
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33867	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38891	Comment from Stiffler, Tonya
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33868	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38892	Comment from Harty, Florence
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33869	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38893	Comment from Norvell, Chelsea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33870	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38894	Comment from Cohen, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33871	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38895	Comment from Carroll, Colleen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33872	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38896	Comment from Taunt, Tammy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33873	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38897	Comment from White, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33874	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38898	Comment from Allen, Cathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33875	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38899	Comment from McCann, Annie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33876	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38900	Comment from Grajczyk, Joyce
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33877	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38901	Comment from Maseda-Gille, Sheila
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33878	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38902	Comment from Barnes, Noel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33879	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38903	Comment from Quintero, Gerry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33880	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38904	Comment from Trea, Connie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33881	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38905	Comment from Fischer, Cheryce
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33882	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38906	Comment from Seater, Kim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33883	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38907	Comment from Zimdars, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33884	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38908	Comment from McClintock, Gloria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33885	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38909	Comment from Gaskins, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33886	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38910	Comment from Hale, Valli
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33887	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38911	Comment from Poland, Bonnie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33888	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38913	Comment from Mahder, Debbie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33889	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38914	Comment from Sirmon, Max
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33890	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38915	Comment from Hoyt, Debra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33891	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38916	Comment from Nardell, Jason
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33892	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38918	Comment from NORRIS, SANDY
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33893	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38919	Comment from dos santos, jamie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33894	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38920	Comment from Swoffer, Thomas

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33895	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38921	Comment from Walker, Kelly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33896	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38922	Comment from Payne, Geneine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33897	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38923	Comment from Jacobs, Kathryn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33898	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38924	Comment from Skipworth, Carl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33899	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38925	Comment from Nayar, Jaya
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33900	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38926	Comment from Wood, Lorna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33901	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38927	Comment from Ungar, Jill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33902	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38928	Comment from Marcozzi, Brad
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33903	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38929	Comment from Bauer, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33904	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38930	Comment from Riley, Callie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33905	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38931	Comment from Esteve, Gregory
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33906	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38932	Comment from Papoutsis, Eva
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33907	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38933	Comment from Allred, Sandi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33908	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38934	Comment from Dickstein, Stephen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33909	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38935	Comment from Wish, Wendy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33910	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38936	Comment from Anderson, Tom
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33911	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38937	Comment from Schumacher, Brandy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33912	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38938	Comment from Riley, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33913	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38939	Comment from Matta, Dawn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33914	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38940	Comment from Matta, Dawn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33915	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38941	Comment from Gemind, Sara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33916	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38942	Comment from McAlister, Suzann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33917	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38943	Comment from Jansky, Alisha
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33918	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38944	Comment from Robertson, James
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33919	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38945	Comment from Aldrich, Jim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33920	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38946	Comment from Johnson, Scarlet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33921	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38947	Comment from O'Rourke, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33922	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38948	Comment from Kirshon, Bryan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33923	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38949	Comment from Collins, Belinda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33924	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38950	Comment from krause, doug
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33925	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38951	Comment from Bentzel, Jen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33926	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38952	Comment from Gibson, Jason
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33927	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38953	Comment from Muir, Guila
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33928	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38954	Comment from Shallman, Elsy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33929	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38955	Comment from Dorfman, Penny
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33930	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38956	Comment from Mills, Jacqueline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33931	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38958	Comment from More, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33932	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38959	Comment from PRITCHARD, ALVERA
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33933	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38960	Comment from Nelson, Lynn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33934	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38961	Comment from Debas, Jacquelin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33935	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38962	Comment from Heide, Andra

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34141	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39177	Comment from DeLia, Tony
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34142	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39178	Comment from Dupee, Jane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34143	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39179	Comment from Williams, Sherri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34144	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39180	Comment from Darbro, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34145	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39181	Comment from hipworth, danielle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34146	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39182	Comment from Roussel, Jamie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34147	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39183	Comment from Venos, Mary Helen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34148	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39184	Comment from Wasserman, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34149	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39185	Comment from Dumas, Marc
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34150	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39186	Comment from Rusch, Vincent
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34151	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39187	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34152	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39188	Comment from Papoutsis, Eva
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34153	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39189	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34154	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39190	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34155	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39191	Comment from Evans, J.L.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34156	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39192	Comment from Fellows, Joseph
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34157	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39193	Comment from Withers, Lynell
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34158	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39194	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34159	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39195	Comment from Garcia, Leticia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34160	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39196	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34161	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39197	Comment from Janke, Eilene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34162	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39198	Comment from Estus, Suzanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34163	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39199	Comment from O'Rourke, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34164	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39200	Comment from Stark, Louise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34165	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39201	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34166	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39202	Comment from Turobiner, Martha
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34167	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39203	Comment from Dobroslawa, Dobi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34168	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39204	Comment from Evans, Angelika
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34169	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39205	Comment from jackson, shawn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34170	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39206	Comment from Caso, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34171	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39207	Comment from Dudley, Greg
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34172	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39208	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34173	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39209	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34174	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39210	Comment from Smith, Wendy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34175	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39211	Comment from NOVAK, S.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34176	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39212	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34177	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39213	Comment from NOVAK, S.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34178	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39214	Comment from Walling, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34179	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39215	Comment from Walker, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34180	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39216	Comment from nevel, cecilia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34181	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39217	Comment from Blank, Julia

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34182	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39218	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34183	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39219	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34184	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39220	Comment from Blanton, Cricket
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34185	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39221	Comment from Nayar, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34186	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39222	Comment from Loosli, maureen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34187	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39223	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34188	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39224	Comment from Griffith, Charles
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34189	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39225	Comment from pan, pinkyjain
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34190	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39226	Comment from Walsh, Diana Chapman
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34191	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39227	Comment from Nicola Nicolai
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34192	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39228	Comment from F, Nina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34193	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39229	Comment from Koester, Sharon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34194	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39230	Comment from Wright, Kim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34195	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39231	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34196	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39232	Comment from Adkins, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34197	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39233	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34198	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39234	Comment from Gaulin, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34199	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39235	Comment from Scott, Bennie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34200	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39237	Comment from Adkins, Patti
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34201	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39238	Comment from Colarusso, Marla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34202	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39239	Comment from Margolin, Yana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34203	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39240	Comment from Komarinski, Brenda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34204	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39242	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34205	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39243	Comment from Newman, Ian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34206	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39244	Comment from Prasad, Kamal
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34207	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39245	Comment from Barter, Grace
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34208	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39246	Comment from Casey, Gordon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34209	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39247	Comment from Akiba, Lorraine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34210	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39248	Comment from Rapa, Katrina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34211	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39249	Comment from Wood, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34212	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39250	Comment from bedard, alan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34213	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39251	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34214	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39252	Comment from Igesund Zammarano, Victoria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34215	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39253	Comment from Peterson, Marji
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34216	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39254	Comment from Wheeler, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34217	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39255	Comment from Grossman, Cary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34218	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39256	Comment from O'Brien, Shayne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34219	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39257	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34220	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39258	Comment from Harrison, Randy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34221	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39259	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34222	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39260	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34223	Comment from Hughes , Kim	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39261	Comment from Levin, Beth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34224	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39262	Comment from Williams, Carla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34225	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39263	Comment from Benedict, Derek
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34226	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39264	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34227	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39265	Comment from H, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34228	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39267	Comment from Andrews, Jessica
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34229	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39268	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34230	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39269	Comment from Fillmore, Jamie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34231	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39270	Comment from Dowell, Vivian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34232	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39271	Comment from Mendilow, Guy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34233	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39272	Comment from Mathes, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34234	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39273	Comment from Pickering, Evelyn H
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34235	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39274	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34236	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39275	Comment from Cornez, Sandi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34237	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39276	Comment from Tibsherany, k
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34238	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39277	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34239	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39278	Comment from Council, Nina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34240	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39279	Comment from Jones, Kaija
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34241	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39280	Comment from Harris, Julie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34242	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39281	Comment from Bleckinger, dana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34243	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39282	Comment from Kaufman, Cecile
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34244	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39283	Comment from Downing, Wendy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34245	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39284	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34246	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39285	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34247	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39286	Comment from Eames, Cheryl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34248	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39287	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34249	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39288	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34250	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39289	Comment from Herbst, Tori
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34251	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39290	Comment from Canham, Stephen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34252	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39291	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34253	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39292	Comment from Knowles, Julia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34254	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39293	Comment from Ianchiou, Peter
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34255	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39294	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34256	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39295	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34257	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39296	Comment from galdo, joe
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34258	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39297	Comment from Loomis, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34259	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39298	Comment from Timmins, M
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34260	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39299	Comment from Graham, Charlie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34261	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39300	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34262	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39301	Comment from Hoyt, B.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34263	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39302	Comment from Panaritis, Andrea

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34264	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39303	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34265	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39304	Comment from Levine, Paula
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34266	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39305	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34267	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39306	Comment from Leyden, Anastasia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34268	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39307	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34269	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39308	Comment from mullarkey, t
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34270	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39309	Comment from H, D
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34271	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39310	Comment from Weistrop, Donna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34272	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39311	Comment from Williams, Catherine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34273	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39312	Comment from Sweet-Bunner, Amanda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34274	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39313	Comment from Lanka, Mike
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34275	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39314	Comment from Vogt, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34276	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39315	Comment from Wechsler, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34277	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39316	Comment from Heath, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34278	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39318	Comment from Joos, Sandra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34279	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39319	Comment from Kennedy, Scott
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34280	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39320	Comment from Heide, Angie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34281	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39321	Comment from Kelly DeVore
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34282	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39322	Comment from Renner, Amy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34283	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39323	Comment from Argo, Allison
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34284	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39324	Comment from Fleming, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34285	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39325	Comment from Fray, Linley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34286	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39326	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34287	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39327	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34288	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39328	Comment from Albert, Anthony
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34289	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39329	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34290	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39330	Comment from Voves, Deborah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34291	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39331	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34292	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39332	Comment from Morin, Carla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34293	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39333	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34294	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39334	Comment from Chin, Jason
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34295	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39335	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34296	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39336	Comment from Young, Miranda Allison
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34297	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39337	Comment from Blume, Heather
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34298	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39338	Comment from Elvira, Concepcion
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34299	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39339	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34300	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39340	Comment from Nayar, Roshan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34301	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39341	Comment from Bruscato, Lena
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34302	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39342	Comment from Atkins, Taren
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34303	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39343	Comment from Greer, Helen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34304	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39344	Comment from Kelley, David

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34305	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39345	Comment from Romberger, Cynthia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34306	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39346	Comment from Runion, Keith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34307	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39347	Comment from Dawson, Alison
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34308	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39348	Comment from Staley, Bill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34309	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39349	Comment from Friedman, Esther
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34310	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39350	Comment from Symington, Michele
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34311	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39351	Comment from Smith, Debra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34312	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39352	Comment from Marrs, Cynthia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34313	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39353	Comment from Gentili-Lloyd, Mika
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34314	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39354	Comment from Ernst, Cathie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34315	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39355	Comment from REGAN, MICHAEL J
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34316	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39356	Comment from Snedeker, Stephanie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34317	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39357	Comment from Niemeir, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34318	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39358	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34319	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39359	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34320	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39360	Comment from Martin, Karla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34321	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39361	Comment from Allen, Donna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34322	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39362	Comment from Gallagher, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34323	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39363	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34324	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39364	Comment from Wright, Cristin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34325	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39365	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34326	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39366	Comment from Welte, Sarah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34327	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39367	Comment from Turley, Gertrude
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34328	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39368	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34329	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39369	Comment from Ratliff, Margaret
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34330	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39370	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34331	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39371	Comment from Batway, Jewell
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34332	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39372	Comment from White, Jane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34333	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39373	Comment from Pritchard, Adrienne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34334	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39374	Comment from Prasad, Kamal
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34335	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39375	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34336	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39376	Comment from Hull, Lise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34337	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39377	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34338	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39378	Comment from Kisor, Dave
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34339	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39380	Comment from Sigler, Dean
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34340	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39381	Comment from Nihipali, Michele
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34341	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39382	Comment from Anderson, Rosanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34342	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39383	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34343	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39384	Comment from Schadewitz, Bob/Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34344	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39385	Comment from Neary, Sally
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34345	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39386	Comment from Straw, Rebecca

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34346	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39387	Comment from Pezzella, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34347	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39388	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34348	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39389	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34349	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39390	Comment from Shaw, Tammy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34350	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39391	Comment from Goetinck, Jean
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34351	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39392	Comment from Burpo, Leslie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34352	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39393	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34353	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39394	Comment from Burpo, Leslie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34354	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39395	Comment from Wu, Blake
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34355	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39396	Comment from Schauer, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34356	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39397	Comment from Brewer, Anna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34357	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39398	Comment from Herbert, Annabelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34358	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39399	Comment from Hinshaw, Tammera
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34359	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39400	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34360	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39401	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34361	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39402	Comment from Gorman, Maire
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34362	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39403	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34363	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39404	Comment from Conger, Regina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34364	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39405	Comment from Handy, Vivienne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34365	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39406	Comment from Simon, Roslyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34366	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39407	Comment from Gruver, Chere
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34367	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39408	Comment from Naughton, Dennis
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34368	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39409	Comment from Richardson, Rebecca
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34369	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39410	Comment from Tedeschi, Dina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34370	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39411	Comment from Douglass, Amy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34371	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39413	Comment from Tharchen, Ngawang
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34372	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39414	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34373	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39415	Comment from Prim, Brooke
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34374	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39416	Comment from Taliaferro, Jessica
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34375	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39417	Comment from Munroe, Tanya
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34376	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39418	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34377	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39419	Comment from Post, Sherry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34378	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39420	Comment from Vadimski-Nguyen, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34379	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39421	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34380	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39422	Comment from Heck, Matthew
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34381	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39423	Comment from snyder, valerie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34382	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39424	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34383	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39425	Comment from Evask, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34384	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39426	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34385	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39427	Comment from Aub, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34386	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39428	Comment from Costa, Sandra

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34387	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39429	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34388	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39430	Comment from Swanson, Kristen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34389	Comment from Ainga Dobbelaere	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39431	Comment from Garratt, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34390	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39432	Comment from Penton, Toni
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34391	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39433	Comment from Valero, Maudie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34392	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39434	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34393	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39435	Comment from Epley, Cherie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34394	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39436	Comment from Hruska, T
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34395	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39437	Comment from Mejuto, James
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34396	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39438	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34397	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39439	Comment from Doherty, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34398	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39440	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34399	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39441	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34400	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39442	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34401	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39443	Comment from Turner, Jim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34402	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39444	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34403	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39445	Comment from Cullen, Blue
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34404	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39446	Comment from Johnson, Alex
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34405	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39447	Comment from Plante, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34406	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39448	Comment from Bailie, Janae
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34407	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39449	Comment from Akana, Terry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34408	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39450	Comment from Rickman, Martin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34409	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39451	Comment from McMillan, Marilyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34410	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39452	Comment from Barbara, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34411	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39453	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34412	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39454	Comment from Flores, Gilbert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34413	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39455	Comment from Tally, Patrick
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34414	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39456	Comment from Clapp, JOnathan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34415	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39457	Comment from Kuzma, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34416	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39458	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34417	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39459	Comment from LAROCHELLE, JOHN
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34418	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39460	Comment from Repp, S.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34419	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39461	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34420	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39462	Comment from Kory, Robin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34421	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39463	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34422	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39464	Comment from Gregorio, Penny
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34423	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39465	Comment from Worker, Kevin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34424	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39466	Comment from lane, katie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34425	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39467	Comment from Ott, Geri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34426	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39468	Comment from Cais, Sandra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34427	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39469	Comment from Foster, Pat

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34428	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39470	Comment from Roberts, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34429	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39471	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34430	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39472	Comment from Burke, Kathleen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34431	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39473	Comment from Rubin, Leonard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34432	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39474	Comment from Lurtz, Jamie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34433	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39475	Comment from King-Chuparkoff, Cathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34434	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39476	Comment from Sobel, Alla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34435	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39477	Comment from Mills, Jenny
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34436	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39478	Comment from Krikorian, Lynn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34437	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39479	Comment from Koff, Marilyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34438	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39480	Comment from Shah, Nilesh
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34439	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39481	Comment from Kenner, Kate
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34440	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39482	Comment from Bell, Sheila
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34441	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39483	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34442	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39484	Comment from Zolnoski, Elektra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34443	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39485	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34444	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39486	Comment from Cooper, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34445	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39487	Comment from P, Sofia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34446	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39488	Comment from Valney, JOHN+Shirley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34447	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39489	Comment from PASCHEL, Richard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34448	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39490	Comment from jackson, richard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34449	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39491	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34450	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39492	Comment from Salazar, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34451	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39493	Comment from Boixo, Karin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34452	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39494	Comment from Grosjean, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34453	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39495	Comment from Night, Talus
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34454	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39496	Comment from De Veau, Tara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34455	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39497	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34456	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39498	Comment from Woolley, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34457	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39499	Comment from Lowe, Margot
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34458	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39500	Comment from King, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34459	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39501	Comment from McIntosh, Tessa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34460	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39502	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34461	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39503	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34462	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39504	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34463	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39505	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34464	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39506	Comment from Ambrosio, Antoinette
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34465	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39507	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34466	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39508	Comment from kelly, chris
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34467	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39509	Comment from Kahigian, Peter
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34468	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39510	Comment from Rigano, Kimberly

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34469	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39511	Comment from Mooney, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34470	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39512	Comment from Fyda, Charlene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34471	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39513	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34472	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39514	Comment from Fyda, Brian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34473	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39515	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34474	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39516	Comment from Geary, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34475	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39517	Comment from Leeman, Christine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34476	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39518	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34477	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39519	Comment from Shemberg, Bea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34478	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39520	Comment from Wright, Joshua
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34479	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39521	Comment from Lukachy, Tami
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34480	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39522	Comment from Kahigian, Peter
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34481	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39523	Comment from Weis, Randel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34482	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39524	Comment from Casarez, Lilia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34483	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39525	Comment from Almares, Delia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34484	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39526	Comment from Bourdelle, Stephanie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34485	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39528	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34486	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39529	Comment from Meli, Salvatore
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34487	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39530	Comment from Frisone, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34488	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39531	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34489	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39532	Comment from Steadmon, Jason
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34490	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39533	Comment from Taylor, Erin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34491	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39534	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34492	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39535	Comment from Craine, Cassie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34493	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39536	Comment from Mark-Ng, Elsa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34494	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39537	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34495	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39538	Comment from Bouchard-Shapiro, Kimberly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34496	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39539	Comment from Colletti, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34497	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39540	Comment from ISHIKI, LEILA
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34498	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39541	Comment from Stevens, Joanna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34499	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39542	Comment from Sévilla, Caroline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34500	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39543	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34501	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39544	Comment from Iohli, aarline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34502	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39545	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34503	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39546	Comment from Connolly, Liza
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34504	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39547	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34505	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39548	Comment from Scott, Marypatricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34506	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39549	Comment from Gamache, Jussi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34507	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39550	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34508	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39551	Comment from Hazelton, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34509	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39552	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34510	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39553	Comment from Eggerling, Cary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34511	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39554	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34512	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39555	Comment from Devine, Lauren
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34513	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39556	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34514	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39557	Comment from Brunelle, Roberta
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34515	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39558	Comment from Bottorff, Virginia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34516	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39559	Comment from Rodriguez, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34517	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39560	Comment from Peterson, Robin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34518	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39561	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34519	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39562	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34520	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39563	Comment from Emery, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34521	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39564	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34522	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39565	Comment from benkert, cynthia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34523	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39566	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34524	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39567	Comment from Oberdorf, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34525	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39568	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34526	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39570	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34527	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39571	Comment from Kuzma, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34528	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39572	Comment from Gard, Alice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34529	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39573	Comment from Saltzman, Alice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34530	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39574	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34531	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39575	Comment from biancetti, nick & amp; Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34532	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39576	Comment from Dearborn, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34533	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39577	Comment from Layne, Allister
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34534	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39578	Comment from Combes, Steven
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34535	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39579	Comment from Straw, Rebecca
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34536	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39580	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34537	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39581	Comment from Wells, Lasha
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34538	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39582	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34539	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39583	Comment from Ligorelli, Teresa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34540	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39584	Comment from Scott, Jesse
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34541	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39585	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34542	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39586	Comment from Martin, L
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34543	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39587	Comment from Fletcher-Burroughs, Krystal
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34544	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39588	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34545	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39589	Comment from Scott, Jesse
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34546	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39590	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34547	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39591	Comment from Richardson, Gail
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34548	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39592	Comment from Biel, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34549	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39593	Comment from Gazzana, Greg
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34550	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39594	Comment from Granofsky, gabrielle

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34551	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39595	Comment from Trea, Connie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34552	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39596	Comment from NYIKES, WILLIAM
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34553	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39597	Comment from Chisari, Andrea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34554	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39598	Comment from Posch, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34555	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39599	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34556	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39600	Comment from Wynn, Patricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34557	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39601	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34558	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39602	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34559	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39603	Comment from Martin, Cathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34560	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39604	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34561	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39605	Comment from Shabbott, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34562	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39606	Comment from angelo, marjorie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34563	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39607	Comment from Tarver, Evangeline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34564	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39608	Comment from Ratner, Max
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34565	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39609	Comment from Martin, Daphne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34566	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39610	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34567	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39612	Comment from Wolf, Darlene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34568	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39613	Comment from Mazzola, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34569	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39614	Comment from Eudy, Elaine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34570	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39615	Comment from Meck, Wanda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34571	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39616	Comment from Anderson, Tom
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34572	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39617	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34573	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39618	Comment from Zufi, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34574	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39619	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34575	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39620	Comment from Zufi, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34576	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39621	Comment from McNamara, Catherine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34577	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39622	Comment from Burson, Chris
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34578	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39623	Comment from Peters, Brittany
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34579	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39624	Comment from Brennan, Margot
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34580	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39625	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34581	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39626	Comment from Jordan, S.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34582	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39627	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34583	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39628	Comment from Devlin, Summer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34584	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39629	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34585	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39630	Comment from Bains, Jeffrey
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34586	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39631	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34587	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39632	Comment from Matta, Dawn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34588	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39633	Comment from Aziz, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34589	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39634	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34590	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39635	Comment from O'Hara, Peter
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34591	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39636	Comment from Koff, Marilyn

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34592	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39637	Comment from Laprade, Maryann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34593	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39638	Comment from Watson, Carol Knight
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34594	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39639	Comment from Blanchett, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34595	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39640	Comment from Stebbins, Sara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34596	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39641	Comment from OConnor, Shari
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34597	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39642	Comment from Kory, Robin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34598	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39643	Comment from Khan, Sheri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34599	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39644	Comment from Soler, Al
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34600	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39645	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34601	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39646	Comment from Eswine, Bill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34602	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39647	Comment from Fischer, Cheryl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34603	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39648	Comment from Conway, Maureen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34604	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39649	Comment from Dillard, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34605	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39650	Comment from Cook, Steven
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34606	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39651	Comment from Budry, Robin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34607	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39652	Comment from Caso, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34608	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39653	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34609	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39654	Comment from Jackson, Brittany
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34610	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39655	Comment from Griffith, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34611	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39656	Comment from McMahan, Joy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34612	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39657	Comment from Naji, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34613	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39658	Comment from Naji, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34614	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39659	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34615	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39660	Comment from Porter, Tim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34616	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39661	Comment from Jeffers, Marti
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34617	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39662	Comment from Keyes, Ridhard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34618	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39663	Comment from Merrick, Brian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34619	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39664	Comment from Jackson, Shane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34620	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39665	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34621	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39666	Comment from Warner, Cherie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34622	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39667	Comment from bergs, Mady
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34623	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39668	Comment from Arguello, Sylvana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34624	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39669	Comment from Shimshon, Yael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34625	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39670	Comment from Orem, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34626	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39671	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34627	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39672	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34628	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39673	Comment from Sable, Rosalie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34629	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39674	Comment from Rogers, Jim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34630	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39675	Comment from Mondragon, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34631	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39676	Comment from DeLia, Tony
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34632	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39677	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34633	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39678	Comment from Adkins, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34634	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39679	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34635	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39680	Comment from Repp, S.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34636	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39681	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34637	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39682	Comment from Sederberg, Karyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34638	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39683	Comment from Fyda, Charlene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34639	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39684	Comment from Miller, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34640	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39685	Comment from youd, mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34641	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39686	Comment from Fannin, Beverly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34642	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39687	Comment from Ott, Geri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34643	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39688	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34644	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39689	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34645	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39690	Comment from Holt, Sherian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34646	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39691	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34647	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39692	Comment from Ohlendorf, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34648	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39693	Comment from Ohlendorf, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34649	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39694	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34650	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39695	Comment from Staron, Maryann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34651	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39696	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34652	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39697	Comment from Gilbert, April
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34653	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39698	Comment from Koff, Marilyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34654	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39699	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34655	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39700	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34656	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39701	Comment from Hottenstein, Tara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34657	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39702	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34658	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39703	Comment from Watts, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34659	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39704	Comment from Gaiefsky, Cheryl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34660	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39705	Comment from becker, lauren
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34661	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39706	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34662	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39707	Comment from Klein, Philip
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34663	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39708	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34664	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39709	Comment from hipworth, danielle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34665	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39710	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34666	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39711	Comment from Barth, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34667	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39712	Comment from Norman, Christine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34668	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39713	Comment from ENGLER, RAYA
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34669	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39714	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34670	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39715	Comment from Abbatessa, Luke
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34671	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39716	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34672	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39717	Comment from Cowans, Diana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34673	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39718	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34674	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39719	Comment from Macartney, Bill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34675	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39720	Comment from Woods, Teresa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34676	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39721	Comment from Dow, Roxane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34677	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39722	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34678	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39723	Comment from Miro, Julie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34679	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39724	Comment from Fitzsimmons, Sara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34680	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39725	Comment from krause, doug
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34681	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39726	Comment from Gaudsmith, Henry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34682	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39727	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34683	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39729	Comment from DeWitt, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34684	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39730	Comment from Koester, Sharon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34685	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39731	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34686	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39732	Comment from Vieira, Dennis
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34687	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39733	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34688	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39734	Comment from Wish, Wendy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34689	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39735	Comment from De Lara, James
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34690	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39736	Comment from Carroll, Colleen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34691	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39737	Comment from Van Alstyne, Anne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34692	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39738	Comment from Mcdaniel, Pj
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34693	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39739	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34694	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39740	Comment from Moen, Lynn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34695	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39742	Comment from Finamore, scott
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34696	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39743	Comment from Allsop, Shannon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34697	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39744	Comment from Lauren, Nicole
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34698	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39745	Comment from Brown, Leslie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34699	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39746	Comment from Spencer, Charlotte
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34700	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39747	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34701	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39749	Comment from Boniello, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34702	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39750	Comment from Brown, Leslie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34703	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39751	Comment from Waldo, Richard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34704	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39752	Comment from Peters, Lydia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34705	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39753	Comment from Boehler, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34706	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39754	Comment from Mills, Jacqueline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34707	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39755	Comment from Glasscock, Rita
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34708	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39756	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34709	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39757	Comment from Wilkinson, L. L.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34710	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39758	Comment from Kellam, Marcia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34711	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39759	Comment from Telese, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34712	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39760	Comment from Debolt, Ann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34713	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39761	Comment from Harsh, Merry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34714	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39762	Comment from Emond, Lise

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34715	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39763	Comment from Petronik, Anna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34716	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39764	Comment from Bolin, Clarence
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34717	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39765	Comment from Denise Martini
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34718	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39766	Comment from rosa, lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34719	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39767	Comment from Moran, Judy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34720	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39768	Comment from Gee, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34721	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39769	Comment from LaFlamme, Jeff
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34722	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39770	Comment from Griffith, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34723	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39771	Comment from cocores, carmen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34724	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39772	Comment from Roig, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34725	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39773	Comment from Stewart, Sarah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34726	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39774	Comment from Swyden, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34727	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39775	Comment from Quintero, Gerry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34728	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39776	Comment from Lowe, Amanda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34729	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39777	Comment from Zech, Gisela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34730	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39778	Comment from Mullins, S
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34731	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39779	Comment from Meriwether, Don B.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34732	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39780	Comment from Hvidston, Vicki
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34733	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39781	Comment from Tenda, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34734	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39782	Comment from TARTAGLIA, DIANE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34735	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39783	Comment from taylor, michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34736	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39784	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34737	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39785	Comment from Altaffer, Jeff
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34738	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39786	Comment from Kulp, Roger
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34739	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39787	Comment from Loucks II, Jeri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34740	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39788	Comment from Devine, Karla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34741	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39789	Comment from Jones, Pat
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34742	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39790	Comment from Robertson, James
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34743	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39791	Comment from Rollings, Rusty
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34744	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39792	Comment from Flanagan-Riner, Dax
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34745	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39793	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34746	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39794	Comment from Hartz, Shelley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34747	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39795	Comment from Rosenthal, Ryan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34748	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39796	Comment from Chapman, Jo
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34750	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39797	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34751	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39798	Comment from Severino, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34752	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39799	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34753	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39800	Comment from Taylor, Erin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34754	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39801	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34755	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39802	Comment from Lefever, Dimitri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34756	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39803	Comment from Devine, Lauren

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34757	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39804	Comment from Delgado, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34758	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39805	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34759	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39806	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34760	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39807	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34761	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39808	Comment from Smith, Lee
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34762	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39809	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34763	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39810	Comment from Holman, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34764	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39811	Comment from Materi, Sandra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34765	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39812	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34766	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39813	Comment from Collins, Belinda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34767	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39814	Comment from Breeze, Brandi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34768	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39815	Comment from Valero, Maudie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34769	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39816	Comment from Butler, Robyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34770	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39817	Comment from Levine, Beth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34771	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39818	Comment from Keiser, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34772	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39819	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34773	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39820	Comment from Skipworth, Carl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34774	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39821	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34775	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39822	Comment from Grove, Jane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34776	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39823	Comment from krause, doug
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34777	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39824	Comment from May, Patricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34778	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39825	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34779	Comment from Closson, Jeanne	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39826	Comment from Hansell, Connor
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34780	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39827	Comment from Bennett, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34781	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39828	Comment from EVANS, BRENDA
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34782	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39829	Comment from Hunter, Kylara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34783	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39830	Comment from Smith, Leslie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34784	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39831	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34785	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39832	Comment from Heifner, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34786	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39833	Comment from King, Christen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34787	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39834	Comment from Pearse, Alison
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34788	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39835	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34789	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39836	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34790	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39837	Comment from Glass, Jamie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34791	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39838	Comment from Padelford, Grace
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34792	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39839	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34793	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39840	Comment from Jorgenson, Jerry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34794	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39841	Comment from Kukulcan, Xakan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34795	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39842	Comment from Burson, Sandra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34796	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39843	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34797	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39844	Comment from Finlon, Maureen

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34798	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39845	Comment from Daub, Amanda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34799	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39846	Comment from Stowe, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34800	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39847	Comment from Clark, Dale
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34801	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39848	Comment from Krinke, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34802	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39849	Comment from Windham, Dallas
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34803	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39850	Comment from Specks, Jill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34804	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39851	Comment from Pierce, Shawn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34805	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39852	Comment from Durych, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34806	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39853	Comment from Wehberg, Shelley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34807	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39854	Comment from Cremin, Gayla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34808	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39855	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34809	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39856	Comment from Wright, Dennis
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34810	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39857	Comment from Tutt, Joe
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34811	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39858	Comment from Miller, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34812	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39859	Comment from Beal, Tricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34813	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39860	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34814	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39861	Comment from Stoddard, Amy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34815	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39862	Comment from Hardies, Laurie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34816	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39863	Comment from Rockstad, Corinne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34817	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39864	Comment from Brennan, Kari
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34818	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39865	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34819	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39866	Comment from Putman, Holly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34820	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39867	Comment from Herman, Ashley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34821	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39868	Comment from Blank, Jordan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34822	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39869	Comment from Feuge, Blake
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34823	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39870	Comment from Cameron, Jean
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34824	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39871	Comment from Symington, CS
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34825	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39872	Comment from McNab, Maryanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34826	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39873	Comment from Karpel, Jan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34827	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39874	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34828	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39875	Comment from Schoech, D
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34829	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39876	Comment from Nelson, Patricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34830	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39877	Comment from Espinoza, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34831	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39878	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34832	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39879	Comment from Millar, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34833	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39880	Comment from Finklea, Mindy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34834	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39881	Comment from Enger, Erin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34835	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39882	Comment from Hutchison, Stanley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34836	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39883	Comment from Robinson-Kerr, Judi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34837	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39884	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34838	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39885	Comment from Moore, Lorraine

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34839	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39886	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34840	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39887	Comment from dunn, kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34841	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39888	Comment from H, JOANNA
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34842	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39889	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34843	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39890	Comment from Nicholson, Alice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34844	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39891	Comment from Lambert, Kay
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34845	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39892	Comment from McBride, Debbie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34846	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39893	Comment from Cummings, Terry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34847	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39894	Comment from Nelson, Debbie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34848	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39895	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34849	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39896	Comment from Narcisse, April
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34851	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39897	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34852	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39898	Comment from Scott, Meagan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34853	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39899	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34854	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39900	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34855	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39901	Comment from Haack, Myrthala
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34856	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39902	Comment from Box, Ken
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34857	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39903	Comment from Merica, Kay
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34858	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39904	Comment from Merica, F. Gene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34859	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39905	Comment from Alfeo, Anne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34860	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39906	Comment from Green, Amy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34861	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39907	Comment from Peck, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34862	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39908	Comment from Stephens, Natalie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34863	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39909	Comment from Axt, Phyllis
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34864	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39910	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34865	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39911	Comment from lucas, steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34866	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39912	Comment from Kunkel, Maargaret
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34867	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39913	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34868	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39914	Comment from Johannsen, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34869	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39915	Comment from Strom, Lynna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34870	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39916	Comment from Seff, Joshua
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34871	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39917	Comment from Boroughs, Anne Marie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34872	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39918	Comment from Semz, Hannah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34873	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39919	Comment from Guel, Debra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34874	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39920	Comment from Borgeson, Dean
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34875	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39921	Comment from Mortensen, Harold and Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34876	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39922	Comment from Pearson, Rick
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34877	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39923	Comment from Salinas, Ana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34878	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39924	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34879	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39925	Comment from Como, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34880	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39926	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34881	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39927	Comment from McAlister, Suzann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34882	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39928	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34883	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39929	Comment from Klugiewicz, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34884	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39930	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34885	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39931	Comment from Rampi, Philip
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34886	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39932	Comment from Bish, Mina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34887	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39933	Comment from Gorak, Martha
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34888	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39934	Comment from Palmer, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34889	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39935	Comment from Horne, Brandy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34890	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39936	Comment from White, Denise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34891	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39937	Comment from Wordlaw, Christine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34892	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39938	Comment from Bayona, Antonio
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34893	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39939	Comment from Summitt, Goldyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34894	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39940	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34895	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39941	Comment from Gibberman, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34896	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39942	Comment from Troxell, Shawn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34897	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39943	Comment from Cook, Mollie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34898	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39944	Comment from Urlwin, Kelly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34899	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39945	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34900	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39946	Comment from Lucas, Michael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34901	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39947	Comment from Stark, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34902	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39948	Comment from Allin, Roswitha
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34903	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39949	Comment from Partin, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34904	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39950	Comment from Shim, Justin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34905	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39951	Comment from Staff, George
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34906	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39952	Comment from Tran, Sheila
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34907	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39953	Comment from Mendieta, Vince
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34908	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39954	Comment from uffer, Janet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34909	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39955	Comment from Bornn, Mina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34910	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39956	Comment from Vera, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34911	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39957	Comment from D., Daniel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34912	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39958	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34913	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39959	Comment from Wilkinson, L. L.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34914	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39960	Comment from Long, Paula
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34915	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39961	Comment from Dobroslawa, Dobi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34916	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39962	Comment from Makrinos, Daniel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34917	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39963	Comment from Thomas, Joanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34918	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39964	Comment from Milone, Connor
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34919	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39965	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34920	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39966	Comment from Brumleve, Charles
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34921	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39967	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34922	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39968	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34923	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39969	Comment from Brenza, Tina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34924	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39970	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34925	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39971	Comment from Fusco, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34926	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39972	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34927	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39973	Comment from Owens Viani, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34928	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39974	Comment from Whitaker, Howard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34929	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39975	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34930	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39976	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34931	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39977	Comment from Sugarman, Stevie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34932	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39978	Comment from MEISSENHALTER, JACKIE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34933	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39979	Comment from Mcdowell, Kelley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34934	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39981	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34935	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39982	Comment from Blaseck, Brad
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34936	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39983	Comment from Forester, Teri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34937	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39984	Comment from Cowan, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34938	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39985	Comment from Stone, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34939	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39986	Comment from maxfield, casee
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34940	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39987	Comment from Graff, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34941	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39988	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34942	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39989	Comment from Dardarian, Jessica
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34943	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39990	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34944	Comment from Oliver Clanford	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39991	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34945	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39992	Comment from Handa, Sharon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34946	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39993	Comment from Crase, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34947	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39994	Comment from Kooken, Joni
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34948	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39995	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34949	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39996	Comment from Walters, Ernie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34950	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39997	Comment from Kida, Bernie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34951	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39998	Comment from yates, kenneth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34952	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39999	Comment from Limburg, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34953	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40000	Comment from Klein, Kim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34954	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40001	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34955	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40002	Comment from Yazdi, Teri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34956	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40003	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34957	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40004	Comment from Lang, Lynn C.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34958	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40005	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34959	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40006	Comment from Gorman, Laurie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34960	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40007	Comment from LaRocca, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34961	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40008	Comment from Strand, Tara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34962	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40009	Comment from Dogole, Ian

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34963	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40010	Comment from Ness, Gina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34964	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40011	Comment from Andregg, S.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34965	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40012	Comment from Schafer, Sherry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34966	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40013	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34967	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40014	Comment from poland, barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34968	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40015	Comment from Cartwright, Carl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34969	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40016	Comment from Phelps, Tami
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34970	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40017	Comment from ramirez, grace
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34971	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40018	Comment from McAuliffe, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34972	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40019	Comment from Colarossi, Kristine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34973	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40021	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34974	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40022	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34975	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40023	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34976	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40024	Comment from Lefkowitz, Jay
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34977	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40025	Comment from Gross, Kurt
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34978	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40026	Comment from Moffitt, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34979	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40027	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34980	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40028	Comment from Sanford, Julie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34981	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40029	Comment from Dean, Rayline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34982	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40030	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34983	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40031	Comment from Hayenga, Jon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34984	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40032	Comment from Salgado, Dalia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34985	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40033	Comment from Dean, Rayline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34986	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40034	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34987	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40035	Comment from Bell, Brett
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34988	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40036	Comment from Stoltz, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34989	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40037	Comment from McCormick, Douglas
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34990	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40038	Comment from Haig, Brenda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34991	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40039	Comment from Nahigian, Kenneth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34992	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40040	Comment from Heinle, Janet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34993	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40041	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34994	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40042	Comment from Van Every, Kathleen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34995	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40043	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34996	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40044	Comment from Angell, JL
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34997	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40045	Comment from Anderson, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34998	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40046	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34999	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40047	Comment from Livesey-Fassel, Elaine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35000	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40048	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35001	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40049	Comment from Lang, Pat
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35002	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40050	Comment from McDade, Shereen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35003	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40051	Comment from Benjamin, Elaine

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35004	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40052	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35005	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40053	Comment from cachopo, patricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35006	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40054	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35007	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40055	Comment from Yeh, Youching
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35008	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40056	Comment from Lansing, James
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35009	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40057	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35010	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40058	Comment from S, J
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35011	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40059	Comment from Whiteside, Frances
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35012	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40060	Comment from Butler, Sam
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35013	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40061	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35014	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40062	Comment from Boyer, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35015	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40063	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35016	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40064	Comment from Rettig, Karin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35017	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40065	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35018	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40066	Comment from patel, sarosh
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35019	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40067	Comment from Vaughan, Tiffany
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35020	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40068	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35021	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40069	Comment from Sebastian, Joseph
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35022	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40070	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35023	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40071	Comment from Pennington, Kenneth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35024	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40072	Comment from AVELAR, Adriana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35025	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40073	Comment from Garcia, C
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35026	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40074	Comment from Root, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35027	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40075	Comment from Dunn, Kellen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35028	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40076	Comment from Duon, Nico
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35029	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40077	Comment from landskroner, ron
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35030	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40078	Comment from Osborne, Jessie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35031	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40079	Comment from Burtis, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35032	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40080	Comment from Montoya, Shannon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35033	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40081	Comment from Heinly, Bridgett
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35034	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40082	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35035	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40083	Comment from takemoto, joy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35036	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40084	Comment from Shively, Judy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35037	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40085	Comment from Harper, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35038	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40086	Comment from spoon, leslie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35039	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40087	Comment from Patra, Lynn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35040	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40088	Comment from Palladine, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35041	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40089	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35042	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40090	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35043	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40091	Comment from Goldberg, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35044	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40092	Comment from Pradetto, Joan

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35045	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40093	Comment from Lewis, Ashley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35046	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40094	Comment from Ferrara, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35047	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40096	Comment from Puentes, Felena
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35048	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40097	Comment from Gibberman, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35049	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40098	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35050	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40099	Comment from Boes, Sondra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35051	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40100	Comment from DeBing, Therese
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35052	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40101	Comment from H, Sarah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35053	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40102	Comment from Sorcic, Tiffini
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35054	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40103	Comment from Godin, Sandy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35055	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40104	Comment from Kramer, Kelly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35056	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40105	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35057	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40106	Comment from Lambert, Rebecca
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35058	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40107	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35059	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40108	Comment from Schofield, Anna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35060	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40109	Comment from Berry, Nina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35061	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40110	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35062	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40111	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35063	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40112	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35064	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40113	Comment from Smith, Julie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35065	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40114	Comment from Gurdin, J. Barry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35066	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40115	Comment from Lang, Kelly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35067	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40116	Comment from Shankling, Victoria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35068	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40117	Comment from Andersson, Joan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35069	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40118	Comment from childs, pete
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35070	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40119	Comment from Berman, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35071	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40121	Comment from rodriguez, norma
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35072	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40122	Comment from Schumacher, Brandy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35073	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40123	Comment from Riley, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35074	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40124	Comment from Riley, Callie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35075	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40125	Comment from Carranco, Nora
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35076	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40126	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35077	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40127	Comment from Gauger, Benjamin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35078	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40128	Comment from McCann, Annie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35079	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40129	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35080	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40130	Comment from Wolfe, Charles
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35081	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40131	Comment from Pellonari, Tracy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35082	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40132	Comment from King, Dotti
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35083	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40133	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35084	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40134	Comment from Whyman, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35085	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40135	Comment from Gabrielli, Veronica

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35086	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40136	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35087	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40137	Comment from Cotner, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35088	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40138	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35089	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40139	Comment from Fyda, Brian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35090	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40140	Comment from Ramon, Alberto
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35091	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40141	Comment from Goetz, Gary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35092	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40142	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35093	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40143	Comment from Gonzalez, Yazmin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35094	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40144	Comment from biggins, henry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35095	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40145	Comment from Roan, Cina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35096	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40146	Comment from Thio, Rita
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35097	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40147	Comment from Youngelson, Noah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35098	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40148	Comment from Esposito, Dan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35099	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40149	Comment from Polesky, Alice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35100	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40150	Comment from McKeighen, Daniel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35101	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40151	Comment from McDaniel, Skot
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35102	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40152	Comment from Lee, Sherrie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35103	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40153	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35104	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40154	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35105	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40155	Comment from Anderson, Carolyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35106	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40156	Comment from Miller, Bob
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35107	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40157	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35108	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40158	Comment from berntsson, susanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35109	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40159	Comment from Rojas, Shanna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35110	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40160	Comment from White, Michael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35111	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40161	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35112	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40162	Comment from Flint, Mandie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35113	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40163	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35114	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40164	Comment from Mondry, Terry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35115	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40165	Comment from Yu, Katie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35116	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40166	Comment from Falzalore, Richard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35117	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40167	Comment from Jeff Thayer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35118	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40168	Comment from Wright, Trigg
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35119	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40169	Comment from Kawszan, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35120	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40170	Comment from Woolley, Sara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35121	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40171	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35122	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40172	Comment from deConge, Danielle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35123	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40173	Comment from Henry, Anne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35124	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40174	Comment from Graves, Ann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35125	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40175	Comment from Cassens, Susie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35126	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40176	Comment from Corrigan, Jennifer

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35127	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40177	Comment from Aronson, Reevyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35128	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40178	Comment from Lenchner, Nicholas
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35129	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40179	Comment from Jacobsen, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35130	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40180	Comment from Burciaga, Julie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35131	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40181	Comment from Granlund, Fred
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35132	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40182	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35133	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40183	Comment from nutt, jayrill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35134	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40184	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35135	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40185	Comment from Weisz, Russell
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35136	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40186	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35137	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40187	Comment from Bomarito, MaryAnn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35138	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40188	Comment from Smith, Joyce
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35139	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40189	Comment from Rogers, Nanciann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35140	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40190	Comment from Kosinski, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35141	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40191	Comment from Ellis, Koll
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35142	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40192	Comment from Jefferys, Cindy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35143	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40193	Comment from Monjure, Noel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35144	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40194	Comment from Collins, Amanda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35145	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40195	Comment from Frattaroli, Frank
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35146	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40196	Comment from Von Schmach, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35147	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40197	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35148	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40198	Comment from biggibs esq, jane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35149	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40199	Comment from Parham, Jan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35150	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40200	Comment from Lynch, Glen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35151	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40201	Comment from Blasco, Natalie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35152	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40202	Comment from leeds, vicki
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35153	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40203	Comment from Asselta, Krin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35154	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40204	Comment from Boltz, Randall
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35155	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40205	Comment from Miller, Victoria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35156	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40206	Comment from Williamson, Pam
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35157	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40207	Comment from Mooney, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35158	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40208	Comment from Reiser, Reba
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35159	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40209	Comment from rosenberg, nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35160	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40210	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35161	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40211	Comment from G, C
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35162	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40212	Comment from De Baca, Sylvia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35163	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40213	Comment from Weilage, Krystal
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35164	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40214	Comment from heske, amanda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35165	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40215	Comment from Whitted, Hannah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35166	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40216	Comment from Malone, Sheila
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35167	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40217	Comment from Everett, John

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35168	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40218	Comment from Sells, Greg
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35169	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40219	Comment from Holloway, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35170	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40220	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35171	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40221	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35172	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40222	Comment from Garbrick, Kathe
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35173	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40223	Comment from Berliner, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35174	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40224	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35175	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40225	Comment from Brennan, Kari
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35176	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40226	Comment from Pirazzi, Tina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35177	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40227	Comment from Hall, Holly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35178	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40229	Comment from Berger, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35179	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40230	Comment from Hodges, Connie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35180	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40231	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35181	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40232	Comment from Parzick, Anne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35182	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40233	Comment from Shemberg, Bea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35183	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40234	Comment from Elia, Marguerite
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35184	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40235	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35185	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40236	Comment from Coyle, Gregory
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35186	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40237	Comment from OROZ, MICHELLE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35187	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40238	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35188	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40239	Comment from Wilmes, Norm
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35189	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40240	Comment from Freeman, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35190	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40241	Comment from parkins, april
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35191	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40242	Comment from Catlin, Christina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35192	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40243	Comment from hang, khai
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35193	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40244	Comment from Balanon, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35194	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40245	Comment from Raymond, Gary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35195	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40246	Comment from Sikes, Cathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35196	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40247	Comment from Blandford, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35197	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40248	Comment from tsoi, vicky
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35198	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40249	Comment from Harrison, Amie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35199	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40250	Comment from Wallerstein, Emma
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35200	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40251	Comment from Narvios, Tem
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35201	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40252	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35202	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40253	Comment from Vandromme, Anne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35203	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40254	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35204	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40255	Comment from Green, Cheryl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35205	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40256	Comment from Flocco-McMaster, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35206	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40257	Comment from Lucchini, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35207	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40258	Comment from Lapointe, Kenneth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35208	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40259	Comment from Porter, Susan

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35209	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40260	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35210	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40261	Comment from venegas, andres
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35211	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40262	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35212	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40263	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35213	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40264	Comment from demarais, jackie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35214	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40265	Comment from Bennett, Maris
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35215	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40266	Comment from Hamilton, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35216	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40267	Comment from Williams, Terrie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35217	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40268	Comment from smith, joe
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35218	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40269	Comment from Evask, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35219	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40270	Comment from Poncia, Beverly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35220	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40271	Comment from Bocchetti, Ralph
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35221	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40272	Comment from landskroner, ron
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35222	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40273	Comment from Rex-Lear, Madeline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35223	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40274	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35224	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40275	Comment from Martinez, Janie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35225	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40276	Comment from Speece, Tim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35226	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40277	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35227	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40278	Comment from Payne, Geneine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35228	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40279	Comment from JOHNSON, ALICE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35229	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40280	Comment from Barbera, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35230	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40281	Comment from Dickson, Carolyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35231	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40282	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35232	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40283	Comment from Corry, Ronit
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35233	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40284	Comment from Blackwell-Marcant, Patricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35234	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40285	Comment from Halligan, Sue
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35235	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40286	Comment from howes, wendy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35236	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40287	Comment from Dennis, MarianKitty
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35237	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40288	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35238	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40289	Comment from Gibbs, Kathleen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35239	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40290	Comment from Hansen, Angela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35240	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40291	Comment from Schwartz, Marge
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35241	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40292	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35242	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40293	Comment from Blatt, Gail
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35243	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40294	Comment from Yerena Jr, Julian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35244	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40295	Comment from Burr-Lonnon, Jacqueline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35245	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40296	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35246	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40297	Comment from Florenzen, Cynthia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35247	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40298	Comment from Goff, Frances
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35248	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40299	Comment from Dadurka, Carole
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35249	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40300	Comment from mcreedy, tami

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35250	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40301	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35251	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40302	Comment from Rogers, Dirk
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35252	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40303	Comment from Edell, Elaine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35253	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40305	Comment from Turner, Jim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35254	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40306	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35255	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40307	Comment from Prieto, Rosalie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35256	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40308	Comment from Bobe, Pablo
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35257	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40309	Comment from Epstein, Nance
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35258	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40310	Comment from Prasad, Kamal
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35259	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40311	Comment from Yater, Jane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35260	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40312	Comment from Knight, Julian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35261	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40313	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35262	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40314	Comment from Chirpin, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35263	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40315	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35264	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40316	Comment from fernandez, kathleen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35265	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40317	Comment from Grant, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35266	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40318	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35267	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40319	Comment from Jacob, Ron
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35268	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40320	Comment from Oates, Judy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35269	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40321	Comment from Gregorio, Penny
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35270	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40322	Comment from Price, Judy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35271	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40323	Comment from Haskins, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35272	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40324	Comment from Stark, Jan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35273	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40325	Comment from Olson, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35274	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40326	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35275	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40327	Comment from Phelan , Marlene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35276	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40328	Comment from Landsverk, Teymura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35277	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40329	Comment from Phenicie, Terrie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35278	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40330	Comment from Phenicie, Steven
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35279	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40331	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35280	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40332	Comment from Charrier, JL
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35281	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40333	Comment from Floyd, Debra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35282	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40334	Comment from Daniels, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35283	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40335	Comment from Urban, P
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35284	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40336	Comment from McMahan, Joy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35285	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40337	Comment from Noren, Lara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35286	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40338	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35287	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40339	Comment from Heiler, Todd
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35288	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40340	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35289	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40341	Comment from Gosselin, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35290	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40342	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35291	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40343	Comment from Saffier Willis, Sharman
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35292	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40344	Comment from Dunaev, Alexander
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35293	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40345	Comment from zimmerman, pam
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35294	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40346	Comment from Webb, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35295	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40347	Comment from Dunaev, Alexander
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35296	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40348	Comment from Geier, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35297	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40349	Comment from Clark, Natalie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35298	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40350	Comment from reiter, john
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35299	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40351	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35300	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40352	Comment from Wanek, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35301	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40353	Comment from Weber, Merris
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35302	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40354	Comment from Joyce Dixon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35303	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40355	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35304	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40356	Comment from CHARLEBOIS, STACIE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35305	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40357	Comment from Murdock, Lauren
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35306	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40359	Comment from Mastracchio, Donna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35307	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40360	Comment from Richardson, Leslie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35308	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40361	Comment from Buehler, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35309	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40362	Comment from Risso, Alisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35310	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40363	Comment from Larivee, Kayla
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35311	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40364	Comment from Harris, Freya
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35312	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40365	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35313	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40366	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35314	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40367	Comment from Smith, Robina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35315	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40368	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35316	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40369	Comment from Johannsen, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35317	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40370	Comment from Cardoso, Flavio
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35318	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40371	Comment from Thompson, TJ
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35319	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40372	Comment from Lankford, Cathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35320	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40373	Comment from Moon, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35321	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40374	Comment from Young, Amanda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35322	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40375	Comment from Lewis, Nora
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35323	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40376	Comment from Manda, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35324	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40377	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35325	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40378	Comment from Stewart, Katie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35326	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40379	Comment from Domb, Doreen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35327	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40380	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35328	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40381	Comment from Kunce, Diana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35329	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40382	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35330	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40383	Comment from Thurlow, Keith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35331	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40384	Comment from Turetsky, Samantha

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35332	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40385	Comment from Shuster, Marguerite
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35333	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40386	Comment from Ranallo, Sandy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35334	Comment from Pillay , Navneeta	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40387	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35335	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40388	Comment from Garrity, Coleen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35336	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40389	Comment from Mixon, Eugenia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35337	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40390	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35338	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40391	Comment from Thorn, Debbie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35339	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40392	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35340	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40393	Comment from Nunez, Stephanie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35341	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40394	Comment from WIND, ROSALIE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35342	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40395	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35343	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40396	Comment from Martinez, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35344	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40397	Comment from jones, annamarie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35345	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40398	Comment from Bernas, Edward
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35346	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40399	Comment from Suryanarayana, Guru
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35347	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40400	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35348	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40401	Comment from McBride, Diana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35349	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40402	Comment from Sellers, Margaret
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35350	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40403	Comment from Nestler, Danielle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35351	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40404	Comment from Wallace, Patrice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35352	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40405	Comment from Goldner, Sheila
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35353	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40406	Comment from thomas, D&w
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35354	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40407	Comment from Gaskins, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35355	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40408	Comment from Steponaitis, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35356	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40409	Comment from Baudains, Barry Frederick
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35357	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40410	Comment from Nobrega, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35358	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40411	Comment from bergeron, b
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35359	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40412	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35360	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40413	Comment from Dobson, Ed
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35361	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40414	Comment from Mueller, Marcia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35362	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40415	Comment from Burak, Pauline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35363	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40416	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35364	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40417	Comment from Wolf, Darlene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35365	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40418	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35366	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40419	Comment from Macias, Sherry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35367	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40420	Comment from Thornton, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35368	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40421	Comment from N, Marcus
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35369	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40422	Comment from Asselta, Krin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35370	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40423	Comment from hodges, sherrri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35371	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40424	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35372	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40425	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35373	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40426	Comment from Peterson, Janet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35374	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40427	Comment from HYSON, Donald
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35375	Comment from Holly Chisholm	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40428	Comment from Burdine, Sherry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35376	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40429	Comment from Murphy, Linda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35377	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40430	Comment from Walker, David
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35378	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40431	Comment from McJunkin, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35379	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40432	Comment from B, Cory
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35380	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40433	Comment from STERN, RICHARD
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35381	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40434	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35382	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40435	Comment from Cruise, Betsy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35383	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40436	Comment from Krug, Ilana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35384	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40437	Comment from Lambert, Kay
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35385	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40438	Comment from Meinerding, Tony
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35386	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40439	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35387	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40440	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35388	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40441	Comment from Zufi, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35389	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40442	Comment from Whyman, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35390	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40443	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35391	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40444	Comment from Hilgers, Irene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35392	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40445	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35393	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40446	Comment from Seymour, Stephanie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35394	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40447	Comment from Kosak, Donald
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35395	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40448	Comment from Calahan, Mike
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35396	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40449	Comment from HOLLISH, KAREN
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35397	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40450	Comment from Riley, Kelly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35398	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40452	Comment from Roedel, Julie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35399	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40453	Comment from Biel, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35400	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40454	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35401	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40455	Comment from Grondin, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35402	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40456	Comment from Graff, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35403	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40457	Comment from butters, arlene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35404	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40458	Comment from Nicklin, Jenny
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35405	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40459	Comment from Clifton, Helene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35406	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40460	Comment from Musumeci, Camillo
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35407	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40461	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35408	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40462	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35409	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40463	Comment from Greene, Kim
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35410	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40464	Comment from Knauber, Terri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35411	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40465	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35412	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40466	Comment from Thompson, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35413	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40467	Comment from crone, debbie

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35414	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40468	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35415	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40469	Comment from Ucko, Aaron
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35416	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40470	Comment from Benton, Sherry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35417	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40471	Comment from Sanne, Rebecca
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35418	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40472	Comment from Lancman, Deborah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35419	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40473	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35420	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40474	Comment from Mulroy, Rhonda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35421	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40475	Comment from Levicke, Jeff
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35422	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40476	Comment from May, Patricia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35423	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40477	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35424	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40478	Comment from McCorry, Eileen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35425	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40479	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35426	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40480	Comment from Ortiz, Ingrid
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35427	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40481	Comment from Golding, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35428	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40482	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35429	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40483	Comment from Johnston, Jean
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35430	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40484	Comment from Wesoky, Sharon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35431	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40485	Comment from Snyder, Shelley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35432	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40486	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35433	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40487	Comment from Bravo, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35434	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40488	Comment from Out, Pet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35435	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40489	Comment from Hurd, Sarah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35436	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40490	Comment from Ramo, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35437	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40491	Comment from saldana, Ray
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35438	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40492	Comment from Casagran, Federico
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35439	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40493	Comment from Bennett, Eliza
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35440	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40494	Comment from Sechan, Marty
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35441	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40495	Comment from Iachetta, Marta
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35442	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40496	Comment from Mathes, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35443	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40497	Comment from Brockman, Evan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35444	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40498	Comment from Fairless, Judy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35445	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40499	Comment from Gorman, Laurie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35446	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40500	Comment from Wolf, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35447	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40501	Comment from Drews, Jane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35448	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40502	Comment from Esche, Rebecca Wish
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35449	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40503	Comment from Rahbari, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35450	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40504	Comment from Kirk, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35451	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40505	Comment from Jefko, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35452	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40506	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35453	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40507	Comment from Emerle-Sifuentes, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35454	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40508	Comment from Bourassa, Veronica

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35455	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40509	Comment from Bayless, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35456	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40510	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35457	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40511	Comment from Sigler, Dean
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35458	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40512	Comment from CUSHING, MICHAEL
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35459	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40513	Comment from Angell, JL
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35460	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40514	Comment from Diller, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35461	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40515	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35462	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40516	Comment from Tshibangu, Mandy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35463	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40517	Comment from Rosenblum, Allan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35464	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40518	Comment from Baumann, Charles
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35465	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40519	Comment from Kelley, Sheila
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35466	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40520	Comment from Janssen, Sue
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35467	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40521	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35468	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40522	Comment from Johansen, Penelope
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35469	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40523	Comment from Kieler, Gail
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35470	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40524	Comment from Williams, Christina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35471	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40525	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35472	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40526	Comment from Zan, Paula
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35473	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40527	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35474	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40528	Comment from Moran, Michael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35475	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40529	Comment from Hull, Lise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35476	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40530	Comment from D., Daniel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35477	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40531	Comment from Mccarthy, Valerie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35478	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40532	Comment from Marotta, Tracy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35479	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40533	Comment from Agodoa, PJ
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35480	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40534	Comment from Mattice, Gregory
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35481	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40536	Comment from coniglio, b
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35482	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40537	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35483	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40538	Comment from Gentili-Lloyd, Mika
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35484	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40539	Comment from deischer, jeff
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35485	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40540	Comment from Bast, Rhonda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35486	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40541	Comment from Brown, Lisi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35487	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40542	Comment from Williams, Terrie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35488	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40543	Comment from Schneider, George
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35489	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40544	Comment from Clair-Howard, Maria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35490	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40545	Comment from Burr-Lonnon, Jacqueline
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35491	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40547	Comment from Norden, Michael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35492	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40548	Comment from Brennan, Margot
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35493	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40549	Comment from Stiles, Jay
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35494	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40550	Comment from Harasim, Dallas
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35495	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40551	Comment from Davis, Carolyn

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35496	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40552	Comment from Hosta, Denise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35497	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40553	Comment from Joos, Sandra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35498	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40554	Comment from Howe, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35499	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40555	Comment from Brusin, Eugene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35500	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40556	Comment from Huntington, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35501	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40557	Comment from Picchetti, Gloria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35502	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40558	Comment from Gordon, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35503	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40559	Comment from parkins, april
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35504	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40560	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35505	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40561	Comment from PASCHEL, Richard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35506	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40562	Comment from Ashton, Debra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35507	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40563	Comment from carroll, Debbie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35508	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40564	Comment from Moss, Paul
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35509	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40565	Comment from Jay, Nigel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35510	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40566	Comment from Hamilton, Shari
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35511	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40567	Comment from Standley, Paula
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35512	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40568	Comment from Reiter, Deborah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35513	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40569	Comment from Chinn, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35514	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40570	Comment from Krinke, Jennifer
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35515	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40571	Comment from Reed, Dirk
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35516	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40572	Comment from McNeill, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35517	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40573	Comment from Zwarun, Judith
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35518	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40574	Comment from schriber, maureen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35519	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40575	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35520	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40576	Comment from Repp, S.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35521	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40577	Comment from Thaler, Gary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35522	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40578	Comment from Poncia, Beverly
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35523	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40579	Comment from Grant, Gordon
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35524	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40580	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35525	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40581	Comment from Wright, Katherine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35526	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40582	Comment from GASPAR, SUZANNE
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35527	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40583	Comment from Vairo, Sylvia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35528	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40584	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35529	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40585	Comment from Schneider, Danielle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35530	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40586	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35531	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40587	Comment from Blaseck, Brad
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35532	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40588	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35533	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40589	Comment from Lilling, Glenda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35534	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40590	Comment from LaFlamme, Jeff
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35535	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40591	Comment from Thomas, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35536	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40592	Comment from H, JOANNA

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35537	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40593	Comment from levine, alene
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35538	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40594	Comment from Stark, Louise
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35539	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40595	Comment from Wilkinson, Daniel
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35540	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40596	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35541	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40597	Comment from Cavoto, Frank
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35542	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40598	Comment from Mazzola, Lisa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35543	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40599	Comment from Lewis, Kristin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35544	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40600	Comment from Graves, Ann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35545	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40601	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35546	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40602	Comment from Kuszajewski, Ed
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35547	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40603	Comment from Marchant, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35548	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40604	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35549	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40605	Comment from Nussbaumer, Elizabeth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35550	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40606	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35551	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40607	Comment from DAnnunzio, Patrick
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35552	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40608	Comment from Merrill, Beth
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35553	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40609	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35554	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40610	Comment from Maish, Sally
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35555	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40611	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35556	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40612	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35557	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40613	Comment from Ungar, Jill
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35558	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40614	Comment from mcguire, karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35559	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40615	Comment from Jones, Crystal
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35560	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40616	Comment from Bishop, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35561	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40617	Comment from Holm, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35562	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40618	Comment from Evans, J.L.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35563	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40619	Comment from Solberg, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35564	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40620	Comment from Turner, Traci
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35565	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40621	Comment from Marshall, Richard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35566	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40622	Comment from Telese, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35567	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40623	Comment from Bains, Jeffrey
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35568	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40624	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35569	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40625	Comment from Miika, Norm
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35570	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40626	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35571	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40627	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35572	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40628	Comment from Fierro, Tallia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35573	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40629	Comment from Pointer, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35574	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40630	Comment from Woods, Teresa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35575	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40631	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35576	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40632	Comment from Douglass, Amy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35577	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40633	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35578	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40634	Comment from Gray, Lorraine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35579	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40635	Comment from Kahigian, Peter
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35580	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40636	Comment from Nelson, Steven
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35581	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40637	Comment from DONNELLY, STEPHEN
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35582	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40638	Comment from McCormick, Douglas
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35583	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40639	Comment from Ivie, Cecyl
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35584	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40640	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35585	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40641	Comment from Tobin, Maryanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35586	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40642	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35587	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40643	Comment from Shapiro, Rick
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35588	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40644	Comment from Bishop, Sonya
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35589	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40645	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35590	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40646	Comment from Moran, Judy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35591	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40647	Comment from Ridder, Lynette
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35592	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40648	Comment from Hosty, April
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35593	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40649	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35594	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40650	Comment from Crowther, Ann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35595	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40651	Comment from knaack, dennis
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35596	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40652	Comment from Elliott, AnnaLea
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35597	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40653	Comment from Heinle, Janet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35598	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40654	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35599	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40655	Comment from Dobson, Ed
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35600	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40656	Comment from goldsmith, lynne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35601	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40657	Comment from Miller, Crickett
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35602	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40658	Comment from Johnson, Rhonda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35603	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40659	Comment from Rivera, Javier
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35604	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40660	Comment from Morse, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35605	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40661	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35606	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40662	Comment from Brandes, Michael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35607	Comment from Jaromir Guzinski	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40663	Comment from Wilson, Tina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35608	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40664	Comment from Sansone, Ellen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35609	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40665	Comment from Wald, Aloysius
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35610	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40666	Comment from Campbell, Cara L.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35611	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40667	Comment from Prestridge, Laura
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35612	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40668	Comment from Pellett, Ocean
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35613	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40669	Comment from Priggins, Tammi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35614	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40670	Comment from Karsch, Diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35615	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40671	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35616	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40672	Comment from Wood, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35617	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40673	Comment from Prendergast, Nancy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35618	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40674	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35619	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40675	Comment from Prim, Brooke
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35620	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40676	Comment from Clayman, Melissa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35621	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40677	Comment from Roberts, Jean
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35622	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40678	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35623	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40679	Comment from Jacobs, Kathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35624	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40680	Comment from Rosin, Jay
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35625	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40681	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35626	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40682	Comment from Schurr, Arthur
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35627	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40683	Comment from MICHAMAN, MARK and P...
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35628	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40684	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35629	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40685	Comment from Bradley, Stacey
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35630	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40686	Comment from Wilson, Leah
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35631	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40687	Comment from kuhn, gary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35632	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40688	Comment from haas, claudia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35633	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40689	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35634	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40690	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35635	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40691	Comment from King, Fawn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35636	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40692	Comment from Remak, Jeannette
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35637	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40693	Comment from R. Watson, Michael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35638	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40694	Comment from Jorgensen, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35639	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40695	Comment from Ott, Geri
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35640	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40696	Comment from Mitchell, Rick
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35641	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40697	Comment from Cox, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35642	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40698	Comment from Aqulia, Sandra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35643	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40699	Comment from Olds, Kimcarolyn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35644	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40700	Comment from McGuire, Charles
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35645	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40701	Comment from Koch, Cindy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35646	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40702	Comment from Arguello, Sylvana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35647	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40703	Comment from Walter, Gail
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35648	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40704	Comment from Haig, Brenda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35649	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40705	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35650	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40706	Comment from Eckler, John
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35651	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40707	Comment from Smudin, Carole
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35652	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40708	Comment from White, Pamela
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35653	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40709	Comment from Kennedy, Robert
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35654	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40710	Comment from Dougherty, Patience
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35655	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40711	Comment from McDonald, Sue
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35656	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40712	Comment from Hartz, Shelley
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35657	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40713	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35658	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40714	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35659	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40715	Comment from Eudy, Elaine

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35660	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40716	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35661	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40717	Comment from VanWinkle, Jean Marie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35662	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40718	Comment from Ligorelli, Teresa
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35663	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40719	Comment from Tetro, Barbara
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35664	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40720	Comment from Miro, Julie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35665	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40721	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35666	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40722	Comment from marks, diane
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35667	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40723	Comment from ROBINSON, MARLYNN
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35668	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40724	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35669	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40725	Comment from McDow, Cathy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35670	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40726	Comment from DiMoia, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35671	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40727	Comment from Stathis, Marci
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35672	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40728	Comment from Cohick, Melanie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35673	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40729	Comment from Eby, Amber
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35674	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40730	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35675	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40731	Comment from Kisor, Dave
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35676	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40732	Comment from Boyd, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35677	Comment from Jennifer Walker	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40733	Comment from Grant, Angelynn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35678	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40734	Comment from Freeman, Amy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35679	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40735	Comment from Vorhees, Miranda
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35680	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40736	Comment from Whitaker, Howard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35681	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40737	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35682	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40738	Comment from Young, Miranda Allison
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35683	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40739	Comment from Starseed, Lozz
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35684	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40740	Comment from Eckardt, Jason
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35685	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40741	Comment from AVELAR, Adriana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35686	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40742	Comment from Ruhland, Kristina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35687	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40743	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35688	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40744	Comment from Diggs, Gina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35689	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40745	Comment from Boruta, Matthew
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35690	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40746	Comment from McAuliffe, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35691	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40747	Comment from hager, evie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35692	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40748	Comment from Sidney, Deana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35693	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40749	Comment from Groton, James
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35694	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40750	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35695	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40751	Comment from Wiseman, Ann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35696	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40752	Comment from Sheehy, Steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35697	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40753	Comment from putrich, steve
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35698	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40754	Comment from kiely, kathleen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35699	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40755	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35700	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40756	Comment from Espinosa, Patricia

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35701	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40757	Comment from Peterson, Janet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35702	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40758	Comment from Block, Leandra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35703	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40759	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35704	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40760	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35705	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40761	Comment from Santy, Michelle
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35706	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40762	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35707	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40763	Comment from Kistler, Andrew
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35708	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40764	Comment from McGill, Betsy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35709	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40765	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35710	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40766	Comment from Nelson, Debbie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35711	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40767	Comment from Barsness, Darnell
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35712	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40768	Comment from SMITH, PAMELA J.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35713	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40769	Comment from Krikorian, Lynn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35714	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40770	Comment from Barnard, Sylvia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35715	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40771	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35716	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40772	Comment from Anderson, Lynn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35717	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40773	Comment from King, Carol
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35718	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40774	Comment from Volschenk, Ivan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35719	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40775	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35720	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40776	Comment from seibert, rena
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35721	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40777	Comment from DeMark, Christi
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35722	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40778	Comment from Rubin, Allan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35723	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40779	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35724	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40780	Comment from Tringale, Augustine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35725	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40781	Comment from Miller, Larry L.
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35726	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40782	Comment from patel, sarosh
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35727	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40783	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35728	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40784	Comment from Moore, Gina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35729	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40785	Comment from smith, douglas
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35730	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40786	Comment from Lommel, Lois
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35731	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40787	Comment from Ray, Bobby
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35732	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40788	Comment from Roach, Bob
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35733	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40789	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35734	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40790	Comment from spoon, leslie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35735	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40791	Comment from Spur, Karen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35736	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40792	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35737	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40793	Comment from Barad, Janet
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35738	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40794	Comment from Weisel, Jan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35739	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40795	Comment from Arnold, Charles
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35740	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40796	Comment from Estus, Suzanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35741	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40797	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35742	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40798	Comment from Dullmeyer, Stacie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35743	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40799	Comment from Cummings, Terry
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35744	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40800	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35745	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40801	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35746	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40802	Comment from Gordon, Marcy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35747	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40803	Comment from Geary, Brent
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35748	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40804	Comment from Baxter, Jo
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35749	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40805	Comment from Savage, Michael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35750	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40806	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35751	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40807	Comment from Vargo, Mark
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35752	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40808	Comment from Turobiner, Martha
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35753	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40809	Comment from Schneider-Murphy, Deb
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35754	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40810	Comment from Gregory, Susan
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35755	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40811	Comment from Bowman, Wendy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35756	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40812	Comment from Stehle, Alice
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35757	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40813	Comment from nevel, cecilia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35758	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40814	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35759	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40815	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35760	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40816	Comment from Roy, Joe
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35761	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40817	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35762	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40818	Comment from O'Donnell, DeDe
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35763	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40819	Comment from Flashman, Irwin
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35764	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40820	Comment from O'Donnell, Deanne
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35765	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40821	Comment from Casagran, Federico
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35766	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40822	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35767	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40823	Comment from Finklea, Mindy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35768	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40824	Comment from Hantel, Johanna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35769	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40825	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35770	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40826	Comment from Johnson, Ginny
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35771	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40827	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35772	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40828	Comment from Lombardi, Michael
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35773	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40829	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35774	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40830	Comment from Urias, Victoria
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35775	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40831	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35776	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40832	Comment from Jacobs, Kathryn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35777	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40833	Comment from Weiss, Stuart
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35778	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40834	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35779	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40835	Comment from Engell, Dana
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35780	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40836	Comment from Seltzer, Rob
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35781	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40837	Comment from Yanke, Brian
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35782	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40838	Comment from Gross, Kurt

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35783	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40839	Comment from Clinch, Paul
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35784	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40840	Comment from Parmentier, Antoine
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35785	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40841	Comment from Onsel, Greg
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35786	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40842	Comment from Stawinoga, Greg
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35787	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40843	Comment from Hinshaw, Sally
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35788	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40844	Comment from Bohner, Virginia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35789	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40845	Comment from Dawid, Annie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35790	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40846	Comment from Deckert, Lori
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35791	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40847	Comment from Hunt, Jeffrey
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35792	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40848	Comment from Laberge, Lucie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35793	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40849	Comment from Burger, Theodore
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35794	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40850	Comment from Goodall, Bettina
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35795	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40851	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35796	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40852	Comment from Recca, Frances
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35797	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40853	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35798	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40854	Comment from VOLOVNIK, LEONID
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35799	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40855	Comment from Buer, Cierra
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35800	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40856	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35801	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40857	Comment from Bishop, Roberta
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35802	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40858	Comment from Matteodo, Allison
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35803	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40859	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35804	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40860	Comment from KEKULE, DIANA
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35805	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40861	Comment from Pirie, Cynthia
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35806	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40862	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35807	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40863	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35808	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40864	Comment from Venos, Mary Helen
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35809	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40865	Comment from jackson, shawn
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35810	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40866	Comment from Schuster, Loree
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35811	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40867	Comment from DeCraemer, Mary
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35812	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40868	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35813	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40869	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35814	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40870	Comment from Kaslow, Matthew
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35815	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40871	Comment from Starling, Richard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35816	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40872	Comment from Grimes, Betsy
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35817	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40873	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35818	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40874	Comment from Ingenito, Donna
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35819	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40875	Comment from Andersen, Eric
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35820	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40876	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35821	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40877	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35822	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40878	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-35823	Comment from Anonymous Anonymous	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40879	Comment from Anonymous Anonymous

02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41093	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46280	Comment from Donna Sherman
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41094	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46281	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41095	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46282	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41096	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46283	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41097	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46284	Comment from Sandra Mackie
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41098	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46285	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41099	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46286	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41100	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46287	Comment from Yvette fernandez
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41101	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46288	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41102	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46289	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41103	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46290	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41104	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46291	Comment from Doreen Mann
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41105	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46292	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41106	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46293	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41107	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46294	Comment from Susan Siniard
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41108	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46295	Comment from Kathleen Coffman
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41109	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46296	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41110	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46297	Comment from Anonymous Anonymous
02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41111	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46298	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41112	Comment from Monnin, Carly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46299	Comment from DEBORAH CHASE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41113	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46300	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41114	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46301	Comment from Rosamunde Blanck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41115	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46302	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41116	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46303	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41117	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46304	Comment from Virginia Cook
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41118	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46305	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41119	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46306	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41120	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46307	Comment from Nikki Wojtalik
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41121	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46308	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41122	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46309	Comment from Christopher Marrs
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41123	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46310	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41124	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46311	Comment from Annie McCann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41125	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46312	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41126	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46313	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41127	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46314	Comment from Barbara Barone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41128	Comment from Gray, Kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46315	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41129	Comment from Fattahipour, Darius	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46316	Comment from Kathy Gosselin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41130	Comment from Dawson, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46317	Comment from Ernest Boyd
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41131	Comment from Taunt, Tammy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46318	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41132	Comment from Hirai, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46319	Comment from Scott Barlow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41133	Comment from Bryan, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46321	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41134	Comment from O'Brien, Shayne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46322	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41135	Comment from Howe, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46323	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41136	Comment from DeBacco, Tony	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46324	Comment from Susan Montague
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41137	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46325	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41138	Comment from Janusko, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46326	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41139	Comment from Madsen, Jill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46327	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41140	Comment from Snyder, Renee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46328	Comment from Celia Ackerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41141	Comment from Kiba, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46329	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41142	Comment from Stringham, Deb	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46330	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41143	Comment from Wirth, Charles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46331	Comment from Barbara Cochrane
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41144	Comment from G, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46332	Comment from Wynn Johanson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41145	Comment from Stevens, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46333	Comment from Michele Ford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41146	Comment from nadel, robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46334	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41147	Comment from Schuchard, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46335	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41148	Comment from Longoria, T.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46336	Comment from Janice Parker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41149	Comment from Hansell, Connor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46337	Comment from Susanna Levin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41150	Comment from Horwitz, Martin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46338	Comment from Paul Pfau
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41151	Comment from Stephens, Natalie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46339	Comment from Fabrizio, Keri
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41152	Comment from Crim, Noel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46340	Comment from Darlene Baker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41153	Comment from Aguirre, Gloria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46341	Comment from David Hall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41154	Comment from Hegemeyer, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46342	Comment from Conor Corkrum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41155	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46344	Comment from Lani O'Callaghan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41156	Comment from Hojda, Debora	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46345	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41157	Comment from Heinly, Bridgett	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46346	Comment from Hillary Geller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41158	Comment from Diederichs, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46347	Comment from Kimberly Kenyon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41159	Comment from Pisani, Claudia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46348	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41160	Comment from Appgar, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46349	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41161	Comment from Greinke, Pamyllie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46350	Comment from Therese DeBing
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41162	Comment from Rice, Brittney	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46351	Comment from Beverly Walker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41163	Comment from Will, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46352	Comment from John Dervin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41164	Comment from Weiland, Sherry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46353	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41165	Comment from Stoltz, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46354	Comment from Marj Waite
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41166	Comment from sowersby, nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46355	Comment from Jocelyn Stowell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41167	Comment from O'Sullivan, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46356	Comment from Karen McNeill
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41168	Comment from Mather, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46357	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41169	Comment from Nam, S.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46358	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41170	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46359	Comment from Mai Hermann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41171	Comment from Kronzek, Allan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46360	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41172	Comment from Santiago, Natalie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46361	Comment from Janet Rafferty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41173	Comment from Gibb, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46362	Comment from Richard Offermann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41174	Comment from Parker, Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46363	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41175	Comment from Gajda, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46364	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41176	Comment from Bleckinger, dana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46365	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41177	Comment from Alvernaz, Beth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46367	Comment from Russell Yttri
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41178	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46368	Comment from Rhoda Levine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41179	Comment from Ziemian, Joelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46369	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41180	Comment from Fularczyk, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46370	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41181	Comment from Scheible, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46371	Comment from Kristina Younger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41182	Comment from Wilson, Sherita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46372	Comment from Meghan Lempa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41183	Comment from Thornton, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46373	Comment from Margarita Zamora
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41184	Comment from PETERSEN, ANN	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46374	Comment from Julie G
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41185	Comment from Jacobs, Vickie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46375	Comment from Theresa Tiner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41186	Comment from Brooks, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46376	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41187	Comment from seegott, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46377	Comment from Zandra Talbert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41188	Comment from White, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46378	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41189	Comment from hall, megahn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46379	Comment from Nancy Perry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41190	Comment from Malinish, Judi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46380	Comment from Sara villanyi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41191	Comment from Gibbs, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46381	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41192	Comment from Ruthman, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46382	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41193	Comment from Kelly, Jim and Nina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46383	Comment from Suzanne Kunstman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41194	Comment from Martin, Karla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46384	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41195	Comment from Corcasas, Phyllis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46385	Comment from Nicole Weber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41196	Comment from Bruegge, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46386	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41197	Comment from Swindell, Elak	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46387	Comment from Lynn Ryan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41198	Comment from Haverfield, heather	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46388	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41199	Comment from Ayers, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46389	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41200	Comment from Bodek, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46390	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41201	Comment from Parapar, Alejandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46391	Comment from Diana Lunceford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41202	Comment from Blandford, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46392	Comment from Marie Sibenik
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41203	Comment from Malyon, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46393	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41204	Comment from Hartman, Brenda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46394	Comment from Joe Gebron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41205	Comment from Alexander, Ralph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46395	Comment from Jayne Chase
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41206	Comment from cachopo, patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46396	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41207	Comment from Ray, Marianne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46397	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41208	Comment from Walker, Fern	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46398	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41209	Comment from Nevins, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46399	Comment from Christopher Dowling
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41210	Comment from Brockman, Blaise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46400	Comment from Leonard Elliott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41211	Comment from Mitchell, Stacey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46401	Comment from Joyce Frohn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41212	Comment from Lang, Erika	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46402	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41213	Comment from Peterson, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46403	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41214	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46404	Comment from Benjamin Buck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41215	Comment from Layne, Allister	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46405	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41216	Comment from Dillingham, Stacey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46406	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41217	Comment from Sherman-Jones, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46407	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41218	Comment from Durych, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46408	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41219	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46409	Comment from sheila munson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41220	Comment from Turov, Ilya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46410	Comment from donna roddvik
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41221	Comment from Snellgrove, Dade	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46411	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41222	Comment from LoGiudice, R.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46412	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41223	Comment from Waller, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46413	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41224	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46414	Comment from James McBride
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41225	Comment from Morrison, Barb	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46415	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41226	Comment from Scheible, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46416	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41227	Comment from Watson, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46417	Comment from Meghan Lempa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41228	Comment from Johnson, Lee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46418	Comment from janet maker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41229	Comment from Gajda, Jack	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46419	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41230	Comment from Schulte, Whitney	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46420	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41231	Comment from Schicker, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46421	Comment from Delores White
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41232	Comment from HINDMAN, SUSAN	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46422	Comment from Chris King
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41233	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46423	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41234	Comment from Werner, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46424	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41235	Comment from schreier, saul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46425	Comment from Larry Crabtree
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41236	Comment from Butler, Sam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46426	Comment from Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41237	Comment from Bridges, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46427	Comment from Peggy Mocine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41238	Comment from Wheeler, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46428	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41239	Comment from Cottrell, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46429	Comment from Helen Fisher
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41240	Comment from Goodin, Ben	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46431	Comment from Sidney Pearson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41241	Comment from Livesey-Fassel, Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46432	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41242	Comment from Emsley, Scott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46433	Comment from Diane Palma
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41243	Comment from Redman-Smith, JoAnna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46434	Comment from Shana Gerwens
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41244	Comment from Petersen, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46435	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41245	Comment from Weber, Ahnna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46436	Comment from Deborah Richards
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41246	Comment from Regen, Hamilton	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46437	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41247	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46438	Comment from Teri Colgan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41248	Comment from McBride, Debbie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46439	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41249	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46440	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41250	Comment from WEAVIL, RICHARD	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46441	Comment from Libba Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41251	Comment from Merica, Kay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46442	Comment from Sylvie raffray
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41252	Comment from Springer, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46443	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41253	Comment from EVANS, BRENDA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46444	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41254	Comment from Berzac, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46445	Comment from William Clifford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41255	Comment from Basiewicz, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46446	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41256	Comment from Slaughter, Margo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46447	Comment from Gene Fox

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41257	Comment from McCaw, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46448	Comment from Kenneth Robertson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41258	Comment from Eldridge, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46449	Comment from Lourdes Matzinger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41259	Comment from Poklemba, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46450	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41260	Comment from Guel, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46451	Comment from Carol Beck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41261	Comment from Lindsay, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46452	Comment from Karen Suit
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41262	Comment from katz rose, elana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46453	Comment from Justine Moody
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41263	Comment from Thorne, R.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46454	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41264	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46455	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41265	Comment from Lewis, Verlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46456	Comment from barbara poland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41266	Comment from Fritch, Jim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46457	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41267	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46458	Comment from Jackie Ramirez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41268	Comment from Friedman, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46459	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41269	Comment from Chu, J	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46460	Comment from Cecily Westermann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41270	Comment from Zimmerman, Jacqueline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46461	Comment from Gail Battaglia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41271	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46462	Comment from Marcy Meachum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41272	Comment from Brooks, Jaxon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46463	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41273	Comment from Romo, Jacqueline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46464	Comment from Nicholas Huss
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41274	Comment from Harrison, Connor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46465	Comment from Robert Burnett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41275	Comment from Clark, Dale	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46466	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41276	Comment from Cruz, Valerie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46467	Comment from Robert Holste
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41277	Comment from Politis, Lee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46468	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41278	Comment from Rovirosa, Consuelo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46469	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41279	Comment from O'Brien, Daniel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46470	Comment from Amalia Stamatelatos
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41280	Comment from Clark, Rose	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46471	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41281	Comment from Sarangi, Prabha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46472	Comment from Robert Keiser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41282	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46473	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41283	Comment from Blake, Jocelyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46474	Comment from Gary Goetz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41284	Comment from Forman, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46475	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41285	Comment from Binford, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46476	Comment from Andrea Albu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41286	Comment from Anderson, Tom	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46477	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41287	Comment from Chisholm, Robbi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46478	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41288	Comment from Kreiner, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46479	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41289	Comment from McGee, Maureen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46480	Comment from MarySue Baker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41290	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46481	Comment from Rebecca Suomala
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41291	Comment from Piccioni, George	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46482	Comment from Andrea Lovett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41292	Comment from Warren, Grady	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46483	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41293	Comment from Homan, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46484	Comment from Devon Kendall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41294	Comment from Pryich, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46485	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41295	Comment from Watson, Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46486	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41296	Comment from Barrington, Tim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46487	Comment from Christine Daum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41297	Comment from T, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46488	Comment from Elke Blair

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41298	Comment from ziegler, russ	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46489	Comment from Mary Nelson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41299	Comment from Bobe, Pablo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46490	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41300	Comment from Brennan, Timothy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46491	Comment from Patricia Snowden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41301	Comment from Gradoni, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46492	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41302	Comment from Burridge, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46493	Comment from Lisa Haut
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41303	Comment from Coogan, C.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46494	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41304	Comment from Mcdowell, Kelley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46495	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41305	Comment from Loy, Anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46496	Comment from Lana hughes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41306	Comment from Karen, Eileen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46497	Comment from Lora Leland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41307	Comment from Soter, Evangeline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46498	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41308	Comment from Tetrault, Aline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46499	Comment from Cynthia Bernett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41309	Comment from Smith, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46500	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41310	Comment from Abrams, Jon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46501	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41311	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46502	Comment from Tom Pipal
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41312	Comment from Sperry, Joy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46503	Comment from betty winholtz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41313	Comment from Allen, Dana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46504	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41314	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46505	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41315	Comment from Klepek, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46506	Comment from Carol Leuenberger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41316	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46507	Comment from Sylvia Tolley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41317	Comment from Tomlin, Curtis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46508	Comment from Lydia Leventhal
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41318	Comment from GREEN, MARTHA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46509	Comment from Jamie Thomas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41319	Comment from Goel, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46510	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41320	Comment from Kerns, Loretta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46511	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41321	Comment from Smith, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46512	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41322	Comment from Fleischer, Tim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46513	Comment from Ursula eisenpress
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41323	Comment from Spear, Christy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46514	Comment from David Cencula
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41324	Comment from Bellant, Charla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46515	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41325	Comment from Lheureux, Jole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46516	Comment from Blair Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41326	Comment from McBride, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46517	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41327	Comment from Zolnoski, Elektra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46518	Comment from J.B. Picot
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41328	Comment from Frank, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46519	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41329	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46520	Comment from Norda Gromoll
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41330	Comment from BALABANIAN, JERRY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46521	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41331	Comment from Tillman, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46522	Comment from Rebecca Schroeder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41332	Comment from Walters, Bob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46523	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41333	Comment from Dash, Sandy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46524	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41334	Comment from Thompson, Amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46525	Comment from Kyra Legaroff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41335	Comment from MacLamroc, Alan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46526	Comment from lorraine roberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41336	Comment from Schaefer, Millie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46527	Comment from Lydia Coates
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41337	Comment from Merica, F. Gene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46529	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41338	Comment from Brinker, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46530	Comment from Inge Knudson

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41339	Comment from Steger, Ruth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46531	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41340	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46532	Comment from Alejandra Ruiz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41341	Comment from Strommen, Joanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46533	Comment from Emily Dervan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41342	Comment from Feldmann, Dory	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46534	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41343	Comment from Granstedt-Hallberg, Cici	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46535	Comment from Nan Willis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41344	Comment from Riley, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46536	Comment from Anne Mazzone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41345	Comment from Aronoff, Mikki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46537	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41346	Comment from Tedeschi, Dina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46538	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41347	Comment from Doctor, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46539	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41348	Comment from Post, Sherry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46540	Comment from Kathi Squires
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41349	Comment from pan, pinkyjain	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46541	Comment from Katherine Roberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41350	Comment from Levinson, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46542	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41351	Comment from Messerschmitt, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46543	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41352	Comment from Dolins, Francine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46544	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41353	Comment from Spencer, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46545	Comment from Lisa Witham
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41354	Comment from Hansell, Connor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46546	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41355	Comment from Watd, Dona	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46547	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41356	Comment from Tunstall, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46548	Comment from Janet Carlisle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41357	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46549	Comment from Marilyn nalbach
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41358	Comment from Allred, Sandi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46550	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41359	Comment from Schwimmer, Dena	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46551	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41360	Comment from Ancona, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46552	Comment from Richard Greve
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41361	Comment from Schwartz, Marge	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46553	Comment from Joel Blumert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41362	Comment from GRAFFEO, MARY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46554	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41363	Comment from Nicolai, Nicola	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46555	Comment from Joanne Heiling
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41364	Comment from Leff, Claudia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46556	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41365	Comment from Henry, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46557	Comment from Phillip Cripps
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41366	Comment from Devlin, Summer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46558	Comment from Rhonda Oxley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41367	Comment from Dunayer, Stan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46559	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41368	Comment from Spencer, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46561	Comment from Carol Almeida
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41369	Comment from Milliken, Gerry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46562	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41370	Comment from Ysasi, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46563	Comment from Michael Sarabia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41371	Comment from Dean, Rayline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46564	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41372	Comment from Fighera, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46565	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41373	Comment from Tenneriello, Bianca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46566	Comment from Ann Allen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41374	Comment from Stradtman, George	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46567	Comment from LeRene Ahart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41375	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46568	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41376	Comment from Shields, Juli	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46569	Comment from Susan Tabor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41377	Comment from Henry, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46570	Comment from Andrea Jordan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41378	Comment from Herbst, Tori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46571	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41379	Comment from Keefe, Kristen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46572	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41380	Comment from Zamora, Martha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46574	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41381	Comment from Fera, Lisa m	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46575	Comment from Eleanor Vogt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41382	Comment from Gamache, Jussi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46576	Comment from Aprille Harris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41383	Comment from Emlet PAC, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46577	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41384	Comment from Thomas, Betty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46578	Comment from Janis Graslise
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41385	Comment from Goell, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46579	Comment from Lizabeth Southworth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41386	Comment from Miller, Kristine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46580	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41387	Comment from Fradkin, Allison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46581	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41388	Comment from Lytle, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46582	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41389	Comment from Wade, Reuben	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46583	Comment from Paula Morgan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41390	Comment from Burson, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46584	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41391	Comment from K, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46585	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41392	Comment from Lubin, Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46586	Comment from Paul Fields
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41393	Comment from Gazzana, Greg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46587	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41394	Comment from Biggs, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46588	Comment from Astra Kalodukas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41395	Comment from Parish, Nadine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46589	Comment from Gerald Alberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41396	Comment from Sabine, Claudia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46590	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41397	Comment from Walsh, Donald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46591	Comment from John Curry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41398	Comment from bookbinder, maxine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46592	Comment from Jonathan Alexander
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41399	Comment from Snow, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46593	Comment from Richard Clough
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41400	Comment from Hawley, Jamie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46594	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41401	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46595	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41402	Comment from Heifner, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46596	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41403	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46597	Comment from Riley Canada
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41404	Comment from Noyes, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46598	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41405	Comment from Feuge, blake	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46599	Comment from Karen Bauer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41406	Comment from McCumber, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46600	Comment from Carol glazet
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41407	Comment from Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46601	Comment from Frances Krauss
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41408	Comment from Nachazel-Ruck, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46602	Comment from Stephen Mead
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41409	Comment from Purcell, Briana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46603	Comment from JOE EARNSHAW
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41410	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46604	Comment from Gina Mondazze
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41411	Comment from Harris, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46605	Comment from Samuel Furgieuele
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41412	Comment from McDougal, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46606	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41413	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46607	Comment from Larry Weingart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41414	Comment from Aub, Tom	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46608	Comment from Gretchen Roberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41415	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46609	Comment from Lily Caron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41416	Comment from Connaught, Gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46610	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41417	Comment from dos santos, jamie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46611	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41418	Comment from Puentes, Felena	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46612	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41419	Comment from Austin, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46613	Comment from Kent Grigg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41420	Comment from Calambro, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46614	Comment from Gustaf Sarkkinen

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41421	Comment from Evans, Stephen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46615	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41422	Comment from Fahrenwald, Gill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46616	Comment from Nancy Gasperment
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41423	Comment from Franz, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46617	Comment from Karen McHugh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41424	Comment from Cohen, Charles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46618	Comment from Dorothea Vecchiotti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41425	Comment from Gershgorin, Aleksey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46619	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41426	Comment from Wright, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46620	Comment from Gladys Gonzalez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41427	Comment from Grant, Renee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46621	Comment from Elaine Downer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41428	Comment from Wittmann, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46622	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41429	Comment from Parker, Craig	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46623	Comment from Christopher Minich
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41430	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46624	Comment from Janet Witzeman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41431	Comment from Nahigian, Kenneth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46625	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41432	Comment from Suarez, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46626	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41433	Comment from Clark, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46627	Comment from Mark Galbraith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41434	Comment from Knecht, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46628	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41435	Comment from Klugiewicz, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46629	Comment from Regina Barakat
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41436	Comment from shawaker, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46630	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41437	Comment from Reynolds, Helen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46631	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41438	Comment from Gorman, Anne Marie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46632	Comment from Sandy Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41439	Comment from Goetschius, Lascinda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46633	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41440	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46634	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41441	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46635	Comment from Kent Grigg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41442	Comment from Pena, Deanna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46637	Comment from Lana Touchstone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41443	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46638	Comment from Cheryl Snyder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41444	Comment from Parham, Jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46639	Comment from Jamie Pfister
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41445	Comment from Blumenthal, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46640	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41446	Comment from Michael, Melvin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46641	Comment from Regina Embry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41447	Comment from cunningham, barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46642	Comment from Hannahlore Trickett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41448	Comment from Linder, Amelia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46643	Comment from susan steinbach
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41449	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46644	Comment from Elizabeth Reed
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41450	Comment from Triplett, Tia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46645	Comment from carolyn massey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41451	Comment from Pierucki, Gatha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46646	Comment from Bonnie Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41452	Comment from Ehnes, Tiffany	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46647	Comment from Kicab Castaneda-Mendez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41453	Comment from mandeville, pete	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46648	Comment from Theresa Campbell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41454	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46649	Comment from Alice Moore
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41455	Comment from Corby, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46650	Comment from Leonard Tremmel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41456	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46651	Comment from Sheryl Becker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41457	Comment from Miller, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46652	Comment from Dennis Hough
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41458	Comment from Tronolone, Tracey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46653	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41459	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46654	Comment from Linda Shultis-Hoffmann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41460	Comment from Kriston, Ira	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46655	Comment from steve kent
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41461	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46656	Comment from Debbi Weiler

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41462	Comment from Quinn, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46657	Comment from JEFFREY LEVITT
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41463	Comment from Goin, Cody	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46658	Comment from Wadane Haley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41464	Comment from Wang, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46659	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41465	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46660	Comment from Chantal Eldridge
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41466	Comment from Juric, Eileen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46661	Comment from Linda Murphy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41467	Comment from Filiano, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46662	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41468	Comment from Conrad, Debbie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46663	Comment from Cara Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41469	Comment from Crookston, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46664	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41470	Comment from Lassandrello, Noreen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46665	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41471	Comment from Kennedy, Scott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46666	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41472	Comment from Franck, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46667	Comment from Marianne Salamone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41473	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46668	Comment from Deuel Woodward
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41474	Comment from Coogan, Aimee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46669	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41475	Comment from CONLEY, D.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46670	Comment from Tracy Perez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41476	Comment from Siemian, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46671	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41477	Comment from Clark, Natalie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46672	Comment from Wilfred Robin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41478	Comment from Tucker, Sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46673	Comment from Richard Coreno
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41479	Comment from Rutherford, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46674	Comment from Marianne White
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41480	Comment from Laur, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46675	Comment from Mia Kitner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41481	Comment from Krysinski, Brian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46676	Comment from Sue Stoeckel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41482	Comment from Filip, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46677	Comment from Patrick Reyna
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41483	Comment from Harrington, Tyler	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46678	Comment from Larry Lambeth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41484	Comment from Townsend, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46679	Comment from Kenneth Fisher
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41485	Comment from Rocha, Candace	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46680	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41486	Comment from Chirpin, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46681	Comment from Leticia Garcia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41487	Comment from Dutschke, Stephen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46682	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41488	Comment from parsell, sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46683	Comment from Barry Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41489	Comment from Seff, Joshua	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46684	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41490	Comment from Dickstein, Stephen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46685	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41491	Comment from Shor, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46686	Comment from Colleen Malone-Engel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41492	Comment from Dadurka, Carole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46687	Comment from David Holzman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41493	Comment from Christopher, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46688	Comment from Sumi ariely
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41494	Comment from Riggs, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46689	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41495	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46690	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41496	Comment from Vadimski-Nguyen, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46691	Comment from Lajeanne Leveton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41497	Comment from Blasco, Natalie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46692	Comment from Paul Schmalzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41498	Comment from Ponchot, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46693	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41499	Comment from carmichael, c	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46694	Comment from Pamela Hamilton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41500	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46695	Comment from Erica Brinker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41501	Comment from kuehn, gerard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46696	Comment from Susan Porter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41502	Comment from Sivulich, Lenore	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46697	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41503	Comment from tessman, jacqueline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46698	Comment from Chantal Eldridge
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41504	Comment from wilson, winn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46699	Comment from Kate Bolton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41505	Comment from Rickman, Martin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46700	Comment from Jeff Freels
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41506	Comment from Bengston, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46701	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41507	Comment from Crowley, Marty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46702	Comment from Dawn Foster
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41508	Comment from Rose, Erica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46703	Comment from Alana Willroth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41509	Comment from Coppotelli, Fred	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46704	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41510	Comment from Coppotelli, Heide	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46705	Comment from Kenneth Honig
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41511	Comment from Neubauer, Erin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46706	Comment from Edward Roberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41512	Comment from kenison, thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46707	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41513	Comment from spinner, lawrence	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46708	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41514	Comment from Flanders, Gail	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46710	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41515	Comment from Paterno, Joshua	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46711	Comment from Robert Reed
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41516	Comment from Ruggeri, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46712	Comment from eric pash
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41517	Comment from Schuetz, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46713	Comment from Marion Gordon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41518	Comment from Klapperich, Hunter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46714	Comment from Jennifer Romans
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41519	Comment from Iszauk, Steven	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46715	Comment from Katharine Layton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41520	Comment from Traum, Norman	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46716	Comment from Michael Ross
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41521	Comment from Coons, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46717	Comment from Jessica Motta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41522	Comment from Bouilland, Stacy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46718	Comment from Richard Montjoy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41523	Comment from Nelson, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46719	Comment from Carol Hambrecht
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41524	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46720	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41525	Comment from Huber, Dr. Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46721	Comment from Lawson, Cheryl
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41526	Comment from Worker, Kevin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46722	Comment from Diana Donovan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41527	Comment from Fletcher, Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46723	Comment from Crowder, Steve
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41528	Comment from krause, doug	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46724	Comment from Deborah Richards
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41529	Comment from Sims, Catherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46725	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41530	Comment from Krause, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46726	Comment from nanci nugent
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41531	Comment from Weekly, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46727	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41532	Comment from Freeman, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46728	Comment from Faith Thibodeau
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41533	Comment from Miklavcic, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46729	Comment from Diane Krassenstein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41534	Comment from march, kendall	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46730	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41535	Comment from Charles, Stanley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46731	Comment from Dawn Stanko
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41536	Comment from Lewis, Jody	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46732	Comment from Thomas Sanders
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41537	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46733	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41538	Comment from Janke, Eilene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46734	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41539	Comment from Schneider, Danielle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46735	Comment from Julia French
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41540	Comment from Henderson, James Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46736	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41541	Comment from Stevenson, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46737	Comment from cathyelizabeth levin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41542	Comment from Neal, E.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46738	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41543	Comment from Brown, Mary Beth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46739	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41544	Comment from Shankling, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46740	Comment from James Hawkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41545	Comment from Conrad, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46741	Comment from Philip Young
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41546	Comment from Bender, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46742	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41547	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46743	Comment from Maureen Sullivan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41548	Comment from Werner, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46744	Comment from Vanessa Seay
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41549	Comment from Morris, T	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46745	Comment from Catherine Ream
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41550	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46746	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41551	Comment from rosa, lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46747	Comment from Anthony Celaya
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41552	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46748	Comment from Ruliffson Mary
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41553	Comment from Allsop, Shannon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46749	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41554	Comment from Abernathy, Cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46750	Comment from Clifford Provost
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41555	Comment from Evans, Hersha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46751	Comment from Melissa K
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41556	Comment from Hall, Cory	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46752	Comment from Patrick McGee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41557	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46753	Comment from Paula Morgan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41558	Comment from Sederberg, Karyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46754	Comment from Shannon Milhaupt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41559	Comment from Albanese, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46755	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41560	Comment from Zeller, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46756	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41561	Comment from Redd, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46757	Comment from Gary Ardito
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41562	Comment from Medlin, Nellie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46758	Comment from Robin Terry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41563	Comment from Everett, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46759	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41564	Comment from Severino, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46760	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41565	Comment from Wright, Priscilla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46762	Comment from Claudia Martinez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41566	Comment from Griffith, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46763	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41567	Comment from Mattingly, Georgia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46764	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41568	Comment from Nordquist, Janine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46765	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41569	Comment from Granlund, Fred	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46766	Comment from Mark Hammond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41570	Comment from Smart, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46767	Comment from Robert Curry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41571	Comment from Anthony, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46768	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41572	Comment from Paraszewski, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46769	Comment from Cherie Hatlem
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41573	Comment from Guido, Tara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46770	Comment from Hagit Halperin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41574	Comment from Jiranek, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46771	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41575	Comment from Yavorsky, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46772	Comment from Jeffrey Eyges
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41576	Comment from Andreas, Leticia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46773	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41577	Comment from Johannsen, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46774	Comment from Pamela Hamilton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41578	Comment from Wagers, Catalina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46775	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41579	Comment from Watson, Andrea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46776	Comment from Sara Leonard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41580	Comment from Ameen, Arshad	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46777	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41581	Comment from Wilkinson, L. L.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46778	Comment from Bryan Wishik
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41582	Comment from Hutchins, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46779	Comment from Ellen Walsh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41583	Comment from Ashbrook, Doris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46780	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41584	Comment from H, D	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46781	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41585	Comment from Gaskins, Bob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46782	Comment from Julia Hartman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41586	Comment from Coleman, Cayla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46783	Comment from Jean Wiant
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41587	Comment from Leannah, Geralyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46784	Comment from Hilary Simonetti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41588	Comment from Landsberg, Marisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46785	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41589	Comment from Hatcher, Patty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46786	Comment from Vanessa Seay
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41590	Comment from panciocco, sammia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46787	Comment from Michal Lynch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41591	Comment from Dumas, Marc	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46788	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41592	Comment from Hickman, Teresa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46789	Comment from Donna Thomas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41593	Comment from Markel, Stephen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46790	Comment from Andrea Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41594	Comment from Klein, Philip	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46791	Comment from Joan Glasser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41595	Comment from Glaeske, Lynne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46792	Comment from Victor Kit
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41596	Comment from Wootan, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46793	Comment from Eddie Konczal
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41597	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46794	Comment from Nancy Cormia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41598	Comment from Kloth, Vicky	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46795	Comment from Gail Reutershan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41599	Comment from Harty, Florence	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46796	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41600	Comment from Druffel, Tatiana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46797	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41601	Comment from Shade, Priscilla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46798	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41602	Comment from Lefever, Dimitri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46799	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41603	Comment from Almeida-Aitamarino, Gabriela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46800	Comment from suzanne parodi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41604	Comment from Lambros, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46801	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41605	Comment from Gibbs, Keri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46802	Comment from Mariam Andalibi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41606	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46803	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41607	Comment from Epatko, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46804	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41608	Comment from Lind, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46805	Comment from Terry Wolfe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41609	Comment from Dennison, Joni	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46806	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41610	Comment from knaz, julia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46807	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41611	Comment from Hodges, Kerry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46808	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41612	Comment from Westphal, Jimmy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46809	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41613	Comment from Windham, Dallas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46810	Comment from Greg Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41614	Comment from Nordquist, Janine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46811	Comment from Linda Peterson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41615	Comment from Lesser, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46812	Comment from Julie Motl
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41616	Comment from Hodges, Kerry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46813	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41617	Comment from Galante, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46814	Comment from E MacNabb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41618	Comment from Randolph, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46815	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41619	Comment from Maurer, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46816	Comment from Obie Hunt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41620	Comment from Knott, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46817	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41621	Comment from Epley, Cherie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46818	Comment from Margaret Hunt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41622	Comment from Bish, Mina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46819	Comment from Stephen Bamford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41623	Comment from Pellegrino, Maddox	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46820	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41624	Comment from Trescone, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46821	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41625	Comment from Rusch, Vincent	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46822	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41626	Comment from Mason, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46823	Comment from Arlene Dreeste
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41627	Comment from Altana, Kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46824	Comment from Denice Cornell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41628	Comment from Johanson, Kenneth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46825	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41629	Comment from DAmrosio, Sandy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46826	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41630	Comment from Koehler, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46827	Comment from Kathleen Espamer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41631	Comment from Mary, Ruliffson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46828	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41632	Comment from Olsson, Krister	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46829	Comment from Victoria Galantino
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41633	Comment from Roberts, Gretchen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46831	Comment from Susan Hindman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41634	Comment from Pratt, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46832	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41635	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46833	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41636	Comment from NOVAK, S.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46834	Comment from anaundda elijah
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41637	Comment from Bayne, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46835	Comment from Lori Rotondo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41638	Comment from Stewart, Annie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46836	Comment from Annette Raible
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41639	Comment from Johnson, Stephen a	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46837	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41640	Comment from Call, Beth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46838	Comment from JILL ALIBRANDI
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41641	Comment from NOVAK, S.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46839	Comment from dagmar mclaughlin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41642	Comment from Br., M	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46840	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41643	Comment from Bilyeu, George	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46841	Comment from Rob Puc
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41644	Comment from Swanson, Kristen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46842	Comment from Colleen Conrade
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41645	Comment from Chisari, Andrea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46843	Comment from Hal Trufan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41646	Comment from Jamin, Francine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46844	Comment from Chey Richmond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41647	Comment from Henrichon, Gina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46845	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41648	Comment from Talbert, Zandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46846	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41649	Comment from Hall, Suzanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46847	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41650	Comment from L, Kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46848	Comment from Robert Racine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41651	Comment from Davis, JohnP	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46849	Comment from Christopher Marrs
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41652	Comment from Catlin, Christina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46850	Comment from Ananda Weerasuriya
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41653	Comment from Peters, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46851	Comment from Katherine Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41654	Comment from Mola, Nicole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46852	Comment from Charlotte Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41655	Comment from artman, cara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46853	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41656	Comment from Harvey, Tami	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46854	Comment from Jamie VanNess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41657	Comment from Rittenhouse, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46855	Comment from Catherine Krug
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41658	Comment from Everton, Keith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46856	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41659	Comment from Humphrey, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46857	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41660	Comment from Kirshon, Bryan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46858	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41661	Comment from young, jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46859	Comment from William Achramowicz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41662	Comment from Levinson, Gilda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46860	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41663	Comment from Dunaev, Alexander	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46861	Comment from Rob Puc
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41664	Comment from Candela, Jackie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46862	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41665	Comment from Metzger, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46863	Comment from Terence O'Grady
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41666	Comment from Brown, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46864	Comment from Rhonda Johnson

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41667	Comment from McGuire, Daniel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46865	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41668	Comment from Moore, Shabaka	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46866	Comment from Erolyn Green
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41669	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46867	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41670	Comment from Christian, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46868	Comment from Lisa Randall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41671	Comment from Bornn, Mina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46869	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41672	Comment from Grande, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46870	Comment from Emily Metz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41673	Comment from Williams, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46871	Comment from Christopher Dowling
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41674	Comment from Benschoter, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46872	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41675	Comment from Copello, Janell	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46873	Comment from Gail Fleischaker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41676	Comment from becker, lauren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46874	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41677	Comment from Esser, Char	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46875	Comment from Kym Waugh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41678	Comment from Siegel, Stacey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46876	Comment from Bridgett Heinly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41679	Comment from Cornelia, Jared	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46877	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41680	Comment from Braude, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46878	Comment from Shannon McDermott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41681	Comment from Pierce, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46879	Comment from Elizabeth Haskell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41682	Comment from Toler, Cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46880	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41683	Comment from Toth, Maureen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46881	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41684	Comment from Petitt, Holly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46882	Comment from Patrick DAnnunzio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41685	Comment from PRITCHARD, ALVERA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46883	Comment from Dian Weber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41686	Comment from Kivaisi, Douglas &mp; P.L.L.L.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46884	Comment from Tammera Hinshaw
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41687	Comment from O'Donnell, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46885	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41688	Comment from Metzler, JoAnne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46886	Comment from Cheryl Albert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41689	Comment from Glasscock, Rita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46887	Comment from Scott Powers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41690	Comment from Van Alyne, Emily	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46888	Comment from Gloria Picchetti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41691	Comment from Comstock, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46889	Comment from Linda O'Donnell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41692	Comment from Carnahan, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46890	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41693	Comment from Devine, Lauren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46891	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41694	Comment from Marshall, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46892	Comment from James Roberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41695	Comment from Peterson, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46893	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41696	Comment from Shively, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46894	Comment from John LaMantia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41697	Comment from Bock, Jerilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46895	Comment from Judith Bixby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41698	Comment from Poritzky, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46896	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41699	Comment from White, Denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46897	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41700	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46898	Comment from Catherine Kowalczyk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41701	Comment from Fehrmann, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46899	Comment from Art Smoker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41702	Comment from Stovall, Gloria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46900	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41703	Comment from Struss, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46901	Comment from ReNae Nowicki
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41704	Comment from Murray, Kristen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46902	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41705	Comment from Miller, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46903	Comment from Amanda Collins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41706	Comment from JOHNSON, ALICE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46904	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41707	Comment from Brown, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46905	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41708	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46906	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41709	Comment from Keeting, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46907	Comment from John Pielemeier
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41710	Comment from Smith, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46908	Comment from Tracey Ahring
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41711	Comment from D, Andie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46910	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41712	Comment from Green, Jason	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46911	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41713	Comment from Fossa, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46912	Comment from KM Eichhof
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41714	Comment from Gonzalez, kristiin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46913	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41715	Comment from Harvey, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46914	Comment from Perry Matlock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41716	Comment from Koester, Sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46915	Comment from Steve Hess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41717	Comment from Steininger, Lorenz	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46916	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41718	Comment from Canty, Marlynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46917	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41719	Comment from Mccoy, Joan Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46918	Comment from Denise Lytle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41720	Comment from Cooper, RJ	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46919	Comment from Patricia Schmidt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41721	Comment from Goodwin, Charles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46920	Comment from Dorothee Custer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41722	Comment from Kerr, Gayle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46921	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41723	Comment from Rubel, Sidra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46922	Comment from Jean Songwinds
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41724	Comment from Kunkel, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46923	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41725	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46924	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41726	Comment from Loucks II, Jeri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46925	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41727	Comment from Debolt, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46926	Comment from Mary Pattison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41728	Comment from Covey, Tim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46927	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41729	Comment from claypool, Roberta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46928	Comment from Suzanne Carreker-Voigt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41730	Comment from Byron, Randi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46929	Comment from Sherry Toy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41731	Comment from rinear, charles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46930	Comment from Wayne Kelly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41732	Comment from Kretmar, Gerald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46931	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41733	Comment from Kunkel, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46932	Comment from Donna Mastracchio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41734	Comment from Walters, Ernie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46933	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41735	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46934	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41736	Comment from Black, Jason	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46935	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41737	Comment from Bailie, Janae	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46936	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41738	Comment from Van Tassell, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46937	Comment from Elza Corrill
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41739	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46938	Comment from Christine Olsgard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41740	Comment from Fleck, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46939	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41741	Comment from Rose, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46940	Comment from Sarah Hurd
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41742	Comment from Bradley, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46941	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41743	Comment from Espinoza, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46942	Comment from Kathryn Choudhury
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41744	Comment from Burch, Lilian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46943	Comment from Robert Reed
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41745	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46944	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41746	Comment from Kerr, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46945	Comment from Lynn Zipse
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41747	Comment from Peterson, Tracey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46946	Comment from Robert Triggs
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41748	Comment from Gibbons, Brian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46947	Comment from Jack Donel

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41749	Comment from Brooks, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46948	Comment from Dave Lipstreu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41750	Comment from Burton, Martha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46949	Comment from Rema Loeb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41751	Comment from Rittenhouse, Calvin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46950	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41752	Comment from REED, DONALD	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46951	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41753	Comment from Henry, Daniel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46952	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41754	Comment from Burnash, George	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46953	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41755	Comment from Wisch, Anita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46954	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41756	Comment from Byers, Sherry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46955	Comment from Margaret Adam
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41757	Comment from Klass, Naomi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46956	Comment from Hal Glidden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41758	Comment from Wisch, Anita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46957	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41759	Comment from Parente, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46958	Comment from Jessica Wardlaw
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41760	Comment from Wisch, Anita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46959	Comment from Brian Dunn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41761	Comment from Boes, Sondra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46960	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41762	Comment from McNamara, Catherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46961	Comment from JL Angell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41763	Comment from Kunkel, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46962	Comment from Royal Graves
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41764	Comment from Fulton, Dixie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46963	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41765	Comment from Eaton, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46964	Comment from Hoai Pham
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41766	Comment from norris, julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46965	Comment from Joyce Littlefield
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41767	Comment from Feierabend, Marla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46966	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41768	Comment from Steinbacher, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46967	Comment from Kris Lacy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41769	Comment from Wynn, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46968	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41770	Comment from Glassheim, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46969	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41771	Comment from Castaldi, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46970	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41772	Comment from Weistrop, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46971	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41773	Comment from Gordon, Lonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46972	Comment from jess odoski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41774	Comment from Kahle, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46973	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41775	Comment from Goff, Frances	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46974	Comment from Maia Van Pelt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41776	Comment from Michaels, Brenda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46975	Comment from Mary Reichard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41777	Comment from deans-smith, susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46976	Comment from Karina Dansie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41778	Comment from Larson, Stacey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46977	Comment from Janine Vinton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41779	Comment from Andersson, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46978	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41780	Comment from Florio, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46979	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41781	Comment from Sweeney, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46980	Comment from Pamela Hamilton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41782	Comment from Hoch, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46981	Comment from Pat Copenhaver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41783	Comment from Neville, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46982	Comment from Ra Szumal
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41784	Comment from Haslag, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46983	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41785	Comment from Eckberg, Brenda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46984	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41786	Comment from Nolte, Gwen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46985	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41787	Comment from Benatar-Kotler, Belinda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46986	Comment from Evelyn Adams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41788	Comment from Quinn, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46987	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41789	Comment from Morgan, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46988	Comment from Stephanie Fox

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41790	Comment from Covello, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46989	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41791	Comment from Carroll, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46990	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41792	Comment from Tumia, Sal	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46991	Comment from Deborah Goodman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41793	Comment from MILLER, HENRY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46992	Comment from Dawn Zegledi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41794	Comment from Alexander, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46993	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41795	Comment from Dickinson-Adams, Emily	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46994	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41796	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46995	Comment from Robert McFarland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41797	Comment from Dolloff, Jacoba	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46996	Comment from Toddy Perryman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41798	Comment from Wood, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46997	Comment from Linda Phelan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41799	Comment from Richter, Ron	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46998	Comment from Karina Dansie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41800	Comment from Shaughnessy, Anna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46999	Comment from Miriam Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41801	Comment from cranmer, julia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47001	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41802	Comment from Sturt, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47002	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41803	Comment from Andregg, S.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47003	Comment from Zoe Athans
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41804	Comment from Meli, Salvatore	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47004	Comment from Judy Roland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41805	Comment from Lowe, Amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47005	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41806	Comment from Thompson, Don	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47006	Comment from Cordale Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41807	Comment from Thomas, Tucker	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47007	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41808	Comment from NYIKES, WILLIAM	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47008	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41809	Comment from Lewandowski, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47009	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41810	Comment from Cyr, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47010	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41811	Comment from Dearborn, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47011	Comment from Elisse De Sio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41812	Comment from McGuire, Ellie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47012	Comment from Terry Vaccaro
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41813	Comment from Petrucelli, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47013	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41814	Comment from Martin, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47014	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41815	Comment from MILLENSIFER, AIMEE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47015	Comment from sam beck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41816	Comment from Carranco, Nora	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47016	Comment from Penny jollimore
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41817	Comment from Kessler, Roberta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47017	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41818	Comment from Frank, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47018	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41819	Comment from McGaughey, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47019	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41820	Comment from Collins, Belinda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47020	Comment from Carol Steinhart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41821	Comment from Fernandez, Jeffrey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47021	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41822	Comment from Lampson, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47022	Comment from Barb Tokunaga
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41823	Comment from Golembeski, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47023	Comment from Karen Spring
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41824	Comment from roy, margo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47024	Comment from Judy Cohen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41825	Comment from Aylard, Adrianna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47025	Comment from Janis Sawyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41826	Comment from Brewer, Amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47026	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41827	Comment from schnaidt, ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47027	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41828	Comment from Stewart, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47028	Comment from Bianca Molgora
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41829	Comment from Huttner, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47029	Comment from Douglas Paprocki
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41830	Comment from Burnash, George	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47030	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41831	Comment from Kellam, Marcia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47031	Comment from Diana Zelnio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41832	Comment from Griffin, Chas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47032	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41833	Comment from Kump, Angela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47033	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41834	Comment from Anderson, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47034	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41835	Comment from Borgeson, Dean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47035	Comment from steve Lucas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41836	Comment from Hruska, T	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47036	Comment from Joel Phillips
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41837	Comment from McCoubrie, Elise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47037	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41838	Comment from Esposito, Dan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47038	Comment from Sherri Damiani
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41839	Comment from Echo, Jennie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47039	Comment from Robyn Sharpe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41840	Comment from Steffes, Wayne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47040	Comment from Paul Petruccelli
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41841	Comment from Taylor, Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47041	Comment from Dale Drouin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41842	Comment from Adkins, Patti	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47042	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41843	Comment from Reagel, Ruth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47043	Comment from Elizabeth Wells
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41844	Comment from Mariano, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47044	Comment from Carol Howell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41845	Comment from Fleming, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47045	Comment from Vanessa Lundheim
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41846	Comment from Knapp, Virginia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47046	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41847	Comment from Ellis, Laurie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47047	Comment from Sue Covello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41848	Comment from Gabbard, Bill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47048	Comment from Rob Seltzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41849	Comment from Fitzsimmons, Sara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47049	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41850	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47050	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41851	Comment from Gorak, Martha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47051	Comment from Richard Agee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41852	Comment from Jones, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47052	Comment from Jessica Jakubanis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41853	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47053	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41854	Comment from Smoller, Merry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47054	Comment from Wendy Chrisman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41855	Comment from Hayward, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47055	Comment from Tiffany Fodero
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41856	Comment from MacPhail, Kristyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47056	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41857	Comment from Leahy, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47057	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41858	Comment from Whitehurst, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47058	Comment from alexander greenwald
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41859	Comment from Devine, Karla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47059	Comment from Nathan Nielsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41860	Comment from Griffith, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47060	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41861	Comment from Wright, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47061	Comment from Karolyn Beebe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41862	Comment from Griffeth, Jackie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47062	Comment from Debbie Mahder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41863	Comment from Guilmette, Lurette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47063	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41864	Comment from Robb, Aaeron	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47064	Comment from Allan Chen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41865	Comment from sloan, elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47065	Comment from Penny Chambers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41866	Comment from Gaiefsky, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47066	Comment from Ann Allen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41867	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47067	Comment from Lynne Firestone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41868	Comment from Dukovich, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47068	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41869	Comment from Fleming, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47069	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41870	Comment from Vogel, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47070	Comment from Peter Hennessy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41871	Comment from Williams, Catherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47071	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41872	Comment from Cohen, Wayne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47072	Comment from Karol Klein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41873	Comment from McNally, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47073	Comment from Amber Manske
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41874	Comment from Gilbert, April	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47074	Comment from Caryl Speck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41875	Comment from Gordon, Gail	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47075	Comment from Debora Stalego
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41876	Comment from Sanford, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47076	Comment from Norma Rouser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41877	Comment from Lato, Bernadette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47077	Comment from Michael Moran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41878	Comment from Margulies, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47078	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41879	Comment from Berman, Steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47079	Comment from Sasha Kirby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41880	Comment from Boltz, Randall	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47080	Comment from Maureen Schiener
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41881	Comment from Straw, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47081	Comment from Joseph Kosuda
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41882	Comment from Kondreck, Janine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47082	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41883	Comment from Falsetta, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47083	Comment from Susan O'Rourke
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41884	Comment from Salerno, Bailey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47084	Comment from Nancy Lewis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41885	Comment from Hodges, Connie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47085	Comment from Jonathan Nash
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41886	Comment from Loomis, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47086	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41887	Comment from Scott, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47087	Comment from Jennifer Adams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41888	Comment from Root, Edith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47088	Comment from Steve Uyenishi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41889	Comment from Alvarado, Denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47089	Comment from Beatriz Baldan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41890	Comment from Theye, Shelley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47090	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41891	Comment from Brown, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47091	Comment from Patrick Butler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41892	Comment from Wenzel, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47092	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41893	Comment from Ward, Rosemary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47093	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41894	Comment from Pfeiffer, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47094	Comment from Dorothea Vecchiotti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41895	Comment from Goscilo, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47095	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41896	Comment from Schloss, Bruno	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47096	Comment from Karen Bravo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41897	Comment from landskroner, ron	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47097	Comment from Lisa Hoch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41898	Comment from Roa, Tania	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47098	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41899	Comment from Schwartz, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47099	Comment from Laurie Mcdougall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41900	Comment from Fugate, Peggy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47100	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41901	Comment from Robertson, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47101	Comment from Querido Galdo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41902	Comment from poulson, terry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47102	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41903	Comment from McGee, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47103	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41904	Comment from Sedon, Douglas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47104	Comment from Andre Meaux
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41905	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47105	Comment from Bryan Wyberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41906	Comment from Barringer, Joyce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47106	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41907	Comment from Pierce, Shawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47107	Comment from Stanley Wine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41908	Comment from Kaplan, Eliot	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47108	Comment from Janet Tice
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41909	Comment from Salerno, Bailey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47109	Comment from Nancy Panetta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41910	Comment from Wright, Patti	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47110	Comment from Deborah Lynch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41911	Comment from Van Alstyne, Anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47111	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41912	Comment from O'Rourke, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47112	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41913	Comment from Vreeland, Mollie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47113	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41914	Comment from Niese, Patrick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47114	Comment from Amanda Gordon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41915	Comment from Miller, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47115	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41916	Comment from Mangus, Tracey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47116	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41917	Comment from Trea, Connie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47117	Comment from Jim Neal
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41918	Comment from levin, cathyelizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47118	Comment from Joan Svenson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41919	Comment from Watson, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47119	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41920	Comment from Eckstein, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47120	Comment from Heather Nichol
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41921	Comment from Whelan, Maria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47121	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41922	Comment from Hersey, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47122	Comment from Eric Brooker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41923	Comment from Krucoff, Rachel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47123	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41924	Comment from Kiriaty, Susanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47124	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41925	Comment from Scherpenisse, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47125	Comment from Pamela Hamilton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41926	Comment from Stavis, Alex	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47127	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41927	Comment from Vallejos, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47128	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41928	Comment from Cregger-Marsnall, Katharina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47129	Comment from Claire Bush
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41929	Comment from Travis, Barb	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47130	Comment from Gary Ludi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41930	Comment from Davis, Timothy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47131	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41931	Comment from Willbourn, Pam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47132	Comment from Angela Sottile-Fowler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41932	Comment from Johnson, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47133	Comment from Ivan Melendez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41933	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47134	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41934	Comment from Vaz, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47135	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41935	Comment from Schmidt, Cara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47136	Comment from Carol Jurczewski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41936	Comment from Fugate, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47137	Comment from Silvia Noell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41937	Comment from LAROCHELLE, JOHN	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47138	Comment from Dewey Jackson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41938	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47139	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41939	Comment from Mills, Jacqueline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47140	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41940	Comment from Sugarman, Stevie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47141	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41941	Comment from Pham, Duyen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47142	Comment from Darren Mitton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41942	Comment from Traniello, Francine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47143	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41943	Comment from Davidheiser, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47144	Comment from Sharie Foster
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41944	Comment from Payne, Geneine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47145	Comment from Pamela Cortelyou
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41945	Comment from Steadmon, Jason	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47146	Comment from Terrence Cook
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41946	Comment from S, J	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47147	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41947	Comment from Lockwood, C S	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47148	Comment from Jane Frantz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41948	Comment from Lyons, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47149	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41949	Comment from glasser, mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47150	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41950	Comment from Beeghly, Charles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47151	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41951	Comment from Rose, Jay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47152	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41952	Comment from Moringello, Gerri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47153	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41953	Comment from kaehn, s	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47154	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41954	Comment from Taylor, Karla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47155	Comment from Roach, Teresa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41955	Comment from capurro, lyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47156	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41956	Comment from Feokhari, Anton	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47157	Comment from Nachtsheim, Henry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41957	Comment from Burns, Charlie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47158	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41958	Comment from Fernandez, Sam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47159	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41959	Comment from Gard, Alice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47160	Comment from Mohr, Meredith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41960	Comment from biggibs esq, jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47161	Comment from sexton, sara
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41961	Comment from Baughan, Constance	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47162	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41962	Comment from Edwards, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47163	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41963	Comment from bedford, pauline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47164	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41964	Comment from Valney, JOHN+Shirley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47165	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41965	Comment from Saxon, Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47166	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41966	Comment from Laufer, Mariana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47167	Comment from Shapiro, Joan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41967	Comment from Boixo, Karin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47168	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41968	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47169	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41969	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47170	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41970	Comment from Ward, Suzan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47171	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41971	Comment from Rampi, Philip	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47172	Comment from Kennedy, Stephanie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41972	Comment from Peterson, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47173	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41973	Comment from Lance, Cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47174	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41974	Comment from Mahoney, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47175	Comment from Oakes, Julie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41975	Comment from Sontag, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47176	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41976	Comment from Roberts, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47178	Comment from Rovedo, Nivo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41977	Comment from Harrison, Randy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47179	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41978	Comment from O'Connell, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47180	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41979	Comment from Hamilton, Toni	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47181	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41980	Comment from Andrews, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47182	Comment from Prater, Neil
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41981	Comment from Griffin, Amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47183	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41982	Comment from Gottlieb, Marcus	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47184	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41983	Comment from Ewing, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47185	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41984	Comment from Lewis, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47186	Comment from Run, Pet
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41985	Comment from Walker, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47187	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41986	Comment from Bradford, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47188	Comment from Carlisle, Shelley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41987	Comment from Schmitt, Lana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47189	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41988	Comment from Schmitt, Walter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47190	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41989	Comment from Padelford, Grace	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47191	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41990	Comment from Katrak, Karen A	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47192	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41991	Comment from Sacchetti, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47193	Comment from Duncan, Sylvia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41992	Comment from Cobert, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47194	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41993	Comment from Kelley, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47195	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41994	Comment from Rogers, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47196	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41995	Comment from devinney, claudia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47197	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41996	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47198	Comment from Kenney, Ed
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41997	Comment from van Es, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47199	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41998	Comment from Cremin, Gayla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47200	Comment from Prioleau, Elizabeth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-41999	Comment from Woolever, Phillip	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47201	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42000	Comment from Greenwood, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47202	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42001	Comment from Crawford, Holly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47203	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42002	Comment from Barrett, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47204	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42003	Comment from Dickson, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47205	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42004	Comment from Schooley, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47206	Comment from Foss, Steve
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42005	Comment from Burns, JL	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47207	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42006	Comment from Weiske, Lynne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47208	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42007	Comment from Clarke, Damian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47209	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42008	Comment from Hammond, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47210	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42009	Comment from Terletzky, Doreen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47211	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42010	Comment from Nahay, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47212	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42011	Comment from Martin, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47213	Comment from Golden, Elizabeth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42012	Comment from Jordan, S.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47214	Comment from Park, Phyllis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42013	Comment from Scibetta, Jen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47215	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42014	Comment from Corey, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47216	Comment from Koester, Tanya
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42015	Comment from McCoubrie, Elise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47217	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42016	Comment from beaudry, patrick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47218	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42017	Comment from Charles, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47219	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42018	Comment from williams, marcy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47220	Comment from Davis, Kari
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42019	Comment from Yermak, Iris Patty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47221	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42020	Comment from Sayles, Andy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47222	Comment from Willson, Christine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42021	Comment from McMurray, Britt	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47223	Comment from Lyda Stillwell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42022	Comment from Lohr, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47224	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42023	Comment from Morgan, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47225	Comment from Bret Polish
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42024	Comment from Marsh, Sherry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47226	Comment from carolyn massey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42025	Comment from Macintosh, Arlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47227	Comment from Beatrice Long
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42026	Comment from Ratliff, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47228	Comment from Sommers, Megan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42027	Comment from Leventis, Angela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47229	Comment from Martha Swartz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42028	Comment from Freeman, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47230	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42029	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47231	Comment from Bridget Irons
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42030	Comment from Wilmes, Norm	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47232	Comment from Rita Mullis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42031	Comment from Hoburg, mindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47233	Comment from Jody Vollmer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42032	Comment from Esquilin, Maria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47234	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42033	Comment from Kennedy, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47235	Comment from Dawn Corby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42034	Comment from Foglia, Monroe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47236	Comment from Maureen Derrico
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42035	Comment from Wushensky, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47237	Comment from Chanelle Corder

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42036	Comment from Leavitt, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47238	Comment from Nadine LaVonne
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42037	Comment from Skelton, Julia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47239	Comment from Kris Gata
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42038	Comment from Burger, Bitsa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47240	Comment from Ilene Thompson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42039	Comment from Spradlin, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47241	Comment from George Perla
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42040	Comment from Campbell, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47242	Comment from Wendy Chrisman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42041	Comment from Harper, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47243	Comment from Rosanne Tedesco
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42042	Comment from Slocum, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47244	Comment from Paula Lozar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42043	Comment from Eisenberg, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47245	Comment from Dirk Rogers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42044	Comment from Choudhury, Syeda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47246	Comment from Li Fran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42045	Comment from Robinson, Jeanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47247	Comment from Dr Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42046	Comment from Steponaitis, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47248	Comment from Mark Gowan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42047	Comment from Wells, Lasha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47249	Comment from Carla Norton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42048	Comment from gillono, mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47250	Comment from Donna Alleyne-Chin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42049	Comment from Carstarphen, Kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47251	Comment from Margaret Hunt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42050	Comment from Neiman, Jordan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47252	Comment from Rita Boone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42051	Comment from galdo, joe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47253	Comment from Adriene Barmann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42052	Comment from Marcozzi, Brad	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47254	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42053	Comment from Price, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47255	Comment from Surya-Patricia Hood
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42054	Comment from Spitz, Danielle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47256	Comment from Stanley Stockman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42055	Comment from Benge, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47257	Comment from Lina Palacios
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42056	Comment from gallanosa, kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47258	Comment from Larry Birchmeyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42057	Comment from Gordon, Scott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47259	Comment from Wendy Jordan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42058	Comment from Graham, Amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47260	Comment from QUIDA JACOBS
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42059	Comment from Richmond, Chey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47261	Comment from Jessica Weber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42060	Comment from maxfield, casee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47262	Comment from Robin Finley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42061	Comment from Miller, Libba	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47263	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42062	Comment from Sheeler, Pam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47264	Comment from Diane Dillabough
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42063	Comment from Ernst, Cathie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47265	Comment from Frann Spiess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42064	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47266	Comment from Chelsea Hirtzel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42065	Comment from McCreary, Jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47267	Comment from Iwanski, Sandy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42066	Comment from Bevilaqua, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47268	Comment from Nina French
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42067	Comment from O'Brien, Gina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47269	Comment from Annie Carpenter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42068	Comment from Smith, Deidra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47270	Comment from Shanna B
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42069	Comment from Hughes, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47271	Comment from Cathy Becker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42070	Comment from Lukaszewicz, Anna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47272	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42071	Comment from Sherman, J.P.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47273	Comment from Gail Larkin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42072	Comment from burkard, tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47274	Comment from Rick Romito
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42073	Comment from Roberts, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47275	Comment from Michelle Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42074	Comment from Schmittauer, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47276	Comment from Karen Fabiane
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42075	Comment from Jacob, Ron	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47277	Comment from Mary Ellis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42076	Comment from Ellison, Cori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47278	Comment from Linda Wood

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42077	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47279	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42078	Comment from Wolf, Danielle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47280	Comment from Christen King
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42079	Comment from Brennan, Kari	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47281	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42080	Comment from reissen, gail	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47282	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42081	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47283	Comment from Kirk, Timothy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42082	Comment from Woods, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47284	Comment from Mary Danton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42083	Comment from Magee, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47285	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42084	Comment from Vayda, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47286	Comment from terrulli, anthony
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42085	Comment from hayward, Louise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47287	Comment from Stephanie Mory
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42086	Comment from Taylor, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47288	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42087	Comment from sturino, angelo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47289	Comment from Cheryl Twaddell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42088	Comment from Coffey, Seth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47290	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42089	Comment from McMurray, Britt	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47291	Comment from Lynda Asher
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42090	Comment from kohnken, pam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47292	Comment from Wilson, Patricia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42091	Comment from Norvell, Chelsea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47293	Comment from Dave Berkenbush
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42092	Comment from Long, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47294	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42093	Comment from ogorzaly, jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47295	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42094	Comment from Burpo, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47296	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42095	Comment from Fexis, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47297	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42096	Comment from Rogers, Dana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47298	Comment from Craig, Patrick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42097	Comment from Reiland, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47299	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42098	Comment from Caiazzo, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47300	Comment from Richard Crosland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42099	Comment from Lancia, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47301	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42100	Comment from Regalado, Geoff	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47302	Comment from Mike Livermore
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42101	Comment from Calderone, Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47303	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42102	Comment from Cox, Nanci	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47304	Comment from Chrystine Black
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42103	Comment from Millar, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47305	Comment from Rebecca Keaton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42104	Comment from Yu, Katie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47306	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42105	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47307	Comment from Morgan, Paula
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42106	Comment from Mansfield, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47308	Comment from Michael Hall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42107	Comment from Madigan, Sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47309	Comment from Juan menendez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42108	Comment from Phillips, Theresa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47310	Comment from RICHARD CARP
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42109	Comment from Wright MD, Rhonda D.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47311	Comment from Max Barack
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42110	Comment from Johnson, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47312	Comment from John Sonin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42111	Comment from Reynolds, Jeff	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47313	Comment from RAMOS, NATALIE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42112	Comment from Whittle, Alexander	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47314	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42113	Comment from Van Every, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47315	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42114	Comment from Williams, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47316	Comment from MS Tomasello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42115	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47317	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42116	Comment from Gutfleisch, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47318	Comment from Jamie Klem
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42117	Comment from D, K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47319	Comment from mcafee, nico

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42118	Comment from rossouw, paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47320	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42119	Comment from Hubberd, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47321	Comment from Angela Kline
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42120	Comment from Collar, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47323	Comment from Tillery, Bruce
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42121	Comment from Payette, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47324	Comment from S. Barnhart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42122	Comment from Cohen, Harriet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47325	Comment from Bruce Krawisz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42123	Comment from OConnor, Shari	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47326	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42124	Comment from Christensen, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47327	Comment from Kathrine Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42125	Comment from Graham, Charlie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47328	Comment from Candice haak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42126	Comment from Kosinski, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47329	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42127	Comment from Hussain, Dina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47330	Comment from Sherwood, Kris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42128	Comment from Gregg, Rachel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47331	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42129	Comment from Narron, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47332	Comment from Phoebe McLeod
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42130	Comment from Porter, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47333	Comment from Karla Morales
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42131	Comment from Biancietti, Rick & NOAA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47334	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42132	Comment from Rosenberg, H.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47335	Comment from Doug Helliesen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42133	Comment from Dixon, Angie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47336	Comment from Hiatt, Janet
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42134	Comment from Walters, Cody	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47337	Comment from Carol Ayala
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42135	Comment from Jacobs, Shannon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47338	Comment from Larry Lambeth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42136	Comment from Mackenzie, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47339	Comment from Vauter, Karl
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42137	Comment from King-Chuparkoff, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47340	Comment from Cheryl Esposito
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42138	Comment from Skufis, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47341	Comment from Erika Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42139	Comment from Groussman, Maria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47342	Comment from Harrington, Ed
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42140	Comment from Sublette, David7	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47343	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42141	Comment from Rehn, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47344	Comment from Rebecca McDonough
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42142	Comment from Carrier, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47345	Comment from June Avignone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42143	Comment from Bullard, David H.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47346	Comment from Virginia LeBlanc
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42144	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47347	Comment from Paul Kalka
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42145	Comment from Maloney-Tarvers, Linda V	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47348	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42146	Comment from Lewis, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47349	Comment from Webb, Sheila
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42147	Comment from Bein, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47350	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42148	Comment from Church, Rhonda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47351	Comment from Krystle Viola
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42149	Comment from Margolin, Yana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47352	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42150	Comment from Taylor, Heather	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47353	Comment from Christy Fermoile
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42151	Comment from Huffman, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47354	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42152	Comment from Turner, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47355	Comment from Donna Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42153	Comment from Breznik, Ivana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47356	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42154	Comment from Zech, Gisela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47357	Comment from Ackerman, Shirley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42155	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47359	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42156	Comment from Daniels, Elliot	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47360	Comment from David Scott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42157	Comment from Judge, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47361	Comment from Kristi Emanuel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42158	Comment from Tryggeseth, Jackie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47362	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42159	Comment from Mondry, Terry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47363	Comment from Adrian Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42160	Comment from Littellmann, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47364	Comment from Freda Karpf
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42161	Comment from Catron, Samuel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47365	Comment from Salama, Karen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42162	Comment from Collodel, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47366	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42163	Comment from Hoyt, B.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47367	Comment from Nancy Ashley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42164	Comment from Dillon, Christi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47368	Comment from Harrington, Blaire
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42165	Comment from Smih, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47369	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42166	Comment from Carmona, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47370	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42167	Comment from Norman, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47371	Comment from Donald Wittle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42168	Comment from Miller, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47372	Comment from Felicia Lewis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42169	Comment from Peck, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47373	Comment from Sherry Thompson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42170	Comment from Cross, Russ	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47374	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42171	Comment from Blanchett, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47375	Comment from John Sobetzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42172	Comment from Kozakiewicz, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47376	Comment from Carlin, Terry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42173	Comment from Dacus, Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47377	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42174	Comment from Caso, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47378	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42175	Comment from Holley, Lynne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47379	Comment from Rajat Kapoor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42176	Comment from Bray, Laura A.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47380	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42177	Comment from Smih, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47381	Comment from jeffrey sanders
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42178	Comment from Johnson, Patrice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47382	Comment from Anna ianneilo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42179	Comment from Westfall, Marelyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47383	Comment from Morgan, Paula
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42180	Comment from Love, Dianna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47384	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42181	Comment from swift, robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47385	Comment from Carolyn Faulhaber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42182	Comment from Curtis, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47386	Comment from Mark Redmond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42183	Comment from Skolnick, Kate	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47387	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42184	Comment from Elliott-Cattell, June	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47388	Comment from Marina Sagardua
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42185	Comment from Higgins, Lindi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47389	Comment from Jory, Susan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42186	Comment from Jacobs, Vickie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47390	Comment from Dianna Holland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42187	Comment from Woodward, Warren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47391	Comment from Ann Thryft
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42188	Comment from Dobroslawa, Dobi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47392	Comment from Williams, Debbie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42189	Comment from Lin, Chingyi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47393	Comment from Debra Jurey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42190	Comment from Krzykowskix, Laurie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47394	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42191	Comment from Davis, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47395	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42192	Comment from Council, Nina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47396	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42193	Comment from Duffy, Patty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47397	Comment from Kathleen Kiselewich
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42194	Comment from Olson, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47398	Comment from Vanessa Sherman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42195	Comment from Boyer, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47399	Comment from carroll, bev
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42196	Comment from de Nijs, Sacha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47400	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42197	Comment from Niemeyer, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47401	Comment from Kathryn Robertson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42198	Comment from Peeler, Kaitlyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47402	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42199	Comment from lynch, cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47403	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42200	Comment from Arnzen, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47404	Comment from Bruce Kiesel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42201	Comment from Hutchison, Stanley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47405	Comment from Wayne Brunton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42202	Comment from Boothe, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47406	Comment from Christine Chmielewski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42203	Comment from Withers, Lynell	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47407	Comment from Macedonio, Mary
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42204	Comment from Naji, Eric	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47408	Comment from Mrs. Long s znd graeers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42205	Comment from Voris, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47409	Comment from Linda Muntner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42206	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47410	Comment from rogers, melissa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42208	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47411	Comment from Andrea Nutley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42209	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47412	Comment from Robert Guyton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42210	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47413	Comment from samuel newman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42211	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47414	Comment from Moyer, Bob
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42212	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47415	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42213	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47416	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42214	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47417	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42215	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47418	Comment from Gina Norton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42216	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47419	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42217	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47420	Comment from Roberta Reynolds
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42218	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47421	Comment from Avila, Dayana
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42219	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47422	Comment from Carrie Chapman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42220	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47423	Comment from Elimaris Gonzalez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42221	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47424	Comment from Iris Yermak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42222	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47425	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42223	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47426	Comment from Vin Johnsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42224	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47427	Comment from OKeefe, Theresa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42225	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47428	Comment from Rose Barton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42227	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47429	Comment from Kelly Erwin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42228	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47430	Comment from Marti Sayre
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42229	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47431	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42230	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47432	Comment from Ouellette, Tracy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42232	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47433	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42233	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47434	Comment from Jaimee Stransky
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42234	Comment from Brown, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47435	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42235	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47436	Comment from Elena Rumiantseva
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42236	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47437	Comment from Bacon, Scarlett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42238	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47438	Comment from John Long
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42239	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47439	Comment from Stephen Mead
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42240	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47440	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42241	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47441	Comment from dalager, rod
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42242	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47442	Comment from Jeanne Held-Warmkessel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42243	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47443	Comment from Louise Kane
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42244	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47444	Comment from Suska Matsik

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42245	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47445	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42246	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47446	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42247	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47447	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42248	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47448	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42249	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47449	Comment from Carpenter, Nate
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42250	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47450	Comment from Charlie Burns
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42251	Comment from Szabo, Vicki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47451	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42252	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47452	Comment from Sidney Pearson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42253	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47453	Comment from Pauline DeMairo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42254	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47454	Comment from Toby Gottfried
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42255	Comment from Jean Saja	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47455	Comment from Daniel Weber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42256	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47456	Comment from Eigler, Kelly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42257	Comment from Pirazzi, Tina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47457	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42258	Comment from Menne, Suzanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47458	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42259	Comment from Reed, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47459	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42260	Comment from Frazier, Kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47460	Comment from Jared Hocking
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42261	Comment from McGregor, Hilary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47461	Comment from Jerro, Bonnie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42262	Comment from Christy, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47462	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42263	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47463	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42264	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47464	Comment from Rubin, Marsha
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42265	Comment from Wright, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47465	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42266	Comment from Kontzamanys, Krista	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47466	Comment from Ina Pillar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42267	Comment from Kantz, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47467	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42268	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47468	Comment from Margaret Reynoso
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42269	Comment from Bremer, Kate	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47469	Comment from Denise Derouen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42270	Comment from Paxton, G.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47470	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42271	Comment from Eaves, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47471	Comment from jayne lello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42272	Comment from Foster, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47472	Comment from Wright, Kenneth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42273	Comment from Patra, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47473	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42274	Comment from satter, linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47474	Comment from Laurie Neill
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42275	Comment from Thurairatnam, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47475	Comment from Michele Villeneuve
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42276	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47476	Comment from Pat Gibson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42277	Comment from Learch, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47477	Comment from Harris, Kathy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42278	Comment from Sebastian, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47478	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42279	Comment from Young, Teresa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47479	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42280	Comment from Naji, Eric	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47480	Comment from SPINDLER, ALLYCE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42281	Comment from Plumb, Sonja	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47481	Comment from Neil Hansen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42282	Comment from Dehais, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47483	Comment from Holland, Dianna
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42283	Comment from Lipka, Francine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47484	Comment from JESSICA FIELDEN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42284	Comment from Deutsch, Alice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47485	Comment from Keith Myers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42285	Comment from Prince, Steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47486	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42286	Comment from Kasnicka, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47487	Comment from Donna Banks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42287	Comment from Sotere, Valerie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47488	Comment from Savage, Marjorie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42288	Comment from Benjamin, Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47489	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42289	Comment from Hodel, Joyce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47490	Comment from Pasquale Vairo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42290	Comment from Elder, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47491	Comment from Bobbitt, Lisa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42291	Comment from Welte, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47492	Comment from Kelly Dougherty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42292	Comment from knecht, jill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47493	Comment from Dana Winkler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42293	Comment from Logan, donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47494	Comment from Neitzel, Gus
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42294	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47495	Comment from Jennifer Gorgo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42295	Comment from Davis, Ward	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47496	Comment from Dryer, Ellen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42296	Comment from Wales, Jeremy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47497	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42297	Comment from LoBiondo, Gina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47498	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42298	Comment from Goldman, Jill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47499	Comment from Larry Caudill
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42299	Comment from MacKelvie, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47500	Comment from Carmen Buono
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42300	Comment from Dalessandro, Erin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47501	Comment from Bacon, Scarlett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42301	Comment from Rome, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47502	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42302	Comment from Bonoyer, K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47503	Comment from Maria Dabrowski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42303	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47504	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42304	Comment from Miller, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47505	Comment from Brian Gingras
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42305	Comment from Copenhaver, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47506	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42306	Comment from Zurawski, Ronald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47507	Comment from Raphael Sulkovitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42307	Comment from McKillip, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47508	Comment from Walker, Maria
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42308	Comment from Molina, Rick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47509	Comment from Marci Robinson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42309	Comment from Miiller, Victor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47510	Comment from MICHAEL MURRAY
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42310	Comment from Lutz, Heather	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47511	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42311	Comment from Wojtalik, Alan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47512	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42312	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47513	Comment from Lisa Meyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42313	Comment from George, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47514	Comment from Pizzo, Marco
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42314	Comment from Hall, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47515	Comment from Kenya Pena
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42315	Comment from DeLia, Tony	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47516	Comment from Inmon, Anne
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42316	Comment from Chyba, Mike	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47517	Comment from Tim Pokela
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42317	Comment from Rostagno-Lasky, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47518	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42318	Comment from George, Janelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47519	Comment from Borzha, Ana
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42319	Comment from Mariorenzi, Maria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47520	Comment from Chris Tonkinson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42320	Comment from Yazdi, Teri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47521	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42321	Comment from Arnone, Melanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47522	Comment from Teresa Collins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42322	Comment from Clark, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47523	Comment from Dawn Zegledi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42323	Comment from Pezzicara, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47524	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42324	Comment from Tomlian, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47525	Comment from Paul Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42325	Comment from Hackett, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47526	Comment from Sheaks, Cindy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42326	Comment from Low, Sammy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47527	Comment from Peter Ayres

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42327	Comment from Cook, Anice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47528	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42328	Comment from McLaughlin, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47529	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42329	Comment from Ryan, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47530	Comment from Laraine Lebron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42330	Comment from Eames, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47531	Comment from Mary Nelson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42331	Comment from Peyser, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47532	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42332	Comment from Sarne, Sabrina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47533	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42333	Comment from Jennings, Jude	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47534	Comment from Joanne Molodowitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42334	Comment from David, Terri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47535	Comment from Scaltrito, Marietta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42335	Comment from Parry, Alison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47536	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42336	Comment from katz, anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47537	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42337	Comment from Spero, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47538	Comment from Joseph Rindler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42338	Comment from Pighetti, Heather	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47539	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42339	Comment from A., Lauren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47540	Comment from Laura Guttridge
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42340	Comment from Green, Arden	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47541	Comment from Annette Tchelka
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42341	Comment from Doyle, Carrie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47542	Comment from Phyllis Naef
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42342	Comment from Pfeifer, Nezka	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47543	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42343	Comment from Stiffler, Tonya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47544	Comment from Marilyn Waltasti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42344	Comment from Catchings, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47545	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42345	Comment from DeWitt, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47546	Comment from Marlene Testaguzza
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42346	Comment from Schmidt, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47547	Comment from Yneska Rollin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42347	Comment from Heath, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47548	Comment from Dayanara De Oca
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42348	Comment from Kirchner, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47549	Comment from Lynne Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42349	Comment from Gorn, Scott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47550	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42350	Comment from Grause, J	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47551	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42351	Comment from LaSchiava, Dona	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47552	Comment from Mary Botti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42352	Comment from Ricewater, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47553	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42353	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47554	Comment from P.S. Padula
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42354	Comment from Konieczny, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47555	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42355	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47556	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42356	Comment from Sutton, Beth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47557	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42357	Comment from Charrier, JL	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47558	Comment from Barbara Harrington
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42358	Comment from Gijzen, Lise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47559	Comment from Bonnie Thompson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42359	Comment from Knight, Kendra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47560	Comment from Glenda Logan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42360	Comment from Dennis, Gudrun	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47561	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42361	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47562	Comment from Suzanne Doyle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42362	Comment from Turner, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47563	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42363	Comment from Night, Talus	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47564	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42364	Comment from Harish, Anavai	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47565	Comment from John Beck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42365	Comment from Mezzapelle, Cheri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47566	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42366	Comment from Wait, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47567	Comment from Kathleen Mohning
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42367	Comment from Patton, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47568	Comment from m. baca

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42368	Comment from Nillo, Christina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47569	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42369	Comment from Baxter, Suzanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47570	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42370	Comment from Heintz, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47571	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42371	Comment from Hillen, Shonessi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47572	Comment from Leslie Hansen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42372	Comment from rejsek, gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47573	Comment from Connie Rogers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42373	Comment from Weldon, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47574	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42374	Comment from Hoekstra, Nicole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47575	Comment from Lawrence Crowley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42375	Comment from Petronik, Anna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47576	Comment from shelley mckee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42376	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47577	Comment from Marilyn Campolettano
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42377	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47578	Comment from J. Beverly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42378	Comment from McMullen, Annette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47579	Comment from Sharron Coontz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42379	Comment from Alvesteffer, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47580	Comment from Richard Fehr
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42380	Comment from King, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47581	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42381	Comment from B., Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47582	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42382	Comment from Bach, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47583	Comment from Anna Vidal
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42383	Comment from Garrity, Coleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47584	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42384	Comment from paul, ki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47585	Comment from Margaret Neumann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42385	Comment from palomino, aydee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47586	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42386	Comment from Yelen, Barry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47587	Comment from Jason Brock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42387	Comment from Gentes, Mija	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47588	Comment from Mary more
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42388	Comment from Johnson, Jackie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47589	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42389	Comment from Lasley, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47590	Comment from Mark Giese
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42390	Comment from Staley, Bill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47591	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42391	Comment from Irons, Bridget	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47592	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42393	Comment from Busby, Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47594	Comment from Pamela Lanagan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42394	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47595	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42395	Comment from McWilliams, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47596	Comment from Claudia Devinney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42396	Comment from Narvios, Tem	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47597	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42397	Comment from Feig, andrea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47598	Comment from Kate McQueen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42398	Comment from Gregorio, Penny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47599	Comment from Angie Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42399	Comment from Haydon, Noah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47600	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42400	Comment from Marczyk, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47601	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42401	Comment from Morales, Marisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47602	Comment from Karen Waltman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42402	Comment from Wright, Trigg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47603	Comment from Christopher Rose
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42403	Comment from Campbell, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47604	Comment from Lizbeth Simpson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42404	Comment from Kawszan, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47605	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42405	Comment from Bojarski, Lawrence	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47606	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42406	Comment from hayward, Louise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47607	Comment from Glenna Waterman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42407	Comment from DeLucia, Gennaro F.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47608	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42408	Comment from Slakter, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47609	Comment from Annette Hof
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42409	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47610	Comment from Patricia Always

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42410	Comment from Waltzer, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47611	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42411	Comment from Season, Ron	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47612	Comment from Sonette Tippens
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42412	Comment from Rosas, Greg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47613	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42413	Comment from Doyle, apri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47614	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42414	Comment from Ponisciak, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47615	Comment from Vanessa Kong
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42415	Comment from Mancini, Alfred	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47616	Comment from Charles Mitchell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42416	Comment from Batway, Jewell	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47617	Comment from Kathy Rice
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42417	Comment from Robinson, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47618	Comment from lisa Jacobson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42418	Comment from Mooney, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47619	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42419	Comment from Blitzer, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47620	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42420	Comment from Gauger, Benjamin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47621	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42421	Comment from A., Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47622	Comment from Ismael Macias
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42422	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47623	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42423	Comment from Luna, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47624	Comment from Rose Berry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42424	Comment from Whitlock, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47625	Comment from Thomas Bailey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42425	Comment from Robertson, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47626	Comment from Jennifer Cody
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42426	Comment from Porcelli, Maureen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47627	Comment from Mary Harte
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42427	Comment from Oosten Hocking, Joy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47628	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42428	Comment from Appenzeller, Cary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47629	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42429	Comment from Gibson, Jody	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47630	Comment from Leslie Becker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42430	Comment from Reyes, Nimia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47631	Comment from Margo Salone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42431	Comment from Boice, Ruth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47632	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42432	Comment from Lukachy, Tami	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47633	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42433	Comment from Reinfried, Kay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47634	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42434	Comment from Baron, Jodi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47635	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42435	Comment from Strauss, Gregory	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47636	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42436	Comment from Tutt, Joe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47637	Comment from karyn barry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42437	Comment from Hanmer, Noah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47638	Comment from Lise Maring
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42438	Comment from Sayre, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47639	Comment from Teddy Su
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42439	Comment from poland, barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47640	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42440	Comment from Hight, Henrietta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47641	Comment from Patricia Jackson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42441	Comment from Gosselin, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47642	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42442	Comment from Bennett, Lauren K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47643	Comment from Michael Lieberman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42443	Comment from Brennan, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47644	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42444	Comment from Johnson, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47645	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42445	Comment from Freed, Alan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47646	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42446	Comment from Singleton, Jon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47647	Comment from Maxine Parshall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42447	Comment from Philipps, Justin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47648	Comment from SUSAN BURIAN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42448	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47649	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42449	Comment from Taliaferro, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47650	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42450	Comment from Dupray, Cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47651	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42451	Comment from Ray, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47652	Comment from Jodi Igard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42452	Comment from Nielsen, Lessli	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47653	Comment from Ruthann McDermott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42453	Comment from Squire, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47654	Comment from Ruth Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42454	Comment from Levins, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47655	Comment from Robin Bendler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42455	Comment from SIPOS, STEVE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47656	Comment from Bret Polish
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42456	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47657	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42457	Comment from Sarnacki, Al	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47658	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42458	Comment from Olenjack, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47659	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42459	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47660	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42460	Comment from Gonzalez, Yazmin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47661	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42461	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47662	Comment from Joseph Hess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42462	Comment from Peterson, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47663	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42463	Comment from Grajczyk, Joyce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47664	Comment from DANIEL WAITE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42464	Comment from Muradian, Becky	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47665	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42465	Comment from Golding, Julianna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47666	Comment from Michelle Wenderlich
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42466	Comment from petrillo, Diane-michele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47667	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42467	Comment from Vadnais, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47668	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42468	Comment from Hershey, Donald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47669	Comment from Jeffrey Freilich
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42469	Comment from Stone, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47670	Comment from Bonnie Mandel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42470	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47671	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42471	Comment from Schrader, Stacy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47672	Comment from Michelle Gish
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42472	Comment from De Baca, Sylvia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47673	Comment from Lisa Eisen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42473	Comment from Vlasopolos, Anca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47674	Comment from Tricia Thomas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42474	Comment from Linn, Alan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47675	Comment from Georgianna Whalen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42475	Comment from Ketz-Robinson, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47676	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42476	Comment from Jones-Bunn, Shawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47677	Comment from Caleope Bernhardt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42477	Comment from Fray, Linley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47678	Comment from Peter Graves
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42478	Comment from Wheeler, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47679	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42479	Comment from Aronson, Reevyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47680	Comment from Steve Hanlon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42480	Comment from Crane, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47681	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42481	Comment from DeBing, Therese	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47682	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42482	Comment from farley, barry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47683	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42483	Comment from Rynes, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47684	Comment from Beverly Boling
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42484	Comment from Almares, Delia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47685	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42485	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47686	Comment from Stephen Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42486	Comment from Orszulak, LJ	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47687	Comment from Linda Phelan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42487	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47688	Comment from Behnoosh Armani
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42488	Comment from Long, Janine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47689	Comment from Marta Dawes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42489	Comment from Thornton, Edward	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47690	Comment from Susan Lowe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42490	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47691	Comment from Bernadette Andaloro
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42491	Comment from McCarthy, Debbie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47692	Comment from Mary Nagy

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42492	Comment from Laurie, Annie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47693	Comment from Krista Hunter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42493	Comment from Adams, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47694	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42494	Comment from Guidry, Gayle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47695	Comment from Charles Fitze
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42495	Comment from Spiegel, Ilse	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47696	Comment from Alexandra Moore
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42496	Comment from Wish, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47697	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42497	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47698	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42498	Comment from Muzychka, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47699	Comment from Martin Wieland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42499	Comment from Reiss, Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47700	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42500	Comment from Burtis, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47701	Comment from John McPeek
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42501	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47702	Comment from Lyda Stillwell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42502	Comment from Bank, Helene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47703	Comment from Emma Ausman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42503	Comment from Narvios, Raquel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47704	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42504	Comment from Cherry, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47705	Comment from Joanne Perini
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42505	Comment from Rossner, A	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47706	Comment from Hayden Frechette
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42506	Comment from Szczesniak, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47707	Comment from Bruce Blum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42507	Comment from Galus, Michaelene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47708	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42508	Comment from Greenspan, Val	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47709	Comment from Raymond Arent
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42509	Comment from S., Nelson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47710	Comment from Meaghan Doherty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42510	Comment from Mahder, Debbie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47711	Comment from Melissa Shaffer-O'Connell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42511	Comment from Smith, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47713	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42512	Comment from Nottingham, Lois	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47714	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42513	Comment from mcready, tami	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47715	Comment from Angela Knable
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42514	Comment from reiter, john	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47716	Comment from Edna Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42515	Comment from Richardson, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47717	Comment from A.L. Steiner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42516	Comment from VourosCallahan, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47718	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42517	Comment from Topalian, Maggie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47719	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42518	Comment from Heide, Angie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47720	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42519	Comment from Esposito, J	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47721	Comment from Robert Reed
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42520	Comment from Gurdin, J. Barry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47722	Comment from Beth Hawes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42521	Comment from Remme, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47723	Comment from Diane Rechner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42522	Comment from Esposito, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47724	Comment from L. Travers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42523	Comment from Wallace, Patrice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47725	Comment from Zack Greenberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42524	Comment from Jefferys, Cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47726	Comment from Deb Cyma
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42525	Comment from Blackburn, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47727	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42526	Comment from Allin, Roswitha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47728	Comment from Tristan Sophia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42527	Comment from Watabayashi, Jenn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47729	Comment from Laurie Woltman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42528	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47730	Comment from Paula Sullivan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42529	Comment from Piche, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47731	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42530	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47732	Comment from allison alberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42531	Comment from G, C	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47733	Comment from Michele Piver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42532	Comment from Lewis, Polly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47734	Comment from Susan Jordan

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42533	Comment from Vele, Brigid	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47735	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42534	Comment from Sells, Greg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47736	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42535	Comment from Elia, Marguerite	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47737	Comment from Janet Witzeman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42536	Comment from Soddy, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47738	Comment from Zak Mettger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42537	Comment from Leslie Richardson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47739	Comment from Michael Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42538	Comment from Babineau, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47740	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42539	Comment from Salgado, Dalia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47741	Comment from Richard Partridge
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42540	Comment from McCoy, Darilynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47742	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42541	Comment from Metz, Whitney	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47743	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42542	Comment from blastos, nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47744	Comment from William Aldrich
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42543	Comment from Wolfe, Charles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47745	Comment from Elaine Russell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42544	Comment from Javinsky, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47746	Comment from Richard Jackson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42545	Comment from Baker, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47747	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42546	Comment from Ahearn, Francis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47748	Comment from Scott Bernstein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42547	Comment from Reynolds, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47749	Comment from Frank Selig
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42548	Comment from Wendell, Patricia R.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47750	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42549	Comment from Bocchetti, Ralph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47751	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42550	Comment from White, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47752	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42551	Comment from Ambrosio, Antoinette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47753	Comment from Helen Navaline
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42552	Comment from Wilcox, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47754	Comment from Neil McQueen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42553	Comment from Green, Jamie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47755	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42554	Comment from Teder, Ann Marie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47756	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42555	Comment from Rutzky, Ronald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47757	Comment from Marilee Nagy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42556	Comment from Curiale, Ruth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47758	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42557	Comment from Rose, Diann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47759	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42558	Comment from Mattson, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47760	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42559	Comment from Beitel, Timothy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47761	Comment from Augustin Parker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42560	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47762	Comment from Gary Gover
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42561	Comment from leeds, vicki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47763	Comment from Amy Freeman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42562	Comment from Fiddler, Kaleigh	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47764	Comment from Deborah Adler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42563	Comment from Barnes, Noel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47765	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42564	Comment from Frohn, Joyce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47766	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42565	Comment from Balaban, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47767	Comment from Ed Kraynak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42566	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47768	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42567	Comment from Blackwell-Viarciant, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47769	Comment from Norma. Hanson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42568	Comment from Smith, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47770	Comment from Claudia Shapiro
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42569	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47771	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42570	Comment from Koff, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47772	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42571	Comment from Berliner, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47773	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42572	Comment from Goetz, Gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47774	Comment from Mary Puccini
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42573	Comment from Link-New, Virgene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47775	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42574	Comment from Gaudsmith, Henry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47776	Comment from Jessica Wodinsky
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42575	Comment from Rettig, Karin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47777	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42576	Comment from Hall, Holly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47778	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42577	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47779	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42578	Comment from Warren, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47780	Comment from BARBARA GRAPER
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42579	Comment from Greene, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47781	Comment from Stacey Malles
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42580	Comment from Bates, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47782	Comment from page wayne
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42581	Comment from heske, amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47783	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42582	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47784	Comment from Meryl Alexander
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42583	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47785	Comment from Bennie Scott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42584	Comment from Bissell, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47786	Comment from Dreama Dandy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42585	Comment from Ballard, Julia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47787	Comment from Lisanne Panter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42586	Comment from Lazzara, Fran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47788	Comment from Julie Sears
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42587	Comment from Urbano, Tahiri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47789	Comment from Janet Gawthrop
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42588	Comment from Wood, Evelyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47790	Comment from Matthew Boguske
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42589	Comment from Jones, Angela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47791	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42590	Comment from Wright, Joshua	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47792	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42591	Comment from Sherwood, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47793	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42592	Comment from Dunn, Ed	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47794	Comment from Sara Schmidt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42593	Comment from TARTAGLIA, DIANE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47795	Comment from Shatoiya De La Tour
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42594	Comment from Bello, D	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47796	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42595	Comment from Sikes, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47797	Comment from David Rosenfeld
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42596	Comment from McGinn, Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47798	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42597	Comment from Pellegrino, Frank	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47799	Comment from Warner Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42598	Comment from Hughes, Kevin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47801	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42599	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47802	Comment from Jennifer Hauge
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42600	Comment from Post, Heath	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47803	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42601	Comment from Smith, Timmie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47804	Comment from Richard Han
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42602	Comment from Johnson, G. G.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47805	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42603	Comment from McClintock, Gloria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47806	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42604	Comment from McHendry, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47807	Comment from Leo Ashton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42605	Comment from Foglia, Jo Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47808	Comment from Janet McHugh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42606	Comment from cromarty, barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47809	Comment from Regina Marone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42608	Comment from dunn, kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47810	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42609	Comment from Lang, Lynn C.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47811	Comment from Susan Lambert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42610	Comment from Macan, Edward	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47812	Comment from Lorraine Brabham
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42611	Comment from Jones, Amelia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47813	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42612	Comment from koeck, diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47814	Comment from Joan Dornbusch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42613	Comment from Pearson, Rick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47815	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42614	Comment from Caputo, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47816	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42615	Comment from Lenchner, Nicholas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47817	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42616	Comment from hang, khai	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47818	Comment from Kristin Huntoon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42617	Comment from Altaffer, Jeff	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47819	Comment from Sheila Silan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42618	Comment from Erika Boka	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47820	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42619	Comment from CHARLEBOIS, STACIE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47821	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42620	Comment from Vogel, Steven	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47822	Comment from joyce kolasa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42621	Comment from Foster, Marguerite	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47823	Comment from Marybeth Diss
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42622	Comment from Cornez, Sandi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47824	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42623	Comment from Bonnell, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47825	Comment from Joyce Schwartz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42624	Comment from Durbin, Kira	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47826	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42625	Comment from Sikes, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47827	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42626	Comment from Goetinck, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47828	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42627	Comment from Rollings, Rusty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47829	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42628	Comment from Schofield, Anna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47830	Comment from Ronlyn Schwartz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42629	Comment from Beavers, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47831	Comment from sandra zuckerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42630	Comment from Conoscenti, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47832	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42631	Comment from Ghosh, Sudeshna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47833	Comment from Mary Woytysiak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42632	Comment from Crase, Steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47834	Comment from Summer Mitchell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42633	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47835	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42634	Comment from Rosmer, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47836	Comment from Rochelle La Frinere
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42635	Comment from Ardito, Gary Wolf	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47837	Comment from Lily Lau-Enright
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42636	Comment from Wallace, Pam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47838	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42637	Comment from Long, Eva	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47839	Comment from Maria Amado
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42638	Comment from Banks, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47840	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42639	Comment from Karpov, Clarinda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47841	Comment from Michael Secino
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42640	Comment from Alfeo, Anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47842	Comment from Michele Temple
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42641	Comment from Costa, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47843	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42642	Comment from Mickelsen, Patti	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47844	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42643	Comment from Cardoso, Tânia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47845	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42644	Comment from Silverman, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47846	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42645	Comment from camardo, mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47847	Comment from Gloria Uribe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42646	Comment from Verkamp, Doris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47848	Comment from Betty David
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42647	Comment from Gee, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47849	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42648	Comment from Kruckenber, Mindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47850	Comment from Lisa Mistretta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42649	Comment from MCNAIR, DIANA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47851	Comment from Sue Merris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42650	Comment from Cohen, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47852	Comment from lynn pax
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42651	Comment from drescher, frances	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47853	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42652	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47854	Comment from Dean Borgeson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42653	Comment from moffatt, andy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47855	Comment from Alexandra Sweitzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42654	Comment from Postel, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47856	Comment from Kim Hirst
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42655	Comment from Schultz, Denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47857	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42656	Comment from Seltzer, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47858	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42657	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47859	Comment from Thomas Wightman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42658	Comment from Nizza, Simona	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47860	Comment from Bruce Wheeler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42659	Comment from Galante, Theresa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47861	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42660	Comment from bleecker, sam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47862	Comment from Johanna Held
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42661	Comment from Morris, Deirdre	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47863	Comment from steve hopkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42662	Comment from Nihipali, Michele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47865	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42663	Comment from Ghee, BETTY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47866	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42664	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47867	Comment from Barbara Hoch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42665	Comment from Seltzer, Devon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47868	Comment from Prince, Courtney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42666	Comment from Mestemaker-Harris, Cathie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47869	Comment from Labille, Julie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42667	Comment from Delgado, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47870	Comment from Janet Draper
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42668	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47871	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42669	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47872	Comment from Etta Robin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42670	Comment from Lugg, Loren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47873	Comment from Barbara Rauh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42671	Comment from Olson, greg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47874	Comment from Patricia Waddleton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42672	Comment from Howard, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47875	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42673	Comment from NORRIS, SANDY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47876	Comment from CANDACE FISCHER
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42674	Comment from Keiser, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47877	Comment from Eliot Kaplan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42675	Comment from Schaub, Marsha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47878	Comment from Diane Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42676	Comment from Snedeker, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47879	Comment from Carrie Darling
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42677	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47880	Comment from Virginia Garesche
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42678	Comment from ROSEN, RONA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47882	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42679	Comment from Cook, Gordon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47883	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42680	Comment from Anker, Roger	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47884	Comment from Jane poklemba
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42681	Comment from Summitt, Goldyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47885	Comment from Mark Lotito
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42682	Comment from Siegel, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47886	Comment from Adrienne Naylor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42683	Comment from Ward, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47887	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42684	Comment from Clark, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47888	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42685	Comment from chase, deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47889	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42686	Comment from Gruver, Chere	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47890	Comment from Gerald Kretmar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42687	Comment from Bryant, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47891	Comment from Robert Kalovsky
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42688	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47892	Comment from Kristen Keefe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42689	Comment from venegas, andres	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47893	Comment from Elka Zwick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42690	Comment from Bomarito, MaryAnn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47894	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42691	Comment from Mezrahi, Priscilla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47895	Comment from P Turic
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42692	Comment from LoMonaco, Alexa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47896	Comment from Judy Love
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42693	Comment from Smolinski, Claire	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47897	Comment from Glenda Higdon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42694	Comment from Richards, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47898	Comment from Annie Chilcote-Carkhuff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42695	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47899	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42696	Comment from Strelke, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47900	Comment from Jennifer Scott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42697	Comment from Evask, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47901	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42699	Comment from Stidger, Dave	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47902	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42700	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47903	Comment from Sandra Materi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42701	Comment from Bugliarelli, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47904	Comment from Ann Barnes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42702	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47905	Comment from Jane Bidimian
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42703	Comment from Allman, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47906	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42704	Comment from Malara-Aiello, Grace	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47907	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42705	Comment from Nelson, S	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47908	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42706	Comment from Watson, Carol Knight	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47909	Comment from Tom Sunlake
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42707	Comment from Rupp, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47910	Comment from Leda Zimmerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42708	Comment from Gutfleisch, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47911	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42709	Comment from Clark, Kent John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47912	Comment from Phyllis Swank
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42710	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47913	Comment from cheryl kathan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42711	Comment from Collier, Holly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47914	Comment from Raffaella Selvaggio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42712	Comment from Skipworth, Carl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47915	Comment from Marsha Armstrong
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42713	Comment from Swoffer, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47916	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42714	Comment from Zelinski, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47917	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42715	Comment from Von Dohlen, Lindy A	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47918	Comment from Carlos Mata
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42716	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47919	Comment from Sally Rings
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42717	Comment from Matta, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47920	Comment from Ann Barnes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42718	Comment from Leibenson, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47921	Comment from Elizabeth Sima
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42719	Comment from Warner, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47922	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42720	Comment from Davitt, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47923	Comment from Gloria Muszynski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42721	Comment from Aquino, Hilary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47924	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42722	Comment from Han, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47925	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42723	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47926	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42724	Comment from Gregory, Renee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47927	Comment from Carolina Santiago
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42725	Comment from Sifuentes, D.G.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47928	Comment from Kerry Dockery
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42726	Comment from Knoff, Erik	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47929	Comment from Carol Batchelder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42727	Comment from Cemenska, Marci	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47930	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42728	Comment from Maronge, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47931	Comment from Pamela Woods
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42729	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47932	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42730	Comment from ahlstrand, heidi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47933	Comment from Lynne Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42731	Comment from Couch, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47934	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42732	Comment from Materi, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47935	Comment from Mary Valenzano
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42733	Comment from Robinett, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47936	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42734	Comment from rosen, rona	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47937	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42735	Comment from Flanagan-Riner, Dax	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47938	Comment from Stephen Rolston
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42736	Comment from demarais, jackie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47939	Comment from Judith Fry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42737	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47940	Comment from Linda Swan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42738	Comment from AMMON, CARA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47941	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42739	Comment from Chagnon, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47942	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42740	Comment from Chagnon, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47943	Comment from Diana Springfield
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42741	Comment from KORTRIGHT, JILL	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47944	Comment from Steve Gould
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42742	Comment from Pointer, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47945	Comment from Lindsay Aiello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42743	Comment from Freed, Alan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47946	Comment from Sharon Harrington
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42744	Comment from Teixeira, Darlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47947	Comment from Hillary Tiefer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42745	Comment from Thompson, TJ	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47948	Comment from Michelle Jarrard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42746	Comment from snyder, valerie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47949	Comment from Elisabeth Jakab
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42747	Comment from King, Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47950	Comment from Paul Meyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42748	Comment from O'Shea, Andrea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47951	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42749	Comment from denby, alexandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47952	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42750	Comment from King, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47953	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42751	Comment from Neff, Miriam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47954	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42752	Comment from Macaluso, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47955	Comment from Judith Fry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42753	Comment from Macaluso, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47956	Comment from karen horton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42754	Comment from Macaluso, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47957	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42755	Comment from Macaluso, Natalie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47958	Comment from Ahnna Weber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42756	Comment from Kline, Steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47959	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42757	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47960	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42758	Comment from scott, Peggy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47961	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42759	Comment from biggins, henry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47962	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42760	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47963	Comment from Michelle Allison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42761	Comment from Robinson-Kerr, Judi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47964	Comment from Dena Schwimmer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42762	Comment from Melchoni, Frank	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47965	Comment from Andrea Prieto
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42763	Comment from christensen, freya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47966	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42764	Comment from Mcevers, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47967	Comment from Sherry Seeton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42765	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47968	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42766	Comment from Saiia, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47969	Comment from Cheri Moore
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42767	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47970	Comment from Veronica Burnett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42768	Comment from MacKenzie, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47971	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42769	Comment from Scott, Bennie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47972	Comment from Barry Bennett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42770	Comment from Miller, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47973	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42771	Comment from Friedman, Esther	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47974	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42772	Comment from Lobel, Colleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47975	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42773	Comment from Ramey, Veronica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47976	Comment from Shawn Dugan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42774	Comment from Plucińska, Wanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47977	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42775	Comment from Schümmer, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47978	Comment from Ann Barnes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42776	Comment from Bindas, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47979	Comment from Catherine Ayoub
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42777	Comment from Keene, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47980	Comment from Richard Alley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42778	Comment from Curry, Nathalie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47981	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42779	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47982	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42780	Comment from Doolen, Tina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47984	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42781	Comment from Gibb, Ken	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47985	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42782	Comment from Lang, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47986	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42783	Comment from jordan, patti	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47987	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42784	Comment from Rigano, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47988	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42785	Comment from Weber, Nicole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47989	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42786	Comment from Brenza, Tina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47990	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42787	Comment from Miller, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47991	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42788	Comment from Randolph, Doug	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47992	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42789	Comment from Chun, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47993	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42790	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47994	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42791	Comment from Kelley, Karla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47995	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42792	Comment from McCann, Steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47996	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42793	Comment from Epstein, Nance	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47997	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42794	Comment from cain, jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47998	Comment from John Borland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42795	Comment from Bradshaw, Beverly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47999	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42796	Comment from Rosater, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48000	Comment from Marcie Mott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42797	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48001	Comment from Jo jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42798	Comment from Urban, P	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48002	Comment from Christian Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42799	Comment from Woods, Rocquelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48003	Comment from Peter Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42800	Comment from Maier, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48004	Comment from Debora Hojda
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42801	Comment from Lewis, Nora	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48005	Comment from Onno Bulk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42802	Comment from McDade, Shereen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48006	Comment from Diane libman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42803	Comment from Packer, Patti	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48007	Comment from Sharon Garlena
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42804	Comment from Arioli, Kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48008	Comment from Diane Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42805	Comment from Korner, Jeff	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48009	Comment from Andrew Frishman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42806	Comment from Eaton, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48010	Comment from Bonnie Sabbi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42807	Comment from Hallahan, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48011	Comment from Dorothy Hunter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42808	Comment from Bennett, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48012	Comment from babette bruton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42809	Comment from Pedone, Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48013	Comment from Lauren Schoenleber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42810	Comment from Wheeler, Gerald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48014	Comment from Eva Ghazi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42811	Comment from Fleming, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48015	Comment from Paulette Jaeger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42812	Comment from winchester, linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48016	Comment from Susan Perez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42813	Comment from Quinn, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48017	Comment from Linda Wright
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42814	Comment from Calderone, Tom	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48018	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42815	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48019	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42816	Comment from McGrath, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48020	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42817	Comment from Goldberg, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48021	Comment from Art Shervs
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42818	Comment from Kessler, Roberta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48022	Comment from Catherine Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42819	Comment from Hutson, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48023	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42820	Comment from WUERSLIN, THEODORE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48024	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42821	Comment from Laano, Laakea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48025	Comment from Allan goldstein

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42822	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48026	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42823	Comment from Shultz, Jamie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48027	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42824	Comment from Morris, Steven	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48028	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42825	Comment from Neary, Sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48029	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42826	Comment from vandal, Lise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48030	Comment from Terry Cummings
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42827	Comment from Barbara, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48031	Comment from bob garber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42828	Comment from O'Donnell, Dara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48032	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42829	Comment from Elie, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48033	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42830	Comment from Flyer, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48034	Comment from Sabina Kowalczyk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42831	Comment from Casiello, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48035	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42832	Comment from Hatcher, Patty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48036	Comment from Michele Reardon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42833	Comment from Stuehler, Helen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48037	Comment from Peter Tello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42834	Comment from Groessel, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48038	Comment from Susan Hemmer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42835	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48040	Comment from P Turic
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42836	Comment from B, S	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48041	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42837	Comment from Phenicie, Terrie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48042	Comment from Barbara Misuraca
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42838	Comment from Phenicie, Steven	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48043	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42839	Comment from Adams, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48044	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42840	Comment from Gargiulo, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48045	Comment from Ronald Bogin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42841	Comment from Harrison, Catherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48046	Comment from Kevin Kimmel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42842	Comment from Schafer, Sherry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48047	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42843	Comment from Carrig, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48048	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42844	Comment from Smith, Vicki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48049	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42845	Comment from Richard, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48050	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42846	Comment from Lenardson, Denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48051	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42847	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48053	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42848	Comment from Psaras, Brenda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48054	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42849	Comment from Bernas, Edward	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48055	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42850	Comment from Koff, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48056	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42851	Comment from Mejia, Will	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48057	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42852	Comment from Cochran, Deirdre	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48058	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42853	Comment from Vargas, Angela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48059	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42854	Comment from Quarles, Jerry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48060	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42855	Comment from Bartkowicz, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48061	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42856	Comment from Lewis, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48062	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42857	Comment from Hall, Christopher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48063	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42858	Comment from Stirpe, D	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48064	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42859	Comment from Surles, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48065	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42860	Comment from Gordon, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48066	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42861	Comment from Weilage, Krystal	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48067	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42862	Comment from Wu, Blake	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48068	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42863	Comment from ISHIKI, LEILA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48069	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42864	Comment from Nillo, christina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48070	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42865	Comment from Garbrick, Kathe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48071	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42866	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48072	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42867	Comment from Lenardson, Denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48073	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42868	Comment from Potter, Davina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48074	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42869	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48075	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42870	Comment from Plantz, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48076	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42871	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48077	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42872	Comment from Flores, Anthony	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48078	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42873	Comment from McLeod, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48079	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42874	Comment from Carbone, Christopher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48080	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42875	Comment from Rushworth, Jerily	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48081	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42876	Comment from griffey, pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48082	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42877	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48083	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42878	Comment from Daniel, Kian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48084	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42879	Comment from Emmer, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48085	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42880	Comment from Duffy, Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48086	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42881	Comment from rosen, rona	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48087	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42882	Comment from Long, Tiffani	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48088	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42883	Comment from herzhauser, Caren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48089	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42884	Comment from Sifuentes, D.G.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48090	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42885	Comment from Knauber, Nicole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48091	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42886	Comment from Knauber, Terri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48092	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42887	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48093	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42888	Comment from Damico, Rosemary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48094	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42889	Comment from Pappas, Betty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48095	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42890	Comment from Thompson, Erin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48096	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42891	Comment from Wood, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48097	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42892	Comment from Daum, Kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48098	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42893	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48099	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42894	Comment from rosen, rona	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48100	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42895	Comment from Smithsonian, Steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48101	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42896	Comment from Bentzel, Jen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48102	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42897	Comment from Barth, Joline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48103	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42898	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48104	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42899	Comment from Nobrega, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48105	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42900	Comment from Mohning, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48106	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42901	Comment from Gacond, Chantal	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48107	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42902	Comment from Penton, Toni	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48108	Comment from fay forman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42903	Comment from Bishop, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48109	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42904	Comment from Schaftlein, Karin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48110	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42905	Comment from Schaftlein, Lerry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48111	Comment from Heather Nemeth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42906	Comment from Dickson, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48112	Comment from Deidra Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42907	Comment from Pierucki, Jenny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48113	Comment from Omar Siddique
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42908	Comment from Pierucki, Gatha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48114	Comment from Eric Lezotte
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42909	Comment from Turner, Jim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48115	Comment from Elizabeth Lindorff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42910	Comment from Thompson, TJ	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48116	Comment from Candace Russell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42911	Comment from Zack, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48117	Comment from Myron Lilly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42912	Comment from donaho, shannon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48118	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42913	Comment from Wright, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48119	Comment from Lynne Glaeske
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42914	Comment from Spugnardi, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48120	Comment from Ingrid Eisenman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42915	Comment from Budde, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48121	Comment from Diana Duffy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42916	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48122	Comment from Joanna Craig
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42917	Comment from Demac, Olivia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48123	Comment from James Degner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42918	Comment from Alaniz, Emily	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48124	Comment from pam ward
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42919	Comment from Passty, J.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48125	Comment from GLORIA SHARP
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42920	Comment from Mullins, S	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48126	Comment from Michael Shapiro
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42921	Comment from Scott, Lexie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48127	Comment from Mary Sorokie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42922	Comment from Viragh, Brea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48128	Comment from Jim Elliott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42923	Comment from Olson, Leah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48129	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42924	Comment from Sussman, Perri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48130	Comment from Angelika Pfutzner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42925	Comment from Morrison, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48131	Comment from Jeffery Olson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42926	Comment from Kirby, Suzanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48132	Comment from Kimberly Wade
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42927	Comment from Ianchiou, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48133	Comment from Peter Dooley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42928	Comment from Flint, Mandie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48134	Comment from Gerald Wein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42929	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48135	Comment from Evelyn Adams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42930	Comment from Lindskog, Kaija	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48136	Comment from Amy Wolfberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42931	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48137	Comment from Sue McNally
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42932	Comment from Monahan, Marissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48138	Comment from Julia Petipas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42933	Comment from Watts, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48139	Comment from Kim Brower
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42934	Comment from Murdock, Lauren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48140	Comment from Genevieve Van de Merghel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42935	Comment from Von Schmach, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48141	Comment from Bob Farrell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42936	Comment from Steigerwaldt, Samantha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48142	Comment from John Teevan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42937	Comment from Hayes, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48143	Comment from Kerry Mackin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42938	Comment from Overstreet, Romy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48144	Comment from Gail Koza
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42939	Comment from Stack, Ronald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48145	Comment from Harvey Kaiser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42940	Comment from Miles, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48146	Comment from Dianne Douglas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42941	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48147	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42942	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48148	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42943	Comment from Naidnur, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48149	Comment from Saran K.
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42944	Comment from Patel, Shamil	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48150	Comment from Mary Rogge

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42945	Comment from Lender, M	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48151	Comment from Tom Struhsaker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42946	Comment from Lerner, Sara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48152	Comment from Libba Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42947	Comment from Field, Brian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48153	Comment from Amy Cyr
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42948	Comment from Spencer, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48154	Comment from Jill Wilcox
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42949	Comment from Espinoza, Bernadette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48155	Comment from nicolas estevez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42950	Comment from Lilly, Haley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48156	Comment from Sandra Marquez-Hall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42951	Comment from Dejesus-Ford, shalese	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48157	Comment from Suzanne Masoni
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42952	Comment from Mace, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48158	Comment from Linda Jenkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42953	Comment from Ross, Beth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48159	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42954	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48160	Comment from Paula Eaton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42955	Comment from Donovan, Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48161	Comment from robin mater
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42956	Comment from Habuda, LINDA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48162	Comment from Justin Cohen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42957	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48163	Comment from Elizabeth LeMoine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42958	Comment from Smedley, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48164	Comment from Anne Hawkinson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42959	Comment from Adams, Geraldine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48165	Comment from Linda Swan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42960	Comment from koury, stephen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48166	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42961	Comment from Thornton, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48167	Comment from Eva Kraemeer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42962	Comment from Connolly, April	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48168	Comment from Kelli Vogltance
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42963	Comment from Dotzauer, Uwe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48169	Comment from Donald Greenberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42964	Comment from Bush, Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48170	Comment from Jack Rahilly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42965	Comment from Saccone, Denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48171	Comment from Janet Witzeman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42966	Comment from STEYH, JOHN	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48172	Comment from Darlene Wolf
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42967	Comment from Mcarthur, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48173	Comment from Michele B
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42968	Comment from Hess, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48174	Comment from Mel Apodaca
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42969	Comment from Heron, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48175	Comment from Joe Connors
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42970	Comment from Wolkiewicz, Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48176	Comment from Kathleen Snedeker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42971	Comment from Richards, Bill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48177	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42972	Comment from Grosfeld, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48178	Comment from Mary Weiner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42973	Comment from Jones, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48179	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42974	Comment from Hansell, Connor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48180	Comment from Peter Sabio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42975	Comment from TALLEAGLE, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48181	Comment from Michelle Mehlhorn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42976	Comment from Spencer, amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48182	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42977	Comment from lorditch, cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48183	Comment from Jill Madsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42978	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48184	Comment from Cecilia Correia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42979	Comment from Gilchrist, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48185	Comment from Kaileen Alston
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42980	Comment from COOPER, JENNIFER	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48186	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42981	Comment from Correia, Maria Cecilia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48187	Comment from Jeth Mill
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42982	Comment from Donovan, Stephan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48188	Comment from Sonja Barton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42983	Comment from Woppert, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48189	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42984	Comment from Meisels, Marlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48190	Comment from Gary Gladhill
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42985	Comment from Davidson, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48191	Comment from Jane Barron

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42986	Comment from scarim, nick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48192	Comment from Martin Streett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42987	Comment from DeOrio, Sheri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48193	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42988	Comment from Borske, Cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48194	Comment from Jean Tabin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42989	Comment from Allard, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48195	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42990	Comment from Falconer, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48196	Comment from Marla Berry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42991	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48197	Comment from Rob Weltner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42992	Comment from Nutley, Andrea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48198	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42993	Comment from Smith, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48199	Comment from Robin Coleman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42994	Comment from Porter, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48200	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42995	Comment from Holtzapple, Gregory	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48201	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42996	Comment from Mammino, Cissie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48202	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42997	Comment from Badger, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48203	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42998	Comment from Pitt, Jon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48204	Comment from Brett Schultz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42999	Comment from Lasky, Eleanor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48205	Comment from Tom Bulger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43000	Comment from Mann, Jeff	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48206	Comment from ARNEL CATACUTAN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43001	Comment from Gress, Laurel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48207	Comment from Lisa Eisen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43002	Comment from Martin, L	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48208	Comment from Patrick Huey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43003	Comment from K, Barbra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48209	Comment from Susanne Powers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43005	Comment from Obr, Brooks	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48210	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43006	Comment from Sterling, Laurie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48211	Comment from Wandis Wilcox
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43007	Comment from Courts, Pam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48212	Comment from Sue McNally
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43008	Comment from Luna, Carlos	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48213	Comment from Jason Gibson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43009	Comment from Tritt, Connie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48214	Comment from Candy Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43010	Comment from Putman , Christina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48215	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43011	Comment from SCIAMBRA, MARY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48216	Comment from Robert Wallace
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43012	Comment from persad, nalini	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48217	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43013	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48218	Comment from Joan Heilman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43014	Comment from Salama, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48219	Comment from Cheryl Friedman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43016	Comment from choong, sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48220	Comment from Corinne Blakley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43017	Comment from Wilson, Joni	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48221	Comment from Lisa Valdmets
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43018	Comment from Williford, Marissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48222	Comment from Diana Lunceford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43019	Comment from Eagan, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48223	Comment from John Barger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43020	Comment from salama, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48224	Comment from Angela CHRISTOPHERSON
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43021	Comment from Marsala, Joe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48225	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43022	Comment from Rector, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48226	Comment from Barbara Hart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43023	Comment from choong, priscilla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48227	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43024	Comment from Kwasneski, Cathie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48228	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43025	Comment from Hanson, Jean W	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48229	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43026	Comment from Callahan, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48230	Comment from Christina Viljoen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43027	Comment from Ogle, Marylou	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48231	Comment from Carole Klumb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43028	Comment from Winogrodsk, Eva	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48232	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43029	Comment from Zaborowski, Bo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48233	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43030	Comment from Martin, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48234	Comment from Gail Sullivan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43031	Comment from Mashkova, Olga	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48235	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43032	Comment from B, Lauren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48236	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43033	Comment from Empoules, Patty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48237	Comment from Stephen Dutschke
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43034	Comment from Stallard, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48238	Comment from Catherine Vedder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43035	Comment from Collins, Nathalie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48239	Comment from Andy Called
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43036	Comment from Morgan, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48240	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43037	Comment from Jones, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48241	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43038	Comment from Kummer, Ilene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48242	Comment from Carl Brack
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43039	Comment from Brooks, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48243	Comment from Howard McNinch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43040	Comment from McWilliams, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48244	Comment from Grace Padelford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43041	Comment from Schanz, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48245	Comment from Anca Vlasopolos
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43042	Comment from Towner, Erline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48246	Comment from Susanne Groenendaal
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43043	Comment from Wait, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48247	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43044	Comment from SWETT, MACOE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48248	Comment from Steve Nelson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43045	Comment from Echelmeyer, Frank	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48249	Comment from Megan Harcourt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43046	Comment from Dannhauser, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48250	Comment from Michael Shapiro
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43047	Comment from Hallwas, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48251	Comment from J ODonnell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43048	Comment from Goodman, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48252	Comment from Joelle Shefts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43049	Comment from Toomey, Philip	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48253	Comment from Beverly Poncia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43050	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48254	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43051	Comment from Applegate, Jaclyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48255	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43052	Comment from Johnson, Gregg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48256	Comment from Carolyn Haupt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43053	Comment from SCHWARTZ, TASHA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48257	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43054	Comment from Ross, Elliot	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48258	Comment from Tina Yao
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43055	Comment from Bury, Harry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48259	Comment from Nancy Gasperment
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43056	Comment from Shinn, Michon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48260	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43057	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48261	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43058	Comment from Almeida-Aitamar, Gabriel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48262	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43059	Comment from Taylor, Kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48263	Comment from Nicole Schildcrout-Lloyd
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43061	Comment from Sciarriello, Loisann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48264	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43062	Comment from McClurg, Daviann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48265	Comment from Ryan Gardner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43063	Comment from Frech, Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48266	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43064	Comment from Schweitzer, Sheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48267	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43065	Comment from Zwick, Jody	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48268	Comment from Sandra Joos
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43066	Comment from Crandall, AnaLisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48269	Comment from karen donofrio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43067	Comment from Marro, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48270	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43068	Comment from Pineda, Faye	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48271	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43069	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48272	Comment from b hinson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43070	Comment from Picinska, Malgorzata	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48273	Comment from Bob Ramlow

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43071	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48274	Comment from Marya Zanders
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43072	Comment from McGhee, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48275	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43073	Comment from Millhollen, Pilar	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48276	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43074	Comment from DeRome, Emmett	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48277	Comment from Amy Poe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43075	Comment from Strain, Darren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48278	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43076	Comment from Barcikowski, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48279	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43077	Comment from Kinnamon, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48280	Comment from BETTINA LUBOFF
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43078	Comment from Kent, Gwendolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48281	Comment from Patricia Williamson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43079	Comment from Cyriacks, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48282	Comment from jole lheureux
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43080	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48283	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43081	Comment from Paige, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48284	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43082	Comment from Klucsar, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48285	Comment from Mari Passananti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43083	Comment from Goldschen, Stacy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48286	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43084	Comment from Babbitt, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48287	Comment from carol ritshell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43085	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48288	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43086	Comment from Stokes, Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48289	Comment from Rick Sutton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43087	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48290	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43088	Comment from Tackett, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48291	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43089	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48292	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43090	Comment from Olson, Leah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48293	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43091	Comment from Franklin, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48294	Comment from Lozz Starseed
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43092	Comment from Green, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48295	Comment from bruce raymond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43093	Comment from SEMAIDA, JIM	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48296	Comment from Emily Dickinson-Adams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43094	Comment from Denko, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48297	Comment from Paul Montell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43095	Comment from Schmech, Derek	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48298	Comment from Paul Meyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43097	Comment from Rall, Ben	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48299	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43098	Comment from Monahan, Marissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48300	Comment from Marion Henderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43099	Comment from Wettersten, Jill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48301	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43100	Comment from Casper, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48302	Comment from Mary Wood-Constable
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43101	Comment from THURMAN, SCOTT	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48303	Comment from Janet Fotos
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43102	Comment from Lampe, Raymond	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48304	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43103	Comment from Erazo, Lidija	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48305	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43104	Comment from Dawson, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48306	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43105	Comment from Whillock, Laurel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48307	Comment from Phillip Mixon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43106	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48308	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43107	Comment from Hardy, Ingrid	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48309	Comment from Clare Allah
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43108	Comment from Skopic, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48310	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43109	Comment from Ritter, Valerie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48311	Comment from Beverly Eadie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43110	Comment from Kenney, Ed	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48312	Comment from Marc Berner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43111	Comment from Zotos, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48313	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43112	Comment from klumb, carole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48314	Comment from Antoinette Ambrosio

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43113	Comment from Spear, Lauren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48315	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43114	Comment from Shields, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48316	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43115	Comment from How, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48317	Comment from Carol Kommerstad-Reiche
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43116	Comment from Stanton, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48318	Comment from Linda Judd
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43117	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48319	Comment from Maree Macpherson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43118	Comment from Waldron, Tzeitel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48320	Comment from Cyndee Newick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43119	Comment from Keinath, Marily	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48321	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43120	Comment from DERENCE, Lea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48322	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43121	Comment from Buckman, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48323	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43122	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48324	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43123	Comment from D'Errico, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48325	Comment from Diane loughbom
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43124	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48326	Comment from Stephanie Smedley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43125	Comment from Hayward, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48327	Comment from Lynn Bamdas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43126	Comment from Sipos, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48328	Comment from Sandra Bundy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43127	Comment from Knopf, Alexander	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48329	Comment from Robert Martin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43128	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48330	Comment from William Nusbaum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43129	Comment from lowrie, sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48331	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43130	Comment from Kennedy, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48332	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43131	Comment from Buckley, Tom	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48333	Comment from Mark Koritz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43132	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48334	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43133	Comment from Schneider, Dan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48335	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43134	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48336	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43135	Comment from Alschuler, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48337	Comment from Gregory Quinn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43136	Comment from Morgan, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48338	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43137	Comment from Calhoun, Becky	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48339	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43138	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48340	Comment from Gail Roberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43139	Comment from Cantara, Gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48342	Comment from Amy Zink
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43141	Comment from Iannicelli, Kathie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48343	Comment from Pete Barron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43142	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48344	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43143	Comment from Karroum, Nassima	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48345	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43144	Comment from Yow, Ray	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48346	Comment from Chris Hazynski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43145	Comment from Collins, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48347	Comment from James Hickey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43146	Comment from Buell, Tiffany	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48348	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43147	Comment from Richardson, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48349	Comment from Dawn Sare
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43148	Comment from Platt, Betty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48350	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43149	Comment from Azzarello, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48351	Comment from Tonya McMorris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43150	Comment from Bengel, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48352	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43151	Comment from Rein-Weston, Annie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48353	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43152	Comment from Haseltine, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48354	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43153	Comment from Wolzen, Roxane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48355	Comment from Elizabeth Chiribi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43154	Comment from Yunker, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48356	Comment from Juan Lora

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43155	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48357	Comment from William Roberson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43156	Comment from Reifman, Jamie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48359	Comment from J Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43157	Comment from Peterman, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48360	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43158	Comment from Williams, Terrie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48361	Comment from Joyce Parr, Carrie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43159	Comment from Onesimo, Dean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48362	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43160	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48363	Comment from Butler, Tommi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43161	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48364	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43162	Comment from Holloway, Pearl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48365	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43163	Comment from Pajer, Scott and Tricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48366	Comment from Agramonte , Amy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43164	Comment from dowling, robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48367	Comment from Picard, Guillaume
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43165	Comment from Narkoff, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48368	Comment from Christine Sepulveda
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43166	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48369	Comment from Jamie Thomas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43167	Comment from Koechner, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48370	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43168	Comment from Whitehead, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48371	Comment from Kerry Burkhardt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43169	Comment from King, Denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48372	Comment from S B
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43170	Comment from Babbitt, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48373	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43171	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48374	Comment from Julia Hartman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43172	Comment from Arvio, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48375	Comment from Gloria Navan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43173	Comment from McDonald CVT, Erin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48376	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43174	Comment from Abbott, Eric	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48379	Comment from Beverly deGero
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43175	Comment from JENNINGS, LINDA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48380	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43176	Comment from Mctigue, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48381	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43177	Comment from freddie williams	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48382	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43178	Comment from Abitz, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48383	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43179	Comment from Pflugrad, Johnny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48384	Comment from Sharon McCarthy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43180	Comment from Sommerfield, Katharine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48385	Comment from Lynne Wolf
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43181	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48386	Comment from LeAnn Bjelle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43182	Comment from Rothenberg, Renaye	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48387	Comment from Carole Pappas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43183	Comment from Lau, Catherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48388	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43184	Comment from loewenstein, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48389	Comment from Catherine Ream
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43185	Comment from Ultican, Lanna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48390	Comment from Dolores Welty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43186	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48391	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43187	Comment from Henry, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48392	Comment from Christine Hampton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43188	Comment from lubow, judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48393	Comment from Cheryl Rowe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43189	Comment from Brown, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48394	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43190	Comment from Perlmutter, Martin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48395	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43191	Comment from Shaw, Niel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48396	Comment from George Cracian
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43192	Comment from Ronnquist, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48397	Comment from Leila Mohseni
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43193	Comment from Daiss, Becky	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48398	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43194	Comment from Fitz, F	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48399	Comment from Heather Wickings
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43195	Comment from Esson, Gen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48400	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43196	Comment from McCane, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48401	Comment from Gail Wing
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43197	Comment from Smith, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48402	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43198	Comment from McCleary, Harriet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48403	Comment from Elizabeth Thorpe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43199	Comment from Pew, Don	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48404	Comment from Gloria Grotjan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43200	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48405	Comment from MARK BEST
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43201	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48407	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43202	Comment from levin, monnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48408	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43203	Comment from Randolph, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48409	Comment from Susan meyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43204	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48410	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43205	Comment from Thorpe, Samuel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48411	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43206	Comment from Jerome, Lana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48412	Comment from Joan Harris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43207	Comment from Baldwin, B E	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48414	Comment from Laura LaVertu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43208	Comment from Brown, Meg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48415	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43209	Comment from Greiner, Evghenia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48416	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43210	Comment from Stransky, Jaimee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48417	Comment from Stephanie Huntington
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43211	Comment from Martin, Stacy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48418	Comment from Sandra Conrad
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43212	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48419	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43213	Comment from Bauer, Becky	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48420	Comment from Kathetine Napolitani
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43214	Comment from Friedman, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48421	Comment from gary rejsek
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43215	Comment from Najemy, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48422	Comment from Sharon Parshall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43216	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48423	Comment from Harriet McCleary
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43217	Comment from Bicking, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48424	Comment from Dave McGowan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43218	Comment from Schlichte, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48425	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43219	Comment from Baldwin, Venita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48426	Comment from claudia Bourks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43220	Comment from Sharpee, Rhoda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48427	Comment from Jim Leske
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43221	Comment from Runge, Erica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48428	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43222	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48429	Comment from Darren Mitton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43223	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48430	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43224	Comment from Sayer, Lise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48431	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43225	Comment from Yorinks, Adrienne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48432	Comment from Carol Batchelder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43226	Comment from correira, claudia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48433	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43227	Comment from Durrum, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48434	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43228	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48435	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43229	Comment from Metter, Adrienne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48436	Comment from Vernon Batty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43230	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48437	Comment from Ariane smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43231	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48439	Comment from Megan Wood
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43232	Comment from Bartley, Vanessa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48440	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43233	Comment from Alarcon, Rita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48441	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43234	Comment from Barnes, Bob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48442	Comment from DAVID KASTELINE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43235	Comment from Shillito, Jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48443	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43236	Comment from McCommon, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48444	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43237	Comment from Cifaldi, Margret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48445	Comment from Lydia Mayhood
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43238	Comment from Varca, Denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48446	Comment from Sophie Herndon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43239	Comment from Cresseveur, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48447	Comment from Kathy Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43240	Comment from PICKERING, PATRICIA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48448	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43241	Comment from Modjeski, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48449	Comment from Derrick Ryan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43242	Comment from Demchenko, Vera	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48450	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43243	Comment from Shaffer, Nicole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48451	Comment from Ericka Kohn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43244	Comment from Romano, Deanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48452	Comment from Pamela Myhree
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43245	Comment from H., Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48453	Comment from Nancy McLean
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43246	Comment from Anderson, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48454	Comment from Sallie Donkin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43247	Comment from McVey, Jonathan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48455	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43248	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48456	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43249	Comment from Scudder, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48457	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43250	Comment from Meyer, Moranda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48458	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43251	Comment from Bahmanyar, Mir	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48459	Comment from jean zanow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43252	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48460	Comment from Alyson Winters
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43253	Comment from Quintero, Vanessa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48461	Comment from Catherine Ward-Long
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43254	Comment from Ringe, Axel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48462	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43255	Comment from Brannian, Riley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48463	Comment from Donna Markham
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43256	Comment from Carroll, Glenn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48464	Comment from LEAH JACOBS
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43257	Comment from Clement, Angela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48465	Comment from marcia sliwinski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43258	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48466	Comment from Lee Bible
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43259	Comment from Hagen, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48467	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43260	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48468	Comment from Kate Mullan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43261	Comment from Carlson, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48469	Comment from Elloie Jeter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43262	Comment from Corder, Gwendolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48470	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43263	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48471	Comment from Summer Crabtree
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43264	Comment from Murray, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48472	Comment from Rachael Riccobene
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43265	Comment from Smith, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48473	Comment from Nancy Walsh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43266	Comment from Gilliam, Gwendolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48474	Comment from Teri Smyth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43267	Comment from Lobasso, Kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48476	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43268	Comment from Vaughn, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48477	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43269	Comment from Leath, Jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48478	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43270	Comment from MITCHELL, CHRISTOPHER	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48479	Comment from Mark March
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43271	Comment from Behar, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48480	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43272	Comment from LaMagna, Leticia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48481	Comment from Len Carella
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43274	Comment from pick, amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48482	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43275	Comment from Bailey, Bob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48483	Comment from Wendy Joffe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43276	Comment from Hill, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48485	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43277	Comment from Saran, Harvinderjit	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48486	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43278	Comment from Buydos, Geary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48487	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43279	Comment from Krieger, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48488	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43280	Comment from Mitchell, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48489	Comment from Francine Lipka
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43281	Comment from York, Jo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48490	Comment from VICKY COSGROVE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43282	Comment from Nell, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48491	Comment from Patricia Mckelvie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43283	Comment from Desmond, Jeanette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48492	Comment from b hinson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43284	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48493	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43285	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48494	Comment from Chey Richmond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43286	Comment from McCommon, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48495	Comment from Elsie Knab
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43287	Comment from Keller, Jack	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48496	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43288	Comment from Duckworth, Nadine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48497	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43289	Comment from Desmond, Jeanette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48498	Comment from Dawn Riley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43290	Comment from Salva, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48499	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43291	Comment from Powell, Antonia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48500	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43292	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48501	Comment from Mariateresa Canosa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43293	Comment from Slakter, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48502	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43294	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48503	Comment from Mark Redmond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43295	Comment from maker, janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48504	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43296	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48505	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43297	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48506	Comment from Helen Findley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43298	Comment from Gitt, Ricky	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48507	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43299	Comment from Savige, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48508	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43300	Comment from Holcomb, A. Anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48509	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43301	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48510	Comment from Marisol Prins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43302	Comment from Rolofson, Tom	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48511	Comment from Patrice Tullai
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43303	Comment from LaStrapes, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48512	Comment from Ann Marie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43304	Comment from Hawkins, A J	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48513	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43305	Comment from Ray, Jack	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48514	Comment from Rahul Iyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43306	Comment from Latham, Lynne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48515	Comment from Jeffrey Dix
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43307	Comment from Dresser, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48516	Comment from Suzan Woychuk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43308	Comment from Hamilton, Michele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48517	Comment from Elizabeth Turner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43309	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48518	Comment from Robert Frank
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43311	Comment from Crawford, Jason	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48519	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43312	Comment from Marchetti, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48520	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43313	Comment from Bossert, Kristen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48521	Comment from Janet Ty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43314	Comment from Taylor, Donald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48522	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43315	Comment from Dekanich, Annette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48523	Comment from James Gazzale
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43316	Comment from Pollock, Dan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48524	Comment from TOM ENGLISH
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43317	Comment from Hayman, Lauren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48525	Comment from Mark Soenksen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43318	Comment from Muszynski, Gloria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48526	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43319	Comment from Goldstein, Helen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48527	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43320	Comment from Steiner Bowyer, Sallye	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48528	Comment from Alisa Battaglia

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43321	Comment from Martin, Raymond	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48529	Comment from Susan McCarthy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43322	Comment from KLEIN, DOUGLAS	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48530	Comment from Stephen Connor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43323	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48531	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43324	Comment from Reed, Taylor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48532	Comment from Janet Forbes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43325	Comment from Abbott, Alison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48533	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43326	Comment from Bradley, Al	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48534	Comment from Victoria Urias
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43327	Comment from Wilson, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48535	Comment from Margaret Beckman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43328	Comment from O'Keefe, Dan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48536	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43329	Comment from Mackenroth, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48537	Comment from Frances Parsons
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43330	Comment from Sewald, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48538	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43331	Comment from DeGroot, Tiff	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48539	Comment from BRENDA MARTIN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43332	Comment from Kane, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48540	Comment from Ann Myers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43333	Comment from Schneider, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48541	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43334	Comment from Skopic, Nina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48542	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43335	Comment from cioci, jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48543	Comment from CINDY PORTER
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43336	Comment from van de Waarsenburg, Marc	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48544	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43337	Comment from Traube, Patty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48545	Comment from Sondra Boes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43338	Comment from Magliocca, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48546	Comment from Deirdre Brennan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43339	Comment from Colton, Cammy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48547	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43340	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48548	Comment from Frank Tucciarone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43341	Comment from Lee, Susie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48549	Comment from Zinnia Politzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43342	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48550	Comment from Jimmie Lunsford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43343	Comment from Clark Jr, James A	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48551	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43344	Comment from Kozel, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48552	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43345	Comment from Bell, Deon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48553	Comment from Valerie Clark
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43346	Comment from Renteria, Veronica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48554	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43347	Comment from Locker, Georgia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48555	Comment from Lawrence Plummer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43348	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48556	Comment from Warwick Hansell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43349	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48557	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43350	Comment from Olson, Arlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48558	Comment from Grace Agnew
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43351	Comment from Igard, Jodi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48559	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43352	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48560	Comment from Melissa Prescott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43353	Comment from Friedenson, Louise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48561	Comment from Monique Coffey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43354	Comment from Anderson, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48562	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43355	Comment from Byrne, Charles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48563	Comment from Lynn Thornton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43356	Comment from Cunningham, Glenn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48564	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43357	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48565	Comment from Sheila Gebart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43358	Comment from Segal, Bobbi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48566	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43359	Comment from Manganello, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48567	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43360	Comment from g, j	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48568	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43361	Comment from Fostel, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48569	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43362	Comment from h, j	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48570	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43363	Comment from Brunskill, Nan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48571	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43364	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48572	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43365	Comment from Paspalas, Julia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48573	Comment from Joseph Gulas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43366	Comment from Stevenson-King, Annie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48574	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43367	Comment from Holden, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48575	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43368	Comment from Gestes, Lillian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48576	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43369	Comment from Kaleel, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48577	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43370	Comment from Weber, Joy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48578	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43371	Comment from Gonzalez, William G	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48579	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43372	Comment from Hemmila, Rodney	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48580	Comment from Duke Briscoe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43373	Comment from Hallmark, Jena	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48581	Comment from Dawn Florio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43374	Comment from Shasky, Mike	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48582	Comment from Teresa Bartley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43375	Comment from Epley, Cherie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48583	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43376	Comment from Seegott, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48584	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43377	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48585	Comment from Gayle Edelman-Tolchin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43378	Comment from Temin, Larry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48586	Comment from Karen Graham
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43379	Comment from Kline, Denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48587	Comment from cindy copeland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43380	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48588	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43381	Comment from Huber, Ivan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48589	Comment from Diane Krassenstein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43382	Comment from Barfknecht, Marci	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48590	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43383	Comment from BELTER, JERRY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48591	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43384	Comment from Costolo, Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48592	Comment from Jill B.
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43385	Comment from Michaelis, MaryLynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48593	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43386	Comment from Price, Don	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48594	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43387	Comment from Ennis, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48595	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43388	Comment from Faller, Lisabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48596	Comment from THEODORE MERTIG
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43389	Comment from Spahn, Katie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48597	Comment from Sarah Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43390	Comment from St. John, Clayton	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48598	Comment from Astara Light
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43391	Comment from Tame, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48599	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43392	Comment from D'Alessandro, Keith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48600	Comment from Kelly Luna
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43393	Comment from Jenkins, Brigitte	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48601	Comment from Anne Hutchison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43394	Comment from Bronstein, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48602	Comment from Robert Neuzil
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43395	Comment from Olavarrieta, Martha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48603	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43396	Comment from O'Neill, Tiffany	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48604	Comment from Nancy Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43397	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48605	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43398	Comment from Alexander, Z.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48606	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43399	Comment from Cataldo, Rosanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48607	Comment from Bruce von Alten
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43400	Comment from Schoenbachler, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48608	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43401	Comment from Thompson, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48609	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43402	Comment from Paker, Bulent	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48610	Comment from Stacy James

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43403	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48611	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43404	Comment from Stirling, Gail	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48612	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43405	Comment from Pullen, Rev. Sher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48613	Comment from M S
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43406	Comment from Houser, Donald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48614	Comment from Teresa Bartley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43408	Comment from Abby, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48615	Comment from O Lewis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43409	Comment from Nowak, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48616	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43410	Comment from Tollison, Joanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48617	Comment from Anna Bergalis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43411	Comment from Lalumiere, Valerie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48618	Comment from Karen Bond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43412	Comment from Gregory, Chilton	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48619	Comment from Mary Stanton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43413	Comment from Medlin, Barry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48620	Comment from Susan Evans
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43414	Comment from Langelier, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48621	Comment from Ron Season
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43415	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48622	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43416	Comment from Sheridan, Anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48623	Comment from Ed Zych
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43417	Comment from McGee, Maureen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48624	Comment from Garry Taroli
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43418	Comment from sands, gloria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48625	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43419	Comment from Hamilton, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48626	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43420	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48627	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43421	Comment from H, Liza	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48628	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43422	Comment from Eversole, April	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48629	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43423	Comment from Wright, Tenjey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48630	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43424	Comment from Ridgway, Gregory	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48631	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43425	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48632	Comment from Debbie Prawer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43426	Comment from Swope, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48633	Comment from Ellaine Janicki
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43427	Comment from Wertz, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48634	Comment from Elaine Berg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43428	Comment from Newsom, Deirdre	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48635	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43429	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48636	Comment from Linda Knowles
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43430	Comment from Cross, Heather	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48637	Comment from Barry Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43431	Comment from Spring, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48638	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43432	Comment from Knapp, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48639	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43433	Comment from Deroy, Aleta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48640	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43434	Comment from Hawkins, Marta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48641	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43435	Comment from Pinto, Juliann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48642	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43436	Comment from Howard, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48643	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43437	Comment from Swint, Dorothea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48644	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43438	Comment from Howard, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48645	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43439	Comment from Callahan, Kara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48646	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43440	Comment from reingold, robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48647	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43441	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48649	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43442	Comment from Doig, Dona	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48650	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43443	Comment from Serylo, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48651	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43445	Comment from ERCEG, GEORGE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48652	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43446	Comment from Craig, Heidi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48653	Comment from Lisa Landsverk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43447	Comment from Dubman, amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48654	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43448	Comment from Dubman, amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48655	Comment from Ken Klaas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43449	Comment from Spain, Madeline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48656	Comment from Stephanie Pratt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43450	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48657	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43451	Comment from Monday, Kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48658	Comment from Leah Bush
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43452	Comment from Nassikas, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48659	Comment from Marilyn Mueller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43453	Comment from Schindler, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48660	Comment from DoRi Miles
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43454	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48661	Comment from Catherine Ward-Long
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43455	Comment from Watson, Madison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48662	Comment from Lisa Caldwell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43456	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48663	Comment from Louise Chadborne
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43457	Comment from Sutherland, Shari	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48664	Comment from Catherine Shea
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43458	Comment from miller, brian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48665	Comment from joan turner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43459	Comment from Anderson, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48666	Comment from Dominic Libby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43460	Comment from ECHOLS, NICOLE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48667	Comment from Rhonda Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43461	Comment from Lane, Francine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48668	Comment from steven korson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43462	Comment from mutter, maria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48669	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43463	Comment from Todd, Marlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48670	Comment from Richard Peterson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43464	Comment from Leary, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48671	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43465	Comment from sugarman, kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48672	Comment from Joyce Morgan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43466	Comment from Partin, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48673	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43468	Comment from Dunn, Lois	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48674	Comment from Victori Rubietta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43469	Comment from Chavez, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48675	Comment from Judith Hopkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43470	Comment from Janusauskas, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48676	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43471	Comment from Vail, Cameron	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48677	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43473	Comment from Owen, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48678	Comment from Paula DeFelice
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43474	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48679	Comment from Jodi Daniels
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43475	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48680	Comment from Barbara Rauh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43476	Comment from Guevara, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48681	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43477	Comment from dominique, benoit	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48682	Comment from pat turney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43478	Comment from Darby, Chan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48683	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43479	Comment from Barlow, Steven	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48684	Comment from sasha silverstein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43480	Comment from Zahra, Raymond	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48685	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43481	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48686	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43482	Comment from Oates, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48687	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43483	Comment from DEL BARRIO, IRMA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48688	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43484	Comment from Tine, Priscilla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48689	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43485	Comment from colonoy, pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48690	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43486	Comment from Tine, Priscilla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48691	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43487	Comment from benkert, cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48692	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43488	Comment from Knoppers, Sherry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48693	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43489	Comment from Kazak, Ilene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48694	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43490	Comment from Thomas, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48695	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43491	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48696	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43492	Comment from Morano Brown, Darleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48697	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43493	Comment from Staff, George	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48698	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43494	Comment from Pealer, Renate	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48699	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43495	Comment from PHILLIPS, CHERYL	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48700	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43496	Comment from Salgado, Dalia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48701	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43497	Comment from Fleury de Castro, Gabriela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48702	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43498	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48703	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43499	Comment from Caron, Paige	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48704	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43500	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48705	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43501	Comment from Johnson, Constance	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48706	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43502	Comment from Bleckinger, Dana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48707	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43503	Comment from Sanford, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48708	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43504	Comment from Carl, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48709	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43505	Comment from Hardyman, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48710	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43506	Comment from Palmer, R. Brent	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48711	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43507	Comment from Hargas, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48712	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43508	Comment from Wieland, Charles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48713	Comment from Dean Webb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43509	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48714	Comment from Donna Cox
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43510	Comment from Cannon, Marley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48715	Comment from Kris Pagenkopf
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43511	Comment from Davidson, Amber	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48716	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43512	Comment from Moricas, Lindsay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48717	Comment from Elizabeth Ramsey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43513	Comment from McDonald, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48718	Comment from Gabriela Sosa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43514	Comment from Jenkins, Priscilla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48719	Comment from Jean Frederick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43515	Comment from Curtis, Janell	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48720	Comment from Aaron Ucko
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43517	Comment from Girard, Anne Marie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48721	Comment from Carol Gray
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43518	Comment from Grace, George	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48722	Comment from Rachel Cox
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43519	Comment from Maltagliati, Gloria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48723	Comment from kate Allen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43520	Comment from Minsky, Nina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48724	Comment from Steve Robey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43521	Comment from Budoff, Roslynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48725	Comment from robert cobb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43522	Comment from gabriele, makenzie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48726	Comment from Jessica Pate
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43523	Comment from Fisher, Laurie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48727	Comment from Sheilagh Bergeron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43524	Comment from POTTOK, ARLENE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48728	Comment from Jane Rodgers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43525	Comment from Meck, Wanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48729	Comment from Harry Milkman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43526	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48730	Comment from David G
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43527	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48731	Comment from Rick Romito
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43528	Comment from Straub, Marcus	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48732	Comment from Christine Despres
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43529	Comment from Robinson, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48733	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43530	Comment from King, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48734	Comment from Geoffrey Ogden

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43531	Comment from Marler, Cody	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48735	Comment from Nancy Gasperment
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43532	Comment from Huddleston, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48736	Comment from Kerry Edmunds
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43533	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48737	Comment from Denise Ress
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43534	Comment from Karp, Laurie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48738	Comment from Dara Rider
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43535	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48739	Comment from Ethel Usaraga
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43536	Comment from Fletcher, Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48740	Comment from Harriett Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43538	Comment from Snyder, +Ker. +C. +Mayor, +Tiff...	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48741	Comment from Clayton Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43539	Comment from o, K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48742	Comment from Phyllis Huang
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43540	Comment from Mazias, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48743	Comment from Diane Klump
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43541	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48744	Comment from Tina Bartlett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43542	Comment from Nemeth, Elisabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48745	Comment from Elizabeth Hartrick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43543	Comment from Goode, Eva	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48746	Comment from Wayne Harris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43544	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48747	Comment from Lisa Castillo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43545	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48748	Comment from John Dylla
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43546	Comment from McGlaughlin, Paige	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48749	Comment from James Melloh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43547	Comment from Hyson, Donald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48750	Comment from Christine Doering
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43548	Comment from Giesing, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48751	Comment from Maria Varrone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43549	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48752	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43550	Comment from Edwards, Joy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48753	Comment from Trish Hicks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43551	Comment from Ald, Steven	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48754	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43552	Comment from fusaro, sienna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48755	Comment from Shirley Bensetler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43553	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48756	Comment from Cohn Nancy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43554	Comment from Gerber, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48757	Comment from Christopher Kearney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43555	Comment from Sawyer, Nigel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48758	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43556	Comment from carne, carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48759	Comment from Cynthia Operbeck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43557	Comment from woolley, m	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48760	Comment from Sarah Powell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43558	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48761	Comment from Lynn Funkhouser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43559	Comment from Wall, Shannon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48762	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43560	Comment from Burke, Maureen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48763	Comment from Anna Bergalis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43561	Comment from Dalton, Marsha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48764	Comment from Judith Fry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43562	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48765	Comment from Ken Ferris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43563	Comment from Ward, Sheila	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48766	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43564	Comment from Harmon, Tommy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48767	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43565	Comment from Pressimone, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48768	Comment from Sharon Russick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43566	Comment from Mamoyac, Joy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48769	Comment from Tiffany Schiff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43567	Comment from King, Theodore	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48770	Comment from Marta Calleja
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43568	Comment from Caprio, Valeri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48771	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43569	Comment from Hanson, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48772	Comment from Roberta Thompson-Hopkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43570	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48773	Comment from Kathlene Henry-Gorman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43571	Comment from Wilkinson, L. L.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48774	Comment from Nancy Goldberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43572	Comment from Vlcek, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48775	Comment from Brian Gingras

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43573	Comment from rosenblum, robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48776	Comment from Wendy Rosenfeld
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43574	Comment from Johnson, Elsa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48777	Comment from Shel Neu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43575	Comment from Garbrick, Kathe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48778	Comment from Margo Santoro
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43576	Comment from Peters, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48779	Comment from Michelle Schesny
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43577	Comment from SORENSEN, PAUL	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48780	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43578	Comment from SORENSEN, PAUL	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48781	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43579	Comment from Cozzolino, Sofia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48782	Comment from antoinette valdez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43580	Comment from Bordelon, Tika	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48783	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43581	Comment from Janicki, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48784	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43582	Comment from Marks, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48785	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43583	Comment from Germain, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48786	Comment from Kelly Brannigan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43584	Comment from Salazar, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48787	Comment from Rosemary Hewett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43585	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48788	Comment from Donald Peyton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43586	Comment from Wetter, Martha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48789	Comment from Catherine Adams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43587	Comment from Reid, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48790	Comment from Anita Laskaris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43588	Comment from Kramek, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48791	Comment from Anna Stein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43589	Comment from Duryea, Oakley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48792	Comment from Karen Shoop
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43590	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48793	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43591	Comment from Koff, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48794	Comment from Erin Maciejewski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43592	Comment from Englander, Jana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48795	Comment from Patricia Burke
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43593	Comment from Bundrick, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48796	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43594	Comment from Bohannon, Phyllis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48797	Comment from Bianca Molgora
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43595	Comment from Landrum, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48798	Comment from Christopher Berg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43596	Comment from Krzeminski, Phillip	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48799	Comment from Kathy Silvey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43597	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48800	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43598	Comment from Hartmann, Christie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48801	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43599	Comment from Phillips, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48802	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43600	Comment from Sullivan, Theresa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48803	Comment from Francine Sutton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43601	Comment from Clark, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48804	Comment from Carolyn Rader
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43602	Comment from Spaethe, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48805	Comment from Margie Hancock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43603	Comment from Lopez, Josefina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48806	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43604	Comment from Tao, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48807	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43605	Comment from Paruchuri, Rama K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48808	Comment from Pearl Foster
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43606	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48809	Comment from William Boteler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43607	Comment from MARTINS-FERNANDES, Ana Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48810	Comment from Claudine Farro
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43608	Comment from ODonnell, J	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48811	Comment from Mary Dorfman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43609	Comment from Nazzaro, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48812	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43610	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48813	Comment from Julie Busch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43611	Comment from Ross, Melanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48814	Comment from Edward Lemieux
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43612	Comment from Cook, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48815	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43613	Comment from Baer, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48816	Comment from christine etapa

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43614	Comment from Hernandez, Tanya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48817	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43615	Comment from Hilf, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48818	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43616	Comment from Flanders, Lloyd	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48819	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43617	Comment from Lohnes, Vida	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48820	Comment from Julie Clayman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43618	Comment from Calbreath, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48821	Comment from Kathleen Cochran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43619	Comment from Peterson, Bill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48822	Comment from Jon Hall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43620	Comment from Petro, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48823	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43621	Comment from Shalat, Harriet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48824	Comment from Timothy Swistak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43622	Comment from Reese, Tabitha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48825	Comment from Anna Victoria
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43623	Comment from Kravcov Malcolm, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48826	Comment from Suzanne Ecklund
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43624	Comment from Thiel, Daniela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48827	Comment from Karen McGreevy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43625	Comment from Jennings, Scott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48828	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43626	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48829	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43627	Comment from Murtaza, Muhammad	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48830	Comment from Ron Price
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43628	Comment from Coker, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48831	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43629	Comment from Mocerri, Eileen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48832	Comment from Stephanie Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43630	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48833	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43631	Comment from Pivaral, Omar	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48834	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43632	Comment from sirias, christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48835	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43633	Comment from Dearmendi, Janii	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48836	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43634	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48837	Comment from Susi Higgins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43635	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48838	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43636	Comment from Hryc, Michele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48839	Comment from Diane Ensign
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43637	Comment from Ward, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48840	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43638	Comment from Takahashi, Jim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48841	Comment from Bob Sipe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43639	Comment from Jessen, Bridgette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48842	Comment from Joyce Nicholson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43640	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48843	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43641	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48844	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43642	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48845	Comment from Laura Robinson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43643	Comment from Klett, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48846	Comment from Douglas Sphar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43644	Comment from Bottorff, Virginia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48847	Comment from Laura Troll
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43645	Comment from Coen, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48848	Comment from Donna Hibbard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43646	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48849	Comment from Hartson Doak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43647	Comment from Middlesteadt, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48850	Comment from Marilyn Heiman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43648	Comment from Garrett, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48851	Comment from David Kelley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43649	Comment from Brubaker, Ruth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48852	Comment from Deaux, Robin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43650	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48853	Comment from Shore, Nancy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43651	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48854	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43652	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48855	Comment from William Woodward
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43653	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48856	Comment from FERNANDES, isabelle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43654	Comment from Daniel Brower	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48857	Comment from Rose Gerstner

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43655	Comment from Kenny, Delia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48858	Comment from David White
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43656	Comment from Warren, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48859	Comment from Lisa Fink
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43657	Comment from Banner, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48860	Comment from Linda Leonard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43658	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48861	Comment from Lisa Celli
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43659	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48862	Comment from Kathy lawless
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43660	Comment from Diamond, Nichole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48863	Comment from Herschel Surdam
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43661	Comment from Psychas, Sherry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48864	Comment from Susan Proietta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43662	Comment from Schaffner, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48865	Comment from Robert Triggs
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43663	Comment from Warburton, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48866	Comment from Elizabeth Way
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43664	Comment from Quizi, Norma	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48867	Comment from Alicia Liang
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43665	Comment from Freedman, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48868	Comment from Kathryn Chung
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43666	Comment from Ross, Nikisha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48869	Comment from Judy Schwartz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43667	Comment from Lynn, S	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48870	Comment from Mary Schmidt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43668	Comment from Berg, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48871	Comment from Linda Sheehy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43669	Comment from Ginepro, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48872	Comment from Jessica Weber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43670	Comment from mielke, b	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48873	Comment from Angela Kelly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43671	Comment from mielke, jeanine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48874	Comment from Christie Ruppel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43672	Comment from Wojtalik, Nikki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48875	Comment from Aviva Shliselberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43673	Comment from Tomori, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48876	Comment from Medora Van Denburgh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43674	Comment from Cagey, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48877	Comment from LindaLee McEachronTaylor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43675	Comment from REA, KARA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48878	Comment from Katie Hertfelder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43676	Comment from Embry, Regina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48879	Comment from Diana Alourdas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43677	Comment from reilly, mackenzie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48880	Comment from Robin Terry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43678	Comment from Gabriel, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48881	Comment from Patricia Evans
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43679	Comment from Garcia, Leah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48882	Comment from Blythe Hutchins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43680	Comment from Xoz, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48883	Comment from Annemarie Avanti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43681	Comment from Kofsky, Alexander	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48884	Comment from Susan Rives-Denight
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43682	Comment from Berkowitz, Henry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48885	Comment from Allen Altman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43683	Comment from Harrison, Abby	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48886	Comment from Margie Hancock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43684	Comment from Eckman, Harry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48887	Comment from Brian Truax
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43685	Comment from Lary, Melanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48888	Comment from Marguerite Abramo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43686	Comment from Doubleday, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48889	Comment from Laurel Eckert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43687	Comment from Fitzpatrick, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48890	Comment from Jane Murphy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43688	Comment from Narvaez, Laetitia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48891	Comment from Edgar Carpenter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43689	Comment from Albert, Jean-Marie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48892	Comment from Meredith Tyburczy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43690	Comment from Peterson, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48893	Comment from Lisa Caver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43691	Comment from Glenn, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48894	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43692	Comment from Frenning Kossuth, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48895	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43693	Comment from Amlie, Brandt	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48896	Comment from Deborah Tash
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43694	Comment from Fancher, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48897	Comment from Kimberly Schmidt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43695	Comment from Camp, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48898	Comment from Chara Mandile

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43696	Comment from Hart, Patrick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48899	Comment from John Millar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43697	Comment from Hourigan, Stacey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48900	Comment from Judith Boyd
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43698	Comment from Auger, Sylvie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48901	Comment from Nicole LaMotte
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43699	Comment from Branco, Andréa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48902	Comment from margo wyse
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43700	Comment from woolley, m	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48903	Comment from Judy McGann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43701	Comment from Lindley, Gail	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48905	Comment from Nick McNaughton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43702	Comment from Hansell, Warwick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48906	Comment from Patricia Dishman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43703	Comment from Mendoza, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48907	Comment from Ellen Rice
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43704	Comment from Ramirez, Raymundo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48908	Comment from Peter Tafuri
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43705	Comment from Krager, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48909	Comment from Katalin Weisz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43706	Comment from Rudolph, JoEllen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48910	Comment from Mark Soenksen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43707	Comment from Chang, Beth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48911	Comment from Marion Albu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43708	Comment from Pineda, Annalee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48912	Comment from Joan Seguin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43709	Comment from Sieck, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48913	Comment from Elizabeth Raymond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43710	Comment from Federman, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48914	Comment from Janet Romano
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43711	Comment from Schannach, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48915	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43712	Comment from Puerta, Jeanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48916	Comment from Jeri Romero
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43713	Comment from KATAYAMA, MIKI	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48917	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43714	Comment from russo, barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48918	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43715	Comment from Dykstra, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48919	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43716	Comment from Armstrong, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48920	Comment from Betty Sabo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43717	Comment from Ashworth, Ken	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48921	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43718	Comment from Bobe, Pablo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48922	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43719	Comment from Downing, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48923	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43720	Comment from Anderson, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48924	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43721	Comment from uffer, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48925	Comment from Kyenne Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43722	Comment from Awsukiewicz, Eileen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48926	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43723	Comment from schaudt, leah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48927	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43724	Comment from Nollan, Dr. Valeria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48928	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43725	Comment from Critzer, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48929	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43726	Comment from Jones, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48930	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43727	Comment from Glenn, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48931	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43728	Comment from shapiro, ellene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48932	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43729	Comment from Lindsey, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48933	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43730	Comment from Yeo, J	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48934	Comment from Deirdre Fitzsimmons
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43731	Comment from Nelson, Brett	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48935	Comment from Don Pew
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43732	Comment from s, c	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48936	Comment from Carol Collins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43733	Comment from Pasqualini, Jude	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48937	Comment from Kim Begay
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43734	Comment from Sowder, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48938	Comment from Wilson, Ivalee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43735	Comment from Benatar-Kotler, Belinda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48939	Comment from Vidya Sivan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43736	Comment from Buehler, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48940	Comment from Kathleen Godiksen

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43737	Comment from Meinert, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48941	Comment from Jan Jorczak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43738	Comment from Cetrulo, Cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48942	Comment from Nord, Randall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43739	Comment from Stebbins, Sara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48943	Comment from Gail Koza
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43740	Comment from Roth, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48944	Comment from Peggy Loveless
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43741	Comment from kijak, regina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48945	Comment from Conley, Denise
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43742	Comment from Buckley, Danielle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48947	Comment from David Friedman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43743	Comment from Lenway, Maria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48948	Comment from May, Michele
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43744	Comment from Morgan, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48949	Comment from Cari Brookbanks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43745	Comment from Mestemaker-Harris, Cathie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48950	Comment from Nancy Rockwell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43746	Comment from Kovshun, Rita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48951	Comment from Julie Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43747	Comment from McCrary, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48952	Comment from Elizabeth Cruickshank
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43748	Comment from Karpel, Jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48953	Comment from Jacquie Murphy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43749	Comment from Cormons, Matt	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48954	Comment from Rhonda pulliam
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43750	Comment from Peterson, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48955	Comment from So Allen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43751	Comment from Gacond, Chantal	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48956	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43752	Comment from Yungclas, Allison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48957	Comment from Carla DeCrona
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43753	Comment from sanford, karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48958	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43754	Comment from conselyea, jannis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48959	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43755	Comment from Adams, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48960	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43756	Comment from Leavitt, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48961	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43757	Comment from Yater, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48962	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43758	Comment from Schneider, Danielle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48963	Comment from Cindy Wright
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43759	Comment from Hearst, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48964	Comment from jennifer riker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43760	Comment from Foley, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48965	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43761	Comment from Jones, Eric	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48966	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43762	Comment from Thorn, Debbie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48967	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43763	Comment from Yungclas, Allison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48968	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43764	Comment from Kozakiewicz, Steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48969	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43765	Comment from Ren, Sylvia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48970	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43766	Comment from Cora, Georgette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48971	Comment from Sara Hale
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43767	Comment from Yungclas, Allison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48972	Comment from Patricia DeLuca
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43768	Comment from Halligan, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48973	Comment from Scott Barlow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43769	Comment from Colby, Helen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48974	Comment from Suzanne Ecklund
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43770	Comment from Thorn, Debbie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48975	Comment from Susan Didrichsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43771	Comment from Trimarco, V	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48976	Comment from Russell Collins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43772	Comment from Sargent, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48977	Comment from Nancy Martin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43773	Comment from Drohan, Ryan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48978	Comment from Vanessa Davis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43774	Comment from Wagner, Elissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48979	Comment from gwen foehner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43775	Comment from Morris, Greg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48980	Comment from June Balish
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43776	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48981	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43777	Comment from Christy, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48982	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43778	Comment from Jasper, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48983	Comment from Don Lipmanson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43779	Comment from Conway, Samdra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48984	Comment from Molly Michelson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43780	Comment from Perkins, Lynne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48985	Comment from Sara Leonard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43781	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48986	Comment from Carol Batchelder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43782	Comment from Buckingham, Laurence	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48987	Comment from angela healy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43783	Comment from Smith, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48988	Comment from Anne Hutchins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43784	Comment from Lepple, Christopher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48989	Comment from Samuel Eaton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43785	Comment from Papoutsis, Eva	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48990	Comment from Pamela Yates
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43786	Comment from M., Keiko	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48991	Comment from Ruthie Bernaert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43787	Comment from Edwards, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48992	Comment from Janet McKee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43789	Comment from Heck, Kerry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48993	Comment from Ken Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43790	Comment from BORDA, STEPHANI	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48994	Comment from Nanette Soistman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43791	Comment from Naidu, Soumya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48995	Comment from Kathleen Eaton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43792	Comment from Dee, Laurice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48996	Comment from Gail Atkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43793	Comment from Linarez, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48997	Comment from Susanna Askins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43794	Comment from Worley, Norma J Worley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48998	Comment from Liz Bode
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43795	Comment from Svoboda, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48999	Comment from Jonathan Kennedy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43796	Comment from Stotz, Gail	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49000	Comment from Peggy Kocoras
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43797	Comment from Wade, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49001	Comment from Temma Tainow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43798	Comment from Reiser, Reba	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49002	Comment from Michelle Sewald
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43799	Comment from Lehr, Rachael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49004	Comment from GERARD VACHEZ
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43800	Comment from Landsverk, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49005	Comment from Bruce HIGGINS
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43801	Comment from Schoeder, Nicole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49006	Comment from Sylvie de Parny
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43802	Comment from Perdios, Dan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49007	Comment from Diane Lebedeff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43803	Comment from Horne, Brandy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49008	Comment from Cathy menendian
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43804	Comment from New, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49009	Comment from Michele Neville
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43805	Comment from Silver, Amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49010	Comment from Claudia Ezinicki
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43806	Comment from Worcester, Chris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49011	Comment from DAVID HUTCHINS
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43807	Comment from Barre, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49012	Comment from p Marks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43808	Comment from Knauber jr, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49013	Comment from Roberta Gerber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43809	Comment from Sifuentes, D.G.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49015	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43810	Comment from miller, janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49016	Comment from Katie breen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43811	Comment from Whitelock, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49017	Comment from Jean Dibble
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43812	Comment from Martin, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49018	Comment from Marian Dubovik
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43813	Comment from Benson, Alice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49019	Comment from Donna Butler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43814	Comment from Whipple, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49020	Comment from Heather Rafferty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43815	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49021	Comment from Elinor Dankner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43816	Comment from Lyons, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49022	Comment from Dionne Polk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43817	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49023	Comment from Deborah Allison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43818	Comment from Leppo, Bob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49024	Comment from Elisabeth Armendarez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43819	Comment from Whipple, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49025	Comment from Christa Neuber

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43820	Comment from Chin, Jason	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49026	Comment from Bill O'Brien
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43821	Comment from Holcomb, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49027	Comment from Richard Alley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43822	Comment from Grigorian, Renee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49028	Comment from Elizabeth Raymond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43823	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49029	Comment from Anthony Maista
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43824	Comment from Nunez, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49030	Comment from Carole Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43825	Comment from van brown, juli	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49031	Comment from Helen May
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43826	Comment from CASWELL, SUSAN	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49032	Comment from J ODonnell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43827	Comment from Stevens, John David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49033	Comment from Carol Stevens
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43828	Comment from Irish, Erica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49034	Comment from Krista Dana
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43829	Comment from Thurlow, Jeffrey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49035	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43830	Comment from Valero, Maudie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49037	Comment from SHAUNA PERENON
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43831	Comment from Carlson, Terri M	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49038	Comment from Mike Peale
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43832	Comment from Black, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49039	Comment from Jane Schnee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43833	Comment from Lozon, Rob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49040	Comment from H S
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43834	Comment from Lease, Anthony	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49041	Comment from Sherita Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43835	Comment from Marquet, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49042	Comment from illisa kelman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43836	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49043	Comment from Patricia New
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43837	Comment from Hayes, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49045	Comment from Eric Voorhies
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43838	Comment from Boyes, Eva	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49046	Comment from Gloria Morrison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43839	Comment from Kulp, Jeff	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49047	Comment from Judy Shammas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43840	Comment from Maldonado, Ellie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49048	Comment from Francisco Mercado
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43841	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49049	Comment from Rayline Dean
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43842	Comment from Arvin, Golzar	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49050	Comment from Macy Placide
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43843	Comment from Thaler, Gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49051	Comment from Gail Zwerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43844	Comment from Zumbo, Emma	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49052	Comment from Susan Palma
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43845	Comment from Sullivan, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49053	Comment from Angela Brancati
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43846	Comment from Puca, Laurie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49054	Comment from Monique Skaggs
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43847	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49055	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43848	Comment from Rogers, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49056	Comment from Orysia Twerdochlib
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43849	Comment from Abramson, Raccia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49057	Comment from Jeffrey Colledge
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43850	Comment from Kujala, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49058	Comment from N. Dumser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43851	Comment from Takush, Kathie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49059	Comment from Phoebe McLeod
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43852	Comment from Berthiaume, Erica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49060	Comment from Joe Roy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43853	Comment from Tuyuc, Danny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49061	Comment from sara hopewell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43854	Comment from Ramirez, Ellie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49062	Comment from Lisa Dash
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43855	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49063	Comment from Patricia Doyle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43856	Comment from Wong, Taryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49064	Comment from Donna Oliver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43857	Comment from Matsunaga, Carlee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49065	Comment from Karen Bonnell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43858	Comment from Ramirez, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49066	Comment from Dudley Lindsley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43859	Comment from Stroede, Alana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49067	Comment from Yvonne Snyder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43860	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49068	Comment from Dawn Treanor

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43861	Comment from M., Keiko	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49069	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43862	Comment from Garlit, Donald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49070	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43863	Comment from Johnson, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49071	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43864	Comment from Klein, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49072	Comment from Maria Cetrola
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43865	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49073	Comment from Paula Doyle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43866	Comment from Lee, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49074	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43867	Comment from Williams, Nalan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49075	Comment from Ann Kindfield
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43868	Comment from Igari, Ellena	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49076	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43869	Comment from Hilliard, Corey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49077	Comment from Louise Kane
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43870	Comment from Gross, Alex	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49078	Comment from Mark Soenksen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43871	Comment from Brown, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49079	Comment from LAURIE MARSHALL
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43872	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49080	Comment from Joanne Ouellette
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43873	Comment from Aboff, Amelia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49081	Comment from Mary Andal
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43874	Comment from Kovarik, Christiane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49082	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43875	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49083	Comment from Arlene Dreeste
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43876	Comment from Wasley, Maureen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49084	Comment from Karen Rivers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43877	Comment from DeMetz, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49085	Comment from Eddie Pittmon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43878	Comment from Landsberg, Marisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49086	Comment from Carol Ward
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43879	Comment from Landsberg, Marisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49087	Comment from Lynn Lang
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43880	Comment from Sturt, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49088	Comment from Teri Smyth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43881	Comment from Kasnicka, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49089	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43882	Comment from East, Terri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49090	Comment from Richard Martin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43883	Comment from Marshall, Nick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49091	Comment from Matt Borland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43884	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49092	Comment from Steven Ramsey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43885	Comment from Brachel, Tiana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49093	Comment from Richard Burnett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43886	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49094	Comment from Michelle Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43887	Comment from Andrews, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49095	Comment from Susan Fraser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43888	Comment from Teevan, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49096	Comment from Truett Byrom
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43889	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49097	Comment from Christine Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43890	Comment from Borne, Samuel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49098	Comment from S. Jordan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43891	Comment from Austin, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49099	Comment from Susan Borys
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43892	Comment from Kistner, Ken	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49100	Comment from Robert Gibb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43893	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49101	Comment from Pamela Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43894	Comment from Anglin, Eileen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49102	Comment from LESLIE LAWRENCE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43895	Comment from Jennings, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49103	Comment from Vicki Bowman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43896	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49104	Comment from Bonnie New
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43897	Comment from Lewis, Gloria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49105	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43898	Comment from FIRCHOW, ERIC	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49106	Comment from Maryann Barulich
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43899	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49107	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43900	Comment from Becker, Sheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49108	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43901	Comment from Weir, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49109	Comment from Anonymous Anonymous

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43902	Comment from Ewh, Sophie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49110	Comment from Janie Chodosh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43903	Comment from Denholtz, Alexandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49111	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43904	Comment from Boura, Theodora	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49112	Comment from Nancy Lewis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43905	Comment from Pryka, Isaac	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49113	Comment from Heather Denney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43906	Comment from Luther, K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49114	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43907	Comment from Riddell, Andrew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49115	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43908	Comment from Taleck, Grant	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49116	Comment from Renee Lacy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43909	Comment from Petro, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49117	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43910	Comment from Luchau, Nicole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49118	Comment from Kyle Crider
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43911	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49119	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43912	Comment from Dennis, MarianKitty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49120	Comment from Dorothea Swint
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43913	Comment from Parker, Katie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49121	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43914	Comment from okolowicz, sofia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49122	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43915	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49123	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43916	Comment from Petersen, Gerri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49124	Comment from Mary Boudreau
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43917	Comment from Abell, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49125	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43918	Comment from Fife, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49126	Comment from Eric Voorhies
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43919	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49127	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43920	Comment from Fife, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49128	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43921	Comment from Leitner, Shannon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49129	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43922	Comment from Cho, Tony	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49130	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43923	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49131	Comment from John Felton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43924	Comment from Wang, Ashley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49132	Comment from Lee Bunyard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43925	Comment from Atkins, Taren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49133	Comment from tara wheeler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43926	Comment from Magne, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49134	Comment from Lisha Doucet
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43927	Comment from Barcellona, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49135	Comment from Meaghan Leavitt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43928	Comment from Koch, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49136	Comment from Laree Farmer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43929	Comment from Chevalier, Haakon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49138	Comment from Eric McLaughlin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43930	Comment from Cyma, Deb	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49139	Comment from Cindy Childers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43931	Comment from Tizedes, Hannah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49140	Comment from Cherie Warner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43932	Comment from Gurney, Hugh	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49141	Comment from Shari Kelts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43933	Comment from Gaiera Jimenez, Gemma	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49142	Comment from Sean O'Dell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43934	Comment from Kat, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49143	Comment from Joe Balsamo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43935	Comment from Stanaitis, Penny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49144	Comment from Fran Seldin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43936	Comment from Siri, Cydney	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49145	Comment from Shirley Collins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43937	Comment from Johnstone, Jacqui	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49146	Comment from Christine Gillis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43938	Comment from Bourquin, Mélanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49147	Comment from Paige Harrison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43939	Comment from Fusco, Vin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49148	Comment from Maureen Swiss
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43940	Comment from Reekers, Christina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49149	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43941	Comment from Wilson, Holly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49150	Comment from Nora de Gillespie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43942	Comment from Mills, Marlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49151	Comment from Gail Musante

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43943	Comment from Ross, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49152	Comment from Bob Davis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43944	Comment from Vazquez, Stephany	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49153	Comment from Kate Ashley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43945	Comment from Jenks, Ramona	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49154	Comment from Janet Zeh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43946	Comment from Musialowski, Monique	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49156	Comment from Kevin Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43947	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49157	Comment from Marc Fleisher
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43948	Comment from Carson, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49158	Comment from Arthur Schurr
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43949	Comment from Salazar, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49159	Comment from Diane Fahey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43950	Comment from Awsukiewicz, Eileen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49160	Comment from George Bond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43951	Comment from Taylor, Graceanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49161	Comment from Karen Starr
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43952	Comment from Petro, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49162	Comment from Jane Branyan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43953	Comment from Heere, Daria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49163	Comment from Candace Rocha
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43954	Comment from weiss, sabina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49164	Comment from Ronald Schlesinger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43955	Comment from Garlit, Donald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49165	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43956	Comment from Tracey, Colleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49166	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43957	Comment from Stanley, Alison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49167	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43958	Comment from Posnett, Stacey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49168	Comment from Randi Byron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43959	Comment from McKeen, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49169	Comment from William Boteler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43960	Comment from Molina, Leonor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49170	Comment from Lisa Zver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43961	Comment from Stan, Nicolette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49171	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43962	Comment from Waine, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49172	Comment from wendy ordway
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43963	Comment from Parks, Kendall	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49173	Comment from Terry Tedesco
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43964	Comment from Kujala, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49174	Comment from KM Eichhof
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43965	Comment from Beauchamp, Catherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49175	Comment from Grace Malara-Aiello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43966	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49176	Comment from Jane Branyan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43967	Comment from Richardson, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49177	Comment from Katherine Patterson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43968	Comment from Yeh, Youching	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49178	Comment from David Gallardo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43969	Comment from Barger, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49179	Comment from Sheila Silan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43970	Comment from Swanson, Robin Rae	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49180	Comment from Mike Solloa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43971	Comment from Fischer, Shannon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49181	Comment from Daniel Kurz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43972	Comment from Chiarello, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49183	Comment from Louise Frontiero
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43973	Comment from Carlisle, Damien	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49184	Comment from David Rosenfeld
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43974	Comment from Stavis, Alex	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49185	Comment from Doreen Mann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43975	Comment from Garman, Tammy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49186	Comment from Jeanne Baker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43976	Comment from Lavery, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49187	Comment from jane drexler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43977	Comment from Robinson, Amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49188	Comment from Rebecca Hansen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43978	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49189	Comment from Thomas Hart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43979	Comment from Papoutsis, Eva	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49190	Comment from ANDREW HOFFMAN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43980	Comment from Cunningham, Storm	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49191	Comment from Taylor Thomas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43981	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49192	Comment from Marcella Crane
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43982	Comment from Marx, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49193	Comment from Laura Alleman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43983	Comment from cortese, Christopher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49194	Comment from Thomas Sanders

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43984	Comment from Passty, J.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49195	Comment from Arlene Zuckerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43985	Comment from CARY, SONYA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49196	Comment from Ken Ross
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43986	Comment from Evans, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49197	Comment from Miriam Warwick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43987	Comment from Wright, Penelope	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49198	Comment from Judith Embry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43988	Comment from Ricciardi, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49199	Comment from Mary Rose
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43989	Comment from Rayfield, Kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49200	Comment from Greta Schiller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43990	Comment from Musialowski, Monique	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49201	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43991	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49202	Comment from Lll d
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43992	Comment from Grill, Warren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49203	Comment from Liz Redwing
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43993	Comment from Kube, Janine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49204	Comment from Doreen Mann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43994	Comment from Wakefield, Raphael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49205	Comment from Michelle Malaspino
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43995	Comment from Cleveland, Jill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49206	Comment from Melissa Biel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43996	Comment from Stark, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49207	Comment from Sue VanDerzee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43997	Comment from Levitt, Lacey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49208	Comment from Joseph Lavine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43998	Comment from Creech, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49209	Comment from Donald Herring
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43999	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49210	Comment from Palmeta Baier
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44000	Comment from Barberi, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49211	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44001	Comment from Halloran, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49212	Comment from Lynn Raiser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44002	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49213	Comment from Iris Taylor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44003	Comment from Brown, Johanna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49214	Comment from Douglas Roberson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44004	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49215	Comment from Doreen Mann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44005	Comment from Amon, Meredith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49216	Comment from TRACY JONES
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44006	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49217	Comment from Claire Werner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44007	Comment from schatvet, steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49218	Comment from Kathetine Napolitani
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44008	Comment from Clough, Francine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49219	Comment from Linda Nicholas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44009	Comment from White, Scott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49220	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44010	Comment from Gonzales Jr., Frank	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49221	Comment from Michael Zeanah
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44011	Comment from Roberts, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49222	Comment from Morel, Joséphine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44012	Comment from Adkins, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49223	Comment from Mang, J.D.
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44013	Comment from Richmond, Terri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49224	Comment from Andrew Lenz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44014	Comment from Jones, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49225	Comment from Moore, Ava
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44015	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49226	Comment from Marlene Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44016	Comment from Rolbeck, Mike	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49227	Comment from gail ohara
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44017	Comment from Pokropek, Catherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49228	Comment from Shirley Midyette
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44018	Comment from Feichter, Steffanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49229	Comment from Julie Elson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44019	Comment from Martin, Ben	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49230	Comment from Herschel Flowers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44020	Comment from Streich, Kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49231	Comment from Patricia Ferguson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44021	Comment from Dankner, Elinor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49232	Comment from Penelope Ward
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44022	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49233	Comment from diana kolaski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44023	Comment from Banks, Rochelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49234	Comment from Dan Perdios
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44024	Comment from B, Maressa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49235	Comment from Melva Meyer

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44025	Comment from Katz, Ruth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49236	Comment from Kimberly Vaz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44026	Comment from Callahan, Amalie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49237	Comment from Al Giles
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44027	Comment from Okone, Brandon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49238	Comment from Gregory Esteve
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44028	Comment from cioci, jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49239	Comment from Ken Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44029	Comment from Sardineer, AnnMarie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49240	Comment from dana Bleckinger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44030	Comment from Mancuso, Bernee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49241	Comment from Cindy Takaht
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44031	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49242	Comment from Melissa Prescott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44032	Comment from White, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49243	Comment from Albert Snow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44033	Comment from Bearman, Shannon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49244	Comment from Linda Bruce
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44034	Comment from Natrass, Suzanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49245	Comment from Wendy Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44035	Comment from Franceschini, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49246	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44036	Comment from Garceau, Marcia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49247	Comment from Pamela Finnegan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44037	Comment from Burr-Lonnon, Jacqueline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49248	Comment from Irene de Forges
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44038	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49249	Comment from Robin Lorentzen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44039	Comment from FIGUEROA, dANIEL	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49250	Comment from Cheryl Wooten
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44040	Comment from Yellis, Stefanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49251	Comment from Jamila Garrecht
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44041	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49252	Comment from Kalika Stern
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44042	Comment from Covelli, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49253	Comment from Jane Abbey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44043	Comment from Dunford, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49254	Comment from DANIEL FAISAL
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44044	Comment from Fay, P N	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49255	Comment from Dana Luebke
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44045	Comment from Cornett, Gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49256	Comment from Ellis Woodward
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44046	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49257	Comment from Gene Fox
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44047	Comment from Moog, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49258	Comment from vicki hughes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44048	Comment from Schuman, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49259	Comment from Catherine Vedder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44049	Comment from GROSE, HARRIET	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49260	Comment from Nicole LaMotte
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44050	Comment from Wang, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49261	Comment from Kathryn Murphy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44051	Comment from Betti, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49262	Comment from Andrew Gallagher
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44052	Comment from Perfrement, Eileen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49263	Comment from Stephanie Domian
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44053	Comment from von Bronk, Eva-Maria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49264	Comment from Albert Meadowcroft
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44054	Comment from Kaweck, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49265	Comment from Amy McPherson-Wiman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44055	Comment from Boswell, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49266	Comment from Claire Prevos
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44056	Comment from phelps, janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49267	Comment from Faith Delaney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44057	Comment from Purvis, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49269	Comment from Joseph Corbett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44058	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49270	Comment from Marion Copeland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44059	Comment from Degenhart, DM	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49271	Comment from Jamie Thomas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44060	Comment from jacques, sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49272	Comment from Antoinette Daab
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44061	Comment from Kovarik, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49273	Comment from Joyce Olsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44062	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49274	Comment from Rachel Roman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44063	Comment from delPino, Rosemary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49275	Comment from Jeremy Benjamin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44064	Comment from Pointer, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49276	Comment from BARBARA MCKEE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44065	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49277	Comment from Sherry Dunn

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44066	Comment from viers, joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49278	Comment from Clayton Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44067	Comment from Stempin, Myles Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49279	Comment from Raymond Pugliesi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44068	Comment from Hall, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49280	Comment from Linda Meiberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44069	Comment from Seabert, Cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49281	Comment from Alicia Liang
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44070	Comment from Trattner, Adrienne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49282	Comment from Andrea Swiedler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44071	Comment from Zrobek, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49283	Comment from dawn sartori
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44072	Comment from Goodrich, D'Arcy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49284	Comment from Christina Wilgren
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44073	Comment from Hodsoll, Mimi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49285	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44074	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49286	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44075	Comment from Primrose, Joy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49287	Comment from Janice Ferrier
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44076	Comment from Kowalczyk, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49288	Comment from Lily Chiu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44077	Comment from Brockdorf, Yulia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49289	Comment from Kristina Wunder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44078	Comment from Mallin, Eric	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49290	Comment from Bob-Marie Rayburn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44079	Comment from Carter, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49291	Comment from Tom Butch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44080	Comment from Newton, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49292	Comment from Elena Jurgela
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44081	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49293	Comment from Matthew Kauffman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44082	Comment from Friedman, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49294	Comment from Amy Kritz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44083	Comment from Noroian, Cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49295	Comment from Karen DeSalvo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44084	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49296	Comment from Elizabeth Falkenthal
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44085	Comment from Hodsoll, Mimi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49297	Comment from Clover Krajicek
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44087	Comment from Dumler, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49298	Comment from Wilifred Aire
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44088	Comment from Robson, Ella	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49299	Comment from Bruce Rosen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44089	Comment from Hodsoll, Mimi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49300	Comment from Cindy Lance
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44090	Comment from QUINNAN, CONNIE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49301	Comment from Barbara Harpe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44091	Comment from S, Cassy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49302	Comment from Tammy Duran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44092	Comment from MacKelvie, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49303	Comment from Gerald Brookman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44093	Comment from Fuqua, Chad	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49304	Comment from Terry Glauser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44094	Comment from R. Sandy, Leo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49305	Comment from gary cohen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44095	Comment from Chuter, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49306	Comment from Karen McHugh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44096	Comment from Shabbott, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49307	Comment from Elizabeth Davis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44097	Comment from stidham, teri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49308	Comment from Rhonda Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44098	Comment from Klahn, Kat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49309	Comment from Andrea Lynch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44099	Comment from Arguello-Incer, Pablo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49310	Comment from Lindsay Mugglestone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44100	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49311	Comment from Kathleen Doctor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44101	Comment from hart, kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49312	Comment from Mary Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44102	Comment from EBERT, REGAN	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49313	Comment from Ann Wiseman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44103	Comment from Podlesak, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49314	Comment from James Taft
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44104	Comment from Hou, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49316	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44105	Comment from Simpson, Jill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49317	Comment from Pat Morales
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44106	Comment from McKee, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49318	Comment from Judy Hollingsworth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44107	Comment from Kuschel, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49319	Comment from Elizabeth Davis

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44108	Comment from Johnson, Joyce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49320	Comment from Elaine de Reyna
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44109	Comment from Wu, Blake	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49321	Comment from Frederick Blosser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44110	Comment from Reynolds, Greg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49322	Comment from Christine Sell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44111	Comment from Atknsn, Rhys	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49323	Comment from susan nutter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44112	Comment from McLean, Kenneth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49324	Comment from Marietta Montaine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44113	Comment from Cariglia, Renee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49325	Comment from Randi Saslow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44114	Comment from Hurtt, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49326	Comment from Patricia Blackwell-Marchant
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44115	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49327	Comment from Tracey Katsouros
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44116	Comment from Erlick, Rob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49328	Comment from Marc Wertheimer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44117	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49329	Comment from Faith Herschler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44118	Comment from Rakow, Tamara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49330	Comment from Jessica Cresseveur
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44119	Comment from Heath, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49331	Comment from Jamie Green
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44120	Comment from Morrison, Tonya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49332	Comment from Sandra Knutson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44121	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49333	Comment from M. Ericson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44122	Comment from Trajanovska, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49334	Comment from Michael King
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44123	Comment from Ford, Peggy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49335	Comment from Amy St Jean
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44124	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49336	Comment from Debra Elder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44125	Comment from Foster, Victoria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49337	Comment from Carin Baer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44126	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49338	Comment from Yelena Ratush
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44127	Comment from Cervene, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49339	Comment from terr badger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44128	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49340	Comment from Malvina Landau-Blake
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44129	Comment from Steffen, Maria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49341	Comment from Patricia Palermo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44130	Comment from Shaw, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49342	Comment from M. Ericson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44131	Comment from Red, Pure	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49343	Comment from Karen OBrien
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44132	Comment from Martino, Rosanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49344	Comment from Sharon Garlena
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44133	Comment from Rangan, Monica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49345	Comment from Colleen McKenna
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44134	Comment from DiMartino, Penny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49346	Comment from Robin Elliott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44135	Comment from williams-orlando, marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49347	Comment from Melissa Sampson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44136	Comment from Morgan, Katie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49348	Comment from Anne Post
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44137	Comment from Wiley, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49349	Comment from Candace Bassat
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44138	Comment from Mcgrath, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49350	Comment from Susan Ryan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44139	Comment from McDonnell, Joyce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49351	Comment from Kay Reinfried
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44140	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49352	Comment from Walter Erhorn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44141	Comment from Keating, C	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49353	Comment from Melvin Bautista
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44142	Comment from Lee, Rex	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49354	Comment from Kay Rinaldi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44143	Comment from Gallardo, Kathie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49355	Comment from Natalie Clark
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44144	Comment from Kammerud, Lance	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49357	Comment from Diana Donovan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44145	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49358	Comment from John Reiger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44146	Comment from Wallof, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49359	Comment from Virgil Pauls
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44147	Comment from Cornelius, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49360	Comment from Mark Mazhnyy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44148	Comment from Ruzek, Heidi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49361	Comment from Carson Martin

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44149	Comment from Elfin, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49362	Comment from Thomas Lemberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44150	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49363	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44151	Comment from McConnell, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49364	Comment from jim hite
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44152	Comment from Siferd, Ginny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49365	Comment from Gavin Dillard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44153	Comment from Rupar, Randy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49366	Comment from Michael Tucker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44154	Comment from Johnson, Vicki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49367	Comment from Ginger Geronimo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44155	Comment from Ross, Suzanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49368	Comment from Jay Satterwhite
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44157	Comment from Reichel-Halverson, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49369	Comment from Lorelei Elkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44158	Comment from Torget, Marie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49370	Comment from Cheryl Fergeson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44159	Comment from dos santos, jamie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49372	Comment from annette vasile
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44160	Comment from Dexter, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49373	Comment from gary cohen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44161	Comment from Miller, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49374	Comment from Barbara Tillman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44162	Comment from zahler, gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49375	Comment from Nanda Zimmerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44163	Comment from Stevenson, Julia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49376	Comment from Gene Wheeler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44164	Comment from Link, Christa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49377	Comment from Susan Busch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44165	Comment from Nelson, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49378	Comment from Elly Ross
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44166	Comment from Schemer, Gwenn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49379	Comment from Susan Lefler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44167	Comment from Slakter, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49380	Comment from Dennis Hough
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44168	Comment from Taylor, K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49381	Comment from Michael Adler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44169	Comment from West, Carrie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49382	Comment from Nancy Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44170	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49383	Comment from Lauren A.
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44171	Comment from Lawrence, Rob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49384	Comment from Maria Gil-del-Real
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44172	Comment from Volz, Candace	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49385	Comment from Quinn Baranski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44173	Comment from Moy, Kristine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49386	Comment from Michael Halloran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44174	Comment from Axt, Phyllis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49387	Comment from Larry Lewis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44175	Comment from Hayman, Lauren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49388	Comment from Mary Dunlap
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44176	Comment from Francis, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49389	Comment from Alice Suso
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44177	Comment from Kirchdoerfer, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49390	Comment from Lori Girshick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44178	Comment from Borgen, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49391	Comment from Joanne Godzicki
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44179	Comment from Earp, Marsha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49392	Comment from Mitch Cohen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44180	Comment from Emerson, C	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49393	Comment from Kathleen Holman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44181	Comment from Wallace, Lee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49394	Comment from Heather Denney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44182	Comment from Resh, Brian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49395	Comment from Tina Overland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44183	Comment from Pettinato, Angele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49396	Comment from Bonnie RN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44184	Comment from MEDINA, MARIO	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49397	Comment from Michael Roehm
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44185	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49398	Comment from Thomas Sanders
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44186	Comment from Fedel, Sabrina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49399	Comment from Jeanne Stillman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44187	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49400	Comment from Jean Chagnon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44188	Comment from Urbanovich, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49401	Comment from Carmen Machado
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44189	Comment from zucker, m. lee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49402	Comment from Nancy Bushnell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44190	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49403	Comment from Darcy Symes

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44191	Comment from Hathaway, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49405	Comment from Michael Allen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44192	Comment from murphy, liz	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49406	Comment from Paula Morgan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44193	Comment from Hansen, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49407	Comment from Myra Toth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44195	Comment from Ballard, Kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49408	Comment from Paul LaFontaine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44196	Comment from Smallman, Dee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49409	Comment from Eve Waterman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44197	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49410	Comment from Dawn Stanko
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44198	Comment from Hansen, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49411	Comment from Colette Chance
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44199	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49412	Comment from m'lou christ
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44200	Comment from Jackson, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49413	Comment from Kate Ashley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44201	Comment from Chatel, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49414	Comment from Edward Spevak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44202	Comment from Lirones, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49416	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44203	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49417	Comment from Debra Wilks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44204	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49418	Comment from Dawn Mason-Lutsky
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44205	Comment from Carlson, Peggy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49419	Comment from Susan Fladager
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44206	Comment from Kelley, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49420	Comment from Kathy Sugarman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44207	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49421	Comment from Deb Delsole
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44208	Comment from Jennings, Gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49422	Comment from Wendy Bernier
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44209	Comment from Balish, June	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49423	Comment from David Klass
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44210	Comment from Bender, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49424	Comment from Marcia Benes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44211	Comment from Cunningham, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49425	Comment from Mary Pagan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44212	Comment from Andaloro, Bernadette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49426	Comment from Steven Fenster
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44213	Comment from Becker, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49427	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44214	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49428	Comment from Stuart Weiss
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44215	Comment from Clark, Maxine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49429	Comment from Julie Slavet
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44216	Comment from Othrow, Marge	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49430	Comment from Amanda Young
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44217	Comment from Moore, Kathie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49431	Comment from Mary OConnor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44218	Comment from King, Kari	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49432	Comment from John Valentine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44219	Comment from Fiorillo, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49433	Comment from Bonnie Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44220	Comment from Russo, Kerri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49434	Comment from Anna Stein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44221	Comment from Wiseman, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49435	Comment from Linda Martinez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44222	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49436	Comment from Andrew Dunne
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44223	Comment from Kovshun, Rita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49437	Comment from Carly Owens
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44224	Comment from Stewell, Christina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49438	Comment from Timothy McLaughlin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44225	Comment from Fischer, Wendy and Dan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49439	Comment from Thomas Conroy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44226	Comment from Brett, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49440	Comment from Jeffrey Dix
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44227	Comment from Bruno, Vicki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49441	Comment from Jacqui Lipschitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44228	Comment from Ciancone, Gabriella	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49442	Comment from Kelly Fiske
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44229	Comment from Lee, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49443	Comment from Hilary Capstick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44230	Comment from Mooney, Bob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49444	Comment from Patricia Cruse
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44231	Comment from Schlatter, Jeanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49445	Comment from Randall Foreman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44232	Comment from Alessandra, Danielle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49446	Comment from Heidi Steffy

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44233	Comment from kruggel, cyndee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49447	Comment from Robert Swett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44234	Comment from Ding, Angela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49448	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44235	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49449	Comment from Michael Logan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44236	Comment from MacCrimmon, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49451	Comment from Tony Segura
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44237	Comment from Greidinger, Iris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49452	Comment from Sue Geiger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44238	Comment from Coe, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49453	Comment from Jay Nilva
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44239	Comment from Sillasen, Becky	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49454	Comment from Lee Carson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44240	Comment from Zalaznick, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49455	Comment from Thomas Sanders
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44241	Comment from Pelton, Drew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49456	Comment from Kathleen Lovan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44242	Comment from craven, cheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49457	Comment from Chelly Chevres
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44243	Comment from Rohn, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49458	Comment from Jean Naples
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44244	Comment from Selquist, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49459	Comment from Linda Seaver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44245	Comment from Baker, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49460	Comment from Robert Findlay
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44246	Comment from Roche, Laretta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49461	Comment from Martin Russell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44247	Comment from Horter, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49462	Comment from David Nash
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44248	Comment from Colgrove, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49463	Comment from Marcella Hammond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44249	Comment from Belew, Lynette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49464	Comment from Pauline Flynn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44250	Comment from Glasser, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49465	Comment from Rhonda Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44251	Comment from antoinette, ibanès	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49466	Comment from Jacqui Lipschitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44252	Comment from McCarter, Angel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49467	Comment from Leslie Richardson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44253	Comment from Boccalon, Jana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49468	Comment from June Tullman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44254	Comment from Nina Huber	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49469	Comment from Alex Branger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44255	Comment from Kawada, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49470	Comment from AMANDA STONEBANK
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44256	Comment from Yanez, Andrea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49471	Comment from Ken Schefter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44257	Comment from Tan, Hiedi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49472	Comment from Lisa Norman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44258	Comment from Miller, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49473	Comment from Marca Leigh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44259	Comment from Breaux, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49474	Comment from Regina Lagrasta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44260	Comment from Bergen, Peggy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49475	Comment from Antonia Gary
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44261	Comment from Williams, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49476	Comment from Debra Raymond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44262	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49477	Comment from Timothy Tndc
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44263	Comment from Czarnecki, Roberta R	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49479	Comment from Madalynn Carey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44264	Comment from Morton, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49480	Comment from Stefanie Kaku
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44265	Comment from Saito, Tiemi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49481	Comment from kathy haverkamp
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44266	Comment from Spencer, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49482	Comment from Barb Crumppacker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44267	Comment from Self, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49483	Comment from Gordon Burghardt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44268	Comment from Harder, Kate	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49484	Comment from Carol Baumann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44269	Comment from shalaw, steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49485	Comment from Elizabeth McSweeney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44270	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49486	Comment from Brian Slosek
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44271	Comment from Seegler, Monika	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49487	Comment from Lisa Natale
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44272	Comment from shalaw, barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49488	Comment from Helen Webb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44273	Comment from Temes, Alan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49489	Comment from Kevin Bannon

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44274	Comment from Middleton, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49490	Comment from Faith Delaney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44275	Comment from Gordon-Watson, Lynne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49491	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44276	Comment from Foster, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49492	Comment from Robert Stark
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44277	Comment from Coski, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49493	Comment from Connie Meadows
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44278	Comment from Barber, Lynda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49494	Comment from Cynthia Operbeck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44279	Comment from Heron, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49495	Comment from Kris Bisgard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44280	Comment from Roach, Teresa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49496	Comment from Mary Shabbott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44281	Comment from Blanc, Annie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49497	Comment from Debra Renfrew
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44282	Comment from Pacifico, Antonio	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49498	Comment from Victori Rubietta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44283	Comment from Ankhuri-Fagan, Johanna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49499	Comment from Yume Herod
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44284	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49501	Comment from Julie Roedel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44285	Comment from CALLEN, MARY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49503	Comment from Kim Westlake
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44286	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49504	Comment from Daniel Kozminski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44287	Comment from Houchins, Charlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49505	Comment from Matt Damon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44288	Comment from Stalker, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49506	Comment from Linda Swan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44289	Comment from Knapp, Bonita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49507	Comment from Kimberly Kalishek
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44290	Comment from mitchell, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49508	Comment from Renee Landuyt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44291	Comment from Kennedy, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49509	Comment from Bev Vanderstar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44292	Comment from Lauren, Robyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49511	Comment from Carolyn Bennatti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44293	Comment from Bargery, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49512	Comment from Kristy Munden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44294	Comment from Leonis, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49513	Comment from Diane Barbera
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44295	Comment from Stevenson, Ian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49514	Comment from Joe sans
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44296	Comment from Markides, Christina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49515	Comment from William Montgomery
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44297	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49516	Comment from Lauren Mason
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44298	Comment from Hallman, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49517	Comment from Ben Ruwe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44299	Comment from Winstead, Annie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49518	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44300	Comment from Winstead, Cody	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49519	Comment from Victori Rubietta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44301	Comment from Bernett, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49520	Comment from Karen MacGee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44302	Comment from Miles, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49521	Comment from Lori Kuebler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44303	Comment from Vigil, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49522	Comment from Allison Scanlon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44304	Comment from Kalinowski, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49523	Comment from Trisha Sherman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44305	Comment from Greene, J	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49524	Comment from Warren Pope
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44306	Comment from Bennington, Shiki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49526	Comment from Bettina Bowers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44307	Comment from Judge, Carla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49527	Comment from Marjorie Browning
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44308	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49528	Comment from Marc Berner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44309	Comment from DiBernardo, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49529	Comment from Alice Neuhauser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44310	Comment from Czapkowicz, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49530	Comment from Alicia Rogers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44311	Comment from schreffelr, susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49531	Comment from Nancy Goldman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44312	Comment from Lull, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49532	Comment from tye block
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44313	Comment from Blakeslee, Gayle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49533	Comment from saraphine metis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44314	Comment from Strom, Kirsten	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49534	Comment from John Curreri

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44315	Comment from McCoy, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49535	Comment from rita zielinski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44316	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49536	Comment from Eva Marks-Curatolo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44317	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49537	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44318	Comment from Twardy, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49538	Comment from jon Anderholm
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44319	Comment from Rogulski, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49539	Comment from Mark Reback
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44320	Comment from Burgan, Renee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49541	Comment from Nawal Tamimi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44321	Comment from McLean, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49542	Comment from lisa Jacobson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44322	Comment from GASPAR, SUZANNE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49543	Comment from Sylvia Silberger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44323	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49544	Comment from John Murray
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44324	Comment from Cubillos, Ignacio	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49545	Comment from Cheryl Metzger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44325	Comment from Perras-Sanchez, Brandon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49546	Comment from Audrey , Moulinet
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44326	Comment from schultz, margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49547	Comment from Monge, Julia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44327	Comment from Harris, Jamie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49548	Comment from Morgane, Miodek
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44328	Comment from Parlove, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49549	Comment from Jim Steitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44329	Comment from Kettlety, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49550	Comment from Deborah Collodel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44330	Comment from Barrick, Nadine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49551	Comment from Deborah Thelen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44331	Comment from Butler, Bill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49554	Comment from Darryl San Souci
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44332	Comment from gautreaux, jaleh	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49555	Comment from Marilyn Davis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44333	Comment from Finley, Debbie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49556	Comment from Elizabeth Ashby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44334	Comment from Martin, L	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49557	Comment from Griffith Davies
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44335	Comment from Phillips, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49558	Comment from szu burgess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44336	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49559	Comment from Ken Ferris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44337	Comment from Gwynn, Bonita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49560	Comment from Sheila Enright
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44338	Comment from Bates, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49561	Comment from Gerald Shaia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44339	Comment from Marcolli, Frances	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49562	Comment from Maureen Coughlin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44340	Comment from Baldwin, Tanya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49563	Comment from Jaime Grimwood
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44341	Comment from Nelligan, Kate	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49564	Comment from Ronald Rauber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44342	Comment from S, N	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49565	Comment from Ginny Mair
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44343	Comment from bullen, susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49566	Comment from Diana Cartier
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44344	Comment from Mason, Jacqueline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49567	Comment from Karla McNamara
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44345	Comment from Polczynski, Jamie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49568	Comment from Dana Cohen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44346	Comment from Kuzma, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49569	Comment from Susan Rodriguez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44347	Comment from Rivera, Claudia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49570	Comment from Brian Weatherby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44348	Comment from Welte, Stuart	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49571	Comment from Amanda Graham
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44349	Comment from Sanford, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49572	Comment from VeZolles Celeste
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44350	Comment from Sams, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49573	Comment from Deb Breslow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44351	Comment from Martin, PJ	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49574	Comment from Norman Frank
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44352	Comment from Bottorff, Virginia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49575	Comment from Emanuel Falcone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44353	Comment from Quigley, Louise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49576	Comment from JOE BEZOTSKY
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44354	Comment from conniff, yuko	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49577	Comment from Jean Tabin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44355	Comment from Duffy, Z	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49578	Comment from Jeff Keswick

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44356	Comment from Stansfield, Jack	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49579	Comment from Greg Gazzana
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44357	Comment from Johnson, Justin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49580	Comment from Clarence Sutton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44358	Comment from Orvin, Allison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49581	Comment from Andrew Henry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44359	Comment from Jones, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49582	Comment from szu burgess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44360	Comment from Spratley, Rich	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49583	Comment from Margaret Keene
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44361	Comment from Mylott, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49584	Comment from Anthony Weil
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44362	Comment from Betts, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49585	Comment from Gloria Towers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44363	Comment from Obert, Carla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49586	Comment from Cody Dolnick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44364	Comment from Zeman, Brian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49587	Comment from Terrance Zable
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44365	Comment from Gather, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49588	Comment from Leona Klerer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44366	Comment from Nemeth, Elisabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49589	Comment from Lorraine Busby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44367	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49590	Comment from Janna Olson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44368	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49591	Comment from Jacquelyn Barnes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44369	Comment from Nemeth, Elisabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49592	Comment from szu burgess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44370	Comment from Nemeth, Elisabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49593	Comment from Robert Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44371	Comment from Magie, Bambi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49594	Comment from Barbara Swyden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44372	Comment from Whitaker, Cari	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49595	Comment from Barbara Hart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44373	Comment from reiburn, sandy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49596	Comment from Bruce Hlodnicki
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44375	Comment from reiburn, jay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49597	Comment from DoRi Miles
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44376	Comment from Woodman, Gillian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49598	Comment from Stacy Temeyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44377	Comment from Bauma, Troy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49599	Comment from Joseph Fysz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44378	Comment from Groutage, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49600	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44379	Comment from Wolfson, Andrea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49601	Comment from Barbara Peterson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44380	Comment from Gemmell, Doug	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49602	Comment from Russ Kirkpatrick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44381	Comment from Levy, Claire	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49603	Comment from David Snope
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44382	Comment from ogorzaly, jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49604	Comment from Emilie Spring
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44383	Comment from Dougherty, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49605	Comment from Andrew Barsom
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44384	Comment from Fowlkes, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49606	Comment from Gill Fahrenwald
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44385	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49607	Comment from Denise Ress
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44386	Comment from Roth, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49608	Comment from John Barger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44387	Comment from Rosmer, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49609	Comment from Diane Morrill
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44388	Comment from Bartlett, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49610	Comment from Susan Tosi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44389	Comment from Essig, Grae	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49611	Comment from Michael Gocinski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44390	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49612	Comment from Braxton Worth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44391	Comment from Preinesberger, Helga	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49613	Comment from szu burgess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44392	Comment from Propen, Bev	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49614	Comment from jason warrington
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44393	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49615	Comment from Holly Ducharme
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44394	Comment from Lozon, Kristina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49616	Comment from Colonel Meyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44395	Comment from Chandler, Tracey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49617	Comment from Matthew Callaway
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44396	Comment from Turbush, Heather	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49618	Comment from Julie walters
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44397	Comment from Garbrick, Kathe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49619	Comment from Angela Brancati

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44398	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49620	Comment from Angel Hissley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44399	Comment from Harpole, Thane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49621	Comment from Lindsay Myers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44400	Comment from hale, kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49622	Comment from Susan Dawson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44401	Comment from Scuzzeze, Bette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49623	Comment from Dianne Doochin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44402	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49624	Comment from E Ellis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44403	Comment from Naidu, Sonia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49625	Comment from Ramsay Kieffer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44404	Comment from Bush, Constance	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49626	Comment from Dale Bonge
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44405	Comment from lheureux, jole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49627	Comment from Rosiris Paniagua
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44406	Comment from Grimes, Tara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49628	Comment from Jennifer Mechling
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44407	Comment from Mansour, Raed	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49629	Comment from Sharon Els
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44408	Comment from Becker, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49630	Comment from Kelly Berdeaux
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44409	Comment from Zoll, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49631	Comment from Gail Caswell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44410	Comment from Gore, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49632	Comment from Irina Pashinina
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44411	Comment from Landman, Cinnamon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49633	Comment from Cathy Nieman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44412	Comment from Pellittiere, Josette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49634	Comment from szu burgess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44413	Comment from Swirczynski, Jim and Sophie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49635	Comment from Paul Naylor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44415	Comment from Kissick, Juliana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49636	Comment from T Roland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44416	Comment from Singer, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49637	Comment from l lubonty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44418	Comment from Stone, Amber	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49638	Comment from joyce cotter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44419	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49639	Comment from Donald Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44420	Comment from Winchester, Helen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49640	Comment from Tina Max
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44421	Comment from Staley, Roberta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49641	Comment from ALEXANDRA DiGiacomo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44422	Comment from Ham, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49642	Comment from Doris Butterfield
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44423	Comment from Glasgow, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49643	Comment from George Craciun
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44424	Comment from Viesser, Marcel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49644	Comment from Cindy Schultz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44425	Comment from Jones, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49645	Comment from Edwin Aiken
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44426	Comment from Bouillet, Dominique	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49646	Comment from Mary Germano
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44427	Comment from Maruki-Fox, Setsuko	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49647	Comment from Gayle Rosenberry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44428	Comment from Maruki-Fox, Setsuko	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49648	Comment from Janet Teffer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44429	Comment from Mahlberg, Casi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49649	Comment from William Montgomery
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44430	Comment from Quackenbush, Bonny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49650	Comment from Carol Boethel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44431	Comment from Hamilton, Mitchell	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49651	Comment from Tasha Elizabeth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44432	Comment from Pena, Nelson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49652	Comment from dawn kenyon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44433	Comment from Westwood, Dale	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49653	Comment from Janice Higgins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44434	Comment from Evans, Ramona	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49654	Comment from Jo Feldman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44435	Comment from Sheetz, Tina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49655	Comment from Diane Bostic
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44436	Comment from vayu, satya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49656	Comment from Tara Warfield
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44437	Comment from Mastracchio, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49657	Comment from Tabitha Donaghue
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44438	Comment from Cornez, Sandi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49658	Comment from Giancarlo Falco
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44439	Comment from Tremblay, Manon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49659	Comment from Danielle McHoul
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44440	Comment from Auer, Patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49660	Comment from Cindy Ray

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44441	Comment from Leary, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49661	Comment from RICHARD KETTYLE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44442	Comment from Amarillas, Cristina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49662	Comment from Wendy Ryden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44443	Comment from Read, Stuart	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49663	Comment from Ken Bowman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44444	Comment from Sharaf, Erin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49664	Comment from Kristin Pratt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44445	Comment from McTague, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49665	Comment from Cameron Binkley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44446	Comment from Leccese, Moncia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49666	Comment from Craig Kleber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44447	Comment from Vinton, Janine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49667	Comment from Kimberly Flowers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44448	Comment from Rosa, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49668	Comment from Susan Ford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44449	Comment from Hansen, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49669	Comment from Michael McCartin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44450	Comment from Klose, Joanna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49670	Comment from Barbara Kelly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44451	Comment from Huisken, Ginger Marie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49671	Comment from Corinna Hasbach
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44452	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49672	Comment from Michael Zuckerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44453	Comment from Brown, Danielle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49673	Comment from Elizabeth Cherubin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44454	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49674	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44455	Comment from Sunderland, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49675	Comment from Mary Yeck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44456	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49676	Comment from Mark Irving
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44457	Comment from Marsh, Kylie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49677	Comment from Suzanne charle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44458	Comment from DeFelice, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49678	Comment from Patricia Radder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44459	Comment from lamberti, christopher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49679	Comment from Melody lambeth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44460	Comment from Mann-Hielscher, Galia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49680	Comment from William Ryerson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44461	Comment from Kong, Vanessa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49681	Comment from Harvey Kaiser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44462	Comment from M, June	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49682	Comment from Shawn Tays
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44463	Comment from Stelter, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49683	Comment from Liz Murphy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44464	Comment from Rodriguez Rosa, Pedro	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49684	Comment from https://www.inmad.pl/
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44465	Comment from Patel, Dolly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49685	Comment from Ronald Silver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44466	Comment from Patel, Vidhi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49686	Comment from Diane Bostic
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44467	Comment from Patel, Neyati	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49687	Comment from Donna Walker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44468	Comment from Patel, Shreya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49688	Comment from George Picchioni
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44469	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49689	Comment from Doug Roaten
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44470	Comment from patel, neha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49690	Comment from Nancy Schultz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44471	Comment from Patel, Divya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49691	Comment from Emily Alpert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44472	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49692	Comment from edward dolan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44473	Comment from Currier, Meagan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49693	Comment from Mary Jenks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44474	Comment from Alves, Mariana Cristina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49694	Comment from Tori Herbst
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44475	Comment from Daigle, Nicole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49695	Comment from Tim Glover
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44477	Comment from McClure, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49696	Comment from Don Lax
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44478	Comment from Foss, P. M.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49697	Comment from Nancy Heck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44479	Comment from Bonoyer, K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49698	Comment from Richard Stern
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44480	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49699	Comment from James Klein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44481	Comment from Brodhag, Jack	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49700	Comment from Shari Ranger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44482	Comment from Bruce, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49701	Comment from Theresa Henderson

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44483	Comment from Eversley, Ocean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49702	Comment from Mai Hermann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44484	Comment from Patterson, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49703	Comment from Gail Plitnik
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44485	Comment from Patterson, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49704	Comment from Roger May
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44486	Comment from Santa, Kerstin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49705	Comment from Elena Starr
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44487	Comment from Flores, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49706	Comment from James Moran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44488	Comment from Conlin, Frank	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49707	Comment from Pete Sandifer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44489	Comment from Benjamin-Aicayaga, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49708	Comment from Brad Moss
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44490	Comment from Peoples, Brian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49709	Comment from Deb Buckler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44491	Comment from Mayhew, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49710	Comment from Teri Camelio-sullivan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44492	Comment from Monahan, Marissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49711	Comment from Tami Folkenflik
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44493	Comment from Benedis, Brooke	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49712	Comment from Guen Han
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44494	Comment from Janus, Bill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49713	Comment from Jane Montonen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44495	Comment from Smith, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49714	Comment from Hal Forsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44496	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49715	Comment from chantal Herron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44497	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49716	Comment from John Laing
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44498	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49717	Comment from Kathleen Shann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44499	Comment from augoustinos, tanya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49718	Comment from Ceren Farr
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44500	Comment from Wohlberg, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49719	Comment from Maria Asteinza
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44501	Comment from Salvarelli, Marie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49720	Comment from Sasha Kirby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44502	Comment from Flower, Maggie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49721	Comment from Colonel Meyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44503	Comment from Foerster, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49722	Comment from James Murphy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44504	Comment from Nilsson, Derinda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49723	Comment from Geoffrey Brooks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44505	Comment from Moog, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49724	Comment from Michael DeChant
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44506	Comment from Clemens, Pat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49725	Comment from Corinne Case
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44507	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49726	Comment from Karynn Merkel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44508	Comment from Jenner, Eric	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49727	Comment from Brigid McCormick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44509	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49728	Comment from Kathleen Snedeker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44510	Comment from MAKa, JANUSZ	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49729	Comment from Christine Gasco
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44511	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49730	Comment from Brenda Sharp
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44512	Comment from Ellis, Debbie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49731	Comment from Donald Barker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44513	Comment from Fitzpatrick, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49732	Comment from Matt LaPlante
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44514	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49733	Comment from Margaret Silver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44515	Comment from cohen, naomi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49735	Comment from Michael Dutton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44516	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49736	Comment from Teresa Edmonds
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44517	Comment from Desmarais, Lauri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49737	Comment from Mikki Royce
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44518	Comment from matthews, Kathie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49738	Comment from Jean Tabin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44519	Comment from Mansfield, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49739	Comment from Susan Tomaselli
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44520	Comment from Allen PhD DVM, Julia N	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49740	Comment from James Taft
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44521	Comment from Spencer, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49741	Comment from Neill Clenaghan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44522	Comment from Abbott, Melinda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49742	Comment from Nan Singh-Bowman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44523	Comment from McLean, Kenneth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49743	Comment from Susan Hawkins

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44524	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49744	Comment from Mary Rose
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44525	Comment from SCHARNAGEL, JASON	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49745	Comment from Jen Dunn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44526	Comment from Martin, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49746	Comment from Nicole Deter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44527	Comment from Edwards, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49747	Comment from Dr Dunn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44528	Comment from Roberts, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49748	Comment from Esther Weaver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44529	Comment from Obr, Brooks	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49749	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44530	Comment from Gorgo, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49750	Comment from Gina Epley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44531	Comment from Atkins, Gail	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49751	Comment from Rosemarie Nielsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44532	Comment from butterfield, patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49752	Comment from Lary McKee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44533	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49753	Comment from joan Peaslee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44534	Comment from Pavaglio, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49754	Comment from Robert Rivera
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44535	Comment from Boehm, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49755	Comment from Marcia Schmelzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44536	Comment from Gibson, Scott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49756	Comment from Eleanor Weisman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44537	Comment from TATE, NANCY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49757	Comment from Harriett Pooler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44538	Comment from Jenkins, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49758	Comment from Elizabeth Weavil
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44539	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49759	Comment from Julia Martin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44540	Comment from Kim, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49760	Comment from Ruth Arnone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44541	Comment from Berchert, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49761	Comment from Tina Criscione
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44542	Comment from Voss, Vivian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49762	Comment from jai parekh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44543	Comment from Preston, Lynne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49763	Comment from Linda Bridges
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44544	Comment from Ossenheimer, Merry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49764	Comment from Ana Herold
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44545	Comment from chandel, courtney	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49765	Comment from Nichole Graeber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44546	Comment from Lashaway, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49766	Comment from Charlotte Pisoni
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44547	Comment from Soutor, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49767	Comment from MIRIAM MORAN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44548	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49768	Comment from Rosemary Futrovsky
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44549	Comment from McElroy, Sharyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49770	Comment from Cheryl Tremblay
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44550	Comment from de Forges, Irène	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49771	Comment from William Cromwick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44551	Comment from Gx, Perry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49772	Comment from Lisa Perry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44552	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49773	Comment from Leslie Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44553	Comment from Felice, Deni	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49774	Comment from Oakley Duryea
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44554	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49775	Comment from Sharyn Dreyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44555	Comment from Burks, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49776	Comment from Sheilagh Bergeron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44556	Comment from Clarke, Aisha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49777	Comment from Jennifer Hagens
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44557	Comment from Walsh, CD	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49778	Comment from Paul Emerson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44559	Comment from Ishigo, Hiroko	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49779	Comment from Karen Galecki
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44560	Comment from Stillman, ron	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49780	Comment from Kim Altana
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44561	Comment from Hebel, Kate	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49781	Comment from Sheree Slone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44562	Comment from Wright, Darcy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49782	Comment from Maria Cadillac
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44563	Comment from Snyder, Hernani	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49783	Comment from Scott Wahlstrom
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44564	Comment from Migliore, Bonita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49784	Comment from Barbara Gagnon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44565	Comment from Elrod, Preston	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49785	Comment from Marcus Maloney

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44566	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49787	Comment from Susan Wechsler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44567	Comment from Cox, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49788	Comment from Johann Sproule
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44569	Comment from Cuneo, Sherrell	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49789	Comment from Jean Saja
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44570	Comment from Red, Pure	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49790	Comment from Mynka Draper
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44571	Comment from McKee, Sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49791	Comment from Kris Lacy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44572	Comment from HUTCHINS, RENEE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49792	Comment from Suzanne Bompensa
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44573	Comment from Morsellino, Arlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49793	Comment from Tony Gibart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44574	Comment from Zirakian, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49794	Comment from Ruth Quinones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44575	Comment from Lee, Jill	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49795	Comment from Linda Rudman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44576	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49796	Comment from Jim Lykins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44577	Comment from Biggs, Sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49798	Comment from Sallie Delahoussaye
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44578	Comment from Cammarata, Donn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49799	Comment from Terri Dumala
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44579	Comment from golick, jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49800	Comment from Elaine Eudy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44580	Comment from Sturt, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49801	Comment from david Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44581	Comment from malcher, denise	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49802	Comment from DAVID PREECE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44582	Comment from Webb, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49803	Comment from Ken Rosen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44583	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49804	Comment from Paula Lima
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44584	Comment from Holmes, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49805	Comment from Dottie Sober
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44585	Comment from Rose, Skye	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49806	Comment from Michele Monforte
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44586	Comment from Myers, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49808	Comment from Patty Roszko
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44587	Comment from Kane, JENNIFER	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49809	Comment from Myrna Torrie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44588	Comment from Harmatz, Jen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49810	Comment from kathleen king
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44589	Comment from Smith, Bonnie J.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49811	Comment from stacey francis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44590	Comment from Pech, Jim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49812	Comment from Karen Duckwall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44591	Comment from Bernardo, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49813	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44592	Comment from Silvano, Liliana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49814	Comment from Karen Deckel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44593	Comment from DeGerolamo, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49815	Comment from Jeffery Morgenthaler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44594	Comment from Haflich, Anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49816	Comment from Paula Cummings
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44595	Comment from Shanahan, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49817	Comment from Katherine Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44596	Comment from Cunningham, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49818	Comment from Linda Rudman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44598	Comment from Thomas, Timothy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49819	Comment from Cathy Becker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44599	Comment from Wheeler, Vicki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49820	Comment from Charles Cassagnol
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44600	Comment from Jones, Tony	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49821	Comment from David Webb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44601	Comment from Carbone, Christopher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49822	Comment from Virginia Leslie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44602	Comment from Irvin, Yvonne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49823	Comment from Joel DeStefano
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44603	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49824	Comment from Tom Wicker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44604	Comment from Tulo, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49825	Comment from Barbara Burton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44605	Comment from Henckel, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49826	Comment from Nancy Fahey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44606	Comment from Lewis, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49827	Comment from Allison Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44607	Comment from Cerretani, Holly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49828	Comment from John Furlong
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44608	Comment from Eisen, Harvey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49829	Comment from Roth Woods

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44609	Comment from Nelson, Helen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49830	Comment from Terri Resley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44610	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49831	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44611	Comment from Rodgers, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49832	Comment from Elaine Walker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44612	Comment from Korner, Jeff	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49833	Comment from Charlene Kerchevall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44613	Comment from Stegman, Cathy & Todd Stegman	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49834	Comment from Kristine Moy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44614	Comment from Khadka, Ayushma	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49835	Comment from Laurie Lagoe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44615	Comment from Beck, Dave	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49836	Comment from Rev. Cline
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44616	Comment from Okone, Brandon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49837	Comment from Carol Prunhuber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44617	Comment from Clark, Kristina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49838	Comment from Catharine McEachern
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44618	Comment from madden, Kendra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49839	Comment from Tristan Sophia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44619	Comment from Harlib, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49840	Comment from Kari Mueller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44620	Comment from Coughlin, Laureen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49841	Comment from AnnaLea Elliott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44621	Comment from Emmer, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49843	Comment from Isabella Ornaf
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44622	Comment from Chapman, Bridget	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49844	Comment from Donna Cristo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44623	Comment from Ortiz, Leticia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49845	Comment from Julia Hathaway
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44624	Comment from Ortiz, Victor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49846	Comment from carole scott
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44625	Comment from grabsch, dagmar	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49847	Comment from robin nadel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44626	Comment from Schreiber, Janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49848	Comment from Wendi Favreau
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44627	Comment from Thompson, Sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49849	Comment from Scott Powers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44628	Comment from Waggener, Janis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49850	Comment from carolyn stankowitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44629	Comment from Rosenblum, Allan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49851	Comment from MARY EMERICH
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44630	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49852	Comment from Alix Bowman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44631	Comment from Montague, Edna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49853	Comment from William Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44632	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49854	Comment from Christina Tomlinson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44633	Comment from Jolivet, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49855	Comment from Jaime Ramos
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44635	Comment from Skibinski, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49856	Comment from Geri Marshall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44636	Comment from Cutts, Bruce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49857	Comment from Douglas Roberson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44637	Comment from valencia, rio	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49858	Comment from Victoria Sola
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44638	Comment from Minsky, Nina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49859	Comment from Barbara Blount-Powell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44639	Comment from Roberts, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49860	Comment from MS Tomasello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44640	Comment from Koff, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49862	Comment from Anissa , Guettiche
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44641	Comment from Pedersen, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49863	Comment from Alisa Risso
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44642	Comment from Cambouris, Jeanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49864	Comment from O'Brien, Karen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44643	Comment from Karth, Etta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49865	Comment from O'Brien, William
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44644	Comment from Baker, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49866	Comment from George Alderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44645	Comment from Santiago-Floyd, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49867	Comment from Ray, Leslie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44646	Comment from Furutate, Midori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49868	Comment from Scheuer, Matt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44647	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49869	Comment from Jorge Andromidas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44648	Comment from Armenteros, Clara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49870	Comment from Richard Berman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44649	Comment from ABBOTT, ROBERT	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49871	Comment from Tania Dimov
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44650	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49872	Comment from Larry Trochtenberg

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44651	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49873	Comment from karen horton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44652	Comment from Charter, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49874	Comment from nanci nugent
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44653	Comment from Perala, Connie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49875	Comment from Lynnette Spratley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44654	Comment from Garretson, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49876	Comment from Cindy Lance
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44655	Comment from Clark, Tammy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49877	Comment from WALTER EMERICH
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44656	Comment from Ham, Michele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49878	Comment from B. Lemonik
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44657	Comment from MEDINA, MARIO	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49879	Comment from Oscar Zamora
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44658	Comment from Borzik, Joette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49880	Comment from Carol Patton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44659	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49881	Comment from Lyda Stillwell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44660	Comment from Sherman, Roger	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49882	Comment from Lillian Hyland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44661	Comment from McFadden, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49883	Comment from Shane Wade
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44662	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49884	Comment from Joy Davis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44663	Comment from Grunspan, Larry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49885	Comment from Carlos Arnold
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44664	Comment from Cohen, Natalie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49886	Comment from Kathleen Lewis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44665	Comment from Russell, Vicky	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49887	Comment from Judith Weis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44666	Comment from Campbell, Therese	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49888	Comment from Jan Edmunds
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44667	Comment from Diaz, Gabriela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49889	Comment from Rozalind Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44668	Comment from Lane, Laurie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49890	Comment from Laura Howes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44669	Comment from Kuester, Keitha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49891	Comment from Barry Goldfarb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44670	Comment from Wolf, Rohana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49892	Comment from Cindy Schultz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44671	Comment from Pellman, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49893	Comment from Stacy Lepkowski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44672	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49894	Comment from Paul Bolden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44673	Comment from F., Angie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49895	Comment from Judith Garson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44674	Comment from Ishmael, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49896	Comment from Richard Eyck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44676	Comment from Ricard, Darleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49897	Comment from Yefim Maizel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44677	Comment from Whitley, Tracey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49898	Comment from Ruth Mara
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44678	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49899	Comment from Francis Orozco
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44679	Comment from Dionisio-Bachi, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49900	Comment from Dorothy Knudson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44681	Comment from Hipszky, Ginger	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49901	Comment from Michael Stewart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44682	Comment from Stewart, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49902	Comment from Roel Bergema
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44683	Comment from Allison, Connie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49903	Comment from So Allen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44684	Comment from Hudson, T	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49904	Comment from Tina baker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44685	Comment from Collins, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49905	Comment from Jenifer Vaughan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44686	Comment from Krueger, Gloria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49906	Comment from Ellen Walsh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44687	Comment from Withnall, Emily	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49907	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44688	Comment from Peters, Valerie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49908	Comment from Michael Peterman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44689	Comment from Bachi, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49909	Comment from Mike Souza
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44690	Comment from Dransfield, Andrea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49910	Comment from Andrew Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44691	Comment from lenard, dena	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49911	Comment from Marcia Godich
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44692	Comment from Black, Elizabeth Lea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49912	Comment from HENRY MILLER
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44693	Comment from Ryan, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49913	Comment from Donalyn Gross

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44694	Comment from R, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49914	Comment from KAREN SMITH
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44695	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49915	Comment from Ed Perry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44696	Comment from Garbrick, Kathe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49916	Comment from Barbara Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44697	Comment from Gaffney, Vicki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49917	Comment from Camille McPhee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44698	Comment from Bassman, Jana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49918	Comment from DiMatteo, Dre
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44699	Comment from Quigley, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49919	Comment from DiMatteo, Dre
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44700	Comment from Armstrong, Chrishall	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49920	Comment from Michele Roberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44701	Comment from Marshall, Erin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49922	Comment from Jim Clapp
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44702	Comment from Jason, Annemarie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49923	Comment from Julia Black
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44703	Comment from Janssen, Hillie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49924	Comment from Roberta Parrish
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44704	Comment from vibber, van	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49925	Comment from DANIEL WAITE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44705	Comment from Cole, Hannah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49926	Comment from Matthew Grussing
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44706	Comment from Scott, Raeann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49927	Comment from Trish stevens
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44707	Comment from Bottorff, Virginia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49928	Comment from Kim Wick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44708	Comment from Bertelsen, Jeannet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49929	Comment from Nancy Perkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44709	Comment from Luciano, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49930	Comment from Paige Harrison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44710	Comment from Bender, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49931	Comment from tess Fraad
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44711	Comment from Cushing, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49932	Comment from Christopher Michaels
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44712	Comment from Taylor, Mary Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49933	Comment from Donita Sparks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44713	Comment from Lanzarotta, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49934	Comment from Debra Skup
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44715	Comment from McGinnis, Nikki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49935	Comment from Susan McGraw-Keber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44716	Comment from Mason, Tracey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49936	Comment from Pat Pike-Dimel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44717	Comment from Waterman, Glenna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49937	Comment from Kathy Traver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44718	Comment from Smith, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49938	Comment from Karen Wagner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44719	Comment from Riendeau, Gwenevier	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49939	Comment from Abigail Gindele
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44720	Comment from Watson, Carol Knight	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49940	Comment from Noreen lassandrello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44721	Comment from Cassidy, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49941	Comment from Bret Sher
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44722	Comment from Pristin, Dmitry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49942	Comment from Rosemary Caolo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44723	Comment from kowalski, josephine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49943	Comment from Diane Weinstein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44724	Comment from Mackiewicz, Frances	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49944	Comment from KELLY BARRIOS
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44725	Comment from Mays, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49945	Comment from Rhonda Robinson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44726	Comment from McLarnon, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49946	Comment from Deborah Allison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44727	Comment from Harrington, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49947	Comment from Eve Botelho
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44728	Comment from Arnold, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49948	Comment from Kkm H
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44729	Comment from Silberberg, Martin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49949	Comment from Susan Mohler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44730	Comment from Brown, Maggi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49950	Comment from Hugh Harwell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44731	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49951	Comment from julia knaz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44732	Comment from Morrow, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49952	Comment from Michelle Sewald
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44733	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49953	Comment from Chad Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44734	Comment from Murphy, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49954	Comment from Diane Knight
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44735	Comment from Weaver, Tammy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49955	Comment from Tom Sharkey

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44736	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49956	Comment from Karen Coppock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44737	Comment from Totty, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49957	Comment from Peter Mark
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44738	Comment from Thorpe, Autumn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49958	Comment from Lauren Murdock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44739	Comment from DeLuna, Yvonne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49959	Comment from Joy Marzolf
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44740	Comment from Fochs, Ryan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49960	Comment from Margaret Goodman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44741	Comment from Macnamara, Alicia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49961	Comment from Michael Oblander
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44743	Comment from Morley, Krista	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49963	Comment from Alexandra Sweitzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44744	Comment from Durkin, Samuel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49964	Comment from Susan Dorchin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44745	Comment from Foster, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49965	Comment from Cecelia Wankel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44746	Comment from Mead-Campion, Dana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49966	Comment from Scarlett Bacon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44748	Comment from Teel, Shannon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49967	Comment from M Rivera
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44749	Comment from Rodriguez, Rebeca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49968	Comment from Pat Erickson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44750	Comment from Takatsch, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49969	Comment from Ed Haff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44751	Comment from Ford, Deryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49970	Comment from Paula Powers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44752	Comment from Sperry, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49971	Comment from Michele Roberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44753	Comment from Morgan, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49972	Comment from Terry Tedesco
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44754	Comment from rankin, william	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49973	Comment from NORA HILFINGER
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44755	Comment from Polley, Daniel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49974	Comment from Patricia Santos
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44756	Comment from Stone, Steve	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49975	Comment from Todd Heiler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44757	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49976	Comment from Mike Vanlandingham
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44758	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49977	Comment from Catherine Ayoub
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44759	Comment from Tuznik, Natascha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49978	Comment from David Finke
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44760	Comment from Walton, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49979	Comment from Donald Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44761	Comment from Ziegler, Kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49980	Comment from David Schwartz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44762	Comment from Montell, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49981	Comment from Sylvia Vairo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44763	Comment from Lewis, Verlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49982	Comment from Karen Mumford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44765	Comment from Frot, Pierre-Emmanuel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49983	Comment from Jeanne Larson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44766	Comment from Mayer, Karol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49984	Comment from Ken Horkavy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44767	Comment from Ringland, Lezlie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49985	Comment from Ann Cunningham
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44768	Comment from Takaichi, Sue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49986	Comment from Jim Swirczynski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44769	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49987	Comment from Joan Seguin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44770	Comment from Lowrey, Jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49988	Comment from Lisa Witham
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44771	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49989	Comment from Marla Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44772	Comment from Hani, Ki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49990	Comment from Adam DOnofrio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44773	Comment from Obr, Brooks	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49991	Comment from Jesse Bernhardt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44774	Comment from Tschirhart, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49992	Comment from Randi Saslow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44775	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49993	Comment from Scott Bishop
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44776	Comment from Hummers, JoAnn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49994	Comment from Phyllis Huang
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44777	Comment from Lancaster, Alicia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49995	Comment from Thomas Sanders
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44778	Comment from Carideo, Ida	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49997	Comment from Blair Kangley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44779	Comment from McVey, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49998	Comment from Anne Lazarus

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44780	Comment from Alfreds, Arthur	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49999	Comment from Elizabeth Lindorff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44781	Comment from Fife, Samantha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50000	Comment from Phyllis Melodia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44782	Comment from Lewis, Linka	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50001	Comment from Carl Gaines
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44783	Comment from Hogan, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50002	Comment from Steven Collins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44784	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50003	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44785	Comment from Fife, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50004	Comment from Melissa Bauer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44786	Comment from Santoro, Andrea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50005	Comment from Shanna Damien
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44787	Comment from Reed, Tabitha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50006	Comment from Terry Bergeron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44788	Comment from Benatar-Kotler, Belinda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50007	Comment from Christy MoneyMaker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44789	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50008	Comment from cave man
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44790	Comment from Murphy, Amber	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50009	Comment from Cathy Martin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44791	Comment from Pike, Darren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50010	Comment from Sally Reynolds
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44792	Comment from Schmidt, Jacqueline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50011	Comment from Jeffrey DeCristofaro
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44793	Comment from murphy, cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50012	Comment from Danya kuperstein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44794	Comment from Schaller, Wilma	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50013	Comment from Karen Pecsok
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44795	Comment from Sikorski, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50014	Comment from William Brockman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44796	Comment from Malyon, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50015	Comment from Nick Hennessy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44797	Comment from Wright, Martha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50016	Comment from Jay Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44798	Comment from McConkey, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50017	Comment from Jeanne Larson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44799	Comment from Polley, Daniel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50018	Comment from Debra Berlan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44800	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50019	Comment from julia knaz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44801	Comment from Premutati, Ally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50020	Comment from Thomas Artin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44802	Comment from Groome, Malcolm	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50021	Comment from Yvonne Albrecht
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44803	Comment from Ellis, Maureen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50022	Comment from Stephen Courim
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44804	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50023	Comment from Melene Rose
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44805	Comment from Gray, Tracu	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50024	Comment from Natalia Stadelbauer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44806	Comment from Sparkes, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50025	Comment from Nina Tatlock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44807	Comment from McBath, Ryan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50026	Comment from Barbara Stenross
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44808	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50027	Comment from Joel Jensen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44809	Comment from Gergel, Inna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50028	Comment from Arthur Friedman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44810	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50029	Comment from Renee Koenitzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44811	Comment from Bryner, Erick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50030	Comment from margaret tatum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44812	Comment from Baker, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50031	Comment from Darci Halloran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44813	Comment from Winter, Blake	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50032	Comment from Tami Omeson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44814	Comment from Jesse, Chuck	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50033	Comment from b leveled
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44815	Comment from Casino, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50034	Comment from K Krupinski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44816	Comment from Walker, Jeannie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50035	Comment from Donna Butler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44817	Comment from goldsmith, lynne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50036	Comment from Victoria Cross
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44818	Comment from Foster, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50037	Comment from Glenn Hicks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44819	Comment from Lebich, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50038	Comment from Doris Luther
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44820	Comment from Glick, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50039	Comment from Harry Heiden

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44821	Comment from Meute, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50040	Comment from Delaina Rupp
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44822	Comment from Krasner, Shay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50041	Comment from Gordon Cook
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44823	Comment from McKinney, Orville	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50042	Comment from Robert Burkowski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44824	Comment from Drozd, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50043	Comment from Jamie Thomas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44825	Comment from Townsend, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50044	Comment from Jeff Hammock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44826	Comment from Branson, Jack	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50045	Comment from Celeste Hong
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44827	Comment from smith, w.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50046	Comment from Lois Buenau
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44828	Comment from Vincent, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50047	Comment from Bruce Krawisz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44829	Comment from Piekarz, Gwen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50049	Comment from George Perla
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44830	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50050	Comment from Jerry Banks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44831	Comment from Swanson, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50051	Comment from Robert Long
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44832	Comment from Broudy, Marie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50052	Comment from Richard Pietraccini
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44833	Comment from Carlson, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50053	Comment from Christine Drea
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44835	Comment from Ables, Harriet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50054	Comment from James Henriksen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44836	Comment from St. Pierre, Stephen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50055	Comment from Beth Werner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44837	Comment from Arnold-Katini, Anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50056	Comment from I. Engle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44838	Comment from Torres-Krusinski, Alexandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50057	Comment from Patricia Brooks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44839	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50058	Comment from Thomas Conroy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44840	Comment from Nash, Tom	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50059	Comment from Marsha Hicks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44841	Comment from Grubbs, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50060	Comment from Deb Sandalwood
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44842	Comment from Esposito, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50061	Comment from Jane Church
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44843	Comment from Wilson, Gloria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50062	Comment from Lise Emond
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44844	Comment from Johnson, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50063	Comment from Michael Noack
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44845	Comment from Reichert, Charlotte	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50064	Comment from Curt Bohlen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44846	Comment from Reese, Alex	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50065	Comment from Phil Fitzgerald
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44847	Comment from Mirmak, Dorothy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50066	Comment from Elizabeth Chiribi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44848	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50067	Comment from Lajeanne Leveton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44849	Comment from D'Avanzo, Yvonne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50068	Comment from Joanne Tenney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44850	Comment from Kitto, Martin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50069	Comment from REV. NUNES
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44851	Comment from Celli, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50070	Comment from Margie Hancock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44852	Comment from Kronzek, Allan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50072	Comment from Barbara Kyse
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44853	Comment from Skudra, Renee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50073	Comment from Bernice Santos
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44854	Comment from Goldstein, Gailen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50074	Comment from Karen Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44855	Comment from SEARLE, SUSAN	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50075	Comment from Laura Silverman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44856	Comment from Forbes, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50076	Comment from Robert Musil
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44857	Comment from Wanenmacher, Erika	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50077	Comment from Lora Meisner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44858	Comment from Caillouette, Christina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50078	Comment from Jerry Banks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44859	Comment from Kordes, Maria	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50079	Comment from Jennifer Josephy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44860	Comment from fox, patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50080	Comment from Ramona Jackson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44861	Comment from Oba, Peggy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50081	Comment from Johann Schumacher
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44862	Comment from Ponder, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50082	Comment from Ali Van Zee

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44863	Comment from Bradshaw, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50083	Comment from Gerald Gabel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44864	Comment from ogorzaly, claire	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50084	Comment from Leslie Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44865	Comment from ogorzaly, jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50085	Comment from Bjorn Mollersten
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44866	Comment from Brower, Kim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50086	Comment from Theresa Campbell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44867	Comment from Jackson, Joel & Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50087	Comment from Dorene Randall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44868	Comment from Doyka, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50088	Comment from ellen witte
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44869	Comment from Treppeda, Cassandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50089	Comment from Susan Vogel-Hudgins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44870	Comment from Kohn, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50090	Comment from r tippens
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44871	Comment from Barbezat, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50091	Comment from Dana Doliber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44872	Comment from Meza-Steel, Rosi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50092	Comment from Ruth Dyke
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44873	Comment from Linder, Amelia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50093	Comment from Gerald Gabel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44874	Comment from Meza-Steel, Rosi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50094	Comment from Elizabeth Garratt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44875	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50095	Comment from Uly Silkey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44876	Comment from Scioscia, Jacquelyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50096	Comment from Gail Sullivan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44877	Comment from Van Dyke, Carl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50097	Comment from Paul Gagliano
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44878	Comment from Calvelage, Anthony	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50098	Comment from Michael Moy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44879	Comment from Dieringer, Irini	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50099	Comment from Melissa Grondin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44880	Comment from ELKINS, R.J.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50100	Comment from Carol Argenziano
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44881	Comment from Trykowski, Denay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50101	Comment from Dan Pepin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44882	Comment from Ungar, Autumn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50102	Comment from Donna D'Finigt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44883	Comment from Shelby, BC	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50103	Comment from Andrea Wasserman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44884	Comment from Grimes, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50104	Comment from Bradley Holmes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44885	Comment from Murphy, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50105	Comment from Karen Sewick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44886	Comment from Neft, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50106	Comment from Ed Mosimann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44887	Comment from Hosmer, Katie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50107	Comment from Nancy Yarosis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44888	Comment from Stahl, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50108	Comment from Frances M
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44889	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50109	Comment from Alice Neuhauser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44890	Comment from Berg, Sheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50110	Comment from Cris Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44891	Comment from Lewis, D	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50111	Comment from Elizabeth Horvath
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44892	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50112	Comment from Brian Gingras
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44893	Comment from Blanchard, Betsy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50113	Comment from Barry De Jasu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44894	Comment from Kutz, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50114	Comment from Heather Gentile
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44895	Comment from Heilig, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50115	Comment from Martha Perlmutter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44896	Comment from Sieks, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50116	Comment from Angela Jensen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44897	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50117	Comment from pat berger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44898	Comment from Williams, Sheryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50118	Comment from G WOODWARD
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44899	Comment from Brown, Maryetta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50119	Comment from Amy M
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44900	Comment from Hockenbrouch, Anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50120	Comment from Mark Reback
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44901	Comment from Padelford, Grace	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50121	Comment from Mark van Rossen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44902	Comment from Converse, Blaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50122	Comment from Gene Marault
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44903	Comment from Converse, Blaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50123	Comment from Patricia White

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44904	Comment from Uecker, Jamie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50124	Comment from Jayson Minio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44905	Comment from Long, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50125	Comment from Patricia Taylor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44906	Comment from Carbone, Christopher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50126	Comment from Eileen Prefontaine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44907	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50127	Comment from Laura Nowack
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44908	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50128	Comment from Dan McCoy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44909	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50129	Comment from Tamyra Wallace
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44910	Comment from Jeffers, Jacqueline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50130	Comment from Joseph Corbett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44911	Comment from Khin, Teyzardanti	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50131	Comment from Pearl Holloway
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44912	Comment from Langlois, Renee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50132	Comment from Carol Batchelder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44913	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50133	Comment from Barbara Fernandez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44914	Comment from Witter, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50134	Comment from Joan Ouellette
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44915	Comment from Beatham, Beverly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50135	Comment from s klof
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44916	Comment from J, Buddy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50136	Comment from Ernesto Marquez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44917	Comment from Austin, Shane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50137	Comment from Rex Franklyn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44918	Comment from Napier, Leesa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50138	Comment from Bert Barry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44919	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50139	Comment from Barry Zuckerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44920	Comment from Long, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50140	Comment from Dara Rider
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44921	Comment from Engelkemeir, Jeanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50141	Comment from Henry Clement
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44922	Comment from Israel, Lesley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50142	Comment from Janis Millu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44923	Comment from Storm, Laurie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50143	Comment from Colonel Meyer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44924	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50144	Comment from Lloyd Hedger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44925	Comment from Lozon, Rob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50145	Comment from Audrey Brownell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44926	Comment from Heuser, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50146	Comment from aida sudan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44927	Comment from Berkon, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50147	Comment from Leonard Epstein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44928	Comment from Carlson, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50148	Comment from Troy Tackett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44929	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50149	Comment from Deirdre Morris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44930	Comment from Oates, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50150	Comment from Michael Halloran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44931	Comment from Garbrick, Kathe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50151	Comment from Neal Umphred
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44932	Comment from Nuovo, Trina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50152	Comment from Lisa Niebling
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44933	Comment from Barack, Max	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50154	Comment from Lorraine Avallone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44934	Comment from Klenk, D	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50155	Comment from Robert Reis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44935	Comment from Laplante, Dianne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50156	Comment from Patricia Gehring
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44936	Comment from Hickman, Karol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50157	Comment from Meha Kamdar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44937	Comment from Lorkiewicz, Candace	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50158	Comment from Steven Nelson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44938	Comment from Newman, Sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50159	Comment from Susan Bernat
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44939	Comment from knaack, dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50160	Comment from Ingrid Eichenbaum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44940	Comment from Miller, Theresa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50161	Comment from Norman Herron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44941	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50162	Comment from Nancy Dawley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44942	Comment from Morgan, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50163	Comment from Shirley Phillips
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44943	Comment from Curtin, Theodore	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50164	Comment from LISA HEY
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44944	Comment from strich, nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50165	Comment from Mary Armstrong

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44945	Comment from Rechs, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50166	Comment from Pamela Kane
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44946	Comment from Davis, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50167	Comment from Adam Trauger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44947	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50168	Comment from Bruce Grobman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44948	Comment from Boothe, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50169	Comment from Eileen Mitro
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44949	Comment from Oggiono, Nanette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50170	Comment from Karen Yarnell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44950	Comment from DiCarrado, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50171	Comment from Jessica Cresseveur
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44951	Comment from Troll, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50173	Comment from Judy Moran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44952	Comment from Hopkins, Rachel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50174	Comment from Kenrad Pederson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44953	Comment from Pesko, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50175	Comment from Lisa Toth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44954	Comment from Bright Procopio, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50176	Comment from Tozzer, Brent
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44955	Comment from Karrington, Tessa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50177	Comment from WILLIAM KOHLER
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44956	Comment from Karrington, Faith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50178	Comment from Clark, Irina
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44957	Comment from Karrington, Destiny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50179	Comment from NM Porter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44958	Comment from Ballah, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50180	Comment from Robert Janusko
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44959	Comment from Baxter, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50181	Comment from Francine Traniello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44960	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50182	Comment from Jean Perry-Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44961	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50183	Comment from Joseph Nowak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44962	Comment from antonacci, t.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50184	Comment from Paul Emerson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44963	Comment from Flum, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50185	Comment from Nasrin Mazuji
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44964	Comment from Jackson, C. J.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50186	Comment from Duane Keschull
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44965	Comment from Fisher, Melanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50187	Comment from Peggy Lyle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44966	Comment from Stevens, Fee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50188	Comment from Gerald Kolbe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44967	Comment from Henry, Mark	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50189	Comment from C. Smiley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44968	Comment from Adams, Marsha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50190	Comment from Laurena Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44969	Comment from Kaslander, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50191	Comment from kathleen king
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44970	Comment from Duncan, Denny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50192	Comment from Mai Hermann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44971	Comment from Gorman, K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50193	Comment from rodney hemmila
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44972	Comment from Kanar, Henry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50194	Comment from Gerald Wambach
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44973	Comment from LaBish, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50195	Comment from Marilyn Shugart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44974	Comment from Carr, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50196	Comment from Karen Cowen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44975	Comment from Reed, Heather	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50197	Comment from Richard Wilkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44976	Comment from Martino, Rosanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50198	Comment from Eileen Sendrey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44977	Comment from Deal, Mariko	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50199	Comment from Elizabeth Miyamoto
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44978	Comment from Lerma, Stella	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50200	Comment from Dennis Dougherty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44979	Comment from Elliott, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50201	Comment from Robert Gondell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44980	Comment from Raper, Connie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50202	Comment from Lauren L
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44981	Comment from Palmer, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50203	Comment from Colleen Lobel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44982	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50204	Comment from Kathleen Casson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44983	Comment from Johnson, Adrian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50205	Comment from Tim Porter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44984	Comment from Hull, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50206	Comment from Karen McHugh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44985	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50207	Comment from Nora Gibson

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44986	Comment from Scott, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50208	Comment from Alicia Caton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44987	Comment from Shepard, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50209	Comment from Scott Sinclair
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44988	Comment from Ehrlich, Isaac	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50210	Comment from Joanne Marcus
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44989	Comment from Cheitlin, Melvin D.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50212	Comment from Steve Mattan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44990	Comment from Heath, Edele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50213	Comment from Catherine DeGraw
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44991	Comment from Bartlett, Janice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50214	Comment from Will Ware
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44992	Comment from D. Walker, Verla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50215	Comment from willie hinze
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44993	Comment from Lamarche, Michele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50216	Comment from Mary McGeary
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44994	Comment from Baird, Rachel Elion	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50217	Comment from Deirdre Fitzsimmons
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44995	Comment from Gil, Vanessa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50218	Comment from Thomas Artin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44996	Comment from Kirn, Roberta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50219	Comment from Margaret Hunt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44997	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50220	Comment from jason husby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44998	Comment from Fotis, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50221	Comment from Richard Bailey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44999	Comment from Hasbach, Corinna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50222	Comment from DONNA ALLEYS-CHIN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45000	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50223	Comment from John Walker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45001	Comment from Ezanno, Philippe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50224	Comment from Elizabeth Slikas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45002	Comment from Tucker, Philip	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50225	Comment from Kathy Lucy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45003	Comment from Foster, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50226	Comment from Erica Minglis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45004	Comment from Revak, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50227	Comment from Stephanie Selznick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45005	Comment from Lazar, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50228	Comment from Deanne Hart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45006	Comment from CASAGRANDE IV, ANDY BRANDY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50229	Comment from Christine Bogdanowicz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45007	Comment from Lauren, Michele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50230	Comment from Sharon Burge
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45008	Comment from Alsafi, Catherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50231	Comment from Diane Glim
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45009	Comment from Reble, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50232	Comment from Lisa Nativi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45010	Comment from Menendian, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50233	Comment from Gretchen Dysart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45011	Comment from Freeman, Leslie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50234	Comment from M Stanley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45012	Comment from la torre, jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50235	Comment from ava bariana
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45013	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50236	Comment from Crystal Rector
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45014	Comment from la torre, jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50237	Comment from Steve Gray
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45015	Comment from Brown, Maryetta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50238	Comment from Scott Weiser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45016	Comment from Suhr, Fred	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50239	Comment from Eugene Brusin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45017	Comment from Chapman, Christy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50240	Comment from Richard Harden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45018	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50242	Comment from Gerald Orcholski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45019	Comment from Yankoviak, Steven	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50243	Comment from Renee Milkie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45020	Comment from Soens, Meg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50244	Comment from Harry Heiden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45021	Comment from Burga, Shirley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50245	Comment from Colleen Lobel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45022	Comment from Leathem, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50246	Comment from Patricia DeLuca
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45023	Comment from Montonen, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50247	Comment from Sarah ECKBERG-STEVENS
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45024	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50248	Comment from Marilyn Ricci
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45025	Comment from Foroutan, Bijan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50249	Comment from Jamie Thomas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45026	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50250	Comment from MARK SONDERSKOV

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45027	Comment from Wright, Madeline	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50251	Comment from Alex Harris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45028	Comment from Halfyard, Quentin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50252	Comment from JOHN PRYBYLSKI
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45029	Comment from Sims, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50254	Comment from Colin Kay
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45030	Comment from Riday, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50255	Comment from Paul Lerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45031	Comment from Blakeslee, Gayle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50256	Comment from Lynne Teplin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45032	Comment from Shashidhar, Megha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50257	Comment from Doreen Mann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45033	Comment from Baradgie, Noelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50258	Comment from Sue Stanton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45034	Comment from LaBudie, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50259	Comment from Chris Bush
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45035	Comment from Reilly, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50260	Comment from Daniel Marcy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45036	Comment from Nerl, Kendra Alexiis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50261	Comment from Tammy Lettieri
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45037	Comment from Yoshino, Trudie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50262	Comment from Devon Benton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45038	Comment from Scalzitti, Jana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50263	Comment from Sheila Erlbaum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45039	Comment from Port, Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50265	Comment from Ralph Emerson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45040	Comment from KOLLMAN, LINDA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50266	Comment from Maria Ram
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45041	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50267	Comment from Fallon Ryan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45042	Comment from Benatar-Kotler, Belinda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50268	Comment from K Krupinski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45043	Comment from Gregory, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50269	Comment from Karishma Brough
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45044	Comment from York, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50270	Comment from Joe Lopze
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45045	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50271	Comment from Claudia Damon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45046	Comment from Rosenkranz, Ann	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50272	Comment from Kathleen Medina
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45047	Comment from Lawrence, Christy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50273	Comment from Chelsea Boehm
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45048	Comment from Amidon, Jay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50274	Comment from sandra mooney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45049	Comment from Hanley, Sheila	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50275	Comment from Carol Rosas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45050	Comment from Dell'Acqua, Nadia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50276	Comment from alice trexler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45051	Comment from Ginsberg, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50277	Comment from Millie Mondragon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45052	Comment from Scarritt, Sara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50278	Comment from Deborah Gandolfo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45053	Comment from Bottorff, Virginia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50279	Comment from Naomi Klass
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45054	Comment from Davis, Nicole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50280	Comment from Patrick Canty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45055	Comment from Bolick, Charles R.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50281	Comment from Gino Czaster
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45056	Comment from Union, Kimberly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50282	Comment from Diana Ames
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45057	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50283	Comment from Robert Applebaum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45058	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50284	Comment from Selina Harris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45059	Comment from Orick, Debi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50285	Comment from Claudia Lamoreaux
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45060	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50286	Comment from yolande Derenesse
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45061	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50287	Comment from Peter Ayres
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45062	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50288	Comment from Dale Riehart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45063	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50289	Comment from Karen Gaylin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45064	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50290	Comment from Martha Kelem
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45065	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50291	Comment from Marguerite Cambria
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45067	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50292	Comment from Donna Grant
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45069	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50293	Comment from Nina Aronoff

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45070	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50294	Comment from Maureen Gwynn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45072	Comment from Travers, Holly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50295	Comment from Melissa Bishop
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45073	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50296	Comment from Dorothy Nirenstein
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45074	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50297	Comment from Irene Duffy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45075	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50298	Comment from Vira Confectioner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45076	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50299	Comment from Bruce Rodgers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45077	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50300	Comment from Michael Lombardi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45079	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50301	Comment from Jeannie Frank
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45080	Comment from Leiseroff, Miriam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50303	Comment from Phyllis White
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45081	Comment from Leiseroff, Miriam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50304	Comment from suzanne gaspar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45082	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50305	Comment from NANCY GODWIN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45083	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50306	Comment from Daniel Aunkst
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45084	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50307	Comment from Stephen Antoniadis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45085	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50308	Comment from Pamela Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45086	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50309	Comment from William Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45087	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50310	Comment from heather newell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45088	Comment from Joseph Mol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50311	Comment from Suzanne Barns
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45089	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50312	Comment from Lillyam Barberi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45091	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50313	Comment from Natalie Blasco
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45093	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50314	Comment from Richard Rusnak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45094	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50315	Comment from Paul Zamek
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45095	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50316	Comment from Andrew Lorton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45096	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50317	Comment from Ernst Bauer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45097	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50318	Comment from f t
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45098	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50319	Comment from Diana wright
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45099	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50320	Comment from Erica Minglis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45100	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50321	Comment from Astrid Jarvis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45101	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50322	Comment from Melissa Albano-Barth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45102	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50323	Comment from Pamela Hamilton
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45104	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50324	Comment from liz murphy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45105	Comment from Mollack, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50325	Comment from Meg Titus
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45106	Comment from Keating, Kathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50326	Comment from Judith Light
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45107	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50327	Comment from Meryle Korn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45108	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50328	Comment from Matt Reola
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45109	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50329	Comment from darynne Jessler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45111	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50330	Comment from Paul Needles
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45112	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50331	Comment from Mary Puccini
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45113	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50332	Comment from Tai Summers-McGuinness
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45114	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50333	Comment from Victoria Sadoff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45115	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50334	Comment from gina anson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45116	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50335	Comment from Nevena Georgieva

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45117	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50336	Comment from caren ziegler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45118	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50337	Comment from Lora Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45119	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50338	Comment from Charlotte Nuesle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45120	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50339	Comment from Yun Lee
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45121	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50340	Comment from Dona Farishta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45122	Comment from Crandall, AJ	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50341	Comment from Paul Dendy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45123	Comment from Delprete, Joanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50342	Comment from Annette Ondre-Wysocki
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45124	Comment from Bradford, Alesha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50343	Comment from Patricia Frederick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45125	Comment from MacLean, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50344	Comment from Maria Mantilla
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45126	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50345	Comment from Terri Tylo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45127	Comment from Wong, Penny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50346	Comment from Richard Bentley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45128	Comment from Dubovsky, Kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50347	Comment from Morgan Cormia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45129	Comment from Showalter, Tara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50348	Comment from Sheila McGorman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45130	Comment from Oglesbt, Sam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50349	Comment from jon Anderholm
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45131	Comment from Harrington, Devon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50350	Comment from Mauricio Rendon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45132	Comment from Zimmerman, Leda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50351	Comment from Laura Horowitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45133	Comment from Lammers, Matt	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50352	Comment from Laura Horowitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45134	Comment from Stevens, Daphne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50353	Comment from Sharon Russick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45135	Comment from Wallen, Lawrence	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50354	Comment from Michelle Co
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45136	Comment from Arney, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50355	Comment from William Ryerson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45137	Comment from Harwell, Hugh	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50356	Comment from Freda Karpf
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45138	Comment from Morgan, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50357	Comment from David Clapper
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45139	Comment from Serra, Thomas and Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50358	Comment from Celeste Howard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45140	Comment from Console, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50359	Comment from Jennifer Oppenheim
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45141	Comment from Hitchcock, Virginia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50361	Comment from Anne McLaughlin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45142	Comment from Souto, Leo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50362	Comment from Kara Kuo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45143	Comment from Dorfman, Peter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50363	Comment from Amanda King
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45144	Comment from Cotton, Christine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50364	Comment from William Ryerson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45145	Comment from Repensek, Gail	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50365	Comment from Michelle Unger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45146	Comment from O'Rourke, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50366	Comment from Kim Ramert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45147	Comment from Steinberg, Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50367	Comment from I. Wolf
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45148	Comment from Gingras, Brian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50368	Comment from Chad Evans
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45149	Comment from Gechter, Jerry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50369	Comment from Michele Hondo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45150	Comment from Show, Enviro	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50370	Comment from Macy Placide
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45151	Comment from Collins, Barbara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50371	Comment from Simone Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45152	Comment from Cullen, Noreen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50372	Comment from Daniel Heyduk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45153	Comment from Fairless, Judy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50373	Comment from Margaret Winstanley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45154	Comment from Thonet, Kathi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50374	Comment from Michael Norden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45155	Comment from Alston, Edith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50375	Comment from Laretta Roche
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45156	Comment from McNeal, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50376	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45157	Comment from Hargrave, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50377	Comment from Blair Kangley

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45158	Comment from Fine, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50378	Comment from Veronica Michael
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45159	Comment from Lang, Liana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50379	Comment from David Clapper
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45161	Comment from Chast, Eric	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50380	Comment from Celeste Howard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45162	Comment from Quinn, Charles and Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50381	Comment from bert corley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45163	Comment from Reisinger, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50382	Comment from James Hildebrand
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45164	Comment from Myers, Jeanne C	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50383	Comment from John Kinsella
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45165	Comment from Freeman, Beth Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50384	Comment from Lynn Killam
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45166	Comment from Puc, Rob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50385	Comment from Michael Norden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45167	Comment from Palla, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50386	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45168	Comment from Little, Christina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50387	Comment from Lorenz Steininger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45169	Comment from Bajaj, Ashok and Kiran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50388	Comment from Norman Sandel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45170	Comment from Przybylski, Siowomir and Teresa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50389	Comment from Sasha Kirby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45171	Comment from Hendrick, Dud	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50390	Comment from Linda Willaby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45172	Comment from Milano, Joseph and Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50391	Comment from Pat Bryan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45173	Comment from Bajaj, Ashok and Kiran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50392	Comment from Patrick Butler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45174	Comment from Bajaj, Ashok and Kiran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50393	Comment from Melissa Frank
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45175	Comment from Milano, Joseph and Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50394	Comment from Linda Murphy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45176	Comment from Steinberg, Arlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50395	Comment from Martha Ferris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45177	Comment from Propen, Bev	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50396	Comment from Nora Murphy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45178	Comment from Allara, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50397	Comment from Judy Everett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45179	Comment from Estok, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50398	Comment from Amanda Yoder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45180	Comment from Watkins, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50399	Comment from Peggy Gilges
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45181	Comment from Henriques, Heloisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50400	Comment from Cynthia Hicks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45182	Comment from Mattos, Claudio	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50401	Comment from Eleanor Dowson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45183	Comment from Mattos, Heloisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50402	Comment from Paul Greenfield
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45184	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50403	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45185	Comment from Simoes, Claudio	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50404	Comment from James Stuhlmacher
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45186	Comment from Downing, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50405	Comment from Yefim Maizel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45187	Comment from Salvatore, Hannah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50406	Comment from Lisa Goldberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45188	Comment from Naples, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50407	Comment from Paul Tobin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45189	Comment from Lukowitz, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50408	Comment from Annie Bien
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45190	Comment from Dillabough, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50409	Comment from Susan Levin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45191	Comment from Henriques, Heloisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50410	Comment from jane biggins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45192	Comment from Mattos, Claudio	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50411	Comment from JL Angell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45193	Comment from Mattos, Heloisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50412	Comment from Elaine katz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45194	Comment from Simoes, Claudio	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50413	Comment from Lisa Krieger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45195	Comment from Dean, Shelagh	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50414	Comment from Richard Surdyk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45196	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50415	Comment from Gail Zwerman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45197	Comment from DiTullio, Dennis	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50416	Comment from Ruth Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45198	Comment from Rowland, Erin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50417	Comment from Carl Hoffmeister
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45199	Comment from Miller, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50418	Comment from Leda Gray

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45200	Comment from Neilly, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50419	Comment from Gary Gover
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45202	Comment from Hennessy, Eileen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50420	Comment from Marilyn Mick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45203	Comment from Agerbak, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50421	Comment from Patricia Rossi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45204	Comment from Patti, DICK	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50422	Comment from Elaine katz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45205	Comment from Bajaj, Ashok and Kiran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50423	Comment from Susan CLARK
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45206	Comment from Milano, Joseph and Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50424	Comment from Valerie Lovejoy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45207	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50425	Comment from Rhonda pulliam
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45208	Comment from Mast, Jim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50426	Comment from Bruce Hoeksema
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45209	Comment from Sherman, Venessa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50427	Comment from Carl Hoffmeister
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45210	Comment from Thayer, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50428	Comment from Susan Schlessinger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45211	Comment from A. Todd	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50429	Comment from Deimile Mockus
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45212	Comment from Howard, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50430	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45213	Comment from Kepner, Dennis And Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50431	Comment from STANLEY GORALCZYK
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45214	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50432	Comment from Art Shervs
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45215	Comment from Boenish, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50433	Comment from Elaine katz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45216	Comment from VanBroeklin, Matthew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50434	Comment from Janet Bachelor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45217	Comment from Glover, Tim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50435	Comment from Melissa Norman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45218	Comment from Lateiner, Ulysses	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50436	Comment from Albert Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45219	Comment from Winterer, Katrin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50437	Comment from Elizabeth Wikle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45220	Comment from Holloway, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50438	Comment from Monica Tutkowski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45221	Comment from OConnor, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50439	Comment from Donna Surles
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45222	Comment from Schlemel, Pierre	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50440	Comment from Michelle Benes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45223	Comment from Rakowsky, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50441	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45224	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50442	Comment from Mary Pattison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45226	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50443	Comment from Nancy Carl
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45227	Comment from Ross, Justine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50444	Comment from Dan Perdios
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45228	Comment from Fender, Flo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50445	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45229	Comment from Kaplan, Eliot	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50446	Comment from Graf, Brigitte
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45230	Comment from Owens Viani, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50447	Comment from Herbert, Sandrine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45231	Comment from Perinchief, Jana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50448	Comment from Keith, Amy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45232	Comment from Whiteside, Frances	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50449	Comment from Natalie Grigsby
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45233	Comment from Brotman, Sally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50450	Comment from James Ropicki
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45234	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50451	Comment from Susan Vogt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45235	Comment from Roa, Tania	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50452	Comment from Marya Zanders
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45236	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50453	Comment from Dian Keller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45237	Comment from Osgood, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50454	Comment from PAUL KIM
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45238	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50455	Comment from Steve Schueth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45239	Comment from Camporei, Duway and Gordon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50456	Comment from Veronica Velasquez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45240	Comment from Raymond, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50457	Comment from Paul Williams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45241	Comment from vegvari, ted	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50458	Comment from Arthur Schurr
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45242	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50459	Comment from Mary Doubleday

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45243	Comment from Pavey, Brenna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50460	Comment from Mary Nuss
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45245	Comment from Cowans, Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50461	Comment from Sandra Marciante
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45246	Comment from Cecil, Dechenne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50462	Comment from patrick BOOT
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45247	Comment from Hernandez, Ms. Maria Celia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50463	Comment from C. Brezina
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45248	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50464	Comment from Sudi McCollum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45249	Comment from Busler, Niles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50465	Comment from Valerie Horne
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45250	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50466	Comment from Ralph Konchar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45251	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50467	Comment from Joseph Rosta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45252	Comment from Steele, Jenifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50468	Comment from Edward. Wolfsohn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45253	Comment from Obedzinski, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50469	Comment from Jill B.
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45254	Comment from Miller, Bob	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50470	Comment from Allen Altman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45255	Comment from Morad, Samson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50471	Comment from Laura Boley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45256	Comment from Collins, Jan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50472	Comment from chris ottosen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45257	Comment from Lundstrom, Kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50473	Comment from Lorrrene Lucas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45258	Comment from Sullivan, Timothy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50474	Comment from Linda Shirey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45259	Comment from Dixon, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50475	Comment from lisa graves
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45260	Comment from lewis, cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50476	Comment from Linda Rea
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45261	Comment from Garrison, Harry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50477	Comment from Esther Prexl
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45262	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50478	Comment from Phyl Morello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45263	Comment from Budde, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50479	Comment from Kkm H
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45264	Comment from Chiusano, Kristina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50480	Comment from Sherita Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45265	Comment from Hernandez, Ms. Maria Celia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50482	Comment from Honis Mary
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45266	Comment from Ashton, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50483	Comment from Richard Popchak
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45267	Comment from Simon, Tia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50484	Comment from Lynne Teplin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45268	Comment from Warner, Carolyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50485	Comment from Jean Cameron
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45269	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50486	Comment from Julie Dunn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45270	Comment from Masters, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50487	Comment from William McGoldrick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45271	Comment from Christ, Elisabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50488	Comment from Emily Lucero
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45272	Comment from Bussing, Lenore	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50489	Comment from Mike Schuster
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45273	Comment from Hanford, Jana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50490	Comment from Lisa Tibbetts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45274	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50491	Comment from Sheree Bala
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45275	Comment from Denton, April B.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50492	Comment from Laura Waite
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45276	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50493	Comment from Nancy Meehan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45277	Comment from Jacobs, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50494	Comment from Sharon greenrod
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45278	Comment from Souto, Leo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50495	Comment from David Douglas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45279	Comment from Jet, Retro	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50496	Comment from Timothy OConnor
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45280	Comment from Thonet, Kathi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50497	Comment from Shirley Mccarthy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45281	Comment from Hendershott, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50498	Comment from Judith Lang
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45282	Comment from Janzen, Gayle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50499	Comment from Zandra Talbert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45283	Comment from Wilson, M	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50500	Comment from Steve Hanlon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45284	Comment from McLaughlin, Julia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50501	Comment from Amie Corrado-Babe

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45285	Comment from Farrell, Jim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50502	Comment from Steve Sheehy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45286	Comment from Shirey, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50503	Comment from Lidia Lucaci
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45287	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50504	Comment from Cristina Fiorillo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45288	Comment from Woodward, Warren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50505	Comment from Mary Planding
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45289	Comment from Zondervan, Quinton	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50506	Comment from Richard Han
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45290	Comment from Kiriaty, Susanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50507	Comment from Merry Guben
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45291	Comment from Gest, Jean Fuller	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50508	Comment from Silvana Borrelli
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45292	Comment from Hammond, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50509	Comment from Donald Watson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45293	Comment from Loosli, Ed	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50510	Comment from Linda Flannery
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45294	Comment from Face, Valerie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50511	Comment from Kathleen Johnson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45295	Comment from Blackstone, Linore	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50512	Comment from Laura Guttridge
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45296	Comment from Smith, Betsy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50513	Comment from Lyn Lowry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45297	Comment from Sargent, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50514	Comment from Dorothea Swint
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45298	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50515	Comment from Pamela Defilippo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45299	Comment from Huggins, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50516	Comment from Josephine Rust
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45300	Comment from McCall, A	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50517	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45301	Comment from Rooney, Rita	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50518	Comment from Ellen Ayalin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45302	Comment from Simurro, Cie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50519	Comment from Michael Barnes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45303	Comment from Gray, Kristin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50520	Comment from Joan Butcher
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45304	Comment from Merrick, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50521	Comment from Anne Robison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45306	Comment from JANS, Sheila	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50522	Comment from Ericka Abrams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45307	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50523	Comment from Stephen Anderson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45308	Comment from Sorrells, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50524	Comment from Christi Tarallo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45309	Comment from Morgan, Paula	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50525	Comment from GEORGE HURST
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45310	Comment from Johnson, Kiara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50526	Comment from Alan Linville
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45311	Comment from McDonald, Cory	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50527	Comment from Joanna Kling
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45314	Comment from Glover, Tim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50528	Comment from Gertrude Battaly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45315	Comment from Nitz, Jennifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50529	Comment from JILL ALIBRANDI
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45316	Comment from Foster, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50530	Comment from K R
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45317	Comment from Thayer, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50531	Comment from Jennifer svenson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45318	Comment from Bonner, Tracey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50532	Comment from Helene Whitson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45319	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50533	Comment from Lawrence Crowley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45320	Comment from Bonnington, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50534	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45321	Comment from Walsh, Marce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50535	Comment from Cheryl Metzger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45322	Comment from harris, kym	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50536	Comment from P.S. Padula
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45323	Comment from Hubberd, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50537	Comment from Rebecca Rabinowitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45324	Comment from Zimmer, Catherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50538	Comment from Edith Kelman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45325	Comment from Tasheff, Petra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50539	Comment from Molly Swabb
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45326	Comment from Eddy, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50540	Comment from Barry Stover
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45327	Comment from Donoghue-Eddy, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50541	Comment from Edmund Weston
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45328	Comment from Metzger, Luke	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50542	Comment from stephen jones

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45329	Comment from Carter, Kirby	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50543	Comment from Tiffany Ehnes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45330	Comment from Camporelli, Duane and Gordon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50544	Comment from Marianne Corona
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45331	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50545	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45332	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50546	Comment from Lynne Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45333	Comment from Jacques, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50547	Comment from Jo Rhoades
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45334	Comment from Gordon, Lonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50548	Comment from Sherron Stark
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45335	Comment from Knecht, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50549	Comment from Kent Clark
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45336	Comment from Katz, Marla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50550	Comment from Margaret Fularczyk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45337	Comment from Carley, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50551	Comment from Laurie Spraga
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45338	Comment from Steele, Jenifer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50552	Comment from Brian Florian
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45339	Comment from Raymond, Gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50553	Comment from Pamela Reber
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45340	Comment from Lucchini, Jillian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50554	Comment from Marc Hachey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45341	Comment from Coppersmith, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50555	Comment from Crickett Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45342	Comment from Harrie, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50556	Comment from Nicole Mola
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45343	Comment from Stirpe, D	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50557	Comment from Dawn Lewis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45344	Comment from Smith, Cristina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50558	Comment from Sarah Lawson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45345	Comment from Dresser, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50559	Comment from Ellen Gutfleisch
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45346	Comment from Dresser, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50560	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45347	Comment from lewis, cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50561	Comment from Jill Singer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45348	Comment from Levin, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50562	Comment from Judith Foran
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45349	Comment from Williams, Gerry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50563	Comment from Rhoda Levine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45350	Comment from Tallal, Jimy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50564	Comment from Gloria Morrison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45351	Comment from Marshall, Sheila	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50565	Comment from John Gieser
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45352	Comment from Jacques, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50566	Comment from Robin Lorentzen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45353	Comment from High, Eleanor	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50567	Comment from Annisa Luginbill
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45354	Comment from Red, Pure	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50568	Comment from Sarah Hurd
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45355	Comment from Ricci, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50569	Comment from Emily Dickinson-Adams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45356	Comment from Lang, Liana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50570	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45357	Comment from Lathan, Nancy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50571	Comment from Ruth Brennan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45358	Comment from Lasseter PhD, Richard	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50573	Comment from Susan Dickerson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45359	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50574	Comment from Robert Feuchter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45360	Comment from Walsh, Marce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50575	Comment from Carolyn Dickson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45361	Comment from Wilson, Sharon K	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50576	Comment from jed fuhrman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45362	Comment from Fletcher, Paddy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50577	Comment from Amy Young
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45363	Comment from Cobb, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50578	Comment from Mel Apodaca
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45364	Comment from Cooley, Marian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50579	Comment from Stacy James
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45365	Comment from Farwell, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50580	Comment from Deirdre Fowler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45366	Comment from Palla, Paul	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50581	Comment from Sonnia Alfonso
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45367	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50582	Comment from MARK BEST
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45368	Comment from Foster, Dawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50583	Comment from Sabrina Sarne
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45369	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50584	Comment from Susan Lowe

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45370	Comment from Hull, Gary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50585	Comment from Norma Kline
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45372	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50586	Comment from Jennifer Will
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45373	Comment from Symington, CS	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50587	Comment from Marilyn McMullen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45374	Comment from fisher, c	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50588	Comment from Richard Strowd
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45375	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50589	Comment from Judith Waite
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45376	Comment from Loosli, Ed	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50590	Comment from Elizabeth Butler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45377	Comment from Skalecki, Joseph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50591	Comment from Michael Lieberman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45378	Comment from Briskin, Jordan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50592	Comment from Donald Dicken
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45379	Comment from Argo, Allison	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50593	Comment from Maria M
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45380	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50595	Comment from Ashley Winkler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45381	Comment from Champion, Erich	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50596	Comment from Holly Luban
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45383	Comment from Mast, Jim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50597	Comment from Stephanie Huntington
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45384	Comment from Bowman, Gerald	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50598	Comment from Anna Simle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45385	Comment from Sachs, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50599	Comment from Hank Schlinger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45387	Comment from Freeman, Beth Jane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50600	Comment from DANIEL WAITE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45388	Comment from Parapar, Alejandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50601	Comment from Yefim Maizel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45389	Comment from Bonnington, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50602	Comment from Sally Marone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45390	Comment from Bonner, Tracey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50603	Comment from Leonora Xhrouet
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45391	Comment from Fletcher, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50604	Comment from Ruwan Salgado
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45392	Comment from Gutek, Michele	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50605	Comment from Henry Mobley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45393	Comment from YOung, Cynthia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50606	Comment from OCTAVIA PLUMMER
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45394	Comment from Kosowicz, Aleks	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50607	Comment from gordon illg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45395	Comment from Propen, Bev	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50608	Comment from Eithne Clarke
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45396	Comment from kolchins, patricia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50609	Comment from Debbie Reichow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45397	Comment from Johnson, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50610	Comment from Steven Handwerker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45398	Comment from Waterworth, Laura	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50611	Comment from Catherine King-Chuparkoff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45399	Comment from Linker, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50612	Comment from Joan Walker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45400	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50613	Comment from Kathy Dahl-Bredine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45401	Comment from march, kendall	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50614	Comment from Ruth Curiale
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45402	Comment from Cizauskas, Renee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50615	Comment from Laura Overmann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45403	Comment from Richardson, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50616	Comment from Dianne Roberts
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45404	Comment from Canham, Stephen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50617	Comment from Terry Lowman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45407	Comment from Brandt, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50618	Comment from Autumn Garcia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45408	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50619	Comment from Keiko Barrett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45411	Comment from harris, kym	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50620	Comment from Joan Flynn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45412	Comment from Sawyer, Caryl	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50621	Comment from Debbie Hunt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45414	Comment from Palmgren, Tris	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50622	Comment from Rosemary Pasquarello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45415	Comment from Tipton, Bruce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50623	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45416	Comment from Kunkel, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50624	Comment from Carole Hering
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45417	Comment from Schott, Sandy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50625	Comment from Kathleen Ruiz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45419	Comment from Schuyler, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50626	Comment from robert johnson

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45420	Comment from Simone, Beverly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50627	Comment from Olivia Austen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45421	Comment from Leon, Mary A	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50628	Comment from Joyce Greenberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45423	Comment from Stauber, Dave	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50629	Comment from Bruce Melius
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45424	Comment from Finlon, Maureen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50630	Comment from Merlin Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45426	Comment from Ridenour, Patty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50631	Comment from Angela Genovese
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45427	Comment from Christensen, Margaret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50632	Comment from Marjorie Browning
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45428	Comment from Spong, Timothy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50633	Comment from Terry Callahan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45429	Comment from Carrell, James	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50634	Comment from Katherine McKenna
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45430	Comment from lindemann, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50635	Comment from Tina Colafranceschi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45431	Comment from Fornagiel, Valeri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50636	Comment from Alexander Grant
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45432	Comment from Rodriguez, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50637	Comment from Diane loughbom
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45434	Comment from Gomez, Julissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50638	Comment from Linda Friedman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45435	Comment from Glover, Tim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50639	Comment from Craig Lerner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45436	Comment from Olsen, Corey E.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50640	Comment from Julia Travers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45437	Comment from Asbury, Sherry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50641	Comment from Monica Mabry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45438	Comment from Estok, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50642	Comment from Pete Wash
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45439	Comment from Okroi, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50643	Comment from Denise Aubry
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45440	Comment from Zoll, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50644	Comment from Monique Guignard-Spielberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45441	Comment from Campbell, Duane and Candace	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50645	Comment from Bob Hannigan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45442	Comment from Vintilla, Joanna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50646	Comment from Kevin McAlister
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45443	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50648	Comment from Ann Hancock
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45444	Comment from Troxell, Shawn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50649	Comment from Dionna Campbell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45445	Comment from Naples, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50650	Comment from Dominick Lafiura
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45446	Comment from Acerro, Theresa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50651	Comment from Jan Weisel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45447	Comment from Miller, K.T.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50652	Comment from Liz Amsde
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45448	Comment from Stoakes, Mike	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50653	Comment from Deirdre Riley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45450	Comment from O'Rourke, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50654	Comment from Kevin Richeson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45452	Comment from Benedict, Derek	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50655	Comment from Shea Nace
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45453	Comment from Bajaj, Ashok and Kiran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50657	Comment from Kelli Lent
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45454	Comment from Bajaj, Ashok and Kiran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50658	Comment from Michael Ludgate
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45455	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50659	Comment from Rochelle Cohen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45456	Comment from Milano, Joseph and Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50660	Comment from Helga LaCava
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45457	Comment from Bajaj, Ashok and Kiran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50661	Comment from Eleanor Dowson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45458	Comment from Bajaj, Ashok and Kiran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50662	Comment from Diana Liriano
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45459	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50663	Comment from George Rubio-Boitel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45460	Comment from Milano, Joseph and Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50664	Comment from Larry Lambeth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45461	Comment from Frattaroli, Frank	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50665	Comment from Sandra Materi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45462	Comment from Carey, Elisabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50666	Comment from William Bacon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45463	Comment from Hammond, Stephanie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50668	Comment from Sally Woodard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45464	Comment from Buck, Julia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50669	Comment from Michaela Morris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45465	Comment from Busler, Niles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50670	Comment from John Wyatt

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45466	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50671	Comment from John Atkins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45468	Comment from Dugan, Pamela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50672	Comment from Summer Buzzell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45469	Comment from golion, isabelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50673	Comment from Anne Fowler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45470	Comment from Frisch, Dorothy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50674	Comment from JoAnne Larsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45471	Comment from Rhein, Sandy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50675	Comment from Erik Natti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45472	Comment from Fischer, Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50676	Comment from Francine Brown
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45473	Comment from Pavay, Brenna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50677	Comment from Diana Donovan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45474	Comment from Questar, V	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50678	Comment from Corey Schade
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45476	Comment from Smith, S.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50679	Comment from Thomas Kuspiel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45477	Comment from Precourt, Bernice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50681	Comment from Terry Gunning
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45478	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50682	Comment from Holly Putman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45479	Comment from Buckland, Waltraud	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50683	Comment from Lorenz Steininger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45480	Comment from Masterson, Lori	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50684	Comment from Ted Clark
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45481	Comment from Trantules, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50685	Comment from Elvier Yemaya
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45482	Comment from repp, susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50686	Comment from John Blaha
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45483	Comment from Clark, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50687	Comment from B. Rahn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45487	Comment from Folmer, A	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50688	Comment from Michelle Bizzell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45488	Comment from Rice, Michelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50689	Comment from Alex Berger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45490	Comment from Fitzpatrick, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50690	Comment from Jeri Romero
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45491	Comment from knapik, greg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50691	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45492	Comment from Davis, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50692	Comment from Savannah, Ogeechee, Satilla Riverkeepers and Altamaha Coastkeeper
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45493	Comment from Olsen, Pamela Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50693	Comment from Allen Altman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45495	Comment from chrisler, meg	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50694	Comment from Jean Chagnon
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45496	Comment from Swain, Joan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50695	Comment from Carol Rothbell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45497	Comment from Cano, Nadine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50696	Comment from Larissa Matthews
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45498	Comment from GASPAR, SUZANNE	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50697	Comment from Janet Robinette
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45499	Comment from Gitlin, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50698	Comment from Beverly Boling
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45500	Comment from Hickey, Mary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50699	Comment from Sonja Wong
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45501	Comment from Alberts, Norman	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50702	Comment from Carole Smudin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45502	Comment from Weaver, Sayre	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50703	Comment from Kim Sweitzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45503	Comment from Manley, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50704	Comment from Lupe Torre
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45504	Comment from Cleaver, HARRY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50705	Comment from James Mulcare
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45506	Comment from Cummings, Loretta	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50706	Comment from Carol Coons
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45507	Comment from Fay, Kevin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50707	Comment from Gary Herwig
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45508	Comment from Fiedler, David	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50708	Comment from Caroline Sweeney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45509	Comment from Kalbac, P.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50709	Comment from Don Bush
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45510	Comment from SUNDBERG, SENTA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50710	Comment from andrew kaplan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45511	Comment from Hill, Marianne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50711	Comment from Joseph Spurgas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45512	Comment from Out, Pet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50712	Comment from Jennifer Downing
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45513	Comment from Greene, J	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50713	Comment from Karin Labby

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45514	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50714	Comment from Gail Yborra
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45515	Comment from Logue, Danielle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50715	Comment from Susan Ash
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45516	Comment from Canham, Stephen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50716	Comment from Hilary Capstick
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45518	Comment from Hondros-McCarthy, Cormac	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50717	Comment from Edward Jepson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45519	Comment from Diederich, Kristen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50718	Comment from Lee Patrizzi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45521	Comment from bronson, jonette	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50719	Comment from Charlotte Cook
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45522	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50720	Comment from Rosemarie Smallcombe
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45523	Comment from Wagner, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50721	Comment from Taylor, Brittany
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45524	Comment from Kuehn, Beth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50722	Comment from Liz piercey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45526	Comment from Chickowsky, Caroll	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50723	Comment from Kim Sweitzer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45527	Comment from Christo, Debbie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50724	Comment from Joseph Corbett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45528	Comment from kern, janet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50725	Comment from fran merker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45529	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50726	Comment from Patricia Haines
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45530	Comment from Robles, Kristen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50727	Comment from Keith Comess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45531	Comment from Twomey, Lyssa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50728	Comment from Tara Flores-Corum
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45532	Comment from Snavely, Marie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50729	Comment from Patricia Mathis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45533	Comment from Stewart, Jeff	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50730	Comment from Joan Conca
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45534	Comment from Bergazin, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50731	Comment from Catherine Owen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45535	Comment from Heithaus, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50732	Comment from Hanne Nielsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45536	Comment from Sherman, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50733	Comment from James Hadcroft
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45540	Comment from Baus, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50734	Comment from Katherine Kowalczyk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45541	Comment from Rothrock, Leilani	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50735	Comment from Hank Schlinger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45543	Comment from katz, puczmik	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50736	Comment from Margaret Newhart
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45544	Comment from Strauss, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50737	Comment from Joan Conca
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45546	Comment from Querner, Kathleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50738	Comment from John Teevan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45547	Comment from Malven, Tania	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50739	Comment from Robin Craft
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45548	Comment from Yamauchi, Emi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50740	Comment from Michael Olenjack
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45549	Comment from Khalsa, Dr. Mha Atma S	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50741	Comment from Nancy Honeychuck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45550	Comment from Grace, Donna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50742	Comment from Lisa Adams
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45551	Comment from Johnson, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50744	Comment from Nicholas Bridgett
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45552	Comment from Houghton, Christopher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50745	Comment from Catherine George
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45553	Comment from Hart, Kelly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50746	Comment from David Brultz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45554	Comment from Smith, Valerie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50747	Comment from Bill Gardner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45555	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50748	Comment from Samantha Bush
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45556	Comment from Quatrале, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50749	Comment from Jan Modjeski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45557	Comment from Nelson, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50750	Comment from Augustin Parker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45558	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50751	Comment from Leslee Duncan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45560	Comment from Jasper, Marilyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50752	Comment from April margison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45561	Comment from Johnstone, JOdy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50753	Comment from Lorraine Moore
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45563	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50754	Comment from Sandra Naidich
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45564	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50756	Comment from Robert Scharefer

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45566	Comment from Hallee, Anne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50757	Comment from John Bello
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45568	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50758	Comment from Lorri Gustafson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45569	Comment from Renzi, Carla	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50759	Comment from Barbara Koles
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45572	Comment from Lukowitz, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50760	Comment from Barry De Jasu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45575	Comment from Kring, Juli	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50761	Comment from Lisa Parks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45576	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50762	Comment from Traci Turner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45577	Comment from Janes, Raymond	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50763	Comment from Kathleen Finnerty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45578	Comment from Welte, Valarie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50764	Comment from Bob Ramlow
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45579	Comment from Whitford, Tracy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50765	Comment from P.E. Crawford
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45581	Comment from Scott, Gemma	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50766	Comment from Cynthia colely
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45582	Comment from Geiger, Marcia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50767	Comment from Pat Button
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45583	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50768	Comment from Aaron Ucko
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45584	Comment from Boone, Jim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50769	Comment from Janice Dlugosz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45585	Comment from Caflich, Frances	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50770	Comment from Julie Miller
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45586	Comment from Stransky, Diana	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50771	Comment from Catherine Vedder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45587	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50772	Comment from Thomas Lane
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45588	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50773	Comment from Susan Kulikowski
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45593	Comment from Lojowsky, Karel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50774	Comment from Sandy Stuhaan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45594	Comment from Richardson, Matt	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50775	Comment from Brenda Nieland
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45597	Comment from Evans, Jackie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50776	Comment from Nancy-liane burger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45599	Comment from Moskal, Maryanna	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50777	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45600	Comment from Babiak, Katherine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50778	Comment from William Elder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45601	Comment from Walker, John	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50779	Comment from Suzanne Lepple
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45603	Comment from Smith, Vicki	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50780	Comment from Barbara Sorgeler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45604	Comment from Show, Enviro	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50781	Comment from Alla Sobel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45605	Comment from Rupp, Robin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50783	Comment from william Prokop
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45606	Comment from Essig, Holly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50784	Comment from Kerri Kiernan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45607	Comment from Brooks, Deb	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50785	Comment from Derinda Nilsson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45608	Comment from Randall, Dorene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50786	Comment from bruce hirayama
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45610	Comment from Leavenworth, William	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50787	Comment from Mary Thibaudeau
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45611	Comment from upshaw, amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50788	Comment from Howard Petlack
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45612	Comment from upshaw, amanda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50789	Comment from Donald Mackay
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45613	Comment from Sheffield, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50790	Comment from Judith Detert-Moriarty
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45614	Comment from Rodrigo, Herman	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50791	Comment from Mary Venos
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45615	Comment from Ryan, Lauren	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50792	Comment from BILL D'ONNELL
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45616	Comment from Coleman Souhrada, Susan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50793	Comment from Paula Tyltar
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45617	Comment from Garlingetti, G.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50794	Comment from Darren Strain
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45618	Comment from HUMPHRIES, COLLEEN	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50795	Comment from Jana Jacobson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45619	Comment from Kramer-Dodd, Gay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50796	Comment from Maryann Wardach
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45620	Comment from Emerson, Ralph	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50797	Comment from maryanne pilgram
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45621	Comment from Baus, Robert	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50798	Comment from S. Chapek

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45622	Comment from Budniak, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50799	Comment from Gail Battaglia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45623	Comment from Hood, Vivian	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50800	Comment from Karen Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45624	Comment from Kamler, Cindy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50801	Comment from Michael Weaver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45626	Comment from Gerard, Ira	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50802	Comment from Donna Tilden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45627	Comment from Wamba, Katrina	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50803	Comment from Carol Anastasi
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45628	Comment from Tarbox, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50804	Comment from Katherine Kowalczyk
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45629	Comment from McKee, Lary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50805	Comment from George Migliaccio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45630	Comment from Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50806	Comment from Jessica Jakubanis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45631	Comment from Yanez, Guadalupe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50807	Comment from Susan Dolin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45632	Comment from Sites, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50808	Comment from margaret donovan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45633	Comment from Stone, Jim	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50809	Comment from Jerry Davies
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45634	Comment from Scafidi, Angela	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50810	Comment from ADAM BERNSTEIN
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45635	Comment from Holden, Lisa Gaye	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50811	Comment from Carol Whitehurst
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45636	Comment from Mattson, Lynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50812	Comment from Martha Siegel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45637	Comment from Spong, Timothy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50813	Comment from Tracy Malone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45638	Comment from Heithaus, Melissa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50814	Comment from Lauren L
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45639	Comment from Schott, Sandy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50815	Comment from Catherine Hensley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45640	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50816	Comment from Malcolm Groome
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45641	Comment from Hall, Wendy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50817	Comment from Sandra Varvel
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45642	Comment from Fenter, Evelyn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50818	Comment from Tansy Woods
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45643	Comment from Stavis, Alex	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50819	Comment from Sharon Garlena
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45645	Comment from Martellaro, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50820	Comment from A VS
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45646	Comment from Masching, Amy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50821	Comment from Faith Franck
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45647	Comment from Morris, Debra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50822	Comment from Darlene Mahanke
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45649	Comment from Hamilton, Mary and G. R.	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50823	Comment from LAURIE MARSHALL
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45650	Comment from Martin, Stacy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50824	Comment from Aron Silberg
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45651	Comment from Dickie, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50825	Comment from Yvonne Townsley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45652	Comment from Gilleland, Louanne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50826	Comment from heidi Ahlstrand
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45653	Comment from Jernberg, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50827	Comment from Joan Pritchard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45654	Comment from Cummings, Heather	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50828	Comment from James Mullins
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45655	Comment from Morsellino, Arlene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50829	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45656	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50830	Comment from Lillian Stone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45657	Comment from Wellman, Gay	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50831	Comment from Theresa Morris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45658	Comment from Clark, Joyce	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50832	Comment from Irmgard Gutersohn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45659	Comment from Vandal-Hillman, Carole	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50833	Comment from Polly Haynes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45660	Comment from Green, Patrick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50834	Comment from Tiffany Buell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45661	Comment from Kosiba, Daniel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50835	Comment from Karen Matthews
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45662	Comment from Campagna, Damon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50836	Comment from Kerry Mackin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45663	Comment from Chan, Priya	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50837	Comment from Tania Dimov
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45665	Comment from Holmberg, Bevin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50838	Comment from Kelly Carlisle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45666	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50839	Comment from Jessica Jakubanis

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45667	Comment from Moreau, Candice	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50840	Comment from Kathleen Mireault
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45668	Comment from Bernier, Rosemary	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50841	Comment from Mark Wheeler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45669	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50842	Comment from Hillary Maurer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45670	Comment from Kennedy, Colleen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50843	Comment from Edward gruver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45671	Comment from King, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50844	Comment from GERARD VACHEZ
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45672	Comment from Chesworth, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50845	Comment from Kathleen Bernardo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45673	Comment from Kinney, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50846	Comment from Kendra Snyder
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45674	Comment from Darovic, Elizabeth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50847	Comment from Jeannette Thompson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45675	Comment from Bender, Sharon	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50848	Comment from Joan Rossignol
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45676	Comment from Sarry, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50849	Comment from Carolyn Latierra
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45677	Comment from Wallace, Erlynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50850	Comment from Michelle McKenney
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45679	Comment from Feiffer, Kate	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50851	Comment from Ann Sardineer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45680	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50852	Comment from GF Wade
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45681	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50853	Comment from Vidya Sivan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45682	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50854	Comment from Fred Akers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45684	Comment from Lorentzen, Eric	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50855	Comment from Kristin Rosenqvist
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45685	Comment from Chagnon, Jean	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50856	Comment from Valerie Felicione
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45686	Comment from Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50857	Comment from Sharon Firesheets
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45687	Comment from Faulks, Lea	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50858	Comment from Medora Van Denburgh
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45688	Comment from Nugent, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50859	Comment from Lynda Kieffer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45689	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50860	Comment from Dalia Salgado
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45690	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50861	Comment from Laurie Toner
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45691	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50862	Comment from Monica Licwinko
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45692	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50863	Comment from Karen Quay
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45696	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50864	Comment from Craig Geiger
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45697	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50865	Comment from Mandy Tshibangu
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45698	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50866	Comment from Michelle Booth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45699	Comment from Parker, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50867	Comment from Anonymous Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45700	Comment from Kite, Lee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50868	Comment from Barbara Smith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45701	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50869	Comment from Melanie Stopyra
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45702	Comment from ferguson, lora	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50870	Comment from C.C. Hollis-Franklyn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45703	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50871	Comment from Dan Silver
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45704	Comment from Caton, Annie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50872	Comment from VALLYN ANDERSON
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45705	Comment from Dykstra, Sandra	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50873	Comment from S. Chapek
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45706	Comment from Marshall, Nick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50874	Comment from Marci Robinson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45707	Comment from Lynch, Maddie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50875	Comment from Gene Fox
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45708	Comment from Wishnie-Edwards, Ben	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50876	Comment from Karen Suit
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45709	Comment from McIntosh, Shelby	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50877	Comment from Roel Bergema
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45710	Comment from Heffron, Kata	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50878	Comment from Amy King
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45711	Comment from FALCON, MARIA	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50879	Comment from Elizabeth Jacobowitz
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45712	Comment from Koller, Pam	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50880	Comment from Robert Crenshaw

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45713	Comment from Mazzola, Lisa	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50881	Comment from Erica Minglis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45714	Comment from Wood, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50882	Comment from Michelle Mehlhorn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45715	Comment from Wells, Lasha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50883	Comment from Peggy Detmers
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45716	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50884	Comment from Kim Giannotti
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45717	Comment from Redford, Rebecca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50885	Comment from Kelly Allison
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45718	Comment from Flood, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50886	Comment from Carol Keiter
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45719	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50887	Comment from Lacey Hicks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45720	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50888	Comment from Janis Mooradian
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45721	Comment from Zufi, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50889	Comment from Dianne Brooks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45722	Comment from Bond, Karen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50890	Comment from Cynthia McMath
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45724	Comment from Berkeley, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50891	Comment from Johnny Pflugrad
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45725	Comment from O'Rourke, Ellen	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50892	Comment from Susan Siniard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45728	Comment from kenny, james	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50893	Comment from Nancy Dudley
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45729	Comment from Wilson, Michael	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50894	Comment from Gail Ward
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45730	Comment from Gorn, Scott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50895	Comment from Barbara Fernandez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45731	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50896	Comment from Linda Shirey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45732	Comment from Brusin, Eugene	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50897	Comment from Susan Yarnell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45733	Comment from Scott, Star	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50898	Comment from Margie Palmer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45734	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50899	Comment from Marcine McBride
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45735	Comment from Sacchetti, diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50900	Comment from Silvana Depetris
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45736	Comment from Embry, Judith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50901	Comment from Carney, Becky
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45738	Comment from burger, wolfgang	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50902	Comment from Barb Crumppacker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45739	Comment from Millington, Marnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50903	Comment from Susan Bradshaw
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45741	Comment from Kring, Juli	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50904	Comment from Olivia Ambrogio
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45742	Comment from Baker, Megan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50905	Comment from Kari Percival
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45743	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50906	Comment from Sylvia Rodriguez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45744	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50907	Comment from Shira Miess
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45745	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50908	Comment from Eugene Bae
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45746	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50909	Comment from Marlene Testaguzza
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45748	Comment from Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50910	Comment from Kat Howren
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45749	Comment from Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50911	Comment from Boril Iordanov
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45750	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50912	Comment from Joyce Olsen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45752	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50913	Comment from Matt Stedman
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45754	Comment from Tison, Kathryn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50914	Comment from Richard Peterson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45755	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50915	Comment from Richard Jones
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45756	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50916	Comment from Judy Michaels
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45757	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50917	Comment from Tara D
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45760	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50918	Comment from Moira Farrell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45762	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50920	Comment from Stephanie Taub
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45763	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50921	Comment from Richard Pendarvis
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45764	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50922	Comment from Yemel Bryan

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45765	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50923	Comment from Gary Moore
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45766	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50924	Comment from Andrew Rowlas
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45767	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50925	Comment from Barry Cutler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45768	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50926	Comment from PhilipT. Fitzgerald
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45769	Comment from Cameron, Claire	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50927	Comment from Elisabeth Armendarez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45771	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50928	Comment from caroline fairless
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45772	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50929	Comment from Lacey Levitt
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45773	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50930	Comment from Robert Mayworth
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45774	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50931	Comment from Stanley Palombo
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45775	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50932	Comment from Geri Marshall
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45777	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50933	Comment from Lynn Boone
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45778	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50936	Comment from Merlin Wilson
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45779	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50937	Comment from Susan Gottfried
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45781	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50938	Comment from Phyllis Chavez
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45783	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50939	Comment from Susan Yarnell
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45785	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50940	Comment from Matthew Grussing
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45786	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50941	Comment from Felena Puentes
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45787	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50942	Comment from Robert Abbatecola
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45788	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50943	Comment from Dorothy Boorse
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45789	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50944	Comment from Gary Dirks
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45790	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50945	Comment from Christopher Nicchitta
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45791	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50946	Comment from Larry ulrey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45792	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50947	Comment from Alex Schmidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45793	Comment from wilson, agnew	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50948	Comment from Elizabeth smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45794	Comment from Sturman , Neil	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50949	Comment from William Brill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45795	Comment from Coles , Penny	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50950	Comment from Elisa Reisner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45796	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50951	Comment from Lynn Zipse
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45797	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50952	Comment from Andrea Siddall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45798	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50954	Comment from Kevin Krywko
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45799	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50955	Comment from Bret Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45800	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50956	Comment from Katherine Wright
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45801	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50957	Comment from Ron Richter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45802	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50958	Comment from Kris Barkley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45803	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50959	Comment from sonja franz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45805	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50960	Comment from Karen Orner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45806	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50961	Comment from Christopher Danne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45807	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50962	Comment from William Hayden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45810	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50963	Comment from Matthew Claycomb
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45811	Comment from Nichols, Beverly	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50964	Comment from Steve Weiss
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45812	Comment from TAYLOR, JOY	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50965	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45813	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50966	Comment from cam krosnof

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45815	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50967	Comment from lorie busby
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45816	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50968	Comment from Teri Smyth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45818	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50969	Comment from Bernie Hartwig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45819	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50970	Comment from B Van Camp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45820	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50971	Comment from Robin Lorentzen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45823	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50972	Comment from John Bertaina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45824	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50973	Comment from Kim Toy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45825	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50974	Comment from Judith Foran
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45826	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50975	Comment from Brenda Peterson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45827	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50976	Comment from Pauline Rosenberg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45829	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50977	Comment from Marie Weis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45830	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50978	Comment from Susan Bradshaw
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45831	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50979	Comment from Jayne Chase
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45832	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50980	Comment from Elaine Livesey-Fassel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45833	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50981	Comment from Peter Luborsky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45834	Comment from Hamilton, S Elaine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50982	Comment from Michael Wallace
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45835	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50983	Comment from Terry Bulla
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45836	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50984	Comment from Carolyn Yee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45838	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50985	Comment from Mary Eastman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45839	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50987	Comment from Barbara Beierl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45840	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50988	Comment from Bob O'Neil
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45841	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50989	Comment from William Shearer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45842	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50990	Comment from Todd Snyder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45843	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50991	Comment from Marcie Eberhart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45844	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50992	Comment from Victor Escobar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45845	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50993	Comment from Kristin VanHorne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45847	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50994	Comment from Judith Hansell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45848	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50995	Comment from Sandra Remilien
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45849	Comment from Moore, Malone	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50996	Comment from Stuart Schiffman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45850	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50997	Comment from Carrie Tanke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45851	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50998	Comment from Maureen Fleming
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45852	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50999	Comment from Johanna Lolax
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45854	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51000	Comment from Thomas Talbot
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45855	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51001	Comment from Samuel Catron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45856	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51002	Comment from Melissa Grondin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45858	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51003	Comment from GERARD VACHEZ
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45859	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51004	Comment from Loren Meyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45861	Comment from Probyn Gregory	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51005	Comment from M. T.
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45863	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51006	Comment from Mark Arntson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45865	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51007	Comment from Marilyn Russell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45866	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51008	Comment from Sheri Cutright

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45867	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51009	Comment from Mary Barkalow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45868	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51010	Comment from David Drecktrah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45869	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51011	Comment from Michael Brooke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45870	Comment from Kim Scott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51012	Comment from LEAH JACOBS
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45871	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51013	Comment from Greta Rossi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45872	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51014	Comment from Carin Baer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45873	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51015	Comment from Joelle Porter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45874	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51016	Comment from Kathi Ridgway
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45875	Comment from Bobe, Pablo	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51017	Comment from Paige Humphreys
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45876	Comment from Tharpe , Julie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51018	Comment from gary rejsek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45879	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51019	Comment from Vincent Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45881	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51020	Comment from Matt Stedman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45882	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51021	Comment from Mia Elias
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45883	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51022	Comment from Kristina Younger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45885	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51023	Comment from Elisabeth Carroll
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45886	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51024	Comment from Alessandro Ciccarelli
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45887	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51025	Comment from Denise John
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45888	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51026	Comment from Tina Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45891	Comment from Marnecheck, Faith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51027	Comment from Lodiza LePore
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45892	Comment from Smithie, Claudia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51028	Comment from Paul Hunrichs
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45893	Comment from Sanchez, Maret	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51029	Comment from Mary Guard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45894	Comment from Stewart, Jessica	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51030	Comment from Maureen Kowsky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45895	Comment from lamberti, christopher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51031	Comment from Barbara Swyden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45896	Comment from Goin, Wayne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51032	Comment from Donna Sloop
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45897	Comment from Heron, Deborah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51033	Comment from Dawn Clarke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45900	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51034	Comment from Brian Reynolds
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45902	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51035	Comment from Emily Glaeser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45903	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51036	Comment from Elise Margulis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45905	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51037	Comment from Elizabeth Stephens
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45907	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51038	Comment from Jonathan Spencer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45909	Comment from Graziosa, Sara	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51039	Comment from Carol Sears
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45911	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51040	Comment from Maureen Osolnik
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45912	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51041	Comment from Michael Ward
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45913	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51042	Comment from Val Silver
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45915	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51043	Comment from george patterson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45916	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51044	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45917	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51045	Comment from Mike Watts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45918	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51046	Comment from Denise John
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45920	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51047	Comment from Janice Simon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45923	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51048	Comment from Todd Milligan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45924	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51049	Comment from Barry Stover

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45925	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51050	Comment from John Whyman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45928	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51051	Comment from Heather Rafferty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45929	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51052	Comment from Felisa Klubes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45931	Comment from B Nordenholz	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51053	Comment from Denise White
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45932	Comment from Paine, Rochelle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51054	Comment from Barbara Hughes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45935	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51055	Comment from Earl Cole
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45936	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51056	Comment from Gina Norton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45937	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51057	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45938	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51058	Comment from Brigitte Jenkins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45940	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51059	Comment from Michael Sullivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45941	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51061	Comment from Deborah Reiter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45943	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51062	Comment from Josh Walker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45944	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51063	Comment from Lisa Manthey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45945	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51064	Comment from Elizabeth Nussbaumer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45946	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51065	Comment from Michael Ray
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45947	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51066	Comment from Sarah Yonder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45948	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51067	Comment from Linda Howie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45952	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51068	Comment from Marilyn Siddiqi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45953	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51069	Comment from Susan Walker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45954	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51070	Comment from jai parekh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45955	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51072	Comment from Ronald Shenberger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45957	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51073	Comment from Alyssa Robbins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45958	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51074	Comment from James Holbrook
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45960	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51075	Comment from Michael Richmond
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45961	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51076	Comment from Justin Cohen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45962	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51077	Comment from Madalynn Carey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45963	Comment from Anne Kobayashi	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51078	Comment from Mary Lewis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45965	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51079	Comment from Melissa Judge
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45966	Comment from Karynn Merkel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51080	Comment from Dennis Marceron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45967	Comment from Elizabeth Roberts	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51081	Comment from Anne Rettenmair
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45968	Comment from Joanne Tenney	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51082	Comment from Douglas Estes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45969	Comment from Gerald Wambach	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51083	Comment from Carol Rothbell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45970	Comment from Debbie d	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51084	Comment from vana spear
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45972	Comment from G. Simmons	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51085	Comment from Beth Levin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45973	Comment from Frederick Glazier	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51086	Comment from Rebecca McBride
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45974	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51087	Comment from Eileen Conner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45975	Comment from Lucia Rothman-Denes	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51088	Comment from BARBARA MICHELINI
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45976	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51089	Comment from Robert Jackson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45977	Comment from Sue McNally	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51090	Comment from Frank Ortiz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45978	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51091	Comment from Mark Trumbull
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45979	Comment from Dennis Tackett	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51092	Comment from Anonymous Anonymous

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45980	Comment from Gina Petty	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51094	Comment from Kyle Emblar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45981	Comment from Terrell, Bonnie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51095	Comment from Dorothea Leicher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45982	Comment from Hancock, Georgia	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51096	Comment from Diana Avila
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45983	Comment from Nealis, Tammy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51097	Comment from Patricia Sharp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45984	Comment from Dekom, Rachel	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51098	Comment from Robert Feuchter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45985	Comment from Margaret Smith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51099	Comment from Linda Descript
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45986	Comment from Beckham, Carol	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51100	Comment from Cindy Kirgis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45987	Comment from Frank Vaydik	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51101	Comment from June Avignone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45989	Comment from Colonel Meyer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51102	Comment from Ron Mittan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45990	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51103	Comment from Charles Wightman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45991	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51105	Comment from Donalyn Gross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45992	Comment from Chantal Livernois	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51106	Comment from David G
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45993	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51107	Comment from Paul Naylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45994	Comment from Steve Rosin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51108	Comment from Georgiann Young
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45995	Comment from Deirdre Wild	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51109	Comment from Nathan Nielsen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45996	Comment from Michelle Mitchell	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51110	Comment from Kaufmann, Debi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45999	Comment from Marsha Wiseltier	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51111	Comment from Elizabeth Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46000	Comment from Tracy Schalk	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51112	Comment from Tayala, Cheryl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46001	Comment from Suzanne Watson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51113	Comment from Hal Trufan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46002	Comment from Rob Carter	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51114	Comment from Nicole Uhing
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46003	Comment from Merlin Emrys	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51115	Comment from Terry Vaccaro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46004	Comment from Ed Palacio	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51117	Comment from Romula Navarro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46005	Comment from Douglas Robinson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51118	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46007	Comment from Margaret Moore	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51119	Comment from Debi Holt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46008	Comment from Julia Petipas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51120	Comment from Lynne Graburn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46009	Comment from Bob Crone	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51121	Comment from JC Corcoran
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46010	Comment from Jason Green	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51122	Comment from Warwick Hansell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46012	Comment from Kathy Kowalchick	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51123	Comment from C. Smiley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46013	Comment from John Merriman	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51124	Comment from Linda Mannheim
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46014	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51125	Comment from Rebecca Theim
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46015	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51126	Comment from Gerald Brookman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46016	Comment from Lisa Salazar	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51127	Comment from Martha Ellison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46017	Comment from Yvonne Fedeyko-Kirby	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51128	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46018	Comment from Christie Dunning	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51129	Comment from Ali Van Zee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46019	Comment from Linda Albarran	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51130	Comment from Patrick Lynch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46021	Comment from Richard Perez	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51131	Comment from Evan McDermit
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46022	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51132	Comment from Lindsay Mugglestone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46023	Comment from Zachary Mayer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51133	Comment from Kathy Haverkamp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46024	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51134	Comment from Keith Dalessandro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46025	Comment from Kathleen Palimeri	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51135	Comment from J.P. Sherman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46026	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51136	Comment from Amanda Kenny

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46027	Comment from Laura Rojo-LaRue	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51137	Comment from Erica Griffin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46028	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51138	Comment from Oliver Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46029	Comment from T Carey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51139	Comment from Dave Whipple
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46030	Comment from Marina Barry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51140	Comment from Sharon Garlena
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46031	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51141	Comment from Cara Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46034	Comment from Diane Schulbach	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51142	Comment from Arci Jimenez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46035	Comment from Steven Tuttle	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51143	Comment from Tori Herbst
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46037	Comment from Swergold, Ethan	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51144	Comment from Michael Brandes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46038	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51145	Comment from Pilar Maschi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46039	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51146	Comment from Sandra Moskovitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46040	Comment from Norman Fisher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51147	Comment from Mary Kraeszig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46041	Comment from Amber Murphy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51148	Comment from Janet Tice
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46042	Comment from Linda Thompson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51149	Comment from Christine DAMico
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46043	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51150	Comment from Donette Erdmann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46044	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51151	Comment from Linda Messatzzia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46045	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51152	Comment from Karen OBrien
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46046	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51153	Comment from Dawn Pares
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46047	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51154	Comment from Marilyn Mick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46048	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51155	Comment from Carmen Machado
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46049	Comment from Ioana Iverson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51156	Comment from Les Rout
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46050	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51157	Comment from Richard Fish
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46051	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51158	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46052	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51159	Comment from Vidya Sivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46053	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51160	Comment from Adrian Bergeron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46054	Comment from Jane Ball	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51161	Comment from Chris Bihler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46055	Comment from cathy delaware	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51162	Comment from Maria Balicka
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46056	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51163	Comment from David Clapper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46057	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51164	Comment from Kimberly Schmidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46058	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51165	Comment from Janet Maker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46059	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51166	Comment from Deborah Spencer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46061	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51167	Comment from Sonja Franz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46062	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51168	Comment from Edye Calderon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46063	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51170	Comment from Mary Parodi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46064	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51171	Comment from Ruth Griffiths
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46065	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51172	Comment from Ben Earle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46066	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51173	Comment from Sarah Straus
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46067	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51174	Comment from Rona Leventhal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46068	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51175	Comment from Cheryl Arvio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46069	Comment from Katherine Boas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51176	Comment from Doug Frug
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46070	Comment from Alan Oresky	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51177	Comment from Debbie Sierchio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46071	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51178	Comment from Matthew Emmer

03/01/2021 NOAA-NMFS-2020-0031-DRAFT-46072 Comment from Anonymous Anonymous 03/01/2021 NOAA-NMFS-2020-0031-DRAFT-51179 Comment from Janis Millu

Received Date	Original Document ID	Title	Received Date	Original Document ID	Title
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51180	Comment from S.L. May	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26068	Comment from Keyes, Alice
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51182	Comment from Linda Waiane	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26137	Comment from Beal, Sonny
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51183	Comment from Amalia Stamatelatos	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26163	Comment from Braddy, Darian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51184	Comment from Elizabeth Connelly	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26189	Comment from Cape Cod Commercial Fishermen's Alliance
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51185	Comment from Oliver Beqaj	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26601	Comment from Bayley, David
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51187	Comment from Arthur Goldsmith	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26649	Comment from Kelleher, Daniel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51188	Comment from Sandy D'Ambrosio	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26652	Comment from Lance Kammerud
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51189	Comment from Alaine Plourde	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26679	Comment from Thurlow jr, Jeffrey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51191	Comment from Courtney Flanagan	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26713	Comment from Antje Fray
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51192	Comment from Michael Sarabia	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26727	Comment from Charles Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51193	Comment from Dale Lockridge	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26747	Comment from Mary Walls
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51194	Comment from William McDowell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26759	Comment from Melanie Wentz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51195	Comment from William McAllister	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26758	Comment from Massachusetts Lobstermen's Association
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51196	Comment from Edward Cammann	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26764	Comment from Donahue, Alan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51197	Comment from Gerry Williams	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26766	Comment from Dranetz , Anita
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51198	Comment from Riki Beck	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26788	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51199	Comment from Frederick Semel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26792	Comment from Meryle A. Korn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51200	Comment from Linda DiGusta	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26804	Comment from Jonathan Mitchell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51202	Comment from Peggie Vincent	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26846	Comment from Science Eye & also Environmental Conservation Organization
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51203	Comment from GLENN DONNAHOE	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26861	Comment from Burk, Tonia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51204	Comment from Luci Evanston	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26864	Comment from Humane Society Legislative Fund
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51205	Comment from H Lee	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26866	Comment from Jaffe, Cale
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51206	Comment from Lisa Keim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26815	Comment from Kate Hale-Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51207	Comment from Andreia Shotwell	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26831	Comment from Christina Diebold
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51208	Comment from Mary Thornton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26834	Comment from Anna Drummond
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51209	Comment from Lajeanne Leveton	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27011	Comment from Barbara Harper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51210	Comment from Glenda Lilling	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27287	Comment from Russell, Stephen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51211	Comment from James Moran	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27315	Comment from Christin Eigenmann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51212	Comment from Andrew Ritter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26930	Comment from Willey IV, Walter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51213	Comment from Leslie Valentine	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27068	Comment from Linda Badham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51214	Comment from Marilyn dobbins	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27057	Comment from O'Connor, Quinn Josephine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51215	Comment from Neal Steiner	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27070	Comment from Francis , Arnold
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51216	Comment from Lynn Pax	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27802	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51217	Comment from Annie McMahon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-27857	Comment from Tomkiewicz, Thomas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51218	Comment from thomas moore	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28028	Comment from Dworsky, Isaac
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51219	Comment from Daniella Markheim	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28058	Comment from Drew Martin

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51220	Comment from Margot Wiener	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28351	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51221	Comment from Cathie Leslie	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28381	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51222	Comment from Thomas King	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28498	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51224	Comment from Curtis Barnett	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28559	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51225	Comment from Tamara Cain	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29405	Comment from Milan, Kyle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51226	Comment from Mark Caso	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29115	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51228	Comment from Ashley Walima	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29520	Comment from Surfrider Foundation Georgia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51229	Comment from Joseph Boone	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29856	Comment from Jerry Banks
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51230	Comment from James Marsden	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29989	Comment from Elizabeth mostov
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51231	Comment from Barbara Rauh	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30271	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51232	Comment from Linda Riebel	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30286	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51233	Comment from Jessica Reyes	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30513	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51234	Comment from Mary Carrick	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-29588	Comment from Helene Frankel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51235	Comment from Mary Venos	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-30852	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51236	Comment from vicki gannon	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-31084	Comment from Elaine Becker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51237	Comment from Beverly Conroy	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33497	Comment from Kaur, Simardeep
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51238	Comment from Grace Pan	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-32899	Comment from Michael Conn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51239	Comment from Pam Turbeville	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-33763	Comment from Jim Steitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51241	Comment from Scott Devries	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34749	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51242	Comment from Carol Ramo	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-36641	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51243	Comment from Susan Porter	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-34850	Comment from peter jockel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51244	Comment from Ellen Sansone	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-36175	Comment from fi, D
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51245	Comment from Robert Gantt	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-36340	Comment from Hansen, Erik
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51246	Comment from lin farley	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-36349	Comment from Hobby, John
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51247	Comment from Warren Kerrigan	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-36237	Comment from Susan Downes-Borko
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51248	Comment from Annie Caton	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37015	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51249	Comment from Sheila Martin	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37431	Comment from Wood, Ardis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51250	Comment from Elaine Sperbeck	02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22758	Comment from LoMonaco, Alexa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51251	Comment from Mr. Kirk	02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23724	Comment from Justin Papkee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51252	Comment from David Huynh	02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23889	Comment from Herb, Dan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51253	Comment from Cassandra Fazio	02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24848	Comment from Knight, Eric
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51254	Comment from Daniel Hunter	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25384	Comment from Brooks, Laurin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51255	Comment from Jody Goldstein	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26752	Comment from Glen Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51256	Comment from Stephen Rosen	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44417	Comment from Swergold, Ethan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51257	Comment from MARK OFFERMAN	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45747	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51259	Comment from Odile Ayrat	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47358	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51260	Comment from Constantine Bogios	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50253	Comment from Churchill, Diana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51261	Comment from Carlie Doebereiner	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51271	Comment from FRASER, Jane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51263	Comment from Kathy Ruopp	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51942	Comment from Janet Lynch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51264	Comment from Andrea Chisari	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52333	Comment from Steve Englebright
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51265	Comment from Donald Dobesh	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53910	Comment from Anderson, Faye

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51266	Comment from janice phelps	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53998	Comment from Bort, Jacqueline
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51267	Comment from Blaze Bhence	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54411	Comment from Michaela Morris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51268	Comment from Deirdre Morris	02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13946	Comment from chris kehler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51269	Comment from Jeannie Frank	02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14414	Comment from Preston Robertson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51270	Comment from Kathy Anderson	02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22916	Comment from Amanda Cotton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51272	Comment from James Knott	02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23355	Comment from Blue Harvest Fisheries
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51273	Comment from Anonymous Anonymous	02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23515	Comment from Stuart Pimm
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51274	Comment from alicia jackson	02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23919	Comment from Ernst, Mayor John
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51275	Comment from Rebecca Kimsey	02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23952	Comment from Holland, State Rep Betsy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51276	Comment from Erik Nordman	02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23954	Comment from Buckner, Rep. Debbie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51277	Comment from Rosemarie grubba	02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24860	Comment from Candis Whitney
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51278	Comment from Uly Silkey	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26816	Comment from Cousens , David
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51279	Comment from Jamie Greer	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-26920	Comment from Dawn Euer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51280	Comment from Daniel Polley	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45244	Comment from Tripp , Krista
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51283	Comment from Marcie Mott	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49842	Comment from Julie Mayfield - State Senator
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51284	Comment from Katherine Wolfe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51093	Comment from Katie Stanovich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51285	Comment from Napombhejara, Jerry	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51116	Comment from Cara Donovan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51286	Comment from Al Giles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51169	Comment from Mariah Newman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51287	Comment from Sanger, Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51181	Comment from Bridget Collins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51288	Comment from Laurence Cocco	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51223	Comment from Lucy Palmer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51289	Comment from Karla Devine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51227	Comment from Katrina Morris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51290	Comment from Gaff, Mal	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51262	Comment from Jon Adams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51291	Comment from Joy Zadaca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51281	Comment from Brian Meade
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51292	Comment from Dave Searles	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51295	Comment from Jillian Bjorn-Caron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51293	Comment from Catherine Saint-Clair	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51311	Comment from Olivia Castro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51294	Comment from Mike Shields	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51332	Comment from Anna Morris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51296	Comment from Lindsay Dadko	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51406	Comment from Meghan Donovan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51297	Comment from Kepler, Shelly	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-37606	Comment from Rosen, Steve
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51298	Comment from Mike Whelan	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38912	Comment from Adriana Nunez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51299	Comment from Libby Sosa	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38917	Comment from Cates, Lucas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51300	Comment from O'Halloran, Kathleen	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38957	Comment from Perkins, Greg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51301	Comment from Glandon, Clarice	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38967	Comment from Whalen, Daniel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51302	Comment from al rogat	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38982	Comment from Joshua , Allen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51303	Comment from Jagusiak, Edward	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39001	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51304	Comment from Tom Tripp	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39018	Comment from DROUIN, JORDAN
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51305	Comment from Alison Zyla	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39107	Comment from Dunbar, Justin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51306	Comment from Sheri Snyder	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39122	Comment from Lunt, Cody
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51307	Comment from William Montgomery	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39143	Comment from Martin, Chris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51308	Comment from Virginia Sanchez	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39266	Comment from Adriene David
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51309	Comment from Terry Eaton	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39236	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51310	Comment from Uhing, Nicole	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39741	Comment from Susan Steinhauser

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51312	Comment from Sonja Barton	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39980	Comment from Dennison , Connor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51313	Comment from Blair Miller	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40020	Comment from Miller, Zach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51314	Comment from Schlatter, Denise	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40095	Comment from arthurs, ann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51315	Comment from Dave Potter	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40120	Comment from Wigglesworth, Shelley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51316	Comment from Duncan, Corinna	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40228	Comment from Commisso, Sabrina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51317	Comment from BILL D'ONNELL	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38101	Comment from heidi Ahlstrand
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51318	Comment from Mangels, Christopher	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38165	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51319	Comment from Patricia Savage	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38362	Comment from Diana Forman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51320	Comment from maureen madden	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38456	Comment from Baines, Robert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51321	Comment from Vargas, Mary	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38489	Comment from Riccio, Jeffrey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51322	Comment from John McNally	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38525	Comment from DROUIN, JOHN
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51323	Comment from Holly Cooper	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38624	Comment from Lussier, Ian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51324	Comment from Maureen Conway	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38712	Comment from Scola, Chris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51325	Comment from Phyllis Schmidt	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38737	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51326	Comment from Skill, Jacqui	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38741	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51327	Comment from Sg gs	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38790	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51328	Comment from Diana Sanderson	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38838	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51330	Comment from Denise Couey	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-38840	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51331	Comment from Potgieter, Stephanie	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39168	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51333	Comment from Gene cochran	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39171	Comment from NY4WHALES
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51334	Comment from Sernel, Elliott	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39241	Comment from Todd, Joshua
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51336	Comment from Maxine Bernstein	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39317	Comment from Cunningham, Jack
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51337	Comment from Sylvia Duncan	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39379	Comment from Emery, Dustin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51338	Comment from Loretta Lehman	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39412	Comment from Holmes , Jeremy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51339	Comment from Lukowitz, Wendy	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39527	Comment from Andrews, Daniel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51340	Comment from Eric Ross	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39569	Comment from Walsh, Mike
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51341	Comment from Paul Massei	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39611	Comment from Harjula, Erick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51342	Comment from Tanya Hallquist	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39728	Comment from Walsh, Lynda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51343	Comment from Strand, Lisa	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-39748	Comment from Alley, Jeffrey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51344	Comment from William Gonzalez	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40451	Comment from Nader, George
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51345	Comment from Larry Anderson	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40535	Comment from Conant , Jeffrey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51346	Comment from Nicholas Frangakis	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40546	Comment from Jones, Eric
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51347	Comment from Alund, Pamela	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40897	Comment from Jones, Stuart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51348	Comment from Anne Van Alstyne	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40910	Comment from jones, stuart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51349	Comment from Sur, Penny	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40304	Comment from Eric Keen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51350	Comment from Harrington, Devon	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40358	Comment from Watt, Jacob
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51351	Comment from Radha Shenoy	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40931	Comment from Gordius, Brian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51352	Comment from Christina Crosby	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40947	Comment from Odom, Phil
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51353	Comment from Brenda Hattisburg	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40962	Comment from Clemons, Matthew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51354	Comment from Michael Fine	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40963	Comment from Moody, Rick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51355	Comment from saraphine metis	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-40965	Comment from myers, jennifer

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51356	Comment from Joel Quaintance	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41003	Comment from Varner, Alexander
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51357	Comment from Ross, Sue	02/27/2021	NOAA-NMFS-2020-0031-DRAFT-41021	Comment from Diemand, Grace
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51358	Comment from antoinette valdez	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42207	Comment from D, Cailleigh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51359	Comment from William Kenney	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42392	Comment from Kraus, Scott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51360	Comment from kearns, patric	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42607	Comment from Magidson, Pam
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51361	Comment from barbara steinberg	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42698	Comment from Thomas, Andrew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51362	Comment from Hajar, Shirley	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42226	Comment from Hatch, Shane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51363	Comment from Linda Taffet	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42231	Comment from Hatch, Shane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51364	Comment from Houser, Osalyn	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-42237	Comment from Leah Weisburd
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51365	Comment from Scott Burger	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43004	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51366	Comment from Gigi vento	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43015	Comment from Graitcer, Philip
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51367	Comment from Rodney Boyd	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43096	Comment from Smith, Richard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51368	Comment from Rhoda Levine	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43060	Comment from Barton, Peter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51369	Comment from Tesoriero, Patricia	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43140	Comment from Clemons, James
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51370	Comment from Barbara Stevenson	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43273	Comment from Sowder, Brenna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51371	Comment from Jan Modjeski	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43310	Comment from Thomas, Phillip
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51372	Comment from bill James	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43407	Comment from Lazaro, Craig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51373	Comment from Mansfield, Linda	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43537	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51374	Comment from Hoai Pham	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44156	Comment from Mary Kramek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51375	Comment from barbara steinberg	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43444	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51376	Comment from Bannon, Kevin	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43467	Comment from Crone, Martie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51377	Comment from Lyn Mont	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43472	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51378	Comment from Kaslander, Carol	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43516	Comment from MAHONEY, CHAD
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51379	Comment from Alison Zyla	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-43788	Comment from Miller, Ira
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51380	Comment from Anne West	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44086	Comment from Weed, Raymond
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51381	Comment from Lee Wallace	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44194	Comment from Brown, Hunt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51382	Comment from Jackie Pomies	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44597	Comment from Jones, Sydney
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51383	Comment from Rocha, Candace	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44634	Comment from Liz Cook
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51384	Comment from Debra Vitola	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44747	Comment from Kacey Morris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51385	Comment from M D	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44675	Comment from Hansen, Julie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51386	Comment from Jeromy Henderson	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44680	Comment from Kristofferson, Cathy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51387	Comment from Hamby, Greg	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44714	Comment from Merrill, Jack
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51388	Comment from Oksana Becker	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45068	Comment from Ellen Bunker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51389	Comment from Vic Bostock	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45071	Comment from Fossett, Darrell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51390	Comment from Santos, Kim	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45103	Comment from Donnell, Zach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51391	Comment from George Bittner	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45110	Comment from Cervantes, Ismael
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51392	Comment from Kamal-Eldin, Tania	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45160	Comment from Lehman, Loretta
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51393	Comment from Amy Stoller	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45201	Comment from Finnegan-Topitzer, Johanna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51394	Comment from Lynn Costa	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45225	Comment from Westkaemper, Kelly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51395	Comment from Angela CHRISTOPHERSON	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44374	Comment from Brodeur, Peter

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51396	Comment from Michael Hoover	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44414	Comment from Jessica Dickens
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51397	Comment from Filippa, ANgela	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44476	Comment from Lobster Express Inc
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51398	Comment from George Bourlotos	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44558	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51399	Comment from Michael Giansiracusa	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44568	Comment from Lazaro, Sarah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51400	Comment from Simon Vance	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45305	Comment from Moros, Mike
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51401	Comment from Joshua Farrell	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45312	Comment from Urquhart, Christopher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51402	Comment from Perry, Marie	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45313	Comment from Hickey, Jennifer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51403	Comment from Margie Hancock	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45413	Comment from KHOSHFAHM, Kathy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51404	Comment from Deedi dayan	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45485	Comment from Greenwold, Beverly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51405	Comment from zucker, m. lee	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45489	Comment from Johns, Becky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51407	Comment from Simpson, Andrea	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45525	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51408	Comment from Pete Falca	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45694	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51409	Comment from Cathleen Burns	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45695	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51410	Comment from Lisa Miller	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45758	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51411	Comment from James Graham	02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45780	Comment from Simpson, Tucker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51412	Comment from Hanford, Gail	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45864	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51413	Comment from Lisa Zato	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45933	Comment from Schoppee, Austin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51414	Comment from cathi soule	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45934	Comment from Mitschele , Jason
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51415	Comment from Scott Heinze	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45950	Comment from Macri, Nicolás
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51416	Comment from Como, Linda	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45951	Comment from Hooper, Anthony
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51417	Comment from Susan Perez	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45959	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51418	Comment from Eric Voorhies	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45971	Comment from Whitener, Zach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51419	Comment from Nicholson, Sarah	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45988	Comment from Wu, Lillian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51420	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45997	Comment from Bean, Andy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51421	Comment from Abigail Villodas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45998	Comment from New England Aquarium
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51422	Comment from Fesi, Annemarie	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46006	Comment from Irving, Ryan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51423	Comment from Pamela Allee	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46011	Comment from Floyd, Michael
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51424	Comment from Hank Saunders	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46020	Comment from Samuels, Matt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51425	Comment from Nixon, Diane	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46033	Comment from Radford, Josh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51426	Comment from Loretta Beaulieu	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46032	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51427	Comment from Beverly Simone	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46036	Comment from Sturks, James
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51428	Comment from Tom Erwin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46060	Comment from Troadec, Halle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51429	Comment from Paul Doscher	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46179	Comment from Jennifer Taylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51430	Comment from Nadeen Rich	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46180	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51431	Comment from Mathes, Don	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46256	Comment from Bemis, Tyler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51432	Comment from Teresa Wrightson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46320	Comment from Smith, Charles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51433	Comment from Paul Meyer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46343	Comment from Gallerani, Margaret
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51434	Comment from Tracey Whitley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46366	Comment from Sullivan, Kathleen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51435	Comment from Shandra Koler	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46430	Comment from Dorr, Ryan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51436	Comment from Pete Falca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46528	Comment from Gilbert, Steve
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51437	Comment from Colleen Bergh	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46560	Comment from Woodward, Maggie

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51438	Comment from Amy Dosser	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47322	Comment from Pontius, Edward
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51439	Comment from Briana Purcell	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47482	Comment from Daniels, Jessica
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51440	Comment from James Hartley	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47177	Comment from barbara skapa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51441	Comment from Anita Burton	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47593	Comment from Pat Doherty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51442	Comment from allison alberts	02/26/2021	NOAA-NMFS-2020-0031-DRAFT-28091	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51443	Comment from Roberta campbell	02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25114	Comment from stephen ross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51444	Comment from juli van brown	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49769	Comment from Dr. Ken Linderman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51445	Comment from Mark Messing	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49807	Comment from Pamela Lyons Gromen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51446	Comment from Yaraly Espinoza	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49500	Comment from Olaf Aprans
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51447	Comment from Caroline Richardson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49861	Comment from McDonald, Joseph
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51448	Comment from Marianne Hoffman	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49921	Comment from Veterans for Clean Water Program, Savannah Riverkeeper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51449	Comment from John Thomas	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49962	Comment from Ready Seafood
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51450	Comment from Terry Wolfe	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49996	Comment from Susan Millward
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51451	Comment from Leslie Valentine	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50048	Comment from Welles, Virginia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51452	Comment from Susanna Askins	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50071	Comment from Thompson, Frank
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51453	Comment from Steve Shuput	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50153	Comment from Samuels, Sadie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51454	Comment from Kathy Jost-Keating	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50172	Comment from Butler, NC State Rep. Deborah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51455	Comment from Eric McLaughlin	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50211	Comment from Klein, Brandon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51456	Comment from April Gornik	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50241	Comment from Stolen, Megan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51457	Comment from Beverly Skelton	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50264	Comment from Lane, Nathaniel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51458	Comment from Mary Butler	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50302	Comment from Julie Ferreira
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51459	Comment from Joan Conca	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50481	Comment from Lobster Inc.
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51460	Comment from Allen Altman	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50572	Comment from Morey, Marcia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51461	Comment from Keri Smith	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50594	Comment from Georgia DNR, Wildlife Resources Division
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51462	Comment from Monja Lacasse	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50647	Comment from EPA
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51463	Comment from Denise Williamson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50656	Comment from Ingalls, Charles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51464	Comment from Ashley Foulk	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50667	Comment from Pellechia, Andrew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51465	Comment from Joe Quirk	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50680	Comment from Northeast Seafood Coalition
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51466	Comment from Kristin Reed	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50700	Comment from Willey, Thom
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51467	Comment from Bernadette Payne	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50701	Comment from Tozier, Keven
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51468	Comment from Alleen Glynn	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54853	Comment from Jeremy Gragert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51469	Comment from John Blaha	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49003	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51470	Comment from Terry Warkentine	02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21946	Comment from Lynch, Janet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51471	Comment from Rande Mandelblatt	02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20312	Comment from Gerard Gaudin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51472	Comment from Meryle Korn	02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13202	Comment from vicki Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51473	Comment from gary rejsek	02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13125	Comment from Lee Schondorf
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51475	Comment from Sigmund Finman	02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12463	Comment from Gerard Gaudin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51476	Comment from Sheila Spencer	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50743	Comment from Maine Lobster Dealers Association
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51477	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50755	Comment from Ingalls, robert

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51478	Comment from Robert Mayworth	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50919	Comment from Crowell, Kenneth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51479	Comment from nikki nicola	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50934	Comment from Eaton, Julie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51480	Comment from Gary Miller	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50935	Comment from F/V Anvil
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51481	Comment from Melissa Bishop	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50986	Comment from Arpayoglou, Irene
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51482	Comment from Horen, Cathy	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51186	Comment from Wolk, Pearson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51483	Comment from Dennis Rogers	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51190	Comment from Murphy, Cameron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51484	Comment from Blum, Antoinet	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51201	Comment from Jones, Stuart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51485	Comment from Alice Felix	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51258	Comment from women working for oceans - WWO
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51486	Comment from Harriett Pooler	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51474	Comment from Muniz, Michelle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51487	Comment from Paula Summers	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51611	Comment from Public Employees for Environmental Responsibility
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51488	Comment from Uly Silkey	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51640	Comment from O'Donnell, Conor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51489	Comment from Hilary Simonetti	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51656	Comment from Bolin , Jefferson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51490	Comment from Adrian Robertson	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50782	Comment from Angus King
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51491	Comment from Mercy Sidbury	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51104	Comment from Rosemarie Santiesteban
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51492	Comment from Valerie Holland	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51282	Comment from Frank Dame
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51493	Comment from Samuel Newman	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51871	Comment from Alice Keyes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51494	Comment from Janice Dion	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51992	Comment from natural resources defense
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51495	Comment from Virginia Snider	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52021	Comment from southern environmental law center
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51496	Comment from John Markham	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52157	Comment from Town of Stonington
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51497	Comment from Ashley Rivera	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52168	Comment from SeaWorld Parks & Entertainment
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51498	Comment from Anonymous Anonymous	03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54947	DCousens Whale TRP PR Comments
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51499	Comment from Wanda Graff			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51500	Comment from Michael Sobkowiak			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51501	Comment from Brian Picard			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51502	Comment from Lois White			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51503	Comment from Marcy Gordon			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51504	Comment from Wayne Teel			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51505	Comment from Christopher Benjamin			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51506	Comment from Anonymous Anonymous			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51507	Comment from Kelly Baber			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51508	Comment from sharon parker			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51509	Comment from Terry Warkentine			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51510	Comment from Sandra Cobb			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51511	Comment from Christopher Newman			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51512	Comment from C Clark			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51513	Comment from Jane Ellenberg			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51514	Comment from Margery Ellison			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51515	Comment from drs jackson			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51516	Comment from Anna Bergalis			
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51517	Comment from Candice Lowery			

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51518	Comment from Rosalie McMenamain
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51521	Comment from Don Tittle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51522	Comment from Steven Carpenter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51523	Comment from Christine Drea
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51524	Comment from Elliot Daniels
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51525	Comment from Laura Schuman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51526	Comment from Terry Derchia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51527	Comment from Richard Amerling
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51528	Comment from Robyn Warne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51529	Comment from Philip Louie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51530	Comment from Wynima Cavagnaro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51531	Comment from Brian Christian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51532	Comment from Aurelie Ward
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51534	Comment from Kathy McGrogan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51535	Comment from Iliana Lopez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51536	Comment from Margot VanEtten
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51537	Comment from pam brocius
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51538	Comment from Doug Kelley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51539	Comment from Mary Bristow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51540	Comment from Mark Bradley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51541	Comment from Susan Sheakley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51542	Comment from Kun Kang
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51543	Comment from Peter O'Hara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51544	Comment from Elizabeth smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51545	Comment from Maria Correia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51546	Comment from Eric Magers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51547	Comment from Francine Traniello
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51548	Comment from Marc Hachey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51549	Comment from Margaret Silver
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51550	Comment from Kerry Hodges
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51551	Comment from Philip Louie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51552	Comment from Sandra Breakfield
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51553	Comment from Daphne Endress
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51554	Comment from Mike Abler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51555	Comment from David Savige
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51556	Comment from kathy mesch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51557	Comment from Jennifer Santos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51558	Comment from Nick Epstein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51559	Comment from Susan Ford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51560	Comment from Katie Wood
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51561	Comment from Kerry Hodges

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51562	Comment from Frank DePinto
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51563	Comment from Robert Cameron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51564	Comment from K R
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51565	Comment from Clint Landeen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51566	Comment from Colleen Kelly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51567	Comment from Alfred Mancini
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51568	Comment from Martha Ennis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51569	Comment from Donald Watson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51570	Comment from Lary McKee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51571	Comment from elizabeth gardner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51572	Comment from Michael Hinshaw
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51573	Comment from David Adler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51574	Comment from Marta Dawes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51575	Comment from Jan Salas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51576	Comment from David Dewenter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51577	Comment from Mary Brennan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51578	Comment from Alleen Glynn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51579	Comment from John Edwards
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51580	Comment from Sybille Vital
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51581	Comment from JOHN LAROCHELLE
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51582	Comment from Susan Lowe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51583	Comment from Daniel Gonzales
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51584	Comment from Christopher Evans
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51585	Comment from Aguilera Kat
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51586	Comment from Dr Ret
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51587	Comment from Joanne Godzicki
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51588	Comment from Sirina Sucklal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51589	Comment from Heidi Clevlen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51590	Comment from Maureen Kill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51591	Comment from Jeffrey Meyers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51592	Comment from Cranden, Erica
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51593	Comment from Bryan Wyberg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51594	Comment from Kim Weindorf
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51595	Comment from Frame, Deborah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51596	Comment from Pete Falca
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51597	Comment from Van Zee, Ali
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51598	Comment from Terry Vollmer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51599	Comment from Hilary Capstick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51600	Comment from Carlos Ortega
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51601	Comment from Cooper, James
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51602	Comment from Dana Sanchez

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51603	Comment from Mary Allen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51604	Comment from Holly Kukkonen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51605	Comment from Tina Messamore
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51606	Comment from Marchant, Lynn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51607	Comment from Beth Severance
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51608	Comment from Maria Yepes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51609	Comment from demmey, elizabeth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51610	Comment from Paul Sanderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51612	Comment from DAVIDSON, ANNIE
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51613	Comment from Daniel Harris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51614	Comment from Rudolph Ripp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51615	Comment from Nost, Ulla
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51616	Comment from Julie Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51617	Comment from Stephanie Fox
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51618	Comment from Mary Sloan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51619	Comment from Susanna Levin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51620	Comment from Ham, Hugo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51621	Comment from Annette Luffman-Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51622	Comment from marilyn gockowski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51623	Comment from BRETT KENGOR
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51624	Comment from Benatar-Kotler, Belinda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51625	Comment from g clemson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51626	Comment from Mary Fudeman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51627	Comment from Eileen Schram
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51628	Comment from Jeannine Guerci
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51629	Comment from Judd, Barbara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51630	Comment from Guy Zahller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51631	Comment from Sybil Morgan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51632	Comment from bruce hirayama
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51633	Comment from Jacquelyn Barnes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51634	Comment from Bruno, Margaret
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51635	Comment from Shela Hadley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51636	Comment from Willa Falk
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51637	Comment from Bivona, Denise
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51638	Comment from Georgia Goldfarb
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51639	Comment from Mills, Laurel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51642	Comment from Kerri Piazza
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51643	Comment from amy sultan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51644	Comment from Caroline Kern
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51645	Comment from Armbruster, Diane

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51646	Comment from Eithne Clarke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51647	Comment from Richard Desantis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51648	Comment from sheila munson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51649	Comment from Ashley Erisman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51650	Comment from Guidoboni, Shirley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51651	Comment from Donna Polson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51652	Comment from John Everett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51653	Comment from Reed, Mary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51654	Comment from Lauren Tartaglia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51655	Comment from Reed, Mary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51657	Comment from Joseph Leedy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51658	Comment from Jerry Oliver
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51659	Comment from Rosati, Pat
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51660	Comment from Kathleen Roche
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51661	Comment from Becky Daiss
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51662	Comment from gina anson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51663	Comment from Mary Lebert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51664	Comment from Dennis Hough
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51665	Comment from Smiley, Rob
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51666	Comment from Paul Lapidus
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51667	Comment from M S
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51668	Comment from Trout, Larry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51669	Comment from Dena Hernandez-Kosche
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51670	Comment from Babcock, Miles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51671	Comment from Norma. Hanson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51672	Comment from Deborah Spencer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51673	Comment from Justin Chernow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51674	Comment from Countryman-Mills, G.
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51675	Comment from Laura Divenere
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51676	Comment from Mary Wheat
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51677	Comment from ellen witte
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51678	Comment from JoAnne Cohen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51679	Comment from McGee, Maureen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51680	Comment from Heather Davis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51681	Comment from Sherri Moody
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51682	Comment from Bell, Milena
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51683	Comment from Candy Ross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51684	Comment from bell, marshall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51685	Comment from Victoria Randall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51686	Comment from Marchick Richard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51687	Comment from David Holzman

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51688	Comment from Landers, Catherine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51689	Comment from Eddie Pittmon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51690	Comment from James Hartley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51691	Comment from Darrell Schmidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51692	Comment from Chara Mandile
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51693	Comment from VanVliet, Nagisa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51694	Comment from Edward Sullivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51695	Comment from Nancy Harter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51696	Comment from Broda, Patricia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51697	Comment from Brandon Juhl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51698	Comment from Lemire, Kara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51699	Comment from Hollie Hollon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51700	Comment from Darlene Schanfald
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51701	Comment from Joanne Hahn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51702	Comment from Thomas Wiewandt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51703	Comment from John Colgan-Davis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51704	Comment from Gary Ardito
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51705	Comment from Ronna DeLoe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51706	Comment from Copley Smoak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51707	Comment from Ruthann McDermott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51708	Comment from dani brusius
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51709	Comment from Rhoda Levine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51710	Comment from Bob Hollon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51711	Comment from Melissa Arra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51712	Comment from Amy Freeman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51713	Comment from Sally Maish
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51714	Comment from Mitchell Deighan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51715	Comment from Deirdre Fitzsimmons
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51716	Comment from Patrick Eggleston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51717	Comment from Carolyn Strange
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51718	Comment from CARL CLARK
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51719	Comment from James Miles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51720	Comment from Emily Rosenmeier
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51721	Comment from Daniel Morneau
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51722	Comment from Carolyn Summers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51723	Comment from AnnMarie Hudson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51724	Comment from Carlene Moscott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51725	Comment from Mary Hamm
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51726	Comment from Robert Keiser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51727	Comment from Quentin Fischer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51728	Comment from Mary Green

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51729	Comment from Janet Monfredini
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51730	Comment from Jean Andrews
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51731	Comment from Joan Glasser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51732	Comment from William Boteler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51733	Comment from Eric Weiss
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51734	Comment from Nicole Deter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51735	Comment from Rhonda pulliam
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51736	Comment from Linda Tesser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51737	Comment from Ankea Kkoutas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51738	Comment from Don Thomsen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51739	Comment from Elisabeth Armendarez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51740	Comment from Bruce Schacht
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51741	Comment from thomas nolan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51742	Comment from JOANN PICHIARELLO
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51743	Comment from Christa Lopez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51744	Comment from Lou Reznew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51745	Comment from Alex Savory
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51746	Comment from Steve Kline
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51747	Comment from Mari Dominguez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51748	Comment from Tracey Fried-Kasofsky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51750	Comment from Rhoda Levine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51751	Comment from Wayne Heckman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51752	Comment from Eloise Maughan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51753	Comment from Donna Thelander
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51754	Comment from Lacey Hicks
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51755	Comment from Erica Munn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51756	Comment from Kevin Popeck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51757	Comment from Louise Perret
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51758	Comment from Nancy Clark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51759	Comment from Jodie Zupancic
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51760	Comment from Seth Bright
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51761	Comment from janet maker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51762	Comment from Dianne Douglas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51763	Comment from Candida Grant
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51764	Comment from Clement Thurn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51765	Comment from Allen Krantz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51766	Comment from gm whiting
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51767	Comment from Jodie Zupancic
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51768	Comment from Priscilla Barone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51769	Comment from Stephen Dutschke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51770	Comment from Brian Gray

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51771	Comment from Eleanor Dowson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51772	Comment from Wayne Steffes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51773	Comment from Sandi Aden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51774	Comment from Linda Hillman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51775	Comment from Helen Gennari
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51776	Comment from John Finazzo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51777	Comment from John Dylla
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51778	Comment from Susan Schmidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51779	Comment from Maryann Kauffman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51780	Comment from Debbie Schwer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51781	Comment from Joan Sitomer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51782	Comment from Janell Curtis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51783	Comment from marcia sliwinski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51784	Comment from Richard Barker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51785	Comment from Darryl San Souci
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51786	Comment from Macaire Grambauer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51787	Comment from Eugene Brusin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51788	Comment from Linda Evinger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51789	Comment from Zuzka Eggena
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51790	Comment from Edward Sullivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51791	Comment from Ann Williams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51792	Comment from Cara Busch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51793	Comment from Jana Perinchief
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51794	Comment from Claudia Sprinkle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51795	Comment from Faith Herschler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51796	Comment from Kim Seger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51797	Comment from Debora Hojda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51798	Comment from John Albertini
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51799	Comment from Carol Easton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51800	Comment from Christine Gallagher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51801	Comment from Inna Gergel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51802	Comment from Nancy Gregory
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51803	Comment from Dennis Lear
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51804	Comment from rio valencia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51805	Comment from Carol Collins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51806	Comment from William McGoldrick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51807	Comment from Patrick Doyle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51808	Comment from Marcine McBride
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51809	Comment from Christine Gallagher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51810	Comment from Richard Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51811	Comment from Donna Mulvey

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51812	Comment from Julia Jackson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51813	Comment from Bash Judy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51814	Comment from Sandy Maranesi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51815	Comment from Romula Navarro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51816	Comment from Gerard Corsini
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51817	Comment from Ken McKay
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51818	Comment from Caragh McCallion
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51820	Comment from Mary Germain
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51821	Comment from Gail Klein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51822	Comment from Deborah Gandolfo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51824	Comment from Mary Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51825	Comment from Sandra Franz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51826	Comment from Susan Bradshaw
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51827	Comment from Sherry Eaves
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51828	Comment from Kathleen Coffman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51829	Comment from Watts, Josiah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51830	Comment from Kathryn Burns
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51831	Comment from Richards, Laura
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51832	Comment from Cindy Kirgis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51833	Comment from Westler, Marc
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51834	Comment from Mobley, Henry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51835	Comment from Janet Lynch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51836	Comment from Handa, Sharon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51837	Comment from Cathey, Margaret
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51838	Comment from Sandgrund, Robert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51839	Comment from Royce-Wilder, Carol
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51840	Comment from Cassidy, Lucy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51841	Comment from Talkowski, Roman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51842	Comment from Lake, Sue
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51843	Comment from Bilodeau, Janet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51844	Comment from Triplett, Tia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51845	Comment from Sawyer, Caryl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51846	Comment from Kruse, Michelle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51847	Comment from Stephen Bailey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51848	Comment from judith cohen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51849	Comment from Sara Miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51850	Comment from Donna Jenny
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51851	Comment from Obr, Brooks
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51852	Comment from Ronda Reynolds
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51853	Comment from Brian Gingras
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51854	Comment from Robert Giambruno

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51855	Comment from kirk, wendy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51856	Comment from Cristine Barsanti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51857	Comment from Nicole Dick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51858	Comment from Jim Drevescraft
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51859	Comment from Gran Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51860	Comment from Brooks, Carrie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51861	Comment from Susan Querze
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51862	Comment from Santiago , Magda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51863	Comment from Petty, Kevin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51864	Comment from Hryc, Michele
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51865	Comment from Carter, Karen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51866	Comment from Tami Reckler-Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51867	Comment from Molly Huddleston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51868	Comment from Loeppert, Sara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51869	Comment from Colleen Kelly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51870	Comment from Gina Gatto
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51872	Comment from McLaughlin, Susan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51873	Comment from Carol Nix
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51874	Comment from Bob Sipe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51875	Comment from Withers, Lynell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51876	Comment from Tonia Neal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51877	Comment from CYMROT, ALEXANDRIA
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51878	Comment from Bremier, PJ
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51879	Comment from Maxwell Fogleman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51880	Comment from Bremier, Valary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51881	Comment from Jim Peugh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51882	Comment from CYMROT, ALEXANDRIA
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51883	Comment from Miller, JerriLyn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51884	Comment from Susan St.Denis-Searle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51885	Comment from field, marcia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51886	Comment from Miltner, Brooke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51887	Comment from Drummond , Joanne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51888	Comment from Lauren Tartaglia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51889	Comment from Brown, Megann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51890	Comment from Renee Naymick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51891	Comment from Debra Greenberg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51892	Comment from Champney, Mary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51893	Comment from Jeanne Larson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51894	Comment from susan Coffi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51895	Comment from Strong, Brennan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51896	Comment from Sonia King

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51897	Comment from Gustafsen, April
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51898	Comment from Lynch, Meredith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51899	Comment from Holly Crawford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51900	Comment from Danielson, Lea
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51901	Comment from Bailey, Robin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51902	Comment from William Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51903	Comment from Beverly Thomas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51904	Comment from Newhagen, Jill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51905	Comment from Chirgwin, Dariusz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51906	Comment from Don Swall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51907	Comment from Reichow, Debbie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51908	Comment from Halegua, Mike
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51909	Comment from Dreher, Evelyn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51910	Comment from Gansky, Gary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51911	Comment from Courtney Kimmel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51912	Comment from Judith Zarin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51913	Comment from Schivley, Donna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51914	Comment from Lorraine Heagy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51915	Comment from Carlene Meeker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51916	Comment from Cathleen Burns
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51917	Comment from Omar, Janna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51918	Comment from Barbara Andrew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51919	Comment from Sugarman, Stevie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51920	Comment from Evi Skidmore
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51921	Comment from DeMartino, Heather
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51922	Comment from Goodrich, Lisa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51923	Comment from Steve Hugelmann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51924	Comment from Virginia Oldham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51925	Comment from Shelton, Lois
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51926	Comment from Schuhrke, Nancy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51927	Comment from Everton, Keith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51928	Comment from Sherry Vatter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51929	Comment from Howard, Pamela
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51930	Comment from Bacria, Mirela
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51931	Comment from Duriseti, Ram
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51932	Comment from Elizabeth Connelly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51933	Comment from Diane Guernsey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51934	Comment from Burnham , Alesa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51935	Comment from Susan Babbitt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51936	Comment from McNeese, Amanda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51937	Comment from Jerry Eskew

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51938	Comment from Vivian Dowell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51939	Comment from Bryan Anthony
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51940	Comment from Darcy Gaechter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51941	Comment from andrea Dezendorf
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51943	Comment from Kathleen Bernardo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51944	Comment from James Herther
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51945	Comment from Gloria Diggle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51946	Comment from Andrea Higgins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51947	Comment from Barbara Abraham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51948	Comment from Karyn Morales
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51949	Comment from Robert Jacobson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51950	Comment from John Uscian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51951	Comment from Margaret Raynolds
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51952	Comment from Natalie Aharonian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51953	Comment from Julie Nolon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51954	Comment from Judy Fairless
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51955	Comment from John Massman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51956	Comment from Phyllis Schmidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51957	Comment from Reb Babcock
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51958	Comment from Paul Collins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51959	Comment from Dirk Reed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51960	Comment from nanci nugent
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51961	Comment from John Fuhrer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51962	Comment from Pierre Del Prato
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51963	Comment from Judy Trohkimoinen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51964	Comment from Victoria Brandon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51965	Comment from Stephen Rosen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51966	Comment from Meredith Kent-Berman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51967	Comment from Susan Bradshaw
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51968	Comment from veronica romero
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51969	Comment from Maureen Webb
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51970	Comment from Mary Couture
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51971	Comment from B Winklet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51972	Comment from John Hilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51973	Comment from Lisa Holden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51974	Comment from Walt Luerken
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51975	Comment from Lourdes Guzman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51976	Comment from Thomas Rewoldt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51977	Comment from Gabriela Romanow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51978	Comment from Rick Geyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51979	Comment from Long Pham

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51980	Comment from Angela Brancati
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51981	Comment from Sharon RotheS
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51982	Comment from Jason Kedmenec
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51983	Comment from AnnMarie Hudson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51984	Comment from Olga Strickland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51985	Comment from Marc Silverman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51986	Comment from Romalda Allsup
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51987	Comment from Ron Price
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51988	Comment from Dacia Murphy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51989	Comment from Kathy Kelly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51990	Comment from Mickey White
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51991	Comment from Michael Renfrow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51993	Comment from Kristi Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51994	Comment from Susan Yarnell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51995	Comment from JC Corcoran
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51996	Comment from Joshua Asel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51998	Comment from Janet Maker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51999	Comment from Mary Cernak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52000	Comment from Lou Rezniew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52001	Comment from Irene Brennan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52002	Comment from Ronnie Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52003	Comment from Scott Jennings
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52004	Comment from Eli Celli
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52005	Comment from Omar Siddique
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52006	Comment from Rudy Ramp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52007	Comment from Catherine Milovina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52008	Comment from jim tuthill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52009	Comment from Ann Sinica
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52010	Comment from Jim Forbes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52011	Comment from Jill Turco
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52012	Comment from Susan Freel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52013	Comment from Brian Wind
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52014	Comment from Glenna Waterman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52015	Comment from John Teevan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52016	Comment from Velda Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52017	Comment from John Kosiorek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52018	Comment from Carolyn Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52019	Comment from Michelle Unger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52020	Comment from Charles Cassagnol
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52022	Comment from Barbara Denslow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52023	Comment from Karen Olden

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52024	Comment from dorothy kethler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52025	Comment from Lisa Rosenfield
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52026	Comment from Melissa Grondin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52027	Comment from Silvia Noell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52028	Comment from Carol Batchelder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52029	Comment from John Gurvitch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52030	Comment from Chris Bush
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52031	Comment from Gloria Uribe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52032	Comment from Gene Marault
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52033	Comment from Mariann Adcock
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52034	Comment from Joan Stanton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52035	Comment from Dennis Schvejda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52036	Comment from Michael Collado
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52037	Comment from Michael Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52038	Comment from Cathy Wootan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52039	Comment from Steve Green
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52040	Comment from Debora Hojda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52041	Comment from Georgia Shankel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52042	Comment from JILL ALIBRANDI
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52043	Comment from Rosemary Lojo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52044	Comment from Shirley Wooden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52045	Comment from Paul Wainwright
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52046	Comment from Ken Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52047	Comment from Renee Kermeen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52048	Comment from Leslie Richardson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52049	Comment from Michael Caputo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52050	Comment from Louise LaFrancis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52051	Comment from Linda Seaver
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52052	Comment from James Hoose
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52053	Comment from Susan Harby
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52054	Comment from Kimberly Bostwick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52055	Comment from Mary Sloan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52057	Comment from Stephanie Edwards
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52058	Comment from Rosi Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52059	Comment from Theresa Pirkle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52060	Comment from Shiela Cockshott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52061	Comment from Marguery Zucker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52062	Comment from Belinda Rogers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52063	Comment from Sha Bee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52064	Comment from Caitlyn DeMann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52065	Comment from Nadine Larsen

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52066	Comment from Kathy Crose
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52067	Comment from RedElisa Mendoza
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52068	Comment from Sylvia Tolley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52069	Comment from Jackie Pomies
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52070	Comment from Susan LoFurno
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52071	Comment from Sagen Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52072	Comment from Lorraine Manon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52073	Comment from Steve Green
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52074	Comment from Annette Luffman-Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52075	Comment from Michael Feld
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52076	Comment from Nadine Larsen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52077	Comment from jonette bronson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52078	Comment from Mona Benedetto
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52079	Comment from Constance Marbach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52080	Comment from Bryan Wishik
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52081	Comment from Maureen Vanderbosch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52082	Comment from Alexia Alvarez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52083	Comment from Ericka Abrams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52084	Comment from Grisell Garcia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52085	Comment from Nadine Larsen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52086	Comment from jack Stockslager
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52087	Comment from Debora Michel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52088	Comment from Richard Spotts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52089	Comment from Marsha Halper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52090	Comment from Nancy Cormia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52091	Comment from Janet Tice
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52092	Comment from Weslie Phillips
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52093	Comment from Joan Agro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52094	Comment from Emanuel Falcone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52095	Comment from Judith Julian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52096	Comment from Jeane Casey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52097	Comment from LISA STIMPSON
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52098	Comment from Deb Christensen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52099	Comment from Debbie Friesen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52100	Comment from Barbara Keller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52101	Comment from Martina Clark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52102	Comment from Gary Hull
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52103	Comment from Bill Lindner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52104	Comment from Evan Fulmer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52105	Comment from Gary Dowling

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52106	Comment from quinten putnam
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52107	Comment from steve schatvet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52108	Comment from Estelle Voeller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52109	Comment from Stephanie Jerome
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52110	Comment from Barbara Trypaluk
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52111	Comment from vana spear
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52112	Comment from Michael Schmotzer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52113	Comment from Marilyn Fritz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52114	Comment from Betty Stuff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52115	Comment from Bruce Triplett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52116	Comment from Terry Bulla
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52117	Comment from Kathy simonik
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52118	Comment from Robert Redmond
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52119	Comment from Matthew Bielen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52120	Comment from Rosemary DolanLesh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52121	Comment from Jared Cornelia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52122	Comment from Nancy Burke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52123	Comment from Sharon Longyear
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52124	Comment from James Abendroth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52125	Comment from Meg Hanrahan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52126	Comment from Jini Fisher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52127	Comment from Ben Goodin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52128	Comment from Joy Turlo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52129	Comment from Stephen Lieber
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52130	Comment from Marita Woods
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52131	Comment from Kimberly Crane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52132	Comment from robin morton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52133	Comment from Miranda Vorhees
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52134	Comment from Ellen Segal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52135	Comment from Emanuel Falcone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52136	Comment from Deborah Spencer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52137	Comment from Paul Vincennie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52138	Comment from Gail Roberts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52139	Comment from Karen Gaylin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52140	Comment from Tamara Manhard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52141	Comment from pat lukensmeyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52142	Comment from Michael Watson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52143	Comment from Paulette Allison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52144	Comment from Kathleen Lee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52145	Comment from Kevin Caravati
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52146	Comment from Jan Emerson

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52147	Comment from Dawn Keur
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52148	Comment from Jennifer Bradford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52149	Comment from Petra Braun
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52150	Comment from Benjamin Rodriguez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52151	Comment from DAVID KASTELINE
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52152	Comment from Christopher Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52153	Comment from judy pizarro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52154	Comment from Mary Maness
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52155	Comment from Margaret Shekell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52156	Comment from Benedict Di Salvo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52158	Comment from Christina Nillo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52159	Comment from James Patton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52160	Comment from Karen Hauser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52161	Comment from stacey francis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52162	Comment from Leslie Mlawski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52163	Comment from Susan Montague
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52164	Comment from Linda Shifflett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52165	Comment from Barbara Hood
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52166	Comment from Karen Roos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52167	Comment from Tami Phelps
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52169	Comment from Harry Blumenthal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52170	Comment from Jessica Schiffman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52171	Comment from Carrie Darling
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52172	Comment from Amber Haseltine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52173	Comment from Nan Singh-Bowman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52174	Comment from Ronald Carver
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52175	Comment from judy pizarro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52176	Comment from Karen Taylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52177	Comment from Carol Gordon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52178	Comment from Michael Henderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52179	Comment from Bret Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52180	Comment from Barbara Hynak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52181	Comment from Tom Rarey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52182	Comment from Vidya Sivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52183	Comment from Larry Trout
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52184	Comment from Therese DeBing
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52185	Comment from Barbara Angulo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52186	Comment from rob fursich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52187	Comment from Karen King
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52188	Comment from Piers Strailley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52189	Comment from Alan Gonzalez

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52190	Comment from Harold Hubbard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52191	Comment from Cindy Wright
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52192	Comment from Miku Lenentine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52193	Comment from Ram-Prasad, Sheela
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52194	Comment from Mark Blitzer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52195	Comment from Karen Spradlin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52196	Comment from White, Corinne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52197	Comment from Patty Baker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52198	Comment from Van Slyke , Margot
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52199	Comment from Crane, Mark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52200	Comment from Paul jerskey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52201	Comment from Guerin, Karen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52202	Comment from Kristin Ziama
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52203	Comment from Haldeman, Katie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52204	Comment from Grabsch, Dagmar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52205	Comment from Runsak, Kim
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52206	Comment from Ellen Kabat
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52207	Comment from Gorgo, Jennifer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52208	Comment from Edgington, Tonya
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52209	Comment from selig, heidi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52210	Comment from Bruce Kiesel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52211	Comment from Steven Roberts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52212	Comment from Eschmeyer, Gail
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52213	Comment from Nancy Keiter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52214	Comment from David Nash
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52215	Comment from Rhonda Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52216	Comment from PRESSER, irving
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52217	Comment from Michael Norden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52218	Comment from Kyle, Kathy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52219	Comment from Jeremy Benjamin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52220	Comment from Shumer, Julie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52221	Comment from Pinand, Harry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52222	Comment from Pranab Banerjee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52223	Comment from christine waddell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52224	Comment from Scarlata, Rachel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52225	Comment from PRESSER, irving
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52226	Comment from corpuz, johanna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52227	Comment from C. Menn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52228	Comment from Bryan, Karen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52229	Comment from Reed, Donna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52230	Comment from Scherl, Marvin

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52232	Comment from Deborah Perrero
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52233	Comment from Stephen Sachs
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52234	Comment from Jacqueline Bort
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52235	Comment from Cole, Dori
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52236	Comment from Patricia Vickers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52237	Comment from Simmons Buntin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52238	Comment from Daniels, Courtney
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52239	Comment from Sarah Audair
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52240	Comment from Shirley Mccarthy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52241	Comment from Embry, Regina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52242	Comment from Pirrung, Erica
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52243	Comment from Jazmine Harvey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52244	Comment from Esther, Libby E
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52245	Comment from Rosiris Paniagua
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52246	Comment from Debbie Bonnet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52247	Comment from Lathan, Dyanne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52248	Comment from Niles, Karen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52249	Comment from Herrera , Alexandra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52250	Comment from Teresa Case
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52251	Comment from Miller, Michaela
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52252	Comment from Liberti, Linda Marie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52253	Comment from Frederick, Patricia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52254	Comment from Johnson, Roy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52255	Comment from Charles Taormina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52256	Comment from Bernard Thomas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52257	Comment from Barulich, Maryann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52258	Comment from Ellen Weisnecker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52259	Comment from Ruhyyih Tolton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52260	Comment from chantal Herron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52261	Comment from Dresch, Phaedra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52262	Comment from Liz Bode
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52263	Comment from Lisa Isley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52264	Comment from Weber, Sandra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52265	Comment from calhoun, gail
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52266	Comment from Pedulla , Liz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52267	Comment from Gary Maedl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52268	Comment from Linda Tonnesen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52269	Comment from Beaudoin, D
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52270	Comment from Frank, Jeannie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52271	Comment from Kari Brennan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52272	Comment from Alise Widmer

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52273	Comment from Victor Escobar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52274	Comment from Anthony Vessicchio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52275	Comment from Lumina Greenway
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52276	Comment from Sue Janssen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52277	Comment from Anne Parzick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52278	Comment from Arthur Alfreds
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52279	Comment from terr badger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52280	Comment from David Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52281	Comment from mike butkiewicz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52282	Comment from Erin Taylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52283	Comment from Norman Baker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52284	Comment from Bekki Bearheart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52285	Comment from Bret Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52286	Comment from Pete Sinica
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52287	Comment from Vicky Brandt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52288	Comment from Carol Brighton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52289	Comment from Mel Libman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52290	Comment from Nancy Heck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52291	Comment from Linda Horn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52292	Comment from Terry Karjalainen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52293	Comment from Randolph Schoedler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52294	Comment from Jeni Frazee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52295	Comment from Larry Trochtenberg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52296	Comment from Marion Subjenski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52297	Comment from Susan Querze
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52298	Comment from Lisa Toohey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52299	Comment from Virginia Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52300	Comment from Paul Ghenoiu
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52301	Comment from Sondra Vitols
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52302	Comment from Lawrence Crowley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52303	Comment from Gina Paige
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52304	Comment from Michelle Buerger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52305	Comment from Teresa Mays
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52306	Comment from Barbara Beierl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52307	Comment from sandra garcia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52308	Comment from Diane Lebedeff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52309	Comment from Carol Bloom
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52310	Comment from Kathleen Eaton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52311	Comment from sara rahbar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52312	Comment from Jan Modjeski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52313	Comment from Amy Dosser

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52314	Comment from Setsuko Maruki-Fox
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52315	Comment from Susan Querze
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52316	Comment from Gina Norton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52317	Comment from Tara McBride
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52318	Comment from Nadeen Rich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52319	Comment from Janis Turek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52320	Comment from Karolyn Beebe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52321	Comment from Gene Fox
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52323	Comment from tevet tee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52324	Comment from James Klein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52325	Comment from Lorraine Avallone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52326	Comment from Dan McCurdy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52327	Comment from Francisco Salazar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52328	Comment from Adam DOnofrio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52329	Comment from Kathleen Snedeker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52330	Comment from Cynthia Smith-Stein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52331	Comment from Nancy Hauer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52332	Comment from Eric Lane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52334	Comment from Andy Lynn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52335	Comment from William Sarovec
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52336	Comment from Robin Umbley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52337	Comment from Howard Klein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52338	Comment from Johanna Hantel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52339	Comment from Constance Almy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52340	Comment from SUZANNE LEFAUCHEUX
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52341	Comment from k s
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52342	Comment from Shirley Ann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52343	Comment from Laurie Neill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52344	Comment from Jayne Fry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52345	Comment from Janet Handford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52346	Comment from Julia Arafa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52347	Comment from henry Biggins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52348	Comment from Susan Berzac
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52349	Comment from sara rahbar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52350	Comment from Gabi Teed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52351	Comment from Virginia LeBlanc
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52352	Comment from Heidi Steffy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52353	Comment from Richard Taylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52355	Comment from Elisabeth Carroll
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52356	Comment from David Buck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52357	Comment from Tami Omeson

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52358	Comment from Gavin Kramer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52359	Comment from Linda Elbow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52360	Comment from Juanita Rinas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52361	Comment from Renata Kuchinsky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52362	Comment from Cynthia Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52363	Comment from pete childs
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52364	Comment from Michael Lombardi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52365	Comment from Mike Kelly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52366	Comment from Bryce Perog
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52367	Comment from Stuart Mork
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52368	Comment from David Guleke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52369	Comment from Evelyn Griffin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52370	Comment from Janet Handford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52372	Comment from Amber Davidson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52373	Comment from Faith Franck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52374	Comment from Elsy Shallman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52375	Comment from Tara D
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52376	Comment from Jamie Greer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52377	Comment from C. Lean
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52378	Comment from Madelaine Haberman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52379	Comment from Tammy Lettieri
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52380	Comment from Elaine Benjamin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52382	Comment from Angela Kline
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52383	Comment from Chris Moran
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52384	Comment from Barbara Sorgeler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52385	Comment from Corinna Hasbach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52386	Comment from terry robinson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52387	Comment from Dale Lenat
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52388	Comment from Jeff Biss
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52389	Comment from Laura Dodge
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52390	Comment from David Snope
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52391	Comment from Daniel Goldberg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52392	Comment from Peter Harrell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52393	Comment from Nancy Humphrey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52394	Comment from Barbara Campbell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52395	Comment from Judy Johnston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52396	Comment from Joelle Porter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52397	Comment from Don Barth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52398	Comment from N Coyle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52399	Comment from caroline fairless
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52400	Comment from JL Angell

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52401	Comment from Mimi Abers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52402	Comment from Orrin Merritt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52403	Comment from Ellaine Janicki
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52404	Comment from Judy Brouillette
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52405	Comment from Gail Worrell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52406	Comment from Batsheva Kasdan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52407	Comment from Chris Van hook
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52408	Comment from Debbie Jensen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52409	Comment from Francisco Koch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52410	Comment from Todd Davis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52411	Comment from Maria Williamson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52412	Comment from Roxann Floyd
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52413	Comment from Sherri Fugit
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52414	Comment from Maria Deutsch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52415	Comment from Robert Mitch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52416	Comment from Shelby Hood
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52417	Comment from Michael Follman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52418	Comment from Mary Stanton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52419	Comment from Juliann Strom
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52420	Comment from Eric Lehman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52421	Comment from Fran Daversa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52422	Comment from Christine Arroyo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52423	Comment from Linda Givens
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52424	Comment from Debbie Bonnet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52425	Comment from Daljeet Sandhu
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52427	Comment from Tammy Bullock
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52428	Comment from Beth Nilva
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52429	Comment from Kimberly Kolpin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52430	Comment from Sara Dell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52431	Comment from Joan Rossignol
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52432	Comment from Victor Soule
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52433	Comment from Art Shervs
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52435	Comment from Tami Omeson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52436	Comment from Kenneth James
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52437	Comment from Jennifer Haines
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52438	Comment from Shannon Allsop
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52439	Comment from LEAH JACOBS
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52440	Comment from Barbara Beierl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52441	Comment from Kathleen Cresswell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52442	Comment from Ann Cunningham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52443	Comment from MARK BEST

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52444	Comment from Elsa Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52445	Comment from nancy deblanco
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52446	Comment from Kristyn MacPhail
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52447	Comment from Susan Lilley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52448	Comment from Larisa Long
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52449	Comment from Anita Laskaris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52450	Comment from melissa lunny
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52451	Comment from Michael DeLoye
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52452	Comment from Elisabeth Carr-Jones
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52453	Comment from dee Brooks
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52454	Comment from Anca Vlasopolos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52455	Comment from Melissa Heithaus
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52456	Comment from Ruth Raynes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52457	Comment from Judy Carlson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52458	Comment from Deborah Semo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52459	Comment from Annette Kaohelaulii
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52460	Comment from Janeene Porcher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52461	Comment from Dawn Longo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52462	Comment from Thomas Ruhl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52463	Comment from Denise Ross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52464	Comment from Virginia Snider
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52465	Comment from Carol Couch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52466	Comment from Laurie Sampson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52467	Comment from Cheryl Pokomo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52468	Comment from Anita Shuey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52469	Comment from doug krause
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52470	Comment from Robert Fuchs
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52471	Comment from Donna Andrews
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52472	Comment from karen horton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52473	Comment from Joni Karnopp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52474	Comment from Patricia Vineski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52475	Comment from Marie Young
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52476	Comment from Kathy McConnell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52477	Comment from Saran K.
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52478	Comment from Veronica Michael
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52479	Comment from Janet Fotos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52480	Comment from John Lawrence
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52481	Comment from Darwin Kellicut
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52482	Comment from James Mathews
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52483	Comment from Kelly Berdeaux
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52484	Comment from Jim Neal

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52485	Comment from Jeff Kulp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52486	Comment from Tony Meinerding
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52487	Comment from Julie Dominian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52488	Comment from Edward Temple
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52489	Comment from Lenore Dowling
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52490	Comment from Nicole Durden-Mundy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52491	Comment from Edward Reichman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52492	Comment from Daniel Cole
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52493	Comment from Fran Smyth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52494	Comment from Holly Ducharme
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52495	Comment from Lepore, Megan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52496	Comment from Jim Steitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52497	Comment from Linda Shultis-Hoffmann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52498	Comment from Lewis, Quinn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52499	Comment from Robin Steeves
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52500	Comment from Carter, Kirby
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52501	Comment from Margaret Sawyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52502	Comment from john naylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52503	Comment from Minocha, Udit
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52504	Comment from Jan Salas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52505	Comment from Lynne robertson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52506	Comment from Jenifer Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52507	Comment from Shereen Gillette
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52508	Comment from Matt Loper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52509	Comment from Tom Fehsenfeld
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52510	Comment from Pat Wolff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52511	Comment from Galina krichmar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52512	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52513	Comment from Sandra Joos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52514	Comment from Cynthia Blackledge
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52515	Comment from Steven Nelson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52516	Comment from Shamus Nilan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52517	Comment from Pamela Kane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52518	Comment from Michael Nelson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52519	Comment from Cheryl Shushan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52520	Comment from Jeannie Frank
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52521	Comment from ISABEL CERVERA
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52522	Comment from Martin Rickman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52524	Comment from Stephen Mead
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52525	Comment from Steve Perron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52526	Comment from Karen Testa

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52527	Comment from Tara Brooks
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52528	Comment from WENDY FOSSA
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52529	Comment from Rick Savage
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52530	Comment from Ivan Flow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52531	Comment from Judith Werr
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52532	Comment from J. Woodworth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52533	Comment from Christine Viramontes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52534	Comment from Jean Zotter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52535	Comment from Annie James
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52536	Comment from Keith VanAmburgh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52537	Comment from Tammy Ebers-Radtke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52538	Comment from John Dulik
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52539	Comment from april joines
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52540	Comment from Gabriella Turek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52541	Comment from Deirdre Callan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52542	Comment from Charity Moschopoulos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52543	Comment from Valerie Holland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52544	Comment from Patricia Brech
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52545	Comment from Gilligan, Teresa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52546	Comment from Katie Clifford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52547	Comment from Donna Thelander
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52548	Comment from Jean Rodriguez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52549	Comment from Baker, Darlene
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52550	Comment from Rick Geyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52551	Comment from Cole, John
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52552	Comment from Crane, Jeff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52553	Comment from Jill Wittenbrader
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52554	Comment from Pavone, Melissa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52555	Comment from Adrianna Aylard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52556	Comment from Tracy Troth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52557	Comment from leverett, elizabeth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52559	Comment from Dreher, Diana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52560	Comment from kaleh, judith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52561	Comment from Carrell, James
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52562	Comment from Glasscock, Rita
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52563	Comment from Woods, Barb
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52564	Comment from Lambert, Joyce
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52565	Comment from Hughett, Beverly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52566	Comment from McFadden, Brenda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52567	Comment from Adkins, Patti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52568	Comment from Eldridge , Denice

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52569	Comment from Davis, Lisa E
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52570	Comment from SCHONFELD, FELICE
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52571	Comment from ritchell, carol
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52572	Comment from Suzanne Bediz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52573	Comment from Orem, Jennifer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52574	Comment from Marsico, William
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52575	Comment from Collins, Patricia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52578	Comment from Debbie Ebling
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52579	Comment from SBS Challinor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52580	Comment from Romona Czichos-Slaughter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52581	Comment from Peggy Jakopak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52582	Comment from Janice Hallman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52583	Comment from William Wakerley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52584	Comment from Thomas Pintagro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52585	Comment from Wilda Komora
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52586	Comment from Laurel Watson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52587	Comment from Ann Downey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52588	Comment from Frank Blake
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52589	Comment from robert johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52590	Comment from William Montgomery
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52591	Comment from Eileen Scholl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52592	Comment from Emily Willoughby
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52593	Comment from Rosemary Futrovsky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52594	Comment from Patti Blevins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52595	Comment from Rob Barron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52596	Comment from Deanna Pucci
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52597	Comment from Ann Downey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52598	Comment from Michael Sarabia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52599	Comment from Raphael Sulkovitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52600	Comment from Jean Allgood
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52601	Comment from Beth Dupell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52602	Comment from Marlene Miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52603	Comment from Denice Cornell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52604	Comment from Susan Hampel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52605	Comment from Shanti Copeland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52606	Comment from John Dalla
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52607	Comment from Julia Ballard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52608	Comment from Derinda Nilsson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52609	Comment from Kathleen Medina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52610	Comment from Edward Ragan

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52611	Comment from Marey Cohen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52612	Comment from Diana Drucker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52613	Comment from Ryan Gardner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52614	Comment from Joy Turlo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52615	Comment from Oly bravo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52616	Comment from Diane Diernbach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52617	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52618	Comment from Alan Carter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52619	Comment from Lynn Merle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52620	Comment from Fay Payton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52621	Comment from Michael DeLoye
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52622	Comment from Alex Harris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52623	Comment from Jacqueline Nardi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52624	Comment from Karen Sinclair
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52625	Comment from Debra Marge
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52626	Comment from Tom Tripp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52627	Comment from Shani Schulman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52628	Comment from a w
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52629	Comment from Sharon Orser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52630	Comment from Vivian Bartlett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52631	Comment from Thom Sherman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52632	Comment from Mary Planding
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52633	Comment from Mary Levan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52634	Comment from Leanne Friedman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52635	Comment from Mark Fields
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52636	Comment from Amy Robinson-Klucher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52637	Comment from Richita Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52638	Comment from Douglas Kinney
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52639	Comment from Mark Tellier
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52640	Comment from Randy Harrison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52641	Comment from Elizabeth Garratt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52642	Comment from Nancy Stimac
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52643	Comment from Karen Weigand
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52644	Comment from Martha Perlmutter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52645	Comment from Ginny Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52646	Comment from Sally Warner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52647	Comment from Kurt Cruger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52648	Comment from nanci nugent
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52650	Comment from Lucinda Tucker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52651	Comment from Susan Querze
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52652	Comment from Gerry Pericles

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52653	Comment from Jim Brunton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52654	Comment from Laura Belgiorno
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52655	Comment from Tami Omeson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52656	Comment from Judy Jolin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52657	Comment from Laura Redwine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52658	Comment from Debbie Snow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52659	Comment from Jill Green
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52660	Comment from Michael Watson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52661	Comment from Linda Hendrix
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52662	Comment from Steve Graff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52663	Comment from Lauren Mitchell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52664	Comment from Jacqueline Nardi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52665	Comment from Tatiana Medina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52666	Comment from Candice Lowery
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52667	Comment from nathan schaefer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52668	Comment from Susan Lambert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52669	Comment from David Isler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52670	Comment from Karen Spiegel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52671	Comment from bert corley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52672	Comment from Mark Mansfield
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52673	Comment from Robert Miles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52674	Comment from Elaine Becker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52675	Comment from William Ryerson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52676	Comment from Laura Manz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52677	Comment from Sharon Rich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52678	Comment from Caroline haines
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52679	Comment from Judith FalckMaddsen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52680	Comment from Steve Graff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52681	Comment from Susan Lefler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52682	Comment from Charlotte Nuessle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52683	Comment from Daniel Kozminski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52684	Comment from Tim leighton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52685	Comment from Rheama Koonce
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52686	Comment from Helen Schafer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52687	Comment from Tynan Wyatt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52688	Comment from Gina Petty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52689	Comment from Claudia Ezinicki
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52690	Comment from James Klein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52691	Comment from Deborah Livingston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52692	Comment from Washa, Rachel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52693	Comment from Lindsay Mugglestone

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52695	Comment from Andrea Jansky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52696	Comment from Barbara MacAlpine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52697	Comment from Carla Albers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52698	Comment from Steven Black
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52699	Comment from Teresa Bartley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52700	Comment from James Robertson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52701	Comment from Robert Gerosa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52702	Comment from les roberts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52703	Comment from Heather Henthorne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52704	Comment from Michael Grosso
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52705	Comment from Edwin Aiken
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52706	Comment from Peter Bailey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52707	Comment from Palmeta Baier
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52708	Comment from Daniel Morneau
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52709	Comment from Gail Worrell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52710	Comment from James OFlaherty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52711	Comment from Nancy Juskowich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52712	Comment from Beth Levin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52713	Comment from Michael Gregoire
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52714	Comment from Kari Dennis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52715	Comment from Jill Linzee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52716	Comment from Stephen Courim
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52717	Comment from Vanessa Seay
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52718	Comment from donna hopkins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52719	Comment from April Kohles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52720	Comment from Thi TonOlshaskie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52722	Comment from Kimberly Brandimarte
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52723	Comment from Rebecca McDonough
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52724	Comment from NINI BLOCH
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52725	Comment from Lisa Whipple
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52726	Comment from William Sarovec
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52727	Comment from AnaLisa Crandall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52728	Comment from Fiona H
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52729	Comment from Ruth Quinones
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52730	Comment from Mary Holst
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52731	Comment from cindy chuplis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52733	Comment from Aurelie Ward
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52734	Comment from Diane Verna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52735	Comment from LIDA SKRZYPCZAK
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52736	Comment from Lisa Clement
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52737	Comment from Larry Stoodt

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52738	Comment from Harold Brundage
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52739	Comment from Peter Lizotte
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52741	Comment from Bill Mecham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52742	Comment from Paula Conoscenti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52743	Comment from Tracy kanno
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52744	Comment from Lu Dodson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52745	Comment from Amber Christian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52746	Comment from T Gogan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52747	Comment from Linda Phelan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52748	Comment from Holly Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52749	Comment from Stephanie Jones
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52750	Comment from Natalie DeBoer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52751	Comment from Linda Savage
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52752	Comment from Ralph Lopez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52753	Comment from Mary Guillet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52754	Comment from Rob Seltzer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52755	Comment from Douglas Rives
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52756	Comment from Karen Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52757	Comment from Cindy Childers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52758	Comment from Sharon Lewis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52759	Comment from Christina Schlueter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52760	Comment from Bethany Clark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52761	Comment from Lorraine Mahaffy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52762	Comment from Ralph Lopez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52763	Comment from les roberts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52764	Comment from Pec Indman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52765	Comment from Elaine Kruse
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52766	Comment from Marilyn Trybus
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52767	Comment from Carol Hall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52768	Comment from Gavin Dillard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52769	Comment from Jeanine mielke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52770	Comment from Donna Banks
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52771	Comment from Lorna Mccaslin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52772	Comment from Jessica Stewart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52773	Comment from Bonnie MacRaith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52774	Comment from Lyn Miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52775	Comment from Annette Raible
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52776	Comment from Kent Oldfield
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52777	Comment from Silvia Hall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52778	Comment from Sue Bassett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52779	Comment from Ellie McGuire

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52780	Comment from Jamie geller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52781	Comment from Jessie Hawkins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52782	Comment from Donald Dobesh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52783	Comment from jeannette gavin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52784	Comment from Riaz Moledina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52785	Comment from Janet Draper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52786	Comment from les roberts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52787	Comment from Roxann Floyd
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52788	Comment from Jamie Fairchild
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52789	Comment from Carole Pappas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52790	Comment from Kimberly Owens
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52791	Comment from Earl Frounfelter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52792	Comment from Charles Casper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52793	Comment from Richard Peterson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52794	Comment from HAnk Elliott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52795	Comment from Marilyn Garrett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52796	Comment from Faith Freewoman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52797	Comment from James Moran
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52798	Comment from Meredith Hayward
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52799	Comment from Susan Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52800	Comment from Tim Norton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52801	Comment from Juan Gonzalez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52802	Comment from Robert Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52803	Comment from Sandra Britton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52804	Comment from Long Pham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52805	Comment from Sue Morris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52806	Comment from Carole Bodner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52807	Comment from Mike Souza
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52808	Comment from Aimee Darrow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52809	Comment from David Mussina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52810	Comment from Carolyn Crow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52811	Comment from Donna Mastracchio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52812	Comment from Elaine Eudy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52813	Comment from Evelyn Campbell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52814	Comment from Linda Gertig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52815	Comment from Kris Pagenkopf
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52816	Comment from Gail Gaebe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52817	Comment from Melanie Jones
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52818	Comment from Michael Watson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52819	Comment from Karen Langlais
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52820	Comment from Mary Jackson

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52821	Comment from Susan Delles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52822	Comment from Bob Ayers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52823	Comment from dick Patti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52824	Comment from Steve Rosin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52825	Comment from Jered Cargman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52826	Comment from cynthia dietzmann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52827	Comment from V Venskowski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52828	Comment from robert davidson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52829	Comment from Cindy Horn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52830	Comment from Julie Wade
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52831	Comment from Sherry Toy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52832	Comment from Denise Rossi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52834	Comment from Karen Maguire
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52835	Comment from Thomas Giblin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52836	Comment from Chris Worcester
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52837	Comment from Elisabeth Armendarez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52838	Comment from William Barnes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52839	Comment from constance walker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52840	Comment from Cathy Greer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52841	Comment from James Swaner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52842	Comment from Naomi Zurcher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52843	Comment from Neal Umphred
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52844	Comment from George Bramwell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52845	Comment from Denise Schlener
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52846	Comment from V Venskowski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52847	Comment from Jane Spini
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52848	Comment from Bonnie RN
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52849	Comment from randy sailer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52850	Comment from Jooi Resnick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52851	Comment from SuZanne Sullivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52852	Comment from Dennis Clark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52853	Comment from Linda Waine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52854	Comment from Garry Taroli
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52855	Comment from Alan Carter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52856	Comment from Mary Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52857	Comment from Annie McCann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52858	Comment from Donna Reed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52859	Comment from Dorothy Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52860	Comment from Gaia Cole
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52861	Comment from Rabbi Plotkin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52862	Comment from Anne Kobayashi

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52863	Comment from Edwin Aiken
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52864	Comment from Bruce Ross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52865	Comment from Kendrick Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52866	Comment from Douglas McCormick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52867	Comment from clifford myers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52868	Comment from Kari Mueller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52869	Comment from Ana Hess
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52870	Comment from Robert Rigos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52871	Comment from Colonel Meyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52872	Comment from lorraine foster
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52873	Comment from Arthur Haberberger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52874	Comment from Donna Parente
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52875	Comment from dick Patti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52876	Comment from Leech, Lisa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52877	Comment from Appel, Patricia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52878	Comment from gerald gouge
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52879	Comment from Elizabeth Day
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52880	Comment from Carl Grimm
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52881	Comment from Charlotte Nuessle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52882	Comment from m, r
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52884	Comment from h, j
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52885	Comment from Barber, Astrata
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52886	Comment from Kerry Dockery
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52887	Comment from Clendenen, Beth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52888	Comment from Mari Elvi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52889	Comment from Arthur Leibowitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52890	Comment from F, Lisa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52891	Comment from Schalin, Amaryntha
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52892	Comment from Yunker, Mary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52893	Comment from Kajencki, Olivia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52894	Comment from Peter Mark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52895	Comment from Fierro, Tallia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52896	Comment from Cochran , Katie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52897	Comment from Linda Sturdy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52898	Comment from Kyle Peterson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52899	Comment from Einbund, Robin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52901	Comment from Juliet Pearson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52902	Comment from Briar Mitchell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52903	Comment from Caitlin Burke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52904	Comment from Sands, Lisa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52905	Comment from Carol Baier

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52906	Comment from De Cannart, Marie-Kell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52907	Comment from hill, Elizabeth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52908	Comment from Maria Bustamante
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52909	Comment from Ricco, Debra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52910	Comment from Douglas Woersching
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52911	Comment from Tabitha Thomasson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52912	Comment from Perl, Jen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52913	Comment from McCauley, Leah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52914	Comment from Dietrich, Kellie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52915	Comment from Robert Hays
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52916	Comment from Demers, Kerry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52917	Comment from Gabriela Romanow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52918	Comment from Shelley Driskell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52919	Comment from DK Bolen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52920	Comment from Rita Glasscock
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52921	Comment from Jane Schnee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52922	Comment from Adi S
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52923	Comment from Gerry Manning
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52924	Comment from Joan Walker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52925	Comment from jean zanow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52926	Comment from T C
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52927	Comment from David Sweet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52928	Comment from James Dixon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52929	Comment from Steve Sheehy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52930	Comment from Li Guan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52931	Comment from Elyse Clark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52932	Comment from David Ellison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52933	Comment from George Ludwig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52934	Comment from Roth Woods
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52935	Comment from Patricia Blackwell-Marchant
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52936	Comment from Dave Searles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52937	Comment from Dawn Kosec
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52938	Comment from Lydia Mourenza
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52939	Comment from leslie spoon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52940	Comment from Catherine Opper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52941	Comment from Colleen Farmer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52942	Comment from Douglas Rasmussen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52943	Comment from Ronna Kabler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52944	Comment from Kristin Schmidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52945	Comment from Cristina Fiorillo

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52946	Comment from Diane Harder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52947	Comment from Claire Joaquin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52948	Comment from Nandita Shah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52950	Comment from Alyson Rode
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52951	Comment from victoria boucher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52952	Comment from Kyle Emblar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52953	Comment from Glada Elems
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52954	Comment from nanci nugent
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52955	Comment from Bridgette Jessen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52956	Comment from Daniel Figueroa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52957	Comment from joan turner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52958	Comment from Vincent Fonseca
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52959	Comment from Sara Leonard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52960	Comment from Keith VanAmburgh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52961	Comment from Sharon Wesoky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52962	Comment from GLORIA SHARP
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52963	Comment from Ken Kudelchuk
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52964	Comment from Shelby Flint
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52965	Comment from Erika Beqaj
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52966	Comment from mark youd
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52967	Comment from Dawn-Marie Staccia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52968	Comment from William Jerrems
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52969	Comment from Mary Stanton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52970	Comment from Beverly Harris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52971	Comment from Nancy Braun
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52972	Comment from Jeanine mielke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52973	Comment from Catherine King-Chuparkoff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52974	Comment from Lisa Natale
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52975	Comment from Nicole Kamin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52976	Comment from Robert Gibb
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52977	Comment from Heidi Ludwick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52978	Comment from Abigail Rome
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52979	Comment from Sandra Ford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52980	Comment from Tom Butch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52981	Comment from Martin Graf
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52982	Comment from Jan Hall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52983	Comment from Frank Jaskulski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52984	Comment from Lisa Natale
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52985	Comment from Donna Lewis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52986	Comment from Mary Maher

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52987	Comment from Dawn-Marie Staccia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52988	Comment from Richard Hart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52989	Comment from Deborah Johnny
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52990	Comment from George Ellington
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52991	Comment from F Fitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52992	Comment from Stephanie Mistretta
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52993	Comment from Devon Kendall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52994	Comment from Lorraine Gaines
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52995	Comment from Jaime Margiotta
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52996	Comment from Paul Potts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52997	Comment from Tammy Slack
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52998	Comment from V. Alexiades
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52999	Comment from Jennifer Hibpshman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53000	Comment from Marc Fleisher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53001	Comment from Maureen North
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53002	Comment from Linda Janota
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53003	Comment from Mary Hovey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53004	Comment from Janine Vinton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53005	Comment from Linda Shirey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53008	Comment from Malcolm Glass
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53009	Comment from Cheryl Fontaine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53010	Comment from Melissa K
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53011	Comment from A.L. Steiner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53012	Comment from Daniel Kurz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53013	Comment from Cheryl Sheldon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53014	Comment from Alan Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53015	Comment from Sandy Scruggs
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53016	Comment from Arthur Miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53017	Comment from Mary Price
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53018	Comment from William Welkowitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53019	Comment from Michael Johan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53020	Comment from CHRISTOS KAPETANAKOS
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53021	Comment from Karen Zack
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53022	Comment from Patricia May
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53023	Comment from Elizabeth Darovic
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53024	Comment from Nalan Williams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53025	Comment from Shannon Milhaupt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53026	Comment from Carol Whitehurst
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53027	Comment from Peggy Burns
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53028	Comment from Diane Cote

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53029	Comment from Betty Paterson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53030	Comment from Connie Zales
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53031	Comment from Janet Maker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53032	Comment from Chad Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53033	Comment from Julie Kirsh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53034	Comment from Lara Hutchin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53036	Comment from Kevin O'Donnell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53037	Comment from Tina Edmond
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53038	Comment from Lois White
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53039	Comment from James Hartley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53040	Comment from Lise Hull
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53041	Comment from Tracy Marotta
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53042	Comment from Rebecca Augustin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53043	Comment from Melissa Bishop
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53044	Comment from Lana Hughes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53045	Comment from Jana Jacobson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53046	Comment from Elizabeth Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53047	Comment from Steve Zimet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53048	Comment from Gerald Wambach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53049	Comment from Martha Siegel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53050	Comment from Judy Penna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53051	Comment from Rudolph Ripp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53052	Comment from Caryl Speck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53053	Comment from Elaine Cook
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53054	Comment from Dr Lawson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53055	Comment from Christine Walton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53056	Comment from Shawn Dugan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53057	Comment from Leslie Roesler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53058	Comment from Daniel O'Brien
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53059	Comment from Sharon Rich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53060	Comment from Cary Frazee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53061	Comment from Hilda Gilman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53062	Comment from Miriam Baum
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53063	Comment from Lisa Critchlow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53064	Comment from James Nielsen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53065	Comment from Michael Chamberlain
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53066	Comment from Shawn Dugan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53067	Comment from Kathleen Heisey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53068	Comment from Portland Coates
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53069	Comment from Tina Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53070	Comment from Pamela Lyons

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53071	Comment from Laurie Conroy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53072	Comment from Kimberly Morrill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53073	Comment from Alexandra Sweitzer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53074	Comment from Susan Fraser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53075	Comment from Andrew Hopen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53076	Comment from Richard Fehr
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53077	Comment from Melvin Hoot
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53078	Comment from Mitchell Deighan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53079	Comment from Steven Fenster
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53080	Comment from Betty Dean
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53081	Comment from kristine cervini
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53082	Comment from Paul Vesper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53083	Comment from Cathy Thornburn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53084	Comment from Dorothea Leicher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53086	Comment from NORMAN HANSEN
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53087	Comment from Traci Chanaca
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53088	Comment from Cathie Bell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53089	Comment from Shawn Hall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53090	Comment from Johanna Hantel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53091	Comment from Richard Perkowski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53092	Comment from Shani Schulman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53093	Comment from Jonathan Kennedy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53094	Comment from gary rejsek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53095	Comment from Annette Benton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53096	Comment from Susan Aarons
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53097	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53098	Comment from Debora Hojda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53099	Comment from Bobbi Segal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53100	Comment from Tina hauer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53101	Comment from Mary Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53102	Comment from julie pepaprd
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53103	Comment from Archna Oberoi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53104	Comment from K M
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53105	Comment from Veena Singwi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53106	Comment from Jerry Gremling
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53107	Comment from John Taylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53108	Comment from Bruce Kelley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53109	Comment from Constance Lorig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53110	Comment from Anita Wisch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53111	Comment from Carol Halberstadt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53112	Comment from Gail Cheeseman

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53113	Comment from Kristen C
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53114	Comment from Beverly Solomon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53115	Comment from Marnie Gaede
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53116	Comment from Gail Fleischaker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53117	Comment from Carolyn Crawford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53118	Comment from Jan Clark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53119	Comment from April Parkins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53120	Comment from Valeria Mola
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53121	Comment from David Broer-Ieroux
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53122	Comment from Destry Segawa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53123	Comment from Susan Lefler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53124	Comment from Linda Deming
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53125	Comment from Raymond Young
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53126	Comment from Judi Robinson-Kerr
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53127	Comment from Daniel Solow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53128	Comment from Sharon Lindsley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53129	Comment from JoAnn McFarland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53131	Comment from RS Pierrepon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53132	Comment from Brian Gagnon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53133	Comment from Gerald Orcholski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53134	Comment from Clover Krajicek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53135	Comment from Melissa DiCarlo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53136	Comment from David Judd
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53137	Comment from Karen Stewart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53138	Comment from Sarah Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53139	Comment from Karen Slote
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53140	Comment from Patrice Van Rossum
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53141	Comment from Christopher Moyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53143	Comment from Barry Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53144	Comment from Rita Raftery
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53145	Comment from Barbara Kopelman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53146	Comment from Brenda Roy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53147	Comment from F Meek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53148	Comment from Lozz Starseed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53149	Comment from Rachel Vandinter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53150	Comment from Janice Kropczynski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53151	Comment from Francene Kilichowski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53152	Comment from Amanda Dewey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53153	Comment from Melissa Hathaway
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53154	Comment from Paul Vesper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53155	Comment from Sandra Kerr

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53156	Comment from Sissi Asperti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53157	Comment from James Talbot
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53158	Comment from Cathy Revis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53159	Comment from SONIA SCHMIDT
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53160	Comment from Pia Vartabedian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53162	Comment from miller, donna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53163	Comment from Chuckran, Matthew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53164	Comment from Atkinson, Steve
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53165	Comment from Smith, Douglass
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53166	Comment from Bergeron, Sheilagh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53167	Comment from Porwit, Gosia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53168	Comment from Simonetti, Hilary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53169	Comment from Granato, L
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53170	Comment from Karst , Cynthia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53171	Comment from Larson, Jean
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53172	Comment from Bilodeau-Lanne, Michelle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53173	Comment from Amato, Kathleen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53174	Comment from Luckenbach, Susan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53175	Comment from Larkin , Sheila
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53176	Comment from Swigert, Sheila
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53177	Comment from Magee, John
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53178	Comment from Garrett, Katren
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53179	Comment from Carmen Nichols
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53180	Comment from Marilyn Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53181	Comment from Jim Loveland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53182	Comment from Holly Barr
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53183	Comment from pamela Durkalski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53184	Comment from Donald Barker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53185	Comment from Alan Striga
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53186	Comment from Barbara Stenross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53187	Comment from Suzanne Carreker-Voigt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53188	Comment from J Jung
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53189	Comment from Barbara Sitler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53190	Comment from Sue Rosenbach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53191	Comment from David Brockett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53192	Comment from Vivian Caylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53193	Comment from Corinne McAfee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53194	Comment from Shirley Mccarthy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53195	Comment from Deirdre Fitzsimmons
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53196	Comment from Sue Rosenbach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53197	Comment from Karen Bunch

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53198	Comment from Donald Barker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53199	Comment from Cleveland Tom
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53200	Comment from Liz Field
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53201	Comment from Leonard Epstein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53202	Comment from Martin Jacobson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53203	Comment from Karen McGreevy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53204	Comment from Ward Giblin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53205	Comment from Dennis Rogers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53206	Comment from Tracy Grandison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53207	Comment from Triumph Corp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53208	Comment from MeriBeth Koch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53209	Comment from Amber Sumrall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53210	Comment from DAVID KASTELINE
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53211	Comment from James Hartley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53212	Comment from Steve Zimet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53213	Comment from Kimberly Troxell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53214	Comment from Karla Arceneaux
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53215	Comment from stephanie miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53216	Comment from Dominic melita
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53217	Comment from Triumph Corp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53218	Comment from Bryn HammarstromRN
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53219	Comment from Tim Barrington
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53220	Comment from Rhetta Walter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53221	Comment from David Miliotis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53222	Comment from Ellen Weisnecker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53223	Comment from Elizabeth Trought
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53224	Comment from neil illiano
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53225	Comment from Lezlie Ringland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53226	Comment from Triumph Corp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53227	Comment from Marina Cappas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53228	Comment from Linda Lippner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53229	Comment from Iris Carman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53230	Comment from Pamyllie Greinke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53231	Comment from Maryann Barulich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53232	Comment from A Diamond
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53233	Comment from LORRAINE KATZBERG
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53234	Comment from Robert Schongalla
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53235	Comment from Dara Rider
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53236	Comment from Chauncey Bancroft
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53237	Comment from Lisa Giuliano
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53238	Comment from Nancy Loftin

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53239	Comment from Jimmie Lunsford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53240	Comment from Frank Boggio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53241	Comment from Thomas Bailey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53242	Comment from Matt Meier
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53243	Comment from Jennifer Downing
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53244	Comment from Sharon Longyear
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53245	Comment from Alice Gard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53246	Comment from Thomas Klepacky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53247	Comment from Victoria Shankling
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53248	Comment from Barry De Jasu
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53249	Comment from Gary Wattles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53251	Comment from GEORGE ERCEG
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53252	Comment from Christine Jacobs
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53253	Comment from Janice Beyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53254	Comment from Pamela Gibberman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53255	Comment from Amy Hopkins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53256	Comment from Korai Campbell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53257	Comment from shaikha alfuwairis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53258	Comment from Eileen Fazzini
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53259	Comment from Lauri Moon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53260	Comment from Laurie King
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53261	Comment from Liz Field
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53262	Comment from Robyn DeCiccio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53263	Comment from J Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53264	Comment from Due Long
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53265	Comment from Clifton Ware
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53266	Comment from Jane Newmark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53267	Comment from wendy weiner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53268	Comment from Judith Ackerman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53269	Comment from Claire Powell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53270	Comment from timothy villalobos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53271	Comment from Victoria Laird
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53272	Comment from nancy moore
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53273	Comment from Daniel Morneau
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53274	Comment from Wayne Harris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53275	Comment from Lynn Richardson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53276	Comment from Bill Rosenthal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53277	Comment from Sarah Dorst
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53278	Comment from Donna Thomas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53279	Comment from Meredith Russo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53280	Comment from Robbi Chisholm

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53281	Comment from Wendy Raymond
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53282	Comment from Terry Tedesco
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53283	Comment from joan Peaslee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53284	Comment from Linda Tonnesen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53285	Comment from Charles Ford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53286	Comment from Tim Barrington
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53287	Comment from Jone wenger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53288	Comment from jean publiee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53289	Comment from Amy Roberts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53290	Comment from Monica Graff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53291	Comment from Carol Lang
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53292	Comment from Paula Shafransky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53293	Comment from Stepheny McGraw
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53294	Comment from Margo Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53295	Comment from Lance Kammerud
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53296	Comment from Aimee Abalo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53297	Comment from Chris Hazynski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53298	Comment from Todd Monson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53299	Comment from Hayden Frechette
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53300	Comment from Robert Villasenor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53301	Comment from henry Biggins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53302	Comment from Pamela Carter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53303	Comment from WILLIAM MCNEFF
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53304	Comment from Diane Ethridge
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53305	Comment from Amy Johannesen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53306	Comment from Christie Greene
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53307	Comment from Amanda Freitas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53308	Comment from Allen Krantz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53309	Comment from Rob Roberto
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53310	Comment from Betty Marr
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53311	Comment from Wendy Niemeyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53312	Comment from Gretchen Dysart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53313	Comment from Lacey Levitt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53314	Comment from Jodi Rodar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53315	Comment from jen perl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53316	Comment from John Petsco
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53317	Comment from saraphine metis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53318	Comment from Edward Temple
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53319	Comment from Natalie Van Leekwijck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53320	Comment from Lacey Hicks
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53321	Comment from Lori Kegler

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53322	Comment from Sandy DAmbrosio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53323	Comment from ELOISE PETERSON
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53324	Comment from Arthur Haberberger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53325	Comment from Patricia Baptiste
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53326	Comment from Penny Chambers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53327	Comment from Bechi Currier
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53328	Comment from Andrew Jackson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53329	Comment from Robert Metell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53330	Comment from Carol Devore
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53331	Comment from Melissa Bauer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53332	Comment from Linda Savage
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53333	Comment from Heidi Ziemer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53334	Comment from William McGoldrick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53335	Comment from Virginia Snider
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53336	Comment from John Furlong
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53337	Comment from Janice Webster
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53338	Comment from Becky Daiss
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53339	Comment from Claudia Ford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53340	Comment from K G
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53341	Comment from Aurelie Ward
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53342	Comment from Becki Leigh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53343	Comment from Linda Savage
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53344	Comment from Gina Norton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53345	Comment from Nadja Payne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53346	Comment from Leer Rich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53347	Comment from SANDY NORRIS
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53348	Comment from Anne Haflich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53349	Comment from Irene Mills
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53350	Comment from Gail Heath
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53351	Comment from Rosina I
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53352	Comment from suzanne gaspar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53353	Comment from John Delgado
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53354	Comment from Stanley Charles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53355	Comment from Deirdre Brennan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53356	Comment from MaryAnne Herbel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53357	Comment from Gwen Davis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53358	Comment from Jessie Vosti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53360	Comment from linda sullivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53361	Comment from Barbara Marcellino
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53362	Comment from John Lynch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53363	Comment from Angela Hayes

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53364	Comment from Mary Harte
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53365	Comment from Lynn Sentenn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53366	Comment from Mary Rivas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53367	Comment from martha cataldo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53368	Comment from margo wyse
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53369	Comment from Nicholas Frederick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53370	Comment from Phyl Morello
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53371	Comment from Andre Meaux
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53373	Comment from Chris Saia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53374	Comment from Radha Shenoy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53375	Comment from John Wyatt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53376	Comment from Ellen Williamson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53377	Comment from nanci nugent
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53378	Comment from Scott Price
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53379	Comment from Kristine Riccardi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53380	Comment from Tom Haney
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53381	Comment from Scott Baumann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53382	Comment from Grace Kim
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53383	Comment from Deborah Spencer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53384	Comment from Robin Seeley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53385	Comment from Julius Salinas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53386	Comment from Patricia Heiden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53387	Comment from Louise Friedenson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53388	Comment from hannah doberne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53389	Comment from Ben Stoddart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53390	Comment from Barbara Midtbo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53391	Comment from Donna Varcoe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53392	Comment from william mittig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53393	Comment from Anne Barr
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53394	Comment from Amy Seifried
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53395	Comment from Paula Stober
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53396	Comment from Jill Leite
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53397	Comment from Daniela Goncalves
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53398	Comment from Patricia Rohling
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53399	Comment from Susan Galante
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53400	Comment from Terrence Logue
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53401	Comment from Chris Gossard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53402	Comment from Kim Koza
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53403	Comment from Pamyllie Greinke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53404	Comment from Pam Young
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53405	Comment from David Crawford

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53406	Comment from Marlen Cruz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53407	Comment from Laura Redwine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53408	Comment from Bruno Rescigna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53409	Comment from Sophia McAllister
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53410	Comment from Barry Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53411	Comment from pam brocious
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53412	Comment from Pete Barron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53413	Comment from Cheryl Mogul
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53414	Comment from Kirk Pessner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53415	Comment from Jon Hudson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53416	Comment from Rhonda pulliam
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53417	Comment from Melissa Bronder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53418	Comment from Wilma Schaller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53419	Comment from Neil Shargel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53420	Comment from Susan Lee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53421	Comment from Diane Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53422	Comment from Jason Chinn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53423	Comment from Brenda Haig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53424	Comment from Irene Osborn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53425	Comment from Linda Gertig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53426	Comment from Catherine Kowalczyk
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53427	Comment from Charles Bolick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53428	Comment from Lori Carpenter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53429	Comment from Joan Sander
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53430	Comment from Jake Shirmer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53431	Comment from John Ryan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53432	Comment from Kim Fowler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53433	Comment from Mary Lotts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53434	Comment from Kenya Pena
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53435	Comment from Denise Rossi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53436	Comment from Kathleen Rodrigues
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53437	Comment from Judy White
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53438	Comment from Esther Weaver
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53439	Comment from LILLIAN MAHANEY
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53440	Comment from Susan Powers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53441	Comment from Gail Fleischaker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53442	Comment from Thoams Lesh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53443	Comment from Carol Goslant
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53444	Comment from Kathy Bradley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53445	Comment from Mia Lancaster
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53446	Comment from Jacob Pendlebury

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53447	Comment from Longin Kaczmarsky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53448	Comment from Robert Strelke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53449	Comment from Sara Hart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53450	Comment from Carl Taeusch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53451	Comment from Peter Dombrowski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53452	Comment from Tiffany Schiff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53453	Comment from Eugenie Holmes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53454	Comment from A Winser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53455	Comment from Liz piercey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53456	Comment from Longin Kaczmarsky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53457	Comment from Eileen Conner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53458	Comment from James Hildebrand
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53459	Comment from LAURIE ZASTROW
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53460	Comment from Bernadette Hengstebeck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53461	Comment from Cheryl Neely
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53462	Comment from Thomas Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53463	Comment from annette walsh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53464	Comment from Connie Guyon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53465	Comment from Corum Vickie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53466	Comment from Joelle Shefts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53467	Comment from Tiffany Deal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53468	Comment from Gerritt Baker-Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53469	Comment from Elena Rumiantseva
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53470	Comment from Gabrielle Blake
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53471	Comment from Brandon Kozak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53472	Comment from Brianna Losoya-Evora
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53474	Comment from Lynn Gottschalk
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53475	Comment from Daniel Eastman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53476	Comment from william richards
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53477	Comment from Keasha Cagle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53478	Comment from Tiffany Deal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53479	Comment from amy pick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53480	Comment from Thomas Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53481	Comment from Juliet Waldron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53482	Comment from Michael Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53483	Comment from Robert Mutascio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53484	Comment from Joan Glasser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53485	Comment from Merry Guben
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53486	Comment from Iris Shpak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53487	Comment from Paul Jacobson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53488	Comment from LM Drucker

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53489	Comment from Theresa Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53490	Comment from John Sutherland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53491	Comment from Paul Bechtel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53492	Comment from Paul Wellin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53493	Comment from Omar Siddique
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53494	Comment from Nancy McBride
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53495	Comment from Pamela Westgate
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53496	Comment from Marianna Mayer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53497	Comment from Calvin Jones
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53498	Comment from N Burrows
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53499	Comment from Patricia Foschi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53500	Comment from Brennan, Margot
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53501	Comment from Kittrell, Sarah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53502	Comment from Jamie Shields
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53503	Comment from Laura Elmaker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53504	Comment from Potter, Davina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53505	Comment from John Peterson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53506	Comment from Rustyy Glicksman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53507	Comment from Christopher Houghton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53508	Comment from Fitch, Kaitlin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53509	Comment from Rebecca Augustin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53510	Comment from Whalen, Maureen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53511	Comment from Harvey Kaiser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53512	Comment from Sanchez, Sylvia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53513	Comment from Lana Schmitt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53514	Comment from Allan Chen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53515	Comment from Galvin , Josephine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53516	Comment from Goodman, Eileen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53517	Comment from Silcox, Chris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53518	Comment from Jaderberg, Diane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53519	Comment from Crystal Rector
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53521	Comment from Beverly Poncia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53522	Comment from Deborah Dickinson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53523	Comment from Madalynn Carey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53524	Comment from susan taylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53525	Comment from Edward Gentzler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53526	Comment from Robert Kennedy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53527	Comment from Shanna Damien
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53528	Comment from Lana Schmitt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53529	Comment from Amelia Boyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53530	Comment from Holly Barr

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53531	Comment from Jean Johnston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53532	Comment from Peter Sigmann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53533	Comment from Lori Moog
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53534	Comment from Leslie Kelly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53535	Comment from Linda Gray
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53536	Comment from Rev. Coughlin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53537	Comment from Susan Weber
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53538	Comment from Sandra Naidich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53539	Comment from Sandy D'Ambrosio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53540	Comment from Frances Rove
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53542	Comment from casee maxfield
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53543	Comment from Kenneth Fisher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53544	Comment from Aggie Shapiro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53545	Comment from Karen Deddeh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53546	Comment from barbara cunningham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53547	Comment from Melissa Shaffer-O'Connell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53548	Comment from Mariana Caraveo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53549	Comment from Mary Couture
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53550	Comment from Becky McKee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53551	Comment from Roel Cantu
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53552	Comment from Priscilla Wright
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53553	Comment from Karen Spradlin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53554	Comment from Michele Ochsner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53555	Comment from Linda Thompson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53556	Comment from Vivian Woo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53557	Comment from Bryn Frederickson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53558	Comment from Ellen Zapf
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53559	Comment from Cynthia Kennedy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53560	Comment from Danielle Shannon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53561	Comment from Nancy Dillard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53562	Comment from Sandra Britton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53563	Comment from Anne Huber
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53564	Comment from Susan Miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53565	Comment from Jill Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53566	Comment from Judy Young
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53567	Comment from Jan Clae
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53568	Comment from Bruce Danyluk
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53569	Comment from Annie McCann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53570	Comment from Barbara Glasheim
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53571	Comment from James Sliger

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53572	Comment from Don Dicken
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53573	Comment from Crystal Mitchell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53574	Comment from Cheryl Dean
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53575	Comment from William Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53576	Comment from Margaret Burns
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53577	Comment from Janice Carlucci
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53578	Comment from Abigail Krivak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53579	Comment from Ellen Collins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53580	Comment from Emily Metz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53581	Comment from Misa Y
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53582	Comment from M K
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53583	Comment from EILEEN MASSEY
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53584	Comment from Rhonda pulliam
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53585	Comment from Jamie Quednau
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53586	Comment from Tanya Gilula
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53587	Comment from gibson reynolds
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53588	Comment from Barbara Zavilowicz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53589	Comment from Linda Hall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53590	Comment from Adam DOnofrio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53591	Comment from Jennifer Roady
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53593	Comment from Judith Allen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53594	Comment from Laurel Kearns
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53595	Comment from Rich InLove
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53596	Comment from Colleen Kelly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53597	Comment from Jan Cunningham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53598	Comment from Strachan Pindar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53599	Comment from Jeff Garmon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53600	Comment from claire phillips
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53601	Comment from Melvin Cheitlin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53602	Comment from Jacquelyn Scioscia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53603	Comment from Jessica Cresseveur
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53604	Comment from Michael Fine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53605	Comment from sandra osser-gaspar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53606	Comment from Gra Diemand
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53607	Comment from Ann Rogerson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53608	Comment from Valerie McCarty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53609	Comment from James Southerland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53610	Comment from Francisco Mercado
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53611	Comment from linda pink
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53612	Comment from Luwana dyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53613	Comment from Metta Lieb

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53614	Comment from Erica Jourdan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53615	Comment from Ellen Saunders
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53616	Comment from JESSICA FIELDEN
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53617	Comment from Wendelin Giebel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53618	Comment from Greg Espe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53619	Comment from Elaine Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53620	Comment from Yvonne Coffey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53621	Comment from Joseph Azzarello
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53622	Comment from Heidi Fielding
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53623	Comment from WENDY FOSSA
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53624	Comment from Jennifer Doob
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53625	Comment from Bruce Cohen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53626	Comment from Carol Steinhart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53627	Comment from Eugene Perkins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53628	Comment from Colonel Meyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53629	Comment from Pamela Dowd
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53630	Comment from Margaret Caulder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53631	Comment from Maya Kurtz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53632	Comment from Megan Faber
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53633	Comment from James Dawson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53634	Comment from Stephen Edinger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53635	Comment from Rae Furcha
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53636	Comment from Iris Yermak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53637	Comment from Patricia Reed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53638	Comment from Gregory Hill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53639	Comment from Rob Barron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53640	Comment from Barbara Hines
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53641	Comment from john thomas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53642	Comment from Lisa Seitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53643	Comment from Nicola Nicolai
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53644	Comment from Adele Myers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53645	Comment from Jane Bidinian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53646	Comment from Trish Hicks
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53647	Comment from Marjorie Rathbone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53648	Comment from Teresa Mays
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53649	Comment from Bonnie RN
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53650	Comment from Valerie Collins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53651	Comment from Denise Hosta
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53652	Comment from Shira Miess
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53653	Comment from Walt Luerken
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53655	Comment from Doris Luther

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53656	Comment from henry Biggins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53657	Comment from Susan Goldin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53658	Comment from Silvana Depetris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53659	Comment from Helen Findley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53660	Comment from lauren horwitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53661	Comment from Greg Weber
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53662	Comment from Terri David
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53663	Comment from A. Hart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53665	Comment from Shelley Driskell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53666	Comment from Theodore Bouloukos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53667	Comment from Cheryl Sheldon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53668	Comment from Lisa Acher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53669	Comment from dawn kenyon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53670	Comment from Ellen Peterson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53671	Comment from Margaret Silver
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53672	Comment from Patrick Doyle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53673	Comment from Lori Girshick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53674	Comment from Lori Pellizzari
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53675	Comment from judy pizarro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53676	Comment from Rustyy Glicksman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53677	Comment from Suzanne Botts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53678	Comment from Karen Hiller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53679	Comment from Susan Lubianez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53680	Comment from Shea Rowan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53681	Comment from Carol Helm
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53682	Comment from Gabriela Romanow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53683	Comment from Anne Hoop
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53684	Comment from Angela Duronio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53685	Comment from Allison Davis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53686	Comment from Patricia Keoughan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53687	Comment from James Hadcroft
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53688	Comment from Brian Gibbons
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53689	Comment from Barbara Methvin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53690	Comment from James Klein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53691	Comment from Jean Thompson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53692	Comment from Glenda Logan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53693	Comment from Olga Gonzalez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53694	Comment from Ines Moorhouse
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53695	Comment from Dennis Ledden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53696	Comment from Hal Glidden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53698	Comment from Judith Embry

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53699	Comment from Laurel Facey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53701	Comment from Esther Prexl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53702	Comment from Evelyn Adams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53703	Comment from Richard Harden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53704	Comment from Katherine Mayers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53705	Comment from Beverly Barbosa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53706	Comment from Susan Lambert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53707	Comment from Sandra Falcon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53708	Comment from Marci Cochran
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53709	Comment from Kim Seger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53710	Comment from Sarah Bauman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53711	Comment from Julia Hartman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53712	Comment from Lisa Caldwell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53713	Comment from ISABEL CERVERA
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53714	Comment from caroline CONNOR
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53715	Comment from Nancy Hall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53716	Comment from Ruliffson Mary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53717	Comment from KIM EMERSON
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53718	Comment from Mindie Sivey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53719	Comment from Gerald Wambach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53720	Comment from Jennifer Rials
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53721	Comment from Marjorie Holcombe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53722	Comment from Laura Tartaglia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53723	Comment from Catherine Saint-Clair
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53724	Comment from Michael Lawrence
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53725	Comment from V. Euripides
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53726	Comment from Tracy Foster
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53727	Comment from Lisa Piner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53728	Comment from H.M. Sustaita
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53729	Comment from natalia barriola
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53730	Comment from Christi DeMark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53731	Comment from Howard Petlack
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53732	Comment from Barby Ulmer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53733	Comment from Sharon Fetter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53734	Comment from Walter Erhorn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53736	Comment from Brad Rea
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53737	Comment from kellyann morander
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53738	Comment from Jeanne Tweedy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53739	Comment from Gail Snyder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53740	Comment from Maria Jablonska
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53741	Comment from Mike Fegan

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53742	Comment from stephen Stone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53743	Comment from B Van Camp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53744	Comment from Laurie Malin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53745	Comment from Maurice Samuels
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53746	Comment from Andrea Schnitzler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53747	Comment from Diane Franson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53748	Comment from Monica Trujillo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53749	Comment from Zola Packman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53750	Comment from MARTIN EHLEN
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53751	Comment from Catherine Holzman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53752	Comment from Patricia Frederick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53753	Comment from Jana McGee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53754	Comment from Alexandra McCardell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53755	Comment from Andrea Zemel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53756	Comment from Janet Bernhard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53757	Comment from charles rinear
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53758	Comment from Sandy Menden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53759	Comment from Kathleen Mireault
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53760	Comment from Beverly Solomon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53761	Comment from jonette bronson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53762	Comment from Elizabeth Roberts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53763	Comment from Etta Robin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53764	Comment from bart rivezzi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53765	Comment from Victoria Olson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53766	Comment from Jennifer Scott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53767	Comment from David Schnitzler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53768	Comment from J. Beverly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53770	Comment from Katrin Winterer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53771	Comment from Cheryl Sheldon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53772	Comment from Elizabeth Roberts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53773	Comment from Eva Landeo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53774	Comment from Maria Asteinza
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53775	Comment from Sophia McAllister
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53776	Comment from Barbara Cross-Tedesco
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53777	Comment from Brittany Barringer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53778	Comment from Barbara Glaeser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53779	Comment from Charlotte Reichert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53780	Comment from Beverly Solomon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53781	Comment from Boyce Sherwin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53782	Comment from Alex Savory
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53783	Comment from Ken Anderson

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53784	Comment from Lynette Ridder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53785	Comment from Susan Rives-Denight
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53786	Comment from Cindy Reid
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53787	Comment from Karen Spehar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53788	Comment from Anne Gagnon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53790	Comment from Karin Hansen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53791	Comment from Gregory Scott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53792	Comment from Michalle Gleason
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53793	Comment from Lanette Rapp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53794	Comment from Elizabeth Golden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53795	Comment from Ellen Osborne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53796	Comment from Peter Crean
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53797	Comment from Wendy Stevens
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53798	Comment from Philip Selleck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53799	Comment from Richard Tarnawski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53801	Comment from Karen Lund
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53802	Comment from Linda Jennings
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53803	Comment from Frances Bryant
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53804	Comment from Bob Sipe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53805	Comment from George Marsh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53806	Comment from Betsy Daniels
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53807	Comment from Lisa Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53808	Comment from Jean Saja
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53809	Comment from Elena Knox
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53810	Comment from KAREN HODGES
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53811	Comment from Ellen Osborne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53812	Comment from ronald fuchs
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53813	Comment from Cecile Ervin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53814	Comment from Danielle Miele
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53815	Comment from David Coleman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53816	Comment from Ann Downey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53817	Comment from Greg Nicholas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53818	Comment from Mohnack, Patty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53819	Comment from Hanse , Joan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53820	Comment from Eileen Bender
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53821	Comment from Anna Ferguson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53822	Comment from ajaj, laura
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53823	Comment from Dikeman, Michael
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53824	Comment from margaret donovan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53825	Comment from Donna Charter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53826	Comment from Ludmilla Ilieff

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53827	Comment from Tina Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53828	Comment from Asato, Jennifer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53829	Comment from Van Dien, Linda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53830	Comment from cheryl watters
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53831	Comment from Cummins, Samantha
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53832	Comment from Robert Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53833	Comment from DONOVAN, CHARLENE
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53834	Comment from Redman-Smith, JoAnna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53835	Comment from Schlansky, L. Beth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53836	Comment from Paulk, Jessic
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53837	Comment from Lisa Tretheway
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53838	Comment from Trophy, Amber
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53839	Comment from Mal Gaff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53840	Comment from Melissa calocerinos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53841	Comment from Gerald Walsh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53842	Comment from David Whiteman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53843	Comment from Beth Seiler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53844	Comment from Carl Prellwitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53845	Comment from Kathleen Shea
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53846	Comment from Scott Heinze
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53847	Comment from Jeffrey Bains
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53848	Comment from Jeffrey Bains
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53850	Comment from Cristina Fiorillo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53851	Comment from Rusty Jackson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53852	Comment from Lisha Doucet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53853	Comment from hadlock whale
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53854	Comment from Suzanne Kindland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53855	Comment from Kathleen Jacecko
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53856	Comment from Kimberly Hoffman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53857	Comment from Mary wishnosky
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53859	Comment from Pamela Cubberly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53860	Comment from Penny Hammack
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53861	Comment from Douglas Cooke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53862	Comment from Diana Snow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53863	Comment from Jody Tatum
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53864	Comment from Scott Jennings
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53865	Comment from Midori Nakayama
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53866	Comment from Riley Canada
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53867	Comment from Tim Duda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53868	Comment from Georgia Shankel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53869	Comment from Teresia LaFleur

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53870	Comment from Elizabeth Leitao
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53871	Comment from Meaghan Leavitt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53872	Comment from Jacquelyn Barnes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53873	Comment from Beverly Poncia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53874	Comment from Frances Heath
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53875	Comment from Alice Felix
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53876	Comment from Nancy Rupp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53877	Comment from Ellen Laverdure
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53878	Comment from Douglas Cooke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53879	Comment from Cynthia Crittenton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53880	Comment from Christine Wrazen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53881	Comment from Wendy Bowman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53882	Comment from kim java
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53883	Comment from Aaron Nolcox-Porter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53884	Comment from Marci Robinson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53886	Comment from Diane Pierce
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53887	Comment from Norma Odell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53888	Comment from Richard Perkowski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53889	Comment from Patti Miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53890	Comment from Brenda Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53891	Comment from Greg Nielson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53892	Comment from Francie Fillatti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53893	Comment from Sophie Herndon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53894	Comment from Knight, Eric
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53895	Comment from Sheila Tran
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53896	Comment from Nahum Nicholas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53897	Comment from Don Allard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53898	Comment from MARIA RODRIGUEZ
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53899	Comment from Debra Renfrew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53900	Comment from Tim Barrington
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53901	Comment from Kevin Brehm
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53902	Comment from Sara Kane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53903	Comment from Jeanne Moskal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53904	Comment from Chri Stoltzner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53905	Comment from Leslie Kuhn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53906	Comment from Christine Fergusson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53907	Comment from John Doucette
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53908	Comment from Judi Poulson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53909	Comment from Paul Wilkins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53911	Comment from Margaret Morgan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53912	Comment from Rebecca Stone-Ready

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53913	Comment from Geoffrey McCluskey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53914	Comment from Leon Schmidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53915	Comment from Susan Eubin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53916	Comment from Michele Ochsner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53917	Comment from Pilar Quintana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53918	Comment from Richard Guier
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53919	Comment from Lanny Fiorillo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53921	Comment from John Bradshaw
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53922	Comment from Eric Edwards
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53923	Comment from Nancy Mead
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53924	Comment from Vidya Sivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53925	Comment from Billie Abbott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53926	Comment from Lynn Richardson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53927	Comment from SUSAN BURIAN
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53928	Comment from Patricia Heron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53929	Comment from Larry Weingart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53930	Comment from s l
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53931	Comment from Jennifer Kraemer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53932	Comment from Gloria Shen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53933	Comment from Susan Lowe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53934	Comment from Phyl Morello
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53935	Comment from Tina Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53936	Comment from doug franklin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53937	Comment from George Grant
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53938	Comment from DAWNE SANTOPIETRO
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53939	Comment from Alice Petesen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53940	Comment from patricia sullivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53941	Comment from Laurie Thompson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53942	Comment from Bernie Gonzales
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53943	Comment from Dave Lipstreu
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53944	Comment from Pat Ellison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53945	Comment from Jane Zimmerman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53946	Comment from Ellen DeMarco
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53947	Comment from Krista Krista
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53948	Comment from Shirley Hale
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53949	Comment from Sharon McNamara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53950	Comment from Judy Green
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53951	Comment from Ulle Ruben
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53952	Comment from Tiffany Grant
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53953	Comment from Kelly Fiske
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53954	Comment from Jamie Shields

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53955	Comment from Joshua Paterno
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53956	Comment from Gabriel Amaro
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53957	Comment from Kevin Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53958	Comment from Jason Kemple
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53959	Comment from Debbie Schwer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53961	Comment from Kathy Spera
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53962	Comment from Orlando Melendez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53963	Comment from Michael Eversmier
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53964	Comment from Katherine Hanly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53965	Comment from Glenda Lilling
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53966	Comment from Carol Loomis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53967	Comment from Lisa Mistretta
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53968	Comment from Susan Levin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53969	Comment from Lee White
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53970	Comment from Amber Sumrall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53971	Comment from Patricia Richard-Amato
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53972	Comment from Jamie santos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53973	Comment from Eric Edwards
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53974	Comment from Lou Reznaw
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53975	Comment from Tammy Bransford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53976	Comment from fay forman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53977	Comment from Cherine Bauer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53978	Comment from Taryn Braband
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53979	Comment from Roger May
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53980	Comment from Julio Andujar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53981	Comment from John Provencher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53982	Comment from Todd Priest
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53983	Comment from VeZolles Celeste
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53984	Comment from Bobbie Howard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53985	Comment from robert davidson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53986	Comment from ROBERT KOCH
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53987	Comment from Michael Malone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53988	Comment from Marion Lakatos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53990	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53991	Comment from Wendy Schneider
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53992	Comment from Jeffery Morgenthaler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53993	Comment from Mark Hixon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53994	Comment from Janice Kropczynski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53995	Comment from Karen Redd
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53997	Comment from Peter Tafuri
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53999	Comment from Paula Summers

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54000	Comment from Gerald Walsh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54003	Comment from Rebecca Bowles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54004	Comment from Lauren Tartaglia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54005	Comment from Nancy Agacinski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54006	Comment from Ellen Callahan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54007	Comment from bart rivezzi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54008	Comment from Steve Englebright
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54009	Comment from Dawn Reed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54010	Comment from Kathleen Eaton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54011	Comment from Carl Oerke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54013	Comment from Carlisle Ellis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54014	Comment from Mary Guard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54015	Comment from stacey francis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54016	Comment from Amanda Young
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54018	Comment from Taryn Geer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54019	Comment from Julie Baker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54020	Comment from Mo Kafka
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54021	Comment from Marck Oconnell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54022	Comment from sue parsell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54023	Comment from Fletcher, Rose
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54024	Comment from Wilkin, Sue
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54025	Comment from P, Cindy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54026	Comment from London , Joy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54027	Comment from Reyes-Illg, Gwendolen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54028	Comment from Sabine Williams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54029	Comment from Robert Keim
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54030	Comment from Christy Matherne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54031	Comment from Gentry, Sandra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54032	Comment from Austin, Lorraine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54033	Comment from Dickinson-Adams, Emily
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54035	Comment from Raymond Marshall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54036	Comment from Kathleen Kiselewich
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54037	Comment from Sharon McNamara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54038	Comment from Gwendolyn Harper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54039	Comment from Steven Kennie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54040	Comment from Andrew Karen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54041	Comment from Michael Tucker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54042	Comment from Detlef Joerss
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54043	Comment from William Claiborn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54044	Comment from Jennifer Will
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54045	Comment from Bret Smith

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54046	Comment from Donald Evans
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54047	Comment from Patricia DeLuca
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54049	Comment from Lesley Brill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54050	Comment from Mark Wheeler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54051	Comment from Jane Van Praag
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54052	Comment from Andre Meaux
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54053	Comment from Kate Kenner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54054	Comment from Virginia Dwyer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54055	Comment from Denise White
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54057	Comment from Marce Walsh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54058	Comment from Daniel J.
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54059	Comment from Charles Wightman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54060	Comment from Laura Waterworth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54061	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54062	Comment from Barbara Franklin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54063	Comment from Peter Dooley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54064	Comment from Sandy Menden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54065	Comment from Annie. Ryan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54067	Comment from Richard Spotts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54068	Comment from Esther Garvett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54069	Comment from Linda Buckingham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54070	Comment from Catherine Bylinowski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54071	Comment from Mary Tuma
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54072	Comment from Daniel O'Brien
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54073	Comment from Betty Brooks
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54074	Comment from julie harrison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54075	Comment from Earl Grove
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54076	Comment from Regan Roos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54077	Comment from Lou Reznaw
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54078	Comment from Candace Russell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54079	Comment from Jody Kim-Eng
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54080	Comment from JJ Flowers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54081	Comment from Peggy Patti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54082	Comment from Roslyn Simon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54083	Comment from Cheri Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54084	Comment from Terry Bergeron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54085	Comment from r d
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54086	Comment from Bret Sher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54087	Comment from Gregory Barton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54088	Comment from Sandra Stofan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54089	Comment from Jessica Merrill

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54090	Comment from DJ Fura
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54091	Comment from John Capece
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54092	Comment from Elana Eli
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54093	Comment from K. Youmans
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54094	Comment from Emily Estrada
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54095	Comment from Melanie Stopyra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54096	Comment from Diana Williams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54097	Comment from Susan Palma
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54098	Comment from Bridgett Heinly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54099	Comment from Kevin Wiker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54100	Comment from Jody Lewis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54101	Comment from Lynda Edwards
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54102	Comment from paul potts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54103	Comment from B Van Camp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54104	Comment from Robyn Hallonquist
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54105	Comment from Charlie Bergstedt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54106	Comment from Rustyy Glicksman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54107	Comment from Lilli Ross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54108	Comment from LeRene Ahart
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54109	Comment from Eric Arroyo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54110	Comment from Laura LaVertu
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54111	Comment from Howard Rouser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54113	Comment from Karen Spradlin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54114	Comment from Susan DiMoia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54115	Comment from Jean Dibble
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54116	Comment from Lauren Linda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54117	Comment from Eugene Brusin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54118	Comment from David Hologue
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54119	Comment from Steven Carpenter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54120	Comment from Rita Fahrner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54121	Comment from Laura Lambert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54122	Comment from Joanna Welch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54123	Comment from DEBRA STEWART
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54124	Comment from Richard Stehlik
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54126	Comment from Sarah Schiller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54127	Comment from John Kunz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54128	Comment from jenn fields
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54130	Comment from Karen DeSalvo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54131	Comment from Barbara Chaffin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54132	Comment from Maxine Bernstein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54133	Comment from Sarah Beck

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54134	Comment from Brett Dennison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54135	Comment from Erika Schiegg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54136	Comment from Joni Brennan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54137	Comment from Jeff Montejo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54139	Comment from Peggy Kocoras
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54140	Comment from HENRY MILLER
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54141	Comment from Bonnie Barfield
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54142	Comment from Richard Kite
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54143	Comment from Carol Shelton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54144	Comment from Garry Taroli
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54145	Comment from cathelizabeth levin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54146	Comment from M Stanley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54148	Comment from john naylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54149	Comment from Laurie Leland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54150	Comment from Michael Lawrence
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54151	Comment from James Peloquen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54152	Comment from Lisa Gherardi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54153	Comment from Clary Neil
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54154	Comment from Judith Weis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54155	Comment from Julie Roe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54156	Comment from Susan Tucker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54157	Comment from Louis Landesman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54158	Comment from casee maxfield
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54159	Comment from Benjamin Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54160	Comment from Dirk Reed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54161	Comment from peterson, april
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54162	Comment from Watson, Rey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54163	Comment from Siewert, Barbara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54164	Comment from klshigo, Hiroko
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54165	Comment from Jensen , Judith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54166	Comment from Brooks Obr
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54167	Comment from Charlotte Fremaux
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54168	Comment from sheheen, virginia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54169	Comment from Priscilla mezrahi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54170	Comment from schriener, leslie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54172	Comment from MacDonald , Dianne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54173	Comment from Noland, John
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54174	Comment from Sue Jarrard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54176	Comment from Daniel Sude
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54177	Comment from Emmanuel Ramirez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54178	Comment from Irene Heitsch

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54179	Comment from David Elfin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54180	Comment from Laura Horowitz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54181	Comment from Christine Reeder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54182	Comment from Sara Sanford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54183	Comment from Georgia Locker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54184	Comment from Bob Sipe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54185	Comment from Eric Speed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54186	Comment from Kat Noll
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54187	Comment from Morgan Lazenby
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54188	Comment from Aly Fogel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54189	Comment from Joan Tordenti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54190	Comment from James Hollis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54191	Comment from Dawn Clarke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54192	Comment from Charles Worley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54193	Comment from Robert Manning
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54194	Comment from Tim Ryan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54195	Comment from Samuel Aley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54197	Comment from Maurice Samuels
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54198	Comment from Sarah Demarest
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54199	Comment from Matt Reola
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54200	Comment from Jennifer Abernathy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54201	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54202	Comment from Johanna Held
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54203	Comment from James Byers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54204	Comment from Cynthia Lehman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54205	Comment from Lisa LeBlanc
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54206	Comment from Julie Brickell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54207	Comment from Mark Cotterman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54208	Comment from Sylvia Vairo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54210	Comment from Janeene Porcher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54211	Comment from jim Barber
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54212	Comment from Tom Erwin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54213	Comment from Crystal Mitchell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54214	Comment from Jan Salas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54217	Comment from Tina Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54218	Comment from Richard Shannahan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54219	Comment from David Sickles
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54220	Comment from Dana Roberts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54221	Comment from Robert Veltkamp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54222	Comment from Cynthia Morarend
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54223	Comment from Mary Hebblewhite

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54224	Comment from Karen Hay
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54225	Comment from Karl Steudel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54226	Comment from Suzanne Schenkel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54227	Comment from Lisa Kestel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54229	Comment from MARY SCIAMBRA
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54230	Comment from Amy Stoller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54231	Comment from Matthew Young
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54232	Comment from Gary Cantara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54233	Comment from Aaron Ucko
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54234	Comment from Sharon Handa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54235	Comment from Jeffrey Dravis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54236	Comment from Donna Renninger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54237	Comment from Susan Fraser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54238	Comment from Reeve Love
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54239	Comment from Sue Ross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54240	Comment from Cheryl Scher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54241	Comment from Juliann Pinto
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54242	Comment from Taryn Geer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54243	Comment from Ann Sardineer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54244	Comment from Sabine Williams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54245	Comment from Dale Anania
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54246	Comment from Etta Robin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54247	Comment from Charles Fitze
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54248	Comment from J L
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54249	Comment from Erin Moore
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54250	Comment from Ruliffson Mary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54251	Comment from Cheryl Margulies
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54252	Comment from Caroline Miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54253	Comment from Linda Tabb
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54254	Comment from ROBERT KOCH
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54255	Comment from ah ho
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54256	Comment from Uta Cortimilia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54258	Comment from Trafton, Caitlin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54259	Comment from MOSTOV, frances
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54260	Comment from Jamie Thomas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54261	Comment from Donna Knipp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54262	Comment from Ray Derrickson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54263	Comment from Webb, Shawncey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54264	Comment from Payne, Bernadette
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54265	Comment from Low, Sanford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54266	Comment from James Marsden

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54267	Comment from Musser, J
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54268	Comment from Marya Zanders
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54269	Comment from Craig Kaspark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54270	Comment from OReilly, Meghan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54271	Comment from Victoria Galantino
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54273	Comment from Meaux, Andre
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54275	Comment from Vici Wolff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54276	Comment from Walker, Carol
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54277	Comment from bruce raymond
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54278	Comment from Tom Tripp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54279	Comment from Brian Sesack
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54280	Comment from Rosen, Barbara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54281	Comment from DONOVAN, CHARLENE
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54282	Comment from Randall, Melissa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54283	Comment from Sandy Dalcais
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54284	Comment from Martin, Patty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54285	Comment from Brooks, Kimberly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54286	Comment from Michael Orloff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54287	Comment from Benita Campbell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54288	Comment from Paul Mayer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54289	Comment from Surban, Anna
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54290	Comment from Bryant, Lori
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54291	Comment from Mike Rossi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54292	Comment from WIGHTMAN, Richard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54293	Comment from JEFFREY JACKSON
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54295	Comment from Barros, Michelle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54296	Comment from Jan Repp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54297	Comment from Carole Smudin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54298	Comment from Corcuera, Nelson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54299	Comment from Jennifer Andrews
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54300	Comment from Jeanine mielke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54301	Comment from jai parekh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54302	Comment from Marilee Nagy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54303	Comment from Kelley Richard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54304	Comment from Nancy Cowan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54305	Comment from Harvey Spears
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54306	Comment from Debra Jurey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54307	Comment from Rita Reed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54308	Comment from Doug Alderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54309	Comment from Kent McGill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54310	Comment from Jon Lenchner

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54311	03.01.21 NRDC Letter Re North Atlantic Right Whale Conservation Framework
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54312	Comment from Lee Johnston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54313	Comment from Martha Swartz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54314	Comment from Chey Richmond
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54315	Comment from Curt Bohlen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54316	Comment from Elaine Berg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54317	Comment from Paula Willebrands
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54318	Comment from Ronald Hubert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54319	Comment from Melissa van Wijk
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54320	Comment from M D
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54321	Comment from Boucher, Michael
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54322	Comment from Harmon, Susan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54323	Comment from Snyder, Amanda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54324	Comment from Glischinski, Nicole
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54325	Comment from Salter, Amanda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54326	Comment from Raggio, Dante
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54327	Comment from Mary Puglia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54328	Comment from Parrie Henderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54329	Comment from Kevin Schader
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54330	Comment from Andreini, Marie Jane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54331	Comment from Luanglue, Melissa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54332	Comment from Breton, Colette
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54333	Comment from Beck, Nathan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54334	Comment from Duggo, Patricia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54335	Comment from Calkins, Diane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54336	Comment from Peggy Malnati
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54337	Comment from Don Dicken
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54338	Comment from Mark Baker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54339	Comment from Katrin Winterer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54341	Comment from Gina Macias
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54342	Comment from William Achramowicz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54343	Comment from Nevena Georgieva
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54344	Comment from Patricia Snowden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54346	Comment from Norm Seelbinder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54347	Comment from Barbara Garcia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54348	Comment from Peter Crean
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54349	Comment from Priscilla mezhrahi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54350	Comment from Florence Vannoni
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54351	Comment from Berte Rosin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54352	Comment from Ralph Ferrara

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54353	Comment from Marta Francis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54354	Comment from Donna Koechner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54355	Comment from Lisa Butler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54356	Comment from Martina Porras
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54357	Comment from Jackie Brewster
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54358	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54359	Comment from Katharine Skolnick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54360	Comment from LILLIAN MAHANEY
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54361	Comment from Ann Hollowell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54362	Comment from dick Patti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54363	Comment from Pam Woodard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54364	Comment from Ellen DeMarco
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54365	Comment from Babette Craddock
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54366	Comment from Rhodie Jorgenson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54367	Comment from Brenda Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54368	Comment from Katie Levine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54369	Comment from Richard Godinez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54370	Comment from Geoffrey McCluskey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54371	Comment from Francie Mitchell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54372	Comment from John Borland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54373	Comment from Dana Greathouse
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54374	Comment from Sam Garbi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54375	Comment from Nancy Heck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54376	Comment from Franco De Nicola
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54377	Comment from patricia winters
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54378	Comment from Laurie Gussak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54379	Comment from Joan Seguin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54380	Comment from Sister Kinney
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54381	Comment from Margret Schreck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54382	Comment from Joel Maguire
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54383	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54385	Comment from Mary Judge
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54386	Comment from Mari Kozlowski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54387	Comment from Nancy Cushwa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54388	Comment from Maureen Lynch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54389	Comment from Susan Powers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54391	Comment from Jackie Pomies
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54392	Comment from doug pynn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54393	Comment from Ellen Phillips
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54395	Comment from Laura Aurilio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54396	Comment from Michael Gemmell

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54397	Comment from Catherine Lambeth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54398	Comment from Barbara Collins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54400	Comment from Melissa Ambrose
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54401	Comment from Susan Lilly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54402	Comment from Gigi Dunn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54403	Comment from Claudia Leff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54405	Comment from Michael King
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54406	Comment from Rick Priebe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54407	Comment from Pranab Banerjee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54408	Comment from Mary Gutierrez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54409	Comment from Rita McCabe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54410	Comment from BRUCE HADBURG
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54412	Comment from Thomas Warner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54413	Comment from Kerri Piazza
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54415	Comment from Bettie Reina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54416	Comment from Gary Maedl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54417	Comment from Gail Sullivan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54418	Comment from Lesley Brill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54419	Comment from Sharon Marchisello
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54421	Comment from doug franklin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54422	Comment from Thomas Filip
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54423	Comment from Susan Berry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54425	Comment from Patricia Doyle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54426	Comment from Donna Parente
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54427	Comment from William Shelton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54428	Comment from Stephanie Shine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54429	Comment from Carolyn Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54430	Comment from Kent McGill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54431	Comment from Lawrence Crowley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54432	Comment from Jessica Cresseveur
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54433	Comment from Donette Erdmann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54434	Comment from Alice Nicholson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54436	Comment from william nyikes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54437	Comment from Rita Sheehan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54438	Comment from Katherine Hamill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54439	Comment from Crispin Pierce
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54440	Comment from Elihu Cohen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54441	Comment from Marianne Bentley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54442	Comment from Marcia Field
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54443	Comment from Pauline Burak
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54444	Comment from Laura Fisher

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54445	Comment from Barbara Mintz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54446	Comment from Sally Hinshaw
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54447	Comment from Ted Cheeseman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54448	Comment from Erica Allen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54449	Comment from John Shannon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54450	Comment from Arline Fass
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54451	Comment from Steven Lindstrom
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54452	Comment from Robert Reed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54453	Comment from Constance Lorig
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54455	Comment from Jackie Alberg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54457	Comment from Kyle Crocker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54458	Comment from Amy Dowsett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54459	Comment from Sandy Williams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54460	Comment from Darnell Barsness
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54462	Comment from James Applewhite
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54463	Comment from John Limbach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54464	Comment from Judy Fairless
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54465	Comment from Candace Bassat
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54466	Comment from Elke Baitis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54467	Comment from Ashley Mitchell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54468	Comment from Ellen Morgan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54469	Comment from K. Youmans
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54470	Comment from Carol Ayala
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54471	Comment from Anne White
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54472	Comment from James Sterner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54473	Comment from Cynthia McKeen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54474	Comment from Gregg Johnson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54475	Comment from Shannon Allsop
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54476	Comment from Nan beatty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54477	Comment from Miles ashton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54478	Comment from Haltom, Allison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54479	Comment from Murphy, David
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54480	Comment from Wanda Plucinski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54481	Comment from putnam, quinten
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54482	Comment from Barringer, Joyce
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54483	Comment from Wylie, Mary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54484	Comment from Quinlivan, Diane
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54485	Comment from Desiree Weston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54486	Comment from Dorothy Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54487	Comment from Tetreault, Doreen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54488	Comment from Robert Hudson

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54489	Comment from Elizabeth. Jones
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54490	Comment from Walters , Bryana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54491	Comment from Francisco Salazar
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54492	Comment from Jamie Kyser
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54494	Comment from Cathy McDow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54495	Comment from Rachel Resnikoff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54496	Comment from James Byers
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54497	Comment from Joshua Miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54498	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54499	Comment from Lynn Kifer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54500	Comment from Patricia Coscia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54501	Comment from Monica Graff
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54502	Comment from Mitch M
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54503	Comment from Gaia Schubert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54504	Comment from David Rechs
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54505	Comment from Janet Fotos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54506	Comment from Marney Reed
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54507	Comment from Alena Cook
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54508	Comment from Tina Whitley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54509	Comment from Judy Greenfield
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54510	Comment from Judi Poulson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54511	Comment from Jeanne Daly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54512	Comment from Carol Maghakian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54513	Comment from jaclyn gadd
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54514	Comment from Christina Stafford
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54515	Comment from Sarah Bauman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54516	Comment from Mark Lender
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54517	Comment from Thomas Giblin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54518	Comment from Becky Daiss
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54519	Comment from Joanne Pennington
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54520	Comment from Emily Manthei
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54521	Comment from Frank Boggio
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54522	Comment from Cathy Martin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54523	Comment from Candice Leverett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54524	Comment from Jon Haskins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54525	Comment from Lessli Nielsen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54527	Comment from Rajat Kapoor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54528	Comment from susanne madden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54529	Comment from Martha Ellison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54530	Comment from Christina Crosby
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54531	Comment from NICOLE MOORE

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54532	Comment from Sean Adel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54533	Comment from candace l
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54535	Comment from Asker, Diana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54536	Comment from Russell Weisz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54537	Comment from Kathleen Medina
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54538	Comment from Andrea Chisari
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54539	Comment from Victoria Randall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54540	Comment from Kate Crabb
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54541	Comment from Judy Moran
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54542	Comment from Aimee Miller
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54543	Comment from Robert Book
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54544	Comment from Matt Loper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54546	Comment from Gina Whitlock
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54547	Comment from Charles Steele
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54548	Comment from Georgia Shankel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54549	Comment from Lena Fransioli
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54550	Comment from Anna Schmidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54551	Comment from Andrew Willman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54552	Comment from Debra Maitre
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54553	Comment from Mary Christman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54554	Comment from Brian Gorra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54555	Comment from Melissa Bronder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54556	Comment from Tracy Marotta
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54557	Comment from Jacqueline Eliopoulos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54558	Comment from Myrian Monnet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54559	Comment from Jeanne Piehl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54560	Comment from Marina Mooney
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54561	Comment from M S
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54562	Comment from Deb Christensen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54563	Comment from Christina Tomlinson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54564	Comment from Tammy Downing
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54565	Comment from Alan Canfield
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54566	Comment from James Mulcare
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54567	Comment from Natalie DeBoer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54569	Comment from Martin Tripp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54570	Comment from Andrew Lenz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54571	Comment from Desiree Weston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54572	Comment from Hannahlore Trickett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54574	Comment from Scott Crockett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54575	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54576	Comment from Anonymous Anonymous

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54577	Comment from Elihu Cohen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54578	Comment from Lois Silberstein
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54579	Comment from Chris Hazynski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54580	Comment from Jeanette Shutay
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54581	Comment from Don Nardone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54582	Comment from Marsha Jarvis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54583	Comment from Marla Berry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54584	Comment from Sherron Bull
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54585	Comment from Esther Welsh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54586	Comment from E Paxson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54587	Comment from Carlie Doebereiner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54588	Comment from Kate McQueen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54589	Comment from Judy wibel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54590	Comment from Jeff Boals
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54591	Comment from Anne Greene
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54592	Comment from MariLynn Herman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54593	Comment from Joyce Schwartz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54594	Comment from Peter Burval
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54595	Comment from harris, lois
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54596	Comment from Adrian Bergeron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54597	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54598	Comment from Nick Watson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54599	Comment from Richard Lee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54600	Comment from Evelyn Bailey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54601	Comment from James Mulcare
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54602	Comment from Claudia Martinez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54603	Comment from El Pe
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54604	Comment from Michele St Peter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54606	Comment from Jennifer Taylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54607	Comment from Clive Smith
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54608	Comment from Maureen Gibson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54609	Comment from Stacey Larson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54610	Comment from Cecilia Burns
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54611	Comment from Karissa Zastrow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54612	Comment from Christine Dougherty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54613	Comment from Zola Packman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54614	Comment from Arthur Fornari
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54615	Comment from Sonia King
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54616	Comment from Harold Brundage
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54617	Comment from Barbara Beierl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54618	Comment from Jennifer Miller

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54619	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54620	Comment from Marina Barry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54621	Comment from Susan Johnston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54622	Comment from Lynne Waymon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54623	Comment from Cynthia Opderbeck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54624	Comment from Dave Lipstreu
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54625	Comment from Shirley Mccarthy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54626	Comment from Tad Swackhammer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54628	Comment from Nancy Gregory
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54629	Comment from Judith Weis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54630	Comment from Teresia LaFleur
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54631	Comment from Ralf Schuetz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54632	Comment from Ruthie Bernaert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54633	Comment from John Cohen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54634	Comment from Sondra Boes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54635	Comment from Terry Tedesco
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54636	Comment from Steven Korson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54637	Comment from Kenneth Barter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54638	Comment from turner, sharon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54639	Comment from Becker, Elaine
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54640	Comment from Martinez, Sandra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54641	Comment from Savard, Judy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54642	Comment from Marion Lakatos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54643	Comment from Jack Gajda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54644	Comment from Sheryl Becker
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54645	Comment from Rainbow Di Benedetto
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54646	Comment from Anna Schwadron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54648	Comment from Ken Carrell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54649	Comment from Carole Arbour
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54650	Comment from NM Porter
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54651	Comment from Ron De Stefano
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54652	Comment from wendy Morris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54653	Comment from mike butkiewicz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54654	Comment from Gail Koza
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54655	Comment from mindy maxwell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54656	Comment from Henry Furtick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54657	Comment from M. Struble
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54658	Comment from Steve Disch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54659	Comment from Kathleen Menke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54660	Comment from Vicki Wilson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54661	Comment from Sandra Woodall

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54662	Comment from Heather Marsh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54665	Comment from Veronica Bourassa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54666	Comment from Frederick Glazier
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54668	Comment from Janice Zelazo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54669	Comment from Alida Mau
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54670	Comment from N Hochman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54671	Comment from Mary Tuma
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54672	Comment from Catherine George
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54673	Comment from Cathie Kwasneski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54674	Comment from John Wyatt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54675	Comment from Diane Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54676	Comment from Constance Franklin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54677	Comment from Debra Gagliano
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54678	Comment from Donald Mackay
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54679	Comment from Beverly Evjen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54680	Comment from Ramona Hillier-O'Hara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54681	Comment from Tina Ann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54682	Comment from Ashley carlson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54683	Comment from J. Beverly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54684	Comment from MARK SONDESKOV
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54685	Comment from Felicia Lewis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54686	Comment from Rick Romito
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54688	Comment from Elvi Bjorkquist
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54690	Comment from Janeene Porcher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54691	Comment from Dennis Hanratty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54692	Comment from Donna Moore
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54693	Comment from Rebecca Mays-Vandewater
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54694	Comment from Melissa Hathaway
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54695	Comment from Susan Weems
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54696	Comment from Karen Anderson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54697	Comment from Debbie Stadler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54698	Comment from Julie Berberi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54699	Comment from Mr Bowman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54700	Comment from Sandra Burnett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54701	Comment from Jeri Romero
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54702	Comment from Ana Reeder
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54703	Comment from Cassidy Brush
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54704	Comment from Kelly Taylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54705	Comment from Carol Ramo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54706	Comment from Ruth Shults

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54707	Comment from Robert Bench
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54708	Comment from Mcdonald, Catie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54709	Comment from VeZolles Celeste
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54710	Comment from JEREMY FROST
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54711	Comment from Christina Lee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54713	Comment from Leann Huber
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54714	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54715	Comment from Theresa Vaughn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54716	Comment from Victoria Cross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54717	Comment from Gretchen Byrne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54718	Comment from Beth McGowan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54719	Comment from Kevin Hines
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54720	Comment from kristin andersen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54721	Comment from Pamela Woods
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54722	Comment from Robin Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54723	Comment from Frances Rove
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54725	Comment from Judy Mickey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54726	Comment from Helgaleena H
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54727	Comment from Sylvia Mccune
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54728	Comment from Michele B
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54730	Comment from Wendy Bruget
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54731	Comment from Nancy McBride
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54732	Comment from Paul Gregory
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54733	Comment from Edmund Weisberg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54734	Comment from Barbara Clewett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54735	Comment from Molly Malone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54736	Comment from Sarah ECKBERG-STEVENS
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54738	Comment from Lori Manfreda
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54739	Comment from Anne Winicki
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54740	Comment from Shelley Minden
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54741	Comment from Victoria Silver
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54742	Comment from Nicholas Huss
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54743	Comment from Jon Gordon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54744	Comment from David Sweet
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54745	Comment from Misti Reif
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54747	Comment from Daniel Kurz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54748	Comment from Lynn Paloski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54749	Comment from Judith basye
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54750	Comment from John Kay
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54751	Comment from Christy Butterworth

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54753	Comment from Susan Bailey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54754	Comment from Richard Godinez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54755	Comment from Vickie Wagner
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54756	Comment from Lynn Eland
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54758	Comment from Kim Beeler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54759	Comment from Jan Hamilton-Sherwonit
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54760	Comment from Chris Van hook
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54761	Comment from Hank Schlinger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54762	Comment from Tanara Saarinen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54763	Comment from Beth Levin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54764	Comment from Mills, Marlene
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54765	Comment from Lee, Darcie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54766	Comment from Hoyer, Robert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54768	Comment from Amato , Neilia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54769	Comment from Cuneo, Nicole
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54770	Comment from Rolla, Theresa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54771	Comment from Gutierrez, Ibeth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54773	Comment from Ancel-Wisner, Annette
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54774	Comment from McClarren, Janet Mila
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54775	Comment from Todd, Sandy James
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54776	Comment from Lettman, Amy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54777	Comment from james field
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54779	Comment from Aloysius Wald
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54780	Comment from Erica Hollander
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54781	Comment from Liz Eisenbeis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54782	Comment from Caroline Liquori
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54783	Comment from Mary Eastman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54784	Comment from M. Patterson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54785	Comment from JACQUELINE KRAMER
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54786	Comment from Mary Kerins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54787	Comment from Garry Taroli
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54788	Comment from Thomas Durst
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54789	Comment from Elaine Edell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54791	Comment from Lauri Desmarais
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54792	Comment from Taylor Limberg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54793	Comment from Clover Krajicek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54794	Comment from Sue Bassett
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54795	Comment from Frank Blake
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54796	Comment from Ralph Valencia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54797	Comment from Don Swall
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54798	Comment from Eric Lane

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54799	Comment from Christopher Nye
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54800	Comment from Samantha Solomon
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54801	Comment from Nancy Dillard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54802	Comment from Carmen Nichols
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54803	Comment from Theodore Burger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54804	Comment from Margaret Campbell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54805	Comment from Marilyn McMullen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54807	Comment from Jeanne Powell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54808	Comment from Carter, Casey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54809	Comment from Charlotte Nuessle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54810	Comment from Gary Paudler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54811	Comment from Steve Robey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54812	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54813	Comment from Steven Barlow
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54814	Comment from Josh Schafer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54815	Comment from Lin Heidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54816	Comment from Stephanie Lovell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54817	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54818	Comment from Georgeta Burca
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54819	Comment from Kim leonard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54820	Comment from Daphne Endress
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54821	Comment from roger schmidt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54822	Comment from Edward Scott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54823	Comment from Nick Brannan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54824	Comment from Michael Giansiracusa
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54825	Comment from bernardo mujica
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54826	Comment from Laura Benge
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54827	Comment from GEORGE ERCEG
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54828	Comment from Nancy Stamm
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54829	Comment from Jim Clapp
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54830	Comment from William Leavenworth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54831	Comment from Debra Saude
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54832	Comment from jess odoski
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54833	Comment from Kate Ashley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54834	Comment from Karen Robbins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54835	Comment from Meredith Needham
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54836	Comment from Laurie Cooper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54837	Comment from William Conger
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54838	Comment from Linda Peterson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54840	Comment from Kathleen Hynes
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54841	Comment from Richard Wilkins

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54842	Comment from Daniel Harris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54843	Comment from Joan Smelkinson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54844	Comment from Robin Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54845	Comment from Lauren Appling
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54846	Comment from Michael Busby
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54847	Comment from Steven Nelson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54849	Comment from Meg Hanrahan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54850	Comment from Mark Fleming
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54851	Comment from Brenda Hartman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54852	Comment from Patti Davis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54854	Comment from Anita Garrison
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54855	Comment from Anonymous Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54856	Comment from Sarah McKee
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54857	Comment from Lisa Togni
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54858	Comment from Victoria Heil
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54859	Comment from Irene Brennan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54862	Comment from Belinda Mabry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54863	Comment from Lynda Means
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54864	Comment from Diana Cowans
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54865	Comment from Margaret Hunt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54866	Comment from Colleen Lobel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54867	Comment from Trish Gilbert
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54868	Comment from Steve Gross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54869	Comment from Mara Sansevero
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54870	Comment from Chansonette Buck
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54871	Comment from Andreanecia Morris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54873	Comment from August Oberti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54874	Comment from vana spear
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54875	Comment from Lureen Ferretti
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54876	Comment from Stephanie Stone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54877	Comment from Maureen lynch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54878	Comment from Babs Marchand
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54879	Comment from Victoria Wallington
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54880	Comment from Robert Wallace
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54881	Comment from Kyrie Elesion
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54882	Comment from Celia O'Kelley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54883	Comment from Howard Gundlach
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54884	Comment from Jose Diaz
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54885	Comment from Nancy Boyce
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54886	Comment from Robert Brown
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54887	Comment from Judith DeAntonellis

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54888	Comment from Kerri Kiernan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54889	Comment from Cathy Barton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54890	Comment from Nicholas Cartabona
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54891	Comment from Wendy Wittl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54892	Comment from Catherine Holzman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54893	Comment from Tara Adams
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54894	Comment from Phillip Hope
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54895	Comment from Mills, Marlene
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54896	Comment from josie Lopez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54897	Comment from Nicholas Cartabona
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54898	Comment from Karen Burnette
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54899	Comment from Shirley Collins
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54900	Comment from Janet Hellweg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54901	Comment from Nicholas Cartabona
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54902	Comment from Mary Mathena
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54903	Comment from NINI BLOCH
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54904	Comment from Laurie Izzo
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54906	Comment from Jean King
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54907	Comment from Ann Thryft
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54908	Comment from Lori Esposito
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54909	Comment from patricia holbrook
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54910	Comment from Alfred Klosterman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54911	Comment from Coastwise Consulting Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54912	Comment from Wendolyn Hill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54913	Comment from Janet Fotos
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54914	Comment from Robert Gantt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54916	Comment from Rodney Whisenhunt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54917	Comment from Barry Stover
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54918	Comment from Pamyllie Greinke
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54919	Comment from John Paone
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54920	Comment from fran field
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54921	Comment from Carrie Foster-Campbell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54922	Comment from Alejandra Suarez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54923	Comment from Glenna Waterman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54924	Comment from Ramsay Kieffer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54926	Comment from Lakota Crystal
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54927	Comment from Paola Benassi
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54928	Comment from Irene Bucko
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54929	Comment from John Mora
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54930	Comment from Beverly Tiemann

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54931	Comment from Barbara Hood
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54932	Comment from Desiree Weston
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54933	Comment from Marie pappas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54934	Comment from Vincent Fonseca
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54935	Comment from Joanne Cockerill
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54936	Comment from Smith, Angela
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54937	Comment from Barbra K
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54938	Comment from Tobia, Tony
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54939	Comment from Rob Roberto
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54940	Comment from Jaremy Lynch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54941	Comment from Susan Wechsler
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54942	Comment from Katherine Wright
03/24/2021	NOAA-NMFS-2020-0031-DRAFT-54946	New Document created by Coogan, Colleen Catherine (NOAA)
01/01/2021	NOAA-NMFS-2020-0031-DRAFT-0005	Comment from John Nicastro
01/01/2021	NOAA-NMFS-2020-0031-DRAFT-0006	Comment from Harvey Yenkinson
01/04/2021	NOAA-NMFS-2020-0031-DRAFT-0007	Comment from Joe Mama
01/06/2021	NOAA-NMFS-2020-0031-DRAFT-0008	Comment from N/A N/A
01/07/2021	NOAA-NMFS-2020-0031-DRAFT-0009	Comment from Rollerson, Paige
01/08/2021	NOAA-NMFS-2020-0031-DRAFT-0010	Comment from WILLIAMS, JOHN
01/08/2021	NOAA-NMFS-2020-0031-DRAFT-0011	Rutkowski Oceana Comment on ALWTRP
01/08/2021	NOAA-NMFS-2020-0031-DRAFT-0013	Fletcher Comments on ALWTRP
01/10/2021	NOAA-NMFS-2020-0031-DRAFT-0014	Comment from Seana Parker-Dalton
01/12/2021	NOAA-NMFS-2020-0031-DRAFT-0015	Comment from Anonymous
01/12/2021	NOAA-NMFS-2020-0031-DRAFT-0016	Comment from Desert Star Systems LLC
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5165	Comment from Anonymous
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5136	Comment from Anonymous
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5175	Comment from Marc Palombo
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5160	Comment from Mary Branch
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5176	Comment from Branch, Mary
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5178	Comment from Branch, Mary
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5182	Comment from Lasseeter, Richard
01/14/2021	NOAA-NMFS-2020-0031-DRAFT-0017	Comment from Anonymous Anonymous
01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5133	Comment from Zachary Plopper
01/19/2021	NOAA-NMFS-2020-0031-DRAFT-5132	Comment from Annalisa Tuel
01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5315	Comment from Klass, Naomi
01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5296	Comment from Ivie, Cecyl
01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5283	Comment from Petras, Carrington
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5134	Comment from Bray, Jarod
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5157	Comment from LaBella, Katherine

01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5172	Comment from Jarod Bray
01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5196	Comment from Terrick, Traci
01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5195	Comment from H2O Captain Eco-Tour Private Boat Excursions
01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5194	Comment from Mills , Jacqueline
01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5580	Comment from Pilarova, Veronika
01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5347	Comment from Bossert , Kristen
01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5351	Comment from Hilf, Linda
01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5393	Comment from Anonymous Anonymous
01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5398	Comment from Ciocci, Michael
01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5686	Comment from Repensek , Gail
01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5687	Comment from Byrnes, Kathleen
01/26/2021	NOAA-NMFS-2020-0031-DRAFT-5735	Comment from Jean Public
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5050	Comment from Robert MacLean
01/26/2021	NOAA-NMFS-2020-0031-DRAFT-5736	Comment from Simmons, Thomas
01/26/2021	NOAA-NMFS-2020-0031-DRAFT-5737	Comment from Rubin, Leah
01/26/2021	NOAA-NMFS-2020-0031-DRAFT-5738	Comment from Meyer-Gutbrod, Erin
01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5826	Comment from Boenish, Robert
01/15/2021	NOAA-NMFS-2020-0031-DRAFT-0018	Comment from James Mulcare
01/27/2021	NOAA-NMFS-2020-0031-DRAFT-5959	Comment from Alexander Costidis
01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6121	Comment from Daniels, Jamie
01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6123	Comment from Scalcione, Donna
01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6124	Comment from stockwell, richard
01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6125	Comment from Silver, Darcy
01/28/2021	NOAA-NMFS-2020-0031-DRAFT-6127	Comment from Mills , Jacqueline
01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6129	Comment from Lawrence , Christine
01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6139	Comment from MENIN SR, GAHEY
01/30/2021	NOAA-NMFS-2020-0031-DRAFT-6179	Comment from Michael Kapp
01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6200	Comment from Maria Blaszczyk
01/31/2021	NOAA-NMFS-2020-0031-DRAFT-6212	Comment from Ann Lindberg
02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6238	Comment from Barans, Charles
02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6265	Comment from Meg Hoyle
02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6271	Comment from Will walkthedog
02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6272	Comment from Carol HILL
02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6420	Comment from Laura Buchinger
02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6460	Comment from Rivera, Antonio
02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6477	Comment from Christine Ventura
02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6479	Comment from Nancy Argenziano
02/02/2021	NOAA-NMFS-2020-0031-DRAFT-6525	Comment from Patricia Gerresheim
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6620	Comment from Eve Vogel
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6728	Comment from Barbara Woolley

02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6754	Comment from Greg Hamby
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6789	Comment from Mark Perry
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6809	Comment from Ellen Gordon
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6830	Comment from Robert Brown
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6831	Comment from Janet Heinle
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6833	Comment from sandra iseman
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6842	Comment from Jonathan Mitchell
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6848	Comment from Leo R. Sandy
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6849	Comment from Rebecca Christoffel
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6851	Comment from Doreen Tignanelli
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6855	Comment from Heidi ahlstrand
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6857	Comment from Grace Holden
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6859	Comment from Jennifer Reinish
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6863	Comment from Mary Walls
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6866	Comment from sonya chan
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6867	Comment from Robin Pappas
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6868	Comment from Judy Irving
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6869	Comment from Jana Perinchief
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6871	Comment from Bridgett Heinly
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6894	Comment from randy sailer
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6895	Comment from JoAnne Larsen
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6903	Comment from Michael Stock
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6905	Comment from Tracey Bonner
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6913	Comment from ALAN BOSCH
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6914	Comment from Jeff Fromberg
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6922	Comment from Dwight Marshall
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6923	Comment from Mary Ann Leitch
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6926	Comment from gilles dubois
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6927	Comment from Bonnie MacRaith
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6929	Comment from Margo Salone
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6930	Comment from Bob Prokopczyk
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6933	Comment from Dan Fogarty
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6939	Comment from margo wyse
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6945	Comment from Leslie Lazzo
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6949	Comment from Angela Brace
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6954	Comment from Linda Badham
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6955	Comment from Richard Riggs
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6961	Comment from Susan Krause
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6964	Comment from Richard Clark
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6969	Comment from Robert Reed
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6976	Comment from J Lasahn

02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6987	Comment from Susan Weems
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6989	Comment from dorothy blake
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6991	Comment from Donna Delisi
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6993	Comment from Pamela Rogers
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7000	Comment from Pam Evans
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7003	Comment from Carter Neal
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7005	Comment from Emily Sagovac
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7010	Comment from Sally Jacques
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7014	Comment from doug krause
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7017	Comment from Judi Calvi
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7024	Comment from Sylvana Arguello
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7031	Comment from Georgia Shankel
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7032	Comment from Steven Morris
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7037	Comment from Tia Simon
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7042	Comment from DEBORAH SMITH
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7043	Comment from Julia Couchman
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7053	Comment from KENDRICK MILLER
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7060	Comment from Amy Harlib
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7062	Comment from Nancy Schultz
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7063	Comment from Charles Smith
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7077	Comment from john mattinen
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7078	Comment from Lynn Costa
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7084	Comment from Robert Posch
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7095	Comment from Annie Vola
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7109	Comment from Rob Jursa
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7113	Comment from Anna Brewer
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7144	Comment from Katharine Odell
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7146	Comment from Maxwell Fogleman
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7148	Comment from k. francis
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7152	Comment from Anonymous Anonymous
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7156	Comment from Lynn Wilbur
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7163	Comment from G. Simmons
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7169	Comment from Laura Blanchette
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7171	Comment from chris ottosen
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7196	Comment from Marguery Lee Zucker
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7212	Comment from Karen Anderson
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7225	Comment from Anonymous Anonymous
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7231	Comment from Nico Duon
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7233	Comment from Kellen Dunn
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7235	Comment from nicolas duon
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7255	Comment from Elizabeth Elder

02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7258	Comment from Robyn Deveney
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7266	Comment from Garry Taroli
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7278	Comment from Arden Green
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7280	Comment from Emily Dickinson-Adams
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7197	Comment from Marguery Lee Zucker
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7290	Comment from Anonymous Anonymous
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7292	Comment from Andrea Wolfson
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7326	Comment from Sue Harris
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7328	Comment from Tony Vecchio
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7332	Comment from Peter Broderson
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7336	Comment from Juli Kring
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7353	Comment from Barbara Harper
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7355	Comment from jacqueline wolfe
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7362	Comment from Carol Harris
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7370	Comment from robin morton
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7371	Comment from Robert Badcock
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7374	Comment from Charles Greene
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7375	Comment from Evelyn Coltman
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7418	Comment from Dana Oholorogg
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7456	Comment from Sheila Morgan
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7496	Comment from Alan McConigly
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7531	Comment from Carl Oerke Jr
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7567	Comment from Louise Kane
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7577	Comment from anthony Montapert
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7585	Comment from alice Jena
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7639	Comment from MICHAEL and DENISE RESNICK
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7678	Comment from Constance Garcia-Barrio
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7681	Comment from Leslene Dunn
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7698	Comment from Melanie Wentz
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7722	Comment from rochelle ellison
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7725	Comment from Love Howard
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7731	Comment from Charles Barker
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7787	Comment from Don Schwartz
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7795	Comment from Deborah Voves
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7809	Comment from Vesna Glavina
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7832	Comment from Kathi Ridgway
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7835	Comment from sarah sowambur
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7848	Comment from Delphine Holman
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7860	Comment from Joanne Lingerfelt
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7866	Comment from clifford chapman

02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7938	Comment from Lindsay Schoen Lane
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-7983	Comment from Diana Douglas
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8031	Comment from Mary Moderacki
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8073	Comment from Laraine Lebron
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8077	Comment from Dan Richman
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8083	Comment from Tamara Rakic
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8091	Comment from Mary Dosch
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8133	Comment from Holly Rose
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8151	Comment from Elizabeth Garratt
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8168	Comment from Lotte Larsson
02/04/2021	NOAA-NMFS-2020-0031-DRAFT-8208	Comment from Pam Mettier
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8246	Comment from Linda Carroll
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8252	Comment from Blake Wu
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8295	Alex Costidis
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8298	Scott Barton PR Comments
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8300	Wiliam McLellan
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8303	Comment from Scott Melick
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8304	Comment from Raul.M. Grijalve
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8310	Comment from Nicole Schildcrout-Lloyd
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8344	Comment from Kelli Reynolds
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8297	Robert Rutkowski 2nd comment
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7453	Comment from Sigrid Ramos
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8390	Comment from Diane Gaw
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8403	Comment from maria lopes
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8443	Comment from Peter Feka
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8464	Comment from Dobi Dobroslawa
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8481	Comment from Charrie Janzen
02/05/2021	NOAA-NMFS-2020-0031-DRAFT-8532	Comment from Drew Martin
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8602	Comment from Thomas Sanders
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8611	Comment from Marilyn Rock
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8616	Comment from Freya Harris
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8685	Comment from Kay Campbell
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8702	Comment from Trish Hussey
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8718	Comment from Mary Pringle
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8772	Comment from marilyn evenson
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8805	Comment from karen kindel
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8809	Comment from Jasmine Littleson
02/06/2021	NOAA-NMFS-2020-0031-DRAFT-8819	Comment from Gertrude Battaly
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8865	Comment from Victoria Milne
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8894	Comment from Lyra Brennan
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8904	Comment from Evelyn Cronise

02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8906	Comment from Duressa Pujat
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8961	Comment from Betty Kaine
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8966	Comment from John Dziak
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8987	Comment from Molly McCoy
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8988	Comment from Nicole Downing
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-8994	Comment from Ann Oliver
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9006	Comment from Melissa Reed
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9023	Comment from jenne sindoni
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9075	Comment from Will Walkthedog
02/07/2021	NOAA-NMFS-2020-0031-DRAFT-9090	Comment from Jenifer Steele
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9135	Comment from RuthAnn Pottinger
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9146	Comment from Holly Gallo
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9155	Comment from Robert Norton
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9157	Comment from Margaret Halbeisen
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9202	Comment from Karen Burroughs
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9217	Comment from Jasmine Davidson
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9223	Comment from David Holzman
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9224	Comment from Peter Anonymous
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9251	Comment from Michele Woodburn
02/08/2021	NOAA-NMFS-2020-0031-DRAFT-9303	Comment from Dana Campbell
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9329	Comment from Jeanne Musgrove
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9336	Comment from Turner, Deanna
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9483	Comment from Joyce Weir
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-9615	Comment from Michael House
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10048	Comment from Barbara Russek
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10108	Comment from Mary DeVoe
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10264	Comment from Marc Fleisher
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10374	Comment from Mary Finsterwalder
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10413	Comment from John Paone
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10478	Comment from Sandra Webb
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13369	Comment from Anonymous Anonymous
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13427	Comment from Anonymous Anonymous
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10846	Comment from David Schwartz
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14243	Comment from David Dow
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-10988	Comment from Susan Pierson
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11038	Comment from Cynthia Operbeck
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11077	Comment from Patrick Paine
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11168	Comment from arlie siebert
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11171	Comment from Lora Leland
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11175	Comment from Vincent McKay
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11368	Comment from Aaron Miller

02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11373	Comment from Anca Vlasopolos
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11385	Comment from David Edwards
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14881	DB public comment
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11414	Comment from Brady, Paula
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11455	Comment from Norm Doebel
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11534	Comment from Doug Steves
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11609	Comment from Terri Coppersmith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11615	Comment from Kate Ashley
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11617	Comment from Leslie O'Neil
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11632	Comment from Martita Lopez
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15523	SW public comment
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15528	MS public comment
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-11710	Comment from Sarah Lifton
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17029	KM public comment
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17137	Acadia Institute of Oceanography student letters
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18400	Comment from Judith Nichols
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18399	Comment from elana Rose
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18397	Comment from DAVID HARBIN
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18331	Comment from Gloria McClintock
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18311	Comment from Emma Cady
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18230	Comment from Roger Hallsten
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18193	Comment from Delphine Reynier
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18179	Comment from Sue Kelso Haines
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18172	Comment from Bernadette Webster
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18167	Comment from michele kritsky
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18166	Comment from Kathleen Shea
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18135	Comment from Donna Mulvey
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18133	Comment from Daniel Vallero
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18052	Comment from Kerry Krebill
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17981	Comment from Marietta Scaltrito
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17942	Comment from Melissa Polick
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17904	Comment from Tami Lukachy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17847	Comment from Nancy Porter
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17840	Comment from Margaret Breen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17795	Comment from Sandra Daenzer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17780	Comment from Dawn Matta
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17759	Comment from Danette Delconte
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17734	Comment from Danielle Schneider
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17697	Comment from James Cooke
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17693	Comment from Kathleen SEWRIGHT

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17658	Comment from Cherie Rachel
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17640	Comment from Danni Iosello
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17631	Comment from Kevin Crupi
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17611	Comment from Sandy Rhein
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17605	Comment from David Cencula
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17460	Comment from A Callan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17428	Comment from Caroline Armon
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17336	Comment from Karen O'Brien
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17215	Comment from Jeannie Latimer
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17088	Comment from Bette Holland
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17082	Comment from Eileen Hennessy
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17062	Comment from Morgan Moralez
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-17003	Comment from Pamela Goodman
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12052	Comment from Courtney Zyeda Cole
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12135	Comment from K Griffin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21317	Comment from Elaine Becker
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21403	Comment from Serena Klempin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21544	Comment from Aaron Miller
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21547	Comment from Charisse Sproha
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21668	Comment from Katie Stalcup
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21669	Comment from Pat Petro
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21671	Comment from Sullivan-Lord, Rachel
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21672	Comment from Gharakhani, Vivian
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21673	Comment from massey, joe
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21674	Comment from Catherine Uden
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21675	Comment from Pagliuca, Carolyn
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21776	Comment from Diana Harding
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21778	Comment from Griffith, Charlotte
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21784	Comment from Gualtieri, Stephanie
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12270	Comment from Mary Graffagnino
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21865	Comment from Krivo, Maureen
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21866	Comment from Cruz, Leticia
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12316	Comment from Shoshana Osofsky
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12341	Comment from Deborah Lyons
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12474	Comment from Elizabeth Jolin
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12577	Comment from Missy Kendrick
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12667	Comment from Nathan Iyer
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12692	Comment from Darcee Vorndran
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16965	Comment from Brown, Derek
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16856	Comment from Denis Tidrick
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16790	Comment from Davenport, Bobby

02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16753	Comment from Gregory Linn
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16696	Comment from Sierra Lefebvre
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16618	Comment from Arch Lamb
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16469	Georgia_Conservancy_NOAA_Right_Whale_Take_Reduction
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16338	Comment from Bobbee Murr
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12985	Comment from Betsy Smith
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-12996	Comment from Claire Sefiane
02/09/2021	NOAA-NMFS-2020-0031-DRAFT-13003	Comment from Patrice Curedale
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13132	Comment from Jean Naples
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13189	Comment from Jim Steitz
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13251	Comment from Turner, Deanna
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13292	Comment from Anonymous Anonymous
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13305	Comment from Barbara Bradley
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13338	Comment from Lisa Dill
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13353	Comment from Evangeline Alexander
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13363	Comment from MICHAEL MESSMER
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13371	Comment from Shaun Dillon
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13388	Comment from Rachel Bramson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13424	Comment from Wendy Drexler
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13435	Comment from John J Munro III
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13442	Comment from suzanne besaw
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13444	Comment from michael paige
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13458	Comment from Rosemary Conroy
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13469	Comment from Joanne Ravgiala
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13476	Comment from Margaret O'Neil
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13477	Comment from Teper, Doug
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13498	Comment from Bryce Lehner
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13499	Comment from Isaac Wolfson
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13500	Comment from Conner McGarry
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13501	Comment from Jozef Zekanoski
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13502	Comment from Marcus Klevan
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13503	Comment from Dianna Schulte
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13531	Comment from Daryn Clevesy
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13557	Comment from Rosemarie Santiesteban
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13692	Comment from segars, al
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13722	Comment from Kate McPherson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13757	Comment from Rose, Kevin
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13764	Comment from Anulewicz, State Representative Teri
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13775	Comment from Evans, Stacey

02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14303	Comment from Daly, Tom
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14329	Comment from Anonymous Anonymous
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14330	Comment from Gary Fowler
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14337	Comment from Mark Palaez
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14342	Comment from Allen, Rep. Erick
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14362	Comment from Anonymous
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14381	Comment from Anonymous Anonymous
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14394	Comment from Gail Padgett
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14415	Comment from Ines Nedelcovic
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14420	Comment from JESSICA HOWELL-EDWARDS
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14423	Comment from Bartlett, Mary
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14441	Comment from Victor Masnyj
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14450	Comment from Townsend, Mary
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14468	Comment from Oliver, Rep Mary Margaret
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16199	Comment from Rolanda Ritzman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16198	Comment from LK WOODRUFF
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16193	Comment from Gordon Steingart
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16154	Comment from Lobsterman, Maine
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16150	Comment from Diane English
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14566	Comment from bev lips
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14569	Comment from Sarah Austin
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14571	Comment from Anthony Cusimano
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14574	Comment from Charles Talley
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14577	Comment from John David Stevens
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14617	Comment from Wendy Van Dyke
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16132	Comment from James Sorrells
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16113	Comment from William yaroch
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16056	Comment from Chris Pedone
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16012	Comment from Rhesa Olsen
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16011	Comment from Dennis Jennings
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-16005	Comment from Dennis and Susan Kepner
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15950	Comment from Robin Down
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15944	Comment from Paula Morgan
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15936	Comment from Terrance Hutchinson
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15911	Comment from Sandy Sundquist
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15884	Comment from Penelope Wong
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15854	Comment from Beverly Solomon
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15828	Comment from MELISSA LUDTKE

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14675	Comment from Marga Frantz
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15704	Comment from Skelly, William
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14755	Comment from Logan Spratt
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15549	Comment from Anonymous Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15545	Comment from Daniell Gilbert
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15462	Comment from Nina Minsky
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15452	Comment from Theresa Scherf
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15442	Comment from Susan Inman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15435	Comment from Mary Parham
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15403	Comment from Mike Hatcher
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15373	Comment from Robert Puca
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15176	Comment from Burke, Barbara
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15098	Comment from Candis Whitney
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15097	Comment from Rachel Silverstein, Ph.D
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-15094	Comment from Karen Swain
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15091	Comment from Hermina Glass-Hill
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15085	Comment from Dolores Pino
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15074	Comment from Michael Mihalas
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15071	Comment from Sandra Fernandez-Achenbach
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15069	Comment from nancy blastos
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15068	Comment from Alex Petersen
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15065	Comment from Alison Zyla
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15064	Comment from Joyce Morrison
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15059	Comment from Jeanette Spreemann
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15056	Comment from Joann Ramos
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15054	Comment from Anonymous Anonymous
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15048	Comment from Krista Early
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15045	Comment from The Trammell Law Firm
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15043	Comment from St. Marys EarthKeepers
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15031	Comment from Jean Dempsey
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15027	Comment from Daves, Nancy
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14960	Comment from Mark Hixon
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14934	Comment from Nora Schaper
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14919	Comment from Tonya Bonitatibus
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14918	Comment from Jenifer Hilburn
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-14857	Comment from Jacques, Karen
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22761	Comment from Fernald, Bruce
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-21112	Comment from Jennifer Christiano
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15070	Comment from Greer Griffith
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15067	Comment from Paul Gonin

02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15063	Comment from Yuval Baharav
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15061	Comment from Linda C Hall, PhD
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15060	Comment from Debra Wills
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15058	Comment from Danielle Barcilon
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15057	Comment from Deborah Fugate
02/17/2021	NOAA-NMFS-2020-0031-DRAFT-15055	Comment from Aileen Will
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20941	Comment from Phyllis Lau
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20936	Comment from I.J. DuBois
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20901	Comment from Carol Sadowski
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20834	Comment from Karen Estok
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20794	Comment from Sheri Price
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20741	Comment from Jeffrey Blackman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20730	Comment from Heather Brandli
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20723	Comment from ronald bulman
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-18790	Comment from Michael Hawkey
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20562	Comment from Mark Stover
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20506	Comment from Lynn Wright
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20470	Comment from Shirley Schue
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20457	Comment from Mari Elvi
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20454	Comment from Maria Morris
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20409	Comment from Glenn Kreger
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20408	Comment from Sharyn Magee
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20406	Comment from Joan Ernst
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20395	Comment from Jackie Foster
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20353	Comment from Tracey Bonner
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20310	Comment from Glenda Beal
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20274	Comment from Hermine Willey
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20098	Comment from Michelle BafikVehslage
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-20058	Comment from Reverend Nathan Jimenez
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19192	Comment from Jean Naples
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19203	Comment from Lisa Woodside Woodside
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19238	Comment from Dave Kisor
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19257	Comment from Stephen Godfrey
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19440	Comment from Katherine Gould Martin
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19496	Comment from Bonnie Ryan
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21867	Comment from Jackson, Kim
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21868	Comment from Christopher, Barbara
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21869	Comment from Anonymous
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21870	Comment from Bray, Jarod
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21871	Comment from Krivo, Jared

02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21872	Comment from Bowman Cutway, Heather
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21886	Comment from Hart, Hayden
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21893	Comment from Nieuwkerk, Eben
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21905	Comment from Fisher, Lee
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21906	Comment from Julia Koets
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21907	Comment from Fisher, Gina
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21908	Comment from Balsler, Andrew
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21924	Comment from cannon, park
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21928	Comment from Alan Inzerillo
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21952	Comment from Morrill, William
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-21956	Comment from Anonymous
02/18/2021	NOAA-NMFS-2020-0031-DRAFT-19614	Comment from Donna VonBargen
02/19/2021	NOAA-NMFS-2020-0031-DRAFT-22038	Comment from Johnson, Hannah
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22039	Comment from Anonymous
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22070	Comment from faulkingham, herman
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22082	Comment from Miller, Chris
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22111	Comment from Campbell, Kay
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22281	Comment from Alley, Blake
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22372	Comment from Libby, gary
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22373	Comment from vyce, justin
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22374	Comment from ritchie, kevin
02/20/2021	NOAA-NMFS-2020-0031-DRAFT-22375	Comment from Faulkingham, Billy Bob
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22376	Comment from O'Connell, Jim
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22377	Comment from Johnson, Charles
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22378	Comment from Franks, Rachel
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22379	Comment from Blackwood , Royce
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22380	Comment from Warden, Katherine
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22381	Comment from Bordenkircher, Danette
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22383	Comment from Francis , Sugum
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45930	Comment from Anonymous Anonymous
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22384	Comment from M, J
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22385	Comment from Sturgeon, Andrea
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22386	Comment from Bafer, AJ
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45927	Comment from Atlantic Scientific Review Group
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45926	Comment from Anonymous
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22387	Comment from Schierloh, Michael
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22388	Comment from Andreatta, Maria
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45922	Comment from Pinkham, Rob
02/21/2021	NOAA-NMFS-2020-0031-DRAFT-22389	Comment from McPherson, Cathy

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45921	Comment from Genthner, Philip
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45919	Comment from Chipman , Chris
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22395	Comment from Hassan, Mazen
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22396	Comment from Samuel Sautaux
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22397	Comment from Howard , Shawn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45914	Comment from Pinkham, Rob
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45910	Comment from Guyton, Carl
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45906	Comment from joyce, jason
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45904	Comment from Elisofon, Elin
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22434	Comment from Gail Bagley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45901	Comment from Majumder, Sharanya
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45899	Comment from G. Gray, Dudley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45898	Comment from Anderson, Dean
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22448	Comment from Merrick, Richard
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45890	Comment from Knowlton, Matthew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45889	Comment from Zahira, Najma
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45884	Comment from Moody , Brian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45880	Comment from Olsen, Mark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45878	Comment from DiGiulio, Beth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45877	Comment from Devens, David
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45862	Comment from Aggarwal, Chandan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45860	Comment from Koerber, Kris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45857	Comment from Moore, Chris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45853	Comment from Skrod, Matthew
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45846	Comment from bruns, john
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45837	Comment from Rodriguez, Jeremy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45828	Comment from Hanrahan, Michael
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45822	Comment from Lewis, Troy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45821	Comment from Trahan, Jackson
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45817	Comment from Flores, Scarlettte
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45814	Comment from Ziegler, Sydnie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45809	Comment from Light, David
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45808	Comment from Dent, Alexandra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45804	Comment from Poelzl, Volker
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45782	Comment from Wright, Bryden
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45784	Comment from Anderle, Micah
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45776	Comment from Dator, Grant
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45770	Comment from Scott, Lily
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45761	Comment from Environmental Review, Inc
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45759	Comment from Tamsamani, Aurelie

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45753	Comment from Lobsterman, Maine
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45751	Comment from Elsbecker, Emma
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45740	Comment from Osman, Emily
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45737	Comment from Wiseman, Abigail
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45727	Comment from Cohen, Wayne
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45726	Comment from O'Rourke, Ellen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45723	Comment from Merryman, Jim
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45693	Comment from Kennedy, Jennifer
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45683	Comment from Lorentzen, Eric
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45678	Comment from Meredith LaLumia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45664	Comment from Gilman, Kimberly
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45648	Comment from Osgood, Richard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45644	Comment from Lateiner, Ulysses
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45625	Comment from Marshall, Pamela
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45609	Comment from KASTEL, DIANE
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45602	Comment from Hernandez, Ms. Maria Celia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45598	Comment from Lemoine, David
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45596	Comment from Wolf, Robert
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45595	Comment from Lawler, Carolyn
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45592	Comment from Corina Browarnik
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45591	Comment from McGraw -Keber, Susan
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45590	Comment from Scott, Eleanore
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45589	Comment from Dunham, Daryl
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45580	Comment from Windsor, West
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45574	Comment from Todd, John
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45573	Comment from Mouse, Mickey
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45571	Comment from Norton, Tyler
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45570	Comment from DeSalvo, Joseph
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45567	Comment from Riccio, Jeff
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45565	Comment from Katusha, Barbara
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45562	Comment from Gage, Odin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45559	Comment from Collier, Claudia
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45545	Comment from Dick, Rebecca
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45542	Comment from Shirey, Linda
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45539	Comment from Palladino, Joann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45538	Comment from Frey, Brenda
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45537	Comment from Rudolph, JoEllen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45520	Comment from Malyon, Ann
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45517	Comment from Gray, Gail
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45505	Comment from Subjenski, Marion

02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45494	Comment from LeQuire-Schott, Toni
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45486	Comment from wheeler, tara
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45484	Comment from Estok, Karen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45475	Comment from Schochet, Joy
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45467	Comment from Perkins, Jane
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45451	Comment from Thomas , Danielle
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45449	Comment from Winchester, Sam
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45433	Comment from Raymond, Sherrie
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45425	Comment from Kersula, Michael
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45422	Comment from Moore, Erin
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45418	Comment from Motta, Denise
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45410	Comment from Hall, Richard
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45409	Comment from DeLamater, Adair
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45406	Comment from Whiteside, Frances
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45405	Comment from Meeks, Mark
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45386	Comment from Baxter, Judith
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45382	Comment from Huggins, William
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45371	Comment from Striegel, Maryann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51520	210226_NEFMC to GARFO_RW_PR_Comment
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51749	Davis and Laporte Rewilding Institute
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51641	Comment from Massachusetts Division of Marine Fisheries
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50360	Comment from Maine Center for Coastal Fisheries
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49552	Comment from The Pew Charitable Trusts
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49553	Comment from Center for Biological Diversity
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49510	Comment from Ide, Councilmember Jennifer
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49415	Comment from Aquarium Conservation Partnership
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49268	Comment from Cetacean Society International
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45908	Comment from Pinkham, Rob
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45939	Comment from Unzueta, Amy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45942	Comment from Beal, Kimberley
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45949	Comment from mullen, Lorraine/paul
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45956	Comment from Kurowski , Paige
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-45964	Comment from McWeeny, William

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51819	Comment from Soares, Bryan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51823	Comment from Oceana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51533	Comment from Whale and Dolphin Conservation, Inc.
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51329	Comment from Robichaux, Representative Mary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51335	Comment from Mobley, Clay
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51240	Comment from Throgmorton , Roderick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51071	Comment from North Carolina General Assembly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51060	Comment from Williams, Deborah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46573	Comment from Chad Gamage
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-50953	Comment from Bell, Thomas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52322	Comment from Carr, Brian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46636	Comment from Page, Nick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52371	Comment from Ryan, Doreen
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52354	Comment from Conservation Law Foundation
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46709	Comment from Koerber, Fred
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46761	Comment from McNickles, Karie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52381	Comment from Taylor Lobster Company
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46830	Comment from Hallowell , Jamien
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51519	Comment from Young, Scott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-46909	Comment from Tamagini, Sheryle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47000	Comment from Wolowicz, Mike
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47126	Comment from Rich , Sherman
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47712	Comment from Nichols, William
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47800	Comment from Hamilton, Suzanne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47864	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47881	Comment from Aquarium Conservation Partnership
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-47983	Comment from Kelsey, Chris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48039	Comment from Ms. Farrow's 5th graders Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48052	Comment from Todd, Mary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52426	Comment from Wainright, Sam
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52576	Comment from University of Maine Lobster Institute
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52577	Comment from Conover, Joshua
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52900	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54171	Comment from fletcher, Robert

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54175	21-03-01 MMC to Pentony 2021 NARW TRP Amendment Rule
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54294	Rep Oliver comments on alwtrt rule
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54340	03.01.21 NRDC Letter Re North Atlantic Right Whale Conservation Framework
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54216	Comment from Frank Rouse
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54209	Comment from International Fund for Animal Welfare (IFAW)
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54394	brennan strong comments on rule
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54424	Candis whitney comments on trp rule
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54456	jake Murray comments on ALwtrp rule
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54454	Scott Barton alwtrp comments
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54461	Georgia_Conservancy_NOAA_Right_Whale_Take_Reduction (2)
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54420	Comment from S.Rosen, F/V Minnamurra
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54414	Comment from Sullivan, Adrienne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54945	Comment from Blue Planet Strategies
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54534	Comment from Georgia Aquarium Inc.
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54384	Comment from Maine Lobstering Union
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54228	Comment from Thompson, Jacob
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54257	Comment from Trafton, Caitlin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54034	Comment from Natural Resources Defense Council
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54048	Comment from Kissimmee Waterkeeper
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53849	Comment from MMC
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53858	Comment from Joy, Samuel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53885	Comment from Lemoine, David
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53654	Comment from Joyce, Joshua
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53664	Comment from Lyons, Derek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53697	Comment from Martin, Rob
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53700	Comment from Hodgson, Rebekah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53592	Comment from cheney, mark
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54943	Comment from Multiple: Catawba Riverkeeper, Mountain True, Haw River Assembly, Cape Fear River Watch
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53735	Comment from Barrett-Pereira, Thiago
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53769	Comment from Sibbald, Derrick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53800	Comment from Zoutis, Thomas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53359	Comment from Ricciardi, Cara
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53130	Comment from Gilley , David

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53142	Comment from Atlantic States Marine Fisheries Commission
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53161	Comment from Morris, Greg
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54925	Comment from Coastwise Consulting, Inc
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54915	Comment from Kevin Patton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54905	Comment from Gibbs , Ian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54872	Comment from Williams, Donald
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54861	Comment from New Hampshire Fish and Game Department
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54860	Comment from Rackliff, Hannah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48341	Comment from Nugent , Ross
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48358	Comment from Moffet, Lawrence
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54848	Comment from Brice, Elijah
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48377	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48378	Comment from Spalding, Andy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48406	Comment from Lish, Christopher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54839	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48413	Comment from Grist, Sue
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48438	Comment from Lally , Katie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48475	Comment from Hynd , Nick
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48484	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54806	Comment from Joy, Paul G.
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54790	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54778	Comment from Parkington , Damian
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54772	Comment from Hargrove, Will
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54757	Comment from Norton, Jonathan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54752	Comment from M B
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48648	Comment from Murgo, Kenneth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54746	Comment from Oceana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54737	Comment from Oceana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54724	Comment from Oceana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48904	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-48946	Comment from Strout , Taylor
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54712	Comment from Oceana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49014	Comment from Walker , Seth
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49036	Comment from Faulkingham , Michael
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49044	Comment from Leverett, Mara Lyn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54689	Comment from Gilley, Matt
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54687	Comment from Oceana

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49137	Comment from Maine Department of Marine Resources
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54664	Comment from Oceana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49155	Comment from Alley, Arlin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49182	Comment from Tompkins, Karen
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45092	Comment from Anonymous
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45090	Comment from Ryan, Pat
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45078	Comment from Travers, David
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-45066	Comment from Nations, Ken
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49315	Comment from Todd, John
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49356	Comment from Harrison, Pricey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49371	Comment from Knight, Sereena
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49404	Comment from Town of Vinalhaven
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49450	Comment from Ames, Ryan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49478	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49502	Comment from Moran, John
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49525	Comment from Johnson , Daniel
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49540	Comment from SkillinSkillin, Jason
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44834	Comment from Ballesteros, Marisol
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49734	Comment from Mallow, Rep Derek
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44764	Comment from Schofield, Rep. Kim
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49786	Comment from Maine Legislature's Joint Standing Committee on Marine Resources
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-49797	Comment from Williams, Rep. Al
02/28/2021	NOAA-NMFS-2020-0031-DRAFT-44742	Comment from Welling, Aaron
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54944	Comment from WHALE SAFE USA & RICHARD Maximus Strahan & MAN AGAINST XTINCTION
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4972	Comment from Rebecca Theim
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54729	Comment from Andrew Werthmann
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54667	Comment from Pat Doherty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54647	Comment from Delano, Wayne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54627	Comment from Oceana
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54605	Comment from Adler - Curley, Kimberly
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54573	Comment from swicker, scott
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54568	Comment from Marine Resources Council of East Florida, Inc.
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54545	Comment from Werner, Timothy
01/18/2021	NOAA-NMFS-2020-0031-DRAFT-4978	Comment from Glenn Compton
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54493	Comment from Farris, Cameron

01/18/2021	NOAA-NMFS-2020-0031-DRAFT-5047	Comment from Mark Overbaugh
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54435	Comment from McDonald , Joseph
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54404	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54399	Comment from Joyce, Elijah
01/20/2021	NOAA-NMFS-2020-0031-DRAFT-5169	Comment from Mills , Jacqueline
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54390	Comment from Delano, Dustin
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54345	Comment from Hunt, Michael
01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5198	Comment from Victoria Chavez
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54274	Comment from Mullin, Denneyse
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54272	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54215	Comment from Martin, Emily
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54196	Comment from Baines, Cole
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54138	Comment from Michaela Morris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54147	Comment from Faulkingham, Carrie
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54129	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54125	Comment from A, CM
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54112	Comment from Colbeth, Derek
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54066	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54056	Comment from Knight, Kate-Lyn
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54017	Comment from F/V Carol Ann
01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5203	Comment from Peter Cutting
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54012	Comment from Libby, Jeffrey
01/21/2021	NOAA-NMFS-2020-0031-DRAFT-5205	Comment from Gina Garey
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54002	Comment from Mataronas, Gregory
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54001	Comment from Pidden, Christopher
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53996	Comment from Hutchinson, Susan
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54526	Comment from Nikole Ordway
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53989	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53960	Comment from Joy , Amelia
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53920	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53789	Comment from Heal, Nicholas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53541	Comment from Whetham, Henry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53520	Comment from Vinson, Nancy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53372	Comment from I.J. DuBois
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53473	Comment from murphy, amy
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52883	Comment from MacVane , Henry
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52833	Comment from Nichols, Kyle
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52740	Comment from Tucker, Chris
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52732	Comment from Atwood, Travis
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52721	Comment from Myrick, David
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52649	Comment from Brooks, Daniel

03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52558	Comment from Anonymous
01/22/2021	NOAA-NMFS-2020-0031-DRAFT-5344	Comment from Bradbury, Jeanne
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52434	Comment from Vance, Robert
01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5364	Comment from John Kinsella
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53250	Comment from American Clean Power Association
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53085	Comment from Atlantic Offshore Lobstermen's Association
01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5412	Comment from Mattie Whitesell
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53035	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53007	Comment from Lawson Hackett, Penny
01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5392	Comment from Andrew Applegate
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-53006	Comment from Anonymous
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52949	Comment from Pat Doherty
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52694	Comment from Jeffrey Solow
01/23/2021	NOAA-NMFS-2020-0031-DRAFT-5402	Comment from Phillip Null
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52523	Comment from Keith Rittmaster
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52231	Comment from Karen Francoeur
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-52056	Comment from Bret Sparks
01/24/2021	NOAA-NMFS-2020-0031-DRAFT-5418	Comment from David Thomas
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-51997	Comment from Ben Watson
01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5583	Comment from Judi Galvalas
01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5602	Comment from Dow, David
01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5691	Comment from Brandon Burr
01/26/2021	NOAA-NMFS-2020-0031-DRAFT-5732	Comment from Samantha Whitcraft
01/25/2021	NOAA-NMFS-2020-0031-DRAFT-5697	Comment from Karen King
01/29/2021	NOAA-NMFS-2020-0031-DRAFT-6155	Comment from Jarod Bray
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6874	Comment from bob ottosen
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-6882	Comment from Brandie Deal
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7554	Comment from Dr Kristi Dunn
02/03/2021	NOAA-NMFS-2020-0031-DRAFT-7381	Comment from Richard Curtis
02/10/2021	NOAA-NMFS-2020-0031-DRAFT-13609	Comment from deborah rivel
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13711	Comment from Mary Edna Fraser
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13684	Comment from Kyle Hudick
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13721	Comment from Bernadette Sullivan-Ericson
02/11/2021	NOAA-NMFS-2020-0031-DRAFT-13888	Comment from Angela Wilson
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13939	Comment from Mazer, Bambi
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13964	Comment from Hayes Environmental Consulting
02/12/2021	NOAA-NMFS-2020-0031-DRAFT-13990	Comment from Charles McMillan

02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14079	Comment from Linda Fraser
02/13/2021	NOAA-NMFS-2020-0031-DRAFT-14088	Comment from Sophie Priebe
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14270	Comment from Bob Marshburn
02/14/2021	NOAA-NMFS-2020-0031-DRAFT-14222	Comment from Priscilla Guiney
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14310	Comment from Ashley Lucero
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14312	Comment from Jacob Hudnall
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14318	Comment from William Schlesinger
02/15/2021	NOAA-NMFS-2020-0031-DRAFT-14355	Comment from Elizabeth Day
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14573	Comment from Samuel Borne
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22529	Comment from Ashton, David
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22657	Comment from Knowlton, Albert
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14460	Comment from Shane Carter
02/16/2021	NOAA-NMFS-2020-0031-DRAFT-14570	Comment from Emily Q
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22684	Comment from hussey, nat
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22729	Comment from Moore, Michael
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54663	Comment from Anonymous
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22745	Comment from Steele, Gary
03/01/2021	NOAA-NMFS-2020-0031-DRAFT-54767	Comment from The Maine Lobstermen's Association, Inc.
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22755	Comment from BettyAnn Benware
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22756	Comment from Hodgdon, Tyler
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22757	Comment from Corbally, Caroline
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22762	Comment from Youens, Rachel
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22763	Comment from Lebling, Erika
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22764	Comment from Clayton, William
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22759	Comment from O'Brien, CJ
02/22/2021	NOAA-NMFS-2020-0031-DRAFT-22760	Comment from Donnell , Cindy
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22811	Comment from Blue-Green Connections Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22785	Comment from kaselauskas, david
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22800	Comment from RUSSELL, STEPHEN
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22815	Comment from Greening Georgia
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22816	Comment from N/A, N/A
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22878	Comment from Wotan, Andrea
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22986	Comment from Ethridge Griffin
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23000	Comment from Jen Lomberk
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22917	Comment from Moorehead, Sarah
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22918	Comment from Greeley, Dudley
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22973	Comment from Bogle, Rick
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22989	Comment from Koceja, Diane
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-22994	Comment from Holzman, Steve

02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23082	Comment from Carroll, Ryan
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23081	Comment from Young, S
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23084	Comment from Berry, Gardner
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23085	Comment from Breton, Glenace
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23088	Comment from Anonymous
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23087	Comment from Warrington, Christina
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23090	Comment from Pesko, Pat
02/23/2021	NOAA-NMFS-2020-0031-DRAFT-23091	Comment from Wilson, Dana
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23096	Comment from Bridget Childers
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23092	Comment from Reiss , Diana
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23093	Comment from Henretty, Julie
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23094	Comment from Barton, Bethany
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23095	Comment from Turner , Galen
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23097	Comment from Snow, Lucas
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23108	Comment from Cloutier, Tom
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23204	Comment from Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23326	Comment from Gridley, Bruce
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23332	Comment from Putnam, Jeff
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23352	Comment from Earl, David
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23362	Comment from Earl, David
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23425	Comment from Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23528	Comment from Ian Quartin
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23538	Comment from Martha Donnell
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23592	Comment from Lunt, Zachary
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23598	Comment from Allen, Joseph
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23639	Comment from Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23652	Comment from Rhangos, Eleanor
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23715	Comment from Dow, George
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23716	Comment from Marhefka, Kathy
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23726	Comment from Carlie Cooper
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23717	Comment from Hancock Point Kayak Tours and Schoodic Maine Guide
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23718	Comment from Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23719	Comment from Snow, Nathaniel
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23722	Comment from Tasheff, Steve
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23723	Comment from Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23725	Comment from hardy, ben
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23727	Comment from Theresa Mercer
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23730	Comment from Lea Schroeder
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23728	Comment from Anonymous
02/24/2021	NOAA-NMFS-2020-0031-DRAFT-23729	Comment from Simmons , Robert

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23746	Comment from Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23761	Comment from Glover, Kevin
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23792	Comment from Merrill , Jack
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23793	Comment from Moore , John
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23841	Comment from jeff chanton
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23890	Comment from Julia Illar
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23923	Comment from Kiersten DeLong
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23857	Comment from William Covert
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23796	Comment from Jordan, John
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23799	Comment from Ashton, Debra
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23807	Comment from Walsh, Tim
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23817	Comment from Nunan, Chris
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23819	Comment from Weed, Ben
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23827	Comment from feroldi, eric
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23836	Comment from Meschino , Eric
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23875	Comment from Tierney, Griffin
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23899	Comment from Rachel Broumas
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23920	Comment from Amanda Rea
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23888	Comment from Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-23896	Comment from Mouer, Nora
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24276	Comment from Briar Ownby-Connolly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24287	Comment from Julianna Kowal
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24593	Comment from Cassady Whaley
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24591	Comment from Anonymous Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24594	Comment from Michael Jarbeau
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24846	Comment from Takiah A
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24849	Comment from Drake, Jarrett
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24850	Comment from Elizabeth Tautges
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24851	Comment from Anonymous
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24852	Comment from Anderson, Mike
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24853	Comment from Herb, Michael
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24880	Comment from Shari Anker
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24335	Comment from Brown, Alex
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24337	Comment from Donnell, robert
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24338	Comment from Savannah Real Producers
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24540	Comment from Southeast Adventure Outfitters
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24590	Comment from Masterson, Holly
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24592	Comment from Crowell, Marnie
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24595	Comment from Julia Pickard

02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24857	Comment from Judy Wang
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24854	Comment from McGowan, Shelley
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24855	Comment from Wright, Dayvion
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24856	Comment from Lemieux, Nick
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-24858	Comment from Hutchins, Edward
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25113	Comment from Clarke, Maiah
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25115	Comment from Ware, Timesha
02/25/2021	NOAA-NMFS-2020-0031-DRAFT-25116	Comment from Dishmon, Jordan
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25119	Comment from Sewell, Jaylen
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25120	Comment from Clax, Savannah
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25117	Comment from Sydney Madden
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25118	Comment from Paula Martin
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25121	Comment from Taylor Smith
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25122	Comment from Love, Jayme
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25123	Comment from Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25125	Comment from Saul, Lillian
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25126	Comment from Davis, Erik
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25128	Comment from Volmar, Lady
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25129	Comment from Drenner, Representative Karla
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25130	Comment from Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25131	Comment from Lunt, David W.
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25132	Comment from Burns, William
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25133	Comment from Rivera, Ashly
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25292	Comment from Fluker, F
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25383	Comment from Gilley, Hugh
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25775	Comment from Tela Fields-Reynolds
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25913	Comment from McCarthy, Johnny
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25914	Comment from Bridge, Bailey
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25924	Comment from Hammond, Erianna
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25521	Comment from Bradstreet, Mark
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25638	Comment from Sze, Maya
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25772	Comment from Anonymous
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25773	Comment from Lawlor, Bryan
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25774	Comment from Arredondo, Mia
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25804	Comment from James, Amiya
02/26/2021	NOAA-NMFS-2020-0031-DRAFT-25912	Comment from Lodge, Rich