Federal Office of Rural Health Policy: Rural Health Community-Based Programs Performance Improvement and Measurement Systems (PIMS) Database

Public Burden Statement: An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number for this project is 0915-0386. Public reporting burden for this collection of information is estimated to average 1.66 hours per response, including the time for reviewing instructions, searching existing data sources, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to HRSA Reports Clearance Officer, 5600 Fishers Lane, Room 14N-39 Rockville, Maryland, 20857.

Delta States Rural Development Network Program

Note: It is expected that each grantee organization will collect baseline data, and then again report at the end of the budget period.

SECTION 1: ACCESS TO CARE (applicable to all Delta grantees)

Table Instructions: This table collects information about an aggregate count of the number of people served through the program and the types of services that were provided during the current budget period. Please report responses using a numeric figure. If the total number is zero (0), please put zero in the appropriate section. Do **not** leave any sections blank. There should **not** be an N/A (not applicable) response since all measures are applicable to all grantees.

Please refer to these detailed definitions and guidelines in providing your answers to the following measures:

<u>Direct Services</u> are defined as a documented interaction between a patient/client and a clinical or non-clinical health professional that has been funded with FORHP grant dollars. Examples of direct services include (but are not limited to) patient visits, counseling, and education.

		Baseline	End of Budget Period
	Direct Services		
1	Please report the number of unique (i.e. unduplicated count)		
	patients/clients that received <i>direct services</i> from your organization		
2	Type (s) of services provided though Delta grant funding.	Selec	tion list
	(Check all that apply)		
		Baseline	End of Budget Period
	Behavioral/Mental Health Treatment and/or Education		
	Cancer Care Management		
	Cardiovascular Disease (CVD) Care Management		
	Chronic Obstructive Pulmonary Disease (COPD) Prevention		

Chronic Obstructive Pulmonary Disease (COPD) Treatm	nent and
Management	
Case Management	
Diabetes Care Management	
Emergency Medical Service (EMS)	
Health Education/Health Promotion/Prevention	
Health Screenings	
HIV/AIDS (Prevention, Screening/Testing, Care Coordi	nation)
Maternal & Child Health	
Pediatric Care	
Obesity Prevention	
Obesity Treatment & Management	
Pharmacy Assistance	
Primary Care Services	
Substance Abuse Treatment and/or Education	
Telehealth/Telemedicine	
Transportation	
Women's Health	
Workforce Development	
All other new and/or expanded services	
Specify:	

SECTION 2: POPULATION DEMOGRAPHICS (applicable to all Delta grantees)

Table Instructions: This table collects information about an aggregate count of the people served by race, ethnicity, age and insurance status. The total for *each* of the following questions <u>should</u> <u>equal the total of the number of unique individuals who received only direct services</u> reported in the previous section. Please do *not* leave any sections blank. There should not be a N/A (not applicable) response since the measures are applicable to all grantees. If the number for a particular category is zero (0), please put zero in the appropriate section (e.g., if the total number that is Hispanic or Latino is zero (0), enter zero in that section).

Hispanic or Latino Ethnicity

- Column A (Hispanic/Latino): Report the number of persons of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, broken down by their racial identification and including those Hispanics/Latinos born in the United States. Do not count persons from Portugal, Brazil, or Haiti whose ethnicity is not tied to the Spanish language.
- Column B (Non-Hispanic/Latino): Report the number of all other people except those for whom there are neither racial nor Hispanic/Latino ethnicity data. If a person has chosen a race (described below) but has not made a selection for the Hispanic /non-Hispanic question, *the patient is presumed to be non-Hispanic/Latino*.

• Column C (Unreported/Refused to Report): Only one cell is available in this column. Report on Line 7, Column C only those patients who left the entire race and Hispanic/Latino ethnicity part of the intake form blank.

People who self-report as Hispanic/Latino but do not separately select a race must be reported on Line 7, Column A as Hispanic/Latino whose race is unreported or refused to report. Health centers may not default these people to "White," "Native American," "more than one race," or any other category.

Race

All people must be classified in one of the racial categories (including a category for persons who are "Unreported/Refused to Report"). This includes individuals who also consider themselves to be Hispanic or Latino. People who self-report race, but do not separately indicate if they are Hispanic or Latino, are presumed to be non-Hispanic/Latino and are to be reported on the appropriate race line in Column B.

People sometimes categorized as "Asian/Other Pacific Islander" in other systems are divided into three separate categories:

- Line 1, Asian: Persons having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Indonesia, Thailand, or Vietnam
- Line 2a, Native Hawaiian: Persons having origins in any of the original peoples of Hawaii
- Line 2b, Other Pacific Islander: Persons having origins in any of the original peoples of Guam, Samoa, Tonga, Palau, Truk, Yap, Saipan, Kosrae, Ebeye, Pohnpei or other Pacific Islands in Micronesia, Melanesia, or Polynesia
- Line 2, Total Native Hawaiian/Other Pacific Islander: Must equal lines 2a+2b

American Indian/Alaska Native (Line 4): Persons who trace their origins to any of the original peoples of North and South America (including Central America) and who maintain Tribal affiliation or community attachment.

More than one race (Line 6): "More than one race" should not appear as a selection option on your intake form. Use this line only if your system captures multiple races (but not a race and an ethnicity) and the person has chosen two or more races. This is usually done with an intake form that lists the races and tells the person to "check one or more" or "check all that apply." "More than one race" must not be used as a default for Hispanics/Latinos who do not check a separate race. They are to be reported on Line 7 (Unreported/Refused to Report), as noted above.

3	Line	Number of	Hispanic/Latino	Non-	Unreported/	Total
		People Served	(a)	Hispanic/Latino	Refused to	(d)
		By Race		(b)	Report Ethnicity	(Sum Columns
					(c)	a+b+c)

	1	Asian						
	2a.	Native Hawaiian						
	2b.	Other Pacific						
		Islander						
	2.	Total Native						
		Hawaiian/Other						
		Pacific Islander						
		(Sum lines						
	3.	Black/African						
		American						
	4.	American						
		Indian/ Alaska						
	_	Native						
	5.	White						
	6.	More than one						
	7	race						
	7.	Unreported/						
		Refused to report race						
	8.	Total of						Equal to the total
	0.	individuals						number of
		served						unique
		(Sum Line						individuals who
		1+2+3 to 7)						receive direct
								services
								services
				Bas	eline		End of Bud	
		er of people served, b	y age	Bas	eline		End of Bud	
4	group	:	y age	Bas	eline		End of Bud	
4	group		y age	Bas	eline		End of Bud	
4	group Childr	en (0-12)	y age	Bas	eline		End of Bud	
4	group Childr Adole	en (0-12) scents (13-17)	y age	Bas	eline		End of Bud	
4	group Childr Adoles Adults	en (0-12) scents (13-17) s (18-64)	y age	Bas	eline		End of Bud	
4	Childr Adoles Adults Elderl	en (0-12) scents (13-17) s (18-64) y (65 and over)	y age	Bas	eline		End of Bud	
4	group Childr Adoles Adults	en (0-12) scents (13-17) s (18-64) y (65 and over)	y age					get Period
4	Childr Adoles Adults Elderl	en (0-12) scents (13-17) s (18-64) y (65 and over)	y age	Equ	al to the tota		Equal to the	get Period total of the number
4	Childr Adoles Adults Elderl	en (0-12) scents (13-17) s (18-64) y (65 and over)	y age	Equ	al to the tota aber of uniqu	ie	Equal to the of unique in	get Period total of the number dividuals who
4	Children Adoles Adults Elderly Unknoor	en (0-12) scents (13-17) s (18-64) y (65 and over)		Equ	al to the tota iber of uniqu viduals who	ie	Equal to the	get Period total of the number dividuals who
4	Children Adoles Adults Elderly Unknown	en (0-12) scents (13-17) s (18-64) y (65 and over) own	ed)	Equ	al to the tota aber of uniqu	ie	Equal to the of unique in	get Period total of the number dividuals who
4	Children Adoles Adults Elderly Unknown Total (en (0-12) scents (13-17) s (18-64) y (65 and over)	ed)	Equ	al to the tota iber of uniqu viduals who	ie	Equal to the of unique in	get Period total of the number dividuals who
	Children Adoles Adults Elderly Unknown Total (Numbinsura	en (0-12) scents (13-17) s (18-64) y (65 and over) own (automatically calculate oer of people by health ance status:	ed)	Equ	al to the tota iber of uniqu viduals who	ie	Equal to the of unique in	get Period total of the number dividuals who
	Children Adoles Adults Elderly Unknown Total (Numbinsura Self-pa	en (0-12) scents (13-17) s (18-64) y (65 and over) own (automatically calculate over of people by health ance status:	ed)	Equ	al to the tota iber of uniqu viduals who	ie	Equal to the of unique in	get Period total of the number dividuals who
	Total (Numb insura Self-pa	en (0-12) scents (13-17) s (18-64) y (65 and over) own (automatically calculate ber of people by health ance status: ay Uninsured	ed)	Equ	al to the tota iber of uniqu viduals who	ie	Equal to the of unique in	get Period total of the number dividuals who
	Total (Numbinsura Self-po	en (0-12) scents (13-17) s (18-64) y (65 and over) own (automatically calculate ber of people by health ance status: ay Uninsured Eligible (covered by both	ed)	Equ	al to the tota iber of uniqu viduals who	ie	Equal to the of unique in	get Period total of the number dividuals who
	Total (Numb insura Self-pa None/ Dual H Medic	en (0-12) scents (13-17) s (18-64) y (65 and over) own (automatically calculate ber of people by health ance status: ay Uninsured Eligible (covered by bot aid and Medicare)	ed)	Equ	al to the tota iber of uniqu viduals who	ie	Equal to the of unique in	get Period total of the number dividuals who
	Total (Numb insura Self-pa None/ Dual F Medic	en (0-12) scents (13-17) s (18-64) y (65 and over) own (automatically calculate ber of people by health ance status: ay Uninsured Eligible (covered by bot aid and Medicare) aid/CHIP only	ed)	Equ	al to the tota iber of uniqu viduals who	ie	Equal to the of unique in	get Period total of the number dividuals who
	Total (Numb insura Self-pa None/ Dual F Medic Medic	en (0-12) scents (13-17) s (18-64) y (65 and over) own (automatically calculate ber of people by health ance status: ay Uninsured Eligible (covered by bot aid and Medicare)	ed)	Equ	al to the tota iber of uniqu viduals who	ie	Equal to the of unique in	get Period total of the number dividuals who

	Unknown		
		Equal to the total of the number of unique	Equal to the total of the number of unique individuals who
		individuals who received	received direct services
	Total (automatically calculated)	direct services	

SECTION 3: SUSTAINABILITY (applicable to all Delta grantees)

Table Instructions: This table collects information/data about the grant's programmatic sustainability. There should not be a N/A (not applicable) response since the measures are applicable to all grantees. For the purposes of this report, sustainability efforts will be reported on at the end of each budget period (once per year).

Annual Program Revenue is defined as payments received for the services provided by the program that the grant supports. These services should be the same services outlined in your grant application work plan. Please do not include donations. If the total amount of annual revenue made is zero (0), please put zero in the appropriate section.

<u>Additional Funding</u> is defined as funding already secured to assist in sustaining the project. Donations should be included in this section.

In the final year of grant funding, grantees are required to report on these additional measures:

- Question #9 The ratio impact for Economic Impact vs. HRSA Program Funding using HRSA's Economic Impact Analysis Tool (http://www.raconline.org/econtool/)
- Question #10 If any of the activities will sustain after the grant project period is over

source.		
Source of Sustainability		Additional Funding
	(Dollar Amount)	(Dollar Amount)
In-kind Contributions (In-Kind contributions		
are defined as donations of anything other than		
money, including goods or services/time.)		
Membership fees/dues		
Fundraising/ Monetary donations		
Contractual Services		
Other grants		
Fees charged to individuals for services		
Reimbursement from third-party payers (e.g.		
private insurance, Medicare, Medicaid)		
Product sales		
Government (non-grant)		
Other – specify type		
None		
	TOTAL for Annual Program	TOTAL Additional Funding
	Revenue (automatically	(automatically calculated by the

	calculated by the system)	system)
8	Which of the following activities have you engaged in to enhance your	Selection list
	sustainability? Check all that apply.	
	Local, State and Federal Policy changes	
	Media Campaigns	
	Community Engagement Activities	
	Other – Specify activity	
9	What is your ratio for Economic Impact vs. HRSA Program Funding?	Ratio
	Use the HRSA's Economic Impact Analysis Tool	
	(http://www.raconline.org/econtool/) to identify your ratio.	
10	Will any of the program's activities be sustained after the project	(Some/None/All)
	period?	
	es your grant program fund health promotion/disease management	Y/N
	ivities?	
	respondents choose "Y", question 11 will become available to answer. If	
res	pondents choose "N", the system will move onto the next section.)	

SECTION 5: HEALTH PROMOTION/DISEASE MANAGEMENT

Table Instructions: Number of patient referrals through health promotion/disease management activities offered to the public through this program.

Number of people referred to health care provider/s

• Report the number of people that were referred to a health care provider as a result of health promotion and disease management activities.

Please indicate a numerical figure or N/A for not applicable if your grant program did not fund this.

		Baseline	End of Budget Period
11	Number of people referred to health care provider/s as a result of health promotion activities.		

Does your grant program fund mental/behavioral health services?	Y/N
(If respondents choose "Y" question 12 will become available to answer. If	
respondents choose "N", the system will move onto the next section.)	

SECTION 6: MENTAL/BEHAVIORAL HEALTH

Table Instructions: Report the number of people receiving mental and/or behavioral health services through your program and the number of network members integrating primary and mental health services. If your grant program did not fund these services, please type N/A for not applicable.

		Baseline	End of Budget Period
	Number of people receiving mental and/or behavioral health		
12	services in target area.		

Does your grant program fund dental/oral health services?	Y/N
(If respondents choose "Y" questions 13 and 14 will become available to	
answer. If respondents choose "N", the system will move onto the next section.)	

SECTION 7: ORAL HEALTH

Table Instructions: Report the number of people receiving dental/oral health services in target area; select the appropriate types of services and provide the number of network members integrating oral health services. Please check all that apply. If your grant program did not fund these services, please type N/A for not applicable.

		Baseline	End of Budget Period
	Number of people receiving dental/oral health services in target		
13	area.		

14	Number of people that receive the following type(s) of dental /oral health services provided. (Check all that apply)	Selection list	
		Baseline	End of Budget Period
	Screenings / Exams		
	Sealants		
	Varnish		
	Oral Prophylaxis		
	Restorative		
	Extractions		
	Other		
	Not Applicable		

Does your grant program fund obesity services for children (aged 2-17)?	Y/N
(If respondents choose "Y" questions 15 and 16 will become available to	
answer. If respondents choose "N", the system will move onto the end of the	
survey.)	

SECTION 8: CHILDHOOD OBESITY

Table Instructions: Report on the number of people aged 2 through 17 receiving a body mass index (BMI) assessment through your program. If your grant program did not fund these services, please type N/A for not applicable. Please use CDC's BMI Calculator for Child and Teen (https://www.cdc.gov/healthyweight/bmi/calculator.html) to calculate BMI. BMI is calculated using the child's weight and height and is then used to find the corresponding BMI-for-age percentile for the child's age and sex.

BMI-for-age percentile shows how the child's weight compares to that of other children of the same age and sex. For example, a BMI-for-age percentile of 65% means that the child's weight is greater than that of 65% of other children of the same age and sex.

		Baseline	End of Budget Period
15	Number of children that received a BMI assessment in target area.		

		Baseline	End of Budget Period
16	Of the number of children reported in #15, how many are:		
	Please use CDC's BMI Calculator for Child and Teen		
	(https://www.cdc.gov/healthyweight/bmi/calculator.html) to calculate BMI		
	Underweight		
	Healthy weight		
	Overweight		
	Obese		

Does your grant program collect clinical data?	Y/N
(If respondents choose "Y" question 17 will become available to answer. If	
respondents choose "N", the system will move onto the end of the survey.)	

SECTION 9: CLINICAL MEASURES

Table Instructions:

Each of the clinical measures below are based on the National Quality Forum's (NQF) measures. Please use your electronic patient registry system to extract the clinical data requested for patients served through the grant program. Please refer to the specific definitions for each field below. Please indicate a numerical figure or N/A for not applicable for your specific grant activities.

Measure 1: Depression

NQF 0418: Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan

Numerator: Number of patients screened for clinical depression using an age appropriate standardized tool and follow-up plan is documented.

Denominator: All patients aged 12 years and older.

Measure 2: Blood Pressure

NQF 0018: Controlling High Blood Pressure

Numerator: The number of patients in the denominator whose most recent blood pressure (BP) is adequately controlled during the measurement year. For a patient's BP to be controlled, both the systolic and diastolic BP must be <140/90 (adequate control). To determine if a patient's BP is adequately controlled, the representative BP must be identified.

Denominator: Patients 18 to 85 years of age by the end of the measurement year who had at least one outpatient encounter with a diagnosis of hypertension (HTN) during the first six months of the measurement year.

Measure 3: Diabetes (HbA1C)

NQF 0575: Comprehensive Diabetes Care Hemoglobin A1c (HbA1c) Control (<8.0%)

Numerator: Patients whose HbA1c level is <8.0% during the measurement year.

Denominator: Patients 18-75 years of age by the end of the measurement year who had a diagnosis of diabetes (type 1 or type 2) during the measurement year or the year prior to the measurement year.

Measure 4: Diabetes (Blood pressure)

NOF 0061: Comprehensive Diabetes Care: Blood Pressure Control (<140/90 mm Hg)

Numerator: Patients whose most recent blood pressure level was <140/90 mm Hg during the measurement year.

The outcome being measured is a blood pressure reading of <140/90 mm Hg, which indicates adequately controlled blood pressure. Adequately controlled blood pressure in patients with diabetes reduces cardiovascular risks and microvascular diabetic complications.

Denominator: All patients 18-75 years of age during measurement year with a diagnosis of type 1 or 2 diabetes.

Measure 5: Body mass index (weight assessment and counseling)

NQF 0024: Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Numerator: Body mass index (BMI) percentile documentation, counseling for nutrition and counseling for physical activity during the measurement year.

Denominator: Patients 3-17 years of age with at least one outpatient visit with a primary care physician (PCP) or OB-GYN.

Measure 6: Body mass index (screening and follow-up)

NQF 0421: Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up

Numerator: Patients with a documented BMI during the encounter or during the previous six months, AND when the BMI is outside of normal parameters, follow-up is documented during the encounter or during the previous six months of the encounter with the BMI outside of normal parameters.

Denominator: All patients aged 18 years and older.

Measure 7: Tobacco use

NQF 0028: Preventive Care & Screening: Tobacco Use: Screening & Cessation Intervention

Numerator: Patients who were screened for tobacco use* at least once during the two-year measurement period AND who received tobacco cessation counseling intervention** if identified as a tobacco user.

- *Includes use of any type of tobacco
- ** Cessation counseling intervention includes brief counseling (3 minutes or less), and/or pharmacotherapy

Denominator: All patients aged 18 years and older who were seen twice for any visits or who had at least one preventive care visit during the two year measurement period.

17	Clinical Measures	Numerat or (Number)	Denominat or (Number)	Percent (Automatical ly calculated by system)
Measure 1: Depression	NQF 0418: Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan: Percentage of patients aged 12 years and older screened for clinical depression using an age appropriate standardized tool AND follow up plan documented.			
Measure 2: Blood Pressure	NQF 0018: Controlling High Blood Pressure: The number of patients 18 to 85 years of age who has a diagnosis of hypertension (HTN) and whose BP was adequately controlled (<140/90) during the measurement year.			
Measure 3: Diabetes (HbA1c)	NQF 0575: Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Control (<8.0%): Percent of adult patients, 18-75 years of age with diabetes (type 1 or type 2) who had hemoglobin A1c less than			

	8.0%		
Measure 4: Diabetes (Blood Pressure)	NQF 0061: Comprehensive Diabetes Care: Blood Pressure Control (<140/90 mm Hg): Percent of patients 18-75 years of age with diabetes (type 1 or type 2) whose most recent blood pressure level taken during the measurement year is less than 140/90 mm/Hg		
Measure 5: Body mass index (Weight Assessment and Counseling)	NQF 0024: Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents: Percentage of patients 3-17 years of age who had an outpatient visit with a primary care physician (PCP) or an OB/GYN and who had evidence of the following during the measurement year: - Body mass index (BMI) percentile documentation - Counseling for nutrition - Counseling for physical activity		
Measure 6: Body mass index (Screening and Follow-Up)	NQF 0421: Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up: Percentage of patients aged 18 years and older with a calculated BMI in the past six months or during the current visit documented in the medical record AND if the most recent BMI is outside parameters, a follow-up plan is documented.		
Measure 7: Smoking Use	NQF 0028: Preventive Care & Screening: Tobacco Use: Screening & Cessation Intervention: Percentage of patients aged 18 years and older who were screened for tobacco use at least once during the two- year measurement period AND who received cessation counseling intervention if identified as a tobacco user		