

Kidney Paired Donation Match Offer Management Field Descriptions

Match Response

Instructions

You have entered a preliminary acceptance. You will receive an Exchange Accepted or Exchange Terminated email once all centers in the exchange have entered a preliminary response. Instructions for next steps will be included in the Exchange Accepted email.

To refuse a match before a crossmatch is performed:

Select **Not Done** for crossmatch results, Select **Match did not proceed to transplant** for the match status. Then, select a primary reason. You may also select a secondary reason, if applicable. If you select "other, specify" as a reason, you must specify the reason. Last, indicate whether this candidate would be willing to match with this donor in the future.

To refuse a match after a crossmatch is performed:

Enter crossmatch results and date. Select **Match did not proceed to transplant** for the match status. Then, select a primary reason. You may also select a secondary reason, if applicable. If you select, "Other, specify" as a reason, you must specify the reason. last, indicate whether this candidate would be willing to march with this donor in the future.

Match run number: Unique identifier for the match run. System generated each time match is executed. This field is read-only.

Match run date: Match run execution date. This field is read-only.

Exchange number: Unique identifier for the exchange. System generated. This field is read-only.

Match ID: Unique identifier for a match. System generated. This field is read-only.

Matched donor ID: Unique identifier for a donor. System generated. This field is read-only.

Donor name: Matched donor name. This field is read-only.

KPD candidate ID: Unique identifier for a candidate. System generated. This field is read-only.

Candidate name: Candidate name. This field is read-only.

Candidate center: Candidate center code. This field is read-only

Paired donor at the end of a chain: The value is determined by the system. Donor must be flagged as an exchange ending donor for value to be set to yes. This field is read-only.

Yes
No

Match state: System determined. This field is read-only.

New offer
Preliminary Acceptance
Preliminary refusal
Pending transplant
Transplanted
Match did not result in a transplant

Note: A match state of preliminary acceptance is not applicable for exchange ending donors.

Match Response – Preliminary Response

Preliminary response: This field is **required**. To refuse a match after preliminary acceptance refer to the instructions above.

Preliminary acceptance
Refusal

Match Response (preliminary acceptance) Crossmatch Results

Crossmatch results: This field only displays when the preliminary response is set to Preliminary acceptance. This field is **required**.

Negative
Positive and acceptable with desensitization
Positive and acceptable without desensitization
Positive and unacceptable
Not done – refusal after preliminary acceptance

Crossmatch date: This field only displays when the preliminary response is set to “Preliminary acceptance”. Possible values include date value, it cannot be a future date. This field is **required** unless the crossmatch result is set to Not done. This field is **required**.

Match status: This field is set to Pending automatically by the system when preliminary acceptance is selected and automatically set to Match did not result in a transplant when refusal is selected for the preliminary response.

Pending transplant
Transplanted
Match did not result in a transplant

Note: When the crossmatch results field is set to “Not done, refusal after preliminary acceptance” then the crossmatch date does not display.

Match Response (preliminary refuse) – Match status (match did not result in a transplant)

Match status: When a refusal is entered in the preliminary response field the Match status field displays. This field is pre-set to “Match did not result in a transplant”. This field cannot be changed to a different response if the preliminary response is set to “Refuse”.

Primary reason: Select the primary reason the match did not result in a transplant. This field is

required. This field only displays if the preliminary response is set to Refuse.

Positive and unacceptable crossmatch
Unacceptable antigens (positive virtual crossmatch)
Number of HLA mismatches unacceptable
Matched donor height/weight/BMI
Matched donor age
Matched donor ABO
Matched donor social history or increased risk
Matched donor medical history
Matched donor positive serological or NAT testing
Matched donor number of vessels
Matched donor renal function test results unacceptable
Kidney size
Kidney anatomical damage or defect
Kidney surgical or other damage
Different kidney laterality is required
Different laterality kidney recovered then what was accepted
Candidate involved in a pending exchange with another KPD program
Candidate already transplanted, transplant in progress, or other offer being considered
Candidate cannot be contacted
Candidate's condition improved, transplant not needed
Candidate refused
Candidate ill, unavailable or temporarily unsuitable
Paired donor cannot be located
Paired donor declined to donate
Paired donor ill, unavailable, or temporarily unsuitable
Cold ischemic time
Distance to travel or ship
Logistical difficulties
Insurance issues
Program unable to participate at this time
Data entry error
No compatible or available waitlist candidates
Donor unsuitable for waitlist (e.g. age too high, creatinine clearance too low, other donor issue)
Deadline not met – Preliminary response
Deadline not met – Crossmatch arrangements
Deadline not met – Agree on crossmatch date
Deadline not met – Donor records available
Deadline not met – Crossmatch results
Deadline not met – Accept or refuse donor
Other, specify

Secondary reason: Select a secondary reason the match did not result in a transplant. This field is optional.

Positive and unacceptable crossmatch
Unacceptable antigens (positive virtual crossmatch)
Number of HLA mismatches unacceptable
Matched donor height/weight/BMI
Matched donor age
Matched donor ABO
Matched donor social history or increased risk

Matched donor medical history
Matched donor positive serological or NAT testing
Matched donor number of vessels
Matched donor renal function test results unacceptable
Kidney size
Kidney anatomical damage or defect
Kidney surgical or other damage
Different kidney laterality is required
Different laterality kidney recovered then what was accepted
Candidate involved in a pending exchange with another KPD program
Candidate already transplanted, transplant in progress, or other offer being considered
Candidate cannot be contacted
Candidate's condition improved, transplant not needed
Candidate refused
Candidate ill, unavailable or temporarily unsuitable
Paired donor cannot be located
Paired donor declined to donate
Paired donor ill, unavailable, or temporarily unsuitable
Cold ischemic time
Distance to travel or ship
Logistical difficulties
Insurance issues
Program unable to participate at this time
Data entry error
No compatible or available waitlist candidates
Donor unsuitable for waitlist (e.g. age too high, creatinine clearance too low, other donor issue)
Deadline not met – Preliminary response
Deadline not met – Crossmatch arrangements
Deadline not met – Agree on crossmatch date
Deadline not met – Donor records available
Deadline not met – Crossmatch results
Deadline not met – Accept or refuse donor
Other, specify

Future matching **Would your candidate be willing to match to this donor in a future match run?**: This field is **required** if the match status is set to Match did not result in a transplant.

Yes
No

Other Specify: This field is **required**.

Primary reason Other, specify: This field is **required** if other is selected for primary reason. Valid range 1-200 characters.

Secondary reason Other, specify: This field is **required** if other is selected for secondary refusal reason. Valid range 1–200 characters.

Match Response (preliminary refuse) Match status – Transplanted

Note: If the match status is set to transplanted then the primary, secondary reason fields and the

future matching question do not display.

Select Exchange Ending Donor

When an exchange is identified, and more than one donor is paired with the candidate at the end of the chain, that center must select which donor will be the exchange ending donor.

Match run number: The unique number assigned to the donor and the donor's matched candidate.

Match run date: Date the match run was executed.

Exchange number: A system-generated number assigned to the exchange and is unique to the exchange.

Selected: When more than one exchange ending donor exists for an exchange indicate the exchange ending donor to use by selecting the radio button in the Selected column.

KPD donor ID: The KPD donor's ID.

Donor name: The KPD donor's name.

Age: The KPD donor's current age calculated by the system based on the date of birth entered in the donor record and today's date.

BMI: Body Mass Index – a measure that adjusts body weight for height. The donor's BMI is calculated based on the ratio of the weight of the body in kilograms to the square of its height in meters.

ABO: The KPD donor's blood type entered on the donor record.

Bridge: Specifies if the KPD donor is a bridge donor.

Kidney choice: KPD donor kidney choice entered on donor record.

Number of arteries: KPD donor left and right kidney arteries entered on donor record.

Number of veins: KPD donor left kidney veins entered on donor record.

Exchange ending donor donating to the Waitlist (refusal)

Preliminary response: This field is required.

Preliminary acceptance
Refusal

Match status: This field is set to Pending automatically by the system when preliminary acceptance is selected and automatically set to Match did not result in a transplant when refusal is selected for the preliminary response.

Pending transplant
Transplanted
Match did not result in a transplant

Enter the reason(s) the match did not result in a transplant:

Primary reason: Select the primary reason the match did not result in a transplant. This field is required. This field only displays if the preliminary response is set to Refuse.

Positive and unacceptable crossmatch
Unacceptable antigens (positive virtual crossmatch)
Number of HLA mismatches unacceptable
Matched donor height/weight/BMI
Matched donor age
Matched donor ABO
Matched donor social history or increased risk
Matched donor medical history
Matched donor positive serological or NAT testing
Matched donor number of vessels
Matched donor renal function test results unacceptable
Kidney size
Kidney anatomical damage or defect
Kidney surgical or other damage
Different kidney laterality is required
Different laterality kidney recovered then what was accepted
Candidate involved in a pending exchange with another KPD program
Candidate already transplanted, transplant in progress, or other offer being considered
Candidate cannot be contacted
Candidate's condition improved, transplant not needed
Candidate refused
Candidate ill, unavailable or temporarily unsuitable
Paired donor cannot be located
Paired donor declined to donate
Paired donor ill, unavailable, or temporarily unsuitable
Cold ischemic time
Distance to travel or ship
Logistical difficulties
Insurance issues
Program unable to participate at this time
Data entry error
No compatible or available waitlist candidates
Donor unsuitable for waitlist (e.g. age too high, creatinine clearance too low, other donor issue)
Deadline not met – Preliminary response
Deadline not met – Crossmatch arrangements
Deadline not met – Agree on crossmatch date
Deadline not met – Donor records available
Deadline not met – Crossmatch results
Deadline not met – Accept or refuse donor
Other, specify

Secondary reason: Select a secondary reason the match did not result in a transplant. This field

is optional.

Positive and unacceptable crossmatch
Unacceptable antigens (positive virtual crossmatch)
Number of HLA mismatches unacceptable
Matched donor height/weight/BMI
Matched donor age
Matched donor ABO
Matched donor social history or increased risk
Matched donor medical history
Matched donor positive serological or NAT testing
Matched donor number of vessels
Matched donor renal function test results unacceptable
Kidney size
Kidney anatomical damage or defect
Kidney surgical or other damage
Different kidney laterality is required
Different laterality kidney recovered then what was accepted
Candidate involved in a pending exchange with another KPD program
Candidate already transplanted, transplant in progress, or other offer being considered
Candidate cannot be contacted
Candidate's condition improved, transplant not needed
Candidate refused
Candidate ill, unavailable or temporarily unsuitable
Paired donor cannot be located
Paired donor declined to donate
Paired donor ill, unavailable, or temporarily unsuitable
Cold ischemic time
Distance to travel or ship
Logistical difficulties
Insurance issues
Program unable to participate at this time
Data entry error
No compatible or available waitlist candidates
Donor unsuitable for waitlist (e.g. age too high, creatinine clearance too low, other donor issue)
Deadline not met – Preliminary response
Deadline not met – Crossmatch arrangements
Deadline not met – Agree on crossmatch date
Deadline not met – Donor records available
Deadline not met – Crossmatch results
Deadline not met – Accept or refuse donor
Other, specify

Note: When the donor is an exchange ending donor donating to the WaitlistSM of the center that started the exchange the question: **Would your candidate be willing to match to this donor in a future match** run does not display on the match response screen when the match status is set to Match did not result in a transplant.

Exchange ending donor donating to the Waitlist (preliminary acceptance)

The crossmatch results section does not display on the match response screen when the preliminary response is set to preliminary acceptance. The donor is an exchange ending donor donating to the Waitlist of the center that started the exchange.

Preliminary Response: This field is **required**.

Preliminary acceptance
Refusal

Match status: This field is set to “Pending” automatically by the system when preliminary acceptance is selected and automatically set to “Match did not result in a transplant” when refusal is selected for the preliminary response.

Pending transplant
Transplanted
Match did not result in a transplant

Exchange Message Board Exchange Information

Match run number: Unique identifier for the match run. System generated each time match is executed. This field is read-only.

Match run date: Match run execution date. This field is read-only.

Exchange number: Unique identifier for the exchange. System generated. This field is read-only.

Match ID: Unique identifier for a match. System generated. This field is read-only.

Matched donor ID: Unique identifier for a donor. System generated. This field is read-only.

Donor name: Matched donor name. This field is read-only.

Donor center: Matched donor center code. This field is read-only.

KPD candidate ID: Unique identifier for a candidate. System generated. This field is read-only.

Candidate name: Candidate name. This field is read-only.

Candidate center: Candidate center code. This field is read-only.

Exchange Message Board Exchange activity dates

Match state: This field is read-only.

When will crossmatches will be performed?: The donor hospital must enter the date they anticipate the crossmatch will be performed. The date the sample is expected to reach the candidate HLA lab.

When were donor records available to the candidate hospital?: The donor hospital must

enter the date the donor medical records were e-mailed, faxed, or mailed overnight to the candidate hospital. If the complete donor record, including renal imaging, was uploaded in to the KPD application prior to receiving the match offer, then enter the match offer date. If the donor record was uploaded without renal imaging, enter the date the renal imaging was sent to the candidate hospital.

Crossmatch results: This field is read-only. This value is entered by the transplant center on the match response screen.

When was donor acceptance confirmed?: After the candidate hospital has reviewed the donor medical record and approved the donor the date of the approval is entered in this field.

Surgery scheduled for: This field is read-only. This date is entered by OPTN contractor. Transplant centers can report or update surgery date status by posting a message on the message board.

Exchange Message Board Message History

Alert me by email when new messages are posted: This field is not required. Check box to receive email alerts when new messages are posted. The checkbox only displays if user had an email address listed in the membership system.

Add Message: This field is not required. Text entry. Valid range: 1–4,000 characters.

#: Unique identifier for message post. This field is read-only and generated by the system each time a message post is created.

Date/time: Date and time the message was created. This field is read-only and generated by the system each time a message post is created.

Posted by: Name of the person who created the post. This field is read-only and populated by the system each time a message is created.

Center code: Center code associated with the user that created the post. This field is read-only and populated by the system each time a message is created.

Exchange name: Exchange number. This field is read-only and created by the system each time an exchange is created.

Message text: This field is read-only. Message text is entered by the TXC or KPD admin user on the Add Message screen.