

**Attachment 10**  
**Explanation for Sensitive Questions**

**Enhanced STD Surveillance Network (SSuN)**

**Revision February 2023**

**OMB# 0920-1072**

<b>Source</b>	<b>Variable Name</b>	<b>Potentially Sensitive Questions</b>	<b>Justification</b>
Attachment #5 & Attachment #8	<b>P3_PTX_Birthsex</b>	<p>What was your sex at birth (recorded on your birth certificate)?</p> <ul style="list-style-type: none"> <li>▪ 1= Male</li> <li>▪ 2=Female</li> <li>▪ 3=Intersex</li> <li>▪ 4=Unknown</li> <li>▪ 9=Refused</li> </ul>	Sex at birth is to differentiate between current gender identity and biologic sex at birth to better represent gender/sexual minorities.
	<b>P3_PTX_GendID</b>	<p>What gender or sex do you consider yourself to be?</p> <ul style="list-style-type: none"> <li>▪ 1=Male</li> <li>▪ 2=Female</li> <li>▪ 3=Male-to-Female TG</li> <li>▪ 4=Female-to-Male TG</li> <li>▪ 5=TG Unspecified</li> <li>▪ 6=Queer, Gender Non-binary</li> <li>▪ 7=Other</li> <li>▪ 8=Refused</li> </ul>	Self-perceived gender identity is behaviorally relevant and critical to understanding the epidemiology of STD risk-behaviors.
	<b>P3_PTX_GenderSP</b>	<p>During the past 12 months, have you had sex with only males, only females or both?</p> <ul style="list-style-type: none"> <li>▪ 1=Males only</li> <li>▪ 2=Females only</li> <li>▪ 3=Both Males and Females</li> <li>▪ 4=Unknown</li> <li>▪ 9=refused</li> </ul>	Gender of sex partners is relevant to STD risk and critical to understanding the epidemiology of STD risk-behaviors.
	<b>P3_PTX_TGSP</b>	<p>During the past 12 months, have you had sex with a transgender man or transgender woman?</p> <ul style="list-style-type: none"> <li>▪ 1=Yes</li> <li>▪ 2=No</li> <li>▪ 3=Don't Know /Don't Remember/ Not Sure</li> <li>▪ 4=Refused</li> </ul>	Sex partner characteristics are relevant to STD risk and critical to understanding the epidemiology of STD risk-behaviors.
	<b>P3_PTX_Sxorient</b>	<p>Do you consider yourself to be ...?</p> <ul style="list-style-type: none"> <li>▪ 1=Heterosexual/Straight (not Gay or Lesbian)</li> <li>▪ 2=Gay/Lesbian/Homosexual</li> <li>▪ 3=Bisexual</li> </ul>	Sexual orientation is behaviorally

Source	Variable Name	Potentially Sensitive Questions	Justification
		<ul style="list-style-type: none"> <li>▪ 4=Other/Don't Know</li> <li>▪ 9=Refused</li> </ul>	relevant and critical to understanding the epidemiology of STD risk-behaviors.
	<b>P3_PTX_GenderM RSP</b>	<p>Thinking back to the last time you had sex, was the person you had sex with...(male/female)?</p> <p>1=Male 2=Female 3=Male-to-Female TG 4=Female-to-Male TG 5=TG Unknown or Unspecified 9=Unknown</p>	Gender of most recent sex partner is relevant to STD risk and critical to understanding the epidemiology of STD risk-behaviors.
	<b>F1_sex_BC</b>	<p>What is the patient's sex documented by the birth certificate?</p> <p>1= Male 2= Female 3=Intersex 4=Unknown</p>	Establishes sex at birth to compare with self-perceived gender identity
	<b>F1_gender</b>	<p>What is the patient's gender?</p> <p>1= Male 2= Female 3=Transgender M to F 4=Transgender F to M 5=Transgender unspecified 6= Other 9= Not captured</p>	Self-perceived gender identity is behaviorally relevant and critical to understanding the epidemiology of STD risk-behaviors.
	<b>F1_MENSEX</b>	<p>How many male sex partners has the patient had in the last 3 months?</p>	Establishes sexual activity profile and is relevant to STD risk and understanding the epidemiology of STD risk-behaviors
	<b>F1_FEMSEX</b>	<p>How many female sex partners has the patient had in the last 3 months?</p>	Establishes sexual activity profile and is

Source	Variable Name	Potentially Sensitive Questions	Justification
			relevant to STD risk and understanding the epidemiology of STD risk-behaviors
	<b>F1_TRANSEX</b>	How many transgender sex partners has the patient had in the last 3 months?	Establishes sexual activity profile and is relevant to STD risk and understanding the epidemiology of STD risk-behaviors
	<b>F1_MSM_12</b>	Does the male patient have a history of having male sex partners in the previous 12 months?	Establishes sexual activity profile and is relevant to STD risk and understanding the epidemiology of STD risk-behaviors
	<b>F1_Sexor3</b>	Has the patient had sex with men, women, or both over the past 3 months?	Sites must either collect both F1_MENSEX, F1_FEMSEX, F1_TRANSEX or both F1_SEXOR3 and NUMSEX. It is NOT necessary to collect all 5 variables.
	<b>F1_Sexuality</b>	Does the patient consider him/herself gay (homosexual), straight, or bisexual? 1 = gay/homosexual 2= straight/heterosexual 3= bisexual 4= Other 9 = Not captured	Constructs a self-identified sexual activity profile of the patient
	<b>F1_HIV_partner</b>	Does the patient report having sex with a	Knowledge and

Source	Variable Name	Potentially Sensitive Questions	Justification
		known HIV positive partner in the last 12 months? 1= Yes 2= No 3= Unsure/ doesn't know 9= Not captured	behaviors of STD/HIV prevention among patients provide critical insight into ongoing risk
	<b>NS1_Gender</b>	What is your current gender identity? 1= Male 2= Female 3=Transgender M to F 4=Transgender F to M 5=Transgender unspecified 6= Other 9= Unknown	Self-perceived gender identity is behaviorally relevant and critical to understanding the epidemiology of STD risk- behaviors.
	<b>NS1_Sex</b>	What is the patient's sex documented by the birth certificate? 1= Male 2= Female 9=Unknown	Establishes sex at birth to compare with self-perceived gender identity
		Does the patient consider him/herself gay (homosexual), straight, or bisexual? 1 = gay/homosexual 2= straight/heterosexual 3= bisexual 4= Other 9 = Not captured	Constructs a self-identified sexual activity profile of the patient