

COVID-19 is an emerging, rapidly evolving situation.

Get the latest public health information from CDC  
 Get the latest research information from NIH  
 NIH staff guidance on coronavirus (NIH Only)

Home > Parents > What Is Noise-Induced Hearing Loss?

# What Is Noise-Induced Hearing Loss?

SHARE   

Many enjoyable sounds that we hear every day are at safe levels that won't damage our hearing. However, sounds can be harmful when they are too loud—even for a short time—or when they are long-lasting, even if they are not quite as loud. These sounds can damage part of the inner ear and cause permanent hearing loss. This permanent hearing loss can then worsen over a lifetime.

## Who Is Affected?

Hearing loss from noise can happen to anyone at any age. Analyses from nationally representative health interview and examination surveys found that about one in seven U.S. teens ages 12 to 19 years (13-18 percent), and nearly one in four (24 percent) U.S. adults ages 20 to 69 years has features of his or her hearing test in one or both ears that suggest noise-induced hearing loss (NIHL).



## How Do We Hear?

To understand how loud noises can damage our hearing, we have to understand how we hear. Hearing depends on a series of complex steps

### Languages

- Español

### Publications

Download or order free Planet publications!

### Related Content

What Is That Buzzing in My Ears?



Did you find the information on this page useful? ✕

Yes

No

**Submit**

OMB#: 0925-0648 Form Approved.  
 Exp. Date: 2024-06-30

Please take a few minutes to provide your feedback about our webpage to help inform future website improvements.

## COVID-19 is an emerging, rapidly evolving situation.

Get the latest public health information from CDC  
 Get the latest research information from NIH  
 NIH staff guidance on coronavirus (NIH Only)

Home > Parents > What Is Noise-Induced Hearing Loss?

# What Is Noise-Induced Hearing Loss?

SHARE   

Many enjoyable sounds that we hear every day are at safe levels that won't damage our hearing. However, sounds can be harmful when they are too loud—even for a short time—or when they are long-lasting, even if they are not quite as loud. These sounds can damage part of the inner ear and cause permanent hearing loss. This permanent hearing loss can then worsen over a lifetime.

### Who Is Affected?

Hearing loss from noise can happen to anyone at any age. Analyses from nationally representative health interview and examination surveys found that about one in seven U.S. teens ages 12 to 19 years (13-18 percent), and nearly one in four (24 percent) U.S. adults ages 20 to 69 years has features of his or her hearing test in one or both ears that suggest noise-induced hearing loss (NIHL).



### How Do We Hear?

To understand how loud noises can damage our hearing, we have to understand how we hear. Hearing depends on a series of complex steps

#### Languages

- [Español](#)

#### Publications

[Download or order free Planet publications!](#)

#### Related Content

[What Is That Buzzing in My Ears?](#)



#### Why wasn't the information on this page useful to you? ✕

- The page didn't have the information I was looking for.
- The information was not clear.
- The information needed more detail.
- Something on the page wasn't working.
- Another reason not listed here.

[Submit](#)

COVID-19 is an emerging, rapidly evolving situation.  
 Get the latest public health information from CDC  
 Get the latest research information from NIH  
 NIH staff guidance on coronavirus (NIH Only)

Home > Parents > What Is Noise-Induced Hearing Loss?

# What Is Noise-Induced Hearing Loss?

SHARE   

Many enjoyable sounds that we hear every day are at safe levels that won't damage our hearing. However, sounds can be harmful when they are too loud—even for a short time—or when they are long-lasting, even if they are not quite as loud. These sounds can damage part of the inner ear and cause permanent hearing loss. This permanent hearing loss can then worsen over a lifetime.

## Who Is Affected?

Hearing loss from noise can happen to anyone at any age. Analyses from nationally representative health interview and examination surveys found that about one in seven U.S. teens ages 12 to 19 years (13-18 percent), and nearly one in four (24 percent) U.S. adults ages 20 to 69 years has features of his or her hearing test in one or both ears that suggest noise-induced hearing loss (NIHL).



## How Do We Hear?

To understand how loud noises can damage our hearing, we have to understand how we hear. Hearing depends on a series of complex steps

### Languages

- [Español](#)

### Publications

[Download or order free Planet publications!](#)

### Related Content

[What Is That Buzzing in My Ears?](#)



What information were you looking for today? ✕

- Information about hearing protection and hearing loss
- Teaching resources for educators
- News stories about hearing health and the Noisy Planet campaign
- Interactive activities, such as crossword puzzles and quizzes
- Multimedia, such as videos and shareable images

[Submit](#)



## COVID-19 is an emerging, rapidly evolving situation.

- Get the latest public health information from CDC
- Get the latest research information from NIH
- NIH staff guidance on coronavirus (NIH Only)

[Home](#) > [Parents](#) > [What Is Noise-Induced Hearing Loss?](#)

# What Is Noise-Induced Hearing Loss?

SHARE   

Many enjoyable sounds that we hear every day are at safe levels that won't damage our hearing. However, sounds can be harmful when they are too loud—even for a short time—or when they are long-lasting, even if they are not quite as loud. These sounds can damage part of the inner ear and cause permanent hearing loss. This permanent hearing loss can then worsen over a lifetime.

## Who Is Affected?

Hearing loss from noise can happen to anyone at any age. Analyses from nationally representative health interview and examination surveys found that about one in seven U.S. teens ages 12 to 19 years (13-18 percent), and nearly one in four (24 percent) U.S. adults ages 20 to 69 years has features of his or her hearing test in one or both ears that suggest noise-induced hearing loss (NIHL).



## How Do We Hear?

To understand how loud noises can damage our hearing, we have to understand how we hear. Hearing depends on a series of complex steps

### Languages

- [Español](#)


### Publications

[Download or order free Noisy Planet publications!](#)

### Related Content

[What Is That Buzzing in My Ears?](#)



How can we improve this page? 

[Submit](#)

COVID-19 is an emerging, rapidly evolving situation.

Get the latest public health information from CDC  
 Get the latest research information from NIH  
 NIH staff guidance on coronavirus (NIH Only)

Home > Parents > What Is Noise-Induced Hearing Loss?

# What Is Noise-Induced Hearing Loss?

SHARE   

Many enjoyable sounds that we hear every day are at safe levels that won't damage our hearing. However, sounds can be harmful when they are too loud—even for a short time—or when they are long-lasting, even if they are not quite as loud. These sounds can damage part of the inner ear and cause permanent hearing loss. This permanent hearing loss can then worsen over a lifetime.

## Who Is Affected?

Hearing loss from noise can happen to anyone at any age. Analyses from nationally representative health interview and examination surveys found that about one in seven U.S. teens ages 12 to 19 years (13-18 percent), and nearly one in four (24 percent) U.S. adults ages 20 to 69 years has features of his or her hearing test in one or both ears that suggest noise-induced hearing loss (NIHL).



## How Do We Hear?

To understand how loud noises can damage our hearing, we have to understand how we hear. Hearing depends on a series of complex steps

### Languages

- Español


### Publications

Download or order free Noisy Planet publications!

### Related Content

What Is That Buzzing in My Ears?



Are you a: 

Parent

Kid/teen

Educator/health professional

**Submit**

**COVID-19 is an emerging, rapidly evolving situation.**

Get the latest public health information from CDC  
 Get the latest research information from NIH  
 NIH staff guidance on coronavirus (NIH Only)

[Home](#) > [Parents](#) > [What Is Noise-Induced Hearing Loss?](#)

# What Is Noise-Induced Hearing Loss?

SHARE   

Many enjoyable sounds that we hear every day are at safe levels that won't damage our hearing. However, sounds can be harmful when they are too loud—even for a short time—or when they are long-lasting, even if they are not quite as loud. These sounds can damage part of the inner ear and cause permanent hearing loss. This permanent hearing loss can then worsen over a lifetime.

## Who Is Affected?

Hearing loss from noise can happen to anyone at any age. Analyses from nationally representative health interview and examination surveys found that about one in seven U.S. teens ages 12 to 19 years (13-18 percent), and nearly one in four (24 percent) U.S. adults ages 20 to 69 years has features of his or her hearing test in one or both ears that suggest noise-induced hearing loss (NIHL).



## How Do We Hear?

To understand how loud noises can damage our hearing, we have to understand how we hear. Hearing depends on a series of complex steps

### Languages

- [Español](#)


### Publications

[Download or order free Noisy Planet publications!](#)

### Related Content

[What Is That Buzzing in My Ears?](#)



Closing in 5 seconds 

Thank you for your feedback.

OMB#: 0925-0648 Form Approved.  
 Exp. Date: 2024-06-30



# Data Safeguarding and Privacy

All uses of web measurement and customization technologies comply with existing policies with respect to privacy and data safeguarding standards. Information technology (IT) systems owned and operated by the NIH are assessed using [Privacy Impact Assessments \(PIAs\)](#) posted for public view on the Department of Health and Human Services (HHS) website. The NIH conducts and publishes a PIA for each use of a third-party website and application (TPWA) as they may have a different functionality or practice. TPWA PIAs are posted for public view on the HHS website.

Groups of records that contain information about an individual and are designed to be retrieved by the name or other personal identifier linked to the individual are covered by the Privacy Act of 1974, as amended (5 U.S.C. Section 552a). For these records, the NIH Systems of Record Notices are published in the Federal Register and posted on the [NIH Office of the Senior Official for Privacy](#) website. For more information, please refer to the [NIH Web Privacy Notice](#) posted on the NIH.gov website.

## Data Retention and Access Limits

The NIDCD will retain data collected using the above technologies long enough to achieve the specified objective for which they were collected. The data generated from these activities fall under the National Archives and Records Administration (NARA) General Records Schedule (GRS) 20-item1c "Electronic Records," and will be handled per the requirements of that schedule.

## Survey Disclaimer


OMB#: 0925-0648 Exp. Date 6/30/2024

Public reporting burden for this collection of information is estimated to average two minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0648).

## Social Media and Third-Party Websites

### Links to Non-Federal Websites

Our website has links to many other organizations. Once you follow a link to any other site, you are subject to its privacy policy.

The NIDCD is incorporating use of this graphic notice () to indicate that you are leaving the NIDCD ([www.nidcd.nih.gov](http://www.nidcd.nih.gov)) website and going to a non-federal website. Additional information about NIDCD's external link disclaimer includes the following:

- The external website provides additional information that is consistent with the intended purpose of the NIDCD website.
- The NIDCD cannot attest to the accuracy of a non-federal website.
- Linking to a non-federal site does not constitute an endorsement by the NIDCD or any of its employees of the sponsors, information, or products presented on the destination site.
- You will be subject to the destination site's privacy policy when you follow the link.

For more information on exit notifications and disclaimers for non-federal websites, the [HHS Web standards](#) may be helpful.

Third-party websites and applications are web-based technologies that are not exclusively operated or controlled by the NIDCD, such as non-Government-hosted applications and those embedded on an NIDCD web page that could cause personally identifiable information to become available or accessible to the NIDCD, regardless of whether NIDCD solicits or collects it.

As part of the [Open Government Directive](#), the NIDCD uses new technologies and social media options to communicate and interact with citizens. These sites and applications include popular social networking and media sites such as Facebook, Twitter, and YouTube. Below, we outline the applications the NIDCD uses and their purposes. If any applications collect your private information, we describe how the NIDCD protects your information.