PRA Disclosure Statement

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-0842**, Expiration date: XX-XX-XXXX. The time required to complete this information collection is estimated to average **1 hour and 46 minutes** per assessment, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850. ***CMS Disclaimer***Please do not send applications, claims, payments, medical records or any documents containing sensitive information to the PRA Reports Clearance Office. Please note that any correspondence not pertaining to the information collection burden approved under the associated OMB control number listed on this form will not be reviewed, forwarded, or retained. If you have questions or concerns regarding where to submit your documents, please contact Ariel Cress at Ariel. Cress@cms.hhs.gov.

INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT

Identification Information			Medical Information					
1.	Facility Information		21.	. In	npairment Group*			
	A. Facility Name				1		Admission	Discharge
			Cor	onditi	ion requiring admission	to rehabilitation	; code accordin	g to Appendix A.
			22.		tiologic Diagnosis			A
_				ìh	Jse ICD codes to indica nat led to the condition f eceiving rehabilitation)			B C
	B. Facility Medicare Provider Number		23.		ate of Onset of Impairn	nent	/ /	
2.	Patient Medicare Number				•	M	/_ M / DD / YYY	Y
3.	Patient Medicaid Number		24.	. Co	omorbid Conditions			
4.	Patient First Name				se ICD codes to enter c	omorbid medical		
5A.	Patient Last Name				A	J		
5B.	Patient Identification Number				B	K		
6.	Birth Date	/			C	L		
		MM / DD / YYYY			D	M		
7.	Social Security Number				E	N		·
8.	Gender (1 - Male; 2 - Female)				F	0		·
10.	Marital Status				G	P		
	(1 - Never Married; 2 - Married; 3 - Widowed;				Н	Q		
11	4 - Separated; 5 - Divorced)			1	I	R		
11.	Zip Code of Patient's Pre-Hospital Residence		244		a a se	100		122 112441
12.	Admission Date	MM / DD / YYYY	24A		re there any arthritis con l of the regulatory requi			
13.	Assessment Reference Date	/ / MM / DD / YYYY			(x), (xi), and (xii))?			; 1 - Yes)
14.	Admission Class	WINT DD / TTTT						,
	(1 - Initial Rehab;; 3 - Readmission;		1		ight and Weight			_
	4 - Unplanned Discharge; 5 - Continuing Rehabili	tation)			hile measuring if the nu nd up)	mber is X.1-X.4 r	ound down, X.5	5 or greater
15A	. Admit From		25/	5A. H	Ieight on admission (in	inches)		
	(01- Home (private home/apt., board/care, assisted transitional living, other residential care arrangem	ents); 02- Short-term	26 <i>A</i>	6A. W	Veight on admission (in	pounds)		
	General Hospital; 03 - Skilled Nursing Facility (SN care; 06 - Home under care of organized home hed organization; 50 - Hospice (home); 51 - Hospice (to Swing bed; 62 - Another Inpatient Rehabilitation 163 - Long-Term Care Hospital (LTCH); 64 - Medi 65 - Inpatient Psychiatric Facility; 66 - Critical Act 99 - Not Listed)	nlth service nedical facility); 61 - Facility; caid Nursing Facility;			easure weight consister .g., in a.m. after voiding			ity practice
16A	. Pre-hospital Living Setting							
	Use codes from 15A. Admit From							
17.	Pre-hospital Living With							
	(Code only if item 16A is 01- Home: Code using 01 02 - Family/Relatives; 03 - Friends; 04 - Attendant							
			1					

^{*} The impairment codes incorporated or referenced herein are the property of U B Foundation Activities, Inc. ©1993, 2001 U B Foundation Activities, Inc.

	Discharge Inf	formation	Therapy Information	
40.	Discharge Date	/	O0401. Week 1: Total Number of Minutes Provided	
	· ·	MM / DD / YYYY	O0401A: Physical Therapy	
41.	Patient discharged against medical a	dvice?	a. Total minutes of individual therapy	ļ
		(0 - No; 1 - Yes)	b. Total minutes of concurrent therapy	
42.	Program Interruption(s)		c. Total minutes of group therapy	
72.	1 Togram Interruption(3)	(0 - No; 1 - Yes)	d. Total minutes of co-treatment therapy	
43.	Program Interruption Dates			
	(Code only if item 42 is 1 - Yes)		O0401B: Occupational Therapy	ļ
	A. 1 st Interruption Date B.	1 st Return Date	a. Total minutes of individual therapy	
	71. I interruption But.	1 Return Bute	b. Total minutes of concurrent therapy	
	MM / DD / YYYY	MM / DD / YYYY	c. Total minutes of group therapy	
			d. Total minutes of co-treatment therapy	
(C. 2 nd Interruption Date D.	2 nd Return Date	O0401C: Speech-Language Pathology	
			a. Total minutes of individual therapy	
	MM / DD / YYYY	MM / DD / YYYY	b. Total minutes of concurrent therapy	_
			c. Total minutes of group therapy	
]	E. 3 rd Interruption Date F.	3 rd Return Date	d. Total minutes of co-treatment therapy	
	NOT (DD (MANA)			
	MM / DD / YYYY	MM / DD / YYYY	O0402. Week 2: Total Number of Minutes Provided	
44C.	. Was the patient discharged alive?		O0402A: Physical Therapy	
		(0 - No; 1 - Yes)	a. Total minutes of individual therapy	
44D	. Patient's discharge destination/living	g setting, using codes below: (answer	b. Total minutes of concurrent therapy	
	only if $44C = 1$; if $44C = 0$, skip to it	tem 46)	c. Total minutes of group therapy	
			d. Total minutes of co-treatment therapy	
	(01- Home (private home/apt., board transitional living, other residential			
	General Hospital; 03 - Skilled Nursi	ing Facility (SNF); 04 - Intermediate	O0402B: Occupational Therapy	
	care; 06 - Home under care of organ organization; 50 - Hospice (home);		a. Total minutes of individual therapy	
	Swing bed; 62 - Another Inpatient Re		b. Total minutes of concurrent therapy	
	Term Care Hospital (LTCH); 64 - M	ledicaid Nursing Facility; 65 -	c. Total minutes of group therapy	
	Inpatient Psychiatric Facility; 66 - (Not Listed)	Critical Access Hospital (CAH); 99 -	d. Total minutes of co-treatment therapy	
45	ŕ		O0402C: Speech-Language Pathology	
45.	Discharge to Living With (Code only if item 44C is 1 - Yes and	d 44D is 01 Homes Code using 1	a. Total minutes of individual therapy	
	Alone; 2 - Family / Relatives; 3 - Fri		b. Total minutes of concurrent therapy	
	5 - Other)		c. Total minutes of group therapy	
46.	Diagnosis for Interruption or Death		d. Total minutes of co-treatment therapy	
	(Code using ICD code)			
47.	Complications during rehabilitation	stav		
	(Use ICD codes to specify up to six of	-		
	began with this rehabilitation stay)			
	A	В		
	C	D		
	E	F		

INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT QUALITY INDICATORS

ADMISSION

Section A	Administrative Information						
A1005. Ethnicity Are you of Hispanic, Latino/a, or Spanish origin?							
↓ Chec	k all that apply						
	A. No, not of Hispanic, Latino/a, or Spanish origin						
В.	Yes, Mexican, Mexican American, Chicano/a						
c.	C. Yes, Puerto Rican						
D.	Yes, Cuban						
E.	Yes, another Hispanic, Latino, or Spanish origin						
☐ x.	Patient unable to respond						
Y.	Patient declines to respond						
A1010. Rac What is your							
↓ Chec	k all that apply						
A.	White						
П В.	Black or African American						
c.	American Indian or Alaska Native						
D.	Asian Indian						
E.	Chinese						
☐ F.	Filipino						
G.	Japanese						
П н.	Korean						
I.	Vietnamese						
J.	Other Asian						
П к.	Native Hawaiian						
L.	Guamanian or Chamorro						
П м.	Samoan						
□ N.	Other Pacific Islander						
☐ x.	Patient unable to respond						
Y.	Patient declines to respond						
Z.	None of the above						

I. Private managed care

J. Self-pay

X. Unknown Y. Other

K. No Payer source

Patient Identifier

ADMISSION

Section	B Hearing, Speech, and Vision						
B0200. H	B0200. Hearing						
Enter Code	Ability to hear (with hearing aid or hearing appliances if normally used) 0. Adequate - no difficulty in normal conversation, social interaction, listening to TV 1. Minimal difficulty - difficulty in some environments (e.g., when person speaks softly or setting is noisy) 2. Moderate difficulty - speaker has to increase volume and speak distinctly 3. Highly impaired - absence of useful hearing						
B1000. V	ision						
Enter Code	Ability to see in adequate light (with glasses or other visual appliances) 0. Adequate - sees fine detail, such as regular print in newspapers/books 1. Impaired - sees large print, but not regular print in newspapers/books 2. Moderately impaired - limited vision; not able to see newspaper headlines but can identify objects 3. Highly impaired - object identification in question, but eyes appear to follow objects 4. Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects						
How ofte	ealth Literacy (from Creative Commons©) n do you need to have someone help you when you read instructions, pamphlets, or other written material from your pharmacy?						
Enter Code	 Never Rarely Sometimes Often Always Patient declines to respond Patient unable to respond 						
The Single	Item Literacy Screener is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.						
BB0700.	Expression of Ideas and Wants (3-day assessment period)						
Enter Code	 Expression of ideas and wants (consider both verbal and non-verbal expression and excluding language barriers) Expresses complex messages without difficulty and with speech that is clear and easy to understand Exhibits some difficulty with expressing needs and ideas (e.g., some words or finishing thoughts) or speech is not clear Frequently exhibits difficulty with expressing needs and ideas Rarely/Never expresses self or speech is very difficult to understand 						
BB0800.	Understanding Verbal and Non-Verbal Content (3-day assessment period)						
Enter Code	 Understanding verbal and non-verbal content (with hearing aid or device, if used, and excluding language barriers) 4. Understands: Clear comprehension without cues or repetitions 3. Usually understands: Understands most conversations, but misses some part/intent of message. Requires cues at times to understand 						

2. Sometimes understands: Understands only basic conversations or simple, direct phrases. Frequently requires cues to understand

1. Rarely/never understands

Patient Identifier

ADMISSION

Section	C Cognitive Patterns					
	CO100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted? (3-day assessment period) Attempt to conduct interview with all patients.					
Enter Code	 O. No (patient is rarely/never understood) → Skip to C0900, Memory/Recall Ability Yes → Continue to C0200, Repetition of Three Words 					
Brief Inte	rview for Mental Status (BIMS)					
C0200. R	epetition of Three Words					
	Ask patient: "I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue and bed. Now tell me the three words."					
Enter Code	Number of words repeated after first attempt 3. Three 2. Two 1. One 0. None					
	After the patient's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may repeat the words up to two more times.					
C0300. To	emporal Orientation (orientation to year, month, and day)					
Enter Code	Ask patient: "Please tell me what year it is right now." A. Able to report correct year 3. Correct 2. Missed by 1 year 1. Missed by 2 - 5 years 0. Missed by > 5 years or no answer					
Enter Code	Ask patient: "What month are we in right now?" B. Able to report correct month 2. Accurate within 5 days 1. Missed by 6 days to 1 month 0. Missed by > 1 month or no answer					
Enter Code	Ask patient: "What day of the week is today?" C. Able to report correct day of the week 1. Correct 0. Incorrect or no answer					
C0400. R	ecall					
Enter Code	Ask patient: "Let's go back to an earlier question. What were those three words that I asked you to repeat?" If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word. A. Able to recall "sock" 2. Yes, no cue required 1. Yes, after cueing ("something to wear") 0. No - could not recall					
Enter Code	B. Able to recall "blue" 2. Yes, no cue required 1. Yes, after cueing ("a color") 0. No - could not recall					
Enter Code	C. Able to recall "bed" 2. Yes, no cue required 1. Yes, after cueing ("a piece of furniture")					

0. **No** - could not recall

Patient Identifier

ADMISSION

Section C Cognitive Patterns					
Brief Interview for Mental Status (BIMS) - Continued					
C0500. BIMS Summary Score	e				
	stions C0200-C0400 and fill in total score (00-15) ent was unable to complete the interview				
C0600. Should the Staff Ass	essment for Mental Status (C0900) be Conducted?				
The state of the s	s able to complete Brief Interview for Mental Status) \longrightarrow Skip to C1310, Signs and Symptoms of Delirium s unable to complete Brief Interview for Mental Status) \longrightarrow Continue to C0900, Memory/Recall Ability				
Staff Assessment for Mental	Status				
Do not conduct if Brief Interview f	or Mental Status (C0200-C0500) was completed.				
C0900. Memory/Recall Ability	ty (3-day assessment period)				
↓ Check all that the patier	nt was normally able to recall				
A. Current season					
B. Location of own					
C. Staff names and					
	a hospital/hospital unit				
Z. None of the above					
C1310. Signs and Symptom	s of Delirium (from CAM©)				
Code after completing Brief Inter	view for Mental Status or Staff Assessment, and reviewing medical record.				
A. Acute Onset Mental Statu	s Change				
Enter Code Is there evidence of 0. No 1. Yes	an acute change in mental status from the patient's baseline?				
Coding:	↓ Enter Code in Boxes				
∩. Behavior not present Behavior continuously present,	B. Inattention - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said?				
does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in	C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?				
severity)	D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? • vigilant - startled easily to any sound or touch • lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch • stuporous - very difficult to arouse and keep aroused for the interview • comatose - could not be aroused				
Adapted from: Inouye SK, et al. An Not to be reproduced without pern	n Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. nission.				

Patient Identifier

ADMISSION

Section D	Mood
-----------	------

D0150. Patient Mood Interview (PHQ-2 to 9) (from Pfizer Inc.©)

Determine if the patient is rarely/never understood verbally, in writing, or using another method. If rarely/never understood, code D0150A1 and D0150B1 as 9, No response, leave D0150A2 and D0150B2 blank, end the PHQ-2 interview, and leave D0160, Total Severity Score blank. Otherwise, say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the patient: "About how often have you been bothered by this?"

, , , , , , , , , , , , , , , , , , , ,	n frequency choices. Indicate response in column 2, symptom Freq	uency.		
1. Symptom Presence 0. No (enter 0 in column 2) 1. Yes (enter 0-3 in column 2)	2. Symptom Frequency0. Never or 1 day1. 2-6 days (several days)	_	1. mptom resence	2. Symptom Frequency
9. No response (leave column 2 blank)	2. 7-11 days (half or more of the days)3. 12-14 days (nearly every day)	1	Enter Sco	res in Boxes ↓
A. Little interest or pleasure in doing things				
B. Feeling down, depressed, or hopeless				
If both D0150A1 and D0150B1 are coded 9, Octontinue.	R both D0150A2 and D0150B2 are coded 0 or 1, END the PH	Q inter	rview; othe	erwise,
C. Trouble falling or staying asleep, or sleeping t	too much			
D. Feeling tired or having little energy				
E. Poor appetite or overeating				
F. Feeling bad about yourself – or that you are a	failure or have let yourself or your family down			
G. Trouble concentrating on things, such as reac	ling the newspaper or watching television			
H. Moving or speaking so slowly that other peo restless that you have been moving around	ple could have noticed. Or the opposite – being so fidgety or a lot more than usual			
I. Thoughts that you would be better off dead, o	or of hurting yourself in some way			
Copyright © Pfizer Inc. All rights reser	ved. Reproduced with permission.			
D0160. Total Severity Score				
Add scores for all frequency responses in column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)				
D0700. Social Isolation How often do you feel lonely or isolated from	those around you?			
O. Never 1. Rarely 2. Sometimes 3. Often	anose anouna you.			

4. Always

7. Patient declines to respond 8. Patient unable to respond

		OMB No. 0938-0842
Patient	Identifier	Date

Section Functional Abilities					
_	GG0100. Prior Functioning: Everyday Activities. Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury.				
Coding:		↓ Enter Codes in Boxes			
3. Independent - Patient comp activities by themself, with assistive device, with no ass	or without an	A. Self-Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.			
helper. 2. Needed Some Help - Patient needed partial assistance from another person to complete any activities. 1. Dependent - A helper completed all the activities for the patient. 8. Unknown 9. Not Applicable		B. Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.			
		C. Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.			
		D. Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.			
GG0110. Prior Device Use.	ndicate devices and aid	Is used by the patient prior to the current illness, exacerbation, or injury.			
Check all that apply					
A. Manual wheelchair B. Motorized wheelchair and/or scooter					
C. Mechanical lift					
D. Walker	D. Walker				
E. Orthotics/Prosth	etics				
Z. None of the abo	ve				

Section Functional Abilities

GG0130. Self-Care (3-day assessment period)

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

Admission Performance		
↓ Enter Cod	es in Boxes 🖟	
		A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
		B. Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
		C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
		E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
		F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
		G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
		H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

Section

Functional Abilities

GG0170. Mobility (3-day assessment period)

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Patient completes the activity by themself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

Admission Performance		
↓ Enter Code	es in Boxes ↓	
		A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
		B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
		C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.
		D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
		E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
		F. Toilet transfer: The ability to get on and off a toilet or commode.
		G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
		I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 8. Skip to GG0170M, 1 step (curb)
		J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.
		K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.

OMB No. 0938-0842

ADMISSION

Section

Functional Abilities

GG0170. Mobility (3-day assessment period) - Continued

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

Admission Performance				
▼ Enter Code	es in Boxes 🔻			
		L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.		
		M. 1 step (curb): The ability to go up and down a curb or up and down one step.		
		If admission performance is coded 07, 09, 10, or 8⊦→Skip to GG0170P, Picking up object		
		N. 4 steps: The ability to go up and down four steps with or without a rail.		
		If admission performance is coded 07, 09, 10, or 8→ Skip to GG0170P, Picking up object		
		D. 12 steps: The ability to go up and down 12 steps with or without a rail.		
		P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.		
		Q1. Does the patient use a wheelchair and/or scooter?		
		0. No → Skip to H0350, Bladder Continence		
		1. Yes → Continue to GG0170R, Wheel 50 feet with two turns		
		R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.		
		RR1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized		
		S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.		
		SS1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized		

AD	M	ISSI	0	N
AD		33	v	17

Section	on	Bladder and Bowel
H0350.	Bladder Continence	(3-day assessment period)
Enter Code	O. Always contine Stress incontine Incontinent les Incontinent dai Always incontinent Inc	s than daily (e.g., once or twice during the 3-day assessment period) ly (at least once a day)
H0400. E	Bowel Continence (3	day assessment period)
Enter Code	Always contine Cocasionally in Frequently inco Always incontin	relect the one category that best describes the patient. continent (one episode of bowel incontinence) ontinent (2 or more episodes of bowel incontinence, but at least one continent bowel movement) nent (no episodes of continent bowel movements) ent had an ostomy or did not have a bowel movement for the entire 3 days
Section	ı I	Active Diagnoses

Section J Health Conditions

10900. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)

12900. Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)

Comorbidities and Co-existing Conditions

Check all that apply

17900. None of the above

J0510. Pain Effect on Sleep Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?" Enter Code 0. Does not apply - I have not had any pain or hurting in the past 5 days -> Skip to J1750, History of Falls 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer J0520. Pain Interference with Therapy Activities Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?" Enter Code 0. Does not apply - I have not received rehabilitation therapy in the past 5 days 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer

			MB No. 0938-0842
Patient	Identifier	 Date	
		_	

Λ		N A	ISS	N
H	U	V	133	1

	7(5)*11331311	
Section J	Health Conditions	
J0530. Pain Interference	with Day-to-Day Activities	
Ask patient: "Over sessions) because 1. Rarely or no 2. Occasionally 3. Frequently 4. Almost cons 8. Unable to a	ot at all y stantly	ition therapy
J1750. History of Falls		
Enter Code Has the patient had 0. No 1. Yes 8. Unknown	I two or more falls in the past year or any fall with injury in the past year?	
J2000. Prior Surgery		
Enter Code Did the patient has 0. No 1. Yes 8. Unknown	ve major surgery during the 100 days prior to admission ?	
Section K	Swallowing/Nutritional Status	
K0520. Nutritional Appro Check all of the following n	aches autritional approaches that apply on admission.	
		1. On Admission
		Check all that apply
A. Parenteral/IV feeding		<u> </u>
B. Feeding tube (e.g., nasoga	stric or abdominal (PEG))	
C. Mechanically altered diet	- require change in texture of food or liquids (e.g., pureed food, thickened liquids)	
D. Therapeutic diet (e.g., low	salt, diabetic, low cholesterol)	
Z. None of the above		
Section M	Skin Conditions	
Report based on his	ghest stage of existing ulcers/injuries at their worst; do not "rever	se" stage
M0210. Unhealed Pressur	e Ulcers/Injuries	
0. No → Skip	have one or more unhealed pressure ulcers/injuries? o to N0415, High-Risk Drug Classes: Use and Indication ntinue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	

Section M Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0300.	Cur	Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage					
Enter Number	A.	A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin ma not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.					
		1. Number of Stage 1 pressure injuries					
Enter Number	B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May a present as an intact or open/ruptured blister.						
		1. Number of Stage 2 pressure ulcers					
Enter Number	c.	C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.					
	1. Number of Stage 3 pressure ulcers						
Enter Number	D.	Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.					
		1. Number of Stage 4 pressure ulcers					
Enter Number	E.	Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device					
		1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device					
Enter Number	F.	Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar					
		1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar					
Enter Number	G.	Unstageable - Deep tissue injury					
		1. Number of unstageable pressure injuries presenting as deep tissue injury					

		Oi	VID 110, 0330-0042
Patient	Identifier	Date	

Δ	D	NΛ	ISS		N
$\overline{}$			133	-	

Section N	Medications				
N0415. High-Risk Drug Cla	sses: Use and Indication				
Is taking Check if the patient is taking used, in the following classe:	any medications by pharmacological classification, not how it is	1. Is taking	2. Indication noted		
2. Indication noted If column 1 is checked, check	k if there is an indication noted for all medications in the drug class	Check all that apply	Check all that apply ↓		
A. Antipsychotic					
E. Anticoagulant					
F. Antibiotic					
H. Opioid					
I. Antiplatelet					
J. Hypoglycemic (including ins	sulin)				
Z. None of the above					
N2001. Drug Regimen Rev	iew				
0. No - No issue: 1. Yes - Issues fo	Did a complete drug regimen review identify potential clinically significant medication issues? O. No - No issues found during review Skip to 00110, Special Treatments, Procedures, and Programs 1. Yes - Issues found during review Continue to N2003, Medication Follow-up 9. Not applicable - Patient is not taking any medications Skip to 00110, Special Treatments, Procedures, and Programs				
N2003. Medication Follow-					
	tact a physician (or physician-designee) by midnight of the next ions in response to the identified potential clinically significant m		olete prescribed/		
Section O	Special Treatments, Procedures, and Program	ns			
-	s, Procedures, and Programs eatments, procedures, and programs that apply on admission.				
			a. On Admission		
			Check all that apply		
			↓		
Cancer Treatments					
A1. Chemotherapy					
A2. IV A3. Oral					
A10. Other					
B1. Radiation					
Respiratory Therapies			_		
C1. Oxygen Therapy					
C2. Continuous					
C3. Intermittent					
C4. High-concentration					

_____ Da

ADMISSION Section O Special Treatments, Procedures, and Programs **O0110. Special Treatments, Procedures, and Programs - Continued** Check all of the following treatments, procedures, and programs that apply on admission. On Admission Check all that apply **Respiratory Therapies (continued) D1. Suctioning** D2. Scheduled D3. As Needed E1. Tracheostomy care F1. Invasive Mechanical Ventilator (ventilator or respirator) G1. Non-Invasive Mechanical Ventilator G2. BiPAP G3. CPAP Other **H1. IV Medications H2. Vasoactive medications H3. Antibiotics** H4. Anticoagulation H10. Other 11. Transfusions J1. Dialysis J2. Hemodialysis J3. Peritoneal dialysis O1. IV Access O2. Peripheral O3. Midline O4. Central (e.g., PICC, tunneled, port)

None of the Above
Z1. None of the above

Patient Identifier Date

DISCHARGE

Section A	Administrative Information

	ransportation (from NACHC©) of transportation kept you from medical appointments, meetings, work, or from getting things needed	for daily living?		
↓ c	heck all that apply			
Ù	A. Yes, it has kept me from medical appointments or from getting my medications			
	B. Yes, it has kept me from non-medical meetings, appointments, work, or from getting things that I need			
	C. No			
	X. Patient unable to respond			
	Y. Patient declines to respond			
Adapte	$^{\circ}$ d from: $^{\circ}$ 2019. National Association of Community Health Centers, Inc., Association of A	Asian Pacific		
Commu	nity Health Organizations, Oregon Primary Care Association. PRAPARE and its resources	are		
	tary information of NACHC and its partners, intended for use by NACHC, its partners, and	l authorized		
	Provision of Current Reconciled Medication List to Subsequent Provider at Discharge e only if 44D = 02, 03, 04, 06, 50, 51, 61, 62, 63, 64, 65, or 66			
Enter Code	At the time of discharge to another provider, did your facility provide the patient's current reconciled medication list to provider?	the subsequent		
	0. No - Current reconciled medication list not provided to the subsequent provider → Skip to A2123, Provision of Cu Medication List to Patient at Discharge	rrent Reconciled		
	1. Yes - Current reconciled medication list provided to the subsequent provider			
A2122. Route of Current Reconciled Medication List Transmission to Subsequent Provider Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider. Complete only if A2121 = 1				
Route of	Route of Transmission Check all that apply			
A. Electr	onic Health Record			
B. Healt	h Information Exchange			
C. Verba	l (e.g., in-person, telephone, video conferencing)			
D. Paper	-based (e.g., fax, copies, printouts)			
E. Other	Methods (e.g., texting, email, CDs)			
	Provision of Current Reconciled Medication List to Patient at Discharge e only if 44D = 01 or 99			
Enter Code	At the time of discharge, did your facility provide the patient's current reconciled medication list to the patient, family a	nd/or caregiver?		
	0. No – Current reconciled medication list not provided to the patient, family and/or caregiv → Skip to B1300, He	alth Literacy		
	1. Yes - Current reconciled medication list provided to the patient, family and/or caregiver			
Indicate t	Route of Current Reconciled Medication List Transmission to Patient the route(s) of transmission of the current reconciled medication list to the patient/family/caregiver.			
	e only if A2123 = 1			
Route of		Check all that apply		
	e only if A2123 = 1	Check all that apply		
A. Electro	e only if A2123 = 1 Transmission	Check all that apply		

OMB No. 0938-0842

Patient Identifier		Date	
D. Paper-based (e.g., fax, copies, printouts)			
E. Other Methods (e.g., texting, email, CDs)			

		OMB No. 0938-0842
Patient	Identifier	Date

DISCHARGE

Section B Hearing, Speech, and Vision

B1300. Health Literacy (from Creative Commons©) How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy? Enter Code 0. Never 1. Rarely 2. Sometimes 3. Often

7. Patient declines to respond8. Patient unable to respond

4. Always

The Single Item Literacy Screener is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

Section C Cognitive Patterns

	should Brief Interview for Mental Status (C0200-C0500) be Conducted? (3-day assessment period) o conduct interview with all patients.
Enter Code	 O. No (patient is rarely/never understood) → Skip to C1310, Signs and Symptoms of Delirium Yes → Continue to C0200, Repetition of Three Words
Brief Inte	erview for Mental Status (BIMS)
C0200. R	Repetition of Three Words
	Ask patient: "I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue and bed. Now tell me the three words."
Enter Code	Number of words repeated after first attempt 3. Three 2. Two 1. One 0. None
	After the patient's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may repeat the words up to two more times.
C0300. T	emporal Orientation (orientation to year, month, and day)
Enter Code	Ask patient: "Please tell me what year it is right now." A. Able to report correct year 3. Correct 2. Missed by 1 year 1. Missed by 2 - 5 years 0. Missed by > 5 years or no answer
Enter Code	Ask patient: "What month are we in right now?" B. Able to report correct month 2. Accurate within 5 days 1. Missed by 6 days to 1 month 0. Missed by > 1 month or no answer
Enter Code	Ask patient: "What day of the week is today?" C. Able to report correct day of the week 1. Correct 0. Incorrect or no answer

______ OMB No. 0938-0842
Patient Identifier Date

DISCHARGE

Section	ı C	Cognitive Patterns
C0400. F	Recall	
Enter Code	give cue (something to A. Able to recall "soc 2. Yes, no cue re	equired eing ("something to wear")
Enter Code	B. Able to recall "blue 2. Yes, no cue re 1. Yes, after cue 0. No - could not	equired eing ("a color")
Enter Code	C. Able to recall "bee 2. Yes, no cue re 1. Yes, after cuei 0. No - could not	equired ng ("a piece of furniture")
C0500. E	BIMS Summary Score	
Enter Score		stions C0200-C0400 and fill in total score (00-15) ent was unable to complete the interview
C1310. S	Signs and Symptoms	s of Delirium (from CAM©)
Code afte	er completing Brief Inte	erview for Mental Status and reviewing medical record.
A. Acute	Onset Mental Statu	s Change
Enter Code	Is there evidence of 0. No 1. Yes	an acute change in mental status from the patient's baseline?
C = d!:= =.		↓ Enter Code in Boxes
1. Bel	havior not present havior	B. Inattention - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said?
doo 2. Be ł	ntinuously present, es not fluctuate navior present, ctuates (comes and	C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?
goes, changes in severity)		D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? • vigilant - startled easily to any sound or touch • lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch • stuporous - very difficult to arouse and keep aroused for the interview • comatose - could not be aroused
	om: Inouye SK, et al. Anr eproduced without pern	n Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. nission.

Identifier

Date

DISCHARGE

Sect	•	
NOCT	1AN	
ンてしょ	IUII	u

Mood

	D0150. Patient Mood Interview	(PHQ-2 to 9) ((from Pfizer Inc.@	2)
--	-------------------------------	----------------	--------------------	----

Determine if the patient is rarely/never understood verbally, in writing, or using another method. If rarely/never understood, code D0150A1 and D0150B1 as 9, No response, leave D0150A2 and D0150B2 blank, end the PHQ-2 interview, and leave D0160, Total Severity Score blank. Otherwise, say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the patient: "About how often have you been bothered by this?"

Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence	2. Symptom Frequency		1.	Z.
0. No (enter 0 in column 2)	0. Never or 1 day	s	ymptom	Symptom
1. Yes (enter 0-3 in column 2)	1. 2-6 days (several days)		resence	Frequency
9. No response (leave column 2 blank)	2. 7-11 days (half or more of the days)3. 12-14 days (nearly every day)	1		es in Boxes ↓
A. Little interest or pleasure in doing things				
B. Feeling down, depressed, or hopeless				
If both D0150A1 and D0150B1 are coded 9, OR be continue.	oth D0150A2 and D0150B2 are coded 0 or 1, END th	e PHQ inte	rview; othe	rwise,
C. Trouble falling or staying asleep, or sleeping too	much			
D. Feeling tired or having little energy				
E. Poor appetite or overeating				
F. Feeling bad about yourself – or that you are a fo	nilure or have let yourself or your family down			
G. Trouble concentrating on things, such as reading the newspaper or watching television				
H. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual				
I. Thoughts that you would be better off dead, or o	of hurting yourself in some way			
Copyright © Pfizer Inc. All rights reserve	d. Reproduced with permission.			

D0160. Total Severity Score

Enter Score

Add scores for all frequency responses in column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)

D0700. Social Isolation

How often do you feel lonely or isolated from those around you?

Enter Code

- 0. Never
- 1. Rarely
- 2. Sometimes
- 3. **Often**
- 4. Always
- 7. Patient declines to respond
- 8. Patient unable to respond

Patient Identifier

DISCHARGE

Section GG Functional Abilities

GG0130. Self-Care (3-day assessment period)

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0130 items.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3. Discharge Performance	
Enter Codes in Boxes	
	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
	B. Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
	C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
	G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

Patient Identifier

DISCHARGE

Section GG Functional Abilities

GG0170. Mobility (3-day assessment period)

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3. Discharge Performance	
Enter Codes in Boxes	
	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.
	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
	F. Toilet transfer: The ability to get on and off a toilet or commode.
	G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/ close door or fasten seat belt.
	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If discharge performance is coded 07, 09, 10, or 8→ Skip to GG0170M, 1 step (curb)
	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.

Patient		

Identifier

_ Date _

DISCHARGE

Section GG

Functional Abilities

GG0170. Mobility (3-day assessment period) - Continued

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3. Discharge Performance Enter Codes in Boxes	
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
	M. 1 step (curb): The ability to go up and down a curb or up and down one step. If discharge performance is coded 07, 09, 10, or 8→Skip to GG0170P, Picking up object
	N. 4 steps: The ability to go up and down four steps with or without a rail. If discharge performance is coded 07, 09, 10, or 8 → Skip to GG0170P, Picking up object
	O. 12 steps: The ability to go up and down 12 steps with or without a rail.
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
	Q3. Does the patient use a wheelchair and/or scooter? 0. No Skip to J0510, Pain Effect on Sleep 1. Yes Continue to GG0170R, Wheel 50 feet with two turns
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
	RR3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
	SS3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized

OMB No. 0938-0842

Patient _____ Identifier _

DISCHARGE

Section J	Health Conditions			
J0510. Pain Effect on Sleep				
0. Does no 1. Rarely o 2. Occasio 3. Frequel 4. Almost	Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?" 0. Does not apply - I have not had any pain or hurting in the past 5 days -> Skip to J1800, Any Falls Since Admission 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer			
J0520. Pain Interfere	nce with Therapy Activities			
0. Does no 1. Rarely o 2. Occasio 3. Frequel 4. Almost	Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?" 0. Does not apply – I have not received rehabilitation therapy in the past 5 days 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer			
J0530. Pain Interfere	nce with Day-to-Day Activities			
sessions) becc 1. Rarely of 2. Occasion 3. Frequent 4. Almost	Ask patient: "Over the past 5 days, how often have you limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?" 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer			
J1800. Any Falls Since	J1800. Any Falls Since Admission			
Enter Code Has the patient had any falls since admission? 0. No → Skip to K0520, Nutritional Approaches 1. Yes → Continue to J1900, Number of Falls Since Admission				
J1900. Number of Falls Since Admission				
Coding: 0. None 1. One 2. Two or more	Enter Codes in Boxes A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain			
	C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma			

Patient Identifier Date

DISCHARGE

Section K Swallowing/Nutritional Status

K0520. Nutritional Approaches			
4. Last 7 Days Check all of the nutritional approaches that were received in the last 7 days	4. Last 7 Days	5. At Discharge	
5. At Discharge Check all of the nutritional approaches that were being received at discharge	Check all that apply ↓	↓	
A. Parenteral/IV feeding			
B. Feeding tube (e.g., nasogastric or abdominal (PEG))			
C. Mechanically altered diet - require change in texture of food or liquids (e.g., pureed food, thickened liquids)			
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)			
Z. None of the above			

Section M Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0210.	M0210. Unhealed Pressure Ulcers/Injuries				
Enter Code	Ooes this patient have one or more unhealed pressure ulcers/injuries? 0. No → Skip to N0415, High-Risk Drug Classes: Use and Indication 1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage				
M0300.	urrent Number of Unhealed Pressure Ulcers/Injuries at Each Stage				
Enter Number	A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.				
	1. Number of Stage 1 pressure injuries				
Enter Number	3. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.				
Enter Number	1. Number of Stage 2 pressure ulcers If 0 → Skip to M0300C, Stage 3				
Effer Number	 Number of <u>these</u> Stage 2 pressure ulcers that were present upon admission - enter how many were noted at the time of admission 				
	Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.				
Enter Number	 Number of Stage 3 pressure ulcers If 0 → Skip to M0300D, Stage 4 				
Enter Number	2. Number of these-stage 3 pressure ulcers that were present upon admission - enter how many were noted at the time of admission				
Enter Number	 Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. 				
	1. Number of Stage 4 pressure ulcers				
Enter Number	If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device				
	Number of these Stage 4 pressure ulcers that were present upon admission - enter how many were noted at the time of admission				

OMB No. 0938-0842

Patient Identifier

DISCHARGE

Section M	Skin C	Conditions
SCCLIOII IVI		.OHUHLIOHS

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0300.	Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage - Continued
Fatan Nissahan	E. Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device
Enter Number	 Number of unstageable pressure ulcers/injuries due to non-removable dressing/device If 0 → Skip to M0300F, Unstageable - Slough and/or eschar
Enter Number	2. Number of these unstageable pressure ulcers/injuries that were present upon admission - enter how many were noted at the time of admission
Enter Number	F. Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar
	 Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar If 0 → Skip to M0300G, Unstageable - Deep tissue injury
Enter Number	2. Number of these unstageable pressure ulcers that were present upon admission - enter how many were noted at the time of admission
Enter Number	G. Unstageable - Deep tissue injury
	 Number of unstageable pressure injuries presenting as deep tissue injury If 0 → Skip to NO415, High-Risk Drug Classes: Use and Indication
Enter Number	2. Number of these unstageable pressure injuries that were present upon admission - enter how many were noted at the

Section N Medications

time of admission

N0415. High-Risk Drug Classes: Use and Indication			
Is taking Check if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes		1. Is taking	2. Indication noted
2. Indication	<u> </u>	Check all that apply ↓	↓
A. Antipsycho	otic		
E. Anticoagula	ant		
F. Antibiotic			
H. Opioid			
I. Antiplatelet			
J. Hypoglycemic (including insulin)			
Z. None of the	Z. None of the above		
N2005. Medication Intervention			
	Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission?		

9. Not applicable - There were no potential clinically significant medication issues identified since admission or patient is

taking any medications

Patient

Ol	MB No.	0938-0)84.
Date			

Se	ction O	Special Treatments, Procedures, and Programs			
O0110. Special Treatments, Procedures, and Programs					
	Check all of the following treatments, procedures, and programs that apply at discharge.				
			c. At Discharge		
			Check all that apply		
			↓		
	cer Treatments				
A1.	Chemotherapy				
	A2. IV				
	A3. Oral		<u> </u>		
<u></u>	A10. Other				
	Radiation piratory Therapies				
C1.	Oxygen Therapy				
	C2. Continuous				
	C3. Intermittent				
	C4. High-concentration				
D1.	. Suctioning		Ц		
	D2. Scheduled				
	D3. As Needed				
E1.	Tracheostomy care				
F1.	Invasive Mechanical Venti	ator (ventilator or respirator)			
G1.	Non-Invasive Mechanical	Ventilator			
	G2. BiPAP				
	G3. CPAP		Ш		
Oth	er				
H1.	IV Medications				
	H2. Vasoactive medication	ons			
	H3. Antibiotics				
	H4. Anticoagulation				
	H10. Other				
I1 .	Transfusions				
J1.	Dialysis				
	J2. Hemodialysis				
	J3. Peritoneal dialysis				
01.	IV Access				
	O2. Peripheral				
	O3. Midline				
	O4. Central (e.g., PICC, tun	neled, port)			

OMB No. 0938-0842

Date

Identifier

DISCHARGE

Section	Section O Special Treatments, Procedures, and Programs			
O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply at discharge.				
			c. At Discharge	
			Check all that apply	
None of th	ne Above			
Z1. None	of the above			
O0350. P	atient's COVID-19	vaccination is up to date.		
Enter Code	0 . No, patient is	•		
	1. Yes, patient is	up to date		

Section Z Assessment Administration

Item Z0400A. Signature of Persons Completing the Assessment

I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that patients receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information.

Signature	Title	Date Information is Provided	Time
A.			
B.			
C.			
D.			
E.			
F.			
G.			
Н.			
I.			
J.			
К.			
L.			