

```

<?xml version="1.0" encoding="utf-8"?>
<xsd:schema targetNamespace="http://www.ed.gov/FSA/COD/CAMPUS_BASED/2023/v1.0a"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:campusbased="http://www.ed.gov/FSA/COD/CAMPUS_BASED/2023/v1.0a"
elementFormDefault="qualified">
  <xsd:element name="CBCCommonRecord" type="campusbased:CBRecordType">
    <xsd:annotation>
      <xsd:documentation>Root Node for Campus Based
schema</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:complexType name="CBRecordType">
    <xsd:sequence>
      <xsd:element name="TransmissionData">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="DocumentID">
              <xsd:simpleType>
                <xsd:restriction
base="xsd:string">
                  <xsd:minLength value="30"/>
                  <xsd:maxLength value="30"/>
                </xsd:restriction>
              </xsd:simpleType>
            </xsd:element>
            <xsd:element name="CreatedDateTime"
type="xsd:dateTime"/>
            <xsd:element name="Source"
type="campusbased:SourceType"/>
            <xsd:element name="Destination"
type="campusbased:DestinationType"/>
            <xsd:element name="Software">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element
name="SoftwareProvider" nillable="true" minOccurs="0">
                    <xsd:simpleType>
                      <xsd:restriction base="xsd:string">
                        <xsd:maxLength value="10"/>
                      </xsd:restriction>
                    </xsd:simpleType>
                  </xsd:element>
                  <xsd:element
name="SoftwareVersion" nillable="true" minOccurs="0">
                    <xsd:simpleType>
                      <xsd:restriction base="xsd:string">
                        <xsd:maxLength value="6"/>
                      </xsd:restriction>
                    </xsd:simpleType>
                  </xsd:element>
                  <xsd:element
name="OtherSoftwareProvider" nillable="true" minOccurs="0">
                    <xsd:simpleType>
                      <xsd:restriction base="xsd:string">
                        <xsd:maxLength value="10"/>
                      </xsd:restriction>
                    </xsd:simpleType>
                  </xsd:element>
                </xsd:sequence>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>

```

```

        </xsd:restriction>
                                                    </xsd:simpleType>
                                                    </xsd:element>
name="OtherSoftwareVersion" nillable="true" minOccurs="0">
                                                    <xsd:element
                                                    <xsd:simpleType>
<xsd:restriction base="xsd:string">
<xsd:maxLength value="6"/>
</xsd:restriction>
                                                    </xsd:simpleType>
                                                    </xsd:element>
                                                    </xsd:sequence>
                                                    </xsd:complexType>
</xsd:element>
<xsd:element name="FullResponseCode"
minOccurs="0">
<xsd:simpleType>
<xsd:restriction
base="xsd:string">
<xsd:length value="1"/>
<xsd:enumeration
value="S"/>
<xsd:enumeration
value="F"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="ReportingSchool"
type="campusbased:ReportingSchoolType" minOccurs="1" maxOccurs="unbounded"/>
<xsd:element name="Response"
type="campusbased:CBRecordResponseType" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="CBRecordResponseType">
<xsd:sequence>
<xsd:element name="DocumentTypeCode" minOccurs="0">
<xsd:simpleType>
<xsd:restriction base="xsd:string">
<xsd:minLength value="2"/>
<xsd:maxLength value="2"/>
<xsd:enumeration value="CB"/>
<xsd:enumeration value="WB"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="DocumentStatusCode" minOccurs="1">
<xsd:simpleType>
<xsd:restriction base="xsd:string">
<xsd:minLength value="1"/>
<xsd:maxLength value="1"/>
<xsd:enumeration value="A"/>
<xsd:enumeration value="R"/>
</xsd:restriction>
</xsd:simpleType>

```

```

        </xsd:element>
        <xsd:element name="ProcessDate" type="xsd:date"
minOccurs="0"/>
        <xsd:element name="EditProcessResult"
type="campusbased:EditProcessResultType" minOccurs="0" maxOccurs="100"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="EntityRefType">
    <xsd:sequence>
        <xsd:element name="RoutingID">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:minLength value="1"/>
                    <xsd:maxLength value="8"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="ReportingSchoolType">
    <xsd:complexContent>
        <xsd:extension base="campusbased:EntityRefType">
            <xsd:sequence>
                <xsd:element name="SchoolFinancialSummary"
type="campusbased:SchoolFinancialSummary" minOccurs="1" maxOccurs="unbounded"/>
                <xsd:element name="AttendedSchool"
type="campusbased:AttendedSchoolType" minOccurs="1" maxOccurs="unbounded"/>
                <xsd:element name="Response"
type="campusbased:ReportingSchoolResponseType" minOccurs="0"/>
            </xsd:sequence>
        </xsd:extension>
    </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="AttendedSchoolType">
    <xsd:complexContent>
        <xsd:extension base="campusbased:EntityRefType">
            <xsd:sequence>
                <xsd:element name="Student"
type="campusbased:StudentType" minOccurs="1" maxOccurs="unbounded"/>
                <xsd:element name="Response"
type="campusbased:ResponseType" minOccurs="0"/>
            </xsd:sequence>
        </xsd:extension>
    </xsd:complexContent>
</xsd:complexType>

    <xsd:complexType name="SchoolFinancialSummary">
        <xsd:sequence>
            <xsd:element name="FinancialAwardType"
type="campusbased:CampusBasedFinancialAwardType"/>
            <xsd:element name="CalendarYear" type="xsd:gYear"
minOccurs="0"/>
            <xsd:element name="AwardYear" type="xsd:gYear" minOccurs="0"/>

            <xsd:element name="TotalCount" minOccurs="1" >
                <xsd:simpleType>
                    <xsd:restriction base="xsd:integer">
                        <xsd:minInclusive value="0"/>
                        <xsd:maxInclusive value="999999999"/>
                    </xsd:restriction>
                </xsd:simpleType>
            </xsd:element>
            <xsd:element name="TotalReportedFunds"

```

```

type="campusbased:AmountType" minOccurs="1"/>
    <xsd:element name="TotalFWSEarnings"
type="campusbased:AmountType" minOccurs="0"/>
    <xsd:element name="TotalFSEOG" type="campusbased:AmountType"
minOccurs="0"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="DestinationType">
    <xsd:choice>
        <xsd:element name="School" type="campusbased:EntityRefType"/>
        <xsd:element name="ThirdPartyServicer"
type="campusbased:EntityRefType"/>
        <xsd:element name="Guarantor"
type="campusbased:EntityRefType"/>
        <xsd:element name="Lender" type="campusbased:EntityRefType"/>
        <xsd:element name="Other" type="campusbased:EntityRefType"/>
        <xsd:element name="COD" type="campusbased:EntityRefType"/>
    </xsd:choice>
</xsd:complexType>
<xsd:complexType name="SourceType">
    <xsd:choice>
        <xsd:element name="School" type="campusbased:EntityRefType"/>
        <xsd:element name="ThirdPartyServicer"
type="campusbased:EntityRefType"/>
        <xsd:element name="Guarantor"
type="campusbased:EntityRefType"/>
        <xsd:element name="Lender" type="campusbased:EntityRefType"/>
        <xsd:element name="Other" type="campusbased:EntityRefType"/>
        <xsd:element name="COD" type="campusbased:EntityRefType"/>
    </xsd:choice>
</xsd:complexType>
<xsd:complexType name="StudentType">
    <xsd:sequence>
        <xsd:element name="Index" type="campusbased:IndexType"
minOccurs="1" />
        <xsd:element name="PersonIdentifiers" minOccurs="0">
            <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="SchoolAssignedPersonID"
minOccurs="0" nillable="true">
                        <xsd:simpleType>
                            <xsd:restriction
base="xsd:string">
                                <xsd:minLength value="0"/>
                                <xsd:maxLength value="20"/>
                            </xsd:restriction>
                        </xsd:simpleType>
                    </xsd:element>
                </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="Name" type="campusbased:NameType"
minOccurs="0"/>
        <xsd:element name="Contacts" type="campusbased:ContactsType"
minOccurs="0"/>
        <xsd:element name="Citizenship"
type="campusbased:CitizenshipType" minOccurs="0"/>
        <xsd:element name="Note"
type="campusbased:SchoolNoteMessageType" minOccurs="0"/>
        <xsd:element name="FWS" type="campusbased:FWSType"
minOccurs="0" maxOccurs="unbounded"/>
        <xsd:element name="FSEOG" type="campusbased:FSEOGType"

```

```

minOccurs="0" maxOccurs="unbounded"/>
    <xsd:element name="Response" type="campusbased:ResponseType"
minOccurs="0"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="FWSType">
    <xsd:sequence>
        <xsd:element name="CalendarYear" type="xsd:gYear"
minOccurs="1" nillable="true"/>
        <xsd:element name="AwardYear" type="xsd:gYear" minOccurs="0"/>
        <xsd:element name="CPSTransactionNumber" minOccurs="1">
            <xsd:simpleType>
                <xsd:restriction base="xsd:integer">
                    <xsd:minInclusive value="1"/>
                    <xsd:maxInclusive value="99"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="TotalFWSEarnings"
type="campusbased:AmountType" minOccurs="0"/>
        <xsd:element name="EarningPeriodStartDate" type="xsd:date"
minOccurs="0" nillable="true"/>
        <xsd:element name="EarningPeriodEndDate" type="xsd:date"
minOccurs="0" nillable="true"/>
        <xsd:element name="FederalShareAmount"
type="campusbased:AmountType" minOccurs="0" nillable="true"/>
        <xsd:element name="InstitutionalShareAmount"
type="campusbased:AmountType" minOccurs="0" nillable="true"/>
        <xsd:element name="FWSCategory" minOccurs="0" nillable="true">
            <xsd:annotation>
                <xsd:documentation>
                    ONCP On campus
                    OFCN Off-campus non-profit
                    OFNF Off-campus non-profit / 90% fed share
                    OFCP Off-campus for-profit
                </xsd:documentation>
            </xsd:annotation>
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:length value="4"/>
                    <xsd:enumeration
value="ONCP"></xsd:enumeration>
                    <xsd:enumeration
value="OFCN"></xsd:enumeration>
                    <xsd:enumeration
value="OFNF"></xsd:enumeration>
                    <xsd:enumeration
value="OFCP"></xsd:enumeration>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="FWSPositionType" minOccurs="0"
nillable="true">
            <xsd:annotation>
                <xsd:documentation>
                    RT Reading tutor/family literacy
                    MT Math tutor
                    CE Civic Education
                </xsd:documentation>
            </xsd:annotation>

```

```

        <xsd:simpleType>
            <xsd:restriction base="xsd:string">
                <xsd:maxLength value="2"/>
                <xsd:enumeration
value="RT"></xsd:enumeration>
                <xsd:enumeration
value="MT"></xsd:enumeration>
                <xsd:enumeration
value="CE"></xsd:enumeration>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>
    <xsd:element name="FedSharePercentage" minOccurs="0"
nillable="true">
        <xsd:simpleType>
            <xsd:restriction base="xsd:integer">
                <xsd:minInclusive value="0"/>
                <xsd:maxInclusive value="100"/>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>
    <xsd:element name="CommunityServiceIndicator"
type="xsd:boolean" minOccurs="0" nillable="true"/>
    <xsd:element name="JLDIndicator" type="xsd:boolean"
minOccurs="0" nillable="true"/>
    <xsd:element name="DisasterIndicator" type="xsd:boolean"
minOccurs="0" nillable="true"/>
    <xsd:element name="Response" type="campusbased:ResponseType"
minOccurs="0"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="FSEOGType">
    <xsd:sequence>
        <xsd:element name="AwardYear" type="xsd:gYear" minOccurs="0"
nillable="true"/>
        <xsd:element name="CPSTransactionNumber" minOccurs="1">
            <xsd:simpleType>
                <xsd:restriction base="xsd:integer">
                    <xsd:minInclusive value="0"/>
                    <xsd:maxInclusive value="99"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="TotalFSEOG" type="campusbased:AmountType"
minOccurs="0" nillable="true"/>
        <xsd:element name="InstitutionalShareAmount"
type="campusbased:AmountType" minOccurs="0" nillable="true"/>
        <xsd:element name="SourceInstitutionalShare" minOccurs="0"
nillable="true">
            <xsd:annotation>
                <xsd:documentation>
                    CS Cash
                    IS Institutional scholarships and grants
                    WT Waivers of tuition or fees
                    NS Nonfederal portion of state scholarships
and grants
                    FF Funds from foundations or other
charitable organizations
                </xsd:documentation>
            </xsd:annotation>
        </xsd:element>
    </xsd:sequence>
</xsd:complexType>

```

```

        </xsd:documentation>
    </xsd:annotation>
    <xsd:simpleType>
        <xsd:restriction base="xsd:string">
            <xsd:length value="2"/>
            <xsd:enumeration
value="CS"></xsd:enumeration>
            <xsd:enumeration
value="IS"></xsd:enumeration>
            <xsd:enumeration
value="WT"></xsd:enumeration>
            <xsd:enumeration
value="NS"></xsd:enumeration>
            <xsd:enumeration
value="FF"></xsd:enumeration>
        </xsd:restriction>
    </xsd:simpleType>
</xsd:element>
    <xsd:element name="FederalShareAmount"
type="campusbased:AmountType" minOccurs="0" nillable="true"/>
    <xsd:element name="DisasterIndicator" type="xsd:boolean"
minOccurs="0" nillable="true"/>
    <xsd:element name="Response" type="campusbased:ResponseType"
minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="ReportingSchoolResponseType">
    <xsd:sequence>
        <xsd:element name="ResponseFinancialSummary" minOccurs="0"
maxOccurs="120">
            <xsd:complexType>
                <xsd:complexContent>
                    <xsd:extension
base="campusbased:ResponseFinancialSummaryType"/>
                </xsd:complexContent>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="ResponseCode" minOccurs="0">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:length value="1"/>
                    <xsd:enumeration value="A"/>
                    <xsd:enumeration value="R"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="EditProcessResult"
type="campusbased:EditProcessResultType" minOccurs="0" maxOccurs="100"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="ResponseFinancialSummaryType">
    <xsd:sequence>
        <xsd:element name="FinancialAwardType"
type="campusbased:CampusBasedFinancialAwardType"/>
        <xsd:element name="CalendarYear" type="xsd:gYear"/>
        <xsd:element name="AwardYear" type="xsd:gYear"/>
        <xsd:element name="TotalCount"
type="campusbased:TotalCountType"/>
        <xsd:element name="TotalCountAccepted"
type="campusbased:TotalCountType" minOccurs="0"/>
        <xsd:element name="TotalCountRejected"

```

```

type="campusbased:TotalCountType" minOccurs="0"/>
    <xsd:element name="TotalCountDuplicate"
type="campusbased:TotalCountType" minOccurs="0"/>
    <xsd:element name="TotalReportedFunds"
type="campusbased:AmountType" minOccurs="0"/>
    <xsd:element name="TotalFinancialAwardAccepted"
type="campusbased:AmountType" minOccurs="0"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="ResponseType">
    <xsd:sequence>
        <xsd:element name="ResponseCode" minOccurs="1">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:length value="1"/>
                    <xsd:enumeration value="A"/>
                    <xsd:enumeration value="R"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="EditProcessResult"
type="campusbased:EditProcessResultType" minOccurs="0" maxOccurs="100"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="EditProcessResultType">
    <xsd:sequence>
        <xsd:element name="ResponseErrorCode">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:minLength value="1"/>
                    <xsd:maxLength value="3"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="ResponseMessage" minOccurs="0"
nillable="true">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:minLength value="0"/>
                    <xsd:maxLength value="150"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="ResponseErrorField">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:minLength value="1"/>
                    <xsd:maxLength value="200"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="ReportedValue" minOccurs="0"
nillable="true">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:minLength value="0"/>
                    <xsd:maxLength value="150"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
    </xsd:sequence>
</xsd:complexType>
<xsd:simpleType name="AddressLineType">

```



```

        <xsd:restriction base="xsd:string">
            <xsd:minLength value="1"/>
            <xsd:maxLength value="40"/>
        </xsd:restriction>
    </xsd:simpleType>
    <xsd:simpleType name="CityType">
        <xsd:restriction base="xsd:string">
            <xsd:minLength value="2"/>
            <xsd:maxLength value="30"/>
        </xsd:restriction>
    </xsd:simpleType>
    <xsd:simpleType name="CountryCodeType">
        <xsd:restriction base="xsd:string">
            <xsd:minLength value="2"/>
            <xsd:maxLength value="2"/>
        </xsd:restriction>
    </xsd:simpleType>
    <xsd:simpleType name="PostalCodeType">
        <xsd:restriction base="xsd:string">
            <xsd:minLength value="1"/>
            <xsd:maxLength value="17"/>
        </xsd:restriction>
    </xsd:simpleType>
    <xsd:simpleType name="StateProvinceCodeType">
        <xsd:restriction base="xsd:string">
            <xsd:minLength value="2"/>
            <xsd:maxLength value="2"/>
        </xsd:restriction>
    </xsd:simpleType>
    <xsd:simpleType name="StateProvinceType">
        <xsd:annotation>
            <xsd:documentation>
                The name of the state, province or territory of a postal
address.
            </xsd:documentation>
        </xsd:annotation>
        <xsd:restriction base="xsd:string">
            <xsd:minLength value="2"/>
            <xsd:maxLength value="2"/>
        </xsd:restriction>
    </xsd:simpleType>
    <xsd:group name="CommonAddressDetailsGroup">
        <xsd:annotation>
            <xsd:documentation>
                This Address Group is for common items to all Addresses
            </xsd:documentation>
        </xsd:annotation>
        <xsd:sequence>
            <xsd:element name="AddressLine"
type="campusbased:AddressLineType" minOccurs="1" maxOccurs="3"/>
            <xsd:element name="City" type="campusbased:CityType"
minOccurs="1"/>
        </xsd:sequence>
    </xsd:group>
    <xsd:group name="DomesticAddressDetailsGroup">
        <xsd:annotation>
            <xsd:documentation>
                This Address Group is for items specific for US
Addresses
            </xsd:documentation>
        </xsd:annotation>
        <xsd:sequence>
            <xsd:element name="StateProvinceCode"
type="campusbased:StateProvinceCodeType"/>

```



```

        <xsd:maxLength value="17"/>
    </xsd:restriction>
</xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Email" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="EmailAddress"
nillable="true" minOccurs="0">
                <xsd:simpleType>
                    <xsd:restriction
base="xsd:string">
                        <xsd:maxLength
value="128"/>
                    </xsd:restriction>
                </xsd:simpleType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="NameType">
    <xsd:sequence>
        <xsd:element name="FirstName" nillable="true" minOccurs="0">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:minLength value="0"/>
                    <xsd:maxLength value="30"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="MiddleInitial" nillable="true"
minOccurs="0">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:minLength value="0"/>
                    <xsd:maxLength value="1"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
        <xsd:element name="LastName" nillable="true" minOccurs="0">
            <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                    <xsd:minLength value="0"/>
                    <xsd:maxLength value="35"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:element>
    </xsd:sequence>
</xsd:complexType>
<xsd:simpleType name="CampusBasedFinancialAwardType">
    <xsd:restriction base="xsd:string">
        <xsd:enumeration value="FWS"/>
        <xsd:enumeration value="FSEOG"/>
    </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="AmountType">
    <xsd:restriction base="xsd:decimal">
        <xsd:minInclusive value="0"/>
        <xsd:maxInclusive value="999999999.99"/>
    </xsd:restriction>

```

```

        </xsd:restriction>
    </xsd:simpleType>
    <xsd:simpleType name="TotalCountType">
        <xsd:restriction base="xsd:integer">
            <xsd:minInclusive value="0"/>
            <xsd:maxInclusive value="999999999"/>
        </xsd:restriction>
    </xsd:simpleType>
    <xsd:simpleType name="SSNType">
        <xsd:restriction base="xsd:string">
            <xsd:pattern value="\d{9}"/>
        </xsd:restriction>
    </xsd:simpleType>
    <xsd:complexType name="CitizenshipType">
        <xsd:sequence>
            <xsd:element name="CitizenshipStatusCode" nillable="true"
minOccurs="0">
                <xsd:simpleType>
                    <xsd:restriction base="xsd:string">
                        <xsd:length value="1"/>
                    </xsd:restriction>
                </xsd:simpleType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
    <xsd:complexType name="IndexType">
        <xsd:sequence>
            <xsd:element name="SSN" type="campusbased:SSNType"
minOccurs="1"/>
            <xsd:element name="BirthDate" type="xsd:date" minOccurs="1"/>
            <xsd:element name="LastName" minOccurs="1" nillable="true">
                <xsd:simpleType>
                    <xsd:restriction base="xsd:string">
                        <xsd:minLength value="0"/>
                        <xsd:maxLength value="35"/>
                    </xsd:restriction>
                </xsd:simpleType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
    <xsd:complexType name="SchoolNoteMessageType">
        <xsd:sequence>
            <xsd:element name="SchoolNoteMessage" nillable="true"
minOccurs="0">
                <xsd:simpleType>
                    <xsd:restriction base="xsd:string">
                        <xsd:maxLength value="20"/>
                    </xsd:restriction>
                </xsd:simpleType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:schema>

```