

## APPROVED BY OMB: NO. 3150-0056


EXPIRES: (MM/DD/YYYY)

Estimated burden per response to comply with this mandatory collection request: 360 hours. NRC is required to collect this information for reporting to IAEA from facility licensees appearing on the U.S. Eligible List. Send comments regarding burden estimate to the FOIA, Library, and Information Collections Branch (T-6 A10M), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by email to Infocollects.Resource@nrc.gov, and the OMB reviewer at: OMB Office of Information and Regulatory Affairs, (3150-0056), Attn: Desk Officer for the Nuclear Regulatory Commission, 725 17th Street NW, Washington, DC 20503; email: <u>oira submission@omb.eop.gov</u>. The NRC may not conduct or sponsor, and a person is not required to respond to, a collection of information unless the document requesting or requiring the collection displays a currently valid OMB control number.

## INTERNATIONAL ATOMIC ENERGY AGENCY DEPARTMENT OF SAFEGUARDS

## DESIGN INFORMATION QUESTIONNAIRE \*

IAEA USE ONLY



The purpose of this document is to obtain the facility design information required by the Agency in order to discharge its safeguards responsibilities. It will also serve as a checklist for examination of design information by Agency inspector(s). If, in any area, insufficient space is available add further shee ts to the extent necessary.

IAEA USE ONLY		
COUNTRY		
COUNTRY OFFICER		
ТҮРЕ	Reprocessing plants	
DATE OF INITIAL DATA		
VERIFICATION		
LAST REVIEW AND UPDATING		

IAEA International Atomic Energy Agency			
ALL FACILITIES GENERAL INFORMATION			
1. Name of the facility (include usual abbreviation)			
2. Location and postal address			
<b>3. Owner</b> (Legally responsible)			
4. Operator (Legally responsible)			
<b>5. Description</b> (Main features only)			
6. Purpose			
<b>7. Status</b> (e.g., planned; under construction, in operation; shut down; closed down; decommissioned)			
8. Construction schedule dates (if not in operation)	Start of Construction (MM/DD/YYYY)	Commissioning (MM/DD/YYYY)	Operation (MM/DD/YYYY)
9. Normal operating mode (days only, two shift, three shift; number of days/annum, etc.)			
<b>10. Facility layout</b> (structural containment, fences, access, nuclear material storage areas, laboratories, waste disposal areas, routes followed by nuclear material, experimental and test areas, etc.)	DRAWING(S) ATTACHED UNDER	REF. NOs.	
(Maps showing in sufficient detail:	DRAWING(S) AND/OR MAPS ATTA	ACHED UNDER REF. NOs.	
location, premises and perimeter of facility, other buildings, roads, railways, rivers, etc.)			
<b>12. Names and/or titles and address of responsible officers</b> (for nuclear material accountancy and control and contact with the Agency. If possible attach organization charts showing position of officers)			

OVERALL PROCESS PARAMETERS			
<b>13. Facility description</b> (indicating important items of equipment which use, produce or process nuclear material, all process stages, storage areas and feed, product and waste points as pertaining to the measurement, control and accountancy of nuclear material)		areas which contain nuclear material as	
<b>14. Process description</b> (Also indicating the modification of physical and chemical forms)			
<b>15. Design capacity</b> (In weight of principal products per annum)			
<b>16.</b> Anticipated annual throughput (in the form of a forward programme (if applicable), indicating the proportion of various feeds and products)			
<b>17. Other important items of equipment using, producing or processing nuclear material</b> (such as testing and experimental equipment)			
N	JCLEAR MATERIAL DI	ESCRIPTION AND FLOW	
18. Main material description	Feed	<b>Product</b> (Uraniun	n, Plutonium)
i) Main types of accountability units to be handled in the facility			
<ul> <li>ii) Chemical and physical form</li> <li>(for feed include types of fuel element/ assemblies, give detailed description indicating general structure and overall dimensions of fuel element/ assemblies, including nuclear material content and enrichment)</li> <li>Attach drawing(s)</li> </ul>			
iii) Throughput, enrichment ranges and Pu contents (for normal flowsheet operation indicating if blending and/or recycling takes place)			
iv) Batch size/flow rate and campaign period, means of batch identification			
<ul> <li>v) Storage and plant inventory (indicating any change with throughput)</li> </ul>			
vi) Frequency of receipt or shipment (batches/units per month)			

N	UCLEAR MATERIAL DESCRIPTION AND FLOW	
<b>19. Waste material</b> (including contaminated equipment, measured discards and retained waste) Describe for each waste stream: i) Major contributions (sources)		
ii) Type of waste after waste processing		
<li>iii) Chemical and physical form (liquid, solid, etc.) of waste feeds, intermediate storage and waste product after processing</li>		
iv) For each material in point (iii), uranium and its enrichment ranges/ plutonium content		
v) Estimated quantities per year, period of storing		
vi) Waste generated rates (as % of input/ throughput, quantities per month)		
vii) Store inventory range and maximum capacity		
viii) Method and frequency of recovery/disposal		
	DIAGRAM(S) ATTACHED UNDER FIG. NOs.	
20. Waste treatment system		
	DIAGRAM(S) ATTACHED UNDER REF. NOs.	
21. Other nuclear material in the facility and it's location, if any		
22. Schematic flowsheet for nuclear	DIAGRAM(S) ATTACHED UNDER REF. NOs.	
material (identifying sampling points, flow and inventory measurement points, accountability areas, inventory locations, etc.)		
<ul> <li>23. Types, form, ranges of nuclear material content (Including enrichment, as applicable), ranges of quantities of nuclear material flow for each nuclear material handling area, i. e.:</li> <li>- process area</li> <li>- storage area</li> <li>- other locations</li> <li>(Also indicate maximum quantities of nuclear material to be handled in accountability areas at the one time.)</li> </ul>		

N	JCLEAR MATERIAL DESCRIPTION AND FLOW		
24. Recycle processes (briefly describe any such processes giving source and form of material, method of storage, normal inventory, frequency of processing, duration of temporary storage, schedules for any external recycling, measurement method of fissile content of recycle material)	DIAGRAM(S) ATTACHED UNDER REF. NOs.		
25. Inventory i) In-process (within plant and equipment during normal operation; indicate quantity, range of enrichment, Pu content, form and principal locations and any significant change in time or throughput; indicate anticipated residual hold-up and mechanism)			
ii) Feed and product storages			
<li>iii) Other locations (quantity, range of enrichment, Pu content, form and location of inventory not already specified)</li>			
NUCLEAR MA	TERIAL HANDLING (FOR EACH ACCOUNTABILITY AREA)		
26. Containers, packaging and storage area description	DRAWING(S) ATTACHED UNDER REF. NOs. SEPARATE NOTE TO BE ATTACHED. Describe for feeds, products and wastes: the type and size of storage and shipping containers and packaging used (including nominal capacity and capacity for normal operation, and type of material); method of storage or packing, filling and emptying procedures, shielding; and any special identification features.		
27. Methods and means of transfer of nuclear material (describe also equipment used for handling of feed, product, waste)			
28. Transportation routes followed by nuclear material (with reference to plant layout)	DRAWING(S) ATTACHED UNDER REF. NOs.		
<b>29. SHIELDING</b> (for storage and transfer)			
	PLANT MAINTENANCE		
30. Maintenance, decontamination, clean-out	SEPARATE NOTE TO BE ATTACHED. Describing plans and procedures for decontamination and clean-out of equipment containing nuclear material, defining all sampling and measurement points associated with: (In cases where clean-out and/or sampling is not possible, indicate how the hold-up of nuclear material is measured or calculated.)		
i) Normal plant maintenance			

	PLANT MAINTENANCE		
ii) Plant and equipment decontamination and subsequent nuclear material recovery			
<li>iii) Plant and equipment clean-out including means of ensuring vessels are empty</li>			
iv) Plant start-up and and plant shut-down (If different from normal operation)			
	PROTECTION AND SAFETY MEASURES		
31. Basic measures for physical protection of nuclear material			
<b>32. Specific health and safety rules for inspector compliance</b> (if extensive, attach separately)			
NUCL	EAR MATERIAL ACCOUNTANCY AND CONTROL		
<b>33.</b> System description Give a description of the nuclear material accountancy system, the method of recording and reporting accountancy data and establishing material balances, frequency of material balances, procedures for account adjustment after plant inventory, mistakes, etc., under the following headings:	SPECIMEN FORMS USED IN ALL PROCEDURES ATTACHED UNDER REF. No.		
i) General (This section should also state what general and subsidiary ledgers will be used, their form (hard copies, tapes, microfilms, etc.) as well as who has the responsibility and authority. Source data (e.g. shipping and receiving forms, internal transfer documents, physical inventory forms, the initial recording of measurements and measurement control sheets) should be identified. The procedures for making adjustments, the source data and records should be covered as well as how the adjustments are authorized and substantiated.)			
ii) Receipts (including method of dealing with shipper/receiver differences and subsequent account corrections; the checks and measurements used to confirm nuclear material content and the persons responsible for those determinations should be defined)			
iii) Shipments (products, waste, measured discards)			

IAEA International Atomic Energy Agency		
NUCI	EAR MATERIAL ACCOUNTANCY AND CONTROL	
iv) Physical inventory Description of procedures, scheduled frequency, estimated distribution of nuclear material, methods of operator's inventory taking (both for item and/or bulk accountancy, including relevant assay method), accessibility and possible verification method for nuclear material, expected accuracy, and access to nuclear material. (In particular the description of procedures should also provide the basic inventory approach to be used, i.e. planning, organizing, and conducting the inventory, prelisting, use of prior measurement data; who has the primary responsibility for the inventory; how process clean-out is accomplished; the accountancy of process residual hold-up.)		
<ul> <li>v) Measured discards (method of estimation of quantities per year/month, method of disposal)</li> </ul>		
vi) Retained waste (method of estimation of quantities per year, method and envisaged period of storage; indicate also possible subsequent uses of retained waste)		
vii) Unmeasured losses (indicate the methods used to estimate unmeasured losses)		
viii) Operational records and accounts (including logbooks, general ledgers, internal transfer forms, method of adjustment or correction and retention location, and languages; control measures and responsibility for records)		
<b>34. Features related to containment and surveillance measures</b> (general description of applied or possible measures)		
<ul> <li>35. For each flow and inventory measurement and sampling points of accountability areas, identified in particular under Qs. 13, 22, 23, Give the following:</li> <li>For each measurement point fill in separate sheet.</li> <li>Number of measurement points: 1</li> <li>i) Description of location, type, identification</li> </ul>		
ii) Type of inventory change at this measurement point		
iii) Possibilities to use this measurement point for physical inventory taking		

NUCL	EAR MATERIAL ACCOUNTANCY AND CONTROL	
iv) Physical and chemical form of nuclear material (including enrichment range, Pu content, and cladding materials description)		
v) Nuclear material containers, packaging and method of storage		
vi) Sampling procedure and equipment used (including number of samples taken, frequency and rejection criteria)		
vii) Measurement/analytical method(s) and equipment used and corresponding accuracies		
viii) Source and level of random and systematic errors for feed, product, scrap, waste (weight, volume, sampling, analytical)		
ix) Calculative and error propagation techniques		
<ul> <li>x) Technique and frequency of calibration of equipment used, and standards used</li> </ul>		
xi) Programme for the continuing appraisal of the accuracy of weight, volume, sampling and analytical techniques and measurement methods		
xii) Programme for statistical evaluation of data from (x) and (xi)		
xiii) Method of converting source data to batch data (standard calculative procedures, constants and empirical relationships for feed, products in sub-accounting areas, waste and scrap)		
xiv) Means of batch identification		
xv) Anticipated batch flow rate per year		
xvi) Anticipated number of inventory batches		

NUCL	EAR MATERIAL ACCOUNTANCY A	ND CONTROL
xvii) Anticipated number of items per flow and inventory batches		
xviii) Type, composition and quantity of nuclear material per batch (with indication of batch data, total weight of each element of nuclear material and form of nuclear material)		
xix) Features related to containment- surveillance measures		
<b>36. Overall limit of error</b> Describe procedures to combine individual measurement error measurements to obtain the overall limit of error for:		
i) S/R differences		
ii) Book inventory		
iii) Physical inventory		
iv) MUF		
	POST-OPERATION INFORMAT	ION
37. Decommissioning schedule dates	End of operations (MM/DD/YYYY)	Decommissioned (MM/DD/YYYY)
38. Facility decommissioning plan	PLAN(s) ATTACHED UNDER REF. NOs	
i) Key events of the decommissioning plan		
ii) Removal and recovery of nuclear material		
iii) Removing or rendering inoperable essential equipment		
OPTIONAL INFORMATION		
<b>39. Optional information</b> (that the operator considers relevant to safeguarding the facility)		
Signature of Responsible Officer		
Date (MM/DD/YYYY)		