
Form Approved
OMB No. 0920-New
Expiration Date: XX/XX/XXXX

Understanding HIV/STD Risk and Enhancing PrEP Implementation Messaging in a Diverse Community-Based Sample of Gay, Bisexual, and Other Men Who Have Sex with Men in a Transformational Era (MIC-DROP)

Attachment 4e
HIV Sample Collection English


Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; Attn: OMB-PRA (0920-New)



Jun 27, 2023

# **MOLECULAR**S

#### This Kit Includes:



Blood Collection Card (1 or 2 depending on test kit)




2 Alcohol Pads

1.



1 Sterile Gauze Pad



Single-Use Lancets (Up to 4 depending on test kit)



2 Adhesive Bandages (Up to 4 depending on test kit)



1 Specimen Bag (with Desiccant Silica Gel Pack)

#### Tips for proper blood collection

- 1. Hydration promotes blood flow. Be sure you are not dehydrated while performing collection.
- 2. Do not perform collection immediately after smoking.
- Washing and warming your hands under warm water will help promote blood flow in your hands.
- 4. Shake hands vigorously toward the floor to encourage blood flow to your fingers.
- 5. Keep collection device and hands below your heart during collection for best blood flow.
- You may need more than one finger prick. Repeat these tips between each finger
- 7. To prevent specimen contamination, do not touch any of the filter paper circles before or after blood collection.
- Do not use if oard is damaged or expired.


### TO PREVENT REJECTED SPECIMENS, PLEASE READ ALL INSTRUCTIONS BEFORE BEGINNING COLLECTION

MOLECULAR Please review Blood Collection Instructions at: molecularisatinglabs.com/instructions Tuck Cover Here

Write your name, date of birth, and the date of collection in the designated fields. Use MM/DD/YYYY format

Date of Birth [MM/DB/11111]


Date of Collection (WW/DD/YYYY),



Open blood card flap to expose the circles on the blood collection paper. Do not touch the blood collection paper (i.e., circles).



Wash hands with warm water for at least 30 seconds, then shake hands vigorously for 15 seconds to encourage blood flow to your fingers.



Clean fingertip with alcohol pad. It is best to use the middle or ring finger of your nondominant hand.



Take the lancet and twist off the cap. Press the small tip firmly into the side of your finger until the needle ejects with a click. Lancet is single-use. To dispose of lancet(s) properly, see the Safe Lancet Disposal Information on the next page. Keeping your hand below your heart during




Starting at the center, apply 3-6 drops to fill the circle and soak through the collection paper. Do not touch the paper with your finger as this will restrict blood flow. Once circle is full, move on to next circle. It is okay for blood to extend beyond lines, but do not let blood spots spread into each other.

Do not add additional blood to a circle and completed as do. The Observation of 7. YES Proper Collection.




Not enough blood. Fill circles completely.



Do not layer blood once the paper has begun to dry.



8.



Check the back side of blood collection paper. Blood should saturate all the way through and fill each circle of the collection paper.

Without closing the blood card, lay it on a flat surface and allow the blood collection paper to air dry at room temperature, for at least 30 minutes.

Do not heat, blow dry, or expose the blood blood card into biohazard bag with the

9.



When blood collection paper is dry, close blood card by tucking flap. Place the collection accounts direct andicht there will decisions and France bishamed basis



## Safe Lancet Disposal Information

- Discard used safety lancet(s) into an FDA-cleared sharps disposal container right away after use.
- Do not throw away (dispose of) lancet(s) in your household trash.
- If you do not have an FDA-cleared sharps disposal container, you may use a household container (such as a laundry detergent container) that is:
  - Made of heavy-duty plastic
  - Can be closed with a tight-fitting, puncture-resistant lid, without sharps being able to come out
  - Upright and stable during use, leak-resistant, and properly labeled to warn of hazardous waste inside the container

For more information about safe sharps disposal, and for specific information about sharps disposal in the state where you live, visit the FDA's website at: <a href="http://www.fda.gov/safesharpsdisposal">http://www.fda.gov/safesharpsdisposal</a>

Empowering Lives on a Molecular Level."