# Feeding My Baby and Me: IFPS-III: MONTH 5

The information you are being asked to provide is authorized to be collected under Section 301 of The Public Health Service Act (42 USC 241). Providing this information is voluntary. CDC will use this information in its study, *Feeding My Baby and Me (also known as the Infant Feeding Practices Study III)*, in order to learn more about the choices mothers make in feeding their babies and toddlers in the first 2 years of life. This information will support efforts to improve the health of our nation's children. This information will be shared with a contractor, Westat, with which CDC has entered into an agreement to assist with carrying out this study.

Public reporting burden of this collection of information varies from 2 to 24 minutes with an average of 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-1333)

### **DEMOGRAPHICS**

## A9. Are you currently {CHILD'S NAME} caregiver?

- Yes (GO TO A29)
- No

# [IF A9 = NO, END SURVEY, MAY BE ELIGIBLE FOR FUTURE SURVEYS. SHOW SURVEY INELIGIBILITY SCREEN AND THEN END SURVEY.]

### [START SURVEY INELIGIBILITY SCREEN]

We're sorry, you are not eligible to complete this survey if you are not currently the study child's caregiver. We will check back with you to see if you are eligible for study surveys in the future. Thank you.

### [END SURVEY INELIGIBILITY SCREEN]

#### A29. Have you moved out of the United States?

- Yes
- No

#### **FEEDING**

#### **Foods Your Baby Eats**

[PROGRAMMER: LIST EACH REPETITION OF INSTRUCTIONS AND THE GRID THAT FOLLOWS THOSE INSTRUCTIONS ON A SEPARATE PAGE]

In the past 7 days, how often was {CHILD'S NAME} fed each food listed below? Include feedings by everyone who feeds the baby and include snack and night time feedings.

Fill in only one column for each item.

- **o** If **(CHILD'S NAME)** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **{CHILD'S NAME}** was not fed the food at all during the past 7 days, fill in 0 in the second column.

# [PROGRAMMER: ONLY ALLOW ONE RESPONSE PER LINE, EITHER FEEDINGS PER DAY OR FEEDINGS PER WEEK]

Breast milk and infant formula	Feedings per day	Feedings per week
Breast milk at your breast		
Breast milk in a bottle/cup		
Infant formula		

[IF INFANT FORMULA ENDORSED IN FFQ] In the past week, about how many ounces of infant formula did you baby drink at each feeding?

- 1 to 2
- 3 to 4
- 5 to 6
- 7 to 8
- More than 8

In the past 7 days, how often was {CHILD'S NAME} fed each beverage listed below? Include feedings by everyone who feeds the baby and include snack and night time feedings.

Fill in only one column for each item.

- **o** If **(CHILD'S NAME)** was fed the beverage once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the beverage less than once a day, enter the number of feedings per week in the second column.
- **o** If **{CHILD'S NAME}** was not fed the beverage at all during the past 7 days, fill in 0 in the second column.

Beverages	Feedings per day	Feedings per week
Water: include tap, bottled, or		
unflavored sparkling water		
100% pure fruit juice or 100% pure		
vegetable juice		
Regular soda or pop that contains		
sugar. Don't include diet soda or diet		
рор		
Sweetened fruit drinks such as Kool-		
Aid, lemonade, sweet tea, Hi-C,		
cranberry cocktail, Gatorade, or		
flavored milk (e.g., chocolate,		
strawberry, vanilla)		
Unsweetened cow's milk (includes milk		
added to foods such as cereals)		
Unsweetened other milk such as soy		
milk, rice milk, or goat milk.		

Fill in only one column for each item.

- **o** If **(CHILD'S NAME)** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **(CHILD'S NAME)** was not fed the food at all during the past 7 days, fill in 0 in the second column.

# [PROGRAMMER: ONLY ALLOW ONE RESPONSE PER LINE, EITHER FEEDINGS PER DAY OR FEEDINGS PER WEEK]

Grains	Feedings per day	Feedings per week
Baby cereal		
Infant snacks (includes baby puffs,		
melts, or teething biscuits)		
Hot or cold cereal (do not include baby		
cereal)		
Rice, pasta, breads (includes, rice,		
pasta, toast, rolls, bagels, cornbread,		
tortillas, bread in sandwiches,		
pancakes, waffles, crackers, etc.)		

In the past 7 days, how often was {CHILD'S NAME} fed each food listed below? Include feedings by everyone who feeds the baby and include snack and night time feedings.

Fill in only one column for each item.

- **o** If **{CHILD'S NAME}** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **{CHILD'S NAME}** was not fed the food at all during the past 7 days, fill in 0 in the second column.

Meats and Other Protein Foods	Feedings per day	Feedings per week
Meat (not processed): chicken, turkey,		
pork, beef, or lamb		
Processed meat: baby food meats,		
combination dinners, bacon, ham,		
lunch meats, hot dogs, etc.		
Fish or shellfish		
Eggs		
Beans: Refried beans, black beans,		
white beans, baked beans, beans in		
soup, pork and beans, or any other		
cooked dried beans. Don't include		
green beans.		
Peanut butter, other peanut foods, or		
nuts		
Soy foods: tofu, frozen soy desserts,		
etc.		

Fill in only one column for each item.

- **o** If **{CHILD'S NAME}** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **(CHILD'S NAME)** was not fed the food at all during the past 7 days, fill in 0 in the second column.

Fruits and Vegetables	Feedings per day	Feedings per week
Fruits: fresh, frozen, or canned, pureed		
baby food, or in squeezable pouches.		
Don't include juice.		
Potatoes: baked, boiled, or mashed		
potatoes, or sweet potatoes		
Fried potatoes including French fries,		
home fries, or hash browns		
Green leafy vegetables: spinach, kale,		
collards, lettuce, or other green leafy		
vegetables		
Other vegetables: fresh, frozen, or		
canned, or in squeezable pouches		
(other than green leafy or lettuce		
salads, potatoes, or cooked dried		
beans)		
Tomato sauces: Mexican-type salsa		
with tomato, spaghetti noodles with		
tomato sauce, or mixed into foods		
such as lasagna (do not include tomato		
sauce on pizza)		

Fill in only one column for each item.

- **o** If **(CHILD'S NAME)** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **(CHILD'S NAME)** was not fed the food at all during the past 7 days, fill in 0 in the second column.

Dairy	Feedings per day	Feedings per week
Cheese: all types (include cheese as a		
snack, on a sandwich, or in foods such		
as lasagna, quesadillas, or casseroles).		
Do not count cheese on pizza		
Other dairy products, such as pudding		
or yogurt. Don't include sugar free or		
plain kinds		

Fill in only one column for each item.

- **o** If **(CHILD'S NAME)** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **(CHILD'S NAME)** was not fed the food at all during the past 7 days, fill in 0 in the second column.

# [PROGRAMMER: ONLY ALLOW ONE RESPONSE PER LINE, EITHER FEEDINGS PER DAY OR FEEDINGS PER WEEK]

Sweets and Desserts	Feedings per day	Feedings per week
Ice cream or other frozen dairy		
desserts, such as frozen yogurt and		
sherbet. Don't include sugar free kinds		
Sugar free frozen dairy desserts or		
sugar free pudding, plain or sugar free		
yogurt, or other sugar free dairy		
products		
Sweet foods: candy, cookies, cake,		
doughnuts, muffins, pop-tarts, etc.		
Don't count frozen or sugar free		
desserts		

In the past 7 days, how often was {CHILD'S NAME} fed each food listed below? Include feedings by everyone who feeds the baby and include snack and night time feedings.

Fill in only one column for each item.

- **o** If **(CHILD'S NAME)** was fed the food once a day or more, enter the number of feedings per day in the first column.
- **o** If **{CHILD'S NAME}** was fed the food less than once a day, enter the number of feedings per week in the second column.
- **o** If **{CHILD'S NAME}** was not fed the food at all during the past 7 days, fill in 0 in the second column.

Snacks and Other Foods	Feedings per day	Feedings per week
Pizza: frozen pizza, fast food pizza,		
homemade pizza, or other pizza		
Snacks such as potato chips, corn		
chips, pretzels, or popcorn		

C13. [ASK ONLY IF BREAST MILK FROM BREAST AND BREAST MILK FROM BOTTLE/CUP ENDORSED IN FFQ] Babies might drink breast milk from the breast, a bottle, or a cup. Which of the following best describes how {CHILD'S NAME} was drinking breast milk in the past week.

- Mostly at the breast but some breast milk from a bottle or cup
- About half at the breast and half from a bottle or cup
- Some at the breast but most from a bottle or cup

A25. In the past month, did you ever add anything, such as water, to breast milk or formula to make it last longer? For formula, this means adding more water to formula than the instructions suggest.

- Yes
- No (GO TO E5)

A26. In the past month, how often did you add anything, such as water, to breast milk or formula to make it last longer? For formula, this means adding more water to formula than the instructions suggest.

- At least once per day
- Multiple times per week
- Once per week
- Less than once per week
- One time in the past month

### **Feeding Breast Milk**

These next questions are about feeding your baby breast milk.

E5. [ASK IF E4 FROM PREVIOUS SURVEY INCLUDES DATE AND R HAS NOT ALREADY ANSWERED YES] Has {CHILD'S NAME} stopped directly feeding at your breast?

- Yes
- No (GO TO E10)

E6. How old was {FILL: HE/SHE} when {FILL: HE/SHE} completely stopped feeding directly from your breast? Do not answer about pumped or expressed milk. You will be asked about that later. (Day 0 is the day your baby was born)

My baby completely stopped feeding at my breast at days OR weeks OR months			
E8. What were the two most important reasons for your decision to stop feeding your baby directly at your breast?			
-	AMMER: ONLY ALLOW ONE RESPONSE PER COLUMN D FOR SAME LINE]	N, DO NOT ALLOW BO	OTH COLUMNS
		Most important reason	Second most important reason
	I wanted or needed someone else to feed my baby		
	Breast milk alone did not satisfy my baby		
	I wanted my body back to myself		
	I was sick or had to take medicine		
	I could not breastfeed while working or going to		
	school		
	My baby lost interest in nursing or began to wean		
	himself or herself		
	I was pregnant		
	Other reason		
These next questions are about pumped and expressed breast milk.			
[PROGRAMMER: DISPLAY E10 AND E15 ON THE SAME SCREEN] E10. [DO NOT DISPLAY IF ANSWERED WITH DATE IN PREVIOUS SURVEY] How old was {FILL: HE/SHE}			
when you first pumped your breast milk? (Day 0 is the day your baby was born)			
I first pumped my breast milk at days OR weeks OR months			
OR			
I have never pumped my breast milk			
-	O NOT DISPLAY IF ANSWERED WITH DATE IN PREVIO ou first fed your baby pumped or hand-expressed bro		•
I first ga	ve my baby pumped or hand-expressed breast milk a	t days OR wee	eks OR months
OR			
•	I have never given my baby pumped or hand-expresso	ed breast milk	

[IF E10 = NEVER PUMPED, SKIP TO E16]

C19. Are you currently pumping breast milk on a regular schedule?

- Yes
- No

C20. In the past week, how many times did you pump breast milk?

\_\_ Times in past week

[IF C20 = 0, GO TO E11]

D17. What were the two most important reasons why you have you pumped or hand-expressed milk in the past week?

[PROGRAMMER: ONLY ALLOW ONE RESPONSE PER COLUMN, DO NOT ALLOW BOTH COLUMNS CHECKED FOR SAME LINE]

	Most important	Second most important
	reason	reason
To maintain or increase my milk supply		
To get milk for someone else to feed to my baby when I		
needed to be away from my baby		
My nipples were too sore to nurse		
My baby and/or I had difficulty establishing latch		
To help other caregivers (e.g., family members) bond		
with my baby		
To help my baby learn how to use and/or accept a bottle		
To help estimate how much my baby was drinking		
I was sick or had to take medicine		

E11. [ASK IF E10 FROM CURRENT OR PREVIOUS SURVEY INCLUDES DATE AND R HAS NOT ALREADY ANSWERED YES] Have you stopped pumping or hand-expressing breast milk?

- Yes
- No (GO TO E16)

[IF E11 = VALID SKIP, SKIP TO E16]

E12. How old was {CHILD'S NAME} when you completely stopped milk? (Day 0 is the day your baby was born). Do not answer about breast milk. You will be asked about that later.	- <del>-</del>	-
I completely stopped pumping or hand-expressing my breast milk at months	days OR	weeks OR
E13. What were the two most important reasons for your decision expressing breast milk?	to stop pumping	or hand-
[PROGRAMMER: ONLY ALLOW ONE RESPONSE PER COLUMN, DO CHECKED FOR SAME LINE]	NOT ALLOW BOTH	I COLUMNS
	Most important reason	Second most important reason
Pumping milk no longer seemed worth the effort it required		
Too many challenges related to pumping at work or school		
Pumping supplies cost too much		
I was not getting enough pumped milk		
I had enough milk stored to reach my breastfeeding goal		
I was pregnant		
I was sick or had to take medicine		
Other reason		
E16. [ASK IF E15 FROM CURRENT OR PREVIOUS SURVEY INCLUDES  ANSWERED YES] Have you stopped feeding your baby pumped or  • Yes • No (GO TO E22)		
[IF E16 = VALID SKIP, GO TO E19]		
E17. How old was {FILL: HE/SHE} when {FILL: HE/SHE} completely seexpressed breast milk? Do not answer about feeding directly at you baby was born)		
My baby completely stopped being fed pumped or expressed breas months	t milk at days (	OR weeks OR

E19. [IF E4 OR E15 HAVE DATE IN ANY SURVEY AND E5 ≠ NO AND E16 ≠ NO, ASK E19. ONCE ANSWERED, DO NOT ASK AGAIN IN FUTURE SURVEYS] Did you feed your baby breast milk (at the breast or pumped/expressed milk) as long as you wanted?

- Yes
- No

### **Feeding Formula**

The next questions are about feeding your baby infant formula.

E22. [DO NOT ASK IF E22 = YES IN A PREVIOUS SURVEY; IF FORMULA ENDORSED IN FFQ CODE YES AND CONTINUE TO E23] Did you ever feed {CHILD'S NAME} infant formula?

- Yes
- No (GO TO C26)

E23. [DO NOT DISPLAY IF ANSWERED WITH DATE IN PREVIOUS SURVEY] How old was {FILL: HE/SHE} when {FILL: HE/SHE} was first fed infant formula? (Day 0 is the day your baby was born)

My baby was first fed infant formula at \_\_\_ days OR \_\_\_ weeks OR \_\_\_ months

C6. In the past week, what type of infant formula is {CHILD'S NAME} usually fed?

- Liquid Ready to feed (no water added)
- Liquid concentrate (water added)
- Powder from a can that makes more than one bottle (water added)
- Powder from single serving packs (water added)

C8. [IF C6 ≠ LIQUID READY TO FEED] Was the water you used to mix the infant formula:

- Boiled and cooled before adding infant formula
- Boiled and added to the infant formula then cooled
- Not applicable, I don't use boiled water

C11. Have you ever fed {CHILD'S NAME} a homemade infant formula? Do not include any infant formula that is commercially manufactured that you can buy in a store or online.

- Yes
- No
- Don't know

#### **Solid Foods**

These next questions are about introducing solid foods to your baby.

C26. [ONCE ANSWERED WITH ANYTHING OTHER THAN "I HAVE NOT YET FED MY BABY SOLID FOODS," DO NOT ASK AGAIN] How old was {CHILD'S NAME} when {FILL: HE/SHE} was first fed solid foods? Please include any foods such as infant cereal, fruit, vegetables, meat or other foods, even if it was just a small amount fed from a spoon, a bottle or your hands. The first solid food means the first time your baby had any food other than breast milk or infant formula.

\_\_\_\_ Months [HAVE A DROP DOWN OPTION FOR LESS THAN ONE MONTH ALL OTHER RESPONSES ARE WRITE-IN]

[NOTE TO PROGRAMMER - DO NOT ALLOW FOR OPTIONS THAT ARE OLDER THAN CHILD'S AGE AT TIME OF SURVEY]

• I have not yet fed my baby solid foods (GO TO H6)

D19. [ONCE ANSWERED, DO NOT ASK AGAIN] What were the most important reasons for feeding {CHILD'S NAME} solid food for the very first time? Solid foods are foods such as infant cereal (not in a bottle), baby foods, or table food.

[PROGRAMMER: ONLY ALLOW ONE RESPONSE PER COLUMN, DO NOT ALLOW BOTH COLUMNS CHECKED FOR SAME LINE]

	Most important	Second most
	reason	important reason
I didn't have enough breast milk		
My baby was not gaining enough weight		
It would help my baby sleep longer at night		
A doctor or other health professional said my baby		
should begin eating solid foods		
Friends or relatives said my baby should begin		
eating solid foods		
My baby wanted food I ate or in other ways showed		
an interest in solid food		
Other reason		

C27. [ONCE ANSWERED, DO NOT ASK AGAIN] What was the first solid food you fed {CHILD'S NAME}? The first solid food means the first time your baby had any food other than breast milk or infant formula. This can also include anything added to the bottle.

- Infant rice cereal
- Infant cereal (not rice)
- Fruits
- Vegetables
- Meats
- Other food
- I fed my baby several different foods mixed together

### **HEALTH AND LIFESTYLE**

H6. What kind of birth control are you or your spouse/partner using now?

Select all that apply.

- Hormonal IUD (Mirena®, Skyla®, Kyleena®, Liletta®)
- Implant (Nexplanon®)
- Shot (Depo-Provera<sup>®</sup>)
- Progestin-only pill (e.g. mini-pill)
- Combined contraception (e.g. combined pill, patch [OrthoEvra®] or vaginal ring [NuvaRing®])
- Non hormonal method (for example permanent sterilization [e.g., tubes tied, Essure®, vasectomy], copper [non-hormonal] IUD, condoms, not having sex at certain times [rhythm method or natural family planning], withdrawal [pulling out], diaphragm, cervical cap, sponge, not having sex, no method, not applicable [e.g. hysterectomy, same-sex partner])

C45. Which of the following was {CHILD'S NAME} given in vitamin or mineral drops at least 3 days a week during the past week? If your baby was given drops or pills that contained more than one of the items listed, please mark each of the separate items.

- Iron
- Vitamin D
- Other vitamins
- None of these

[PROGRAMMER: DISPLAY CONTACT INFORMATION SECTION]

CONTACT INFORMATION SCREEN

### 1-MONTH SURVEY AND ONWARDS:

Thank you very much for completing the survey! Please take a moment to review your information and update as needed.

We can provide you with a link for \$X immediately after you complete this survey or mail you a check. Which would you prefer?

### Preference for receiving the money for the survey:

• Check [PROGRAMMER: IF CHECK IS SELECTED BUT THERE IS NO ADDRESS, DISPLAY MESSAGE "Please enter your mailing address below"]

**O** Online gift card [PROGRAMMER: IF GIFT CARD IS SELECTED BUT THERE IS NO EMAIL ADDRESS, DISPLAY MESSAGE "Please enter your email address below"]

[PROGRAMMER: PRE-POPULATE ALL CONTACT INFORMATION THAT HAS BEEN PROVIDED ON PREVIOUS SURVEY(S). IF NO INFORMATION HAS BEEN PROVIDED, LEAVE BLANK]

### **Contact Information**

Name*:		
Cell Phone Number*:		
Email address*:		
*Would you <b>prefer</b> to receive stu	dy information through	text or email or both?
Text	Email	Both Text and Email
*This information is required.		

[PROGRAMMER: DISPLAY IF INFORMATION HAS BEEN PRE-POPULATED]

Is this information still correct?
Yes □
No $\ \square$ [PROGRAMMER: IF NO, PROVIDE BLANK CONTACT INFORMATION FOR RESPONDENT TO UPDATE]
[PROGRAMMER: MAILING ADDRESS IS ONLY DISPLAYED IF CHECK IS INDICATED ABOVE AND NO MAILING ADDRESS HAS BEEN PROVIDED PREVIOUSLY]
Address 1:
Address 2:
Zip code:
[PROGRAMMER: PRE-POPULATE STATE AND CITY]
Contact Information of someone the study can contact in case we lose touch with you:
Please provide the name and contact information of another person who would always know how to contact you (such as your partner, parent, or friend). We will contact them only if we cannot reach you by email or text. Please let them know they have your permission to share your contact information with the study.
Name:
Relationship: Spouse/Partner/Parent/Sibling/Other Relative/Friend
Phone Number:
Email address:

[IF CHECK: Please look out for a check from Westat in 5 -7 business days IF VIRTUAL GIFT CARD: Please look out for an email or text with a link to your online gift card]. Your next survey will start [NEXT

SURVEY START DATE]. We will send you a reminder on that day. Please make sure to update your contact information at this website at any time your phone number or email address changes. Thank you for your continued participation in the Feeding My Baby and Me Study.