

## General Notes

<b>The level of measure for NWSS DCIPHER SARS-CoV-2 reporting:</b>	Each SARS-CoV-2 PCR target ('pcr_target') that is measured should be each be reported on a separate row. Other fields that correspond to "wide" with respect to most measurements made on a given sample,
<b>Data types:</b>	Fields are read in as strings; data type casting happens after file read i

## Submission Requirements

<b>Required fields:</b>	These fields must be included in the data file; if they are omitted, file i file even if all row values are [empty].
<b>Non-required but non-empty fields:</b>	Some fields are "not required" but also must have non-empty values, cause them to be flagged for quality control issues once uploaded.

## Value Sets

<b>Missing values:</b>	Missing values should be left blank, denoted as [empty] in the Value S
<b>Requesting additional values for categorical fields:</b>	For categorical fields, restrict values to those listed in the Value Sets.
<b>Case sensitivity:</b>	Fields are not case sensitive.

## Data Type Definitions

<b>string</b>	ASCII-encoded characters; do not use line breaks within a value
<b>float</b>	Floating-point (i.e., decimal) number
<b>integer</b>	Integer number
<b>ZIP code</b>	5-digit US ZIP code (#####)
<b>date</b>	yyyy-mm-dd
<b>time</b>	hh:mm (24-hr format in the local time zone)
<b>list</b>	Comma-separated strings
<b>category</b>	Categorical variable with a defined value set of strings
<b>NPDES permit number</b>	National Pollutant Discharge Elimination System (NPDES) permit num
<b>EPA registry ID number</b>	EPA Registry ID or Facility Registry Service (FRS) identifier (<#####
<b>time zone</b>	Time zone, represented as a UTC time offset (UTC-[hh]:[mm], e.g., UT
<b>jurisdiction id</b>	String 20 characters or less, containing only numbers, English alphabe

## Field Name Groups

**Reporter**  
**Collection Site**  
**WWTP**  
**Collection Method**  
**Processing Method**  
**SARSCoV2 Quantification Method**  
**Sample**  
**SARSCoV2 Quantification Results**

## Terminology

<b>PCR:</b>	Throughout this data dictionary, the term "PCR" (polymerase chain re transcriptase PCR)-based method for RNA targets, such as SARS-CoV-; quantitative (real time) PCR or digital PCR.
-------------	---

### Field Name Color Key

	Data that may be generated by the reporting jurisdiction public health
	Data likely generated by testing laboratories
	Data likely generated by wastewater utilities
	New fields or changes to existing fields

specified on a separate row in the CSV file. For example, if N1 and N2 are both measured for the same sample, including 'sample\_id', should be repeated across those rows. In general, this format can be thought of as "long" with respect to SARS-CoV-2 PCR targets.

n.

upload will be prohibited. For required fields that allow [empty] values, the field column header must be included, conditional on the completion of another field. Omission of these fields will not interfere with upload of the

sets. Do not use other strings, such as "NA" or "[empty]", to denote missing values." To request that values be added to the vocabulary, please contact NWSS staff.

number (<2-letter abbreviation><#####>). Search engine to locate this identifier is available here: <https://echo.epa.gov/facilities/facility-search> (#####). Search engine to locate this identifier is available here: <https://echo.epa.gov/facilities/facility-search> C-06:00); offsets can be found at <https://www.timeanddate.com/time/zone/usa> alphanumeric characters, underscores, and hyphens (white space is not allowed); not case sensitive

action) is used as a shorthand for "PCR-based quantification methods", even when the method is an RT-PCR. In addition, the term PCR does not refer to end-point PCR methods, but rather quantitative PCR methods.

[REDACTED]  
1 agency, possibly in collaboration with either wastewater utilities or testing laboratories

[Redacted]

ample, they should  
ought of as being

[Redacted]

cluded in the data

re data file, but will

[Redacted]

[Redacted]

ro.epa.gov/facilities  
r?mediaSelected=cwa

[Redacted]

[Redacted]

R (reverse  
s, such as



Field Name

Data Type

Reporter	
reporting_jurisdiction	category

Collection Site	
site_id	<#####-###-##-##-##>

county_names	list (comma-separated integers)
zipcode	ZIP code (#####)

population_served	integer
-------------------	---------

sewage_travel_time	float
--------------------	-------

sample_location	category
-----------------	----------

sample_location_specify	string
-------------------------	--------

institution_type	category
------------------	----------

## WWTP

epaid	NPDES permit number (<2-letter abbreviation><#####>)
epa_registry_id	EPA Registry ID (<#####>)
wwtp_name	string
wwtp_jurisdiction	category
capacity_mgd	float
industrial_input	float
stormwater_input	category
influent_equilibrated	category

## Collection Method



sample_type	category
composite_freq	float
sample_matrix	category
collection_storage_time	float
collection_storage_temp	float
pretreatment	category
pretreatment_specify	string

#### Processing Method

solids_separation	category
concentration_method	category
extraction_method	category
pre_conc_storage_time	float

pre_conc_storage_temp	float
pre_ext_storage_time	float
pre_ext_storage_temp	float
tot_conc_vol	float
ext_blank	category
rec_eff_target_name	category
rec_eff_spike_matrix	category
rec_eff_spike_conc	float
pasteurized	category
SARSCoV2 Quantification Method	
pcr_target	category
pcr_gene_target	category
pcr_gene_target_ref	string
pcr_type	category

lod_ref	string
hum_frac_target_mic	category
hum_frac_target_mic_ref	string
hum_frac_target_chem	category
hum_frac_target_chem_ref	string
other_norm_name	category
other_norm_ref	string
quant_stan_type	category
stan_ref	string
inhibition_method	string
num_no_target_control	category

### Sample

sample_collect_date	date ([yyyy]-[mm]-[dd])
sample_collect_time	time, 24-hr ([hh]:[mm])
time_zone	time zone (UTC-[hh]:[mm])

flow\_rate float

ph float

conductivity float

tss float

collection\_water\_temp float

equiv\_sewage\_amt float

sample\_id jurisdiction id (a string 20 characters or less, containing only numbers, English alphabetic characters, underscores, and hyphens; white space is not allowed; not case sensitive)

lab\_id jurisdiction id (a string 20 characters or less, containing only numbers, English alphabetic characters, underscores, and hyphens; white space is not allowed; not case sensitive)

qc\_ignore category

dashboard\_ignore category

analysis\_ignore category

SARSCoV2 Quantification Results

test\_result\_date date ([yyyy]-[mm]-[dd])

pcr\_target\_units category

pcr_target_avg_conc	float
pcr_target_std_error	float
pcr_target_cl_95_lo	float
pcr_target_cl_95_up	float
pcr_target_below_lod	category
lod_sewage	float

ntc_amplify	category
rec_eff_percent	float
inhibition_detect	category
inhibition_adjust	category
hum_frac_mic_conc	float
hum_frac_mic_unit	category
hum_frac_chem_conc	float
hum_frac_chem_unit	category
other_norm_conc	float
other_norm_unit	category
quality_flag	category

major\_lab\_method integer

major\_lab\_method\_desc string



Description

Value Set

The CDC Epidemiology and Laboratory Capacity (ELC) jurisdiction, most frequently a state, reporting these data (2-letter abbreviation)

[\[See Value Sets: vs\\_reporting\\_jurisdiction\]](#)

Nationally unique sampling site identifier assigned following NWSS format. <5 digit county FIPS code for WWTP address>-<3 digit facility code>-<2 digit interceptor and sewershed code>-<2 digit subsewershed code>-<2 digit site code>

5-digit numeric FIPS codes of all counties and county equivalents served by this sampling site (i.e., served by this wastewater treatment plant or, if 'sample\_location' is "upstream", then by this upstream location). Note that most jurisdictions are covered by counties, but some are covered by county equivalents, such as independent cities, parishes, or census areas.

[5-digit integers]

Zip code in which this sampling site is physically located (one 5-digit zip code)

[5-digit integers]

Estimated number of persons served by this sampling site (i.e., served by this wastewater treatment plant or, if 'sample\_location' is "upstream", then by this upstream location)

[greater than or equal to 0]

What is the approximate sewage travel time, on average, from sewage source to this sampling site (i.e., this wastewater treatment plant or, if 'sample\_location' is "upstream", then this upstream location)? This should be specified as a duration in hours, not a time of day.

[greater than or equal to 0];  
[empty]

Sample collection location in the wastewater system, whether at a wastewater treatment plant (or other community level treatment infrastructure such as community-scale septic) or upstream in the wastewater system

[\[See Value Sets: vs\\_sample\\_location\]](#)

If 'sample\_location' is "upstream", specify the collection location in the wastewater system; an arbitrary name may be used if you do not wish to disclose the real name.

[string, length less than or equal to 40 characters];  
[empty]

If this sample represents wastewater from a single institution, facility, or building, specify the institution type; otherwise, specify "not institution specific"

[\[See Value Sets: vs\\_institution\\_type\]](#)

NPDES permit number for the wastewater treatment plant specified in 'wwtp\_name'. If 'upstream location' use the NPDES permit number for the wastewater treatment plant in which the water flows. If facility does not have an NPDES permit number, enter -1.

[NPDES permit number]; -1 if not permitted

EPA registry ID for the wastewater treatment plant specified in 'wwtp\_name'. If 'upstream location' use the registry ID number for the wastewater treatment plant in which the water flows. If the water does not flow to a treatment plant, enter -1.

[EPA Registry ID]; -1 if not registered with EPA

The name of the Wastewater Treatment Plant (WWTP) to which this wastewater flows. If this wastewater does not flow to a WWTP, specify an identifiable name for the septic or other treatment system to which this wastewater flows. An arbitrary name may be used if you do not wish to disclose the real name.

[string, length less than or equal to 40 characters]

State, DC, US territory, or Freely Associated State jurisdiction name (2-letter abbreviation) in which the wastewater treatment plant provided in 'wwtp\_name' is located

[\[See Value Sets: vs wwtp jurisdiction\]](#)

Wastewater treatment plant design capacity. This should be the capacity for which the plant is permitted. If 'upstream location', use the design capacity for the wastewater treatment plant to which the water flows.

[greater than or equal to 0]

Approximate average percentage of wastewater from industrial sources that is received by the wastewater treatment plant specified in 'wwtp\_name'

[0-100];  
[empty]

Does the wastewater treatment plant specified in 'wwtp\_name' treat water from a combined sewer system (i.e., a sewer system that collects both sewage and stormwater)?

[\[See Value Sets: vs yne\]](#)

Is influent to the wastewater treatment plant specified in 'wwtp\_name' ever stored prior to treatment to equilibrate or modulate the influent flow rate?

[\[See Value Sets: vs yne\]](#)

Type of sample collected, whether grab or composite. If composite, also provide the duration of sampling and type of composite, as listed in the Value Set (e.g., "24-hr flow-weighted composite"). A grab sample is defined as an individual sample collected without compositing or adding other samples, regardless of whether the sample matrix is liquid wastewater or sludge. [\[See Value Sets: vs\\_sample\\_type\]](#)

Frequency of sub-sample collection (for composite samples only): for flow-weighted, the number of sub-samples collected per million gallons of flow; for time-weighted, the number of sub-samples per hour. Flow-weighted example: a value of 5 would indicate 5 sub-samples per million gallons, or 1 sub-sample per 200,000 gallons [greater than or equal to 0]; [empty]

Wastewater matrix from which the sample was collected [\[See Value Sets: vs\\_sample\\_matrix\]](#)

Duration of time from sample collection start time to time sample reached the lab. [greater than or equal to 0]; [empty]

Temperature at which the sample was stored after collection and prior to reaching the lab [float]; [empty]

Was the sample treated with any chemicals prior to reaching the lab? These could include chemicals, such as stabilizers, added to the sample or chemicals, such as chlorine, added to the wastewater treatment train upstream of the sample collection point. Do not specify pasteurization here; it should be specified in the 'pasteurized' field. [\[See Value Sets: vs\\_yn\]](#)

If 'pretreatment' is "yes", then specify the chemicals used [string]; [empty]

Process used to separate solid and liquid phases of the sample, either prior to or in the absence of the concentration method specified in 'concentration\_method' [\[See Value Sets: vs\\_solids\\_separation\]](#)

Method used to concentrate the sample prior to analysis of the concentrate [\[See Value Sets: vs\\_concentration\\_method\]](#)

Method used for nucleic acid extraction from the sample [\[See Value Sets: vs\\_extraction\\_method\]](#)

The approximate average duration of time between when samples reach the lab and when they are concentrated (if concentrated) [greater than or equal to 0]; [empty]

The storage temperature of samples after reaching the lab and prior to concentration (if concentrated)	[float]; [empty]
The approximate average duration of time between when samples are concentrated (if concentrated) and when they are extracted	[greater than or equal to 0]; [empty]
The storage temperature of samples after concentration (if concentrated) and prior to extraction	[float]; [empty]
Total volume of sample concentrated (if concentrated); this total volume is not necessarily assayed and is not necessarily equal to the value specified in 'equiv_sewage_amt'	[greater than or equal to 0]; [empty]
Are extraction blanks included in the extraction process?	<a href="#">[See Value Sets: vs_yne]</a>
Name of the recovery efficiency control target that is spiked in	<a href="#">[See Value Sets: vs_rec_eff_target_name]</a>
Matrix into which the recovery efficiency control target is spiked	<a href="#">[See Value Sets: vs_rec_eff_spike_matrix]</a>
Spike concentration, on average, of the recovery control on a per sample volume basis	[float]; [empty]
Was the sample pasteurized?	<a href="#">[See Value Sets: vs_yn]</a>
<hr/>	
The target of the PCR quantification	<a href="#">[See Value Sets: vs_pcr_target]</a>
The PCR gene used to quantify PCR target	<a href="#">[See Value Sets: vs_pcr_gene_target]</a>
A publication, website, or brief description of the PCR gene target used	[string]
The type of PCR used to quantify the PCR target	<a href="#">[See Value Sets: vs_pcr_type]</a>

A publication, website, or brief description of the method used to calculate the limit of detection	[string]
Name of microbial target used to estimate human fecal content	<a href="#">[See Value Sets: vs hum frac target mic]</a>
A publication, website, or brief description of the microbial target specified in 'hum_frac_target_mic'	[string]; [empty]
Name of chemical compound used to estimate human fecal content	<a href="#">[See Value Sets: vs hum frac target chem]</a>
A publication, website, or brief description of the chemical compound specified in 'hum_frac_target_chem'	[string]; [empty]
Name of a target or compound not specified in 'hum_frac_target_mic' or 'hum_frac_target_chem' used to estimate human fecal content	<a href="#">[See Value Sets: vs other norm name]</a>
A publication, website, or brief description of the target or compound specified in 'other_norm_name'	[string]; [empty]
The type of nucleic acid used as a standard for the PCR target quantification	<a href="#">[See Value Sets: vs quant stan type]</a>
A publication, website, or brief description of the quantitative standard material used	[string]
A publication, website, or brief description of the method used to evaluate molecular inhibition	[string]; none (if inhibition not tested)
Number of no-template controls (NTC) per instrument run	<a href="#">[See Value Sets: vs num no target control]</a>

The date of sample collection; for composite samples, specify the date on which sample collection began [date not after tomorrow's date]

The local time of sample collection; for composite samples, specify the time at which sample collection began [time]

Current local time zone corresponding to the time specified in 'sample\_collect\_time', represented as a UTC time offset (e.g., UTC-06:00) [time zone]

Wastewater volumetric flow rate at the sample collection location over the 24-hr period during which the sample was collected. If only an instantaneous flow measurement is available, it may be reported in units of million gallons per day. [greater than or equal to 0]; [empty]

pH of wastewater sample (if sludge, pH of influent at time of collection) [float]; [empty]

Specific conductivity of wastewater sample (if sludge, conductivity of influent at time of collection) [greater than or equal to 0]; [empty]

Total suspended solids of raw (or, if unavailable, post-grit removal) wastewater [greater than or equal to 0]; [empty]

Sample temperature at time of collection [greater than or equal to 0]; [empty]

Equivalent unconcentrated volume of wastewater or mass of sludge in PCR reaction [greater than or equal to 0]; [empty]

An ID assigned to a wastewater sample. It must be unique for this NWSS reporting jurisdiction. Wastewater samples that are split and measured by different labs should have the same sample ID but different lab IDs. Wastewater samples for which multiple PCR targets are measured should also have the same sample ID. Note: do not include PII in this field. [sample id]

An ID assigned to a testing lab. It must be unique across labs used for this NWSS reporting jurisdiction's testing. If the same lab is used across multiple NWSS reporting jurisdictions, each NWSS reporting jurisdiction may assign that lab a different lab ID. Note: including PII in this field is discouraged. [lab id]

Should the DCIPHER QC report ignore this sample? The purpose of this field is to allow for removal of samples from the QC report so that samples with unresolvable QC issues do not clutter the report. This field only affects whether samples are shown in the QC report, not how they are otherwise processed or analyzed. If the value is "yes", then this sample will be excluded from the QC report. If the value is "no" or [empty], then this sample will be included in the QC report for up to 90 days. Samples will only be included in the QC report for up to 90 days, regardless of the value specified in 'qc\_ignore'. [\[See Value Sets: vs\\_yne\]](#)

Should the DCIPHER dashboard ignore this sample? If the value is "yes", then this sample will be excluded from the dashboard. If the value is "no" or [empty], then this sample will be included in the dashboard. In addition to excluding the sample from the DCIPHER dashboard, this field will also prevent the sample from public data release. [\[See Value Sets: vs\\_yne\]](#)

Should DCIPHER data analysis ignore this sample? If the value is "yes", then this sample will be excluded from DCIPHER data analysis, which will also cause it to be excluded from the dashboard. If the value is "no" or [empty], then this sample will be included in DCIPHER data analysis. [\[See Value Sets: vs\\_yne\]](#)

The date on which this PCR target measurement was made

[date greater than sample collect date and less than DCIPHER upload date]

Units of PCR target sample concentration

[\[See Value Sets: vs\\_mic\\_chem\\_units\]](#)

Concentration of the PCR target back-calculated to unconcentrated sample basis; enter "0" if no amplification occurred, using the definition of amplification described in 'ntc\_amplify'; otherwise, enter the estimated concentration; do not adjust for matrix recovery efficiency.

Only the technical or biological replicate concentrations for the same pcr\_gene\_target should be averaged. For example, if there are three replicates of a given PCR target, average those concentrations and report the average value only. Do not include the three individual concentrations. Different pcr\_gene\_target concentrations **should not** be averaged for this field (e.g., do not average concentrations for N1 and N2).

[any float other than 0];  
0 (if no amplification observed)

Standard error (SE) of the PCR target in wastewater sample, or best estimate that is consistently available. If sample replicates are always performed, use SE of sample replicates; else, if processing replicates are always performed, use SE of processing replicates; else, if qPCR is performed, use SE of PCR replicates; else, if digital PCR is performed, use error from multiple replicates if available, and Poisson error if not

[greater than or equal to 0];  
-1 (if cannot be calculated, such as when no amplification observed)

Lower bound of 95% confidence interval of the PCR target in wastewater sample, or best estimate that is consistently available. Follow the same hierarchy as described for standard error. (Note: 'cl' stands for confidence limit)

[any float other than -1];  
-1 (if cannot be calculated, such as when no amplification observed)

Upper bound of 95% confidence interval of the PCR target in wastewater sample, or best estimate that is consistently available. Follow the same hierarchy as described for standard error. (Note: 'cl' stands for confidence limit)

[any float other than -1];  
-1 (if cannot be calculated, such as when no amplification observed)

Was the concentration of the PCR target below the limit of detection?

[\[See Value Sets: vs\\_yne\]](#)

PCR target limit of detection back-calculated to unconcentrated sample basis

[float]



For qPCR, did any no-template controls on this instrument run have a Ct value less than 40? For ddPCR, did any no-template controls on this instrument run have 3 or more positive droplets?

[\[See Value Sets: vs\\_yn\]](#)

Percent of spiked recovery control, specified in 'rec\_eff\_target\_name', that was recovered

[greater than or equal to 0.0];  
-1 (if not tested)

Was molecular inhibition detected?

[\[See Value Sets: vs\\_ynn\]](#)

Was inhibition incorporated into the PCR target concentration calculation?

[\[See Value Sets: vs\\_yn\]](#)

Concentration of microbial target specified in 'hum\_frac\_target\_mic'; follow the same guidelines outlined for 'pcr\_target\_avg\_conc'

[float];  
[empty]

Concentration units of microbial target specified in 'hum\_frac\_target\_mic'

[\[See Value Sets: vs\\_mic\\_chem\\_units\\_e\]](#)

Concentration of chemical target specified in 'hum\_frac\_target\_chem'

[float];  
[empty]

Concentration units of chemical target specified in 'hum\_frac\_target\_chem'

[\[See Value Sets: vs\\_mic\\_chem\\_units\\_e\]](#)

Concentration of target specified in 'other\_norm\_name' [float];  
[empty]

Concentration units of target specified in 'other\_norm\_name'

[\[See Value Sets: vs\\_mic\\_chem\\_units\\_e\]](#)

Does this observation have quality control issues?

[\[See Value Sets: vs\\_yn\]](#)

A number used to distinguish major lab methods at the reporting jurisdiction level. Differences in lab methods may limit the comparability of PCR target concentrations. Reporting jurisdictions should use this field to indicate that lab methods are sufficiently different that caution should be used when comparing PCR target concentrations across them. These differences may result from any lab processing or quantification steps, including different PCR gene targets. Note that 'major\_lab\_method' may be the same for different laboratories if the reporting jurisdiction believes concentrations measured by those laboratories are comparable; conversely, 'major\_lab\_method' may be different for the same laboratory if changes made to the laboratory protocol rendered concentrations not comparable.

Brief description of the basis for assigning a 'major\_lab\_method', e.g., "this lab uses a lab method distinct from other labs in this reporting jurisdiction", "this lab changed lab methods - new concentration method" or "lab method is same as other labs in this reporting jurisdiction but performance differs" [string]; [empty]

Units	<a href="#">Submission Requirement</a>	Dependent Fields
[none]	Required	None
[none]	Required	None
[none]	Required	None
[none]	Required	None
Hours	Not required	None
[none]	Required	If 'sample_location' is "upstream", specify in 'sample_location_specify'
[none]	Required	If sample_location is "upstream", then this must have a non-empty value
[none]	Required	None



[none]

Required

None

[none]

Not required

None

[none]

Required

None

[none]

Required

None

Million gallons per day (MGD)

Required

None

percent

Not required

None

[none]

Not required

None

[none]

Not required

None



[none]	Required	None
If flow-weighted composite: number per million gallons; if time- weighted or manual composite: number per hour	Not required	None
[none]	Required	None
Hours	Not required	None
Celsius	Not required	None
[none]	Required	if 'pretreatment' is "yes", then specify in 'pretreatment_specify'
[none]	Not required	if 'pretreatment' is "yes", then 'pretreatment_specify' must have a non-empty field
[none]	Not required	None
[none]	Required	None
[none]	Required	None
Hours	Not required	None

Celsius	Not required	None
Hours	Not required	None
Celsius	Not required	None
mL	Not required	None
[none]	Not required	None
[none]	Required	If 'rec_eff_percent' is equal to a value other than "-1", then this must have a non-empty value
[none]	Required	If 'rec_eff_target_name' has a non-empty value, then this must have a non-empty value
log10 copies/mL	Required	If 'rec_eff_target_name' has a non-empty value, then this must have a non-empty value
[none]	Required	None
[none]	Required	None
[none]	Required	The value selected for pcr_gene_target should align with the value selected for pcr_target
[none]	Required	None
[none]	Required	If 'pcr_target' is not "sars-cov-2", "delta", "omicron", "hMPXV", "hMPXV Clade I", or "hMPXV Clade II" then this must be a type of digital PCR, i.e. "ddpcr", "qiagen dpcr", "fluidigm dpcr", "life technologies dpcr", "raindance dpcr", or "dpcr"

[none]	Required	None
[none]	Not required	If 'hum_frac_mic_conc' has a non-empty value, then this must have a non-empty value
[none]	Not required	If 'hum_frac_mic_conc' has a non-empty value, then this must have a non-empty value
[none]	Not required	If 'hum_frac_chem_conc' has a non-empty value, then this must have a non-empty value
[none]	Not required	If 'hum_frac_chem_conc' has a non-empty value, then this must have a non-empty value
[none]	Not required	If 'other_norm_conc' has a non-empty value, then this must have a non-empty value
[none]	Not required	If 'other_norm_conc' has a non-empty value, then this must have a non-empty value
[none]	Required	None
[none]	Required	None
[none]	Required	None
[none]	Required	None

---

[none]	Required	None
[none]	Required	None
[none]	Not required	None

Million gallons per day (MGD)	Required.	If 'sars_cov2_units' is on a per volume wastewater basis (e.g., copies/l wastewater), then this must have a non-empty value (i.e., measurements of wastewater solids are permitted empty values for 'flow_rate'). If 'hum_frac_mic_conc' has a non-empty value and it is not possible to measure flow rate at all, then this may have an empty value.
pH units	Not required	None
microsiemens/cm	Not required	None
mg/L	Not required	None
Celsius	Not required	None
mL wastewater or g sludge	Not required	None
[none]	Required	None
[none]	Required	None



[none]

Not required

None

[none]

Not required

None

[none]

Not required

None

[none]

Required

None

[none]

Required

The units should relate to the PCR target indicated in pcr\_target

[units specified in 'pcr_target_units']	Required	The concentration should relate to the PCR target indicated in pcr_target
[units specified in 'pcr_target_units']	Not required	The standard error should relate to the PCR target indicated in pcr_target
[units specified in 'pcr_target_units']	Not required	The lower bound of the 95% confidence interval should relate to the PCR target indicated in pcr_target
[units specified in 'pcr_target_units']	Not required	The upper bound of the 95% confidence interval should relate to the PCR target indicated in pcr_target
[none]	Not required	Whether the concentration was below the LOD should be based on the LOD of the PCR target indicated in lod_sewage
[units specified in 'pcr_target_units']	Required	The LOD should relate to the PCR target indicated in pcr_target

[none]	Required	None
percent	Required	None
[none]	Required	None
[none]	Required	If 'inhibition_detect' is "yes", then this must have a non-empty value
[units specified in 'hum_frac_mic_unit']	Not required	If 'hum_frac_mic_unit' has a non-empty value, then this must have a non-empty value
[none]	Not required	If 'hum_frac_mic_conc' has a non-empty value, then this must have a non-empty value
[units specified in 'hum_frac_chem_unit']	Not required	If 'hum_frac_chem_unit' has a non-empty value, then this must have a non-empty value
[none]	Not required	If 'hum_frac_chem_conc' has a non-empty value, then this must have a non-empty value
[units specified in 'other_norm_conc']	Not required	If 'other_norm_unit' has a non-empty value, then this must have a non-empty value
[none]	Not required	If 'other_norm_conc' has a non-empty value, then this must have a non-empty value
[none]	Not required	None

[none]

Required

None

[none]

Required

None

Field	Value Set Name	Value Set Name:
concentration_method	vs_concentration_method	
extraction_method	vs_extraction_method	
hum_frac_target_chem	vs_hum_frac_target_chem	
hum_frac_target_mic	vs_hum_frac_target_mic	
institution_type	vs_institution_type	
sars_cov2_units	vs_mic_chem_units	
hum_frac_chem_unit	vs_mic_chem_units_e	
other_norm_units	vs_mic_chem_units_e	
hum_frac_mic_unit	vs_mic_chem_units_e	
num_no_target_control	vs_num_no_target_control	
other_norm_name	vs_other_norm_name	
pcr_target	vs_pcr_target	
pcr_gene_target	vs_pcr_gene_target	
pcr_type	vs_pcr_type	
quant_stan_type	vs_quant_stan_type	
rec_eff_spike_matrix	vs_rec_eff_spike_matrix	
rec_eff_target_name	vs_rec_eff_target_name	
reporting_jurisdiction	vs_reporting_jurisdiction	
sample_location	vs_sample_location	
sample_matrix	vs_sample_matrix	
sample_type	vs_sample_type	
solids_separation	vs_solids_separation	
wwtp_jurisdiction	vs_wwtp_jurisdiction	
sars_cov2_below_lod	vs_yn	
ntc_amplify	vs_yn	
stormwater_input	vs_yn	
influent_equilibrated	vs_yn	
pretreatment	vs_yn	
ext_blank	vs_yn	
pasteurized	vs_yn	
inhibition_adjust	vs_yn	
quality_flag	vs_yn	
inhibition_detect	vs_ynn	

## vs\_concentration\_method

### Value Set

---

membrane filtration with addition of mgcl2  
membrane filtration with sample acidification  
membrane filtration with acidification and mgcl2  
membrane filtration with no amendment  
membrane filtration with addition of mgcl2, membrane recombined with separated solids  
membrane filtration with sample acidification, membrane recombined with separated solids  
membrane filtration with acidification and mgcl2, membrane recombined with separated solids  
membrane filtration with no amendment, membrane recombined with separated solids  
peg precipitation  
aloh3 precipitation  
ultracentrifugation  
skimmed milk flocculation  
beef extract flocculation  
promega wastewater large volume tna capture kit  
centricon ultrafiltration  
amicon ultrafiltration  
hollow fiber dead end ultrafiltration  
innovaprep ultrafiltration  
no liquid concentration, liquid recombined with separated solids  
ceres nanotrap  
zymo environ water rna kit/ zymo environ water rna kit (cat. r2042)  
membrane filtration with addition of mgcl3  
water concentrating buffer (R2042-1)  
none

Description

## vs\_extraction\_method

### Value Set

---

qiagen allprep powerviral dna/rna kit  
qiagen allprep powerfecal dna/rna kit  
qiagen allprep dna/rna kit  
qiagen rneasy powermicrobiome kit  
qiagen powerwater kit  
qiagen rneasy kit  
qiagen ez1 virus mini kit v2.0  
promega ht tna kit  
promega automated tna kit  
promega manual tna kit  
promega wastewater large volume tna capture kit  
nuclisens automated magnetic bead extraction kit  
nuclisens manual magnetic bead extraction kit  
phenol chloroform  
chemagic viral dna/rna 300 kit  
trizol, zymo mag beads w/ zymo clean and concentrator  
4s method (<https://www.protocols.io/view/v-4-direct-wastewater-rna-capture-and-purification-bpdfmi3n>)  
qiagen qiaamp buffers with epoch columns  
zyzo quick-rna fungal/bacterial miniprep #r2014  
thermo magmax microbiome ultra nucleic acid isolation kit  
zyzo environ water rna kit/ zymo environ water rna kit (cat. r2042)  
luminultra wastewater extraction kit  
qiaamp viral rna kit  
trizol and RNA purification kit  
trizol, garnet bead beating, alcohol precipitation  
zyzo quick-rna viral 96 kit #r1041  
zyzo quick-rna viral kit #r1035  
qiagen qiaamp dsp viral rna mini kit  
monarch total RNA miniprep kit (new england biolabs) + onestep PCR inhibitor removal kit (zyzo)  
exclusions based sample preparation (ESP)  
sciencell viral rna isolation kit  
thermo magmax viral/pathogen nucleic acid isolation kit



**vs\_hum\_frac\_target\_chem**

Description	Value Set	Description
	caffeine	
	creatinine	
	sucralose	
	ibuprofen	
	[empty]	

**vs\_hum\_frac\_target\_mic**

Value Set                      Description

---

pepper mild mottle virus  
crassphage  
hf183  
f+ rna coliphage  
f+ dna coliphage  
PMMoV (GT-Digital)  
[empty]

**vs\_institution\_type**

Value Set

---

not institution specific  
correctional  
long term care - nursing home  
long term care - assisted living  
other long term care  
short stay acute care hospital  
long term acute care hospital  
child day care  
k12  
higher ed dorm  
higher ed other  
social services shelter  
other residential building  
ship  
airplane  
other worksite

## Description

---

This sample does not represent wastewater from a single institution, facility, or building

A prison, penitentiary, penal facility, jail, detention unit, or other facility in which persons are incarcerated by government officials

A residential healthcare facility that provides 24-hour medical care. These are also called skilled nursing facilities. Generally licensed

A residential facility that provides assistance with daily care but generally does not provide skilled nursing care. May be licensed

Other residential facilities that provide daily and/or medical care, but are not defined as nursing home/skilled nursing facilities

Acute care hospitals that provide care for patients with average length of stay longer than 25 days. LTACH patients are often treated

A school serving students in the kindergarten to 12th grade range

Solely higher education dormitory buildings

Higher education buildings or facilities that do not include dorms or that include dorms and other buildings

Other type of social services shelter

Individual residential buildings or institutions not captured in other categories

Any commercial facility not captured in other commercial facility categories

**vs\_mic\_chem\_units**

Value Set

---

copies/L wastewater

log10 copies/L wastewater

copies/g wet sludge

log10 copies/g wet sludge

copies/g dry sludge

log10 copies/g dry sludge

micrograms/L wastewater

log10 micrograms/L wastewater

micrograms/g wet sludge

log10 micrograms/g wet sludge

micrograms/g dry sludge

log10 micrograms/g dry sludge

## Description

---

Wet sludge mass is based on the mass of sludge without drying the solids in a drying oven

Wet sludge mass is based on the mass of sludge without drying the solids in a drying oven

Dry sludge mass is based on the mass of solids after drying in a drying oven

Dry sludge mass is based on the mass of solids after drying in a drying oven

Wet sludge mass is based on the mass of sludge without drying the solids in a drying oven

Wet sludge mass is based on the mass of sludge without drying the solids in a drying oven

Dry sludge mass is based on the mass of solids after drying in a drying oven

Dry sludge mass is based on the mass of solids after drying in a drying oven

**vs\_mic\_chem\_units\_e**

Value Set

---

copies/L wastewater

log10 copies/L wastewater

copies/g wet sludge

log10 copies/g wet sludge

copies/g dry sludge

log10 copies/g dry sludge

micrograms/L wastewater

log10 micrograms/L wastew:

micrograms/g wet sludge

log10 micrograms/g wet sluc

micrograms/g dry sludge

log10 micrograms/g dry slud

[empty]

## Description

---

Wet sludge mass is based on the mass of sludge without drying the solids in a drying oven

Wet sludge mass is based on the mass of sludge without drying the solids in a drying oven

Dry sludge mass is based on the mass of solids after drying in a drying oven

Dry sludge mass is based on the mass of solids after drying in a drying oven

ater

Wet sludge mass is based on the mass of sludge without drying the solids in a drying oven

Wet sludge mass is based on the mass of sludge without drying the solids in a drying oven

Dry sludge mass is based on the mass of solids after drying in a drying oven

Dry sludge mass is based on the mass of solids after drying in a drying oven

**vs\_num\_no\_target\_control**

Value Set	Description
-----------	-------------

0	
---	--

1	
---	--

2	
---	--

3	
---	--

more than 3	
-------------	--

**vs\_other\_norm\_name**

Value Set	Description
-----------	-------------

pepper mild mottle virus	
--------------------------	--

crassphage	
------------	--

hf183	
-------	--

f+ rna coliphage	
------------------	--

f+ dna coliphage	
------------------	--

caffeine	
----------	--

creatinine	
------------	--

sucralose	
-----------	--

ibuprofen	
-----------	--

rnase p	
---------	--

[empty]	
---------	--



**vs\_pcr\_target**

Value Set      Description

---

sars-cov-2	
delta	
omicron	
hMPXV	
hMPXV Clade I	
hMPXV Clade II	
caur	Candida auris. Source: KEGG
NoV GI	Norovirus GI. Source: <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC311111/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC311111/</a>
NoV GII	Norovirus GII. Source: <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC311111/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC311111/</a>
FLUAV	Influenza A. Source: Bacterial and Viral Bioinformatics Resource Project
FLUBV	Influenza B. Source: Bacterial and Viral Bioinformatics Resource Project
NVO	Non-Variola Orthopoxvirus. Source: CDC <a href="https://www.cdc.gov/od/oc/media/press-releases/default.htm">https://www.cdc.gov/od/oc/media/press-releases/default.htm</a>
Cjejuni	Campylobacter jejuni. Source: KEGG
HAdV-F	Adenovirus Group F41. Source: PubChem Taxonomy
Col	Colistin AMR
Gly	Vancomycin AMR
Bla	Beta-Lactamase AMR
Integrase	Integrase AMR
Tet	Tetracycline AMR
RSV	Respiratory Syncytial Virus
Fluor	Fluoroquinolone AMR
Macro	Macrolide AMR
Shigella	Shigella spp.
STEC	Shiga-toxin producing or intimin-producing E. coli or other
cycloc	Cyclospora cayentanensis
Other Bacteria	Other bacteria not listed
Other Virus	Other virus not listed
Other Parasite	Other parasite not listed
Other Fungus or Yeast	Other fungus or yeast not listed
Other Eukaryote	Other eukaryote not listed
Other Archaea	Other archaea not listed

## vs\_pcr\_gene\_target

Value Set

---

n1

n2

n3

e\_sarbeco

n\_sarbeco

rdrp\_sarsr

niid\_2019-ncov\_n

rdrp gene / ncov\_ip2

rdrp gene / ncov\_ip4

taqpath n

taqpath s

orf1b

orf1ab

n1 and n2 combined

n

s

orf1a

ddcov\_n

ddcov\_e

ip2 and ip4 combined

CDC N1 (GT-Digital)

CDC N2 (GT-Digital)

N2 (PREvalence)

E (PREvalence)

a1306s

p2046l

p2287s

t3646a

v2930l

g662s

p100l

a1918v

t19r

e156g

del 157/158

l452r

p681r

d950n

i82t

d63g

r203m

g215c

d377y

wt214

del156-157

k856r  
s2083i  
del2084/2084  
a2710t  
p3395h  
del3674/3676  
i3758v  
i1566v  
a67v  
del69/70  
a67v/del69/del70  
del143/145  
n211i  
del212/212  
g339d  
s371l  
s373p  
s375f  
s477n  
e484a  
q493r  
g496s  
q498r  
y505h  
t547k  
n679k  
d796y  
n856k  
q954h  
n969k  
l981f  
t9i  
d3g  
q19e  
a63t  
ins214epe  
del142-144  
del31-33  
l24s  
lppa24s  
p13L  
E9L-NVAR  
G2R\_G  
G2R\_WA  
C3L  
E9L-OPX3  
B6R

gtmol\_hMPXV  
MCR-1.1  
VanA-A  
blaNDM  
blaKPC  
blaOXA-48  
blaVIM  
blaCTX-M-1  
blaCMY  
blaTEM  
Class I Integrase  
blaSHV  
TetW  
blaIMP  
caur  
NoV GI  
NoV GII  
InfA1  
InfA2  
InfA1 and InfA2 combi  
InfB  
Cjejuni  
HAdV-F  
RSVL1  
ipaH  
18S rRNA  
mph(A)  
stx1  
stx2  
eae  
RSV  
fluor  
Other

## Description

---

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target; Detection of N1 and N2 targets was performed on a single fluorescence channel, such that distinct me

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

sars-cov-2 gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target

delta gene target



hMPXV gene target. hMPXV gene target proprietary GT Molecular  
Colistin AMR gene target. Source: ARG-ANNOT  
Vancomycin AMR gene target. Source: ARG-ANNOT  
New-Delhi Metallo- (NDM) Beta-Lactamase AMR gene target. Source: ARG-ANNOT  
Klebsiella pneumoniae Carbapenam (KPC) Beta-Lactamase AMR gene target. Source: ARG-ANNOT  
OXA-type Beta-Lactamase AMR gene target. Source: ARG-ANNOT  
Verone Integron-Encoded Metallo- (VIM) Beta-Lactamase AMR gene target. Source: ARG-ANNOT  
CTX-M Beta-Lactamase AMR gene target. Source: ARG-ANNOT  
Cephamycin Beta-Lactamase AMR gene target. Source: ARG-ANNOT  
Beta-Lactamase AMR gene target. Source: ARG-ANNOT  
Integrase AMR gene target.  
Beta-Lactamase AMR gene target. Source: ARG-ANNOT  
Tetracycline AMR gene target. Source: ARG-ANNOT  
Impenemase (IMP) Beta-Lactamase AMR gene target. Source: ARG-ANNOT  
Candida auris gene target. Source: <https://www.cdc.gov/fungal/candida-auris/pdf/Real-time-PCR-based-Id-C-auris-508.pdf>  
Norovirus GI ORF1-ORF2 junction gene target. Source: <https://wwwnc.cdc.gov/eid/article/17/8/10-1837-t2#r27>  
Norovirus GII ORF1-ORF2 junction gene target. Source: <https://wwwnc.cdc.gov/eid/article/17/8/10-1837-t2#r27>  
Influenza A 1 gene target. Source: [https://www.cdc.gov/coronavirus/2019-ncov/lab/multiplex.html?CDC\\_AA\\_refVal=https%3A](https://www.cdc.gov/coronavirus/2019-ncov/lab/multiplex.html?CDC_AA_refVal=https%3A)  
Influenza A 2 gene target. Source: [https://www.cdc.gov/coronavirus/2019-ncov/lab/multiplex.html?CDC\\_AA\\_refVal=https%3A](https://www.cdc.gov/coronavirus/2019-ncov/lab/multiplex.html?CDC_AA_refVal=https%3A)  
Influenza A gene target; Detection of InfA1 and InfA2 targets was performed on a single fluorescence channel, such that distri  
Influenza B gene target. Source: [https://www.cdc.gov/coronavirus/2019-ncov/lab/multiplex.html?CDC\\_AA\\_refVal=https%3A](https://www.cdc.gov/coronavirus/2019-ncov/lab/multiplex.html?CDC_AA_refVal=https%3A)  
Campylobacter jejuni gene target. Source: <https://www.sciencedirect.com/science/article/pii/S0882401017303728?via%3Dih>  
Adenovirus Group F41 Fiber gene target. Source: <https://www.sciencedirect.com/science/article/pii/S0022347608006744?via>  
RSV-A and RSV-B gene tartget. Primer sets are reactive to both viruses. Two separate probes for RSV-A and RSV-B. <https://cdn>  
Shigella gene target  
Eukaryotic gene target (e.g., Cyclospora)  
Macrolide resistance target  
STEC gene target  
STEC gene target  
STEC gene target  
RSV gene target  
Fluoroquinolone gene target  
Please contact NWSS staff to submit data using the "Other" category, or to request that values be added to the vocabulary.

**vs\_pcr\_type**

Value Set

---

qpcr

ddpcr

qiagen dpcr

fluidigm dpcr

life technologies dpcr

raindance dpcr

dpcr



9-ncov%2Fflab%2Fmultiplex-primer-probes  
9-ncov%2Fflab%2Fmultiplex-primer-probes  
ist. An example is the GT-Digital Influenza  
-ncov%2Fflab%2Fmultiplex-primer-probes.l

/rsv-surveillance/who-rsv-surveillance-str

## Description

---

Real-time PCR, also called 'quantitative' PCR

Used to refer specifically to BioRad digital droplet emulsification technology

Generic digital PCR

s.html

s.html

and SARS-CoV-2 Wastewater Surveillance Multiplex Assay Kits.

html

ategy-phase-26mar2021.-final.pdf?sfvrsn=d8b1c36a\_9;%20https://journals.plos.org/plosone/article

**vs\_quant\_stan\_type**

Value Set	Description
-----------	-------------

dna	
-----	--

rna	
-----	--

**vs\_rec\_eff\_spike\_matrix**

Value Set	Description
-----------	-------------

raw sample	
------------	--

raw sample post pasteurization	
--------------------------------	--

clarified sample	
------------------	--

sample concentrate	
--------------------	--

lysis buffer	
--------------	--

dewatered solids	
------------------	--

[empty]	
---------	--

æ?id=10.1371/journal.pone.0015098

**vs\_rec\_eff\_target\_name**

Value Set

Description

---

bcov vaccine  
bcov culture  
brsv vaccine  
brsv culture  
murine coronavirus  
oc43  
phi6  
puro  
ms2 coliphage  
hep g armored rna  
heat inactivated sars-cov-2 virus  
murine hepatitis virus  
MHV (PREvalence)  
BCoV (GT-Digital)  
[empty]  
parapoxvirus

**vs\_reporting\_jurisdiction**

Value Set	Description
AL	Alabama
AK	Alaska
AS	American Samoa
AZ	Arizona
AR	Arkansas
CA	California
CI	Chicago, IL
CO	Colorado
MP	Commonwealth of Northern Mariana Islands
CT	Connecticut
DE	Delaware
DC	District of Columbia
FM	Federated States of Micronesia
FL	Florida
GA	Georgia
GU	Guam
HI	Hawaii
HO	Houston, TX
ID	Idaho
IL	Illinois
IN	Indiana
IA	Iowa
KS	Kansas
KY	Kentucky
LC	Los Angeles County, CA
LA	Louisiana
ME	Maine
MD	Maryland
MA	Massachusetts
MI	Michigan
MN	Minnesota
MS	Mississippi
MO	Missouri
MT	Montana
NE	Nebraska
NV	Nevada
NH	New Hampshire
NJ	New Jersey
NM	New Mexico
NY	New York
NZ	New York City, NY
NC	North Carolina
ND	North Dakota
OH	Ohio
OK	Oklahoma

OR	Oregon
PA	Pennsylvania
PH	Philadelphia, PA
PR	Puerto Rico
MH	Republic of the Marshall Islands
PW	Republic of Palau
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
TX	Texas
VI	U.S. Virgin Islands
UT	Utah
VT	Vermont
VA	Virginia
WA	Washington
WV	West Virginia
WI	Wisconsin
WY	Wyoming
AP	Acoma Pueblo
CN	Catawba Nation
CVBPI	Coyote Valley Band of Pomo Indians
EBCI	Eastern Band of Cherokee Indians
GTBI	Grand Traverse Band of Ottawa and Chippewa Indians
MAT	Mescalero Apache Tribe
NPT	Nez Perce Tribe
OMT	Otoe-Missouria Tribe
SBT	The Shoshone Bannock Tribes
TRIT	Tule River Indian Tribe
ZP	Zuni Pueblo
PBCI	Poarch Band of Creek Indians



**vs\_sample\_location**

Value Set

---

wwtp

upstream

Description

---

A sampling location at a wastewater treatment plant or other community-scale treatment infrastructure specified in 'wwtp\_n

A sampling location other than "wwtp"

**vs\_sample\_matrix**

Value Set

---

raw wastewater

post grit removal

primary sludge

primary effluent

secondary sludge

secondary effluent

septage

holding tank

## Description

---

Wastewater without any form of treatment applied to it

Wastewater after removal of large solids at a treatment plant but prior to a primary clarifier

Sludge from the primary clarifier

Effluent from the primary clarifier

Sludge from the secondary clarifier

Effluent from the secondary clarifier

Wastewater sampled from within a septic tank

Wastewater sampled from a holding tank, such as from an airplane or ship

## vs\_sample\_type

Value Set

---

grab

48-hr flow-weighted composite

47-hr flow-weighted composite

46-hr flow-weighted composite

45-hr flow-weighted composite

44-hr flow-weighted composite

43-hr flow-weighted composite

42-hr flow-weighted composite

41-hr flow-weighted composite

40-hr flow-weighted composite

39-hr flow-weighted composite

38-hr flow-weighted composite

37-hr flow-weighted composite

36-hr flow-weighted composite

35-hr flow-weighted composite

34-hr flow-weighted composite

33-hr flow-weighted composite

32-hr flow-weighted composite

31-hr flow-weighted composite

30-hr flow-weighted composite

29-hr flow-weighted composite

28-hr flow-weighted composite

27-hr flow-weighted composite

26-hr flow-weighted composite

25-hr flow-weighted composite

24-hr flow-weighted composite

23-hr flow-weighted composite

22-hr flow-weighted composite

21-hr flow-weighted composite

20-hr flow-weighted composite

19-hr flow-weighted composite

18-hr flow-weighted composite

17-hr flow-weighted composite

16-hr flow-weighted composite

15-hr flow-weighted composite

14-hr flow-weighted composite

13-hr flow-weighted composite

12-hr flow-weighted composite

11-hr flow-weighted composite

10-hr flow-weighted composite

9-hr flow-weighted composite

8-hr flow-weighted composite

7-hr flow-weighted composite

6-hr flow-weighted composite

5-hr flow-weighted composite

4-hr flow-weighted composite  
3-hr flow-weighted composite  
2-hr flow-weighted composite  
1-hr flow-weighted composite  
72-hr time-weighted composite  
48-hr time-weighted composite  
47-hr time-weighted composite  
46-hr time-weighted composite  
45-hr time-weighted composite  
44-hr time-weighted composite  
43-hr time-weighted composite  
42-hr time-weighted composite  
41-hr time-weighted composite  
40-hr time-weighted composite  
39-hr time-weighted composite  
38-hr time-weighted composite  
37-hr time-weighted composite  
36-hr time-weighted composite  
35-hr time-weighted composite  
34-hr time-weighted composite  
33-hr time-weighted composite  
32-hr time-weighted composite  
31-hr time-weighted composite  
30-hr time-weighted composite  
29-hr time-weighted composite  
28-hr time-weighted composite  
27-hr time-weighted composite  
26-hr time-weighted composite  
25-hr time-weighted composite  
24-hr time-weighted composite  
23-hr time-weighted composite  
22-hr time-weighted composite  
21-hr time-weighted composite  
20-hr time-weighted composite  
19-hr time-weighted composite  
18-hr time-weighted composite  
17-hr time-weighted composite  
16-hr time-weighted composite  
15-hr time-weighted composite  
14-hr time-weighted composite  
13-hr time-weighted composite  
12-hr time-weighted composite  
11-hr time-weighted composite  
10-hr time-weighted composite  
9-hr time-weighted composite  
8-hr time-weighted composite  
7-hr time-weighted composite

6-hr time-weighted composite  
5-hr time-weighted composite  
4-hr time-weighted composite  
3-hr time-weighted composite  
2-hr time-weighted composite  
1-hr time-weighted composite  
48-hr manual composite  
47-hr manual composite  
46-hr manual composite  
45-hr manual composite

44-hr manual composite  
43-hr manual composite  
42-hr manual composite  
41-hr manual composite  
40-hr manual composite  
39-hr manual composite

38-hr manual composite  
37-hr manual composite  
36-hr manual composite  
35-hr manual composite  
34-hr manual composite  
33-hr manual composite  
32-hr manual composite  
31-hr manual composite  
30-hr manual composite  
29-hr manual composite  
28-hr manual composite  
27-hr manual composite  
26-hr manual composite  
25-hr manual composite  
24-hr manual composite  
23-hr manual composite  
22-hr manual composite  
21-hr manual composite  
20-hr manual composite  
19-hr manual composite  
18-hr manual composite  
17-hr manual composite  
16-hr manual composite  
15-hr manual composite  
14-hr manual composite  
13-hr manual composite  
12-hr manual composite  
11-hr manual composite  
10-hr manual composite

9-hr manual composite  
8-hr manual composite  
7-hr manual composite  
6-hr manual composite  
5-hr manual composite  
4-hr manual composite  
3-hr manual composite  
2-hr manual composite  
1-hr manual composite

72-hr passive sample

48-hr passive sample  
47-hr passive sample  
46-hr passive sample  
45-hr passive sample  
44-hr passive sample  
43-hr passive sample  
42-hr passive sample  
41-hr passive sample  
40-hr passive sample  
39-hr passive sample  
38-hr passive sample  
37-hr passive sample  
36-hr passive sample  
35-hr passive sample  
34-hr passive sample  
33-hr passive sample  
32-hr passive sample  
31-hr passive sample  
30-hr passive sample  
29-hr passive sample  
28-hr passive sample  
27-hr passive sample  
26-hr passive sample  
25-hr passive sample  
24-hr passive sample  
23-hr passive sample  
22-hr passive sample  
21-hr passive sample  
20-hr passive sample  
19-hr passive sample  
18-hr passive sample  
17-hr passive sample  
16-hr passive sample  
15-hr passive sample  
14-hr passive sample  
13-hr passive sample  
12-hr passive sample



11-hr passive sample  
10-hr passive sample  
9-hr passive sample  
8-hr passive sample  
7-hr passive sample  
6-hr passive sample  
5-hr passive sample  
4-hr passive sample  
3-hr passive sample  
2-hr passive sample  
1-hr passive sample  
120-hr passive sample

Description

---

An individual sample collected without compositing or adding other samples

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs

E.g., Moore swabs



## vs\_solid分离

Value Set

---

filtration

centrifugation

gravity settling

none

[empty]

## Description

---

Filtration to remove solids from a wastewater sample prior to further concentration or analysis of the liquid filtrate

Centrifugation prior to or in the absence of a concentration step; centrifugation as part of a flocculation or precipitation process

Solids separated from liquid by allowing solids to settle by gravity

**vs\_wwtp\_jurisdiction**

Value Set	Description
AL	Alabama
concentration proceAK	Alaska
AS	American Samoa
AZ	Arizona
AR	Arkansas
CA	California
CO	Colorado
MP	Commonwealth of Northern Mariana Islands
CT	Connecticut
DE	Delaware
DC	District of Columbia
FM	Federated States of Micronesia
FL	Florida
GA	Georgia
GU	Guam
HI	Hawaii
ID	Idaho
IL	Illinois
IN	Indiana
IA	Iowa
KS	Kansas
KY	Kentucky
LA	Louisiana
ME	Maine
MD	Maryland
MA	Massachusetts
MI	Michigan
MN	Minnesota
MS	Mississippi
MO	Missouri
MT	Montana
NE	Nebraska
NV	Nevada
NH	New Hampshire
NJ	New Jersey
NM	New Mexico
NY	New York
NC	North Carolina
ND	North Dakota
OH	Ohio
OK	Oklahoma
OR	Oregon
PA	Pennsylvania
PR	Puerto Rico
MH	Republic of the Marshall Islands

PW	Republic of Palau
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
TX	Texas
VI	U.S. Virgin Islands
UT	Utah
VT	Vermont
VA	Virginia
WA	Washington
WV	West Virginia
WI	Wisconsin
WY	Wyoming



**vs\_yn**

Value Set Description

yes

no

**vs\_yn**

Value Set Description

yes

no

[empty]

**vs\_ynn**

Value Set Description

yes

no

not tested

Use of semantic versioning began with v2.0.0. A description follows; see <https://semv>  
Major changes (indicated by X in version X.Y.Z): not backwards compatible. In the con  
Minor changes (indicated by Y in version X.Y.Z): backwards compatible functionality a  
Patches (indicated by Z in version X.Y.Z): backwards compatible bug fixes. In the conte

<b>Date of change</b>	<b>New file name</b>
20200923	NWSS_DCIPHERForm_DataDictionary_Sent-to-states_9.23.20
20201020	NWSS_DCIPHERForm_DataDictionary_20201020
20201021	NWSS_DCIPHERForm_DataDictionary_20201021
20201103	NWSS_DCIPHERForm_DataDictionary_20201103
20201105	NWSS_DCIPHERForm_DataDictionary_20201104
20201201	NWSS_DCIPHERForm_DataDictionary_20201201
20201204	NWSS_DCIPHERForm_DataDictionary_20201204
20201215	NWSS_DCIPHERForm_DataDictionary_20201215
20201218	NWSS_DCIPHERForm_DataDictionary_20201218
20210111	NWSS_DCIPHERForm_DataDictionary_20210111
20210122	NWSS_DCIPHERForm_DataDictionary_20210122

202101225 NWSS\_DCIPHERForm\_DataDictionary\_20210125

20210127 NWSS\_DCIPHERForm\_DataDictionary\_20210127

202102110 NWSS\_DCIPHERForm\_DataDictionary\_20210210

20210319 NWSS\_DCIPHER\_Data\_Dictionary\_v2.0.0\_20210323

20210416

NWSS\_DCIPHER\_Data\_Dictionary\_v2.0.1\_20210416

20210512

NWSS\_DCIPHER\_Data\_Dictionary\_v2.0.2\_20210512

20210621

NWSS\_DCIPHER\_Data\_Dictionary\_v2.0.3\_20210621

20210818

NWSS\_DCIPHER\_Data\_Dictionary\_v2.1.0\_20210818

20211028

NWSS\_DCIPHER\_Data\_Dictionary\_v2.1.1\_20211028

2021202

NWSS\_DCIPHER\_Data\_Dictionary\_v3.0.0\_2021202

20211208

NWSS\_DCIPHER\_Data\_Dictionary\_v3.1.0\_20211208

20220524

NWSS\_DCIPHER\_Data\_Dictionary\_v3.1.1\_20220524

20220906

NWSS Data Dictionary\_v3\_1\_3\_20220906

20221018

NWSS Data Dictionary\_v3\_1\_4\_20221018

20221122

NWSS Data Dictionary\_v3\_1\_5\_20221122

20230322

NWSS Data Dictionary\_v4.0.0\_20230322

20230606

NWSS Data Dictionary\_v5.0.0\_20230606



er.org/ for further details.

text of NWSS DCIPHER data submission, these are changes that w  
dded. In the context of NWSS DCIPHER data submission, these ma  
ext of NWSS DCIPHER data submission, these may be clarifications

**Version**

0.1.0

0.2.0

0.3.0

0.3.1

0.4.0

0.5.0

1.0.0

1.0.1

1.0.2

1.0.3

1.0.4

1.0.5

1.0.6

1.0.7

2.0.0

2.0.1

2.0.2

2.0.3

2.1.0

2.1.1

3.0.0

3.1.0

3.1.1

3.1.2

3.1.3

3.1.4

3.1.5

4.0.0

5.0.0

ould cause submission (see note on Submission Requirements) of a r  
y be additions of non-required fields, name changes to non-required  
of field descriptions, additions to value sets, or reorganization of the

**Major changes**

NA

None

Replaced Pascal Case variable names with snake case variable  
names to align with bulk upload template variables

None

None

Changed "Required Field" value for the 'state' variable in the  
"Wastewater Treatment Plant" table from blank to "Required"

None

None

None

None

None



None

None

None

1. New required fields (3): 'institution\_type', 'sample\_id', 'lab\_id';
2. Name changes to required fields (2): 'state' changed to 'wwtp\_jurisdiction', 'reporting\_state' changed to 'reporting\_jurisdiction';

None

None

None

None

None

1. Addition of a new required field 'pcr\_gene\_target' which should contain the information previously captured in 'pcr\_target'.

2. Renaming of fields:

'sars\_cov2\_units' renamed to 'pcr\_target\_units'

'sars\_cov2\_avg\_conc' renamed to 'pcr\_target\_avg\_conc'

'sars\_cov2\_std\_error' renamed to 'pcr\_target\_std\_error'

'sars\_cov2\_cl\_95\_lo' renamed to 'pcr\_target\_cl\_95\_lo'

'sars\_cov2\_cl\_95\_up' renamed to 'pcr\_target\_cl\_95\_up'

'sars\_cov2\_below\_lod' renamed to 'pcr\_target\_below\_lod'

1. Renaming of fields:

'pcr\_target\_ref' renamed to 'pcr\_gene\_target\_ref'

None

none

none

none

none

1. Changing existing fields to required (5): 'epaid', 'pretreatment', 'pasteurized', 'major\_lab\_method', 'major\_lab\_method\_desc'

1. Add new required field: 'site\_id'

data file, if unaltered, to fail upload. These may include addition of new fields, or changes to value sets, which will not prohibit upload but may change metadata.

**Minor changes**

NA

1. Changed to allow for sampling location not associated with treatment plant;
2. EPAID no longer required

None

None

A number of changes were made to reflect the shift from form-based data submission, which had built-in validation prior to submission, to CSV file submission to DCIPHER:

1. Recharacterized "Pre-populated value set" values as "Allowed values";
2. Added variable type column

Changed 'composite\_freq' from "Required" (if composite) to "Not required"

None

None

None

None

None

None

None

1. Important description change relevant for upstream sites for 3 fields: 'county\_names', 'other\_jurisdiction', and 'sewage\_travel\_time' (these previously pertained to the treatment plant but have been changed to pertain to the sampling site, which is more relevant);
2. Removal and addition of values in value sets (>2 fields): 'sample\_location' ("primary influent" and "primary sludge" changed to "wwtp"), 'rec\_eff\_target\_name' ("bovine coronavirus" changed to "bcov vaccine"), other fields where similar values with the same meaning were submitted have been consolidated into one value, and will be indicated in QC checks;
3. Addition of non-required fields (3): 'pasteurized', 'time\_zone', 'solids\_separation'
4. Name changes to non-required fields (4):  
'hum\_frac\_target\_phys' changed to 'other\_norm\_name',  
'hum\_frac\_target\_phys\_ref' changed to 'other\_norm\_ref',  
'hum\_frac\_phys\_conc' changed to 'other\_norm\_conc',  
'hum\_frac\_phys\_unit' changed to 'other\_norm\_unit'



None

None

None

1. Addition of non-required fields:

'qc\_ignore' has been added to allow samples to be intentionally excluded from the DCIPHER QC report;

'analysis\_ignore' has been added to allow samples to be intentionally excluded from DCIPHER data analysis;

'dashboard\_ignore' has been added to allow samples to be intentionally excluded from the DCIPHER dashboard;

'major\_lab\_method' has been added to allow reporting jurisdictions to identify major lab methods in their data, which may be useful for determining groups of SARS-CoV-2 results that can be reasonably compared;

'major\_lab\_method\_desc' has been added to allow a brief description of the rationale for assigning a 'major\_lab\_method'.

None

1. Repurposing of existing fields:

'pcr\_target' will be repurposed from the field where PCR gene target information is submitted to now capturing what the overall PCR target was. For example, 'n1' was previously submitted to indicate the target gene for total SARS-CoV-2 was n1. Now that information will be captured in 'pcr\_gene\_target' and 'pcr\_target' will be 'sars-cov-2'. For variants, you would put the variant target gene in 'pcr\_gene\_target' and 'pcr\_target' would be the variant name (currently 'delta' or 'omicron').

None

None

none

none

none

none

1. Changes to value sets: 'pcr\_target' now allows 'caur', 'NoV GI', 'NoVGII', 'FLUAV', 'FLUBV', 'NVO', 'Cjejuni', 'HAdv-F', 'Col', 'Gly', 'Bla', 'Integrase', 'Tet'. 'pcr\_gene\_target' now allows 'MCR-1.1', 'VanA-A', 'blaNDM', 'blaKPC', 'blaOXA-48', 'blaVIM', 'blaCTX-M-1', 'blaCMY', 'blaTEM', 'Class I Integrase', 'blaSHV', 'TetW', 'blaIMP', 'caur', 'NoV GI', 'NoV GII', 'InfA1', 'InfA2', 'InfB', 'Cjejuni', 'HAdv-F'. 'sample\_type' now allows '72-hr time-weighted composite'. 'pasteurized' no longer allows [empty]. 'pretreatment' no longer allows [empty]. 'extraction\_method' now allows 'exclusions based sample preparation (ESP)'
2. Changes to dependencies of existing field: 'pcr\_type' must be a type of dpcr if 'pcr\_target' is not 'sars-covs-2', 'delta', 'omicron', '
3. Added 'epa\_registry\_id' field

1. Changes to value sets: 'extraction method' now allows 'sciencell viral rna isolation kit', 'thermo magmax viral/pathogen nucleic acid isolation kit'.

equipped fields or name changes to required fields.  
will be flagged in on-platform QC checks.

## Patches

NA

Description of treatment plant changed to be 'identifiable name'

Added red to data source color scheme to denote DCIPHER generated variables.

Clarified that state variable response for WWTP should be 2-letter abbreviation.

A number of changes were made to reflect the shift from form-based data submission, which had built-in validation prior to submission, to CSV file submission:

1. Changed "Forced column" to "Required Field";
2. Changed possible responses for "Required Field" to "Not required" and "Required";
3. Changed "DCIPHER Form Format", "DCIPHER Form Pre-populated Value Set", and "DCIPHER Form Data Validation" column names to denote Internal-Use only;
4. Made all values lower case (not a major change because all values are cast to lower during file parsing);

Changed 'pcr\_target\_ref' description to "A publication, website, or description of the PCR gene target used"

Changed "Allowed values" from "[any]" to "0-100" for 'industrial\_input' to clarify percentage units

Changed "Tooltip / descriptive text" for standard error and confidence interval fields so that '-1' is only entered when these values cannot be calculated

Changed "Tooltip / descriptive text" for 'ntc\_amplify' field to be more specific: "For qPCR, did any no-template controls on this instrument run have a Ct value less than 40? For ddPCR, did any no-template controls on this instrument run have 3 or more positive droplets?" This definition aligns with the definition of positivity given on the NWSS webpage for Data Reporting and Analytics, and aligns with guidance provided by a ddPCR instrument manufacturer.

Added clarification to "Tooltip / descriptive text" for 'population\_served' field to consider population estimates for upstream sampling locations: "if the sampling location is upstream of a treatment plant (i.e., sample\_location = "upstream"), please use the estimated population served by the corresponding service area"

Added additional text and example to "Tooltip / descriptive text" for 'composite\_freq' to clarify definition

1. Removed "Internal Use" columns;
2. Updated "Allowed values" column to make 'suggested' values more explicit (e.g., for fields that do not have a finite value set but have values that are commonly used) and to indicate where '-1' should be used to indicate unavailable data for required numeric fields;
3. Added "Notes" column to provide additional guidance, such as where appropriate to leave blank;
4. Clarified "Tooltip / descriptive text" for 'sars\_cov2\_std\_error' and 'tss';
5. Changed "Display Variable Name" for 'population\_served' for clarity

#### 1. Additions to Value Sets:

'sample\_type' now allows composite sample values for any integer duration from 1 to 30 hrs;

'flow\_rate' now allows empty values to accommodate a

'sample\_matrix' that is not a flowing liquid, such as "primary sludge" or "holding tank";

'concentration\_method' now allows values that capture when solids and liquid are separated but both are tested, e.g.,

"membrane filtration with addition of mgcl2, membrane recombined with separated solids";

'pcr\_target' now allows these additional values: "n", "s," "orf1a";

'rec\_eff\_spike\_matrix' now allows [empty] values;

'hum\_frac\_target\_chem' now allows [empty] values;

'hum\_frac\_target\_mic' now allows [empty] values;

'other\_norm\_name' now allows [empty] values;

'hum\_frac\_mic\_unit' now allows [empty] values;

'hum\_frac\_chem\_unit' now allows [empty] values;

'other\_norm\_unit' now allows [empty] values;

#### 2. Description clarification:

'other\_jurisdiction' has been further clarified to indicate that this refers to locations that exist outside of county boundaries;

'sample\_id' has been clarified to indicate that PII must not be included in this field;

'lab\_id' has been clarified to indicate that PII is discouraged from being included in this field;

the 'jurisdiction id' data type description has been modified to explicitly state that it is not case sensitive, which was previously and is still described in the note on all data types in the Read Me tab

#### 1. Additions to Value Sets:

'extraction\_method' now allows "chemagic viral dna/rna 300 kit", "trizol, zymo mag beads w/ zymo clean and concentrator", "4s

method (<https://www.protocols.io/view/v-4-direct-wastewater-rna-capture-and-purification-bpdfmi3n>);

'pcr\_target' now allows "ddcov\_n" and "ddcov\_e"



1. Additions to Value Sets:

'rec\_eff\_spike\_matrix' now allows "dewatered solids";  
'flow\_rate' now allows empty values when SARS-CoV-2 units are provided on a per mass sludge basis;  
'concentration\_method' now allows "innovaprep ultrafiltration";  
'extraction\_method' now allows "qiagen qiaamp buffers with epoch columns";  
'hum\_frac\_target\_mic' and 'other\_norm\_name' both now allow "f+ rna coliphage" and "f+ dna coliphage";

2. Description clarification:

'pretreatment' has been clarified to indicate that this field pertains to both chemicals added to the sample and chemicals added as part of the treatment train upstream of the sample collection point, but that pasteurization should be specified in the 'pasteurized' field

1. Additions to Value Sets:

'extraction\_method' now allows "zyzo quick-rna fungal/bacterial miniprep #r2014";  
'pcr\_target' now allows "ip2 and ip4 combined";  
'sars\_cov2\_below\_lod' now allows [empty] values;  
'concentration\_method' now allows "ceres nanotrap";

2. Corrections to Value Sets (value yet to be used):

'reporting\_jurisdiction' value for Arkansas has been corrected to "AR";

'extraction\_method' value "qiange allprep dna/rna kit" has been corrected to "qiagen allprep dna/rna kit";

3. Dependent Fields clarification:

Dependent Fields for 'flow\_rate' has been clarified to indicate that 'flow\_rate' can have an [empty] value when SARS-CoV-2 RNA is measured on a per unit wastewater solids basis, rather than a per volume wastewater basis;

4. Dependent Fields change:

All uncertainty fields now allow [empty] values, regardless of the values submitted for the other uncertainty fields. In other words, the three fields 'sars\_cov2\_std\_error', 'sars\_cov2\_cl\_95\_lo', and 'sars\_cov2\_cl\_95\_up' are now all allowed to be [empty];

5. Requirement dropped:

'sars\_cov2\_std\_error', 'sars\_cov2\_cl\_95\_lo', 'sars\_cov2\_cl\_95\_up', and 'sars\_cov2\_below\_lod' are no longer required.

1. Additions to Value Sets:

'concentration\_method' now allows "aloh3 precipitation";  
'rec\_eff\_target\_name' now allows "heat inactivated sars-cov-2 virus";  
'extraction\_method' now allows "qiagen ez1 virus mini kit v2.0" and "thermo magmax microbiome ultra nucleic acid isolation kit";  
'sample\_type' now allows composite sample values for any integer duration from 1 to 48 hrs;  
'vs\_rec\_eff\_target\_name' now allows "bcov culture" and "brsv culture";  
'extraction\_method' now allows "zymo environ water rna kit/zymo environ water rna kit (cat. r2042)";  
'concentration\_method' now allows "zymo environ water rna kit/zymo environ water rna kit (cat. r2042)";

2. Description clarification:

'capacity\_mgd' has been clarified to indicate that this should be the capacity for which the plant is permitted;

3. Description change:

'county\_names' has been changed to ask for FIPS codes rather than names; it also now takes values for both counties and county equivalents;

'other\_jurisdiction' has been deprecated, since all jurisdictions previously specified in this field should now be specified in the 'county\_names' field. Submitting this field will not interfere with data upload, but this field will no longer be used;

4. Requirement dropped:

'other\_jurisdiction' is no longer required;

1. Additions to Value Sets:

'vs\_other\_norm\_name' now allows "rnase p";  
'vs\_institution\_type' now allows 'other\_worksite'  
'vs\_pcr\_gene\_target' now allows 'delta' and 'omicron' genes targets. See 'vs\_pcr\_gene\_target' for the updated valueset options  
'vs\_pcr\_target' now **only** allows 'sars-cov-2', 'delta', and 'omicron'

2. Field description modifications:

Many PCR fields have been modified to reflect the new PCR targets now able to be submitted using the dynamic 'pcr\_target' fields as opposed to the total SARS-CoV-2 specific descriptions.

None

1. Additions to Value Sets:

'vs\_concentration\_method' now allows 'membrane filtration with addition of mgcl3'

'vs\_extraction\_method' now allows 'luminultra wastewater extraction kit', 'qiaamp viral rna kit', 'trizol and RNA purification kit', 'trizol, garnet bead beating, alcohol precipitation', 'zymo quick-rna viral 96 kit #r1041', 'zymo quick-rna viral kit #r1035', 'qiagen qiaamp dsp viral rna mini kit'

'vs\_pcr\_gene\_target' now allows 'wt214', 'ins214epe', 'del142-144', 'del156-157', 'del31-33'

'vs\_pcr\_type' now allows 'qiagen dpcr', 'fluidigm dpcr', 'life technologies dpcr', 'raindance dpcr', 'dpcr'

'vs\_rec\_eff\_target\_name' now allows 'murine hepatitis virus'

'vs\_reporting\_jurisdiction' now allows 'AP', 'CN', 'CVBPI', 'EBCI', 'GTBI', 'MAT', 'NPT', 'OMT', 'SBT', 'TRIT', 'ZP'

'vs\_sample\_type' now allows '120-hr passive sample', from '48-hr passive sample' to '1-hr passive sample' in one hour increments

2. Field description modified:

'pcr\_gene\_target' description modified to clarify different gene target concentrations should not be averaged

1. Additions to Value Sets: 'pcr\_gene\_target' now allows 'CDC N1 (GT-Digital)', 'CDC N2 (GT-Digital)', 'N2 (PREvalence)', 'E (PREvalence)'. 'rec\_eff\_target\_name' now allows: 'MHV (PREvalence)', 'BCoV (GT-Digital)'. 'hum\_frac\_target\_mic' now allows: 'PMMoV (GT-Digital)'

1. Additions to Value Sets: 'pcr\_target' now allows: 'hMPXV', 'hMPXV Clade I', and 'hMPXV Clade II'. 'rec\_eff\_target\_name' now allows: 'parapoxvirus'. 'pcr\_gene\_target' now allows: 'E9L-NVAR', 'G2R\_G', 'G2R\_WA', 'C3L', 'E9L-OPX3', 'B6R', 'B2R', and 'gtmol\_hMPXV'

1. Additions to Value Sets: 'pcr\_gene\_target' now allows 'a67v/del69/del70'. Reporting\_jurisdiction now allows: 'PBCI'.

1. Addition to Value Sets: 'concentration\_methods' now allows: 'water concentrating buffer (R2042-1)'; 'extraction\_method' now allows 'monarch total RNA miniprep kit (new england biolabs) + onestep PCR inhibitor removal kit (zymo)'; 'pcr\_gene\_target' now includes 'p13L'; 'sample\_type' now includes '72-hr time-weighted composite'.

1. Clarifications of field or value set descriptions (2): 'zipcode', 'capacity\_mdg', 'test\_result\_date', 'pcr\_target\_avg\_conc', 'pcr\_target\_std\_error', 'pcr\_target\_cl\_95\_lo', 'pcr\_target\_cl\_95\_up'
2. Added website to look-up NPDES ID and EPA Registry ID to 'Read Me' and to description in 'Metadata' tabs.
3. Removed space from "other long term care" value for 'institution type'