Form Approved
OMB No. 0920-0666
Exp. Date: xx/xx/20xx
www.cdc.gov/nhsn

Hemovigilance Module
Adverse Reaction
Transfusion Associated Circulatory Overload

*Required for saving

*Facility ID#: _____ NHSN Adverse Reaction #: _____

Patient Information

***Patient ID:** _____ ***Gender:** ☐ M ☐ F ☐ Other ***Date of Birth:** ___/___/____

Social Security #: _____ Secondary ID: _____ Medicare #: _____

Last Name: _____ First Name: _____ Middle Name: _____

Ethnicity ☐ Hispanic or Latino ☐ Not Hispanic or Not Latino

Race ☐ American Indian/Alaska Native ☐ Asian ☐ Black or African American
☐ Native Hawaiian/Other Pacific Islander ☐ White

***Blood Group:** ☐ A- ☐ A+ ☐ B- ☐ B+ ☐ AB- ☐ AB+ ☐ O- ☐ O+ ☐ Blood type not done
☐ Transitional ABO / Rh + ☐ Transitional ABO / Rh - ☐ Transitional ABO / Transitional Rh
☐ Group A/Transitional Rh ☐ Group B/Transitional Rh ☐ Group O/Transitional Rh ☐ Group AB/Transitional Rh

Patient Medical History

List the patient's admitting diagnosis. *(Use ICD-10 Diagnostic codes/descriptions)*

Code: _____ Description: _____
Code: _____ Description: _____
Code: _____ Description: _____

List the patient's underlying indication for transfusion. *(Use ICD-10 Diagnostic codes/descriptions)*

Code: _____ Description: _____
Code: _____ Description: _____
Code: _____ Description: _____

List the patient's comorbid conditions at the time of the transfusion related to the adverse reaction. *(Use ICD-10 Diagnostic codes/descriptions)* ☐ UNKNOWN ☐ NONE

Code: _____ Description: _____
Code: _____ Description: _____
Code: _____ Description: _____

List the patient's relevant medical procedure including past procedures and procedures to be performed during the current hospital or outpatient stay. *(Use ICD-10 Procedure codes/descriptions)* ☐ UNKNOWN ☐ NONE

Code: _____ Description: _____

Code: _____ Description: _____

Code: _____ Description: _____

Additional Information _____

Transfusion History

Has the patient received a previous transfusion? ☐ YES ☐ NO ☐ UNKNOWN

Blood Product: ☐ WB ☐ RBC ☐ Platelet ☐ Plasma ☐ Cryoprecipitate ☐ Granulocyte

Date of Transfusion: ___/___/____ ☐ UNKNOWN

Was the patient's adverse reaction transfusion-related? ☐ YES ☐ NO

If yes, provide information about the transfusion adverse reaction.

Type of transfusion adverse reaction: ☐ Allergic ☐ AHTR ☐ DHTR ☐ DSTR ☐ FNHTR ☐ HTR ☐ TTI ☐ PTP ☐ TACO ☐ TAD ☐ TA-GVHD ☐ TRALI ☐ UNKNOWN ☐ OTHER Specify _____

Reaction Details

***Date reaction occurred:**___/____/____ ***Time reaction occurred:** __ __:__ __ ☐ Time unknown

***Facility location where patient was transfused:** _____

Is this reaction associated with an incident? ☐ Yes ☐ No If Yes, Incident #: _____

Investigation Results

* ☐ **Transfusion associated circulatory overload (TACO)**

***Case Definition**

Check all that occurred **within 6 hours** of cessation of transfusion (new onset or exacerbation):

- ☐ Acute respiratory distress (dyspnea, orthopnea, cough)
- ☐ Elevated brain natriuretic peptide (BNP)
- ☐ Elevated central venous pressure (CVP)
- ☐ Evidence of left heart failure
- ☐ Evidence of positive fluid balance
- ☐ Radiographic evidence of pulmonary edema

Other signs and symptoms: (check all that apply)

Generalized:	☐ Chills/rigors	☐ Fever	☐ Nausea/vomiting	
Cardiovascular:	☐ Blood pressure decrease	☐ Shock		
Cutaneous:	☐ Edema	☐ Flushing	☐ Jaundice	
	☐ Other rash	☐ Pruritus (itching)	☐ Urticaria (hives)	
Hemolysis/Hemorrhage:	☐ Disseminated intravascular coagulation	☐ Hemoglobinemia		
	☐ Positive antibody screen			
Pain:	☐ Abdominal pain	☐ Back pain	☐ Flank pain	☐ Infusion site pain
Renal:	☐ Hematuria	☐ Hemoglobinuria	☐ Oliguria	

Respiratory:	☐ Bilateral infiltrates on chest x-ray ☐ Bronchospasm ☐ Cough ☐ Hypoxemia ☐ Shortness of breath

☐ Other: (specify) _____

***Severity**

Did the patient receive or experience any of the following?

☐ No treatment required
☐ Symptomatic treatment only
☐ Hospitalization, inlcuding prolonged hospitalization
☐ Life-threatening reaction
☐ Disability and/or incapacitation
☐ Congenital anomaly or birth defect(s) of the fetus
☐ Other medically important conditions
☐ Death
☐ Unknown or not stated

***Imputability**

Which best describes the relationship between the transfusion and the reaction?

☐ No other explanations for circulatory overload are possible.
☐ Transfusion is a likely contributor to circulatory overload
☐ The patient has a history of a pre-existing condition(s) that most likely explains circulatory overload.
☐ Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded.
☐ There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion.
☐ The relationship between the adverse reaction and the transfusion is unknown or not stated.

Did the transfusion occur at your facility? ☐ YES ☐ NO

Does the patient have a history of cardiac insufficiency?

☐ Yes, the patient has a history of cardiac insufficiency that could explain the circulatory overload, but transfusion is just as likely to have caused the circulatory overload.
☐ Yes, the patient has a history of pre-existing cardiac insufficiency that most likely explains circulatory overload.
☐ No, the patient does not have a history of cardiac insufficiency.

Did the patient received other fluids in addition to the transfusion? ☐ YES ☐ NO

Module-generated Designations

NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN application based on responses in the corresponding investigation results section above.

***Do you agree with the *case definition* designation?** ☐ YES ☐ NO

^Please indicate your designation _____

***Do you agree with the *severity* designation?** ☐ YES ☐ NO

^Please indicate your designation _____

***Do you agree with the *imputability* designation?** ☐ YES ☐ NO

^Please indicate your designation _____

Patient Treatment

Did the patient receive treatment for the transfusion reaction? ☐ YES ☐ NO ☐ UNKNOWN

If yes, select treatment(s):

☐ Medication *(Select the type of medication)*

☐ Antipyretics ☐ Antihistamines ☐ Inotropes/Vasopressors ☐ Bronchodilator ☐ Diuretics
☐ Intravenous Immunoglobulin ☐ Intravenous steroids ☐ Corticosteroids ☐ Antibiotics
☐ Antithymocyte globulin ☐ Cyclosporin ☐ Other

☐ Volume resuscitation (Intravenous colloids or crystalloids)

☐ Respiratory support *(Select the type of support)*
☐ Mechanical ventilation ☐ Noninvasive ventilation ☐ Oxygen

☐ Renal replacement therapy *(Select the type of therapy)*
☐ Hemodialysis ☐ Peritoneal ☐ Continuous Veno-Venous Hemofiltration

☐ Phlebotomy
☐ Other Specify: _____

Outcome

***Outcome:** ☐ Death ☐ Major or long-term sequelae ☐ Minor or no sequelae ☐ Not determined

Date of Death: ____/____/_____

^If recipient died, relationship of transfusion to death:
☐ Definite ☐ Probable ☐ Possible ☐ Doubtful ☐ Ruled Out ☐ Not determined

Cause of death: _____

Was an autopsy performed? ☐ Yes ☐ No

Component Details

***Was a particular unit implicated in (i.e., responsible for) the adverse reaction?** ☐ Yes ☐ No ☐ N/A

Transfusion Start and **End Date/Time**	***Component code** (check system used)	Amount transfused at reaction onset	^Unit number (Required for Infection and TRALI)	***Unit expiration Date/Time**	***Blood group of unit**	**Implicated Unit?**
^IMPLICATED UNIT						
____/____/___ ___ ___:_____ ____/____/___ ___ ___:_____	☐ ISBT-128 ☐ Codabar ___ ___ ___ ___ ___ _____	☐ Entire unit ☐ Partial unit _____mL	__ __ __ __ __ __ __ __ __ __ __ __ __ __ __	___/___/_____ _____ : _____	☐ A- ☐ A+ ☐ B- ☐ B+ ☐ AB- ☐ AB+ ☐ O- ☐ O+ ☐ N/A	Y
____/____/___ ___ ___:___ _ ____/____/___ ___ ___:_____	☐ ISBT-128 ☐ Codabar ___ ___ ___ ___ ___ _____	☐ Entire unit ☐ Partial unit _____mL	__ __ __ __ __ __ __ __ __ __ __ __ __ __ __	___/___/_____ _____ : _____	☐ A- ☐ A+ ☐ B- ☐ B+ ☐ AB- ☐ AB+ ☐ O- ☐ O+ ☐ N/A	N

Custom Fields

Label		Label	
_____	_____/_____/_____	_____	_____/_____/_____
_____	_____	_____	_____

Comments