

## Substance Use Disorder (SUD)

**PRA Disclosure Statement** This information is being collected to assist the Centers for Medicare & Medicaid Services in program monitoring of Medicaid Section 1115 Substance Use Disorder Demonstrations. This mandatory information collection (42 CFR 431.428) will be used to support more efficient, timely and accurate review of states' SUD 1115 demonstrations monitoring reports submissions to support consistency of monitoring and evaluation of SUD 1115 Demonstrations, increase in reporting accuracy, and reduce timeframes required for monitoring and evaluation. Under the Privacy Act of 1974 any personally identifying information obtained will be kept private to the extent of the law. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid Office of Management and Budget (OMB) control number. The OMB control number for this project is 0938-1148 (CMS-10398 #57). Public reporting burden for this collection of information is estimated to average 9.75 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850.

## Serious Mental Illness and Serious Emotional Disturbance (SMI/SED)

Note: PRA Disclosure Statement to be added here

**Medicaid Section 1115 SUD Demonstrations Monitoring Report (Part A) - Metrics (Version 6.0)**

State	[State Name - automatically populated]
Demonstration Name	[Demonstration Name - automatically populated]
SUD Demonstration Year (DY) (Format: DY1, DY2, DY3, etc.)	[Enter SUD Demonstration Year]
Calendar Dates for SUD DY (Format: MM/DD/YYYY - MM/DD/YYYY)	[Enter Calendar Dates for SUD Demonstration Year]
SUD Reporting Period (Format: Q1, Q2, Q3, Q4)	[Enter SUD Reporting Period]
Calendar Dates for SUD Reporting Period (Format: MM/DD/YYYY - MM/DD/YYYY)	[Enter Calendar Dates for SUD Reporting Period]

**Table: Substance Use Disorder Demonstration Metrics**

#	Metric name	Metric description	Milestone or reporting topic	Metric type
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE: Number of beneficiaries screened for SUD treatment needs using a standardized screening tool during the measurement</i>	<i>EXAMPLE: Assessment of need and qualification for SUD treatment services</i>	<i>EXAMPLE: CMS-constructed</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	Number of beneficiaries screened for SUD treatment needs using a standardized screening tool during the measurement period	Assessment of need and qualification for SUD treatment services	CMS-constructed
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	Number of beneficiaries who receive MAT or a SUD-related treatment service with an associated SUD diagnosis during the measurement period but not in the three months before the measurement period	Assessment of need and qualification for SUD treatment services	CMS-constructed
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Number of beneficiaries who receive MAT or a SUD-related treatment service with an associated SUD diagnosis during the measurement period and/or in the 11 months before the measurement period	Assessment of need and qualification for SUD treatment services	CMS-constructed
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	Number of beneficiaries who receive MAT or a SUD-related treatment service with an associated SUD diagnosis during the measurement period and/or in the 12 months before the measurement period	Assessment of need and qualification for SUD treatment services	CMS-constructed
5	Medicaid Beneficiaries Treated in an IMD for SUD	Number of beneficiaries with a claim for residential or inpatient treatment for SUD in IMDs during the measurement period.	Milestone 2	CMS-constructed
6	Any SUD Treatment	Number of beneficiaries enrolled in the measurement period receiving any SUD treatment service, facility claim, or pharmacy claim during the measurement period	Milestone 1	CMS-constructed
7	Early Intervention	Number of beneficiaries who used early intervention services (such as procedure codes associated with SBIRT) during the measurement period	Milestone 1	CMS-constructed

#	Metric name	Metric description	Milestone or reporting topic	Metric type
8	Outpatient Services	Number of beneficiaries who used outpatient services for SUD (such as outpatient recovery or motivational enhancement therapies, step down care, and monitoring for stable patients) during the measurement period	Milestone 1	CMS-constructed
9	Intensive Outpatient and Partial Hospitalization Services	Number of beneficiaries who used intensive outpatient and/or partial hospitalization services for SUD (such as specialized outpatient SUD therapy or other clinical services) during the measurement period	Milestone 1	CMS-constructed
10	Residential and Inpatient Services	Number of beneficiaries who use residential and/or inpatient services for SUD during the measurement period	Milestone 1	CMS-constructed
11	Withdrawal Management	Number of beneficiaries who use withdrawal management services (such as outpatient, inpatient, or residential) during the measurement period	Milestone 1	CMS-constructed
12	Medication-Assisted Treatment (MAT)	Number of beneficiaries who have a claim for MAT for SUD during the measurement period	Milestone 1	CMS-constructed
13	SUD Provider Availability	The number of providers who were enrolled in Medicaid and qualified to deliver SUD services during the measurement period	Milestone 4	CMS-constructed
14	SUD Provider Availability - MAT	The number of providers who were enrolled in Medicaid and qualified to deliver SUD services during the measurement period and who meet the standards to provide buprenorphine or methadone as part of MAT	Milestone 4	CMS-constructed

#	Metric name	Metric description	Milestone or reporting topic	Metric type
15	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)</p> <p>[NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]<sup>f</sup></p>	<p>Percentage of beneficiaries age 18 and older with a new episode of alcohol or other drug (AOD) abuse or dependence who received the following:</p> <ul style="list-style-type: none"> <li>Initiation of AOD Treatment—percentage of beneficiaries who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth, or medication treatment within 14 days of the diagnosis</li> <li>Engagement of AOD Treatment—percentage of beneficiaries who initiated treatment and who were engaged in ongoing AOD treatment within 34 days of the initiation visit</li> </ul> <p>The following diagnosis cohorts are reported for each rate: (1) Alcohol abuse or dependence, (2) Opioid abuse or dependence, (3) Other drug abuse or dependence, and (4) Total AOD abuse or dependence. A total of 8 separate rates are reported for this measure.</p> <ol style="list-style-type: none"> <li>Initiation of AOD Treatment - Alcohol abuse or dependence (rate 1, cohort 1)</li> <li>Initiation of AOD Treatment - Opioid abuse or dependence (rate 1, cohort 2)</li> <li>Initiation of AOD Treatment - Other drug abuse or dependence (rate 1, cohort 3)</li> <li>Initiation of AOD Treatment - Total AOD abuse of dependence (rate 1, cohort 4)</li> <li>Engagement of AOD Treatment - Alcohol abuse or dependence (rate 2, cohort 1)</li> <li>Engagement of AOD Treatment - Opioid abuse or dependence (rate 2, cohort 2)</li> <li>Engagement of AOD Treatment - Other drug abuse or dependence (rate 2, cohort 3)</li> <li>Engagement of AOD Treatment - Total AOD abuse of dependence (rate 2, cohort 4)</li> </ol>	Milestone 6	Established quality measure
16	<p>SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge</p> <p>[Joint Commission]</p>	<p><b>SUB-3:</b> Patients who are identified with alcohol or drug use disorder who receive or refuse at discharge a prescription for FDA-approved medications for alcohol or drug use disorder, OR who receive or refuse a referral for addictions treatment.</p> <p><b>SUB-3a:</b> Patients who are identified with alcohol or drug disorder who receive a prescription for FDA-approved medications for alcohol or drug use disorder OR a referral for addictions treatment.</p>	Milestone 6	Established quality measure

#	Metric name	Metric description	Milestone or reporting topic	Metric type
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>	Percentage of ED visits for beneficiaries age 18 and older with a principal diagnosis of AOD abuse or dependence who had a follow-up visit for AOD abuse or dependence. Two rates are reported:  <ul style="list-style-type: none"> <li>• Percentage of ED visits for which the beneficiary received follow-up within 30 days of the ED visit (31 total days).</li> <li>• Percentage of ED visits for which the beneficiary received follow-up within 7 days of the ED visit (8 total days).</li> </ul>	Milestone 6	Established quality measure
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>	Percentage of ED visits for beneficiaries age 18 and older with a principal diagnosis of mental illness or intentional self-harm and who had a follow-up visit for mental illness. Two rates are reported:  <ul style="list-style-type: none"> <li>• Percentage of ED visits for mental illness for which the beneficiary received follow-up within 30 days of the ED visit (31 total days)</li> <li>• Percentage of ED visits for mental illness for which the beneficiary received follow-up within 7 days of the ED visit (8 total days).</li> </ul>	Milestone 6	Established quality measure
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	Percentage of beneficiaries age 18 and older who received prescriptions for opioids with an average daily dosage greater than or equal to 90 morphine milligram equivalents (MME) over a period of 90 days or more. Beneficiaries with a cancer diagnosis, sickle cell disease diagnosis, or in hospice are excluded.	Milestone 5	Established quality measure
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]	The percentage of individuals ≥18 years of age who received prescriptions for opioids from ≥4 prescribers AND ≥4 pharmacies within ≤180 days.	Milestone 5	Established quality measure
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	The percentage of individuals ≥18 years of age who received prescriptions for opioids with an average daily dosage of ≥90 morphine milligram equivalents (MME) AND who received prescriptions for opioids from ≥4 prescribers AND ≥4 pharmacies.	Milestone 5	Established quality measure

#	Metric name	Metric description	Milestone or reporting topic	Metric type
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]	Percentage of beneficiaries age 18 and older with concurrent use of prescription opioids and benzodiazepines. Beneficiaries with a cancer diagnosis, sickle cell disease diagnosis, or in hospice are excluded.	Milestone 5	Established quality measure
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	Percentage of adults 18 years of age and older with pharmacotherapy for OUD who have at least 180 days of continuous treatment	Milestone 1	Established quality measure
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	Total number of ED visits for SUD per 1,000 beneficiaries in the measurement period	Milestone 5	CMS-constructed
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	Total number of inpatient stays per 1,000 beneficiaries in the measurement period	Other SUD-related metrics	CMS-constructed
25	Readmissions Among Beneficiaries with SUD	The rate of all-cause readmissions during the measurement period among beneficiaries with SUD.	Milestone 6	CMS-constructed
26	Overdose Deaths (count)	Number of overdose deaths during the measurement period among Medicaid beneficiaries living in a geographic area covered by the demonstration. The state is encouraged to report the cause of overdose death as specifically as possible (for example, prescription vs. illicit opioid).	Other SUD-related metrics	CMS-constructed
27	Overdose Deaths (rate)	Rate of overdose deaths during the measurement period among adult Medicaid beneficiaries living in a geographic area covered by the demonstration. The state is encouraged to report the cause of overdose death as specifically as possible (for example, prescription vs. illicit opioid).	Milestone 5	CMS-constructed
28	SUD Spending	Total Medicaid SUD spending during the measurement period.	Other SUD-related metrics	CMS-constructed
29	SUD Spending within IMDs	Total Medicaid SUD spending on inpatient/residential treatment within IMDs during the measurement period.	Other SUD-related metrics	CMS-constructed
30	Per Capita SUD Spending	Per capita SUD spending during the measurement period	Other SUD-related metrics	CMS-constructed
31	Per Capita SUD Spending within IMDs	Per capita SUD spending within IMDs during the measurement period	Other SUD-related metrics	CMS-constructed

#	Metric name	Metric description	Milestone or reporting topic	Metric type
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>	The percentage of Medicaid beneficiaries with SUD who had an ambulatory or preventive care visit during the measurement period.	Other SUD-related metrics	Established quality measure
33	Grievances Related to SUD Treatment Services	Number of grievances filed during the measurement period that are related to SUD treatment services	Other SUD-related metrics	CMS-constructed
34	Appeals Related to SUD Treatment Services	Number of appeals filed during the measurement period that are related to SUD treatment services	Other SUD-related metrics	CMS-constructed
35	Critical Incidents Related to SUD Treatment Services	Number of critical incidents filed during the measurement period that are related to SUD treatment services	Other SUD-related metrics	CMS-constructed
36	Average Length of Stay in IMDs	The average length of stay for beneficiaries discharged from IMD inpatient/residential treatment for SUD.	Milestone 2	CMS-constructed
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>	<i>[Automatically populated]</i>	Health IT	State-specific
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>	<i>[Automatically populated]</i>	Health IT	State-specific
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>	<i>[Automatically populated]</i>	Health IT	State-specific
<b>State-specific metrics</b>				
<i>[Automatically populated with state-specific metrics]</i>				

**Table: Substance Use Disorder Demonst**

Standard information on CMS-provided metrics					
#	Metric name	Reporting category	Data source	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE: Other monthly and quarterly metrics</i>	<i>EXAMPLE: Medical record review or claims</i>	<i>EXAMPLE (automatically populated per the CMS-approved monitoring protocol): Y</i>	<i>EXAMPLE (automatically populated per the CMS-approved monitoring protocol): N</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	Other monthly and quarterly metrics	Medical record review or claims		
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	Other monthly and quarterly metrics	Claims		
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Other monthly and quarterly metrics	Claims		
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	Other annual metrics	Claims		
5	Medicaid Beneficiaries Treated in an IMD for SUD	Other annual metrics	Claims		
6	Any SUD Treatment	Other monthly and quarterly metrics	Claims		
7	Early Intervention	Other monthly and quarterly metrics	Claims		

Standard information on CMS-provided metrics					
#	Metric name	Reporting category	Data source	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
8	Outpatient Services	Other monthly and quarterly metrics	Claims		
9	Intensive Outpatient and Partial Hospitalization Services	Other monthly and quarterly metrics	Claims		
10	Residential and Inpatient Services	Other monthly and quarterly metrics	Claims		
11	Withdrawal Management	Other monthly and quarterly metrics	Claims		
12	Medication-Assisted Treatment (MAT)	Other monthly and quarterly metrics	Claims		
13	SUD Provider Availability	Other annual metrics	Provider enrollment database; Claims		
14	SUD Provider Availability - MAT	Other annual metrics	Provider enrollment database, SAMHSA datasets		

Standard information on CMS-provided metrics					
#	Metric name	Reporting category	Data source	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>	Annual metrics that are established quality measures	Claims		
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]	Annual metrics that are established quality measures	Medical record review or claims		

Standard information on CMS-provided metrics					
#	Metric name	Reporting category	Data source	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>	Annual metrics that are established quality measures	Claims		
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>	Annual metrics that are established quality measures	Claims		
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	Annual metrics that are established quality measures	Claims		
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]	Annual metrics that are established quality measures	Claims		
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	Annual metrics that are established quality measures	Claims		

Standard information on CMS-provided metrics					
#	Metric name	Reporting category	Data source	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]	Annual metrics that are established quality measures	Claims		
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	Annual metrics that are established quality measures	Claims		
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	Other monthly and quarterly metrics	Claims		
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	Other monthly and quarterly metrics	Claims		
25	Readmissions Among Beneficiaries with SUD	Other annual metrics	Claims		
26	Overdose Deaths (count)	Other annual metrics	State data on cause of death		
27	Overdose Deaths (rate)	Other annual metrics	State data on cause of death		
28	SUD Spending	Other annual metrics	Claims		
29	SUD Spending within IMDs	Other annual metrics	Claims		
30	Per Capita SUD Spending	Other annual metrics	Claims		
31	Per Capita SUD Spending within IMDs	Other annual metrics	Claims		

Standard information on CMS-provided metrics					
#	Metric name	Reporting category	Data source	State will report (Y/N)	Approved monitoring protocol indicates that reporting matches the CMS-provided technical specifications manual (Y/N)
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>	Annual metrics that are established quality measures	Claims		
33	Grievances Related to SUD Treatment Services	Grievances and appeals	Administrative records		
34	Appeals Related to SUD Treatment Services	Grievances and appeals	Administrative records		
35	Critical Incidents Related to SUD Treatment Services	Grievances and appeals	Administrative records		
36	Average Length of Stay in IMDs	Other annual metrics	Claims; State-specific IMD database		
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>	<i>[Automatically populated]</i>	<i>[Automatically populated]</i>		
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>	<i>[Automatically populated]</i>	<i>[Automatically populated]</i>		
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>	<i>[Automatically populated]</i>	<i>[Automatically populated]</i>		
<b>State-specific metrics</b>					
<i>[Automatically populated with state-specific metrics]</i>					

**Table: Substance Use Disorder Demonsti**

#	Metric name	Deviations from CMS-provided technical specifications manual in approved monitoring protocol	Technical specifications manual version
<b>EXAMPLE: 1 (Do not delete or edit this row)</b>	<b>EXAMPLE:</b> Assessed for SUD Treatment Needs Using a Standardized Screening Tool	<b>EXAMPLE (automatically populated per the CMS-approved monitoring protocol):</b> The Department will use state-defined procedure codes (list specific codes) to calculate this metric.	<b>EXAMPLE:</b> Version 3.0
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool		
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis		
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)		
4	Medicaid Beneficiaries with SUD Diagnosis (annually)		
5	Medicaid Beneficiaries Treated in an IMD for SUD		
6	Any SUD Treatment		
7	Early Intervention		

#	Metric name	Deviations from CMS-provided technical specifications manual in approved monitoring protocol	Technical specifications manual version
8	Outpatient Services		
9	Intensive Outpatient and Partial Hospitalization Services		
10	Residential and Inpatient Services		
11	Withdrawal Management		
12	Medication-Assisted Treatment (MAT)		
13	SUD Provider Availability		
14	SUD Provider Availability - MAT		

#	Metric name	Deviations from CMS-provided technical specifications manual in approved monitoring protocol	Technical specifications manual version
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>		
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]		

#	Metric name	Deviations from CMS-provided technical specifications manual in approved monitoring protocol	Technical specifications manual version
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>		
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>		
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]		
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]		
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]		

#	Metric name	Deviations from CMS-provided technical specifications manual in approved monitoring protocol	Technical specifications manual version
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]		
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]		
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries		
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries		
25	Readmissions Among Beneficiaries with SUD		
26	Overdose Deaths (count)		
27	Overdose Deaths (rate)		
28	SUD Spending		
29	SUD Spending within IMDs		
30	Per Capita SUD Spending		
31	Per Capita SUD Spending within IMDs		

#	Metric name	Deviations from CMS-provided technical specifications manual in approved monitoring protocol	Technical specifications manual version
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>		
33	Grievances Related to SUD Treatment Services		
34	Appeals Related to SUD Treatment Services		
35	Critical Incidents Related to SUD Treatment Services		
36	Average Length of Stay in IMDs		
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>		
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>		
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>		
<b>State-specific metrics</b>			
<i>[Automatically populated with state-specific metrics]</i>			

**Table: Substance Use Disorder Demonst**

#	Metric name	Reporting issue (Y/N) (further describe in SUD reporting issues tab)	Measurement period (month, quarter, year <sup>a</sup> )	Dates covered by measurement period (MM/DD/YYYY-MM/DD/YYYY)
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Y Using a Standardized Screening Tool</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Y Using a Standardized Screening Tool</i>	<i>EXAMPLE: Month 1</i>	<i>EXAMPLE: 07/01/2018-7/31/2018</i>
			<i>EXAMPLE: Month 2</i>	<i>EXAMPLE: 08/01/2018-08/31/2018</i>
			<i>EXAMPLE: Month 3</i>	<i>EXAMPLE: 09/01/2018-09/30/2018</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool		Month 1	
			Month 2	
			Month 3	
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis		Month 1	
			Month 2	
			Month 3	
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)		Month 1	
			Month 2	
			Month 3	
4	Medicaid Beneficiaries with SUD Diagnosis (annually)		Year	
5	Medicaid Beneficiaries Treated in an IMD for SUD		Year	
6	Any SUD Treatment		Month 1	
			Month 2	
			Month 3	
7	Early Intervention		Month 1	
			Month 2	

#	Metric name	Reporting issue (Y/N) (further describe in SUD reporting issues tab)	Measurement period (month, quarter, year <sup>a</sup> )	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
			Month 3	
8	Outpatient Services		Month 1	
			Month 2	
			Month 3	
9	Intensive Outpatient and Partial Hospitalization Services		Month 1	
			Month 2	
			Month 3	
10	Residential and Inpatient Services		Month 1	
			Month 2	
			Month 3	
11	Withdrawal Management		Month 1	
			Month 2	
			Month 3	
12	Medication-Assisted Treatment (MAT)		Month 1	
			Month 2	
			Month 3	
13	SUD Provider Availability		Year	
14	SUD Provider Availability - MAT		Year	

#	Metric name	Reporting issue (Y/N) (further describe in SUD reporting issues tab)	Measurement period (month, quarter, year <sup>a</sup> )	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>		Year	
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]		Year	

#	Metric name	Reporting issue (Y/N) (further describe in SUD reporting issues tab)	Measurement period (month, quarter, year <sup>a</sup> )	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>		Year	
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>		Year	
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]		Year	
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]		Year	
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]		Year	

#	Metric name	Reporting issue (Y/N) (further describe in SUD reporting issues tab)	Measurement period (month, quarter, year <sup>a</sup> )	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]		Year	
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]		Year	
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries		Month 1	
			Month 2	
			Month 3	
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries		Month 1	
			Month 2	
			Month 3	
25	Readmissions Among Beneficiaries with SUD		Year	
26	Overdose Deaths (count)		Year	
27	Overdose Deaths (rate)		Year	
28	SUD Spending		Year	
29	SUD Spending within IMDs		Year	
30	Per Capita SUD Spending		Year	
31	Per Capita SUD Spending within IMDs		Year	

#	Metric name	Reporting issue (Y/N) (further describe in SUD reporting issues tab)	Measurement period (month, quarter, year <sup>a</sup> )	Dates covered by measurement period (MM/DD/YYYY- MM/DD/YYYY)
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>		Year	
33	Grievances Related to SUD Treatment Services		Quarter	
34	Appeals Related to SUD Treatment Services		Quarter	
35	Critical Incidents Related to SUD Treatment Services		Quarter	
36	Average Length of Stay in IMDs		Year	
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>			
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>			
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>			
<b>State-specific metrics</b>				
<i>[Automatically populated with state-specific metrics]</i>				

**Table: Substance Use Disorder Demonst**

Demonstration reporting					
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count	Demonstration reporting rate/percentage	Age < 18 denominator
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>		<i>EXAMPLE: 100</i>		
			<i>EXAMPLE: 100</i>		
			<i>EXAMPLE: 100</i>		
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool				
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis				
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)				
4	Medicaid Beneficiaries with SUD Diagnosis (annually)				
5	Medicaid Beneficiaries Treated in an IMD for SUD				
6	Any SUD Treatment				
7	Early Intervention				

Demonstration reporting					
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count	Demonstration reporting rate/percentage	Age < 18 denominator
8	Outpatient Services				
9	Intensive Outpatient and Partial Hospitalization Services				
10	Residential and Inpatient Services				
11	Withdrawal Management				
12	Medication-Assisted Treatment (MAT)				
13	SUD Provider Availability				
14	SUD Provider Availability - MAT				

Demonstration reporting					
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count	Demonstration reporting rate/percentage	Age < 18 denominator
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>				
				#DIV/0!	
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			#DIV/0!	
				#DIV/0!	

Demonstration reporting					
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count	Demonstration reporting rate/percentage	Age < 18 denominator
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>				
				#DIV/0!	
				#DIV/0!	
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>				
				#DIV/0!	
				#DIV/0!	
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			#DIV/0!	
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			#DIV/0!	
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			#DIV/0!	

Demonstration reporting					
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count	Demonstration reporting rate/percentage	Age < 18 denominator
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			#DIV/0!	
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			#DIV/0!	
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries			#DIV/0!	
				#DIV/0!	
				#DIV/0!	
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries			#DIV/0!	
				#DIV/0!	
				#DIV/0!	
25	Readmissions Among Beneficiaries with SUD			#DIV/0!	
26	Overdose Deaths (count)				
27	Overdose Deaths (rate)			#DIV/0!	
28	SUD Spending				
29	SUD Spending within IMDs				
30	Per Capita SUD Spending			#DIV/0!	
31	Per Capita SUD Spending within IMDs			#DIV/0!	

Demonstration reporting					
#	Metric name	Demonstration reporting denominator	Demonstration reporting numerator or count	Demonstration reporting rate/percentage	Age < 18 denominator
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>			#DIV/0!	
33	Grievances Related to SUD Treatment Services				
34	Appeals Related to SUD Treatment Services				
35	Critical Incidents Related to SUD Treatment Services				
36	Average Length of Stay in IMDs			#DIV/0!	
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>				
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>				
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>				
<b>State-specific metrics</b>					
<i>[Automatically populated with state-specific metrics]</i>					

**Table: Substance Use Disorder Demonst**

		Age < 18		Age 18-64		
#	Metric name	Age < 18 numerator or count	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count	Age 18-64 rate/percentage
EXAMPLE: 1 (Do not delete or edit this row)	EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool	EXAMPLE:			EXAMPLE:	
		EXAMPLE:			EXAMPLE:	
		EXAMPLE:			EXAMPLE:	
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool					
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis					
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)					
4	Medicaid Beneficiaries with SUD Diagnosis (annually)					
5	Medicaid Beneficiaries Treated in an IMD for SUD					
6	Any SUD Treatment					
7	Early Intervention					

Age < 18				Age 18-64		
#	Metric name	Age < 18 numerator or count	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count	Age 18-64 rate/percentage
8	Outpatient Services					
9	Intensive Outpatient and Partial Hospitalization Services					
10	Residential and Inpatient Services					
11	Withdrawal Management					
12	Medication-Assisted Treatment (MAT)					
13	SUD Provider Availability					
14	SUD Provider Availability - MAT					

		Age < 18		Age 18-64		
#	Metric name	Age < 18 numerator or count	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count	Age 18-64 rate/percentage
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>					
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]					

		Age < 18		Age 18-64		
#	Metric name	Age < 18 numerator or count	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count	Age 18-64 rate/percentage
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>					
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>					
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]					
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]					
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]					

Age < 18				Age 18-64		
#	Metric name	Age < 18 numerator or count	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count	Age 18-64 rate/percentage
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]					
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]					
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries		#DIV/0!			#DIV/0!
			#DIV/0!			#DIV/0!
			#DIV/0!			#DIV/0!
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries		#DIV/0!			#DIV/0!
			#DIV/0!			#DIV/0!
			#DIV/0!			#DIV/0!
25	Readmissions Among Beneficiaries with SUD					
26	Overdose Deaths (count)					
27	Overdose Deaths (rate)		#DIV/0!			#DIV/0!
28	SUD Spending					
29	SUD Spending within IMDs					
30	Per Capita SUD Spending					
31	Per Capita SUD Spending within IMDs					

		Age < 18		Age 18-64		
#	Metric name	Age < 18 numerator or count	Age <18 rate/percentage	Age 18-64 denominator	Age 18-64 numerator or count	Age 18-64 rate/percentage
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>					
33	Grievances Related to SUD Treatment Services					
34	Appeals Related to SUD Treatment Services					
35	Critical Incidents Related to SUD Treatment Services					
36	Average Length of Stay in IMDs					
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>					
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>					
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>					
<b>State-specific metrics</b>						
<i>[Automatically populated with state-specific metrics]</i>						

**Table: Substance Use Disorder Demonst**

#	Metric name	Age 65+			Dual eligible (Medicare-Medicaid eligible)		
		Age 65+ denominator	Age 65+ numerator or count	Age 65+ rate/percentage	Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare-Medicaid eligible) numerator or count	Dual eligible (Medicare-Medicaid eligible) rate/percentage
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>		<i>EXAMPLE:</i>			<i>EXAMPLE:</i>	
			<i>EXAMPLE:</i>			<i>EXAMPLE:</i>	
			<i>EXAMPLE:</i>			<i>EXAMPLE:</i>	
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool						
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis						
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)						
4	Medicaid Beneficiaries with SUD Diagnosis (annually)						
5	Medicaid Beneficiaries Treated in an IMD for SUD						
6	Any SUD Treatment						
7	Early Intervention						

		Age 65+			Dual eligible (Medicare-Medicaid eligible)		
#	Metric name	Age 65+ denominator	Age 65+ numerator or count	Age 65+ rate/percentage	Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare-Medicaid eligible) numerator or count	Dual eligible (Medicare-Medicaid eligible) rate/percentage
8	Outpatient Services						
9	Intensive Outpatient and Partial Hospitalization Services						
10	Residential and Inpatient Services						
11	Withdrawal Management						
12	Medication-Assisted Treatment (MAT)						
13	SUD Provider Availability						
14	SUD Provider Availability - MAT						

		Age 65+			Dual eligible (Medicare-Medicaid eligible)		
#	Metric name	Age 65+ denominator	Age 65+ numerator or count	Age 65+ rate/percentage	Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare-Medicaid eligible) numerator or count	Dual eligible (Medicare-Medicaid eligible) rate/percentage
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>						
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]						

		Age 65+			Dual eligible (Medicare-Medicaid eligible)		
#	Metric name	Age 65+ denominator	Age 65+ numerator or count	Age 65+ rate/percentage	Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare-Medicaid eligible) numerator or count	Dual eligible (Medicare-Medicaid eligible) rate/percentage
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>						
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>						
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]						
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]						
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]						

#	Metric name	Age 65+			Dual eligible (Medicare-Medicaid eligible)		
		Age 65+ denominator	Age 65+ numerator or count	Age 65+ rate/percentage	Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare-Medicaid eligible) numerator or count	Dual eligible (Medicare-Medicaid eligible) rate/percentage
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]						
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]						
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries			#DIV/0!			
				#DIV/0!			
				#DIV/0!			
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries			#DIV/0!			
				#DIV/0!			
				#DIV/0!			
25	Readmissions Among Beneficiaries with SUD						
26	Overdose Deaths (count)						
27	Overdose Deaths (rate)			#DIV/0!			
28	SUD Spending						
29	SUD Spending within IMDs						
30	Per Capita SUD Spending						
31	Per Capita SUD Spending within IMDs						

		Age 65+			Dual eligible (Medicare-Medicaid eligible)		
#	Metric name	Age 65+ denominator	Age 65+ numerator or count	Age 65+ rate/percentage	Dual eligible (Medicare-Medicaid eligible) denominator	Dual eligible (Medicare-Medicaid eligible) numerator or count	Dual eligible (Medicare-Medicaid eligible) rate/percentage
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>						
33	Grievances Related to SUD Treatment Services						
34	Appeals Related to SUD Treatment Services						
35	Critical Incidents Related to SUD Treatment Services						
36	Average Length of Stay in IMDs						
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>						
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>						
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>						
<b>State-specific metrics</b>							
<i>[Automatically populated with state-specific metrics]</i>							

**Table: Substance Use Disorder Demonst**

#	Metric name	Medicaid only			Pregnant		
		Medicaid only denominator	Medicaid only numerator or count	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count	Pregnant rate/percentage
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>		<i>EXAMPLE:</i>			<i>EXAMPLE:</i>	
			<i>EXAMPLE:</i>			<i>EXAMPLE:</i>	
			<i>EXAMPLE:</i>			<i>EXAMPLE:</i>	
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool						
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis						
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)						
4	Medicaid Beneficiaries with SUD Diagnosis (annually)						
5	Medicaid Beneficiaries Treated in an IMD for SUD						
6	Any SUD Treatment						
7	Early Intervention						

		Medicaid only			Pregnant		
#	Metric name	Medicaid only denominator	Medicaid only numerator or count	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count	Pregnant rate/percentage
8	Outpatient Services						
9	Intensive Outpatient and Partial Hospitalization Services						
10	Residential and Inpatient Services						
11	Withdrawal Management						
12	Medication-Assisted Treatment (MAT)						
13	SUD Provider Availability						
14	SUD Provider Availability - MAT						

		Medicaid only			Pregnant		
#	Metric name	Medicaid only denominator	Medicaid only numerator or count	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count	Pregnant rate/percentage
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>						
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]						

		Medicaid only			Pregnant		
#	Metric name	Medicaid only denominator	Medicaid only numerator or count	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count	Pregnant rate/percentage
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>						
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>						
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]						
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]						
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]						

		Medicaid only			Pregnant		
#	Metric name	Medicaid only denominator	Medicaid only numerator or count	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count	Pregnant rate/percentage
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]						
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]						
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries						
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries						
25	Readmissions Among Beneficiaries with SUD						
26	Overdose Deaths (count)						
27	Overdose Deaths (rate)						
28	SUD Spending						
29	SUD Spending within IMDs						
30	Per Capita SUD Spending						
31	Per Capita SUD Spending within IMDs						

		Medicaid only			Pregnant		
#	Metric name	Medicaid only denominator	Medicaid only numerator or count	Medicaid only rate/percentage	Pregnant denominator	Pregnant numerator or count	Pregnant rate/percentage
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>						
33	Grievances Related to SUD Treatment Services						
34	Appeals Related to SUD Treatment Services						
35	Critical Incidents Related to SUD Treatment Services						
36	Average Length of Stay in IMDs						
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>						
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>						
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>						
<b>State-specific metrics</b>							
<i>[Automatically populated with state-specific metrics]</i>							

**Table: Substance Use Disorder Demonst**

#	Metric name	Not pregnant			Criminally involved		
		Not pregnant denominator	Not pregnant numerator or count	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count	Criminally involved rate/percentage
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>		<i>EXAMPLE:</i>			<i>EXAMPLE:</i>	
			<i>EXAMPLE:</i>			<i>EXAMPLE:</i>	
			<i>EXAMPLE:</i>			<i>EXAMPLE:</i>	
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool						
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis						
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)						
4	Medicaid Beneficiaries with SUD Diagnosis (annually)						
5	Medicaid Beneficiaries Treated in an IMD for SUD						
6	Any SUD Treatment						
7	Early Intervention						

		Not pregnant			Criminally involved		
#	Metric name	Not pregnant denominator	Not pregnant numerator or count	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count	Criminally involved rate/percentage
8	Outpatient Services						
9	Intensive Outpatient and Partial Hospitalization Services						
10	Residential and Inpatient Services						
11	Withdrawal Management						
12	Medication-Assisted Treatment (MAT)						
13	SUD Provider Availability						
14	SUD Provider Availability - MAT						

		Not pregnant			Criminally involved		
#	Metric name	Not pregnant denominator	Not pregnant numerator or count	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count	Criminally involved rate/percentage
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>						
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]						

#	Metric name	Not pregnant			Criminally involved		
		Not pregnant denominator	Not pregnant numerator or count	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count	Criminally involved rate/percentage
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>						
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>						
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]						
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]						
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]						

		Not pregnant			Criminally involved		
#	Metric name	Not pregnant denominator	Not pregnant numerator or count	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count	Criminally involved rate/percentage
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]						
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]						
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries						
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries						
25	Readmissions Among Beneficiaries with SUD						
26	Overdose Deaths (count)						
27	Overdose Deaths (rate)						
28	SUD Spending						
29	SUD Spending within IMDs						
30	Per Capita SUD Spending						
31	Per Capita SUD Spending within IMDs						

		Not pregnant			Criminally involved		
#	Metric name	Not pregnant denominator	Not pregnant numerator or count	Not pregnant rate/percentage	Criminally involved denominator	Criminally involved numerator or count	Criminally involved rate/percentage
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>						
33	Grievances Related to SUD Treatment Services						
34	Appeals Related to SUD Treatment Services						
35	Critical Incidents Related to SUD Treatment Services						
36	Average Length of Stay in IMDs						
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>						
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>						
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>						
<b>State-specific metrics</b>							
<i>[Automatically populated with state-specific metrics]</i>							

**Table: Substance Use Disorder Demonst**

		Not criminally involved			OUD subpopu	
#	Metric name	Not criminally involved denominator	Not criminally involved numerator or count	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>		<i>EXAMPLE:</i>			
			<i>EXAMPLE:</i>			
			<i>EXAMPLE:</i>			
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool					
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis					
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)					
4	Medicaid Beneficiaries with SUD Diagnosis (annually)					
5	Medicaid Beneficiaries Treated in an IMD for SUD					
6	Any SUD Treatment					
7	Early Intervention					

		Not criminally involved			OUD subpopu	
#	Metric name	Not criminally involved denominator	Not criminally involved numerator or count	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
8	Outpatient Services					
9	Intensive Outpatient and Partial Hospitalization Services					
10	Residential and Inpatient Services					
11	Withdrawal Management					
12	Medication-Assisted Treatment (MAT)					
13	SUD Provider Availability					
14	SUD Provider Availability - MAT					

#	Metric name	Not criminally involved			OUD subpopu	
		Not criminally involved denominator	Not criminally involved numerator or count	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>					
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]					

		Not criminally involved			OUD subpopu	
#	Metric name	Not criminally involved denominator	Not criminally involved numerator or count	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>					
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>					
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]					
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]					
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]					

		Not criminally involved			OUD subpopu	
#	Metric name	Not criminally involved denominator	Not criminally involved numerator or count	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]					
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]					
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries					
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries					
25	Readmissions Among Beneficiaries with SUD					
26	Overdose Deaths (count)					
27	Overdose Deaths (rate)					
28	SUD Spending					
29	SUD Spending within IMDs					
30	Per Capita SUD Spending					
31	Per Capita SUD Spending within IMDs					

		Not criminally involved			OUD subpopu	
#	Metric name	Not criminally involved denominator	Not criminally involved numerator or count	Not criminally involved rate/percentage	OUD subpopulation denominator	OUD subpopulation numerator or count
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>					
33	Grievances Related to SUD Treatment Services					
34	Appeals Related to SUD Treatment Services					
35	Critical Incidents Related to SUD Treatment Services					
36	Average Length of Stay in IMDs					
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>					
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>					
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>					
<b>State-specific metrics</b>						
<i>[Automatically populated with state-specific metrics]</i>						

**Table: Substance Use Disorder Demonstration**

		State-specific subpopulation 1 <sup>b</sup>			
#	Metric name	State-specific subpopulation 1 numerator	State-specific subpopulation 1 denominator	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>			<i>EXAMPLE:</i>	
				<i>EXAMPLE:</i>	
				<i>EXAMPLE:</i>	
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool				
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis				
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)				
4	Medicaid Beneficiaries with SUD Diagnosis (annually)				
5	Medicaid Beneficiaries Treated in an IMD for SUD				
6	Any SUD Treatment				
7	Early Intervention				

ation			State-specific subpopulation 1 <sup>b</sup>			
#	Metric name	OU subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator
8	Outpatient Services					
9	Intensive Outpatient and Partial Hospitalization Services					
10	Residential and Inpatient Services					
11	Withdrawal Management					
12	Medication-Assisted Treatment (MAT)					
13	SUD Provider Availability					
14	SUD Provider Availability - MAT					

ation			State-specific subpopulation 1 <sup>b</sup>			
#	Metric name	OU subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>					
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]					

ation		State-specific subpopulation 1 <sup>b</sup>				
#	Metric name	OU subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>					
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>					
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]					
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]					
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]					

ation			State-specific subpopulation 1 <sup>b</sup>			
#	Metric name	OUD subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]					
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]					
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!			#DIV/0!	
		#DIV/0!			#DIV/0!	
		#DIV/0!			#DIV/0!	
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!			#DIV/0!	
		#DIV/0!			#DIV/0!	
		#DIV/0!			#DIV/0!	
25	Readmissions Among Beneficiaries with SUD				#DIV/0!	
26	Overdose Deaths (count)					
27	Overdose Deaths (rate)	#DIV/0!			#DIV/0!	
28	SUD Spending					
29	SUD Spending within IMDs					
30	Per Capita SUD Spending				#DIV/0!	
31	Per Capita SUD Spending within IMDs				#DIV/0!	

ation			State-specific subpopulation 1 <sup>b</sup>			
#	Metric name	OU subpopulation rate/percentage	State-specific subpopulation 1 denominator	State-specific subpopulation 1 numerator or count	State-specific subpopulation 1 rate/percentage	State-specific subpopulation 2 denominator
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>					
33	Grievances Related to SUD Treatment Services					
34	Appeals Related to SUD Treatment Services					
35	Critical Incidents Related to SUD Treatment Services					
36	Average Length of Stay in IMDs	#DIV/0!			#DIV/0!	
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>					
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>					
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>					
<b>State-specific metrics</b>						
<i>[Automatically populated with state-specific metrics]</i>						

**Table: Substance Use Disorder Demonst**

State-specific subpopulation 2 <sup>b</sup>			State-sp		
#	Metric name	State-specific subpopulation 2 numerator or count	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE:</i>			<i>EXAMPLE:</i>
		<i>EXAMPLE:</i>			<i>EXAMPLE:</i>
		<i>EXAMPLE:</i>			<i>EXAMPLE:</i>
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool				
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis				
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)				
4	Medicaid Beneficiaries with SUD Diagnosis (annually)				
5	Medicaid Beneficiaries Treated in an IMD for SUD				
6	Any SUD Treatment				
7	Early Intervention				

State-specific subpopulation 2 <sup>b</sup>			State-sp		
#	Metric name	State-specific subpopulation 2 numerator or count	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
8	Outpatient Services				
9	Intensive Outpatient and Partial Hospitalization Services				
10	Residential and Inpatient Services				
11	Withdrawal Management				
12	Medication-Assisted Treatment (MAT)				
13	SUD Provider Availability				
14	SUD Provider Availability - MAT				

State-specific subpopulation 2 <sup>b</sup>				State-sp	
#	Metric name	State-specific subpopulation 2 numerator or count	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>				
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]				

State-specific subpopulation 2 <sup>b</sup>				State-sp	
#	Metric name	State-specific subpopulation 2 numerator or count	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>				
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>				
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]				
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]				
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]				

State-specific subpopulation 2 <sup>b</sup>				State-sp	
#	Metric name	State-specific subpopulation 2 numerator or count	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]				
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]				
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries		#DIV/0!		
			#DIV/0!		
			#DIV/0!		
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries		#DIV/0!		
			#DIV/0!		
			#DIV/0!		
25	Readmissions Among Beneficiaries with SUD		#DIV/0!		
26	Overdose Deaths (count)				
27	Overdose Deaths (rate)		#DIV/0!		
28	SUD Spending				
29	SUD Spending within IMDs				
30	Per Capita SUD Spending		#DIV/0!		
31	Per Capita SUD Spending within IMDs		#DIV/0!		

State-specific subpopulation 2 <sup>b</sup>				State-sp	
#	Metric name	State-specific subpopulation 2 numerator or count	State-specific subpopulation 2 rate/percentage	State-specific subpopulation 3 denominator	State-specific subpopulation 3 numerator or count
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>				
33	Grievances Related to SUD Treatment Services				
34	Appeals Related to SUD Treatment Services				
35	Critical Incidents Related to SUD Treatment Services				
36	Average Length of Stay in IMDs		#DIV/0!		
Q1	[Automatically populated with selected metric for health IT question 1]				
Q2	[Automatically populated with selected metric for health IT question 2]				
Q3	[Automatically populated with selected metric for health IT question 3]				
<b>State-specific metrics</b>					
[Automatically populated with state-specific metrics]					

**Table: Substance Use Disorder Demonst**

		Specific subpopulation 3 <sup>b</sup>		State-specific subpopulation 4 <sup>b</sup>		
#	Metric name	State-specific subpopulation 3 rate/percentage		State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count	State-specific subpopulation 4 rate/percentage
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>				<i>EXAMPLE:</i>	
					<i>EXAMPLE:</i>	
					<i>EXAMPLE:</i>	
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool					
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis					
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)					
4	Medicaid Beneficiaries with SUD Diagnosis (annually)					
5	Medicaid Beneficiaries Treated in an IMD for SUD					
6	Any SUD Treatment					
7	Early Intervention					

Specific subpopulation 3 <sup>b</sup>			State-specific subpopulation 4 <sup>b</sup>		
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count	State-specific subpopulation 4 rate/percentage
8	Outpatient Services				
9	Intensive Outpatient and Partial Hospitalization Services				
10	Residential and Inpatient Services				
11	Withdrawal Management				
12	Medication-Assisted Treatment (MAT)				
13	SUD Provider Availability				
14	SUD Provider Availability - MAT				

Specific subpopulation 3 <sup>b</sup>			State-specific subpopulation 4 <sup>b</sup>		
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count	State-specific subpopulation 4 rate/percentage
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>				
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]				

Specific subpopulation 3 <sup>b</sup>			State-specific subpopulation 4 <sup>b</sup>		
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count	State-specific subpopulation 4 rate/percentage
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>				
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>				
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]				
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]				
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]				

Specific subpopulation 3 <sup>b</sup>			State-specific subpopulation 4 <sup>b</sup>		
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count	State-specific subpopulation 4 rate/percentage
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]				
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]				
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!			#DIV/0!
		#DIV/0!			#DIV/0!
		#DIV/0!			#DIV/0!
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	#DIV/0!			#DIV/0!
		#DIV/0!			#DIV/0!
		#DIV/0!			#DIV/0!
25	Readmissions Among Beneficiaries with SUD	#DIV/0!			#DIV/0!
26	Overdose Deaths (count)				
27	Overdose Deaths (rate)	#DIV/0!			#DIV/0!
28	SUD Spending				
29	SUD Spending within IMDs				
30	Per Capita SUD Spending	#DIV/0!			#DIV/0!
31	Per Capita SUD Spending within IMDs	#DIV/0!			#DIV/0!

Specific subpopulation 3 <sup>b</sup>			State-specific subpopulation 4 <sup>b</sup>		
#	Metric name	State-specific subpopulation 3 rate/percentage	State-specific subpopulation 4 denominator	State-specific subpopulation 4 numerator or count	State-specific subpopulation 4 rate/percentage
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>				
33	Grievances Related to SUD Treatment Services				
34	Appeals Related to SUD Treatment Services				
35	Critical Incidents Related to SUD Treatment Services				
36	Average Length of Stay in IMDs	#DIV/0!			#DIV/0!
Q1	[Automatically populated with selected metric for health IT question 1]				
Q2	[Automatically populated with selected metric for health IT question 2]				
Q3	[Automatically populated with selected metric for health IT question 3]				
<b>State-specific metrics</b>					
[Automatically populated with state-specific metrics]					

**Table: Substance Use Disorder Demonst**

		State-specific subpopulation 5 <sup>b</sup>		
#	Metric name	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count	State-specific subpopulation 5 rate/percentage
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>		<i>EXAMPLE:</i>	
			<i>EXAMPLE:</i>	
			<i>EXAMPLE:</i>	
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool			
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis			
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)			
4	Medicaid Beneficiaries with SUD Diagnosis (annually)			
5	Medicaid Beneficiaries Treated in an IMD for SUD			
6	Any SUD Treatment			
7	Early Intervention			

		State-specific subpopulation 5 <sup>b</sup>		
#	Metric name	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count	State-specific subpopulation 5 rate/percentage
8	Outpatient Services			
9	Intensive Outpatient and Partial Hospitalization Services			
10	Residential and Inpatient Services			
11	Withdrawal Management			
12	Medication-Assisted Treatment (MAT)			
13	SUD Provider Availability			
14	SUD Provider Availability - MAT			

		State-specific subpopulation 5 <sup>b</sup>		
#	Metric name	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count	State-specific subpopulation 5 rate/percentage
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>f</sup>			
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge, SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]			

		State-specific subpopulation 5 <sup>b</sup>		
#	Metric name	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count	State-specific subpopulation 5 rate/percentage
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,d</sup>			
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure] <sup>c,e</sup>			
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]			
19	Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) [PQA; NQF #2950]			
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]			

		State-specific subpopulation 5 <sup>b</sup>		
#	Metric name	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count	State-specific subpopulation 5 rate/percentage
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA, NQF #3389; Medicaid Adult Core Set]			
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]			
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries			#DIV/0!
				#DIV/0!
				#DIV/0!
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries			#DIV/0!
				#DIV/0!
				#DIV/0!
25	Readmissions Among Beneficiaries with SUD			#DIV/0!
26	Overdose Deaths (count)			
27	Overdose Deaths (rate)			#DIV/0!
28	SUD Spending			
29	SUD Spending within IMDs			
30	Per Capita SUD Spending			#DIV/0!
31	Per Capita SUD Spending within IMDs			#DIV/0!

		State-specific subpopulation 5 <sup>b</sup>		
#	Metric name	State-specific subpopulation 5 denominator	State-specific subpopulation 5 numerator or count	State-specific subpopulation 5 rate/percentage
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD [Adjusted HEDIS measure] <sup>f</sup>			
33	Grievances Related to SUD Treatment Services			
34	Appeals Related to SUD Treatment Services			
35	Critical Incidents Related to SUD Treatment Services			
36	Average Length of Stay in IMDs			#DIV/0!
Q1	<i>[Automatically populated with selected metric for health IT question 1]</i>			
Q2	<i>[Automatically populated with selected metric for health IT question 2]</i>			
Q3	<i>[Automatically populated with selected metric for health IT question 3]</i>			
<b>State-specific metrics</b>				
<i>[Automatically populated with state-specific metrics]</i>				

#	Metric name	Metric description
---	-------------	--------------------

Note: Licensee and states must prominently display the following notice on any display of Measure rates:  
*Measures IET-AD, FUA-AD, FUM-AD, and AAP [Metrics #15, 17(1), 17(2), and 32] are Healthcare Effectiveness Data and Information Set (HEDIS®) measures that are owned and copyrighted by the National Committee for Quality Assurance (NCQA). HEDIS measures and specifications are not clinical guidelines, do not establish a standard of medical care and have not been tested for all potential applications. The measures and specifications are provided “as is” without warranty of any kind. NCQA makes no representations, warranties or endorsements about the quality of any product, test or protocol identified as numerator compliant or otherwise identified as meeting the requirements of a HEDIS measure or specification. NCQA makes no representations, warranties, or endorsement about the quality of any organization or clinician who uses or reports performance measures and NCQA has no liability to anyone who relies on HEDIS measures or specifications or data reflective of performance under such measures and specifications.*

*The measure specification methodology used by CMS is different from NCQA’s methodology. NCQA has not validated the adjusted measure specifications but has granted CMS permission to adjust. A calculated measure result (a “rate”) from a HEDIS measure that has not been certified via NCQA’s Measure Certification Program, and is based on adjusted HEDIS specifications, may not be called a “HEDIS rate” until it is audited and designated reportable by an NCQA-Certified HEDIS Compliance Auditor. Until such time, such measure rates shall be designated or referred to as “Adjusted, Uncertified, Unaudited HEDIS rates.”*

<sup>a</sup> Report metrics that are one annual value for a demonstration year only in the monitoring report specified in the reporting schedule

<sup>b</sup> In columns AV-BJ, enter data for any state-specific subpopulations on which the state is approved to report. The state should also include the name of the state-specific subpopulation in R row 10 of these columns. If the state reports on more than five state-specific subpopulations, add additional columns after column BJ.

<sup>c</sup> Rates for these metrics reflect Uncertified, Unaudited HEDIS rates

<sup>d</sup> Rates 1 and 2 reported for Metric #17(1) correspond to rates 2 and 3 for Metric #17 from Version 1.1 of the the Medicaid Section 1115 Substance Use Disorder Demonstrations: Technical Specifications for Monitoring Metrics

<sup>e</sup> Rates 1 and 2 reported for Metric #17(2) correspond to rates 1 and 2 for Metric #17 from Version 1.1 of the the Medicaid Section 1115 Substance Use Disorder Demonstrations: Technical Specifications for Monitoring Metrics

#	Metric name	Metric description
---	-------------	--------------------

**Checks:**

- Numerator in #4 should equal the denominator in #30
- The denominator in #23 should equal the denominator in #24
- Numerator in #27 should equal the numerator in #26
- Numerator in #30 should equal the numerator in #28
- Denominator in #31 should equal the numerator in #5
- Numerator in #31 should equal the numerator in #29
- Counts for a subpopulation (e.g., pregnant, not pregnant) should sum approximately to counts for the overall demonstration

**Medicaid Section 1115 SUD Demonstrations Monitoring Report (Part A) - Reporting issues (Version 6.0)**

State	[State Name - automatically populated]
Demonstration Name	[Demonstration Name - automatically populated]
SUD Demonstration Year (DY) (Format: DY1, DY2, DY3, etc.)	[Enter SUD Demonstration Year]
Calendar Dates for SUD DY (Format: MM/DD/YYYY - MM/DD/YYYY)	[Enter Calendar Dates for SUD Demonstration Year]
SUD Reporting Period (Format: Q1, Q2, Q3, Q4)	[Enter SUD Reporting Period]
Calendar Dates for SUD Reporting Period (Format: MM/DD/YYYY - MM/DD/YYYY)	[Enter Calendar Dates for SUD Reporting Period]

**Table: Substance Use Disorder Demonstration Reporting Issues**

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<i>EXAMPLE:</i> 1 <b>(Do not delete or edit this row)</b>	<i>EXAMPLE:</i> Assessed for SUD Treatment Needs Using a Standardized Screening Tool	<i>EXAMPLE:</i> Assessment of need and qualification for SUD services	<i>EXAMPLE:</i> Difficulty with collecting data for metric 1. There is a lack of EHR data.	<i>EXAMPLE:</i> 9/1/19; SUD DY2Q3
1	Assessed for SUD Treatment Needs Using a Standardized Screening Tool	Assessment of need and qualification for SUD services		
2	Medicaid Beneficiaries with Newly Initiated SUD Treatment/Diagnosis	Assessment of need and qualification for SUD services		
3	Medicaid Beneficiaries with SUD Diagnosis (monthly)	Assessment of need and qualification for SUD treatment services		
4	Medicaid Beneficiaries with SUD Diagnosis (annually)	Assessment of need and qualification for SUD treatment services		
5	Medicaid Beneficiaries Treated in an IMD for SUD	Milestone 2		
6	Any SUD Treatment	Milestone 1		
7	Early Intervention	Milestone 1		
8	Outpatient Services	Milestone 1		
9	Intensive Outpatient and Partial Hospitalization Services	Milestone 1		
10	Residential and Inpatient Services	Milestone 1		
11	Withdrawal Management	Milestone 1		
12	Medication-Assisted Treatment	Milestone 1		
13	SUD Provider Availability	Milestone 4		
14	SUD Provider Availability - MAT	Milestone 4		
15	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET-AD)  [NCQA; NQF #0004; Medicaid Adult Core Set; Adjusted HEDIS measure]	Milestone 6		

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE: Assessment of need and qualification for SUD services</i>	<i>EXAMPLE: Difficulty with collecting data for metric 1. There is a lack of EHR data.</i>	<i>EXAMPLE: 9/1/19; SUD DY2Q3</i>
16	SUB-3 Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge and SUB-3a Alcohol and Other Drug Use Disorder Treatment at Discharge [Joint Commission]	Milestone 6		
17(1)	Follow-up after Emergency Department Visit for Alcohol or Other Drug Dependence (FUA-AD) [NCQA; NQF #3488; Medicaid Adult Core Set; Adjusted HEDIS measure]	Milestone 6		
17(2)	Follow-up after Emergency Department Visit for Mental Illness (FUM-AD) [NCQA; NQF #3489; Medicaid Adult Core Set; Adjusted HEDIS measure]	Milestone 6		
18	Use of Opioids at High Dosage in Persons Without Cancer (OHD-AD) [PQA, NQF #2940; Medicaid Adult Core Set]	Milestone 5		
19	Use of Opioids from Multiple Providers in Persons without Cancer (OMP) [PQA; NQF #2950]	Milestone 5		
20	Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP) [PQA, NQF #2951]	Milestone 5		

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<i>EXAMPLE: 1 (Do not delete or edit this row)</i>	<i>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</i>	<i>EXAMPLE: Assessment of need and qualification for SUD services</i>	<i>EXAMPLE: Difficulty with collecting data for metric 1. There is a lack of EHR data.</i>	<i>EXAMPLE: 9/1/19; SUD DY2Q3</i>
21	Concurrent Use of Opioids and Benzodiazepines (COB-AD) [PQA]	Milestone 5		
22	Continuity of Pharmacotherapy for Opioid Use Disorder [USC; NQF #3175]	Milestone 1		
23	Emergency Department Utilization for SUD per 1,000 Medicaid Beneficiaries	Milestone 5		
24	Inpatient Stays for SUD per 1,000 Medicaid Beneficiaries	Other SUD-related metrics		
25	Readmissions Among Beneficiaries with SUD	Milestone 6		
26	Overdose Deaths (count)	Milestone 5		
27	Overdose Deaths (rate)	Milestone 5		
28	SUD Spending	Other SUD-related metrics		
29	SUD Spending Within IMDs	Other SUD-related metrics		
30	Per Capita SUD Spending	Other SUD-related metrics		
31	Per Capita SUD Spending Within IMDs	Other SUD-related metrics		
32	Access to Preventive/ Ambulatory Health Services for Adult Medicaid Beneficiaries with SUD (AAP) [Adjusted HEDIS measure]	Other SUD-related metrics		
33	Grievances Related to SUD Treatment Services	Other SUD-related metrics		
34	Appeals Related to SUD Treatment Services	Other SUD-related metrics		
35	Critical Incidents Related to SUD Treatment Services	Other SUD-related metrics		
36	Average Length of Stay in IMDs	Milestone 2		
Q1	[Automatically populated with selected metric for health IT question 1]	Health IT		
Q2	[Automatically populated with selected metric for health IT question 2]	Health IT		

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Assessed for SUD Treatment Needs Using a Standardized Screening Tool	<i>EXAMPLE:</i> Assessment of need and qualification for SUD services	<i>EXAMPLE:</i> Difficulty with collecting data for metric 1. There is a lack of EHR data.	<i>EXAMPLE:</i> 9/1/19; SUD DY2Q3
Q3	[Automatically populated with selected metric for health IT question 3]	Health IT		
<b>State-specific met</b>				
[Automatically populated with state-specific metrics]				

**Table: Subst**

#	Remediation plan and timeline for resolution	Status	Update(s) to issue summary, remediation plan, and/or timeline for resolution, if issue previously reported
EXAMPLE: 1 (Do not delete or edit this row)	EXAMPLE: Demonstration site in process of updating EHR, to be completed in June 2020. Once completed, will report according to specification.	EXAMPLE: Ongoing	EXAMPLE: EHR implementation is preceeding as planned and will be completed by June 2020.
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

#	Remediation plan and timeline for resolution	Status	Update(s) to issue summary, remediation plan, and/or timeline for resolution, if issue previously reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Demonstration site in process of updating EHR, to be completed in June 2020. Once completed, will report according to specification.	<i>EXAMPLE:</i> Ongoing	<i>EXAMPLE:</i> EHR implementation is preceeding as planned and will be completed by June 2020.
16			
17(1)			
17(2)			
18			
19			
20			

#	Remediation plan and timeline for resolution	Status	Update(s) to issue summary, remediation plan, and/or timeline for resolution, if issue previously reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Demonstration site in process of updating EHR, to be completed in June 2020. Once completed, will report according to specification.	<i>EXAMPLE:</i> Ongoing	<i>EXAMPLE:</i> EHR implementation is preceeding as planned and will be completed by June 2020.
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
Q1			
Q2			

#	Remediation plan and timeline for resolution	Status	Update(s) to issue summary, remediation plan, and/or timeline for resolution, if issue previously reported
<i>EXAMPLE:</i> 1 (Do not delete or edit this row)	<i>EXAMPLE:</i> Demonstration site in process of updating EHR, to be completed in June 2020. Once completed, will report according to specification.	<i>EXAMPLE:</i> Ongoing	<i>EXAMPLE:</i> EHR implementation is preceeding as planned and will be completed by June 2020.

Q3

State-specific met

[Automatically pop

#	Metric name	Milestone or reporting topic	Summary of issue	Date and monitoring report in which issue was first reported
<b>EXAMPLE: 1 (Do not delete or edit this row)</b>	<b>EXAMPLE: Assessed for SUD Treatment Needs Using a Standardized Screening Tool</b>	<b>EXAMPLE: Assessment of need and qualification for SUD services</b>	<b>EXAMPLE: Difficulty with collecting data for metric 1. There is a lack of EHR data.</b>	<b>EXAMPLE: 9/1/19; SUD DY2Q3</b>

Note: Licensee and states must prominently display the following notice on any display of Measure rates:  
*Measures IET-AD, FUA-AD, FUM-AD, and AAP [Metrics #15, 17(1), 17(2), and 32] are Healthcare Effectiveness Data and Information Set (HEDIS®) measures that are owned and copyrighted by the National Committee for Quality Assurance (NCQA). HEDIS measures and specifications are not clinical guidelines, do not establish a standard of medical care and have not been tested for all potential applications. The measures and specifications are provided “as is” without warranty of any kind. NCQA makes no representations, warranties or endorsements about the quality of any product, test or protocol identified as numerator compliant or otherwise identified as meeting the requirements of a HEDIS measure or specification. NCQA makes no representations, warranties, or endorsement about the quality of any organization or clinician who uses or reports performance measures and NCQA has no liability to anyone who relies on HEDIS measures or specifications or data reflective of performance under such measures and specifications.*

*The measure specification methodology used by CMS is different from NCQA’s methodology. NCQA has not validated the adjusted measure specifications but has granted CMS permission to adjust. A calculated measure result (a “rate”) from a HEDIS measure that has not been certified via NCQA’s Measure Certification Program, and is based on adjusted HEDIS specifications, may not be called a “HEDIS rate” until it is audited and designated reportable by an NCQA-Certified HEDIS Compliance Auditor. Until such time, such measure rates shall be designated or referred to as “Adjusted, Uncertified, Unaudited HEDIS rates.”*