Form Approved
OMB No.
Exp. Date:
www.cdc.gov/nhsn

Central Line Insertion Practices Adherence Monitoring

*required for saving

Facility ID: _____ Event #: _____

*Patient ID: _____ Social Security #: __ __ __ - __ __ - __ __ __ __
Secondary ID: _____ Medicare #: _____
Patient Name, Last: _____ First: _____ Middle: _____
*Gender: ☐ F ☐ M ☐ Other *Date of Birth: ___ /___ /_____ (mm/dd/yyyy)
Sex at Birth: ☐ F ☐ M ☐ Unknown Gender Identity (specify):_____
Ethnicity (specify): _____ Race (specify): _____

*Event Type: CLIP *Location: _____ *Date of Insertion: ___ /___ /_____ (mm/dd/yyyy)
*Person recording insertion practice data: ☐ Inserter ☐ Observer
Central line inserter ID: _____ Name, Last: _____ First: _____
*Occupation of inserter:

☐ Fellow ☐ Medical student ☐ Other student ☐ Other medical staff
☐ Physician assistant ☐ Attending physician ☐ Intern/resident ☐ Registered nurse
☐ Advanced practice nurse ☐ Other (specify): _____

*Was inserter a member of PICC/IV Team? ☐ Y ☐ N
*Reason for insertion:

☐ New indication for central line (e.g., hemodynamic monitoring, fluid/medication administration, etc.)
☐ Replace malfunctioning central line
☐ Suspected central line-associated infection
☐ Other (specify): _____

If Suspected central line-associated infection, was the central line exchanged over a guidewire? ☐ Y ☐ N
*Inserter performed hand hygiene prior to central line insertion: ☐ Y ☐ N (if not observed directly, ask inserter)
*Were all 5 maximal sterile barriers used? ☐ Y ☐ N
*Maximal sterile barriers used: Mask ☐ Y ☐ N Sterile gown ☐ Y ☐ N
Large sterile drape ☐ Y ☐ N Sterile gloves ☐ Y ☐ N Cap ☐ Y ☐ N
*Skin preparation (check all that apply) ☐ Chlorhexidine gluconate ☐ Povidone iodine ☐ Alcohol
☐ Other (specify): _____
If skin prep choice was <u>not</u> chlorhexidine, was there a contraindication to chlorhexidine? ☐ Y ☐ N ☐ U
If there was a contraindication to chlorhexidine, indicate the type of contraindication:

☐ Patient is less than 2 months of age - chlorhexidine is to be used with caution in patients less than 2 months of age
☐ Patient has a documented/known allergy/reaction to CHG based products that would preclude its use
☐ Facility restrictions or safety concerns for CHG use in premature infants precludes its use

*Was skin prep agent completely dry at time of first skin puncture? ☐ Y ☐ N (if not observed directly, ask inserter)
*Insertion site: ☐ Femoral ☐ Jugular ☐ Lower extremity ☐ Scalp ☐ Subclavian ☐ Umbilical ☐ Upper extremity
Antimicrobial coated catheter used: ☐ Y ☐ N

CDC 57.125 (Front)

Form Approved
OMB No.
Exp. Date:
www.cdc.gov/nhsn

Central Line Insertion Practices Adherence Monitoring

*Central line catheter type:

- ☐ Non-tunneled (other than dialysis)
- ☐ Tunneled (other than dialysis)
- ☐ Dialysis non-tunneled
- ☐ Dialysis tunneled
- ☐ PICC
- ☐ Umbilical
- ☐ Other (specify): _____

("Other" should not specify brand names or number of lumens; most lines can be categorized accurately by selecting from options provided.)

*Did this insertion attempt result in a successful central line placement? ☐ Y ☐ N

Custom Fields

Label		Label	
_____	____/____/_____	_____	____/____/_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Comments