



MDRO or CDI Infection Event

Page 1 of 4

*Required for saving Facility ID:		**Required for completion Event #:	
*Patient ID:		Social Security #:	
Secondary ID:		Medicare #:	
Patient Name, Last:		First:	Middle:
*Gender: M F Other	*Date of Birth:		Sex at Birth: M F Unknown
Ethnicity (Specify):	Race (Specify):	Gender Identity (Specify):	
Event Details			
*Event Type: [For Event Type = BSI, PNEU, SSI, or UTI use the event specific from]		*Date of Event:	
Post Procedure Event: Yes No		Date of Procedure:	
MDRO/CDI Infection Surveillance: Yes	NHSN Procedure Code:	ICD-10-PCS or CPT Procedure Code:	
*Specific Organism Type: (Select up to 3) ☐ MRSA ☐ MSSA ☐ VRE ☐ CephR-Klebsiella ☐ CRE-E. coli ☐ CRE-Enterobacter ☐ CRE-Klebsiella ☐ MDR-Acinetobacter ☐ C. difficile			
*Date Admitted to Facility:		*Location:	
*Specific Event Type (used only for CDC defined events):			
Specify Criteria Used (check all that apply)			
<u>Signs and Symptoms</u>		<u>Laboratory or Diagnostic Testing</u>	
☐ Abscess ☐ Heat ☐ Dysuria		☐ Organism(s) identified	
☐ Apnea ☐ Hypotension ☐ Fever		☐ Not cultured	
☐ Bradycardia ☐ Hypothermia ☐ Bilious aspirate		☐ Organism(s) identified from blood specimen*	
☐ Cough ☐ Lethargy ☐ Erythema or redness		☐ Other positive laboratory tests*	
☐ Vomiting ☐ Nausea ☐ Suprapubic tenderness		☐ > 15 colonies cultured from IV cannula tip using semiquantitative culture method	
☐ Abdominal distension		☐ Pneumatosis intestinalis by radiograph	
☐ Pain or tenderness		☐ Portal venous gas (Hepatobiliary gas) by radiograph	
☐ Drainage or material*		☐ Pneumoperitoneum by radiograph	
☐ Wheezing, rales or rhonchi		☐ Imaging test evidence of infection*	
☐ Diarrhea*			
☐ Swelling or inflammation			
☐ Occult or gross blood in stools (with no rectal fissure)			
☐ Surgical evidence of extensive bowel necrosis (>2 cm of bowel affected)			
☐ Surgical evidence of pneumatosis intestinalis with or without intestinal perforation		<u>Clinical Diagnosis</u>	
☐ Other evidence of infection found on invasive procedure, gross anatomic exam, or histopathologic exam *		☐ Physician diagnosis of this event type*	
☐ Other signs and symptoms*		☐ Physician institutes appropriate antimicrobial therapy*	
* Per specific site criteria			
Clostridioides difficile Infection			
*Admitted to ICU for CDI complications: Yes No		*Surgery for CDI complications: Yes No	
* Secondary Bloodstream Infection: Yes No		*COVID-19 Yes No	
**Died: Yes No		Event contributed to death? Yes No	
Discharge Date: / /		*Pathogens Identified: Yes No If yes, specify on Page 2	
Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666). CDC 57.126 (Front) Rev 6 V. 8.6			

MDRO or CDI Infection Event

Pathogen #	Gram-positive Organisms
	<i>Staphylococcus</i> coagulase-negative (specify species if available): CEFOX/OX SRN VANC SIRN
	_____ <i>Enterococcus faecium</i> _____ <i>Enterococcus faecalis</i> _____ <i>Enterococcus</i> spp. (Only those not identified to the species level) DAPTO SI/S-DD NSRN GENTHL[§] SRN LNZ SIRN VANC SIRN
	<i>Staphylococcus aureus</i> CEFOX/METH/OX SRN CEFTAR SS-DDIRN CIPRO/LEVO/MOXI SIRN CLIND SIRN DAPTO SNSN DOXY/MINO SIRN GENT SIRN LNZ SRN RIF SIRN TETRA SIRN TMZ SIRN VANC SIRN
Pathogen #	Gram-negative Organisms
	<i>Acinetobacter</i> (specify species) _____ AMK SIRN AMPSUL SIRN CEFEP SIRN CEFTAZ/CEFOT/CEFTRX SIRN CIPRO/LEVO SIRN COL/PB SRN DORI/MERO SIRN DOXY/MINO SIRN GENT SIRN IMI SIRN PIPTAZ SIRN TMZ SIRN TOBRA SIRN
	<i>Escherichia coli</i> AMK SIRN AMP SIRN AMPSUL/AMXCLV SIRN AZT SIRN CEFAZ SIRN CEFEP SI/S-DDRN CEFOT/CEFTRX SIRN CEFTAVI SRN CEFTAZ SIRN CEFTOTAZ SIRN ERTTA SIRN GENT SIRN IMIREL SIRN MERVAB SIRN PIPTAZ SIRN TIG SIRN TMZ SIRN TOBRA SIRN
	<i>Enterobacter</i> (specify species) _____ AMK SIRN AZT SIRN CEFEP SI/S-DDRN CEFOT/CEFTRX SIRN CEFTAVI SRN CEFTAZ SIRN CEFTOTAZ SIRN CIPRO/LEVO/MOXI SIRN COL/PB[†] IRN DORI/IMI/MERO SIRN DOXY/MINO/TETRA SIRN ERTTA SIRN GENT SIRN IMIREL SIRN MERVAB SIRN PIPTAZ SIRN TIG SIRN TMZ SIRN TOBRA SIRN
	_____ <i>Klebsiella pneumoniae</i> _____ <i>Klebsiella oxytoca</i> _____ <i>Klebsiella aerogenes</i> AMK SIRN AMPSUL/AMXCLV SIRN AZT SIRN CEFAZ SIRN CEFEP SI/S-DDRN CEFOT/CEFTRX SIRN CEFTAVI SRN CEFTAZ SIRN CEFTOTAZ SIRN GENT SIRN IMIREL SIRN MERVAB SIRN PIPTAZ SIRN TIG SIRN TMZ SIRN TOBRA SIRN
Pathogen #	Gram-Negative Organisms (continued)



		AMK SIRN	AZT SIRN	CEFEP SIRN	CEFTAVI SRN	CEFTAZ SIRN	CEFTOTAZ SIRN	CIPRO/LEVO SIRN		
		COL/PB SIRN	DORI/IMI/MERO SIRN	GENT SIRN	PIPTAZ SIRN	TOBRA SIRN				
Pathogen #	Fungal Organisms									
	<i>Candida</i> (specify species if available) _____	ANID SIRN	CASPO SIRN	FLUCO S S-DDRN	MICA SIRN	VORI SIRN				
Pathogen #	Other Organisms									
	Organism 1 (specify) _____	Drug 1 SIRN	Drug2 SIRN	Drug3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN
	Organism 1 (specify) _____	Drug 1 SIRN	Drug2 SIRN	Drug3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN
	Organism 1 (specify) _____	Drug 1 SIRN	Drug2 SIRN	Drug3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN

Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent
N = Not tested

[§] **GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic**

[†] **Clinical breakpoints are based on CLSI M100-ED30:2020, Intermediate MIC ≤ 2 and Resistant MIC ≥ 4**

Drug Codes:			
AMK = amikacin	CEFTAR = ceftaroline	GENT = gentamicin	OX = oxacillin
AMP = ampicillin	CEFTAVI = ceftazidime/avibactam	GENTHL = gentamicin -high level test	PB = polymyxin B
AMPSUL = ampicillin/sulbactam	CEFTOTAZ = ceftolozane/tazobactam	IMI = imipenem	PIPTAZ = piperacillin/tazobactam
AMXCLV = amoxicillin/clavulanic acid	CEFTRX = ceftriaxone	IMIREL = imipenem/relebactam	RIF = rifampin
ANID = anidulafungin	CIPRO = ciprofloxacin	LEVO = levofloxacin	TETRA = tetracycline
AZT = aztreonam	CLIND = clindamycin	LNZ = linezolid	TIG = tigecycline
CASPO = caspofungin	COL = colistin	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole
CEFAZ = ceftazidime	DAPTO = daptomycin	MERVAB = meropenem/vaborbactam	TOBRA = tobramycin
CEFEP = cefepime	DORI = doripenem	METH = methicillin	VANC = vancomycin
CEFOT = cefotaxime	DOXY = doxycycline	MICA = micafungin	VORI = voriconazole
CEFOX = ceftazidime	ERTA = ertapenem	MINO = minocycline	
CEFTAZ = ceftazidime	FLUCO = fluconazole	MOXI = moxifloxacin	



MDRO or CDI Infection Event

Page 4 of 4

Custom Fields			
Label		Label	
_____	____/____/____	_____	____/____/____
—		—	
_____	_____	_____	_____
—		—	
_____	_____	_____	_____
—		—	
_____	_____	_____	_____
—		—	
_____	_____	_____	_____
—		—	
_____	_____	_____	_____
—		—	
_____	_____	_____	_____
—		—	
_____	_____	_____	_____
—		—	
Comments			



Custom Fields