



DESCRIPTION OF MATERIALS

**PRIVACY ACT NOTICE:** VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, CFR 1.576 for routine uses (for example: Authorizing release of information to Congress when requested for statistical purposes) as identified in the VA system of records, 55VA26, Loan Guaranty Home, Condominium and Manufactured Home Loan Applicant Records, Specially Adapted Housing Applicant Records, and Vendee Loan Applicant Records - VA, 17VA26, Loan Guaranty Fee Personnel and Program Participant Records - VA, and published in the Federal Register. Your response is required to obtain or retain benefits.

**RESPONDENT BURDEN:** An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number for this project is 2900-0788, and it expires XX/XX/20XX. Public reporting burden for this collection of information is estimated to average 30 minutes per respondent, per year, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate and any other aspect of this collection of information, including suggestions for reducing the burden, to VA Reports Clearance Officer at [VACOPaperworkReduAct@va.gov](mailto:VACOPaperworkReduAct@va.gov). Please refer to OMB Control No. 2900-0788 in any correspondence. Do not send your completed VA Form 26-1852 to this email address.

PROPOSED CONSTRUCTION     UNDER CONSTRUCTION    CASE NO. \_\_\_\_\_  
PROPERTY ADDRESS (Include City and State) \_\_\_\_\_

NAME AND ADDRESS OF LENDER OR SPONSOR

NAME AND ADDRESS OF CONTRACTOR OR BUILDER

**INSTRUCTIONS**

- For additional information on how this form is to be submitted, number of copies, etc., see the instructions in the VA Lender's Handbook.
- Describe all materials and equipment to be used, whether or not shown on the drawings, by marking an X in each appropriate check-box and entering the information called for each space. If space is inadequate, enter "See misc." and describe under item 27 or on an attached sheet. **The use of paint containing more than the percentage of lead by weight permitted by law is prohibited.**
- Work not specifically described or shown will not be considered unless required, then the minimum acceptable will be assumed. Work exceeding minimum requirements cannot be considered unless specifically described.
- Include no alternates, "or equal" phrases, or contradictory items. (Consideration of a request for acceptance of substitute materials or equipment is not thereby precluded.)
- Include signatures required at the end of this form.
- The construction shall be completed in compliance with the related drawings and specifications, as amended during processing. The specifications include this Description of Materials and the applicable Minimum Property Requirements.

**1. EXCAVATION**

Bearing soil, type \_\_\_\_\_

**2. FOUNDATIONS**

Footings concrete mix \_\_\_\_\_ strength psi \_\_\_\_\_ Reinforcing \_\_\_\_\_  
 Foundation wall material \_\_\_\_\_ Reinforcing \_\_\_\_\_  
 Interior foundation wall material \_\_\_\_\_ Party foundation wall \_\_\_\_\_  
 Columns material and sizes \_\_\_\_\_ Piers material and reinforcing \_\_\_\_\_  
 Girders material and sizes \_\_\_\_\_ Sills material \_\_\_\_\_  
 Basement entrance area-way \_\_\_\_\_ Window area ways \_\_\_\_\_  
 Waterproofing \_\_\_\_\_ Footing drains \_\_\_\_\_  
 Termite protection \_\_\_\_\_  
 Basement space ground cover \_\_\_\_\_ insulation \_\_\_\_\_ foundation vents \_\_\_\_\_  
 Special foundations \_\_\_\_\_  
 Additional information \_\_\_\_\_

**3. CHIMNEYS**

Material \_\_\_\_\_ Prefabricated (make and size) \_\_\_\_\_  
 Flue lining material \_\_\_\_\_ Heater flue size \_\_\_\_\_ Fireplace flue size \_\_\_\_\_  
 Vents (material and size) gas or oil heater \_\_\_\_\_ water heater \_\_\_\_\_  
 Additional information \_\_\_\_\_

**4. FIREPLACES**

Type  solid fuel     gas-burning     circulator (make and size) \_\_\_\_\_ Ash dump and clean-out \_\_\_\_\_  
 Fireplace facing \_\_\_\_\_ lining \_\_\_\_\_ hearth \_\_\_\_\_ mantel \_\_\_\_\_  
 Additional information \_\_\_\_\_

**5. EXTERIOR WALLS**

Wood frame wood grade, and species \_\_\_\_\_  Corner bracing Building paper or felt \_\_\_\_\_  
 Sheathing \_\_\_\_\_ thickness \_\_\_\_\_ width \_\_\_\_\_  solid  spaced \_\_\_\_\_ o.c.  diagonal \_\_\_\_\_  
 Siding \_\_\_\_\_ grade \_\_\_\_\_ type \_\_\_\_\_ size \_\_\_\_\_ exposure \_\_\_\_\_ fastening \_\_\_\_\_  
 Shingles \_\_\_\_\_ grade \_\_\_\_\_ type \_\_\_\_\_ size \_\_\_\_\_ exposure \_\_\_\_\_ fastening \_\_\_\_\_  
 Stucco \_\_\_\_\_ thickness \_\_\_\_\_ Lath \_\_\_\_\_ weight \_\_\_\_\_ lb.  
 Masonry veneer \_\_\_\_\_ Sills \_\_\_\_\_ Lintels \_\_\_\_\_ Base flashing \_\_\_\_\_  
 Masonry  solid  faced  stuccoed total wall thickness \_\_\_\_\_ facing thickness \_\_\_\_\_ facing material \_\_\_\_\_  
 Backup material \_\_\_\_\_ thickness \_\_\_\_\_ bonding \_\_\_\_\_  
 Door sills \_\_\_\_\_ Window sills \_\_\_\_\_ Lintels \_\_\_\_\_ Base flashing \_\_\_\_\_  
 Interior surfaces damp proofing, \_\_\_\_\_ coats of \_\_\_\_\_ furring \_\_\_\_\_  
 Additional information \_\_\_\_\_  
 Exterior painting material \_\_\_\_\_ number of coats \_\_\_\_\_  
 Gable wall construction  same as main walls  other construction \_\_\_\_\_

**6. FLOOR FRAMING**

Joists wood, grade, and species \_\_\_\_\_ other \_\_\_\_\_ bridging \_\_\_\_\_ anchors \_\_\_\_\_  
 Concrete slab  basement floor  first floor  ground supported  self-supporting mix \_\_\_\_\_ thickness \_\_\_\_\_  
 reinforcing \_\_\_\_\_ insulation \_\_\_\_\_ membrane \_\_\_\_\_  
 Fill under slab material \_\_\_\_\_ thickness \_\_\_\_\_  
 Additional information \_\_\_\_\_

**7. SUBFLOORING** (Describe underflooring for special floors under item 21)

Material grade and species \_\_\_\_\_ size \_\_\_\_\_ type \_\_\_\_\_  
 Laid  first floor  second floor  attic \_\_\_\_\_ sq. ft.  diagonal  right angles  
 Additional information \_\_\_\_\_

**8. FINISH FLOORING** (Wood only. Describe other finish flooring under item 21)

Location	Rooms	Grade	Species	Thickness	Width	Bldg. Paper	Finish
First floor							
Second floor							
Attic floor		sq. ft.					

Additional information \_\_\_\_\_

**9. PARTITION FRAMING**

Studs wood, grade, and species \_\_\_\_\_ size and spacing \_\_\_\_\_ Other \_\_\_\_\_  
 Additional information \_\_\_\_\_

**10. CEILING FRAMING**

Joists wood, grade, and species \_\_\_\_\_ Other \_\_\_\_\_ Bridging \_\_\_\_\_  
 Additional information \_\_\_\_\_

**11. ROOF FRAMING**

Rafters wood, grade and species \_\_\_\_\_ Roof trusses (see detail) grade and species \_\_\_\_\_  
 Additional information \_\_\_\_\_

**12. ROOFING**

Sheathing wood, grade, and species \_\_\_\_\_  solid  spaced \_\_\_\_\_ o.c.  
 Roofing \_\_\_\_\_ grade \_\_\_\_\_ size \_\_\_\_\_ type \_\_\_\_\_  
 Underlay \_\_\_\_\_ weight or thickness \_\_\_\_\_ size \_\_\_\_\_ fastening \_\_\_\_\_  
 Built-up roofing \_\_\_\_\_ number of piles \_\_\_\_\_ surfacing material \_\_\_\_\_  
 Flashing material \_\_\_\_\_ gauge or weight \_\_\_\_\_  gravel stops  snow guards  
 Additional information \_\_\_\_\_

**13. GUTTERS AND DOWNSPOUTS**

Gutters material \_\_\_\_\_ gauge or weight \_\_\_\_\_ size \_\_\_\_\_ shape \_\_\_\_\_  
 Downspouts material \_\_\_\_\_ gauge or weight \_\_\_\_\_ size \_\_\_\_\_ shape \_\_\_\_\_ number \_\_\_\_\_  
 Downspouts connected to  Storm sewer  sanitary sewer  dry well  Splash blocks, material and size \_\_\_\_\_  
 Additional information \_\_\_\_\_

**14. LATH AND PLASTER**

Lath  walls  ceilings material \_\_\_\_\_ weight or thickness \_\_\_\_\_ Plaster coats \_\_\_\_\_ finish \_\_\_\_\_  
 Dry-wall  walls  ceilings material \_\_\_\_\_ thickness \_\_\_\_\_ finish \_\_\_\_\_  
 Joint treatment \_\_\_\_\_

**15. DECORATING (Paint, wallpaper, etc.)**

Rooms	Wall Finish Material and Application	Ceiling Finish Material and Application
Kitchen		
Bath		
Other		

Additional Information \_\_\_\_\_

**16. INTERIOR DOORS AND TRIM**

Doors type \_\_\_\_\_ material \_\_\_\_\_ thickness \_\_\_\_\_  
 Door trim type \_\_\_\_\_ material \_\_\_\_\_ Base type \_\_\_\_\_ material \_\_\_\_\_ size \_\_\_\_\_  
 Finish doors \_\_\_\_\_ trim \_\_\_\_\_  
 Other trim (item, type and location) \_\_\_\_\_  
 Additional Information \_\_\_\_\_

**17. WINDOWS**

Windows type \_\_\_\_\_ make \_\_\_\_\_ material \_\_\_\_\_ sash thickness \_\_\_\_\_  
 Glass grade \_\_\_\_\_  sash weights  balances type \_\_\_\_\_ head flashing \_\_\_\_\_  
 Trim type \_\_\_\_\_ material \_\_\_\_\_ Paint \_\_\_\_\_ number coats \_\_\_\_\_  
 Weatherstripping type \_\_\_\_\_ material \_\_\_\_\_ Storm sash, number \_\_\_\_\_  
 Screens  full  half type \_\_\_\_\_ number \_\_\_\_\_ screen cloth material \_\_\_\_\_  
 Basement windows type \_\_\_\_\_ material \_\_\_\_\_ screens, number \_\_\_\_\_ Storm sash, number \_\_\_\_\_  
 Special windows \_\_\_\_\_  
 Additional Information \_\_\_\_\_

**18. ENTRANCES AND EXTERIOR DETAIL**

Main entrance door material \_\_\_\_\_ width \_\_\_\_\_ thickness \_\_\_\_\_ Frame material \_\_\_\_\_ thickness \_\_\_\_\_  
 Other entrance doors material \_\_\_\_\_ width \_\_\_\_\_ thickness \_\_\_\_\_ Frame material \_\_\_\_\_ thickness \_\_\_\_\_  
 Head flashing \_\_\_\_\_ Weatherstripping type \_\_\_\_\_ saddles \_\_\_\_\_  
 Screen doors thickness \_\_\_\_\_ number \_\_\_\_\_ screen cloth material \_\_\_\_\_ Storm doors thickness \_\_\_\_\_ number \_\_\_\_\_  
 Combination storm and screen doors thickness \_\_\_\_\_ number \_\_\_\_\_ screen cloth material \_\_\_\_\_  
 Shutters  hinged  fixed Railings \_\_\_\_\_ Attic louvers \_\_\_\_\_  
 Exterior millwork grade and species \_\_\_\_\_ Paint \_\_\_\_\_ number coats \_\_\_\_\_  
 Additional Information \_\_\_\_\_

**19. CABINETS AND INTERIOR DETAIL**

Kitchen cabinets, wall units material \_\_\_\_\_ lineal feet of shelves \_\_\_\_\_ shelf width \_\_\_\_\_  
 Base units material \_\_\_\_\_ counter top \_\_\_\_\_ edging \_\_\_\_\_  
 Back and end splash \_\_\_\_\_ Finish of cabinets \_\_\_\_\_ number coats \_\_\_\_\_  
 Medicine cabinets make \_\_\_\_\_ model \_\_\_\_\_  
 Other cabinets and built-in furniture \_\_\_\_\_  
 Additional Information \_\_\_\_\_

**20. STAIRS**

Stair	Treads		Risers		Stringers		Handrail		Balusters	
	Material	Thickness	Material	Thickness	Material	Size	Material	Size	Material	Size
Basement										
Main										
Attic										

Disappearing make and model number \_\_\_\_\_  
 Additional Information \_\_\_\_\_

**21. SPECIAL FLOORS AND WAINSCOT** (Describe Carpet as listed in Certified Products Directory)

Floors	Location	Material, Color, Border, Sizes, Gauge, Etc.	Threshold Material	Wall Base Material	Underfloor Material
	Kitchen				
	Bath				

  

Wainscot	Location	Material, Color, Border, Cap, Sizes, Gauge, Etc.	Height	Height Over Tub	Height in Showers (From Floor)
	Bath				

Additional Information \_\_\_\_\_

**22. PLUMBING**

Fixture	Number	Location	Make	MFR's Fixture Identification No.	Size	Color
Sink						
Lavatory						
Water closet						
Bath tub						
Shower over tub						
Stall shower						
Laundry trays						

Bathroom accessories  Recessed material \_\_\_\_\_ number \_\_\_\_\_  Attached material \_\_\_\_\_ number \_\_\_\_\_  
 Additional Information \_\_\_\_\_

Curtain rod  Door  Shower pan material \_\_\_\_\_ *\*(Show and describe individual system in complete detail in separate drawings and specifications according to requirements.)\**  
 Water supply  public  community system  individual (private) system\*  
 Sewage disposal  public  community system  individual (private) system\*  
 House drain (inside)  cast iron  tile  other \_\_\_\_\_ House sewer (outside)  cast iron  tile  other \_\_\_\_\_  
 Water piping  galvanized steel  copper tubing  other \_\_\_\_\_ Sill cocks, number \_\_\_\_\_  
 Domestic water heater type \_\_\_\_\_ make and model \_\_\_\_\_ heating capacity \_\_\_\_\_ gph. 100° rise.  
 Storage tank material \_\_\_\_\_ capacity \_\_\_\_\_ gallons  
 Gas service  utility company  liq. pet. gas  other \_\_\_\_\_  Gas piping  cooking  house heating  
 Footing drains connected to  Storm sewer  sanitary sewer  dry well  Sump pump make and model \_\_\_\_\_  
 capacity \_\_\_\_\_ discharges into \_\_\_\_\_

Additional Information \_\_\_\_\_

**23. HEATING**

Hot water  Steam  Vapor  One-pipe system  Two-pipe system  
 Radiators  Convectors  Baseboard radiation Make and model \_\_\_\_\_  
 Radiant panel  floor  wall  ceiling Panel coil material \_\_\_\_\_  
 Circulator  Return pump Make and model \_\_\_\_\_ capacity \_\_\_\_\_ gpm.  
Boiler make and model \_\_\_\_\_ Output \_\_\_\_\_ Btuh. net rating \_\_\_\_\_ Btuh.  
Additional Information \_\_\_\_\_

Warm air  Gravity  Forced Type of system \_\_\_\_\_  
Duct material supply \_\_\_\_\_ return \_\_\_\_\_ insulation \_\_\_\_\_ thickness \_\_\_\_\_  Outside air intake  
Furnace make and model \_\_\_\_\_ Input \_\_\_\_\_ Btuh. Output \_\_\_\_\_ Btuh.  
Additional Information \_\_\_\_\_

Space heater  floor furnace  wall heater Input \_\_\_\_\_ Btuh. Output \_\_\_\_\_ Btuh. number units \_\_\_\_\_  
Make and model \_\_\_\_\_  
Additional Information \_\_\_\_\_

Controls make and types \_\_\_\_\_  
Additional Information \_\_\_\_\_

Fuel  Coal  oil  gas  liq. pet. gas  electric  other \_\_\_\_\_ storage capacity \_\_\_\_\_  
Additional Information \_\_\_\_\_

Firing equipment furnished separately  Gas burner, conversion type  Stoker hopper feed  bin feed  
Oil burner  pressure atomizing  vaporizing \_\_\_\_\_  
Make and model \_\_\_\_\_  
Control \_\_\_\_\_  
Additional Information \_\_\_\_\_

Electric heating system type \_\_\_\_\_ Input \_\_\_\_\_ watts @ \_\_\_\_\_ volts output \_\_\_\_\_ Btuh.  
Additional Information \_\_\_\_\_

Ventilating equipment  attic fan, make and model \_\_\_\_\_ capacity \_\_\_\_\_ cfm.  
 kitchen exhaust fan, make and model \_\_\_\_\_  
Other heating, ventilating, or cooling equipment \_\_\_\_\_  
Additional Information \_\_\_\_\_

**24. ELECTRICAL WIRING**

Service  overhead  underground Panel  fuse box  circuit-breaker make \_\_\_\_\_ AMP's \_\_\_\_\_ No. circuits \_\_\_\_\_  
Wiring  conduit  armored cable  nonmetallic cable  knob and tube  other \_\_\_\_\_  
Special outlets  range  water heater  other \_\_\_\_\_  
 Doorbell  Chimes  Push-button locations \_\_\_\_\_  
Additional Information \_\_\_\_\_

**25. LIGHTING FIXTURES**

Total number of fixtures \_\_\_\_\_ Total allowance for fixtures, typical installation, \$ \_\_\_\_\_  
Non typical installation \_\_\_\_\_  
Additional Information \_\_\_\_\_

26. INSULATION			
Location	Thickness	Material, Type, and Method of Installation	Vapor Barrier
Roof			
Ceiling			
Wall			
Floor			

**27. MISCELLANEOUS:** (Describe any main dwelling materials, equipment, or construction items not shown elsewhere; or use to provide additional information where the space provided was inadequate. Always reference by item number to correspond to numbering used on this form.)

**HARDWARE** (make, material, and finish)

**SPECIAL EQUIPMENT** (State material or make, model and quantity. Include only equipment and appliances which are acceptable by local and Federal law. Do not include items which, by established custom, are supplied by occupant and removed when he vacates premises or chattels prohibited by law from becoming realty.)

**PORCHES**

**TERRACES**

**GARAGES**

**WALKS AND DRIVEWAYS**

Driveway width \_\_\_\_\_ base material \_\_\_\_\_ thickness \_\_\_\_\_ surfacing material \_\_\_\_\_ thickness \_\_\_\_\_  
 Front walk width \_\_\_\_\_ material \_\_\_\_\_ thickness \_\_\_\_\_ Service walk width \_\_\_\_\_ material \_\_\_\_\_ thickness \_\_\_\_\_  
 Steps material \_\_\_\_\_ treads \_\_\_\_\_ risers \_\_\_\_\_ Cheek walls \_\_\_\_\_

**OTHER ONSITE IMPROVEMENTS**

(Specify all exterior onsite improvements not described elsewhere, including items such as unusual grading, drainage structures, retaining walls, fence, railings, and accessory structures.)

**LANDSCAPING, PLANTING, AND FINISH GRADING**

Topsoil \_\_\_\_\_ thick  front yard  side yards  rear yard to \_\_\_\_\_ feet behind main building  
 Lawns (seeded, sodded, or sprigged)  front yard \_\_\_\_\_  side yards \_\_\_\_\_  rear yard \_\_\_\_\_  
 Planting  as specified and shown on drawings  as follows:  
 \_\_\_\_\_ Shade trees deciduous \_\_\_\_\_ caliper \_\_\_\_\_ Evergreen trees \_\_\_\_\_ to \_\_\_\_\_ B & B  
 \_\_\_\_\_ Low flowering trees deciduous \_\_\_\_\_ to \_\_\_\_\_ \_\_\_\_\_ Evergreen shrubs \_\_\_\_\_ to \_\_\_\_\_ B & B  
 \_\_\_\_\_ High-growing shrubs deciduous \_\_\_\_\_ to \_\_\_\_\_ \_\_\_\_\_ Vines, 2-year \_\_\_\_\_  
 \_\_\_\_\_ Medium-growing shrubs deciduous \_\_\_\_\_ to \_\_\_\_\_ Other \_\_\_\_\_  
 \_\_\_\_\_ Low-growing shrubs deciduous \_\_\_\_\_ to \_\_\_\_\_

**IDENTIFICATION** – This exhibit shall be identified by the signature of the builder and/or the proposed purchaser if the latter is known at the time of application.

SIGNATURE OF BUILDER (Please sign in ink)	DATE (MM/DD/YYYY)
SIGNATURE OF PURCHASER (Please sign in ink)	DATE (MM/DD/YYYY)