OMB Control Number: 0694-0139 Expiration Date: 3/31/2019 Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports Exclusion Request Requirements: Only individuals or organizations operating in the United States that use steel products (e.g., flat, long, semi-finished, pipe and tube, and stainless) in business activities (e.g., construction, manufacturing, supplying steel product to users) in the United States may submit an Exclusion Request. For an Exclusion Request to be considered, the Exclusion Requester must provide factual information on 1) the single type of steel product it requires using a 10-digit HTSUS code, including its specific dimension; 2) the quantity of product required (stated in kilograms) under a one-year exclusion; 3) a full description of the properties of the steel product it seeks to import, including chemical composition, dimensions, strength, toughness, ductility, magnetic permeability, surface finish, coatings, and other relevant data. Exclusion Requests must be submitted using this Excel-based document. Paper submissions will not be accepted. A separate Exclusion Request must be submitted on each distinct type and dimension of steel product to be imported. All applicable question blocks in the form must be completed for the Exclusion Request to be accepted. Exclusion Requests will be denied if the applicant: 1) does not sufficiently address the specified reporting requirements; 2) cites the improper HTSUS code, or 3) provides incorrect product descriptions. Organizations electing to attach supporting documents must provide these documents in PDF format and it must not exceed 25 pages. All information submitted in the Exclusion Request is subject to public disclosure. Do not provide sensitive Personally Identifiable Information. Organizations should upload their completed Exclusion Request pertaining to a steel product to www.regulations.gov under Docket Number BIS-2018-0006. An Exclusion Request may be submitted at any time. Processing of an Exclusion Request will take approximately 90 business days. Notification of granted Exclusions will be posted on www.regulations.gov. For questions related directly to completing this form, contact BIS via email (steel232@bis.doc.gov) or telephone (202-482-5642). 10-Digit Harmonized Tariff Schedule Code of the United States (HTSUS) 1.a Identify the class of steel product for which the Exclusion is sought: for the single steel product covered by this request: (See https://www.usitc.gov/) Importer of Record for Organization Requesting an Exclusion **Requesting Organization Information** Full Organization Legal Name Full Organization Legal Name Street Address Street Address City City State State Zip Code Zip Code Headquarters Country Headquarters Country Point of Contact Name Point of Contact - Representative Name Phone Number Phone Number 1.b E-mail Address E-mail Address Web Site Address Web Site Address Parent Company of Requesting Organization Requester's Authorized Representative/Agent (If applicable) Full Organization Legal Name Requester Point of Contact Name Street Address Point-of-Contact Organization City Country Location Phone Number State/Province Zip Code/Postal Code E-mail Address Headquarters Country Web Site Address Web Site Address Other Information Does the parent organization hold ownership in (partially or completely), or is it otherwise f "Yes" - Identify Identify the country where the engaged as a: Steel Manufacturer; Steel Distributor; Steel Exporter or, Steel Importer? If organization is headquartered the organization 1.c "Yes" identify the activity. Comments: Total Requested Annual Exclusion Quantity in Kilograms (1 metric ton = 1.d Identify the primary type of steel activity of the Exclusion Requester: 1,000 kilograms) Comments: Continued on Next Page

Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued														
2.a	2.a Average annual consumption for years 2015-2017 of the steel product that is subject of this Exclusion Request - Kilograms													
	Explain why your organization requires an Exclusion using 1) the drop-down box to the right and 2) by providing written comments in the space provided below.										I.			
2.b	Comments:	omments:												
2.c	Identify the percentage of total steel product covered under this Exclusion Request not available from steel manufacturers in the United States:													
2.d	Estimate the number of days required to take delivery of the steel product covered by this Exclusion Request, from the time the purchase order is issued by your organization:													
2.e	2.e Estimate the number of days required to manufacture the steel product covered by this Exclusion Request, from the time a binding purchase order is executed:													
2.f. Estimate the number of days required to ship the steel product covered under this Exclusion Request, from the foreign port of departure to the Exclusion Requester's loading dock:														
2.g	Estimate the num	ber of distinct ship	oments from the for	reign port(s) of dep	arture that will be	needed for transp	orting to the Unite	d States the steel	product subject to	this Exclusion Requ	uest:			
			of Entry through w		-									
2.h	Po	rt 1	Por	rt 2	Po	rt 3	Por	rt 4	Poi	rt 5	Po	rt 6	Po	rt 7
	Is the organization	n making this Exclu	Lusion Request doing	so on behalf of a r	non-U.S. steel prod	ucer that does not	t manufacture stee	products in the U	Inited States?					
2.i	If "Yes" identify the	ne non-U.S. steel p	oroducer					·	Identify the count	ry where the orga	nization is headqua	artered		
	Comments:													
						E	xclusion Request F	Product Information	on					
	_		ovide a full, comple			pace provided belo	ow. * See explanati	on below.						
	The product for w	THEIT ATT EXCIUSION	is being requested i	3 definied as follow	J.									
2.j														
	* With regard to the product for which an Exclusion is requested, such a description must be limited to a single product. The description must be limited solely to physical properties (e.g., chemical requirements, mechanical requirements, dimensions, etc.) and exact descriptive terms/phrases covering the product subject to the Exclusion Request (e.g., "hot-rolled," "seamless pipe," "suitable for use in boilers," "longitudinally submerged arc welded," etc.).													
	All such physical properties must be defined based on actual, rather than nominal, measurements; references to specific dimensions (e.g., "cross-sectional diameter of 5.50 mm") or measurements (e.g., "yield strength of 300 MPa," "carbon content 0.08%," etc.) will be interpreted as meaning the exact dimension or measurement. Ranges (e.g., "cross-sectional diameter falling within the range 5.35 mm and 5.65 mm," "yield strength greater than or equal to 300 MPa," "carbon content less than or equal to													
	0.15%, by weight," etc.) are allowed. Where a range is needed, it should be identified based on the end points of the range (as in the examples above), rather than through references to absolute or percentage tolerances.													
	Comments:													
	comments.						Organization	Designation		Organization	Designation		Organization	Designation
		-	that have set speci			1	Organization	Designation	3	Organization	Designation	5	Organization	Designation
2.k	the subject of this identified standar		t, and provide the r ,	eference designati	on(s) for the	2			4			6		
	(e.g., ASTM A108-13):								Other (specify)			Other (specify)		
						Other (specify)	General Steel Pro	oduct Description	Other (specify)			Other (specify)		
	Identify the classif	ication and prone	rties of the steel pr	oduct covered und	er this Exclusion R	equest. Other clas			ibed in the Comme	nt box below. (Sel	ect all that apply)			
	Slab	Blooms	Billets	Ingots	Flat	Long	Beams	Semi	Pipe	Tube	Stainless	Wire	Hot Rolled	Cold Rolled
2.1								-Finished						
	Annealed	Plated	Electro-Plated	Galvanized	Electro-	Zinc Plated	Aluminum	Lead Plated	Tin Plated	Painted	Varnished	Plasticized	Pickled	Other (Use
					Galvanized		Plated							Comment Box)
	Comment:										1	<u> </u>		<u> </u>
	Comment.						Continued o	n Next Page						
							Continued 0	vext ruge						

			Reque	st for Exclusion	on from Rem	edies: Sectio	n 232 Natio	nal Security Ir	nvestigation	of Steel Impo	orts - Continu	ied			
	Identify the chemical composition of the specific steel product for which your organization seeks an Exclusion. Numbers may appear rounded, but full values will be stored.														
		Chemical Composition													
	Chemical	Aluminum	Antimony	Bismuth	Boron	Carbon	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Molybdenum	Nickel	
	Minimum %														
	Maximum %														
3.a		Niobium	Nitrogen	Phosphorous	Selenium	Silicon	Sulfur	Tellurium	Titanium	Tungsten	Vanadium	Zirconium	[Other - List Below]	[Other - List Below]	
	Minimum %														
	Maximum %														
	Comments:														
	Provide the following information on the single steel product that is the subject of this Exclusion Request: 1) dimensional information for the single steel product and a single size not a range of products and or sizes														
		, 19 mm dia. rebar - not 19, 22, 25, and 29 mm.) A separate Exclusion Request must be submitted for each steel product by physical dimension; 2) performance data for tensile strength, yield strength, hardness, impact, shear and test temperature.													
			Steel Produ	uct Specifications (N	/lillimeters)			Strength			Toughness (If Applicable)				
3.b		Thickness	Inside Diameter	Outside Diameter	Length	Width	Height	Tensile Strength Mega Pascal (MPa)	Yield Strength Mega Pascal (MPa)	Hardness (specify method below - Brinnell, Rockwell, Vickers, etc.)	Test Type	Drop-Weight Tear Testing	Impact (Charpy) Testing	Other (specify type in comment box)	
											Temperature (°C)				
	Minimum										Joules				
	Maximum										% Shear				
	Comments:														
	Provide the following information on the single steel product that is the subject of this Exclusion Request: 1) performance data for ductility, magnetic permeability, surface finish; and 2) metal coating process, material type, weight, and thickness. Numbers may appear rounded, but full values will be stored.														
	may appear round	Global Ductility Local Ductility Magnetic						lity	Coating Type and Composition						
		Global i	Ductility	(If Appl	icable)		(If Applicable)		(If Applicable)			(If Applicable)			
3.c		Elongation %	Reduction -in-Area %	Hole Expansion %	Bendability (Bend Radius/Sheet Thickness [millimeter]	Magnetic Permeability [Epstein Test]	Magnetic Permeability [Greer Lab Method]	Stacked Wide Sheet [ASTM A804/ A804M-04 (2015)]	Profilometer - [SAE J911]	Coating Method	Coating Product Name and Abbreviation	Composition (e.g., Zn, Al, Si, Mg, other intentionally added elements or alloys)	Weight [Grams per Sq. Meter]	Coating Thickness [micrometers]	
	Minimum														
	Maximum														
	Select any additional processing methods used:										Other (specify)				
								1							
	Comments:														
							Continued on I	Next Page							

		Request for Exclusi	on from Remedies: Section	on 232 National Security I	nvestigation of Steel Impo	orts - <i>Continu</i>	ıed					
	List the Commerci	st the Commercial Name(s) of the single steel product that is the subject of this Exclusion Request.										
4.a												
	Comments:											
	State the 1) applic	ate the 1) application for the steel product (e.g., automotive, appliances, industrial products, structural, etc.) that is the subject of this Exclusion Request, and 2) why similar steel products manufactured in the United States, if available, are not suitable.										
4.b												
	If the Fredrick to	and the constitution of th				ala aka da wa da ak	a blas annea halann					
4.c	if the Exclusion is	needed to support U.S. national security requirements (	critical infrastructure or national defe	ense systems), provide a detailed des	cription of the specific uses of this sir	igie steel product i	n the space below:					
	,	e countries for the single steel product for which the Ex , identify the current supplier(s) and the country of the :					·	ined directly from				
	NOTE: Steel produ	the manufacturer, identify the current supplier(s) and the country of the supplier(s). The Exclusion Request, if granted, will pertain solely to the identified supplier(s) listed in this form and the country of origin.  NOTE: Steel products encompassing more than one 10-digit HTSUS code must submit a separate Exclusion Request for each pertinent code.										
	Country of Origin		Country of Export	Exclusion Quantity	Current Manufacturer		Current Supplier					
4.d	1	Country of Origin	Country of Export	Exclusion Quantity	Current Manufactur	Ei	(if not obtained directly from manufacturer)					
	2											
	3											
	4											
	5											
		Product Availability Information										
4.e	Does the Requeste	ster possess knowledge of any domestic U.S. parties that <u>currently</u> manufacture the described steel product in the United States?										
	Comment:											
	Does the Requeste	the Requester possess knowledge of any parties that <u>currently</u> manufacture the described steel product in a country exempted from this tariff? If yes, identify the country or countries below.										
4.f	Comment:											
	Is the Requester a	s the Requester aware of any manufacturers capable of producing a substitute for the steel product in the United States? If "Yes" provide supporting information (name and address) in the space below?										
4.g	Comment:											
		Requester attempted to <u>qualify any steel manufacturer</u>	in the United States as a supplier of	the steel product that is the subject o	f this Exclusion Request in the past tv	vo years? If "Yes"	provide supporting information in					
		Supporting documents must be submitted as a consolic	lated PDF file and may not exceed 25									
	2			5								
4.h	3			7								
	4			8								
				-								
	Comment:											
				Continued on Next Page								

Reque	st for Exclusion from Re	medies: Section 232 Nation	al Security In	vestigation	of Steel Imp	orts - <i>Continu</i>	red				
Has the Exclusion Requester <u>attempted to purchase the described steel product</u> that is the subject of this Exclusion Request, or a substitute, from a U.S. manufacturer in the past two years? If "Yes" identify the manufacturers, addres and your points of contact at the U.S. steel manufacturing organizations in the space below.											
Comment:											
manufacturers, addresses, and your points of contact a	s the Exclusion Requester had supply contracts, or does it have current contracts, with steel producers that manufacture in the United States the steel product identified in the Exclusion Request? If "Yes" identify the U.S. steel anufacturers, addresses, and your points of contact at the U.S. manufacturing organizations in the space below.										
5.b								l			
Has the Exclusion Requester <u>determined that there is remployed to make that determination (e.g., magnetic</u>		a near-equivalent steel product that wo	ould meet qualifica	tion requirement	s? If "Yes" identify	in the space below	the testing standards/procedures				
5.c Comment:											
	ased a substitute steel product manufactured in the United States in place of the steel product described in the Exclusion Request? If "Yes" provide supporting inform						g information in the space below.				
Comment:											
Provide a detailed explanation as to how U.S. Customs procedures.	and Border Protection (CBP) will be	e able to reasonably distinguish the steel	l product subject to	the Exclusion Re	equest at time of e	ntry, without adding	g undue burden to their current entry	system and			
3.6											
	I Submission of Exclusion Requests: All Exclusion Requests must be fully completed and submitted to www.regulations.gov under Docket Number BIS-2018-0006 using this Microsoft Excel electronic form. All information submitted will be subject to public disclosure, regardless of any statements by the Requester that some information should be treated otherwise. Any further information required as a part of this Exclusion Request will be determined and requested solely by the U.S. Department of Commerce.										
Submission of Supporting Documents (Attachments): Supporting exceed 25 pages.	orting attachments should be subm	nitted to www.regulations.gov as PDF do	ocuments and must	be posted to ww	vw.regulations.gov	under Docket Num	ber BIS-2018-0006. Total supporting	submissions may			
Other Comments:											
This request is for a product from a country subject to quan limitations:	titative	I have additional information to provi business confidential that is relevant									
Instruction: This Exclusion Request must	be signed by an organization	n official specifically authorized CERTIFI		locument as b	peing accurate	and complete.					
The undersigned certifies that the information here any department or agency of the United States		uestionnaire is complete and correct	to the best of his		It is a criminal	offense to willful	ly make a false statement or rep	resentation to			
Company Name:	-		·								
Name of Authorizing Official:		•	Title of Authorizing	g Official:							
Phone Number:	Email of Author	izing Official:									
If the Point of Contact is different from the Authorizing Official provide point-of-contact information below.											
Point-of-Contact Name:		Tit									
E-mail Address:	Phone Number										
		Paperwork Reduction	on Act Notice								
Per the Paperwork Reduction Act of 1995, public reporting I complete and review the collection of information. Send co Security, U.S. Department of Commerce, Washington, DC 20	mments regarding this burden estir	mate or any other aspects of this collecti	ion of information,	to 1401 Constitu	ition Avenue, NW,	HCHB 1093, Office					