



**NATURAL GAS PROCESSING PLANT SURVEY
FORM EIA-757**

Schedule B: Emergency Status Report

This report is **mandatory** under the Federal Energy Administration Act of 1974 (Public Law 93-275). Failure to comply may result in criminal fines, civil penalties and other sanctions as provided by law. For the sanctions and the provisions concerning the confidentiality of information submitted on this form, see instructions. **Title 18 USC 1001 makes it a criminal offense for any person knowingly and willingly to make to any Agency or Department of the United States any false, fictitious, or fraudulent statements as to any matter within its jurisdiction.**

PART 1. PLANT IDENTIFICATION DATA **PART 2. SUBMISSION INFORMATION**

DATE: - -

EIA ID NUMBER:

If this is a resubmission, enter an "X" in the box:

If any Plant Identification Data has changed since the last report, enter an "X" in the box:

Plant Name: _____

Plant Address 1: _____

Plant Address 2: _____

City: _____ State: _____

County: _____ Zip: _____ - _____

Plant Owner Companies (Top Three):

1 _____

2 _____

3 _____

Operator Company: _____

Form may be submitted using Secure File Transfer:
<https://signon.eia.doe.gov/upload/noticeoog.jsp>

Questions?

Please contact the EIA Survey Support Team using the following communication methods:

By email: eia4usa@eia.gov
By phone: 1-855-EIA-4USA (1-855-342-4872)

[Monday through Friday, 8:00 a.m. to 6:00 p.m. eastern time]

PART 3. CONTACTS

Contact information during an emergency (such as a hurricane):

Processing Plant Operations Contact:

Contact Name: _____

Title: _____

Company: _____

Primary Phone No.: _____ Ext: _____

Secondary Phone No.: _____ Ext: _____

Fax Number.: _____

Email address: _____

Secondary Contact:

Contact Name: _____

Title: _____

Company: _____

Primary Phone No.: _____ Ext: _____

Secondary Phone No.: _____ Ext: _____

Fax Number.: _____

Email address: _____

Comments: (To separate one comment from another, press ALT+ENTER)



**NATURAL GAS PROCESSING PLANT SURVEY
 FORM EIA-757**

Schedule B: Emergency Status Report

DATE:	<table border="1" style="border-collapse: collapse; width: 100%;"> <tr> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px; text-align: center;">-</td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px; text-align: center;">-</td> <td style="width: 20px; height: 20px; text-align: center;">2</td> <td style="width: 20px; height: 20px; text-align: center;">0</td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> </tr> </table>			-			-	2	0				Resubmission
		-			-	2	0						
EIA ID NUMBER:	<table border="1" style="border-collapse: collapse; width: 100%;"> <tr> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> </tr> </table>												<input type="checkbox"/>

PART 4. CURRENT POST-EMERGENCY PLANT OPERATIONAL STATUS

What is the plant's **current** total capacity?
(Please enter the inlet capacity level at which the plant is able to operate.)

MMcf/Day

What is the **current** daily natural gas flow at the plant inlet?

MMcf/Day

Which functions is the plant **able** to perform **currently**? *(Please check all that apply.)*

Dehydration	<input type="checkbox"/>
Contamination Removal (for example, CO2, N2, H2S, Hg, ...)	<input type="checkbox"/>
NGL Extraction	<input type="checkbox"/>
Fractionation	<input type="checkbox"/>
Other (please describe): _____	<input type="checkbox"/>

Which functions is the plant **actually** performing **currently**? *(Please check all that apply.)*

Dehydration	<input type="checkbox"/>
Contamination Removal (for example, CO2, N2, H2S, Hg, ...)	<input type="checkbox"/>
NGL Extraction	<input type="checkbox"/>
Fractionation	<input type="checkbox"/>
Other (please describe): _____	<input type="checkbox"/>

What is the **current** storage level at the plant?

Natural Gas	<input style="width: 150px; height: 20px;" type="text"/>	MMcf
Natural Gas Liquids	<input style="width: 150px; height: 20px;" type="text"/>	Bbls

If the plant is **partially or totally unable** to operate, is there an alternate means of transporting the gas to market?

Yes **No**

If yes, please explain the alternate means (for example, raw natural gas is able to bypass plant, or upstream natural gas can be rerouted to another processing facility):



**NATURAL GAS PROCESSING PLANT SURVEY
 FORM EIA-757**

Schedule B: Emergency Status Report

DATE:

		-			-	2	0		
--	--	---	--	--	---	---	---	--	--

EIA ID NUMBER:

--	--	--	--	--	--	--	--	--	--

Resubmission

PART 5. CURRENT PLANT OPERATING CONSTRAINTS

Which of the following internal constraints **currently** apply? *(Please check all that apply.)*

- Building infrastructure (including plant/facility, buildings)
- Employee or operator availability, or access to plant
- Damage to equipment (electronic, operational)
- Communications (for example, SCADA, interpersonal devices)
- Debris or foreign matter
- Flooding
- Other (please describe): _____
- None

Which of the following external constraints **currently** apply? *(Please check all that apply.)*

- Upstream supply
- Downstream infrastructure
- Downstream demand
- Power source (for example, electricity)
- Other (please describe): _____
- None

Please explain your answers, if applicable:

PART 6. CURRENT ESTIMATE OF PLANT RESTORATION

(Please complete this only if you checked constraints in Part 5).

What is the expected restoration time for fully restoring the plant dehydration function?
(The time frame is relative to the date of this survey response.)

- Up to two weeks
- More than 2 weeks and up to 1 month
- More than 1 month and up to 2 months
- More than 2 months and up to 3 months
- More than 3 months and up to 4 months
- More than 4 months and up to 6 months
- More than 6 months and up to one year
- Other (please describe): _____

Please explain the reasons for the expected time frames for fully restoring, at least, the dehydration function.