

From: "Saved by Windows Internet Explorer 8"
Subject: E-filing Revised Instructions | Bureau of Transportation Statistics
Date: Tue, 15 Sep 2015 14:32:36 -0400
MIME-Version: 1.0
Content-Type: multipart/related;
 type="text/html";
 boundary="----=_NextPart_000_0000_01D0EFC3.5DD648D0"
X-MimeOLE: Produced By Microsoft MimeOLE V6.1.7601.17609

This is a multi-part message in MIME format.

-----=_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: text/html;
 charset="utf-8"
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_areas/airline_information/accounting_and_reporting_directives/number_307.html

```
=EF=BB=BF<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML dir=3Dltr version=3D"XHTML+RDFa 1.0" xml:lang=3D"en"=20
xmlns=3D"http://www.w3.org/1999/xhtml" xmlns:content =3D=20
"http://purl.org/rss/1.0/modules/content/" xmlns:dc =3D=20
"http://purl.org/dc/terms/" xmlns:foaf =3D "http://xmlns.com/foaf/0.1/" =
xmlns:og =3D=20
"http://ogp.me/ns#" xmlns:rdfs =3D =
"http://www.w3.org/2000/01/rdf-schema#"=20
xmlns:sioc =3D "http://rdfs.org/sioc/ns#" xmlns:sioc =3D=20
"http://rdfs.org/sioc/types#" xmlns:skos =3D=20
"http://www.w3.org/2004/02/skos/core#" xmlns:xsd =3D=20
"http://www.w3.org/2001/XMLSchema#"><HEAD=20
profile=3D"http://www.w3.org/1999/xhtml/vocab"><TITLE>E-filing Revised =
Instructions | Bureau of Transportation Statistics</TITLE>
<META content=3D"text/html; charset=3Dutf-8" =
http-equiv=3DContent-Type><LINK=20
rel=3D"shortcut icon" type=3Dimage/vnd.microsoft.icon=20
href=3D"http://www.rita.dot.gov/bts/sites/all/themes/danland/favicon.ico"=
><LINK=20
rel=3Dshortlink href=3D"/bts/node/82496"><LINK rel=3Dcanonical=20
href=3D"/bts/sites/rita.dot.gov.bts/files/subject_areas/airline_informati=
on/accounting_and_reporting_directives/number_307.html">
<META name=3DGENERATOR content=3D"MSHTML 8.00.7601.18969"><LINK =
rel=3Dstylesheet=20
type=3Dtext/css=20
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/css/css_=
ngjiV_to9K7DJR1zeXgA_mBaXXaVQc08WeEV_1zurl8.css"=20
media=3Dall><LINK rel=3Dstylesheet type=3Dtext/css=20
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/css/css_=
IgSmOE64BwaGr3mFy76shRiykqFjVjVfW3v6ykc1SuI.css"=20
media=3Dall><LINK rel=3Dstylesheet type=3Dtext/css=20
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/css/css_=
51Sj8pxPdfqmIL2HXpLmB3dNdHZutBTBvMZq-E302a0.css"=20
media=3Dall><LINK rel=3Dstylesheet type=3Dtext/css=20
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/css/css_=
yjXg1gFQ8NK6oPh8sj9hx35bz5X1GZRUB14bMYrkrk.css"=20
media=3Dall><!--[if IE 6]>=0A=
<link type=3D"text/css" rel=3D"stylesheet" =
href=3D"http://www.rita.dot.gov/bts/sites/all/themes/danland/style.ie6.cs=
s?nuogak" media=3D"all" />=0A=
<![endif]-->
<SCRIPT type=3Dtext/javascript=20
src=3D"http://www.rita.dot.gov/bts/misc/jquery.js?v=3D1.4.4"></SCRIPT>
<SCRIPT type=3Dtext/javascript=20
```

src=3D"http://www.rita.dot.gov/bts/misc/jquery.once.js?v=3D1.2"></SCRIPT>=

<SCRIPT type=3Dtext/javascript=20
src=3D"http://www.rita.dot.gov/bts/misc/drupal.js?nuogak"></SCRIPT>

<SCRIPT type=3Dtext/javascript=20
src=3D"http://www.rita.dot.gov/bts/sites/all/modules/google_cse/google_cs=
e.js?nuogak"></SCRIPT>

<SCRIPT type=3Dtext/javascript=20
src=3D"http://www.rita.dot.gov/bts/sites/all/modules/caption_filter/js/ca=
ption-filter.js?nuogak"></SCRIPT>

<SCRIPT type=3Dtext/javascript=20
src=3D"http://www.rita.dot.gov/bts/sites/all/modules/extlink/extlink.js?n=
uogak"></SCRIPT>

<SCRIPT type=3Dtext/javascript=20
src=3D"http://www.rita.dot.gov/bts/sites/all/libraries/foresee/foresee-tr=
igger.js?nuogak"></SCRIPT>

<SCRIPT type=3Dtext/javascript=20
src=3D"http://www.rita.dot.gov/bts/sites/all/libraries/dot_ga/dot_analyti=
cs.js?nuogak"></SCRIPT>

<SCRIPT type=3Dtext/javascript=20
src=3D"http://www.rita.dot.gov/bts/sites/all/themes/danland/scripts/hover=
Intent.js?nuogak"></SCRIPT>

<SCRIPT type=3Dtext/javascript=20
src=3D"http://www.rita.dot.gov/bts/sites/all/themes/danland/scripts/super=
fish.js?nuogak"></SCRIPT>

<SCRIPT type=3Dtext/javascript>=0A=
<!--//--><![CDATA[//><!--=0A=
jQuery.extend(Drupal.settings, =
{ "basePath": "\bts\/", "pathPrefix": "", "ajaxPageState": {"theme": "danland", =
"theme_token": "6Fokz0bG05KGiK2AwNCwIM2mU0h8kXi5jFKY54Qchmw", "js": {"misc\/=
jquery.js":1, "misc\/jquery.once.js":1, "misc\/drupal.js":1, "sites\/all\/mo=
dules\/google_cse\/google_cse.js":1, "sites\/all\/modules\/caption_filter\
\/js\/caption-filter.js":1, "sites\/all\/modules\/extlink\/extlink.js":1, "s=
ites\/all\/libraries\/foresee\/foresee-trigger.js":1, "sites\/all\/librari=
es\/dot_ga\/dot_analytics.js":1, "sites\/all\/themes\/danland\/scripts\/ho=
verIntent.js":1, "sites\/all\/themes\/danland\/scripts\/superfish.js":1}, "=
css": {"modules\/system\/system.base.css":1, "modules\/system\/system.menus=
.css":1, "modules\/system\/system.messages.css":1, "modules\/system\/system=
.theme.css":1, "modules\/aggregator\/aggregator.css":1, "modules\/book\/boo=
k.css":1, "modules\/comment\/comment.css":1, "sites\/all\/modules\/date\/da=
te_api\/date.css":1, "sites\/all\/modules\/date\/date_popup\/themes\/datep=
icker.1.7.css":1, "modules\/field\/theme\/field.css":1, "sites\/all\/module=
s\/footer_sitemap\/footer_sitemap.css":1, "sites\/all\/modules\/google_cse=
\/google_cse.css":1, "modules\/node\/node.css":1, "modules\/search\/search.=
css":1, "modules\/user\/user.css":1, "sites\/all\/modules\/views\/css\/view=
s.css":1, "sites\/all\/modules\/caption_filter\/caption-filter.css":1, "sit=
es\/all\/modules\/ckeditor\/css\/ckeditor.css":1, "sites\/all\/modules\/ct=
ools\/css\/ctools.css":1, "sites\/all\/modules\/extlink\/extlink.css":1, "s=
ites\/all\/themes\/danland\/style.css":1, "sites\/all\/themes\/danland\/lo=
cal.css":1, "sites\/all\/themes\/danland\/style.ie6.css":1}}, "googleCSE": {=
"cx": "008370246888531060023:gwfrxpqlkks", "language": "", "resultsWidth": 700=
, "domain": "www.google.com"}, "extlink": {"extTarget": 0, "extClass": "ext", "ex=
tSubdomains": 1, "extExclude": "(.*dotritadev.*|.*\.\rita\.\dot\.\gov.*|.*\
.faa\.\gov.*|.*\.\dot\.\gov.*|.*\.\bts\.\gov.*|.*bts\.\gov.*|.*faa\.\gov.=
*|.*distraction.gov.*|.*protectyourmove\.\gov.*|.*public\.\govdelivery\.\=

```
com\\accounts\\usdot\\subscriber\\new.*|.service\\.govdelivery\\=.
.com\\service\\subscribe\\.html.*|.cflhd\\.gov.*|.usmma\\.edu.*|.e=
ms\\.gov.*|.911\\.gov.*|.dotrita\\.prod\\.acquia-sites\\.com.*|.dotrit=
astg\\.prod\\.acquia-sites\\.com.*|.dotritadev\\.prod\\.acquia-sites\\.c=
om.*|.motorcarriertraining\\.com.*|.ntl\\.custhelp\\.com.*|.motorcarri=
ertraining\\.com.*|.greatlakes-seaway\\.com.*|.nhtsa\\.gov.*|.ntionlin=
e\\.com.*|.ntsb\\.gov.*|.grandslacs-voiemaritime\\.com.*|.greatlakes-s=
eaway\\.com.*|.nhtsa\\.gov.*|.ntsb\\.gov.*|.tfhrc\\.gov.*|.ame\\.cami=
\\.jccbi\\.gov.*|.byways\\.org.*|.dottrcc\\.gov.*|.faa\\.custhelp\\.co=
m.*|.faasafety\\.gov.*|.fdr\\.gov.*|.fmip\\.gov.*|.grandslacs-voiemar=
itime\\.com.*|.safercar\\.gov.*|.trafficsafetymarketing\\.gov.*|.byway=
s\\.org.*|.cflhd\\.gov.*|.dottrcc\\.gov.*|.faasafety\\.gov.*|.fdr\\.g=
ov.*|.fmip\\.gov.*|.ntdprogram\\.gov.*|.ntionline\\.com.*|.safercar\\.=
.gov.*|.sharetheroadsafely\\.org.*|.trafficsafetymarketing\\.gov.*|.tr=
ansportationresearch\\.gov.*)", "extInclude": "", "extAlert": "_blank", "extAl=
ertText": "OST-R websites have many links to other organizations, such as =
state\\local governments, educational institutions, and nonprofit =
associations. While we offer these electronic linkages for your =
convenience in accessing transportation-related information, please be =
aware that when you exit U.S. DOT websites, the website policies stated =
on our websites may not be the same as that on other =
websites.", "mailtoClass": "mailto"}});=0A=
//--><[!]]>=0A=
</SCRIPT>
</HEAD>
<BODY=20
class=3D"html not-front not-logged-in no-sidebars page-node page-node- =
page-node-82496 node-type-subject-areas">
<DIV id=3Dskip-link><A class=3D"element-invisible element-focusable"=20
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/airline_information/accounting_and_reporting_directives/number_307.=
html#main-content">Skip=20
to main content</A> </DIV>
<DIV>
<DIV id=3Dheader><!-- dot top banner -->
<DIV id=3DdotTopBanner>
<DIV id=3DdotTop><A href=3D"http://www.dot.gov/"><IMG id=3DdotLogo=20
alt=3D"U.S. Department of Transportation (US DOT)"=20
src=3D"http://www.rita.dot.gov/sites/all/themes/danland/images/dot_logo_t=
op.gif"=20
width=3D402 height=3D26></A> </DIV>
<DIV id=3DdotTopLinks><A href=3D"http://www.dot.gov/about">About DOT</A> =
<SPAN=20
id=3DdotTopLinksSeparator1>|</SPAN> <A=20
href=3D"http://www.dot.gov/briefingroom">Briefing Room</A> <SPAN=20
id=3DdotTopLinksSeparator2>|</SPAN> <A=20
href=3D"http://www.dot.gov/our-activities">Our Activities</A> =
</DIV></DIV><!-- end of dot top banner -->
<DIV id=3Dheader-wrapper>
<DIV id=3Dlogo-wrapper>
<DIV class=3Dlogo><A title=3D"Bureau of Transportation Statistics"=20
href=3D"http://www.rita.dot.gov/bts/"><IMG=20
alt=3D"Bureau of Transportation Statistics"=20
src=3D"http://www.rita.dot.gov/bts/sites/all/themes/danland/bts_logo.png"=
></A>=20
</DIV></DIV><!-- end logo wrapper -->
<DIV id=3Dbranding-wrapper>
<H2 class=3Dsite-name><A title=3D"Bureau of Transportation Statistics"=20
href=3D"http://www.rita.dot.gov/bts/">Bureau of Transportation=20
Statistics</A></H2></DIV><!-- end branding wrapper --><!-- rita links =
region -->
<DIV id=3Drita-links>
<DIV class=3D"region region-rita-links">
<DIV id=3Dblock-block-13 class=3D"block block-block">
```

```
<DIV class=3Dcontent>
<DIV><IMG style=3D"FLOAT: left"=20
alt=3D"Office of the Assistant Secretary for Research and Technology"=20
src=3D"http://www.rita.dot.gov/sites/default/files/images/rita_home_link.=
gif"=20
width=3D440 height=3D25 useMap=3D#Map><MAP id=3DMap name=3DMap><AREA=20
href=3D"http://www.rita.dot.gov/" shape=3Drect=20
alt=3D"Office of the Assistant Secretary for Research and Technology"=20
coords=3D0,0,440,25></MAP><A =
href=3D"http://www.rita.dot.gov/about_rita">About=20
OST-R</A> | <A href=3D"http://www.rita.dot.gov/press_room">Press =
Room</A> | <A=20
href=3D"http://www.rita.dot.gov/offices">Programs</A> | <A=20
href=3D"http://www.rita.dot.gov/publications">OST-R Publications</A> | =
<A=20
href=3D"http://ntl.bts.gov/">Library</A> | <A=20
href=3D"http://www.rita.dot.gov/contacts">Contact Us</A></DIV></DIV><!-- =
end block content --></DIV><!-- end block --></DIV></DIV><!-- end rita =
links region -->
<DIV id=3Dsearch-box>
<DIV class=3D"region region-search-box">
<DIV id=3Dblock-search-form class=3D"block block-search">
<DIV class=3Dcontent>
<FORM id=3Dsearch-block-form class=3Dgoogle-cse accept-charset=3DUTF-8 =
method=3Dpost=20
action=3D/bts/sites/rita.dot.gov.bts/files/subject_areas/airline_informat=
ion/accounting_and_reporting_directives/number_307.html>
<DIV>
<DIV class=3Dcontainer-inline>
<H2 class=3Delement-invisible>Search form</H2>
<DIV class=3D"form-item form-type-textfield =
form-item-search-block-form"><LABEL=20
class=3Delement-invisible for=3Dedit-search-block-form--2>Search =
</LABEL><INPUT=20
id=3Dedit-search-block-form--2 class=3Dform-text=20
title=3D"Enter the terms you wish to search for." maxLength=3D128 =
size=3D15=20
name=3Dsearch_block_form> </DIV>
<DIV id=3Dedit-actions class=3D"form-actions form-wrapper"><INPUT =
id=3Dedit-submit class=3Dform-submit value=3DSearch type=3Dsubmit =
name=3Dop></DIV><INPUT=20
value=3Dform-jGvEOPVuovS5kksSr5Hwd_Oz3etrusBVetUbmsxQXwg type=3Dhidden=20
name=3Dform_build_id> <INPUT value=3Dsearch_block_form type=3Dhidden =
name=3Dform_id>=20
</DIV></DIV></FORM></DIV><!-- end block content --></DIV><!-- end block =
--></DIV></DIV><!-- /search-box --></DIV><!-- end header-wrapper =
--></DIV><!-- /header -->
<DIV style=3D"CLEAR: both"></DIV>
<DIV id=3Dmenu>
<DIV id=3Drounded-menu-left></DIV>
<DIV id=3Dsuperfish>
<DIV class=3D"region region-superfish-menu">
<DIV id=3Dblock-system-main-menu class=3D"block block-system =
block-menu">
<H2 class=3Dblock-title>Main menu</H2>
<DIV class=3Dcontent>
<UL class=3Dmenu>
<LI class=3D"first expanded"><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/index.html">Data =
and=20
Statistics</A>
<UL class=3Dmenu>
<LI class=3D"first leaf"><A=20
```

```
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/intermodal_transp=
ortation_database.html">Intermodal=20
Transportation Database</A> </LI>
<LI class=3Dexpanded><A title=3D""=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_mode/index.htm=
l">By=20
Mode</A>
<UL class=3Dmenu>
<LI class=3D"first leaf"><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_mode/airline_a=
nd_airports/index.html">Airlines=20
and Airports</A> </LI>
<LI class=3Dleaf><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_mode/highway/i=
ndex.html">Highway</A>=20
</LI>
<LI class=3Dleaf><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_mode/maritime.=
html">Maritime</A>=20
</LI>
<LI class=3Dleaf><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_mode/multimoda=
l.html">Multimodal=20
Sources</A> </LI>
<LI class=3Dleaf><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_mode/pipeline_=
and_hazmat.html">Pipeline=20
and Hazardous Materials</A> </LI>
<LI class=3Dleaf><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_mode/rail.html=
">Rail</A>=20
</LI>
<LI class=3D"last collapsed"><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_mode/transit.h=
tml">Transit</A>=20
</LI></UL></LI>
<LI class=3Dexpanded><A title=3D""=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_region/index.h=
tml">By=20
Region</A>
<UL class=3Dmenu>
<LI class=3D"first leaf"><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_region/interna=
tional.html">International</A>=20
</LI>
<LI class=3Dleaf><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_region/nationa=
l/index.html">National</A>=20
</LI>
<LI class=3D"last leaf"><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_region/state_a=
```

```
nd_local/index.html">State=20
  and Local</A> </LI></UL></LI>
  <LI class=3Dexpanded><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/index.=
html">By=20
  Subject</A>
  <UL class=3Dmenu>
  <LI class=3D"first leaf"><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/econom=
y_and_financials.html">Economy=20
  and Finance</A> </LI>
  <LI class=3Dleaf><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/energy=
_and_environment.html">Energy=20
  and Environment</A> </LI>
  <LI class=3Dleaf><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/freigh=
t.html">Freight</A>=20
  </LI>
  <LI class=3Dleaf><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/geospa=
tial.html">Geospatial</A>=20
  </LI>
  <LI class=3Dleaf><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/infras=
tructure.html">Infrastructure</A>=20
  </LI>
  <LI class=3Dleaf><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/passen=
ger.html">Passenger</A>=20
  </LI>
  <LI class=3Dleaf><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/safety=
.html">Safety</A>=20
  </LI>
  <LI class=3D"last leaf"><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/vehicl=
es.html">Vehicles</A>=20
  </LI></UL></LI>
  <LI class=3Dleaf><A title=3D""=20
  =
href=3D"http://www.rita.dot.gov/bts/dictionary/index.xml">Dictionary</A> =
</LI>
  <LI class=3Dleaf><A title=3D""=20
  =
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/geographic_information_services/index.html">Geospatial=20
  Information</A> </LI>
  <LI class=3Dleaf><A title=3D""=20
  =
href=3D"http://ntlsearch.bts.gov/repository/ntlc/btsdd/index.shtm">Search=
=20
  Public Datasets</A> </LI>
  <LI class=3Dleaf><A=20
  =
```

```
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/databases">Databa=
ses</A>=20
</LI>
<LI class=3Dleaf><A=20
href=3D"http://www.rita.dot.gov/bts/help_with_data.html">Help with =
Data</A>=20
</LI>
<LI class=3D"last expanded"><A title=3D""=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/transtats/index.h=
tml">TranStats</A>
<UL class=3Dmenu>
<LI class=3D"first leaf"><A title=3D""=20
href=3D"http://www.transtats.bts.gov/airports.asp">Airport</A> =
</LI>
<LI class=3Dleaf><A title=3D""=20
=
href=3D"http://www.transtats.bts.gov/Data_Elements.aspx?Data=3D4">Availab=
le=20
Seat-Miles</A> </LI>
<LI class=3Dleaf><A title=3D""=20
href=3D"http://www.transtats.bts.gov/carriers.asp">Carrier</A> =
</LI>
<LI class=3Dleaf><A title=3D""=20
=
href=3D"http://www.transtats.bts.gov/OT_Delay/OT_DelayCause1.asp">Causes =
of=20
Flight Delays</A> </LI>
<LI class=3Dleaf><A title=3D""=20
href=3D"http://www.transtats.bts.gov/freight.asp">Freight</A> =
</LI>
<LI class=3Dleaf><A title=3D""=20
href=3D"http://www.transtats.bts.gov/fuel.asp">Fuel cost and =
consumption</A>=20
</LI>
<LI class=3Dleaf><A title=3D""=20
=
href=3D"http://www.transtats.bts.gov/Data_Elements.aspx?Data=3D5">Load=20
Factor</A> </LI>
<LI class=3Dleaf><A title=3D""=20
=
href=3D"http://www.transtats.bts.gov/Data_Elements_Financial.aspx?Data=3D=
6">Operating=20
Profit/Loss</A> </LI>
<LI class=3D"last leaf"><A title=3D""=20
=
href=3D"http://www.transtats.bts.gov/Data_Elements.aspx?Data=3D1">Passeng=
ers</A>=20
</LI></UL></LI></UL></LI>
<LI class=3Dexpanded><A title=3D""=20
href=3D"http://www.rita.dot.gov/bts/subject_areas">Subject Areas</A>
<UL class=3Dmenu>
<LI class=3D"first leaf"><A title=3D"Airlines and Airports"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/airline_information/index.html">Airlines=20
and Airports</A> </LI>
<LI class=3Dleaf><A title=3DCongestion=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/congestion/index.html">Congestion</A>=20
</LI>
<LI class=3Dleaf><A title=3DConnectivity=20
=
```

href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/connectivity/index.html">Connectivity=20

<LI class=3Dleaf><A title=3D"Economics and Finance"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/economics_and_finance/index.html">Economics=20
and Finance
<LI class=3Dleaf><A title=3D"Energy and Environment"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/energy_and_environment/index.html">Energy=20
and Environment
<LI class=3Dleaf><A title=3D"Freight Data and Statistics"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/freight_transportation/index.html">Freight=20
Data and Statistics
<LI class=3Dleaf><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/genera=
l.html">General=20

<LI class=3Dleaf><A title=3D"Geospatial Information"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/geographic_information_services/index.html">Geospatial=20
Information
<LI class=3Dleaf><A title=3DInternational=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/international/index.html">International=20

<LI class=3Dleaf><A title=3DLivability=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/livability/index.html">Livability=20

<LI class=3Dleaf><A title=3D"Maritime Program"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/maritime_program/index.html">Maritime=20
Program
<LI class=3Dleaf><A title=3D"Passenger Travel"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/passenger_travel/index.html">Passenger=20
Travel
<LI class=3Dleaf><A title=3DSafety=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/safety/index.html">Safety=20

<LI class=3Dleaf><A title=3D"Survey Results"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/survey_results/index.html">Survey=20
Results
<LI class=3D"last leaf"><A title=3D"Trending and Forecasting"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
areas/trending_and_forecasting/index.html">Trending=20
and Forecasting
<LI class=3Dexpanded><A title=3D"" =

[Library](http://ntl.bts.gov/)

- [Search the Collections](http://www.rita.dot.gov/bts/data_and_statistics/search_the_collections.html)
- [FAQs](https://ntl.custhelp.com/app/answers/list)
- [Ask a Librarian](https://ntl.custhelp.com/app/ask)
- [BTS Publications](http://www.rita.dot.gov/bts/bts_publications)
- [BTS Bookstore](https://2bts.rita.dot.gov/pdc/index.xml)
- [External Links](http://www.rita.dot.gov/bts/external_links)
- [News](http://www.rita.dot.gov/bts/press_room)

 - [Events](http://www.rita.dot.gov/events)
 - [What's New](http://www.rita.dot.gov/bts/whatsnew)
 - [Upcoming Press Releases](http://www.rita.dot.gov/bts/upcoming_data_releases)
 - [Policies and Methods](http://www.rita.dot.gov/bts/policies_and_methods)

 - [Confidentiality Policy](http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_areas/confidentiality_policy/index.html)
 - [Laws and Regulations](http://www.rita.dot.gov/bts/laws_and_regulations)
 - [Scientific Integrity](http://www.rita.dot.gov/bts/scientific_integrity.html)
 - [Statistical Policy & Research](http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_areas/statistical_policy_and_research/index.html)

- [About BTS](http://www.rita.dot.gov/bts/about)

 -

areas/advisory_council_on_transportation_statistics/index.html">Advisory =
Council on Transportation Statistics
<LI class=3Dleaf><A=20
=
href=3D"http://www.rita.dot.gov/bts/about/bts_jobs_and_internships.html">= Jobs=20
and Internships
<LI class=3Dleaf><A=20
=
href=3D"http://www.rita.dot.gov/bts/about/org_chart.html">Organizational =
Chart
<LI class=3D"last leaf"><A=20
href=3D"http://www.rita.dot.gov/bts/about/bts_programs.html">BTS = Programs=20

<LI class=3D"last leaf"><A =
href=3D"http://www.rita.dot.gov/bts/contacts">Contact=20 Us=20
</DIV><!-- end block content --></DIV><!-- end block = --></DIV></DIV><!-- end primary -->
<DIV id=3Drounded-menu-right></DIV></DIV><!-- end menu -->
<DIV style=3D"CLEAR: both"></DIV>
<DIV style=3D"CLEAR: both"></DIV>
<DIV id=3Dwrapper>
<DIV id=3Dcontent>
<H2 class=3DElement-invisible>You are here</H2>
<DIV class=3Dbreadcrumb><A =
href=3D"http://www.rita.dot.gov/bts/">Home</DIV>
<H2 id=3Dpage-title class=3Dttitle>E-filing Revised Instructions </H2>
<DIV class=3Dtabs></DIV>
<DIV class=3Dcontent-middle>
<DIV class=3D"region region-content">
<DIV id=3Dblock-system-main class=3D"block block-system">
<DIV class=3Dcontent>
<DIV id=3Dnode-82496 class=3D"node node-subject-areas clearfix"=20
typeof=3D"sioc:Item foaf:Document"=20
about=3D"/bts/sites/rita.dot.gov.bts/files/subject_areas/airline_informat=
ion/accounting_and_reporting_directives/number_307.html"><SPAN=20
class=3D"rdf-meta element-hidden" content=3D"E-filing Revised =
Instructions"=20
property=3D"dc:title"><SPAN class=3D"rdf-meta element-hidden" =
content=3D"0"=20
property=3D"sioc:num_replies" datatype=3D"xsd:integer">
<DIV class=3D"content clearfix">
<DIV=20
class=3D"field field-name-body field-type-text-with-summary =
field-label-hidden">
<DIV class=3Dfield-items>
<DIV class=3D"field-item even" property=3D"content:encoded">
<P><A title=3DPDF=20
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/number_3=
07.pdf">PDF</P>
<P>Department of Transportation
Research and Innovative Technology=20
Administration
Bureau of Transportation Statistics
Office of =
Airline=20
Information
Accounting and Reporting Directive</P>
<P>No. 307
Issue Date: 8-23-2012
Effective Date: 1-1-2013</P>
<P>This Directive rescinds Accounting and Reporting Directive No. 293, =
E-filing,=20
and revises and reissues the reporting guidance contained in Directive =
No.=20
293.</P>

<H3>Background:</H3>

<P>On July 16, 2010, the Department of Transportation (DOT) issued a final rule revising Part 241 of its Economic Regulations. This action required air carriers to report their economic and statistical data to the Department via a secured web portal using a comma separated value (CSV) of the already required data or a PDF file.</P>

<P>On June 23, 2010, the DOT Research and Innovative Technology Administration, Office of Airline Information issued Accounting and Reporting Directive No. 293 effective October 1, 2010. The Directive provided guidance on reporting air carrier recurrent economic and statistical data via a secured web portal using a comma separated value (CSV) and provided file formats for the data to be reported.</P>

<H3>Changes to Directive No. 293</H3>
<P>This Directive revises the section pertaining to the B-7 Airframe and Aircraft Engine Acquisitions and Retirements and the B-43 Inventory of Airframes and Aircraft Engines only, and affects no other part of Accounting Directive No. 293.</P>

<H3>Changes to Directive No. 293</H3>

<P>This Directive changes the file format or record description as defined in Directive No. 293 as follows:</P>
<P>For the B-7, instead of reporting the Air Carrier Name in field 2, carriers will report their 2 or 3 letter carrier code as reported on their recurrent economic and statistical data. A new column/field is to be inserted after the "Number of Aircraft Engines Acquired/Retired" column/field, and before the "Type Model and Cabin Design" column/field. The new column/field is entitled "Aircraft Type Code", is numeric and 4 digits in length. It will correspond to the aircraft type codes as reported on Schedule P-5.1 or Schedule P-5.2 (P051 or P052) data.</P>

<P>For the B-43, instead of reporting the Air Carrier Name in field 2, carriers will report their 2 or 3 letter carrier code as reported on their recurrent economic and statistical data. A new column/field is to be inserted after the "Manufacturer" column/field, and before the "Type Model and Cabin Design" column/field. The new column/field is entitled "Aircraft Type Code", is numeric and 4 digits in length. It will correspond to the aircraft type codes as reported on Schedule P-5.1 or Schedule P-5.2 (P051 or P052) data. The "Report Date" column/field is changed to reflect "Year", is numeric and 4 digits in length. A new column/field is to be

inserted after the "Manufacturer" column/field, and before the "Type Model and Cabin Design" column/field. The new column/field is entitled "Aircraft Type Code", is numeric and 4 digits in length. It will correspond to the aircraft type codes as reported on Schedule P-5.1 or Schedule P-5.2 (P051 or P052) data. The "Report Date" column/field is changed to reflect "Year", is numeric and 4 digits in length. A new column/field is to be

inserted after the "Manufacturer" column/field, and before the "Type Model and Cabin Design" column/field. The new column/field is entitled "Aircraft Type Code", is numeric and 4 digits in length. It will correspond to the aircraft type codes as reported on Schedule P-5.1 or Schedule P-5.2 (P051 or P052) data. The "Report Date" column/field is changed to reflect "Year", is numeric and 4 digits in length. A new column/field is to be

inserted after the "Manufacturer" column/field, and before the "Type Model and Cabin Design" column/field. The new column/field is entitled "Aircraft Type Code", is numeric and 4 digits in length. It will correspond to the aircraft type codes as reported on Schedule P-5.1 or Schedule P-5.2 (P051 or P052) data. The "Report Date" column/field is changed to reflect "Year", is numeric and 4 digits in length. A new column/field is to be

inserted after the "Manufacturer" column/field, and before the "Type Model and Cabin Design" column/field. The new column/field is entitled "Aircraft Type Code", is numeric and 4 digits in length. It will correspond to the aircraft type codes as reported on Schedule P-5.1 or Schedule P-5.2 (P051 or P052) data. The "Report Date" column/field is changed to reflect "Year", is numeric and 4 digits in length. A new column/field is to be

inserted after the "Manufacturer" column/field, and before the "Type Model and Cabin Design" column/field. The new column/field is entitled "Aircraft Type Code", is numeric and 4 digits in length. It will correspond to the aircraft type codes as reported on Schedule P-5.1 or Schedule P-5.2 (P051 or P052) data. The "Report Date" column/field is changed to reflect "Year", is numeric and 4 digits in length. A new column/field is to be

inserted=20
after the "Year" column/field and is entitled "Month Ended", is numeric =
and 2=20
digits in length. This provides uniformity with the B-7 "Year" and =
"Month=20
Ended" column/fields.</P>
<P>For your reference, the entire Reporting Directive is reissued below, =
with=20
the required changes, reflected on pages 33 thru 36.</P>
<P>If there are any questions on the revised reporting, please contact =
Mr. Jeff=20
Gorham at (202) 366-4406 or at email <A=20
href=3D"mailto:jeff.gorham@dot.gov">jeff.gorham@dot.gov</P>
<P>William Chadwick Jr.
Director
Office of Airline =
Information
Bureau=20
of Transportation Statistics</P>
<H3>E-filing</H3>
<P>This Accounting and Reporting Directive gives detailed instructions =
for the=20
file format for submitting recurrent reports via a secured web portal =
using a=20
comma separated vales (CSV) of the already required data or a PDF =
file. =20
CSV is a <A title=3DDelimited=20
href=3D"http://en.wikipedia.org/wiki/Delimited">delimited data =
format that has=20
<A title=3D"Field (computer science)"=20
href=3D"http://en.wikipedia.org/wiki/Field_(computer_science)">fields/col=
umns=20
separated by the <A title=3D"Comma (punctuation)"=20
href=3D"http://en.wikipedia.org/wiki/Comma_(punctuation)">comma <A=20
title=3DGrapheme =
href=3D"http://en.wikipedia.org/wiki/Grapheme">character and <A=20
title=3D"Row (database)"=20
href=3D"http://en.wikipedia.org/wiki/Row_(database)">records/rows =
separated by=20
new =
lines</P>
<H4>PART 241 =E2=80=93 Form T100</H4>
<P>Traffic and Capacity Statistics Segment =
Report</P>
<P>OMB NO: 2138-0040
EXPIRATION DATE: 10/31/2014</P>
<P>Paperwork Reduction Act Burden Statement</P>
<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. The OMB Control Number for this information =
collection is=20
2138-0040. Public reporting for Schedule T-100, Report of Traffic =
and=20
Capacity, is estimated to be approximately 6 hours per response, =
including the=20
time for reviewing instructions, completing and reviewing the collection =
of=20
information. All responses to this collection of information are=20
mandatory, as authorized by 14 CFR, Part 241. Send comments regarding =
this=20
burden estimate or any other aspect of this collection of information, =
including=20

suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Jennifer Rodes, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20

SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jennifer.rodes@dot.gov">jennifer.rodes@dot.gov.</P>

<P>REQUIREMENTS</P>

<P>RECORD DESCRIPTION: T100 =E2=80=93 Traffic and Capacity =
Statistics for=20

Segment Report</P>

<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">

<TBODY>

<TR>

<TH id=3Dheader11 class=3Dcolheadone>Field Description</TH>

<TH id=3Dheader12 class=3Dcolheadone>Data Type</TH>

<TH id=3Dheader13 class=3Dcolheadone>Length</TH>

<TH id=3Dheader14 class=3Dcolheadone>Comments</TH>

<TH id=3Dheader15 class=3Dcolheadone>Sample Data</TH></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh121 class=3DdataRowLeft>Data Type</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh121 =
header12">Character</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh121 =
header13">1</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh121 header14">One =
letter code=20

(S)</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh121 =
header15">S</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh131 class=3DdataRowLeft>Entity code</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh131 =
header12">Character</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh131 =
header13">5</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh131 header14">Five =
character=20

code assigned by DOT</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh131 =
header15">0A050</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh141 class=3DdataRowLeft>Year of Data</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh141 =
header12">Numeric</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh141 =
header13">4</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh141 header14">Year =
(CCYY)</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh141 =
header15">2010</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh151 class=3DdataRowLeft>Month of Data</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh151 =
header12">Numeric</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh151 =
header13">2</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh151 header14">Month =
(MM)</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh151 =
header15">03</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh161 class=3DdataRowLeft>Origin Airport</TD>

<TD class=3DdataCellLeft headers=3D"header11 subh161 =
header12">Character</TD>

```

    <TD class=3DdataCellLeft headers=3D"header11 subh161 =
header13">3</TD>
    <TD class=3DdataCellLeft headers=3D"header11 subh161 header14">Three =
letter=20
        OAG airport code</TD>
    <TD class=3DdataCellLeft headers=3D"header11 subh161 =
header15">BWI</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh171 class=3DdataRowLeft>Destination Airport</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh171 =
header12">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh171 =
header13">3</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh171 header14">Three =
letter=20
            OAG airport code</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh171 =
header15">LAS</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh181 class=3DdataRowLeft>Service Class</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh181 =
header12">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh181 =
header13">1</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh181 header14">One =
letter=20
            service class code: F, G, L, N, P, R, H</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh181 =
header15">F</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh191 class=3DdataRowLeft>Segment Aircraft Type</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh191 =
header12">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh191 =
header13">3</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh191 header14">DOT =
assigned=20
            three&nbsp;numeric aircraft type code</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh191 =
header15">698</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh1101 class=3DdataRowLeft>Segment Cabin =
Configuration</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh1101 =
header12">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh1101 =
header13">1</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh1101 header14">One =
numeric=20
            aircraft cabin configuration code: 1,2,3,4</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh1101 =
header15">1</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh1111 class=3DdataRowLeft>Segment Departures =
Performed</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh1111 =
header12">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh1111 =
header13">5</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh1111 header14">Up =
to five=20
            numeric departures performed</TD>
        <TD class=3DdataCellLeft headers=3D"header11 subh1111 =
header15">25</TD></TR>

```

```

<TR class=3Dhighlight>
  <TD id=3Dsubh1121 class=3DdataRowLeft>Segment Available =
Capacity</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1121 =
header12">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1121 =
header13">10</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1121 header14">Up =
to ten=20
  numeric, reported in pounds</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header11 subh1121 header15">125000000</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1131 class=3DdataRowLeft>Segment Available Seats</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1131 =
header12">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1131 =
header13">7</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1131 header14">Up =
to seven=20
  numeric, aircraft seating capacity</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1131 =
header15">1250</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1141 class=3DdataRowLeft>Segment Passengers =
Transported</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1141 =
header12">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1141 =
header13">7</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1141 header14">Up =
to seven=20
  numeric, reported transported passengers</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1141 =
header15">922</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1151 class=3DdataRowLeft>Segment Freight =
Transported</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1151 =
header12">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1151 =
header13">10</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1151 header14">Up =
to ten=20
  numeric, freight reported in pounds</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1151 =
header15">25338</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1161 class=3DdataRowLeft>Segment Mail Transported</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1161 =
header12">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1161 =
header13">10</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1161 header14">Up =
to ten=20
  numeric, mail reported in pounds</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1161 =
header15">989</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1171 class=3DdataRowLeft>Segment Scheduled =
Departures</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1171 =
header12">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header11 subh1171 =

```

header13">5</TD>
 <TD class=3DdataCellLeft headers=3D"header11 subh1171 header14">Up =
 to five=20
 numeric scheduled departures</TD>
 <TD class=3DdataCellLeft headers=3D"header11 subh1171 =
 header15">23</TD></TR>
 <TR class=3Dhighlight>
 <TD id=3Dsubh1181 class=3DdataRowLeft>Segment Ramp to Ramp =
 Minutes</TD>
 <TD class=3DdataCellLeft headers=3D"header11 subh1181 =
 header12">Numeric</TD>
 <TD class=3DdataCellLeft headers=3D"header11 subh1181 =
 header13">10</TD>
 <TD class=3DdataCellLeft headers=3D"header11 subh1181 header14">Up =
 to ten=20
 numeric, reported in minutes</TD>
 <TD class=3DdataCellLeft headers=3D"header11 subh1181 =
 header15">789</TD></TR>
 <TR class=3Dhighlight>
 <TD id=3Dsubh1191 class=3DdataRowLeft>Segment Airborne Minutes</TD>
 <TD class=3DdataCellLeft headers=3D"header11 subh1191 =
 header12">Numeric</TD>
 <TD class=3DdataCellLeft headers=3D"header11 subh1191 =
 header13">10</TD>
 <TD class=3DdataCellLeft headers=3D"header11 subh1191 header14">Up =
 to ten=20
 numeric, reported in minutes</TD>
 <TD class=3DdataCellLeft=20
 headers=3D"header11 subh1191 header15">685</TD></TR></TBODY></TABLE>
 <P>RECORD FORMAT:</P>
 <P>The T100 =E2=80=93 Traffic and Capacity Statistics for Segment =
 data reports=20
 must be created as an electronic "comma separated values" file, using =
 ASCII text=20
 character encoding, for uploading via the "eSubmit" =
 application. </P>
 <P>The comma separated values file MUST BE indicated when naming the =
 file, by=20
 using the letters [CSV] or [csv] following the file name, as the file =
 name=20
 extension.</P>
 <P>The file name is flexible and may be determined by the individual air =
 carrier, but the comma separated values (csv) file format is required, =
 as=20
 outlined in the rule entitled, <I>Submitting Airline Data via the=20
 Internet</I>. </P>
 <P>The fields in the sample record shown below follow the same order as =
 the=20
 above record description, separated by commas, and saved with the file =
 name=20
 extension of .csv.</P>
 <P>Suggested file name: XX201003-T100SEG.csv</P>
 <P>Sample Record Format: </P>
 <P>S,0A050,2010,03,BWI,LAS,F,698,1,25,12500000,1250,922,25338,989,23,789,=
 685</P>
 <H4>PART 217 =E2=80=93 T100(f) Certification</H4>
 <P>REQUIREMENTS</P>
 <P>RECORD DESCRIPTION/INSTRUCTIONS: T100(f) =
 Certification</P>
 <P>A certification statement is required identifying an appropriate =
 official of=20
 the reporting carrier. </P> The certification statement will read:</P>
 <P>Carrier Name:</P>

this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Jennifer Rodes, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20
SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jennifer.rodes@dot.gov">jennifer.rodes@dot.gov.</P>
<P>REQUIREMENTS</P>
<P>RECORD DESCRIPTION: T100 (f) Foreign Air Carrier Traffic=20
Data</P>
<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">
<TBODY>
<TR>
<TH id=3Dheader21 class=3Dcolheadone>Field Description</TH>
<TH id=3Dheader22 class=3Dcolheadone>Data Type</TH>
<TH id=3Dheader23 class=3Dcolheadone>Length</TH>
<TH id=3Dheader24 class=3Dcolheadone>Comments</TH>
<TH id=3Dheader25 class=3Dcolheadone>Sample Data</TH></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh221 class=3DdataRowLeft>Carrier Code</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh221 =
header22">Character</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh221 =
header23">3</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh221 header24">2 or =
3 digit=20
Carrier Code</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh221 =
header25">BA</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh231 class=3DdataRowLeft>Year and Month of Data</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh231 =
header22">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh231 =
header23">6</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh231 =
header24">Format: YYYYMM=20
 YYYY =3D century and year; Format: MM: 01 =3D January =
=E2=80=A6 12 =3D December</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh231 =
header25">200612</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh241 class=3DdataRowLeft>Origin Airport</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh241 =
header22">Character</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh241 =
header23">3</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh241 header24">The =
three=20
letter OAG code identifying the airport. </TD>
<TD class=3DdataCellLeft headers=3D"header21 subh241 =
header25">IAH</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh251 class=3DdataRowLeft>Destination Airport</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh251 =
header22">Character</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh251 =
header23">3</TD>
<TD class=3DdataCellLeft headers=3D"header21 subh251 header24">The =
three=20
letter OAG code identifying the airport. </TD>
<TD class=3DdataCellLeft headers=3D"header21 subh251 =


```

header25">521842</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh2111 class=3DdataRowLeft>Segment Available Seats</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2111 =
header22">Number</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2111 header23">Up =
to 7</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2111 header24">Up =
to seven=20
    numeric, aircraft seating capacity</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2111 =
header25">10976</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh2121 class=3DdataRowLeft>Segment Available =
Capacity</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2121 =
header22">Number</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2121 header23">Up =
to 10</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2121 header24">Up =
to ten=20
    numeric, reported in kilos</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2121 =
header25">1903195</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh2131 class=3DdataRowLeft>Market Passengers</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2131 =
header22">Number</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2131 header23">Up =
to 10</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2131 header24">Up =
to seven=20
    numbers Enplaned passengers</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2131 =
header25">6707</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh2141 class=3DdataRowLeft>Market Freight</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2141 =
header22">Number</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2141 header23">Up =
to 10</TD>
    <TD class=3DdataCellLeft headers=3D"header21 subh2141 header24">Up =
to ten=20
    numbers, reported in kilos</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header21 subh2141 =
header25">521842</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>T100(f) Foreign Air Carrier Traffic Data</B> reports must be =
created=20
as an electronic "comma separated values" file, using ASCII text =
character=20
encoding, for uploading via the "eSubmit" application.&nbsp;</P>
<P>The comma separated values file MUST BE indicated when naming the =
file, by=20
using the letters [CSV] or [csv] following the file name, as the file =
name=20
extension.</P>
<P>The file name is flexible and may be determined by the individual air =
carrier, but the comma separated values (csv) file format is required, =
as=20
outlined in the rule entitled, <I>Submitting Airline Data via the=20
Internet</I>.&nbsp;</P>

```

The fields in the sample record shown below follow the same order as the above record description, separated by commas, and saved with the file name extension of .csv.

Suggested file name: XXX201003-T100F.csv

Sample Record Format:

BA, 200612, IAH, DTW, F, 6261, 30, 1647, 17137, 5670, 772500, 0, 0

BA, 200612, IAH, LGW, F, 6271, 49, 6707, 521842, 10976, 1903195, 6707, 521842

BA, 200612, IAH, LHR, F, 0, 0, 0, 0, 0, 0, 1643, 12935

PART 241 E=80=93 T100 E=80=93 Alaskan Air Carrier Weekly Traffic and Capacity Data Report

REQUIREMENTS

RECORD DESCRIPTION: T100 E=80=93 Alaskan Air Carrier Weekly Segment and Market Report

TABLE border="1" cellspacing="1" cellpadding="5" width="100%"

Field Description	Data Type	Length	Comments	Sample Data
Data Type	Character	1	One letter code (S)	S
Entity code	Character	5	Five character code assigned by DOT	06000
Year of Data	Numeric	4	Year (CCYY)	2010
Month of Data	Numeric	2	Month	

(MM)</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh351 = header35">05</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh361 class=3DdataRowLeft>Day of Service</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh361 = header32">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh361 = header33">2</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh361 header34">Day = of month=20
the service was performed =E2=80=93 for use by USPS Only</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh361 = header35">27</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh371 class=3DdataRowLeft>Origin Airport</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh371 = header32">Character</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh371 = header33">3</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh371 header34">Three = letter=20
OAG airport code</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh371 = header35">FAI</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh381 class=3DdataRowLeft>Destination Airport</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh381 = header32">Character</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh381 = header33">3</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh381 header34">Three = letter=20
OAG airport code</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh381 = header35">GAL</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh391 class=3DdataRowLeft>Service Class</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh391 = header32">Character</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh391 = header33">1</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh391 header34">One = letter=20
service class code: F, G, L, N, P, R</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh391 = header35">F</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh3101 class=3DdataRowLeft>Segment Aircraft Type</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh3101 = header32">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh3101 = header33">3</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh3101 header34">DOT = assigned=20
three numeric aircraft type code</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh3101 = header35">405</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh3111 class=3DdataRowLeft>Segment Cabin = Configuration</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh3111 = header32">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header31 subh3111 =

```

header33">1</TD>
  <TD class=3DdataCellLeft headers=3D"header31 subh3111 header34">One =
numeric=20
  aircraft cabin configuration code: 1,2,3,4</TD>
  <TD class=3DdataCellLeft headers=3D"header31 subh3111 =
header35">3</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3121 class=3DdataRowLeft>Segment Departures =
Performed</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3121 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3121 =
header33">5</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3121 header34">Up =
to five=20
      numeric departures performed</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3121 =
header35">1</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3131 class=3DdataRowLeft>Segment Available =
Capacity</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3131 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3131 =
header33">10</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3131 header34">Up =
to ten=20
      numeric, reported in pounds</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3131 =
header35">3793</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3141 class=3DdataRowLeft>Segment Available Seats</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3141 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3141 =
header33">7</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3141 header34">Up =
to seven=20
      numeric, aircraft seating capacity</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3141 =
header35">16</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3151 class=3DdataRowLeft>Segment Passengers =
Transported</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3151 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3151 =
header33">7</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3151 header34">Up =
to seven=20
      numeric, reported transported passengers</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3151 =
header35">3</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3161 class=3DdataRowLeft>Segment Freight =
Transported</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3161 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3161 =
header33">10</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3161 header34">Up =
to ten=20
      numeric, freight reported in pounds</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3161 =

```

```

header35">239</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3171 class=3DdataRowLeft>Segment Mail Transported</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3171 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3171 =
header33">10</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3171 header34">Up =
to ten=20
    numeric, mail reported in pounds</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3171 =
header35">1106</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3181 class=3DdataRowLeft>Segment Scheduled =
Departures</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3181 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3181 =
header33">5</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3181 =
header34">scheduled=20
    departures</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3181 =
header35">1</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3191 class=3DdataRowLeft>Segment Ramp-to-Ramp time</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3191 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3191 =
header33">10</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3191 header34">Up =
to ten=20
    numeric, reported in minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3191 =
header35">72</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3201 class=3DdataRowLeft>Segment Airborne time in =
minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3201 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3201 =
header33">10</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3201 header34">Up =
to ten=20
    numeric, reported in minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3201 =
header35">60</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh3211 class=3DdataRowLeft>DOT Certification</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3211 =
header32">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3211 =
header33">3</TD>
    <TD class=3DdataCellLeft headers=3D"header31 subh3211 =
header34">Values are:=20
    135, 121 =E2=80=93 for use by USPS Only</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header31 subh3211 header35">121</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>T100 =E2=80=93 Alaskan Air Carrier Weekly Segment Report</B> =
reports must be=20
created as an electronic "comma separated values" file, using ASCII text =
character encoding, for uploading via the "eSubmit" =

```



```

    <TD class=3DdataCellLeft headers=3D"header41 subh441 =
header45">2010</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh451 class=3DdataRowLeft>Month of Data</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh451 =
header42">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh451 =
header43">2</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh451 header44">Month =
(MM)</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh451 =
header45">05</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh461 class=3DdataRowLeft>Day of Service</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh461 =
header42">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh461 =
header43">2</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh461 header44">Day =
of month=20
        the service was performed =E2=80=93 for use by USPS Only</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh461 =
header45">27</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh471 class=3DdataRowLeft>Origin Airport</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh471 =
header42">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh471 =
header43">3</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh471 header44">Three =
letter=20
        OAG airport code</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh471 =
header45">FAI</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh481 class=3DdataRowLeft>Destination Airport</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh481 =
header42">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh481 =
header43">3</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh481 header44">Three =
letter=20
        OAG airport code</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh481 =
header45">GAL</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh491 class=3DdataRowLeft>Service Class</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh491 =
header42">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh491 =
header43">1</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh491 header44">One =
letter=20
        service class code: F, G, L, N, P, R</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh491 =
header45">F</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh4101 class=3DdataRowLeft>Market Passengers =
enplaned</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh4101 =
header42">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh4101 =
header43">7</TD>
        <TD class=3DdataCellLeft headers=3D"header41 subh4101 header44">Up =

```

```

to seven=20
    numeric, reported market passengers</TD>
    <TD class=3DdataCellLeft headers=3D"header41 subh4101 =
header45">3</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh4111 class=3DdataRowLeft>Market Freight Enplaned</TD>
    <TD class=3DdataCellLeft headers=3D"header41 subh4111 =
header42">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header41 subh4111 =
header43">10</TD>
    <TD class=3DdataCellLeft headers=3D"header41 subh4111 header44">Up =
to ten=20
    numeric, reported in pounds</TD>
    <TD class=3DdataCellLeft headers=3D"header41 subh4111 =
header45">239</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh4121 class=3DdataRowLeft>Market Mail Enplaned</TD>
    <TD class=3DdataCellLeft headers=3D"header41 subh4121 =
header42">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header41 subh4121 =
header43">10</TD>
    <TD class=3DdataCellLeft headers=3D"header41 subh4121 header44">Up =
to ten=20
    numeric, reported in pounds</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header41 subh4121 header45">1000</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>T100 =E2=80=93 Alaskan Air Carrier Weekly Market Report</B> =
reports must be=20
created as an electronic "comma separated values" file, using ASCII text =
character encoding, for uploading via the "eSubmit" =
application.&nbsp;</P>
<P>The comma separated values file MUST BE indicated when naming the =
file, by=20
using the letters [CSV] or [csv] following the file name, as the file =
name=20
extension.</P>
<P>The file name is flexible and may be determined by the individual air =
carrier, but the comma separated values (csv) file format is required, =
as=20
outlined in the rule entitled, <I>Submitting Airline Data via the=20
Internet</I>.&nbsp;</P>
<P>The fields in the sample record shown below follow the same order as =
the=20
above record description, separated by commas, and saved with the file =
name=20
extension of .csv.</P>
<P>Suggested file name: XX201003-T100AKMKT<B>.csv</B></P>
<P><B>Sample Record Format: </B></P>
<P>M, 06000, 2010, 05, 27, FAI, GAL, F, 3, 239, 1000</P>
<H4><B>PART 241 =E2=80=93 U.S. Carrier Origin-Destination Survey =
Transmittal=20
Letter</B></H4>
<P><B>REQUIREMENTS</B></P>
<P><B>RECORD DESCRIPTION/INSTRUCTIONS: Origin-Destination Survey =
Transmittal=20
Letter =E2=80=93 U.S. Carriers</B></P>
<P><B><I>Full name of airline</I></B><B>:</B></P>
<P><B><I>Reporting period</I></B><B>:</B></P>
<P>A certification statement for the Origin and Destination Survey =
Report is=20
required identifying an appropriate official of the reporting =

```


including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Marianne Seguin, OAI/BTS/RITA, RTS-42, Room E34, 1200 New =
Jersey=20
Avenue, SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:marianne.seguin@dot.gov">marianne.seguin@dot.gov.</P>
<P>REQUIREMENTS</P>
<P>RECORD DESCRIPTION: Origin-Destination Survey Report =
=E2=80=93 U.S.=20
Carriers</P>
<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">
<TBODY>
<TR>
<TH id=3Dheader51 class=3Dcolheadone>Field Description</TH>
<TH id=3Dheader52 class=3Dcolheadone>Data Type</TH>
<TH id=3Dheader53 class=3Dcolheadone>Length</TH>
<TH id=3Dheader54 class=3Dcolheadone>Comments</TH>
<TH id=3Dheader55 class=3Dcolheadone>Sample Data</TH></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh521 class=3DdataRowLeft>Carrier code</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh521 =
header52">Character</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh521 =
header53">2</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh521 header54">IATA =
code</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh521 =
header55">XX</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh531 class=3DdataRowLeft>Year</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh531 =
header52">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh531 =
header53">3</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh531 header54">Date: =
YYQ Where=20
'09' =3D Year: 2009=20
=

```

header55">3</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh561 class=3DdataRowLeft>1<SUP>st</SUP>&nbsp; Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh561 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh561 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
      headers=3D"header51 subh561 header54"><I>1<SUP>st</SUP> Airport =
Code is the=20
      3 letter code for the first Origin airport</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh561 =
header55">BOS</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh571 class=3DdataRowLeft>1<SUP>st </SUP>&nbsp; Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh571 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh571 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh571 header54">IATA =
Carrier=20
      Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh571 =
header55">IO</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh581 class=3DdataRowLeft>1<SUP>st</SUP>&nbsp; Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh581 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh581 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh581 header54">IATA =
Carrier=20
      Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh581 =
header55">XX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh591 class=3DdataRowLeft>1<SUP>st</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh591 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh591 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh591 header54">C -=20
      Unrestricted Business Class D - Restricted Business Class F - =
Unrestricted=20
      First Class G - Restricted First Class X - Restricted Coach Y -=20
      Unrestricted Coach U - Unknown</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh591 =
header55">G</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5101 class=3DdataRowLeft>2<SUP>nd</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5101 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5101 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
      headers=3D"header51 subh5101 header54"><I>2<SUP>nd</SUP> Airport =
Code is the=20
      3 letter code for the first</I> <I>destination airport</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5101 =

```

```

header55">LAX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5111 class=3DdataRowLeft>2<SUP>nd</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5111 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5111 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5111 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5111 =
header55">VA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5121 class=3DdataRowLeft>2<SUP>nd</SUP> Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5121 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5121 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5121 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5121 =
header55">VA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5131 class=3DdataRowLeft>2<SUP>nd</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5131 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5131 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5131 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5131 =
header55">G</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5141 class=3DdataRowLeft>3<SUP>rd</SUP>&nbsp;<I> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5141 =
header52">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5141 =
header53">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header51 subh5141 header54">3<SUP>rd</SUP><I> Airport =
Code is the=20
3 letter code for the second</I> <I>destination airport</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5141 =
header55">SYD</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5151 class=3DdataRowLeft>3<SUP>rd</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5151 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5151 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5151 =
header54"><I>Surface=20
Segment Indicator =E2=80=93 for Operating Carrier.</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5151 =
header55">--</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5161 class=3DdataRowLeft>3<SUP>rd</SUP> Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5161 =
header52">Character</TD>

```

```

    <TD class=3DdataCellLeft headers=3D"header51 subh5161 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5161 =
header54"><I>Surface=20
        Segment Indicator =E2=80=93 for Ticketed Carrier</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5161 =
header55">--</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5171 class=3DdataRowLeft>3<SUP>rd</SUP> Fare Basis =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5171 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5171 =
header53">1</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5171 =
header54"><I>For surface=20
            travel segment, leave the Fare Basis Code&nbsp; blank</I></TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5171 =
header55">&nbsp;</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5181 class=3DdataRowLeft>4<SUP>th</SUP> Airport =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5181 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5181 =
header53">3</TD>
        <TD class=3DdataCellLeft=20
            headers=3D"header51 subh5181 header54">4<SUP>th</SUP><I>Airport =
Code is the=20
            3 letter code for the third</I> <I>destination airport</I></TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5181 =
header55">CNS</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5191 class=3DdataRowLeft>4<SUP>th</SUP> Operating =
Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5191 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5191 =
header53">2</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5191 =
header54">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5191 =
header55">DJ</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5201 class=3DdataRowLeft>4<SUP>th</SUP>&nbsp; Ticketed =
Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5201 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5201 =
header53">2</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5201 =
header54">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5201 =
header55">VA</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5211 class=3DdataRowLeft>4<SUP>th</SUP> Fare Basis =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5211 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5211 =
header53">1</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5211 =
header54">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5211 =

```

```

header55">G</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5221 class=3DdataRowLeft>5<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5221 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5221 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header51 subh5221 header54"><I>5<SUP>th</SUP> Airport =
Code is the=20
3 letter code for the fourth destination airport</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5221 =
header55">BNE</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5231 class=3DdataRowLeft>5<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5231 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5231 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5231 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5231 =
header55">VA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5241 class=3DdataRowLeft>5<SUP>th</SUP>&nbsp;  Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5241 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5241 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5241 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5241 =
header55">VA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5251 class=3DdataRowLeft>5<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5251 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5251 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5251 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5251 =
header55">G</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5261 class=3DdataRowLeft>6<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5261 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5261 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header51 subh5261 header54"><I>6<SUP>th</SUP> Airport =
Code is the=20
3 letter code for the fifth destination airport</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5261 =
header55">LAX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5271 class=3DdataRowLeft>6<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5271 =

```

```

header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5271 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5271 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5271 =
header55">IO</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5281 class=3DdataRowLeft>6<SUP>th</SUP>&nbsp;<sup>Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5281 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5281 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5281 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5281 =
header55">IO</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5291 class=3DdataRowLeft>6<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5291 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5291 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5291 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5291 =
header55">G</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5301 class=3DdataRowLeft>7<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5301 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5301 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header51 subh5301 header54"><I>7<sup>th</sup> Airport =
Code is the=20
3 letter code for the sixth destination airport.</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5301 =
header55">BOS</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5311 class=3DdataRowLeft>7<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5311 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5311 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5311 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5311 =
header55">OH</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5321 class=3DdataRowLeft>7<SUP>th</SUP>&nbsp;<sup>Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5321 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5321 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5321 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5321 =
header55">DL</TD></TR>

```

```

<TR class=3Dhighlight>
  <TD id=3Dsubh5331 class=3DdataRowLeft>7<SUP>th</SUP> Fare Basis =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5331 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5331 =
header53">1</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5331 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5331 =
header55">G</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5341 class=3DdataRowLeft>8<SUP>th</SUP> Airport =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5341 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5341 =
header53">3</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header51 subh5341 header54"><I>8<SUP>th</SUP> Airport =
Code is the=20
  3 letter code for the seventh destination airport, and in this =
example,=20
  the final destination for this ticket</I></TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5341 =
header55">DCA</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5351 class=3DdataRowLeft>8<SUP>th</SUP> Operating =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5351 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5351 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5351 =
header54"><B>If 23=20
  coupons have to be recorded, then the format continues as =
follows:</B></TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5351 =
header55">EV</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5361 class=3DdataRowLeft>8<SUP>th</SUP>&nbsp;<SUP>TICKETED</SUP> Ticketed =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5361 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5361 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5361 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5361 =
header55">DL</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5371 class=3DdataRowLeft>8<SUP>th</SUP> Fare Basis =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5371 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5371 =
header53">1</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5371 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5371 =
header55">X</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5381 class=3DdataRowLeft>9<SUP>th</SUP> Airport =
Code</TD>

```

```

<TD class=3DdataCellLeft headers=3D"header51 subh5381 =
header52">Character</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5381 =
header53">3</TD>
<TD class=3DdataCellLeft=20
headers=3D"header51 subh5381 header54"><I>9<SUP>th</SUP> Airport =
Code is the=20
3 letter code for the eight &nbsp; destination airport, and in this =
example, the final destination for this ticket</I></TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5381 =
header55">CLT</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh5391 class=3DdataRowLeft>9<SUP>th</SUP> Operating =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5391 =
header52">Character</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5391 =
header53">2</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5391 =
header54">&nbsp; </TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5391 =
header55">YV</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh5401 class=3DdataRowLeft>9<SUP>th</SUP>&nbsp;  Ticketed =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5401 =
header52">Character</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5401 =
header53">2</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5401 =
header54">&nbsp; </TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5401 =
header55">YV</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh5411 class=3DdataRowLeft>9<SUP>th</SUP> Fare Basis =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5411 =
header52">Character</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5411 =
header53">1</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5411 =
header54">&nbsp; </TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5411 =
header55">X</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh5421 class=3DdataRowLeft>10<SUP>th</SUP> Airport =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5421 =
header52">Character</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5421 =
header53">3</TD>
<TD class=3DdataCellLeft=20
headers=3D"header51 subh5421 header54"><I>10<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the ninth destination airport, and in this =
example,=20
the final destination for this ticket</I></TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5421 =
header55">ATL</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh5431 class=3DdataRowLeft>10<SUP>th</SUP> Operating =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header51 subh5431 =

```

```

header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5431 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5431 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5431 =
header55">FL</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5441 class=3DdataRowLeft>10<SUP>th</SUP>&nbsp;<Ticked =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5441 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5441 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5441 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5441 =
header55">FL</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5451 class=3DdataRowLeft>10<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5451 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5451 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5451 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5451 =
header55">Y</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5461 class=3DdataRowLeft>11<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5461 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5461 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
      headers=3D"header51 subh5461 header54"><I>11<SUP>th</SUP> Airport =
Code is=20
      the 3 letter code for the tenth destination airport, and in this =
example,=20
      the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5461 =
header55">MIA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5471 class=3DdataRowLeft>11<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5471 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5471 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5471 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5471 =
header55">MQ</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5481 class=3DdataRowLeft>11<SUP>th</SUP>&nbsp;<Ticked =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5481 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5481 =
header53">2</TD>

```

```

    <TD class=3DdataCellLeft headers=3D"header51 subh5481 =
header54">&nbsp;/TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5481 =
header55">AA</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5491 class=3DdataRowLeft>11<SUP>th</SUP> Fare Basis =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5491 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5491 =
header53">1</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5491 =
header54">&nbsp;/TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5491 =
header55">G</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5501 class=3DdataRowLeft>12<SUP>th</SUP> Airport =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5501 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5501 =
header53">3</TD>
        <TD class=3DdataCellLeft=20
headers=3D"header51 subh5501 header54"><I>12<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the eleventh destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5501 =
header55">FLL</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5511 class=3DdataRowLeft>12<SUP>th</SUP> Operating =
Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5511 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5511 =
header53">2</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5511 =
header54">&nbsp;/TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5511 =
header55">NK</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5521 class=3DdataRowLeft>12<SUP>th</SUP>&nbsp; Ticketed =
Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5521 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5521 =
header53">2</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5521 =
header54">&nbsp;/TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5521 =
header55">NK</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh5531 class=3DdataRowLeft>12<SUP>th</SUP> Fare Basis =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5531 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5531 =
header53">1</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5531 =
header54">&nbsp;/TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5531 =
header55">X</TD></TR>

```

```

<TR class=3Dhighlight>
  <TD id=3Dsubh5541 class=3DdataRowLeft>13<SUP>th</SUP> Airport =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5541 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5541 =
header53">3</TD>
  <TD class=3DdataCellLeft=20
  headers=3D"header51 subh5541 header54"><I>13<SUP>th</SUP></I><I> =
Airport=20
  Code is the 3 letter code for the twelfth destination airport, and =
in this=20
  example, the final destination for this ticket</I></TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5541 =
header55">FMY</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5551 class=3DdataRowLeft>13<SUP>th</SUP> Operating =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5551 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5551 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5551 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5551 =
header55">NK</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5561 class=3DdataRowLeft>13<SUP>th</SUP>&nbsp;<I>Ticketed =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5561 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5561 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5561 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5561 =
header55">NK</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5571 class=3DdataRowLeft>13<SUP>th</SUP> Fare Basis =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5571 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5571 =
header53">1</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5571 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5571 =
header55">X</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5581 class=3DdataRowLeft>14<SUP>th</SUP> Airport =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5581 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5581 =
header53">3</TD>
  <TD class=3DdataCellLeft=20
  headers=3D"header51 subh5581 header54"><I>14<SUP>th</SUP> Airport =
Code is=20
  the 3 letter code for the thirteenth destination airport, and in =
this=20
  example, the final destination for this ticket</I></TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5581 =
header55">ATL</TD></TR>

```

```

<TR class=3Dhighlight>
  <TD id=3Dsubh5591 class=3DdataRowLeft>14<SUP>th</SUP> Operating =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5591 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5591 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5591 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5591 =
header55">EV</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5601 class=3DdataRowLeft>14<SUP>th</SUP> &nbsp;   Ticketed =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5601 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5601 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5601 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5601 =
header55">DL</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5611 class=3DdataRowLeft>14<SUP>th</SUP> Fare Basis =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5611 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5611 =
header53">1</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5611 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5611 =
header55">Y</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5621 class=3DdataRowLeft>15<SUP>th</SUP> Airport =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5621 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5621 =
header53">3</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header51 subh5621 header54"><I>15<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the fourteenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5621 =
header55">LAS</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5631 class=3DdataRowLeft>15<SUP>th</SUP> Operating =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5631 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5631 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5631 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5631 =
header55">SY</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh5641 class=3DdataRowLeft>15<SUP>th</SUP>&nbsp;   Ticketed =
Carrier</TD>

```

```

    <TD class=3DdataCellLeft headers=3D"header51 subh5641 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5641 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5641 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5641 =
header55">SY</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh5651 class=3DdataRowLeft>15<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5651 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5651 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5651 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5651 =
header55">Y</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh5661 class=3DdataRowLeft>16<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5661 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5661 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header51 subh5661 header54"><I>16<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the fifteenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5661 =
header55">SAN</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh5671 class=3DdataRowLeft>16<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5671 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5671 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5671 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5671 =
header55">XE</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh5681 class=3DdataRowLeft>16<SUP>th</SUP> Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5681 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5681 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5681 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5681 =
header55">C0</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh5691 class=3DdataRowLeft>16<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5691 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5691 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5691 =

```

```

header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5691 =
header55">y</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5701 class=3DdataRowLeft>17<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5701 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5701 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
      headers=3D"header51 subh5701 header54"><I>17<SUP>th</SUP> Airport =
Code is=20
      the 3 letter code for the sixteenth destination airport, and in =
this=20
      example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5701 =
header55">MEX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5711 class=3DdataRowLeft>17<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5711 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5711 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5711 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5711 =
header55">AM</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5721 class=3DdataRowLeft>17<SUP>th</SUP> Ticketed</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5721 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5721 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5721 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5721 =
header55">MX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5731 class=3DdataRowLeft>17<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5731 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5731 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5731 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5731 =
header55">Y</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5741 class=3DdataRowLeft>18<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5741 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5741 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
      headers=3D"header51 subh5741 header54"><I>18<SUP>th</SUP> Airport =
Code is=20
      the 3 letter code for the seventeenth destination airport, and in =
this=20
      example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5741 =

```

```

header55">LIM</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5751 class=3DdataRowLeft>18<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5751 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5751 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5751 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5751 =
header55">AA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5761 class=3DdataRowLeft>18<SUP>th</SUP>&nbsp;<nbsp;<nbsp;<sup>Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5761 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5761 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5761 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5761 =
header55">AA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5771 class=3DdataRowLeft>18<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5771 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5771 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5771 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5771 =
header55">y</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5781 class=3DdataRowLeft>19<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5781 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5781 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header51 subh5781 header54"><I>19<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the eighteenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5781 =
header55">MEX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5791 class=3DdataRowLeft>19<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5791 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5791 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5791 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5791 =
header55">MX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5801 class=3DdataRowLeft>19<SUP>th</SUP>&nbsp;<nbsp;<sup>Ticketed =

```

```

Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5801 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5801 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5801 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5801 =
header55">MX</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh5811 class=3DdataRowLeft>19<SUP>th</SUP> Fare Basis =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5811 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5811 =
header53">1</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5811 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5811 =
header55">Y</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh5821 class=3DdataRowLeft>20<SUP>th</SUP> Airport =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5821 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5821 =
header53">3</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header51 subh5821 header54"><I>20<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the nineteenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5821 =
header55">LAX</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh5831 class=3DdataRowLeft>20<SUP>th</SUP> Operating =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5831 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5831 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5831 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5831 =
header55">AA</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh5841 class=3DdataRowLeft>20<SUP>th</SUP>&nbsp;</TD> Ticketed =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5841 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5841 =
header53">2</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5841 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5841 =
header55">AA</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh5851 class=3DdataRowLeft>20<SUP>th</SUP> Fare Basis =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5851 =
header52">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5851 =

```

```

header53">1</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5851 =
header54">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header51 subh5851 =
header55">G</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5861 class=3DdataRowLeft>21<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5861 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5861 =
header53">3</TD>
    <TD class=3DdataCellLeft=20
      headers=3D"header51 subh5861 header54"><I>21<SUP>th</SUP> Airport =
Code is=20
      the 3 letter code for the twentieth destination airport, and in =
this=20
      example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5861 =
header55">PDX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5871 class=3DdataRowLeft>21<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5871 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5871 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5871 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5871 =
header55">QX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5881 class=3DdataRowLeft>21<SUP>th</SUP>&nbsp;<nbsp;<nbsp;<sup>T
icketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5881 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5881 =
header53">2</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5881 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5881 =
header55">AS</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5891 class=3DdataRowLeft>21<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5891 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5891 =
header53">1</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5891 =
header54">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5891 =
header55">G</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh5901 class=3DdataRowLeft>22<SUP>nd</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5901 =
header52">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5901 =
header53">3</TD>
    <TD class=3DdataCellLeft headers=3D"header51 subh5901 =
header54"><I>22nd=20
      Airport Code is the 3 letter code for the twenty-first destination =

```

```

        airport, and in this example, the final destination for this =
ticket</I></TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5901 =
header55">ANC</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh5911 class=3DdataRowLeft>22<SUP>nd</SUP> Operating =
Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5911 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5911 =
header53">2</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5911 =
header54">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5911 =
header55">NW</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh5921 class=3DdataRowLeft>22nd Ticketed Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5921 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5921 =
header53">2</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5921 =
header54">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5921 =
header55">AS</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh5931 class=3DdataRowLeft>22nd Fare Basis Code</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5931 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5931 =
header53">1</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5931 =
header54">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5931 =
header55">Y</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh5941 class=3DdataRowLeft>23rd<SUP>rd </SUP>Airport =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5941 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5941 =
header53">3</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5941 =
header54"><I>23<SUP>rd=20
        </SUP>&nbsp;</I>Airport Code is the 3 letter code for the =
twenty-second=20
        destination airport, and in this example, the final destination =
for this=20
        ticket</I></TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5941 =
header55">BNE</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh5951 class=3DdataRowLeft>23rd Operating Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5951 =
header52">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5951 =
header53">2</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5951 =
header54">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header51 subh5951 =
header55">VA</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh5961 class=3DdataRowLeft>23<SUP>rd </SUP>&nbsp;</TD> Ticketed =

```

Carrier

Character	2		VA
Character	1		G
th	24	th	24
Character	3	th	24

SYD

RECORD FORMAT:

The **Origin-Destination Survey** reports must be created as an electronic "comma separated values" file, using ASCII text character encoding, for uploading via the "eSubmit" application.

The comma separated values file **MUST BE** indicated when naming the file with file extension [CSV] or [csv] following the file name.

The file name is flexible and may be determined by the individual air carrier, but the comma separated values (csv) file format is required, outlined in the rule entitled, *Submitting Airline Data via the Internet*.

The fields in the sample record shown below follow the same order as above record description, separated by commas, and saved with the file extension of .csv.

Suggested file name: XX201003-OND.csv

Sample Record Format:

XX, 94, 4913, 1, BOS, IO, XX, G, LAX, VA, VA, G, SYD, --, --, , CNS, DJ, VA, G, BNE, VA, VA, G, LAX, IO, IO, G, BOS

NOTE: The second itinerary in the sample record format above indicates a surface segment between SYD and CNS. The --, --, , indicate the positions

two carriers and fare code would have occupied had there been air =
transportation=20
between the two airports.</P>
<H4>PART 241 =E2=80=93 Passenger Origin-Destination Survey =
Report</H4>
<P>OMB NO: 2139-0001
EXPIRATION DATE: 2/28/2014</P>
<P>Paperwork Reduction Act Burden Statement</P>
<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. ; The OMB Control Number for this information =
collection is=20
2139-0001. ; Public reporting for this collection of information is=20
estimated to be approximately 60 hours per response, including the time =
for=20
reviewing instructions, completing and reviewing the collection of=20
information. ; All responses to this collection of information are=20
mandatory, as authorized by 14 CFR, Part 241. Send comments regarding =
this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Marianne Seguin, OAI/BTS/RITA, RTS-42, Room E34, 1200 New =
Jersey=20
Avenue, SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:marianne.seguin@dot.gov">marianne.seguin@dot.gov.</P>
<P>REQUIREMENTS</P>
<P>RECORD DESCRIPTION: ; Origin-Destination Survey Report =
=E2=80=93 Foreign=20
Carriers</P>

Field Description	Data Type	Length	Comments	Sample Data
Carrier code	Character	2	IATA =	code
Year	Numeric	3	Date: =	YYQ Where=20
			'09' =3D Year: 2009=20	=


```

<TD id=3Dsubh691 class=3DdataRowLeft>1<SUP>st</SUP> Fare Basis =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh691 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh691 =
header63">1</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh691 header64">C -=20
Unrestricted Business Class D - Restricted Business Class F - =
Unrestricted=20
First Class G - Restricted First Class X - Restricted Coach Y -=20
Unrestricted Coach U - Unknown</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh691 =
header65">G</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6101 class=3DdataRowLeft>2<SUP>nd</SUP> Airport =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6101 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6101 =
header63">3</TD>
<TD class=3DdataCellLeft=20
headers=3D"header61 subh6101 header64"><I>2<SUP>nd</SUP> Airport =
Code is the=20
3 letter code for the first</I> <I>destination airport</I></TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6101 =
header65">LAX</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6111 class=3DdataRowLeft>2<SUP>nd</SUP> Operating =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6111 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6111 =
header63">2</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6111 =
header64">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6111 =
header65">VA</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6121 class=3DdataRowLeft>2<SUP>nd</SUP> Ticketed =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6121 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6121 =
header63">2</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6121 =
header64">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6121 =
header65">VA</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6131 class=3DdataRowLeft>2<SUP>nd</SUP> Fare Basis =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6131 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6131 =
header63">1</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6131 =
header64">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6131 =
header65">G</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6141 class=3DdataRowLeft>3<SUP>rd</SUP>&nbsp;  Airport =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6141 =
header62">&nbsp; </TD>

```

```
<TD class=3DdataCellLeft headers=3D"header61 subh6141 =
header63">&nbsp;</TD>
<TD class=3DdataCellLeft=20
headers=3D"header61 subh6141 header64">3<SUP>rd</SUP><I> Airport =
Code is the=20
3 letter code for the second</I> <I>destination airport</I></TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6141 =
header65">SYD</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6151 class=3DdataRowLeft>3<SUP>rd</SUP> Operating =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6151 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6151 =
header63">2</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6151 =
header64"><I>Surface=20
Segment Indicator =E2=80=93 for Operating Carrier.</I></TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6151 =
header65">--</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6161 class=3DdataRowLeft>3<SUP>rd</SUP> Ticketed =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6161 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6161 =
header63">2</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6161 =
header64"><I>Surface=20
Segment Indicator =E2=80=93 for Ticketed Carrier</I></TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6161 =
header65">--</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6171 class=3DdataRowLeft>3<SUP>rd</SUP> Fare Basis =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6171 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6171 =
header63">1</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6171 =
header64"><I>For surface=20
travel segment</I></TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6171 =
header65">&nbsp;</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6181 class=3DdataRowLeft>4<SUP>th</SUP> Airport =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6181 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6181 =
header63">3</TD>
<TD class=3DdataCellLeft=20
headers=3D"header61 subh6181 header64">4<SUP>th</SUP><I>Airport =
Code is the=20
3 letter code for the third</I> <I>destination airport</I></TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6181 =
header65">CNS</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6191 class=3DdataRowLeft>4<SUP>th</SUP> Operating =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6191 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6191 =
header63">2</TD>
```



```

        <TD class=3DdataCellLeft headers=3D"header61 subh6251 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6251 =
header63">1</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6251 =
header64">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6251 =
header65">G</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh6261 class=3DdataRowLeft>6<SUP>th</SUP> Airport =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6261 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6261 =
header63">3</TD>
        <TD class=3DdataCellLeft=20
        headers=3D"header61 subh6261 header64"><I>6<SUP>th</SUP> Airport =
Code is the=20
        3 letter code for the fifth destination airport</I></TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6261 =
header65">LAX</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh6271 class=3DdataRowLeft>6<SUP>th</SUP> Operating =
Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6271 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6271 =
header63">2</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6271 =
header64">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6271 =
header65">IO</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh6281 class=3DdataRowLeft>6<SUP>th</SUP>&nbsp;<SUP>th</SUP> Ticketed =
Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6281 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6281 =
header63">2</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6281 =
header64">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6281 =
header65">IO</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh6291 class=3DdataRowLeft>6<SUP>th</SUP> Fare Basis =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6291 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6291 =
header63">1</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6291 =
header64">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6291 =
header65">G</TD></TR>
        <TR class=3Dhighlight>
        <TD id=3Dsubh6301 class=3DdataRowLeft>7<SUP>th</SUP> Airport =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6301 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6301 =
header63">3</TD>
        <TD class=3DdataCellLeft=20
        headers=3D"header61 subh6301 header64"><I>7<SUP>th</SUP> Airport =
Code is the=20

```

3 letter code for the sixth destination airport and in this =
example, the=20
final destination for this ticket</I></TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6301 =
header65">BOS</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6311 class=3DdataRowLeft>8th Airport =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6311 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6311 =
header63">3</TD>
<TD class=3DdataCellLeft=20
headers=3D"header61 subh6311 header64"><I>8th Airport =
Code is the=20
3 letter code for the seventh destination airport, and in this =
example,=20
the final destination for this ticket</I></TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6311 =
header65">DCA</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6321 class=3DdataRowLeft>8th Operating =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6321 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6321 =
header63">2</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6321 =
header64">If 23=20
coupons have to be recorded, then the format continues as =
follows:</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6321 =
header65">EV</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6331 class=3DdataRowLeft>8th Ticketed =
Carrier</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6331 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6331 =
header63">2</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6331 =
header64"> </TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6331 =
header65">DL</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6341 class=3DdataRowLeft>8th Fare Basis =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6341 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6341 =
header63">1</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6341 =
header64"> </TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6341 =
header65">X</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh6351 class=3DdataRowLeft>9th Airport =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6351 =
header62">Character</TD>
<TD class=3DdataCellLeft headers=3D"header61 subh6351 =
header63">3</TD>
<TD class=3DdataCellLeft=20
headers=3D"header61 subh6351 header64"><I>9th Airport =

```

Code is the=20
    3 letter code for the eight &nbsp;destination airport, and in this =

    example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6351 =
header65">CLT</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6361 class=3DdataRowLeft>9<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6361 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6361 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6361 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6361 =
header65">YV</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6371 class=3DdataRowLeft>9<SUP>th</SUP>&nbsp; Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6371 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6371 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6371 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6371 =
header65">YV</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6381 class=3DdataRowLeft>9<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6381 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6381 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6381 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6381 =
header65">X</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6391 class=3DdataRowLeft>10<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6391 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6391 =
header63">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header61 subh6391 header64"><I>10<SUP>th</SUP> Airport =
Code is=20
    the 3 letter code for the ninth destination airport, and in this =
example,=20
    the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6391 =
header65">ATL</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6401 class=3DdataRowLeft>10<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6401 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6401 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6401 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6401 =

```

```

header65">FL</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6411 class=3DdataRowLeft>10<SUP>th</SUP>&nbsp;Ticketed =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6411 =
header62">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6411 =
header63">2</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6411 =
header64">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6411 =
header65">FL</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6421 class=3DdataRowLeft>10<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6421 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6421 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6421 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6421 =
header65">Y</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6431 class=3DdataRowLeft>11<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6431 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6431 =
header63">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header61 subh6431 header64"><I>11<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the tenth destination airport, and in this =
example,=20
the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6431 =
header65">MIA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6441 class=3DdataRowLeft>11<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6441 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6441 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6441 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6441 =
header65">MQ</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6451 class=3DdataRowLeft>11<SUP>th</SUP>&nbsp;Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6451 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6451 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6451 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6451 =
header65">AA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6461 class=3DdataRowLeft>11<SUP>th</SUP> Fare Basis =

```

```

Code</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6461 =
header62">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6461 =
header63">1</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6461 =
header64">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6461 =
header65">G</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh6471 class=3DdataRowLeft>12<SUP>th</SUP> Airport =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6471 =
header62">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6471 =
header63">3</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header61 subh6471 header64"><I>12<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the eleventh destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6471 =
header65">FLL</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh6481 class=3DdataRowLeft>12<SUP>th</SUP> Operating =
Carrier</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6481 =
header62">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6481 =
header63">2</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6481 =
header64">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6481 =
header65">NK</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh6491 class=3DdataRowLeft>12<SUP>th</SUP>&nbsp;<TD class=3DdataCellLeft headers=3D"header61 subh6491 =
header62">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6491 =
header63">2</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6491 =
header64">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6491 =
header65">NK</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh6501 class=3DdataRowLeft>12<SUP>th</SUP> Fare Basis =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6501 =
header62">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6501 =
header63">1</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6501 =
header64">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6501 =
header65">X</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh6511 class=3DdataRowLeft>13<SUP>th</SUP> Airport =
Code</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6511 =
header62">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6511 =

```

```

header63">3</TD>
  <TD class=3DdataCellLeft=20
    headers=3D"header61 subh6511 header64"><I>13<SUP>th</SUP></I><I> =
Airport=20
  Code is the 3 letter code for the twelfth destination airport, and =
in this=20
    example, the final destination for this ticket</I></TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6511 =
header65">FMY</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6521 class=3DdataRowLeft>13<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6521 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6521 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6521 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6521 =
header65">NK</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6531 class=3DdataRowLeft>13<SUP>th</SUP>&nbsp;<I>Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6531 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6531 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6531 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6531 =
header65">NK</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6541 class=3DdataRowLeft>13<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6541 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6541 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6541 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6541 =
header65">X</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6551 class=3DdataRowLeft>14<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6551 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6551 =
header63">3</TD>
    <TD class=3DdataCellLeft=20
      headers=3D"header61 subh6551 header64"><I>14<SUP>th</SUP> Airport =
Code is=20
      the 3 letter code for the thirteenth destination airport, and in =
this=20
        example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6551 =
header65">ATL</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6561 class=3DdataRowLeft>14<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6561 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6561 =

```

```

header63">2</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6561 =
header64">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6561 =
header65">EV</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6571 class=3DdataRowLeft>14<SUP>th</SUP>&nbsp;<TD class=3DdataCellLeft headers=3D"header61 subh6571 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6571 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6571 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6571 =
header65">DL</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6581 class=3DdataRowLeft>14<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6581 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6581 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6581 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6581 =
header65">Y</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6591 class=3DdataRowLeft>15<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6591 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6591 =
header63">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header61 subh6591 header64"><I>15<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the fourteenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6591 =
header65">LAS</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6601 class=3DdataRowLeft>15<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6601 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6601 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6601 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6601 =
header65">SY</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6611 class=3DdataRowLeft>15<SUP>th</SUP>&nbsp;<TD class=3DdataCellLeft headers=3D"header61 subh6611 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6611 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6611 =
header64">&nbsp;</TD>

```

```

    <TD class=3DdataCellLeft headers=3D"header61 subh6611 =
header65">SY</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6621 class=3DdataRowLeft>15<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6621 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6621 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6621 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6621 =
header65">Y</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6631 class=3DdataRowLeft>16<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6631 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6631 =
header63">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header61 subh6631 header64"><I>16<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the fifteenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6631 =
header65">SAN</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6641 class=3DdataRowLeft>16<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6641 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6641 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6641 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6641 =
header65">XE</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6651 class=3DdataRowLeft>16<SUP>th</SUP> Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6651 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6651 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6651 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6651 =
header65">C0</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6661 class=3DdataRowLeft>16<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6661 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6661 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6661 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6661 =
header65">y</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6671 class=3DdataRowLeft>17<SUP>th</SUP> Airport =
Code</TD>

```

```

    <TD class=3DdataCellLeft headers=3D"header61 subh6671 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6671 =
header63">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header61 subh6671 header64"><I>17<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the sixteenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6671 =
header65">MEX</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6681 class=3DdataRowLeft>17<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6681 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6681 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6681 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6681 =
header65">AM</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6691 class=3DdataRowLeft>17<SUP>th</SUP> Ticketed</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6691 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6691 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6691 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6691 =
header65">MX</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6701 class=3DdataRowLeft>17<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6701 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6701 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6701 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6701 =
header65">Y</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6711 class=3DdataRowLeft>18<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6711 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6711 =
header63">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header61 subh6711 header64"><I>18<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the seventeenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6711 =
header65">LIM</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6721 class=3DdataRowLeft>18<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6721 =
header62">Character</TD>

```

```

    <TD class=3DdataCellLeft headers=3D"header61 subh6721 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6721 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6721 =
header65">AA</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh6731 class=3DdataRowLeft>18<SUP>th</SUP>&nbsp;<td colspan=3>Ticketed =
Carrier</td>
        <TD class=3DdataCellLeft headers=3D"header61 subh6731 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6731 =
header63">2</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6731 =
header64">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6731 =
header65">AA</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh6741 class=3DdataRowLeft>18<SUP>th</SUP> Fare Basis =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6741 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6741 =
header63">1</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6741 =
header64">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6741 =
header65">y</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh6751 class=3DdataRowLeft>19<SUP>th</SUP> Airport =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6751 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6751 =
header63">3</TD>
        <TD class=3DdataCellLeft=20
headers=3D"header61 subh6751 header64"><I>19<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the eighteenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6751 =
header65">MEX</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh6761 class=3DdataRowLeft>19<SUP>th</SUP> Operating =
Carrier</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6761 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6761 =
header63">2</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6761 =
header64">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6761 =
header65">MX</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh6771 class=3DdataRowLeft>19<SUP>th</SUP>&nbsp;<td colspan=3>Ticketed =
Carrier</td>
        <TD class=3DdataCellLeft headers=3D"header61 subh6771 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6771 =
header63">2</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6771 =

```

```

header64">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header61 subh6771 =
header65">MX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6781 class=3DdataRowLeft>19<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6781 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6781 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6781 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6781 =
header65">Y</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6791 class=3DdataRowLeft>20<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6791 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6791 =
header63">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header61 subh6791 header64"><I>20<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the nineteenth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6791 =
header65">LAX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6801 class=3DdataRowLeft>20<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6801 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6801 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6801 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6801 =
header65">AA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6811 class=3DdataRowLeft>20<SUP>th</SUP>&nbsp;<TD class=3DdataCellLeft headers=3D"header61 subh6811 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6811 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6811 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6811 =
header65">AA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh6821 class=3DdataRowLeft>20<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6821 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6821 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6821 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6821 =
header65">G</TD></TR>
  <TR class=3Dhighlight>

```

```

    <TD id=3Dsubh6831 class=3DdataRowLeft>21<SUP>th</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6831 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6831 =
header63">3</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header61 subh6831 header64"><I>21<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the twentieth destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6831 =
header65">PDX</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6841 class=3DdataRowLeft>21<SUP>th</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6841 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6841 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6841 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6841 =
header65">QX</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6851 class=3DdataRowLeft>21<SUP>th</SUP>&nbsp;<TD id=3Dsubh6851 class=3DdataRowLeft>21<SUP>th</SUP> Ticked =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6851 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6851 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6851 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6851 =
header65">AS</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6861 class=3DdataRowLeft>21<SUP>th</SUP> Fare Basis =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6861 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6861 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6861 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6861 =
header65">G</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6871 class=3DdataRowLeft>22<SUP>nd</SUP> Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6871 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6871 =
header63">3</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6871 =
header64"><I>22nd=20
Airport Code is the 3 letter code for the twenty-first destination =
airport, and in this example, the final destination for this =
ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6871 =
header65">ANC</TD></TR>
    <TR class=3Dhighlight>

```

```

    <TD id=3Dsubh6881 class=3DdataRowLeft>22<SUP>nd</SUP> Operating =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6881 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6881 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6881 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6881 =
header65">NW</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6891 class=3DdataRowLeft>22nd Ticketed Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6891 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6891 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6891 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6891 =
header65">AS</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6901 class=3DdataRowLeft>22nd Fare Basis Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6901 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6901 =
header63">1</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6901 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6901 =
header65">Y</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6911 class=3DdataRowLeft>23rd<SUP>rd </SUP>Airport =
Code</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6911 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6911 =
header63">3</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6911 =
header64"><I>23<SUP>rd=20
    </SUP>&nbsp;</I>&nbsp;</I>&nbsp;</I>Airport Code is the 3 letter code for the =
twenty-second=20
    destination airport, and in this example, the final destination =
for this=20
    ticket</I></TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6911 =
header65">BNE</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6921 class=3DdataRowLeft>23rd Operating Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6921 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6921 =
header63">2</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6921 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6921 =
header65">VA</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh6931 class=3DdataRowLeft>23<SUP>rd </SUP>&nbsp;</SUP>&nbsp;</SUP>Ticketed =
Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6931 =
header62">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6931 =
header63">2</TD>

```

```

    <TD class=3DdataCellLeft headers=3D"header61 subh6931 =
header64">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header61 subh6931 =
header65">VA</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh6941 class=3DdataRowLeft>23<SUP>rd </SUP>&nbsp;Fare =
Basis Code</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6941 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6941 =
header63">1</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6941 =
header64">&nbsp;</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6941 =
header65">G</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh6951 class=3DdataRowLeft>24<SUP>th</SUP> Airport =
Code</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6951 =
header62">Character</TD>
        <TD class=3DdataCellLeft headers=3D"header61 subh6951 =
header63">3</TD>
        <TD class=3DdataCellLeft=20
headers=3D"header61 subh6951 header64"><I>24<SUP>th</SUP> Airport =
Code is=20
the 3 letter code for the twenty-third destination airport, and in =
this=20
example, the final destination for this ticket</I></TD>
        <TD class=3DdataCellLeft=20
headers=3D"header61 subh6951 header65">SYD</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>Origin-Destination Survey</B><B> </B>reports must be created =
as an=20
electronic "comma separated values" file, using ASCII text character =
encoding,=20
for uploading via the "eSubmit" application.&nbsp;</P>
<P>The comma separated values file MUST BE indicated when naming the =
file with=20
file extension [CSV] or [csv] following the file name.</P>
<P>The file name is flexible and may be determined by the individual air =
carrier, but the comma separated values (csv) file format is required, =
as=20
outlined in the rule entitled, <I>Submitting Airline Data via the=20
Internet</I>.&nbsp;</P>
<P>The fields in the sample record shown below follow the same order as =
the=20
above record description, separated by commas, and saved with the file =
name=20
extension of .csv.</P>
<P>Suggested file name: XX201003-FOND<B>.csv&nbsp;</B></P>
<P><B>Sample Record Format: </B></P>
<P>XX, 94, 1234, 1, B0S, IO, XX, G, LAX, VA, VA, G, SYD, --, --, , CNS, DJ, VA, G, BNE, VA, VA, =
G, LAX, IO, IO, G, B0S</P>
<P>NOTE:</P>
<P>The second itinerary in the sample record format above indicates a =
surface=20
segment between SYD and CNS. The --, --, , indicate the positions where =
the=20
ticketing carrier, the&nbsp; operating carrier, and the fare basis code=20
information would have been entered had there been air transportation =
between=20
the two airports.</P>
<H4><B>PART 234 =E2=80=93 ASQP</B></H4>

```

<P>On-Time Data</P>

<P>OMB NO: 2138-0041
EXPIRATION DATE: 9/30/2011</P>

<P>Paperwork Reduction Act Burden Statement</P>

<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. The OMB Control Number for this information =
collection is=20
2138-0041. Public reporting for on-time performance, mishandled =
baggage,=20
is estimated to be approximately 20 hours per response, including the =
time for=20
reviewing instructions, completing and reviewing the collection of=20
information. All responses to this collection of information are=20
mandatory, as authorized by 14 CFR, Part 234. Send comments regarding =
this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Cecelia Robinson, OAI/BTS/RITA, RTS-42, Room E34, 1200 New =
Jersey=20
Avenue, SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:cecelia.robinson@dot.gov">cecelia.robinson@dot.gov.</P=

<P>REQUIREMENTS</P>

<P>RECORD DESCRIPTION: ASQP =E2=80=93 Monthly On-Time =
Data</P>

<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">

<TBODY>

<TR>

<TH id=3Dheader71 class=3Dcolheadone>Field Description</TH>

<TH id=3Dheader72 class=3Dcolheadone>Data Type</TH>

<TH id=3Dheader73 class=3Dcolheadone>Length</TH>

<TH id=3Dheader74 class=3Dcolheadone>Comments</TH>

<TH id=3Dheader75 class=3Dcolheadone>Sample Data</TH></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh721 class=3DdataRowLeft>Carrier code</TD>

<TD class=3DdataCellLeft headers=3D"header71 subh721 =
header72">Character</TD>

<TD class=3DdataCellLeft headers=3D"header71 subh721 =
header73">2</TD>

<TD class=3DdataCellLeft headers=3D"header71 subh721 header74">IATA =
code</TD>

<TD class=3DdataCellLeft headers=3D"header71 subh721 =
header75">XX</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh731 class=3DdataRowLeft>Flight number</TD>

<TD class=3DdataCellLeft headers=3D"header71 subh731 =
header72">Character</TD>

<TD class=3DdataCellLeft headers=3D"header71 subh731 =
header73">4</TD>

<TD class=3DdataCellLeft headers=3D"header71 subh731 =
header74"> </TD>

<TD class=3DdataCellLeft headers=3D"header71 subh731 =
header75">1234</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh741 class=3DdataRowLeft>Origin airport code</TD>

<TD class=3DdataCellLeft headers=3D"header71 subh741 =

```

header72">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh741 =
header73">3</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh741 =
header74">Airport code</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh741 =
header75">DFW</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh751 class=3DdataRowLeft>Destination airport code</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh751 =
header72">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh751 =
header73">3</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh751 =
header74">Airport code</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh751 =
header75">BNA</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh761 class=3DdataRowLeft>Date of flight operation</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh761 =
header72">DATE</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh761 =
header73">ccyyymmdd</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh761 header74">Year =
(CCY) </TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh761 =
header75">20100301</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh771 class=3DdataRowLeft>Day of the week of flight =
operation</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh771 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh771 =
header73">1</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh771 header74">Mon =
=3D 1, Sun =3D=20
7</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh771 =
header75">1</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh781 class=3DdataRowLeft>Scheduled departure time as =
shown in=20
Official Airline Guide (OAG)</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh781 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh781 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh781 header74">24 =
hour=20
clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh781 =
header75">0735</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh791 class=3DdataRowLeft>Scheduled departure time as =
shown in=20
CRS</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh791 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh791 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh791 header74">24 =
hour=20
clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh791 =

```

```

header75">0735</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7101 class=3DdataRowLeft>Gate departure time =
(actual)</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7101 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7101 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7101 header74">24 =
hour=20
clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7101 =
header75">0737</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7111 class=3DdataRowLeft>Scheduled arrival time</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7111 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7111 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7111 header74">24 =
hour=20
clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7111 =
header75">0915</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7121 class=3DdataRowLeft>Scheduled arrival time per =
CRS</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7121 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7121 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7121 header74">24 =
hour=20
clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7121 =
header75">0915</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7131 class=3DdataRowLeft>Gate arrival time =
(actual)</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7131 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7131 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7131 header74">24 =
hour=20
clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7131 =
header75">1148</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7141 class=3DdataRowLeft>Difference between OAG and CRS =
scheduled=20
departure times</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7141 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7141 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7141 header74">In =
minutes =E2=80=93 G=20
minus H (2 hours=3D120 min)</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7141 =
header75">0</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7151 class=3DdataRowLeft>Difference between OAG and CRS =
scheduled=20

```

```

    arrival times</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7151 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7151 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7151 header74">In =
minutes =E2=80=93 J=20
    minus K</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7151 =
header75">0</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7161 class=3DdataRowLeft>Scheduled elapsed time</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7161 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7161 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7161 header74">In =
minutes =E2=80=93 K=20
    minus H</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7161 =
header75">100</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7171 class=3DdataRowLeft>Gate-to-Gate Time</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7171 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7171 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7171 header74">In =
minutes =E2=80=93 L=20
    minus I</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7171 =
header75">251</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7181 class=3DdataRowLeft>Departure delay time (actual =
minutes=20
    CRS)</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7181 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7181 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7181 header74">In =
minutes =E2=80=93 I=20
    minus H</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7181 =
header75">2</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7191 class=3DdataRowLeft>Arrival delay time (actual =
minutes=20
    CRS)</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7191 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7191 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7191 header74">In =
minutes =E2=80=93 L=20
    minus K</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7191 =
header75">153</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7201 class=3DdataRowLeft>Elapsed time difference =
(actual minutes=20
    CRS)</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7201 =
header72">Numeric</TD>

```

```
<TD class=3DdataCellLeft headers=3D"header71 subh7201 =
header73">4</TD>
<TD class=3DdataCellLeft headers=3D"header71 subh7201 header74">In =
minutes =E2=80=93 P=20
  minus 0</TD>
<TD class=3DdataCellLeft headers=3D"header71 subh7201 =
header75">151</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7211 class=3DdataRowLeft>Wheels-off time (actual)</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7211 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7211 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7211 header74">24 =
hour=20
  clock</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7211 =
header75">0753</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7221 class=3DdataRowLeft>Wheels-on time (actual)</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7221 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7221 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7221 header74">24 =
hour=20
  clock</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7221 =
header75">1141</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7231 class=3DdataRowLeft>Aircraft tail number</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7231 =
header72">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7231 =
header73">6</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7231 =
header74">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7231 =
header75">N123XX</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7241 class=3DdataRowLeft>Cancellation code</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7241 =
header72">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7241 =
header73">1</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7241 =
header74">Values are A,=20
  B, C, D</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7241 =
header75">&nbsp;</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7251 class=3DdataRowLeft>Minutes late for Delay Code E =
=E2=80=93 Carrier=20
  Caused</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7251 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7251 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7251 header74">In =
minutes</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7251 =
header75">&nbsp;</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7261 class=3DdataRowLeft>Minutes late for Delay Code F =
```



```

header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7311 header74">In =
minutes</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7311 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7321 class=3DdataRowLeft>Longest ground time away from =
gate</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7321 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7321 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7321 header74">In =
minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7321 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7331 class=3DdataRowLeft>Number of landings at diverted =

airports</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7331 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7331 =
header73">1</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7331 header74">1 to =
5 for=20
diversions, 9 designates a fly return canceled flight</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7331 =
header75">1</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7341 class=3DdataRowLeft>Diverted airport code 1</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7341 =
header72">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7341 =
header73">3</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7341 =
header74">Airport=20
code</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7341 =
header75">MEM</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7351 class=3DdataRowLeft>Wheels-on time at diverted =
airport</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7351 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7351 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7351 header74">24 =
hour=20
clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7351 =
header75">1005</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7361 class=3DdataRowLeft>Total ground time away from =
gate at=20
diverted airport</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7361 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7361 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7361 header74">In =
minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7361 =
header75">69</TD></TR>

```

```

<TR class=3Dhighlight>
  <TD id=3Dsubh7371 class=3DdataRowLeft>Longest ground time away from =
gate at=20
  diverted airport</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7371 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7371 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7371 header74">In =
minutes</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7371 =
header75">69</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh7381 class=3DdataRowLeft>Wheels-off time (actual)&nbsp;=
at=20
  diverted airport</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7381 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7381 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7381 header74">24 =
hour=20
  clock</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7381 =
header75">1114</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh7391 class=3DdataRowLeft>Aircraft tail number</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7391 =
header72">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7391 =
header73">6</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7391 =
header74">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7391 =
header75">N234XX</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh7401 class=3DdataRowLeft>Diverted airport code 2</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7401 =
header72">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7401 =
header73">3</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7401 =
header74">Airport=20
code</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7401 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh7411 class=3DdataRowLeft>Wheels-on time at diverted =
airport</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7411 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7411 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7411 header74">24 =
hour=20
  clock</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7411 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
  <TD id=3Dsubh7421 class=3DdataRowLeft>Total ground time away from =
gate at=20
  diverted airport</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7421 =
header72">Numeric</TD>

```

```

    <TD class=3DdataCellLeft headers=3D"header71 subh7421 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7421 header74">In =
minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7421 =
header75">&nbsp;</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7431 class=3DdataRowLeft>Longest ground time away from =
gate at=20
    diverted airport</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7431 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7431 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7431 header74">In =
minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7431 =
header75">&nbsp;</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7441 class=3DdataRowLeft>Wheels-off time (actual)&nbsp;< =
at=20
    diverted airport</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7441 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7441 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7441 header74">24 =
hour=20
    clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7441 =
header75">&nbsp;</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7451 class=3DdataRowLeft>Aircraft tail number</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7451 =
header72">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7451 =
header73">6</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7451 =
header74">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7451 =
header75">&nbsp;</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7461 class=3DdataRowLeft>Diverted airport code 3</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7461 =
header72">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7461 =
header73">3</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7461 =
header74">Airport=20
code</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7461 =
header75">&nbsp;</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh7471 class=3DdataRowLeft>Wheels-on Time at Diverted =
Airport</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7471 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7471 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7471 header74">24 =
hour=20
    clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7471 =
header75">&nbsp;</TD></TR>

```

```

<TR class=3Dhighlight>
  <TD id=3Dsubh7481 class=3DdataRowLeft>Total ground time away from =
gate at=20
  diverted airport</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7481 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7481 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7481 header74">In =
minutes</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7481 =
header75">&nbsp;</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7491 class=3DdataRowLeft>Longest ground time away from =
gate at=20
  diverted airport</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7491 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7491 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7491 header74">In =
minutes</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7491 =
header75">&nbsp;</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7501 class=3DdataRowLeft>Wheels-off time (actual)&nbsp;< =
at=20
  diverted airport</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7501 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7501 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7501 header74">24 =
hour=20
  c lock</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7501 =
header75">&nbsp;</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7511 class=3DdataRowLeft>Aircraft tail number</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7511 =
header72">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7511 =
header73">6</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7511 =
header74">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7511 =
header75">&nbsp;</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7521 class=3DdataRowLeft>Diverted airport code 4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7521 =
header72">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7521 =
header73">3</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7521 =
header74">Airport=20
code</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7521 =
header75">&nbsp;</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh7531 class=3DdataRowLeft>Wheels-on time at diverted =
airport</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7531 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7531 =

```

```
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7531 header74">24 =
hour=20
clock</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7531 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7541 class=3DdataRowLeft>Total ground time away from =
gate at=20
  diverted airport</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7541 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7541 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7541 header74">In =
minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7541 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7551 class=3DdataRowLeft>Longest ground time away from =
gate at=20
  diverted airport</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7551 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7551 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7551 header74">In =
minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7551 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7561 class=3DdataRowLeft>Wheels-off time (actual)&nbsp;< =
at=20
  diverted airport</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7561 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7561 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7561 header74">24 =
hour=20
clock</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7561 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7571 class=3DdataRowLeft>Aircraft tail number</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7571 =
header72">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7571 =
header73">6</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7571 =
header74">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7571 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7581 class=3DdataRowLeft>Diverted airport code 5</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7581 =
header72">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7581 =
header73">3</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7581 =
header74">Airport=20
code</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7581 =
header75">&nbsp;</TD></TR>
```

```

<TR class=3Dhighlight>
  <TD id=3Dsubh7591 class=3DdataRowLeft>Wheels-on time at diverted =
airport</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7591 =
header72">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7591 =
header73">4</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7591 header74">24 =
hour=20
  clock</TD>
  <TD class=3DdataCellLeft headers=3D"header71 subh7591 =
header75">&nbsp;</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh7601 class=3DdataRowLeft>Total ground time away from =
gate at=20
    diverted airport</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7601 =
header72">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7601 =
header73">4</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7601 header74">In =
minutes</TD>
    <TD class=3DdataCellLeft headers=3D"header71 subh7601 =
header75">&nbsp;</TD></TR>
    <TR class=3Dhighlight>
      <TD id=3Dsubh7611 class=3DdataRowLeft>Longest ground time away from =
gate at=20
      diverted airport</TD>
      <TD class=3DdataCellLeft headers=3D"header71 subh7611 =
header72">Numeric</TD>
      <TD class=3DdataCellLeft headers=3D"header71 subh7611 =
header73">4</TD>
      <TD class=3DdataCellLeft headers=3D"header71 subh7611 header74">In =
minutes</TD>
      <TD class=3DdataCellLeft headers=3D"header71 subh7611 =
header75">&nbsp;</TD></TR>
      <TR class=3Dhighlight>
        <TD id=3Dsubh7621 class=3DdataRowLeft>Wheels-off time (actual)&nbsp;< =
at=20
        diverted airport</TD>
        <TD class=3DdataCellLeft headers=3D"header71 subh7621 =
header72">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header71 subh7621 =
header73">4</TD>
        <TD class=3DdataCellLeft headers=3D"header71 subh7621 header74">24 =
hour=20
        clock</TD>
        <TD class=3DdataCellLeft headers=3D"header71 subh7621 =
header75">&nbsp;</TD></TR>
        <TR class=3Dhighlight>
          <TD id=3Dsubh7631 class=3DdataRowLeft>Aircraft tail number</TD>
          <TD class=3DdataCellLeft headers=3D"header71 subh7631 =
header72">Character</TD>
          <TD class=3DdataCellLeft headers=3D"header71 subh7631 =
header73">6</TD>
          <TD class=3DdataCellLeft headers=3D"header71 subh7631 =
header74">&nbsp;</TD>
          <TD class=3DdataCellLeft=20
headers=3D"header71 subh7631 =
header75">&nbsp;</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>ASQP - On Time Data</B> reports must be created as an =
electronic=20
"comma separated values" file, using ASCII text character encoding, for=20

```


Once signed, the **On-Time Data Transmittal Letter** must be published as an electronic "portable document format" file format, for uploading to the eSubmit application.

The portable document format file **MUST BE** indicated when naming the file, by using the letters [PDF] or [pdf] following the file name, as the file extension. You must have Adobe Reader software downloaded on your computer in order to "save as/print" your document as a 'pdf' file.

While the file name is flexible and may be determined by the individual air carrier, the portable document format (pdf) file format is required, as outlined in the rule entitled, *Submitting Airline Data via the Internet*.

Suggested file name: XX201003-234transmittal.pdf

PART 234 ASQP Mishandled Baggage Report

OMB NO: 2138-0041
EXPIRATION DATE: 9/30/2011

Paperwork Reduction Act Burden Statement

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2138-0041. Public reporting for on-time performance, mishandled baggage is estimated to be approximately 20 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information. All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 234. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, Cecelia Robinson, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey Avenue, SE, Washington, D.C. 20590 or e-mail cecelia.robinson@dot.gov.

REQUIREMENTS

RECORD DESCRIPTION: ASQP Mishandled Baggage Report

TABLE border="1" cellspacing="1" cellpadding="5" width="100%"

<TBODY>

<TR>

<TH id="header81" class="colheadone">Field Description</TH>

<TH id="header82" class="colheadone">Data Type</TH>

<TH id="header83" class="colheadone">Length</TH>

<TH id="header84" class="colheadone">Comments</TH>

<TH id="header85" class="colheadone">Sample Data</TH></TR>

<TR class="highlight">

<TD id="subh821" class="dataRowLeft">Carrier code</TD>

<TD class="dataCellLeft" headers="header81 subh821 =

```

header82">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header81 subh821 =
header83">2</TD>
  <TD class=3DdataCellLeft headers=3D"header81 subh821 header84">Two =
letter IATA=20
  code</TD>
  <TD class=3DdataCellLeft headers=3D"header81 subh821 =
header85">XX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh831 class=3DdataRowLeft>Year of Data</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh831 =
header82">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh831 =
header83">4</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh831 header84">Year =
(CCYY)</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh831 =
header85">2010</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh841 class=3DdataRowLeft>Month of Data</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh841 =
header82">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh841 =
header83">2</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh841 header84">Month =
(MM)</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh841 =
header85">03</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh851 class=3DdataRowLeft>Number of Domestic Scheduled =
Passengers=20
    Enplaned</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh851 =
header82">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh851 =
header83">Varies</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh851 =
header84">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh851 =
header85">8004000</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh861 class=3DdataRowLeft>Number of Mishandled Baggage =
Reports=20
    Filed with Carrier</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh861 =
header82">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh861 =
header83">Varies</TD>
    <TD class=3DdataCellLeft headers=3D"header81 subh861 =
header84">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header81 subh861 header85">35000</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>ASQP =E2=80=93 Mishandled Baggage </B>reports must be created =
as an electronic=20
"comma separated values" file, using ASCII text character encoding, for=20
uploading via the "eSubmit" application.&nbsp;</P>
<P>The comma separated values file MUST BE indicated when naming the =
file, by=20
using the letters [CSV] or [csv] following the file name, as the file =
name=20
extension.</P>
<P>The file name is flexible and may be determined by the individual air =

```

carrier, but the comma separated values (csv) file format is required, =
as=20
outlined in the rule entitled, <I>Submitting Airline Data via the=20
Internet</I>. </P>
<P>The fields in the sample record shown below follow the same order as =
the=20
above record description, separated by commas, and saved with the file =
name=20
extension of .csv.</P>
<P>Suggested file name: XX201003-234mbr.csv</P>
<P>Sample Record Format: </P>
<P>XX,2010,03,8004000,35000</P>
<H4>PART 234 =E2=80=93 Mishandled Baggage Report =
Certification</H4>
<P>REQUIREMENTS</P>
<P>RECORD DESCRIPTION/INSTRUCTIONS: ASQP =E2=80=93 Mishandled Baggage =
Report=20
Certification</P>
<P>A certification statement for the Mishandled Baggage Report is =
required=20
identifying an appropriate official of the reporting carrier. </P> The=20
certification statement will read:</P>
<P>I, (Name) and (Title), of the above named carrier, certify that =
the=20
Mishandled Baggage Report file is to the best of my knowledge and =
belief, true,=20
correct and a complete report for the period stated.</P>
<P>Date:</P>
<P>Signature:</P>
<P>Name (Please Print or Type):</P>
<P>RECORD FORMAT:</P>
<P>Once signed, the Mishandled Baggage Report Certification must =
be=20
published as an electronic "portable document format" file format, for =
uploading=20
to the eSubmit application. </P>
<P>The portable document format file MUST BE indicated when naming the =
file, by=20
using the letters [PDF] or [pdf] following the file name, as the file =
name=20
extension. </P> You must have Adobe Reader software downloaded on your =
computer=20
in order to "save as/print" your document as a 'pdf' file. </P>
<P>While the file name is flexible and may be determined by the =
individual air=20
carrier, the portable document format (pdf) file format is required, as =
outlined=20
in the rule entitled, <I>Submitting Airline Data via the =
Internet</I>. </P>
<P>Suggested file name: XX201003-234mbrCert.pdf</P>
<H4>PART 251 - Report of Passengers Denied Confirmed Space =
Report</H4>
<P>OMB NO: 2138-0018
EXPIRATION DATE: 9/30/2011</P>
<P>Paperwork Reduction Act Burden Statement</P>
<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. </P> The OMB Control Number for this information =
collection is=20

2138-0018. Public reporting for Form 251, Report of Passengers = Denied=20 Confirmed Space, is estimated to be approximately 5 hours per response,=20 including the time for reviewing instructions, completing and reviewing = the=20 collection of information. All responses to this collection of = information=20 are mandatory, as authorized by 14 CFR, Part 250. Send comments = regarding this=20 burden estimate or any other aspect of this collection of information, = including=20 suggestions for reducing this burden to: Information Collection = Clearance=20 Officer, Cecelia Robinson, OAI/BTS/RITA, RTS-42, Room E34, 1200 New = Jersey=20 Avenue, SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20 href=3D"mailto:cecelia.robinson@dot.gov">cecelia.robinson@dot.gov.</P= >

<P>REQUIREMENTS</P>

<P>RECORD DESCRIPTION: 251 - Report of Passengers Denied = Confirmed=20 Space Report</P>

<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">

<TBODY>

<TR>

<TH id=3Dheader91 class=3Dcolheadone>Field Description</TH>

<TH id=3Dheader92 class=3Dcolheadone>Data Type</TH>

<TH id=3Dheader93 class=3Dcolheadone>Length</TH>

<TH id=3Dheader94 class=3Dcolheadone>Comments</TH>

<TH id=3Dheader95 class=3Dcolheadone>Sample Data</TH></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh921 class=3DdataRowLeft>Carrier Name</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh921 = header92">Character</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh921 = header93">30</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh921 = header94"> </TD>

<TD class=3DdataCellLeft headers=3D"header91 subh921 = header95">Atlantic=20

Southeast</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh931 class=3DdataRowLeft>OAG Carrier Code</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh931 = header92">Character</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh931 = header93">2</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh931 header94">Two = Letter=20

Code</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh931 = header95">EV</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh941 class=3DdataRowLeft>Quarter Ended</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh941 = header92">Character</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh941 = header93">6</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh941 = header94">Quarter/Year</TD>

<TD class=3DdataCellLeft headers=3D"header91 subh941 = header95">3Q2010</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh951 class=3DdataRowLeft>Number of passengers who were =

denied=20
boarding involuntarily who qualified for denied boarding =
compensation and:=20
(a) were given alternate transportation within the meaning of =
=C2=A7250.5.</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh951 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh951 =
header93">Varies</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh951 =
header94"> </TD>
<TD class=3DdataCellLeft headers=3D"header91 subh951 =
header95">1177</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh961 class=3DdataRowLeft>(b) were not given such =
alternate=20
transportation.</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh961 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh961 =
header93">Varies</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh961 =
header94"> </TD>
<TD class=3DdataCellLeft headers=3D"header91 subh961 =
header95">1358</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh971 class=3DdataRowLeft>Number of passengers denied =
boarding=20
involuntarily who did not qualify for denied boarding compensation =
due to:=20
(a) accommodation on another flight that arrived within 1 hour =
after the=20
scheduled arrival time of the original flight.</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh971 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh971 =
header93">Varies</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh971 =
header94"> </TD>
<TD class=3DdataCellLeft headers=3D"header91 subh971 =
header95">0</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh981 class=3DdataRowLeft>(b) substitution of smaller =
capacity=20
equipment.</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh981 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh981 =
header93">Varies</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh981 =
header94"> </TD>
<TD class=3DdataCellLeft headers=3D"header91 subh981 =
header95">0</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh991 class=3DdataRowLeft>(c) failure of passenger to =
comply with=20
ticketing, check-in, or reconfirmation procedures, or to be =
acceptable for=20
transportation under carrier's tariff or contract of =
carriage.</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh991 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh991 =
header93">Varies</TD>

```

<TD class=3DdataCellLeft headers=3D"header91 subh991 =
header94">&nbsp;/TD>
<TD class=3DdataCellLeft headers=3D"header91 subh991 =
header95">746</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh9101 class=3DdataRowLeft>TOTAL NUMBER DENIED BOARDING=20
INVOLUNTARILY</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9101 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9101 =
header93">Varies</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9101 =
header94">&nbsp;/TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9101 =
header95">3281</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh9111 class=3DdataRowLeft>Number of passengers denied =
boarding=20
involuntarily who actually received compensation.*</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9111 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9111 =
header93">Varies</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9111 header94">*If =
any=20
passengers qualified for denied boarding compensation but were not =
offered=20
compensation, attach a pdf statement as to the number of such =
passengers=20
and an explanation of why the offer was not made.</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9111 =
header95">2535</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh9121 class=3DdataRowLeft>Number of passengers who =
volunteered to=20
give up reserved space in exchange for a payment of the carrier's=20
choosing.</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9121 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9121 =
header93">Varies</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9121 =
header94">&nbsp;/TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9121 =
header95">28566</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh9131 class=3DdataRowLeft>Number of passengers =
accommodated in=20
another section of the aircraft: (a) Upgrades.</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9131 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9131 =
header93">Varies</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9131 =
header94">&nbsp;/TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9131 =
header95">0</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh9141 class=3DdataRowLeft>(b) Downgrades.</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9141 =
header92">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9141 =
header93">Varies</TD>
<TD class=3DdataCellLeft headers=3D"header91 subh9141 =

```

```

header94">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header91 subh9141 =
header95">0</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh9151 class=3DdataRowLeft>Total Boardings.</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9151 =
header92">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9151 =
header93">Varies</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9151 =
header94">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9151 =
header95">25450773</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh9161 class=3DdataRowLeft>Amount of compensation paid to =
passengers who: (a) were denied boarding involuntarily and were =
given=20
    alternate transportation within the meaning of =C2=A7250.5.</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9161 =
header92">Currency</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9161 =
header93">Varies</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9161 =
header94">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9161 =
header95">407092</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh9171 class=3DdataRowLeft>(b) were denied boarding =
involuntarily=20
    and were not given alternate transportation.</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9171 =
header92">Currency</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9171 =
header93">Varies</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9171 =
header94">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9171 =
header95">480726</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh9181 class=3DdataRowLeft>(c) volunteered for denied =
boarding.</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9181 =
header92">Currency</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9181 =
header93">Varies</TD>
    <TD class=3DdataCellLeft headers=3D"header91 subh9181 =
header94">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header91 subh9181 header95">0</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>251 - Report of Passengers Denied Confirmed Space Report</B> =
reports=20
must be created as an electronic "comma separated values" file, using =
ASCII text=20
character encoding, for uploading via the "eSubmit" =
application.&nbsp;</P>
<P>The comma separated values file MUST BE indicated when naming the =
file, by=20
using the letters [CSV] or [csv] following the file name, as the file =
name=20
extension.</P>
<P>The file name is flexible and may be determined by the individual air =

```

carrier, but the comma separated values (csv) file format is required, =
as=20
outlined in the rule entitled, <I>Submitting Airline Data via the=20
Internet</I>. </P>
<P>The fields in the sample record shown below follow the same order as =
the=20
above record description, separated by commas, and saved with the file =
name=20
extension of .csv.</P>
<P>Suggested file name: XX201003-Form251.csv</P>
<P>Sample Record Format: </P>
<P>Atlantic Southeast=20
Airlines, EV, 3Q2010, 1177, 1358, 0, 0, 746, 3281, 2535, 28566, 0, 0, 25450773, 407092, =
480726, 0</P>
<H4>Part 241 - Form 41</H4>
<P>P-1a Interim Operations Report</P>
<P>OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015</P>
<P>Paperwork Reduction Act Burden Statement</P>
<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. </P> The OMB Control Number for this information =
collection is=20
2138-0013. </P> Public reporting for Schedule P-1(a), Interim =
Operations=20
Report, is estimated to be approximately 1 hour per response, including =
the time=20
for reviewing instructions, completing and reviewing the collection of=20
information. </P> All responses to this collection of information are=20
mandatory, as authorized by 14 CFR, Part 241. Send comments regarding =
this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20
SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jeff.gorham@dot.gov">jeff.gorham@dot.gov.</P>
<P>REQUIREMENTS</P>
<P>RECORD DESCRIPTION: P-1a Interim Operations Report - Group =
I+, II=20
& III</P>
<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">
<TBODY>
<TR>
<TH id=3Dheader101 class=3Dcolheadone>Field Description</TH>
<TH id=3Dheader102 class=3Dcolheadone>Data Type</TH>
<TH id=3Dheader103 class=3Dcolheadone>Length</TH>
<TH id=3Dheader104 class=3Dcolheadone>Comments</TH>
<TH id=3Dheader105 class=3Dcolheadone>Sample Data</TH></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1021 class=3DdataRowLeft>Schedule Item</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1021 =
header102">Character</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1021 =
header103">4</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1021 =
header104"> </TD>

```

<TD class=3DdataCellLeft headers=3D"header101 subh1021 =
header105">P01A</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1031 class=3DdataRowLeft>Carrier Code</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1031 =
header102">Character</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1031 =
header103">3</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1031 =
header104">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1031 =
header105">3Z</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1041 class=3DdataRowLeft>Entity Region</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1041 =
header102">Character</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1041 =
header103">1</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1041 =
header104">&nbsp;</TD>
<TD class=3DdataCellLeft=20
headers=3D"header101 subh1041 header105">D&nbsp;</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1051 class=3DdataRowLeft>Aircraft Type</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1051 =
header102">Character</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1051 =
header103">4</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1051 =
header104">P-5.1,=20
P-5.2</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1051 =
header105">0000,=20
9999</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1061 class=3DdataRowLeft>Account Code</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1061 =
header102">Character</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1061 =
header103">5</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1061 =
header104">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1061 =
header105">0014A,=20
10100</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1071 class=3DdataRowLeft>Frequency</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1071 =
header102">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1071 =
header103">1</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1071 =
header104">&nbsp;</TD>
<TD class=3DdataCellLeft=20
headers=3D"header101 subh1071 header105">2&nbsp;</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1081 class=3DdataRowLeft>Year</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1081 =
header102">Character</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1081 =
header103">4</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1081 =
header104">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1081 =

```

header105">2010</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1091 class=3DdataRowLeft>Month</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1091 =
header102">Character</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1091 =
header103">2</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1091 =
header104"> </TD>
<TD class=3DdataCellLeft headers=3D"header101 subh1091 =
header105">12</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh10101 class=3DdataRowLeft>Gain or Loss</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh10101 =
header102">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh10101 =
header103">---</TD>
<TD class=3DdataCellLeft headers=3D"header101 subh10101 =
header104"> </TD>
<TD class=3DdataCellLeft headers=3D"header101 subh10101 =
header105">2282243,=20
-5645</TD></TR></TBODY></TABLE>

<P>RECORD FORMAT: </P>

<P>The P-1a Interim Operations reports must be created as =
an=20
electronic "comma separated values" file, using ASCII text character =
encoding,=20
for uploading via the "eSubmit" application. </P>

<P>The comma separated values file MUST BE indicated when naming the =
file, by=20
using the letters [CSV] or [csv] following the file name, as the file =
name=20
extension.</P>

<P>The file name is flexible and may be determined by the individual air =
carrier, but the comma separated values (csv) file format is required, =
as=20
outlined in the rule entitled, <I>Submitting Airline Data via the=20
Internet</I>. </P>

<P>The fields in the sample record shown below follow the same order as =
the=20
above record description, separated by commas, and saved with the file =
name=20
extension of .csv.</P>

<P>Suggested file name: XX201003-F41-P-1a.csv</P>

<P>Sample Record Format: </P>

<P>P01A, YV, S, 0000, 39010, 1, 2010, 06, -68401383</P>

<H4>Part 241 - Form 41</H4>

<P>P-12a Fuel Cost and Consumption</P>

<P>OMB NO: 2138-0013</P>

<P>EXPIRATION DATE: 7/31/2015</P>

<P>Paperwork Reduction Act Burden Statement</P>

<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. </P> The OMB Control Number for this information =
collection is=20
2138-0013. </P> Public reporting for Schedule P-12(a), Fuel Consumption =
by Type=20

of Service and Entity, is estimated to be approximately 4 hours per =
response,=20
including the time for reviewing instructions, completing and reviewing =
the=20
collection of information. All responses to this collection of =
information=20
are mandatory, as authorized by 14 CFR, Part 241. Send comments =
regarding this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20

SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jeff.gorham@dot.gov">jeff.gorham@dot.gov.</P>

<P>REQUIREMENTS</P>

<P>RECORD DESCRIPTION: P-12a =E2=80=93 Fuel Cost and =
Consumption Report - Group=20
I+, II & III</P>

<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">

<TBODY>

<TR>

<TH id=3Dheader111 class=3Dcolheadone>Field Description</TH>

<TH id=3Dheader112 class=3Dcolheadone>Data Type</TH>

<TH id=3Dheader113 class=3Dcolheadone>Length</TH>

<TH id=3Dheader114 class=3Dcolheadone>Comments</TH>

<TH id=3Dheader115 class=3Dcolheadone>Sample Data</TH></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1121 class=3DdataRowLeft>Schedule Item</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1121 =
header112">Character</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1121 =
header113">4</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1121 =
header114"> </TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1121 =
header115">P12A</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1131 class=3DdataRowLeft>Carrier Code</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1131 =
header112">Character</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1131 =
header113">3</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1131 =
header114"> </TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1131 =
header115">3Z</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1141 class=3DdataRowLeft>Entity Region</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1141 =
header112">Character</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1141 =
header113">1</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1141 =
header114"> </TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1141 =
header115">D</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1151 class=3DdataRowLeft>Aircraft Type</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1151 =
header112">Character</TD>

<TD class=3DdataCellLeft headers=3D"header111 subh1151 =
header113">4</TD>

```

    <TD class=3DdataCellLeft headers=3D"header111 subh1151 =
header114">Reported on=20
    P-5.1, P-5.2 only</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1151 =
header115">0000</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh1161 class=3DdataRowLeft>Account Code</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1161 =
header112">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1161 =
header113">5</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1161 =
header114">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1161 =
header115">0014A,=20
    10100</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh1171 class=3DdataRowLeft>Frequency</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1171 =
header112">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1171 =
header113">1</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1171 =
header114">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header111 subh1171 header115">2&nbsp;&nbsp;</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh1181 class=3DdataRowLeft>Year</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1181 =
header112">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1181 =
header113">4</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1181 =
header114">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1181 =
header115">2010</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh1191 class=3DdataRowLeft>Month</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1191 =
header112">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1191 =
header113">2</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1191 =
header114">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh1191 =
header115">12</TD></TR>
    <TR class=3Dhighlight>
    <TD id=3Dsubh11101 class=3DdataRowLeft>Gain or Loss</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh11101 =
header112">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh11101 =
header113">---</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh11101 =
header114">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header111 subh11101 =
header115">2282243,=20
    -5645</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>P-12a =E2=80=93 Fuel Cost and Consumption</B> reports must be =
created as an=20
electronic "comma separated values" file, using ASCII text character =
encoding,=20
for uploading via the "eSubmit" application.&nbsp;</P>
<P>The comma separated values file MUST BE indicated when naming the =

```


schedules=20
and supporting documents which are submitted herewith or have been =
submitted=20
heretofore as parts of this report filed for the indicated period, have =
been=20
prepared under my direction; that I have carefully examined them and =
declare=20
that they correctly reflect the accounts and records of the company, and =
to the=20
best of my knowledge and belief are a complete and accurate statement, =
after=20
adjustments to reflect full accruals, of the operating revenues and =
expenses,=20
income items, assets, liabilities, capital, retained earnings, and =
operating=20
statistics for the periods reported in the financial schedules, the =
Schedule=20
T-100 Traffic, and if applicable, the Passenger Origin-Destination =
Survey; that=20
the various items herein reported were determined in accordance with the =
Code of=20
Federal Regulations for Large Certificated Air Carriers as =
prescribed by=20
the Department of Transportation; and that the data contained herein are =

reported on a basis consistent with that of the preceding report except =
as=20
specifically noted in the financial and statistical statements.</P>
<P>Date:</P>
<P>Signature:</P>
<P>Name (Please Print or Type):</P>
<P>Title 18 U.S.C. Sec. 1001, Crimes and Criminal Procedures, makes =
it a=20
criminal offense subject-to a maximum fine of \$10,000 or imprisonment =
for not=20
more than 5 years, or both, to knowingly and willfully make or cause to =
be made=20
any false or fraudulent statements or representation in any matter =
within=20
jurisdiction of any agency of the United States.</P>
<P>The Confidential Information Protection and Statistical Efficiency =
Act=20
2002 (44 USC 3501), requires a statistical agency to clearly identify=20
information it collects for non-statistical purposes. BTS hereby =
notifies=20
the respondents and the public that BTS uses the information it collects =
under=20
this OMB approval for non-statistical purposes including, publication of =
both=20
respondent's identity and it's data, submission of the information to =
agencies=20
outside BTS for review, analysis and possible use in regulatory and =
other=20
administrative matters.</P>
<P>Per quarter, it can take each air carrier between 30 and 300 hours =
to=20
complete the required financial reports and between 6 and 18 hours to =
complete=20
the required T-100 monthly traffic reports.</P>
<P>RECORD FORMAT:</P>
<P>Once signed, the Form A Certification must be published as an=20
electronic "portable document format" file format, for uploading to the =
eSubmit=20
application. </P>

The portable document format file MUST BE indicated when naming the file, by using the letters [PDF] or [pdf] following the file name, as the file extension. You must have Adobe Reader software downloaded on your computer in order to "save as/print" your document as a 'pdf' file.

While the file name is flexible and may be determined by the individual carrier, the portable document format (pdf) file format is required, as outlined in the rule entitled, *Submitting Airline Data via the Internet*.

Suggested file name: XX201003- F41-A-Cert.pdf</P>

FORM 41 FINANCIAL DATA</H4>

B-1, B1-1, P1.1, P1.2, P5.1, P5.2, P6, P7 </P>

OMB NO: 2138-0013</P>

EXPIRATION DATE: 7/31/2015</P>

Paperwork Reduction Act Burden Statement</P>

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2138-0013. Public reporting for Schedule B-1.1, Balance Sheet is estimated to be approximately 2 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information. All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing burden to: Information Collection Clearance Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey Avenue, SE, Washington, D.C. 20590 or e-mail jeff.gorham@dot.gov.

OMB NO: 2138-0013</P>

EXPIRATION DATE: 7/31/2015</P>

Paperwork Reduction Act Burden Statement</P>

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2138-0013. Public reporting for Schedule B-1, Balance Sheet is estimated to be approximately 7 hours per response, including the time for reviewing instructions, completing and reviewing the collection of

information. All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey Avenue, SE, Washington, D.C. 20590 or e-mail jeff.gorham@dot.gov.

OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015
Paperwork Reduction Act Burden Statement

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2138-0013. Public reporting for Schedule P-1.1, Statement of Operations, is estimated to be approximately 2 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information. All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey Avenue, SE, Washington, D.C. 20590 or e-mail jeff.gorham@dot.gov.

OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015
Paperwork Reduction Act Burden Statement

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2138-0013. Public reporting for Schedule P-1.2 Statement of Operations, is estimated to be approximately 7 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information. All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection =

Clearance=20
Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20
SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jeff.gorham@dot.gov">jeff.gorham@dot.gov.</P>
<P>OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015</P>
<P>Paperwork Reduction Act Burden Statement</P>
<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. The OMB Control Number for this information =
collection is=20
2138-0013. Public reporting for Schedule P-5.1, Aircraft Operating =

Expenses, is estimated to be approximately 2 hours per response, =
including the=20
time for reviewing instructions, completing and reviewing the collection =
of=20
information. All responses to this collection of information are=20
mandatory, as authorized by 14 CFR, Part 241. Send comments regarding =
this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20

Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20
SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jeff.gorham@dot.gov">jeff.gorham@dot.gov.</P>
<P>OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015</P>
<P>Paperwork Reduction Act Burden Statement</P>
<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. The OMB Control Number for this information =
collection is=20
2138-0013. Public reporting for Schedule P-5.2, Aircraft Operating =

Expenses, is estimated to be approximately 15 hours per response, =
including the=20
time for reviewing instructions, completing and reviewing the collection =
of=20
information. All responses to this collection of information are=20
mandatory, as authorized by 14 CFR, Part 241. Send comments regarding =
this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20

Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20
SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jeff.gorham@dot.gov">jeff.gorham@dot.gov.</P>
<P>OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015</P>

Paperwork Reduction Act Burden Statement

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2138-0013. Public reporting for Schedule P-6, Operating Expenses by Objective Grouping, is estimated to be approximately 7 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information. All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey Avenue, SE, Washington, D.C. 20590 or e-mail jeff.gorham@dot.gov.

OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015

Paperwork Reduction Act Burden Statement

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2138-0013. Public reporting for Schedule P-7, Operating Expenses by Functional Grouping, is estimated to be approximately 10 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information. All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey Avenue, SE, Washington, D.C. 20590 or e-mail jeff.gorham@dot.gov.

REQUIREMENTS

RECORD DESCRIPTION: Form 41 Financials DB10 = Collection

```

<TR>
  <TH id=3Dheader121 class=3Dcolheadone>Field Description</TH>
  <TH id=3Dheader122 class=3Dcolheadone>Data Type</TH>
  <TH id=3Dheader123 class=3Dcolheadone>Length</TH>
  <TH id=3Dheader124 class=3Dcolheadone>Comments</TH>
  <TH id=3Dheader125 class=3Dcolheadone>Sample Data</TH></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1221 class=3DdataRowLeft>Schedule Item</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1221 =
header122">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1221 =
header123">4</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1221 =
header124">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1221 =
header125">B010</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1231 class=3DdataRowLeft>Carrier Code</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1231 =
header122">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1231 =
header123">3</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1231 =
header124">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1231 =
header125">3Z</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1241 class=3DdataRowLeft>Entity Region</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1241 =
header122">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1241 =
header123">1</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1241 =
header124">&nbsp;</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header121 subh1241 header125">D&nbsp;</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1251 class=3DdataRowLeft>Aircraft Type</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1251 =
header122">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1251 =
header123">4</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1251 =
header124">(P-5.1,=20
P-5.2)</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1251 =
header125">0000,=20
9999</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1261 class=3DdataRowLeft>Account Code</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1261 =
header122">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1261 =
header123">5</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1261 =
header124">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1261 =
header125">0014A,=20
10100</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh1271 class=3DdataRowLeft>Frequency</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1271 =
header122">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header121 subh1271 =

```


<P>RECORD DESCRIPTION/INSTRUCTIONS: B-12 Statement of Changes in Financial Position</P>
<P>For the B-12, Cash Flow Statement, it is freeform depending on each carrier's operations and is a bridge between the B-1 Balance Sheet and the Statement of Operations (Income Statement).</P>
<P>RECORD FORMAT:</P>
<P>The PART 241 B-12 Statement of Changes in Financial Position must be published as an electronic "portable document format" file format, for uploading to the eSubmit application.</P>
<P>The portable document format file MUST BE indicated when naming the file, by using the letters [PDF] or [pdf] following the file name, as the file extension.</P> You must have Adobe Reader software downloaded on your computer in order to "save as/print" your document as a 'pdf' file.</P>
<P>While the file name is flexible and may be determined by the individual carrier, the portable document format (pdf) file format is required, as outlined in the rule entitled, <I>Submitting Airline Data via the Internet</I>.</P>
<P>Suggested file name: XX201003- F41-B-12.pdf</P>
<H4>Part 241 - Form 41</H4>
<P>B-7 Airframe and Aircraft Engine Acquisitions and Retirements</P>
<P>OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015</P>
<P>Paperwork Reduction Act Burden Statement</P>
<P>A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number.</P> The OMB Control Number for this information collection is 2138-0013.</P> Public reporting for Schedule B-7, Airframe and Aircraft Engine Acquisitions and Retirements, is estimated to be approximately 7 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information.</P> All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Collection Clearance Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey Avenue, SE, Washington, D.C. 20590 or e-mail jeff.gorham@dot.gov.</P>
<P>REQUIREMENTS</P>
<P>RECORD DESCRIPTION: B-7 Airframe and Aircraft Engine Acquisitions and Retirements - Group II & III</P>

```

<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">
  <TBODY>
    <TR>
      <TH id=3Dheader131 class=3Dcolheadone>Field Description</TH>
      <TH id=3Dheader132 class=3Dcolheadone>Data Type</TH>
      <TH id=3Dheader133 class=3Dcolheadone>Length</TH>
      <TH id=3Dheader134 class=3Dcolheadone>Comments</TH>
      <TH id=3Dheader135 class=3Dcolheadone>Sample Data</TH></TR>
    <TR class=3Dhighlight>
      <TD id=3Dsubh1321 class=3DdataRowLeft>Form Type</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1321 =
header132">Character</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1321 =
header133">3</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1321 =
header134">&nbsp;</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1321 =
header135">B-7</TD></TR>
    <TR class=3Dhighlight>
      <TD id=3Dsubh1331 class=3DdataRowLeft>Air Carrier Code</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1331 =
header132">Character</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1331 =
header133">3</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1331 =
header134">&nbsp;</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1331 =
header135">UA</TD></TR>
    <TR class=3Dhighlight>
      <TD id=3Dsubh1341 class=3DdataRowLeft>Year</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1341 =
header132">Numeric</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1341 =
header133">ccyy</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1341 =
header134">&nbsp;</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1341 =
header135">2010</TD></TR>
    <TR class=3Dhighlight>
      <TD id=3Dsubh1351 class=3DdataRowLeft>Month Ended</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1351 =
header132">Numeric</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1351 =
header133">mm</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1351 =
header134">&nbsp;</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1351 =
header135">12</TD></TR>
    <TR class=3Dhighlight>
      <TD id=3Dsubh1361 class=3DdataRowLeft>Year of First Airframe =
Delivery</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1361 =
header132">Numeric</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1361 =
header133">ccyy</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1361 =
header134">&nbsp;</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1361 =
header135">1989</TD></TR>
    <TR class=3Dhighlight>
      <TD id=3Dsubh1371 class=3DdataRowLeft>Airframe Manufacturer Serial =
no.</TD>
      <TD class=3DdataCellLeft headers=3D"header131 subh1371 =
header132">Character</TD>

```

```

<TD class=3DdataCellLeft headers=3D"header131 subh1371 =
header133">20</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh1371 =
header134">&nbsp;</TD>
<TD class=3DdataCellLeft=20
headers=3D"header131 subh1371 header135">87654321</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1381 class=3DdataRowLeft>Date Acquired or Retired</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh1381 =
header132">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh1381 =
header133">ccyymmdd</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh1381 =
header134">&nbsp;</TD>
<TD class=3DdataCellLeft=20
headers=3D"header131 subh1381 header135">20090131</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1391 class=3DdataRowLeft>Acquisition or Retirement =
Code</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh1391 =
header132">Character</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh1391 =
header133">1</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh1391 =
header134">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh1391 header135">R =
or A</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh13101 class=3DdataRowLeft>Airframe License Number</TD>
<TD class=3DdataCellLeft=20
headers=3D"header131 subh13101 header132">Character</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13101 =
header133">8</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13101 =
header134">&nbsp;</TD>
<TD class=3DdataCellLeft=20
headers=3D"header131 subh13101 header135">N000XX</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh13111 class=3DdataRowLeft>Number of Aircraft Engines=20
Acquired/Retired</TD>
<TD class=3DdataCellLeft=20
headers=3D"header131 subh13111 header132">Character</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13111 =
header133">5</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13111 =
header134">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13111 header135">2 =
GE</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh13121 class=3DdataRowLeft>Aircraft Type Code</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13121 =
header132">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13121 =
header133">4</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13121 =
header134">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13121 =
header135">6141</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh13131 class=3DdataRowLeft>Type, Model and Cabin =
Design</TD>
<TD class=3DdataCellLeft=20
headers=3D"header131 subh13131 header132">Character</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13131 =

```

```

header133">25</TD>
  <TD class=3DdataCellLeft headers=3D"header131 subh13131 =
header134">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header131 subh13131 =
header135">Boeing=20
    B-737-8 PAX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh13141 class=3DdataRowLeft>Usual Seat Configuration</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13141 =
header132">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13141 =
header133">4</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13141 =
header134">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13141 =
header135">76</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh13151 class=3DdataRowLeft>Acquired Cost or Capitalized =
Value</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13151 =
header132">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13151 =
header133">15</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13151 =
header134">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header131 subh13151 header135">12345678</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh13161 class=3DdataRowLeft>Depr. Cost or Amortized =
Value</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13161 =
header132">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13161 =
header133">15</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13161 =
header134">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header131 subh13161 header135">23232323</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh13171 class=3DdataRowLeft>Realization Value</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13171 =
header132">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13171 =
header133">15</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13171 =
header134">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header131 subh13171 header135">45454545</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh13181 class=3DdataRowLeft>Acquired From / =
Disposition</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header131 subh13181 header132">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13181 =
header133">50</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13181 =
header134">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header131 subh13181 =
header135">Sold to ABC=20
    Leasing Inc</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh13191 class=3DdataRowLeft>Owned/Lease Type</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header131 subh13191 header132">Character</TD>

```

<TD class=3DdataCellLeft headers=3D"header131 subh13191 = header133">1</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13191 = header134"> </TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13191 = header135">0</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh13201 class=3DdataRowLeft>Operating Status</TD>
<TD class=3DdataCellLeft=20 headers=3D"header131 subh13201 header132">Character</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13201 = header133">1</TD>
<TD class=3DdataCellLeft headers=3D"header131 subh13201 = header134"> </TD>
<TD class=3DdataCellLeft=20 headers=3D"header131 subh13201 header135">Y</TD></TR></TBODY></TABLE>

<P>RECORD FORMAT:</P>

<P>The B-7 =E2=80=93 Airframe and Aircraft Engine Acquisitions and = Retirements=20reports must be created as an electronic "comma separated values" = file,=20 using ASCII text character encoding, for uploading via the "eSubmit"=20 application. </P>

<P>The comma separated values file MUST BE indicated when naming the = file, by=20 using the letters [CSV] or [csv] following the file name, as the file = name=20 extension.</P>

<P>The file name is flexible and may be determined by the individual air = carrier, but the comma separated values (csv) file format is required, = as=20 outlined in the rule entitled, <I>Submitting Airline Data via the=20 Internet</I>. </P>

<P>The fields in the sample record shown below follow the same order as = the=20 above record description, separated by commas, and saved with the file = name=20 extension of .csv.</P>

<P>Suggested file name: XX201003-B7.csv</P>

<P>Sample Record Format: </P>

<P>B-7, UA, 2010, 12, 198990131, 87654321, 20090131, R, N000XX, 2 GE, 6141, Boeing = B-737-8=20 PAX, 76, 12345678, 23232323, 45454545, Sold to ABC Leasing Inc, 0, Y</P>

<P>Leased Type: a =3D Capital Lease, b =3D Operating Lease, 0 =3D = Owned</P>

<P>Operating Status: Y =3D Yes, N =3D Not operating</P>

<H4>Part 241 - Form 41</H4>

<P>B-43 Inventory of Airframes and Aircraft Engines</P>

<P>OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015</P>

<P>Paperwork Reduction Act Burden Statement</P>

<P>A federal agency may not conduct or sponsor, and a person is not = required to=20 respond to, nor shall a person be subject to a penalty for failure to = comply=20 with a collection of information subject to the requirements of the = Paperwork=20 Reduction Act unless that collection of information displays a current = valid OMB=20 Control Number. The OMB Control Number for this information = collection is=20 2138-0013. Public reporting for Schedule B-43, Inventory of = Airframes and=20 Aircraft Engines, is estimated to be approximately 8 hours per response, =

including the time for reviewing instructions, completing and reviewing =
the=20
collection of information. All responses to this collection of =
information=20
are mandatory, as authorized by 14 CFR, Part 241. Send comments =
regarding this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20
SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jeff.gorham@dot.gov">jeff.gorham@dot.gov.</P>

<P>REQUIREMENTS</P>

<P>RECORD DESCRIPTION: B43 =E2=80=93 Inventory of Airframes and =
Aircraft=20

Engines - Group I-, I+, II & III</P>

<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">

<TBODY>

<TR>

<TH id=3Dheader141 class=3Dcolheadone>Field Description</TH>

<TH id=3Dheader142 class=3Dcolheadone>Data Type</TH>

<TH id=3Dheader143 class=3Dcolheadone>Length</TH>

<TH id=3Dheader144 class=3Dcolheadone>Comments</TH>

<TH id=3Dheader145 class=3Dcolheadone>Sample Data</TH></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1421 class=3DdataRowLeft>Form Type</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1421 =
header142">Character</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1421 =
header143">4</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1421 =
header144"> </TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1421 =
header145">B-43</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1431 class=3DdataRowLeft>Air Carrier Code</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1431 =
header142">Character</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1431 =
header143">3</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1431 =
header144"> </TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1431 =
header145">UA</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1441 class=3DdataRowLeft>Year</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1441 =
header142">Numeric</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1441 =
header143">ccyy</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1441 =
header144"> </TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1441 =
header145">2011</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1451 class=3DdataRowLeft>Month Ended</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1451 =
header142">Numeric</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1451 =
header143">mm</TD>

<TD class=3DdataCellLeft headers=3D"header141 subh1451 =

```

header144">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh1451 =
header145">12</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh1461 class=3DdataRowLeft>Year of First Airframe =
Delivery</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1461 =
header142">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1461 =
header143">ccyy</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1461 =
header144">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1461 =
header145">2010</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh1471 class=3DdataRowLeft>Airframe Manufacturer Serial =
no.</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1471 =
header142">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1471 =
header143">20</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1471 =
header144">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1471 =
header145">1191</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh1481 class=3DdataRowLeft>Airframe License Number</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1481 =
header142">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1481 =
header143">8</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1481 =
header144">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1481 =
header145">N000XX</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh1491 class=3DdataRowLeft>Date Acquired or Placed in =
Service</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1491 =
header142">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1491 =
header143">ccyymmdd</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh1491 =
header144">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header141 subh1491 header145">20100101</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh14101 class=3DdataRowLeft>Usual Seat Configuration</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14101 =
header142">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14101 =
header143">4</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14101 =
header144">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14101 =
header145">124</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh14111 class=3DdataRowLeft>Number of Aircraft =
Engines</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header141 subh14111 header142">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14111 =
header143">5</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14111 =

```

```

header144">Engines by=20
  Type</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14111 header145">2 =
GE</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh14121 class=3DdataRowLeft>Manufacturer</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header141 subh14121 header142">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14121 =
header143">50</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14121 =
header144">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14121 =
header145">Airbus=20
  Industrie</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh14131 class=3DdataRowLeft>Aircraft Type Code</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14131 =
header142">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14131 =
header143">4</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14131 =
header144">&nbsp;</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14131 =
header145">6981</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh14141 class=3DdataRowLeft>Type, Model and Cabin =
Design</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header141 subh14141 header142">Character</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14141 =
header143">25</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14141 =
header144">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header141 subh14141 header145">A-319-PSGR</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh14151 class=3DdataRowLeft>Available Capacity</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14151 =
header142">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14151 =
header143">12</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14151 =
header144">Capacity in=20
  pounds</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14151 =
header145">35100</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh14161 class=3DdataRowLeft>Acquired Cost or Capitalized =
Value</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14161 =
header142">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14161 =
header143">15</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14161 =
header144">&nbsp;</TD>
    <TD class=3DdataCellLeft=20
headers=3D"header141 subh14161 header145">12345678</TD></TR>
  <TR class=3Dhighlight>
    <TD id=3Dsubh14171 class=3DdataRowLeft>Allowance for Depr. or =
Amortization</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14171 =
header142">Numeric</TD>
    <TD class=3DdataCellLeft headers=3D"header141 subh14171 =

```

```

header143">15</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14171 =
header144">&nbsp;</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header141 subh14171 header145">123456</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh14181 class=3DdataRowLeft>Depr. Cost or Amortized =
Value</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14181 =
header142">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14181 =
header143">15</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14181 =
header144">&nbsp;</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header141 subh14181 header145">23232323</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh14191 class=3DdataRowLeft>Estimated Residual Value</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14191 =
header142">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14191 =
header143">15</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14191 =
header144">&nbsp;</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header141 subh14191 header145">45454545</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh14201 class=3DdataRowLeft>Est. Depreciation or =
Amortizable=20
Life</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14201 =
header142">Numeric</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14201 =
header143">3</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14201 =
header144">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14201 =
header145">300</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh14211 class=3DdataRowLeft>Owned/Lease Type</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header141 subh14211 header142">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14211 =
header143">1</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14211 =
header144">&nbsp;</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14211 =
header145">0</TD></TR>
<TR class=3Dhighlight>
  <TD id=3Dsubh14221 class=3DdataRowLeft>Operating Status</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header141 subh14221 header142">Character</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14221 =
header143">1</TD>
  <TD class=3DdataCellLeft headers=3D"header141 subh14221 =
header144">&nbsp;</TD>
  <TD class=3DdataCellLeft=20
headers=3D"header141 subh14221 header145">Y</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>B43 =E2=80=93 Inventory of Airframes and Aircraft Engines =
</B>reports must be=20
created as an electronic "comma separated values" file, using ASCII text =
character encoding, for uploading via the "eSubmit" =

```


as an=20
 electronic "portable document format" file format, for uploading to the =
 eSubmit=20
 application. </P>
 <P>The portable document format file MUST BE indicated when naming the =
 file, by=20
 using the letters [PDF] or [pdf] following the file name, as the file =
 name=20
 extension. </P> You must have Adobe Reader software downloaded on your =
 computer=20
 in order to "save as/print" your document as a 'pdf' file. </P>
 <P>While the file name is flexible and may be determined by the =
 individual air=20
 carrier, the portable document format (pdf) file format is required, as =
 outlined=20
 in the rule entitled, <I>Submitting Airline Data via the =
 Internet</I>. </P>
 <P>Suggested file name: XX201003- F41-P-2notes.pdf</P>
 <H4>Part 241 - Form 41</H4>
 <P>P-2 Passenger Facility Charge Report</P>
 <P>REQUIREMENTS</P>
 <P>RECORD DESCRIPTION: P-2 Passenger Facility Charge =
 Report</P>

<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">

<TBODY>

<TR>

<TH id=3Dheader151 class=3Dcolheadone>Field Description</TH>

<TH id=3Dheader152 class=3Dcolheadone>Data Type</TH>

<TH id=3Dheader153 class=3Dcolheadone>Length</TH>

<TH id=3Dheader154 class=3Dcolheadone>Comments</TH>

<TH id=3Dheader155 class=3Dcolheadone>Sample Data</TH></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1521 class=3DdataRowLeft>Airline ID</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1521 =
header152">Character</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1521 =
header153">5</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1521 =
header154">DOT=20

Assigned</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1521 =
header155">12345</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1531 class=3DdataRowLeft>Carrier Code</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1531 =
header152">Character</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1531 =
header153">3</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1531 =
header154">IATA or DOT=20

Assigned</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1531 =
header155">XX</TD></TR>

<TR class=3Dhighlight>

<TD id=3Dsubh1541 class=3DdataRowLeft>Year of Data Included in the =
Report</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1541 =
header152">Numeric</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1541 =
header153">4</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1541 =
header154">Year=20

(CCYY)</TD>

<TD class=3DdataCellLeft headers=3D"header151 subh1541 =

Total PFC Liability at End of Period
Numeric
50

9999

RECORD FORMAT:

The **P-2 Passenger Facility Charge** reports must be created as an electronic "comma separated values" file, using ASCII text character encoding for uploading via the "eSubmit" application. The comma separated values file MUST BE indicated when naming the file, using the letters [CSV] or [csv] following the file name, as the extension.

The file name is flexible and may be determined by the individual air carrier, but the comma separated values (csv) file format is required, outlined in the rule entitled, *Submitting Airline Data via the Internet*.

The fields in the sample record shown below follow the same order as above record description, separated by commas, and saved with the file extension of .csv.

Suggested file name: XX201003- F41-P-2pfc.csv

Sample Record Format:

12345,XX,2010,03,9999,9999,9999,9999,9999

FORM 41 FINANCIAL DATA

P-10 Employee Statistics by Labor Category

OMB NO: 2138-0013 EXPIRATION DATE: 7/31/2015

Paperwork Reduction Act Burden Statement

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number.

The OMB Control Number for this information collection is 2138-0013. Public reporting for Schedule P-10, Employment Statistics by Labor Category, is estimated to be approximately 2 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information.

All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey


```

<TD class=3DdataCellLeft headers=3D"header161 subh1661 =
header165">0014A,=20
10100</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1671 class=3DdataRowLeft>Frequency</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1671 =
header162">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1671 =
header163">1</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1671 =
header164">&nbsp;</TD>
<TD class=3DdataCellLeft=20
headers=3D"header161 subh1671 header165">2&nbsp;&nbsp;</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1681 class=3DdataRowLeft>Year</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1681 =
header162">Character</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1681 =
header163">4</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1681 =
header164">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1681 =
header165">2010</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1691 class=3DdataRowLeft>Month</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1691 =
header162">Character</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1691 =
header163">2</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1691 =
header164">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh1691 =
header165">12</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh16101 class=3DdataRowLeft>Gain or Loss</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh16101 =
header162">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh16101 =
header163">---</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh16101 =
header164">&nbsp;</TD>
<TD class=3DdataCellLeft headers=3D"header161 subh16101 =
header165">2282243,=20
-5645</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>P-10 =E2=80=93 Employee Statistics by Labor Category</B> =
reports must be=20
created as an electronic "comma separated values" file, using ASCII text =
character encoding, for uploading via the "eSubmit" =
application.&nbsp;</P>
<P>The comma separated values file MUST BE indicated when naming the =
file, by=20
using the letters [CSV] or [csv] following the file name, as the file =
name=20
extension.</P>
<P>The file name is flexible and may be determined by the individual air =
carrier, but the comma separated values (csv) file format is required, =
as=20
outlined in the rule entitled, <I>Submitting Airline Data via the=20
Internet</I>.&nbsp;</P>
<P>The fields in the sample record shown below follow the same order as =
the=20

```

above record description, separated by commas, and saved with the file =
name=20
extension of .csv.</P>
<P>Suggested file name: XX201003-F41-P-10.csv</P>
<P>Sample Record Format: </P>
<P>P100,3Z,D,0000,00310,4,2010,12,31</P>
<H4>Part 241 - Form 41</H4>
<P>T-8 Report of All-Cargo Operations Report</P>
<P>OMB NO: 2138-0013
EXPIRATION DATE: 7/31/2015</P>
<P>Paperwork Reduction Act Burden Statement</P>
<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. The OMB Control Number for this information =
collection is=20
2138-0013. Public reporting for Schedule T-8, Report of All-Cargo=20
Operations, is estimated to be approximately 2 hours per response, =
including the=20
time for reviewing instructions, completing and reviewing the collection =
of=20
information. All responses to this collection of information are=20
mandatory, as authorized by 14 CFR, Part 241. Send comments regarding =
this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20
SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jeff.gorham@dot.gov">jeff.gorham@dot.gov.</P>

<P>REQUIREMENTS</P>
<P>RECORD DESCRIPTION: T-8 Report of All-Cargo Operations=20
Report</P>

<TABLE border=3D0 cellSpacing=3D1 cellPadding=3D5 width=3D"100%">
<TBODY>

<th class="3Dcolheadone>Data" id="3Dheader172" th="" th><="" type<=""> <th class="3Dcolheadone>Length</TH></th" id="3Dheader173"> <th class="3Dcolheadone>Comments</TH></th" id="3Dheader174"> <th class="3Dcolheadone>Sample" data<="" id="3Dheader175" th="" th><="" tr><=""> </th></th></th></th>	<th class="3Dcolheadone>Length</TH></th" id="3Dheader173"> <th class="3Dcolheadone>Comments</TH></th" id="3Dheader174"> <th class="3Dcolheadone>Sample" data<="" id="3Dheader175" th="" th><="" tr><=""> </th></th></th>	<th class="3Dcolheadone>Comments</TH></th" id="3Dheader174"> <th class="3Dcolheadone>Sample" data<="" id="3Dheader175" th="" th><="" tr><=""> </th></th>	<th class="3Dcolheadone>Sample" data<="" id="3Dheader175" th="" th><="" tr><=""> </th>	
<td class="3DdataCellLeft" headers='3D"header171' subh1721='header172">Character</TD></td'> <td class="3DdataCellLeft" headers='3D"header171' subh1721='header173">2</TD></td'> <td class="3DdataCellLeft" headers='3D"header171' of="20<br/" subh1721='header174">Name'>Form</TD></td> <td class="3DdataCellLeft" headers='3D"header171' subh1721='header175">T8</TD></TR></td'> </td></td></td>	<td class="3DdataCellLeft" headers='3D"header171' subh1721='header173">2</TD></td'> <td class="3DdataCellLeft" headers='3D"header171' of="20<br/" subh1721='header174">Name'>Form</TD></td> <td class="3DdataCellLeft" headers='3D"header171' subh1721='header175">T8</TD></TR></td'> </td></td>	<td class="3DdataCellLeft" headers='3D"header171' of="20<br/" subh1721='header174">Name'>Form</TD></td> <td class="3DdataCellLeft" headers='3D"header171' subh1721='header175">T8</TD></TR></td'> </td>	Form</TD>	
<td class="3DdataCellLeft" headers='3D"header171' subh1731='header172">Character</TD></td'> <td class="3DdataCellLeft" headers='3D"header171' subh1731='header173">2</TD></td'> <td></td> <td></td> </td></td>	<td class="3DdataCellLeft" headers='3D"header171' subh1731='header173">2</TD></td'> <td></td> <td></td> </td>	<td></td> <td></td>		

```

    <TD class=3DdataCellLeft headers=3D"header171 subh1731 =
header174">IATA code</TD>
    <TD class=3DdataCellLeft headers=3D"header171 subh1731 =
header175">XX</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh1741 class=3DdataRowLeft>Airline ID</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1741 =
header172">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1741 =
header173">5</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1741 =
header174">Five digit=20
        Cardecode</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1741 =
header175">10579</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh1751 class=3DdataRowLeft>Region</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1751 =
header172">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1751 =
header173">3</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1751 =
header174">Certificate=20
        of Operations</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1751 =
header175">418 or=20
        401</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh1761 class=3DdataRowLeft>Account Code</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1761 =
header172">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1761 =
header173">5</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1761 =
header174">Account</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1761 =
header175">41990</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh1771 class=3DdataRowLeft>Frequency</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1771 =
header172">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1771 =
header173">1</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1771 =
header174">Annual</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1771 =
header175">4</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh1781 class=3DdataRowLeft>Year of Data Included in the =
Report</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1781 =
header172">Numeric</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1781 =
header173">4</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1781 =
header174">Year=20
        (CCYY)</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1781 =
header175">2010</TD></TR>
    <TR class=3Dhighlight>
        <TD id=3Dsubh1791 class=3DdataRowLeft>Month of Data Included in the =
Report</TD>
        <TD class=3DdataCellLeft headers=3D"header171 subh1791 =
header172">Numeric</TD>

```

<TD class=3DdataCellLeft headers=3D"header171 subh1791 = header173">2</TD>
<TD class=3DdataCellLeft headers=3D"header171 subh1791 = header174">Month=20 (MM)</TD>
<TD class=3DdataCellLeft headers=3D"header171 subh1791 = header175">03</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh17101 class=3DdataRowLeft>Data</TD>
<TD class=3DdataCellLeft headers=3D"header171 subh17101 = header172">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header171 subh17101 = header173">---</TD>
<TD class=3DdataCellLeft headers=3D"header171 subh17101 = header174">Actual data=20 value</TD>
<TD class=3DdataCellLeft=20 headers=3D"header171 subh17101 = header175">3938455</TD></TR></TBODY></TABLE>

<P>RECORD FORMAT:</P>

<P>The T-8 Report of All-Cargo Operations Report must be created = as an=20 electronic "comma separated values" file, using ASCII text character = encoding,=20 for uploading via the "eSubmit" application. </P>

<P>The comma separated values file MUST BE indicated when naming the = file, by=20 using the letters [CSV] or [csv] following the file name, as the file = name=20 extension.</P>

<P>The file name is flexible and may be determined by the individual air = carrier, but the comma separated values (csv) file format is required, = as=20 outlined in the rule entitled, <I>Submitting Airline Data via the=20 Internet</I>. </P>

<P>The fields in the sample record shown below follow the same order as = the=20 above record description, separated by commas, and saved with the file = name=20 extension of .csv.</P>

<P>Suggested file name: XX201003-F41-T8.csv</P>

<P>Sample Record Format: </P>

<P>T8, JW, 10548, 418, 39050, 4, 2010, 12, 4948301</P>

<H4>PART 248 =E2=80=93 Form 248</H4>

<P>Audit Reports</P>

<P>OMB NO: 2138-0004
EXPIRATION DATE: 12/31/2008</P>

<P>Paperwork Reduction Act Burden Statement</P>

<P>A federal agency may not conduct or sponsor, and a person is not = required to=20 respond to, nor shall a person be subject to a penalty for failure to = comply=20 with a collection of information subject to the requirements of the = Paperwork=20 Reduction Act unless that collection of information displays a current = valid OMB=20 Control Number. </P>

<P>The OMB Control Number for this information = collection is=20 2138-0004. </P>

<P>Public reporting for this collection of information is=20 estimated to be approximately 15 minutes per response, including the = time for=20 reviewing instructions, completing and reviewing the collection of=20 information. </P>

<P>All responses to this collection of information are=20 mandatory, as authorized by 14 CFR, Part 248. Send comments regarding =

this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20
Officer, Jeff Gorham, OAI/BTS/RITA, RTS-42, Room E34, 1200 New Jersey =
Avenue,=20
SE, Washington, D.C. 20590 or e-mail =E2=80=93 <A=20
href=3D"mailto:jeff.gorham@dot.gov">jeff.gorham@dot.gov.</P>
<P>REQUIREMENTS</P>
<P>RECORD DESCRIPTION/INSTRUCTIONS: Form 248- Audit =
Report</P>
<P>The Form 248 =E2=80=93 Annual Audit Report is an external audit =
conducted by=20
Certified Public Accounts and is freeform based on the carrier's=20
operations. If no audit is conducted for any given year, then a =
statement=20
to that fact must be submitted instead.</P>
<P>RECORD FORMAT:</P>
<P>The Form 248- Audit Report must be published as an electronic=20
"portable document format" file format, for uploading to the eSubmit=20
application. </P>
<P>The portable document format file MUST BE indicated when naming the =
file, by=20
using the letters [PDF] or [pdf] following the file name, as the file =
name=20
extension. You must have Adobe Reader software downloaded on your =
computer=20
in order to "save as/print" your document as a 'pdf' file. </P>
<P>While the file name is flexible and may be determined by the =
individual air=20
carrier, the portable document format (pdf) file format is required, as =
outlined=20
in the rule entitled, <I>Submitting Airline Data via the =
Internet</I>. </P>
<P>Suggested file name: XX201003- Form248Audit.pdf</P>
<H4>PART 374A - Form 183</H4>
<P>Report of Extension of Credit to Political Candidates</P>
<P>OMB NO: 2138-0016
EXPIRATION DATE: 7/31/2006</P>
<P>Paperwork Reduction Act Burden Statement</P>
<P>A federal agency may not conduct or sponsor, and a person is not =
required to=20
respond to, nor shall a person be subject to a penalty for failure to =
comply=20
with a collection of information subject to the requirements of the =
Paperwork=20
Reduction Act unless that collection of information displays a current =
valid OMB=20
Control Number. The OMB Control Number for this information =
collection is=20
2138-0016. Public reporting for Form 183, Report of Extension of =
Credit to=20
Political Candidates, is estimated to be approximately 1 hour per =
response,=20
including the time for reviewing instructions, completing and reviewing =
the=20
collection of information. All responses to this collection of =
information=20
are mandatory, as authorized by 14 CFR, Part 374a. Send comments =
regarding this=20
burden estimate or any other aspect of this collection of information, =
including=20
suggestions for reducing this burden to: Information Collection =
Clearance=20

header183"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1841 =
 header184"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1841 =
 header185"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1841 =
 header186"> </TD></TR>
 <TR class=3Dhighlight>
 <TD id=3Dsubh1851 class=3DdataRowLeft> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1851 =
 header182"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1851 =
 header183"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1851 =
 header184"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1851 =
 header185"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1851 =
 header186"> </TD></TR>
 <TR class=3Dhighlight>
 <TD id=3Dsubh1861 class=3DdataRowLeft> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1861 =
 header182"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1861 =
 header183"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1861 =
 header184"> </TD>
 <TD class=3DdataCellLeft headers=3D"header181 subh1861 =
 header185"> </TD>
 <TD class=3DdataCellLeft=20
 headers=3D"header181 subh1861 =
 header186"> </TD></TR></TBODY></TABLE>
 <P>I, (Name) and (Title), of the above named carrier, certify that =
 the above=20
 Report of Extension of Credit to Political Candidates has =
 been=20
 examined by me and is to the best of my knowledge and belief, true, =
 correct, as=20
 defined in PART 374a (14 CFR 374a) and is a complete report for the =
 period=20
 stated.</P>
 <P>Date:</P>
 <P>Signature: <I>(this may be electronic or signed with document =
 scanned=20
 into a pdf)</I></P>
 <P>Name (Please Print or Type):</P>
 <P>RECORD FORMAT:</P>
 <P>Once signed, the Form 183 - Report of Extension of Credit to =
 Political=20
 Candidates must be published as an electronic "portable document =
 format"=20
 file format, for uploading to the eSubmit application. </P>
 <P>The portable document format file MUST BE indicated when naming the =
 file, by=20
 using the letters [PDF] or [pdf] following the file name, as the file =
 name=20
 extension. </P> You must have Adobe Reader software downloaded on your =
 computer=20
 in order to "save as/print" your document as a 'pdf' file. </P>
 <P>While the file name is flexible and may be determined by the =
 individual air=20
 carrier, the portable document format (pdf) file format is required, as =
 outlined=20
 in the rule entitled, <I>Submitting Airline Data via the =


```

<TD class=3DdataCellLeft headers=3D"header191 subh1961 =
header193">1</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1961 =
header194">Annual</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1961 =
header195">4</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1971 class=3DdataRowLeft>Year of Data Included in the =
Report</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1971 =
header192">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1971 =
header193">4</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1971 =
header194">Year=20
(CCY)</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1971 =
header195">2010</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1981 class=3DdataRowLeft>Month of Data Included in the =
Report</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1981 =
header192">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1981 =
header193">2</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1981 =
header194">Month=20
(MM)</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1981 =
header195">03</TD></TR>
<TR class=3Dhighlight>
<TD id=3Dsubh1991 class=3DdataRowLeft>Data</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1991 =
header192">Numeric</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1991 =
header193">---</TD>
<TD class=3DdataCellLeft headers=3D"header191 subh1991 =
header194">Actual data=20
value</TD>
<TD class=3DdataCellLeft=20
headers=3D"header191 subh1991 =
header195">3484750</TD></TR></TBODY></TABLE>
<P><B>RECORD FORMAT:</B></P>
<P>The <B>291 - Statement of Operations Report</B> must be created as an =
electronic "comma separated values" file, using ASCII text character =
encoding,=20
for uploading via the "eSubmit" application.&nbsp;</P>
<P>The comma separated values file MUST BE indicated when naming the =
file, by=20
using the letters [CSV] or [csv] following the file name, as the file =
name=20
extension.</P>
<P>The file name is flexible and may be determined by the individual air =
carrier, but the comma separated values (csv) file format is required, =
as=20
outlined in the rule entitled, <I>Submitting Airline Data via the=20
Internet</I>.&nbsp;</P>
<P>The fields in the sample record shown below follow the same order as =
the=20
above record description, separated by commas, and saved with the file =
name=20
extension of .csv.</P>

```

<P>Suggested file name: XX201003-Form291.csv</P>
<P>Sample Record Format: </P>
<P>291A, JW, 10548, 39050, 4, 2010, 12, 4847502</P></DIV></DIV></DIV></DIV></DIV>
></DIV><!-- end block content --></DIV><!-- end block =
--></DIV></DIV></DIV><!-- end content -->
<DIV style=3D"CLEAR: both"></DIV></DIV><!-- end wrapper -->
<DIV style=3D"CLEAR: both"></DIV>
<DIV id=3Dfooter-wrapper>
<DIV id=3Dfooter>
<DIV class=3D"region region-footer">
<DIV id=3Dblock-footer-sitemap-footer-sitemap class=3D"block =
block-footer-sitemap">
<DIV class=3Dcontent>
<DIV id=3Dfooter-sitemap class=3Dclearfix>
<DIV class=3Dfs-block-content>
<DIV class=3Dmain-menu>
<UL=20
class=3D"footer_links_main-menu total-items-7 parent-items-0 =
single-items-0"><LI=20
class=3D"menu-58766 depth-1 total-children-10 parent-children-5 =
single-children-5 first"><A=20
class=3Dfs-root-link=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/index.html">Data =
and=20
Statistics
<UL=20
class=3D"footer_links_main-menu total-items-10 parent-items-0 =
single-items-0">
<LI class=3D"menu-59089 depth-1 fs-no-children first"><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/intermodal_transp=
ortation_database.html">Intermodal=20
Transportation Database=20
<LI=20
class=3D"menu-58767 depth-1 total-children-7 parent-children-3 =
single-children-4"><A=20
title=3D""=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_mode/index.htm=
l">By=20
Mode=20
<LI=20
class=3D"menu-58794 depth-1 total-children-3 parent-children-2 =
single-children-1"><A=20
title=3D""=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_region/index.h=
tml">By=20
Region=20
<LI=20
class=3D"menu-58811 depth-1 total-children-8 parent-children-0 =
single-children-8"><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/index.=
html">By=20
Subject=20
<LI class=3D"menu-59080 depth-1 fs-no-children"><A title=3D""=20
=
href=3D"http://www.rita.dot.gov/bts/dictionary/index.xml">Dictionary =

<LI class=3D"menu-59079 depth-1 fs-no-children"><A title=3D""=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_=
"

```
areas/geographic_information_services/index.html">Geospatial=20
  Information</A>=20
  <LI class=3D"menu-59046 depth-1 fs-no-children"><A title=3D""=20
  =
href=3D"http://ntlsearch.bts.gov/repository/ntlc/btsdd/index.shtm">Search=
=20
  Public Datasets</A>=20
  <LI class=3D"menu-59093 depth-1 fs-no-children"><A=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/databases">Databa=
ses</A>=20

  <LI=20
  class=3D"menu-59053 depth-1 total-children-0 parent-children-0 =
single-children-0"><A=20
  href=3D"http://www.rita.dot.gov/bts/help_with_data.html">Help with =
Data</A>=20
  <LI=20
  class=3D"menu-67936 depth-1 total-children-9 parent-children-0 =
single-children-9 last"><A=20
  title=3D""=20
  =
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/transtats/index.h=
tml">TranStats</A>
  <UL=20
  class=3D"footer_links_main-menu total-items-9 parent-items-0 =
single-items-0">
  <LI class=3D"menu-67941 depth-1 fs-no-children first"><A =
title=3D""=20
  href=3D"http://www.transtats.bts.gov/airports.asp">Airport</A>=20
  <LI class=3D"menu-67946 depth-1 fs-no-children"><A title=3D""=20
  =
href=3D"http://www.transtats.bts.gov/Data_Elements.aspx?Data=3D4">Availab=
le=20
  Seat-Miles</A>=20
  <LI class=3D"menu-67951 depth-1 fs-no-children"><A title=3D""=20
  href=3D"http://www.transtats.bts.gov/carriers.asp">Carrier</A>=20
  <LI class=3D"menu-67961 depth-1 fs-no-children"><A title=3D""=20
  =
href=3D"http://www.transtats.bts.gov/OT_Delay/OT_DelayCause1.asp">Causes =
of=20
  Flight Delays</A>=20
  <LI class=3D"menu-67966 depth-1 fs-no-children"><A title=3D""=20
  href=3D"http://www.transtats.bts.gov/freight.asp">Freight</A>=20
  <LI class=3D"menu-67971 depth-1 fs-no-children"><A title=3D""=20
  href=3D"http://www.transtats.bts.gov/fuel.asp">Fuel cost and =
consumption</A>=20

  <LI class=3D"menu-67981 depth-1 fs-no-children"><A title=3D""=20
  =
href=3D"http://www.transtats.bts.gov/Data_Elements.aspx?Data=3D5">Load=20
Factor</A>=20
  <LI class=3D"menu-67986 depth-1 fs-no-children"><A title=3D""=20
  =
href=3D"http://www.transtats.bts.gov/Data_Elements_Financial.aspx?Data=3D=
6">Operating=20
  Profit/Loss</A>=20
  <LI class=3D"menu-67991 depth-1 fs-no-children last"><A =
title=3D""=20
  =
href=3D"http://www.transtats.bts.gov/Data_Elements.aspx?Data=3D1">Passeng=
ers</A>=20
  </LI></UL></LI></UL></LI>
  <LI=20
```

```
class=3D"menu-46937 depth-1 total-children-15 parent-children-3 =
single-children-12"><A=20
class=3Dfs-root-link title=3D""=20
href=3D"http://www.rita.dot.gov/bts/subject_areas">Subject Areas</A>
<UL=20
class=3D"footer_links_main-menu total-items-15 parent-items-0 =
single-items-0">
<LI=20
class=3D"menu-49177 depth-1 total-children-0 parent-children-0 =
single-children-0 first"><A=20
title=3D"Airlines and Airports"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/airline_information/index.html">Airlines=20
and Airports</A>=20
<LI class=3D"menu-46938 depth-1 fs-no-children"><A =
title=3DCongestion=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/congestion/index.html">Congestion</A>=20

<LI class=3D"menu-46939 depth-1 fs-no-children"><A =
title=3DConnectivity=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/connectivity/index.html">Connectivity</A>=20

<LI class=3D"menu-48944 depth-1 fs-no-children"><A=20
title=3D"Economics and Finance"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/economics_and_finance/index.html">Economics=20
and Finance</A>=20
<LI class=3D"menu-46940 depth-1 fs-no-children"><A=20
title=3D"Energy and Environment"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/energy_and_environment/index.html">Energy=20
and Environment</A>=20
<LI=20
class=3D"menu-46941 depth-1 total-children-0 parent-children-0 =
single-children-0"><A=20
title=3D"Freight Data and Statistics"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/freight_transportation/index.html">Freight=20
Data and Statistics</A>=20
<LI class=3D"menu-59078 depth-1 fs-no-children"><A=20
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/by_subject/genera=
l.html">General</A>=20

<LI class=3D"menu-47607 depth-1 fs-no-children"><A=20
title=3D"Geospatial Information"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/geographic_information_services/index.html">Geospatial=20
Information</A>=20
<LI=20
class=3D"menu-47556 depth-1 total-children-0 parent-children-0 =
single-children-0"><A=20
title=3DInternational=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
```

areas/international/index.html">International=20

<LI class=3D"menu-46967 depth-1 fs-no-children"><A =
title=3DLivability=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/livability/index.html">Livability=20

<LI class=3D"menu-46968 depth-1 fs-no-children"><A title=3D"Maritime =
Program"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/maritime_program/index.html">Maritime=20
Program=20

<LI class=3D"menu-46969 depth-1 fs-no-children"><A =
title=3D"Passenger Travel"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/passenger_travel/index.html">Passenger=20
Travel=20

<LI class=3D"menu-46970 depth-1 fs-no-children"><A title=3DSafety=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/safety/index.html">Safety=20

<LI class=3D"menu-46971 depth-1 fs-no-children"><A title=3D"Survey =
Results"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/survey_results/index.html">Survey=20
Results=20

<LI class=3D"menu-48159 depth-1 fs-no-children last"><A=20
title=3D"Trending and Forecasting"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/trending_and_forecasting/index.html">Trending=20
and Forecasting

<LI=20
class=3D"menu-58762 depth-1 total-children-6 parent-children-1 =
single-children-5"><A=20
class=3Dfs-root-link title=3D"" =
href=3D"http://ntl.bts.gov/">Library
<UL=20
class=3D"footer_links_main-menu total-items-6 parent-items-0 =
single-items-0">

<LI class=3D"menu-58763 depth-1 fs-no-children first"><A title=3D"" =
=
href=3D"http://www.rita.dot.gov/bts/data_and_statistics/search_the_collec=
tions.html">Search=20
the Collections=20

<LI class=3D"menu-58764 depth-1 fs-no-children"><A title=3D""=20
href=3D"https://ntl.custhelp.com/app/answers/list">FAQs=20

<LI class=3D"menu-58765 depth-1 fs-no-children"><A title=3D""=20
href=3D"https://ntl.custhelp.com/app/ask">Ask a Librarian=20

<LI class=3D"menu-59081 depth-1 fs-no-children"><A=20
href=3D"http://www.rita.dot.gov/bts/bts_publications">BTS =
Publications=20

<LI class=3D"menu-64926 depth-1 fs-no-children"><A title=3D""=20
href=3D"https://2bts.rita.dot.gov/pdc/index.xml">BTS Bookstore=20

<LI=20
class=3D"menu-46542 depth-1 total-children-0 parent-children-0 =
single-children-0 last"><A=20
href=3D"http://www.rita.dot.gov/bts/external_links">External =

Links=20

<LI=20
class=3D"menu-46664 depth-1 total-children-3 parent-children-0 =
single-children-3"><A=20
class=3Dfs-root-link =
href=3D"http://www.rita.dot.gov/bts/press_room">News
<UL=20
class=3D"footer_links_main-menu total-items-3 parent-items-0 =
single-items-0">
<LI class=3D"menu-46537 depth-1 fs-no-children first"><A title=3D"" =

href=3D"http://www.rita.dot.gov/events">Events=20
<LI class=3D"menu-59109 depth-1 fs-no-children"><A=20
href=3D"http://www.rita.dot.gov/bts/whatsnew">What's New=20
<LI class=3D"menu-59386 depth-1 fs-no-children last"><A title=3D""=20
href=3D"http://www.rita.dot.gov/bts/upcoming_data_releases">Upcoming =
Press=20
Releases
<LI=20
class=3D"menu-59082 depth-1 total-children-4 parent-children-0 =
single-children-4"><A=20
class=3Dfs-root-link title=3D""=20
href=3D"http://www.rita.dot.gov/bts/policies_and_methods">Policies and =

Methods
<UL=20
class=3D"footer_links_main-menu total-items-4 parent-items-0 =
single-items-0">
<LI class=3D"menu-46972 depth-1 fs-no-children first"><A=20
title=3D"Confidentiality Policy"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/confidentiality_policy/index.html">Confidentiality=20
Policy=20
<LI class=3D"menu-46538 depth-1 fs-no-children"><A=20
href=3D"http://www.rita.dot.gov/bts/laws_and_regulations">Laws and=20
Regulations=20
<LI class=3D"menu-59084 depth-1 fs-no-children"><A=20
=
href=3D"http://www.rita.dot.gov/bts/scientific_integrity.html">Scientific=
=20
Integrity=20
<LI class=3D"menu-59083 depth-1 fs-no-children last"><A title=3D""=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/statistical_policy_and_research/index.html">Statistical=20
Policy & Research
<LI=20
class=3D"menu-46524 depth-1 total-children-4 parent-children-1 =
single-children-3"><A=20
class=3Dfs-root-link href=3D"http://www.rita.dot.gov/bts/about">About =
BTS
<UL=20
class=3D"footer_links_main-menu total-items-4 parent-items-0 =
single-items-0">
<LI=20
class=3D"menu-49114 depth-1 total-children-0 parent-children-0 =
single-children-0 first"><A=20
title=3D"Advisory Council on Transportation Statistics"=20
=
href=3D"http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/subject_
areas/advisory_council_on_transportation_statistics/index.html">Advisory =

Council on Transportation Statistics=20
<LI class=3D"menu-46516 depth-1 fs-no-children"><A=20
=
href=3D"http://www.rita.dot.gov/bts/about/bts_jobs_and_internships.html">=20
Jobs=20
and Internships=20
<LI class=3D"menu-46539 depth-1 fs-no-children"><A=20
=
href=3D"http://www.rita.dot.gov/bts/about/org_chart.html">Organizational =
Chart=20
<LI class=3D"menu-59085 depth-1 fs-no-children last"><A=20
href=3D"http://www.rita.dot.gov/bts/about/bts_programs.html">BTS =
Programs=20

<LI class=3D"menu-59086 depth-1 fs-no-children last"><A =
class=3Dfs-root-link=20
href=3D"http://www.rita.dot.gov/bts/contacts">Contact Us=20
</DIV></DIV></DIV></DIV><!-- end block content --></DIV><!-- =
end block -->
<DIV id=3Dblock-block-1 class=3D"block block-block">
<DIV class=3Dcontent>
<DIV id=3DfooterContainer>
<DIV class=3Dfooterblack>Office of =
the=20
Assistant Secretary for Research and Technology (OST-R) =E2=80=A2 <A =
href=3D"http://www.dot.gov/">U.S. Department of Transportation (US =
DOT)</DIV>
<DIV class=3Dfooterblack>1200 New Jersey Avenue, SE =E2=80=A2 =
Washington, DC 20590 =E2=80=A2=20
800.853.1351 =E2=80=A2 <A =
href=3D"https://ntl.custhelp.com/app/ask">E-mail=20
OST-R

<A=20
href=3D"http://www.rita.dot.gov/accessibility.html">Accessibility | =
<A=20
href=3D"http://www.rita.dot.gov/disclaimer.html">Disclaimer | <A=20
href=3D"http://fastlane.dot.gov/">Fast Lane | <A=20
href=3D"http://fedstats.sites.usa.gov/">FedStats | <A=20
href=3D"http://www.rita.dot.gov/freedom_of_information_act/">Freedom of=20
Information Act | <A=20
href=3D"https://www.civilrights.dot.gov/civil-rights-awareness-enforcemen=
t/employment-related/affirmative-employment/no-fear-act">No=20
FEAR Act | OIG =
Hotline | <A=20
href=3D"http://www.rita.dot.gov/privacy.html">Privacy Policy | <A=20
title=3D"You are leaving DOT" href=3D"http://www.usa.gov/">USA.gov | =
<A=20
title=3D"You are leaving DOT" href=3D"http://www.whitehouse.gov/">White=20
House</DIV>

<DIV class=3Dfooterblack>Plug-ins: <A title=3D"You are leaving DOT"=20
href=3D"http://www.adobe.com/products/acrobat/readstep2_allversions.html"=
>PDF=20
Reader | <A title=3D"You are leaving DOT"=20
href=3D"http://www.macromedia.com/shockwave/download/alternates/">Flash =
Player=20
| <A title=3D"You are leaving DOT"=20
href=3D"http://www.microsoft.com/downloads/details.aspx?FamilyID=3D1cd6ac=
f9-ce06-4e1c-8dcf-f33f669dbc3a&DisplayLang=3Den">Excel=20
Viewer | <A title=3D"You are leaving DOT"=20
href=3D"http://www.microsoft.com/downloads/details.aspx?displaylang=3Den&=
amp;FamilyID=3D048dc840-14e1-467d-8dca-19d2a8fd7485">PowerPoint=20
Viewer | <A title=3D"You are leaving DOT"=20
href=3D"http://www.microsoft.com/downloads/details.aspx?FamilyID=3D3657CE=

10gxhwMGsFKDQvxMbMFQcv/LAAA5gPEECZhMNP4GKAk9Xm2vLTR1QTak44Sw/uxxiA4p9PgWD/5A
wQaS+EkhxBFDCItNiBw4skMGmxxjAwLpCBEEovzMOExvJsCyQIGGGQBV/kkAsrFyAsED9SkENB
LhQoMskR+NQLXAPyVAKECIM0EMMLRqxAwg++gKIyNH1Ykks0L3+BwBfFcJPAAFzBniBYkQtafMEC
ArmG9uCGbc2NBxthiEAgdNEFLbQhA7BQqW4Q+BpwlIF7W5DCUPqxhZeBg4BLWM0sDGIcDctAiBawI
4T+w+cJAVfMGDoTBCE0bQizVks5gsauAMl/4RwAqtYYAsEzMea+nSNYwQPDn2ARmv6oQwGLiIXaSi
zKIRiCioQxGskswXVJGCFEWCiE25hQ02UYI5jPaFgqhHLo6QDzjU4xIGswEmBoS0NdBiiJeQqgbW
kBAVaQ8NZSBH0RCAG001UDVbSBC5QMA9cUgQXVIYYBsoQI5LGmQNX5jEDq7RBwfoIQ30QwD9LEGJ
HABRFxpIhRlgQIFoMKMa00gIAo7RCCHcT4UK6YcIj0GLNrBCECscmg06QCQfkaADCMDGCZDhowPE
41yxS8MRmmG7G+COD7LIQR8K8AQJm0EAMMhCNzBThgI84BmLkMM2qCABBNSgDDFoBgmMcf+GExyj
Z9BggiYcUQQlcMEFzXCA+CRmCH+8ABE6aA3PmoAEBYQgA0Ro4QPeYQIDL0ARhwhDNwJABTfsAQ3o
sMAxJJEAJYRgCDGggAwkcIcwKMEADGhCCQfCD2x00RZGgJcgzuCPU4jwGqzAAQgK4ARNAEUKM6jD
PCKhiTGQYAFckLcPmCEXgxhHTBwahMCwQxznmIPMaBDE/DwCh4swx6kCIAthqAC0azjDKzYwRSs
eoQCTAIyCGDEI/ABgA0g4AGdVEIYbCEBfCDjAD8whDUugQkowIIAdaBSaDTwhw7g4wAAgEQLFoGN
HJDBH244wCkqLUAdgKAZFYicFPoRgAl/LGADXNiCDVhhdZGANQFE6EYMDjADHMzDC8YoAgHsIdNr
/MEPSoAAHeaxhjKEIgcBC6IUTQkCAYaQB0edQhiGyIIsQOCIZ1NAAAh9Qh0e0IgaFwAEyIsCLAHwh
GnZ4gQLCQINEHAITLZgBFgwQBySEIBgxqMRIBPEAFMDAAEFggiUsUINDcGEeq1BDEYyBBiG0ayC6
qYOPDOCAedBsR+XwURHsgM2BLEyb3LwdCPjgjUx8gAA8IIQYsBA0FnjCEDqogwjegY4jAMMNIYgB
NoBAD39sQBMo2MY6HkDhbjjCDUjAggqAAA3uGKhLxHCGIoggs4EToR+MAAPWDAGFxyj/wUsIIEK
OLCBEKjBH10Iwr7WLIsh0INH89REBfWBCUvowBb+UEMDLCC0btianz3tohfIURlsLKEIR4gcE8QQ
BQdwoMdKKIQ02rDfBQDgHcLohj/oEAmSpKMZWA6CFQzggBBiWIK+s80cF0tEBEvAAA7x4QAL8kYdm
/EAMPAAHeTQCiscAM9zsMEfKqEAUWdhDCHYRrhAQYEF+MMAS0AACmbhiDYIohTc8AcyRsE7zWhg
ERmonhoayYII4vGMSgggEBGZBhXmwloVCKBTvejdsf1A0FGmogBteEYQfcJcAJCAF0vwrGSKQx0v
8Me9nfGIRCFDCEughg+QsIwjGEAFmv9QAYyakk6hBEA0chBAL3jBAhM0gRhr0MRbIAAIIQ9BBG7Ao
QidAKqhuyHkYFSjCK7IRhEggIQ4KgeEDZOCp0mBjADGo+A+woAYebIAIIVBAEVggB1dwgA66ngGr
GDMFxczCARL4gwlUY4MVKGY6SjgB7FwsBRh385s1zoQY/JGMSUhbGR1wQxakQAKIUEEQZaCBEiRh
gt80QAEFEATL8LAHcYDgDryYBS4asZUTDEFfV7DXJcKAAX3JAH+qmQcGUEABbDRhG45IR1C2UIIQ
EH4RK0DFCzY4A0ccwAVJu0AgZjEMHzicCTpgxQM0ez2fRgETHLTM0chQhHTUgwwsSIT/MrChDAmQ
oAJaoAUN/IGEE2DuDjrPQj3ugA8w+KEPK5EEEvwBgrLIwwDagAY5wBUlEAel0AeT8A48UAqTAAAN
MAxvAQiCYA0SoAR58Ak6gAs8cAaTgBJwsGx4MAN54AZBcAE18AUt4A9ZMAGCkC9ekaQHRCMxAH+
cAYDqAE+kaz+gAVGoAtWAABw0GIstAQctxVbgAX+car4oAGXQAWwEAP4pwFwwAv+cADVQAT+EAIy
YAM1kAPBIIgZgoALZ8AkIAAIPsAg+4AD+IAT4EDhzUACzIACHYAHosA3GgAcztQXzQAJKEIRtTwAu
kDgzSAFFUAU10AQYsADpcBqCUAJy/wALCdAF0QAJAPAJ5KA0/uAFNSABq/ZUSYAL2oAPXcA0M0AG
mCAINXAB0hcGCuMuCNB2/sADWTAJ0rA0jgQBd5AF08ECVhAM2pJN2/R3M1ZjpkAAIfA652ADk9AM
BPAHsWAAKIAIXQAJR5AJIAtANCqACA6AD5wAK0tAB/gAIACACDXABQnENY0ACyMALCwU0c4ALjPAd
SLACFHYCEJAFihANPzALLLADLIENNVAAsKALSyAHPwAD0oAJ/pAIYAAN14ANQ3UATYAFLNABk6AB
NTA1kXZ92Qc0XEACTZAC/haENkAMCGAN1hAG/iAB0aAGGFaj/sgPdtgKyHAIwsMBr/9RKWBQBUXQ
f9JAAkNAAdxoA5UwALMABqmAahAgCRGLA9QAAGKwCCVhAyLmAnNQAcswCc6wSzpwAsk3A3TgBGnA
jWBAC0PwckIZbtKQABk5EDbABCsGbp0ADdoIBX+ABACQC4rWg5EghDpChGIgK73TALAgA9igAy5w
j8hUKTUgBNsVDFiYAebQA07hAv7QC42ABv7QAp0QNPf0c/OQkf2ADeegi5WACEGgDQGGa5QBMYDg
DzFgAT2QiTVgRBPQCuswCEZABSyAB3P3GhawMwdQD9FgBnsQ0U/gD49wmwZwAmBQG9jwBUjmoAdQA
A0jwB7M1agYQDo0g7IRCG6whkz/IAJzQAQuIA19kDRC8AJ7QgtYEAaVIx8vFowyRm0ZkAmioAZL
wBUI8ADw4A058IzRmAoVsAC0UANP8A0QeABP8AgLIAwcaEUvKaxyEA/W8w82sAhqAShAantCDRSAAId
wABJOAM60A0Q8ALRAAJKAAMZEDH/AAZEQAIJIAhs4D82VAqzUAFqAAjj8ATqUAs88AjdYAZ+kA9h
QAHUUX1dhH22cQ0cUAQu8AD+kAHZMA5WgG6FwNCoAaxBTVr1AIRAAiaEAd4WBLS0AhK6X95EA5z
MFsw0ARxwAE2cAcCYAJpcC7Y4CwCoAXX8CfGuBywIAab8AjJ8Ajq4Ad5oATV4Ap0/yCV/4ANpjAK
TrAE2FAA2fAEev0og0AGgwADoXENGmADMhANLwAATFAwLmYDgCmY/JAAGLAC2IANbtCPCQQGgA0
aGAA1TBxdcAuGIoEvoFePBsNBAGMwAG0bABSjCALLED4ABXnAHSqAGH1ADNyAQFrAESkAFofA0
dkCanOUABzAIHwADVLAIIfSIFRBAB8icIrrAHZYCg4XgPJ4c011MDe0AGYyAHJpAAjXA03mQJSrAB
WsAblrEjz5YA84cDSkAISqAJ52AN0jAA8mAHJ9ANrjA0YGAcUgAHC8AJIHA7FMAJMHCFokADZYBA
/UkFACqgiECgBlodrykHSqAHNV+rB1CwATiwZdMgFNiaBLxABx3aD41SAzrwAVTgD36gAysAAT8A
CrdgA0+QCrX6opEQAJNaowlwDF9wBjwAA55wszDgCN0FDR6AAGbgD1TgJKthfV7wBZ0BGUhgAnCw
CVkIBTerBwSABE8QCa/gCLOA0XkjARFQB2dwAJFgJ3+RBXIwAz7geH3gpnAqp3QKA0H4qEwABYDb
pzaAaJVwAgcgB+kQt0rACWeAdkHrqDaQCQxAAsEqsKJeaQRdkBk8gPyAmpR3wBaV6qvihqkwyGwfw
qjaAdcNGjyCGADhAartadRYAGTAdt9gBQNQAx7wDkXgD60QCVqABM1wB32CDen/UARTIA0hwAcP
YAPX+hk7gATs+DTxIBThugemYakAkaERMhAWUAXx8AP14K7wKq+AEAYocAa90g81cAlBUAcuYAwJ
0AcrgQ1CAAVIULAFIQU+IKJhsAawuBj4YaeZoA8ieA3U0AowsAguahl9twBHAALWCgZAMAQli58o
q7J/gAITc40vw6BC+Qdf8A0WAAxMKAJpQAGDoAUi9gTYwBUGTAFkoFB2Mh5f5BLXIALz4A84AAbT
kAc/EA2DsE3VK0I6T806j/KYARTAAU4AARwEMSW0CB3AAYicAF4YAb+EAZboaRRsAqgcA0vc4hu
EAADYAc7+AGxEMRD/AEXwAZO/xCUNTAUULADTYMDU+AGTUCaBLEDpoAEjfu4KBC5SD05cyoAloun
TDAGm/snq+APTVAQBHAeh1DIKQAHIPABpsAKatCoSLK6rWs4loqpVYIND0CCoFAXL2MPERAPE2mq
qHqwq7oV/BC8jhaQ4eizjyoIVFAEY1sHzYuhhhC9FyACEzsNKuAPHZADrRACryuDYCAD23EBdGCn
0iaQ54ANKkACZ3AJs/kA8Psh4lrETqBBPpsxLuAGGdC/7xqvyVkc02ACfDAH2KQBYKA1JbACMHAG
//qoEYx+BivPUPCCYRAMquYjGKACMRAICUBNmLDMBCEfmcALeeACYADHhkBiXf8gwymrMn/AsgGK
w6mwDwsgLkXAA2IABLsgArsABpYABEY7DXRgCTXAhfUQAwogAKnHU6pQALSmA6BQAJmoA9PgtAMA

H2zcBc lXezpq0oDL4p30mtHTsQX9L4oNybwNr6fj8EjE0PmRr5lBnhzf7vRnFzpycoxb+ls0ynX6
vYKsL4pS/X2koMCQUU7p/ynE4WrY0tES3XceAw7MRytoboRtZR4Ad4Qn216s5BxLmLrkr5fvwX8p
0c7sAb0dS2EIQo7i/y+UqT9CFjPgJ/0tyDivH2T895BBPoLzBel2J3gCXDCBenRaf7kMksqqg3M8
nDq/ks6RBtSRAe/ImCWQ89koRBYL//doTFobz0D0d4MxxEJgkADw9biZVLfFuP1+/JmCd0fUXR
kDxSy7mdiJwqZSg3lEXtZecyo27jPTCmjNrh6490jlfHqC9vGeM54jyVbm4MNRBHIuHs2Yr+1Zf6h/
2v9DRXU4r/ulfz9a+pqLnt/osPXBNI6mS6hdCTbGlsHfC9vGeM54jyVbm4MNRBHIuHs2Yr+1Zf6h/
UjY/Rox3N00ujx0D1ySSBynR44P+piN0wEVL/ZzSoSs2nod00wdXf4wYn4nU+XcZr0QdkvmQrawc
ehkzFnmOecsynEXSNSsno1hqu7jdPw1ZXf6/5/TsRf/z+jaq5b//3EMsDs5wVA9vBH0hLESryei
Uj5X0wT+XTiJhAT/TSirbGpT6VMuBICvZwXQRtrwV2m4V+Y8Yb4y40rJsu0QHUSAzyuenViMQ06K
wYtYnNsd63zovq2gz0H1NV0HDRuHafa1q1GLtt4chsXG+0QYiITkhnlfKD6saQz7AI/m0sP2rK05
L3JjXvfGvwjGpi9j5do15lgH2UfwYEFxRuhvFakDIVoehE5KBxjL87GI4W0W4fR4rI1wYHMyeZu9
i7GVMeP1jeVI/W+F3UvpfB5o01Z0+RmNsL0bk/M7Kjts0JRer04sjh+RCmLLIltawZpaDJ52NrWn
xLan31eKibnoRxtBmITaGoj9qvq0p+NnoK8MmSEXE5gy5vpcBRwNnctV06y8a6FEved86L5GGDpN
31IEDaXijaT3xvKbr10XnSphoIZxvwtKhW3nszK+FFU7Ve3bDLhus5tJD9uzavo3z6uW9NenX/rZ
U+U6GZnJcCafmL9Xutp4kJvzitfGEmTwnoDQR0u5kpmz+DaC51MRw9uennPwPKtWY9iR7ZiyKtVG
71hbGYJvLJXQv0Y5q6NF1qbY31I+g+cgT76kIYeYn841Und05/6v03rK7xYZZFQHhGefI5yVKC1q
ARm7+CcXmZEtq0kiIqBrI3E4SDke7Xi0pHht4Ly+722EMsnovsYTna9IaL0ZnKhJcV6p3nAsHPQ
Ylv1d6mVgDH08AVapfm8Wvee5PpNLTRbh50wVZAqcgTpBwiZXInnMf2piZe7ETLdmwXXEixlK31j
KcnB2dYArA0yFiunkt4y4WpouzD/19Cdy7iIIC0pkPNN0KwjBqobV5vY+xzKhvXqI3b0PdEwEb
R3utusbv11jI/mxsCbaJm4MshSHY09j2wiiUagyvIpI8Bs7r+zjjew8Y1EJkEQdhnGxLoGaE0Ygt
KxnVP837zMNnG30rofhtEBRLD9eztuL3bUQAqvVlRfz7xuwKdLhPL5Sh9RH6x+/sLSRzxwj6xtAy
ozb3wr6M4XLIN6fwlh1TPsLpdwb6AkYbvafYyo+RY/E9wyZrU+xvpp0jzS+WfLh059rZo6vEejDn
5favjuwXtXhUuibLlnJiKS1MCuNNJ5NIMPtIK1FqUzqxvm6+sYYy4zvcJidEyEUufimkTdk4ky
lnwuGyVZwrGdN5b7ed5y5mVlCJi1ZGLzbj0WZSgy/mNRQk173tLhuFzkPw6Uj2RR7H0cD1L6sh2
pGzJFaWxcu0bs8vwrUkmNuQgY/SvF4EXR/LfGL4xtOR3MVty2K35PA85VzenyjqX/TaRgUesQzMj
6D3WVhpHA0saS2f887Ba1qbYX9s4chXM1JxFnnzNGN25fAZ56tSB0jjUg3fkDHVp9UiD1BFxbf7e
CUX0KbQWZmYRJSLSZxsFT8ukdxprLE02gr7HwjUm33XkEjuc0Xshh8fFizosQMoug1cqRuM5rR8yL
DV8UyHM+HR0tnXmpxXqGgzwqA1ZaqhKa99y3mA0VXpwjGsuJmFTwPasLBHc+2Ror175++MpuNcnR
JLL/OBvohfFKPfsNpSxBH+lgxvA8pJtTZV2WgUP94Damvq5ko/cUw+mzbbax1KSPuSMz7T1jipVT
fkYqfM4gP/8SDw423bLF9ujKIIIf0rGgBTkm0shHRBRNvmDDdztqxjq0dPSnZQZQCueQjyy6s9AdH
6eBVlHs0ooySC6dzDZRKcDpP9niw9KsXGSErcUHR4Fo4xMZZPhfj3wuD4Su9FcLIyoiQVwq65hfK
ieUkLthmorzVq+fYeL8Sf0YdnjgKfVXktRIZSTOSR2Po4XvWHIyV66n9WJnzCsdWYyINB3syci65
0/QdQ8s1tbMXNiDE87H0niLrvci2XTrPtIpZWGg8wbOmd6ytHCNxeixbc960pBaVLXZor0rWSiFz
TaSc8jMG0tcn/8Glancc603h3GpucJJC8HiFw0qe+0lefwnwXAbPj72RgGyVM09EGchncJ9FaYGZ
f+2Xz3fiiYAIKWnuienndgWjCpayVMGS28zIiWQsaNh4hLCz0ojXhBRVThZrLgHLy/kU938Z7vo6r
Ge9ibK2FjuyIkWk8GkMP17PmYqxcT+0Hz0fq+2w8eDXn1Zq5+L+LvmNoKefJqgk8j3WQU2S9dtB8
J2ixneCwtIS9i7GVY2Aby4sIenjbQd4cpnGMuRohp1wx24px8q5tz7fKFF2wbjU3qoHlNitPRMkG
exICY6Jtfo+0BznA8wfAt7GV977V3I876ktvsMUyMB4IpsDzRwNs5ZWA70EAAAAAABwAAAAAMBB
AgAAAAAcJAAAAADAQQIAAAAAHCQAAAAAwECAAAAAABwAAAAAMBBAgAAAMBXd5BPv35/OI6307HR
X/gA7gLD1LPDRsbD3ofvnuty8/l7ca7jCJLeDMyD6gJtV8b+rUDX+XtGYc4ffB60P8a/t+5Xpet3
4tm3ziB5t//3iA8qa9d1jvLTUdiGCvju2FFAK00qf76JP8cHALMQ2ou1UcY2N+dPEw07yr+AhHeB
ypw/P1wHHCr/w1Hz1Kj2j2PgbuOfMUX5qqbbYp0EnViAVcFEHQ5rNXz/sSLnmFMwic2i78NgGDIU
68C1g0HRn8dhB7kFKR8W2y/Ef+kcn0UwtzXnzyfLD0DXLXT2spiySke2GFbgNpDfyxvAJfASpAG+
udwPsH1sfeXHT5AJuLQDDHzQMmYsXC4SydV5Lo8MBp4n321IzfmjodzW050LzT3wvbbJfb6Xv4pd
LjS2WPBHSvW4XASPMvP5g6r8hfViQRlJqd2M/r0jelwe6H5P1/AY3gQtS0FFRmX0H+T0xDpk/VUg
o5D83Fvon6vgIXXQ0kaGpvAqhpZHJfMb414wNZb0LJsbioWzbUIlPirRR7mYqwoEckW4f8yimqnQ
HyG/R7qmSs7fzXmqxCzEs8RiJ9/oXDJDlx4Go78H+fTrtyTwkvNULHBTQGFKB4NtoYxri5L47mWn
XJrzl8wHXHOxy8ZhaFLrt60Jl1CXrkF964h0iUcZxcqUidJXY7lmo8Zquz+j3/SX6210K+hYCTng
YKIR902RoTm8iqwLD3PoPBW8Qjp10MHcwRumeUu/Zx69GyPbjXhms5CeXp0uKTmHXBK4DzLysoBt
LajPiUeXvSFj9UloEihCyyEMesVcc2CyuhyTiUxXUaKnTJOibimtgiMEeWZVihHIAK6a2Mvsj6m
qxxXYc4LD1IyRMac5yA4glyby81JshHs60gtAU4mrpHlR4zGkEUEP3x/beFNsrT6KdqtRGB1UEZ7
ZynDpcI56n5yH10yNIIDXmbQ8kNxvhA40qv9T6cyLs2yLsjoPXzLz+bWhVuL9ITLi4bpn8/e6hMyh
s5mgZaX4HuMgE6JHq31y3XtvdJXB2Zaek4ggoqI2pvIsJzkNyehe8GuKlJ28gxzeedw4fLsP5dbT
75fo16vF+aZCwFu6pLPxBm156TdnC50yed3dqx3wwkSj10QLjMSBIRXe0Te05ipzm8n5hmjXW8aQ
CQ04tLzDr6KESqba/L36cCsMGJdhwxXjy6h7S3y0KXQaeI6MvKUMlC0rGy1rLVE36t45dJaLs2IX
ZSWistNbMg4bzY4Uw0h+9cSj1hP05pE0cquqDwZEn/Rbfed0LcR1ayUTvaDRVJ7tA3ZyLfsJA84p
uvTtMwcnfxCGwa0jysUs0NwtM5yTSeYm5jP8waJcL6ukszqQLlxYEFKYbYJYa/KV9WN5KV29K8S
Cr5yXNOa8GtBnbEvze+VYcgduXNMx6VzC/2wmM/zuUvyqg5gcJaicyyk3vh0Q9PMFmSujX3Fey30
jyld8mKcTJmHjy0G75Gu0ukmykG2C/0s88joiJLI0br00A6yIcGWRyeioEsY6o0nBDDrN58fi9K
RmytCC9XXDMzoy1WpxUt2LTG3mTg/OKLhxFG0jA1+Qrx3/XZQpc83Udqcw2NZfi8uxKuxgdiSdB4j
n7HtHQK0Loa3YwPumrKfZ0UTvXjt3ugq7dP7wpWr3MIPVzAqbeLUXXpsBzm8B6m0n4KY1yRgJp4Z
2iatUvdki4zSnd/rzEYazIPj3lsiHTmGnHdcjIH00nkWvp0SjZn4fHDI0K14tSSdpxjbMQFUVgBv
x1ad+NU06aSz06WrzKY54+YVrcVCPGuvpEsP7SbjInC8CwncEpxFbM3nctJgaLCf7GNh4P/rF7BN
Pww9umzN84cFdOkL08hTftkqmpcItpoBB0fRhwymooRvJBSLTm2VglhCMWNMT2QUTIL0ndqH9ak

3C9CVjJHn2Iyi0zR+da8ugWdmxHPk9c1dyKP9y6/NTn0f83nhUHVAjYlv5IuwUFqPP36nc5QqKnv
UXLbZcDA2RzYYQSTqyu0rRmhFI4pjf3syH5mDhkF3CQqaU/r57fY/tZKNm5Na9uQecxxlhq5aVl
k+mbRMjDvcpvqmwFr76NDeBckGXuLBAAFgvoEhykBRsLQ2T0kjQELV0GY0xkLSeUXavU+HW0P+bz
i81yifL0oex8bx6IzJYe21bcv/dk5PLLBfe0/2KvFNs1Bvlu1lIY50Ddwo+QIut3Yl39lG07Na9u
QWf5zuL04yRLYRNi32Wcy/eNsS/Ecdmme6FrQfbJ9spIOiFxsDLIaet8dpIX48zRpW+N0HuQueU9
x1I5nk4pVCUENRMM450vzETDwUuTwbDejPtlf/5/p8oG02HA5A4cPFH096Q0Y3GJscL3ugpqy/Vi
L/fj3jYo3oqI lccgAxoZeXcLKh2/MM7bw3VCRn1GsJfnDa0Pjn4a8/f7cLfm1bXprHVub9wbBcjr
L/1KwMGcd4NJhR7L8dcmvtx6Tbo2QlbehHN0LVWLKZC2LhPPcMnodqYuPbaDDGRUKwtzViI6LxxR
51TDwSn/TjjEwtG3V8sz2bkljrGxgr85B09SY+N3ryrjfo+MhXl9h3LE76byVl2JI8tmRd0s9Fzp
sFzv3tmM5KuoMFQentR3xqtb0LkVz+RNGjKHfrya68yNS77b9LgdSftr0pWfxd+s3Dgc3NzM3whb
VXpk/DBTL741ppRY+d3IF8fG5QNzno19HoKZP+c7bQNDbSutuG/88quvb1ulyJ34rQ0I3qXGtibF
0ZEv9+3Ltp2jVvyV+XvXDebLJb7Px+22lgBp65HhZ4sM8c4lPwNlwlvy6hZ0bolea4vssz0I6c61
+M686e+YrKxPmaX2wr4skYG7VqRKGa0X0KVvjaePj495Dfi3mktV0eI7fen+04/t06IS0foTyAEA
t8cpybrr/v24cPvdN07Lv/PYAAAAHh7/gAQAAAAAAACJAAAAAHCQAAAAADAVsxfpAAAAAAAYSAAA
AACAgwQAAAAAOEgAAAAAAOAgAQAAAAAOEgAAAADgIAEAAAAADhIAAAAAALoT/CTAAYUNz3oCk+NkA
AAAASUVORK5CYII=

-----=_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: image/gif
Content-Transfer-Encoding: base64
Content-Location:
http://www.rita.dot.gov/sites/default/files/images/rita_home_link.gif

R0lGODlhFAEOAIAAAP//wAAACH/C1hNUCBEXRrHE1QPD94cGFja2V0IGJlZ2luPSLvu78iIGlk
PSJXNU0wTXBDZWhpSHpyZVN6TlRjemtjOWQiPz4gPHg6eG1wbWV0YSB4bWxuczp4PSJhZG9iZTpu
czptZXRhLyIgeDp4bXB0az0iQRvYmUgWE1QIENvcmluZS4wLWwNjAgNjEuMTM0Nzc3LCAyMDEw
LzAyLzEYLTE3OjMyOjAwICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg
dzMub3JnLzE5OTkvMDIvMjItcmRmLXN5bnRheC1ucyMiPiA8cmRmOklc2NyaXB0aw9uIHJkZjph
Ym91dD0iIiB4bWxuczp4bXA9Imh0dHA6Ly9ucy5hZG9iZS5jb20veGFwLzEuMC8iIHhtbG5zOnht
cE1NPSJodHRwOi8vb3N5bnRvYmUuY29tL3hhcC8xLjAvbW0vIiB4bWxuczpzdFJlZj0iaHR0cDov
L25zLmFkb2JlLmNvbS94YXAvMS4wL3N1eXBlL1Jlc291cmNlUmVmIyIgeG1w0kNyZWZ0b3JlU29s
PSJBZG9iZSBQaG90b3Nob3AgQ1M1IFdpbmRvd3MiIHhtcE1N0kluc3RhbmlSUQ9InhtcC5paWQ6
OENGmjhGQzcxRjgyMTFFMkJCNDFDNjY2Qjk1QzZM2MTUuIHhtcE1N0kRvY3VtZW50SUQ9InhtcC5k
aWQ6OENGmjhGQzgxRjgyMTFFMkJCNDFDNjY2Qjk1QzZM2MTUuPiA8eG1wTU06RGVyaXZLZEZyb20g
c3RSZWY6aW5zdGFuY2VJRd0ieG1wLmLpZDo4Q0YyOEZDNTFGODIxMUUyQkI0MUM2NjZCOTVDMzYx
NSIgc3RSZWY6ZG9jdw1lbnRJRd0ieG1wLmRmZDo4Q0YyOEZDNTFGODIxMUUyQkI0MUM2NjZCOTVD
MzYxNSIvPiA8L3JkZjpeZXNjcmldwGlVbj4gPC9yZGY6UkRGPiA8L3g6eG1wbWV0YT4gPD94cGFj
a2V0IGVuZD0iciI/PgH//v38+/r5+Pf29ftZ8vHw7+7t70vq6ejn5uXk4+Lh4N/e3dzb2tnY19bV
1NPS0dDPzs3My8rJyMfgxcTDwshAV769vLu6ubi3trW0s7KxsK+urayrqmop6alpK0ioaCfnp2c
m5qZmJewLZSTkpGQj46NjIuKiYiHhowEg4KBgH9+fXx7enl4d3Z1dHNycXBvbm1sa2ppaGdmZWRj
YmFgX15dXFtawVhXVlVUU1JRUE90TUXLSklIR0ZFRENCQUA/Pj080zo50Dc2NTQzMjEwLy4tLCSq
KSgnJiUkIyIhIB8eHRwbGhkYFxyVFBMSERAPDg0MFCwoJCAcGBQQDAgEAACH5BAEAAAAALAAAAAB8
AQ4AAAAPhI+py+0Po5y02ouz3rz7D4biSjBmiabqyrbuC8fyTNf2jef6zvf+DwwKh8Si8YhMKpFM
pvMJjUqn1Kr1is1qt9yu9ws0i8fksvmMTquPBQA7

-----=_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: text/css;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/css/css_ngjiV_to9K7DJR1zeXgA_mBaXxVqC08WeEV_1zurl8.css

```
#autocomplete {  
    Z-INDEX: 100; BORDER-BOTTOM: 1px solid; POSITION: absolute; =  
    BORDER-LEFT: 1px solid; OVERFLOW: hidden; BORDER-TOP: 1px solid; =  
    BORDER-RIGHT: 1px solid  
}  
#autocomplete UL {  
    PADDING-BOTTOM: 0px; LIST-STYLE-TYPE: none; MARGIN: 0px; PADDING-LEFT: =  
    0px; PADDING-RIGHT: 0px; LIST-STYLE-IMAGE: none; PADDING-TOP: 0px  
}  
#autocomplete LI {  
    ZOOM: 1; WHITE-SPACE: pre; BACKGROUND: #fff; COLOR: #000; CURSOR: =
```

```

default
}
HTML.js INPUT.form-autocomplete {
    BACKGROUND-IMAGE: url(/bts/misc/throbber-inactive.png); =
BACKGROUND-REPEAT: no-repeat; BACKGROUND-POSITION: 100% center
}
HTML.js INPUT.throbbing {
    BACKGROUND-IMAGE: url(/bts/misc/throbber-active.gif); =
BACKGROUND-POSITION: 100% center
}
HTML.js FIELDSET.collapsed {
    BORDER-RIGHT-WIDTH: 0px; BORDER-BOTTOM-WIDTH: 0px; HEIGHT: 1em; =
BORDER-LEFT-WIDTH: 0px
}
HTML.js FIELDSET.collapsed .fieldset-wrapper {
    DISPLAY: none
}
FIELDSET.collapsible {
    POSITION: relative
}
FIELDSET.collapsible .fieldset-legend {
    DISPLAY: block
}
.form-textarea-wrapper TEXTAREA {
    BOX-SIZING: border-box; MARGIN: 0px; WIDTH: 100%; DISPLAY: block; =
-moz-box-sizing: border-box; -webkit-box-sizing: border-box
}
.resizable-textarea .grippie {
    BORDER-BOTTOM: #ddd 1px solid; BORDER-LEFT: #ddd 1px solid; BACKGROUND: =
url(/bts/misc/grippie.png) #eee no-repeat center 2px; HEIGHT: 9px; =
OVERFLOW: hidden; BORDER-TOP: #ddd 0px solid; CURSOR: s-resize; =
BORDER-RIGHT: #ddd 1px solid
}
BODY.drag {
    CURSOR: move
}
.draggable A.tabledrag-handle {
    FLOAT: left; HEIGHT: 1.7em; MARGIN-LEFT: -1em; OVERFLOW: hidden; =
CURSOR: move; TEXT-DECORATION: none
}
A.tabledrag-handle:hover {
    TEXT-DECORATION: none
}
A.tabledrag-handle .handle {
    PADDING-BOTTOM: 0.42em; MARGIN: -0.4em 0.5em; PADDING-LEFT: 0.5em; =
WIDTH: 13px; PADDING-RIGHT: 0.5em; BACKGROUND: =
url(/bts/misc/draggable.png) no-repeat 6px 9px; HEIGHT: 13px; =
PADDING-TOP: 0.42em
}
A.tabledrag-handle-hover .handle {
    BACKGROUND-POSITION: 6px -11px
}
DIV.indentation {
    PADDING-BOTTOM: 0.42em; MARGIN: -0.4em 0.2em -0.4em -0.4em; =
PADDING-LEFT: 0.6em; WIDTH: 20px; PADDING-RIGHT: 0px; FLOAT: left; =
HEIGHT: 1.7em; PADDING-TOP: 0.42em
}
DIV.tree-child {
    BACKGROUND: url(/bts/misc/tree.png) no-repeat 11px center
}
DIV.tree-child-last {
    BACKGROUND: url(/bts/misc/tree-bottom.png) no-repeat 11px center
}
DIV.tree-child-horizontal {

```

```

        BACKGROUND: url(/bts/misc/tree.png) no-repeat -11px center
    }
    .tabledrag-toggle-weight-wrapper {
        TEXT-ALIGN: right
    }
    TABLE.sticky-header {
        BACKGROUND-COLOR: #fff; MARGIN-TOP: 0px
    }
    .progress .bar {
        BORDER-BOTTOM: 1px solid; BORDER-LEFT: 1px solid; BACKGROUND-COLOR: =
#fff; BORDER-TOP: 1px solid; BORDER-RIGHT: 1px solid
    }
    .progress .filled {
        BACKGROUND-COLOR: #000; WIDTH: 5px; HEIGHT: 1.5em
    }
    .progress .percentage {
        FLOAT: right
    }
    .ajax-progress {
        DISPLAY: inline-block
    }
    .ajax-progress .throbber {
        MARGIN: 2px; WIDTH: 15px; BACKGROUND: =
url(/bts/misc/throbber-active.gif) no-repeat 0px center; FLOAT: left; =
HEIGHT: 15px
    }
    .ajax-progress .message {
        PADDING-LEFT: 20px
    }
    TR .ajax-progress .throbber {
        MARGIN: 0px 2px
    }
    .ajax-progress-bar {
        WIDTH: 16em
    }
    .container-inline DIV {
        DISPLAY: inline
    }
    .container-inline LABEL {
        DISPLAY: inline
    }
    .container-inline .fieldset-wrapper {
        DISPLAY: block
    }
    .nowrap {
        WHITE-SPACE: nowrap
    }
    HTML.js .js-hide {
        DISPLAY: none
    }
    .element-hidden {
        DISPLAY: none
    }
    .element-invisible {
        CLIP: rect(1px 1px 1px 1px); POSITION: absolute !important; HEIGHT: =
1px; OVERFLOW: hidden
    }
    .element-focusable.element-invisible:active {
        POSITION: static !important; HEIGHT: auto; OVERFLOW: visible
    }
    .element-focusable.element-invisible:focus {
        POSITION: static !important; HEIGHT: auto; OVERFLOW: visible
    }
    .clearfix:after {

```

```

        DISPLAY: block; HEIGHT: 0px; VISIBILITY: hidden; CLEAR: both; CONTENT: =
    ". "
    }
    * HTML .clearfix {
        HEIGHT: 1%
    }
    *:first-child + HTML .clearfix {
        MIN-HEIGHT: 1%
    }
    UL.menu {
        BORDER-BOTTOM-STYLE: none; TEXT-ALIGN: left; BORDER-RIGHT-STYLE: none; =
    LIST-STYLE-TYPE: none; BORDER-TOP-STYLE: none; BORDER-LEFT-STYLE: none
    }
    UL.menu LI {
        MARGIN: 0px 0px 0px 0.5em
    }
    UL LI.expanded {
        LIST-STYLE-TYPE: circle; LIST-STYLE-IMAGE: =
    url(/bts/misc/menu-expanded.png)
    }
    UL LI.collapsed {
        LIST-STYLE-TYPE: disc; LIST-STYLE-IMAGE: =
    url(/bts/misc/menu-collapsed.png)
    }
    UL LI.leaf {
        LIST-STYLE-TYPE: square; LIST-STYLE-IMAGE: url(/bts/misc/menu-leaf.png)
    }
    LI.expanded {
        PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
    0.5em; PADDING-TOP: 0.2em
    }
    LI.collapsed {
        PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
    0.5em; PADDING-TOP: 0.2em
    }
    LI.leaf {
        PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
    0.5em; PADDING-TOP: 0.2em
    }
    LI A.active {
        COLOR: #000
    }
    TD.menu-disabled {
        BACKGROUND: #ccc
    }
    UL.inline {
        PADDING-LEFT: 0px; DISPLAY: inline
    }
    UL.inline.links {
        PADDING-LEFT: 0px; DISPLAY: inline
    }
    UL.inline LI {
        PADDING-BOTTOM: 0px; LIST-STYLE-TYPE: none; PADDING-LEFT: 0.5em; =
    PADDING-RIGHT: 0.5em; DISPLAY: inline; PADDING-TOP: 0px
    }
    .breadcrumb {
        PADDING-BOTTOM: 0.5em
    }
    UL.primary {
        BORDER-BOTTOM: #bbb 1px solid; PADDING-BOTTOM: 0px; LINE-HEIGHT: =
    normal; LIST-STYLE-TYPE: none; MARGIN: 5px; PADDING-LEFT: 1em; =
    PADDING-RIGHT: 0px; BORDER-COLLAPSE: collapse; WHITE-SPACE: nowrap; =
    HEIGHT: auto; PADDING-TOP: 0px
    }

```

```

UL.primary LI {
    DISPLAY: inline
}
UL.primary LI A {
    BORDER-BOTTOM: #bbb 1px; BORDER-LEFT: #bbb 1px solid; PADDING-BOTTOM: =
0px; BACKGROUND-COLOR: #ddd; PADDING-LEFT: 1em; PADDING-RIGHT: 1em; =
HEIGHT: auto; BORDER-TOP: #bbb 1px solid; MARGIN-RIGHT: 0.5em; =
BORDER-RIGHT: #bbb 1px solid; TEXT-DECORATION: none; PADDING-TOP: 0px
}
UL.primary LI.active A {
    BORDER-BOTTOM: #fff 1px solid; BORDER-LEFT: #bbb 1px solid; =
BACKGROUND-COLOR: #fff; BORDER-TOP: #bbb 1px solid; BORDER-RIGHT: #bbb =
1px solid
}
UL.primary LI A:hover {
    BORDER-BOTTOM-COLOR: #eee; BACKGROUND-COLOR: #eee; BORDER-TOP-COLOR: =
#ccc; BORDER-RIGHT-COLOR: #ccc; BORDER-LEFT-COLOR: #ccc
}
UL.secondary {
    BORDER-BOTTOM: #bbb 1px solid; PADDING-BOTTOM: 0.5em; MARGIN: 5px; =
PADDING-LEFT: 1em; PADDING-RIGHT: 1em; PADDING-TOP: 0.5em
}
UL.secondary LI {
    PADDING-BOTTOM: 0px; PADDING-LEFT: 1em; PADDING-RIGHT: 1em; DISPLAY: =
inline; BORDER-RIGHT: #ccc 1px solid; PADDING-TOP: 0px
}
UL.secondary A {
    PADDING-BOTTOM: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px; =
TEXT-DECORATION: none; PADDING-TOP: 0px
}
UL.secondary A.active {
    BORDER-BOTTOM: #999 4px solid
}
DIV.messages {
    BORDER-BOTTOM: 1px solid; BORDER-LEFT: 1px solid; PADDING-BOTTOM: 10px; =
MARGIN: 6px 0px; PADDING-LEFT: 50px; PADDING-RIGHT: 10px; =
BACKGROUND-REPEAT: no-repeat; BACKGROUND-POSITION: 8px 8px; BORDER-TOP: =
1px solid; BORDER-RIGHT: 1px solid; PADDING-TOP: 10px
}
DIV.status {
    BACKGROUND-IMAGE: url(/bts/misc/message-24-ok.png); =
BORDER-BOTTOM-COLOR: #be7; BORDER-TOP-COLOR: #be7; BORDER-RIGHT-COLOR: =
#be7; BORDER-LEFT-COLOR: #be7
}
DIV.status {
    COLOR: #234600
}
.ok {
    COLOR: #234600
}
DIV.status {
    BACKGROUND-COLOR: #f8fff0
}
TABLE TR.ok {
    BACKGROUND-COLOR: #f8fff0
}
DIV.warning {
    BACKGROUND-IMAGE: url(/bts/misc/message-24-warning.png); =
BORDER-BOTTOM-COLOR: #ed5; BORDER-TOP-COLOR: #ed5; BORDER-RIGHT-COLOR: =
#ed5; BORDER-LEFT-COLOR: #ed5
}
DIV.warning {
    COLOR: #840
}

```

```

.warning {
    COLOR: #840
}
DIV.warning {
    BACKGROUND-COLOR: #fffce5
}
TABLE TR.warning {
    BACKGROUND-COLOR: #fffce5
}
DIV.error {
    BACKGROUND-IMAGE: url(/bts/misc/message-24-error.png); =
    BORDER-BOTTOM-COLOR: #ed541d; BORDER-TOP-COLOR: #ed541d; =
    BORDER-RIGHT-COLOR: #ed541d; BORDER-LEFT-COLOR: #ed541d
}
DIV.error {
    COLOR: #8c2e0b
}
.error {
    COLOR: #8c2e0b
}
DIV.error {
    BACKGROUND-COLOR: #fef5f1
}
TABLE TR.error {
    BACKGROUND-COLOR: #fef5f1
}
DIV.error P.error {
    COLOR: #333
}
DIV.messages UL {
    PADDING-BOTTOM: 0px; MARGIN: 0px 0px 0px 1em; PADDING-LEFT: 0px; =
    PADDING-RIGHT: 0px; PADDING-TOP: 0px
}
DIV.messages UL LI {
    LIST-STYLE-IMAGE: none
}
FIELDSET {
    PADDING-BOTTOM: 0.5em; PADDING-LEFT: 0.5em; PADDING-RIGHT: 0.5em; =
    MARGIN-BOTTOM: 1em; PADDING-TOP: 0.5em
}
FORM {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
    0px; PADDING-TOP: 0px
}
HR {
    BORDER-BOTTOM: gray 1px solid; BORDER-LEFT: gray 1px solid; HEIGHT: =
    1px; BORDER-TOP: gray 1px solid; BORDER-RIGHT: gray 1px solid
}
IMG {
    BORDER-RIGHT-WIDTH: 0px; BORDER-TOP-WIDTH: 0px; BORDER-BOTTOM-WIDTH: =
    0px; BORDER-LEFT-WIDTH: 0px
}
TABLE {
    BORDER-COLLAPSE: collapse
}
TH {
    BORDER-BOTTOM: #ccc 3px solid; TEXT-ALIGN: left; PADDING-RIGHT: 1em
}
TBODY {
    BORDER-TOP: #ccc 1px solid
}
TR.even {
    BORDER-BOTTOM: #ccc 1px solid; PADDING-BOTTOM: 0.1em; BACKGROUND-COLOR: =
    #eee; PADDING-LEFT: 0.6em; PADDING-RIGHT: 0.6em; PADDING-TOP: 0.1em
}

```

```

}
TR.odd {
    BORDER-BOTTOM: #ccc 1px solid; PADDING-BOTTOM: 0.1em; BACKGROUND-COLOR: =
#eee; PADDING-LEFT: 0.6em; PADDING-RIGHT: 0.6em; PADDING-TOP: 0.1em
}
TH.active IMG {
    DISPLAY: inline
}
TD.active {
    BACKGROUND-COLOR: #ddd
}
.item-list .title {
    FONT-WEIGHT: bold
}
.item-list UL {
    PADDING-BOTTOM: 0px; MARGIN: 0px 0px 0.75em; PADDING-LEFT: 0px; =
PADDING-RIGHT: 0px; PADDING-TOP: 0px
}
.item-list UL LI {
    PADDING-BOTTOM: 0px; MARGIN: 0px 0px 0.25em 1.5em; PADDING-LEFT: 0px; =
PADDING-RIGHT: 0px; PADDING-TOP: 0px
}
.form-item {
    MARGIN-TOP: 1em; MARGIN-BOTTOM: 1em
}
.form-actions {
    MARGIN-TOP: 1em; MARGIN-BOTTOM: 1em
}
TR.odd .form-item {
    MARGIN-TOP: 0px; WHITE-SPACE: nowrap; MARGIN-BOTTOM: 0px
}
TR.even .form-item {
    MARGIN-TOP: 0px; WHITE-SPACE: nowrap; MARGIN-BOTTOM: 0px
}
.form-item .description {
    FONT-SIZE: 0.85em
}
LABEL {
    DISPLAY: block; FONT-WEIGHT: bold
}
LABEL.option {
    DISPLAY: inline; FONT-WEIGHT: normal
}
.form-checkboxes .form-item {
    MARGIN-TOP: 0.4em; MARGIN-BOTTOM: 0.4em
}
.form-radios .form-item {
    MARGIN-TOP: 0.4em; MARGIN-BOTTOM: 0.4em
}
.form-type-radio .description {
    MARGIN-LEFT: 2.4em
}
.form-type-checkbox .description {
    MARGIN-LEFT: 2.4em
}
INPUT.form-checkbox {
    VERTICAL-ALIGN: middle
}
INPUT.form-radio {
    VERTICAL-ALIGN: middle
}
.marker {
    COLOR: #f00
}

```

```

.form-required {
    COLOR: #f00
}
.form-item INPUT.error {
    BORDER-BOTTOM: red 2px solid; BORDER-LEFT: red 2px solid; BORDER-TOP: =
red 2px solid; BORDER-RIGHT: red 2px solid
}
.form-item TEXTAREA.error {
    BORDER-BOTTOM: red 2px solid; BORDER-LEFT: red 2px solid; BORDER-TOP: =
red 2px solid; BORDER-RIGHT: red 2px solid
}
.form-item SELECT.error {
    BORDER-BOTTOM: red 2px solid; BORDER-LEFT: red 2px solid; BORDER-TOP: =
red 2px solid; BORDER-RIGHT: red 2px solid
}
.container-inline .form-actions {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 0px
}
.form-actions.container-inline {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 0px
}
.more-link {
    TEXT-ALIGN: right
}
.more-help-link {
    TEXT-ALIGN: right
}
.more-help-link A {
    PADDING-BOTTOM: 1px; PADDING-LEFT: 20px; PADDING-RIGHT: 0px; =
BACKGROUND: url(/bts/misc/help.png) no-repeat 0px 50%; PADDING-TOP: 1px
}
.item-list .pager {
    TEXT-ALIGN: center; CLEAR: both
}
.item-list .pager LI {
    BACKGROUND-IMAGE: none; PADDING-BOTTOM: 0.5em; LIST-STYLE-TYPE: none; =
PADDING-LEFT: 0.5em; PADDING-RIGHT: 0.5em; DISPLAY: inline; PADDING-TOP: =
0.5em
}
.pager-current {
    FONT-WEIGHT: bold
}
#autocomplete LI.selected {
    BACKGROUND: #0072b9; COLOR: #fff
}
HTML.js FIELDSET.collapsible .fieldset-legend {
    PADDING-LEFT: 15px; BACKGROUND: url(/bts/misc/menu-expanded.png) =
no-repeat 5px 65%
}
HTML.js FIELDSET.collapsed .fieldset-legend {
    BACKGROUND-IMAGE: url(/bts/misc/menu-collapsed.png); =
BACKGROUND-POSITION: 5px 50%
}
.fieldset-legend SPAN.summary {
    COLOR: #999; MARGIN-LEFT: 0.5em; FONT-SIZE: 0.9em
}
TR.drag {
    BACKGROUND-COLOR: #ffffff0
}
TR.drag-previous {
    BACKGROUND-COLOR: #ffd
}
.tabledrag-toggle-weight {
    FONT-SIZE: 0.9em
}

```

```

}
BODY DIV.tabledrag-changed-warning {
    MARGIN-BOTTOM: 0.5em
}
TR.selected TD {
    BACKGROUND: #ffc
}
TD.checkbox {
    TEXT-ALIGN: center
}
TH.checkbox {
    TEXT-ALIGN: center
}
.progress {
    FONT-WEIGHT: bold
}
.progress .bar {
    BORDER-BOTTOM-COLOR: #666; BORDER-TOP-COLOR: #666; MARGIN: 0px 0.2em; =
BACKGROUND: #ccc; BORDER-RIGHT-COLOR: #666; BORDER-LEFT-COLOR: #666; =
-moz-border-radius: 3px; -webkit-border-radius: 3px; border-radius: 3px
}
.progress .filled {
    BACKGROUND: url(/bts/misc/progress.gif) #0072b9
}

-----=_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: text/css;
    charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/css/css_IgSm0E64BWaGr3m
Fy76shRiykqFjVjVfW3v6ykc1SuI.css

#aggregator .feed-source .feed-title {
    MARGIN-TOP: 0px
}
#aggregator .feed-source .feed-image IMG {
    MARGIN-BOTTOM: 0.75em
}
#aggregator .feed-source .feed-icon {
    DISPLAY: block; FLOAT: right
}
#aggregator .feed-item {
    MARGIN-BOTTOM: 1.5em
}
#aggregator .feed-item-title {
    MARGIN-BOTTOM: 0px; FONT-SIZE: 1.3em
}
#aggregator .feed-item-meta {
    MARGIN-BOTTOM: 0.5em
}
#aggregator .feed-item-body {
    MARGIN-BOTTOM: 0.5em
}
#aggregator .feed-item-categories {
    FONT-SIZE: 0.9em
}
#aggregator TD {
    VERTICAL-ALIGN: bottom
}
#aggregator TD.categorize-item {
    WHITE-SPACE: nowrap
}
#aggregator .categorize-item .news-item .body {

```

```

        MARGIN-TOP: 0px
    }
#aggregator .categorize-item H3 {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 1em
}
.book-navigation .menu {
    PADDING-BOTTOM: 0px; PADDING-LEFT: 3em; PADDING-RIGHT: 0px; BORDER-TOP: =
#888 1px solid; PADDING-TOP: 1em
}
.book-navigation .page-links {
    BORDER-BOTTOM: #888 1px solid; TEXT-ALIGN: center; PADDING-BOTTOM: =
0.5em; PADDING-LEFT: 0.5em; PADDING-RIGHT: 0.5em; BORDER-TOP: #888 1px =
solid; PADDING-TOP: 0.5em
}
.book-navigation .page-previous {
    TEXT-ALIGN: left; WIDTH: 42%; DISPLAY: block; FLOAT: left
}
.book-navigation .page-up {
    MARGIN: 0px 5%; WIDTH: 4%; DISPLAY: block; FLOAT: left
}
.book-navigation .page-next {
    TEXT-ALIGN: right; WIDTH: 42%; DISPLAY: block; FLOAT: right
}
#book-outline {
    MIN-WIDTH: 56em
}
.book-outline-form .form-item {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 0px
}
HTML.js #edit-book-pick-book {
    DISPLAY: none
}
.form-item-book-bid .description {
    CLEAR: both
}
#book-admin-edit SELECT {
    MARGIN-RIGHT: 24px
}
#book-admin-edit SELECT.progress-disabled {
    MARGIN-RIGHT: 0px
}
#book-admin-edit TR.ajax-new-content {
    BACKGROUND-COLOR: #ffd
}
#book-admin-edit .form-item {
    FLOAT: left
}
#comments {
    MARGIN-TOP: 15px
}
    .indented {
        MARGIN-LEFT: 25px
    }
    .comment-unpublished {
        BACKGROUND-COLOR: #fff4f4
    }
    .comment-preview {
        BACKGROUND-COLOR: #ffffea
    }
    .container-inline-date {
        CLEAR: both
    }
    .container-inline-date .form-item {
        PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =

```

```

0px; FLOAT: none; PADDING-TOP: 0px
}
.container-inline-date > .form-item {
    DISPLAY: inline-block; MARGIN-BOTTOM: 10px; VERTICAL-ALIGN: top; =
MARGIN-RIGHT: 0.5em
}
.container-inline-date .form-item .form-item {
    FLOAT: left
}
.container-inline-date .form-item {
    WIDTH: auto
}
.container-inline-date .form-item INPUT {
    WIDTH: auto
}
.container-inline-date .description {
    CLEAR: both
}
.container-inline-date .form-item INPUT {
    MARGIN-RIGHT: 5px
}
.container-inline-date .form-item SELECT {
    MARGIN-RIGHT: 5px
}
.container-inline-date .form-item OPTION {
    MARGIN-RIGHT: 5px
}
.container-inline-date .date-spacer {
    MARGIN-LEFT: -5px
}
.views-right-60 .container-inline-date DIV {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
.container-inline-date .date-timezone .form-item {
    WIDTH: auto; FLOAT: none; CLEAR: both
}
.container-inline-date .date-padding {
    PADDING-BOTTOM: 10px; PADDING-LEFT: 10px; PADDING-RIGHT: 10px; FLOAT: =
left; PADDING-TOP: 10px
}
.views-exposed-form .container-inline-date .date-padding {
    PADDING-BOTTOM: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px; =
PADDING-TOP: 0px
}
#calendar_div {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
#calendar_div TD {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
#calendar_div TH {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
#calendar_div {
    MARGIN: 0px; WIDTH: 185px; BORDER-COLLAPSE: separate
}
.calendar_control {
    MARGIN: 0px; WIDTH: 185px; BORDER-COLLAPSE: separate
}
.calendar_links {

```

```

        MARGIN: 0px; WIDTH: 185px; BORDER-COLLAPSE: separate
    }
    .calendar_header {
        MARGIN: 0px; WIDTH: 185px; BORDER-COLLAPSE: separate
    }
    .calendar {
        MARGIN: 0px; WIDTH: 185px; BORDER-COLLAPSE: separate
    }
    .calendar TD {
        PADDING-BOTTOM: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px; =
PADDING-TOP: 0px
    }
    SPAN.date-display-single {
=09
    }
    SPAN.date-display-start {
=09
    }
    SPAN.date-display-end {
=09
    }
    .date-prefix-inline {
        DISPLAY: inline-block
    }
    .date-clear {
        DISPLAY: block; FLOAT: none; CLEAR: both
    }
    .date-no-float {
        WIDTH: 98%; FLOAT: none; CLEAR: both
    }
    .date-float {
        WIDTH: auto; FLOAT: left; CLEAR: none
    }
    .date-float .form-type-checkbox {
        PADDING-RIGHT: 1em
    }
    .form-type-date-select [class$=3Dhour].form-type-select {
        MARGIN-LEFT: 0.75em
    }
    .date-container .date-format-delete {
        MARGIN-TOP: 1.8em; FLOAT: left; MARGIN-LEFT: 1.5em
    }
    .date-container .date-format-name {
        FLOAT: left
    }
    .date-container .date-format-type {
        PADDING-LEFT: 10px; FLOAT: left
    }
    .date-container .select-container {
        FLOAT: left; CLEAR: left
    }
    DIV.date-calendar-day {
        BORDER-BOTTOM: #bbb 1px solid; TEXT-ALIGN: center; BORDER-LEFT: #eee =
1px solid; LINE-HEIGHT: 1; MARGIN: 6px 10px 0px 0px; WIDTH: 40px; =
BACKGROUND: #f3f3f3; FLOAT: left; COLOR: #999; BORDER-TOP: #eee 1px =
solid; BORDER-RIGHT: #bbb 1px solid
    }
    DIV.date-calendar-day SPAN {
        TEXT-ALIGN: center; DISPLAY: block
    }
    DIV.date-calendar-day SPAN.month {
        PADDING-BOTTOM: 2px; TEXT-TRANSFORM: uppercase; BACKGROUND-COLOR: =
#b5bebe; PADDING-LEFT: 2px; PADDING-RIGHT: 2px; COLOR: white; FONT-SIZE: =
0.9em; PADDING-TOP: 2px

```

```

}
DIV.date-calendar-day SPAN.day {
    FONT-SIZE: 2em; FONT-WEIGHT: bold
}
DIV.date-calendar-day SPAN.year {
    PADDING-BOTTOM: 2px; PADDING-LEFT: 2px; PADDING-RIGHT: 2px; FONT-SIZE: =
0.9em; PADDING-TOP: 2px
}
.form-item-instance-widget-settings-input-format-custom.form-item {
    MARGIN-LEFT: 1.3em
}
.form-item-field-settings-enddate-required.form-item {
    MARGIN-LEFT: 1.3em
}
#edit-field-settings-granularity .form-type-checkbox {
    MARGIN-RIGHT: 0.6em
}
.date-year-range-select {
    MARGIN-RIGHT: 1em
}
#ui-datepicker-div {
    Z-INDEX: 9999; BORDER-BOTTOM: #666 2px solid; FONT-FAMILY: =
Verdana,sans-serif; BACKGROUND: #eee; FONT-SIZE: 100%; BORDER-RIGHT: =
#666 2px solid
}
.ui-datepicker {
    PADDING-BOTTOM: 0px; PADDING-LEFT: 0.2em; WIDTH: 17em; PADDING-RIGHT: =
0.2em; PADDING-TOP: 0.2em
}
.ui-datepicker .ui-datepicker-header {
    POSITION: relative; PADDING-BOTTOM: 0.2em; PADDING-LEFT: 0px; =
PADDING-RIGHT: 0px; PADDING-TOP: 0.2em
}
.ui-datepicker .ui-datepicker-prev {
    POSITION: absolute; WIDTH: 1.8em; HEIGHT: 1.8em; TOP: 2px
}
.ui-datepicker .ui-datepicker-next {
    POSITION: absolute; WIDTH: 1.8em; HEIGHT: 1.8em; TOP: 2px
}
.ui-datepicker .ui-datepicker-prev-hover {
    TOP: 1px
}
.ui-datepicker .ui-datepicker-next-hover {
    TOP: 1px
}
.ui-datepicker .ui-datepicker-prev {
    LEFT: 2px
}
.ui-datepicker .ui-datepicker-next {
    RIGHT: 2px
}
.ui-datepicker .ui-datepicker-prev-hover {
    LEFT: 1px
}
.ui-datepicker .ui-datepicker-next-hover {
    RIGHT: 1px
}
.ui-datepicker .ui-datepicker-prev SPAN {
    POSITION: absolute; MARGIN-TOP: -8px; DISPLAY: block; MARGIN-LEFT: =
-8px; TOP: 50%; LEFT: 50%
}
.ui-datepicker .ui-datepicker-next SPAN {
    POSITION: absolute; MARGIN-TOP: -8px; DISPLAY: block; MARGIN-LEFT: =
-8px; TOP: 50%; LEFT: 50%
}

```

```

}
.ui-datepicker .ui-datepicker-title {
    TEXT-ALIGN: center; LINE-HEIGHT: 1.8em; MARGIN: 0px 2.3em
}
.ui-datepicker .ui-datepicker-title SELECT {
    MARGIN: 1px 0px; FLOAT: left; FONT-SIZE: 1em
}
.ui-datepicker SELECT.ui-datepicker-month-year {
    WIDTH: 100%
}
.ui-datepicker SELECT.ui-datepicker-month {
    WIDTH: 49%
}
.ui-datepicker SELECT.ui-datepicker-year {
    WIDTH: 49%
}
.ui-datepicker .ui-datepicker-title SELECT.ui-datepicker-year {
    FLOAT: right
}
.ui-datepicker TABLE {
    MARGIN: 0px 0px 0.4em; WIDTH: 100%; BORDER-COLLAPSE: collapse; =
FONT-SIZE: 0.9em
}
.ui-datepicker TH {
    TEXT-ALIGN: center; PADDING-BOTTOM: 0.7em; BORDER-RIGHT-WIDTH: 0px; =
PADDING-LEFT: 0.3em; PADDING-RIGHT: 0.3em; BORDER-TOP-WIDTH: 0px; =
BORDER-BOTTOM-WIDTH: 0px; BORDER-LEFT-WIDTH: 0px; FONT-WEIGHT: bold; =
PADDING-TOP: 0.7em
}
.ui-datepicker TD {
    PADDING-BOTTOM: 1px; BORDER-RIGHT-WIDTH: 0px; PADDING-LEFT: 1px; =
PADDING-RIGHT: 1px; BORDER-TOP-WIDTH: 0px; BORDER-BOTTOM-WIDTH: 0px; =
BORDER-LEFT-WIDTH: 0px; PADDING-TOP: 1px
}
.ui-datepicker TD SPAN {
    TEXT-ALIGN: right; PADDING-BOTTOM: 0.2em; PADDING-LEFT: 0.2em; =
PADDING-RIGHT: 0.2em; DISPLAY: block; TEXT-DECORATION: none; =
PADDING-TOP: 0.2em
}
.ui-datepicker TD A {
    TEXT-ALIGN: right; PADDING-BOTTOM: 0.2em; PADDING-LEFT: 0.2em; =
PADDING-RIGHT: 0.2em; DISPLAY: block; TEXT-DECORATION: none; =
PADDING-TOP: 0.2em
}
.ui-datepicker .ui-datepicker-buttonpane {
    BACKGROUND-IMAGE: none; PADDING-BOTTOM: 0px; BORDER-RIGHT-WIDTH: 0px; =
MARGIN: 0.7em 0px 0px; PADDING-LEFT: 0.2em; PADDING-RIGHT: 0.2em; =
BORDER-BOTTOM-WIDTH: 0px; BORDER-LEFT-WIDTH: 0px; PADDING-TOP: 0px
}
.ui-datepicker .ui-datepicker-buttonpane BUTTON {
    PADDING-BOTTOM: 0.3em; MARGIN: 0.5em 0.2em 0.4em; PADDING-LEFT: 0.6em; =
WIDTH: auto; PADDING-RIGHT: 0.6em; FLOAT: right; OVERFLOW: visible; =
CURSOR: pointer; PADDING-TOP: 0.2em
}
.ui-datepicker .ui-datepicker-buttonpane BUTTON.ui-datepicker-current {
    FLOAT: left
}
.ui-datepicker-multi.ui-datepicker {
    WIDTH: auto
}
.ui-datepicker-multi .ui-datepicker-group {
    FLOAT: left
}
.ui-datepicker-multi .ui-datepicker-group TABLE {

```

```

        MARGIN: 0px auto 0.4em; WIDTH: 95%
    }
    .ui-datepicker-multi-2 .ui-datepicker-group {
        WIDTH: 50%
    }
    .ui-datepicker-multi-3 .ui-datepicker-group {
        WIDTH: 33.3%
    }
    .ui-datepicker-multi-4 .ui-datepicker-group {
        WIDTH: 25%
    }
    .ui-datepicker-multi .ui-datepicker-group-last .ui-datepicker-header {
        BORDER-LEFT-WIDTH: 0px
    }
    .ui-datepicker-multi .ui-datepicker-group-middle .ui-datepicker-header {
        BORDER-LEFT-WIDTH: 0px
    }
    .ui-datepicker-multi .ui-datepicker-buttonpane {
        CLEAR: left
    }
    .ui-datepicker-row-break {
        WIDTH: 100%; CLEAR: both
    }
    .ui-datepicker-rtl {
        DIRECTION: rtl
    }
    .ui-datepicker-rtl .ui-datepicker-prev {
        RIGHT: 2px; LEFT: auto
    }
    .ui-datepicker-rtl .ui-datepicker-next {
        RIGHT: auto; LEFT: 2px
    }
    .ui-datepicker-rtl .ui-datepicker-prev:hover {
        RIGHT: 1px; LEFT: auto
    }
    .ui-datepicker-rtl .ui-datepicker-next:hover {
        RIGHT: auto; LEFT: 1px
    }
    .ui-datepicker-rtl .ui-datepicker-buttonpane {
        CLEAR: right
    }
    .ui-datepicker-rtl .ui-datepicker-buttonpane BUTTON {
        FLOAT: left
    }
    .ui-datepicker-rtl .ui-datepicker-buttonpane =
    BUTTON.ui-datepicker-current {
        FLOAT: right
    }
    .ui-datepicker-rtl .ui-datepicker-group {
        FLOAT: right
    }
    .ui-datepicker-rtl .ui-datepicker-group-last .ui-datepicker-header {
        BORDER-RIGHT-WIDTH: 0px; BORDER-LEFT-WIDTH: 1px
    }
    .ui-datepicker-rtl .ui-datepicker-group-middle .ui-datepicker-header {
        BORDER-RIGHT-WIDTH: 0px; BORDER-LEFT-WIDTH: 1px
    }
    .field .field-label {
        FONT-WEIGHT: bold
    }
    .field-label-inline .field-label {
        FLOAT: left
    }
    .field-label-inline .field-items {

```

```

        FLOAT: left
    }
    FORM .field-multiple-table {
        MARGIN: 0px
    }
    FORM .field-multiple-table TH.field-label {
        PADDING-LEFT: 0px
    }
    FORM .field-multiple-table TD.field-multiple-drag {
        WIDTH: 30px; PADDING-RIGHT: 0px
    }
    FORM .field-multiple-table TD.field-multiple-drag A.tabledrag-handle {
        PADDING-RIGHT: 0.5em
    }
    FORM .field-add-more-submit {
        MARGIN: 0.5em 0px 0px
    }
    #footer-sitemap {
        MARGIN: 10px 0px 30px
    }
    #footer-sitemap UL {
        PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
    }
    #footer-sitemap UL LI {
        PADDING-BOTTOM: 0px; LIST-STYLE-TYPE: none; PADDING-LEFT: 5px; =
PADDING-RIGHT: 5px; FLOAT: left; PADDING-TOP: 0px
    }
    #footer-sitemap UL LI LI {
        PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; FLOAT: none; PADDING-TOP: 0px
    }
    #footer-sitemap UL LI UL {
        PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
    }
    #footer-sitemap UL LI UL LI.leaf {
        LIST-STYLE-IMAGE: none
    }
    #footer-sitemap H2 {
        PADDING-BOTTOM: 0px; MARGIN: 0px 0px 1em; PADDING-LEFT: 1em; =
PADDING-RIGHT: 0px; FONT-SIZE: 1.1em; FONT-WEIGHT: normal; PADDING-TOP: =
0px
    }
    #footer-sitemap A {
        FONT-SIZE: 0.9em; TEXT-DECORATION: none
    }
    #footer-sitemap A.fs-root-link {
        LINE-HEIGHT: 1.5em; FONT-SIZE: 1em; FONT-WEIGHT: bold
    }
    #footer-sitemap UL.menu LI {
        LINE-HEIGHT: 1em
    }
    #footer-sitemap DIV.clear {
        PADDING-TOP: 1em
    }
    #footer-sitemap UL.menu LI UL.menu LI {
        FONT-WEIGHT: bold
    }
    #footer-sitemap UL.menu LI UL.menu LI UL.menu LI {
        PADDING-LEFT: 0.4em; FONT-WEIGHT: normal
    }
    #google-cse-results-searchbox-form DIV {
        MARGIN: 0px; DISPLAY: inline
    }

```

```

}
#google-cse-results-searchbox-form INPUT {
    MARGIN: 0px; DISPLAY: inline
}
#google-cse-results-searchbox-form .form-radios DIV {
    DISPLAY: block
}
#google-cse-results-gadget A {
    MARGIN-LEFT: 2em
}
.node-unpublished {
    BACKGROUND-COLOR: #fff4f4
}
.preview .node {
    BACKGROUND-COLOR: #ffffea
}
TD.revision-current {
    BACKGROUND: #ffc
}
.search-form {
    MARGIN-BOTTOM: 1em
}
.search-form INPUT {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 0px
}
.search-results {
    LIST-STYLE-TYPE: none
}
.search-results P {
    MARGIN-TOP: 0px
}
.search-results .title {
    FONT-SIZE: 1.2em
}
.search-results LI {
    MARGIN-BOTTOM: 1em
}
.search-results .search-snippet-info {
    PADDING-LEFT: 1em
}
.search-results .search-info {
    FONT-SIZE: 0.85em
}
.search-advanced .criterion {
    FLOAT: left; MARGIN-RIGHT: 2em
}
.search-advanced .action {
    FLOAT: left; CLEAR: left
}
#permissions TD.module {
    FONT-WEIGHT: bold
}
#permissions TD.permission {
    PADDING-LEFT: 1.5em
}
#permissions TR.odd .form-item {
    WHITE-SPACE: normal
}
#permissions TR.even .form-item {
    WHITE-SPACE: normal
}
#user-admin-settings FIELDSET .fieldset-description {
    PADDING-BOTTOM: 0.5em; FONT-SIZE: 0.85em
}
}

```

```

#user-admin-roles TD.edit-name {
    CLEAR: both
}
#user-admin-roles .form-item-name {
    FLOAT: left; MARGIN-RIGHT: 1em
}
.password-strength {
    MARGIN-TOP: 1.4em; WIDTH: 17em; FLOAT: right
}
.password-strength-title {
    DISPLAY: inline
}
.password-strength-text {
    FLOAT: right; FONT-WEIGHT: bold
}
.password-indicator {
    BACKGROUND-COLOR: #c4c4c4; WIDTH: 100%; HEIGHT: 0.3em
}
.password-indicator DIV {
    BACKGROUND-COLOR: #47c965; WIDTH: 0%; HEIGHT: 100%
}
INPUT.password-confirm {
    WIDTH: 16em; MARGIN-BOTTOM: 0.4em
}
INPUT.password-field {
    WIDTH: 16em; MARGIN-BOTTOM: 0.4em
}
DIV.password-confirm {
    MARGIN-TOP: 1.5em; WIDTH: 17em; FLOAT: right; VISIBILITY: hidden
}
DIV.form-item DIV.password-suggestions {
    BORDER-BOTTOM: #b4b4b4 1px solid; BORDER-LEFT: #b4b4b4 1px solid; =
    PADDING-BOTTOM: 0.2em; MARGIN: 0.7em 0px; PADDING-LEFT: 0.5em; WIDTH: =
    38.5em; PADDING-RIGHT: 0.5em; BORDER-TOP: #b4b4b4 1px solid; =
    BORDER-RIGHT: #b4b4b4 1px solid; PADDING-TOP: 0.2em
}
DIV.password-suggestions UL {
    MARGIN-BOTTOM: 0px
}
.confirm-parent {
    MARGIN: 0px; WIDTH: 36.3em; CLEAR: left
}
.password-parent {
    MARGIN: 0px; WIDTH: 36.3em; CLEAR: left
}
.profile {
    MARGIN: 1em 0px; CLEAR: both
}
.profile .user-picture {
    MARGIN: 0px 1em 1em 0px; FLOAT: right
}
.profile H3 {
    BORDER-BOTTOM: #ccc 1px solid
}
.profile DL {
    MARGIN: 0px 0px 1.5em
}
.profile DT {
    MARGIN: 0px 0px 0.2em; FONT-WEIGHT: bold
}
.profile DD {
    MARGIN: 0px 0px 1em
}
.views-exposed-form .views-exposed-widget {

```

```

        PADDING-BOTTOM: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 1em; FLOAT: =
left; PADDING-TOP: 0.5em
}
.views-exposed-form .views-exposed-widget .form-submit {
    MARGIN-TOP: 1.6em
}
.views-exposed-form .form-item {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 0px
}
.views-exposed-form .form-submit {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 0px
}
.views-exposed-form LABEL {
    FONT-WEIGHT: bold
}
.views-exposed-widgets {
    MARGIN-BOTTOM: 0.5em
}
.views-align-left {
    TEXT-ALIGN: left
}
.views-align-right {
    TEXT-ALIGN: right
}
.views-align-center {
    TEXT-ALIGN: center
}
.views-view-grid TBODY {
    BORDER-TOP-STYLE: none
}
.view .progress-disabled {
    FLOAT: none
}
DIV.caption-inner {
    BORDER-BOTTOM: green 1px solid; TEXT-ALIGN: left; BORDER-LEFT: green =
1px solid; PADDING-BOTTOM: 4px; PADDING-LEFT: 4px; PADDING-RIGHT: 4px; =
FONT-SIZE: 0.85em; BORDER-TOP: green 1px solid; BORDER-RIGHT: green 1px =
solid; PADDING-TOP: 4px
}
DIV.caption P {
    MARGIN: 0.25em 0px
}
DIV.caption IMG {
    DISPLAY: block; MARGIN-BOTTOM: 5px
}
DIV.caption OBJECT {
    DISPLAY: block; MARGIN-BOTTOM: 5px
}
DIV.caption-left {
    BORDER-BOTTOM: blue 1px solid; BORDER-LEFT: blue 1px solid; MARGIN: =
10px 10px 10px 0px; FLOAT: left; BORDER-TOP: blue 1px solid; =
BORDER-RIGHT: blue 1px solid
}
DIV.caption-right {
    MARGIN: 10px 0px 10px 10px; FLOAT: right
}
DIV.caption-center {
    BORDER-BOTTOM: red 1px solid; TEXT-ALIGN: center; BORDER-LEFT: red 1px =
solid; DISPLAY: block; BORDER-TOP: red 1px solid; BORDER-RIGHT: red 1px =
solid
}
DIV.caption-center .caption-inner {
    TEXT-ALIGN: left; DISPLAY: inline-block
}

```

```
.rteindent1 {
    MARGIN-LEFT: 40px
}
.rteindent2 {
    MARGIN-LEFT: 80px
}
.rteindent3 {
    MARGIN-LEFT: 120px
}
.rteindent4 {
    MARGIN-LEFT: 160px
}
.rteleft {
    TEXT-ALIGN: left
}
.rteright {
    TEXT-ALIGN: right
}
.rtecenter {
    TEXT-ALIGN: center
}
.rtejustify {
    TEXT-ALIGN: justify
}
.ibimage_left {
    FLOAT: left
}
.ibimage_right {
    FLOAT: right
}
}
```

-----=_NextPart_000_0000_01D0EFC3.5DD648D0

Content-Type: text/css;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Content-Location:

http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/css/css_51Sj8pxPdfqmIL2HXpLmB3dNdHZutBTBvMZq-E302a0.css

```
.ctools-locked {
    BORDER-BOTTOM: red 1px solid; BORDER-LEFT: red 1px solid; =
    PADDING-BOTTOM: 1em; PADDING-LEFT: 1em; PADDING-RIGHT: 1em; COLOR: red; =
    BORDER-TOP: red 1px solid; BORDER-RIGHT: red 1px solid; PADDING-TOP: 1em
}
.ctools-owns-lock {
    BORDER-BOTTOM: #f0c020 1px solid; BORDER-LEFT: #f0c020 1px solid; =
    PADDING-BOTTOM: 1em; PADDING-LEFT: 1em; PADDING-RIGHT: 1em; BACKGROUND: =
    #ffffdd 0px 0px; BORDER-TOP: #f0c020 1px solid; BORDER-RIGHT: #f0c020 =
    1px solid; PADDING-TOP: 1em
}
A.ctools-ajaxing {
    PADDING-RIGHT: 18px !important; BACKGROUND: =
    url(/bts/sites/all/modules/ctools/images/status-active.gif) no-repeat =
    right center
}
INPUT.ctools-ajaxing {
    PADDING-RIGHT: 18px !important; BACKGROUND: =
    url(/bts/sites/all/modules/ctools/images/status-active.gif) no-repeat =
    right center
}
BUTTON.ctools-ajaxing {
    PADDING-RIGHT: 18px !important; BACKGROUND: =
    url(/bts/sites/all/modules/ctools/images/status-active.gif) no-repeat =
    right center
}
```

```

}
SELECT.ctools-ajaxing {
    PADDING-RIGHT: 18px !important; BACKGROUND: =
url(/bts/sites/all/modules/ctools/images/status-active.gif) no-repeat =
right center
}
DIV.ctools-ajaxing {
    WIDTH: 18px; BACKGROUND: =
url(/bts/sites/all/modules/ctools/images/status-active.gif) no-repeat =
center center; FLOAT: left
}
SPAN.ext {
    PADDING-RIGHT: 12px; BACKGROUND: =
url(/bts/sites/all/modules/extlink/extlink.png) no-repeat right center
}
SPAN.mailto {
    PADDING-RIGHT: 12px; BACKGROUND: =
url(/bts/sites/all/modules/extlink/mailto.png) no-repeat right center
}

@media Print    =20
{
SPAN.ext {
    PADDING-BOTTOM: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px; DISPLAY: =
none; PADDING-TOP: 0px
}
SPAN.mailto {
    PADDING-BOTTOM: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px; DISPLAY: =
none; PADDING-TOP: 0px
}
}

-----=_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: text/css;
    charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/css/css_yjXg1gFQ8NK6oPh
8sj9hx35bz5X1GZRUB14bMYrkrk.css

HTML {
    HEIGHT: 101%
}
BODY {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; FONT-FAMILY: Arial,Helvetica,sans-serif; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/body-bg.gif) #fff repeat-x; =
COLOR: #000; FONT-SIZE: 84%; PADDING-TOP: 0px
}
TR.odd TD {
    PADDING-BOTTOM: 0.5em; PADDING-LEFT: 0.5em; PADDING-RIGHT: 0.5em; =
PADDING-TOP: 0.5em
}
TR.even TD {
    PADDING-BOTTOM: 0.5em; PADDING-LEFT: 0.5em; PADDING-RIGHT: 0.5em; =
PADDING-TOP: 0.5em
}
A {
    TEXT-DECORATION: none
}
A:link {
    COLOR: #005a8c; TEXT-DECORATION: none
}

```

```

A:visited {
    COLOR: #666699; TEXT-DECORATION: none
}
A:hover {
    COLOR: #cc0000
}
BLOCKQUOTE {
    FONT-STYLE: italic; PADDING-LEFT: 30px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/bq-tl.gif) no-repeat left top; =
MARGIN-LEFT: 10px
}
BLOCKQUOTE P {
    BACKGROUND: url(/bts/sites/all/themes/danland/images/bq-br.gif) =
no-repeat right bottom
}
CITE {
    FONT-STYLE: italic; PADDING-LEFT: 30px; DISPLAY: block; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/bq-tl.gif) no-repeat left top; =
MARGIN-LEFT: 10px; CLEAR: both
}
CODE {
    LINE-HEIGHT: 1.2em; BACKGROUND-COLOR: #edf1f3; FONT-FAMILY: "Bitstream =
Vera Sans Mono", Monaco, "Lucida Console", monospace; FONT-SIZE: 0.9em
}
TT {
    LINE-HEIGHT: 1.2em; BACKGROUND-COLOR: #edf1f3; FONT-FAMILY: "Bitstream =
Vera Sans Mono", Monaco, "Lucida Console", monospace; FONT-SIZE: 0.9em
}
PRE {
    LINE-HEIGHT: 1.2em; BACKGROUND-COLOR: #edf1f3; FONT-FAMILY: "Bitstream =
Vera Sans Mono", Monaco, "Lucida Console", monospace; FONT-SIZE: 0.9em
}
H1 {
    MARGIN-TOP: 0px; FONT-SIZE: 185%
}
H2 {
    MARGIN-TOP: 0px; FONT-SIZE: 150%
}
H3 {
    MARGIN-TOP: 0px; FONT-SIZE: 125%
}
H4 {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 23px; FONT-SIZE: 115%
}
H5 {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 17px; FONT-SIZE: 100%
}
H6 {
    MARGIN-TOP: 0px; MARGIN-BOTTOM: 11px; FONT-SIZE: 90%
}
#skip-link {
    Z-INDEX: 50; POSITION: absolute; MARGIN-TOP: 0px; WIDTH: auto =
!important; MARGIN-LEFT: -5.25em; LEFT: 50%
}
#skip-link A {
    POSITION: absolute; WIDTH: 1px; DISPLAY: block; HEIGHT: 1px; TOP: =
-10000px; TEXT-DECORATION: none
}
#skip-link A:link {
    POSITION: absolute; WIDTH: 1px; DISPLAY: block; HEIGHT: 1px; TOP: =
-10000px; TEXT-DECORATION: none
}
#skip-link A:visited {
    POSITION: absolute; WIDTH: 1px; DISPLAY: block; HEIGHT: 1px; TOP: =

```

```

-10000px; TEXT-DECORATION: none
}
#header {
    POSITION: relative; MARGIN: 0px auto; WIDTH: 950px; BACKGROUND: =
#dedede; HEIGHT: 114px
}
#logo-wrapper {
    FLOAT: left
}
.logo {
    PADDING-RIGHT: 10px; HEIGHT: 86px
}
.logo IMG {
    MARGIN-TOP: 15px; HEIGHT: 66px; MARGIN-LEFT: 15px
}
#branding-wrapper {
    MARGIN-TOP: 35px; FLOAT: left
}
.site-name {
    POSITION: relative; WIDTH: 500px; DISPLAY: none; FONT-FAMILY: =
arial,Verdana,Tahoma; FONT-SIZE: 148.8%; FONT-WEIGHT: bold
}
.site-slogan {
    POSITION: relative; DISPLAY: inline; FONT-FAMILY: arial,Verdana,Tahoma; =
FONT-SIZE: 96.73%; FONT-WEIGHT: bold
}
#header-wrapper #rita-links {
    Z-INDEX: 10; POSITION: absolute; TEXT-ALIGN: right; WIDTH: 930px; =
FONT-FAMILY: arial,verdana,Helvetica; FONT-SIZE: 89.29%; TOP: 47px; =
RIGHT: 5px
}
#rita-links A:visited {
    COLOR: #002663
}
#rita-links A:link {
    COLOR: #002663
}
#rita-links A:hover {
    COLOR: #cc0000
}
#header-wrapper #search-box {
    Z-INDEX: 10; POSITION: absolute; TOP: 80px; RIGHT: 5px
}
#header-wrapper #search-box INPUT.form-text {
    WIDTH: 10em
}
#menu {
    MARGIN: 0px auto; WIDTH: 952px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/menu-bg.gif) repeat-x; HEIGHT: =
35px
}
#nav {
    BACKGROUND: url(/bts/sites/all/themes/danland/images/menu-bg.gif) =
repeat-x; FLOAT: left; HEIGHT: 35px
}
#nav LI {
    PADDING-BOTTOM: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 1px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/menu-separator.gif) no-repeat =
right top; FLOAT: left; HEIGHT: 35px; PADDING-TOP: 0px
}
#nav LI A {
    PADDING-BOTTOM: 0px; TEXT-TRANSFORM: uppercase; PADDING-LEFT: 29px; =
PADDING-RIGHT: 29px; DISPLAY: inline-block; HEIGHT: 25px; COLOR: #fff; =
FONT-SIZE: 89.29%; FONT-WEIGHT: bold; TEXT-DECORATION: none; =

```

```

PADDING-TOP: 7px
}
#nav LI A:hover {
    BACKGROUND: url(/bts/sites/all/themes/danland/images/menu-hover-bg.gif) =
repeat-x
}
#nav LI.active-trail A {
    BACKGROUND: url(/bts/sites/all/themes/danland/images/menu-hover-bg.gif) =
repeat-x
}
#rounded-menu-left {
    LINE-HEIGHT: 0; WIDTH: 1px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/menu-left-bg.gif) no-repeat; =
FLOAT: left; HEIGHT: 35px; FONT-SIZE: 0px
}
#rounded-menu-right {
    LINE-HEIGHT: 0; WIDTH: 14px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/menu-right-bg.gif) no-repeat; =
FLOAT: right; HEIGHT: 35px; FONT-SIZE: 0px
}
#nav UL {
    LIST-STYLE-TYPE: none; LIST-STYLE-IMAGE: none
}
#nav UL LI.leaf {
    LIST-STYLE-TYPE: none; LIST-STYLE-IMAGE: none
}
#nav UL {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
#nav .block UL {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
#nav OL {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
#superfish {
    FLOAT: left; HEIGHT: 35px
}
#superfish .contextual-links-region {
    Z-INDEX: 6; FLOAT: left
}
#superfish H2 {
    POSITION: absolute; HEIGHT: 0px; OVERFLOW: hidden
}
#superfish .menu {
    PADDING-BOTTOM: 0.04em; LIST-STYLE-TYPE: none; MARGIN: 0px; =
PADDING-LEFT: 0.04em; PADDING-RIGHT: 0.04em; PADDING-TOP: 0.04em
}
#superfish .menu * {
    PADDING-BOTTOM: 0.04em; LIST-STYLE-TYPE: none; MARGIN: 0px; =
PADDING-LEFT: 0.04em; PADDING-RIGHT: 0.04em; PADDING-TOP: 0.04em
}
#superfish .menu {
    LINE-HEIGHT: 1
}
#superfish .menu UL {
    POSITION: absolute; WIDTH: 13em; TOP: -999em
}
#superfish .menu UL LI {
    WIDTH: 100%
}

```

```

#superfish .menu LI:hover {
    VISIBILITY: inherit
}
#superfish .menu LI {
    POSITION: relative; FLOAT: left
}
#superfish .menu A {
    POSITION: relative; DISPLAY: block
}
#superfish .menu LI:hover UL {
    Z-INDEX: 99; TOP: 32px; LEFT: 0px
}
#superfish .menu LI.sfHover UL {
    Z-INDEX: 99; TOP: 32px; LEFT: 0px
}
#superfish UL.menu LI:hover LI UL {
    TOP: -999em
}
#superfish UL.menu LI.sfHover LI UL {
    TOP: -999em
}
#superfish UL.menu LI LI:hover UL {
    TOP: 0px; LEFT: 13em
}
#superfish UL.menu LI LI.sfHover UL {
    TOP: 0px; LEFT: 13em
}
#superfish UL.menu LI LI:hover LI UL {
    TOP: -999em
}
#superfish UL.menu LI LI.sfHover LI UL {
    TOP: -999em
}
#superfish UL.menu LI LI LI:hover UL {
    TOP: 0px; LEFT: 13em
}
#superfish UL.menu LI LI LI.sfHover UL {
    TOP: 0px; LEFT: 13em
}
#superfish .menu {
    MARGIN-BOTTOM: 1em; FLOAT: left
}
#superfish .menu A {
    PADDING-BOTTOM: 0.75em; PADDING-LEFT: 1em; PADDING-RIGHT: 1em; =
TEXT-DECORATION: none; PADDING-TOP: 0.75em
}
#superfish .menu A.sf-with-ul {
    MIN-WIDTH: 1px; PADDING-RIGHT: 2.25em
}
#superfish .menu A {
    PADDING-LEFT: 27px; PADDING-RIGHT: 27px; BACKGROUND: #2a517f; COLOR: =
#fff; FONT-SIZE: 89.29%; FONT-WEIGHT: bold; TEXT-DECORATION: none; =
PADDING-TOP: 10px
}
#superfish DIV.content > UL.menu > LI > A {
    BACKGROUND: =
url(/bts/sites/all/themes/danland/images/menu-separator.gif) #2a517f =
no-repeat right top
}
#superfish .menu LI {
    BACKGROUND: none transparent scroll repeat 0% 0%
}
#superfish .menu LI LI {
    BORDER-BOTTOM: #193964 1px solid; BACKGROUND: #3b6999; COLOR: #d5e7fb
}

```

```

}
#superfish .menu LI LI LI {
    BORDER-BOTTOM: #193964 1px solid; BACKGROUND: #3b6999; TOP: 0px
}
#superfish .menu LI:hover {
    OUTLINE-WIDTH: 0px; COLOR: #d5e7fb
}
#superfish .menu LI.sfHover {
    OUTLINE-WIDTH: 0px; COLOR: #d5e7fb
}
#superfish .menu A:focus {
    OUTLINE-WIDTH: 0px; COLOR: #d5e7fb
}
#superfish .menu A:hover {
    OUTLINE-WIDTH: 0px; COLOR: #d5e7fb
}
#superfish .menu A:active {
    OUTLINE-WIDTH: 0px; COLOR: #d5e7fb
}
#superfish .menu LI:hover {
=09
}
#superfish .menu LI.sfHover {
=09
}
#superfish .menu A:focus {
=09
}
#superfish .menu A:hover {
=09
}
#superfish .menu A:active {
=09
}
#superfish .menu LI:hover {
    BACKGROUND: url(/bts/sites/all/themes/danland/images/menu-hover-bg.gif) =
repeat-x
}
#superfish .menu LI.active-trail {
    BACKGROUND: url(/bts/sites/all/themes/danland/images/menu-hover-bg.gif) =
repeat-x
}
#superfish .menu LI.active-trail LI {
    BACKGROUND: #3b6999
}
#superfish .menu LI LI LI:hover {
    BACKGROUND: #3b6999
}
#superfish .menu LI LI LI LI:hover {
    BACKGROUND: #3b6999
}
.sf-sub-indicator {
    POSITION: absolute; TEXT-INDENT: -999em; WIDTH: 10px; DISPLAY: block; =
BACKGROUND: url(/bts/sites/all/themes/danland/images/arrows-ffffff.png) =
no-repeat -10px -100px; HEIGHT: 10px; OVERFLOW: hidden; TOP: 1.05em; =
RIGHT: 0.75em
}
A > .sf-sub-indicator {
    BACKGROUND-POSITION: 0px -100px; TOP: 0.8em
}
A:focus > .sf-sub-indicator {
    BACKGROUND-POSITION: -10px -100px
}
A:hover > .sf-sub-indicator {

```

```

        BACKGROUND-POSITION: -10px -100px
    }
    A:active > .sf-sub-indicator {
        BACKGROUND-POSITION: -10px -100px
    }
    LI:hover > A > .sf-sub-indicator {
        BACKGROUND-POSITION: -10px -100px
    }
    LI.sfHover > A > .sf-sub-indicator {
        BACKGROUND-POSITION: -10px -100px
    }
    #superfish .menu UL .sf-sub-indicator {
        BACKGROUND-POSITION: -10px 0px
    }
    #superfish .menu UL A > .sf-sub-indicator {
        BACKGROUND-POSITION: 0px 0px
    }
    #superfish .menu UL A:focus > .sf-sub-indicator {
        BACKGROUND-POSITION: -10px 0px
    }
    #superfish .menu UL A:hover > .sf-sub-indicator {
        BACKGROUND-POSITION: -10px 0px
    }
    #superfish .menu UL A:active > .sf-sub-indicator {
        BACKGROUND-POSITION: -10px 0px
    }
    #superfish .menu UL LI:hover > A > .sf-sub-indicator {
        BACKGROUND-POSITION: -10px 0px
    }
    #superfish .menu UL LI.sfHover > A > .sf-sub-indicator {
        BACKGROUND-POSITION: -10px 0px
    }
    #superfish .sf-shadow UL {
        PADDING-BOTTOM: 9px; PADDING-LEFT: 0px; PADDING-RIGHT: 8px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/shadow.png) no-repeat right =
bottom; PADDING-TOP: 0px
    }
    #superfish .sf-shadow UL.sf-shadow-off {
        BACKGROUND: none transparent scroll repeat 0% 0%
    }
    #slideshow-wrapper {
        MARGIN-TOP: 0px; WIDTH: 100%; HEIGHT: 155px
    }
    .slideshow-inner {
        Z-INDEX: 1; POSITION: relative; MARGIN: 0px auto; WIDTH: 950px; HEIGHT: =
150px; OVERFLOW: hidden
    }
    #slideshow-preface {
        Z-INDEX: 4; POSITION: absolute; TEXT-ALIGN: left; FLOAT: left
    }
    .slideshow {
        Z-INDEX: 2; POSITION: relative; WIDTH: 950px; HEIGHT: 155px; OVERFLOW: =
hidden
    }
    #preface {
        MARGIN: 20px; DISPLAY: block; FLOAT: left; COLOR: #fff; FONT-SIZE: =
1.2em
    }
    #preface .contextual-links A {
        TEXT-DECORATION: none
    }
    #preface .block-title {
        MARGIN-TOP: 20px
    }
}

```

```

#preface .region {
    MARGIN: 20px 0px
}
#preface A {
    COLOR: #fff; TEXT-DECORATION: underline
}
#preface A:hover {
    TEXT-DECORATION: none
}
#slideshow-bottom {
    Z-INDEX: 3; POSITION: absolute; TEXT-ALIGN: right; MIN-HEIGHT: 65px; =
WIDTH: 950px; BOTTOM: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/mission-bg.png) no-repeat =
center bottom; FLOAT: left; LEFT: 0px
}
#preface-wrapper {
    MARGIN: 5px auto 0px; WIDTH: 950px
}
#preface-wrapper .column {
    FLOAT: left
}
.in1#preface-wrapper .column {
    WIDTH: 100%
}
.in2#preface-wrapper .column {
    WIDTH: 50%
}
.in3#preface-wrapper .column {
    WIDTH: 33.3%
}
#preface-wrapper .block {
    MARGIN: 0px
}
#preface-wrapper .block-title {
    MARGIN-TOP: 15px
}
#preface-wrapper .region {
    MARGIN: 15px 0px
}
#mission {
    LINE-HEIGHT: 1.2em; DISPLAY: block; FLOAT: right; COLOR: #002054; =
FONT-SIZE: 1.6em
}
#mission .contextual-links {
    FONT-SIZE: 84%
}
#mission .block-title {
    MARGIN-TOP: 20px
}
#mission .region {
    MARGIN: 20px
}
#wrapper {
    MARGIN: 5px auto 0px; WIDTH: 950px
}
#content {
    PADDING-LEFT: 0px; WIDTH: 100%; PADDING-RIGHT: 0px; FLOAT: left
}
#layout-type-1 #sidebar-left {
    WIDTH: 26%; FLOAT: left; FONT-SIZE: 89.29%
}
#layout-type-2 #sidebar-left {
    WIDTH: 21%; FLOAT: left; FONT-SIZE: 89.29%; MARGIN-RIGHT: 2%
}

```

```

.one-sidebar #content {
    WIDTH: 69%; FLOAT: left; MARGIN-LEFT: 19px
}
.two-sidebars #content {
    WIDTH: 54%; FLOAT: left
}
#layout-type-1 #sidebar-right {
    WIDTH: 26%; FLOAT: right; FONT-SIZE: 89.29%
}
#layout-type-2 #sidebar-right {
    WIDTH: 21%; FLOAT: right; FONT-SIZE: 89.29%
}
#sidebar-right H2.block-title {
    BORDER-BOTTOM: #a9a9a9 1px solid; PADDING-BOTTOM: 5px; MARGIN: 0px; =
PADDING-LEFT: 10px; PADDING-RIGHT: 10px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/block_title_background.jpg) =
#fff repeat-x; FONT-SIZE: 89.29%; PADDING-TOP: 5px
}
#sidebar-left H2.block-title {
    BORDER-BOTTOM: #a9a9a9 1px solid; PADDING-BOTTOM: 5px; MARGIN: 0px; =
PADDING-LEFT: 10px; PADDING-RIGHT: 10px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/block_title_background.jpg) =
#fff repeat-x; FONT-SIZE: 89.29%; PADDING-TOP: 5px
}
#sidebar-right .content {
    PADDING-BOTTOM: 5px; PADDING-LEFT: 8px; PADDING-RIGHT: 8px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/box_background.jpg) #fff =
repeat-y; PADDING-TOP: 5px
}
#sidebar-left .content {
    PADDING-BOTTOM: 5px; PADDING-LEFT: 8px; PADDING-RIGHT: 8px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/box_background_left.jpg) #fff =
repeat-y; PADDING-TOP: 5px
}
.sidebar .block {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; MARGIN: 0px =
0px 8px; BORDER-TOP: #ddd 1px solid; BORDER-RIGHT: #bbb 1px solid
}
.sidebar TBODY {
    BORDER-BOTTOM-STYLE: none; BORDER-RIGHT-STYLE: none; BORDER-TOP-STYLE: =
none; BORDER-LEFT-STYLE: none
}
.sidebar TR.even {
    BACKGROUND: none transparent scroll repeat 0% 0%
}
.sidebar TR.odd {
    BACKGROUND: none transparent scroll repeat 0% 0%
}
#help {
    MARGIN-BOTTOM: 1em; FONT-SIZE: 0.9em
}
.error {
    BORDER-BOTTOM-COLOR: red; BORDER-TOP-COLOR: red; BORDER-RIGHT-COLOR: =
red; BORDER-LEFT-COLOR: red
}
.terms {
    BACKGROUND-REPEAT: no-repeat; MARGIN-BOTTOM: 5px; MARGIN-LEFT: 18px
}
#notice {
    TEXT-ALIGN: center; MARGIN-BOTTOM: -10px; FONT-SIZE: 74.4%
}
TABLE {
    WIDTH: 100%
}

```

```

DIV.contextual-links-wrapper {
    FONT-SIZE: 100%
}
#first-time {
    MARGIN-BOTTOM: 10px
}
.node {
    PADDING-BOTTOM: 5px; MARGIN: 5px 0px
}
.content-top {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; MARGIN: 0px =
0px 20px; BORDER-TOP: #ddd 1px solid; BORDER-RIGHT: #bbb 1px solid
}
.content-top .block-title {
    MARGIN-TOP: 15px
}
.content-top .region {
    MARGIN: 15px
}
.content-middle .block-system {
    MARGIN: 0px
}
.content-middle .block-block {
    MARGIN: 0px
}
.content-middle .block-block .block-title {
    MARGIN-TOP: 15px
}
.content-middle .block-block .content {
    MARGIN: 15px 0px
}
.content-bottom {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
BACKGROUND-COLOR: #f4f4f4; MARGIN: 20px 0px 0px; BORDER-TOP: #ddd 1px =
solid; BORDER-RIGHT: #bbb 1px solid
}
.content-bottom .block-title {
    MARGIN-TOP: 15px
}
.content-bottom .region {
    MARGIN: 15px
}
.title {
    LINE-HEIGHT: 1.2em; MARGIN: 0px auto
}
.title A {
    LINE-HEIGHT: 1.2em; MARGIN: 0px auto
}
.node .content {
    MARGIN: 0.5em 0px
}
.comment .content {
    MARGIN: 0.5em 0px
}
.node .taxonomy {
    PADDING-LEFT: 1em; COLOR: #999; FONT-SIZE: 0.9em
}
.node .user-picture {
    FLOAT: right; MARGIN-LEFT: 10px
}
.comment .user-picture {
    FLOAT: right; MARGIN-LEFT: 10px
}
.node .user-picture IMG {

```

```

        WIDTH: 60px
    }
    .comment .user-picture IMG {
        WIDTH: 60px
    }
    .node-book .links {
        PADDING-TOP: 5px
    }
    .preview .node {
        BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
        PADDING-BOTTOM: 0.8em; BACKGROUND-COLOR: #f4f4f4; PADDING-LEFT: 0.8em; =
        PADDING-RIGHT: 0.8em; BORDER-TOP: #ddd 1px solid; BORDER-RIGHT: #bbb 1px =
        solid; PADDING-TOP: 0.8em
    }
    .preview .comment {
        BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
        PADDING-BOTTOM: 0.8em; BACKGROUND-COLOR: #f4f4f4; PADDING-LEFT: 0.8em; =
        PADDING-RIGHT: 0.8em; BORDER-TOP: #ddd 1px solid; BORDER-RIGHT: #bbb 1px =
        solid; PADDING-TOP: 0.8em
    }
    .submitted {
        COLOR: #999; FONT-SIZE: 0.9em
    }
    .submitted A:hover {
        TEXT-DECORATION: underline
    }
    .node-sticky {
        BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
        PADDING-BOTTOM: 5px; BACKGROUND-COLOR: #ffffff; MARGIN: 0px; =
        PADDING-LEFT: 5px; PADDING-RIGHT: 5px; BORDER-TOP: #ddd 1px solid; =
        BORDER-RIGHT: #bbb 1px solid; PADDING-TOP: 5px
    }
    .messages {
        BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
        PADDING-BOTTOM: 0.3em; BACKGROUND-COLOR: #f4f4f4; PADDING-LEFT: 0.3em; =
        PADDING-RIGHT: 0.3em; MARGIN-BOTTOM: 1em; BORDER-TOP: #ddd 1px solid; =
        BORDER-RIGHT: #bbb 1px solid; PADDING-TOP: 0.3em
    }
    .breadcrumb {
        BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
        PADDING-BOTTOM: 0.3em; BACKGROUND-COLOR: #f4f4f4; PADDING-LEFT: 10px; =
        PADDING-RIGHT: 10px; MARGIN-BOTTOM: 1em; BORDER-TOP: #ddd 1px solid; =
        BORDER-RIGHT: #bbb 1px solid; PADDING-TOP: 0.3em
    }
    .field-type-taxonomy-term-reference .field-label {
        PADDING-RIGHT: 10px; DISPLAY: inline; FLOAT: left; FONT-WEIGHT: normal
    }
    .field-type-taxonomy-term-reference .field-items {
        PADDING-RIGHT: 10px; DISPLAY: inline; FLOAT: left; FONT-WEIGHT: normal
    }
    .field-type-taxonomy-term-reference .field-item {
        PADDING-RIGHT: 10px; DISPLAY: inline; FLOAT: left; FONT-WEIGHT: normal
    }
    .comment {
        BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
        PADDING-BOTTOM: 1em; BACKGROUND-COLOR: #f4f4f4; MARGIN: 1em 0px; =
        PADDING-LEFT: 1em; PADDING-RIGHT: 1em; BORDER-TOP: #ddd 1px solid; =
        BORDER-RIGHT: #bbb 1px solid; PADDING-TOP: 1em
    }
    .comment .title {
        LINE-HEIGHT: 1.2em
    }
    .comment .new {
        TEXT-ALIGN: right; MARGIN: 0.5em; FLOAT: right; COLOR: red; =

```

```

FONT-WEIGHT: normal
}
.feed-item-body {
    BORDER-BOTTOM: #bbb 1px solid; PADDING-BOTTOM: 1em
}
#aggregator .feed-source {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
PADDING-BOTTOM: 0.8em; BACKGROUND-COLOR: #f4f4f4; PADDING-LEFT: 0.8em; =
PADDING-RIGHT: 0.8em; BORDER-TOP: #ddd 1px solid; BORDER-RIGHT: #bbb 1px =
solid; PADDING-TOP: 0.8em
}
#aggregator H1 .title {
    BORDER-BOTTOM: #bbb 1px solid
}
#aggregator H2 {
    PADDING-TOP: 10px
}
#aggregator .news-item .categories {
    FONT-STYLE: italic; COLOR: #999
}
#aggregator .source {
    FONT-STYLE: italic; COLOR: #999
}
#aggregator .age {
    FONT-STYLE: italic; COLOR: #999
}
.feed-item-title {
    FONT-SIZE: 1.4em
}
#aggregator H3 A:hover {
    TEXT-DECORATION: none
}
.feed-item-meta .feed-item-source {
    FONT-SIZE: 0.9em
}
.feed-item-meta .feed-item-date {
    COLOR: #999; FONT-SIZE: 0.9em
}
#forum TABLE {
    WIDTH: 100%
}
#forum TD {
    PADDING-BOTTOM: 0.5em; PADDING-LEFT: 0.5em; PADDING-RIGHT: 0.5em; =
PADDING-TOP: 0.5em
}
#forum TD.container {
    BACKGROUND-COLOR: #e6e6e6
}
#forum UL.links A {
    PADDING-BOTTOM: 5px; PADDING-LEFT: 20px; BACKGROUND-REPEAT: no-repeat
}
#forum UL.links LI.forum A {
    BACKGROUND-IMAGE: url(/bts/sites/all/themes/danland/images/post.gif)
}
#forum UL.links LI.login A {
    BACKGROUND-IMAGE: url(/bts/sites/all/themes/danland/images/lock.gif)
}
#forum TD.statistics {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #bbb 1px solid; HEIGHT: =
1em; BORDER-TOP: #bbb 1px solid; BORDER-RIGHT: #bbb 1px solid
}
#forum TD.settings {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #bbb 1px solid; HEIGHT: =
1em; BORDER-TOP: #bbb 1px solid; BORDER-RIGHT: #bbb 1px solid
}

```

```

}
#forum TD.pager {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #bbb 1px solid; HEIGHT: =
1em; BORDER-TOP: #bbb 1px solid; BORDER-RIGHT: #bbb 1px solid
}
#forum TD .links {
    PADDING-TOP: 0.7em
}
.block-forum H3 {
    MARGIN-BOTTOM: 0.5em
}
DL DD {
    MARGIN: 0px 0px 0.5em 1em
}
TR.odd {
    BACKGROUND-COLOR: #f4f4f4
}
TR.even {
    BACKGROUND-COLOR: #fcfcfc
}
.view .view-content .views-table THEAD TR TH {
    BACKGROUND: #e6e6e6
}
#tracker TABLE {
    WIDTH: 100%
}
#tracker TD {
    PADDING-BOTTOM: 0.5em; PADDING-LEFT: 0.5em; PADDING-RIGHT: 0.5em; =
PADDING-TOP: 0.5em
}
.profile {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
PADDING-BOTTOM: 0.8em; BACKGROUND-COLOR: #f4f4f4; MARGIN: 1em 0em; =
PADDING-LEFT: 0.8em; PADDING-RIGHT: 0.8em; CLEAR: both; BORDER-TOP: #ddd =
1px solid; BORDER-RIGHT: #bbb 1px solid; PADDING-TOP: 0.8em
}
.profile H3 {
    MARGIN-BOTTOM: 10px
}
DIV.admin-panel .body {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; BACKGROUND: =
#f4f4f4; BORDER-TOP: #ddd 1px solid; BORDER-RIGHT: #bbb 1px solid
}
DIV.admin-panel H3 {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #ddd 1px solid; =
PADDING-BOTTOM: 5px; BACKGROUND-COLOR: #e6e6e6; MARGIN: 0px; =
PADDING-LEFT: 8px; PADDING-RIGHT: 8px; BORDER-TOP: #ddd 1px solid; =
BORDER-RIGHT: #bbb 1px solid; PADDING-TOP: 5px
}
DIV.admin {
    PADDING-TOP: 0px
}
DIV.admin .left {
    MARGIN-LEFT: 1%; MARGIN-RIGHT: 1%
}
DIV.admin .right {
    MARGIN-LEFT: 1%; MARGIN-RIGHT: 1%
}
.poll .bar {
    BORDER-BOTTOM: #f0f0f0 1px solid; BORDER-LEFT: #f0f0f0 1px solid; =
BACKGROUND: url(/bts/sites/all/themes/danland/images/bg-bar-white.png) =
#fff repeat-x 0px 0px; BORDER-TOP: #f0f0f0 1px solid; BORDER-RIGHT: =
#f0f0f0 1px solid
}

```

```

.poll .bar .foreground {
    BACKGROUND: url(/bts/sites/all/themes/danland/images/bg-bar.png) =
#71a7cc repeat-x 0px 100%
}
UL {
    PADDING-BOTTOM: 0px; MARGIN: 0px 0px 0px 1em; PADDING-LEFT: 1.5em; =
PADDING-RIGHT: 0px; PADDING-TOP: 0px
}
.block UL {
    PADDING-BOTTOM: 0px; MARGIN: 0px 0px 0px 1em; PADDING-LEFT: 1.5em; =
PADDING-RIGHT: 0px; PADDING-TOP: 0px
}
OL {
    PADDING-BOTTOM: 0px; MARGIN: 0px 0px 0px 1em; PADDING-LEFT: 1.5em; =
PADDING-RIGHT: 0px; PADDING-TOP: 0px
}
UL {
    LIST-STYLE-IMAGE: =
url(/bts/sites/all/themes/danland/images/menu-leaf.gif)
}
UL LI.leaf {
    LIST-STYLE-IMAGE: =
url(/bts/sites/all/themes/danland/images/menu-leaf.gif)
}
OL {
    LIST-STYLE-IMAGE: none
}
UL.menu {
    MARGIN: 0.35em 0px 0px -0.5em
}
.item-list UL {
    MARGIN: 0.35em 0px 0px -0.5em
}
OL LI {
    MARGIN: 0.15em 0px 0.15em 0.5em
}
UL LI {
    MARGIN: 0.15em 0px 0.15em 0.5em
}
UL.menu LI {
    MARGIN: 0.15em 0px 0.15em 0.5em
}
.item-list UL LI {
    MARGIN: 0.15em 0px 0.15em 0.5em
}
LI.leaf {
    MARGIN: 0.15em 0px 0.15em 0.5em
}
UL LI.expanded {
    LIST-STYLE-IMAGE: =
url(/bts/sites/all/themes/danland/images/menu-expanded.gif)
}
UL LI.collapsed {
    LIST-STYLE-IMAGE: =
url(/bts/sites/all/themes/danland/images/menu-collapsed.gif)
}
UL LI.leaf A {
    DISPLAY: block
}
UL LI.expanded A {
    DISPLAY: block
}
UL LI.collapsed A {
    DISPLAY: block
}

```

```

}
UL.inline LI {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
1em; BACKGROUND: none transparent scroll repeat 0% 0%; PADDING-TOP: 0px
}
OL.task-list {
    LIST-STYLE-TYPE: none; MARGIN-LEFT: 0px; LIST-STYLE-IMAGE: none
}
OL.task-list LI {
    PADDING-BOTTOM: 0.5em; PADDING-LEFT: 2em; PADDING-RIGHT: 1em; =
PADDING-TOP: 0.5em
}
OL.task-list LI.active {
    BACKGROUND: url(/bts/sites/all/themes/danland/images/task-list.png) =
no-repeat 3px 50%
}
OL.task-list LI.done {
    BACKGROUND: url(/bts/sites/all/misc/watchdog-ok.png) no-repeat 0px 50%; =
COLOR: #393
}
OL.task-list LI.active {
    MARGIN-RIGHT: 1em
}
FIELDSET UL.clearfix LI {
    BACKGROUND-IMAGE: none; PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: =
0px; PADDING-RIGHT: 0px; PADDING-TOP: 0px
}
#user-login-form {
    TEXT-ALIGN: center
}
#user-login-form UL {
    TEXT-ALIGN: left
}
UL.links LI {
    BACKGROUND-IMAGE: none
}
UL.inline LI {
    BACKGROUND-IMAGE: none
}
.links LI {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
.tabs LI {
    BACKGROUND-IMAGE: none; PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: =
0px; PADDING-RIGHT: 0px; PADDING-TOP: 0px
}
LI.expanded {
    LIST-STYLE-TYPE: none; MARGIN: 0.15em 0px 0.15em 0.5em; =
LIST-STYLE-IMAGE: none
}
DIV.links UL.links A {
    PADDING-LEFT: 20px; BACKGROUND-REPEAT: no-repeat
}
DIV.comment UL.links A {
    PADDING-LEFT: 20px; BACKGROUND-REPEAT: no-repeat
}
DIV.links UL.links LI.comment_forbidden A {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
DIV.links UL.links LI.comment_forbidden {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}

```

```

}
DIV.comment UL.links LI.comment_forbidden A {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
DIV.comment UL.links LI.comment_forbidden {
    PADDING-BOTTOM: 0px; MARGIN: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: =
0px; PADDING-TOP: 0px
}
DIV.links UL.links LI.comment_forbidden SPAN {
    PADDING-LEFT: 20px; PADDING-RIGHT: 20px; BACKGROUND-REPEAT: no-repeat
}
DIV.comment UL.links LI.comment_forbidden SPAN {
    PADDING-LEFT: 20px; PADDING-RIGHT: 20px; BACKGROUND-REPEAT: no-repeat
}
DIV.links UL.links LI.comment-add A {
    BACKGROUND-IMAGE: =
url(/bts/sites/all/themes/danland/images/commentadd.gif)
}
DIV.links UL.links LI.comment-comments A {
    BACKGROUND-IMAGE: =
url(/bts/sites/all/themes/danland/images/comments.gif)
}
DIV.links UL.links LI.comment-new-comments A {
    BACKGROUND-IMAGE: =
url(/bts/sites/all/themes/danland/images/comments.gif)
}
DIV.comment UL.links LI.comment-edit A {
    BACKGROUND-IMAGE: =
url(/bts/sites/all/themes/danland/images/commentedit.gif)
}
DIV.comment UL.links LI.comment-delete A {
    BACKGROUND-IMAGE: =
url(/bts/sites/all/themes/danland/images/commentdelete.gif)
}
DIV.comment UL.links LI.comment-reply A {
    BACKGROUND-IMAGE: =
url(/bts/sites/all/themes/danland/images/commentadd.gif)
}
DIV.links UL.links LI.node-readmore A {
    BACKGROUND-IMAGE: =
url(/bts/sites/all/themes/danland/images/readmore.gif)
}
DIV.links UL.links LI.blog_usernames_blog A {
    BACKGROUND-IMAGE: url(/bts/sites/all/themes/danland/images/user.gif)
}
DIV.links UL.links LI.comment_forbidden SPAN {
    BACKGROUND-IMAGE: url(/bts/sites/all/themes/danland/images/lock.gif)
}
DIV.comment UL.links LI.comment_forbidden SPAN {
    BACKGROUND-IMAGE: url(/bts/sites/all/themes/danland/images/lock.gif)
}
DIV.links UL.links LI.upload_attachments A {
    BACKGROUND-IMAGE: url(/bts/sites/all/themes/danland/images/photo.gif)
}
DIV.links UL.links LI.book_printer A {
    BACKGROUND-IMAGE: url(/bts/sites/all/themes/danland/images/print.gif)
}
DIV.links UL.links LI.book_add_child A {
    BACKGROUND-IMAGE: url(/bts/sites/all/themes/danland/images/add.gif)
}
UL.pager LI.pager-current {
    PADDING-BOTTOM: 1px; BACKGROUND-COLOR: #005a8c; PADDING-LEFT: 4px; =
PADDING-RIGHT: 4px; COLOR: #ffffff; PADDING-TOP: 1px
}

```

```

}
.item-list .pager LI {
    PADDING-BOTTOM: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px; =
PADDING-TOP: 0px
}
.item-list .pager LI A {
    PADDING-BOTTOM: 1px; BACKGROUND-COLOR: #f4f4f4; PADDING-LEFT: 4px; =
PADDING-RIGHT: 4px; PADDING-TOP: 1px
}
.item-list .pager LI A:hover {
    BACKGROUND-COLOR: #005a8c; COLOR: #ffffff
}
UL.links LI {
    BACKGROUND-IMAGE: none; PADDING-LEFT: 0px; PADDING-RIGHT: 1em; =
MARGIN-LEFT: 0px; MARGIN-RIGHT: 0px
}
UL.inline LI {
    BACKGROUND-IMAGE: none; PADDING-LEFT: 0px; PADDING-RIGHT: 1em; =
MARGIN-LEFT: 0px; MARGIN-RIGHT: 0px
}
.node .links {
    TEXT-ALIGN: left; PADDING-LEFT: 0px; PADDING-TOP: 5px
}
.comment .links {
    TEXT-ALIGN: left; PADDING-LEFT: 0px; PADDING-TOP: 5px
}
UL.primary LI A {
    BORDER-BOTTOM: #ccc 1px solid; BORDER-LEFT: #ccc 1px solid; PADDING-BOTTOM: =
0px; BACKGROUND-COLOR: #f4f4f4; PADDING-LEFT: 1em; PADDING-RIGHT: 1em; =
HEIGHT: auto; BORDER-TOP: #ccc 1px solid; MARGIN-RIGHT: 0.5em; =
BORDER-RIGHT: #ccc 1px solid; TEXT-DECORATION: none; PADDING-TOP: 0px
}
.book-navigation .menu {
    PADDING-BOTTOM: 10px; MARGIN: 0px; PADDING-LEFT: 20px; PADDING-RIGHT: =
20px; BORDER-TOP: #bbb 1px solid; PADDING-TOP: 10px
}
.book-navigation .page-links {
    BORDER-BOTTOM: #bbb 1px solid; TEXT-ALIGN: center; PADDING-BOTTOM: =
0.5em; PADDING-LEFT: 0.5em; PADDING-RIGHT: 0.5em; BORDER-TOP: #bbb 1px =
solid; PADDING-TOP: 0.5em
}
.filter-wrapper {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #bbb 1px solid; BORDER-TOP: =
#bbb 1px; BORDER-RIGHT: #bbb 1px solid
}
.search-advanced {
    BORDER-BOTTOM: #bbb 1px solid; BORDER-LEFT: #bbb 1px solid; BORDER-TOP: =
#bbb 1px solid; BORDER-RIGHT: #bbb 1px solid
}
.compose-tips {
    MARGIN-TOP: 10px
}
#authorize {
    MARGIN: 5px 10px 0px 0px; FLOAT: right
}
#authorize UL {
    DISPLAY: inline
}
#authorize UL LI {
    BACKGROUND-IMAGE: none; BORDER-LEFT: #5a5a5a 1px solid; PADDING-BOTTOM: =
0px; LIST-STYLE-TYPE: none; MARGIN: 0px 10px 0px 0px; PADDING-LEFT: =
10px; PADDING-RIGHT: 0px; DISPLAY: inline; PADDING-TOP: 0px
}
#authorize UL LI.first {

```

```
        BORDER-RIGHT-WIDTH: 0px; BORDER-TOP-WIDTH: 0px; BORDER-BOTTOM-WIDTH: =
0px; BORDER-LEFT-WIDTH: 0px
    }
    #authorize UL LI {
        LINE-HEIGHT: 13px; FONT-SIZE: 89.29%
    }
    #authorize UL LI A {
        LINE-HEIGHT: 13px; FONT-SIZE: 89.29%
    }
    .feed-wrapper {
        MARGIN-TOP: 7px; FLOAT: right; MARGIN-RIGHT: 20px
    }
    #bottom-teaser {
        MARGIN: 15px auto 0px; WIDTH: 950px
    }
    #bottom-teaser .column {
        FLOAT: left
    }
    .in1#bottom-teaser .column {
        WIDTH: 100%
    }
    .in2#bottom-teaser .column {
        WIDTH: 50%
    }
    .in3#bottom-teaser .column {
        WIDTH: 33.3%
    }
    #bottom-teaser .block {
        MARGIN: 0px 15px
    }
    #bottom-teaser .block-title {
        MARGIN-TOP: 15px
    }
    #bottom-teaser .region {
        MARGIN: 15px 0px
    }
    #bottom-wrapper {
        POSITION: relative; TEXT-ALIGN: left; BORDER-LEFT: #ddd 1px solid; =
BACKGROUND-COLOR: #f4f4f4; MARGIN: 20px auto 0px; WIDTH: 950px; =
BORDER-TOP: #ddd 1px solid; BORDER-RIGHT: #bbb 1px solid
    }
    #bottom-wrapper .column {
        FLOAT: left
    }
    .in1#bottom-wrapper .column {
        WIDTH: 100%
    }
    .in2#bottom-wrapper .column {
        WIDTH: 50%
    }
    .in3#bottom-wrapper .column {
        WIDTH: 33.3%
    }
    .in4#bottom-wrapper .column {
        WIDTH: 25%
    }
    #bottom-wrapper .block {
        MARGIN: 0px 15px
    }
    #bottom-wrapper .block-title {
        MARGIN-TOP: 15px; FONT-SIZE: 1.3em
    }
    #bottom-wrapper .region {
        MARGIN: 15px 0px
    }
```

```

}
#footer-wrapper {
    POSITION: relative; PADDING-BOTTOM: 0px; MARGIN: 20px auto 0px; =
    PADDING-LEFT: 0px; WIDTH: 950px; PADDING-RIGHT: 0px; BORDER-TOP: #bbb =
    1px solid; PADDING-TOP: 10px
}
#footer {
    WIDTH: 950px; FONT-SIZE: 89.29%
}
#footer .block-title {
    MARGIN-TOP: 15px
}
#footer .region {
    MARGIN: 15px 0px
}
#subnav {
    FONT-SIZE: 89.29%
}
#subnav LI {
    =09
}
#subnav LI A {
    FONT-WEIGHT: normal
}
#subnav LI A:hover {
    COLOR: #cc6600
}
#subnav-wrapper {
    TEXT-ALIGN: right
}
#subnav-wrapper UL {
    DISPLAY: inline
}
#subnav-wrapper UL LI {
    BACKGROUND-IMAGE: none; LIST-STYLE-TYPE: none; PADDING-LEFT: 5px; =
    DISPLAY: inline
}
#subnav-wrapper UL LI {
    LINE-HEIGHT: 13px; FONT-SIZE: 89.29%
}
#subnav-wrapper UL LI A {
    LINE-HEIGHT: 13px; FONT-SIZE: 89.29%
}
.overlay #header {
    DISPLAY: none
}
.overlay #menu {
    DISPLAY: none
}
.overlay .block-block {
    DISPLAY: none
}
.overlay #bottom-teaser {
    DISPLAY: none
}
.overlay #bottom-wrapper {
    DISPLAY: none
}
.overlay #footer-wrapper {
    DISPLAY: none
}
.overlay #wrapper {
    WIDTH: 98%
}
}

```

```

.theme-info UL {
    LIST-STYLE-IMAGE: none
}
.caption {
=09
}
TABLE.average-air-fares-table {
    BORDER-RIGHT-WIDTH: 0px; MARGIN: 10px 0px; BORDER-SPACING: 0; WIDTH: =
100%; BORDER-TOP-WIDTH: 0px; BORDER-BOTTOM-WIDTH: 0px; FONT-SIZE: =
0.85em; BORDER-LEFT-WIDTH: 0px
}
TABLE.average-air-fares-table TABLE {
    FONT-SIZE: 1em
}
#footer-wrapper TABLE.average-air-fares-table {
    FONT-SIZE: 1em
}
TABLE.average-air-fares-table TR TH {
    BORDER-BOTTOM-STYLE: none; BACKGROUND: #cccccc
}
TABLE.average-air-fares-table TR TH {
    COLOR: #000000; FONT-WEIGHT: bold
}
TABLE.average-air-fares-table TR TH A {
    COLOR: #000000; FONT-WEIGHT: bold
}
TABLE.average-air-fares-table TR TH A:hover {
    COLOR: #000000; FONT-WEIGHT: bold
}
TABLE.average-air-fares-table TBODY TR TH {
    VERTICAL-ALIGN: top
}
TABLE.average-air-fares-table TH {
    BORDER-BOTTOM: #fff 1px solid; TEXT-ALIGN: center; BORDER-LEFT: #fff =
1px solid; PADDING-BOTTOM: 4px; PADDING-LEFT: 9px; PADDING-RIGHT: 9px; =
BORDER-TOP: #fff 1px solid; BORDER-RIGHT: #fff 1px solid; PADDING-TOP: =
4px
}
TABLE.average-air-fares-table TR TD {
    BORDER-BOTTOM: #fff 1px solid; TEXT-ALIGN: right; BORDER-LEFT: #fff 1px =
solid; PADDING-BOTTOM: 4px; PADDING-LEFT: 9px; PADDING-RIGHT: 9px; =
BORDER-TOP: #fff 1px solid; BORDER-RIGHT: #fff 1px solid; PADDING-TOP: =
4px
}
.view-upcoming-press-releases-new .view-content TABLE CAPTION {
    TEXT-ALIGN: left; PADDING-BOTTOM: 15px; FONT-SIZE: 120%; FONT-WEIGHT: =
bold; PADDING-TOP: 25px
}
.view-display-id-page_with_page_title_1 .view-content TABLE CAPTION {
    TEXT-ALIGN: left; PADDING-BOTTOM: 15px; FONT-SIZE: 120%; FONT-WEIGHT: =
bold; PADDING-TOP: 25px
}
.view-upcoming-press-releases-new .view-content TABLE THEAD {
    BACKGROUND: rgb(225,226,220)
}
.view-display-id-page_with_page_title_1 .view-content TABLE THEAD {
    BACKGROUND: rgb(225,226,220)
}
.view-upcoming-press-releases-new .view-content TABLE .views-field-title =
{
    WIDTH: 50%; OVERFLOW: hidden
}
.view-upcoming-press-releases-new .view-content TABLE =
.views-field-field-upr-release-date {

```

```

        WIDTH: 35%; OVERFLOW: hidden
    }
    .view-upcoming-press-releases-new .view-content TABLE =
    .views-field-field-upr-release-date-2 {
        WIDTH: 15%; OVERFLOW: hidden
    }
    .view-display-id-page_with_page_title_1 .view-content TABLE =
    .views-field-title {
        WIDTH: 45%; OVERFLOW: hidden
    }
    .view-display-id-page_with_page_title_1 .view-content TABLE =
    .views-field-field-event-date {
        WIDTH: 20%; OVERFLOW: hidden
    }
    .view-display-id-page_with_page_title_1 .view-content TABLE =
    .views-field-field-event-location {
        WIDTH: 35%; OVERFLOW: hidden
    }
    .view-dictionary-source-index .view-content .views-row-odd =
    .views-field-title .field-content {
        WIDTH: 50px; DISPLAY: inline-block
    }
    .view-dictionary-source-index .view-content .views-row-even =
    .views-field-title .field-content {
        WIDTH: 50px; DISPLAY: inline-block
    }
    .view-dictionary-source-index .view-content .views-row-odd =
    .views-field-body .field-content {
        WIDTH: 750px; DISPLAY: inline-table
    }
    .view-dictionary-source-index .view-content .views-row-even =
    .views-field-body .field-content {
        WIDTH: 750px; DISPLAY: inline-table
    }
    .view-dictionary-source-index .view-content .views-row-odd =
    .views-field-field-dts-orderno .field-content {
        WIDTH: 10px; DISPLAY: inline-block
    }
    .view-dictionary-source-index .view-content .views-row-even =
    .views-field-field-dts-orderno .field-content {
        WIDTH: 10px; DISPLAY: inline-block
    }
    .field-name-field-event-category .field-label {
        FONT-WEIGHT: bold !important
    }
    TABLE.transportation-services-index-table {
        BORDER-RIGHT-WIDTH: 0px; MARGIN: 10px 0px; BORDER-SPACING: 0; WIDTH: =
    100%; BORDER-TOP-WIDTH: 0px; BORDER-BOTTOM-WIDTH: 0px; FONT-SIZE: =
    0.85em; BORDER-LEFT-WIDTH: 0px
    }
    TABLE.transportation-services-index-table TABLE {
        FONT-SIZE: 1em
    }
    TABLE.transportation-services-index-table TR TH {
        BORDER-BOTTOM-STYLE: none; BACKGROUND: #cccccc
    }
    TABLE.transportation-services-index-table TR TH {
        COLOR: #000000; FONT-WEIGHT: bold
    }
    TABLE.transportation-services-index-table TR TH A {
        COLOR: #000000; FONT-WEIGHT: bold
    }
    TABLE.transportation-services-index-table TR TH A:hover {
        COLOR: #000000; FONT-WEIGHT: bold
    }

```

```

}
TABLE.transportation-services-index-table TBODY TR TH {
    VERTICAL-ALIGN: top
}
TABLE.transportation-services-index-table TH {
    BORDER-BOTTOM: #fff 1px solid; TEXT-ALIGN: center; BORDER-LEFT: #fff =
1px solid; PADDING-BOTTOM: 4px; PADDING-LEFT: 9px; PADDING-RIGHT: 9px; =
BORDER-TOP: #fff 1px solid; BORDER-RIGHT: #fff 1px solid; PADDING-TOP: =
4px
}
TABLE.transportation-services-index-table TR TD {
    BORDER-BOTTOM: #fff 1px solid; TEXT-ALIGN: right; BORDER-LEFT: #fff 1px =
solid; PADDING-BOTTOM: 4px; PADDING-LEFT: 9px; PADDING-RIGHT: 9px; =
BORDER-TOP: #fff 1px solid; BORDER-RIGHT: #fff 1px solid; PADDING-TOP: =
4px
}
TABLE.transportation-services-index-table TR TD:first-child {
    TEXT-ALIGN: left; WHITE-SPACE: nowrap
}
TABLE.air-carrier-traffic-statistics-table {
    BORDER-RIGHT-WIDTH: 0px; MARGIN: 10px 0px; BORDER-SPACING: 0; WIDTH: =
100%; BORDER-TOP-WIDTH: 0px; BORDER-BOTTOM-WIDTH: 0px; FONT-SIZE: =
0.85em; BORDER-LEFT-WIDTH: 0px
}
TABLE.air-carrier-traffic-statistics-table TABLE {
    FONT-SIZE: 1em
}
TABLE.air-carrier-traffic-statistics-table TR TH {
    BORDER-BOTTOM-STYLE: none; BACKGROUND: #cccccc
}
TABLE.air-carrier-traffic-statistics-table TR TH {
    COLOR: #000000; FONT-WEIGHT: bold
}
TABLE.air-carrier-traffic-statistics-table TR TH A {
    COLOR: #000000; FONT-WEIGHT: bold
}
TABLE.air-carrier-traffic-statistics-table TR TH A:hover {
    COLOR: #000000; FONT-WEIGHT: bold
}
TABLE.air-carrier-traffic-statistics-table TBODY TR TH {
    VERTICAL-ALIGN: top
}
TABLE.air-carrier-traffic-statistics-table TH {
    BORDER-BOTTOM: #fff 1px solid; TEXT-ALIGN: center; BORDER-LEFT: #fff =
1px solid; PADDING-BOTTOM: 4px; PADDING-LEFT: 9px; PADDING-RIGHT: 9px; =
BORDER-TOP: #fff 1px solid; BORDER-RIGHT: #fff 1px solid; PADDING-TOP: =
4px
}
TABLE.air-carrier-traffic-statistics-table TR TD {
    BORDER-BOTTOM: #fff 1px solid; TEXT-ALIGN: right; BORDER-LEFT: #fff 1px =
solid; PADDING-BOTTOM: 4px; PADDING-LEFT: 9px; PADDING-RIGHT: 9px; =
BORDER-TOP: #fff 1px solid; BORDER-RIGHT: #fff 1px solid; PADDING-TOP: =
4px
}
TABLE.air-carrier-traffic-statistics-table TR TD:first-child {
    TEXT-ALIGN: left; WHITE-SPACE: nowrap
}
#air-carrier-traffic-statistics-custom-filter-form TABLE TD {
    FLOAT: left
}
CAPTION.h3 {
    TEXT-ALIGN: left; FONT-SIZE: 125%; FONT-WEIGHT: bold
}
INPUT.custom-search-default-value {

```

```

        COLOR: #2a517f
    }
    #dotTopBanner {
        POSITION: relative; WIDTH: 950px; MARGIN-LEFT: auto; MARGIN-RIGHT: auto
    }
    #dotTopLinks {
        POSITION: absolute; TEXT-ALIGN: right; WIDTH: 548px; FONT-FAMILY: =
        arial,verdana,helvetica; BACKGROUND: #003e7e; HEIGHT: 26px; FONT-SIZE: =
        89.29%; TOP: 0px; RIGHT: 0px
    }
    #dotTopLinks A {
        VERTICAL-ALIGN: -50%
    }
    #dotTopLinks SPAN {
        VERTICAL-ALIGN: -50%
    }
    #dotTopLinksSeparator1 {
        COLOR: #ffffff
    }
    #dotTopLinksSeparator2 {
        COLOR: #ffffff
    }
    #dotTopLinks A:visited {
        COLOR: #ffffff
    }
    #dotTopLinks A:link {
        COLOR: #ffffff
    }
    #dotTopLinks A:hover {
        COLOR: #d2e8ff
    }
    #dotLogo {
        PADDING-BOTTOM: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px; =
        PADDING-TOP: 0px
    }
    .indent {
        MARGIN-LEFT: 6ex
    }
    TH.colheadone {
        TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
        FONT-SIZE: 100%
    }
    TH.colheadtwo {
        TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
        FONT-SIZE: 100%
    }
    TH.colheadthree {
        TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
        FONT-SIZE: 100%
    }
    TH {
        BORDER-BOTTOM-STYLE: none; BORDER-RIGHT-STYLE: none; BORDER-TOP-STYLE: =
        none; BORDER-LEFT-STYLE: none
    }
    .cellcenter {
        TEXT-ALIGN: center; BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; =
        FONT-SIZE: 75%
    }
    .tocheader {
        TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
        FONT-SIZE: 100%; FONT-WEIGHT: bold
    }
    .tocsection {
        TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; FONT-SIZE: =

```

```
100%; FONT-WEIGHT: bold
}
.tocentry {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; FONT-SIZE: =
100%
}
.toclink {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #e6e6e6; WIDTH: 10%; COLOR: =
#000000; FONT-SIZE: 100%
}
.tocindent0 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; FONT-SIZE: =
100%; FONT-WEIGHT: bold
}
.tocindent1 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; PADDING-LEFT: 15px; COLOR: =
#000000; FONT-SIZE: 100%; FONT-WEIGHT: bold
}
.tocindent1nobold {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; PADDING-LEFT: 15px; COLOR: =
#000000; FONT-SIZE: 100%
}
.tocindent2 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; PADDING-LEFT: 30px; COLOR: =
#000000; FONT-SIZE: 100%
}
.rowheadright {
    TEXT-ALIGN: right; BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; =
FONT-SIZE: 100%
}
.rowheadcenter {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; =
FONT-SIZE: 100%
}
.rowheadleft {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; FONT-SIZE: =
100%
}
.rowheadrightimportant {
    TEXT-ALIGN: right; BACKGROUND-COLOR: #e6e6e6; COLOR: #ff0000; =
FONT-SIZE: 100%
}
.rowheadcenterimportant {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #e6e6e6; COLOR: #ff0000; =
FONT-SIZE: 100%
}
.rowheadleftimportant {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; COLOR: #ff0000; FONT-SIZE: =
100%
}
.indent1 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 1ex; COLOR: =
#000000; FONT-SIZE: 100%
}
.indent2 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 2ex; COLOR: =
#000000; FONT-SIZE: 100%
}
.highlight {
    BACKGROUND-COLOR: #e6e6e6
}
.highlight:hover {
    BACKGROUND-COLOR: #c6eeff
}
}
```

```

.dataRowLeft {
    TEXT-ALIGN: left; COLOR: #000000; FONT-SIZE: 100%
}
.dataRowRight {
    TEXT-ALIGN: right; COLOR: #000000; FONT-SIZE: 100%
}
.dataRowCenter {
    TEXT-ALIGN: center; COLOR: #000000; FONT-SIZE: 100%
}
.dataRowIndent1 {
    TEXT-ALIGN: left; PADDING-LEFT: 2ex; COLOR: #000000; FONT-SIZE: 100%
}
.dataRowIndent2 {
    TEXT-ALIGN: left; PADDING-LEFT: 3ex; COLOR: #000000; FONT-SIZE: 100%
}
.dataRowIndent3 {
    TEXT-ALIGN: left; PADDING-LEFT: 4ex; COLOR: #000000; FONT-SIZE: 100%
}
.dataRowIndent4 {
    TEXT-ALIGN: left; PADDING-LEFT: 5ex; COLOR: #000000; FONT-SIZE: 75%
}
.dataRowIndent5 {
    TEXT-ALIGN: left; PADDING-LEFT: 6ex; COLOR: #000000; FONT-SIZE: 75%
}
.dataCellRight {
    TEXT-ALIGN: right; COLOR: #000000; FONT-SIZE: 100%
}
.dataCellRightImportant {
    TEXT-ALIGN: right; COLOR: #ff0000; FONT-SIZE: 100%
}
.dataCellLeft {
    TEXT-ALIGN: left; COLOR: #000000; FONT-SIZE: 100%
}
.dataCellLeftImportant {
    TEXT-ALIGN: left; COLOR: #ff0000; FONT-SIZE: 100%
}
.dataCellCenter {
    TEXT-ALIGN: center; COLOR: #000000; FONT-SIZE: 100%
}
.dataCellCenterImportant {
    TEXT-ALIGN: center; COLOR: #ff0000; FONT-SIZE: 100%
}
.tocheader {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
FONT-SIZE: 100%; FONT-WEIGHT: bold
}
.tocRowBold {
    TEXT-ALIGN: left; COLOR: #000000; FONT-SIZE: 100%; FONT-WEIGHT: bold
}
.tocRowNoBold {
    TEXT-ALIGN: left; COLOR: #000000; FONT-SIZE: 100%
}
.tocRowBoldIndent1 {
    TEXT-ALIGN: left; PADDING-LEFT: 2ex; COLOR: #000000; FONT-SIZE: 100%; =
FONT-WEIGHT: bold
}
.tocRowBoldIndent2 {
    TEXT-ALIGN: left; PADDING-LEFT: 3ex; COLOR: #000000; FONT-SIZE: 100%; =
FONT-WEIGHT: bold
}
.tocRowNoBoldIndent1 {
    TEXT-ALIGN: left; PADDING-LEFT: 2ex; COLOR: #000000; FONT-SIZE: 100%
}
.tocRowNoBoldIndent2 {

```

```

        TEXT-ALIGN: left; PADDING-LEFT: 3ex; COLOR: #000000; FONT-SIZE: 100%
    }
    .tocCell {
        TEXT-ALIGN: center; COLOR: #000000; FONT-SIZE: 100%
    }
    TABLE {
        BORDER-SPACING: 1px; BORDER-COLLAPSE: separate
    }
    .titleHome {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/title_background.gif)
    }
    .titleHomeBlue {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/title_background_blue.gif)
    }
    .titleBox {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/title_box_bckgnd.jpg)
    }
    .titleHomeOrange {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/title_bckgnd_orange.jpg)
    }
    .titleGrey {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/h4_grey.jpg)
    }
    .titleRed {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/h4_red.jpg)
    }
    .titleBlue {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/h4_blue.jpg)
    }
    .titleGreen {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/h4_green.jpg)
    }
    .titlePurple {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/h4_purple.jpg)
    }
    .titleOrange {
        MARGIN-TOP: 0px; BACKGROUND: =
url(/bts/sites/all/themes/danland/images/h4_orange.jpg)
    }
    .titlePlainBlue {
        PADDING-BOTTOM: 5px; BACKGROUND-COLOR: #086ca1; PADDING-LEFT: 0px; =
PADDING-RIGHT: 0px; FONT: bold 14px Arial; COLOR: #ffffff; PADDING-TOP: =
0px
    }
    .titlePlainBlueLight {
        PADDING-BOTTOM: 5px; BACKGROUND-COLOR: #1986af; PADDING-LEFT: 0px; =
PADDING-RIGHT: 0px; FONT: bold 14px Arial; COLOR: #ffffff; PADDING-TOP: =
0px
    }
    .note {
        FONT-SIZE: 80%
    }
    .source {
        FONT-SIZE: 80%
    }
}

```

```

.key {
    FONT-SIZE: 80%
}
DIV.note {
    FONT-SIZE: 80%
}
.mainInfoBox {
    FLOAT: right
}
.infoBox {
    BORDER-BOTTOM: #cccccc 1px solid; BORDER-LEFT: #cccccc 1px solid; =
    PADDING-BOTTOM: 5px; MARGIN: 5px; PADDING-LEFT: 5px; WIDTH: 250px; =
    PADDING-RIGHT: 5px; DISPLAY: block; FLOAT: right; BORDER-TOP: #cccccc =
    1px solid; BORDER-RIGHT: #cccccc 1px solid; PADDING-TOP: 5px
}
.prBox {
    BORDER-BOTTOM: #cccccc 1px solid; BORDER-LEFT: #cccccc 1px solid; =
    MARGIN: 5px; WIDTH: 190px; BACKGROUND: #f6f6f6; FLOAT: right; =
    BORDER-TOP: #cccccc 1px solid; BORDER-RIGHT: #cccccc 1px solid
}
TD.media {
    BORDER-BOTTOM: #cccccc 1px solid; BACKGROUND: #efefef; FONT-WEIGHT: =
    bold
}
.BlackLink {
    FONT-FAMILY: arial,verdana,Helvetica; COLOR: #000000; FONT-SIZE: 95%
}
.BlackLink A:visited {
    COLOR: #000000
}
.BlackLink A:link {
    COLOR: #000000
}
.BlackLink A:hover {
    COLOR: #666666
}
.BlackLinkBold {
    FONT-FAMILY: arial,verdana,Helvetica; COLOR: #000000; FONT-SIZE: 95%; =
    FONT-WEIGHT: bold
}
.BlackLinkBold A:visited {
    COLOR: #000000; TEXT-DECORATION: none
}
.BlackLinkBold A:link {
    COLOR: #000000; TEXT-DECORATION: none
}
.BlackLinkBold A:hover {
    COLOR: #000000; TEXT-DECORATION: underline
}
.BlackLinkSmall {
    FONT-FAMILY: arial,verdana,Helvetica; COLOR: #000000; FONT-SIZE: 90%
}
.BlackLinkSmall A:visited {
    COLOR: #000000
}
.BlackLinkSmall A:link {
    COLOR: #000000
}
.BlackLinkSmall A:hover {
    COLOR: #000000
}
.footerMenu {
    FONT-FAMILY: arial,verdana,Helvetica; COLOR: #000000; FONT-SIZE: 100%
}

```

```

.footerHline {
    BORDER-RIGHT-WIDTH: 0px; BACKGROUND-COLOR: #cccccc; WIDTH: 90%; =
    BORDER-TOP-WIDTH: 0px; BORDER-BOTTOM-WIDTH: 0px; HEIGHT: 1px; COLOR: =
    #cccccc; BORDER-LEFT-WIDTH: 0px
}
.footerMenu A:visited {
    COLOR: #000000; TEXT-DECORATION: none
}
.footerMenu A:link {
    COLOR: #000000; TEXT-DECORATION: none
}
.footerMenu A:hover {
    COLOR: #000000; TEXT-DECORATION: underline
}
.footerblack {
    FONT-FAMILY: arial,verdana,Helvetica; COLOR: #000000; FONT-SIZE: 90%
}
.footerblack A:visited {
    COLOR: #000000; TEXT-DECORATION: none
}
.footerblack A:link {
    COLOR: #000000; TEXT-DECORATION: none
}
.footerblack A:hover {
    COLOR: #000000; TEXT-DECORATION: underline
}
.footerblacksmall {
    FONT-FAMILY: arial,verdana,Helvetica; COLOR: #000000; FONT-SIZE: 85%
}
.footerblacksmall A:visited {
    COLOR: #000000; TEXT-DECORATION: none
}
.footerblacksmall A:link {
    COLOR: #000000; TEXT-DECORATION: none
}
.footerblacksmall A:hover {
    COLOR: #000000; TEXT-DECORATION: underline
}
INPUT {
    FONT-FAMILY: Arial; COLOR: #000000; FONT-SIZE: 90%; FONT-WEIGHT: normal
}
INPUT.text {
    BORDER-BOTTOM: #00397e 1px solid; BORDER-LEFT: #00397e 1px solid; =
    BORDER-TOP: #00397e 1px solid; BORDER-RIGHT: #00397e 1px solid
}
.contentBoxLeft {
    BORDER-BOTTOM: #cccccc 1px solid; BORDER-LEFT: #cccccc 1px solid; =
    PADDING-BOTTOM: 5px; MARGIN: 5px 2px 2px 0px; PADDING-LEFT: 5px; WIDTH: =
    236px; PADDING-RIGHT: 5px; BACKGROUND: #f6f6f6; FLOAT: left; HEIGHT: =
    239px; BORDER-TOP: #cccccc 1px solid; BORDER-RIGHT: #cccccc 1px solid; =
    PADDING-TOP: 5px
}
.contentBoxRight {
    BORDER-BOTTOM: #cccccc 1px solid; BORDER-LEFT: #cccccc 1px solid; =
    PADDING-BOTTOM: 5px; MARGIN: 5px 0px 2px 2px; PADDING-LEFT: 5px; WIDTH: =
    236px; PADDING-RIGHT: 5px; BACKGROUND: #f6f6f6; FLOAT: right; HEIGHT: =
    239px; BORDER-TOP: #cccccc 1px solid; BORDER-RIGHT: #cccccc 1px solid; =
    PADDING-TOP: 5px
}
.searchRight {
    WIDTH: 220px; FLOAT: right; FONT-SIZE: 90%
}
.searchLeft {
    WIDTH: 220px; FLOAT: left; FONT-SIZE: 90%
}

```

```

}
.searchOffice {
    WIDTH: 150px
}
.dropMenu {
    BORDER-BOTTOM: #cccccc 1px solid; BORDER-LEFT: #cccccc 1px solid; =
    PADDING-BOTTOM: 0px; BACKGROUND-COLOR: white; PADDING-LEFT: 5px; =
    PADDING-RIGHT: 33px; BORDER-TOP: #cccccc 1px solid; BORDER-RIGHT: =
    #cccccc 1px solid; PADDING-TOP: 5px
}
.dropMenuItem {
    PADDING-BOTTOM: 5px; PADDING-LEFT: 0px; WIDTH: 158px; PADDING-RIGHT: =
    0px; FONT-FAMILY: Arial; COLOR: #000000; FONT-SIZE: 89.29%; FONT-WEIGHT: =
    normal; PADDING-TOP: 5px
}
.dropMenuItem:hover {
    BACKGROUND-COLOR: #f1f1f1
}
.dropMenuItem A {
    COLOR: #000000; TEXT-DECORATION: none
}
#demo {
    BORDER-BOTTOM: #cccccc 1px solid; BORDER-LEFT: #cccccc 1px solid; =
    PADDING-BOTTOM: 5px; PADDING-LEFT: 0px; WIDTH: 168px; PADDING-RIGHT: =
    0px; BACKGROUND: =
    url(/bts/sites/all/themes/danland/images/arrow_dropdown.gif) #fbfbfb =
    no-repeat right center; BORDER-TOP: #cccccc 1px solid; CURSOR: pointer; =
    BORDER-RIGHT: #cccccc 1px solid; PADDING-TOP: 5px
}
#demo SPAN {
    PADDING-BOTTOM: 5px; PADDING-LEFT: 5px; PADDING-RIGHT: 50px; =
    FONT-FAMILY: Arial; COLOR: #000000; FONT-SIZE: 89.29%; CURSOR: pointer; =
    FONT-WEIGHT: normal; PADDING-TOP: 5px
}
#demo SPAN:hover {
    TEXT-DECORATION: none
}
.important {
    FONT-FAMILY: arial, helvetica, sans-serif; COLOR: #ff0000
}
.ritafont {
    FONT-SIZE: 100%
}
.CHlevel1 {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
    FONT-SIZE: 100%
}
.CHlevel2 {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
    FONT-SIZE: 100%
}
.CHlevel3 {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
    FONT-SIZE: 100%
}
.CHlevel4 {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
    FONT-SIZE: 100%
}
.RHlevel1 {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
    FONT-SIZE: 100%
}
.RHlevel2 {

```

```

        TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
FONT-SIZE: 100%
}
.RHlevel3 {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
FONT-SIZE: 100%
}
.RHlevel4 {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #cccccc; COLOR: #000000; =
FONT-SIZE: 100%
}
.RHlayer1 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 0ex; =
WHITE-SPACE: nowrap; COLOR: #000000; FONT-SIZE: 100%
}
.RHlayer2 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 2ex; =
WHITE-SPACE: nowrap; COLOR: #000000; FONT-SIZE: 100%
}
.RHlayer3 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 4ex; =
WHITE-SPACE: nowrap; COLOR: #000000; FONT-SIZE: 100%
}
.RHlayer4 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 6ex; =
WHITE-SPACE: nowrap; COLOR: #000000; FONT-SIZE: 100%
}
.RHlayer5 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 8ex; =
WHITE-SPACE: nowrap; COLOR: #000000; FONT-SIZE: 100%
}
.RHlayer6 {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 10ex; =
WHITE-SPACE: nowrap; COLOR: #000000; FONT-SIZE: 100%
}
.RHlayer1_indent {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 0ex; COLOR: =
#000000; FONT-SIZE: 100%
}
.RHlayer2_indent {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 1ex; COLOR: =
#000000; FONT-SIZE: 100%
}
.RHlayer3_indent {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 2ex; COLOR: =
#000000; FONT-SIZE: 100%
}
.RHlayer4_indent {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 3ex; COLOR: =
#000000; FONT-SIZE: 100%
}
.RHlayer5_indent {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; TEXT-INDENT: 4ex; COLOR: =
#000000; FONT-SIZE: 100%
}
.cellright {
    TEXT-ALIGN: right; BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; =
FONT-SIZE: 100%
}
.cellrightimportant {
    TEXT-ALIGN: right; BACKGROUND-COLOR: #e6e6e6; COLOR: #ff0000; =
FONT-SIZE: 100%
}
.cellleft {

```

```

        TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; FONT-SIZE: =
100%
    }
    .textboxhead {
        PADDING-BOTTOM: 4px; BACKGROUND-COLOR: #cccccc; PADDING-LEFT: 4px; =
PADDING-RIGHT: 4px; COLOR: #000000; FONT-SIZE: 90%; FONT-WEIGHT: bold; =
PADDING-TOP: 4px
    }
    .textboxborder {
        BORDER-BOTTOM: #cccccc thin solid; BORDER-LEFT: #cccccc thin solid; =
BORDER-TOP: #cccccc thin solid; BORDER-RIGHT: #cccccc thin solid
    }
    .textbox {
        BACKGROUND-COLOR: #e6e6e6; COLOR: #000000; FONT-SIZE: 90%
    }
    .textboxYellow {
        BACKGROUND-COLOR: #ffff99; COLOR: #000000
    }
    .ImageBoxRight {
        PADDING-LEFT: 5px
    }
    .ImageBoxLeft {
        PADDING-RIGHT: 5px; MARGIN-LEFT: 0px
    }
    .ImageCaption {
        PADDING-BOTTOM: 5px; FONT-FAMILY: arial, helvetica, sans-serif; =
FONT-SIZE: 80%; PADDING-TOP: 5px
    }
    A.collapsible:visited {
        BACKGROUND-COLOR: transparent; COLOR: #000000; TEXT-DECORATION: none
    }
    A.collapsible:link {
        BACKGROUND-COLOR: transparent; COLOR: #000000; TEXT-DECORATION: none
    }
    A.collapsible:hover {
        BACKGROUND-COLOR: transparent; COLOR: #cc0000; TEXT-DECORATION: none
    }
    .updateStampRita {
        FONT-FAMILY: verdana, arial, helvetica; COLOR: #949494; FONT-SIZE: 65%; =
FONT-WEIGHT: bold
    }
    .header1 {
        FONT-SIZE: 185%; FONT-WEIGHT: bold
    }
    .header2 {
        FONT-SIZE: 150%; FONT-WEIGHT: bold
    }
    .header3 {
        FONT-SIZE: 125%; FONT-WEIGHT: bold
    }
    .header4 {
        FONT-SIZE: 110%; FONT-WEIGHT: bold
    }
    .header5 {
        FONT-SIZE: 100%; FONT-WEIGHT: bold
    }
    .rowheadone {
        TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; FONT-FAMILY: =
arial, helvetica, sans-serif; COLOR: #000000; FONT-SIZE: 100%
    }
    .rowheadtwo {
        TEXT-ALIGN: center; BACKGROUND-COLOR: #e6e6e6; FONT-FAMILY: =
arial, helvetica, sans-serif; COLOR: #000000; FONT-SIZE: 100%
    }

```

```

.rowheadthree {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; FONT-FAMILY: =
arial,helvetica,sans-serif; COLOR: #000000; FONT-SIZE: 100%
}
.cellone {
    TEXT-ALIGN: right; BACKGROUND-COLOR: #e6e6e6; FONT-FAMILY: =
arial,helvetica,sans-serif; COLOR: #000000; FONT-SIZE: 100%
}
.celltwo {
    TEXT-ALIGN: left; BACKGROUND-COLOR: #e6e6e6; FONT-FAMILY: =
arial,helvetica,sans-serif; COLOR: #000000; FONT-SIZE: 100%
}
.cellthree {
    TEXT-ALIGN: center; BACKGROUND-COLOR: #e6e6e6; FONT-FAMILY: =
arial,helvetica,sans-serif; COLOR: #000000; FONT-SIZE: 100%
}
.tableHostContent {
    BORDER-BOTTOM: #000000 1px solid; BORDER-LEFT: #000000 1px solid; =
PADDING-BOTTOM: 5px; PADDING-LEFT: 5px; PADDING-RIGHT: 5px; BORDER-TOP: =
#000000 1px solid; BORDER-RIGHT: #000000 1px solid; PADDING-TOP: 5px
}
.contentTitleBlue {
    BORDER-BOTTOM: #c9c9c9 1px solid; PADDING-BOTTOM: 5px; PADDING-LEFT: =
5px; PADDING-RIGHT: 5px; FONT-FAMILY: arial,helvetica,sans-serif; COLOR: =
#0033a3; FONT-SIZE: 100%; BORDER-TOP: #c9c9c9 1px solid; FONT-WEIGHT: =
bold; PADDING-TOP: 5px
}

```

```

-----_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: application/octet-stream
Content-Transfer-Encoding: quoted-printable
Content-Location: http://www.rita.dot.gov/bts/misc/jquery.js?v=1.4.4

```

=0A=

/*!=0A=

* jQuery JavaScript Library v1.4.4=0A=

* http://jquery.com/=0A=

*=0A=

* Copyright 2010, John Resig=0A=

* Dual licensed under the MIT or GPL Version 2 licenses.=0A=

* http://jquery.org/license=0A=

*=0A=

* Includes Sizzle.js=0A=

* http://sizzlejs.com/=0A=

* Copyright 2010, The Dojo Foundation=0A=

* Released under the MIT, BSD, and GPL Licenses.=0A=

*=0A=

* Date: Thu Nov 11 19:04:53 2010 -0500=0A=

*/=0A=

```

(function(E,B){function =
ka(a,b,d){if(d=3D=3D=3DB&&a.nodeType=3D=3D=3D1){d=3Da.getAttribute("data-=
"+b);if(typeof =
d=3D=3D=3D"string"){try{d=3Dd=3D=3D=3D"true"?true:d=3D=3D=3D"false"?false=
:d=3D=3D=3D"null"?null:!c.isNaN(d)?parseFloat(d):Ja.test(d)?c.parseJSON(d=
):d}catch(e){}c.data(a,b,d)}else d=3DB}return d}function U(){return =
false}function ca(){return true}function la(a,b,d){d[0].type=3Da;return =
c.event.handle.apply(b,d)}function Ka(a){var =
b,d,e,f,h,l,k,o,x,r,A,C=3D[];f=3D[];h=3Dc.data(this,this.nodeType?"events=
":"__events__");if(typeof h=3D=3D=3D"function")h=3D=0A=
h.events;if(!a.liveFired=3D=3D=3Dthis||!h||!h.live||a.button&&a.type=3D=3D=
=3D"click"){if(a.namespace)A=3DRegExp("(^|\\.)"+a.namespace.split(".").j=
oin("\\.(?\\. *\\.?)?")+("\\.|$)");a.liveFired=3Dthis;var =
J=3Dh.live.slice(0);for(k=3D0;k<J.length;k++){h=3DJ[k];h.origType.replace=
(X,"")=3D=3D=3Da.type?f.push(h.selector):J.splice(k--,1)}f=3Dc(a.target).=

```

```
closest(f, a.currentTarget);o=3D0;for(x=3Df.length;o<x;o++){r=3Df[o];for(k=
=3D0;k<J.length;k++){h=3DJ[k];if(r.selector=3D=3D=3Dh.selector&&(!A||A.te=
st(h.namespace))){l=3Dr.elem;e=3Dnull;if(h.preType=3D=3D=3D"mouseenter"||=0A=
h.preType=3D=3D=3D"mouseleave"){a.type=3Dh.preType;e=3Dc(a.relatedTarget)=
.closest(h.selector)[0]}if(!e||e!=3D=3Dl)C.push({elem:l,handleObj:l,level=
:r.level})}}o=3D0;for(x=3DC.length;o<x;o++){f=3DC[o];if(d&&f.level>d)bre=
ak;a.currentTarget=3Df.elem;a.data=3Df.handleObj.data;a.handleObj=3Df.han=
dleObj;A=3Df.handleObj.origHandler.apply(f.elem,arguments);if(A=3D=3D=3Df=
alse||a.isPropagationStopped()){d=3Df.level;if(A=3D=3D=3Dfalse)b=3Dfalse;=
if(a.isImmediatePropagationStopped())break}}return b}}function =
Y(a,b){return(a&&a!=3D=3D"*"?a"."":"")+b.replace(La,=0A=
"").replace(Ma,"&")}function ma(a,b,d){if(c.isFunction(b))return =
c.grep(a,function(f,h){return!!b.call(f,h,f)=3D=3D=3Dd});else =
if(b.nodeType)return c.grep(a,function(f){return =
f=3D=3D=3Db=3D=3D=3Dd});else if(typeof b=3D=3D=3D"string"){var =
e=3Dc.grep(a,function(f){return =
f.nodeType=3D=3D=3D1});if(Na.test(b))return c.filter(b,e,!d);else =
b=3Dc.filter(b,e)}return c.grep(a,function(f){return =
c.inArray(f,b)>=3D0=3D=3D=3Dd})}function na(a,b){var =
d=3D0;b.each(function(){if(this.nodeName=3D=3D=3D(a[d]&&a[d].nodeName)){v=
ar e=3Dc.data(a[d++]),f=3Dc.data(this,=0A=
e);if(e=3De&&e.events){delete f.handle;f.events=3D{}};for(var h in =
e)for(var l in =
e[h])c.event.add(this,h,e[h][l],e[h][l].data)}})}function =
Oa(a,b){b.src?c.ajax({url:b.src,async:false,dataType:"script"}):c.globalE=
val(b.text||b.textContent||b.innerHTML||"");b.parentNode&&b.parentNode.re=
moveChild(b)}function oa(a,b,d){var =
e=3Db=3D=3D=3D"width"?a.offsetWidth:a.offsetHeight;if(d=3D=3D=3D"border")=
return =
e;c.each(b=3D=3D=3D"width"?Pa:Qa,function(){d||e-=3DparseFloat(c.css(a,"=
padding"+this))||0;if(d=3D=3D=3D"margin")e+=3DparseFloat(c.css(a,=0A=
"margin"+this))||0;else =
e-=3DparseFloat(c.css(a,"border"+this+"width"))||0});return e}function =
da(a,b,d,e){if(c.isArray(b)&&b.length)c.each(b,function(f,h){d||Ra.test(a=
)?e(a,h):da(a+["+(typeof =
h=3D=3D=3D"object"||c.isArray(h)?f:"")+"],h,d,e)});else =
if(!d&&b!=3Dnull&&typeof =
b=3D=3D=3D"object")c.isEmptyObject(b)?e(a,""):c.each(b,function(f,h){da(a=
+"["+f+"]",h,d,e)});else e(a,b)}function S(a,b){var =
d=3D{}};c.each(pa.concat.apply([],pa.slice(0,b)),function(){d[this]=3Da});=
return d}function qa(a){if(!ea[a]){var b=3Dc("<"+=0A=
a+">").appendTo("body"),d=3Db.css("display");b.remove();if(d=3D=3D=3D"non=
e"||d=3D=3D=3D"")d=3D"block";ea[a]=3Dd}return ea[a]}function =
fa(a){return =
c.isWindow(a)?a:a.nodeType=3D=3D=3D9?a.defaultView|a.parentWindow:false}=
var t=3DE.document,c=3Dfunction(){function =
a(){if(!b.isReady){try{t.documentElement.doScroll("left")}catch(j){setTim=
eout(a,1);return}b.ready()}}var b=3Dfunction(j,s){return new =
b.fn.init(j,s),d=3DE.jQuery,e=3DE.$,f,h=3D/^((?:[<]*(<[\w\W]+>)[>]*$|#(=
[\w\ -]+)$)/,l=3D/\S/,k=3D/^\s+/,o=3D/\s+$/,x=3D/\W/,r=3D/\d/,A=3D/^\s*(\w+)=
\s*\/*>(?:<\/\1)?$/ ,=0A=
C=3D/^[ \t,:{}] \s*$/,J=3D/\\(?:["\\/bfnr] |u[0-9a-fA-F]{4})/g,w=3D/"^[ \t\r]*" |true|false|null|-?\d+(?:\.\d*)?(?:[eE][+\ -]?\d+)?/g,I=3D/(?:^|:|,=
)(?:\s*\[ ]+/g,L=3D/(webkit) [ \/] ([\w. ]+)/,g=3D/(opera)(?:.*version)?[ =
\/] ([\w. ]+)/,i=3D/(msie) ([\w. ]+)/,n=3D/(mozilla)(?:.*? =
rv:([\w. ]+))?/,m=3Dnavigator.userAgent,p=3Dfalse,q=3D[],u,y=3DObject.prot=
otype.toString,F=3DObject.prototype.hasOwnProperty,M=3DArray.prototype.pu=
sh,N=3DArray.prototype.slice,O=3DString.prototype.trim,D=3DArray.prototyp=
e.indexOf,R=3D{}};b.fn=3Db.prototype=3D{init:function(j,=0A=
s){var v,z,H;if(!j)return =
this;if(j.nodeType){this.context=3Dthis[0]=3Dj;this.length=3D1;return =
this}if(j=3D=3D=3D"body"&&!s&&t.body){this.context=3Dt;this[0]=3Dt.body;t=
his.selector=3D"body";this.length=3D1;return this}if(typeof =
j=3D=3D=3D"string")if((v=3Dh.exec(j))&&(v[1]||!s))if(v[1]){H=3Ds?s.ownerD=
```

```
document||s:t;if(z=3DA.exec(j))if(b.isPlainObject(s)){j=3D[t.createElement=
(z[1]);b.fn.attr.call(j,s,true)}else =
j=3D[H.createElement(z[1]);else{z=3Db.buildFragment([v[1]],[H]);j=3D(z.c=
acheable?z.fragment.cloneNode(true):z.fragment).childNodes}return =
b.merge(this,=0A=
j)}else{if((z=3Dt.getElementById(v[2]))&&z.parentNode){if(z.id!=3D=3Dv[2]=
)return =
f.find(j);this.length=3D1;this[0]=3Dz}this.context=3Dt;this.selector=3Dj;=
return this}else =
if(!s&&!x.test(j)){this.selector=3Dj;this.context=3Dt;j=3Dt.getElementsBy=
TagName(j);return b.merge(this,j)}else =
return!s||s.jquery?(s||f).find(j):b(s).find(j);else =
if(b.isFunction(j))return =
f.ready(j);if(j.selector!=3D=3DB){this.selector=3Dj.selector;this.context=
=3Dj.context}return =
b.makeArray(j,this)},selector:"",jquery:"1.4.4",length:0,size:function(){=
return this.length},=0A=
toArray:function(){return N.call(this,0)},get:function(j){return =
j=3D=3Dnull?this.toArray():j<0?this.slice(j)[0]:this[j]},pushStack:functi=
on(j,s,v){var =
z=3Db();b.isArray(j)?M.apply(z,j):b.merge(z,j);z.prevObject=3Dthis;z.cont=
ext=3Dthis.context;if(s=3D=3D=3D"find")z.selector=3Dthis.selector+(this.s=
elector?" ":"")+v;else =
if(s)z.selector=3Dthis.selector+"."+s+"("+v+")";return =
z},each:function(j,s){return =
b.each(this,j,s)},ready:function(j){b.bindReady();if(b.isReady)j.call(t,b=
);else q&&q.push(j);return this},eq:function(j){return j=3D=3D=3D=0A=
-1?this.slice(j):this.slice(j,+j+1)},first:function(){return =
this.eq(0)},last:function(){return this.eq(-1)},slice:function(){return =
this.pushStack(N.apply(this,arguments),"slice",N.call(arguments).join(", "=
))},map:function(j){return =
this.pushStack(b.map(this,function(s,v){return =
j.call(s,v,s)}))},end:function(){return =
this.prevObject||b(null)},push:M,sort:[].sort,slice:[].splice};b.fn.init=
.prototype=3Db.fn;b.extend=3Db.fn.extend=3Dfunction(){var =
j,s,v,z,H,G=3Darguments[0]||{},K=3D1,Q=3Darguments.length,ga=3Dfalse;=0A=
if(typeof =
G=3D=3D=3D"boolean"){ga=3DG;G=3Darguments[1]||{};K=3D2}if(typeof =
G!=3D=3D"object"&&!b.isFunction(G))G=3D{};if(Q=3D=3D=3DK){G=3Dthis;--K}fo=
r(;K<Q;K++)if((j=3Darguments[K])!=3Dnull)for(s in =
j){v=3DG[s];z=3Dj[s];if(G!=3D=3Dz)if(ga&&z&&(b.isPlainObject(z)|| (H=3Db.i=
sArray(z)))){if(H){H=3Dfalse;v=3Dv&&b.isArray(v)?v:[]}else =
v=3Dv&&b.isPlainObject(v)?v:{};G[s]=3Db.extend(ga,v,z)}else =
if(z!=3D=3DB)G[s]=3Dz}return =
G};b.extend({noConflict:function(j){E.$=3De;if(j)E.jQuery=3Dd;return =
b},isReady:false,readyWait:1,ready:function(j){j=3D=3D=3Dtrue&&b.readyWai=
t--;=0A=
if(!b.readyWait||j!=3D=3Dtrue&&!b.isReady){if(!t.body)return =
setTimeout(b.ready,1);b.isReady=3Dtrue;if(!(j!=3D=3Dtrue&&--b.readyWait>0=
))if(q){var =
s=3D0,v=3Dq;for(q=3Dnull;j=3Dv[s++];)j.call(t,b);b.fn.trigger&&b(t).trigg=
er("ready").unbind("ready")}}},bindReady:function(){if(!p){p=3Dtrue;if(t.=
readyState=3D=3D=3D"complete")return =
setTimeout(b.ready,1);if(t.addEventListener){t.addEventListener("DOMConte=
ntLoaded",u,false);E.addEventListener("load",b.ready,false)}else =
if(t.attachEvent){t.attachEvent("onreadystatechange",u);E.attachEvent("on=
load",=0A=
b.ready);var =
j=3Dfalse;try{j=3DE.frameElement=3D=3Dnull}catch(s){}t.documentElement.do=
Scroll&&j&&a()}},isFunction:function(j){return =
b.type(j)=3D=3D=3D"function"},isArray:Array.isArray||function(j){return =
b.type(j)=3D=3D=3D"array"},isWindow:function(j){return j&&typeof =
j=3D=3D=3D"object"&&"setInterval"in j},isNaN:function(j){return =
j=3D=3Dnull||!r.test(j)||isNaN(j)},type:function(j){return =
```

```
j=3D=3Dnull?String(j):R[y.call(j)]|"object"},isPlainObject:function(j){i=
f(!j||b.type(j)!=3D=3D"object"||j.nodeType||b.isWindow(j))return =
false;if(j.constructor&&=0A=
!F.call(j,"constructor")&&!F.call(j.constructor.prototype,"isPrototypeOf"=
))return false;for(var s in j);return =
s=3D=3D=3DB||F.call(j,s)},isEmptyObject:function(j){for(var s in =
j)return false;return true},error:function(j){throw =
j;},parseJSON:function(j){if(typeof j!=3D=3D"string"||!j)return =
null;j=3Db.trim(j);if(C.test(j.replace(J,"@").replace(w,"").replace(I,""=
)))return E.JSON&&E.JSON.parse?E.JSON.parse(j):(new Function("return =
"+j))();else b.error("Invalid JSON: =
"+j)},noop:function(){},globalEval:function(j){if(j&&=0A=
l.test(j)){var =
s=3Dt.getElementsByTagName("head")[0]||t.documentElement,v=3Dt.createElem=
ent("script");v.type=3D"text/javascript";if(b.support.scriptEval)v.append=
Child(t.createTextNode(j));else =
v.text=3Dj;s.insertBefore(v,s.firstChild);s.removeChild(v)},nodeName:fun=
ction(j,s){return =
j.nodeName&&j.nodeName.toUpperCase()=3D=3D=3Ds.toUpperCase()},each:functi=
on(j,s,v){var =
z,H=3D0,G=3Dj.length,K=3DG=3D=3D=3DB||b.isFunction(j);if(v)if(K)for(z in =
j){if(s.apply(j[z],v)=3D=3D=3Dfalse)break}else =
for(;H<G;){if(s.apply(j[H++],v)=3D=3D=3Dfalse)break}else if(K)for(z in =
j){if(s.call(j[z],=0A=
z,j[z])=3D=3D=3Dfalse)break}else =
for(v=3Dj[0];H<G&&s.call(v,H,v)!=3D=3Dfalse;v=3Dj[++H]);return =
j},trim:0?function(j){return =
j=3D=3Dnull?"":0.call(j)}:function(j){return =
j=3D=3Dnull?"":j.toString().replace(k,"").replace(o,"")},makeArray:functi=
on(j,s){var v=3Ds||[];if(j!=3Dnull){var =
z=3Db.type(j);j.length=3D=3Dnull||z=3D=3D=3D"string"||z=3D=3D=3D"function"=
"||z=3D=3D=3D"regexp"||b.isWindow(j)?M.call(v,j):b.merge(v,j)}return =
v},isArray:function(j,s){if(s.indexOf)return s.indexOf(j);for(var =
v=3D0,z=3Ds.length;v<z;v++)if(s[v]=3D=3D=3Dj)return =
v;return-1},merge:function(j,=0A=
s){var v=3Dj.length,z=3D0;if(typeof s.length=3D=3D=3D"number")for(var =
H=3Ds.length;z<H;z++)j[v++]=3Ds[z];else =
for(;s[z]!=3D=3DB;){j[v++]=3Ds[z++];j.length=3Dv;return =
j},grep:function(j,s,v){var z=3D[],H;v=3D!!v;for(var =
G=3D0,K=3Dj.length;G<K;G++){H=3D!!s(j[G],G);v!=3D=3DH&&z.push(j[G])}retur=
n z},map:function(j,s,v){for(var =
z=3D[],H,G=3D0,K=3Dj.length;G<K;G++){H=3Ds(j[G],G,v);if(H!=3Dnull)z[z.len=
gth]=3DH}return =
z.concat.apply([],z)},guid:1,proxy:function(j,s,v){if(arguments.length=3D=
=3D=3D2)if(typeof s=3D=3D=3D"string"){v=3Dj;j=3Dv[s];s=3DB}else =
if(s&&!b.isFunction(s)){v=3D=0A=
s;s=3DB}if(!s&&j)s=3Dfunction(){return =
j.apply(v||this,arguments)};if(j)s.guid=3Dj.guid=3Dj.guid||s.guid||b.guid=
++;return s},access:function(j,s,v,z,H,G){var K=3Dj.length;if(typeof =
s=3D=3D=3D"object"){for(var Q in s)b.access(j,Q,s[Q],z,H,v);return =
j}if(v!=3D=3DB){z=3D!G&&z&&b.isFunction(v);for(Q=3D0;Q<K;Q++)H(j[Q],s,z?v=
.call(j[Q],Q,H(j[Q],s)):v,G);return j}return =
K?H(j[0],s):B},now:function(){return(new =
Date).getTime()},uaMatch:function(j){j=3Dj.toLowerCase();j=3DL.exec(j)||g=
.exec(j)||i.exec(j)||j.indexOf("compatible")<0&&n.exec(j)||=0A=
[];return{browser:j[1]||"",version:j[2]||"0"},browser:{}});b.each("Boole=
an Number String Function Array Date RegExp Object".split(" =
"),function(j,s){R["[object =
"+s+"]"]=3Ds.toLowerCase();m=3Db.uaMatch(m);if(m.browser){b.browser[m.b=
rowser]=3Dtrue;b.browser.version=3Dm.version}if(b.browser.webkit)b.browse=
r.safari=3Dtrue;if(D)b.inArray=3Dfunction(j,s){return =
D.call(s,j)};if(!/\\s/.test("\\u00a0")){k=3D/^\\s\\xA0+$/;o=3D/\\s\\xA0+$/;f=
=3Db(t);if(t.addEventListener)u=3Dfunction(){t.removeEventListener("DOMCo=
ntentLoaded",u,=0A=
```

```
false);b.ready());else =
if(t.attachEvent)u=3Dfunction(){if(t.readyState=3D=3D=3D"complete"){t.det=
achEvent("onreadystatechange",u);b.ready()}};return =
E.jQuery=3DE.$=3Ddb}();(function(){c.support=3D{};var =
a=3Dt.createElement,b=3Dt.createElement("script"),d=3Dt.createElement(="
div"),e=3D"script"+c.now();d.style.display=3D"none";d.innerHTML=3D"
<link/><table></table><a href=3D'/a' =
style=3D'color:red;float:left;opacity:.55;'>a</a><input =
type=3D'checkbox'/>";var =
f=3Dd.getElementsByTagName("*"),h=3Dd.getElementsByTagName("a")[0],l=3Dt.=
createElement("select"),=0A=
k=3Dl.appendChild(t.createElement("option"));if(!(f.length||h)){c.s=
upport=3D{leadingWhitespace:d.firstChild.nodeType=3D=3D=3D3,tbody:!d.getE=
lementsByTagName("tbody").length,htmlSerialize:!!d.getElementsByTagName(="
link").length,style:/red/.test(h.getAttribute("style")),hrefNormalized:h.=
getAttribute("href")=3D=3D=3D"/a",opacity:/^0.55$/ .test(h.style.opacity),=
cssFloat:!!h.style.cssFloat,checkOn:d.getElementsByTagName("input")[0].va=
lue=3D=3D=3D"on",optSelected:k.selected,deleteExpando:true,optDisabled:fa=
lse,checkClone:false,=0A=
scriptEval:false,noCloneEvent:true,boxModel:null,inlineBlockNeedsLayout:f=
alse,shrinkWrapBlocks:false,reliableHiddenOffsets:true};l.disabled=3Dtrue=
;c.support.optDisabled=3D!k.disabled;b.type=3D"text/javascript";try{b.app=
endChild(t.createTextNode("window."+e+"=3D1;"))}catch(o){a.insertBefore(=
b,a.firstChild);if(E[e]){c.support.scriptEval=3Dtrue;delete =
E[e]}try{delete =
b.test}catch(x){c.support.deleteExpando=3Dfalse}a.removeChild(b);if(d.att=
achEvent&&d.fireEvent){d.attachEvent("onclick",function =
r){c.support.noCloneEvent=3D=0A=
false;d.detachEvent("onclick",r)};d.cloneNode(true).fireEvent("onclick")=
}d=3Dt.createElement("div");d.innerHTML=3D"<input type=3D'radio' =
name=3D'radiotest' =
checked=3D'checked' />";a=3Dt.createDocumentFragment();a.appendChild(d.fir=
stChild);c.support.checkClone=3Da.cloneNode(true).cloneNode(true).lastChi=
ld.checked;c(function(){var =
r=3Dt.createElement("div");r.style.width=3Dr.style.paddingLeft=3D"1px";t.=
body.appendChild(r);c.boxModel=3Dc.support.boxModel=3Dr.offsetWidth=3D=3D=
=3D2;if("zoom" in r.style){r.style.display=3D"inline";r.style.zoom=3D=0A=
1;c.support.inlineBlockNeedsLayout=3Dr.offsetWidth=3D=3D=3D2;r.style.disp=
lay=3D"";r.innerHTML=3D"<div =
style=3D'width:4px;'></div>";c.support.shrinkWrapBlocks=3Dr.offsetWidth!=3D=
=3D2}r.innerHTML=3D"<table><tr><td =
style=3D'padding:0;display:none'><td><td></td></tr></table>";var =
A=3Dr.getElementsByTagName("td");c.support.reliableHiddenOffsets=3DA[0].o=
ffsetHeight=3D=3D=3D0;A[0].style.display=3D"";A[1].style.display=3D"none"=
;c.support.reliableHiddenOffsets=3Dc.support.reliableHiddenOffsets&&A[0].=
offsetHeight=3D=3D=3D0;r.innerHTML=3D"";t.body.removeChild(r).style.displ=
ay=3D=0A=
"none"});a=3Dfunction(r){var A=3Dt.createElement("div");r=3D"on"+r;var =
C=3Dr in A;if(!C){A.setAttribute(r,"return;");C=3Dtypeof =
A[r]=3D=3D=3D"function"}return =
C};c.support.submitBubbles=3Da("submit");c.support.changeBubbles=3Da("cha=
nge");a=3Db=3Dd=3Df=3Dh=3Dnull}})();var =
ra=3D{},Ja=3D/^(?:\{.*\}|\[.*\])$/;c.extend({cache:{},uid:0,expando:"jQu=
ery"+c.now(),noData:{embed:true,object:"clsid:D27CDB6E-AE6D-11cf-96B8-444=
553540000",applet:true},data:function(a,b,d){if(c.acceptData(a)){a=3Da=3D=
=3DE?ra:a;var e=3Da.nodeType,f=3De?a[c.expando]:null,h=3D=0A=
c.cache;if(!(e&&!f&&typeof =
b=3D=3D=3D"string"&&b=3D=3D=3DB)){if(e)f||(a[c.expando]=3Df=3D++c.uid);e=
lse h=3Da;if(typeof b=3D=3D=3D"object")if(e)h[f]=3Dc.extend(h[f],b);else =
c.extend(h,b);else =
if(e&&!h[f])h[f]=3D{};a=3De?h[f]:h;if(d!=3D=3DB)a[b]=3Dd;return typeof =
b=3D=3D=3D"string"?a[b]:a}},removeData:function(a,b){if(c.acceptData(a))=
{a=3Da=3D=3DE?ra:a;var =
d=3Da.nodeType,e=3Dd?a[c.expando]:a,f=3Dc.cache,h=3Dd?f[e]:e;if(b){if(h){=
```

```

delete h[b];d&& c.isEmptyObject(h)&& c.removeData(a)}}else =
if(d&& c.support.deleteExpando)delete a[c.expando];else =
if(a.removeAttribute)a.removeAttribute(c.expando);=0A=
else if(d)delete f[e];else for(var l in a)delete =
a[l]}};acceptData:function(a){if(a.nodeName){var =
b=3Dc.noData[a.nodeName.toLowerCase()];if(b)return!(b=3D=3D=3Dtrue||a.get=
Attribute("classid")!=3D=3D=3Db)}return =
true}});c.fn.extend({data:function(a,b){var d=3Dnull;if(typeof =
a=3D=3D=3D"undefined"){if(this.length){var =
e=3Dthis[0].attributes,f;d=3Dc.data(this[0]);for(var =
h=3D0,l=3De.length;h<l;h++){f=3De[h].name;if(f.indexOf("data-")=3D=3D=3D0=
){f=3Df.substr(5);ka(this[0],f,d[f])}}return d}else if(typeof =
a=3D=3D=3D"object")return this.each(function(){c.data(this,=0A=
a)});var =
k=3Da.split(".");k[1]=3Dk[1]?"."+k[1]:"";if(b=3D=3D=3DB){d=3Dthis.trigger=
Handler("getData"+k[1]+"!", [k[0]]);if(d=3D=3D=3DB&&this.length){d=3Dc.dat=
a(this[0],a);d=3Dka(this[0],a,d)}return =
d=3D=3D=3DB&&k[1]?this.data(k[0]):d}else return this.each(function(){var =
o=3Dc(this),x=3D[k[0],b];o.triggerHandler("setData"+k[1]+"!",x);c.data(th=
is,a,b);o.triggerHandler("changeData"+k[1]+"!",x)}}),removeData:function(=
a){return =
this.each(function(){c.removeData(this,a)}})});c.extend({queue:function(a=
,b,d){if(a){b=3D(b||"fx")+"queue";var e=3D=0A=
c.data(a,b);if(!d)return =
e||[];if(!e||c.isArray(d))e=3Dc.data(a,b,c.makeArray(d));else =
e.push(d);return e}},dequeue:function(a,b){b=3Db||"fx";var =
d=3Dc.queue(a,b),e=3Dd.shift();if(e=3D=3D=3D"inprogress")e=3Dd.shift();if(=
e){b=3D=3D=3D"fx"&&d.unshift("inprogress");e.call(a,function(){c.dequeue=
(a,b)}})});c.fn.extend({queue:function(a,b){if(typeof =
a!=3D=3D"string"){b=3Da;a=3D"fx"}if(b=3D=3D=3DB)return =
c.queue(this[0],a);return this.each(function(){var =
d=3Dc.queue(this,a,b);a=3D=3D=3D"fx"&&d[0]!=3D=3D"inprogress"&&c.dequeue(=
this,a)}),dequeue:function(a){return =
this.each(function(){c.dequeue(this,=0A=
a)}}},delay:function(a,b){a=3Dc.fx?c.fx.speeds[a]||a:a;b=3Db||"fx";return=
this.queue(b,function(){var =
d=3Dthis;setTimeout(function(){c.dequeue(d,b)},a)}),clearQueue:function(=
a){return this.queue(a||"fx",[])});var =
sa=3D/[\\n\\t]/g,ha=3D/\\s+/,Sa=3D/\\r/g,Ta=3D/^(?:href|src|style)$/,Ua=3D/^(=
?:button|input)$/i,Va=3D/^(?:button|input|object|select|textarea)$/i,Wa=3D=
/^(?:a|a(?:re|a)?$/i,ta=3D/^(?:radio|checkbox)$/i;c.props=3D{"for":"htmlFor","c=
lass":"className",readonly:"readOnly",maxLength:"maxLength",cellspacing:"=
cellSpacing",rowspan:"rowSpan",=0A=
colspan:"colSpan",tabindex:"tabIndex",usemap:"useMap",frameborder:"frameB=
order"};c.fn.extend({attr:function(a,b){return =
c.access(this,a,b,true,c.attr)},removeAttr:function(a){return =
this.each(function(){c.attr(this,a,"");this.nodeType=3D=3D=3D1&&this.remo=
veAttribute(a)}}},addClass:function(a){if(c.isFunction(a))return =
this.each(function(x){var =
r=3Dc(this);r.addClass(a.call(this,x,r.attr("class")))});if(a&&typeof =
a=3D=3D=3D"string")for(var =
b=3D(a||"").split(ha),d=3D0,e=3Dthis.length;d<e;d++){var =
f=3Dthis[d];if(f.nodeType=3D=3D=3D=0A=
1)if(f.className){for(var h=3D" "+f.className+
" ",l=3Df.className,k=3D0,o=3Db.length;k<o;k++)if(h.indexOf(" "+b[k]+" " =
")<0)l+=3D" "+b[k];f.className=3Dc.trim(l)}else f.className=3Da}return =
this},removeClass:function(a){if(c.isFunction(a))return =
this.each(function(o){var =
x=3Dc(this);x.removeClass(a.call(this,o,x.attr("class")))});if(a&&typeof =
a=3D=3D=3D"string"||a=3D=3D=3DB)for(var =
b=3D(a||"").split(ha),d=3D0,e=3Dthis.length;d<e;d++){var =
f=3Dthis[d];if(f.nodeType=3D=3D=3D1&&f.className)if(a){for(var h=3D(" =
"+f.className+
" ").replace(sa, " "),=0A=
l=3D0,k=3Db.length;l<k;l++)h=3Dh.replace(" "+b[l]+" ", " =

```

```
");f.className=3Dc.trim(h)}else f.className=3D""}return =
this},toggleClass:function(a,b){var d=3Dtypeof a,e=3Dtypeof =
b=3D=3D=3D"boolean";if(c.isFunction(a))return this.each(function(f){var =
h=3Dc(this);h.toggleClass(a.call(this,f,h.attr("class"),b),b)});return =
this.each(function(){if(d=3D=3D=3D"string")for(var =
f,h=3D0,l=3Dc(this),k=3Db,o=3Da.split(ha);f=3Do[h++];){k=3De?k:!l.hasClas=
s(f);l[k?"addClass":"removeClass"](f)}else =
if(d=3D=3D=3D"undefined"||d=3D=3D=3D"boolean"){this.className&&c.data(thi=
s,=0A=
"__className__",this.className);this.className=3Dthis.className||a=3D=3D=3D=
false?"":c.data(this,"__className__")||""}}},hasClass:function(a){a=3D" =
"+a+" ";for(var b=3D0,d=3Dthis.length;b<d;b++)if((" =
"+this[b].className+" ").replace(sa," ").indexOf(a)>-1)return =
true;return false},val:function(a){if(!arguments.length){var =
b=3Dthis[0];if(b){if(c.nodeName(b,"option")){var =
d=3Db.attributes.value;return!d||d.specified?b.value:b.text}if(c.nodeName=
(b,"select")){var e=3Db.selectedIndex;d=3D[];var =
f=3Db.options;b=3Db.type=3D=3D=3D"select-one";=0A=
if(e<0)return null;var h=3Db?e:0;for(e=3Db?e+1:f.length;h<e;h++){var =
l=3Df[h];if(l.selected&&(c.support.optDisabled?!l.disabled:l.getAttribute=
("disabled")=3D=3D=3Dnull)&&(!l.parentNode.disabled||!c.nodeName(l.parent=
Node,"optgroup"))){a=3Dc(l).val();if(b)return a;d.push(a)}}return =
d}if(ta.test(b.type)&&!c.support.checkOn)return =
b.getAttribute("value")=3D=3D=3Dnull?"on":b.value;return(b.value||"").rep=
lace(Sa,"")}return B}var k=3Dc.isFunction(a);return =
this.each(function(o){var =
x=3Dc(this),r=3Da;if(this.nodeType=3D=3D=3D1){if(k)r=3D=0A=
a.call(this,o,x.val());if(r=3D=3Dnull)r=3D"";else if(typeof =
r=3D=3D=3D"number")r+=3D"";else =
if(c.isArray(r))r=3Dc.map(r,function(C){return =
C=3D=3Dnull?"":C+""});if(c.isArray(r)&&ta.test(this.type))this.checked=3D=
c.inArray(x.val(),r)>=3D0;else if(c.nodeName(this,"select")){var =
A=3Dc.makeArray(r);c("option",this).each(function(){this.selected=3Dc.inA=
rray(c(this).val(),A)>=3D0});if(!A.length)this.selectedIndex=3D-1}else =
this.value=3Dr}}});c.extend({attrFn:{val:true,css:true,html:true,text:t=
rue,data:true,width:true,height:true,offset:true},=0A=
attr:function(a,b,d,e){if(!a||a.nodeType=3D=3D=3D3||a.nodeType=3D=3D=3D8)=
return B;if(e&&b in c.attrFn)return =
c(a)[b](d);e=3Da.nodeType!=3D=3D1||!c.isXMLDoc(a);var =
f=3Dd!=3D=3DB;b=3De&&c.props[b]||b;var h=3DTa.test(b);if((b in =
a||a[b]!=3D=3DB)&&e&&h){if(f){b=3D=3D=3D"type"&&Ua.test(a.nodeName)&&a.p=
arentNode&&c.error("type property can't be =
changed");if(d=3D=3D=3Dnull)a.nodeType=3D=3D=3D1&&a.removeAttribute(b);el=
se a[b]=3Dd}if(c.nodeName(a,"form")&&a.getAttributeNode(b))return =
a.getAttributeNode(b).nodeValue;if(b=3D=3D=3D"tabIndex")return(b=3Da.getA=
ttributeNode("tabIndex"))&&=0A=
b.specified?b.value:Va.test(a.nodeName)||Wa.test(a.nodeName)&&a.href?0:B;=
return =
a[b]}if(!c.support.style&&&b=3D=3D=3D"style"){if(f)a.style.cssText=3D""=
+d;return =
a.style.cssText}f&&a.setAttribute(b,""+d);if(!a.attributes[b]&&a.hasAttri=
bute&&!a.hasAttribute(b))return =
B;a=3D!c.support.hrefNormalized&&e&&h?a.getAttribute(b,2):a.getAttribute(=
b);return a=3D=3D=3Dnull?B:a}});var =
X=3D/\.(.*)$/,ia=3D/^(?:textare|input|select)$/,La=3D/\./g,Ma=3D/ =
/g,Xa=3D/[^\w\s.|`]/g,Ya=3Dfunction(a){return =
a.replace(Xa,"\\$&");},ua=3D{focusin:0,focusout:0};=0A=
c.event=3D{add:function(a,b,d,e){if(!(a.nodeType=3D=3D=3D3||a.nodeType=3D=
3D=3D8)){if(c.isWindow(a)&&a!=3D=3DE&&!a.frameElement)a=3DE;if(d=3D=3D=3D=
false)d=3DU;else if(!d)return =
f,h;if(d.handler){f=3Dd;d=3Df.handler}if(!d.guid)d.guid=3Dc.guid++;if(h=3D=
c.data(a)){var =
l=3Da.nodeType?"events":"__events__",k=3Dh[l],o=3Dh.handle;if(typeof =
k=3D=3D=3D"function"){o=3Dk.handle;k=3Dk.events}else =
```

```
if(!k){a.nodeType||h[l]=3Dh=3Dfunction(){};h.events=3Dk=3D{};if(!o)h.ha=
ndle=3Ddo=3Dfunction(){return typeof =
c!=3D=3D"undefined"&&!c.event.triggered?c.event.handle.apply(o.elem,=0A=
arguments):B;o.elem=3Da;b=3Db.split(" ");for(var =
x=3D0,r;l=3Db[x++];){h=3Df?c.extend({},f):{handler:d,data:e};if(l.indexOf=
("." )>-1){r=3Dl.split("." );l=3Dr.shift();h.namespace=3Dr.slice(0).sort().=
join("." )}else{r=3D[];h.namespace=3D""}h.type=3Dl;if(!h.guid)h.guid=3Dd.g=
uid;var =
A=3Dk[l],C=3Dc.event.special[l]||{};if(!A){A=3Dk[l]=3D[];if(!C.setup||C.s=
etup.call(a,e,r,o)=3D=3D=3Dfalse)if(a.addEventListener)a.addEventListener=
(l,o,false);else =
a.attachEvent&&a.attachEvent("on"+l,o)}if(C.add){C.add.call(a,h);if(!h.ha=
ndler.guid)h.handler.guid=3D=0A=
d.guid}A.push(h);c.event.global[l]=3Dtrue}a=3Dnull}}},global:{},remove:fu=
nction(a,b,d,e){if(!(a.nodeType=3D=3D=3D3| |a.nodeType=3D=3D=3D8))){if(d=3D=
=3D=3Dfalse)d=3DU;var =
f,h,l=3D0,k,o,x,r,A,C,J=3Da.nodeType?"events":"__events__",w=3Dc.data(a),=
I=3Dw&&w[J];if(w&&I){if(typeof =
I=3D=3D=3D"function"){w=3DI;I=3DI.events}if(b&&b.type){d=3Db.handler;b=3D=
b.type}if(!b||typeof =
b=3D=3D=3D"string"&&b.charAt(0)=3D=3D=3D"." ){b=3Db||"";for(f in =
I)c.event.remove(a,f+b)}else{for(b=3Db.split(" =
");f=3Db[l++];){r=3Df;k=3Df.indexOf("." )<0;o=3D[];if(!k){o=3Df.split("." )=
;f=3Do.shift();x=3DRegExp("(^|\\.)"+"=0A=
c.map(o.slice(0).sort(),Ya).join("\\.(?:.*\\.)"+"(\\.|$)")}if(A=3DI[f])=
if(d){r=3Dc.event.special[f]||{};for(h=3De||0;h<A.length;h++){C=3DA[h];if=
(d.guid=3D=3D=3DC.guid){if(k||x.test(C.namespace)){e=3D=3Dnull&&A.splice(=
h--,1);r.remove&&r.remove.call(a,C)}if(e!=3Dnull)break}}if(A.length=3D=3D=
=3D0||e!=3Dnull&&A.length=3D=3D=3D1){if(!r.teardown||r.teardown.call(a,o)=
=3D=3D=3Dfalse)c.removeEvent(a,f,w.handle);delete I[f]}}else =
for(h=3D0;h<A.length;h++){C=3DA[h];if(k||x.test(C.namespace)){c.event.rem=
ove(a,r,C.handler,h);A.splice(h--,1)}}}if(c.isEmptyObject(I)){if(b=3D=0A=
w.handle)b.elem=3Dnull;delete w.events;delete w.handle;if(typeof =
w=3D=3D=3D"function")c.removeData(a,J);else =
c.isEmptyObject(w)&&c.removeData(a)}}}}},trigger:function(a,b,d,e){var =
f=3Da.type||a;if(!e){a=3Dtypeof =
a=3D=3D=3D"object"?a[c.expando]?a:c.extend(c.Event(f),a):c.Event(f);if(f.=
indexOf("!")>=3D0){a.type=3Df=3Df.slice(0,-1);a.exclusive=3Dtrue;if(!d){a=
.stopPropagation();c.event.global[f]&&c.each(c.cache,function(){this.even=
ts&&this.events[f]&&c.event.trigger(a,b,this.handle.elem)}}}if(!d||d.node=
Type=3D=3D=3D3| |d.nodeType=3D=3D=3D=0A=
8)return =
B;a.result=3DB;a.target=3Dd;b=3Dc.makeArray(b);b.unshift(a)}a.currentTarg=
et=3Dd;(e=3Dd.nodeType?c.data(d,"handle):(c.data(d,"__events__")||{}).ha=
ndle)&&e.apply(d,b);e=3Dd.parentNode||d.ownerDocument;try{if(!(d&&d.nodeName=
&&c.noData[d.nodeName.toLowerCase()]))if(d["on"+f]&&d["on"+f].apply(d,=
b)=3D=3D=3Dfalse){a.result=3Dfalse;a.preventDefault()}}catch(h){}if(!a.is=
PropagationStopped())&&e.c.event.trigger(a,b,e,true);else =
if(!a.isDefaultPrevented()){var l;e=3Da.target;var =
k=3Df.replace(X,""),o=3Dc.nodeName(e,"a")&&k=3D=3D=3D=0A=
"click",x=3Dc.event.special[k]||{};if((!x._default||x._default.call(d,a)=3D=
=3D=3Dfalse)&&!o&&(e&&e.nodeName&&c.noData[e.nodeName.toLowerCase()])){t=
ry{if(e[k]){if(l=3De["on"+k])e["on"+k]=3Dnull;c.event.triggered=3Dtrue;e[=
k]()}}catch(r){}if(l)e["on"+k]=3Dl;c.event.triggered=3Dfalse}}},handle:fu=
nction(a){var b,d,e,f;d=3D[];var =
h=3Dc.makeArray(arguments);a=3Dh[0]=3Dc.event.fix(a||E.event);a.currentTa=
rget=3Dthis;b=3Da.type.indexOf("." )<0&&!a.exclusive;if(!b){e=3Da.type.spl=
it("." );a.type=3De.shift();d=3De.slice(0).sort();e=3DRegExp("(^|\\.)"+"=0A=
d.join("\\.(?:.*\\.)"+"(\\.|$)")}a.namespace=3Da.namespace||d.join("." )=
;f=3Dc.data(this,this.nodeType?"events":"__events__");if(typeof =
f=3D=3D=3D"function")f=3Df.events;d=3D(f||{})[a.type];if(f&&d){d=3Dd.slic=
e(0);f=3D0;for(var l=3Dd.length;f<l;f++){var =
k=3Dd[f];if(b||e.test(k.namespace)){a.handler=3Dk.handler;a.data=3Dk.data=
;a.handleObj=3Dk;k=3Dk.handler.apply(this,h);if(k!=3D=3DB){a.result=3Dk;i=
```

```
f(k=3D=3D=3Dfalse){a.preventDefault();a.stopPropagation()}}if(a.isImmedia=
tePropagationStopped())break}}return a.result},props:"altKey attrChange =
attrName bubbles button cancelable charCode clientX clientY ctrlKey =
currentTarget data detail eventPhase fromElement handler keyCode layerX =
layerY metaKey newValue offsetX offsetY pageX pageY prevValue =
relatedNode relatedTarget screenX screenY shiftKey srcElement target =
toElement view wheelDelta which".split(" "),=0A=
fix:function(a){if(a[c.expando])return a;var =
b=3Da;a=3Dc.Event(b);for(var =
d=3Dthis.props.length,e;d){e=3Dthis.props[--d];a[e]=3Db[e]}if(!a.target)=
a.target=3Da.srcElement||t;if(a.target.nodeType=3D=3D=3D3)a.target=3Da.ta=
rget.parentNode;if(!a.relatedTarget&&a.fromElement)a.relatedTarget=3Da.fr=
omElement=3D=3D=3Da.target?a.toElement:a.fromElement;if(a.pageX=3D=3Dnull=
&&a.clientX!=3Dnull){b=3Dt.documentElement;d=3Dt.body;a.pageX=3Da.clientX=
+(b&&b.scrollLeft||d&&d.scrollLeft||0)-(b&&b.clientX||d&&d.clientX||=
|0);a.pageY=3Da.clientY+(b&&b.scrollTop||=0A=
d&&d.scrollTop||0)-(b&&b.clientY||d&&d.clientY||0)}if(a.which=3D=3Dnu=
ll&&(a.charCode!=3Dnull||a.keyCode!=3Dnull))a.which=3Da.charCode!=3Dnull?=
a.charCode:a.keyCode;if(!a.metaKey&&a.ctrlKey)a.metaKey=3Da.ctrlKey;if(!a=
.which&&a.button!=3D=3DB)a.which=3Da.button&1?1:a.button&2?3:a.button&4?2=
:0;return =
a},guid:1E8,proxy:c.proxy,special:{ready:{setup:c.bindReady,teardown:c.no=
op},live:{add:function(a){c.event.add(this,Y(a.origType,a.selector),c.ext=
end({},a,{handler:Ka,guid:a.handler.guid})}},remove:function(a){c.event.r=
emove(this,=0A=
Y(a.origType,a.selector),a)}},beforeunload:{setup:function(a,b,d){if(c.is=
Window(this))this.onbeforeunload=3Dd},teardown:function(a,b){if(this.onbe=
foreunload=3D=3D=3Db)this.onbeforeunload=3Dnull}}};c.removeEvent=3Dt.rem=
oveEventListener?function(a,b,d){a.removeEventListener&&a.removeEventList=
ener(b,d,false)}:function(a,b,d){a.detachEvent&&a.detachEvent("on"+b,d)};=
c.Event=3Dfunction(a){if(!this.preventDefault)return new =
c.Event(a);if(a&&a.type){this.originalEvent=3Da;this.type=3Da.type}else =
this.type=3Da;this.timeStamp=3D=0A=
c.now();this[c.expando]=3Dtrue};c.Event.prototype=3D{preventDefault:funct=
ion(){this.isDefaultPrevented=3Dca;var =
a=3Dthis.originalEvent;if(a)if(a.preventDefault)a.preventDefault();else =
a.returnValue=3Dfalse},stopPropagation:function(){this.isPropagationStopp=
ed=3Dca;var =
a=3Dthis.originalEvent;if(a){a.stopPropagation&&a.stopPropagation();a.can=
celBubble=3Dtrue}},stopImmediatePropagation:function(){this.isImmediatePr=
opagationStopped=3Dca;this.stopPropagation()},isDefaultPrevented:U,isProp=
agationStopped:U,isImmediatePropagationStopped:U};=0A=
var va=3Dfunction(a){var =
b=3Da.relatedTarget;try{for(;b&&b!=3D=3Dthis;)b=3Db.parentNode;if(b!=3D=3D=
this){a.type=3Da.data;c.event.handle.apply(this,arguments)}}catch(d){}},w=
a=3Dfunction(a){a.type=3Da.data;c.event.handle.apply(this,arguments)};c.e=
ach({mouseenter:"mouseover",mouseleave:"mouseout"},function(a,b){c.event.=
special[a]=3D{setup:function(d){c.event.add(this,b,d&&d.selector?wa:va)=
},teardown:function(d){c.event.remove(this,b,d&&d.selector?wa:va)}});if(=
!c.support.submitBubbles)c.event.special.submit=3D{setup:function(){if(th=
is.nodeName.toLowerCase()!=3D=3D=0A=
"form"){c.event.add(this,"click.specialSubmit",function(a){var =
b=3Da.target,d=3Db.type;if((d=3D=3D=3D"submit"||d=3D=3D=3D"image")&&c(b)=
closest("form").length){a.liveFired=3DB;return =
la("submit",this,arguments)}});c.event.add(this,"keypress.specialSubmit",=
function(a){var =
b=3Da.target,d=3Db.type;if((d=3D=3D=3D"text"||d=3D=3D=3D"password")&&c(b)=
.closest("form").length&&a.keyCode=3D=3D=3D13){a.liveFired=3DB;return =
la("submit",this,arguments)}})}else return =
false},teardown:function(){c.event.remove(this,".specialSubmit")}}};if(!c.=
support.changeBubbles){var V,=0A=
xa=3Dfunction(a){var =
b=3Da.type,d=3Da.value;if(b=3D=3D=3D"radio"||b=3D=3D=3D"checkbox")d=3Da.c=
hecked}else =
```

```

if(b=3D=3D=3D"select-multiple")d=3Da.selectedIndex>-1?c.map(a.options,function(e){return e.selected}).join("-"):"";else =
if(a.nodeName.toLowerCase()=3D=3D=3D"select")d=3Da.selectedIndex;return =
d},Z=3Dfunction(a,b){var =
d=3Da.target,e,f;if(!(!ia.test(d.nodeName)||d.readOnly)){e=3Dc.data(d,"_c=
hange_data");f=3Dxa(d);if(a.type!=3D=3D"focusout"||d.type!=3D=3D"radio")c=
.data(d,"_change_data",f);if(!(e=3D=3D=3DB||f=3D=3D=3De))if(e!=3Dnull||f)=
{a.type=3D"change";a.liveFired=3D=0A=
B;return =
c.event.trigger(a,b,d)}}};c.event.special.change=3D{filters:{focusout:Z,b=
eforedeactivate:Z,click:function(a){var =
b=3Da.target,d=3Db.type;if(d=3D=3D=3D"radio"||d=3D=3D=3D"checkbox"||b.nod=
eName.toLowerCase()=3D=3D=3D"select")return =
Z.call(this,a)},keydown:function(a){var =
b=3Da.target,d=3Db.type;if(a.keyCode=3D=3D=3D13&&b.nodeName.toLowerCase()=
!=3D=3D"textarea"||a.keyCode=3D=3D=3D32&&(d=3D=3D=3D"checkbox"||d=3D=3D=3D=
"radio"||d=3D=3D=3D"select-multiple")}return =
Z.call(this,a)},beforeactivate:function(a){a=3Da.target;c.data(a,"_change=
_data",xa(a))},setup:function(){if(this.type=3D=3D=3D=0A=
"file")return false;for(var a in =
V)c.event.add(this,a+".specialChange",V[a]);return =
ia.test(this.nodeName)},teardown:function(){c.event.remove(this,".special=
Change");return =
ia.test(this.nodeName)}};V=3Dc.event.special.change.filters;V.focus=3DV.b=
eforedeactivate}t.addEventListener&&c.each({focus:"focusin",blur:"focusout"=
},function(a,b){function d(e){e=3Dc.event.fix(e);e.type=3Db;return =
c.event.trigger(e,null,e.target)}c.event.special[b]=3D{setup:function(){u=
a[b]++=3D=3D=3D0&&t.addEventListener(a,d,true)},teardown:function(){--ua[=
b]=3D=3D=3D=0A=
0&&t.removeEventListener(a,d,true)}}});c.each(["bind","one"],function(a,b=
){c.fn[b]=3Dfunction(d,e,f){if(typeof d=3D=3D=3D"object"){for(var h in =
d)this[b](h,e,d[h],f);return =
this}if(c.isFunction(e)||e=3D=3D=3Dfalse){f=3De;e=3DB}var =
l=3Db=3D=3D=3D"one"?c.proxy(f,function(o){c(this).unbind(o,l);return =
f.apply(this,arguments)}):f;if(d=3D=3D=3D"unload"&&b!=3D=3D"one")this.one=
(d,e,f);else{h=3D0;for(var =
k=3Dthis.length;h<k;h++)c.event.add(this[h],d,l,e)}return =
this}});c.fn.extend({unbind:function(a,b){if(typeof =
a=3D=3D=3D"object"&&!a.preventDefault)for(var d in a)this.unbind(d,=0A=
a[d]);else{d=3D0;for(var =
e=3Dthis.length;d<e;d++)c.event.remove(this[d],a,b)}return =
this},delegate:function(a,b,d,e){return =
this.live(b,d,e,a)},undelegate:function(a,b,d){return =
arguments.length=3D=3D=3D0?this.unbind("live"):this.die(b,null,d,a)},trig=
ger:function(a,b){return =
this.each(function(){c.event.trigger(a,b,this)}}},triggerHandler:function=
(a,b){if(this[0]){var =
d=3Dc.Event(a);d.preventDefault();d.stopPropagation();c.event.trigger(d,b=
,this[0]);return d.result}},toggle:function(a){for(var b=3Darguments,d=3D=0A=
1;d<b.length;c.proxy(a,b[d++]));return =
this.click(c.proxy(a,function(e){var =
f=3D(c.data(this,"lastToggle"+a.guid)||0)%d;c.data(this,"lastToggle"+a.gu=
id,f+1);e.preventDefault();return =
b[f].apply(this,arguments)||false}})),hover:function(a,b){return =
this.mouseenter(a).mouseleave(b||a)}});var =
ya=3D{focus:"focusin",blur:"focusout",mouseenter:"mouseover",mouseleave:"=
mouseout"};c.each(["live","die"],function(a,b){c.fn[b]=3Dfunction(d,e,f,h=
){var =
l,k=3D0,o,x,r=3Dh||this.selector;h=3Dh?this:c(this.context);if(typeof =
d=3D=3D=3D=0A=
"object"&&!d.preventDefault){for(l in d)h[b](l,e,d[l],r);return =
this}if(c.isFunction(e)){f=3De;e=3DB}for(d=3D(d||"").split(" =
");(l=3Dd[k++]!=3Dnull;){o=3DX.exec(l);x=3D"";if(o){x=3Do[0];l=3Dl.repla=
ce(X,"")}if(l=3D=3D=3D"hover")d.push("mouseenter"+x,"mouseleave"+x);else{=

```

```
o=3Dl;if(l=3D=3D=3D"focus"||l=3D=3D=3D"blur"){d.push(ya[l]+x);l+=3Dx}else=
l=3D(ya[l]||l)+x;if(b=3D=3D=3D"live"){x=3D0;for(var =
A=3Dh.length;x<A;x++)c.event.add(h[x],"live."+Y(l,r),{data:e,selector:r,h=
andler:f,origType:l,origHandler:f,preType:o})}else =
h.unbind("live."+Y(l,r),f)}}return this}});=0A=
c.each("blur focus focusout focusin load resize scroll unload click =
dblclick mousedown mouseup mousemove mouseover mouseout mouseenter =
mouseleave change select submit keydown keypress keyup error".split(" =
"),function(a,b){c.fn[b]=3Dfunction(d,e){if(e=3D=3Dnull){e=3Dd;d=3Dnull}r=
eturn =
arguments.length>0?this.bind(b,d,e):this.trigger(b)};if(c.attrFn)c.attrFn=
[b]=3Dtrue});E.attachEvent&&!E.addEventListener&&c(E).bind("unload",funct=
ion(){for(var a in =
c.cache)if(c.cache[a].handle)try{c.event.remove(c.cache[a].handle.elem)}c=
atch(b){}});=0A=
(function(){function a(g,i,n,m,p,q){p=3D0;for(var =
u=3Dm.length;p<u;p++){var y=3Dm[p];if(y){var =
F=3Dfalse;for(y=3Dy[g];y;){if(y.sizcache=3D=3D=3Dn){F=3Dm[y.sizset];break=
}if(y.nodeType=3D=3D=3D1&&!q){y.sizcache=3Dn;y.sizset=3Dp}if(y.nodeName.t=
oLowerCase()=3D=3D=3Di){F=3Dy;break}y=3Dy[g]}m[p]=3DF}}function =
b(g,i,n,m,p,q){p=3D0;for(var u=3Dm.length;p<u;p++){var =
y=3Dm[p];if(y){var =
F=3Dfalse;for(y=3Dy[g];y;){if(y.sizcache=3D=3D=3Dn){F=3Dm[y.sizset];break=
}if(y.nodeType=3D=3D=3D1){if(!q){y.sizcache=3Dn;y.sizset=3Dp}if(typeof =
i!=3D=3D"string"){if(y=3D=3D=3Di){F=3Dtrue;break}}else if(k.filter(i,=0A=
[y]).length>0){F=3Dy;break}}y=3Dy[g]}m[p]=3DF}}var =
d=3D/((?:\((?:\([^\)]+\)|\^()+\)|\[(?:\[^\[\]]*\)|['"](?:\\.|"|"|'|\^ [=
\]'"]+)+\)|\\.|[\^ =
>+~,(\[\]]+)|[>+~])(\s*,\s*)?(?:.|\\r|\\n)*)/g,e=3D0,f=3DObject.prototype=
.toString,h=3Dfalse,l=3Dtrue,[0,0].sort(function(){l=3Dfalse;return =
0});var k=3Dfunction(g,i,n,m){n=3Dn||[];var =
p=3Di=3Di||t;if(i.nodeType!=3D=3D1&&i.nodeType!=3D=3D9)return[];if(!g||ty=
peof g!=3D=3D"string")return n;var =
q,u,y,F,M,N=3Dtrue,O=3Dk.isXML(i),D=3D[],R=3Dg;do{d.exec("");if(q=3Dd.exe=
c(R)){R=3Dq[3];D.push(q[1]);if(q[2]){F=3Dq[3];=0A=
break}}while(q);if(D.length>1&&x.exec(g))if(D.length=3D=3D=3D2&&o.relati=
ve[D[0]])u=3DL(D[0]+D[1],i);else =
for(u=3Do.relative[D[0]]?[i]:k(D.shift(),i);D.length;){g=3DD.shift();if(o=
.relative[g])g+=3DD.shift();u=3DL(g,u)}else{if(!m&&D.length>1&&i.nodeType=
=3D=3D=3D9&&!0&&o.match.ID.test(D[0])&&!o.match.ID.test(D[D.length-1])){q=
=3Dk.find(D.shift(),i,O);i=3Dq.expr?k.filter(q.expr,q.set)[0]:q.set[0]}if=
(i){q=3Dm?{expr:D.pop(),set:C(m)}:k.find(D.pop(),D.length=3D=3D=3D1&&(D[0=
]=3D=3D=3D"~"||D[0]=3D=3D=3D"+")&&i.parentNode?i.parentNode:i,O);u=3Dq.ex=
pr?k.filter(q.expr,=0A=
q.set):q.set;if(D.length>0)y=3DC(u);else =
N=3Dfalse;for(;D.length;){q=3DM=3DD.pop();if(o.relative[M])q=3DD.pop();el=
se M=3D"";if(q=3D=3Dnull)q=3Di;o.relative[M](y,q,O)}else =
y=3D[]|y|(y=3Du);y||k.error(M|g);if(f.call(y)=3D=3D=3D"object =
Array")if(N)if(i&&i.nodeType=3D=3D=3D1)for(g=3D0;y[g]!=3Dnull;g++){if(y[=
g]&&(y[g]=3D=3D=3Dtrue||y[g].nodeType=3D=3D=3D1&&k.contains(i,y[g])))n.pu=
sh(u[g])}else =
for(g=3D0;y[g]!=3Dnull;g++)y[g]&&y[g].nodeType=3D=3D=3D1&&n.push(u[g]);el=
se n.push.apply(n,y);else C(y,n);if(F){k(F,p,n,m);k.uniqueSort(n)}return =
n};k.uniqueSort=3Dfunction(g){if(w){h=3D=0A=
l;g.sort(w);if(h)for(var =
i=3D1;i<g.length;i++)g[i]=3D=3D=3Dg[i-1]&&g.splice(i--,1)}return =
g};k.matches=3Dfunction(g,i){return =
k(g,null,null,i)};k.matchesSelector=3Dfunction(g,i){return =
k(i,null,null,g).length>0};k.find=3Dfunction(g,i,n){var =
m;if(!g)return[];for(var p=3D0,q=3Do.order.length;p<q;p++){var =
u,y=3Do.order[p];if(u=3Do.leftMatch[y].exec(g)){var =
F=3Du[1];u.splice(1,1);if(F.substr(F.length-1)!=3D=3D"\\")u[1]=3D(u[1]||=
"").replace(/\\/g,"");m=3Do.find[y](u,i,n);if(m!=3Dnull){g=3Dg.replace(o.=
match[y],"");break}}}}m||(m=3Di.getElementsByTagName("*"));=0A=
```

```
return{set:m,expr:g}};k.filter=3Dfunction(g,i,n,m){for(var =
p,q,u=3Dg,y=3D[],F=3Di,M=3Di&&i[0]&&k.isXML(i[0]);g&&i.length;){for(var =
N in o.filter)if((p=3Do.leftMatch[N].exec(g))!=3Dnull&&p[2]){var =
O,D,R=3Do.filter[N];D=3Dp[1];q=3Dfalse;p.splice(1,1);if(D.substr(D.length=
-1)!=3D=3D"\\")}{if(F=3D=3D=3Dy)y=3D[];if(o.preFilter[N])if(p=3Do.preFilte=
r[N](p,F,n,y,m,M)){if(p=3D=3D=3Dtrue)continue}else =
q=3D0=3Dtrue;if(p)for(var =
j=3D0;(D=3DF[j])!=3Dnull;j++)if(D){O=3DR(D,p,j,F);var =
s=3Dm^!!0;if(n&&O!=3Dnull)if(s)q=3Dtrue;else F[j]=3Dfalse;else =
if(s){y.push(D);q=3Dtrue}}if(O!=3D=3D=3D=0A=
B){n||(F=3Dy);g=3Dg.replace(o.match[N],"");if(!q)return[];break}}if(g=3D=
=3D=3Du)if(q=3D=3Dnull)k.error(g);else break;u=3Dg}return =
F};k.error=3Dfunction(g){throw"Syntax error, unrecognized expression: =
"+g;};var =
o=3Dk.selectors=3D{order:["ID","NAME","TAG"],match:{ID:/#((?:[\w\u00c0-\u=
FFFF\-\-]|\\.)+)/,CLASS:/\.(?:[\w\u00c0-\uFFFF\-\-]|\\.)+)/,NAME:/\[name=3D[=
'"']*((?:[\w\u00c0-\uFFFF\-\-]|\\.)+)'"\]*\]/,ATTR:/\[s*(?:[\w\u00c0-\uFFF=
F\-\-]|\\.)+\s*(?:\S?=3D)\s*(['"]*)(.*?)\3|\s*\]/,TAG:/^(?:[\w\u00c0-\u=
FFFF\*\-\-]|\\.)+)/,CHILD:/:(only|nth|last|first)-child(?:\((even|odd|[\dn+=
\-\-]*\))\)?/,=0A=
POS:/:(nth|eq|gt|lt|first|last|even|odd)(?:\((\d*)\))?(?=3D[\^\-]|$)/,PSEU=
DO:/:(?:[\w\u00c0-\uFFFF\-\-]|\\.)+(?:\(((['"]?)(?:\([^\(\)]*\))+=
\2\))\)?/},leftMatch:{},attrMap:{"class":"className","for":"htmlFor"},attrH=
andle:{href:function(g){return =
g.getAttribute("href")},relative:{"+":function(g,i){var n=3Dtypeof =
i=3D=3D=3D"string",m=3Dn&&!/\W/.test(i);n=3Dn&&!m;if(m)i=3Di.toLowerCase(=
);m=3D0;for(var =
p=3Dg.length,q;m<p;m++)if(q=3Dg[m]){for(;(q=3Dq.previousSibling)&&q.nodeType=
type!=3D=3D1;);g[m]=3Dn||q&&q.nodeName.toLowerCase()=3D=3D=3D=0A=
i?q||false;q=3D=3D=3Di}n&&k.filter(i,g,true)},">":function(g,i){var =
n,m=3Dtypeof =
i=3D=3D=3D"string",p=3D0,q=3Dg.length;if(m&&!/\W/.test(i))for(i=3Di.toLow=
erCase();p<q;p++){if(n=3Dg[p]){n=3Dn.parentNode;g[p]=3Dn.nodeName.toLower=
Case()=3D=3D=3Di?n:false}}else{for(;p<q;p++)if(n=3Dg[p])g[p]=3Dm?n.parent=
Node:n.parentNode=3D=3D=3Di;m&&k.filter(i,g,true)}},"":function(g,i,n){va=
r m,p=3De++,q=3Db;if(typeof =
i=3D=3D=3D"string"&&!/\W/.test(i)){m=3Di=3Di.toLowerCase();q=3Da}q("paren=
tNode",i,p,g,m,n)},"~":function(g,i,n){var m,p=3De++,q=3Db;if(typeof =
i=3D=3D=3D"string"&&!/\W/.test(i)){m=3D=0A=
i=3Di.toLowerCase();q=3Da}q("previousSibling",i,p,g,m,n)}},find:{ID:funct=
ion(g,i,n){if(typeof =
i.getElementById!=3D=3D"undefined"&&!n)return(g=3Di.getElementById(g[1]))=
&&g.parentNode?[g]:[],NAME:function(g,i){if(typeof =
i.getElementsByName!=3D=3D"undefined"){for(var =
n=3D[],m=3Di.getElementsByName(g[1]),p=3D0,q=3Dm.length;p<q;p++)m[p].getA=
ttribute("name")=3D=3D=3Dg[1]&&n.push(m[p]);return =
n.length=3D=3D=3D0?null:n}},TAG:function(g,i){return =
i.getElementsByTagName(g[1])}},preFilter:{CLASS:function(g,i,n,m,p,q){g=3D=
" "+g[1].replace(/\\/g,=0A=
"")+ " ";if(q)return g;q=3D0;for(var =
u;(u=3Di[q])!=3Dnull;q++)if(u)if(p^(u.className&&(" "+u.className+" =
").replace(/[\t\n]/g," ").indexOf(g)>=3D0))n||m.push(u);else =
if(n)i[q]=3Dfalse;return false},ID:function(g){return =
g[1].replace(/\\/g,"")},TAG:function(g){return =
g[1].toLowerCase()},CHILD:function(g){if(g[1]=3D=3D=3D"nth"){var =
i=3D/(-?)(\d*)n((?:\+|\-)?\d*)/.exec(g[2]=3D=3D=3D"even"&&"2n"||g[2]=3D=3D=
=3D"odd"&&"2n+1"||!/\d/.test(g[2])&&"0n"+g[2]||g[2]);g[2]=3Di[1]+(i[2]||=
1)-0;g[3]=3Di[3]-0}g[0]=3De++;return g},ATTR:function(g,i,n,=0A=
m,p,q){i=3Dg[1].replace(/\\/g,"");if(!q&&o.attrMap[i])g[1]=3Do.attrMap[i]=
g;if(g[2]=3D=3D=3D"~=3D")g[4]=3D" "+g[4]+" ";return =
g},PSEUDO:function(g,i,n,m,p){if(g[1]=3D=3D=3D"not")if((d.exec(g[3])||"")=
.length>1|/^\w/.test(g[3]))g[3]=3Dk(g[3],null,null,i);else{g=3Dk.filter(=
g[3],i,n,true^p);n||m.push.apply(m,g);return false}else =
if(o.match.POS.test(g[0])||o.match.CHILD.test(g[0]))return true;return =
```

```

g}, POS: function(g) { g.unshift(true); return =
g}}, filters: { enabled: function(g) { return =
g.disabled = 3D = 3D = 3D false && g.type != 3D = 3D "hidden"}, disabled: function(g) { ret=
urn g.disabled = 3D = 3D = 3D 0A =
true}, checked: function(g) { return =
g.checked = 3D = 3D = 3D true}, selected: function(g) { return =
g.selected = 3D = 3D = 3D true}, parent: function(g) { return ! ! g.firstChild}, empty: f=
unction(g) { return ! g.firstChild}, has: function(g, i, n) { return ! ! k(n[3], g). len=
gth}, header: function(g) { return /h\d/i.test(g.nodeName)}, text: function(g) { r=
eturn "text" = 3D = 3D = 3D g.type}, radio: function(g) { return "radio" = 3D = 3D = 3D g.typ=
e}, checkbox: function(g) { return "checkbox" = 3D = 3D = 3D g.type}, file: function(g) =
{ return "file" = 3D = 3D = 3D g.type}, password: function(g) { return "password" = 3D = 3D =
= 3D g.type}, submit: function(g) { return "submit" = 3D = 3D = 3D 0A =
g.type}, image: function(g) { return "image" = 3D = 3D = 3D g.type}, reset: function(g) =
{ return "reset" = 3D = 3D = 3D g.type}, button: function(g) { return "button" = 3D = 3D = 3D =
g.type | | g.nodeName.toLowerCase() = 3D = 3D = 3D "button"}, input: function(g) { retu=
rn /input|select|textarea|button/i.test(g.nodeName)}}, setFilters: { first: fu=
nction(g, i) { return i = 3D = 3D = 3D 0}, last: function(g, i, n, m) { return =
i = 3D = 3D = 3D m.length - 1}, even: function(g, i) { return =
i % 2 = 3D = 3D = 3D 0}, odd: function(g, i) { return =
i % 2 = 3D = 3D = 3D 1}, lt: function(g, i, n) { return =
i < n[3] - 0}, gt: function(g, i, n) { return i > n[3] - 0}, nth: function(g, i, n) { return =
n[3] - 0A =
0 = 3D = 3D = 3D Di}, eq: function(g, i, n) { return =
n[3] - 0 = 3D = 3D = 3D Di}}, filter: { PSEUDO: function(g, i, n, m) { var =
p = 3Di[1], q = 3Do.filters[p]; if (q) return q(g, n, i, m); else =
if (p = 3D = 3D = 3D "contains") return (g.textContent | | g.innerText | | k.getText([g]) =
| | "").indexOf(i[3]) >= 3D 0; else =
if (p = 3D = 3D = 3D "not") { i = 3Di[3]; n = 3D 0; for (m = 3Di.length; n < m; n++) if (i[n] = 3D = 3D =
= 3D g) return false; return true} else k.error("Syntax error, unrecognized =
expression: "+p)}, CHILD: function(g, i) { var n = 3Di[1], m = 3Dg; switch(n) { case =
"only": case =
"first": for (; m = 3Dm.previousSibling; ) if (m.nodeType = 3D = 3D = 3D 1) return =
false; if (n = 3D = 3D = 3D 0A =
"first") return true; m = 3Dg; case =
"last": for (; m = 3Dm.nextSibling; ) if (m.nodeType = 3D = 3D = 3D 1) return =
false; return true; case "nth": n = 3Di[2]; var =
p = 3Di[3]; if (n = 3D = 3D = 3D 1 && p = 3D = 3D = 3D 0) return true; var =
q = 3Di[0], u = 3Dg.parentNode; if (u && (u.sizcache != 3D = 3D q | | ! g.nodeType)) { var =
y = 3D 0; for (m = 3Du.firstChild; m; m = 3Dm.nextSibling) if (m.nodeType = 3D = 3D = 3D 1) m. =
nodeIndex = 3D ++y; u.sizcache = 3D q; m = 3Dg; nodeIndex - p; return =
n = 3D = 3D = 3D 0 ? m = 3D = 3D = 3D 0 : m % n = 3D = 3D = 3D 0 && m / n >= 3D 0}}, ID: function(g, i) { return =
=
g.nodeType = 3D = 3D = 3D 1 && g.getAttribute("id") = 3D = 3D = 3D Di}, TAG: function(g, i) { r=
eturn =
i = 3D = 3D = 3D "*" && g.nodeType = 3D = 3D = 3D 1 | | g.nodeName.toLowerCase() = 3D = 3D = 3D 0A =
i}, CLASS: function(g, i) { return (" =
+(g.className | | g.getAttribute("class")) + " =
").indexOf(i) > - 1}, ATTR: function(g, i) { var =
n = 3Di[1]; n = 3Do.attrHandle[n] ? o.attrHandle[n](g) : g[n] != 3D null ? g[n] : g.getAt=
tribute(n); var m = 3Dn + "", p = 3Di[2], q = 3Di[4]; return =
n = 3D = 3D null ? p = 3D = 3D = 3D " != 3D " : p = 3D = 3D = 3D " = 3D " ? m = 3D = 3D = 3D q : p = 3D = 3D = 3D " * = 3D " =
? m.indexOf(q) >= 3D 0 : p = 3D = 3D = 3D " ~ = 3D " ? (" "+m" =
").indexOf(q) >= 3D 0 : ! q ? m && n != 3D = 3D false : p = 3D = 3D = 3D " != 3D " ? m != 3D = 3D q : p = 3D = 3D =
= 3D "^ = 3D " ? m.indexOf(q) = 3D = 3D = 3D 0 : p = 3D = 3D = 3D "$ = 3D " ? m.substr(m.length - q. len=
gth) = 3D = 3D = 3D q : p = 3D = 3D = 3D " | = 3D " ? m = 3D = 3D = 3D q | | m.substr(0, q.length + 1) = 3D = 3D =
= 3D q + "-" : false}, POS: function(g, i, n, m) { var p = 3Do.setFilters[i[2]]; ; 0A =
if (p) return =
p(g, n, i, m)}}, x = 3Do.match.POS, r = 3Dfunction(g, i) { return "\\ "+ (i - 0 + 1)}, A; for =
(A in =
o.match) { o.match[A] = 3DRegExp(o.match[A].source + /(?![^\[\]*\])(?![^\(\)*\]) / =
.source); o.leftMatch[A] = 3DRegExp(/^(?:.|\r|\n)*?)/.source + o.match[A].sou=
rce.replace(/\\(\d+)/g, r)} var =
C = 3Dfunction(g, i) { g = 3DArray.prototype.slice.call(g, 0); if (i) { i.push.apply(=

```

```
i,g);return i}return =
g};try{Array.prototype.slice.call(t.documentElement.childNodes,0)}catch(J=
){C=3Dfunction(g,i){var n=3D0,m=3Di||[];if(f.call(g)=3D=3D=3D"[object =
Array]")Array.prototype.push.apply(m,=0A=
g);else if(typeof g.length=3D=3D=3D"number")for(var =
p=3Dg.length;n<p;n++)m.push(g[n]);else for(;g[n];n++)m.push(g[n]);return =
m}}var =
w,I;if(t.documentElement.compareDocumentPosition)w=3Dfunction(g,i){if(g=3D=
=3D=3Di){h=3Dtrue;return =
0}if(!g.compareDocumentPosition||!i.compareDocumentPosition)return =
g.compareDocumentPosition?-1:1;return =
g.compareDocumentPosition(i)&4?-1:1};else{w=3Dfunction(g,i){var =
n,m,p=3D[],q=3D[];n=3Dg.parentNode;m=3Di.parentNode;var =
u=3Dn;if(g=3D=3D=3Di){h=3Dtrue;return 0}else if(n=3D=3D=3Dm)return =
I(g,i);else if(n){if(!m)return 1}else return-1;=0A=
for(;u;){p.unshift(u);u=3Du.parentNode}for(u=3Dm;u;){q.unshift(u);u=3Du.p=
arentNode}n=3Dp.length;m=3Dq.length;for(u=3D0;u<n&&u<m;u++)if(p[u]!=3D=3D=
q[u])return I(p[u],q[u]);return =
u=3D=3D=3Dn?I(g,q[u],-1):I(p[u],i,1)};I=3Dfunction(g,i,n){if(g=3D=3D=3Di)=
return =
n;for(g=3Dg.nextSibling;g;){if(g=3D=3D=3Di)return-1;g=3Dg.nextSibling}ret=
urn 1}}k.getText=3Dfunction(g){for(var =
i=3D"",n,m=3D0;g[m];m++){n=3Dg[m];if(n.nodeType=3D=3D=3D3||n.nodeType=3D=3D=
=3D4)i+=3Dn.nodeValue;else =
if(n.nodeType!=3D=3D8)i+=3Dk.getText(n.childNodes)}return =
i};(function(){var g=3Dt.createElement("div"),=0A=
i=3D"script"+(new =
Date).getTime(),n=3Dt.documentElement;g.innerHTML=3D"<a =
name=3D'+i+'>";n.insertBefore(g,n.firstChild);if(t.getElementById(i)){=
o.find.ID=3Dfunction(m,p,q){if(typeof =
p.getElementById!=3D=3D"undefined"&&!q)return(p=3Dp.getElementById(m[1]))=
?p.id=3D=3D=3Dm[1]||typeof =
p.getAttribute!=3D=3D"undefined"&&p.getAttribute("id").nodeValue=3D=
=3D=3Dm[1]?[p]:B:[]};o.filter.ID=3Dfunction(m,p){var q=3Dtypeof =
m.getAttribute!=3D=3D"undefined"&&m.getAttribute("id");return =
m.nodeType=3D=3D=3D1&&q&&q.nodeValue=3D=3D=3Dp}}n.removeChild(g);=0A=
n=3Dg=3Dnull})();(function(){var =
g=3Dt.createElement("div");g.appendChild(t.createComment(""));if(g.getEle=
mentsByTagName("*").length>0)o.find.TAG=3Dfunction(i,n){var =
m=3Dn.getElementsByTagName(i[1]);if(i[1]=3D=3D=3D"*"){for(var =
p=3D[],q=3D0;m[q];q++)m[q].nodeType=3D=3D=3D1&&p.push(m[q]);m=3Dp}return =
m};g.innerHTML=3D"<a href=3D'#'></a>";if(g.firstChild&&typeof =
g.firstChild.getAttribute!=3D=3D"undefined"&&g.firstChild.getAttribute("h=
ref")!=3D=3D"#")o.attrHandle.href=3Dfunction(i){return =
i.getAttribute("href",2)};g=3Dnull})();t.querySelectorAll&&=0A=
function(){var g=3Dk,i=3Dt.createElement("div");i.innerHTML=3D"<p =
class=3D'TEST'></p>";if(!(i.querySelectorAll&&i.querySelectorAll(".TEST")=
.length=3D=3D=3D0)){k=3Dfunction(m,p,q,u){p=3Dp||t;m=3Dm.replace(/\=3D\s*=
([\^'\\"]*)\s*\]/g,"=3D'$1'");if(!u&&!k.isXML(p))if(p.nodeType=3D=3D=3D9)=
try{return C(p.querySelectorAll(m),q)}catch(y){}else =
if(p.nodeType=3D=3D=3D1&&p.nodeName.toLowerCase()!=3D=3D"object"){var =
F=3Dp.getAttribute("id"),M=3DF||"__sizzle__";F||p.setAttribute("id",M);tr=
y{return C(p.querySelectorAll("#"+M+" "+m),q)}catch(N){}finally{F||=0A=
p.removeAttribute("id")}}return g(m,p,q,u)};for(var n in =
g)k[n]=3Dg[n];i=3Dnull})();(function(){var =
g=3Dt.documentElement,i=3Dg.matchesSelector||g.mozMatchesSelector||g.webk=
itMatchesSelector||g.msMatchesSelector,n=3Dfalse;try{i.call(t.documentEle=
ment,"[test!=3D']":sizzle")}catch(m){n=3Dtrue}if(i)k.matchesSelector=3Df=
unction(p,q){q=3Dq.replace(/\=3D\s*([\^'\\"]*)\s*\]/g,"=3D'$1'");if(!k.isX=
ML(p))try{if(n||!o.match.PSEUDO.test(q)&&!/.test(q))return =
i.call(p,q)}catch(u){return =
k(q,null,null,[p]).length>0}}})();(function(){var g=3D=0A=
t.createElement("div");g.innerHTML=3D"<div class=3D'test e'></div><div =
class=3D'test'></div>";if(!(!g.getElementsByClassName||g.getElementsByCla=
```

```
ssName("e").length=3D=3D=3D0)) {g.lastChild.className=3D"e";if(g.getElemen=
tsByClassName("e").length!=3D=3D1){o.order.splice(1,0,"CLASS");o.find.CLA=
SS=3Dfunction(i,n,m){if(typeof =
n.getElementsByClassName!=3D=3D"undefined"&&!m)return =
n.getElementsByClassName(i[1]);g=3Dnull}})( );k.contains=3Dt.documentEle=
ment.contains?function(g,i){return =
g!=3D=3Di&&(g.contains?g.contains(i):true)}:t.documentElement.compareDocu=
mentPosition?=0A=
function(g,i){return!!(g.compareDocumentPosition(i)&16)}:function(){retur=
n =
false};k.isXML=3Dfunction(g){return(g=3D(g?g.ownerDocument||g:0).document=
Element)?g.nodeName!=3D=3D"HTML":false};var L=3Dfunction(g,i){for(var =
n,m=3D[,p=3D"",q=3Di.nodeType?[i]:i;n=3Do.match.PSEUDO.exec(g);){p+=3Dn[=
0];g=3Dg.replace(o.match.PSEUDO,"")}g=3Do.relative[g]?g+"*":g;n=3D0;for(v=
ar u=3Dq.length;n<u;n++)k(g,q[n],m);return =
k.filter(p,m)};c.find=3Dk;c.expr=3Dk.selectors;c.expr[":"]=3Dc.expr.filte=
rs;c.unique=3Dk.uniqueSort;c.text=3Dk.getText;c.isXMLDoc=3Dk.isXML;=0A=
c.contains=3Dk.contains})( );var =
Za=3D/Until$/, $a=3D/^(?:parents|prevUntil|prevAll)/, ab=3D/,/, Na=3D/^[^:#=
\[\.\,]*$/ , bb=3DArray.prototype.slice, cb=3Dc.expr.match.POS;c.fn.extend({f=
ind:function(a){for(var =
b=3Dthis.pushStack("", "find", a), d=3D0, e=3D0, f=3Dthis.length;e<f;e++){d=3D=
b.length;c.find(a, this[e], b);if(e>0)for(var h=3Dd;h<b.length;h++)for(var =
l=3D0; l<d; l++)if(b[l]=3D=3Db[h]){b.splice(h--, 1);break}}return =
b}, has:function(a){var b=3Dc(a);return this.filter(function(){for(var =
d=3D0, e=3Db.length; d<e; d++)if(c.contains(this, b[d]))return true}}, =0A=
not:function(a){return =
this.pushStack(ma(this, a, false), "not", a)}, filter:function(a){return =
this.pushStack(ma(this, a, true), "filter", a)}, is:function(a){return!!a&&c.f=
ilter(a, this).length>0}, closest:function(a, b){var =
d=3D[, e, f, h=3Dthis[0];if(c.isArray(a)){var =
l, k=3D{}, o=3D1; if(h&&a.length){e=3D0; for(f=3Da.length; e<f; e++){l=3Da[e]; k=
[l] || (k[l]=3Dc.expr.match.POS.test(l)?c(l, b || this.context):l)}for(; h&&h.o=
wnerDocument&&h!=3D=3Db;){for(l in =
k){e=3Dk[l]; if(e.jquery?e.index(h)>-1:c(h).is(e))d.push({selector:l, elem:=
h, level:o})}h=3D=0A=
h.parentNode; o++}}return =
d}l=3Dcb.test(a)?c(a, b || this.context):null; e=3D0; for(f=3Dthis.length; e<f; =
e++)for(h=3Dthis[e]; h;){if(l?l.index(h)>-1:c.find.matchesSelector(h, a)){d.=
push(h); break} else{h=3Dh.parentNode; if(!h || !h.ownerDocument || h=3D=3D=3Db)=
break}d=3Dd.length>1?c.unique(d):d; return =
this.pushStack(d, "closest", a)}, index:function(a){if(!a || typeof =
a=3D=3D=3D"string")return =
c.inArray(this[0], a?c(a):this.parent().children());return =
c.inArray(a.jquery?a[0]:a, this)}, add:function(a, b){var d=3Dtypeof =
a=3D=3D=3D"string"?c(a, b || this.context):=0A=
c.makeArray(a), e=3Dc.merge(this.get(), d);return =
this.pushStack(!d[0] || !d[0].parentNode || d[0].parentNode.nodeType=3D=3D=3D=
11 || !e[0] || !e[0].parentNode || e[0].parentNode.nodeType=3D=3D=3D11?e:c.uniq=
ue(e)), andSelf:function(){return =
this.add(this.prevObject)}});c.each({parent:function(a){return(a=3Da.pare=
ntNode)&&a.nodeType!=3D=3D11?a:null}, parents:function(a){return =
c.dir(a, "parentNode")}, parentsUntil:function(a, b, d){return =
c.dir(a, "parentNode", d)}, next:function(a){return =
c.nth(a, 2, "nextSibling")}, prev:function(a){return c.nth(a, =0A=
2, "previousSibling")}, nextAll:function(a){return =
c.dir(a, "nextSibling")}, prevAll:function(a){return =
c.dir(a, "previousSibling")}, nextUntil:function(a, b, d){return =
c.dir(a, "nextSibling", d)}, prevUntil:function(a, b, d){return =
c.dir(a, "previousSibling", d)}, siblings:function(a){return =
c.sibling(a.parentNode.firstChild, a)}, children:function(a){return =
c.sibling(a.firstChild)}, contents:function(a){return =
c.nodeName(a, "iframe")?a.contentDocument || a.contentWindow.document:c.make=
Array(a.childNodes)}, function(a, =0A=
```

```

b){c.fn[a]=function(d,e){var =
f=3Dc.map(this,b,d);Za.test(a)||e=3Dd;if(e&&typeof =
e=3D=3D=3D"string")f=3Dc.filter(e,f);f=3Dthis.length>1?c.unique(f):f;if(=
this.length>1||ab.test(e)&&$a.test(a))f=3Df.reverse();return =
this.pushStack(f,a,bb.call(arguments).join(",")).extend({filter:func=
tion(a,b,d){if(d=a=3D":not("+a+)");return =
b.length=3D=3D=3D1?c.find.matchesSelector(b[0],a)?[b[0]]:[]:c.find.matche=
s(a,b)},dir:function(a,b,d){var =
e=3D[];for(a=3Da[b];a&&a.nodeType!=3D=3D9&&(d=3D=3D=3DB||a.nodeType!=3D=3D=
1||!c(a).is(d));){a.nodeType=3D=3D=3D1&&=0A=
e.push(a);a=3Da[b]}return e},nth:function(a,b,d){b=3Db||1;for(var =
e=3D0;a=3Da[d])if(a.nodeType=3D=3D=3D1&&+e=3D=3D=3Db)break;return =
a},sibling:function(a,b){for(var =
d=3D[];a=3Da.nextSibling)a.nodeType=3D=3D=3D1&&a!=3D=3Db&&d.push(a);ret=
urn d}});var za=3D/ =
jQuery\d+=3D"(?:\d+|null)"/g,$=3D/\^s+/,Aa=3D/<(?!area|br|col|embed|hr|im=
g|input|link|meta|param)(([\w:]+)[^>]*)\>/ig,Ba=3D/<([\w:]+)/,db=3D/<tb=
ody/i,eb=3D/<[&#?\w+;/,Ca=3D/<(?:script|object|embed|option|style)/i,Da=3D=
/checked\s*(?:[^\s|=3D\s*.checked.)/i,fb=3D/\^=3D"'\>s+\>/g,P=3D=
{option:[1,=0A=
"<select =
multiple=3D'multiple'>", "</select>"], legend:[1, "<fieldset>", "</fieldset>"]=
],thead:[1, "<table>", "</table>"],tr:[2, "<table><tbody>", "</tbody></table>"]=
],td:[3, "<table><tbody><tr>", "</tr></tbody></table>"],col:[2, "<table><tb=
ody></tbody><colgroup>", "</colgroup></table>"],area:[1, "<map>", "</map>"], =
_default:[0, "", ""]];P.optgroup=3DP.option;P.tbody=3DP.tfoot=3DP.colgroup=3D=
P.caption=3DP.thead;P.th=3DP.td;if(!c.support.htmlSerialize)P._default=3D=
[1, "div<div>", "</div>"];c.fn.extend({text:function(a){if(c.isFunction(a))=
return this.each(function(b){var d=3D=0A=
c(this);d.text(a.call(this,b,d.text()))});if(typeof =
a!=3D=3D"object"&&a!=3D=3DB)return =
this.empty().append((this[0]&&this[0].ownerDocument||t).createTextNode(a)=
);return c.text(this)},wrapAll:function(a){if(c.isFunction(a))return =
this.each(function(d){c(this).wrapAll(a.call(this,d))});if(this[0]){var =
b=3Dc(a,this[0].ownerDocument).eq(0).clone(true);this[0].parentNode&&b.in=
sertBefore(this[0]);b.map(function(){for(var =
d=3Dthis;d.firstChild&&d.firstChild.nodeType=3D=3D=3D1;)d=3Dd.firstChild;=
return d}).append(this)}return this},=0A=
wrapInner:function(a){if(c.isFunction(a))return =
this.each(function(b){c(this).wrapInner(a.call(this,b))});return =
this.each(function(){var =
b=3Dc(this),d=3Db.contents();d.length?d.wrapAll(a):b.append(a)}),wrap:fu=
nction(a){return =
this.each(function(){c(this).wrapAll(a)}),unwrap:function(){return =
this.parent().each(function(){c.nodeName(this,"body")||c(this).replaceWit=
h(this.childNodes)}.end()),append:function(){return =
this.domManip(arguments,true,function(a){this.nodeType=3D=3D=3D1&&this.ap=
pendChild(a)}),=0A=
prepend:function(){return =
this.domManip(arguments,true,function(a){this.nodeType=3D=3D=3D1&&this.in=
sertBefore(a,this.firstChild)}),before:function(){if(this[0]&&this[0].pa=
rentNode)return =
this.domManip(arguments,false,function(b){this.parentNode.insertBefore(b,=
this)});else if(arguments.length){var =
a=3Dc(arguments[0]);a.push.apply(a,this.toArray());return =
this.pushStack(a,"before",arguments)},after:function(){if(this[0]&&this[=
0].parentNode)return =
this.domManip(arguments,false,function(b){this.parentNode.insertBefore(b,=0A=
this.nextSibling)});else if(arguments.length){var =
a=3Dthis.pushStack(this,"after",arguments);a.push.apply(a,c(arguments[0])=
.toArray());return a}},remove:function(a,b){for(var =
d=3D0,e;(e=3Dthis[d])!=3Dnull;d++)if(!a||c.filter(a,[e]).length){if(!b&&e=
.nodeType=3D=3D=3D1){c.cleanData(e.getElementsByTagName("*"));c.cleanData=
([e])}e.parentNode&&e.parentNode.removeChild(e)}return =

```

```

this}, empty: function() {for (var =
a=3D0, b; (b=3Dthis[a]) != 3Dnull; a++) for (b.nodeType=3D=3D=3D1 && c.cleanData(b=
.getElementsByTagName("*")); b.firstChild; ) b.removeChild(b.firstChild); =0A=
return this}, clone: function(a) {var =
b=3Dthis.map(function() {if (!c.support.noCloneEvent && !c.isXMLDoc(this)) {va=
r =
d=3Dthis.outerHTML, e=3Dthis.ownerDocument; if (!d) {d=3De.createElement("div=
"); d.appendChild(this.cloneNode(true)); d=3Dd.innerHTML} return =
c.clean([d.replace(za, "").replace(fb, '3D"$1">').replace($, "")], e)[0]} els=
e return =
this.cloneNode(true)}); if (a=3D=3D=3Dtrue) {na(this, b); na(this.find("*"), b.=
find("*"))} return b}, html: function(a) {if (a=3D=3D=3DB) return =
this[0] && this[0].nodeType=3D=3D=3D1 ? this[0].innerHTML.replace(za, "") : null=
; =0A=
else if (typeof =
a=3D=3D=3D"string" && !Ca.test(a) && (c.support.leadingWhitespace || !$.test(a)=
) && !P[(Ba.exec(a) || [ "", "" ])[1].toLowerCase()]) {a=3Da.replace(Aa, "<$1></$2=
>"); try {for (var =
b=3D0, d=3Dthis.length; b < d; b++) if (this[b].nodeType=3D=3D=3D1) {c.cleanData(=
this[b].getElementsByTagName("*")); this[b].innerHTML=3Da}} catch (e) {this.e=
mpty().append(a)}} else c.isFunction(a) ? this.each(function(f) {var =
h=3Dc(this); h.html(a.call(this, f, h.html()))} : this.empty().append(a); retu=
rn =
this}, replaceWith: function(a) {if (this[0] && this[0].parentNode) {if (c.isFunc=
tion(a)) return this.each(function(b) {var d=3D=0A=
c(this), e=3Dd.html(); d.replaceWith(a.call(this, b, e))}); if (typeof =
a != 3D=3D"string") a=3Dc(a).detach(); return this.each(function() {var =
b=3Dthis.nextSibling, d=3Dthis.parentNode; c(this).remove(); b ? c(b).before(a=
): c(d).append(a)}}} else return =
this.pushStack(c(c.isFunction(a) ? a() : a), "replaceWith", a)}, detach: function=
(a) {return this.remove(a, true)}, domManip: function(a, b, d) {var =
e, f, h, l=3Da[0], k=3D[]; if (!c.support.checkClone && arguments.length=3D=3D=3D=
3 && typeof l=3D=3D=3D"string" && Da.test(l)) return =
this.each(function() {c(this).domManip(a, =0A=
b, d, true)}); if (c.isFunction(l)) return this.each(function(x) {var =
r=3Dc(this); a[0]=3Dl.call(this, x, b ? r.html() : B); r.domManip(a, b, d)}); if (thi=
s[0]) {e=3Dl && l.parentNode; e=3Dc.support.parentNode && e.nodeType=3D=3D=3D=
11 && e.childNodes.length=3D=3D=3Dthis.length ? {fragment: e} : c.buildFragment(=
a, this, k); h=3De.fragment; if (f=3Dh.childNodes.length=3D=3D=3D1 ? h=3Dh.first=
Child: h.firstChild) {b=3Db && c.nodeName(f, "tr"); f=3D0; for (var =
o=3Dthis.length; f < o; f++) d.call(b ? c.nodeName(this[f], "table") ? this[f].getE=
lementsByTagName("tbody")[0] || this[f].appendChild(this[f].ownerDocument.c=
reateElement("tbody")) : =0A=
this[f]: this[f], f > 0 | | e.cacheable | | this.length > 1 ? h.cloneNode(true) : h)} k.l=
ength && c.each(k, 0a)} return this}}; c.buildFragment=3Dfunction(a, b, d) {var =
e, f, h; b=3Db && b[0] ? b[0].ownerDocument | | b[0]: t; if (a.length=3D=3D=3D1 && typeo=
f =
f =
a[0]=3D=3D=3D"string" && a[0].length < 512 && b=3D=3D=3Dt && !Ca.test(a[0]) && (c.s=
upport.checkClone || !Da.test(a[0])) {f=3Dtrue; if (h=3Dc.fragments[a[0]]) if (=
h != 3D=3D1) e=3Dh} if (!e) {e=3Db.createDocumentFragment(); c.clean(a, b, e, d)} if =
(f) c.fragments[a[0]]=3Dh ? e: 1; return {fragment: e, cacheable: f}; c.fragments=3D=
{}; c.each({appendTo: "append", =0A=
prependTo: "prepend", insertBefore: "before", insertAfter: "after", replaceAll:=
"replaceWith"}, function(a, b) {c.fn[a]=3Dfunction(d) {var =
e=3D[]; d=3Dc(d); var =
f=3Dthis.length=3D=3D=3D1 && this[0].parentNode; if (f && f.nodeType=3D=3D=3D11 =
&& f.childNodes.length=3D=3D=3D1 && d.length=3D=3D=3D1) {d[b](this[0]); return=
this} else {f=3D0; for (var h=3Dd.length; f < h; f++) {var =
l=3D(f > 0 ? this.clone(true): this).get(); c(d[f])[b](l); e=3De.concat(l)} retur=
n =
this.pushStack(e, a, d.selector)}}); c.extend({clean: function(a, b, d, e) {b=3D=
b | | t; if (typeof b.createElement=3D=3D=3D"undefined") b=3Db.ownerDocument | | =0A=
b[0] && b[0].ownerDocument | | t; for (var =
f=3D[], h=3D0, l; (l=3Da[h]) != 3Dnull; h++) {if (typeof =

```

```
l=3D=3D=3D"number")l+=3D"";if(l){if(typeof =
l=3D=3D=3D"string"&&!eb.test(l))l=3Db.createTextNode(l);else if(typeof =
l=3D=3D=3D"string"){l=3Dl.replace(Aa, "<$1></$2>");var =
k=3D(Ba.exec(l)||["", ""])[1].toLowerCase(),o=3DP[k]||P._default,x=3Do[0],=
r=3Db.createElement("div");for(r.innerHTML=3Do[1]+l+o[2];x--;)r=3Dr.lastC=
hild;if(!c.support.tbody){x=3Ddb.test(l);k=3Dk=3D=3D"table"&&!x?r.firs=
tChild&&r.firstChild.childNodes:o[1]=3D=3D=3D"<table>"&&!x?r.childNodes:[=
];for(o=3Dk.length-=0A=
1;o>=3D0;--o)c.nodeName(k[o],"tbody")&&!k[o].childNodes.length&&k[o].pare=
ntNode.removeChild(k[o])!c.support.leadingWhitespace&&$.test(l)&&r.inser=
tBefore(b.createTextNode($.exec(l)[0]),r.firstChild);l=3Dr.childNodes}if(=
l.nodeType)f.push(l);else =
f=3Dc.merge(f,l)}if(d)for(h=3D0;f[h];h++)if(e&&c.nodeName(f[h],"script")=
&&(!f[h].type||f[h].type.toLowerCase()=3D=3D=3D"text/javascript"))e.push(=
f[h].parentNode?f[h].parentNode.removeChild(f[h]):f[h]);else{f[h].nodeTyp=
e=3D=3D=3D1&&f.splice.apply(f,[h+1,0].concat(c.makeArray(f[h].getElements=
ByTagName("script"))));=0A=
d.appendChild(f[h])}return f},cleanData:function(a){for(var =
b,d,e=3Dc.cache,f=3Dc.event.special,h=3Dc.support.deleteExpando,l=3D0,k;(=
k=3Da[l])!=3Dnull;l++)if(!(k.nodeName&&c.noData[k.nodeName.toLowerCase()]=
))if(d=3Dk[c.expando]){if((b=3De[d])&&b.events)for(var o in =
b.events)f[o]?c.event.remove(k,o):c.removeEvent(k,o,b.handle);if(h)delete=
k[c.expando];else =
k.removeAttribute&&k.removeAttribute(c.expando);delete e[d]}});var =
Ea=3D/alpha\([^\)]*\)/i,gb=3D/opacity=3D([^\)]*)/,hb=3D/-([a-z])/ig,ib=3D/(=
[A-Z])/g,Fa=3D/^-?\d+(?:px)?$/i,=0A=
jb=3D/^-?\d/,kb=3D{position:"absolute",visibility:"hidden",display:"block=
"},Pa=3D["Left","Right"],Qa=3D["Top","Bottom"],W,Ga,aa,lb=3Dfunction(a,b)=
{return =
b.toUpperCase()};c.fn.css=3Dfunction(a,b){if(arguments.length=3D=3D=3D2&&=
b=3D=3D=3DB)return this;return =
c.access(this,a,b,true,function(d,e,f){return =
f!=3D=3DB?c.style(d,e,f):c.css(d,e)}});c.extend({cssHooks:{opacity:{get:f=
unction(a,b){if(b){var d=3DW(a,"opacity","opacity");return =
d=3D=3D=3D""?"1":d}else return =
a.style.opacity}}},cssNumber:{zIndex:true,fontWeight:true,opacity:true,=0A=
zoom:true,lineHeight:true},cssProps:{"float":c.support.cssFloat?"cssFloat=
":"styleFloat"},style:function(a,b,d,e){if(!(!a||a.nodeType=3D=3D=3D3||a.=
nodeType=3D=3D=3D8||!a.style)){var =
f,h=3Dc.camelCase(b),l=3Da.style,k=3Dc.cssHooks[h];b=3Dc.cssProps[h]||h;i=
f(d!=3D=3DB){if(!typeof =
d=3D=3D=3D"number"&&isNaN(d)||d=3D=3Dnull)}if(typeof =
d=3D=3D=3D"number"&&!c.cssNumber[h])d+=3D"px";if(!k||!("set"in =
k)||!(d=3Dk.set(a,d))!=3D=3DB)try{l[b]=3Dd}catch(o){}}else{if(k&&"get"in =
k&&(f=3Dk.get(a,false,e))!=3D=3DB)return f;return =
l[b]}}},css:function(a,b,d){var e,f=3Dc.camelCase(b),=0A=
h=3Dc.cssHooks[f];b=3Dc.cssProps[f]||f;if(h&&"get"in =
h&&(e=3Dh.get(a,true,d))!=3D=3DB)return e;else if(W)return =
W(a,b,f)},swap:function(a,b,d){var e=3D{},f;for(f in =
b){e[f]=3Da.style[f];a.style[f]=3Db[f]}d.call(a);for(f in =
b)a.style[f]=3De[f]},camelCase:function(a){return =
a.replace(hb,lb)}});c.curCSS=3Dc.css;c.each(["height","width"],function(a=
,b){c.cssHooks[b]=3D{get:function(d,e,f){var =
h;if(e){if(d.offsetWidth!=3D=3D0)h=3Dda(d,b,f);else =
c.swap(d,kb,function(){h=3Dda(d,b,f)});if(h<=3D0){h=3DW(d,b,b);if(h=3D=3D=
=3D"0px"&&aa)h=3Daa(d,b,b);=0A=
if(h!=3Dnull)return =
h=3D=3D=3D""||h=3D=3D=3D"auto"??"0px":h}if(h<0||h=3D=3Dnull){h=3Dd.style[b=
];return h=3D=3D=3D""||h=3D=3D=3D"auto"??"0px":h}return typeof =
h=3D=3D=3D"string"?h:h+"px"}},set:function(d,e){if(Fa.test(e)){e=3DparseF=
loat(e);if(e>=3D0)return e+"px"}else return =
e}});if(!c.support.opacity)c.cssHooks.opacity=3D{get:function(a,b){retur=
n =
gb.test((b&&a.currentStyle?a.currentStyle.filter:a.style.filter)||"")?par=
```

```
seFloat(RegExp.$1)/100+"" :b?"1": ""}, set: function(a, b){var =
d=3Da.style; d.zoom=3D1; var =
e=3Dc.isNaN(b)?"": "alpha(opacity=3D"+b*100+")", f=3D=0A=
d.filter||""; d.filter=3DEa.test(f)?f.replace(Ea, e):d.filter+ "
"+e}}; if(t.defaultView&&t.defaultView.getComputedStyle)Ga=3Dfunction(a, b, =
d){var =
e; d=3Dd.replace(ib, "-$1").toLowerCase(); if(!(b=3Da.ownerDocument.defaultV=
iew))return =
B; if(b=3Db.getComputedStyle(a, null)){e=3Db.getPropertyValue(d); if(e=3D=3D=
=3D"&&!c.contains(a.ownerDocument.documentElement, a)e=3Dc.style(a, d)}re=
turn e}; if(t.documentElement.currentStyle)aa=3Dfunction(a, b){var =
d, e, f=3Da.currentStyle&&a.currentStyle[b], h=3Da.style; if(!Fa.test(f)&&jb.=
test(f)){d=3Dh.left; =0A=
e=3Da.runtimeStyle.left; a.runtimeStyle.left=3Da.currentStyle.left; h.left=3D=
b=3D=3D=3D"fontSize"? "1em": f||0; f=3Dh.pixelLeft+"px"; h.left=3Dd; a.runtime=
Style.left=3De}return =
f=3D=3D=3D""?"auto": f}; W=3DGa||aa; if(c.expr&&c.expr.filters){c.expr.filte=
rs.hidden=3Dfunction(a){var b=3Da.offsetHeight; return =
a.offsetWidth=3D=3D=3D0&&b=3D=3D=3D0||!c.support.reliableHiddenOffsets&&(=
a.style.display||c.css(a, "display"))=3D=3D=3D"none"; c.expr.filters.visib=
le=3Dfunction(a){return!c.expr.filters.hidden(a)}}var =
mb=3Dc.now(), nb=3D/<script\b[^\<]*(?:(<\/script><[^\<]*)*<\/script>/gi, =0A=
ob=3D/^(?:select|textarea)/i, pb=3D/^(?:color|date|datetime|email|hidden|m=
onth|number|password|range|search|tel|text|time|url|week)$/i, qb=3D/^(?:GE=
T|HEAD)$/, Ra=3D/[\$]/, T=3D/^\=3D\?(&|\$)/, ja=3D/^\?/, rb=3D/( [?&] )_=3D[^\&]*/=
, sb=3D/^(\\w+:)?\\\/([^\\/?#]+)/, tb=3D/%20/g, ub=3D/#.*$/, Ha=3Dc.fn.load; c.f=
n.extend({load: function(a, b, d){if(typeof a!=3D=3D"string"&&Ha)return =
Ha.apply(this, arguments); else if(!this.length)return this; var =
e=3Da.indexOf(" "); if(e>=3D0){var =
f=3Da.slice(e, a.length); a=3Da.slice(0, e)}e=3D"GET"; if(b)if(c.isFunction(b=
))){d=3Db; b=3Dnull} else if(typeof b=3D=3D=3D=0A=
"object"){b=3Dc.param(b, c.ajaxSettings.traditional); e=3D"POST"}var =
h=3Dthis; c.ajax({url: a, type: e, dataType: "html", data: b, complete: function(l, =
k){if(k=3D=3D=3D"success"||k=3D=3D=3D"notmodified")h.html(f?c("<div>").ap=
pend(l.responseText.replace(nb, "").find(f):l.responseText); d&&h.each(d, [=
l.responseText, k, l])}}); return this}, serialize: function(){return =
c.param(this.serializeArray())}, serializeArray: function(){return =
this.map(function(){return =
this.elements?c.makeArray(this.elements):this}).filter(function(){return =
this.name&&=0A=
!this.disabled&&(this.checked||ob.test(this.nodeName)||pb.test(this.type)=
)}).map(function(a, b){var d=3Dc(this).val(); return =
d=3D=3Dnull?null:c.isArray(d)?c.map(d, function(e){return{name: b.name, valu=
e: e}}):{name: b.name, value: d}}).get()}); c.each("ajaxStart ajaxStop =
ajaxComplete ajaxError ajaxSuccess ajaxSend".split(" =
"), function(a, b){c.fn[b]=3Dfunction(d){return =
this.bind(b, d)}}); c.extend({get: function(a, b, d, e){if(c.isFunction(b)){e=3D=
e||d; d=3Db; b=3Dnull}return =
c.ajax({type: "GET", url: a, data: b, success: d, dataType: e}), =0A=
getScript: function(a, b){return =
c.get(a, null, b, "script")}, getJSON: function(a, b, d){return =
c.get(a, b, d, "json")}, post: function(a, b, d, e){if(c.isFunction(b)){e=3De||d; =
d=3Db; b=3D{}}return =
c.ajax({type: "POST", url: a, data: b, success: d, dataType: e}), ajaxSetup: functi=
on(a){c.extend(c.ajaxSettings, a)}, ajaxSettings: {url: location.href, global:=
true, type: "GET", contentType: "application/x-www-form-urlencoded", processDa=
ta: true, async: true, xhr: function(){return new =
E.XMLHttpRequest}, accepts: {xml: "application/xml, =
text/xml", html: "text/html", =0A=
script: "text/javascript, application/javascript", json: "application/json, =
text/javascript", text: "text/plain", _default: "*/*"}}, ajax: function(a){var =
b=3Dc.extend(true, {}, c.ajaxSettings, a), d, e, f, h=3Db.type.toUpperCase(), l=3D=
qb.test(h); b.url=3Db.url.replace(ub, ""); b.context=3Da&&a.context!=3Dnull?=
a.context: b; if(b.data&&b.processData&&typeof =
```

```

b.data!=3D=3D"string")b.data=3Dc.param(b.data,b.traditional);if(b.dataType=
e=3D=3D=3D"jsonp"){if(h=3D=3D=3D"GET")T.test(b.url)||b.url+=3D(ja.test(b
.url)?"&":"?")+b.jsonp||"callback"+"=3D?");else if(!b.data||=0A=
!T.test(b.data)b.data=3D(b.data?b.data+"&":"")+b.jsonp||"callback"+"=3D=
?";b.dataType=3D"jsonp"}if(b.dataType=3D=3D=3D"jsonp"&&(b.data&&T.test(b.da
ta)||T.test(b.url)){d=3Db.jsonpCallback||"jsonp"+mb++;if(b.data)b.data=3D=
(b.data+"").replace(T,"=3D"+d+"$1");b.url=3Db.url.replace(T,"=3D"+d+"$1")=
;b.dataType=3D"script";var =
k=3DE[d];E[d]=3Dfunction(m){if(c.isFunction(k))k(m);else{E[d]=3DB;try{del=
ete =
E[d]}catch(p){}}f=3Dm;c.handleSuccess(b,w,e,f);c.handleComplete(b,w,e,f);=
r&&r.removeChild(A)}}if(b.dataType=3D=3D=3D"script"&&b.cache=3D=3D=3Dnull=
)b.cache=3D=0A=
false;if(b.cache=3D=3D=3Dfalse&&l){var =
o=3Dc.now(),x=3Db.url.replace(rb,"$1_=3D"+o);b.url=3Dx+(x=3D=3D=3Db.url?(=
ja.test(b.url)?"&":"?")+="_=3D"+o:"")if(b.data&&l)b.url+=3D(ja.test(b.url=
)?"&":"?")+b.data;b.global&&c.active++=3D=3D=3D0&&c.event.trigger("ajaxSt=
art");o=3D(o=3Dsb.exec(b.url)&&(o[1]&&o[1].toLowerCase()!=3D=3Dlocation.=
protocol||o[2].toLowerCase()!=3D=3Dlocation.host);if(b.dataType=3D=3D=3D"=
script"&&h=3D=3D=3D"GET"&&o){var =
r=3Dt.getElementsByTagName("head")[0]||t.documentElement,A=3Dt.createElem=
ent("script");if(b.scriptCharset)A.charset=3Db.scriptCharset;=0A=
A.src=3Db.url;if(!d){var =
C=3Dfalse;A.onload=3DA.onreadystatechange=3Dfunction(){if(!C&&!this.read=
yState||this.readyState=3D=3D=3D"loaded"||this.readyState=3D=3D=3D"comple=
te")}{C=3Dtrue;c.handleSuccess(b,w,e,f);c.handleComplete(b,w,e,f);A.onloa=
d=3DA.onreadystatechange=3Dnull;r&&A.parentNode&&r.removeChild(A)}}}r.ins=
ertBefore(A,r.firstChild);return B}var =
J=3Dfalse,w=3Db.xhr();if(w){b.username?w.open(h,b.url,b.async,b.username,=
b.password):w.open(h,b.url,b.async);try{if(b.data!=3Dnull&&!l|a&&a.conte=
ntType)w.setRequestHeader("Content-Type",=0A=
b.contentType);if(b.ifModified){c.lastModified[b.url]&&w.setRequestHeader=
("If-Modified-Since",c.lastModified[b.url]);c.etag[b.url]&&w.setRequestHe=
ader("If-None-Match",c.etag[b.url])}o|w.setRequestHeader("X-Requested-Wi=
th","XMLHttpRequest");w.setRequestHeader("Accept",b.dataType&&b.accepts[b=
.dataType]?b.accepts[b.dataType]+", */*";=
q=3D0.01":b.accepts._default)}catch(I){if(b.beforeSend&&b.beforeSend.cal=
l(b.context,w,b)=3D=3D=3Dfalse){b.global&&c.active--=3D=3D=3D1&&c.event.t=
rigger("ajaxStop");w.abort();return false}b.global&&=0A=
c.triggerGlobal(b,"ajaxSend",[w,b]);var =
L=3Dw.onreadystatechange=3Dfunction(m){if(!w|w.readyState=3D=3D=3D0||m=3D=
=3D=3D"abort"){J|c.handleComplete(b,w,e,f);J=3Dtrue;if(w)w.onreadystatec=
hange=3Dc.noop}else =
if(!J&&w&&(w.readyState=3D=3D=3D4||m=3D=3D=3D"timeout")){J=3Dtrue;w.onrea=
dystatechange=3Dc.noop;e=3Dm=3D=3D=3D"timeout"?&quot;timeout":!c.httpSuccess(w=
)?&quot;error":b.ifModified&&c.httpNotModified(w,b.url)?&quot;notmodified":&quot;success=
";var =
p;if(e=3D=3D=3D"success")try{f=3Dc.httpData(w,b.dataType,b)}catch(q){e=3D=
"parsererror";p=3Dq}if(e=3D=3D=3D"success"||e=3D=3D=3D"notmodified")d||=0A=
c.handleSuccess(b,w,e,f);else =
c.handleError(b,w,e,p);d|c.handleComplete(b,w,e,f);m=3D=3D=3D"timeout"&&=
w.abort();if(b.async)w=3Dnull}};try{var =
g=3Dw.abort;w.abort=3Dfunction(){w&&Function.prototype.call.call(g,w);L(="=
abort")}}catch(i){b.async&&b.timeout>0&&setTimeout(function(){w&&!J&&L(="=
timeout")},b.timeout);try{w.send(l|b.data=3D=3Dnull?null:b.data)}catch(n=
){c.handleError(b,w,null,n);c.handleComplete(b,w,e,f)}b.async||L();return=
w}},param:function(a,b){var =
d=3D[],e=3Dfunction(h,l){l=3Dc.isFunction(l)?l():l;d[d.length]=3D=0A=
encodeURIComponent(h)+"=3D"+encodeURIComponent(l)};if(b=3D=3D=3DB)b=3Dc.a=
jaxSettings.traditional;if(c.isArray(a)|a.jquery)c.each(a,function(){e(t=
his.name,this.value)});else for(var f in a)da(f,a[f],b,e);return =
d.join("&").replace(tb,"+");});c.extend({active:0,lastModified:{},etag:{}=
,handleError:function(a,b,d,e){a.error&&a.error.call(a.context,b,d,e);a.g=
lobal&&c.triggerGlobal(a,"ajaxError",[b,a,e]),handleSuccess:function(a,b=

```

```

, d, e){a.success&&a.success.call(a.context, e, d, b);a.global&&c.triggerGlobal(a, "ajaxSuccess",=0A=[b, a]), handleComplete: function(a, b, d){a.complete&&a.complete.call(a.context, b, d);a.global&&c.triggerGlobal(a, "ajaxComplete", [b, a]);a.global&&c.active--=3D=3D=3D1&&c.event.trigger("ajaxStop")}, triggerGlobal: function(a, b, d){(a.context&&a.context.url=3D=3Dnull?c(a.context):c.event).trigger(b, d)}, httpSuccess: function(a){try{return!a.status&&location.protocol=3D=3D=3D=3D="file:" || a.status>=3D200&&a.status<300 || a.status=3D=3D=3D304 || a.status=3D=3D=3D1223} catch(b){} return false}, httpNotModified: function(a, b){var d=3Da.getResponseHeader("Last-Modified"),=0A=e=3Da.getResponseHeader("Etag");if(d)c.lastModified[b]=3Dd;if(e)c.etag[b]=3De;return a.status=3D=3D=3D304}, httpData: function(a, b, d){var e=3Da.getResponseHeader("content-type") || "", f=3Db=3D=3D=3D"xml" || !b&&e.indexOf("xml")>=3D0; a=3Df?a.responseXML: a.responseText; f&&a.documentElement.nodeName=3D=3D=3D"parsererror"&&c.error("parsererror");if(d&&d.dataFilter)a=3Dd.dataFilter(a, b);if(typeof a=3D=3D=3D"string")if(b=3D=3D=3D"json" || !b&&e.indexOf("json")>=3D0)a=3Dc.parseJSON(a);else if(b=3D=3D=3D"script" || !b&&e.indexOf("javascript")>=3D0)c.globalEval(a);return a}});=0A=if(E.ActiveXObject)c.ajaxSettings.xhr=3Dfunction(){if(E.location.protocol!=3D=3D"file:")try{return new E.XMLHttpRequest} catch(a){}try{return new E.ActiveXObject("Microsoft.XMLHTTP")} catch(b){}};c.support.ajax=3D!!c.ajaxSettings.xhr();var ea=3D{, vb=3D/^(?: toggle|show|hide)$/, wb=3D/^( [+\\-]=3D)?( \\d+\\.\\-+)(.*)$/=, ba, pa=3D[["height", "marginTop", "marginBottom", "paddingTop", "paddingBottom", "width", "marginLeft", "marginRight", "paddingLeft", "paddingRight", ["opacity"]];c.fn.extend({show: function(a, b, d){if(a | a=3D=3D=3D0) return = this.animate(S("show",=0A=3), a, b, d);else{d=3D0;for(var e=3Dthis.length; d<e; d++){a=3Dthis[d]; b=3Da.style.display; if(!c.data(a, "olddisplay")&&b=3D=3D=3D"none") b=3Da.style.display=3D""; b=3D=3D=3D""&&c.css(a, "display")=3D=3D=3D"none"&&c.data(a, "olddisplay", qa(a.nodeName))}for(d=3D0; d<e; d++){a=3Dthis[d]; b=3Da.style.display; if(b=3D=3D=3D"" || b=3D=3D=3D"none") a.style.display=3Dc.data(a, "olddisplay") || ""}return = this}}, hide: function(a, b, d){if(a | a=3D=3D=3D0) return = this.animate(S("hide", 3), a, b, d);else{a=3D0;for(b=3Dthis.length; a<b; a++){d=3Dc.css(this[a], "display"); d!=3D=3D"none"&&c.data(this[a], "olddisplay",=0A=d)}for(a=3D0; a<b; a++) this[a].style.display=3D"none"; return = this}}, _toggle: c.fn.toggle, toggle: function(a, b, d){var e=3Dtypeof a=3D=3D=3D"boolean"; if(c.isFunction(a)&&c.isFunction(b)) this._toggle.apply(this, arguments); else a=3D=3Dnull | e? this.each(function(){var f=3De?a:c(this).is(":hidden"); c(this)[f?"show":"hide"](): this.animate(S("toggle", 3), a, b, d); return this}, fadeTo: function(a, b, d, e){return = this.filter(":hidden").css("opacity", 0).show().end().animate({opacity: b}, = a, d, e)}, animate: function(a, b, d, e){var f=3Dc.speed(b,=0A=d, e); if(c.isEmptyObject(a)) return this.each(f.complete); return = this[f.queue=3D=3D=3Dfalse?"each":"queue"](function(){var h=3Dc.extend({}, f), l, k=3Dthis.nodeType=3D=3D=3D1, o=3Dk&&c(this).is(":hidden"), x=3Dthis; for(l in a){var r=3Dc.camelCase(l); if(l!=3D=3Dr){a[r]=3Da[l]; delete a[l]; l=3Dr} if(a[l]=3D=3D=3D"hide"&&o | a[l]=3D=3D=3D"show"&&!o) return = h.complete.call(this); if(k&&(l=3D=3D=3D"height" || l=3D=3D=3D"width")){h.overflow=3D[this.style.overflow, this.style.overflowX, this.style.overflowY]; = if(c.css(this, "display")=3D=3D=3D"inline"&&c.css(this, "float")=3D=3D=3D"none") if(c.support.inlineBlockNeedsLayout) if(qa(this.nodeName)=3D=3D=3D=0A="inline") this.style.display=3D"inline-block"; else{this.style.display=3D"inline"; this.style.zoom=3D1} else = this.style.display=3D"inline-block"} if(c.isArray(a[l])){(h.specialEasing=3D=3Dh.specialEasing || {})[l]=3Da[l][1]; a[l]=3Da[l][0]} if(h.overflow!=3Dnull) t=his.style.overflow=3D"hidden"; h.curAnim=3Dc.extend({}, a); c.each(a, function(A, C){var J=3Dnew = c.fx(x, h, A); if(vb.test(C)) J[C=3D=3D=3D"toggle"?o?"show":"hide":C](a); else={var w=3Dwb.exec(C), I=3DJ.cur() || 0; if(w){var =

```

```

L=parseFloat(w[2]),g=Dw[3]||"px";if(g!=Dpx"){c.style(x,A,(L||1)+g);I=(L||0A=1)/J.cur()*I;c.style(x,A,I+g)}if(w[1])L=(w[1]=D=D=D="=-D"?-1:1)*L+I;=J.custom(I,L,g)}else J.custom(I,C,"");return =true}}},stop:function(a,b){var =d=Dc.timers;a&&this.queue([]);this.each(function(){for(var =e=Dd.length-1;e>=D0;e--)if(d[e].elem=D=D=Dthis){b&&d[e](true);d.spli=ce(e,1)}});b||this.dequeue();return =this}});c.each({slideDown:S("show",1),slideUp:S("hide",1),slideToggle:S("toggle",1),fadeIn:{opacity:"show"},fadeOut:{opacity:"hide"},fadeToggle:{o=capacity:"toggle"}},function(a,b){c.fn[a]=Dfunction(d,e,f){return =this.animate(b,=0A=d,e,f)}});c.extend({speed:function(a,b,d){var e=DA&&typeof =a=D=D=D"object"?c.extend({},a):{complete:d||!d&&b||c.isFunction(a)&&a,=duration:a,easing:d&&b||b&&!c.isFunction(b)&&b};e.duration=Dc.fx.off?0:t=ypeof e.duration=D=D=D"number"?e.duration:e.duration in =c.fx.speeds?c.fx.speeds[e.duration]:c.fx.speeds._default;e.old=Dc.comple=te;e.complete=Dfunction(){e.queue!=D=D=false&&c(this).dequeue();c.isFun=ction(e.old)&&e.old.call(this)};return =e},easing:{linear:function(a,b,d,e){return =d+e*a},swing:function(a,b,d,e){return (-Math.cos(a*=0A=Math.PI)/2+0.5)*e+d}},timers:[],fx:function(a,b,d){this.options=D=Db;this.=elem=DA;this.prop=Dd;if(!b.orig)b.orig=D{}});c.fx.prototype=D{update=:function(){this.options.step&&this.options.step.call(this.elem,this.now,=this);(c.fx.step[this.prop]||c.fx.step._default)(this)},cur:function(){if=(this.elem[this.prop]!=Dnull&&(!this.elem.style||this.elem.style[this.pr=op]=D=D=null))return this.elem[this.prop];var =a=parseFloat(c.css(this.elem,this.prop));return =a&&a>-1E4?a:0},custom:function(a,b,d){function e(l){return f.step(l)}=0A=var =f=Dthis,h=Dc.fx;this.startTime=Dc.now();this.start=DA;this.end=Db;th=is.unit=Dd||this.unit||"px";this.now=Dthis.start;this.pos=Dthis.state=D=0;e.elem=Dthis.elem;if(e())&&c.timers.push(e)&&!ba)ba=DsetInterval(h.tic=k,h.interval)},show:function(){this.options.orig[this.prop]=Dc.style(thi=s.elem,this.prop);this.options.show=Dtrue;this.custom(this.prop=D=D=D="width"||this.prop=D=D=D"height"?1:0,this.cur());c(this.elem).show();=hide:function(){this.options.orig[this.prop]=Dc.style(this.elem,this.pro=p);this.options.hide=Dtrue;=0A=this.custom(this.cur(),0)},step:function(a){var =b=Dc.now(),d=Dtrue;if(a|b>=Dthis.options.duration+this.startTime){thi=s.now=Dthis.end;this.pos=Dthis.state=D1;this.update();this.options.cur=Anim[this.prop]=Dtrue;for(var e in =this.options.curAnim)if(this.options.curAnim[e]!=D=D=true)d=Dfalse;if(d={if(this.options.overflow!=Dnull&&!c.support.shrinkWrapBlocks){var =f=Dthis.elem,h=Dthis.options;c.each(["X","Y"],function(k,o){f.style[="overflow"+o]=Dh.overflow[k]})this.options.hide&&c(this.elem).hide();if=(this.options.hide||=0A=this.options.show)for(var l in =this.options.curAnim)c.style(this.elem,l,this.options.orig[l]);this.optio=ns.complete.call(this.elem)}return =false}else{a=Db-this.startTime;this.state=DA/this.options.duration;b=D=this.options.easing||c.easing.swing?"swing":"linear";this.pos=Dc.easin=g[this.options.specialEasing&&this.options.specialEasing[this.prop]||b](t=his.state,a,0,1,this.options.duration);this.now=Dthis.start+(this.end-th=is.start)*this.pos;this.update()}return =true}};c.extend(c.fx,{tick:function(){for(var a=D=0A=c.timers,b=D0;b<a.length;b++)a[b]()||a.splice(b--,1);a.length||c.fx.stop=()},interval:13,stop:function(){clearInterval(ba);ba=Dnull},speeds:{slow=:600,fast:200,_default:400},step:{opacity:function(a){c.style(a.elem,"opa=city",a.now)},_default:function(a){if(a.elem.style&&a.elem.style[a.prop]!=Dnull)a.elem.style[a.prop]=D(a.prop=D=D=D"width"||a.prop=D=D=D"he=ight"?Math.max(0,a.now):a.now)+a.unit}else =a.elem[a.prop]=DA.now}});if(c.expr&&c.expr.filters)c.expr.filtersanima=ted=Dfunction(a){return c.grep(c.timers,function(b){return a=D=D=D=0A=

```

```

b.elem}).length};var =
xb=3D/^t(?:able|d|h)$/i,Ia=3D/^(?:body|html)$/i;c.fn.offset=3D"getBoundin=
gClientRect"in t.documentElement?function(a){var =
b=3Dthis[0],d;if(a)return =
this.each(function(l){c.offset.setOffset(this,a,l)});if(!b||!b.ownerDocum=
ent)return null;if(b=3D=3D=3Db.ownerDocument.body)return =
c.offset.bodyOffset(b);try{d=3Db.getBoundingClientRect()}catch(e){}var =
f=3Db.ownerDocument,h=3Df.documentElement;if(!d||!c.contains(h,b))return =
d||{top:0,left:0};b=3Df.body;f=3Dfa(f);return{top:d.top+(f.pageYOffset||c=
.support.boxModel&&=0A=
h.scrollTop||b.scrollTop)-(h.clientTop||b.clientTop||0),left:d.left+(f.pa=
geXOffset||c.support.boxModel&&h.scrollLeft||b.scrollLeft)-(h.clientLeft|=
|b.clientLeft||0)}:function(a){var b=3Dthis[0];if(a)return =
this.each(function(x){c.offset.setOffset(this,a,x)});if(!b||!b.ownerDocum=
ent)return null;if(b=3D=3D=3Db.ownerDocument.body)return =
c.offset.bodyOffset(b);c.offset.initialize();var =
d,e=3Db.offsetParent,f=3Db.ownerDocument,h=3Df.documentElement,l=3Df.body=
;d=3D(f=3Df.defaultView)?f.getComputedStyle(b,null):b.currentStyle;=0A=
for(var =
k=3Db.offsetTop,o=3Db.offsetLeft;(b=3Db.parentNode)&&b!=3D=3Dl&&b!=3D=3Dh=
;){if(c.offset.supportsFixedPosition&&d.position=3D=3D=3D"fixed")break;d=3D=
f?f.getComputedStyle(b,null):b.currentStyle;k-=3Db.scrollTop;o-=3Db.scrol=
lLeft;if(b=3D=3D=3De){k+=3Db.offsetTop;o+=3Db.offsetLeft;if(c.offset.does=
NotAddBorder&&!(c.offset.doesAddBorderForTableAndCells&&xb.test(b.nodeName=
e))){k+=3DparseFloat(d.borderTopWidth)||0;o+=3DparseFloat(d.borderLeftWid=
th)||0}e=3Db.offsetParent;if(c.offset.subtractsBorderForOverflowNotVisibl=
e&&d.overflow!=3D=3D"visible"){k+=3D=0A=
parseFloat(d.borderTopWidth)||0;o+=3DparseFloat(d.borderLeftWidth)||0}d=3D=
d}if(d.position=3D=3D=3D"relative"||d.position=3D=3D=3D"static"){k+=3Dl.o=
ffsetTop;o+=3Dl.offsetLeft}if(c.offset.supportsFixedPosition&&d.position=3D=
=3D=3D"fixed"){k+=3DMath.max(h.scrollTop,l.scrollTop);o+=3DMath.max(h.scr=
ollLeft,l.scrollLeft)}return{top:k,left:o}};c.offset=3D{initialize:functi=
on(){var =
a=3Dt.body,b=3Dt.createElement("div"),d,e,f,h=3DparseFloat(c.css(a,"margi=
nTop"))||0;c.extend(b.style,{position:"absolute",top:0,left:0;margin:0,bo=
rder:0,width:"1px",=0A=
height:"1px",visibility:"hidden"});b.innerHTML=3D"<div =
style=3D'position:absolute;top:0;left:0;margin:0;border:5px solid =
#000;padding:0;width:1px;height:1px;'><div></div></div><table =
style=3D'position:absolute;top:0;left:0;margin:0;border:5px solid =
#000;padding:0;width:1px;height:1px;' cellpadding=3D'0' =
cellspacing=3D'0'><tr><td></td></tr></table>";a.insertBefore(b,a.firstChi=
ld);d=3Db.firstChild;e=3Dd.firstChild;f=3Dd.nextSibling.firstChild.firstC=
hild;this.doesNotAddBorder=3De.offsetTop!=3D=3D5;this.doesAddBorderForTab=
leAndCells=3D=0A=
f.offsetTop=3D=3D=3D5;e.style.position=3D"fixed";e.style.top=3D"20px";thi=
s.supportsFixedPosition=3De.offsetTop=3D=3D=3D20||e.offsetTop=3D=3D=3D15;=
e.style.position=3De.style.top=3D"";d.style.overflow=3D"hidden";d.style.p=
osition=3D"relative";this.subtractsBorderForOverflowNotVisible=3De.offset=
Top=3D=3D=3D-5;this.doesNotIncludeMarginInBodyOffset=3Da.offsetTop!=3D=3D=
h;a.removeChild(b);c.offset.initialize=3Dc.noop},bodyOffset:function(a){v=
ar =
b=3Da.offsetTop,d=3Da.offsetLeft;c.offset.initialize();if(c.offset.doesNo=
tIncludeMarginInBodyOffset){b+=3DparseFloat(c.css(a,=0A=
"marginTop"))||0;d+=3DparseFloat(c.css(a,"marginLeft"))||0}return{top:b,l=
eft:d}},setOffset:function(a,b,d){var =
e=3Dc.css(a,"position");if(e=3D=3D=3D"static")a.style.position=3D"relativ=
e";var =
f=3Dc(a),h=3Df.offset(),l=3Dc.css(a,"top"),k=3Dc.css(a,"left"),o=3De=3D=3D=
=3D"absolute"&&c.inArray("auto",[l,k])>-1;e=3D{};var =
x=3D{};if(o)x=3Df.position();l=3Do?x.top:parseInt(l,10)||0;k=3Do?x.left:p=
arseInt(k,10)||0;if(c.isFunction(b))b=3Db.call(a,d,h);if(b.top!=3Dnull)e.=
top=3Db.top-h.top+l;if(b.left!=3Dnull)e.left=3Db.left-h.left+k;"using"in =
b?b.using.call(a,=0A=

```

```

e):f.css(e)}};c.fn.extend({position:function(){if(!this[0])return =
null;var =
a=3Dthis[0],b=3Dthis.offsetParent(),d=3Dthis.offset(),e=3DIa.test(b[0].no=
deName){top:0, left:0}:b.offset();d.top-=3DparseFloat(c.css(a,"marginTop"=
))||0;d.left-=3DparseFloat(c.css(a,"marginLeft"))||0;e.top+=3DparseFloat(=
c.css(b[0],"borderTopWidth"))||0;e.left+=3DparseFloat(c.css(b[0],"borderL=
eftWidth"))||0;return{top:d.top-e.top, left:d.left-e.left}},offsetParent:f=
unction(){return this.map(function(){for(var =
a=3Dthis.offsetParent||t.body;a&&!Ia.test(a.nodeName)&&=0A=
c.css(a,"position")=3D=3D=3D"static";)a=3Da.offsetParent;return =
a}}});c.each(["Left","Top"],function(a,b){var =
d=3D"scroll"+b;c.fn[d]=3Dfunction(e){var f=3Dthis[0],h;if(!f)return =
null;if(e!=3D=3DB)return =
this.each(function(){if(h=3Dfa(this))h.scrollTo(!a?e:c(h).scrollLeft(),a?e=
:c(h).scrollTop());else this[d]=3De});else =
return(h=3Dfa(f))?"pageXOffset"in =
h?h[a?"pageYOffset":"pageXOffset"]:c.support.boxModel&&h.document.documen=
tElement[d]||h.document.body[d]:f[d]}});c.each(["Height","Width"],functio=
n(a,b){var d=3Db.toLowerCase();=0A=
c.fn["inner"+b]=3Dfunction(){return =
this[0]?parseFloat(c.css(this[0],d,"padding")):null};c.fn["outer"+b]=3Dfu=
nction(e){return =
this[0]?parseFloat(c.css(this[0],d,e?"margin":"border")):null};c.fn[d]=3D=
function(e){var f=3Dthis[0];if(!f)return =
e=3D=3Dnull?null:this;if(c.isFunction(e))return =
this.each(function(l){var =
k=3Dc(this);k[d](e.call(this,l,k[d]()))});if(c.isWindow(f))return =
f.document.compatMode=3D=3D=3D"CSS1Compat"&&f.document.documentElement["c=
lient"+b]||f.document.body["client"+b];else =
if(f.nodeType=3D=3D=3D9)return Math.max(f.documentElement["client"+=0A=
b],f.body["scroll"+b],f.documentElement["scroll"+b],f.body["offset"+b],f.=
documentElement["offset"+b]);else if(e=3D=3D=3DB){f=3Dc.css(f,d);var =
h=3DparseFloat(f);return c.isNaN(h)?f:h}else return this.css(d,typeof =
e=3D=3D=3D"string"?e:e+"px")}})})(window);=0A=

```

```

-----_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: application/octet-stream
Content-Transfer-Encoding: quoted-printable
Content-Location: http://www.rita.dot.gov/bts/misc/jquery.once.js?v=1.2

```

```

=0A=
/**=0A=
 * jQuery Once Plugin v1.2=0A=
 * http://plugins.jquery.com/project/once=0A=
 * =0A=
 * Dual licensed under the MIT and GPL licenses:=0A=
 * http://www.opensource.org/licenses/mit-license.php=0A=
 * http://www.gnu.org/licenses/gpl.html=0A=
 */=0A=
=0A=
(function ($) {=0A=
    var cache =3D {}, uuid =3D 0;=0A=
=0A=
    /**=0A=
     * Filters elements by whether they have not yet been processed.=0A=
     * =0A=
     * @param id=0A=
     * (Optional) If this is a string, then it will be used as the CSS =
class=0A=
     * name that is applied to the elements for determining whether it =
has=0A=
     * already been processed. The elements will get a class in the form =
of=0A=
     * "id-processed".=0A=

```

```

*=0A=
*   If the id parameter is a function, it will be passed off to the fn=0A=
*   parameter and the id will become a unique identifier, represented =
as a=0A=
*   number.=0A=
*=0A=
*   When the id is neither a string or a function, it becomes a unique=0A=
*   identifier, depicted as a number. The element's class will then be=0A=
*   represented in the form of "jquery-once-#-processed".=0A=
*=0A=
*   Take note that the id must be valid for usage as an element's =
class name.=0A=
*   @param fn=0A=
*   (Optional) If given, this function will be called for each =
element that=0A=
*   has not yet been processed. The function's return value follows =
the same=0A=
*   logic as $.each(). Returning true will continue to the next =
matched=0A=
*   element in the set, while returning false will entirely break the=0A=
*   iteration.=0A=
*/=0A=
$.fn.once =3D function (id, fn) {=0A=
  if (typeof id !=3D 'string') {=0A=
    // Generate a numeric ID if the id passed can't be used as a CSS =
class.=0A=
    if (!(id in cache)) {=0A=
      cache[id] =3D ++uuid;=0A=
    }=0A=
    // When the fn parameter is not passed, we interpret it from the =
id.=0A=
    if (!fn) {=0A=
      fn =3D id;=0A=
    }=0A=
    id =3D 'jquery-once-' + cache[id];=0A=
  }=0A=
  // Remove elements from the set that have already been processed.=0A=
  var name =3D id + '-processed';=0A=
  var elements =3D this.not('.') + name).addClass(name);=0A=
=0A=
  return $.isFunction(fn) ? elements.each(fn) : elements;=0A=
};=0A=
=0A=
/**=0A=
*   Filters elements that have been processed once already.=0A=
*=0A=
*   @param id=0A=
*   A required string representing the name of the class which should =
be used=0A=
*   when filtering the elements. This only filters elements that have =
already=0A=
*   been processed by the once function. The id should be the same id =
that=0A=
*   was originally passed to the once() function.=0A=
*   @param fn=0A=
*   (Optional) If given, this function will be called for each =
element that=0A=
*   has not yet been processed. The function's return value follows =
the same=0A=
*   logic as $.each(). Returning true will continue to the next =
matched=0A=
*   element in the set, while returning false will entirely break the=0A=
*   iteration.=0A=
*/=0A=

```

```

$.fn.removeOnce =3D function (id, fn) {=0A=
  var name =3D id + '-processed';=0A=
  var elements =3D this.filter('.' + name).removeClass(name);=0A=
=0A=
  return $.isFunction(fn) ? elements.each(fn) : elements;=0A=
};=0A=
})(jQuery);=0A=

-----_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: application/octet-stream
Content-Transfer-Encoding: quoted-printable
Content-Location: http://www.rita.dot.gov/bts/misc/drupal.js?nuogak

=0A=
var Drupal =3D Drupal || { 'settings': {}, 'behaviors': {}, 'locale': {} =
};=0A=
=0A=
// Allow other JavaScript libraries to use $.=0A=
jQuery.noConflict();=0A=
=0A=
(function ($) {=0A=
=0A=
/**=0A=
 * Override jQuery.fn.init to guard against XSS attacks.=0A=
 * =0A=
 * See http://bugs.jquery.com/ticket/9521=0A=
 */=0A=
var jquery_init =3D $.fn.init;=0A=
$.fn.init =3D function (selector, context, rootjQuery) {=0A=
  // If the string contains a "#" before a "<", treat it as invalid HTML.=0A=
  if (selector && typeof selector =3D=3D=3D 'string') {=0A=
    var hash_position =3D selector.indexOf('#');=0A=
    if (hash_position >=3D 0) {=0A=
      var bracket_position =3D selector.indexOf('<');=0A=
      if (bracket_position > hash_position) {=0A=
        throw 'Syntax error, unrecognized expression: ' + selector;=0A=
      }=0A=
    }=0A=
  }=0A=
  return jquery_init.call(this, selector, context, rootjQuery);=0A=
};=0A=
$.fn.init.prototype =3D jquery_init.prototype;=0A=
=0A=
/**=0A=
 * Attach all registered behaviors to a page element.=0A=
 * =0A=
 * Behaviors are event-triggered actions that attach to page elements, =
enhancing=0A=
 * default non-JavaScript UIs. Behaviors are registered in the =
Drupal.behaviors=0A=
 * object using the method 'attach' and optionally also 'detach' as =
follows:=0A=
 * @code=0A=
 *   Drupal.behaviors.behaviorName =3D {=0A=
 *     attach: function (context, settings) {=0A=
 *       ...=0A=
 *     },=0A=
 *     detach: function (context, settings, trigger) {=0A=
 *       ...=0A=
 *     }=0A=
 *   };=0A=
 * @endcode=0A=
 * =0A=
 * Drupal.attachBehaviors is added below to the jQuery ready event and so=0A=

```

```

* runs on initial page load. Developers implementing AHAH/Ajax in their
* solutions should also call this function after new page content has
been
* loaded, feeding in an element to be processed, in order to attach all
* behaviors to the new content.
*=
* Behaviors should use
* @code
*   $(selector).once('behavior-name', function () {
*     ...
*   });
* @endcode
* to ensure the behavior is attached only once to a given element.
(Doing so
* enables the reprocessing of given elements, which may be needed on
occasion
* despite the ability to limit behavior attachment to a particular
element.)
*=
* @param context
*   An element to attach behaviors to. If none is given, the document
element
*   is used.
* @param settings
*   An object containing settings for the current context. If none
given, the
*   global Drupal.settings object is used.
*/=
Drupal.attachBehaviors = function (context, settings) {
  context = context || document;
  settings = settings || Drupal.settings;
  // Execute all of them.
  $.each(Drupal.behaviors, function () {
    if ($.isFunction(this.attach)) {
      this.attach(context, settings);
    }
  });
};
=
/**
* Detach registered behaviors from a page element.
*=
* Developers implementing AHAH/Ajax in their solutions should call this
* function before page content is about to be removed, feeding in an
element
* to be processed, in order to allow special behaviors to detach from
the
* content.
*=
* Such implementations should look for the class name that was added in
their
* corresponding Drupal.behaviors.behaviorName.attach implementation,
i.e.
* behaviorName-processed, to ensure the behavior is detached only from
* previously processed elements.
*=
* @param context
*   An element to detach behaviors from. If none is given, the document
element
*   is used.
* @param settings
*   An object containing settings for the current context. If none
given, the
*   global Drupal.settings object is used.

```

```

* @param trigger=0A=
*   A string containing what's causing the behaviors to be detached. The=0A=
*   possible triggers are:=0A=
*   - unload: (default) The context element is being removed from the =
DOM.=0A=
*   - move: The element is about to be moved within the DOM (for =
example,=0A=
*   during a tabledrag row swap). After the move is completed,=0A=
*   Drupal.attachBehaviors() is called, so that the behavior can undo=0A=
*   whatever it did in response to the move. Many behaviors won't =
need to=0A=
*   do anything simply in response to the element being moved, but =
because=0A=
*   IFRAME elements reload their "src" when being moved within the =
DOM,=0A=
*   behaviors bound to IFRAME elements (like WYSIWYG editors) may =
need to=0A=
*   take some action.=0A=
*   - serialize: When an Ajax form is submitted, this is called with the=0A=
*   form as the context. This provides every behavior within the form =
an=0A=
*   opportunity to ensure that the field elements have correct content=0A=
*   in them before the form is serialized. The canonical use-case is =
so=0A=
*   that WYSIWYG editors can update the hidden textarea to which they =
are=0A=
*   bound.=0A=
*=0A=
* @see Drupal.attachBehaviors=0A=
*/=0A=
Drupal.detachBehaviors =3D function (context, settings, trigger) {=0A=
  context =3D context || document;=0A=
  settings =3D settings || Drupal.settings;=0A=
  trigger =3D trigger || 'unload';=0A=
  // Execute all of them.=0A=
  $.each(Drupal.behaviors, function () {=0A=
    if ($.isFunction(this.detach)) {=0A=
      this.detach(context, settings, trigger);=0A=
    }=0A=
  });=0A=
};=0A=
=0A=
/**=0A=
* Encode special characters in a plain-text string for display as HTML.=0A=
*=0A=
* @ingroup sanitization=0A=
*/=0A=
Drupal.checkPlain =3D function (str) {=0A=
  var character, regex,=0A=
  replace =3D { '&': '&amp;', '"': '&quot;', '<': '&lt;', '>': =
'&gt;' };=0A=
  str =3D String(str);=0A=
  for (character in replace) {=0A=
    if (replace.hasOwnProperty(character)) {=0A=
      regex =3D new RegExp(character, 'g');=0A=
      str =3D str.replace(regex, replace[character]);=0A=
    }=0A=
  }=0A=
  return str;=0A=
};=0A=
=0A=
/**=0A=
* Replace placeholders with sanitized values in a string.=0A=
*=0A=

```

```

* @param str=0A=
*   A string with placeholders.=0A=
* @param args=0A=
*   An object of replacements pairs to make. Incidences of any key in =
this=0A=
*   array are replaced with the corresponding value. Based on the first=0A=
*   character of the key, the value is escaped and/or themed:=0A=
*   - !variable: inserted as is=0A=
*   - @variable: escape plain text to HTML (Drupal.checkPlain)=0A=
*   - %variable: escape text and theme as a placeholder for =
user-submitted=0A=
*   content (checkPlain + Drupal.theme('placeholder'))=0A=
*=0A=
* @see Drupal.t()=0A=
* @ingroup sanitization=0A=
*/=0A=
Drupal.formatString =3D function(str, args) {=0A=
  // Transform arguments before inserting them.=0A=
  for (var key in args) {=0A=
    switch (key.charAt(0)) {=0A=
      // Escaped only.=0A=
      case '@':=0A=
        args[key] =3D Drupal.checkPlain(args[key]);=0A=
        break;=0A=
      // Pass-through.=0A=
      case '!':=0A=
        break;=0A=
      // Escaped and placeholder.=0A=
      case '%':=0A=
        default:=0A=
          args[key] =3D Drupal.theme('placeholder', args[key]);=0A=
          break;=0A=
    }=0A=
    str =3D str.replace(key, args[key]);=0A=
  }=0A=
  return str;=0A=
};=0A=
=0A=
/**=0A=
* Translate strings to the page language or a given language.=0A=
*=0A=
* See the documentation of the server-side t() function for further =
details.=0A=
*=0A=
* @param str=0A=
*   A string containing the English string to translate.=0A=
* @param args=0A=
*   An object of replacements pairs to make after translation. =
Incidences=0A=
*   of any key in this array are replaced with the corresponding value.=0A=
*   See Drupal.formatString().=0A=
*=0A=
* @param options=0A=
*   - 'context' (defaults to the empty context): The context the source =
string=0A=
*   belongs to.=0A=
*=0A=
* @return=0A=
*   The translated string.=0A=
*/=0A=
Drupal.t =3D function (str, args, options) {=0A=
  options =3D options || {};=0A=
  options.context =3D options.context || '';=0A=
=0A=

```

```

    // Fetch the localized version of the string.=0A=
    if (Drupal.locale.strings && Drupal.locale.strings[options.context] && =
Drupal.locale.strings[options.context][str]) {=0A=
        str =3D Drupal.locale.strings[options.context][str];=0A=
    }=0A=
=0A=
    if (args) {=0A=
        str =3D Drupal.formatString(str, args);=0A=
    }=0A=
    return str;=0A=
};=0A=
=0A=
/**=0A=
 * Format a string containing a count of items.=0A=
 * This function ensures that the string is pluralized correctly. Since =
Drupal.t() is=0A=
 * called by this function, make sure not to pass already-localized =
strings to it.=0A=
 * See the documentation of the server-side format_plural() function for =
further details.=0A=
 * @param count=0A=
 *   The item count to display.=0A=
 * @param singular=0A=
 *   The string for the singular case. Please make sure it is clear this =
is=0A=
 *   singular, to ease translation (e.g. use "1 new comment" instead of =
"1 new").=0A=
 *   Do not use @count in the singular string.=0A=
 * @param plural=0A=
 *   The string for the plural case. Please make sure it is clear this =
is plural,=0A=
 *   to ease translation. Use @count in place of the item count, as in =
"@count=0A=
 *   new comments".=0A=
 * @param args=0A=
 *   An object of replacements pairs to make after translation. =
Incidences=0A=
 *   of any key in this array are replaced with the corresponding value.=0A=
 *   See Drupal.formatString().=0A=
 *   Note that you do not need to include @count in this array.=0A=
 *   This replacement is done automatically for the plural case.=0A=
 * @param options=0A=
 *   The options to pass to the Drupal.t() function.=0A=
 * @return=0A=
 *   A translated string.=0A=
 */=0A=
Drupal.formatPlural =3D function (count, singular, plural, args, =
options) {=0A=
    var args =3D args || {};=0A=
    args['@count'] =3D count;=0A=
    // Determine the index of the plural form.=0A=
    var index =3D Drupal.locale.pluralFormula ? =
Drupal.locale.pluralFormula(args['@count']) : ((args['@count'] =3D=3D 1) =
? 0 : 1);=0A=
=0A=
    if (index =3D=3D 0) {=0A=
        return Drupal.t(singular, args, options);=0A=
    }=0A=
    else if (index =3D=3D 1) {=0A=
        return Drupal.t(plural, args, options);=0A=
    }=0A=
}

```

```

else {=0A=
  args['@count[' + index + ']'] =3D args['@count'];=0A=
  delete args['@count'];=0A=
  return Drupal.t(plural.replace('@count', '@count[' + index + ']'), =
args, options);=0A=
}=0A=
};=0A=
=0A=
/**=0A=
 * Generate the themed representation of a Drupal object.=0A=
*=0A=
 * All requests for themed output must go through this function. It =
examines=0A=
 * the request and routes it to the appropriate theme function. If the =
current=0A=
 * theme does not provide an override function, the generic theme =
function is=0A=
 * called.=0A=
*=0A=
 * For example, to retrieve the HTML for text that should be emphasized =
and=0A=
 * displayed as a placeholder inside a sentence, call=0A=
 * Drupal.theme('placeholder', text).=0A=
*=0A=
 * @param func=0A=
 *   The name of the theme function to call.=0A=
 * @param ...=0A=
 *   Additional arguments to pass along to the theme function.=0A=
 * @return=0A=
 *   Any data the theme function returns. This could be a plain HTML =
string,=0A=
 *   but also a complex object.=0A=
 */=0A=
Drupal.theme =3D function (func) {=0A=
  var args =3D Array.prototype.slice.apply(arguments, [1]);=0A=
=0A=
  return (Drupal.theme[func] || =
Drupal.theme.prototype[func]).apply(this, args);=0A=
};=0A=
=0A=
/**=0A=
 * Freeze the current body height (as minimum height). Used to prevent=0A=
 * unnecessary upwards scrolling when doing DOM manipulations.=0A=
 */=0A=
Drupal.freezeHeight =3D function () {=0A=
  Drupal.unfreezeHeight();=0A=
  $('<div id=3D"freeze-height"></div>').css({=0A=
    position: 'absolute',=0A=
    top: '0px',=0A=
    left: '0px',=0A=
    width: '1px',=0A=
    height: $('body').css('height')=0A=
  }).appendTo('body');=0A=
};=0A=
=0A=
/**=0A=
 * Unfreeze the body height.=0A=
 */=0A=
Drupal.unfreezeHeight =3D function () {=0A=
  $('#freeze-height').remove();=0A=
};=0A=
=0A=
/**=0A=
 * Encodes a Drupal path for use in a URL.=0A=

```

```

*=0A=
* For aesthetic reasons slashes are not escaped.=0A=
*/=0A=
Drupal.encodePath =3D function (item, uri) {=0A=
  uri =3D uri || location.href;=0A=
  return encodeURIComponent(item).replace(/%2F/g, '/');=0A=
};=0A=
=0A=
/**=0A=
* Get the text selection in a textarea.=0A=
*/=0A=
Drupal.getSelection =3D function (element) {=0A=
  if (typeof element.selectionStart !=3D 'number' && document.selection) =
  {=0A=
    // The current selection.=0A=
    var range1 =3D document.selection.createRange();=0A=
    var range2 =3D range1.duplicate();=0A=
    // Select all text.=0A=
    range2.moveToElementText(element);=0A=
    // Now move 'dummy' end point to end point of original range.=0A=
    range2.setEndPoint('EndToEnd', range1);=0A=
    // Now we can calculate start and end points.=0A=
    var start =3D range2.text.length - range1.text.length;=0A=
    var end =3D start + range1.text.length;=0A=
    return { 'start': start, 'end': end };=0A=
  }=0A=
  return { 'start': element.selectionStart, 'end': element.selectionEnd =
};=0A=
};=0A=
=0A=
/**=0A=
* Build an error message from an Ajax response.=0A=
*/=0A=
Drupal.ajaxError =3D function (xmlhttp, uri) {=0A=
  var statusCode, statusText, pathText, responseText, readyStateText, =
message;=0A=
  if (xmlhttp.status) {=0A=
    statusCode =3D "\n" + Drupal.t("An AJAX HTTP error occurred.") + =
"\n" + Drupal.t("HTTP Result Code: !status", {'!status': =
xmlhttp.status});=0A=
  }=0A=
  else {=0A=
    statusCode =3D "\n" + Drupal.t("An AJAX HTTP request terminated =
abnormally.");=0A=
  }=0A=
  statusCode +=3D "\n" + Drupal.t("Debugging information follows.");=0A=
  pathText =3D "\n" + Drupal.t("Path: !uri", {'!uri': uri} );=0A=
  statusText =3D '';=0A=
  // In some cases, when statusCode =3D=3D 0, xmlhttp.statusText may not =
be defined.=0A=
  // Unfortunately, testing for it with typeof, etc, doesn't seem to =
catch that=0A=
  // and the test causes an exception. So we need to catch the exception =
here.=0A=
  try {=0A=
    statusText =3D "\n" + Drupal.t("StatusText: !statusText", =
{'!statusText': $.trim(xmlhttp.statusText)});=0A=
  }=0A=
  catch (e) {}=0A=
=0A=
  responseText =3D '';=0A=
  // Again, we don't have a way to know for sure whether accessing=0A=
  // xmlhttp.responseText is going to throw an exception. So we'll catch =
it.=0A=

```

```

try {=0A=
  responseText =3D "\n" + Drupal.t("ResponseText: !responseText", =
{'!responseText': $.trim(xmlhttp.responseText) } );=0A=
} catch (e) {=0A=
=0A=
  // Make the responseText more readable by stripping HTML tags and =
newlines.=0A=
  responseText =3D =
responseText.replace(/<("[^"]*"|'[^']*'|[\^">])*>/gi, "");=0A=
  responseText =3D responseText.replace(/\n+\s+/g, "\n");=0A=
=0A=
  // We don't need readyState except for status =3D=3D 0.=0A=
  readyStateText =3D xmlhttp.status =3D=3D 0 ? ("\n" + =
Drupal.t("ReadyState: !readyState", {'!readyState': =
xmlhttp.readyState})) : "";=0A=
=0A=
  message =3D statusCode + pathText + statusText + responseText + =
readyStateText;=0A=
  return message;=0A=
};=0A=
=0A=
// Class indicating that JS is enabled; used for styling purpose.=0A=
$('html').addClass('js');=0A=
=0A=
// 'js enabled' cookie.=0A=
document.cookie =3D 'has_js=3D1; path=3D/';=0A=
=0A=
/**=0A=
 * Additions to jQuery.support.=0A=
 */=0A=
$(function () {=0A=
  /**=0A=
   * Boolean indicating whether or not position:fixed is supported.=0A=
   */=0A=
   if (jQuery.support.positionFixed =3D=3D=3D undefined) {=0A=
     var el =3D $('<div style=3D"position:fixed; top:10px" =
/>').appendTo(document.body);=0A=
     jQuery.support.positionFixed =3D el[0].offsetTop =3D=3D=3D 10;=0A=
     el.remove();=0A=
   }=0A=
 });=0A=
=0A=
//Attach all behaviors.=0A=
$(function () {=0A=
  Drupal.attachBehaviors(document, Drupal.settings);=0A=
});=0A=
=0A=
/**=0A=
 * The default themes.=0A=
 */=0A=
Drupal.theme.prototype =3D {=0A=
=0A=
  /**=0A=
   * Formats text for emphasized display in a placeholder inside a =
sentence.=0A=
   */=0A=
   * @param str=0A=
   *   The text to format (plain-text).=0A=
   * @return=0A=
   *   The formatted text (html).=0A=
   */=0A=
   placeholder: function (str) {=0A=
     return '<em class=3D"placeholder">' + Drupal.checkPlain(str) + =
'</em>';=0A=

```

```
}=0A=
};=0A=
=0A=
})(jQuery);=0A=

-----=_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: application/octet-stream
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/all/modules/google_cse/google_cse.js?nuogak
```

```
(function ($) {=0A=
=0A=
$(function() {=0A=
  var googleCSEWatermark =3D function(id) {=0A=
    var f =3D $(id)[0];=0A=
    if (f && (f.query || f['edit-search-block-form--2'] || =
f['edit-keys'])) {=0A=
      var q =3D f.query ? f.query : (f['edit-search-block-form--2'] ? =
f['edit-search-block-form--2'] : f['edit-keys']);=0A=
      var n =3D navigator;=0A=
      var l =3D location;=0A=
      if (n.platform =3D=3D 'Win32') {=0A=
        q.style.cssText =3D 'border: 1px solid #7e9db9; padding: 2px;';=0A=
      }=0A=
      var b =3D function() {=0A=
        if (q.value =3D=3D '') {=0A=
          q.style.background =3D '#FFFFFF' =
url(https://www.google.com/cse/intl/' + =
Drupal.settings.googleCSE.language + =
'/images/google_custom_search_watermark.gif) left no-repeat';=0A=
        }=0A=
      };=0A=
      var f =3D function() {=0A=
        q.style.background =3D '#ffffff';=0A=
      };=0A=
      q.onfocus =3D f;=0A=
      q.onblur =3D b;=0A=
      //      if (!/[&?]query=3D[^\&]/.test(l.search)) {=0A=
      b();=0A=
      //      }=0A=
    }=0A=
  };=0A=
  googleCSEWatermark('#search-block-form.google-cse');=0A=
  googleCSEWatermark('#search-form.google-cse');=0A=
  googleCSEWatermark('#google-cse-results-searchbox-form');=0A=
});=0A=
=0A=
})(jQuery);=0A=
```

```
-----=_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: application/octet-stream
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/all/modules/caption_filter/js/caption-
filter.js?nuogak
```

```
/**
 * @file
 * JavaScript integrations between the Caption Filter module and =
particular
 * WYSIWYG editors. This file also implements Insert module hooks to =
respond
 * to the insertion of content into a WYSIWYG or textarea.
```

```

*/
(function ($) {

$(document).bind('insertIntoActiveEditor', function(event, options) {
  if (options['fields']['title'] && =
  Drupal.settings.captionFilter.widgets[options['widgetType']]) {
    options['content'] =3D '[caption]' + options['content'] + =
options['fields']['title'] + ' [/caption]';
  }
});

Drupal.captionFilter =3D Drupal.captionFilter || {};

Drupal.captionFilter.toHTML =3D function(co, editor) {
  return =
co.replace(/(?:<p>)?\[[caption([\^]]*)\](?:[\s\S]+?)\[/caption\](?:</p>)?[=
\s\u00a0]*\/g, function(a,b,c){
  var id, cls, w, tempClass;

  b =3D b.replace(/\\'|\\&#39;|\\&#039;/g, =
'&#39;').replace(/\\"|\\&quot;/g, '&quot;');
  c =3D c.replace(/\\&#39;|\\&#039;/g, '&#39;').replace(/\\&quot;/g, =
'&quot;');
  id =3D b.match(/id=3D[""]([\^"]+)/i);
  cls =3D b.match(/align=3D[""]([\^"]+)/i);
  w =3D c.match(/width=3D[""]([0-9]+)/);

  id =3D ( id && id[1] ) ? id[1] : '';
  cls =3D ( cls && cls[1] ) ? 'caption-' + cls[1] : '';
  w =3D ( w && w[1] ) ? w[1] : '';

  if (editor =3D=3D 'tinymce')
    tempClass =3D (cls =3D=3D 'caption-center') ? 'mceTemp =
mceIEcenter' : 'mceTemp';
  else if (editor =3D=3D 'ckeditor')
    tempClass =3D (cls =3D=3D 'caption-center') ? 'mceTemp =
mceIEcenter' : 'mceTemp';
  else
    tempClass =3D '';

  return '<div class=3D"caption ' + cls + ' ' + tempClass + ' =
draggable"><div class=3D"caption-inner" style=3D"width: =
'+(parseInt(w))+'px">' + c + '</div></div>';
  });
};

Drupal.captionFilter.toTag =3D function(co) {
  return co.replace(/(<div class=3D"caption =
[^\"]*">)\s*<div[^\>]+>(.*?)</div>\s*</div>\s*/gi, function(match, =
captionWrapper, contents) {
    var align;
    align =3D =
captionWrapper.match(/class=3D.*?caption-(left|center|right)/i);
    align =3D (align && align[1]) ? align[1] : '';

    return '[caption' + (align ? (' align=3D"' + align + '"') : '') + =
']' + contents + ' [/caption]';
  });
};
})(jQuery);

```

Content-Transfer-Encoding: quoted-printable

Content-Location:

http://www.rita.dot.gov/bts/sites/all/modules/extlink/extlink.js?nuogak

```
// $Id: extlink.js,v 1.8 2010/05/26 01:25:56 quicksketch Exp $=0A=
(function ($) {=0A=
=0A=
function extlinkAttach(context) {=0A=
  // Strip the host name down, removing ports, subdomains, or www.=0A=
  var pattern =3D =
/^(([^\./:]+?\.)*)([^\.:]{4,})((\.[a-z]{1,4})*)(:[0-9]{1,5})?$/;=0A=
  var host =3D window.location.host.replace(pattern, '$3$4');=0A=
  var subdomain =3D window.location.host.replace(pattern, '$1');=0A=
=0A=
  // Determine what subdomains are considered internal.=0A=
  if (Drupal.settings.extlink.extSubdomains) {=0A=
    var subdomains =3D "([^\./]*\.)?";=0A=
  }=0A=
  else if (subdomain =3D=3D 'www.' || subdomain =3D=3D '') {=0A=
    var subdomains =3D "(www\.)?";=0A=
  }=0A=
  else {=0A=
    var subdomains =3D subdomain.replace(".", "\\.");=0A=
  }=0A=
=0A=
  // Build regular expressions that define an internal link.=0A=
  var internal_link =3D new RegExp("^https?://" + subdomains + host, =
"i");=0A=
=0A=
  // Extra internal link matching.=0A=
  var extInclude =3D false;=0A=
  if (Drupal.settings.extlink.extInclude) {=0A=
    extInclude =3D new =
RegExp(Drupal.settings.extlink.extInclude.replace(/\\/ , '\\'));=0A=
  }=0A=
=0A=
  // Extra external link matching.=0A=
  var extExclude =3D false;=0A=
  if (Drupal.settings.extlink.extExclude) {=0A=
    extExclude =3D new =
RegExp(Drupal.settings.extlink.extExclude.replace(/\\/ , '\\'));=0A=
  }=0A=
=0A=
  // Find all links which are NOT internal and begin with http (as =
opposed=0A=
  // to ftp://, javascript:, etc. other kinds of links.=0A=
  // When operating on the 'this' variable, the host has been appended to=0A=
  // all links by the browser, even local ones.=0A=
  // In jQuery 1.1 and higher, we'd use a filter method here, but it is =
not=0A=
  // available in jQuery 1.0 (Drupal 5 default).=0A=
  var external_links =3D new Array();=0A=
  var mailto_links =3D new Array();=0A=
  $("a:not(." + Drupal.settings.extlink.extClass + ", ." + =
Drupal.settings.extlink.mailtoClass + ")").each(function(el) {=0A=
    try {=0A=
      var url =3D this.href.toLowerCase();=0A=
      if (url.indexOf('http') =3D=3D 0 && (!url.match(internal_link) || =
(extInclude && url.match(extInclude))) && !(extExclude && =
url.match(extExclude))) {=0A=
        external_links.push(this);=0A=
      }=0A=
      else if (url.indexOf('mailto:') =3D=3D 0) {=0A=
        mailto_links.push(this);=0A=
      }=0A=
    }=0A=
  }=0A=
}
```

```

    }=0A=
  }=0A=
  // IE7 throws errors often when dealing with irregular links, such =
as:=0A=
  // <a href=3D"node/10"></a> Empty tags.=0A=
  // <a href=3D"http://user:pass@example.com">example</a> User:pass =
syntax.=0A=
  catch(error) {=0A=
    return false;=0A=
  }=0A=
});=0A=
=0A=
  if (Drupal.settings.extlink.extClass) {=0A=
    // Apply the "ext" class to all links not containing images.=0A=
    if (parseFloat($.jquery) < 1.2) {=0A=
      =
      $(external_links).not('[img]').addClass(Drupal.settings.extlink.extClass)=
      .each(function() { if ($(this).css('display') =3D=3D 'inline') =
      $(this).after('<span class=3D' + Drupal.settings.extlink.extClass + =
      '></span>'); });=0A=
    }=0A=
    else {=0A=
      =
      $(external_links).not($(external_links).find('img').parents('a')).addClas=
      s(Drupal.settings.extlink.extClass).each(function() { if =
      ($(this).css('display') =3D=3D 'inline') $(this).after('<span class=3D' =
      + Drupal.settings.extlink.extClass + '></span>'); });=0A=
    }=0A=
  }=0A=
  if (Drupal.settings.extlink.mailtoClass) {=0A=
    // Apply the "mailto" class to all mailto links not containing =
images.=0A=
    if (parseFloat($.jquery) < 1.2) {=0A=
      =
      $(mailto_links).not('[img]').addClass(Drupal.settings.extlink.mailtoClass=
      ).each(function() { if ($(this).css('display') =3D=3D 'inline') =
      $(this).after('<span class=3D' + Drupal.settings.extlink.mailtoClass + =
      '></span>'); });=0A=
    }=0A=
    else {=0A=
      =
      $(mailto_links).not($(mailto_links).find('img').parents('a')).addClass(Dr=
      upal.settings.extlink.mailtoClass).each(function() { if =
      ($(this).css('display') =3D=3D 'inline') $(this).after('<span class=3D' =
      + Drupal.settings.extlink.mailtoClass + '></span>'); });=0A=
    }=0A=
  }=0A=
  if (Drupal.settings.extlink.extTarget) {=0A=
    // Apply the target attribute to all links.=0A=
    $(external_links).attr('target', Drupal.settings.extlink.extTarget);=0A=
  }=0A=
=0A=
  if (Drupal.settings.extlink.extAlert) {=0A=
    // Add pop-up click-through dialog.=0A=
    $(external_links).click(function(e) {=0A=
      return confirm(Drupal.settings.extlink.extAlertText);=0A=
    });=0A=
  }=0A=
=0A=
  // Work around for Internet Explorer box model problems.=0A=
  if (($.support && !($.support.boxModel =3D=3D=3D undefined) && =
  !$support.boxModel) || ($.browser.msie && parseInt($.browser.version) =

```

```
<=3D 7)) {=0A=
    $('span.ext, span.mailto').css('display', 'inline-block');=0A=
  }=0A=
}=0A=
=0A=
Drupal.behaviors.extlink =3D {=0A=
  attach: function(context){=0A=
    extlinkAttach(context);=0A=
  }=0A=
}=0A=
=0A=
})(jQuery);=0A=
```

```
-----=_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: application/octet-stream
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/all/libraries/foresee/foresee-trigger.js?
nuogak
```

```
// Initialize with options
var $$FSR =3D {
  'timestamp': 'February 10, 2012 @ 9:13 AM',
  'version': '11.2.2',
  'enabled': true,
  'sessionreplay': true,
  'auto' : true,
  'encode' : true,
  'files': '/bts/sites/all/libraries/foresee/',
  'id': '6DD14AD5GltepZtHIfIkMw=3D=3D',
  'definition': 'foresee-surveydef.js',
  'replay_id': 'bts.gov',
  'renderer': 'W3C', // or "ASRECORDED"
  'layout': 'CENTERFIXED', // or "LEFTFIXED" or "LEFTSTRETCH" or =
"CENTERSTRETCH"
  'sites': [
    {
      path: /\w+-?\w+\.(com|org|edu|gov|net|co\.uk)/
    },
    {
      path: '.',
      domain: 'default'
    }
  ],
  storageOption: 'cookie'
};
// ----- DO NOT MODIFY ANYTHING BELOW THIS =
LINE -----
(function(config){var l=3Dvoid 0,r=3D!0,t=3Dnull,v=3D!1;function =
y(){return function(){}}=0A=
(function(w){function =
N(a,c){g.controller.execute(g.controller.lb,b._sd(),{sp:a,when:c,qualifie=
r:l,invite:v})}function =
Y(a,c,b){setTimeout(function(){a.Qc(c,b)},1)}function I(a){return =
w.orientation?0=3D=3Dw.orientation?a.p?a.p:a.a.l?a.l:a.a.p?a.p:a}function=
fa(a){return =
m("<iframe>").F({zoom:1,position:"absolute",top:0,left:0,height:a.h,width=
:I(a.w),zIndex:(k.rc||1E4)+2,border:"none",backgroundColor:"#fff",filter:=
"alpha(opacity=3D0)",opacity:0}).Cb({src:a.href+"shim.gif",frameborder:0,=
scrolling:"no",alt:"Survey Invitation Helper Window - Please Ignore",=0A=
width:I(a.w),height:a.h})}function ga(a){var =
a=3Db.A({bgcolor:"#333",opacity:0.8,hide:v},a),c=3Du.q,d=3Dm("<div =
class=3D'fsrmodal'>").F({display:"block",position:"fixed",top:0,left:0,wi=
dth:"100%",height:"100%",zIndex:k.rc||1E4}),e=3D!s.compatMode||"CSS1Compa=
```

```
t=3D=3Ds.compatMode?s.getElementsByTagName("html")[0]:s.body,a=3Dm("<div=
=
class=3D'fsrcscreen">").F({display:"block",position:"absolute",left:0,top:=
0,width:"100%",height:Math.max(e.scrollHeight,e.clientHeight),backgroundC=
olor:a.bgcolor,opacity:a.opacity,filter:"alpha(opacity=3D"+0A=
Math.floor(100*a.opacity)+"%)});d.append(a);"Explorer"=3D=3Dc.type&&(d.F(=
{position:"absolute",left:0}),c=3Dfunction(){arguments.callee.Ma.F({top:a=
rguments.callee.Lc.scrollTop}),c.Ma=3Dd,c.Lc=3Dm(s.body)[0],Z=3DsetInter=
val(c,80)});return d}function z(a,c){return(c?a.get(c):a)||""}function =
L(a){return[a||f.g.j(),(a||f.g.j()).get("cp")||{}]}function =
ha(a,c,b){var e=3Dfunction(a,c){return =
function(b){c.call(a,b)}}(a,b);"beforeunload"=3D=3Dc?a.onbeforeunload=3Da=
.onbeforeunload?function(a,c,b){return function(){a.apply(c,0A=
[]);b.apply(c,[])}}(a.onbeforeunload,a,b):b:"mouseenter"=3D=3D=3Dc?a.atta=
chEvent?a.attachEvent("on"+c,e):a.addEventListener("mouseover",j.uc.Jd(b)=
,v):"mouseleave"=3D=3D=3Dc?a.attachEvent?a.attachEvent("on"+c,e):a.addEve=
ntListener("mouseout",j.uc.Kd(b),v):(J[ia++]=3D{Xc:b,Ac:e},a.attachEvent?=
a.attachEvent("on"+c,e):a.addEventListener(c,e,v))}function =
$(a,c){if(""=3D=3D=3Da&&c)return c;var d=3Da.split(" =
"),e=3Dd.shift(),h;if("#"=3D=3De.charAt(0)){var =
i=3Db.Ec(e.substring(1));h=3Di?[i]:[];else{h=3D"."!=3D=3De.charAt(0)?e.sp=
lit(" ")[0]:"*";=0A=
var =
f=3De.split("."),g=3Dt;-1!=3Db.z("[",h)&&(g=3Dh,h=3Dh.substr(0,b.z("[",h)=
));for(var i=3Dfunction(a){var =
c=3Darguments.callee,d;if(!(d=3D!c.Vc))if(d=3Dc.Jc,0=3D=3Da.className.len=
gth)d=3Dv;else{for(var e=3Da.className.split(" =
"),h=3Dd.length,i=3D0;i<d.length;i++)b.Lb(d[i],e)&&h--;d=3D0=3D=3Dh}if(d=&
&(!c.Uc||ja(a,c.attributes)))return =
a},k=3D[],n=3D0;n<c.length;n++)for(var =
D=3Dc[n].getElementsByTagName(h),O=3D0;O<D.length;O++)k.push(D[0]);f&&f.s=
hift();h=3D[];i.Jc=3Df;if(g!=3Dt)var =
P=3Db.z("[",g),P=3Dg.substring(P+1,g.lastIndexOf("")).split("]");i.attr=
ibutes=3D=0A=
g!=3Dt?P:t;i.Vc=3D-1!=3Db.z(".",e)&&0<f.length;i.Uc=3Dg!=3Dt;for(e=3D0;e<=
k.length;e++)i(k[e])&&h.push(k[e])}return $(d.join(" "),h)}function =
ja(a,c){function d(a){var =
c=3D"";b.m(["!", "*", "~", "$", "^"],function(d,e){if(-1!=3Db.z(e,a))return =
c=3De,v});return c}for(var e=3Dr,h=3D0;h<c.length;h++){var =
i=3Dc[h].split("=3D"),f=3Di.shift(),i=3D2<i.length?i.join("=3D"):i[0],g=3D=
d(f)+"=3D",k=3Dfunction(a,c){var b=3Da.match(c);return =
b&&0<b.length,f=3D"=3D"!=3Dg?f.substring(0,f.length-1):f,f=3Da.getAttrib=
ute(f);switch(g){case "=3D":e&=3Df=3D=3D=3Di;break;case "!=3D":e&=3D=0A=
f!=3D=3Di;break;case "*=3D":e&=3Dk(f,i);break;case =
"~=3D":e&=3Dk(f,RegExp("\\b"+i+"\\b","g"));break;case =
"^=3D":e&=3Dk(f,RegExp("^"+i));break;case =
"$=3D":e&=3Dk(f,RegExp(i+"$"));break;default:e=3Dv}}return e}function =
b(a){g=3Db.A(g,a)}var =
g=3D{},k=3D{},n=3Dn=3Dthis,s=3Dn.document;b.Ja=3D!n.opera&&!s.attachEven=
t;b.ub=3D864E5;var =
K=3DObject.prototype.hasOwnProperty,Q=3DObject.prototype.toString,aa=3D[]=
,R=3Dv,A=3Dv,H;b.r=3Dfunction(a){return =
t!=3D=3Da&&l!=3D=3Da};b.K=3Dfunction(a){return"[object =
Function]"=3D=3D=3DQ.call(a)};b.C=3Dfunction(a){return"[object =
Array]"=3D=3D=3D=0A=
Q.call(a)};b.O=3Dfunction(a){return"string"=3D=3D=3Dtypeof =
a};b.Ka=3Dfunction(a){return"number"=3D=3D=3Dtypeof =
a};b.ba=3Dfunction(a){if(!a||"[object =
Object]"!=3D=3DQ.call(a)||a.nodeType||a.setInterval||a.constructor&&!K.ca=
ll(a,"constructor")&&!K.call(a.constructor.prototype,"isPrototypeOf"))ret=
urn v;for(var c in a);return =
c=3D=3D=3Dl||K.call(a,c)||!K.call(a,c)&&K.call(Object.prototype,c)};b.A=3D=
function(){var =
a=3Darguments[0]||{},c=3D1,d=3Darguments.length,e,h,f;"object"!=3D=3Dtype=
```

```
of a&&!b.K(a)&&(a=3D{});d=3D=3D=3Dc&&(a=3Dthis,--c);for(;c<d;c++)if((e=3D=0A=
arguments[c])!=3Dt)for(h in =
e)f=3De[h],a!=3D=3Df&&f!=3D=3Dl&&(a[h]=3Df);return =
a};b.rb=3Dfunction(a){var c;if(b.ba(a)){c=3D{};for(var d in =
a)c[d]=3Db.rb(a[d])}else if(b.C(a)){c=3D[];d=3D0;for(var =
e=3Da.length;d<e;d++)c[d]=3Db.rb(a[d])}else c=3Da;return =
c};b.ta=3Dfunction(){for(var =
a=3D{},c=3D0,d=3Darguments.length;c<d;c++){var =
e=3Darguments[c];if(b.ba(e))for(var h in e){var =
f=3De[h],g=3Da[h];a[h]=3Dg&&b.ba(f)&&b.ba(g)?b.ta(g,f):b.rb(f)}}return =
a};b.Na=3Dy();b.now=3Dfunction(){return+new =
Date};b.z=3Dfunction(a,c){if(b.C(c)||b.ba(c)){for(var d in =
c)if(c[d]=3D=3D=3D=0A=
a)return =
d;return-1}return(""+c).indexOf(a)};b.Lb=3Dfunction(a,c){return-1!=3Db.z(=
a,c)};b.m=3Dfunction(a,c){var =
d,e=3D0,h=3Da.length;if(h=3D=3D=3Dl||b.K(a))for(d in =
a){if(c.call(a[d],d,a[d])=3D=3D=3Dv)break}else =
for(d=3Da[0];e<h&&c.call(d,e,d)!=3D=3Dv;d=3Da[++e]);return =
a};b.Ec=3Dfunction(a){return =
s.getElementById(a)};b.trim=3Dfunction(a){return =
a.toString().replace(/\s+/g," =
").replace(/^\s+|\s+$/g,"")};b.Mc=3Dfunction(a){return =
a.toString().replace(/([-. *+?^${}()|[\]\ \\/])/g,"\\$1")};b.$=3Dfunction(a=
,c,b){for(var e=3Da.split("."),c=3Dc[e.shift()],=0A=
h=3Db,f;c!=3Dt&&0<e.length;)c=3Dc[e.shift()];if(c){e=3Da.split(".");for(f=
;e.length&&(f=3De.shift());)h=3Dh[f]?h[f]:h[f]=3D{};e=3Da.split(".");h=3D=
b;for(f;e.length&&(f=3De.shift());)0<e.length?h=3Dh[f]:h[f]=3Dc}};b.X=3Df=
unction(){return s.location.href};b.Fa=3Dfunction(){return =
s.referrer};b.Ea=3Dfunction(){return =
s.location.protocol};b.Ga=3Dfunction(a){return =
encodeURIComponent(a)};b.U=3Dfunction(a){return =
decodeURIComponent(a)};b.Za=3Dthis;b.Y=3Dfunction(a,c){a&&b.r(c)&&(a=3Dfu=
nction(a,c,b){return function(){setTimeout(function(a,c){return =
function(){c.call(a)}}(a,=0A=
c),b)}}(b.Za,a,c));if(!R&&b.K(a))aa.push(a);else =
if(R&&b.K(a))a.call(b.Za);else if(a=3D=3D=3Dl){R=3Dr;for(var =
d;d=3Daa.shift();)d.call(b.Za)}};b.vb=3Dt;b.Y(function(){b.vb=3Ds.getElem=
entsByTagName("head")[0]||s.documentElement});b.gb=3Dfunction(a,c,d){var =
d=3Dd||b.Na,e=3Ds.createElement(c);if(!(c=3D"script"=3D=3D=3Dc)e.rel=3D"=
stylesheet",e.media=3D"screen";e.type=3Dc?"text/javascript":"text/css";c&=
&(b.Ja?e.onreadystatechange=3Dfunction(){("loaded"=3D=3Dthis.readyState||=
"complete"=3D=3Dthis.readyState)&&d("ok")}:e.onload=3Dfunction(){d("ok")}=
,=0A=
e.onerror=3Dfunction(){d("error")});e[c?"src":"href"]=3D0=3D=3Db.z("//",a=
)?b.Ea()+a:a;b.vb.appendChild(e);if(!c){var h,f;"sheet"in =
e?(h=3D"sheet",f=3D"cssRules):(h=3D"styleSheet",f=3D"rules");var =
g=3DsetInterval(function(){try{e[h]&&e[h][f].length&&(clearInterval(g),cl=
earTimeout(C),d(r,e))}catch(a){}finally{}}},10),C=3DsetTimeout(function(){=
clearInterval(g);clearTimeout(C);d(v,e)},2500)};b.Qd=3Dfunction(a){var =
c=3Db.now(),d;do =
d=3Db.now();while(d-c<a)};s.addEventListener?H=3Dfunction(){s.removeEvent=
Listener("DOMContentLoaded",=0A=
H,v)};b.Y():b.Ja&&(H=3Dfunction(){"complete"=3D=3D=3Ds.readyState&&(s.det=
achEvent("onreadystatechange",H),b.Y())));if(!A){A=3Dr;if("complete"=3D=3D=
=3Ds.readyState)return =
b.Y();s.addEventListener("DOMContentLoaded",H,v),w.ad=
dEventListener("load",b.Y,v):b.Ja&&(s.attachEvent("onreadystatechange",H=
),w.attachEvent("onload",b.Y))}b.startTime=3Db.now();n.FSR=3Db;n.FSR.opts=
=3Dg;n.FSR.prop=3Dk;b.g=3D{};b.g.xc=3D{};var o=3Db.g.xc;b.g.tc=3D{};var =
j=3Db.g.tc,E;E||(E=3D{});(function(a){return a instanceof =
Date?0A=
isFinite(this.valueOf())?this.getUTCFullYear()+"-"+c(this.getUTCMonth()+1=
)+"-"+c(this.getUTCDate())+"T"+c(this.getUTCHours())+"":"+c(this.getUTCMin=
```

```
utes()+": "+c(this.getUTCSeconds()+"Z":t:a.valueOf())function =
c(a){return 10>a?"0"+a:a}function b(a){f.lastIndex=3D0;return =
f.test(a)?''+a.replace(f,function(a){var =
c=3Dk[a];return"string"=3D=3D=3Dtypeof =
c?c:"\\u"+("0000"+a.charCodeAt(0).toString(16)).slice(-4)}})+'':''+a+' '=
}function e(c,h){var f,i,k,p,o=3Dg,j,m=3Dh[c];m&&"object"=3D=3D=3Dtypeof =
m&&(m instanceof Date||=0A=
m instanceof Date||m instanceof Boolean||m instanceof String||m =
instanceof Number)&&(m=3Da(m));"function"=3D=3D=3Dtypeof =
n&&(m=3Dn.call(h,c,m));switch(typeof m){case "string":return b(m);case =
"number":return isFinite(m)?''+m:"null";case "boolean":case =
>null":return''+m;case =
"object":if(!m)return"null";g+=3DC;j=3D[];if("[object =
Array]"=3D=3D=3DObject.prototype.toString.apply(m)){p=3Dm.length;for(f=3D=
0;f<p;f+=3D1)j[f]=3De(f,m)||"null";k=3D0=3D=3D=3Dj.length?"["]:g?"[\n"+g+=
j.join(", \n"+g)+"\n"+o+"]":["+j.join(",")+"];g=3Do;return k}if(n&&=0A=
"object"=3D=3D=3Dtypeof =
n){p=3Dn.length;for(f=3D0;f<p;f+=3D1)"string"=3D=3D=3Dtypeof =
n[f]&&(i=3Dn[f],(k=3De(i,m))&&j.push(b(i)+(g?": ":"")+k))}else for(i in =
m)Object.prototype.hasOwnProperty.call(m,i)&&(k=3De(i,m))&&j.push(b(i)+(g=
?": =
": ":"")+k);k=3D0=3D=3D=3Dj.length?"{}":g?"{\n"+g+j.join(", \n"+g)+"\n"+o+"}=
": "{ "+j.join(",")+"}";g=3Do;return k}}var =
h=3D/[\\u0000\\u00ad\\u0600-\\u0604\\u070f\\u17b4\\u17b5\\u200c-\\u200f\\u2028-\\u20=
2f\\u2060-\\u206f\\uffff\\uffff0-\\uffff]/g,f=3D/[\\x00-\\x1f\\x7f-\\x9f\\u00ad\\=
u0600-\\u0604\\u070f\\u17b4\\u17b5\\u200c-\\u200f\\u2028-\\u202f\\u2060-\\u206f\\ufe=
ff\\uffff0-\\uffff]/g,=0A=
g,C,k=3D{"\\u0008": "\\b", "\\t": "\\t", "\\n": "\\n", "\\u000c": "\\f", "\\r": "\\r", '=
": '\\\\', "\\": "\\\\"},n;"function"!=3D=3Dtypeof =
E.stringify&&(E.stringify=3Dfunction(a,c,b){var =
d;C=3Dg=3D"";if("number"=3D=3D=3Dtypeof b)for(d=3D0;d<b;d+=3D1)C+=3D" =
";else"string"=3D=3D=3Dtypeof =
b&&(C=3Db);if((n=3Dc)&&"function"!=3D=3Dtypeof c&&("object"!=3D=3Dtypeof =
c||"number"!=3D=3Dtypeof c.length))throw Error("JSON.stringify");return =
e("",{"":a});}"function"!=3D=3Dtypeof =
E.parse&&(E.parse=3Dfunction(a,c){function b(a,d){var =
e,h,f=3Da[d];if(f&&"object"=3D=3D=3Dtypeof f)for(e in =
f)Object.prototype.hasOwnProperty.call(f,=0A=
e)&&(h=3Db(f,e),h!=3D=3Dl?f[e]=3Dh:delete f[e]);return c.call(a,d,f)}var =
d,a=3D""+a;h.lastIndex=3D0;h.test(a)&&(a=3Da.replace(h,function(a){return=
"\\u"+("0000"+a.charCodeAt(0).toString(16)).slice(-4)}));if(/^[\\], :{}\\s]*=
$.test(a.replace(/\\((?:[\\\\"\\/bfnrt]|u[0-9a-fA-F]{4})/g,"@").replace(/^[^=
"\\n\\r]*|true|false|null|-?\\d+(?:\\.\\d*)?(?:[eE][+\\-]?\\d+)?/g,"").repla=
ce(/(?:^|:|,)(?:\\s*\\[\\+\\/g,""))return d=3D(new Function("return =
"+a))(),"function"=3D=3D=3Dtypeof c?b({"":d},""):d;throw new =
SyntaxError("JSON.parse");}})();=0A=
b.g.JSON=3DE;b.g.f=3D{};var =
f=3Db.g.f,S=3D1,T=3D9,U=3DArray.prototype.slice;j.wc=3Dfunction(a,c){c=3D=
c||s;if(a.nodeType&&a.nodeType=3D=3D=3DT&&(a=3Ds.body,a=3D=3D=3Dt))return=
[s];if(a.nodeType&&a.nodeType=3D=3D=3DS)return[a];if(a.ea&&b.0(a.ea))retu=
rn U.call(a,0);c&&(c=3Dj.k.Xa(c));if(b.C(a))return a;if(b.0(a)){for(var =
d=3D[],e=3D0;e<c.length;e++)d=3Dd.concat($a,[c[e]]);return d}return =
t};o.G=3D{};o.G.J=3Dfunction(){this.ya=3D[]};o.G.J.prototype.yd=3Dfunctio=
n(a){this.ya[this.ya.length]=3D{wc:v,Gc:a}};o.G.J.prototype.N=3Dfunction(=
){for(var a=3D0;a<this.ya.length;a++){var c=3D=0A=
this.ya[a];c.Gc.apply(this,arguments);c.Wc&&(this.ya.splice(a,1),a--)};o=
.Kb=3Dfunction(){for(var =
a=3Dn.navigator.userAgent.replace(/\\s\\|\\.\\|\\(|:)/gim,""),c=3D"",d=3Db.=
now()+""e=3D0;e<a.length-1;e+=3Da.length/7)c+=3DNumber(a.charCodeAt(Math=
.round(e)%16).toString(16));7<c.length&&(c=3Dc.substr(c.length-7));return=
=
c+"-"+a.length+d.substr(d.length-6)+"-xxxx-xxxx-xxxxx".replace(/[xy]/g,fu=
nction(a){var =
c=3D16*Math.random()|0;return("x"=3D=3Da?c:c&3|8).toString(16)}});b.g.wb=3D=
```

```
{};var p=3Db.g.wb;p.oa=3D[];p.Ld=3Dfunction(a,c,d){if(a.SR&&=0A=
a.SR.updatedAt)for(var e=3D0;e<p.oa.length;e++){var =
h=3Dp.oa[e];if(h.Tb.SR&&h.Tb.SR.updatedAt=3D=3Da.SR.updatedAt){if(1500>b.=
now()-h.Fd)return =
h.xd;p.oa.splice(e,1);break}}c=3Db.g.JSON.stringify(a,c,d);p.oa[p.oa.leng=
th]=3D{Tb:a,xd:c,Fd:b.now()};return c};j.k=3Dfunction(a,c){return new =
j.k.prototype.Ia(a,c)};var =
ka=3Dw.document,ba=3DArray.prototype.push,U=3DArray.prototype.slice,S=3D1=
,T=3D9;j.k.ta=3Dfunction(a,c){var =
d=3Da.length,e=3D0;if(b.Ka(c.length))for(var =
h=3Dc.length;e<h;e++)a[d++]=3Dc[e];else =
for(;c[e]!=3D=3Dl;){a[d++]=3Dc[e++];a.length=3D=0A=
d;return a};j.k.Rd=3Dfunction(a,c){var =
d=3Dc||[];a!=3Dt&&(a.length=3D=3Dt||b.O(a)||b.K(a)||!b.K(a)&&a.setInterva=
l?ba.call(d,a):j.k.ta(d,a));return d};j.k.yb=3Dfunction(a,c){var =
b=3D{};b[a]=3Dc;return =
b};j.k.zc=3Dfunction(a){a=3Db.trim(a).toLowerCase();return =
0=3D=3Db.z("<option",a)?"SELECT":0=3D=3Db.z("<li",a)?"UL":0=3D=3Db.z("<tr=
",a)?"TBODY":0=3D=3Db.z("<td",a)?"TR":"DIV";j.k.Xa=3Dfunction(a){a.setIn=
terval||a.nodeType&&(a.nodeType=3D=3D=3DS||a.nodeType=3D=3D=3DT)?a=3D[a]:=
b.O(a)?a=3Dj.k(a).qb():a.ea&&b.O(a.ea)&&(a=3Da.qb());return =
a};j.k.Pd=3Dfunction(a,=0A=
c){var b,e=3D[],h;b=3D!!r;for(var =
f=3D0,g=3Da.length;f<g;f++)h=3D!!c(a[f],f),b!=3D=3Dh&&e.push(a[f]);return=
=
e};j.k.prototype.Ia=3Dfunction(a,c){this.length=3D0;this.ea=3D"_4cCommonD=
om.Query";if(!a)return =
this;if(a.setInterval||a.nodeType)this[0]=3Da,this.length=3D1;else{var =
d=3D[];if(a.ea&&b.O(a.ea))d=3Da.qb();else if(b.C(a))d=3Da;else =
if(b.O(a)&&0=3D=3Db.z("<",b.trim(a))&&-1!=3Db.z(">",b.trim(a))){var =
e=3Dj.k.zc(a),e=3Ds.createElement(e);e.innerHTML=3Da;b.Ja?d.push(e.firstC=
hild):d.push(e.removeChild(e.firstChild))}else{if(-1!=3Db.z(",",a)){d=3D=0A=
a.split(",");for(e=3D0;e<d.length;e++)d[e]=3Db.trim(d[e])}else =
d=3D[a];for(var =
e=3D[],f=3D0;f<d.length;f++)e=3De.concat(j.wc(d[f],c));d=3De}ba.apply(thi=
s,d)}return this};j.k.prototype.m=3Dfunction(a){return =
b.m(this,a)};j.k.prototype.qb=3Dfunction(){return =
U.call(this,0)};j.k.prototype.constructor=3Dj.k;j.k.prototype.Ia.prototype=
e=3Dj.k.prototype;n.FSR._query=3Dfunction(a,c){return =
j.k(a,c)};p.n=3Dfunction(a,c){a||=(a=3Do.Kb());this.bb=3Da.replace(/[- =
]/g,"");p.n.S||p.n.eb();this.ua=3Dc||{};this.data=3D{};this.yc=3Dnew =
o.G.J;this.wd=3D=0A=
4E3};p.n.prototype.set=3Dfunction(a,c){this.Ya();this.S[a]=3Dc;this.pa()}=
;p.n.prototype.get=3Dfunction(a){this.Ya();return =
a?this.S[a]:this.S};p.n.prototype.Hb=3Dfunction(a){this.Ya();delete =
this.S[a];this.pa()};p.n.prototype.La=3Dfunction(){this.S=3D{};var =
a=3Dthis.ua.duration;this.ua.duration=3D-1;this.pa();a?this.ua.duration=3D=
a:delete this.ua.duration};p.n.prototype.Ya=3Dfunction(){try{var =
a=3Dp.n.Q(this.bb);this.S=3Db.g.JSON.parse(a)}catch(c){this.S=3D{}}this.S=
||(this.S=3D{)};p.n.prototype.pa=3Dfunction(){var =
a=3Db.g.JSON.stringify(this.S);=0A=
this.bb.length+b.Ga(a).length>this.wd&&this.yc.N(this);p.n.write(this.bb,=
a,this.ua)};p.n.Q=3Dfunction(a){return(a=3Dn.document.cookie.match("(?:^|=
;)\s*" + b.Mc(a) + "=3D([^\s]*)"))?b.U(a[1]):t};p.n.write=3Dfunction(a,c,d){v=
ar =
e=3D!d||!b.r(d.encode)||d.encode?b.Ga(c):c,a=3Db.Ga(a);b.m(d,function(a,c=
){if(c!=3Dt){var d;a:switch(a){case "duration":d=3D"=3D"+(new =
Date(b.now()+c*b.ub)).toGMTString();break a;case "secure":d=3D"";break =
a;default:d=3D"=3D"+c}e+=3D";"+"(duration"=3D=3D=3Da?"expires":a)+d}});n.=
document.cookie=3Da+"=3D"+e;return a.length+=0A=
e.length+2};p.n.La=3Dfunction(a,c){p.n.write(a,"",b.A(c,{duration:-1}));=
p.n.eb=3Dfunction(a){a&&a.apply(p.n)};p.n.isSupported=3Dfunction(){return=
r};var ca=3D{};f.Aa=3Dfunction(a,c){function d(a){this.xa=3Da()}var =
e=3Dca[a];if(e!=3Dt)return =
```

```
e;d.prototype.set=function(a,c){if(b.ba(a))for(var d in =
a)this.xa.set(d,a[d]);else =
this.xa.set(a,c)};d.prototype.get=function(a){return =
this.xa.get(a)};d.prototype.$a=function(a){this.xa.Hb(a)};d.prototype.H=
b=function(){this.xa.La()};return e=c[a]=new =
d(c);n.FSR._storage=function(a,=0A=
c,d){a=db.Zd.wb(a);if(d=3D=3D=3Dl&&b.O(c))return =
a.get(c);d!=3D=3Dl?a.set(c,d):c!=3D=3Dl&&a.set(c);return =
a.Nd()};f.L=3D{};f.L.zd=3D{host:"survey.foreseeresults.com",path:"/survey=
",url:"/display"};f.L.B=3D{host:"controller.4seeresults.com",path:"/fsrSu=
rvey",url:"/OTCIImg",Va:3};f.L.event=3D{host:"events.foreseeresults.com",p=
ath:"/rec",url:"/process"};f.L.domain=3D{host:"survey.foreseeresults.com"=
,path:"/survey",url:"/FSRImg",Va:3};f.L.qd=3D{host:"replaycontroller.4see=
results.com",path:"/images",enabled:v};b.g.xb=3D{};var u=db.g.xb;=0A=
o.u=3D{};o.u.wa=function(){return =
0+100*Math.random()};o.u.na=function(a,c,d){var =
e=3D"";a&&b.m(a,function(a,f){e+=3D(0!=3De.length?"&":"")+c?c+"["+a+"]":=
a)+"=3D"+(d?f:b.Ga(f))});return =
e};o.u.hash=function(a){a=3Da.split("_");return =
3*a[0]+1357+""+(9*a[1]+58)};o.u.Vb=function(a){a=3Da.replace(/[\[\]/,"\\=
").replace(/[\]\]/,"\\");a=3DRegExp("[\\?&]"+"a+"=3D("[^&#]*")").exec(b.X(=
));return a=3D=3Dt?v:a[1]};o.u.qa=function(a,c){return =
a[c]||a.files};f.g=3D{};f.g.ra=3Dfunction(a){return =
a+(g.site.cookie?" "+g.site.cookie:"");f.g.j=3D=0A=
function(a,c){var d=3Df.g.ra("fsr.s"),d=3Df.Aa(d,f.g.Ha(d));return =
a?b.r(c)?d.set(a,c):d.get(a):d};f.g.Pc=3Dfunction(a,c){var =
d=3Da.name;b.m([a.site,a.section,c,f.g.j("q"),f.g.j("l")],function(a,c){d=
+=3Dc?"-"+c:""});return =
d};f.g.Rc=3Dfunction(a){b.gb(o.u.qa(g.site,"js_files")+(g.definition||"fo=
resee-surveydef.js"),"script",function(c){"ok"=3D=3D=3Dc&&(b.A(k,b.proper=
ties),g.za=3Dg.surveydefs=db.surveydefs,a())}}};f.g.log=3Dfunction(a,c){=
if(k.events.enabled){var =
d=3Df.g.j(),e=3Dd.get("sd");b.r(e)||e=3Dd.get("cd");var e=3Dg.za[e],=0A=
h=3Dnew Date;(new =
x.P(f.L.event,"logit")).send({cid:g.id,rid:d.get("rid")||"",cat:e.name,se=
c:e.section||"",type:d.get("q")||"",site:g.site.name||"",lang:d.get("l")|=
|b.$$.locale||"",msg:a,param:c,tms:h.getTime(),tmz:6E4*h.getTimezoneOffse=
t()}});f.g.Ha=3Dfunction(a){var c;switch(g.storageOption){case =
"window":c=3Dfunction(){var a=3Darguments.callee;return new =
p.Id(a.Sb,a.Jb|{|})};break;default:c=3Dfunction(){var =
a=3Darguments.callee;return new =
p.n(a.Sb,b.A({path:"/",domain:a.ib.site.domain,secure:a.ib.site.secure,=0A=
encode:a.ib.encode},a.Jb|{|})}}c.Sb=3Da;c.ib=3Dg;c.Jb=3Dl;return c};var =
F=3Dnavigator.userAgent,G=3D[{"la:F,ia:"Chrome",T:"Chrome"},{"la:navigator.=
vendor,ia:"Apple",T:"Safari",sb:"Version"},{"Zc:w.opera,T:"Opera"},{"la:F,i=
a:"Firefox",T:"Firefox"},{"la:F,ia:"Netscape",T:"Netscape"},{"la:F,ia:"MSIE=
",T:"Explorer",sb:"MSIE"},{"la:F,ia:"Gecko",T:"Mozilla",sb:"rv"}],V;u.q=3D=
{Yd:F};u.q.platform=3D(navigator.platform.match(/mac|win32|linux|iphone|i=
pad|ipod|blackberry|wince|android/i)||["other"])[0].toLowerCase();navigat=
or.userAgent.match(/android/i)&&=0A=
(u.q.platform=3D"android");navigator.userAgent.match(/windows =
phone/i)&&(u.q.platform=3D"winmobile");"other"=3D=3Du.q.platform&&n.orien=
tation!=3Dl&&(u.q.platform=3D"mobile");u.q.type=3Dfunction(){for(var =
a=3D0;a<G.length;a++){var =
c=3DG[a].la,d=3DG[a].Zc;V=3DG[a].sb|G[a].T;if(c&&-1!=3Db.z(G[a].ia,c)||d=
)return G[a].T}return"unknown"};u.q.version=3Dfunction(){var =
a=3D"unknown";b.m([F,navigator.appVersion],function(c,d){var =
e=3Db.z(V,d);if(-1!=3De)return =
a=3DparseFloat(d.substring(e+V.length+1),v)});return =
a}();u.q.Nc=3Dfunction(){try{var a;=0A=
a=3Dnavigator.plugins["Shockwave Flash"?navigator.plugins["Shockwave =
Flash"].description:(new =
ActiveXObject("ShockwaveFlash.ShockwaveFlash")).GetVariable("$version")||=
"0 r0";a=3Da.match(/\\d+/g);return =
```

```
parseInt(a[0]||"0."+a[1]||0)}catch(c){return"0 =
r0"}}();u.q.name=3Du.q.type;u.q.jb=3D"Unknown";b.m(["win32","Windows"],[=
"mac","Mac"],["linux","Linux"],["iphone","iOS"],["ipad","iOS"],["ipad","i=
OS"],["android","Android"],["blackberry","Blackberry"],["winmobile","Wind=
ows Phone"]],function(a,c){u.q.platform=3D=3D=3D=0A=
c[0]&&(u.q.jb=3Dc[1])};"blackberry"=3D=3Du.q.platform&&"Safari"!=3Du.q.t=
ype&&(u.q.platform=3D"other");var =
ia=3D100,J=3D{};j.k.prototype.bind=3Dfunction(a,c){return =
this.m(function(){ha(this,a,c)});j.k.prototype.Bd=3Dfunction(a){this.m(f=
unction(){var c,b=3Dt,e;for(e in =
J)if(J[e].Xc=3D=3D=3Da){c=3DJ[e].Ac;b=3De;break}b!=3Dt&&(this.detachEvent=
?this.detachEvent("onkeyup",c):this.removeEventListener("keyup",c,v),dele=
te =
J[b])});j.k.prototype.H=3Dfunction(a){return!a?this:this.m(function(){if=
(0!=3Dthis.className.length){var c=3Dthis.className.split(" ");=0A=
b.m(a.split(" =
"),function(a,e){b.Lb(e,c)||c.push(e)});this.className=3Dc.join(" =
")}else =
this.className=3Da)}};j.k.prototype.hc=3Dfunction(a){!a||this.m(function(=
){if(0!=3Dthis.className.length){var c=3Dthis.className.split(" =
");b.m(a.split(" "),function(a,e){var =
f=3Db.z(e,c);-1!=3Df&&c.splice(f,1)});this.className=3Dc.join(" =
")});j.k.prototype.F=3Dfunction(a,c){if(b.O(a)&&c=3D=3Dt)return =
this[0].style[a];a=3Db.O(a)?j.k.yb(a,c):a;return this.m(function(){var =
c=3Dthis,e=3D{opacity:1,zIndex:1,zoom:1};b.r(c.style)&&b.m(a,function(a,=0A=
b){b=3D""+b;isNaN(Number(b))||(b=3D!e[a]?b+"px":b);c.style[a]=3Db)}});j.=
k.prototype.height=3Dfunction(a){if(a)return =
this.F("height",a+(-1=3D=3Db.z("px",a)?"px":""));a=3D"undefined"!=3Dtypeo=
f =
this[0].currentStyle?this[0].currentStyle:ka.defaultView.getComputedStyle=
(this[0],t);return"auto"=3D=3Da.height?this[0].clientHeight:parseInt(a.he=
ight,10)};j.k.prototype.Cb=3Dfunction(a,c){return =
b.O(a)&&c=3D=3Dt?this[0]?this[0].getAttribute(a):"":this.m(function(){a=3D=
b.O(a)?j.k.yb(a,c):a;for(var d in =
a)this.setAttribute(d,a[d])});j.k.prototype.append=3D=0A=
function(a){a=3Dj.k.Xa(a);return this.m(function(){for(var =
c=3D0;c<a.length;c++)this.appendChild(a[c])});j.k.prototype.Dc=3Dfunctio=
n(a){a=3Dj.k.Xa(a);this.m(function(){for(var =
c=3Dthis.parentNode,b=3D0;b<a.length;b++)c.insertBefore(a[b],this)});j.k=
.prototype.remove=3Dfunction(a){return =
this.m(function(){a?m(a,this).remove():this.parentNode.removeChild(this)}=
)};b.g.vc=3D{};var =
x=3Db.g.vc,W=3D{};da=3D["onload","onerror","onabort"];b.m(da,function(a,c=
){W[c]=3Dfunction(){this.Oa(0=3D=3Darguments.callee.T?1:0);this.Ta=3Dv};W=
[c].T=3D=0A=
a});x.P=3Dfunction(a,c){this.options=3Db.A({},a);this.Ta=3Dv;this.event=3D=
c;this.tb=3D0;return =
this};x.P.prototype.Oa=3Dfunction(a,c){if(this.Ta)switch(this.Ta=3Dv,this=
.status=3Da,a){case 1:(this.options.onSuccess||b.Na)(c);break;case =
0:this.event?this.Ad():(this.options.onFailure||b.Na)(c);break;case =
-1:(this.options.onError||b.Na)(c)};x.P.prototype.Ad=3Dfunction(){if(3>t=
his.tb)this.zb();else =
this.onFailure();x.P.prototype.Ab=3Dfunction(a,c){this.Ta=3Dr;var =
d=3Dthis,e=3Do.u.na(b.A(a,{uid:b.now()})),e=3Db.Ea()+"/"+this.options.ho=
st+=0A=
this.options.path+this.options.url+"?"e,c=3Db.A({},W,c),f=3Dnew =
Image;b.m(da,function(a,b){f[b]=3Dfunction(){var =
a=3Darguments.callee;a.sa.onload=3Da.sa.onerror=3Da.sa.onabort=3Dt;a.Oc.c=
all(a.self,a.sa);a.sa=3Dt};f[b].Oc=3Dc[b];f[b].sa=3Df;f[b].self=3Dd});f.s=
rc=3De};x.P.prototype.send=3Dfunction(a){this.Ed=3Da;this.zb();x.P.proto=
type.Pa=3Dfunction(){this.Ab(b.A(this.options.Wb,{protocol:b.Ea()}),{onlo=
ad:function(a){!this.options.Va||a.width=3D=3Dthis.options.Va?this.Oa(1,a=
.width):this.Oa(0,a.width)},onerror:function(){this.Oa(-1)}});=0A=
x.P.prototype.zb=3Dfunction(){var =
```

```
a;this.tb++;a=3Db.A({event:this.event,ver:this.tb},this.Ed,a);this.Ab(a)}=
;f.Hd=3D{};b.cb=3Dfunction(){s.cookie=3D"fsr.a"+(g.site.cookie?". "+g.site=
.cookie:"")+3D"+b.now()+";path=3D/"+(g.site.domain?"domain=3D"+g.site.=
domain+";":"")+3D"(g.site.secure?"secure":"")};for(var =
A=3D$$$FSR.sites,B=3D0,la=3DA.length;B<la;B++){var =
M;b.C(A[B].path)|(A[B].path=3D[A[B].path]);for(var =
X=3D0,ma=3DA[B].path.length;X<ma;X++)if(M=3Db.X().match(A[B].path[X])){g.=
siteid=3DB;g.site=3D$$$FSR.sites[B];g.site.domain?"default"=3D=3D=0A=
g.site.domain&&(g.site.domain=3Dt):g.site.domain=3DM[0];g.site.secure|(g=
.site.secure=3Dt);g.site.name|(g.site.name=3DM[0]);b.m("files,js_files,i=
mage_files,html_files,css_files,swf_files".split(","),function(a,c){g.sit=
e[c]|$$$FSR[c]&&(g.site[c]=3D$$$FSR[c])};break}if(M)break}n.fsr$timer|(b=
.cb()),n.fsr$timer=3DsetInterval(b.cb,1E3);f.D=3D{};f.D.set=3Dfunction(a,=
c,b){b=3DL(b);b[1][a]=3Dc;b[0].set("cp",b[1])};f.D.get=3Dfunction(a,c){re=
turn L(c)[0][a];f.D.$a=3Dfunction(a,c){var b=3DL(c);delete =
b[1][a];b[0].set("cp",b[1])};=0A=
f.D.append=3Dfunction(a,c,b){b=3DL(b);b[1][a]=3Db[1][a]?b[1][a]+",""+c;c;b=
[0].set("cp",b[1])};f.D.na=3Dfunction(a){var =
a=3Da|f.g.j(),c=3Da.get("sd");b.r(c)|(c=3Da.get("cd"));c=3Dg.za[c];a=3D=
{browser:u.q.name+" =
"+u.q.version,os:u.q.jb,pv:a.get("pv"),url:z(a,"c"),ref_url:z(a,"ru"),loc=
ale:z(a,"l"),site:z(g.site.name),section:z(c.section),referrer:z(a,"r"),t=
erms:z(a,"st"),sessionid:z(a,"rid"),replay_id:z(a,"mid"),flash:u.q.Nc};FS=
R.g.xb.q.jb.match(/android|IOS|blackberry|firefox/i)&&(a.screen=3Dscreen.=
width+"x"+screen.height);=0A=
k.meta.user_agent&&(a.user_agent=3Dnavigator.userAgent);if(k.analytics.go=
ogle){var =
d=3Dp.n.Q("__utma"),c=3Dp.n.Q("__utmz");d&&"!"=3Dd&&(d=3Dd.split("."),a.f=
irst=3Dd[2],a.last=3Dd[3],a.current=3Dd[4],a.visits=3Dd[5]);if(c&&"!"=3Dc=
){var =
e=3D[];b.m(["utmclid","utmcsr","utmccn","utmcmd","utmctr"],function(a,c)=
{e.push(RegExp(c+"=3D([^\|]*)"))});if(d=3Dc.match(e[0]))a.source=3D"Goog=
le",a.campaign=3D"Google =
Adwords",a.medium=3D"cpc";else{if(d=3Dc.match(e[1]))a.source=3Dd[1];if(d=3D=
c.match(e[2]))a.campaign=3Dd[1];if(d=3Dc.match(e[3]))a.medium=3D=0A=
d[1]}if(d=3Dc.match(e[4]))a.keyword=3Dd[1]}c=3Df.g.j("cp")|{|};a=3Db.A({=
},c,a|{|});return =
o.u.na(a,"cpp");n.FSR.CPPS=3Df.D;n.FSR.CPPS.set=3Df.D.set;n.FSR.CPPS.get=
=3Df.D.get;n.FSR.CPPS.erase=3Df.D.$a;n.FSR.CPPS.append=3Df.D.append;var =
m=3Dj.k,Z=3Dt;f.fa=3Dfunction(a){this.options=3Da;this.Ua=3Dv;this.ma=3Dt=
his.body=3Dthis.ca=3Dt;this.Y=3Dr};f.fa.prototype.show=3Dfunction(){if(!t=
his.Ua){var =
a=3Dthis,c=3Dthis.options;this.ca=3Dga(c.Ma);c.Ma.hide&&this.ca.bind("cli=
ck",function(){a.V();c.I.close()});var =
d=3Dc.content.replace(/%basehref%/g,c.I.href);=0A=
this.body=3Dm("<div>").F({zoom:1,position:"absolute",width:I(c.I.w),zInde=
x:(k.rc||1E4)+5,"-webkit-text-size-adjust":I(c.I.t)}.H("fsrwin"));this.bo=
dy.bind("click",function(a){a|(a=3Dw.event);a.stopPropagation?a.stopProp=
agation():a.cancelBubble=3Dr});var =
e=3Dm("<div>").H("fsr_body");e[0].innerHTML=3Dd;d=3Dm("<div>").H("fsr_top=
_ur").append(m("<div>").H("fsr_closeSticky =
fsr_closeButton").bind("click",function(){a.V();c.I.close()}));this.body.=
append(m("<div>").H("fsr_top").append(m("<div>").H("fsr_top_ul")).append(=
d)).append(m("<div>").H("fsr_middle").append(e));=0A=
if(0<c.I.btn.length){var =
f=3Dm("<div>").H("fsr_closeButtons");b.m(c.I.btn,function(c,b){b.bind("cl=
ick",function(){a.V()});f.append(b)});this.body.append(m("<div>").H("fsr_=
closeBody").append(f)}e=3Dm("<div>").H("fsr_body");e[0].innerHTML=3Dc.fo=
oter.replace(/%basehref%/g,c.I.href);this.body.append(m("<div>").H("fsr=
_bottom").append(e));d=3D!s.compatMode|"CSS1Compat"=3D=3Ds.compatMode?s.=
getElementsByTagName("html")[0]:s.body;e=3Db.Ka(n.innerHeight)?n.innerHei=
ght:d.clientHeight;d=3Db.Ka(n.innerWidth)?n.innerWidth:=0A=
d.clientWidth;this.ma=3Dfa({w:c.I.w,h:0,href:c.I.href});this.ma.F({left:=-
5E3});this.ca.append(this.ma);this.body.F({left:-5E3});this.ca.append(thi=
```

```
s.body);m(s.body.firstChild).Dc(this.ca);var =
g=3Dthis.body.height(),j=3DI(c.I.w),d=3Dthis.ca[0].offsetWidth;this.ma.F(=
{left:(d-j)/2,top:(e-g)/2,height:g});this.body.F({left:(d-j)/2,top:(e-g)/=
2});this.Ub=3Dfunction(){a.V();a.show();w.addEventListener&&w.addEventLi=
stener("orientationchange",this.Ub,v);this.Qb=3Dfunction(c){27=3D=3D(c.ke=
yCode?c.keyCode:c.which)&&a.V();m(s).bind("keyup",=0A=
this.Qb);this.Ua=3Dr}};f.fa.prototype.V=3Dfunction(){this.Ua&&(w.removeEv=
entListener&&w.removeEventListener("orientationchange",this.Ub,v),m(s).Bd=
(this.Qb),this.body.remove(),this.ma&&(this.ma.remove(),n.clearInterval(Z=
)),this.ca.remove(),this.Ua=3Dv)};f.fa.prototype.ha=3Dfunction(){this.V(=
);this.options.I.ha();f.fa.prototype.Da=3Dfunction(){this.V();this.option=
s.I.Da();f.fa.prototype.Ra=3Dfunction(){this.V();this.options.I.Ra()};f.=
Z=3D{};f.Z.rd=3Dfunction(){b.r(b.Wa)&&b.r(b.Sa)&&(b.Sa.Wd(),f.g.j("mid",b=
.Sa.Ud.Od))};=0A=
f.Z.Ba=3Dfunction(){if(b.r(b.Wa))var =
a=3DsetInterval(function(){b.r(b.Sa)&&(clearInterval(a),b.Sa.Vd())},250)}=
;var =
ea=3D{Explorer:5.5,Safari:2,Firefox:1.4},m=3Dj.k,q=3D{invite:l,qualifier:=
l,locale:l,canceled:v};b.f=3Dfunction(a){b.A(this,{options:b.A({},a),Pb:v=
,Rb:v,ob:t,M:l,Bb:v,pc:v,Md:l,Ib:[],Xd:t,aa:t,va:t,Gb:t,ka:t});g.controll=
er=3Dthis;this.Gd();b.f.loaded=3Dnew o.G.J;b.f.Mb=3Dnew =
o.G.J;b.f.mc=3Dnew o.G.J;b.f.fb=3Dnew o.G.J;b.f.Nb=3Dnew =
o.G.J;b.f.Ob=3Dnew o.G.J;b.f.oc=3Dnew o.G.J;b.f.nc=3Dnew =
o.G.J;b.f.gc=3Dnew o.G.J;b.f.kc=3D=0A=
new =
o.G.J;b.f.prototype.Gd=3Dfunction(){b.f.R.ab&&b.m(["loaded",b.f.loaded], =
["initialized",b.f.Mb],["surveyDefChanged",b.f.mc],["inviteShown",b.f.fb]=
,["inviteAccepted",b.f.Nb],["inviteDeclined",b.f.Ob],["trackerShown",b.f.=
oc],["trackerCanceled",b.f.nc],["qualifierShown",b.f.gc],["surveyShown",b=
.f.kc]],function(a,c){b.K(b.f.R.ab[c[0]])&&c[1].yd(b.f.R.ab[c[0]])});b.f.=
.prototype.B=3Dfunction(a){switch(a){case 3:return b.r(f.g.j("t"));case =
2:return b.r(f.g.j("i"));case 1:return 1=3D=3D=3Df.g.j("i");case =
4:return b.r(f.g.j("s"))}return v};=0A=
b.f.prototype.load=3Dfunction(){n.__$$FSRINIT$$__&&n.__$$FSRINIT$$__=3D=3D=
=3Dr||(n.__$$FSRINIT$$__=3Dr,g.auto&&this.execute(this.ic,r));b.f.protot=
ype.execute=3Dfunction(){if(g.enabled&&(k.ignoreWindowTopCheck|n=3D=3Dn.=
top)){for(var =
a=3D[],c=3D0;c<arguments.length;c++)a.push(arguments[c]);var =
c=3Da.shift(),b=3Dthis;this.Pb?0!=3Dthis.M&&c.apply(b,a):(this.Ib.push({f=
n:c,args:a}),this.Rb||(this.Rb=3Dr,f.g.Rc(function(){b.eb()}))));b.f.pro=
TOTYPE.eb=3Dfunction(){b.f.loaded.N();var =
a=3Df.g.j("v");this.Ia;if(!b.r(a)&&b.r(b.Wa)&&(a=3D=0A=
f.L.qd,a.enabled&&1=3D=3Dthis.M)){a.url=3D"/"+g.replay_id+".gif";(new =
x.P(b.A({onSuccess:function(a){return =
function(b){a.Bc(b);a.loaded()}}(this),onError:function(a){return =
function(){a.loaded()}}(this)},a)).Pa();return}this.loaded());b.f.protot=
ype.loaded=3Dfunction(){this.Pb=3Dr;var =
a=3Dthis;setTimeout(function(){var =
c=3Da.Ib.shift();c&&(a.execute(c.fn,c.args),setTimeout(function(a){return=
=
function(){a.loaded()}}(a),100)),100)};b.f.prototype.Ia=3Dfunction(){thi=
s.Bb=3Dr;var a=3Dp.n.Q(f.g.ra("fsr.a"));this.B(3)||this.Fc();=0A=
if(a){var c=3Dthis.kb();if(b.r(b.Wa)){if(200=3D=3Dc){b.g.sc.log("Exit: =
Pooling number has not been updated.");alert("Pooling number has not =
been updated.");return}if("site.com"=3D=3Dg.replay_id){b.g.sc.log("Exit: =
replay_id has not been updated.");alert("replay_id has not been =
updated.");return}}a=3Df.g.j("v");if(!b.r(a)){a=3D1;b.f.R.$c[u.q.platform=
]||(q.message=3D"Exit: Platform not =
supported",a=3D0);ea[u.q.type]&&u.q.version<=3Ddea[u.q.type]&&(q.message=3D=
"Exit: Browser not supported",a=3D0);this.W()&&(q.message=3D"Exit: Met =
exclude criteria",=0A=
a=3D0);p.n.Q("fsr.o")&&(q.message=3D"Exit: Opt-out cookie =
found",a=3D0);var d,e=3Dnew =
p.n(f.g.ra("fsr.r"),{path:"/",domain:g.site.domain,secure:g.site.secure})=
```

```
;if(d=3De.get("d"))q.message=3D"Exit: Persistent cookie found: =
"+d,a=3D-1;if(k.altcookie&&k.altcookie.name&&(d=3Dp.n.Q(k.altcookie.name)=
)&&!k.altcookie.value||k.altcookie.value=3D=3Dd))q.message=3D"Exit: =
Alternate persistent cookie found: =
"+d,a=3D-1;d=3Do.u.wa();1=3D=3Da&&!(0<d&&d<=3Dc)&&(q.message=3D"Exit: =
Not in pool: =
"+d,a=3D-2);f.g.j("v",a);if(c=3De.get("i"))b.now()<e.get("e")&&=0A=
(g.riD=3Dc);g.riD||k.events.enabled&&k.events.id&&(g.riD=3Do.Kb());g.riD&=
&f.g.j("riD",g.riD);if(e=3De.get("s"))f.g.j("sd",e),f.g.j("lk",1);if((e=3D=
b.Fa())&&"!=3De){k.meta.ref_url&&f.g.j("ru",e);if(k.meta.referrer){var =
c=3De.match(/^(\\w+:\\/\\/)?(\\w+?\\w+\\.?)\\//),h;c&&3<=3Dc.length&&(h=3Dc[=
2]);f.g.j("r",h)}k.meta.terms&&f.g.j("st",this.Kc(e)||"")}this.kd(f.g.j(=
))}this.M=3Da;g.riD=3Df.g.j("riD");h=3Dk.tracker.timeout;k.tracker.adjust&=
&b.r(f.g.j("f"))&&(h=3Df.g.j("to"),a=3D(b.now()-f.g.j("f"))/1E3,h=3DMath.=
round(10*(0.9*h+0.1*=0A=
2*a))/10,h=3D2>h?2:5<h?5:h);k.tracker.adjust&&f.g.j("to",h);1>this.M&&f.Z=
.Ba());b.f.Mb.N(this.M);p.n.La("fsr.paused",{path:"/",domain:g.site.domain=
})}else =
this.M=3D0};b.f.prototype.ic=3Dfunction(a){a&&f.g.j().$a("pa");this.sd();=
a=3Dv;this.va&&(a=3Dthis.dc(this.va));this.aa&&(this.jd(this.aa,a),a||thi=
s.dc(this.aa),this.gd(this.aa),this.ld());this.md()};b.f.prototype.sd=3Df=
unction(){var =
a,c,d,e;g.sv=3Do.u.wa();this.ob=3Df.Aa("fsr.sp",f.g.Ha("fsr.sp"));var =
h;b.r(f.g.j("cd"))&&(this.ka=3Df.g.j("cd"));g.cs=3Db.U(b.X());k.meta.url_=
params||=0A=
(g.cs=3Dg.cs.replace(/(.*)\\?.*/g,"$1"));k.meta.url&&f.g.j("c",g.cs);th=
is.language();var =
i=3Df.g.j("pv")?f.g.j("pv")+1:1;f.g.j("pv",i);i=3Df.g.j("lc")||{};h=3Dthi=
s.Tc();if(0!=3Dh.length){for(a=3D0,d=3Dh.length;a<d;){d=3Dg.za[h[a]];d.id=
x=3Dh[a];a=3D"d"+d.idx;this.Fb(d.criteria);i[a]||(i[a]=3D{v:0,s:v});d.lc=3D=
i[a].v+=3D1;d.ec=3Di[a].e||0;d.type=3D"current";this.Db(d);h=3Dthis.Ic(th=
is.Sc(d),d.lc,d.ec);if(-1<h){d.ls=3Di[a].s=3Dr;if(b.C(d.criteria.lf)&&(d.=
criteria.lf=3Dd.criteria.lf[h],d.criteria.sp=3Dd.criteria.sp[h],d.pop.whe=
n=3Dd.pop.when[h],=0A=
b.C(d.invite.content))){d.invite.content=3Dd.invite.content[h];c=3Dd.invi=
te.locales||[];for(a=3D0,e=3Dc.length;a<e;a++)c[a].content=3Dc[a].content=
[h]}d.pin&&(a=3Df.g.j("pn"),(!b.r(a)||a>d.idx)&&f.g.j("pn",d.idx))}else =
if(d.ls=3Di[a].s=3Dv,b.C(d.criteria.lf)&&(d.criteria.lf=3Dd.criteria.lf[0=
],d.criteria.sp=3Dd.criteria.sp[0],d.pop.when=3Dd.pop.when[0],b.C(d.invi=
te.content))){d.invite.content=3Dd.invite.content[0];c=3Dd.invite.locales|=
[];for(a=3D0,e=3Dc.length;a<e;a++)c[a].content=3Dc[a].content[0]}this.Eb=
(d);a=3Df.g.j("v");h=3Df.g.j("i");=0A=
!b.r(h)&&1=3D=3Da&&d.kb&&(a=3Do.u.wa(),0<a&&a<=3Dd.kb||(a=3D-2,f.g.j("v",=
a),f.Z.Ba()));this.aa=3Dd;this.Gb=3Dd.idx;break}f.g.j("lc",i)}b.r(this.ka=
)&&this.ka!=3Dthis.Gb&&(d=3Dg.za[this.ka],d.idx=3Dthis.ka,a=3D"d"+d.idx,t=
his.Fb(d),d.lc=3Di[a].v||0,d.ls=3Di[a].s||v,d.type=3D"previous",this.Db(d=
),this.Eb(d),this.va=3Dd,this.ka=3Dd.idx,b.f.mc.N(this.va,this.aa));b.f.=
prototype.dc=3Dfunction(a){return =
0>this.M?v:this.od(a)?r:this.fc(a)};b.f.prototype.jd=3Dfunction(a,c){if(!=
(0>this.M)&&(f.g.j("cd",a.idx),!c&&a.ls&&!f.g.j("lk"))){var =
d=3Df.g.j("pn");=0A=
b.r(d)&&d<a.idx||f.g.j("sd",a.idx)};b.f.prototype.gd=3Dfunction(a){0>thi=
s.M||(this.B(1)&&!this.B(4)&&(this.da(a,"pop",this.$b),this.da(a,"cancel"=
,this.Ca)),this.B(2)||this.da(a,"attach",this.lb),this.B(3)&&this.da(a,"p=
ause",this.pause));b.f.prototype.od=3Dfunction(a){if(!this.ud(a)||!this.=
B(3))return v;Y(this,a,"tracker");return =
r};b.f.prototype.ud=3Dfunction(a){if(!a.ls)return =
v;if("previous"=3D=3D=3Da.type){if("later"!=3D=3Da.pop.when||"leaving-sec=
tion"!=3D=3Da.pop.after)return v}else =
if("current"=3D=3D=3Da.type&&"now"!=3D=3D=0A=
a.pop.when)return v;return r};b.f.prototype.fc=3Dfunction(a){var =
c=3Dr;this.td(a)||c=3Dv;c&&(this.hd(a),Y(this,a,"invite"));return =
c};b.f.prototype.td=3Dfunction(a){if(!a.invite)return v;var =
c=3Dthis.B(2);if(a.invite.type&&"static"=3D=3D=3Da.invite.type)return =
```

```
v;if(a.invite.type&&"dynamic"=3D=3D=3Da.invite.type&&c)return =
r;if(c)return v;c=3Db.U(b.X());if(a.invite.include){var =
d=3Dr;a.invite.include.local&&(d=3Dthis.hb(a.invite.include.local,c));if(=
!d)return =
this.qc(a,v)if(a.invite.exclude&&(d=3Dv,(d=3Dthis.hb(a.invite.exclude.lo=
cal)|=0A=
[],c))|||(d=3Dthis.hb(a.invite.exclude.referrer||[],b.U(b.Fa()))),d|||(d=3D=
b.f.R.W&&b.K(b.f.R.W.ja)?b.f.R.W.ja():v),d))return =
this.qc(a,v;c=3D"previous"=3D=3D=3Da.type?"onexit":"onentry";return =
a.invite&&a.invite.when!=3Dc||!a.ls?v:0<a.sv&&a.sv<=3Da.criteria.sp};b.f.=
prototype.hd=3Dfunction(a){var c=3Da.alt;if(c)for(var =
b=3Do.u.wa(),e=3D0,f=3D0,g=3Dc.length;f<g;f++)if(e+=3Dc[f].sp,b<=3De){c[f=
].url?(a.pop.what=3D"url",a.pop.url=3Dc[f].url):c[f].script&&(a.pop.what=3D=
"script",a.pop.script=3Dc[f].script);delete =
a.invite;break}};b.f.prototype.Qc=3D=0A=
function(a,c){switch(c){case "invite":this.Cc(a);break;case =
"tracker":this.Zb(a)};b.f.prototype.hb=3Dfunction(a,c){for(var =
b=3D0,e=3Da.length;b<e;b++)if(c.match(a[b]))return r;return =
v};b.f.prototype.qc=3Dfunction(a){var =
b=3Df.g.j("lc");a.ec=3Db["d"+a.idx].e=3D(b["d"+a.idx].e||0)+1;f.g.j("lc",=
b)};b.f.prototype.Cc=3Dfunction(a){var =
c=3Dthis.ja,d=3Dthis;"hybrid"=3D=3D=3Dk.mode&&(c=3Dthis.Hc);(new =
x.P(b.A({onSuccess:function(){c.call(d,a)},onError:function(){c.call(d,a)=
}},f.L.B))).Pa());b.f.prototype.Hc=3Dfunction(a){var c=3Dthis.ja,=0A=
d=3Dthis;(new =
x.P(b.A({Wb:{"do":0},success:f.L.B.Va,onSuccess:function(){c.call(d,a)}},=
f.L.domain))).Pa());b.f.prototype.da=3Dfunction(a,b,d){if(a.links)for(var=
=
e=3D0,b=3Da.links[b]||[],f=3D0,g=3Db.length;f<g;f++)e+=3Dthis.link(b[f].t=
ag,b[f].attribute,b[f].patterns||[],b[f].qualifier,d,a,{sp:b[f].sp,when:b=
[f].when,invite:b[f].invite,pu:b[f].pu,check:b[f].check});b.f.prototype.=
link=3Dfunction(a,c,d,e,f,g,k){var =
n=3Dthis,j=3D0;b.m(d,function(d,D){j+=3Dm(a+"["+c+"*=3D"+D+"]").bind("cli=
ck",function(){e&&b._qualify(e);f.call(n,=0A=
g,k)}).length});return j};b.f.prototype.Db=3Dfunction(a){var =
c=3Da.criteria.lf;b.Ka(c)&&(a.criteria.lf=3D{v:c,o:">=3D"}));b.f.prototyp=
e.Sc=3Dfunction(a){var =
c=3Da.criteria.lf;b.ba(c)&&(c=3D[a.criteria.lf]);return =
c};b.f.prototype.Ic=3Dfunction(a,b,d){for(var =
e=3D-1,f=3D0,g=3Da.length;f<g;f++)">=3D"=3D=3Da[f].o&&b>=3Da[f].v?e=3Df:="=
=3D"=3D=3Da[f].o&&b-d=3D=3Da[f].v?e=3Df:">"=3D=3Da[f].o&&b>a[f].v&&(e=3Df=
);return e};b.f.prototype.W=3Dfunction(){var =
a=3Dk.exclude,c=3Db.f.R.W&&b.K(b.f.R.W.global)?b.f.R.W.global():v;return!=
a?c:this.match(a)||c};b.f.prototype.Eb=3D=0A=
function(a){a.sv=3Dg.sv;b.C(a.criteria.sp)&&(a.criteria.sp=3Da.criteria.s=
p[(new Date).getDay()]);var =
c=3Da.name+(a.section?"-"+a.section:""),d=3Dc+(q.locale?"-"+q.locale:"");=
a.criteria.sp=3Dthis.ob.get(c)||this.ob.get(d)||a.criteria.sp;a.invite!=3D=
=3Dv&&(a.invite=3Db.ta(k.invite,a.invite||{}));b.m(["tracker","survey","q=
ualifier","cancel","pop"],function(c,d){a[d]=3Db.ta(k[d],a[d]||{})});a.re=
peatdays=3Dk.repeatdays|a.repeatdays;b.C(a.repeatdays)|||(c=3Da.repeatday=
s,a.repeatdays=3D[c,c]);b.f.prototype.Dd=3Dfunction(){g.enabled&&=0A=
!this.pc&&this.Bb&&(this.pc=3Dr,this.Cd());b.f.prototype.Cd=3Dfunction(=
{0=3D=3Dq.invite&&f.g.log("103");k.previous&&f.g.j("p",g.cs);k.tracker.ad=
just&&f.g.j("f",b.now());b.f.prototype.Tc=3Dfunction(){for(var =
a=3D[],b=3Dg.za,d=3D0,e=3Db.length,f=3D0;d<e;d++)if(!(b[d].site&&b[d].sit=
e!=3Dg.site.name)&&this.match(b[d].include)){a[f++]=3Dd;break}return =
a};b.f.prototype.match=3Dfunction(a){function =
c(a,c){b.C(c)|||(c=3D[c]);for(var =
d=3D0,e=3Dc.length;d<e;d++)if((a+"").match(c[d]))return r;return v}var =
d=3Dv;b.m(["urls",b.X()),["referrers",=0A=
b.Fa()),["userAgents",navigator.userAgent]],function(c,e){b.m(a[e[0]]||[=
],function(a,c){if(b.U(e[1]).match(c))return d=3Dr,v});if(!d)return =
v});if(d)return r;b.m(a.cookies||[],function(a,b){var =
```

```
c;if(c=3Dp.n.Q(b.name))if(c.match(b.value||"."))return =
d=3Dr,v});if(d)return r;var =
e=3Df.Aa("fsr.ipo",f.g.Ha("fsr.ipo")),g=3Da.variables;if(g)for(var =
i=3D0,n=3Dg.length;i<n;i++){var =
m=3Dg[i].name,j=3Dg[i].value;if(!m(=3D=3Dk.ipexclude&&1=3D=3De.get("value=
"))){b.C(m)||m(=3D[m],j=3D[j]);for(var =
o,D=3Dr,q=3D0,s=3Dm.length;q<s;q++){try{o=3D(new Function("return "+=0A=
m[q]))()}catch(u){o=3D""}if((o||""=3D=3D=3Do)&&!c(o,j[q])){D=3Dv;break}}i=
f(D)return r}}return v};b.f.prototype.kb=3Dfunction(){var a=3D(new =
Date).getHours(),c=3D100;b.r(k.pool)&&(c=3Dk.pool);var =
d=3Df.Aa("fsr.pool",f.g.Ha("fsr.pool")),c=3Dd&&1=3D=3Dd.get("value")?100:=
c;b.C(c)||c(=3D[{h:0,p:c}]);for(var =
d=3D100,e=3D0,g=3Dc.length;e<g;e++)a>=3Dc[e].h&&(d=3Dc[e].p);return =
d};b.f.prototype.Bc=3Dfunction(a){var =
b=3Do.u.wa();0<b&&b<=3Da||this.M=3D-2,f.g.j("v",this.M),f.Z.Ba());b.f.p=
rototype.ja=3Dfunction(a){var =
c=3Dthis;b.A(q,{invite:0,repeatoverride:k.repeatoverride||=0A=
v});f.g.j("i",q.invite);q.repeatoverride||this.pb(a,1);q.locale&&f.g.j("l=
",q.locale);a.invite?(setTimeout(function(){b.f.fb.N(a,f.g.j());f.g.log("=
100",g.cs);"dhtml"=3D=3Da.invite.type?c.nb(a,"invite"):"page"=3D=3Da.invi=
te.type?c.bd(a):c.nb(a,"invite")},1E3*(a.invite.delay||0)),a.invite.timeo=
ut&&setTimeout(function(){g.idhtml.V()},1E3*a.invite.timeout)):setTimeout=
(function){c.ha(a),0};b.f.prototype.nb=3Dfunction(a,c){var =
d=3Dthis;a[c].css&&b.gb(o.u.qa(g.site,"css_files")+a[c].css,"link",functi=
on(){d.vd(a,c)});=0A=
b.f.prototype.vd=3Dfunction(a,c){function d(){h.Da(a)}function =
e(){h.ha(a)}var =
h=3Dthis,i=3Da[c],n=3D[];this.page(i);i.buttons&&b.m(k.Td?["accept",e],[=
"decline",d]):[["decline",d],[="accept",e]],function(a,b){if(i.buttons[b[0=
]]){var c=3Dm("<button>");n.push(c.Cb("id",b[0]).H("fsr_closeSticky =
fsr_button =
fsr_"+b[0]).bind("click",function(){b[1]()}).bind("mouseover",function(){=
m(this).H("fsr_mouseover_"+b[0]})}.bind("mouseout",function(){m(this).hc(=
"fsr_mouseover_"+b[0]})}.bind("focus",function(){m(this).H("fsr_mouseover=
_"+=0A=
b[0]})}.bind("blur",function(){m(this).hc("fsr_mouseover_"+b[0]})});c[0].=
innerHTML=3Di.buttons[b[0]}}};var =
j=3D[{sD:{x:i.x,y:i.y},I:{w:i.width||"500",t:i.text||"100%",href:o.u.qa(g.=
site,"image_files"),btn:n,accepted:e,declined:d,qualified:function(){h.Ra=
(a)},close:d,Ma:{bgcolor:i.bgcolor,opacity:i.opacity,hide:i.hideOnClick}=
};q.type=3D0;i.content?(j.content=3Di.content,j.footer=3Di.footer):j.url=3D=
o.u.qa(g.site,"html_files")+(i.url.dhtml||i.url);var j=3Dnew =
f.fa(j),p=3Da.invite?a.invite.hide:[];b.C(p)?b.m(p,function(a,=0A=
b){m("#"+b).F("visibility","hidden")}):m(p).F("visibility","hidden");j.sh=
ow();g.idhtml=3Dj};b.f.prototype.ha=3Dfunction(a){b.f.Nb.N(a,f.g.j());q.i=
nvite=3D1;f.g.log("101");f.g.j("i",1);a.lock&&f.g.j("lk",1);this.pb(a,0);=
f.Z.rd();this.fd(a);this.closed(a)};b.f.prototype.Da=3Dfunction(a){b.f.Ob=
.N(a,f.g.j());q.invite=3D-1;f.g.log("102");f.g.j("i",-1);this.pb(a,1);f.Z=
.Ba();this.closed(a)};b.f.prototype.closed=3Dfunction(a){a=3Da.invite?a.i=
nvite.hide:[];b.C(a)?b.m(a,function(a,b){m("#"+b).F("visibility","visibl=
e")}):=0A=
m(a).F("visibility","visible")};b.f.prototype.Ra=3Dfunction(a){q.qualifie=
r=3D1;f.g.log("301");this.nd(a)};b.f.prototype.Yc=3Dfunction(a){q.repeat=
verride=3D1=3D=3Da};b.f.prototype.fd=3Dfunction(a){"later"=3D=3Da.pop.whe=
n?(a.pop.tracker&&this.cc(a),this.da(a,"pop",this.$b),this.da(a,"cancel",=
this.Ca),this.da(a,"pause",this.pause)):"now"=3D=3Da.pop.when?this.bc(a):=
"both"=3D=3Da.pop.when&&(this.cc(a),this.mb(a)};b.f.prototype.bc=3Dfunct=
ion(a){f.g.j("s",1);switch(a.pop.what){case =
"survey":this.mb(a);break;case "qualifier":this.cd(a);=0A=
break;case "url":this.ed(a);break;case =
"script":this.dd(a)};b.f.prototype.nd=3Dfunction(a){!q.canceled?this.mb(=
a):this.Yb(a)};b.f.prototype.Zb=3Dfunction(a,b){this.B(3)?this.jc(a,b):th=
is.bc(a)};b.f.prototype.mb=3Dfunction(a){b.f.kc.N(a,f.g.j());var =
c=3Da.survey,d=3Da.pop;this.ac(f.g.Pc(a,d.now),c.width,c.height,d.pu,"400=
```

```
");b.f.prototype.ad=3Dfunction(){var =
a=3Dk.survey,b=3D"feedback",d=3Dq.locale;d&&(b+=3D"-"+d);this.ac(b,a.widt=
h,a.height,v,"600");b.f.prototype.ac=3Dfunction(a,c,d,e,h){var =
i=3Df.L.zd,k=3Dnew Date-0+"_"+0A=
Math.round(1E13*Math.random()),j=3Do.u.hash(k),a=3Do.u.na({sid:a,cid:g.id=
,pattern:g.cs,a:k,b:j,c:b.ub,version:g.version}),k=3Df.D.na();this.pop(h,=
b.Ea()+"/"+i.host+i.path+i.url+"?"+"a+"&"k,(n.screen.width-c)/2,(n.scre=
n.height-d)/2,c,d,e);f.g.log(h,g.cs);b.f.prototype.cc=3Dfunction(a){this=
.B(3)||b.f.oc.N(a,f.g.j()),n.fsr$timer=3DsetInterval(b.cb,1E3),this.Qa(a=
.tracker,r,"200"));b.f.prototype.cd=3Dfunction(a){b.f.gc.N(a,f.g.j());th=
is.Qa(a.qualifier,a.pop.pu,"300",a.pop.now);b.f.prototype.bd=3Dfunction(=
a){b.f.fb.N(a,=0A=
f.g.j());this.Qa(a.invite,v,"_self");b.f.prototype.Yb=3Dfunction(a){this=
.Qa(a.cancel,v,"500");b.f.prototype.$b=3Dfunction(a,c){var =
d=3Dr;this.B(4)||b.K(c.B)&&(d=3Dc.B()),d&&this.Zb(a,c));b.f.prototype.C=
a=3Dfunction(a){if(!f.g.j("lk")&&this.B(3)){var =
c=3Dw.open("", "fsr200");c&&(b.f.nc.N(a,f.g.j()),c.close())}};b.f.prototyp=
e.jc=3Dfunction(a,b){var =
d=3Dthis;"Firefox"!=3Du.q.type||!a.qualifier.content?f.g.j("fo",b&&b.pu?2=
:1):(this.Ca(a),setTimeout(function(){f.g.log("300",g.cs);d.nb(a,"qualifi=
er")),1E3*(a.qualifier.delay||=0A=
0))));b.f.prototype.Qa=3Dfunction(a,c,d,e){this.page(a);var =
h=3D(n.screen.width-a.width)/2,i=3D(n.screen.height-a.height)/2,k=3Do.u.q=
a(g.site,"html_files")+a.url.pop|a.url),j=3D{siteid:g.siteid,name:g.sit=
e.name,domain:g.site.domain};e&&(j.when=3De);e=3Do.u.na(j);k+=3D"?"+e;e=3D=
d;"window"=3D=3D=3Dg.storageOption&&(e=3Db.g.JSON.parse(n.name),e.pop0the=
r=3Dd,e=3Db.g.JSON.stringify(e));this.pop(e,k,h,i,a.width,a.height,c);f.g=
.log(d,g.cs);b.f.prototype.lb=3Dfunction(a,b){if(!this.B(2)){var =
d=3Dthis;b.sp&&(a.criteria.sp=3Db.sp);if(b.when||=0A=
b.qualifier)a.pop.when=3Db.when;0<a.sv&&a.sv<=3Da.criteria.sp&&(q.locale&=
&f.g.j("l",q.locale),b.invite?this.fc(a):setTimeout(function(){d.ha(a)},0=
));b.f.prototype.ed=3Dfunction(a){var =
b=3Dk.survey.width,d=3Dk.survey.height;this.pop("Other",a.pop.url,(n.scre=
en.width-b)/2,(n.screen.height-d)/2,b,d);b.f.prototype.dd=3Dfunction(a){=
b.gb(a.pop.scripts,"script");b.f.prototype.pause=3Dfunction(){f.g.j("pa",=
"1");b.f.prototype.pop=3Dfunction(a,b,d,e,f,g,k){var =
j=3D"",m=3Da;"_self"!=3Da&&(m=3D"fsr"+a,j=3D"location=3D0,status=3D0,scro=
llbars=3D1,resizable=3D1,width=3D"+0A=
f+",height=3D"+g+",left=3D"+d+",top=3D"+e+",toolbar=3D0,menubar=3D0");if(=
(a=3Dn.open(b,m,j,v))&&k).blur(),n.focus());b.f.prototype.language=3Dfun=
ction(){var a=3Dk.language;if(a&&(q.locale=3Da.locale,a.src)){var =
c=3Dq.locale,d,e;e=3Da.type;switch(a.src){case =
"location":d=3Db.U(b.X());break;case =
"cookie":d=3De&&"client"=3D=3De?p.n.Q(a.name):f.g.j("lang");break;case =
"variable":d=3Dnew Function("return =
"+a.name);d=3De&&"client"=3D=3De?d.call(n):g[a.name];break;case =
"meta":if(0!=3D(e=3Dm("meta[name=3D"+a.name+"]")).length)d=3De[0].content=
;break;=0A=
case =
"navigator":d=3Dnavigator.browserLanguage||navigator.language;break;case =
"function":b.K(a.value)&&(d=3Da.value.call(n,a,this))}d=3Dd||"";a=3Da.loc=
ales||[];e=3D0;for(var =
h=3Da.length;e<h;e++){b.C(a[e].match)||a[e].match=3D[a[e].match]};for(va=
r =
i,j=3D0,o=3Da[e].match.length;j<o;j++)if(i=3Dd.match(a[e].match[j])){c=3D=
a[e].locale;break}if(i)break}q.locale=3Dc}};b.f.prototype.page=3Dfunction=
(a){var c=3Df.g.j("l");if(c)for(var =
d=3Da.locales||[],e=3D0,g=3Dd.length;e<g;e++)d[e].locale=3D=3Dc&&(b.$("ur=
l",d[e],a),b.$("content",d[e],a),b.$("footer",=0A=
d[e],a),b.$("buttons.accept",d[e],a),b.$("buttons.decline",d[e],a),b.$("w=
idth",d[e],a),b.$("height",d[e],a));b.f.prototype.Fb=3Dfunction(a){var =
b=3Dq.locale;if(b)for(var =
d=3Da.locales||[],e=3D0,f=3Dd.length;e<f;e++)if(d[e].locale=3D=3Db){a.sp=3D=
d[e].sp;a.lf=3Dd[e].lf;break}};b.f.prototype.Kc=3Dfunction(a){var =
```

```
a=3Db.U(a||b.Fa()),c,d=3Dt;b.m(["q","p","query"],function(b,c){if(d=3Da.m=
atch(RegExp("[?&]"+"c"+"=3D([^&]*"))))return v});if(!d)return =
c;(c=3DdecodeURI(d[1]))&&(c=3Dc.replace(/\+/g," "));return =
c};b.f.prototype.pb=3Dfunction(a,=0A=
c){if(!q.repeatoverride&&a.repeatdays&&a.repeatdays[c]){var d=3Dnew =
p.n(f.g.ra("fsr.r"),{path:"/",domain:g.site.domain,secure:g.site.secure,d=
uration:a.repeatdays[c]},e=3Dd.get();e.d=3Da.repeatdays[c];d.pa();k.altc=
ookie.name&&p.n.write(k.altcookie.name,k.altcookie.value,{path:k.altcooki=
e.path,domain:k.altcookie.domain,secure:g.site.secure,duration:k.altcooki=
e.persistent?a.repeatdays[c]:t});var =
h=3Dk.events;if(h.pd){e.i=3Dg.rid;var i=3Dnew =
Date;i.setDate(i.getDate()+h.pd);e.e=3Di.getTime();a.lock&&(e.s=3Da.idx);=
d.pa()}"hybrid"=3D=3D=0A=
k.mode&&(new =
x.P(b.A({wb:{"do":1,rw:1440*a.repeatdays[c]}},f.L.domain)).Pa())};b.f.pr=
ototype.ld=3Dfunction(){var a=3Dk.cpps;if(a)for(var c in =
a)if(a.hasOwnProperty(c)){var =
d=3Da[c],e=3D"",h,i,j=3Dd.mode,q=3Dj&&"append"=3D=3Dj?f.D.append:f.D.set;=
if(d.Xb&&(e=3DFSR.D.get(c))){for(var =
j=3Dv,s=3D0,u=3Dd.Xb.length;s<u;s++)if(e=3D=3D=3Dd.Xb[s]){j=3Dr;break}if(=
j)continue}switch(d.source.toLowerCase()){case "url":i=3Dfunction(){var =
a=3Dc,e,f=3Dd.patterns||[],g=3Dq;return function(){for(var =
c=3D0,d=3Df.length;c<d;c++)if(b.U(b.X()).match(f[c].regex)){e=3D=0A=
f[c].value;break}e&&"!="=3De&&g(a,e)};break;case =
"parameter":i=3Dfunction(){var a=3Dc,b=3Dd.name,e=3Dq,f;return =
function(){(f=3Do.u.Vb(b))&&"!="=3Df&&e(a,f)};break;case =
"cookie":i=3Dfunction(){var a=3Dc,b=3Dd.name,f=3Dq;return =
function(){(e=3Dp.n.Q(b))&&"!="=3De&&f(a,e)};break;case =
"variable":i=3Dfunction(){var a=3Dc,b=3Dd.name,e=3Dq,f;return =
function(){try{f=3D(new Function("return =
"+b)).call(n)}catch(c){f=3Dv}f&&"!="=3Df&&e(a,f)};break;case =
"meta":i=3Dfunction(){var a=3Dc,b=3Dd.name,e=3Dq,f;return =
function(){if(0!=3D(h=3Dm("meta[name=3D"+b+""])).length)f=3D=0A=
h[0].content;f&&"!="=3Df&&e(a,f)};break;case =
"function":i=3Dfunction(){var a=3Dc,e=3Dq,f,h=3Dd;return =
function(){b.K(h.value)&&(f=3Dh.value.call(n,c,h,g.controller));f&&"!="=3D=
f&&e(a,f)};break;case "static":i=3Dfunction(){var =
a=3Dc,b=3Dq,e=3Dd.value;return =
function(){e&&"!="=3De&&b(a,e)}}d.on&&"load"!=3Dd.on&&d.query?m(d.query).=
bind(d.on,i):i()()};b.f.prototype.kd=3Dfunction(a){var =
b=3Dk.cpps;if(b)for(var d in b)if(b.hasOwnProperty(d)){var =
e=3Db[d];e.init&&f.D.set(d,e.init,a)};b.f.ga=3Dfunction(a,b,d,e){var =
g=3Df.g.j("ev")||{};=0A=
if(e&&"!="=3De&&( !g["e"+b]||a.repeat))g["e"+b]=3D(g["e"+b]||0)+1,f.g.log(d=
,e),f.g.j("ev",g)};b.f.prototype.md=3Dfunction(){if(!Math.abs(1!=3Dthis.M=
))){var a=3Dk.events;if(a.custom){var c=3D0,d;for(d in =
a.custom)if(a.custom.hasOwnProperty(d)){var =
e=3Da.custom[d],f=3Da.codes[d];if(e.enabled){var =
i;switch(e.source.toLowerCase()){case "url":i=3Dfunction(){var =
a=3De,d=3Dc,g=3Df,i=3De.patterns||[],j;return function(){for(var =
c=3D0,e=3Di.length;c<e;c++)if(b.U(b.X()).match(i[c])){j=3Di[c];break}b.f.=
ga(a,d,g,j)};break;case "parameter":i=3D=0A=
function(){var a=3De,d=3Dc,g=3De.name,i=3Df,j;return =
function(){j=3Do.u.Vb(g);b.f.ga(a,d,i,j)};break;case =
"cookie":i=3Dfunction(){var a=3De,d=3Dc,g=3De.name,i=3Df,j;return =
function(){j=3Dp.n.Q(g);b.f.ga(a,d,i,j)};break;case =
"variable":i=3Dfunction(){var a=3De,d=3Dc,g=3De.name,i=3Df,j;return =
function(){try{j=3D(new Function("return =
"+g)).call(n)}catch(c){j=3Dv}b.f.ga(a,d,i,j)};break;case =
"function":i=3Dfunction(){var a=3De,d=3Dc,i=3De.value,j=3Df,k;return =
function(){b.K(i)&&(k=3Di.call(n,a,e,g.controller));b.f.ga(a,d,j,k)};bre=
ak;case "static":i=3D=0A=
function(){var a=3De,d=3Dc,g=3De.value,i=3Df;return =
function(){b.f.ga(a,d,i,g)}}e.on&&"load"!=3De.on&&e.query?m(e.query).bin=
```

```

d(e.on,i()):i();c++}}}};b.f.prototype.Fc=3Dfunction(){clearInterval(n.=
fsr$timer);p.n.La(f.g.ra("fsr.a"),{path:"/",domain:g.site.domain,secure:g
.site.secure});b.popNow=3Dfunction(a){N(a,"now");b.popLater=3Dfunction(=
a){N(a,"later");b.popImmediate=3Dfunction(){N(100,"now");b.popFeedback=3D=
function(){var =
a=3Dg.controller;a.execute(a.ad)};b.stopTracker=3Dfunction(a){g.controlle=
r.jc(b._sd(),{pu:a});=0A=
b.run=3Dfunction(){var =
a=3Dg.controller;a.execute(a.ic)};b.invite=3Dfunction(a,c,d){var =
e=3Dg.controller;e.execute(e.lb,b._sd(),{sp:a,when:c,qualifier:d,invite:r=
});b.popCancel=3Dfunction(){g.controller.Yb(b._sd())};b.showInvite=3Df=
unction(){g.controller.ja(b._sd())};b.close=3Dfunction(){g.controller.Ca(b.=
_sd())};b.pause=3Dfunction(){g.controller.pause()};b._sd=3Dfunction(){ret=
urn g.controller.aa};b._pd=3Dfunction(){return =
g.controller.va};b._cancel=3Dfunction(){q.canceled=3Dv};b._qualified=3Dfu=
nction(){g.idhtml.Ra()};b._accepted=3D=0A=
function(a){b._language(a);g.idhtml.ha()};b._declined=3Dfunction(a){b._la=
nguage(a);g.idhtml.Da()};b._override=3Dfunction(a){g.controller.Yc(a)};b.=
_language=3Dfunction(a){a&&(q[a]=3Da,f.g.j("l",a))};b._qualify=3Dfunction=
(a){q.canceled=3Dv;a&&(q.qid=3Da,f.g.j("q",a))};b.Cookie=3D{};b.Cookie.re=
ad=3Dfunction(a){return p.n.Q(a)};b.$S=3Dq;b.Y(function(){(new =
b.f).load();m(n).bind("beforeunload",function(){g.controller.Dd()}));b.f=
.R=3D{ab:{loaded:y(),initialized:y(),surveydefChanged:y(),inviteShown:y(=
,inviteAccepted:y(),inviteDeclined:y(),=0A=
trackerShown:y(),trackerCanceled:y(),qualifierShown:y(),surveyShown:y()),=
W:{global:function(){return v},ja:function(){return =
v}},$c:{win32:r,mac:r,linux:r,iphone:v,ipad:v,ipod:v,android:v,blackberry=
:v,winmobile:v,wince:v,mobile:v,other:v}}})(window,{})({});
FSR($FSR);
-----_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: application/octet-stream
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/all/libraries/dot_ga/dot_analytics.js?nuogak

// ----- EVENT TRACKING -----=20

/*!
 * Entourage 1.1.2 - Automatic Download Tracking for Asynchronous Google =
Analytics
 *
 * Copyright (c) 2011 by Tian Valdemar Davis (http://techoctave.com/c7)
 * Licensed under the MIT (http://en.wikipedia.org/wiki/MIT_License) =
license.
 *
 * Learn More: =
http://techoctave.com/c7/posts/58-entourage-js-automatic-download-trackin=
g-for-asynchronous-google-analytics
 */

/*jshint strict:false */

(function() {
var entourage =3D new (function() {
    var version =3D "1.1.2";
    //var whitelist =3D =
/\.\pdf$|\.\zip$|\.\od*|\.\doc*|\.\xls*|\.\ppt*|\.\exe$|\.\dmg$|\.\mov$|\.\avi$|\.\m=
p3$/i;
    var whitelist =3D =
/\.\7z$|\.\asf$|\.\asx$|\.\avi$|\.\bin$|\.\csv$|\.\doc$|\.\exe$|\.\flv$|\.\gif$|\.\g=
z$|\.\gzip$|\.\jar$|\.\jpe?g$|\.\js$|\.\mp(2|3|4|e?g)$|\.\mov(ie)?|\.\msi$|\.\msp=
$|\.\pdf$|\.\png$|\.\ppt$|\.\qtm?|\.\ra(m|r)?|\.\sea$|\.\sit$|\.\tar$|\.\tgz$|\.\tx=
t$|\.\wav$|\.\wma$|\.\wmv$|\.\wpd$|\.\xls$|\.\xml$|\.\z$|\.\zip$|\.\swf$|\.\svg$|\.=
xlsx$|\.\docx$|\.\pptx$|\.\rtf$|\.\tif$|\.\ico$|\.\log$|\.\db$|\.\psd$|\.\pps$|\.\r=

```

```

m$|\.vob$|\.bmp$|\.tiff$|\.gpx$|\.kml$|\.kmz$|\.rss$|\.zipx$/i;
=09
    //Get true FileName from link pathname
    var getFileName =3D function(pathname) {
        //Remove the anchor at the end (if one exists)
        pathname =3D pathname.substring(0, (pathname.indexOf("#") =3D=3D=3D
=
-1) ? pathname.length : pathname.indexOf("#"));

        //Removes the query after the file pathname (if one exists)
        pathname =3D pathname.substring(0, (pathname.indexOf("?") =3D=3D=3D
=
-1) ? pathname.length : pathname.indexOf("?"));

        //Removes everything before the last slash in the path
        pathname =3D pathname.substring(pathname.lastIndexOf("/") + 1, =
pathname.length);

        return pathname;
    };

    var autograph =3D function() {
        var fileName, associate;

        //Get the file name
        fileName =3D getFileName(this.pathname); //The link object is now =
available in "this"

        //Add file to the Google Analytics Queue
        associate =3D '/download/' + fileName;
=09
        //Track download using Asynchronous Google Analytics
        //_gaq.push(['_trackPageview', associate]);
        _gaq.push(
            ['_setAccount', 'UA-18660041-1'],
            ["_trackEvent", "Downloads",
fileName.split('.').pop().toUpperCase(), =
this.pathname],
            ['ritaTracker._setAccount', 'UA-47993809-1'],
            ["ritaTracker._trackEvent", "Downloads", =
fileName.split('.').pop().toUpperCase(), this.pathname]
        );
    };

    var initialize =3D function() {
=09
        var links =3D document.links;
=09
        for (var i =3D 0, l =3D links.length; i < l; i++) {
            //Compare the fileType to the whitelist
            var match =3D links[i].pathname.match(whitelist);=20
=09
            //If the link is for a file download . . .
            if (typeof match !=3D=3D "undefined" && match !=3D=3D null) {
                //Call Entourage whenever the link is clicked
                links[i].onclick =3D autograph;
            }
        }
    };

    return {
        version: version,
        initialize: initialize
    };
})(); //Entourage.js

```

```

//Add entourage to the global namespace
window.entourage =3D entourage;

//Execute entourage onload - ensuring links are present in the DOM
window.onload =3D entourage.initialize;
})();

// ----- END EVENT TRACKING -----=20

// ----- RITA CODE -----

var _gaq =3D _gaq || [];
_gaq.push(['_setAccount', 'UA-47993809-1']);
_gaq.push(['_trackPageview']);

// ----- END RITA CODE -----

// ----- DOT CODE -----

var _gaq =3D _gaq || [];
_gaq.push(['_setAccount', 'UA-18660041-1']);
_gaq.push(['_setDomainName', 'dot.gov']);
_gaq.push(['_gat._anonymizeIp']);
_gaq.push(['_trackPageview']);
_gaq.push(['_setVisitorCookieTimeout', 31557600000]);

(function() {
  var ga =3D document.createElement('script'); ga.type =3D =
'text/javascript'; ga.async =3D true;
  ga.src =3D ('https:' =3D=3D document.location.protocol ? =
'https://ssl' : 'http://www') + '.google-analytics.com/ga.js';
  var s =3D document.getElementsByTagName('script')[0]; =
s.parentNode.insertBefore(ga, s);
})();

// ----- END DOT CODE -----=20

/*
For DOT - 1 year cookie
* v0.1 121011 : First Test Version
* v1.0 121012 : Added Cookie Synchronizing and filtered out Outbound =
tracking of cross- and sub-domain links
* v1.1 121015 : Changed cross-domain to use setAllowAnchor and fixed =
problem with some links
* v1.2 121015-2 : Added incoming cross-domain tracking to default _gaq =
tracker by adding _setAllowLinker and _setAllowAnchor
* v1.3 121015-3 : All Cross-domain Tracking removed
* v1.4 121015-4 : Multiple Search parameters and XDT links tracked as =
events
* v1.5 121122 : Change to sub-domain level visits (cookies). _DOMReady =
delays tracking so goes last. ECereto Review. JSHinted
* v1.6 130107 : Added Agency, sub-agency and Cookie timeout variables =
and functions
* v1.61 130115 : Fix for (elm in ... now for (var elm =3D 0 Added =
Agency, sub-agency and Cookie timeout variables and functions

Brian Katz, Cardinal Path - Google Analytics Government Wide Site Usage =

```

Measurement

```
*/

var _gaq =3D _gaq || [];
var _gas =3D _gas || [];

var GSA_CPwrapGA =3D (function () {
    =20
    var oCONFIG =3D {
        // System parameters - don't change without discussion
with CP
        VERSION : 'v1.61 130115 : Agency, sub-agency, Cookie timeout =
variables & functions Fix for (elm in ...',
        GAS_PATH : '',
        SEARCH_PARAMS : 'querytext|nasaInclude|k|QT', // ver 1.4 =
Normalize query params
        HOST_DOMAIN_OR : document.location.hostname, // only =
required if tracking at a sub-domain level eg sub.example.gov and not at =
example.gov
        LEADING_PERIOD : '.',
        GWT_UAID : 'UA-33523145-1',

        // GSA Configurable parameters - ver 1.6
        AGENCY : 'DOT', // Singular, consistent,
succinct, =
user-friendly abbreviation for the agency. E.g. DOJ, DOI, Commerce
        VISITOR_TIMEOUT : 12, // Specified in months, 0 =3D session =
=3D when browser closes, -1 =3D don't change default (24 months)
        CAMPAIGN_TIMEOUT : -1, // Specified in months, 0 =3D =
session =3D when browser closes, -1 =3D don't change default (6 months)
        // CAMPAIGN_TIMEOUT
must be <=3D VISITOR_TIMEOUT
        VISIT_TIMEOUT : -1, // Specified in minutes, 0 =3D session
=
=3D when browser closes, -1 =3D don't change default (30 minutes)
        ANONYMIZE_IP : true // only change to false in
rare circumstances =
where GeoIP location accuracy is critical
    };
    =20
    var instance =3D this;
    var domainHash;

    =09
        // Object for centralized control of all Custom Variables
reported in =
this sript file.
        // Since GSA code only ever sets page level CVs, scope is
always 3
    var oCVs =3D {
        agency : { key : 'Agency', slot : 3, scope : 3},
        sub_agency : { key : 'Sub-Agency',slot : 4, scope : 3},
        version : { key : 'Code Ver',slot : 5, scope : 3
    }
}
=20
/**
 * Sets up _gas and configures accounts, domains, etc,
 * In effect, ensures functions are compiled before being called
 * @private
 */
var _init =3D function () {
    =20
    // Returns domain name, not sub-domains and with no leading =
```

```

period e.g. returns usa.gov on http://xyz.usa.gov
    if (!oCONFIG.HOST_DOMAIN_OR)
        oCONFIG.HOST_DOMAIN_OR =3D getDomainNameGovMil();
    oCONFIG.HOST_DOMAIN_OR =3D =
oCONFIG.HOST_DOMAIN_OR.replace(/^www\./i, '');
=09
    var ary =3D setHashAndPeriod(oCONFIG.HOST_DOMAIN_OR);
    oCONFIG.LEADING_PERIOD =3D ary[1];
=20
    _gas.push(['GSA_CP._setAccount', oCONFIG.GWT_UAID]);
    if (oCONFIG.ANONYMIZE_IP) {
        _gaq.push (['_gat._anonymizeIp']);
    }
    _gas.push(['GSA_CP._setDomainName', oCONFIG.LEADING_PERIOD + =
oCONFIG.HOST_DOMAIN_OR]);
=09
        setGACookieTimeouts();
=20
    if (ary[0]) {
        _gas.push(['GSA_CP._setAllowHash', false]);
    }
=20
    _gas.push(['GSA_CP._gasTrackOutboundLinks']);
    _gas.push(['GSA_CP._gasTrackDownloads']);
    _gas.push(['GSA_CP._gasTrackMailto']);
=20
    /*
file so no need to include it
    // In this implementation, we are placing gas.js into this =
    (function() {
    var ga =3D document.createElement('script');
    ga.type =3D 'text/javascript';
    ga.async =3D true;
    ga.src =3D oCONFIG.GAS_PATH + '/misc/gas.js';
    var s =3D document.getElementsByTagName('script')[0];
    s.parentNode.insertBefore(ga, s);
    })();
    */
=20
        // Filter out sub-domain links tracked as Outbound
        _gas.push(['_addHook', '_trackEvent', function (cat,
act) {
            var linkDomain =3D =
act.match(/([\^.] + \.(gov|mil)$/));
            if (cat =3D=3D=3D 'Outbound' && typeof act =
=3D=3D=3D "string" && linkDomain) {
                return =
(document.location.hostname.indexOf(linkDomain[1]) =3D=3D=3D -1);
            }
        }
    ]);
=09
    // Add hook to _trackPageview to standardize search =
parameters
    _gas.push(['_addHook', '_trackPageview', function (pageName) =
{
        var re =3D new RegExp('([?&])(' + =
oCONFIG.SEARCH_PARAMS + ') (=3D[\^&]*)', 'i');
        if (re.test(pageName)) {
            pageName =3D pageName.replace(re, =
'$1query$3');
        }
        return [pageName];
    }
}

```

```

    });
    =20
};
=20
=09
/**
 * Sets the cookie timeouts if values have been set in oCONFIG =
at the top of this file
 *
 * @private
 */
    var setGACookieTimeouts =3D function() {
        if (oCONFIG.VISIT_TIMEOUT > -1) =
_gaq.push(['GSA_CP._setSessionCookieTimeout', =
oCONFIG.VISIT_TIMEOUT*1000*60]); // Specified in
minutes
        if (oCONFIG.VISITOR_TIMEOUT > -1) =
_gaq.push(['GSA_CP._setVisitorCookieTimeout', =
oCONFIG.VISITOR_TIMEOUT*1000*60*60*24*30.416667]); // Specified in =
months - GA uses 30.416.. as the number of days/month
        if (oCONFIG.CAMPAIGN_TIMEOUT > -1) =
_gaq.push(['GSA_CP._setCampaignCookieTimeout', =
oCONFIG.CAMPAIGN_TIMEOUT*1000*60*60*24*30.416667]); // Specified in =
months
    }
=09
=09
/**
 * Returns the domain and top-level domain - eg example.com, =
example.ca example.co.uk, example.com.au or ipaddress
 *
 * @private
 * @param {string} strURL a hostname or full url
 */
    var getDomainNameGovMil =3D function (strURL) {
        strURL =3D strURL || document.location.hostname;
        =20
        // extract the host name since full url may have been =
provided
        strURL =3D strURL.match(/^(?:https?:\/\/)?(?:[^\/:]+\/?)[1]; // =
this cannot error unless running as file://
        =20
        if (strURL.match(/(\d+\.){3}(\d+)/) || strURL.search(/\.\/) =
=3D=3D -1)
            return strURL; // ipaddress
        =20
        =20
        try {
            if (/\.(\gov|mil)$/i.test(strURL)) { // Customized for =
.gov and .mil
                strURL =3D =
strURL.match(/\.([^\.]+\.(gov|mil))/i)[1];
            } else {
                strURL =3D =
strURL.match(/((([^\./]+\.[^\./]{2,3}\.[^\./]{2})|((([^\./]+\.[^\./]{2,4})=
)(\./.*?)?$/))[1];
            }
            =20
        } catch (e) {}
        return strURL.toLowerCase();
    };
=20
/**
 * Returns the GA hash for the Cookie domain passed

```

```

*
* @private
* @param {string} strCookieDomain - the hostname used for the =
cookie domain
*/
var getDomainHash =3D function (strCookieDomain) {
=20
    fromGajs_h =3D function (e) {
        return undefined =3D=3D e || "-" =3D=3D e || "" =3D=3D =
e;
    };
    fromGajs_s =3D
    function (e) {
        var k =3D 1,
            a =3D 0,
            j,
            i;
        if (!fromGajs_h(e)) {
            k =3D 0;
            for (j =3D e.length - 1; j >=3D 0; j--) {
                i =3D e.charCodeAt(j);
                k =3D (k << 6 & 268435455) + i + (i << 14);
                a =3D k & 266338304;
                k =3D a !=3D=3D 0 ? k^a >> 21 : k;
            }
        }
        return k;
    };
    return fromGajs_s(strCookieDomain);
};
=20
/**
* Returns an array [bool, str] where bool indicates value for =
setAllowHash and str is either blank or a leading period
*
* @private
* @param {string} strCookieDomain - the hostname used for the =
cookie domain WITHOUT the leading period
*/
var setHashAndPeriod =3D function (strCookieDomain) {
    var utmaCookies =3D =
document.cookie.match(/__utma=3D[^\.]+/g);
    var retVals =3D [false, '']; // setAllowHash =3D false and =
leading period =3D ''
=20
    // if no cookies found
    if (!utmaCookies)
        return retVals;
=20
    domainHash =3D getDomainHash(strCookieDomain);
=20
    for (var elm =3D 0; elm < utmaCookies.length ; elm++) {
        utmaCookies[elm] =3D utmaCookies[elm].substr(7); // =
strip __utma=3D leaving only the hash
=20
        // look for the cookie with the matching domain hash
        var hashFound =3D (domainHash =3D=3D utmaCookies[elm]);
        // if found, there's a hash and we're done
        if (hashFound) {
            retVals[0] =3D false;
            return retVals;
        } else { // check for period
            hashFound =3D (getDomainHash('.') + strCookieDomain) =
=3D=3D utmaCookies[elm]);

```

```

        retVals[1] = hashFound ? '.' : '';
    }
    // if not found, check for setAllowHashFalse - aka hash =
    retVals[0] = retVals[0] || ('1' =
utmaCookies[elm]); // true if hash =
    }
    return retVals;
};
/**
 * Sets the Custom Variables for Agency and sub-Agency based on =
the agency and sub_agency objects in oCVs
 *
 * @private
 */
var setAgencyVars = function() {
    if (oCONFIG.AGENCY) {
        setCustomVar(oCONFIG.AGENCY, oCVs.agency); // Page level =
variable sent only to GSA account
        setCustomVar(oCONFIG.AGENCY + ' - ' + =
document.location.hostname, oCVs.sub_agency); // Page level variable =
sent only to GSA account
    }
}
/**
 * Single generic method to set all custom vars based on single =
control object for all CVs - see oCVs near the top of the file
 * To keep the cookies synchronized, first check that agency is =
not already using the slot for a Visitor Level Variable
 * If it is, even a PLCV will remove the value from their cookie.
In =
that case we don't set the variable.
    * @private
    * @param {string} value - the only argument set outside of =
oCVs
    * @param {object} oCV - the object in oCVs for a particular =
variable
 */
var setCustomVar = function (value, oCV) {
    if (!value) return;
    var pageTracker = _gat._getTrackerByName(); // Gets the
default =
tracker.
    var visitorCustomVarValue = =
pageTracker._getVisitorCustomVar(oCV.slot);
    if (!visitorCustomVarValue)
        _gas.push(['GSA_CP._setCustomVar', oCV.slot, oCV.key,
value, =
oCV.scope]); // Record version in Page Level (oCV.scope ) Custom =
Variable specified in oCV.slot
}
/**
 * Reports a page view and detects if page is a 404 Page not =
found
 * @public
 */

```

```

    this.onEveryPage = function () {
        =20
        var pageName = document.location.pathname +
document.location.search + document.location.hash;
        =20
        // ... Page Not Found
        // Track as a pageview because we need to see if it's a =
landing page.
        if (document.title.search(/404|not found/i) != -1) {
            var vpv404 = '/vpv404/' + pageName;
            pageName = vpv404.replace(/\\/\\/g, '/') + '/' +
document.referrer;
        }
        =20
        setCustomVar(oCONFIG.VERSION, oCVs.version)
            setAgencyVars();
        _gas.push(['GSA_CP._trackPageview', pageName]);
    };
    =20
    _init();
    =20
});

// ----- End of federated-analytics.js =
-----
// To make the instructions and implementation as easy as possible for =
all agencies, gas.js has been appended to federated.js

/**
 * @preserve Copyright 2011, Cardinal Path and DigitalInc.
 *
 * GAS - Google Analytics on Steroids
 * https://github.com/CardinalPath/gas
 *
 * @author Eduardo Cereto <eduardocereto@gmail.com>
 * Licensed under the GPLv3 license.
 */
(function (window, undefined) {
    /**
     * GAS - Google Analytics on Steroids
     *
     * Helper Functions
     *
     * Copyright 2011, Cardinal Path and Direct Performance
     * Licensed under the MIT license.
     *
     * @author Eduardo Cereto <eduardocereto@gmail.com>
     */
    =20
    /**
     * GasHelper singleton class
     *
     * Should be called when ga.js is loaded to get the pageTracker.
     *
     * @constructor
     */
    var GasHelper = function () {
        this._setDummyTracker();
    };
    =20
    GasHelper.prototype._setDummyTracker = function () {
        if (!this['tracker']) {
            var trackers = window['_gat']['_getTrackers']();
            if (trackers.length > 0) {

```

```

        this['tracker'] = trackers[0];
    }
}
};
=20
/**
 * Returns true if the element is found in the Array, false =
otherwise.
 *
 * @param {Array} obj Array to search at.
 * @param {object} item Item to search form.
 * @return {boolean} true if contains.
 */
GasHelper.prototype.inArray = function (obj, item) {
    if (obj && obj.length) {
        for (var i = 0; i < obj.length; i++) {
            if (obj[i] === item) {
                return true;
            }
        }
    }
    return false;
};
=20
/**
 * Removes special characters and Lowercase String
 *
 * @param {string} str to be sanitized.
 * @param {boolean} strict_opt If we should remove any non ascii =
char.
 * @return {string} Sanitized string.
 */
GasHelper.prototype._sanitizeString = function (str, =
strict_opt) {
    str = str.toLowerCase()
        .replace(/^\s+/, '')
        .replace(/\s+$/, '')
        .replace(/\/s+/g, '_')
    =
    .replace(/[\=C3=A1=C3=A0=C3=A2=C3=A3=C3=A5=C3=A4=C3=A6=C2=AA]/g, 'a')
        .replace(/[\=C3=A9=C3=A8=C3=AA=C3=AB?=C2=80]/g, 'e')
        .replace(/[\=C3=AD=C3=AC=C3=AE=C3=AF]/g, 'i')
    =
    .replace(/[\=C3=B3=C3=B2=C3=B4=C3=B5=C3=B6=C3=B8=C2=BA]/g, 'o')
        .replace(/[\=C3=BA=C3=B9=C3=BB=C3=BC]/g, 'u')
        .replace(/[\=C3=A7=C2=A2=C2=A9]/g, 'c');
    =20
    if (strict_opt) {
        str = str.replace(/[\^a-z0-9_-]/g, '_');
    }
    return str.replace(/_+/g, '_');
};
=20
/**
 * Cross Browser helper to addEventListener.
 *
 * ga_next.js currently have a _addEventListener directive. So =
_gas will
 * always prefer that if available, and will use this one only =
as a fallback
 *
 * @param {HTMLElement} obj The Element to attach event to.
 * @param {string} evt The event that will trigger the binded =
function.

```

```

    * @param {function(event)} ofnc The function to bind to the =
element.
    * @param {boolean} bubble true if event should be fired at =
bubble phase.
    * Defaults to false. Works only on W3C compliant browser. MSFT =
don't support
    * it.
    * @return {boolean} true if it was successfully binded.
    */
    GasHelper.prototype._addEventListener =3D function (obj, evt, =
ofnc, bubble) {
        var fnc =3D function (event) {
            if (!event || !event.target) {
                event =3D window.event;
                event.target =3D event.srcElement;
            }
            return ofnc.call(obj, event);
        };
        // W3C model
        if (obj.addEventListener) {
            obj.addEventListener(evt, fnc, !!bubble);
            return true;
        }
        // M$ft model
        else if (obj.attachEvent) {
            return obj.attachEvent('on' + evt, fnc);
        }
        // Browser doesn't support W3C or M$ft model. Time to go old =
school
        else {
            evt =3D 'on' + evt;
            if (typeof obj[evt] =3D=3D=3D 'function') {
                // Object already has a function on traditional
                // Let's wrap it with our own function inside =
another function
                fnc =3D (function (f1, f2) {
                    return function () {
                        f1.apply(this, arguments);
                        f2.apply(this, arguments);
                    };
                })
                (obj[evt], fnc);
            }
            obj[evt] =3D fnc;
            return true;
        }
    };
=20
/**
 * Cross Browser Helper to emulate jQuery.live
 *
 * Binds to the document root. Listens to all events of the =
specific type.
 * If event don't bubble it won't catch
 */
    GasHelper.prototype._liveEvent =3D function (tag, evt, ofunc) {
        var gh =3D this;
        tag =3D tag.toUpperCase();
        tag =3D tag.split(',');
=20
        gh._addEventListener(document, evt, function (me) {
            for (var el =3D me.target; el.nodeName !=3D=3D =
'HTML';
                el =3D el.parentNode) {

```

```

        if (gh.inArray(tag, el.nodeName) || =
el.parentNode =3D=3D=3D null) {
            break;
        }
    }
    if (el && gh.inArray(tag, el.nodeName)) {
        ofunc.call(el, me);
    }
    =20
    }, true);
};
=20
/**
 * Cross Browser DomReady function.
 *
 * Inspired by: =
http://dean.edwards.name/weblog/2006/06/again/#comment367184
 *
 * @param {function(Event)} callback DOMReady callback.
 * @return {boolean} Ignore return value.
 */
GasHelper.prototype._DOMReady =3D function (callback) {
    var scp =3D this;
    function cb() {
        if (cb.done)
            return;
        cb.done =3D true;
        callback.apply(scp, arguments);
    }
    if (/^(interactive|complete)/.test(document.readyState))
        return cb();
    this._addEventListener(document, 'DOMContentLoaded', cb, =
false);
    this._addEventListener(window, 'load', cb, false);
};
=20
/**
 * GAS - Google Analytics on Steroids
 *
 * Copyright 2011, Cardinal Path and Direct Performance
 * Licensed under the MIT license.
 *
 * @author Eduardo Cereto <eduardocereto@gmail.com>
 */
=20
/**
 * Google Analytics original _gaq.
 *
 * This never tries to do something that is not supposed to. So =
it won't break
 * in the future.
 */
window['_gaq'] =3D window['_gaq'] || [];
=20
var _prev_gas =3D window['_gas'] || [];
=20
// Avoid duplicate definition
if (_prev_gas._accounts_length >=3D 0) {
    return;
}
=20
//Shortcuts, these speed up and compress the code
var document =3D window.document,
toString =3D Object.prototype.toString,

```

```

hasOwn =3D Object.prototype.hasOwnProperty,
push =3D Array.prototype.push,
slice =3D Array.prototype.slice,
trim =3D String.prototype.trim,
indexOf =3D String.prototype.indexOf,
url =3D document.location.href,
documentElement =3D document.documentElement;
=20
/**
 * GAS Sigleton
 * @constructor
 */
function GAS() {
  var self =3D this;
  self['version'] =3D '1.10.1';
  self._accounts =3D {};
  self._accounts_length =3D 0;
  self._queue =3D _prev_gas;
  self._default_tracker =3D '_gas1';
  self.gh =3D {};
  self._hooks =3D {
    '_addHook' : [self._addHook]
  };
  // Need to be pushed to make sure tracker is done
  // Sets up helpers, very first thing pushed into gas
  self.push(function () {
    self.gh =3D new GasHelper();
  });
}
=20
/**
 * First standard Hook that is responsible to add next Hooks
 *
 * _addHook calls always reurn false so they don't get pushed to =
_gaq
 * @param {string} fn The function you wish to add a Hook to.
 * @param {function()} cb The callback function to be appended =
to hooks.
 * @return {boolean} Always false.
 */
GAS.prototype._addHook =3D function (fn, cb) {
  if (typeof fn =3D=3D=3D 'string' && typeof cb =3D=3D=3D =
'function') {
    if (typeof _gas._hooks[fn] =3D=3D=3D 'undefined') {
      _gas._hooks[fn] =3D [];
    }
    _gas._hooks[fn].push(cb);
  }
  return false;
};
=20
/**
 * Construct the correct account name to be used on _gaq calls.
 *
 * The account name for the first unnamed account pushed to _gas =
is the standard
 * account name. It's pushed without the account name to _gaq, =
so if someone
 * calls directly _gaq it works as expected.
 * @param {string} acct Account name.
 * @return {string} Correct account name to be used already with =
trailing dot.
 */
function _build_acct_name(acct) {

```

```

        return acct =3D=3D=3D _gas._default_tracker ? '' : acct + =
    '.';
    }
    =20
    function _gaq_push(arr) {
        if (_gas.debug_mode) {
            try {
                console.log(arr);
            } catch (e) {}
        }
        return window['_gaq'].push(arr);
    }
    =20
    /**
     * Everything pushed to _gas is executed by this call.
     *
     * This function should not be called directly. Instead use =
_gas.push
     * @return {number} This is the same return as _gaq.push calls.
     */
    GAS.prototype._execute =3D function () {
        var args =3D slice.call(arguments),
            self =3D this,
            sub =3D args.shift(),
            gaq_execute =3D true,
            i,
            foo,
            hooks,
            acct_name,
            repl_sub,
            return_val =3D 0;
        =20
        if (typeof sub =3D=3D=3D 'function') {
            // Pushed functions are executed right away
            return _gaq_push(
                (function (s, gh) {
                    return function () {
                        // pushed functions receive helpers =
through this object
                            s.call(gh);
                    };
                }
                (sub, self.gh)));
        }
        =20
        } else if (typeof sub =3D=3D=3D 'object' && sub.length > 0) =
{
            foo =3D sub.shift();
            =20
            if (sindex0f.call(foo, '.') >=3D 0) {
                acct_name =3D foo.split('.')[0];
                foo =3D foo.split('.')[1];
            } else {
                acct_name =3D undefined;
            }
            =20
            // Execute hooks
            hooks =3D self._hooks[foo];
            if (hooks && hooks.length > 0) {
                for (i =3D 0; i < hooks.length; i++) {
                    try {
                        repl_sub =3D hooks[i].apply(self.gh, sub);
                        if (repl_sub =3D=3D=3D false) {
                            // Returning false from a hook cancel =
the call

```

```

        gaq_execute = false;
    } else {
        if (repl_sub && repl_sub.length > 0) {
            // Returning an array changes the =
            sub = repl_sub;
        }
    }
} catch (e) {
    if (foo !== '_trackException') {
        self.push(['_trackException', e]);
    }
}
}
// Cancel execution on _gaq if any hook returned false
if (gaq_execute === false) {
    return 1;
}
// Intercept _setAccount calls
if (foo === '_setAccount') {
    =20
    for (i in self._accounts) {
        if (self._accounts[i] === sub[0]) {
            // Repeated account
            if (acct_name === undefined) {
                return 1;
            }
        }
    }
    acct_name = acct_name || '_gas' +
        String(self._accounts.length + 1);
    // Force that the first unnamed account is _gas1
    if (typeof self._accounts['_gas1'] === =
'undefined' &&
        indexOf.call(acct_name, '_gas') !== -1) {
        acct_name = '_gas1';
    }
    self._accounts[acct_name] = sub[0];
    self._accounts.length += 1;
    acct_name = _build_acct_name(acct_name);
    return_val = _gaq_push([acct_name + foo, sub[0]]);
    // Must try to get the tracker if it's a _setAccount
    self.gh._setDummyTracker();
    return return_val;
}
=20
// Intercept functions that can only be called once.
if (foo === '_link' || foo === '_linkByPost' =
|| foo === '_require' ||
    foo === '_anonymizeIp') {
    args = slice.call(sub);
    args.unshift(foo);
    return _gaq_push(args);
}
=20
// If user provides account then trigger event for just =
that account.
var acc_foo;
if (acct_name && self._accounts[acct_name]) {
    acc_foo = _build_acct_name(acct_name) + foo;
    args = slice.call(sub);
    args.unshift(acc_foo);
    return _gaq_push(args);
}

```

```

    }
    // Call Original _gaq, for all accounts
    if (self._accounts_length > 0) {
        for (i in self._accounts) {
            if (hasOwn.call(self._accounts, i)) {
                acc_foo =3D _build_acct_name(i) + foo;
                args =3D slice.call(sub);
                args.unshift(acc_foo);
                return_val +=3D _gaq_push(args);
            }
        }
    } else {
        // If there are no accounts we just push it to _gaq
        args =3D slice.call(sub);
        args.unshift(foo);
        return _gaq_push(args);
    }
    return return_val ? 1 : 0;
}
};
=20
/**
 * Standard method to execute GA commands.
 *
 * Everything pushed to _gas is in fact pushed back to _gaq. So =
Helpers are
 * ready for hooks. This creates _gaq as a series of functions =
that call
 * _gas._execute() with the same arguments.
 */
GAS.prototype.push =3D function () {
    var self =3D this;
    var args =3D slice.call(arguments);
    for (var i =3D 0; i < args.length; i++) {
        (function (arr, self) {
            window['_gaq'].push(function () {
                self._execute.call(self, arr);
            });
        }
        (args[i], self));
    }
};
=20
/**
 * _gas main object.
 *
 * It's supposed to be used just like _gaq but here we extend =
it. In it's core
 * everything pushed to _gas is run through possible hooks and =
then pushed to
 * _gaq
 */
window['_gas'] =3D _gas =3D new GAS();
=20
/**
 * Hook for _trackException
 *
 * Watchout for circular calls
 */
_gas.push(['_addHook', '_trackException', function (exception, =
message) {
    _gas.push(['_trackEvent',
        'Exception ' + (exception.name || 'Error'),

```

```

                message || exception.message || exception,
                url
            });
            return false;
        }
    });
=20
/**
 * Hook to enable Debug Mode
 */
_gas.push(['_addHook', '_setDebug', function (set_debug) {
    _gas.debug_mode =3D !!set_debug;
}
]);
=20
/**
 * Hook to Remove other Hooks
 *
 * It will remove the last inserted hook from a _gas function.
 *
 * @param {string} func _gas Function Name to remove Hooks from.
 * @return {boolean} Always returns false.
 */
_gas.push(['_addHook', '_popHook', function (func) {
    var arr =3D _gas._hooks[func];
    if (arr && arr.pop) {
        arr.pop();
    }
    return false;
}
]);
=20
/**
 * Hook to set the default tracker.
 *
 * The default tracker is the nameless tracker that is pushed =
into _gaq_push
 */
_gas.push(['_addHook', '_gasSetDefaultTracker', function (tname) =
{
    _gas._default_tracker =3D tname;
    return false;
}
]);
/**
 * This is kept just for backward compatibility since it's now =
supported
 * natively in _gaq.
 */
_gas.push(['_addHook', '_trackPageview', function () {
    var args =3D slice.call(arguments);
    if (args.length >=3D 2 &&
        typeof args[0] =3D=3D=3D 'string' && typeof =
args[1] =3D=3D=3D 'string') {
        return [{
            'page' : args[0],
            'title' : args[1]
        }
        ];
    }
    return args;
}
]);
=20

```

```

/**
 * GAS - Google Analytics on Steroids
 *
 * Download Tracking Plugin
 *
 * Copyright 2011, Cardinal Path and Direct Performance
 * Licensed under the GPLv3 license.
 *
 * @author Eduardo Cereto <eduardocereto@gmail.com>
 */
=20
/**
 * Extracts the file extension and check it against a list
 *
 * Will extract the extensions from a url and check if it =
matches one of
 * possible options. Used to verify if a url corresponds to a =
download link.
 *
 * @this {GasHelper} GA Helper object.
 * @param {string} src The url to check.
 * @param {Array} extensions an Array with strings containing =
the possible
 * extensions.
 * @return {boolean|string} the file extension or false.
 */
function _checkFile(src, extensions) {
    if (typeof src !=3D 'string') {
        return false;
    }
    var ext =3D src.split('?')[0];
    ext =3D ext.split('.');
    ext =3D ext[ext.length - 1];
    if (ext && this.inArray(extensions, ext)) {
        return ext;
    }
    return false;
}
=20
/**
 * Register the event to listen to downloads
 *
 * @this {GasHelper} GA Helper object.
 * @param {Array|object} opts List of possible extensions for =
download
 * links.
 */
var _trackDownloads =3D function (opts) {
    var gh =3D this;
    =20
    if (!gh._downloadTracked) {
        gh._downloadTracked =3D true;
    } else {
        //Ops double tracking detected.
        return;
    }
    if (!opts) {
        opts =3D {
            'extensions' : []
        };
    } else if (typeof opts =3D=3D 'string') {
        // support legacy opts as String of extensions
        opts =3D {
            'extensions' : opts.split(',')

```

```

    };
} else if (opts.length >= 1) {
    // support legacy opts Array of extensions
    opts = {
        'extensions' : opts
    };
}
opts['category'] = opts['category'] || 'Download';
=20
var ext = 'xls,xlsx,doc,docx,ppt,pptx,pdf,txt,zip';
ext += ' ,rar,7z,exe,wma,mov,avi,wmv,mp3,csv,tsv';
ext = ext.split(',');
opts['extensions'] = opts['extensions'].concat(ext);
=20
gh._liveEvent('a', 'mousedown', function (e) {
    var el = this;
    if (el.href) {
        var ext = _checkFile.call(gh,
            el.href, opts['extensions']);
        if (ext) {
            _gas.push(['_trackEvent',
                opts['category'], ext, el.href
            ]);
        }
    }
});
return false;
};
=20
/**
 * GAA Hook, receive the extensions to extend default =
extensions. And trigger
 * the binding of the events.
 *
 * @param {string|Array|object} opts GAs Options. Also backward =
compatible
 * with array or string of extensions.
 */
_gas.push(['_addHook', '_gasTrackDownloads', _trackDownloads]);
=20
// Old API to be deprecated on v2.0
_gas.push(['_addHook', '_trackDownloads', _trackDownloads]);
=20
/**
 * GAS - Google Analytics on Steroids
 *
 * Ecommerce Meta
 *
 * Copyright 2012, Cardinal Path and Direct Performance
 * Licensed under the GPLv3 license.
 *
 * @author Eduardo Cereto <eduardocereto@gmail.com>
 */
=20
function _gasMetaEcommerce() {
    var i,
        meta,
        f_trans = 0,
        f_item = 0,
        metas = document.getElementsByTagName('meta');
    for (i = 0; i < metas.length; i++) {
        if (metas[i].name == 'ga_trans') {
            // Fire transaction
            meta = metas[i].content.split('^');

```

```

        if (meta.length < 3) {
            // 3 is the minimum for transaction
            break;
        }
        // Add default values for remaining params
        while (meta.length < 8) {
            meta.push('');
        }
        _gas.push(['_addTrans',
            meta[0],
            meta[1],
            meta[2],
            meta[3],
            meta[4],
            meta[5],
            meta[6],
            meta[7]
        ]);
        f_trans++;
    } else if (metas[i].name == 'ga_item') {
        // Fire item
        meta = metas[i].content.split('^');
        if (meta.length == 6) {
            _gas.push(['_addItem',
                meta[0],
                meta[1],
                meta[2],
                meta[3],
                meta[4],
                meta[5]
            ]);
            f_item++;
        }
    }
}
if (f_trans > 0 && f_item > 0) {
    _gas.push(['_trackTrans']);
    //_gas.push(['_clearTrans']);
}
}
=20
_gas.push(['_addHook', '_gasMetaEcommerce', _gasMetaEcommerce]);
=20
/**
 * Hook to sanity check trackEvents
 *
 * The value is rounded and parsed to integer.
 * Negative values are sent as zero.
 * If val is NaN than it is sent as zero.
 */
_gas.push(['_addHook', '_trackEvent', function () {
    var args = slice.call(arguments);
    if (args[3]) {
        args[3] = (args[3] < 0 ? 0 : =
Math.round(args[3])) || 0;
    }
    return args;
}
]);
=20
/**
 * GAS - Google Analytics on Steroids
 *
 * Form Tracking Plugin

```

```

*
* Copyright 2011, Cardinal Path and Direct Performance
* Licensed under the GPLv3 license.
*
* @author Eduardo Cereto <eduardocereto@gmail.com>
*/
=20
/**
 * get the form name for a specific element
 *
 * @param {DOMElement} el Dom Element.
 * @return {String} Form Name or Id.
 */
function getFormName(el) {
    while (el && el.nodeName != 'HTML') {
        if (el.nodeName == 'FORM') {
            break;
        }
        el = el.parentNode;
    }
    if (el.nodeName == 'FORM') {
        return el.name || el.id || 'none';
    }
    return 'none';
}
=20
var _gasTrackForms = function (opts) {
    if (!this._formTracked) {
        this._formTracked = true;
    } else {
        //Oops double tracking detected.
        return;
    }
    var scp = this;
    if (typeof opts != 'object') {
        opts = {};
    }
=20
    // Make sure required attrs are defined or fallback to =
default
    opts['category'] = opts['category'] || 'Form Tracking';
    //opts['live'] = opts['live'] || true; //Ignored
=20
    var trackField = function (e) {
        var el = e.target,
            el_name = el.name || el.id || el.type || el.nodeName,
            form_name = getFormName(el),
            action = 'form (' + form_name + ')',
            label = el_name + ' (' + e.type + ')';
=20
        _gas.push(['_trackEvent', opts['category'], action, =
label]);
    };
=20
    scp._DOMReady(function () {
        var changeTags = ['input', 'select', 'textarea', =
'hidden'];
        var submitTags = ['form'];
        var elements = [];
        var i,
            j;
        for (i = 0; i < changeTags.length; i++) {
            elements =
document.getElementsByTagName(changeTags[i]);

```

```

        for (j = 0; j < elements.length; j++) {
            scp._addEventListener(elements[j], 'change', =
trackField);
        }
    }
    for (i = 0; i < submitTags.length; i++) {
        elements =
document.getElementsByTagName(submitTags[i]);
        for (j = 0; j < elements.length; j++) {
            scp._addEventListener(elements[j], 'submit', =
trackField);
        }
    }
});
};
=20
_gas.push(['_addHook', '_gasTrackForms', _gasTrackForms]);
=20
// Old API to be deprecated on v2.0
_gas.push(['_addHook', '_trackForms', _gasTrackForms]);
/**
 * GAS - Google Analytics on Steroids
 *
 * HTML5 Video Tracking Plugin
 *
 * Copyright 2011, Cardinal Path
 * Licensed under the GPLv3 license.
 *
 * @author Eduardo Cereto <eduardocereto@gmail.com>
 */
=20
/**
 * Triggers the actual video/audio GA events
 *
 * To be used as a callback for the HTML5 media events
 *
 * @param {Event} e A reference to the HTML event fired.
 * @this {HTMLMediaElement} The HTML element firing the event
 */
function _trackMediaElement(e) {
    this._gas.push(['_trackEvent', this.tagName, e.type, =
this.currentSrc]);
}
=20
/**
 * Triggers the HTML5 Video Tracking on the page
=20
 * @param {String} tag Either 'audio' or 'video'.
 * @this {GasHelper} GA Helper object.
 */
var _trackMedia = function (tag) {
    var self = this;
    self._liveEvent(tag, 'play', _trackMediaElement);
    self._liveEvent(tag, 'pause', _trackMediaElement);
    self._liveEvent(tag, 'ended', _trackMediaElement);
};
=20
var _trackVideo = function () {
    if (!this._videoTracked) {
        this._videoTracked = true;
    } else {
        //Oops double tracking detected.
        return;
    }
}

```

```

    _trackMedia.call(this, 'video');
};
=20
var _trackAudio = function () {
    if (!this._audioTracked) {
        this._audioTracked = true;
    } else {
        //Oops double tracking detected.
        return;
    }
    _trackMedia.call(this, 'audio');
};
=20
_gas.push(['_addHook', '_gasTrackVideo', _trackVideo]);
_gas.push(['_addHook', '_gasTrackAudio', _trackAudio]);
=20
// Old API to be deprecated on v2.0
_gas.push(['_addHook', '_trackVideo', _trackVideo]);
_gas.push(['_addHook', '_trackAudio', _trackAudio]);
=20
/**
 * GAS - Google Analytics on Steroids
 *
 * HTML Markup Plugin
 *
 * Copyright 2012, Cardinal Path and Direct Performance
 * Licensed under the GPLv3 license.
 *
 * @author Eduardo Cereto <eduardocereto@gmail.com>
 */
=20
/**
 * Sets Default pagename and Custom Vars based on Meta
 *
 * If a meta name='ga_vpv' is available on the page use that =
as a page
 * replacement if the pageview is not passed as parameter.
 *
 * If meta name="ga_custom_var" the 4 values for a custom var =
must be on
 * content separated by a caret (^).
 */
function _gasMeta() {
    var i,
        meta,
        metas = document.getElementsByTagName('meta');
    for (i = 0; i < metas.length; i++) {
        if (metas[i].name == 'ga_vpv') {
            meta = metas[i].content;
            (function (vpv) {
                window._gas.push(['_addHook', =
'_trackPageview', function (p) {
                    if (p == undefined) {
                        return [vpv];
                    }
                }
            ]);
        }
        (meta));
    } else if (metas[i].name == 'ga_custom_var') {
        meta = metas[i].content.split('^');
        if (meta.length == 4) {
            window._gas.push(['_setCustomVar',
                parseInt(meta[0], 10),

```

```

        meta[1],
        meta[2],
        parseInt(meta[3], 10)
    ]);
    }
}
}
}
}
=20
/**
 * Listens to all clicks and looks for a tagged element on it.
 *
 * Events have the following params:
 * x-ga-event-category (required) The category of the event =
specified in
 * the solution design document
 * x-ga-event-action (required) The action of the event =
specified in the
 * solution design document
 * x-ga-event-label (optional) The label of the event =
specified in the
 * solution design document. If no label is specified in the =
solution design
 * document, this attribute can be omitted
 * x-ga-event-value (optional) The value (integer) of the =
event specified
 * in the solution design document. If no value is specified in =
the solution
 * design document, this attribute can be omitted
 * x-ga-event-noninteractive (optional) Boolean (true/false) =
value
 * specified in the solution design document. If the =
non-interactive value is
 * not specified, this attribute can be omitted
 *
 * Social Actions have the following params:
 * x-ga-social-network (required) The network of the social =
interaction
 * specified in the solution design document
 * x-ga-social-action (required) The action of the social =
interaction
 * specified in the solution design document
 * x-ga-social-target (optional) The target of the social =
interaction
 * specified in the solution design document. If no target is =
specified, this
 * attribute can be omitted
 * x-ga-social-pagepath (optional) The page path of the =
social interaction
 * specified in the solution design document. If no page path =
is specified,
 * this attribute can be omitted
 */
function _gasHTMLMarkup() {
    var gh =3D this;
    =20
    gh._addEventListener(document, 'mousedown', function (me) {
        var el;
        for (el =3D me.target; el.nodeName !=3D 'HTML';
            el =3D el.parentNode) {
            if (el.getAttribute('x-ga-event')) {
                // Event element clicked, fire the =
_trackEvent
                window._gas.push(['_trackEvent',

```

```

    =
    el.getAttribute('x-ga-event-category'),
    =
    el.getAttribute('x-ga-event-action'),
    =
    el.getAttribute('x-ga-event-label') =
    || undefined,
    =
    parseInt(el.getAttribute('x-ga-event-value'), 10) || 0,
    =
    el.getAttribute('x-ga-event-noninteractive') =3D=3D=3D 'true' ? true : =
    false
    ]);
    }
    if (el.getAttribute('x-ga-social-network')) {
        // Social Action Clicked fire _trackSocial
        window._gas.push(['_trackSocial',
    =
    el.getAttribute('x-ga-social-network'),
    =
    el.getAttribute('x-ga-social-action'),
    =
    el.getAttribute('x-ga-social-target') || undefined,
    =
    el.getAttribute('x-ga-social-pagepath') || undefined
    ]);
    }
    =20
    if (el.parentNode =3D=3D=3D null) {
        break;
    }
    }, true);
}
=20
_gas.push(['_addHook', '_gasMeta', _gasMeta]);
_gas.push(['_addHook', '_gasHTMLMarkup', _gasHTMLMarkup]);
=20
/**
 * GAS - Google Analytics on Steroids
 *
 * MailTo tracking plugin
 *
 * Copyright 2011, Cardinal Path and Direct Performance
 * Licensed under the GPLv3 license.
 */
=20
/**
 * GAS plugin to track mailto: links
 *
 * @param {object} opts GAS Options.
 */
var _gasTrackMailto =3D function (opts) {
    if (!this._mailtoTracked) {
        this._mailtoTracked =3D true;
    } else {
        //Oops double tracking detected.
        return;
    }
    =20
    if (!opts) {
        opts =3D {};
    }
    opts['category'] =3D opts['category'] || 'Mailto';
=20

```

```

        this._liveEvent('a', 'mousedown', function (e) {
            var el = e.target;
            if (el && el.href && el.href.toLowerCase() &&
                indexOf.call(el.href.toLowerCase(), 'mailto:') =
=3D=3D=3D 0) {
                _gas.push(['_trackEvent', opts['category'], =
el.href.substr(7)]);
            }
        });
        return false;
    };
    _gas.push(['_addHook', '_gasTrackMailto', _gasTrackMailto]);
=20
    // Old API to be deprecated on v2.0
    _gas.push(['_addHook', '_trackMailto', _gasTrackMailto]);
=20
    /**
     * GAS - Google Analytics on Steroids
     *
     * Max-Scroll Tracking Plugin
     *
     * Copyright 2011, Cardinal Path and Direct Performance
     * Licensed under the GPLv3 license.
     *
     * @author Eduardo Cereto <eduardocereto@gmail.com>
     */
=20
    var _maxScrollOpts;
=20
    /**
     * Get current browser viewpane height
     *
     * @return {number} height.
     */
    function _get_window_height() {
        return window.innerHeight || documentElement.clientHeight ||
            document.body.clientHeight || 0;
    }
=20
    /**
     * Get current absolute window scroll position
     *
     * @return {number} YScroll.
     */
    function _get_window_Yscroll() {
        return window.pageYOffset || document.body.scrollTop ||
            documentElement.scrollTop || 0;
    }
=20
    /**
     * Get current absolute document height
     *
     * @return {number} Current document height.
     */
    function _get_doc_height() {
        return Math.max(
            document.body.scrollHeight || 0, =
documentElement.scrollHeight || 0,
            document.body.offsetHeight || 0, =
documentElement.offsetHeight || 0,
            document.body.clientHeight || 0, =
documentElement.clientHeight || 0);
    }
=20

```

```

/**
 * Get current vertical scroll percentage
 *
 * @return {number} Current vertical scroll percentage.
 */
function _get_scroll_percentage() {
    return (
        (_get_window_Yscroll() + _get_window_height()) / =
_get_doc_height()) * 100;
}
=20
var _t =3D null;
var _max_scroll =3D 0;
function _update_scroll_percentage(now) {
    if (_t) {
        clearTimeout(_t);
    }
    if (now =3D=3D=3D true) {
        _max_scroll =3D Math.max(_get_scroll_percentage(), =
_max_scroll);
        return;
    }
    _t =3D setTimeout(function () {
        _max_scroll =3D =
Math.max(_get_scroll_percentage(), _max_scroll);
        }, 400);
}
=20
function _sendMaxScroll() {
    _update_scroll_percentage(true);
    _max_scroll =3D Math.floor(_max_scroll);
    if (_max_scroll <=3D 0 || _max_scroll > 100)
        return;
    var bucket =3D (_max_scroll > 10 ? 1 : 0) * (
        Math.floor((_max_scroll - 1) / 10) * 10 + 1);
    bucket =3D String(bucket) + '-' +
        String(Math.ceil(_max_scroll / 10) * 10);
=20
    _gas.push(['_trackEvent',
        _maxScrollOpts['category'],
        url,
        bucket,
        Math.floor(_max_scroll),
        true// non-interactive
    ]);
}
=20
/**
 * Tracks the max Scroll on the page.
 *
 * @param {object} opts GAS Options to be used.
 * @this {GasHelper} The Ga Helper object
 */
function _trackMaxScroll(opts) {
    if (!this._maxScrollTracked) {
        this._maxScrollTracked =3D true;
    } else {
        //Oops double tracking detected.
        return;
    }
    _maxScrollOpts =3D opts || {};
    _maxScrollOpts['category'] =3D _maxScrollOpts['category'] || =
'Max Scroll';
=20

```

```

        this._addEventListener(window, 'scroll', =
_update_scroll_percentage);
        this._addEventListener(window, 'beforeunload', =
_sendMaxScroll);
    }
    =20
    _gas.push(['_addHook', '_gasTrackMaxScroll', _trackMaxScroll]);
    =20
    // Old API to be deprecated on v2.0
    _gas.push(['_addHook', '_trackMaxScroll', _trackMaxScroll]);
    =20
    /**
     * GAS - Google Analytics on Steroids
     *
     * Multi-Domain Tracking Plugin
     *
     * Copyright 2011, Cardinal Path and Direct Performance
     * Licensed under the GPLv3 license.
     *
     * @author Eduardo Cereto <eduardocereto@gmail.com>
     */
    =20
    /**
     * Private variable to store allowAnchor choice
     */
    _gas._allowAnchor =3D false;
    =20
    /**
     * _setAllowAnchor Hook to store choice for easier use of Anchor
     *
     * This stored value is used on _getLinkerUrl, _link and =
_linkByPost so it's
     * used the same by default
     */
    _gas.push(['_addHook', '_setAllowAnchor', function (val) {
        _gas._allowAnchor =3D !!val;
    }
    ]);
    =20
    /**
     * _link Hook to use stored allowAnchor value.
     */
    _gas.push(['_addHook', '_link', function (url, use_anchor) {
        if (use_anchor =3D=3D=3D undefined) {
            use_anchor =3D _gas._allowAnchor;
        }
        return [url, use_anchor];
    }
    ]);
    =20
    /**
     * _linkByPost Hook to use stored allowAnchor value.
     */
    _gas.push(['_addHook', '_linkByPost', function (url, use_anchor) =
{
        if (use_anchor =3D=3D=3D undefined) {
            use_anchor =3D _gas._allowAnchor;
        }
        return [url, use_anchor];
    }
    ]);
    =20
    /**
     * Store all domains pushed by _setDomainName that don't match =

```

```

current domain.
    *
    * @type {Array.<string>}
    */
var _external_domains =3D [];
=20
/**
 * Store the internal domain name
 *
 * @type string
 */
var _internal_domain;
=20

/**
 * _setDomainName Hook to add pushed domains to =
_external_domains if it doesn't
 * match current domain.
 *
 * This Hook let you call _setDomainName multiple times. So _gas =
will only
 * apply the one that matches the current domain and the other =
ones will be
 * used to track external domains with cookie data.
 */
_gas.push(['_addHook', '_setDomainName', function (domainName) {
domainName) < 0) {
        _external_domains.push(domainName);
        return false;
    }
    _internal_domain =3D domainName;
}
]);
=20
/**
 * _addExternalDomainName Hook.
 *
 * This hook let you add external domains so that urls on =
current page to this
 * domain are marked to send cookies.
 * You should use _setDomainName for this in most of the cases.
 */
_gas.push(['_addHook', '_addExternalDomainName', function =
(domainName) {
        _external_domains.push(domainName);
        return false;
    }
]);
=20
/**
 * Function to mark links on the current pages to send links
 *
 * This function is used to make it easy to implement =
multi-domain-tracking.
 * @param {string} event_used Should be 'now', 'click' or =
'mousedown'. Default
 * 'click'.
 * @this {GasHelper} GAS Helper functions
 * @return {boolean} Returns false to avoid this is puhed to =
_gaq.
 */
function track_links(event_used) {
    if (!this._multidomainTracked) {

```

```

        this._multidomainTracked = true;
    } else {
        //Oops double tracking detected.
        return;
    }
    var internal = document.location.hostname,
        gh = this,
        i,
        j,
        el,
        links = document.getElementsByTagName('a');
    if (event_used != 'now' && event_used != 'mousedown') {
        event_used = 'click';
    }
    for (i = 0; i < links.length; i++) {
        el = links[i];
        if (indexOf.call(el.href, 'http') == 0) {
            // Check to see if it's a internal link
            if (el.hostname == internal ||
                indexOf.call(el.hostname, _internal_domain) =
=> 0) {
                continue;
            }
            // Tag external Links either now or on mouse event.
            for (j = 0; j < _external_domains.length; j++) {
                if (indexOf.call(el.hostname, =
_external_domains[j]) >= 0) {
                    if (event_used == 'now') {
                        el.href =
gh['tracker']['_getLinkerUrl'](
                            el.href,
                            _gas._allowAnchor);
                    } else {
                        if (event_used == 'click') {
                            this._addEventListener(el, =
event_used, function (e) {
                                if (this.target && =
this.target == '_blank') {
                                    window.open(
                                        =
gh['tracker']['_getLinkerUrl'](
                                            this.href, =
_gas._allowAnchor));
                                } else {
                                    _gas.push(
                                        ['_link', this.href, =
_gas._allowAnchor]);
                                }
                                if (e.preventDefault)
                                    e.preventDefault();
                                else
                                    e.returnValue = false;
                                return false; //needed for =
ie7
                            });
                        } else {
                            this._addEventListener(el, =
event_used, function () {
                                this.href =
gh['tracker']['_getLinkerUrl'](
                                    this.href,
                                    _gas._allowAnchor);
                            });
                        }
                    }
                }
            }
        }
    }

```

```

    }
    }
    }
    }
    }
    return false;
}
=20
var _gasMultiDomain = function () {
    var gh = this;
    var args = slice.call(arguments);
    if (gh && gh._DOMReady) {
        gh._DOMReady(function () {
            track_links.apply(gh, args);
        });
    }
};
=20
/**
 * Registers Hook to _setMultiDomain
 */
_gas.push(['_addHook', '_gasMultiDomain', _gasMultiDomain]);
=20
// Old API to be deprecated on v2.0
_gas.push(['_addHook', '_setMultiDomain', _gasMultiDomain]);
=20
/**
 * GAS - Google Analytics on Steroids
 *
 * Outbound Link Tracking Plugin
 *
 * Copyright 2011, Cardinal Path and Direct Performance
 * Licensed under the GPLv3 license.
 *
 * @author Eduardo Cereto <eduardocereto@gmail.com>
 */
=20
/**
 * Triggers the Outbound Link Tracking on the page
 *
 * @this {object} GA Helper object.
 * @param {object} opts Custom options for Outbound Links.
 */
var _gasTrackOutboundLinks = function (opts) {
    if (!this._outboundTracked) {
        this._outboundTracked = true;
    } else {
        //Oops double tracking detected.
        return;
    }
    var gh = this;
    if (!opts) {
        opts = {};
    }
    opts['category'] = opts['category'] || 'Outbound';
=20
    gh._liveEvent('a', 'mousedown', function (e) {
        var l = this;
        if (
            (l.protocol === 'http:' || l.protocol ===
=3D=3D=3D 'https:') &&
            indexOf.call(l.hostname, =
document.location.hostname) === -1) {

```

```

        var path =3D (l.pathname + l.search + ''),
            utm =3D indexOf.call(path, '__utm');
        if (utm !=3D=3D -1) {
            path =3D path.substring(0, utm);
        }
        _gas.push(['_trackEvent',
            opts['category'],
            l.hostname,
            path
        ]);
    }
    =20
});
};
=20
_gas.push(['_addHook', '_gasTrackOutboundLinks', =
_gasTrackOutboundLinks]);
=20
// Old API to be deprecated on v2.0
_gas.push(['_addHook', '_trackOutboundLinks', =
_gasTrackOutboundLinks]);
=20
/**
 * GAS - Google Analytics on Steroids
 *
 * Vimeo Video Tracking Plugin
 *
 * Copyright 2011, Cardinal Path and Direct Performance
 * Licensed under the GPLv3 license.
 *
 * @author Eduardo Cereto <eduardocereto@gmail.com>
 */
=20
var _vimeoTimeTriggers =3D [];
var _vimeoPoolMaps =3D {};
=20
/**
 * Cached urls for vimeo players on the page.
 *
 * @type {object}
 */
var _vimeo_urls =3D {};
=20
function _vimeoPool(data) {
    if (!_vimeoPoolMaps[data.player_id]) {
        _vimeoPoolMaps[data.player_id] =3D {};
        _vimeoPoolMaps[data.player_id].timeTriggers =3D =
slice.call(
            _vimeoTimeTriggers);
    }
    if (_vimeoPoolMaps[data.player_id].timeTriggers.length > 0) =
{
        if (data.data.percent * 100 >=3D
            _vimeoPoolMaps[data.player_id].timeTriggers[0]) {
            var action =3D =
_vimeoPoolMaps[data.player_id].timeTriggers.shift();
            _gas.push([
                '_trackEvent',
                'Vimeo Video',
                action + '%',
                _vimeo_urls[data.player_id]
            ]);
        }
    }
}

```

```

    }
=20
    /**
    * Helper function to post messages to a vimeo player
    *
    * @param {string} method The method from the vimeo API.
    * @param {string} params to be passed as the value of the =
method.
    * @param {object} target Iframe DOM Element for the Vimeo =
player.
    * @return {boolean} true if it worked or false otherwise.
    */
    function _vimeoPostMessage(method, params, target) {
!target.contentWindow.postMessage || !JSON) {
        return false;
    }
    var url =3D target.getAttribute('src').split('?')[0],
        data =3D JSON.stringify({
            method : method,
            value : params
        });
    target.contentWindow.postMessage(data, url);
    return true;
}
=20
    /**
    * Flag that indicates if the global listener has been bind to =
the window
    * @type {boolean}
    */
    var _has_vimeo_window_event =3D false;
=20
    var _vimeoOpts;
=20
    /**
    * postMessage Listener
    * @param {Object} event The Vimeo API return event.
    */
    function _vimeoPostMessageListener(event) {
{
        if (sindexOf.call(event.origin, '//player.vimeo.com') > -1) =
{
            var data =3D JSON.parse(event.data);
            if (data.event =3D=3D=3D 'ready') {
                _trackVimeo.call(_gas.gh); // Force rerun since a =
player is ready
            } else if (data.method) {
                if (data.method =3D=3D=3D 'getVideoUrl') {
                    _vimeo_urls[data.player_id] =3D data.value;
                }
            } else if (data.event =3D=3D=3D 'playProgress') {
                _vimeoPool(data);
            } else {
                _gas.push(['_trackEvent', _vimeoOpts['category'],
                    data.event, _vimeo_urls[data.player_id]]);
            }
        }
    }
=20
}
=20
    /**
    * Triggers the Vimeo Tracking on the page
    *
    * Only works for the Universal Tag from Vimeo (iframe). The =

```

```

video must have
    * the parameter api=3D1 on the url in order to make the =
tracking work.
    *
    * @this {GasHelper} GA Helper object.
    */
function _trackVimeo() {
    var iframes =3D document.getElementsByTagName('iframe');
    var vimeo_videos =3D 0;
    var player_id;
    var player_src;
    var separator;
    var force =3D _vimeoOpts['force'];
    var partials =3D _vimeoOpts['percentages'];
    for (var i =3D 0; i < iframes.length; i++) {
        if (sindexOf.call(iframes[i].src, '//player.vimeo.com') =
> -1) {
            player_id =3D 'gas_vimeo_' + i;
            player_src =3D iframes[i].src;
            separator =3D '?';
            if (sindexOf.call(player_src, '?') > -1) {
                separator =3D '&';
            }
            if (sindexOf.call(player_src, 'api=3D1') < 0) {
                if (force) {
                    // Reload the video enabling the api
                    player_src +=3D separator + =
'api=3D1&player_id=3D' + player_id;
                } else {
                    // We won't track players that don't have =
api enabled.
                    continue;
                }
            } else {
                if (sindexOf.call(player_src, 'player_id=3D') < =
-1) {
                    player_src +=3D separator + 'player_id=3D' + =
player_id;
                }
            }
            vimeo_videos++;
            iframes[i].id =3D player_id;
            if (iframes[i].src !=3D=3D player_src) {
                iframes[i].src =3D player_src;
                break; // break to wait until it is ready since =
we reloaded it.
            }
            // We need to cache the video url since vimeo won't =
provide it
            // in the event
            _vimeoPostMessage('getVideoUrl', '', iframes[i]);
            _vimeoPostMessage('addEventListener', 'play', =
iframes[i]);
            _vimeoPostMessage('addEventListener', 'pause', =
iframes[i]);
            _vimeoPostMessage('addEventListener', 'finish', =
iframes[i]);
            if (partials) {
                _vimeoTimeTriggers =3D partials;
                _vimeoPostMessage('addEventListener', =
'playProgress',
                    iframes[i]);
            }
        }
    }
}

```

```

    }
    if (vimeo_videos > 0 && _has_vimeo_window_event =3D=3D=3D =
false) {
        this._addEventListener(window, 'message',
            _vimeoPostMessageListener, false);
        _has_vimeo_window_event =3D true;
    }
}
=20
var _gasTrackVimeo =3D function (opts) {
    var gh =3D this;
    // Support
    if (typeof opts =3D=3D=3D 'boolean' || opts =3D=3D=3D =
'force') {
        opts =3D {
            'force' : !!opts
        };
    }
    opts =3D opts || {};
    opts['category'] =3D opts['category'] || 'Vimeo Video';
    opts['percentages'] =3D opts['percentages'] || [];
    opts['force'] =3D opts['force'] || false;
    _vimeoOpts =3D opts;
    gh._DOMReady(function () {
        _trackVimeo.call(gh);
    });
    return false;
};
=20
_gas.push(['_addHook', '_gasTrackVimeo', _gasTrackVimeo]);
=20
// Old API to be deprecated on v2.0
_gas.push(['_addHook', '_trackVimeo', _gasTrackVimeo]);
=20
/**
 * GAS - Google Analytics on Steroids
 *
 * YouTube Video Tracking Plugin
 *
 * Copyright 2011, Cardinal Path and Direct Performance
 * Licensed under the GPLv3 license.
 *
 * @author Eduardo Cereto <eduardocereto@gmail.com>
 */
=20
/**
 * Array of percentage to fire events.
 */
var _ytTimeTriggers =3D [];
var _ytOpts;
=20
/**
 * Used to map each vid to a set of timeTriggers and it's pool =
timer
 */
var _ytPoolMaps =3D {};
=20
function _ytPool(target, hash) {
    if (_ytPoolMaps[hash] =3D=3D=3D undefined ||
        _ytPoolMaps[hash].timeTriggers.length <=3D 0) {
        return false;
    }
    var p =3D target['getCurrentTime]() / =
target['getDuration]() * 100;

```

```

        if (p >=3D _ytPoolMaps[hash].timeTriggers[0]) {
            var action =3D _ytPoolMaps[hash].timeTriggers.shift();
            _gas.push([
                '_trackEvent',
                _ytOpts['category'],
                action + '%',
                target['getVideoUrl']()
            ]);
        }
        _ytPoolMaps[hash].timer =3D setTimeout(_ytPool, 1000, =
target, hash);
    }
=20
    function _ytStopPool(target) {
        var h =3D target['getVideoUrl']();
        if (_ytPoolMaps[h] && _ytPoolMaps[h].timer) {
            _ytPool(target, h); // Pool one last time before =
clearing it.
            clearTimeout(_ytPoolMaps[h].timer);
        }
    }
=20
    function _ytStartPool(target) {
        if (_ytTimeTriggers && _ytTimeTriggers.length) {
            var h =3D target['getVideoUrl']();
            if (_ytPoolMaps[h]) {
                _ytStopPool(target);
            } else {
                _ytPoolMaps[h] =3D {};
                _ytPoolMaps[h].timeTriggers =3D =
slice.call(_ytTimeTriggers);
            }
            _ytPoolMaps[h].timer =3D setTimeout(_ytPool, 1000, =
target, h);
        }
    }
=20
/**
 * Called when the Video State changes
 *
 * We are currently tracking only finish, play and pause events
 *
 * @param {Object} event the event passed by the YT api.
 */
function _ytStateChange(event) {
    var action =3D '';
    switch (event['data']) {
        case 0:
            action =3D 'finish';
            _ytStopPool(event['target']);
            break;
        case 1:
            action =3D 'play';
            _ytStartPool(event['target']);
            break;
        case 2:
            action =3D 'pause';
            _ytStopPool(event['target']);
            break;
    }
    if (action) {
        _gas.push(['_trackEvent',
            _ytOpts['category'], action, =
event['target']['getVideoUrl']()

```

```

    });
  }
}
=20
/**
 * Called when the player fires an Error Event
 *
 * @param {Object} event the event passed by the YT api.
 */
function _ytError(event) {
  _gas.push(['_trackEvent',
    _ytOpts['category'],
    'error (' + event['data'] + ')',
    event['target']['getVideoUrl']()
  ]);
}
=20
/**
 * Looks for object/embed youtube videos and migrate them to the =
iframe method
 * so it tries to track them
 */
function _ytMigrateObjectEmbed() {
  var objs =3D document.getElementsByTagName('object');
  var pars,
  ifr,
  ytid;
  var r =3D =
/(https?:\/\www\.youtube(-nocookie)?\.com[^\w\/]*).*\/v\/([^\&?]+)/;
  for (var i =3D 0; i < objs.length; i++) {
    pars =3D objs[i].getElementsByTagName('param');
    for (var j =3D 0; j < pars.length; j++) {
      if (pars[j].name =3D=3D=3D 'movie' && pars[j].value) =
{
      // Replace the object with an iframe
      ytid =3D pars[j].value.match(r);
      if (ytid && ytid[1] && ytid[3]) {
        ifr =3D document.createElement('iframe');
        ifr.src =3D ytid[1] + '/embed/' + ytid[3] + =
'?enablejsapi=3D1';
        ifr.width =3D objs[i].width;
        ifr.height =3D objs[i].height;
        ifr.setAttribute('frameBorder', '0');
        ifr.setAttribute('allowfullscreen', '');
        objs[i].parentNode.insertBefore(ifr, =
objs[i]);
        objs[i].parentNode.removeChild(objs[i]);
        // Since we removed the object the Array =
changed
        i--;
      }
      break;
    }
  }
}
=20
/**
 * Triggers the YouTube Tracking on the page
 *
 * Only works for the iframe tag. The video must have the =
parameter
 * enablejsapi=3D1 on the url in order to make the tracking =
work.

```

```

*
* @param {(object)} opts GAS Options object.
*/
function _trackYoutube(opts) {
  var force =3D opts['force'];
  var opt_timeTriggers =3D opts['percentages'];
  if (force) {
    try {
      _ytMigrateObjectEmbed();
    } catch (e) {
      _gas.push(['_trackException', e,
        'GAS Error on =
youtube.js:_ytMigrateObjectEmbed'
      ]);
    }
  }
  =20
  var youtube_videos =3D [];
  var iframes =3D document.getElementsByTagName('iframe');
  for (var i =3D 0; i < iframes.length; i++) {
    if (indexOf.call(iframes[i].src, =
'//www.youtube.com/embed') > -1) {
      if (indexOf.call(iframes[i].src, 'enablejsapi=3D1') =
< 0) {
        if (force) {
          // Reload the video enabling the api
          if (indexOf.call(iframes[i].src, '?') < 0) =
{
            iframes[i].src +=3D '?enablejsapi=3D1';
          } else {
            iframes[i].src +=3D '&enablejsapi=3D1';
          }
        } else {
          // We can't track players that don't have =
api enabled.
          continue;
        }
      }
      youtube_videos.push(iframes[i]);
    }
  }
  if (youtube_videos.length > 0) {
    if (opt_timeTriggers && opt_timeTriggers.length) {
      _ytTimeTriggers =3D opt_timeTriggers;
    }
    // this function will be called when the youtube api =
loads
    window['onYouTubePlayerAPIReady'] =3D function () {
      var p;
      for (var i =3D 0; i < youtube_videos.length; i++) {
        p =3D new =
window['YT']['Player'](youtube_videos[i]);
        p.addEventListener('onStateChange', =
_ytStateChange);
        p.addEventListener('onError', _ytError);
      }
    };
    // load the youtube player api
    var tag =3D document.createElement('script');
    //XXX use document.location.protocol
    var protocol =3D 'http:';
    if (document.location.protocol =3D=3D=3D 'https:') {
      protocol =3D 'https:';
    }
  }
}

```

```

    }
    tag.src = protocol + '//www.youtube.com/player_api';
    tag.type = 'text/javascript';
    tag.async = true;
    var firstScriptTag =
document.getElementsByTagName('script')[0];
    firstScriptTag.parentNode.insertBefore(tag, =
firstScriptTag);
    }
}
=20
var _gasTrackYoutube = function (opts) {
    // Support for legacy parameters
    var args = slice.call(arguments);
    if (args[0] && (typeof args[0] = 'boolean' || =
args[0] = 'force')) {
        opts = {
            'force' : !!args[0]
        };
        if (args[1] && args[1].length) {
            opts['percentages'] = args[1];
        }
    }
    =20
    opts = opts || {};
    opts['force'] = opts['force'] || false;
    opts['category'] = opts['category'] || 'YouTube Video';
    opts['percentages'] = opts['percentages'] || [];
    =20
    _ytOpts = opts;
    var gh = this;
    gh._DOMReady(function () {
        _trackYoutube.call(gh, opts);
    });
    return false;
};
=20
_gas.push(['_addHook', '_gasTrackYoutube', _gasTrackYoutube]);
=20
// Old API to be deprecated on v2.0
_gas.push(['_addHook', '_trackYoutube', _gasTrackYoutube]);
=20
/**
 * Wrap-up
 */
// Execute previous functions
while (_gas._queue.length > 0) {
    _gas.push(_gas._queue.shift());
}
=20
// Import ga.js
if (_gaq && _gaq.length >= 0) {
    (function () {
        var ga = document.createElement('script');
        ga.type = 'text/javascript';
        ga.async = true;
        ga.src = (
            'https:' = document.location.protocol ?
            'https://ssl' :
            'http://www') +
            '.google-analytics.com/ga.js';
        var s =
document.getElementsByTagName('script')[0];
        s.parentNode.insertBefore(ga, s);
    });
}

```

```

        }
        ());
    }
    =20
})(window);

_gas.push(function () {
    this._DOMReady(function () {
        try {
            var oGSA_CPwrapGA =3D new GSA_CPwrapGA();
            =20
            if (!document._gsaDelayGA)
                oGSA_CPwrapGA.onEveryPage();
        } catch (e) {
            try {
                console.log(e.message);
            } catch (e) {}
        }
        =20
    }
});
});

```

```

-----=_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: application/octet-stream
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/all/themes/danland/scripts/hoverIntent.js?
nuogak

```

```

// $Id: hoverIntent.js,v 1.1 2010/07/19 22:25:16 danprobo Exp $
(function($){
    /* hoverIntent by Brian Cherne */
    $.fn.hoverIntent =3D function(f,g) {
        // default configuration options
        var cfg =3D {
            sensitivity: 7,
            interval: 100,
            timeout: 0
        };
        // override configuration options with user supplied object
        cfg =3D $.extend(cfg, g ? { over: f, out: g } : f );

        // instantiate variables
        // cX, cY =3D current X and Y position of mouse, updated by
mousemove =
event
        // pX, pY =3D previous X and Y position of mouse, set by mouseover
and =
polling interval
        var cX, cY, pX, pY;

        // A private function for getting mouse position
        var track =3D function(ev) {
            cX =3D ev.pageX;
            cY =3D ev.pageY;
        };

        // A private function for comparing current and previous mouse =
position
        var compare =3D function(ev,ob) {
            ob.hoverIntent_t =3D clearTimeout(ob.hoverIntent_t);
            // compare mouse positions to see if they've crossed the
threshold

```

```

        if ( ( Math.abs(pX-cX) + Math.abs(pY-cY) ) < cfg.sensitivity )
    {
        $(ob).unbind("mousemove",track);
        // set hoverIntent state to true (so mouseOut can be
called)
        ob.hoverIntent_s =3D 1;
        return cfg.over.apply(ob,[ev]);
    } else {
        // set previous coordinates for next time
        pX =3D cX; pY =3D cY;
        // use self-calling timeout, guarantees intervals are
spaced out =
properly (avoids JavaScript timer bugs)
        ob.hoverIntent_t =3D setTimeout( function(){compare(ev,
ob);} , =
cfg.interval );
    }
};

// A private function for delaying the mouseOut function
var delay =3D function(ev,ob) {
    ob.hoverIntent_t =3D clearTimeout(ob.hoverIntent_t);
    ob.hoverIntent_s =3D 0;
    return cfg.out.apply(ob,[ev]);
};

// A private function for handling mouse 'hovering'
var handleHover =3D function(e) {
    // next three lines copied from jQuery.hover, ignore children
=
onMouseOver/onMouseOut
    var p =3D (e.type =3D=3D "mouseover" ? e.fromElement :
e.toElement) =
|| e.relatedTarget;
    while ( p && p !=3D this ) { try { p =3D p.parentNode; }
catch(e) { p =
=3D this; } }
    if ( p =3D=3D this ) { return false; }

    // copy objects to be passed into t (required for event object
to be =
passed in IE)
    var ev =3D jQuery.extend({},e);
    var ob =3D this;

    // cancel hoverIntent timer if it exists
clearTimeout(ob.hoverIntent_t); }

    // else e.type =3D=3D "onmouseover"
    if (e.type =3D=3D "mouseover") {
        // set "previous" X and Y position based on initial
entry point
        pX =3D ev.pageX; pY =3D ev.pageY;
        // update "current" X and Y position based on mousemove
        $(ob).bind("mousemove",track);
        // start polling interval (self-calling timeout) to
compare mouse =
coordinates over time
        if (ob.hoverIntent_s !=3D 1) { ob.hoverIntent_t =3D
setTimeout( =
function(){compare(ev,ob);} , cfg.interval );}

        // else e.type =3D=3D "onmouseout"

```

```

        } else {
            // unbind expensive mousemove event
            $(ob).unbind("mousemove", track);
            // if hoverIntent state is true, then call the mouseOut
function =
after the specified delay
            if (ob.hoverIntent_s == 1) { ob.hoverIntent_t =
setTimeout( =
function(){delay(ev,ob);} , cfg.timeout );}
        }
    };

    // bind the function to the two event listeners
    return this.mouseover(handleHover).mouseout(handleHover);
};

=09
})(jQuery);
-----_NextPart_000_0000_01D0EFC3.5DD648D0
Content-Type: application/octet-stream
Content-Transfer-Encoding: quoted-printable
Content-Location:
http://www.rita.dot.gov/bts/sites/all/themes/danland/scripts/superfish.js?nuogak

// $Id: superfish.js,v 1.1.4.1 2010/11/11 13:58:25 danprobo Exp $
/*
 * Superfish v1.4.8 - jQuery menu widget
 * Copyright (c) 2008 Joel Birch
 *
 * Dual licensed under the MIT and GPL licenses:
 *   http://www.opensource.org/licenses/mit-license.php
 *   http://www.gnu.org/licenses/gpl.html
 *
 * CHANGELOG: =
http://users.tpg.com.au/j_birch/plugins/superfish/changelog.txt
*/

jQuery(document).ready(function($) {
    $("#superfish ul.menu").superfish({=20
        delay: 100, =20
        animation: {opacity:'show',height:'show'}, =20
        speed: 'fast', =20
        autoArrows: true, =20
        dropShadows: true =20
    });
});

;(function($){
    $.fn.superfish = function(op){

        var sf = $.fn.superfish,
            c = $.fn.c,
            $arrow = $.fn.c(['<span class="',c.arrowClass,'"> =
&#187;</span>'].join('')),
            over = function(){
                var $$ = $(this), menu = getMenu($$);
                clearTimeout(menu.sfTimer);
                $.showSuperfishUL().siblings().hideSuperfishUL();
            },
            out = function(){
                var $$ = $(this), menu = getMenu($$), o = sf.op;
                clearTimeout(menu.sfTimer);
                menu.sfTimer = setTimeout(function(){
                    o.retainPath = ($.inArray($$[0], o.$path) > -1);
                    $.hideSuperfishUL();
                }, o.delay);
            };
    };

```

```

        if (o.$path.length && =
    $$.parents(['li.',o.hoverClass].join('')).length<1){over.call(o.$path);}
        },o.delay);=09
    },
    getMenu =3D function($menu){
        var menu =3D =
    $menu.parents(['ul.',c.menuClass,':first'].join(''))[0];
        sf.op =3D sf.o[menu.serial];
        return menu;
    },
    addArrow =3D function($a){ =
    $a.addClass(c.anchorClass).append($arrow.clone()); };
    =09
    return this.each(function() {
        var s =3D this.serial =3D sf.o.length;
        var o =3D $.extend({},sf.defaults,op);
        o.$path =3D =
    $('li.'+o.pathClass,this).slice(0,o.pathLevels).each(function(){
        $(this).addClass([o.hoverClass,c.bcClass].join(' '))
        .filter('li:has(ul)').removeClass(o.pathClass);
    });
    sf.o[s] =3D sf.op =3D o;
    =09
    $('li:has(ul)',this)[($.fn.hoverIntent && !o.disableHI) ? =
    'hoverIntent' : 'hover'](over,out).each(function() {
        if (o.autoArrows) addArrow( $('>a:first-child',this) );
    })
    .not('.'+c.bcClass)
    .hideSuperfishUl();
    =09
    var $a =3D $('a',this);
    $a.each(function(i){
        var $li =3D $a.eq(i).parents('li');
        =
    $a.eq(i).focus(function(){over.call($li);}).blur(function(){out.call($li)=
    ;});
    });
    o.onInit.call(this);
    =09
    }).each(function() {
        var menuClasses =3D [c.menuClass];
        if (sf.op.dropShadows && !($.browser.msie &&
    $.browser.version < 7)) =
    menuClasses.push(c.shadowClass);
        $(this).addClass(menuClasses.join(' '));
    });
    };

    var sf =3D $.fn.superfish;
    sf.o =3D [];
    sf.op =3D {};
    sf.IE7fix =3D function(){
        var o =3D sf.op;
        if ($.browser.msie && $.browser.version > 6 && o.dropShadows && =
    o.animation.opacity!=3Dundefined)
        this.toggleClass(sf.c.shadowClass+'-off');
    };
    sf.c =3D {
        bcClass      : 'sf-breadcrumb',
        menuClass    : 'sf-js-enabled',
        anchorClass  : 'sf-with-ul',
        arrowClass   : 'sf-sub-indicator',
        shadowClass  : 'sf-shadow'
    };
    };

```

```

sf.defaults =3D {
  hoverClass : 'sfHover',
  pathClass  : 'overrideThisToUse',
  pathLevels : 1,
  delay      : 800,
  animation  : {opacity:'show'},
  speed      : 'normal',
  autoArrows : true,
  dropShadows : true,
  disableHI  : false,          // true disables hoverIntent detection
  onInit     : function(){}, // callback functions
  onBeforeShow: function(){},
  onShow     : function(){},
  onHide     : function(){}}
};
$.fn.extend({
  hideSuperfishUl : function(){
    var o =3D sf.op,
        not =3D (o.retainPath=3D=3D=3Dtrue) ? o.$path : '';
    o.retainPath =3D false;
    var $ul =3D =
$(['li.',o.hoverClass].join(''),this).add(this).not(not).removeClass(o.hoverClass)
        .find('>ul').hide().css('visibility','hidden');
    o.onHide.call($ul);
    return this;
  },
  showSuperfishUl : function(){
    var o =3D sf.op,
        sh =3D sf.c.shadowClass+'-off',
        $ul =3D this.addClass(o.hoverClass)
        .find('>ul:hidden').css('visibility','visible');
    sf.IE7fix.call($ul);
    o.onBeforeShow.call($ul);
    $ul.animate(o.animation,o.speed,function()
{ sf.IE7fix.call($ul); =
o.onShow.call($ul); });
    return this;
  }
});
})(jQuery);

```

-----=_NextPart_000_0000_01D0EFC3.5DD648D0--