
2025 School District Review Program Respondent Guide: Annotation Phase

Instructions for Using the Submission Log and the Geographic Update Partnership Software (GUPS)

September 2024







This page intentionally left blank.

TABLE OF CONTENTS

Intro	duc	tion	ix
Α		School District Review Program	ix
В		Mapping Coordinator Responsibilities	x
C		Types of School District Boundary Updates	xi
D		Guidance for Boundary Changes	. xix
Part :	1	What is the School District Review Program (SDRP)	1
Chap	ter	1 Overview	1
1.	.1	SDRP Schedule	1
1.	.2	SDRP Annotation Phase Materials	1
1.	.3	SDRP and GUPS Help	1
1.	.4	Description and Use of Listing Files	1
	1.4	.1 Inventory and Grade Range File (All States)	2
	1.	4.1.1 Submitting Updates to Information in the Inventory and Grade Range File	2
	1.4	.2 County Coverage File (All States)	2
	1.4	.3 Legal Government Coextensive Coverage File (Limited States)	3
	1.4	.4 School District to Geography (SD/GEO) Relationship File (Limited States)	3
	1.4	.5 Submitting Updates to Information in the "County Coverage," "Legal Government Coextensive Coverage", and/or "Relationship" Files	
Part 2	2	How to Use the TIGERweb	5
Chap	ter	2 Using the TIGERweb Map Viewer for the SDRP	5
2.	.1	Locating a School District	6
2.	.2	Printing and Saving a Map	. 11
Part 3	3	How to Use the Submission Log	. 13
Chap	ter	3 Using the Submission Log for the SDRP	. 13
3.	.1	School District Name Change	. 13
3.	.2	Grade Range Change	. 13
3.	.3	SDLEA Code Change	. 14
3.	.4	Level Change	. 14
3.	.5	Simple Consolidation	. 14
3.	.6	Simple Dissolution	. 15
3.	.7	Simple Spatial Update Using Whole MCDs or Incorporated Places	. 16
Part 4	4	How to Use the Geographic Update Partnership Software (GUPS)	. 17

Chapte	er 4	Getting Started	17
4.1	. н	ardware and Software Requirements	17
4.2	2 D	ownload and Install GUPS	18
Chapte	er 5	Using GUPS for the SDRP	20
5.1	. St	art a New Project Using Census Web	20
5.2	2 G	UPS Menus and Toolbars	25
5	5.2.1	Introducing the SDRP Toolbar	26
5	5.2.2	Describing the SDRP Toolbar's Modify Area Feature Tool	29
	5.2.2	2.1 Using the Select Feature(s) Button in the Modify Area Feature Tool	.31
5.3	S SI	DRP Updates Using GUPS	38
5	5.3.1	Boundary Change Basics	38
5	5.3.2	Load County Reference Layers	39
5	5.3.3	Unload County Reference Layers	40
5	5.3.4	Boundary Change Using Whole Faces	42
5	5.3.5	Add a Linear Feature to Split a Face	47
5	5.3.6	Delete a Linear Feature	49
5	5.3.7	Making Elementary and Secondary School District Boundary Changes Simultaneously	52
5	5.3.8	Complex Consolidation	57
5	5.3.9	Complex Dissolution	63
5	5.3.10	New District	68
5.4	l R	eview and Validate Updates	72
5	5.4.1	SDRP Criteria Review Tool	72
	5.4.1	1 Grade Range Overlap Error	.74
	5.4.2	2 Grade Range Coverage Gap Error–Incorrect Attributes	.77
	5.4.2	Grade Range Coverage Gap Error–Missing School District Geography Coverage	.78
	5.4.2	,	
	5.4.1	6 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1	
	5.4.2	L.6 Informational Warning–Multiple Secondary School District (SCSD) Assigned to Single Elementa School District (ELSD)	-
		7 Informational Warnings–Options for Viewing	
		Geography Review Tool	
5	5.4.3	Review Change Polygons Tool	84
5.5	. F	port Zip Files to Share and Submit	86

5	.5.1	Export a File to Share with Another Participant	87
5	.5.2	Export a File for Submission to the Census Bureau	88
Part 5		How to Submit Files to the Census Bureau	91
Chapte	er 6	Using the Secure Web Incoming Module (SWIM)	91
Appen	dix A	A Financial Responsibility	A-1
A1	Ps	seudo School Districts	A-1
A2	Ele	ementary PK/KG-12 School District	A-3
Appen	dix B	B Data Dictionary for the Listing Files	B-1
B1	Da	ata Dictionary for the Inventory and Grade Range File	B-1
B2	Da	ata Dictionary for the County Coverage File	B-1
В3	Da	ata Dictionary for the Legal Government Coextensive Coverage File	B-2
В4	Da	ata Dictionary for the School District to Geography Relationship File	B-3
Appen	dix C	Shapefile Names	C-1
Appen	dix D	Shapefile Layouts and Data Dictionary	D-1
Appen	dix E	Additional GUPS Documentation	E-1
E1	М	enu Bar	E-1
E2	St	andard Toolbar Buttons	E-5
Е	2.1	Change the Working Directory	E-8
Е	2.2	Clean GUPS Data	E-10
Е	2.3	Import Custom Shapefiles	E-11
E3	Ta	able of Contents and Table of Contents Toolbar	E-14
F4	St:	atus Bar	F-16

LIST OF TABLES

Table 1: Types of School District Updates	xi
Table 2: GUPS Hardware and Operating System Requirements	17
Table 3: Steps to Download and Install GUPS	18
Table 4: Steps to Open GUPS and Start a New Project Using Census Web	20
Table 5: Steps to Save and Close a Project	24
Table 6: Steps to Open a Saved Project	25
Table 7: GUPS Main Page Elements and Their Function/Description	26
Table 8: SDRP Toolbar Buttons and Their Function/Description	26
Table 9: Modify Area Feature Tool Buttons and Their Function/Description	30
Table 10: Steps to Use the Select Feature(s) Button	31
Table 11: Steps to Load County Reference Layers	39
Table 12: Steps to Unload County Reference Layers	41
Table 13: Steps to Make a Boundary Change Using Whole Faces	42
Table 14: Steps to Add a Linear Feature to Split a Face	47
Table 15: Steps to Delete a Linear Feature One Segment at a Time	49
Table 16: Steps to Delete Multiple Segments of a Linear Feature	50
Table 17: Steps to Make Elementary and Secondary School District Boundary Changes	52
Table 18: Steps to Perform a Complex Consolidation	57
Table 19: Steps to Perform a Complex Dissolution	63
Table 20: Steps to Create a New District	68
Table 21: SDRP Criteria Review Tool Error and Warning Messages	73
Table 22: Steps to Use the SDRP Criteria Review Tool	73
Table 23: Steps to Correct a Grade Range Overlap Error	75
Table 24: Steps to Use the Geography Review Tool	81
Table 25: Steps to Use the Review Change Polygons Tool	85
Table 26: Steps to Export a File to Share with Another Participant	87
Table 27: Steps to Export a File for Submission to the Census Bureau	88
Table 28: Steps to Use SWIM	92
Table 29: Pseudo School Districts in the Inventory and Grade Range Listing File	A-2

Table 30: Data Dictionary for the Inventory and Grade Range File	B-1
Table 31: Data Dictionary for the County Coverage File	B-1
Table 32: Data Dictionary for the Legal Government Coextensive Coverage File	B-2
Table 33: Data Dictionary for the School District to Geography Relationship File	B-3
Table 34: Abbreviated State Shapefile Names	
Table 35: Abbreviated County Shapefile Names	
Table 36: American Indian Areas (aial)–Legal	D-1
Table 37: Census Designated Places (cdp)	D-2
Table 38: County and Equivalent Areas (county)	D-3
Table 39: County Subdivisions (mcd)	D-4
Table 40: Incorporated Places (place)	D-5
Table 41: Elementary School Districts (elsd)	D-6
Table 42: Secondary School Districts (scsd)	D-7
Table 43: School District Administrative Areas (sdadm)–Vermont only	D-8
Table 44: Unified School Districts (unsd)	D-9
Table 45: Area Landmark (arealm)	D-10
Table 46: All Lines (edges)	D-11
Table 47: Faces (faces)	D-12
Table 48: Hydrography–Area (water)	D-13
Table 49: Menu Bar Tabs and Their Function/Description	E-2
Table 50: Standard Toolbar Buttons and Their Function/Description	E-5
Table 51: Steps to Change the Working Directory	E-8
Table 52: Steps to Import Custom Shapefiles	E-11
Table 53: Table of Contents Toolbar Buttons and Their Function/Description	E-15
Table 54: Status Bar Flements and Their Function/Description	F-16

LIST OF FIGURES

Figure 1: Boundary Change Example (Update Using GUPS)	xiii
Figure 2: Complex Consolidation Example (Update Using GUPS)	xiv
Figure 3: Complex Dissolution Example (Update Using GUPS)	xv
Figure 4: New District Example (Update Using GUPS)	xvi
Figure 5: Simple Consolidation Example (Update Using the Submission Log)	xvii
Figure 6: Simple Dissolution Example (Update Using the Submission Log)	xviii
Figure 7: Query Tool Button	6
Figure 8: Query Tool Window	6
Figure 9: Query Tool–Attribute Tab–Select Map	7
Figure 10: Query Tool–Query by GEOID	7
Figure 11: Task Results Tab with Query Results	8
Figure 12: Query Results–Info Panel	8
Figure 13: Map Display with Query Results	9
Figure 14: Query Tool–Query by Name	10
Figure 15: Query by Name Results	10
Figure 16: Map Display with Query Results	11
Figure 17: Print Tool Button	11
Figure 18: Print Tool Window	12
Figure 19: Example of a School District Name Change	13
Figure 20: Example of a School District Grade Range Change	14
Figure 21: Example of a SDLEA Code Change	14
Figure 22: Example of a Level Change	14
Figure 23: Example of a Simple Consolidation	15
Figure 24: Example of a Simple Dissolution	15
Figure 25: Example of a Simple Spatial Update–Boundary Change	16
Figure 26: Example of a Simple Spatial Update–New District	16
Figure 27: GUPS Main Page Elements and Default Layout	25
Figure 28: SDRP Toolbar	26
Figure 29: Modify Area Feature Tool	30

Figure 30: Example of a Grade Range Gap Error–Incorrect Attributes	78
Figure 31: Example of a Partially Dissolved School District Error	79
Figure 32: Informational Warning (Multiple Secondary School Districts–Single Scho	ool District) 80
Figure 33: Information Warning Check Boxes	81
Figure 34: Example of a Pseudo School District–Pulaski County, KY	A-2
Figure 35: Menu Bar, Standard Toolbar, and SDRP Toolbar	E-1
Figure 36: Menu Bar	E-1
Figure 37: Standard Toolbar	E-5
Figure 38: Sub-Toolbar Markers	E-5
Figure 39: GUPS Data Settings Window	E-10
Figure 40: GUPS Data Settings–Clean by Project	E-10
Figure 41: GUPS Data Settings–Clean by Program	E-11
Figure 42: Table of Contents Toolbar	E-15
Figure 43: Table of Contents with Layer Checkmarks and Arrows	E-16
Figure 44: Status Bar	E-16

INTRODUCTION

This guide is divided into five parts.

- Part 1 What is the School District Review Program (SDRP)
- Part 2 How to Use the TIGERweb
- Part 3 How to Use the Submission Log
- Part 4 How to Use the Geographic Update Partnership Software (GUPS)
- Part 5 How to Submit Files to the Census Bureau

In addition, it has five appendices that provide supplemental information.

IMPORTANT:

Images used in this guide may differ slightly from the finalized versions of software and materials. Regardless of any difference in images, the overall instruction, actions, and results that are illustrated within this document remain consistent with what is anticipated for the program.

A. School District Review Program

The School District Review Program (SDRP) is a U.S. Department of Education National Center for Education Statistics (NCES) sponsored program conducted annually by the U.S. Census Bureau. It is of vital importance for the state's allocation of federal funding under Title I of the Elementary and Secondary Education Act (ESEA) as amended by Every Student Succeeds Act of 2015, Public Law 114-95. The updated school district boundary information submitted through this program, along with the decennial census population, Small Area Income and Poverty Estimates (SAIPE), and current population estimates, are used in forming the Census Bureau's estimates of the number of children aged 5 through 17 in families in poverty for each school district. These estimates are the basis of the Title I allocation for school districts in each state.

School districts are represented in the Census Bureau's data according to financial responsibility. This means that the spatial representation and grade range of each school district indicate the school district that pays for the education of the students. For more information and examples of financial responsibility, see Appendix A.

The SDRP consists of two phases—Annotation and Verification. In the Annotation Phase, the Census Bureau provides mapping coordinators with current school district boundaries and associated information for their state. The Annotation Phase materials the mapping coordinator receives for the 2025 SDRP reflect the school district names, federally assigned School District Local Education Agency (SDLEA) codes, and boundaries updated during the 2024 SDRP. Each state reviews their data and reports changes in the school district boundaries or attributes to the Census Bureau as they exist on January 1, 2025.

The review encompasses only Type 1, Type 2, and Type 3 school districts as defined by the NCES.

- **Type 1** is a local school district that is not a component of a supervisory union.
- **Type 2** is a local school district component of a supervisory union sharing a superintendent and administrative services with other local school districts.
- **Type 3** is an education agency that performs administrative services for more than one school district, providing a common superintendent for participating districts.

After the Census Bureau incorporates changes submitted through the Annotation Phase into the Master Address File/Topologically Integrated Geographic Encoding and Referencing (MAF/TIGER) System, mapping coordinators will review these changes for accuracy and completeness during the Verification Phase.

B. Mapping Coordinator Responsibilities

Each year, the NCES sends a letter to each state and the District of Columbia requesting they designate a mapping coordinator to be the primary liaison for the SDRP. It is the responsibility of the mapping coordinator to initiate and maintain contact throughout the program with local school district officials. The mapping coordinator must ensure that reviews and submissions are completed within the time frame of the SDRP.

When the mapping coordinator receives updates from local school district officials, they must review them for accuracy and completeness before submitting them to the Census Bureau. This review includes all types of updates submitted. For boundary updates, it is the responsibility of the mapping coordinator to confirm that a change is valid and all affected school districts agree to the change.

Note: The state mapping coordinators for **Florida**, **Hawaii**, **Maryland**, **Nevada**, **West Virginia**, or the **District of Columbia**, may not have any changes to submit for the SDRP. School districts in these states are all unified and county based. Unless the geographic relationship of school districts has changed in the state or a school district's name was changed, the mapping coordinator does not have any changes to report for the 2025 SDRP. If the mapping coordinator has no changes to report, notify the SDRP team at <geo.school@census.gov>.

Once all the information is correct and in the proper format, submit this information to the Census Bureau to complete the Annotation Phase. After processing the Annotation Phase changes, the Census Bureau will create new materials for review. These new materials are reviewed as part of the Verification Phase. The mapping coordinator is responsible for reviewing and confirming the changes that appear in the verification materials and notifying the Census Bureau if there are any additional changes or corrections.

IMPORTANT: The Verification Phase is for reviewing changes submitted during the Annotation Phase and not for submitting new changes.

C. Types of School District Boundary Updates

There are eleven types of school district updates within the SDRP as noted below in **Table 1**. The table includes links to examples of the types of updates and the submission method used to report them to the Census Bureau.

Table 1: Types of School District Updates

Type of	Update Description	Link to Examples	Submission
Update			Method
Boundary Change	Occurs when a school district adds or removes area from the same school district level or across school district levels.	Figure 1. Refer to subsections 5.3.1 through 5.3.7 for details.	GUPS
Complex Consolidation	Occurs when two or more school districts merge to create a new school district with a new name and new SDLEA code, along with additional boundary changes. Note: The Census Bureau expects accompanying boundary changes for the new school district	Figure 2. Refer to subsection 5.3.8 for details	GUPS
Complex Dissolution	Occurs when a single school district dissolves its area between two or more existing school districts, with or without additional boundary changes. Complex dissolutions do not create new school districts, and the names and SDLEA code of the receiving school districts remain unchanged.	Figure 3. Refer to subsection 5.3.9 for details.	GUPS
SDLEA Code Change	Occurs when correcting an SDLEA code.	Refer to sub-section 3.3 for details.	Submission Log
Grade Range Change	Occurs when a school district changes the grades it covers; for example, changing from covering 9-12 to 7-12	Refer to sub-section 3.2 for details.	Submission Log
Level Change	Occurs when a school district changes classification; for example, changing from elementary to unified	Refer to sub-section 3.4 for details.	Submission Log
Name Change	Occurs when a school district changes its name; for example, changing from Oak Union Unified School District to Oak Union School District.	Refer to sub-section 3.1 for details.	Submission Log
New District	Occurs when transferring area from one or more existing school districts to form a completely new school district.	Figure 4. Refer to subsection 5.3.10 for details.	GUPS
Pseudo School District	Occurs when one school district pays for the educational services for a set of grades in a different geographic area than its own.	Refer to sub-appendix A1.	Contact Census Bureau

Type of Update	Update Description	Link to Examples	Submission Method
Simple Consolidation	Occurs when two or more school districts merge to create a new school district with a new name and new SDLEA code, with no additional boundary changes.	Figure 5. Refer to subsection 3.5 for details.	Submission Log
Simple Dissolution	Occurs when one or more existing school districts are entirely absorbed by one other existing school district. Note: Simple dissolutions retain the name and SDLEA code of the receiving school district, and do not create a new school district.	Figure 6. Refer to subsection 3.6 for details.	Submission Log




Figure 1: Boundary Change Example (Update Using GUPS)




Figure 2: Complex Consolidation Example (Update Using GUPS)




Figure 3: Complex Dissolution Example (Update Using GUPS)




Figure 4: New District Example (Update Using GUPS)




Figure 5: Simple Consolidation Example (Update Using the Submission Log)




Figure 6: Simple Dissolution Example (Update Using the Submission Log)

D. Guidance for Boundary Changes

When reviewing school district boundaries, the Census Bureau encourages the mapping coordinator to focus on updating large changes that affect housing units and population first, and then move to smaller differences if there is time before the SDRP submission deadline. The goal of the SDRP is to obtain major changes that affect population rather than small spatial corrections of boundaries.

The Census Bureau generally does not accept boundary changes of less than 30 feet when the correction does not affect housing. In remote areas with sparse population, the Census Bureau considers a difference of 60-75 feet to not be significant if housing units are not present. When reviewing source boundaries against the Census Bureau's boundaries, if the source shows a school district boundary on a road, then use the road as it appears in the Census Bureau's shapefile, even if the road does not seem fully spatially accurate. Road realignments are not accepted as part of the SDRP.

If there are many spatial corrections of school district boundaries for the state, the Census Bureau may be able to make these updates outside of the SDRP cycle. Please contact the SDRP team at <geo.school@census.gov> or 301-763-1099.

PART 1 WHAT IS THE SCHOOL DISTRICT REVIEW PROGRAM (SDRP)

CHAPTER 1 OVERVIEW

1.1 SDRP Schedule

- **September 2024**—Notify the mapping coordinators by email that Annotation Phase materials are available to download and review.
- October 2024—Provide free training webinar on responding to the SDRP to mapping coordinators.
- **December 31, 2024**—Deadline for submission of updated school districts. The Census Bureau strongly encourages mapping coordinators to submit changes as soon as possible rather than waiting until this deadline.

IMPORTANT: To participate in the 2025 SDRP Verification Phase, the Census Bureau must receive all school district updates by December 31, 2024. Contact the SDRP team at <geo.school@census.gov> or 301-763-1099 immediately if there are deadline concerns.

- April 2025—Review of Verification Phase materials by mapping coordinators.
- December 2025—Release of preliminary poverty estimates based on the updated school districts.

1.2 SDRP Annotation Phase Materials

All SDRP Annotation Phase materials including GUPS, shapefiles, respondent guides, submission log, and school district listing files are available for download from <u>Annotation Phase Program Materials</u>. Review the Quick Start Guide and this guide before starting work. These guides explain the guidelines and reporting tools that apply to the state's updates.

1.3 SDRP and GUPS Help

The Census Bureau encourages mapping coordinators to contact the SDRP team at <<u>geo.school@census.gov</u>> or 301-763-1099 with any questions related to the program or GUPS. Additionally, valuable information is located on the SDRP website, <<u>www.census.gov/programs-surveys/sdrp.html</u>>.

1.4 Description and Use of Listing Files

The Census Bureau creates four listing files provided in a Microsoft Excel® (.xlsx) format.

- Inventory and Grade Range File (All States)
- County Coverage File (All States)
- Legal Government Coextensive Coverage File (Limited States)
- School District to Geography (SD/GEO) Relationship File (Limited States)

Depending on the state's school district geography and how the state participates in the SDRP, some listing files may not be included. The following sub-sections describes each of these

listings in detail. **Appendix B** provides greater detail in the form of individual tables that provide a data dictionary for each of the listing files.

1.4.1 Inventory and Grade Range File (All States)

The Inventory and Grade Range listing file is named "<ST>_SD_Inventory_A.xlsx." This file lists the school districts reported to the Census Bureau as of the 2024 SDRP, including the school district name, SDLEA code, level, type, and grade range. Details on this specific listing file are found in sub-appendix **B1**.

The official school district name is its legal name including any state-used descriptive wording, such as "Independent School District", "Consolidated School District", or "Supervisory Union." The grade ranges included in these files indicate the grade ranges for which each school district is financially responsible. Use this set of grades, based on financial responsibility, to assign the data for each child to exactly one school district. For information on financial responsibility see Appendix A.

Note: The Census Bureau requires complete school district coverage; therefore, the listings may contain school districts that are not Type 1, Type 2 or Type 3. These are flagged in the listings as follows: Pseudo (A), Department of Defense (B), Interstate (C), and Bureau of Indian Affairs [BIA] (D). These files also flag school districts within a state or county that have the same name but different SDLEA codes with an (E). In these situations, the SDLEA codes are the means to identify unique school districts that share the same name. See sub-appendix A1 for more information on pseudo school districts.

1.4.1.1 Submitting Updates to Information in the Inventory and Grade Range File

Carefully review the information contained in this file and provide the Census Bureau with updates and/or corrections. List the updates to the school district name, SDLEA code, level, type, and grade range in the submission log, as described in **Chapter 3**, and submit the file using the Secure Web Incoming Module (SWIM) as described in **Chapter 6**.

IMPORTANT: If the mapping coordinator plans to submit more than 25 updates, contact the SDRP team at <geo.school@census.gov> or 301-763-1099 before completing the submission log.

1.4.2 County Coverage File (All States)

The County Coverage listing file is named "<ST>_County_Coverage_A.xlsx." This file lists school districts for each county, sorted by county. There is a separate record for each unique school district/county combination. Details on this specific listing file are found in sub-appendix B2.

The County Coverage file reflects the boundaries of the 2024 school districts as shown in the shapefiles and the TIGERweb map viewer. Use this file to locate each school district and to review the extent of the areas of each school district as they relate to counties.

Carefully review the information contained in this file and provide the Census Bureau with updates and/or corrections. Specifically review where a school district to county relationship

should no longer be maintained, or where a new relationship should be created and maintained.

1.4.3 Legal Government Coextensive Coverage File (Limited States)

The Legal Government Coextensive Coverage listing file is named "<ST>_Coextensive_Coverage_A.xlsx." It is available for Alabama, Alaska, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Utah, and Virginia because some of their school districts are coextensive with general-purpose local governments such as counties, county equivalents, or incorporated places. Details on this specific listing file are found in sub-appendix B3.

The Census Bureau maintains these coextensive relationships without the need for states to submit boundary changes for the listed school districts. All changes to counties, county equivalents, and incorporated places are obtained through the Census Bureau's Boundary and Annexation Survey (BAS). If the mapping coordinator believes that a legal boundary is incorrect, please notify the Census Bureau at <geo.bas@census.gov>.

Carefully review the information contained in this file and provide the Census Bureau with updates and/or corrections. Specifically review where a coextensive relationship should no longer be maintained or where a new relationship should be created and maintained.

1.4.4 School District to Geography (SD/GEO) Relationship File (Limited States)

In Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, Pennsylvania, Rhode Island, and Vermont, school districts are commonly coextensive with one or more incorporated places and/or county subdivisions (towns, townships, boroughs, etc.). Review the relationships listed in the SD/GEO Relationship listing file, "<ST>_SD_GEO_Relationship_A.xlsx", to ensure that the state school districts are maintaining the correct relationships with the aforementioned general-purpose local governments.

Like the County Coverage file, this file contains records for each school district/incorporated place and school district/county subdivision coextensive relationship. It is sorted by SDLEA code for use in reviewing the geographic relationship between the general-purpose local governments (towns, townships, boroughs, etc.) and each school district. Details on this specific listing file are found in sub-appendix B4.

The Census Bureau maintains these relationships without the need for states to submit boundary changes for the listed school districts. All changes to incorporated places and county subdivisions are obtained through BAS. If the mapping coordinator believes that a legal boundary is incorrect, notify the Census Bureau at <geo.bas@census.gov>.

Carefully review the information contained in this file and provide the Census Bureau with updates and/or corrections. Specifically review where a relationship should no longer be maintained, or where a new relationship should be created and maintained.

Note: If the SD/GEO Relationship File and/or a Coextensive Coverage files are not available for download, and there are school districts in the state that are legally coextensive with general-purpose local governments, contact the SDRP team at <geo.school@census.gov> or 301-763-1099 for resolution.

1.4.5 Submitting Updates to Information in the "County Coverage," "Legal Government Coextensive Coverage", and/or "Relationship" Files

Update the individual listing files with all changes, additions, and deletions making clear what changed by highlighting, changing text color, text bolding, adding, or crossing out the changes. Zip all the updated listing files into one .zip file and submit it to the Census Bureau using SWIM. For more information regarding SWIM, refer to **Chapter 6**.

PART 2 HOW TO USE THE TIGERWEB

CHAPTER 2 USING THE TIGERWEB MAP VIEWER FOR THE SDRP

The <u>TIGERweb map viewer</u>, reached by selecting the "TIGERweb Applications" tab once on the site, is available for state and local education officials to review the Census Bureau's school district information current as of January 1, 2024. In addition to school districts, TIGERweb also offers the ability to view:

- Roads, highways, and railroads.
- Rivers, lakes, streams and other "single-line" drainage.
- Boundaries for legal and statistical geographies.
- Selected special land use areas such as military reservations and national parks.
- Satellite imagery.

IMPORTANT: The <u>TIGERweb User Guide</u> is available from the TIGERweb Applications tab. Please utilize it for comprehensive details that may not be mentioned in this program specific guide.

To summarize the process, the mapping coordinators and other local education officials use the application to locate each school district and compare their boundary and attribution to a local source for school districts to determine if there is a need to make any changes. The mapping coordinator can provide boundary changes to the SDRP if the Census Bureau data does not correctly depict the school district boundary in effect as of January 1, 2025.

Note: Mapping coordinators, please provide local education officials with these TIGERweb instructions, which can be downloaded from Annotation Phase Program Materials.

To review the boundary of a school district, users need either the name of the school district or the seven-digit geographic identification code (i.e., GEOID) for the school district. The GEOID is in the Inventory and Grade Range File "<ST>_SD_Inventory_A.xlsx." It is comprised of a two-digit state code for the state in which the school district is located followed by the five-digit SDLEA code assigned to the school district. TIGERweb uses the GEOID to zoom directly to the school district.

If a local education official determines that changes need to be reported for the 2025 SDRP, report the changes to a state SDRP mapping coordinator who will submit the changes to the Census Bureau. The mapping coordinator is the liaison between the state's Department of Education and the Census Bureau. Find contact information for mapping coordinators on the SDRP website.

IMPORTANT: The Census Bureau will not accept school district boundary changes that are submitted by local education officials or that are annotated on maps printed from TIGERweb. The mapping coordinator must approve and submit all SDRP updates.

2.1 Locating a School District

TIGERweb allows users to quickly locate an entity visually using the Zoom scrollbar or by using the Query tool (Figure 7) to search for a school district by its name or unique GEOID. Additional details on the Query tool are found in section 1.3.6 of the TIGERweb User Guide.



Figure 7: Query Tool Button

Figure 8 shows the resulting Query tool window that appears after selecting the button.




Figure 8: Query Tool Window

Select the Query tool from the toolbar. Select the Attribute tab from the Query tool window. From the Select Map drop-down menu, choose one of the following map services:

- States and Counties to locate a county.
- Places and County Subdivisions to locate a city, town, or township.
- School Districts to locate a unified, secondary, or elementary school district.

Key the GEOID, located in the Inventory and Grade Range Listing (SD_Inventory.xlsx), in the Enter GEOID of Feature box or type all or part of its name in the Enter Name of Feature box. Enter a GEOID or a Name, but not both. Searching by unique GEOID will take users directly to the entity. Searching by Name could produce a list of school districts with the same or similar name.

Follow the steps below to locate unified school district West Prairie Community Unit School District 103, Illinois with GEOID 1700314.

- 1. Select the Query tool and the Attribute tab.
- 2. From the Select Map drop-down menu, choose School Districts (Figure 9).
- 3. From the Select Layer(s) drop-down menu, choose Unified School Districts then enter 1700314 in the GEOID field (Figure 10).

4. Choose SUBMIT to search for the unified school district.




Figure 9: Query Tool-Attribute Tab-Select Map




Figure 10: Query Tool-Query by GEOID

TIGERweb displays the query results under the Task Results tab to the left of the map (Figure 11).




Figure 11: Task Results Tab with Query Results

TIGERweb also displays the Info panel containing attribute data for the entity (**Figure 12**) in a separate window. Minimize or close the Info panel by selecting the '-' or 'x' symbol in the top right of the Info panel.




Figure 12: Query Results-Info Panel

Select the name of the result listed under the Unified School Districts heading of Query Results and TIGERweb will display the school district highlighted in the center of the map display (Figure 13). To start a new Query, select Clear Map (the 'X') above the Zoom scrollbar. The Query window reappears, and the located entity is no longer highlighted.




Figure 13: Map Display with Query Results

Follow the steps below to locate a school district named Bridgeport in Connecticut without knowing its school district level.

- 1. Select the Query tool.
- 2. From the Select Map drop-down menu, choose School Districts.
- 3. From the Select Layer(s) drop-down menu, hold down the Control or Shift Key and choose Unified, Secondary, and Elementary. All three will display as highlighted (Figure 14) then enter Bridgeport in the Enter Name of Feature box.
- 4. Choose SUBMIT to search.




Figure 14: Query Tool-Query by Name

Searching by name could produce a list of school districts with the same or similar names, as shown in **Figure 15**; however, the results will include the state in which the entity is located to help choose the correct school district.



Figure 15: Query by Name Results

TIGERweb displays the selected entity highlighted in the center of the map display along with the Info panel containing attribute data for the entity. Minimize or close the Info panel to view the entire map and Query Results section (Figure 16).




Figure 16: Map Display with Query Results

After using the Query tool to locate a school district, users can compare the TIGERweb map of the school district to a local source for the school district boundary. Provide boundary and/or attribute update information to the state mapping coordinator if the TIGERweb map does not correctly depict the school district boundary shown in a local source. Mapping coordinators prepare all school district updates for their respective states, following details in part 2 and/or 3 of this respondent guide, and submit the updates to the Census Bureau as described in part 5.

2.2 Printing and Saving a Map

TIGERweb has the functionality to save maps, print paper maps, or capture screen images of the areas where the boundary requires an update or annotate changes. This functionality is useful for a local education official to indicate to the mapping coordinator where a school district boundary change is needed. The local official can capture a screen image and annotate the change for the mapping coordinator to approve and submit to the Census Bureau.

Using the Print tool button from the upper right of the map display (**Figure 17**) opens the Print window (**Figure 18**). A table with detailed instructions for the options available in this window is found in section 1.3.7 of the TIGERweb User Guide.



Figure 17: Print Tool Button




Figure 18: Print Tool Window

As a reminder, the Census Bureau will not accept boundary changes for the SDRP submitted directly to the Census Bureau annotated on maps printed using the TIGERweb map viewer.

PART 3 HOW TO USE THE SUBMISSION LOG

CHAPTER 3 USING THE SUBMISSION LOG FOR THE SDRP

The submission log is an Excel spreadsheet used to report nonspatial and simple school district updates. It is available for download from <u>Annotation Phase Program Materials</u>. Record each type of acceptable school district change as a separate record in this file.

The Census Bureau requires the use of the submission log for the following seven change types:

- School district name.
- Grade range.
- SDLEA code.
- Level.
- Simple consolidations.
- Simple dissolutions.
- Simple spatial update using whole MCDs or incorporated places.

Note: Not all fields in the submission log are displayed in the examples in this chapter.

3.1 School District Name Change

A school district name change is usually a result of a misspelling or legal school district name change. **Figure 19** shows an example of the fields requiring information. They are the Type of Change, County code(s), SDLEA of Change, Old Name, and New Name fields. Contact the SDRP team at <geo.school@census.gov> or 301-763-1099 if seeking to submit more than 25 name changes.




Figure 19: Example of a School District Name Change

3.2 Grade Range Change

A grade range change is the result of an incorrect grade range previously reported to the Census Bureau or a new change (e.g., changing from Kindergarten to Pre-Kindergarten). Gaps and overlaps in grade range coverage cannot exist. Grade range changes require information in the Type of Change, County code(s), SDLEA of Change, Old Grade Range Low, Old Grade Range High, New Grade Range Low, and New Grade Range High fields (Figure 20). Contact the SDRP

team at <<u>geo.school@census.gov</u>> or 301-763-1099 if seeking to submit more than 25 grade range changes.




Figure 20: Example of a School District Grade Range Change

3.3 SDLEA Code Change

SDLEA code changes include a correction to the SDLEA code. SDLEA code changes require information in the Type of Change, County code(s), SDLEA of Change, Old SDLEA (same as SDLEA of Change), and New SDLEA fields (Figure 21).




Figure 21: Example of a SDLEA Code Change

3.4 Level Change

A level change occurs when a school district changes classification; for example, changing from elementary to unified. Level changes require information in the Type of Change, SDLEA of Change, Old Level, and New Level fields (Figure 22).




Figure 22: Example of a Level Change

3.5 Simple Consolidation

A simple consolidation occurs when two or more school districts merge, or consolidate, to create a new school district with a new name and new SDLEA code. There are no additional boundary changes.

Simple consolidations require information in the Type of Change, County code(s), New Name, New Grade Range Low, New Grade Range High, New Level, Consolidation 1 SDLEA (SDLEA code of first school district being merged), Consolidation 2 SDLEA (SDLEA code of other school district being merged), Consolidation New SDLEA (SDLEA code of newly formed school district, if known; otherwise place "unknown" in this field), and Narrative/Description fields (Figure 23).

Note: The fields for Consolidation 3 SDLEA and Consolidation 4 SDLEA only require information if three or more school districts are consolidating (merging). If five or more school districts are consolidating, enter the remaining SDLEA codes on the next row starting in the Consolidation SDLEA field.




Figure 23: Example of a Simple Consolidation

3.6 Simple Dissolution

A simple dissolution occurs when one or more existing school districts entirely dissolve(s) into one other existing school district. A simple dissolution never results in the creation of a new school district. The receiving school district retains its name and SDLEA code.

Note: A separate entry is required for each school district that dissolves into the existing school district through this change.

Simple dissolutions require information in the Type of Change, County code(s), SDLEA of Change (SDLEA code of school district that is gaining area), Added Area SDLEA (same as SDLEA of Change), Deleted SDLEA (SLDEA code of school district being dissolved), and Narrative/Description (include county code(s)) and if applicable, the Old Grade Range Low, Old Grade Range High, New Grade Range Low, New Grade Range High, Old Level, and New Level fields (Figure 24).




Figure 24: Example of a Simple Dissolution

Note: Complex consolidations, complex dissolutions, and boundary changes all require updates using GUPS. Review **Chapter 5** to learn how to complete these types of updates.

3.7 Simple Spatial Update Using Whole MCDs or Incorporated Places

A simple spatial update occurs when the area that is being added to a school district is also an existing minor civil division (MCD) or incorporated place in the Census Bureau's data. Simple spatial updates can include a change to the boundary of an existing school district or the creation of a new district. These updates may be submitted using the submission log since whole geographies are being moved to the school district. If preferred, these simple spatial updates may also be submitted in GUPS.

Simple spatial updates involving school district boundary changes, shown in Figure 25, require information in the Type of Change, County code(s), Added Area SDLEA, Lost Area SDLEA, and Narrative/Description fields. The Narrative/Description field must contain the MCD(s) or incorporated place(s) that are being added to the school district.




Figure 25: Example of a Simple Spatial Update-Boundary Change

Simple spatial updates involving the creating of a new school district, shown in Figure 26, require information in the Type of Change, County code(s), New Name, New GR Low, New GR High, New Level, New SDLEA and Narrative/Description. The Narrative/Description field must contain the MCD(s) or incorporated place(s) that make up the new school district.




Figure 26: Example of a Simple Spatial Update-New District

Once all updates are complete, zip the submission log and submit it to the Census Bureau following instructions outlined in **Chapter 6**. Proceed to the next part of the guide to learn more about using GUPS for the SDRP.

PART 4 HOW TO USE THE GEOGRAPHIC UPDATE PARTNERSHIP SOFTWARE (GUPS)

CHAPTER 4 GETTING STARTED

GUPS is available for download from <u>Annotation Phase Program Materials (census.gov)</u>. It operates using QGIS (formerly known as Quantum Geographic Information System (GIS)), a free and open-source desktop geographic information system application. To learn more about QGIS visit <<u>www.qgis.org/en/site/</u>>.

This part of the guide includes information needed to use GUPS. It offers a description of the software and gives specific instructions (in the form of Step-Action/Result tables) on using GUPS to make SDRP updates.

Chapter 4:

- Lists the hardware and software requirements for GUPS.
- Provides instructions for installation.

Chapter 5:

- Provides instructions to open GUPS and start a new SDRP project.
- Explains the GUPS interface.
- Gives instructions to make required and optional updates.
- Provides instructions to share and export Zip files.

4.1 Hardware and Software Requirements

GUPS was developed for use on a desktop PC or a network environment. Before beginning the installation, ensure that the computer used meets the minimum hardware and operating system requirements listed in **Table 2**.

Table 2: GUPS Hardware and Operating System Requirements

Hardware/Operating System	Requirement
Hardware: Minimum Disk Space to Install and Run GUPS	4 GB
Hardware: Disk Space to Store Shapefiles	Varies by state
Hardware: Minimum Random-Access Memory (RAM) to Run GUPS	4 GB
Hardware: Recommended RAM to Run GUPS	8 GB or more for optimal performance
Operating System: Windows®	Windows 10 or 11

Hardware/Operating System	Requirement
Operating System: Apple®	Mac OS X users must secure a license for Microsoft Windows and use a Windows bridge. The suggested bridge software is Boot Camp, which comes pre-installed on all Mac computers. See instructions for using Boot Camp at <support.apple.com boot-camp="">. Note: Since Boot Camp requires a restart of the computer to set up the bridge, be sure to print the instructions provided at the URL above before beginning installation.</support.apple.com>


4.2 Download and Install GUPS

To complete the installation, follow the steps in Table 3.

Note: If an older version of GUPS exists on the computer, the installer will automatically remove the old version before it installs the latest version. For users with QGIS 3.34.3 already installed, select the **Cancel** button on the QGIS 3.34.3 Setup screen (part of **Step 1** below) to update GUPS without reinstalling QGIS 3.34.3. The setup will bypass the QGIS installation and immediately begin to update the GUPS plugin supported for this year's SDRP. This is only applicable for existing installations of QGIS 3.34.3.

Table 3: Steps to Download and Install GUPS

Step	Action and Result
i	To successfully install QGIS and GUPS, the software must be installed under the user profile of the person that will be using QGIS/GUPS. Otherwise, the user will encounter errors accessing folder directories and plugins required for GUPS to function. If a user does not have the ability to install software using their login credentials, temporary administrative privileges will need to be granted for that user to install QGIS/GUPS. Coordinate with local Information Technology (IT) staff to acquire administrator privileges and for any further assistance with installation. If installation problems remain, contact the SDRP team at <geo.school@census.gov> or 301-763-1099.</geo.school@census.gov>
Step 1	Download GUPS from Annotation Phase Program Materials on the SDRP website and unzip the downloaded .zip file. Double-click the left mouse button on the file named SETUP- <version>.bat. Follow the on-screen installation instructions. Note: Regardless of the version number, there will be only one SETUP.bat file to choose.</version>



CHAPTER 5 USING GUPS FOR THE SDRP

With GUPS installed, the SDRP updates can begin. There are three options to retrieve shapefiles when starting a new project:


- CD/DVD (not applicable for the SDRP).
- My Computer (if the shapefiles exist on an internal or external hard drive).
- Census Web (loads shapefiles directly into GUPS from the Census Bureau website).


Table 4 shows the steps to open GUPS and start a new project using the Census Web option. The other two options are not covered in this material. For more information on the shapefiles used for the SDRP see **Appendix C** and **Appendix D**.


5.1 Start a New Project Using Census Web


To open GUPS and start a new project using the Census Web option, follow the steps below.

Table 4: Steps to Open GUPS and Start a New Project Using Census Web









Follow the steps in **Table 5** to properly save and close a project.

Table 5: Steps to Save and Close a Project





Table 6 details how to open a previously saved project.

Table 6: Steps to Open a Saved Project



5.2 GUPS Menus and Toolbars

Figure 27 shows the layout of the main page for GUPS. This page contains all the tools needed for making updates in the SDRP. Shown in the figure are the main page elements.




Figure 27: GUPS Main Page Elements and Default Layout

Refer to **Table 7** for high-level information about the elements that comprise the main page once GUPS is opened. Detailed descriptions and functions of menus, sub-menus, and toolbars is in **Appendix E**.

Table 7: GUPS Main Page Elements and Their Function/Description

Page Element	Function/Description
Menu Bar	Permits access to QGIS and GUPS features using a standard hierarchical menu. Offers basic features such as Settings and Help; tools to manage the Map View. Almost all functions available in Menu bar are available in toolbars. Refer to sub-appendix E1 for more details.
Standard Toolbar	Provides navigation functions and other tools needed to interact with the Map View and layers. Refer to sub-appendix E2 for more details.
SDRP Toolbar	Provides tools specific to the SDRP. See sub-section 5.2.1 below for descriptions of the buttons.
Map View	Displays the default data layers for the SDRP. Reflects the colors and symbology of layers in the Table of Contents.
Table of Contents	Depicts the layers in the Map View. Layers have been pre-styled and arranged for optimal use as part of the Census Web option. However, layers can be managed by manipulating the visibility (i.e., check/uncheck the layer) or reorganized using tools from the Table of Contents toolbar that appears at the top of the Table of Contents. Refer to sub-appendix E3 for more details.
Status Bar	Displays information on the coordinates, map scale, magnification, rotation, and projection. Allows for adjustment of the display. Refer to sub-appendix E4 for more details.

5.2.1 Introducing the SDRP Toolbar

The SDRP toolbar, shown in Figure 28, provides the program-specific functions needed to complete the SDRP review and update activities, as well as to import and export zipped shapefiles.



Figure 28: SDRP Toolbar


Each toolbar button function is described in Table 8.

Table 8: SDRP Toolbar Buttons and Their Function/Description

Button	Name	Function/Description
	Add Linear Feature	Add a new linear feature to denote a new school district boundary. See sub-section 5.3.5 for an example of adding a linear feature.
I	Delete Linear Feature	Delete a linear feature. In SDRP GUPS, only user-added features are eligible for deletion. See sub-section 5.3.6 for examples of deleting a linear feature.

Button	Name	Function/Description
3	Modify Area Feature	Make updates to school districts (Boundary Change, Complex Consolidations, Complex Dissolutions and New District, etc.). See sub-section 5.2.2 for more information.
B	Show/Hide Legend	Shows or hides the legend (e.g., Table of Contents). It may be helpful to close the legend to make more screen space for the Map View.
	Scale Bar Tool	Permits the selection of units of measure to display in the scale bar as well as the color of the scale bar to display in the Map View.
	Load/Unload County Reference Layer	Permits loading and unloading of county-level reference layers into the SDRP project for any county within the state. This button permits loading of Census Bureau spatial layers for the selected county(s). Reference layers (e.g., roads, railroads, area landmarks, water, etc.) are required to be loaded before most school district updates may be made. When using Unload County Reference Layer, the data is removed from the project but not the computer. See sub-sections 5.3.2 and 5.3.3 for detailed instructions.
	Remove County Reference Layer	Removes a loaded county reference layer from the project and deletes the data from the computer. Participants use this button when they determine they no longer need to reference the county level data. Once a county is removed, users would use the Load/Unload County Reference Layer button to load the county-reference layers back into the project.
	Geography Review Tool	Review the attribute table for layers that exist in the Table of Contents. Refer to sub-section 5.4.2 for details.
∠ 7 _□	Review Change Polygons	Review change polygons in a layer and make corrections. Refer to sub-section 5.4.3 for details.
[]	SDRP Criteria Review Tool	Review potential criteria data errors and informational warnings. Refer to sub-section 5.4.1 for details.
	Import State Zip	Imports another user's "DataDirectory" output .zip file for review or editing by another person. GUPS generates this .zip file as part of the Export to Zip—Share with Another Participant option. This file is the whole state's SDRP project and cannot be used if the same project is open in GUPS. This button will not work if the same project is open. As an alternative, use the Import Project Zip file button on the Map Management window prior to opening any project.

Button	Name	Function/Description
	Export to Zip	Includes two export options: Export for Census and Share with Another Participant. Refer to sub-section 5.5 for details on both options.
		Select Output Type
		Export for Census
		Share with Another Participant
		Use Export for Census option to create the .zip file of the SDRP project that contains all required data for submission to the Census Bureau.
		Use Share with Another Participant option to share work with others.
	Export Map to Print	Export a printable map in .pdf, .png, .tif, or jpeg format.
•	Internet Map Service	Opens a GIS map service from the internet (i.e., Google Maps® or Bing Maps®) after selecting a point in the Map View. The intent of this tool is to provide visual assistance from an external source. An internet connection is required for this button to function.



5.2.2 Describing the SDRP Toolbar's Modify Area Feature Tool

The Modify Area Feature tool (Figure 29) contains the functionality used to make most geographic and attribute updates during the SDRP. Once open, the Modify Area Feature tool becomes active upon selecting a Geography (a school district level including Elementary, Secondary, or Unified) and an Action (Boundary Change, Complex Consolidation, Complex Dissolution, or New District). The Modify Area Feature tool displays all school districts for the selected school district geography in the target layer list. The target layer list consists of the state, SDLEA code, and school district name located under the State and Info columns. School districts can be identified in the Map View from the info list in one of two ways:

- A single left-click of the mouse on a school district highlights the district on the map but does not zoom to that school district.
- A double left-click of the mouse both highlights and zooms to the full geographic extent of the selected school district in the Map View.




Figure 29: Modify Area Feature Tool

Table 9 describes each button in the Modify Area Feature tool and their function or description.


Table 9: Modify Area Feature Tool Buttons and Their Function/Description

Button	Name	Function/Description
	Select Target Layer	Selects a target area (school district) by left-clicking the mouse on the map rather than selecting from the Modify Area Feature tool info list.
	Select Feature(s)	Selects faces. This button allows the selection of individual faces and multiple faces by polygon, freehand, radius, and by geography. This button is vital to making corrections or updates, so review sub-section 5.2.2.1 for more details and examples of its use.
(+)	Add Area	Adds selected area to the chosen geography based on the desired action.
	Remove Area	Removes selected area from the chosen geography. Note: This action is only available if completing a boundary change for secondary school district geography.
	Previous/Next Non- Contiguous Area	Cycles through non-contiguous areas.
	Add New District	Creates a new school district based on chosen geography.
	Change Attributes	Opens editable attributes dialog window for selected target layer.
×	Remove Area Feature	This tool is disabled and not used during the SDRP.

5.2.2.1 Using the Select Feature(s) Button in the Modify Area Feature Tool


The Select Feature(s) button provides several methods to select faces to make changes to school districts. **Table 10** describes each of the feature selection methods.


Table 10: Steps to Use the Select Feature(s) Button





Step	Action and Result		
	To select more than one face hold down the CTRL key on the keyboard while left-clicking the mouse on the additional face. This method is useful when selecting noncontiguous faces, as shown below. E 1373rd Ln		
Step 3	N 1253rd Ln N Lakeshore Dr. E 1350th St W Lakeshore Dr. Burton Crk Later Dr. Burton Crk		
i	To select multiple features, select the Select Feature(s) button, then drag the cursor over the features on the map. This method is useful when selecting a large number of contiguous faces.		
Step 4	The second option, Select Features by Polygon, selects features through a polygon drawn around the features on the map. To use this feature, select it in the drop-down menu then follow the steps below. Select Feature(s)		


Step	Action and Result		
	Select Features by Freehand selects features based on user-defined shapes drawn on the map.		
Step 5	Select Feature(s)		
	💢 Select Features by Polygon		
	Select Features by Freehand		
	Select Features by Radius		
	Select Features by Geography		
	Deselect Features from All Layers		
	To use this option, choose a spot on the map and use the cursor to draw any shape (polygon, triangle, circle, etc.). Features that either cross or are contained within the selection area will be highlighted in yellow.		
	Select Features by Radius selects features by defining a circle around the features to select.		
	Select Feature(s)		
	Select Features by Polygon		
	Select Features by Freehand		
Step 6	Select Features by Radius		
	Select Features by Geography		
	Deselect Features from All Layers		
	To use this tool, left-click the mouse on the map, then hold down the mouse and drag the cursor outward to expand the circle. Release the mouse when done. The feature(s) selected is (are) highlighted in yellow.		
	Select Features by Geography selects all the faces contained in a geographic entity. It is possible that changes to school districts will be made based on existing Census Bureau geography. For example, creating a new school district based on an incorporated place. For that example, instead of selecting each face, use of the Select by Geography tool will select all the faces of the chosen geography at once.		
Chan 7	Select Feature(s)		
Step 7	💢 Select Features by Polygon		
	Select Features by Freehand		
	Select Features by Radius		
	Select Features by Geography		
	Deselect Features from All Layers		











5.3 SDRP Updates Using GUPS

The tables in this sub-chapter provide instructions for making SDRP updates using GUPS. The examples in this section begin with a new project for the state of Illinois. While the examples use real data, all changes are fictitious. They are for illustration only and do not indicate any actual geographic changes.

5.3.1 Boundary Change Basics

Boundary changes can include whole faces or split faces if the whole area of a selected face is not needed in the boundary change.


When making boundary changes using GUPS, keep the following in mind:


- Load the county reference layers first.
- Which school district is the target district (i.e., the one adding area), and if it is a(n) elementary, secondary, or unified school district?
- Which school is losing area, and if it is a(n) elementary, secondary, or unified district?
- Do faces need to be split to support boundary changes?

5.3.2 Load County Reference Layers

Follow the steps in Table 11 to load county reference layers to support new boundary changes.

Table 11: Steps to Load County Reference Layers






5.3.3 Unload County Reference Layers


County reference layers in a project can be unloaded using the Unload County Reference Layers tool. This tool can be used if the number of loaded counties is starting to affect GUPS performance, or for counties that are no longer needed.

Note: Unloading county reference layers does not delete data from the computer. The county reference layer shapefiles still exist in the GUPSGIS home directory and can be reloaded, if needed.

Follow steps in **Table 12** to unload county reference layers.

Table 12: Steps to Unload County Reference Layers








5.3.4 Boundary Change Using Whole Faces


Follow the steps in **Table 13** to add whole faces to an existing school district to complete a boundary change.


Table 13: Steps to Make a Boundary Change Using Whole Faces














5.3.5 Add a Linear Feature to Split a Face

Table 14 describes the steps to add a linear feature to split a face if the whole area of a selected face is not to be included in the boundary change. After splitting the face, refer to **Table 13** to complete the boundary change.


Table 14: Steps to Add a Linear Feature to Split a Face



Step Action and Result


In this example, the new boundary does not exist in the Census Bureau data and a new linear feature must be added before the boundary change may be made.


In the **Map View**, navigate and zoom to the area to split. Left-click the mouse at the starting point of the line (A) and continue to left-click the mouse at each vertex along the path of the line to be drawn. When the line is complete, right-click the mouse to finish drawing (B).



Step 2

GUPS adds the linear feature to the map while also splitting faces. These split faces can be individually selected to include in a boundary change.






5.3.6 Delete a Linear Feature

Linear features can be deleted one segment at a time, as described in **Table 15**, or multiple segments at a time as described in **Table 16**.

Table 15: Steps to Delete a Linear Feature One Segment at a Time







Table 16: Steps to Delete Multiple Segments of a Linear Feature


Step	Action and Result	
	Choose the Select Feature(s) button from the Standard toolbar . Please note, the image below shows only a portion of the Standard toolbar .	
Step 1	€ ≡ ▼ ∴ ∴	
	Details on the Standard toolbar are found in sub-appendix E2 .	





5.3.7 Making Elementary and Secondary School District Boundary Changes Simultaneously


If GUPS detects that an elementary school district boundary change may require a corresponding secondary school district boundary change, GUPS will offer the user the option to proceed with the secondary boundary change once the elementary change is complete. The user may choose to use the same face selection from the elementary school district boundary change to update the secondary school district, or the user can decline if the secondary update is not appropriate. Follow the steps in **Table 17** to complete this action.


Table 17: Steps to Make Elementary and Secondary School District Boundary Changes

















5.3.8 Complex Consolidation


A complex consolidation change refers to the situation where two or more school districts merge to create a new school district with a new name and new SDLEA code along with additional boundary changes. Follow the steps in **Table 18** to perform a complex consolidation.


Table 18: Steps to Perform a Complex Consolidation

















5.3.9 Complex Dissolution


A complex dissolution change occurs when a single school district is dissolved and its area split between two or more other existing school districts, with or without additional boundary changes. Follow the steps in **Table 19** to perform a complex dissolution.


Table 19: Steps to Perform a Complex Dissolution

















5.3.10 New District


A new district change occurs when transferring area from one or more existing school districts to form a completely new school district. Do not confuse this transaction with a consolidation where the entire area of one or more school districts consolidates to form a new school district. Follow the steps in Table 20 to create a new school district.


Table 20: Steps to Create a New District











5.4 Review and Validate Updates

GUPS provides three tools—the SDRP Criteria Review tool, the Geography Review tool, and the Review Change Polygons tool to help review and validate the updates made during the SDRP. The contents of this sub-section detail using each of these three tools and provide examples of errors or warnings that may result.

5.4.1 SDRP Criteria Review Tool

The SDRP Criteria Review tool is a validation tool that reviews spatial and attribute changes made during the SDRP. The SDRP Criteria Review tool is a mandatory tool that must be run before the export of the file to the Census Bureau. This tool ensures that all changes correctly follow Census Bureau data submission guidelines, and it allows corrections on any item that is flagged for review by the SDRP Criteria Review tool.


The tool reports two problem types: errors and informational warnings. Errors are critical data issues that must be fixed before exporting data to the Census Bureau. Warnings are issues that the Census Bureau would like the mapping coordinator to review. This tool reviews five primary criteria as listed in Table 21.


Table 21: SDRP Criteria Review Tool Error and Warning Messages

Criteria	Error/Warning	Fix/Ignore
Grade Range Overlap (sub-section 5.4.1.1)	Error	Must Fix
Grade Range Coverage Gap (sub-sections 5.4.1.2 and 5.4.1.3)	Error	Must Fix
Partially Dissolved School District (sub-section 5.4.1.4)	Error	Must Fix
Non-contiguous Entities (sub-section 5.4.1.5)	Warning	Fix or Ignore
Multiple Secondary School Districts (SCSDs) to a single Elementary School District (ELSD) (sub-section 5.4.1.6)	Warning	Fix or Ignore

Table 22 covers the steps to use the SDRP Criteria Review tool.

Table 22: Steps to Use the SDRP Criteria Review Tool





Follow the detailed instructions on correcting the various error types that can occur during the SDRP Criteria Review located in the subsequent sub-sections.


5.4.1.1 Grade Range Overlap Error


Note: The scenarios provided are intended to be an introduction on how to resolve criteria errors in GUPS and not a comprehensive list of all possible scenarios and solutions that can occur. The steps taken to resolve real-world criteria errors largely depend on the type of edits completed and the local, specialized school district knowledge the mapping coordinator has when making updates during the SDRP.


Grade Range Overlaps occur when one school district contains grade ranges that also exist in another school district occupying the same area. For example, an elementary school district has a grade range of pre-k (PK)-9 while the underlying secondary school district has a grade range of 9-12. This is considered a grade range overlap since both the elementary school district and the secondary school district have '9th grade' in their respective grade ranges. Grade range adjustments need to occur for either the elementary school district or secondary school district to correct this error.

Table 23 illustrates an example where the SDRP Criteria Review tool flagged a grade range overlap that exists between 01385—Carthage Elementary School District 317 and 01384—Illini West High School District 307.

Table 23: Steps to Correct a Grade Range Overlap Error







5.4.1.2 Grade Range Coverage Gap Error-Incorrect Attributes

Grade Range Gaps can occur when one, or more, school district geographies have missing grade ranges. In this example a grade range gap (Figure 30) has been identified between 01381–La Harpe Community School District 347 and 01384–Illini West High School District 307. A grade range attribute change could be made to either the elementary school district or the secondary school district. Changing the grade range for La Harpe Community School District from 'PK-07' to 'PK-08', as described above in Table 23, would resolve the grade range gap error.




Figure 30: Example of a Grade Range Gap Error-Incorrect Attributes

5.4.1.3 Grade Range Coverage Gap Error–Missing School District Geography Coverage

It is possible that a grade range coverage gap exists because school district geography coverage is missing entirely. For example, during a Complex Consolidation or Boundary Change, faces from a unified school district are added to an elementary school district. The unified school district faces that now belong to the elementary school district are missing secondary school district coverage because GUPS does not automatically apply secondary coverage. Instead of an attribute change, the grade range gap is resolved by adding the secondary school district coverage to those new elementary school district faces through the boundary change action. Refer to Table 13 for steps to make a boundary change using whole faces.

5.4.1.4 Partially Dissolved School District Error

If, during a complex dissolution action, a school district has not been completely dissolved into the target school district(s), the SDRP Criteria Review tool flags this partially dissolved school district as an error (Figure 31). In the example below, 18060—Hamilton Community School District 328 has been flagged as being partially dissolved.




Figure 31: Example of a Partially Dissolved School District Error

The description states how many faces remain to dissolve. In this example, Hamilton Community Consolidated School District 328 has 612 faces that need to be dissolved to complete the dissolution. Open the Modify Area Feature tool and complete the complex dissolution for Hamilton Community Consolidated School District 328. Refer to **Table 19** if questions remain on performing this update.

When all faces have been dissolved, select Save in the SDRP Criteria Review tool to rerun the tool to confirm that the error has been resolved. If all faces have been dissolved and no other informational warnings or errors exist, the SDRP Criteria Review tool will indicate that all criteria have passed review.

5.4.1.5 Informational Warning-Non-contiguous Entities

A noncontiguous entity is a type of informational warning that GUPS provides as a means of data review. Unlike errors, which must be corrected, informational warnings do not require fixing before exporting the file to the Census Bureau. They can either be ignored or fixed. The purpose of these informational warnings is to alert users of any potential data issues created during the SDRP editing phase. The noncontiguous entity warning can be useful if, for example, during the creation of a new school district, some faces were missed.

It is possible to ignore a noncontiguous warning. If modifying or creating a school district has resulted in a noncontiguous school district with legitimate data changes, the criteria review gives the option to ignore the warning.

5.4.1.6 Informational Warning–Multiple Secondary School District (SCSD) Assigned to Single Elementary School District (ELSD)

The second type of informational warning involves the assignment of multiple secondary school districts to a single elementary school district.




Figure 32: Informational Warning (Multiple Secondary School Districts-Single School District)

In this example, illustrated in Figure 32, the SDRP Criteria Review tool found that ELSD 03840 Concord School District is covered by multiple SCSDs (03870 and 06930). Upon review, a boundary correction to ELSD Concord resulted in a single face being covered by SCSD Lincoln-Sudbury while the balance of Concord is covered by SCSD Concord-Carlisle. Resolving these types of warnings will largely depend on the local, specialized knowledge regarding the behavior of school district geography.

For this example, the following three solutions could be used to resolve this warning.

- Ignore—The change in geography is correct and should be left as is.
- Boundary Change—The face should belong to ELSD Lincoln-Sudbury School District and not ELSD Concord School District.
- New SCSD–Include this face in a new secondary school district.

5.4.1.7 Informational Warnings-Options for Viewing

By default, the SDRP Criteria Review tool will only display warnings for school districts that have been modified by a user as indicated by the checkmark next to the "Only show warnings for school district modified by user" option. Unchecking this option may display warnings for other school districts in the state that were not included as updates during the SDRP. If time allows the mapping coordinator can review these warnings, but the priority should be warnings identified for school districts modified by a user first.

The second option is the checkbox for 'Show All Ignored Warnings." When informational warnings have been ignored, the SDRP Criteria Review tool removes these items from the Criteria Fail list. To review any previously ignored informational warnings, select the show all check box. Unchecking the Show All Ignored Warnings check box hides these items from the Criteria Fail list (Figure 33).



Figure 33: Information Warning Check Boxes

Note: When the Show All checkbox is selected, the Ignore checkbox for previously ignored informational warnings is disabled. Informational warnings marked as ignore cannot be unchecked once changes are saved in the SDRP Criteria Review tool.

5.4.2 Geography Review Tool

The Geography Review tool filters the map layers based on various fields in the attribute table. Use this tool to check the updates made to linear features and school districts. This tool may also be used to view the attributes of entities, features, and boundaries that were not changed. Steps for using the Geography Review tool information appear in **Table 24**.

Select the Geography Review tool from the SDRP toolbar.

The Geography Review Tool window opens.

Geography Review Tool

Layer Name: Select

Previous Zoom


Next Zoom


Show All Edges


Column Name:

Search

Table 24: Steps to Use the Geography Review Tool









5.4.3 Review Change Polygons Tool

The Review Change Polygons tool, described in **Table 25**, allows the user to view the transactions created from school district boundary edits.

Table 25: Steps to Use the Review Change Polygons Tool





5.5 Export Zip Files to Share and Submit

There are two options for creating export Zip files: export a file to share with another participant and export a file for submission to the Census Bureau. Exporting a file to share with another participant does not require all errors to be resolved and exports the whole project, including all reference files. It may be useful to use this option if a school district or county completes their updates, and they want to send the results to the mapping coordinator for review.


Exporting a file for submission to the Census Bureau requires all SDRP criteria review errors to be resolved. The Census Bureau will only accept this file export for submission. In either case,


GUPS automatically names the output Zip file. It packages all files required by the Census Bureau into the Zip file and saves it in the default GUPS project directory.

5.5.1 Export a File to Share with Another Participant

To export a file to share with another participant, follow the steps in Table 26.

Table 26: Steps to Export a File to Share with Another Participant








5.5.2 Export a File for Submission to the Census Bureau

To export a file for submission to the Census Bureau follow the steps in Table 27.

Table 27: Steps to Export a File for Submission to the Census Bureau







Proceed to the final part of the guide to learn about submitting files to the Census Bureau.

PART 5 HOW TO SUBMIT FILES TO THE CENSUS BUREAU

CHAPTER 6 USING THE SECURE WEB INCOMING MODULE (SWIM)

All submissions for the SDRP must be sent to the Census Bureau using the SWIM. Use the instructions in this chapter to establish or access a SWIM account and submit the state's SDRP zipped GUPS export file, zipped updated listing files, and/or zipped submission log.

Some mapping coordinators may have an existing SWIM account. If so, submit the state's SDRP submission using that existing account. For mapping coordinators without an established account, contact the Census Bureau by email at <geo.school@census.gov> to request a registration token. Once a SWIM token has been assigned, create a SWIM account.


To check for the existence of a SWIM account or to reset a password on an established account, choose "Forgot your password?" on the main SWIM page and enter the email address in question to check for the existence of an account. If SWIM locates an account, it asks the established security question for the account, for which the answer is not case-sensitive, and sends an email to reset the forgotten password. If SWIM does not locate an account associated with the email address, it returns the following message, "No account registered for this email address. The email address associated with the account is case sensitive. Try again with the proper case or go to Account Registration to register for a SWIM account." Choosing the Account Registration link opens another window to establish a SWIM account; however, the person must have a registration token to proceed.


Note: The components of both the email address and the password of SWIM accounts are casesensitive. Make note of the format used when establishing the SWIM account (e.g., jane@anytown.org or Jane@anytown.org or JANE@ANYTOWN.ORG.)


SWIM allows four attempts to login before it temporarily locks the account for 15 minutes. After the lock expires, try to login again or reset the password using the aforementioned "Forgot your password?" link on the login page. Once reset and logged into SWIM, account holders may modify their password and security answer by selecting "Change Security" link along the top, right side of the window.


SWIM file requirements include submission of .zip file format. The .zip file may not include another .zip file as a component and it must not be larger than 250 megabytes. To send Annotation Phase changes to the Census Bureau, follow the instructions in **Table 28**. If problems still occur with SWIM, contact the Census Bureau because it may be necessary to create a new SWIM account.


Table 28: Steps to Use SWIM














APPENDICES

APPENDIX A FINANCIAL RESPONSIBILITY

The Census Bureau categorizes school districts based on the grade ranges for which the school district is financially responsible. These may or may not be the same as the grade ranges that a school district operates. The grade range that reflects financial responsibility is important for the allocation of Title I funds. Following are examples of how the Census Bureau represents financial responsibility.

A1 Pseudo School Districts

When a school district is financially responsible for providing education for one set of grades in one geographic area and financially responsible for a different set of grades in a different geographic area, the Census Bureau may create a pseudo school district to properly allocate Title I funds. For example, a school district that is financially responsible for grades K-12 in one geographic area is also financially responsible to educate students in grades 9-12 from a neighboring district covering a different geographic area. The Census Bureau creates a pseudo school district to identify the financially responsible district for grades 9-12 covering the geographic area of the neighboring district. The pseudo district is associated with the regular district so that the regular district is given "credit" for the additional financial responsibility. Consider the example of Science Hill Independent School District.

The Science Hill Independent School District has very few children in grades 9-12, so those children attend school in the Pulaski County School District (Figure 34). Pulaski County School District is financially responsible for educating children in grades 9-12 who live in the Science Hill Independent School District and Pulaski County School District is financially responsible for educating children in grade ranges K-12 within Pulaski County, outside of the Science Hill Independent School District. Therefore, the Census Bureau created the pseudo district "Pulaski County School District for Science Hill" using the same boundaries as the Science Hill Independent School District and assigned grades 9-12 to "Pulaski County School District for Science Hill Independent School District is assigned grades K-8 while the Pulaski County School District maintains its grades K-12.




Figure 34: Example of a Pseudo School District-Pulaski County, KY

These pseudo districts are identified in the Inventory and Grade Range file by a flag with a value of "A." In the School District Boundary shapefiles, pseudo districts are identified by an SDTYPE of "A."

Additionally, the Census Bureau assigns them a pseudo SDLEA code and a school district name that is slightly different from the official name of the school district. They appear in the Inventory and Grade Range Listing¹ as shown in **Table 29**.

Table 29: Pseudo School Districts in the Inventory and Grade Range Listing File

STATE CODE	SDLEA	LOGRADE	HIGRADE	SDLEVEL	SDTYPE	NAME
21	04950	PK	12	U		Pulaski County School District
21	21002	09	12	S	А	Pulaski County School District for Science Hill ISD
21	05220	PK	08	Е		Science Hill Independent School District

¹ Refer to **Appendix B** for additional information.

When submitting a pseudo school district, provide the following information:

- Official school district name and SDLEA code.
- Alternate grade range.
- Service area of alternate grade range.

Currently, the Census Bureau has defined pseudo school districts in California, Georgia, Illinois, Kentucky, Massachusetts, Minnesota, New Jersey, South Carolina, Tennessee, Texas, and Vermont. To discuss school districts that fit the above description, contact the SDRP team at <geo.school@census.gov>.

A2 Elementary PK/KG-12 School District

When a school district is financially responsible for all grades, but only operates schools with elementary grades, the Census Bureau classifies this as a PK/KG-12 Elementary School District. For example, a school district operates schools for children in grades Kindergarten (KG)-8 and pays a neighboring school district to educate children in grades 9–12. The first school district is operationally responsible for grades KG-8, but financially responsible for grades KG-12. If an elementary school district is financially responsible for grades KG-12 or Pre-Kindergarten (PK)–12, there will be no secondary school district represented for that area. In cases where an elementary school district is financially responsible for only lower grades, there is generally a secondary school district that is financially responsible for providing educational services for the upper grades.

APPENDIX B DATA DICTIONARY FOR THE LISTING FILES

The Census Bureau produces Excel files for the Annotation Phase. The listing file names will be followed by "_A"; e.g., <ST>_SD_Inventory_A.xlsx where <ST> = two-digit state code. Use the information in the sub-appendices to learn about the attributes contained in each listing.

B1 Data Dictionary for the Inventory and Grade Range File

These files follow the naming convention of <ST>_SD_Inventory_A.xlsx. Table 30 describes the fields in the file, their length, data type, a brief description of the field, and the valid value ranges.

Attribute Length **Type** Description Value/Range **Field STATE** 2 **VARCHAR** State code 01, 02, 04-06, 08-13, CODE 15-42, 44-51, 53-56 **SDLEA** 5 **VARCHAR** School District Local Education Agency 00001-99998 code **LOGRADE** 2 VARCHAR School district low grade PK, KG, 01-11 **HIGRADE** 2 **VARCHAR** PK, KG, 01-12 School district high grade SDLEVEL 1 VARCHAR School district level E=Elementary; S=Secondary; U=Unified: A=Administrative Area **SDTYPE** 1 **VARCHAR** School district type A=Pseudo; B=Dept. of Defense; C=Interstate; D=Bureau of Indian Affairs; E=Same Name NAME 100 **VARCHAR** School district name Not Blank

Table 30: Data Dictionary for the Inventory and Grade Range File

B2 Data Dictionary for the County Coverage File

These files follow the naming convention <ST>_County_Coverage_A.xlsx. **Table 31** describes the fields in the file, their length, data type, a brief description of the field, and the valid value ranges.

Attribute
FieldLength
FieldTypeDescriptionValue/RangeSTATE
CODE2VARCHARState code01, 02, 04-06, 08-13,
15-42, 44-51, 53-56

Table 31: Data Dictionary for the County Coverage File

Attribute Field	Length	Туре	Description	Value/Range
COUNTY CODE	3	VARCHAR	County code	001-840
COUNTY NAME	100	VARCHAR	County name	Not Blank
SDLEA	5	VARCHAR	School District Local Education Agency code	00001-99998
NAME	100	VARCHAR	School district name	Not Blank

B3 Data Dictionary for the Legal Government Coextensive Coverage File

These files follow the naming convention <ST>_Coextensive_Coverage_A.xlsx. Table 32 describes the fields in the file, their length, data type, a brief description of the field, and the valid value ranges.

Table 32: Data Dictionary for the Legal Government Coextensive Coverage File

Attribute Field	Length	Туре	Description	Value/Range
STATE CODE	2	VARCHAR	State code	01, 02, 04-06, 08-13, 15-42, 44-51, 53-56
COUNTY CODE	3	VARCHAR	County code	001-840
COUNTY NAME	100	VARCHAR	County name	Not Blank
SDLEA	5	VARCHAR	School District Local Education Agency code	00001-99998
SDLEVEL	1	VARCHAR	School district level	E=Elementary; S=Secondary; U=Unified; A=Administrative Area
SDNAME	100	VARCHAR	School district name	Not Blank
COEXTWITH	100	VARCHAR	Name of government the school district is coextensive with	Not Blank
FIPS55 CODE	5	VARCHAR	Federal Information Processing Series (FIPS) code (formerly FIPS 55) of the place the school district is coextensive with. This field is only populated when the coextensive government is a place.	00001-89999

B4 Data Dictionary for the School District to Geography Relationship File

These files follow the naming convention <ST>_SD_GEO_Relationship_A.xlsx. **Table 33** describes the fields in the file, their length, data type, a brief description of the field, and the valid value ranges.

Table 33: Data Dictionary for the School District to Geography Relationship File

Attribute Field	Length	Туре	Description	Value/Range
SDLEA	5	VARCHAR	School District Local Education Agency code	00001-99998
SDLEVEL	1	VARCHAR	School district level	E=Elementary; S=Secondary; U=Unified; A=Administrative Area
SDNAME	100	VARCHAR	School district name	Not Blank
COUNTY SUBDIVISION 'PART' FLAG	1	VARCHAR	School district partially covers county subdivision part flag	Р
STATE CODE	2	VARCHAR	State code	01, 02, 04-06, 08-13, 15-42, 44-51, 53-56
COUNTY CODE	3	VARCHAR	County code	001-840
COUNTY SUBDIVISION CODE	5	VARCHAR	County subdivision code	00000-98999
COUNTY SUBDIVISION NAME	100	VARCHAR	County subdivision name	Not Blank
COUNTY SUBDIVISION NAME SUFFIX	50	VARCHAR	County subdivision name suffix	Barrio, borough, CCD, census subarea, census subdistrict, city, county, district, precinct, gore, grant, location, municipality, plantation, barriopueblo, purchase, town, township, UT, village, charter township, reservation, no suffix exists

Attribute Field	Length	Туре	Description	Value/Range
PLACE 'PART' FLAG	1	VARCHAR	School district partially covers incorporated place part flag	Р
PLACE CODE	5	VARCHAR	Place code	00001-89999
PLACE NAME	100	VARCHAR	Place name	Not Blank
PLACE SUFFIX	50	VARCHAR	Incorporated place name suffix	Borough, city, metro township, municipality, town, village, city and borough, consolidated government, corporation, metropolitan government, urban county, unified government, no suffix exists

APPENDIX C SHAPEFILE NAMES

There are two series of shapefiles, one set for the state-level files and one set for county level files, described in this appendix. The tables included below list the types of data included in each series. Additional details for each of the shapefiles listed in this appendix are in **Appendix D**.

State Shapefile Names–PVS_<yy>_v1_<layername>_<SS>.shp, where <yy> is the year, <layername> is the abbreviated shapefile name, and <SS> is the two-digit state code. Descriptions for abbreviated state shapefile names are provided in **Table 34**.

Table 34: Abbreviated State Shapefile Names

<layername></layername>	Description
aial	American Indian Areas–Legal
cdp	Census Designated Places
county	Counties and Equivalent Areas
mcd	Minor Civil Divisions (County Subdivisions)
place	Incorporated Places
elsd	Elementary School Districts
scsd	Secondary School Districts
sdadm	School District Administrative Areas (Vermont only)
unsd	Unified School Districts

County Shapefile Names—PVS_<yy>_v1_<layername>_<STCOU>.shp, where <yy> is the year, <layername> is the abbreviated shapefile name, and <STCOU> is the 5-digit state and county code. Descriptions for abbreviated county shapefile names are provided in **Table 35**.

Table 35: Abbreviated County Shapefile Names

<layername></layername>	Description
arealm	Area Landmarks
edges	All Lines
faces	Topological Faces (Topological Polygons)
water	Hydrography–Area

APPENDIX D SHAPEFILE LAYOUTS AND DATA DICTIONARY

The tables included in this appendix detail each shapefile by defining the layout of each file. They describe the fields, their length and type. Refer to these tables for more information about the shapefiles that appears in GUPS. Tables 36–44 correspond to the state-based shapefiles while tables 45–48 correspond to the county-based shapefiles.

Table 36: American Indian Areas (aial)-Legal

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
AIANNHCE	4	String	Census American Indian, Alaska Native, Native Hawaiian (AIANNH) area code
СОМРТҮР	1	String	Indicates if record is reservation (or equivalent) or off-reservation trust land portion of AIANNH area
AIANNHFSR	1	String	Flag indicating level of recognition of an AIANNH tribe or group
NAMELSAD	100	String	Name with translated Local/Statistical Area Definition (LSAD)
AIANNHNS	8	String	National Standard code for AIANNH area
LSAD	2	String	Legal/Statistical Area Description code
FUNCSTAT	1	String	Functional status code
CLASSFP	2	String	Class code
PARTFLG	1	String	Part flag
CHNG_TYPE	2	String	Type of area update
EFF_DATE	10	Date	Effective date or vintage
AUTHTYPE	1	String	Authorization type for legal area updates
DOCU	120	String	Supporting documentation
FORM_ID	4	String	Record ID for boundary update
AREA	10	Number	Acreage of area update
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification
NAME	100	String	Name AIANNH area
VINTAGE	2	String	Vintage

Table 37: Census Designated Places (cdp)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
PLACEFP	5	String	Place code
PLACENS	8	String	National Standard feature code for the place
NAMELSAD	100	String	Name with translated Legal/Statistical Area Description (LSAD)
LSAD	2	String	Legal/Statistical Area Description code
FUNCSTAT	1	String	Functional status code
CLASSFP	2	String	Class code
PARTFLG	1	String	Part flag

Table 38: County and Equivalent Areas (county)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
COUNTYFP	3	String	County code
COUNTYNS	8	String	National Standard feature code for the county or equivalent area
NAMELSAD	100	String	Name with translated Local/Statistical Area Definition (LSAD)
LSAD	2	String	Legal/Statistical Area Description code
FUNCSTAT	1	String	Functional status code
CLASSFP	2	String	Class code
CHNG_TYPE	2	String	Type of area update
EFF_DATE	10	Date	Effective date or vintage
AUTHTYPE	1	String	Authorization type for legal area updates
DOCU	120	String	Supporting documentation
FORM_ID	4	String	Record ID for boundary update
AREA	10	Number	Acreage of area update
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification
NAME	100	String	Name
VINTAGE	2	String	Vintage

Table 39: County Subdivisions (mcd)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
COUNTYFP	3	String	County code
COUSUBFP	5	String	County subdivision code
NAMELSAD	100	String	Name with translated Local/Statistical Area Definition (LSAD)
COUSUBNS	8	String	National Standard feature code for the county subdivision
LSAD	2	String	Legal/Statistical Area Description code
FUNCSTAT	1	String	Functional status code
CLASSFP	2	String	Class code
CHNG_TYPE	2	String	Type of area update
EFF_DATE	10	Date	Effective date or vintage
AUTHTYPE	1	String	Authorization type for legal area updates
DOCU	120	String	Supporting documentation
FORM_ID	4	String	Record ID for boundary update
AREA	10	Number	Acreage of area update
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification
NAME	100	String	Name
VINTAGE	2	String	Vintage

Table 40: Incorporated Places (place)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
PLACEFP	5	String	Place code
NAMELSAD	100	String	Name with translated Local/Statistical Area Definition (LSAD)
PLACENS	8	String	National Standard feature code for the place
LSAD	2	String	Legal/Statistical Area Description code
FUNCSTAT	1	String	Functional status code
CLASSFP	2	String	Class code
PARTFLG	1	String	Part flag
CHNG_TYPE	2	String	Type of area update
EFF_DATE	10	Date	Effective date or vintage
AUTHTYPE	1	String	Authorization type for legal area updates
DOCU	120	String	Supporting documentation
FORM_ID	4	String	Record ID for boundary update
AREA	10	Number	Acreage of area update
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification
NAME	100	String	Name
VINTAGE	2	String	Vintage

Table 41: Elementary School Districts (elsd)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
SDLEA	5	String	School District Local Education Agency code
NAME	100	String	Base name portion of the standardized name
LSAD	2	String	Legal/Statistical Area Description code
LOGRADE	2	String	School district low grade
HIGRADE	2	String	School district high grade
SDTYP	1	String	Census Bureau school district type (e.g., A=Pseudo; B=Dept. of Defense; C=Interstate; D=Bureau of Indian Affairs; E=Same Name)
POLYID	4	String	Record ID for each ELSD update
CHNG_TYPE	2	String	Type of area update
EFF_DATE	10	Date	Effective date or vintage
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification
FUNCSTAT	1	String	Functional status code
VINTAGE	2	String	Vintage

Table 42: Secondary School Districts (scsd)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
SDLEA	5	String	School District Local Education Agency code
NAME	100	String	Base name portion of the standardized name
LSAD	2	String	Legal/Statistical Area Description code
LOGRADE	2	String	School district low grade
HIGRADE	2	String	School district high grade
SDTYP	1	String	Census Bureau school district type (e.g., A=Pseudo; B=Dept. of Defense; C=Interstate; D=Bureau of Indian Affairs; E=Same Name)
POLYID	4	String	Record ID for each SCSD update
CHNG_TYPE	2	String	Type of area update
EFF_DATE	10	Date	Effective date or vintage
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification
FUNCSTAT	1	String	Functional status code
VINTAGE	2	String	Vintage

Table 43: School District Administrative Areas (sdadm)-Vermont only

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
SDLEA	5	String	School District Local Education Agency code
NAME	100	String	Base name portion of the standardized name
LSAD	2	String	Legal/Statistical Area Description code
LOGRADE	2	String	School district low grade
HIGRADE	2	String	School district high grade
SDTYP	1	String	Census Bureau school district type (e.g., A=Pseudo; B=Dept. of Defense; C=Interstate; D=Bureau of Indian Affairs; E=Same Name)
POLYID	4	String	Record ID for each SDADM update
CHNG_TYPE	2	String	Type of area update
EFF_DATE	10	Date	Effective date or vintage
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification
FUNCSTAT	1	String	Functional status code
VINTAGE	2	String	Vintage

Table 44: Unified School Districts (unsd)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
SDLEA	5	String	School District Local Education Agency code
NAME	100	String	Base name portion of the standardized name
LSAD	2	String	Legal/Statistical Area Description code
LOGRADE	2	String	School district low grade
HIGRADE	2	String	School district high grade
SDTYP	1	String	Census Bureau school district type
POLYID	4	String	Record ID for each UNSD update
CHNG_TYPE	2	String	Type of area update
EFF_DATE	10	Date	Effective date or vintage
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification
FUNCSTAT	1	String	Functional status code
VINTAGE	2	String	Vintage

Table 45: Area Landmark (arealm)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
COUNTYFP	3	String	County code
MTFCC	5	String	MAF/TIGER Feature Class Code
FULLNAME	120	String	Complete name associated with the area landmark
AREAID	22	String	Landmark identification number, or Object ID
ANSICODE	8	String	National Standard feature code for the area landmark
PARTFLG	1	String	Part flag
CHNG_TYPE	2	String	Type of area update
EFF_DATE	10	Date	Effective date or vintage
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification
BAG	3	String	Block area grouping

Table 46: All Lines (edges)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
COUNTYFP	3	String	County code
TLID	10	Number	Permanent Edge ID
TFIDL	10	Number	Permanent Face (Topological Polygon) ID on the left
TFIDR	10	Number	Permanent Face (Topological Polygon) ID on the right
MTFCC	5	String	MAF/TIGER Feature Class Code
FIDELITY	1	String	Flag indicating to user whether boundary edge has changed through spatial enhancement
FULLNAME	40	String	Complete name associated with the edge
SMID	22	Number	Spatial metadata ID
SMIDTYPE	1	String	Source attribution for boundary edge: PLSS, Parcel, Surveyed, etc.
RTTYPE	1	String	Route type code
BBSPFLG	1	String	Indicates Redistricting Data Project participant's request to flag an edge for selection to hold as boundary for a tabulation block
CBBFLG	1	String	Indicates the status of an edge for selection as tabulation block boundary
BBSP_2020	1	String	New BBSP flag
CHNG_TYPE	4	String	Type of area update
JUSTIFY	150	String	Justification
LTOADD	10	String	Left to address
RTOADD	10	String	Right to address
LFROMADD	10	String	Left from address
RFROMADD	10	String	Right from address
ZIPL	5	String	Left from ZIP Code
ZIPR	5	String	Right from ZIP Code
EXTTYP	1	String	Extension type
MTUPDATE	10	Date	Date of the last update to the edge

Table 47: Faces (faces)

Attribute Field	Length	Туре	Description
TFID	20	Number	Permanent Face (Topological Polygon) ID
STATEFP	2	String	State code
COUNTYFP	3	String	County code
TRIBSUBCE	3	String	Census Bureau tribal subdivision code
TTRACTCE	6	String	Tribal census tract code
TBLKGRPCE	1	String	Tribal census block group code
AIANNHCE	4	String	Census Bureau American Indian, Alaska Native, or Native Hawaiian (AIANNH) area code
AIANNHCE20	4	String	2020 Census AIANNH area code
СОМРТҮР	1	String	Indicates if record is reservation (or equivalent) or off-reservation trust land portion of AIANNH area
ANRCFP	5	String	Alaska Native Regional Corporation (ANRC) code
SLDUST	3	String	State Legislative District (SLD) upper chamber code
SLDLST	3	String	SLD lower chamber code
ELSD	5	String	Current elementary school district SDLEA code
SCSD	5	String	Current secondary school district SDLEA code
UNSD	5	String	Current unified school district SDLEA code
SDADM	5	String	Current school district administrative area code
CDFP	2	String	Congressional district code
TRACTCE	6	String	Census tract code
UACE	5	String	Census Bureau urban area code
CBSAFP	5	String	Core based statistical area code
NECTAFP	5	String	New England city and town area code
BLKGRPCE	1	String	Census block group code
BLOCKCE	4	String	Tabulation block code
SUFFIX1CE	2	String	Census block suffix 1
SUFFIX2CE	2	String	Census block suffix 2

Attribute Field	Length	Туре	Description
BAGCE	3	String	Block area grouping
PUMACE20	5	String	Public use microdata area code from 2020
SUBMCDFP	5	String	Sub-minor civil division code
UGACE	5	String	Urban growth area code
STATEFP20	2	String	State code from 2020
COUNTYFP20	3	String	County code from 2020
TRACTCE20	6	String	Census tract code from 2020
PLACEFP	5	String	Place code
COUSUBFP	5	String	County subdivision code
CONCITYFP	5	String	Consolidated city code
CDSESSN	3	String	Congressional district session code
LWFLG	1	String	Land/water flag

Table 48: Hydrography-Area (water)

Attribute Field	Length	Туре	Description
STATEFP	2	String	State code
COUNTYFP	3	String	County code
ANSICODE	100	String	National Standard code for hydrography area
MTFCC	8	String	MAF/TIGER Feature Class Code
FULLNAME	2	String	Complete name associated with the water feature
CHNG_TYPE	2	String	Type of area update
HYDROID	22	String	Object ID
RELATE	120	String	Relationship description
JUSTIFY	150	String	Justification

APPENDIX E ADDITIONAL GUPS DOCUMENTATION

The Census Bureau recommends the use of the QGIS documentation to supplement information provided within this appendix. Refer to the QGIS documentation guide on-screen or download an Adobe Acrobat PDF of the QGIS 3.34.3 documentation from the following link https://docs.ggis.org/3.34/en/docs/user-manual/>.

Note: The QGIS 3.34.3 documentation is in the "Archived" section at the bottom of the previously listed link.

The Menu bar, the Standard toolbar, and the SDRP toolbar (Figure 35) are located at the top of the GUPS page. These toolbars offer general GIS and system tools used to make SDRP updates. Chapter 5 covers the SDRP toolbar and its functionality.



Figure 35: Menu Bar, Standard Toolbar, and SDRP Toolbar

Note: Although the Menu bar is always located at the top of the page and cannot be moved, the Standard and SDRP toolbars can be moved to different positions and resized depending on user preferences.

Hovering over a toolbar button will display a tooltip that provides a name for that tool. The sub-appendices describe the Menu bar, the Standard toolbar, Table of Contents and its toolbar, and the Status bar.

E1 Menu Bar

The Menu bar includes top-level, drop-down menus and allows navigation through GUPS using a standard hierarchical menu. Most relate to QGIS functionality and not GUPS functionality. The Menu bar, shown in **Figure 36** offers basic features to manage the Map View. Almost all the functions available from the Menu bar are also available in the various toolbars.





Figure 36: Menu Bar


Table 49 defines each of the tabs on the Menu bar, provides an image of the drop-down options for each, and describes each tab's function.

Table 49: Menu Bar Tabs and Their Function/Description

Menu	Menu Option(s)	Function/Description
Project	Project Edit View Layer Settings Vector Save Ctrl+S Properties Ctrl+Shift+P Snapping Options Import/Export Models Exit QGIS Ctrl+Q	Provides access and exit points of the project file.
Edit	Edit View Layer Settings Vector E Undo Ctrl+Z Redo Ctrl+Shift+Z Select	Provides most of the native tools to edit layer attributes or geometry. From the Edit tab, select Undo to undo the last action or Redo the action. Note: The correct layer must be selected first from the Table of Contents for the edit to work properly. For example, if a linear feature is added to the Edges layer, then that layer is deselected by selecting the faces layer, Undo will not delete the linear feature. The Edges layer must be selected to undo the added linear feature. Note: Multiple actions can be undone on a single layer (e.g., the addition of several linear features) if the project has not been saved. If the project is saved, the Undo option is disabled.







E2 Standard Toolbar Buttons

The Standard toolbar, shown in Figure 37 provides the navigation tools to interact with the map and layers attribute tables.



Figure 37: Standard Toolbar

The Standard toolbar includes three sub-toolbars, identified by the grouping bars or markers on the toolbar. See Figure 38 for a visual of the markers.



Figure 38: Sub-Toolbar Markers

The first sub-toolbar, the Project toolbar, contains buttons for saving projects, changing map projects, and managing map projects. The second sub-toolbar, the Map Navigation toolbar, contains buttons to navigate the Map View. The last sub-toolbar, the Attributes toolbar, contains buttons to identify, select, and measure elements within the map. To rearrange the toolbars, press the left mouse button and hold the sub-toolbar marker then drag it to the desired location within the project. Release the mouse button to set the toolbar in the new location.

Table 50 provides a visual of each button, the corresponding name, and each button's function/description.

Table 50: Standard Toolbar Buttons and Their Function/Description

Button	Name	Function/Description
	Save	Saves the current GUPS project, including any changes to layer properties, projection, last viewed extent, and layers added.

Button	Name	Function/Description
● a	Style Manager	Opens interface that manages symbols, color ramps, texts formats or label settings.
	Map Management	Provides access to the geographic partnership programs in GUPS. Map management automatically loads default map display layers based on the program chosen.
	GUPS Data Settings	Opens window to change the GUPS working directory should problems occur when loading data. Also allows for deletion of a program or a project. Warning! This tool deletes files and folders permanently! Contact the SDRP team if any doubts exist prior to executing this tool. For more information see the subappendices E2.1 and E2.2 .
	Import Custom Shapefiles	Imports user provided shapefiles to existing project and converts the shapefile(s) to match the project spatial reference, if needed. See sub-appendix E2.3 .
6	Pan Map	Shifts the map in the Map View without changing the map scale. Select the button and then choose a location on the map to recenter the map to the location.
	Pan Map to Selection	Shifts the map in the Map View to the rows selected in the attribute table for a selected feature. After selecting a feature(s), select the button to re-center the map based on the selected feature(s).
F	Zoom In	Increases the map scale after selecting the Map View and displays the Map View at a larger scale. Select the button and then choose a location on the map to zoom into.
P	Zoom Out	Decreases the map scale after selecting the Map View and displays the Map View at a smaller scale. Select the button and then choose a location on the map to zoom out from.
	Zoom Full	Displays the map in the Map View at a smaller scale and zooms to the full extent of the project.
,	Zoom to Selection	Zooms to the scale of the feature selected in the Map View or attribute table.
	Zoom to Layer	Zooms the Map View to the layer selected in the Table of Contents. After selecting the layer, select the button to zoom to the layer's extent.
F	Zoom Last	Zooms the Map View to the previous map extent.
	Zoom Next	Zooms the Map View forward to the next map extent (only if a previous extent is available.)

Button	Name	Function/Description
	New Bookmark	Creates a spatial bookmark for the given area to ease navigation. Allows for the naming and saving of the geographic location for future reference.
	Show Bookmarks	Views and manages spatial bookmarks. Use the mouse to double-click bookmark name in the Spatial Bookmark window to zoom to the bookmark.
	Refresh	Refreshes Map View at the current extent.
	Identify Features	Left-click on a feature to identify attributes for a selected layer in the Table of Contents. Right-click on the map to identify attributes for all visible layers at that selection point.
Select Features by Value Select Features by Expression Select All Features Invert Feature Selection	Select Features by Area or Single Click	Provides options to select layer features in the map window with a single click, by dragging the cursor, or by drawing graphics on the screen.
Select Features by Value Select Features by Expression Select All Features Invert Feature Selection	Select Features by Value	Provides options to select features by value or expression, as well as select all features or invert existing feature selection.
	Deselect Features from All Layers	Deselects selected features from all layers in a single action.
*	Toolbox	Reveals a Processing Toolbox window with numerous QGIS processing tasks.
	Measure	Provides options to measure linear distance, area, and angles on the map.

E2.1 Change the Working Directory

When installing GUPS, the working directory, or GUPSGIS folder, is saved by default in the home directory (typically this is the My Documents folder) unless the user specifies a different path. To change the location of the working directory after GUPS has been installed, use the Change Folder button in the GUPS Data Settings tool as described in **Table 51**.

Note: All projects must be closed to change the working directory. If a project is open in GUPS, the Change Folder button is not active.





Table 51: Steps to Change the Working Directory



E2.2 Clean GUPS Data

The GUPS Data Settings tool (Figure 39) offers three clean data options: Clean by Project, Clean by Program, and Clean All GUPS Data.




Figure 39: GUPS Data Settings Window

The Clean by Project (**Figure 40**) option allows the user to delete data/files per project. This can be useful if there is a single project that is no longer needed, or the user would like to restart the project with the original Census Bureau data. The red dotted highlighted item indicates a project that is currently in use in GUPS. To delete a project, select the checkbox next to the project then select Ok. To ensure that all data and files have been deleted, restart QGIS/GUPS by closing the program and reopening it again.




Figure 40: GUPS Data Settings-Clean by Project

In order to delete all projects associated with a certain program, use the Clean by Program option (Figure 41). To ensure that all data and files associated with a program are removed, restart QGIS/GUPS by closing the program and reopening it again.




Figure 41: GUPS Data Settings-Clean by Program


The final option is to Clean All GUPS Data. As the name implies, this deletes all GUPS data located in the GUPSGIS data folder in the home directory. This permanently deletes all files and folders, so once the tool has finished, files and folders cannot be recovered. GUPS should automatically restart once this clean completes. If GUPS does not automatically restart, manually restart GUPS to ensure that all data has been deleted. No figure is included to illustrate this action.


E2.3 Import Custom Shapefiles


GUPS is a full GIS software. It provides all the standard GIS software capabilities including importing user data. To access the full list of possible user files to import, select Layer from the Menu bar, then select the sub-menu Add Layer. GUPS also provides a custom tool to import shapefiles and convert the spatial reference if necessary. Follow the steps in **Table 52** to add a shapefile using the Import Custom Shapefile button on the Standard toolbar.

Table 52: Steps to Import Custom Shapefiles









E3 Table of Contents and Table of Contents Toolbar

GUPS automatically loads a set of default data layers (and default layer groups) defined by the Census Bureau for the SDRP. As the map opens in Map View, the list of the preset, grouped layers appears in the Table of Contents. Participants may use the Table of Contents and Table of Contents toolbar to manage the Map View. See **Figure 42** for a visual of the Table of Contents toolbar.

Using the Table of Contents toolbar, users can add and remove layers or groups, manage map themes, filter the legend by map content or by expression, expand or collapse all sections of the Table of Contents list at once and may remove layers/groups. Users may manipulate layers and symbology in GUPS using basic selection/deselection techniques in the Table of Contents, like with other GIS software. Manipulation of layers within the Table of Contents may assist with

viewing information more appropriately in the Map View. Changes made in the Table of Contents reflect immediately in the Map View.



Figure 42: Table of Contents Toolbar

Table 53 provides a visual of each button, the corresponding name, and each button's function/description.

Table 53: Table of Contents Toolbar Buttons and Their Function/Description

Button	Name	Function/Description
*	Open Layer Styling Panel	Toggles layer styling panel on/off.
	Add Group	Organizes layers in the Table of Contents into groups.
	Manage Map Themes	Offers modification of views based on layers in the Table of Contents.
7	Filter Legend by Map Content	Removes layers not currently in the Map View extent.
$\left[\mathcal{E}_{\square}\right]$	Filter Legend by Expression	Removes features from the selected layer tree style that have no features satisfying a condition/expression.
	Expand All	Expands the Table of Contents menus to display all layers under each group's menu.
1	Collapse All	Collapses the Table of Contents menus to only show groups (not the layers beneath.)
	Remove Layer/Group	Removes a layer or group from the Table of Contents.

To manage visibility of individual groups or layers, check the checkbox next to a layer to make the layer visible (e.g., turn the layer on) in the Map View. Uncheck the checkbox (e.g., turn the layer off) next to a layer to make the layer invisible in the Map View. This may prove beneficial if the Map View is cluttered with too many data layers.

To expand the menu for a layer or grouped layer, select the * symbol and the sub-menu opens. Select the * symbol to collapse the sub-menu. See **Figure 43** for an example of the checkmark and arrow symbology.




Figure 43: Table of Contents with Layer Checkmarks and Arrows

The order in which the layers appear in the Table of Contents determines the order that the layers display in the Map View. The layers at the top of the Table of Contents display on top of the layers that appear below them. While SDRP GUPS is programmed to display data layers in an order that works for most users, adding imagery or other data layers may require a reordering of layers for the map elements to appear properly within GUPS. To manage the order of layers, use the mouse and follow these steps:

- 1. Select the layer name in the Table of Contents.
- 2. Hold down the mouse button and drag the layer to the desired position in the Table of Contents.
- 3. Release the mouse button to place the layer in its new position. The Map View will reflect the new layer order in the Table of Contents.

IMPORTANT: Map labels appear at varying scales dependent on the map layer.

E4 Status Bar

The Status bar (Figure 44) at the bottom of the GUPS main page displays information about the map from the current map scale to mouse cursor coordinates.



Figure 44: Status Bar

Table 54 describes each element of the Status bar.

Table 54: Status Bar Elements and Their Function/Description

Element	Function/Description
Q Type to locate (Ctrl+K)	This locator bar, a quick search widget, helps find and run any feature or option in QGIS.
Coordinate	Shows the current position in map coordinates as the mouse moves across the Map View. The default unit shown is decimal degrees.
8	Toggles between the coordinate position of the mouse cursor or the Map View extents as the map is panned and zoomed.

Element	Function/Description
Scale	Shows the ratio between the distance on the map and distance on the ground based on current map units.
	Lock the scale to use the magnifier to zoom in and out.
Magnifier	Defines current magnification level for the Map View. Allows user to zoom without changing the scale in the Map View, making it easier to tweak label positions and symbols. Magnification is as percentage. If 100%, then magnification is not applied to the view.
Rotation	Defines the clockwise rotation for the Map View in degrees.
✓ Render	Temporarily prevent layers from drawing. Enable by selecting the checkbox immediately to the left of "Render".
@ EPSG:4269	Shows the current coordinate reference system used in the Map View.
	Shows the logs for the GUPS session. The logs include information about underlying processes related to QGIS startup, plugins loading, processing tools, etc.