

**TABLE 5-1. MESSAGE PROFILE ATTRIBUTES**

Abbreviation	Definition
Segment	<ul style="list-style-type: none"> <li>• Three-character code for the segment and the abstract syntax (e.g., the square and curly braces). Note that for segment groups there is no segment code present, but the square and curly braces will still be present.</li> <li>• [ XXX ] Optional</li> <li>• { XXX } Repeating</li> <li>• XXX Required</li> <li>• [{ XXX }] Optional and Repeating</li> </ul>
Name	Name of the segment or segment group element.
Usage	Use of the segment for PHLIP. Indicates if the segment is required, optional, or conditional in a message. Legal values are: <ul style="list-style-type: none"> <li>• R – Required. Must always be populated.</li> <li>• O – Optional.</li> <li>• C – Conditional. Must be populated based on computable Conditionality Statement.</li> <li>• X – Not used.</li> </ul>
Cardinality	Minimum and maximum number of times the segment may appear. <ul style="list-style-type: none"> <li>• [0..0] Segment never present.</li> <li>• [0..1] Segment may be omitted and can have, at most, one occurrence.</li> <li>• [1..1] Segment must have exactly one occurrence.</li> <li>• [0..n] Segment may be omitted or may repeat up to <i>n</i> times.</li> <li>• [1..n] Segment must appear at least once, and may repeat up to <i>n</i> times.</li> <li>• [0..*] Segment may be omitted or repeat an unlimited number of times.</li> <li>• [1..*] Segment must appear at least once, and may repeat unlimited number of times.</li> <li>• [m..n] Segment must appear at least <i>m</i> and at most <i>n</i> times.</li> </ul>
Description	Explanation of the use of the segment.

**1.1 HL7 V2.3.1 MESSAGE ORU^R01 SYNTAX**

The 2.3.1 version ORU^R01 abstract message has been constrained for PHLIP Influenza Test Result Reporting as follows:

**TABLE 5-2. HL7 V2.3.1 MESSAGE ORU^R01 SYNTAX**

Segment	Name	Usage	Cardinality	Description
Header	<i>HEADER Begin</i>	R	[1..1]	

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

MSH	Message Header	R	[1..1]	The Message Header (MSH) Segment contains information explaining how to parse and process the message. This includes identification of message delimiters, sender, receiver, message type, timestamp, etc.
-----	----------------	---	--------	--

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-2. HL7 \ 2.3.1 MESSAGE ORU^R01 SYNTAX**

Segment	Name	Usage	Cardinality	Description
	<b>HEADER End</b>			
	<b>PATIENT GROUP Begin</b>	R	[1..1]	The Patient Group is required for PHLIP. This is a deviation from the HL7 Version 2.3.1 standard.
PID	Patient Identification	R	[1..1]	The Patient Identification (PID) segment contains patient identifying and demographic information. The PID is required for PHLIP.
[NK1]	Next-of-Kin/ Associated Parties	O	[0..1]	The Next-of-Kin/Associated Parties (NK1) segment contains the relationship information of patient and others. If the subject of the testing is something other than a person, the NK1 will document the person or organization responsible for, or owning, the subject. For patients who are persons, the NK1 documents the next of kin of the patient.
[NTE]	Notes and Comments	O	[0..*]	The Notes and Comments (NTE) segment for the NK1 Segment can be used to carry any associated party's related comments.
	<b>PATIENT GROUP End</b>			
	<b>ORDER_OBSERVATION Begin</b>	R	[1..*]	The <a href="#">Order_Observation</a> group is required and may repeat. This means that multiple test results may be reported on a single specimen.
[ORC]	Common Order	O	[0..1]	The Common Order (ORC) segment identifies basic information about the order for testing of the specimen. This segment includes identifiers for the order, who placed the <a href="#">order</a> , <a href="#">when</a> it was placed, etc.
OBR	Observation Request	R	[1..1]	The Observation Request (OBR) segment is used to capture information about a single test being performed on the specimen, or to report information about patient and specimen.
[NTE]	Notes and Comments	O	[0..*]	The Notes and Comments (NTE) segment for the OBR Segment can be used to carry any order-related comments.

Formatted Table

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

**TABLE 5-2. HL7 V2.3.1 MESSAGE ORU^R01 SYNTAX**

Segment Name	Name	Usage	Cardinality	Description
{	<b>OBSERVATION Begin</b>	R	[1..*]	For PHLIP, the Observation group is required in the ORU^R01 message. This is a deviation from the HL7 Version 2.3.1 standard.
OBX	Observation/Result	R	[1..1]	The Observation/Result (OBX) segment following the OBR is used for observations regarding the test ordered. For instance, this may be used to capture test results, the specimen identifying information, and epidemiologically important information regarding the case diagnosis, such as patient vaccination history, travel history, treatment history, etc. For PHLIP, the OBX is required in the ORU^R01 message. This is a deviation from the HL7 Version 2.3.1 standard.
[NTE]	Notes and Comments	O	[0..*]	The Notes and Comments (NTE) segment for the OBX segment can be used to carry any observation-related comments.
}	<b>OBSERVATION End</b>			
}	<b>ORDER_OBSERVATION End</b>			

Formatted Table

## I.2 SEGMENT PROFILE ATTRIBUTES

Fields or components that are NOT documented in this guide are considered NOT SUPPORTED. Inclusion of any field or component that is not supported will result in the creation of an error message.

The abbreviated terms and their definitions used in the ORU^R01 segment profile are detailed in the following table.

**TABLE 5-3. SEGMENT PROFILE ATTRIBUTES**

Abbreviation	Definition
Seq	Sequence of the elements as they are numbered in the HL7 segment.

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

**TABLE 5-3. SEGMENT PROFILE ATTRIBUTES**

Abbreviation	Definition
<b>Len</b>	<p>PHIN maximum length of the element. Length of an element is calculated using the following rules:                      Field length = (Sum of all supported component lengths) + (component number of the last supported component) – 1.                      Component length = (Sum of all supported sub-component lengths) + (sub-component number of the last supported component) – 1.                      Lengths should be considered recommendations, not absolutes. The receiver can truncate fields, components and sub-components that are longer than the recommended length. The receiver should continue to process a message even when a field, component, or sub-component length exceeds the maximum recommended length identified in this specification.</p>
<b>DT</b>	<p>Data type used by PHIN for HL7 element.</p>
<b>Usage</b>	<p>Indicator whether a data element is required, optional, or conditional in a message. Legal values are:</p> <ul style="list-style-type: none"> <li>• <b>R</b> Required. Must always be populated. May use "" (two sets of quote marks) for a null value if no specific value is delineated in the Description column of the table.</li> <li>• <b>RE</b><sup>1</sup> Required, but may be empty (no values, no quotes)</li> <li>• <b>O</b> Optional.</li> <li>• <b>C</b> Conditional, must be populated, when condition is met, must be empty if condition is not met.</li> <li>• <b>CE</b> Conditional, must be populated, but may be empty when condition is met, must be empty if condition is not met,</li> <li>• <b>X</b> Not used.</li> </ul> <p><b>Note:</b> A required field in an optional segment does not mean the segment must be present in the message. It means that if the segment is present, the required fields within that segment must be populated. The same applies to required components of optional fields. If the field is being populated, then the required components must be populated. The same applies to required sub-components of optional components. If a component is being populated, then the required sub-components of that component must be populated.</p>

<sup>1</sup> The element may be missing from the message, but must be sent by sending application if there is relevant data. A conforming sending application must be capable of providing all 'RE' elements. If conforming sending application knows required values for the element, it must send that element. If conforming sending application does not know the required values, then that element will be omitted.

Receiving applications will be expected to process (save/print/archive, etc.) or ignore data contained in the element, but must be able to successfully process the message if the element is omitted (no error message should be generated because the element is missing).

*Health Level Seven, Version 2.5, July 2003, Section 2.12.6.2*

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHILIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-3. SEGMENT PROFILE ATTRIBUTES**

Abbreviation	Definition
<b>Cardinality</b>	Minimum and maximum number of times the segment may appear. <ul style="list-style-type: none"> <li>• [0..0] Segment never present.</li> <li>• [0..1] Segment may be omitted and can have, at most, one occurrence.</li> <li>• [1..1] Segment must have exactly one occurrence.</li> <li>• [0..n] Segment may be omitted or may repeat up to <i>n</i> times.</li> <li>• [1..n] Segment must appear at least once, and may repeat up to <i>n</i> times.</li> <li>• [0..*] Segment may be omitted or repeat an unlimited number of times.</li> <li>• [1..*] Segment must appear at least once, and may repeat unlimited number of times.</li> <li>• [m..n] Segment must appear at least <i>m</i> and at most <i>n</i> times.</li> </ul>
<b>Value Set Name</b>	Pre-coordinated tables used in public health messages, accessible via the Public Health Information Network Vocabulary Access and Distribution Services at <a href="http://www.cdc.gov/PhinVSBrowser/StrutsController.do">http://www.cdc.gov/PhinVSBrowser/StrutsController.do</a> .
<b>HL7 Tbl</b>	The HL7 table number as defined in the HL7 V2.3.1 (1999) standard.
<b>Element Name</b>	Descriptive name of the data element.
<b>Description</b>	Explanation of the use of the field/component/sub-component.

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

### I.3 MESSAGE HEADER (MSH) SEGMENT LEVEL PROFILE

The MSH Segment is used to define the intent, source, destination, and some specifics of the syntax of the message. This segment includes identification of message delimiters, sender, receiver, message type, timestamp, etc. The message header is required for the test result message.

**TABLE 5-4. MESSAGE HEADER (MSH) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	1	ST	R	[1..1]		Field Separator	Character to be used as the field separator for the rest of the message. The supported value is  , ASCII (124).
2	4	ST	R	[1..1]		Encoding Characters	Literal value: '^~&'.
3	224	HD	O	[0..1]		Sending Application	Field that may be used to uniquely identify the sending application for messaging purposes. If populated, it will contain an OID that represents the sending application instance. For this version of PHLIP, the sending application will be the name and OID from the state that is sending the message.
3.1	20	IS	RE	[0..1]		Namespace ID	Laboratory information system name.
3.2	199	ST	R	[1..1]		Universal ID	OID.
3.3	3	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'.
4	224	HD	R	[1..1]		Sending Facility	Unique identifier of the facility that sends the message. The sending facility must be part of the PHIN OID registry. For this version of PHLIP, the sending facility will be the name and OID from the state that is sending the message.
4.1	20	IS	RE	[0..1]		Namespace ID	Laboratory name.
4.2	199	ST	R	[1..1]		Universal ID	OID.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-4. MESSAGE HEADER (MSH) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
4.3	3	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'
5	224	HD	O	[0..1]		Receiving Application	Unique identifier of the receiving application for messaging purposes. If populated, it will contain an OID that represents the receiving application instance. For this version of PHLIP, the receiving application will always be the CDC application, as denoted in MSH-5.1 and MSH-5.2.
5.1	20	IS	RE	[0..1]		Namespace ID	Laboratory information system name. Literal value: 'US WHO Collab LabSys'
5.2	199	ST	R	[1..1]		Universal ID	Literal value: '2.16.840.1.114222.4.3.3.7'
5.3	3	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'
6	224	HD	R	[1..1]		Receiving Facility	Unique identifier of the facility that is to receive the message. This unique identifier must be part of the PHIN OID registry. For this version of PHLIP, the receiving facility will always be the CDC facility, as denoted in MSH-6.1 & MSH-6.2.
6.1	20	IS	RE	[0..1]		Namespace ID	Laboratory name. Literal value: 'CDC-EPI Surv Branch'
6.2	199	ST	R	[1..1]		Universal ID	Literal value: '2.16.840.1.114222.4.1.10416'
6.3	3	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'
7	26	TS	R	[1..1]		Date/Time of Message	Date and time the message was created by the sending system. The user inputs values for the field only as far as needed. When a system has only a partial date/time, e.g., month, day, and year, but not hour and minute, the missing values may be interpreted as zeros.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-4. MESSAGE HEADER (MSH) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
7.1	24	DTM	R	[1..1]		Time	YYYY[MMDD][HH[MM[SS[S[S[S[S]]]]]]][+/-ZZZZ], where at least the first fourteen are used to specify to a precision of "second." The time zone (+/-ZZZZ) is represented as +/-HHMM offset from Coordinated Universal Time (UTC) (formerly Greenwich Mean Time [GMT]), where +0000 or -0000 both represent UTC (without offset). It is strongly recommended that the time zone be used in PHIN messaging.
9	7	CM	R	[1..1]		Message Type	Literal value: 'ORU^R01'.
9.1	3	ID	R	[1..1]		Message Code	Literal value: 'ORU'. Null flavors are not allowed.
9.2	3	ID	R	[1..1]		Trigger Event	Literal value: 'R01'. Null flavors are not allowed.
9.3	3	ID	?	?		Message Structure	Literal value: 'ORU_R01'. Null flavors are not allowed.
10	30	ST	R	[1..1]		Message Control ID	String that uniquely identifies the message instance from the sending application. Recommended to use a counter.
11	3	PT	R	[1..1]	Processing ID (HL7)table# HL70103	Processing ID	Indicator of the intent for processing the message, such as "T" - training, "D" - de-bugging, or "P" - production. For PHLIP, this field will always contain "P."
12	60	VID	R	[1..1]		Version ID	Literal value: "2.3.1."
21	424	EI	R	[1..1]		Message Profile Identifier	Field used to reference or assert adherence to a message profile. Message profiles contain detailed explanations of grammar, syntax, and usage for a particular message or set of messages.

**TABLE 5-4. MESSAGE HEADER (MSH) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
21.1	199	ST	R	[1..1]		Entity Identifier	Literal value: 'PHLIP_ORU_v1.0.2'
21.2	20	IS	RE	[1..1]		Namespace ID	Recommended value: 'PHIN_Profile_ID'.
21.3	199	ST	R	[1..1]		Universal ID	First instance literal value: '2.16.840.1.114222.4.10.3'.
21.4	3	ID	R	[1..1]	Constrained HL7 table #301	Universal ID Type	Literal value: 'ISO'

#### I.4 PATIENT IDENTIFICATION (PID) SEGMENT LEVEL PROFILE

The PID Segment is used as the primary means of communicating patient identification information. This segment contains pertinent patient identifying and demographic information. The PID Segment is required in the patient group. For PHLIP, the patient group is required. If the message sender has detailed patient information, and that information is needed/required by the message receiver, this patient group will be used. For the PHLIP influenza test result message, only one PID Segment is expected per message. If the message sender does not have sufficient information to construct a legal PID Segment, such as a patient name and patient ID, the message sender should send the default data as noted in the Description column, below.

**TABLE 5-5. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	4	SI	R	[1..1]		Set ID - PID	Literal value: "1."
3	564	CX	R	[1..*]		Patient Identifier List	This field contains the list of identifiers (one or more) used by the facility to uniquely identify a patient (e.g., medical record number, billing number, birth registry, national unique individual identifier, etc.)

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-5. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
3.1	30	ST	R	[1..1]		Patient ID	. The assigning authority is required for PHLIP. Do NOT send social security numbers at all!  <i>Note: If no Patient ID is available, the Specimen ID should be defaulted into this field. For PHLIP, the Specimen ID will be an observation sent in OBX-5 (Observation Value) with a data type of "CX." In the case where the Specimen ID is used in place of the Patient ID, it should also be a separate OBX.</i>
3.4	252	HD	R	[1..1]		Assigning Authority	Entity that assigned the Identifier.
3.4.1	48	IS	O	[0..1]		Namespace ID	
3.4.2	199	ST	R	[1..1]		Universal ID	OID.
3.4.3	3	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'.
3.5	25	IS	R	[1..1]	Identifier Type Composite value set: values from HL7 table# 203 or PHVS_IdentifierType _CDC	Identifier Type Code	
3.6	252	HD	O	[0..1]		Assigning Facility	Facility that assigned the Identifier.
3.6.1	48	IS	R	[1..1]		Namespace	
3.6.2	199	ST	R	[1..1]		Universal ID	OID.
3.6.3	3	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-5. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
5	236	XPN	R	[0..*]		Patient Name	Do not send patient name - the default value for this field SHALL be: The 1 <sup>st</sup> repeat of PID-5 empty. The 2 <sup>nd</sup> repeat shall contain an "S" (code for pseudonym) in the Name Type Code component (~^^^^^S)
7	26	TS	RE	[0..1]		Date/Time of Birth	Patient's date and time of birth.
8	1	IS	RE	[0..1]	Administrative Sex (HL7) table# 1	Sex	Patient's sex.
10	703	CE	RE	[0..*]		Race	Patient's race(s).
10.1	50	ST	C	[0..1]	Race Category (PHVS_Race_CDC)	Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
10.2	100	ST	O	[0..1]		Text	Standardized description.
10.3	199	ID	C	[0..1]	Coding System (HL7) table# 396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
10.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-5. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
10.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
10.6	199	ID	C	[0..1]		Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
11	608	XAD	RE	[0..*]		Patient Address	Residence address of the patient. If multiple patient addresses are sent, the 1 <sup>st</sup> repeat should contain the patient's primary address. <i>Note: If the state is not sent in the message, the receiver should default the sending system's state in PID-11.4.</i>
11.1	100	ST	RE	[0..1]		Street Address	
11.2	100	ST	RE	[0..1]		Other Designation	
11.3	100	ST	RE	[0..1]		City	
11.4	20	ST	RE	[0..1]	State (FIPS_5-2)	State or Province	Reference the FIPS 5-2 alpha codes here, though this is not a coded field, so no coding system will be identified.
11.5	10	ST	RE	[0..1]		Zip or Postal Code	US Zip Codes, Zip+4 and Canadian Postal Codes will be supported.
11.6	100	ID	RE	[0..1]	Country (PH_Country_ISO_3166-1)	Country	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-5. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
11.7	20	ID	RE	[0..1]	Address Type (HL7) table# 190	Address Type	
11.8	50	ST	RE	[0..1]		Other Geographic Designation	May be used for MSAs (Metropolitan and Micropolitan Statistical Areas). Source: <a href="http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf">http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf</a>
11.9	100	IS	RE	[0..1]	County (PH_County_FIPS_6-4)	County/Parish	
22	703	CE	RE	[0..1]		Ethnic Group	Field that defines the patient as Hispanic, Non-Hispanic or Unknown.
22.1	50	ST	C	[0..1]	Ethnicity Group (PHVS_Ethnicity_CD C) including Unknown (subset of PH_NullFlavor_HL7_V3)	Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
22.2	100	ST	O	[0..1]		Text	Standardized description.
22.3	199	ID	C	[0..1]	Coding system (HL7) table 0396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
22.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-5. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
22.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is Coded. Rule of conditionality: Required if no standardized code or local code value passed.
22.6	199	ID	C	[0..1]		Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
29	26	TS	RE	[0..1]		Patient Death Date and Time	Date and time of patient's death, if the patient is known to be deceased at the time of the message.
30	1	ID	RE	[0..1]	Yes No Indicator (HL7)table# 136	Patient Death Indicator	Indicator (Y) of patient's <del>death</del> , <del>#death if</del> the patient is known to be deceased at the time of the message. If unknown, this field should be empty (no value, no quotes).

**I.5 NEXT OF KIN/ASSOCIATED PARTIES (NKI) SEGMENT LEVEL PROFILE**

The NKI Segment contains information regarding the patient's other related parties.

**TABLE 5-6. NEXT OF KIN/ASSOCIATED PARTIES (NKI) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	4	SI	R	[1..1]		Set ID - NK1	Literal Value: "1."
2	236	XPN	RE	[0..1]		Name	Name of the next of kin or associated party.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-6. NEXT OF KIN/ASSOCIATED PARTIES (NKI) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
2.1	50	ST	R	[1..1]		Last Name	
2.2	50	ST	R	[1..1]		First Name	
2.3	50	ST	RE	[0..1]		Middle Initial/Middle Name	
2.4	20	ST	RE	[0..1]		Suffix	
2.5	20	ST	RE	[0..1]		Prefix	
2.6	20	IS	RE	[0..1]	Degree License Certification (HL7) table# 360	Degree	
2.7	20	ID	RE	[0..1]	Name Type (HL7) table# 200	Name Type Code	
3	703	CE	RE	[0..1]		Relationship	Description of the relationship between the next of kin/related party and the patient.
3.1	50	ST	C	[0..1]	Relationship (HL7) table# 63	Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
3.2	100	ST	O	[0..1]		Text	Standardized description.
3.3	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-6. NEXT OF KIN/ASSOCIATED PARTIES (NK1) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
3.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.
3.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is Coded. Rule of conditionality: Required if no standardized code or local code value passed.
3.6	199	ID	C	[0..1]		Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
4	608	XAD	O	[0..*]		Address	The address of the next of kin/associated party. If multiple addresses are sent, the 1st repeat should contain the next of kin's primary address. <i>Note: If the state is not sent in the message, the receiver should default the sending system's state in NK1-4.4</i>
4.1	100	ST	O	[0..1]		Street Address	
4.2	100	ST	O	[0..1]		Other Designation	
4.3	100	ST	O	[0..1]		City	
4.4	20	ST	RE	[0..1]	State (FIPS_5-2)	State or Province	Reference the FIPS 5-2 alpha codes here, though this is not a coded field, so no coding system will be identified.

**TABLE 5-6. NEXT OF KIN/ASSOCIATED PARTIES (NK1) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
4.5	10	ST	O	[0..1]		Zip or Postal Code	US Zip Codes, Zip+4 and Canadian Postal Codes will be supported.
4.6	100	ID	O	[0..1]	Country (PH_Country_ISO_3166-1)	Country	
4.7	20	ID	RE	[0..1]	Address Type (HL7) table# 190	Address Type	
4.8	50	ST	O	[0..1]		Other Geographic Designation	May be used for MSAs (Metropolitan and Micropolitan Statistical Areas). Source: <a href="http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf">http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf</a>
4.9	100	IS	O	[0..1]	County (PH_County_FIPS_6-4)	County/Parish	<a href="http://www.census.gov/geo/www/fips/fips.html">http://www.census.gov/geo/www/fips/fips.html</a>

### I.6 COMMON ORDER (ORC) SEGMENT LEVEL PROFILE

The ORC Segment is used to transmit test order information. This segment includes identifiers for the order, who placed the order, when order when it was placed, etc. The ORC Segment is optional in the Test Result (ORU) message. Any information that could be included in either the ORC or the OBR must be included in the OBR on reporting.

**TABLE 5-7. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	2	ID	R	[1..1]	Order Control Code (HL7) table# 119	Order Control	Order action to be performed with this specific order message. For the PHLIP result message, "RE" (observations to follow) is used.

Formatted Table

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-7. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
2	255	EI	RE	[0..1]		Placer Order Number	Unique identifying number assigned to the test request or order by the system that initiated the request for performance of the test. <i>Note: The same value is populated in ORC.2 and OBR.2.</i>
2.1	30	ST	R	[1..1]		Entity Identifier	
2.2	20	IS	RE	[0..1]		Namespace ID	Assigning authority.
2.3	199	ST	R	[1..1]		Universal ID	Field required to contain an assigning authority OID for the application/ organization responsible for creating the placer order number. The placer order number is expected to be unique within this assigning authority.
2.4	3	ID	RE	[0..1]		Universal ID type	Literal value: 'ISO'.
3	255	EI	R	[1..1]		Filler Order Number	Order number associated with the filling application. <i>Note: The same value is populated in ORC.3 and OBR.3.</i>
3.1	30	ST	R	[1..1]		Entity Identifier	
3.2	20	IS	RE	[0..1]		Namespace ID	
3.3	199	ST	RE	[0..1]		Universal ID	Field required to contain an assigning authority OID for the application/organization responsible for creating the filler order number. The filler order number is expected to be unique within this assigning authority.
3.4	3	ID	RE	[0..1]		Universal ID Type	Literal value: 'ISO'.
5	2	ID	RE	[0..1]	Order Status (HL7) table# 38	Order Status	Status of an order.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-7. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
21	50	XON	RE	[0..1]		Ordering Facility Name	Name of the facility that placed the order.
21.1	50	ST	R	[1..1]		Organization Name	
22	608	XAD	RE	[0..*]		Ordering Facility Address	Address of the facility that placed the order. If multiple addresses are sent, the 1st repeat should contain the ordering facility's primary address. <i>Note: If the state is not sent in the message, the receiver should default the sending system's state in ORC-22.4.</i>
22.1	100	ST	O	[0..1]		Street Address	
22.2	100	ST	O	[0..1]		Other Designation	
22.3	100	ST	O	[0..1]		City	
22.4	20	ST	R	[1..1]	State (FIPS_5-2)	State or Province	Reference the FIPS 5-2 alpha codes here
22.5	10	ST	O	[0..1]		Zip/Postal Code	US Zip Codes, Zip+4 and Canadian Postal Codes will be supported.
22.6	100	ID	O	[0..1]	Country (PH_Country_ISO_3166-1)	Country	
22.7	20	ID	RE	[0..1]	Address Type (HL7) table# 190	Address Type	
22.8	50	ST	O	[0..1]		Other Geographic Designation	May be used for MSAs (Metropolitan and Micropolitan Statistical Areas). Source: <a href="http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf">http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf</a>

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-7. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
22.9	100	IS	RE	[0..1]	County (PH_County_FIPS_6-4)	County/Parish	
23	211	XTN	RE	[0..*]		Ordering Facility Phone Number	Telephone number of the facility placing the order. The receiver must minimally support the 1 <sup>st</sup> repeat when populating this field. Email address, if sent, is a separate "repeat" with appropriate Telecommunication Use Code and Telecommunication Equipment Type.
23.2	20	ID	RE	[0..1]	Telecommunication Use Code (HL7) table# 201	Telecom use code	
23.3	100	ST	RE	[0..1]	Telecommunication Equipment Type (HL7) table# 202	Telecom Equipment Type	
23.4	20	ST	RE	[0..1]		Email Address	Example of email address format: x@x.x
23.5	3	NM	RE	[0..1]		Country Code	
23.6	3	NM	RE	[0..1]		Area Code	Look-up service for area codes: <a href="http://www.nanpa.com/nas/public/npa_query_step1.do?method=resetNpaReportModel">http://www.nanpa.com/nas/public/npa_query_step1.do?method=resetNpaReportModel</a>
23.7	17	NM	RE	[0..1]		Phone Number	
23.8	20	NM	RE	[0..1]		Extension	
23.9	20	ST	RE	[0..1]		Any Text	

**I.7 OBSERVATION REQUEST (OBR) SEGMENT LEVEL PROFILE**

The OBR Segment in the Test Result Message (ORU) is used to capture information about one test being performed on the specimen or report information about patient and specimen.

*Note: For PHLIP, only one specimen is allowed per ORU^R01 message.*

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	4	SI	R	[1..1]		Set ID - OBR	Sequence number of the OBR in relation to the Result message to which it refers. The sequence number should start at 1 and be incremented by 1 for each OBR in the result message.
2	255	EI	RE	[0..1]		Placer Order Number	Unique identifying number assigned to the test request or order by the system that initiated the request for performance of the test. <i>Note: The same value is populated in ORC.2 and OBR.2.</i>
2.1	30	ST	R	[1..1]		Entity Identifier	
2.2	20	IS	RE	[0..1]		Namespace ID	Assigning authority.
2.3	199	ST	R	[1..1]		Universal ID	Field required to contain an assigning authority OID for the application/ organization responsible for creating the placer order number. The placer order number is expected to be unique within this assigning authority.
2.4	3	ID	RE	[0..1]		Universal ID Type	Literal value: 'ISO'.
3	255	EI	R	[1..1]		Filler Order Number	Order number associated with the filling application. <i>Note: The same value is populated in ORC.3 and OBR.3.</i>
3.1	30	ST	R	[1..1]		Entity Identifier	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
3.2	20	IS	RE	[0..1]		Namespace ID	
3.3	199	ST	RE	[0..1]		Universal ID	Field required to contain an assigning authority OID for the application/organization responsible for creating the filler order number. The filler order number is expected to be unique within this assigning authority.
3.4	3	ID	RE	[0..1]		Universal ID Type	Literal value: 'ISO'.
4	643	CE	R	[1..1]		Universal Service ID	Identifier code for the test. This will be used to pass PHLIP orderable test codes.
4.1	20	ST	C	[0..1]	Lab Test Order (PHLIP Flu) (Composite value set: values from LOINC and PLT)	Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
4.2	100	ST	O	[0..1]		Text	Standardized description.
4.3	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
4.4	20	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
4.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
4.6	199	ID	C	[0..1]		Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
7	26	TS	R	[1..1]		Observation Date/Time	The date and time the specimen was collected. A minimum of year, month and day must be provided when the actual date/time is known. For unknown collection date/time use "0000".
10	337	XCN	O	[0..1]		Collector Identifier	This field will identify the person, department or facility that collected the specimen.
10.1	100	ST	O	[0..1]		ID Number	
10.2	50	ST	O	[0..1]		Family Name	
10.3	50	ST	O	[0..1]		Given Name	
10.4	50	ST	O	[0..1]		Middle Name/Initial	
10.5	20	ST	O	[0..1]		Suffix	
10.6	20	ST	O	[0..1]		Prefix	
10.7	20	IS	O	[0..1]		Degree	
10.10	20	IS	O	[0..1]		Name Type Code	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
14	26	TS	RE	[0..1]		Specimen Received Date/Time	Date and time specimen is received at the submitter.
15	1060	CM	R	[1..1]		Specimen Source	Identifier of the type and/or source of specimen on which a test is performed.
15.1	703	CE	R	[1..1]	Specimen Source (HL7) table#70	Specimen Source Name or Code	Identifier of the type and/or source of specimen on which a test is performed. The SNOMED CT specimen concepts will not be used to encode this component in PHLIP. For this version of PHLIP, the HL7 table 0070 will be used as the reference table for OBR 15.1. If specimen source is not known, enter the HL7 table 0070 item: "USUB" and "Unknown substance" in the sub-components OBR-15.1.1 & 15.1.2, respectively.
15.1.1	50	ST	R	[1..1]		Identifier	Standardized code. The standard code sub-component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. If the specimen source is not listed in table 0070, enter "ORH" and "Other" in sub-components 15.1.1 & 15.1.2, with the description of the specimen source in sub-component 15.1.5 (Alternate Text).
15.1.2	100	ST	O	[0..1]		Text	Standardized description.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
15.1.3	199	ID	R	[1..1]	Coding system (HL7) table# 0396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
15.1.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code sub-component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in sub-component 5.
15.1.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if standard code (15.1.1) is "ORH" .
15.1.6	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
15.4	354	CE	O	[0..1]		Body Site	For PHLIP, the 1 <sup>st</sup> 3 sub-components of 15.4 are not supported. The local information will be entered in the Alternate Text sub-component OBR-15.4.5

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
15.4.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code sub-component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in sub-component 5.
15.4.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
15.4.6	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
16	591	XCN	RE	[0..1]		Ordering Provider	Identifier of the provider who ordered the testing being performed.
16.1	100	ST	RE	[0..1]		Ordering Provider ID	
16.2	50	ST	RE	[0..1]		Last Name	
16.3	50	ST	RE	[0..1]		First Name	
16.4	50	ST	RE	[0..1]		Middle Initial/Middle Name	
16.5	20	ST	RE	[0..1]		Suffix	
16.6	20	ST	RE	[0..1]		Prefix	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
16.7	20	IS	RE	[0..1]	Degree License Certification (HL7) table# 360	Degree	
16.9	252	HD	O	[0..1]		Assigning Authority	Entity that assigned the ID.
16.9.1	48	IS	R	[1..1]		Namespace ID	
16.9.2	199	ST	R	[1..1]		Universal ID	OID.
16.9.3	3	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'
16.10	20	ID	RE	[0..1]	Name Type (HL7) table# 200	Name Type Code	
17	211	XTN	RE	[0..*]		Order Callback Phone Number	Phone number that can be called to obtain additional clarification regarding the order. <i>Note: The receiver must minimally support the 1<sup>st</sup> repeat when populating this field.</i> Email address, if sent, is a separate "Repeat" with appropriate Telecommunication Use Code and Telecommunication Equipment Type.
17.2	20	ID	RE	[0..1]	Telecommunication Use Code (HL7) table# 201	Telecom Use Code	
17.3	100	ST	RE	[0..1]	Telecommunication Equipment Type (HL7) table# 202	Telecom Equipment Type	
17.4	20	ST	RE	[0..1]		Email Address	Example of email address format: x@x.x
17.5	3	NM	RE	[0..1]		Country Code	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
17.6	3	NM	RE	[0..1]		Area Code	Look-up service for area codes: <a href="http://www.nanpa.com/nas/public/npa_query_step1.do?method=resetNpaReportModel">http://www.nanpa.com/nas/public/npa_query_step1.do?method=resetNpaReportModel</a>
17.7	17	NM	RE	[0..1]		Phone Number	
17.8	20	NM	RE	[0..1]		Extension	
17.9	20	ST	RE	[0..1]		Any Text	
22	26	TS	RE	[0..1]		Results Rpt/Status Change - Date/Time	Date/time the results were <del>reported</del> <a href="#">reported</a> , or status changed.
25	1	ID	R	[1..1]	Result Status (HL7 table# 123)	Result Status	Status of results for this order. Corrected Results: A corrected result occurs when a previously final result report (i.e., an OBR and associated OBXs where OBR-25 was Final and all OBX-11s were Final) is being resent with a change to a value in one or more OBXs. OBR-25 (Result Status): The status of the entire report is marked as "C-Corrected" in OBR-25. OBX-11 (Observation Result Status): The status of each OBX is marked as either "Final" or "Corrected." Those OBX values being corrected should have an OBX-11 status of "C-Corrected." Those OBX values that remain unchanged should have an OBX-11 status of "F-Final." A minimum of one OBX must be marked as corrected.
26	745	CM	RE	[0..1]		Parent Result	Field defined to make it available for linkages between the parent result and its children result. This important information, together with the information in OBR.29 Parent, uniquely identifies the OBX Segment of the

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
							parent result related to this order.
26.1	623	CE	RE	[0..1]		OBX-3 (Observation Identifier) of Parent Result	
26.1.1	50	ST	C	[0..1]		Identifier	Standardized code. Rule of conditionality: The standard code sub-component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
26.1.2	100	ST	O	[0..1]		Text	Standardized description.
26.1.3	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
26.1.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code sub-component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in sub-component 5.
26.1.5	199	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
26.1.6	20	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
26.2	20	ST	O	[0..1]		OBX-4 (Sub-ID) of Parent Result	
26.3	100	TX	RE	[0..1]		Part of OBX-5 (Observation Result) from Parent Result	The description of the organism from OBX-5, which will have a data type of "ST" or "TX."
29	511	CM	RE	[0..1]		Parent	Parent ID number. Field that relates a child to its parent when a parent-child relationship exists.
29.1	255	EI	RE	[0..1]		Placer Order Number of Parent Result	From ORC-2 (Placer Order Number) or OBR-2 (Placer Order Number) of parent.
29.1.1	30	ST	R	[1..1]		Entity Identifier	
29.1.2	20	IS	RE	[0..1]		Namespace ID	
29.1.3	199	ST	RE	[0..1]		Universal ID	Field required to contain an assigning authority OID for the application/organization responsible for creating the placer order number. The placer order number is expected to be unique within this assigning authority.
29.1.4	3	ID	RE	[0..1]		Universal ID Type	Literal value: 'ISO'.
29.2	255	EI	R	[1..1]		Filler Order Number of Parent Result	From ORC-3 (Filler Order Number) or OBR-3 (Filler Order Number) of parent.
29.2.1	30	ST	R	[1..1]		Entity Identifier	

**TABLE 5-8. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
29.2.2	20	IS	RE	[0..1]		Namespace ID	
29.2.3	199	ST	RE	[0..1]		Universal ID	Field required to contain an assigning authority OID for the application/organization responsible for creating the filler order number. The filler order number is expected to be unique within this assigning authority.
29.2.4	3	ID	RE	[0..1]		Universal ID Type	Literal value: 'ISO'.

### I.8 OBSERVATION/RESULT (OBX) SEGMENT LEVEL PROFILE

The OBX Segment in the Test Result (ORU) Message is used to transmit observations related to the test result and other information about patient and specimen, including test result, specimen-related information (such as specimen IDs from both the test order and the test filler), additional information passed by the test order, etc.

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	4	SI	R	[1..1]		Set ID - OBX	Sequence number of the OBX in relation to the OBR Segment to which it refers. The sequence number should start at 1 and increment by 1 for each OBX in the Order_Observation group.
2	3	ID	R	[1..1]	Value Type (HL7) table# 125	Value Type	Field in which allowed values are "CE," "CX," "NM," "SN," "ST," "TS" and "TX." The CE data type is used primarily to convey epidemiologically important information and coded lab results like organism name. The CX data type is used

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
							primarily to convey additional specimen identifiers in OBXs. The NM data type is used to report a numeric value. The SN data type is used to report a numeric clinical value with qualifications. The ST data type is used to report a short string of text. The TS data type is used to convey the date/time of illness onset. The TX data type is used to carry a large text observation.
3	703	CE	R	[1..1]	Resulted Lab Test Name (PHLIP Flu) (Composite value set: values from LOINC and PLT) or PHLIP Questions (Flu) (Composite value set: values from LOINC and PHINQUESTIONS)	Observation Identifier	Unique identifier for the observation. This field will be populated by either a resulted test identifier or an identifier for an observation related to patient or specimen information (EPI question).
3.1	50	ST	C	[0..1]		Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard.
3.2	100	ST	O	[0..1]		Text	Standardized description.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
3.3	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
3.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.
3.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed. Not required but recommended to always send local codes.
3.6	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
4	20	ST	CE	[0..1]		Observation Sub-ID	Conditionality Rule: Field required if there is more than one OBX with the same OBX.3 (Observation Identifier) associated with the same OBR. Normally, this field is populated with a number, but text values may also be used.
5	65536	<a href="#">Varies</a> <a href="#">see below</a>	<a href="#">Varies</a> <a href="#">by data type</a>	[0..*]		Observation Value	Actual observation associated with the test order. The data type in OBX.2 Value Type indicates the format of the observation.
5	703	CE	C	[0..1]	Lab Test Result (PHLIP Flu) Composite value set: values from SNOMED CT and PLR) or Patient Location Status at Specimen Collection (Composite value set:HL7 table# 4 and PH_HealthcareProviderTaxonomy_HIPAA) or Yes No Unknown (YNU) Composite value set: values from HI7 table#136 and NullFlavor_HL7_V3 or Country (ISO_3166-1)	Observation Value	Rule of conditionality: This data element is required unless OBX.11 = 'X' or 'N'. This data type transmits a code and the text associated with the code.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
5.1	50	ST	C	[0..1]		Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
5.2	100	ST	O	[0..1]		Text	Standardized Description
5.3	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
5.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.
5.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the value type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
5.6	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
5	285	CX	R	[1..1]		Observation Value	The CX data type is used to carry the specimen ID from the filler.
5.1	30	ST	R	[1..1]		Specimen ID	The laboratory-generated (local) number that identifies the specimen related to the test. <i>Note: PHLIP only supports 1 specimen per message.</i>
5.4	252	HD	R	[1..1]		Assigning Authority	Entity that assigned the ID.
5.4.1	48	IS	O	[0..1]		Namespace ID	
5.4.2	199	ST	R	[1..1]		Universal ID	OID.
5.4.3	3	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'.
5	65536	TX	C	[0..1]		Observation Value	Rule of conditionality: This data element is required unless OBX.11 = 'X' or 'N'.  Field using the TX data type to carry a text result value. Numeric results and numeric results with units of measure should not be reported as text. These should be reported as "NM" or "SN" with the units of measure in OBX-6. The TX data type is intended for strings longer than 200 characters.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
5.1	65536	TX	R	[1..1]		Text Data	Text observation in the result message.
5	36	SN	C	[0..1]		Observation Value	<p>Rule of conditionality: This data element is required unless OBX.11 = 'X' or 'N'.</p> <p>Test result in structured numeric format (i.e., an unambiguous expression of numeric clinical results along with qualifications). Structured numeric include intervals (<math>^0\text{--}^1</math>), ratios (<math>^1\text{}/^2</math> or <math>^1\text{:}^2</math>), inequalities (<math>&lt;^10</math>), or categorical results (<math>2^+</math>). The units for the structured numeric value should be reported in OBX-6.</p>
5.1	2	ST	RE	[0..1]		Comparator	Component that must be one of '>' or '<' or '>=' or '<=' or '=' or '<>'. If this component is not valued, it defaults to equal ('=').
5.2	15	NM	R	[1..1]		Num1	
5.3	1	ST	RE	[0..1]		Separator/Suffix	Component that must be one of '-' or '+' or '/' or ':' or '!'.
5.4	15	NM	RE	[0..1]		Num2	
5	16	NM	C	[0..1]		Observation Value	<p>Rule of conditionality: This data element is required unless OBX.11 = 'X' or 'N'.</p> <p>Test result in numeric format.</p>
5.1	16	NM	R	[1..1]		Numeric Data	Number consisting of an optional leading sign (+ or -), the digits, and an optional decimal point. In the absence of a sign, the number is assumed to be positive. If there is no decimal point, the

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
							number is assumed to be an integer.
5	26	TS	R	[1..1]		Observation Value	Contains the test result as a time stamp. The date portion of the time stamp follows the rules of a date field (DT), and the time portion follows the rules of a time field (TM).
5.1	26	TS	R	[1..1]		Date and Time	Field uses the following format: YYYY[MM[DD[HHMM]]] Example: 200707060000 for July 6, 2007, 12:00 a.m.
5	199	ST	C	[0..*]		Observation Value	Rule of conditionality: This data element is required unless OBX.11 = 'X' or 'N'.  Field using the ST data type to carry a short text result value. Numeric results and numeric results with units of measure should not be reported as text. These should be reported as NM or SN, with the units of measure in OBX-6.
5.1	199	ST	R	[1..1]		String Data	The ST data type is intended for short strings (e.g., less than 200 characters).

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
6	703	CE	C or CE?	[0..1]	PH_UnitsOfMeasure_UCUM (subset of UCUM)  or  Age Unit Composite value set: values from UCUM NullFlavor_HL7_V3)	Units	Field populated with units of measure if the data type identified in OBX.2 (and carried in OBX.5) is "SN." If we use C, then need to explain to use "1" for any unitless value in OBX.5, for example a titer.
6.1	50	ST	C	[0..1]		Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
6.2	100	ST	O	[0..1]		Text	Standardized description.
6.3	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
6.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
6.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
6.6	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
7	60	ST	RE	[0..1]		References Range	Interpretation range that applies to the value reported in OBX-5. It should provide enough information to understand the abnormal flags reported in OBX.8.
8	5	ID	RE	[0..1]	Abnormal Flag (HL7) table# 78	Abnormal Flags	Indicator of the normalcy of the result found in OBX.5.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
11	1	ID	R	[1..1]	Observation Result Status (HL7) table# 85	Observation Result Status	<p>Status of the observation result.</p> <p>Corrected Results: A corrected result occurs when a previously final result report (i.e., an OBR and associated OBXs where OBR-25 was "Final" and all OBX-11s were Final) is being resent with a change to a value in one or more OBXs.</p> <p>OBR-25 (Result Status): The status of the entire report is marked as "C-Corrected" in OBR-25.</p> <p>OBX-11 (Observation Result Status): The status of each OBX is marked as either "Final" or "Corrected." Those OBX values being corrected should have an OBX-11 status of "C-Corrected." Those OBX values that remain unchanged should have an OBX-11 status of "F-Final." A minimum of one OBX must be marked as corrected.</p> <p>OBX-11 = "N" - Not asked; used to affirmatively document that the observation identified in the OBX was not sought when the universal service ID in OBR-4 implies that it would be sought.</p> <p>OBX-11 = 'X' - Results cannot be obtained for this observation</p>

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
14	26	TS	RE	[0..1]		Date/Time of the Observation	For PHLIP, this field will be used to record the observation time. <i>Note: This is a deviation from the HL7 Version 2.3.1 standard, which is the Specimen Collection Date/Time. In HL7 Version 2.5, the specimen information has been expanded. OBX-14 is Specimen Collection Date/Time; OBX-19 is Date/Time of the Analysis.</i>
17	354	CE	RE	[0..1]		Observation Method	Identifier of the method used to find the result. <i>Note: For PHLIP, the 1<sup>st</sup> 3 components are not supported. The local information will be entered in the Alternate Text component OBX-17.5.</i>
17.1	50	ST	C	[0..1]		Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
17.2	100	ST	O	[0..1]		Text	Standardized description.
17.3	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-9. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
17.4	50	ST	C	[0..1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.
17.5	100	ST	C	[0..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
17.6	199	ID	C	[0..1]	Coding system (HL7) table# 0396	Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.

### I.9 NOTES AND COMMENTS (NTE) SEGMENT LEVEL PROFILE

The NTE Segment in the test result message can be used to carry comments for the NK I, OBR, and OBX segments. The NTE segment applies to the entity that immediately precedes it (e.g., order-related comments if it follows the OBR segment, observation-related comments if it follows the OBX segment).

**TABLE 5-10. NOTES AND COMMENTS SEGMENT (NTE) PROFILE – ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	4	SI	O	[0..1]		Set ID - NTE	
2	8	ID	O	[0..1]	Source of Comment (HL7) table# 105	Source of Comment	HL7 defined values from Table 0105 of the standard ("L" = Filler, "P" = Placer, "O" = Other)
3	65536	FT	R	[1..*]		Comment	This field uses an FT rather than a TX data type. Since there is no difference between an FT data type without any embedded formatting commands, and a TX data type, this change is compatible with previous versions.

## 2 HL7 V2.5.1 MESSAGE ORU^R01 SYNTAX

**TABLE 5-11. MESSAGE PROFILE ATTRIBUTES**

Abbreviation	Definition
<b>Segment</b>	<ul style="list-style-type: none"> <li>• Three-character code for the segment and the abstract syntax (e.g., the square and curly braces). Note that for segment groups there is no segment code present, but the square and curly braces will still be present.</li> <li>• [ XXX ] Optional</li> <li>• { XXX } Repeating</li> <li>• XXX Required</li> <li>• [{ XXX }] Optional and Repeating</li> </ul>
<b>Name</b>	Name of the segment or segment group element.
<b>Usage</b>	<p>Use of the segment for PHLIP. Indicates if the segment is required, optional, or conditional in a message. Legal values are:</p> <ul style="list-style-type: none"> <li>• R – Required. Must always be populated.</li> <li>• O – Optional.</li> <li>• C – Conditional. Must be populated based on computable Conditionality Statement.</li> <li>• X – Not used.</li> </ul>
<b>Cardinality</b>	<p>Minimum and maximum number of times the segment may appear.</p> <ul style="list-style-type: none"> <li>• [0..0] Segment never present.</li> <li>• [0..1] Segment may be omitted and can have, at most, one occurrence.</li> <li>• [1..1] Segment must have exactly one occurrence.</li> <li>• [0..n] Segment may be omitted or may repeat up to <i>n</i> times.</li> <li>• [1..n] Segment must appear at least once, and may repeat up to <i>n</i> times.</li> <li>• [0..*] Segment may be omitted or repeat an unlimited number of times.</li> <li>• [1..*] Segment must appear at least once, and may repeat unlimited number of times.</li> <li>• [m..n] Segment must appear at least <i>m</i> and at most <i>n</i> times.</li> </ul>
<b>Description</b>	Explanation of the use of the segment.

### 2.1 HL7 V2.5.1 MESSAGE ORU^R01 SYNTAX

The 2.5.1 version ORU^R01 abstract message has been constrained for PHLIP Influenza Test Result Reporting as follows:

**TABLE 5-12. HL7 V2.5.1 MESSAGE ORU^R01 SYNTAX**

Segment	Name	Usage	Cardinality	Description
	<b>HEADER Begin</b>	R	[1..1]	
MSH	Message Header	R	[1..1]	The Message Header (MSH) Segment contains information explaining how to parse and process the message. This includes identification of message delimiters, sender, receiver, message type, timestamp, etc.

**Formatted:** Left, Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

**Formatted Table**

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-12. HL7 2.5.1 MESSAGE ORU^R01 SYNTAX**

Segment	Name	Usage	Cardinality	Description
SFT	Software	O	[1..1]	The Software segment provides additional information about the software product(s) used as a sending application.
	<i>HEADER End</i>			
	<i>SPECIMEN GROUP Begin</i>	R		The Patient Group is required for PHLIP. This is a deviation from the HL7 Version 2.5.1 standard.
SPM	Specimen Identification	R	[1..1]	The Specimen (SPM) segment describes the characteristics of a specimen collected for use in a laboratory test.
NTE	Notes and Comments	O	[0..*]	The Notes and Comments (NTE) segment for the SPM Segment can be used to carry any specimen related comments.
	<i>SPECIMEN GROUP End</i>			
	<i>PATIENT GROUP Begin</i>	R	[1..1]	The Patient Group is required for PHLIP. This is a deviation from the HL7 Version 2.5.1 standard.
PID	Patient Identification	R	[1..1]	The Patient Identification (PID) segment contains patient identifying and demographic information. The PID is required for PHLIP.
PV1	Patient Visit	O	[0..1]	The Patient Visit Segment (PV1) segment is to communicate information on an account or visit-specific basis.
NTE	Notes and Comments	O	[0..*]	The Notes and Comments (NTE) segment for the PV1 Segment can be used to carry any patient visit related comments.
	<i>PATIENT GROUP End</i>			
{	<i>ORDER OBSERVATIO N Begin</i>	R	[1..*]	The Order Observation group is required and may repeat. This means that multiple test results may be reported on a single specimen.

Formatted Table

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

**TABLE 5-12. HL7 2.5.1 MESSAGE ORU^R01 SYNTAX**

Segment	Name	Usage	Cardinality	Description
<a href="#">[ORC]</a>	<a href="#">Common Order</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">The Common Order (ORC) segment identifies basic information about the order for testing of the specimen. This segment includes identifiers for the order, who placed the order when it was placed, etc.</a>
<a href="#">OBR</a>	<a href="#">Observation Request</a>	<a href="#">R</a>	<a href="#">[1..1]</a>	<a href="#">The Observation Request (OBR) segment is used to capture information about a single test being performed on the specimen, or to report information about patient and specimen.</a>
<a href="#">NTE</a>	<a href="#">Notes and Comments</a>	<a href="#">O</a>	<a href="#">[0..*]</a>	<a href="#">The Notes and Comments (NTE) segment for the OBR Segment can be used to carry any order-related comments.</a>
{	<b><a href="#">OBSERVATION Begin</a></b>	<a href="#">R</a>	<a href="#">[1..*]</a>	<a href="#">For PHLIP, the Observation group is required in the ORU^R01 message. This is a deviation from the HL7 Version 2.5.1 standard.</a>
<a href="#">OBX</a>	<a href="#">Observation/Result</a>	<a href="#">R</a>	<a href="#">[1..1]</a>	<a href="#">The Observation/Result (OBX) segment following the OBR is used for observations regarding the test ordered. For instance, this may be used to capture test results, the specimen identifying information, and epidemiologically important information regarding the case diagnosis, such as patient vaccination history, travel history, treatment history, etc. For PHLIP, the OBX is required in the ORU^R01 message. This is a deviation from the HL7 Version 2.5.1 standard.</a>
<a href="#">[NTE]</a>	<a href="#">Notes and Comments</a>	<a href="#">O</a>	<a href="#">[0..*]</a>	<a href="#">The Notes and Comments (NTE) segment for the OBX segment can be used to carry any observation-related comments.</a>
}	<b><a href="#">OBSERVATION End</a></b>			
}	<b><a href="#">ORDER OBSERVATION End</a></b>			

Formatted Table

## 2.2 SEGMENT PROFILE ATTRIBUTES

Fields or components that are NOT documented in this guide are considered NOT SUPPORTED. Inclusion of any field or component

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

Formatted: Left, Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHILIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

[that is not supported will result in the creation of an error message.](#)  
[The abbreviated terms and their definitions used in the ORU^R01 segment profile are detailed in the following table.](#)

**TABLE 5-13. SEGMENT PROFILE ATTRIBUTES**

<b>Abbreviation</b>	<b>Definition</b>
<b>Seg</b>	<a href="#">Sequence of the elements as they are numbered in the HL7 segment.</a>
<b>Len</b>	<p><a href="#">PHIN maximum length of the element. Length of an element is calculated using the following rules:</a></p> <p><a href="#">Field length = (Sum of all supported component lengths) + (component number of the last supported component) – 1.</a></p> <p><a href="#">Component length = (Sum of all supported sub-component lengths) + (sub-component number of the last supported component) – 1.</a></p> <p><a href="#">Lengths should be considered recommendations, not absolutes. The receiver can truncate fields, components and sub-components that are longer than the recommended length. The receiver should continue to process a message even when a field, component, or sub-component length exceeds the maximum recommended length identified in this specification.</a></p>
<b>DT</b>	<a href="#">Data type used by PHIN for HL7 element.</a>
<b>Usage</b>	<p><a href="#">Indicator whether a data element is required, optional, or conditional in a message. Legal values are:</a></p> <ul style="list-style-type: none"> <li>• <a href="#">R</a> Required. Must always be populated. May use "" (two sets of quote marks) for a null value if no specific value is delineated in the Description column of the table.</li> <li>• <a href="#">RE<sup>1</sup></a> Required, but may be empty (no values, no quotes)</li> <li>• <a href="#">O</a> Optional.</li> <li>• <a href="#">C</a> Conditional, must be populated, when condition is met, must be empty if condition is not met.</li> <li>• <a href="#">CE</a> Conditional, must be populated, but may be empty when condition is met, must be empty if condition is not met.</li> <li>• <a href="#">X</a> Not used.</li> </ul> <p><a href="#">Note: A required field in an optional segment does not mean the segment must be present in the message. It means that if the segment is present, the required fields within that segment must be populated. The same applies to required components of optional fields. If the field is being populated, then the required components must be populated. The same applies to required sub-components of optional components. If a component is being populated, then the required sub-components of that component must be populated.</a></p>

<sup>1</sup>[The element may be missing from the message, but must be sent by sending application if there is relevant data. A conforming sending application must be capable of providing all 'RE' elements. If conforming sending application knows required values for the element, it must send that element. If conforming sending application does not know the required values, then that element will be omitted. Receiving applications will be expected to process \(save/print/archive, etc.\) or ignore data contained in the element, but must be able to successfully process the message if the element is omitted \(no error message should be generated because the element is missing\).](#)  
[Health Level Seven, Version 2.5, July 2003, Section 2.12.6.2](#)

Public reporting burden of this collection of information is estimated to average 5 minutes per response. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-24, Atlanta, Georgia 30333; ATTN: PRA (0920-0004).

Formatted: Right: 0", Space Before: 0.4 pt

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-13. SEGMENT PROFILE ATTRIBUTES**

<b><u>Abbreviation</u></b>	<b><u>Definition</u></b>
<b><u>Cardinality</u></b>	<p>Minimum and maximum number of times the segment may appear.</p> <ul style="list-style-type: none"> <li>• <a href="#">[0..0]</a> Segment never present.</li> <li>• <a href="#">[0..1]</a> Segment may be omitted and can have, at most, one occurrence.</li> <li>• <a href="#">[1..1]</a> Segment must have exactly one occurrence.</li> <li>• <a href="#">[0..n]</a> Segment may be omitted or may repeat up to <i>n</i> times.</li> <li>• <a href="#">[1..n]</a> Segment must appear at least once, and may repeat up to <i>n</i> times.</li> <li>• <a href="#">[0..*]</a> Segment may be omitted or repeat an unlimited number of times.</li> <li>• <a href="#">[1..*]</a> Segment must appear at least once, and may repeat unlimited number of times.</li> <li>• <a href="#">[m..n]</a> Segment must appear at least <i>m</i> and at most <i>n</i> times.</li> </ul>
<b><u>Value Set Name</u></b>	<p>Pre-coordinated tables used in public health messages, accessible via the Public Health Information Network Vocabulary Access and Distribution Services at <a href="http://www.cdc.gov/PhinVSBrowser/StrutsController.do">http://www.cdc.gov/PhinVSBrowser/StrutsController.do</a>.</p>
<b><u>HL7 Tb </u></b>	<p>The HL7 table number as defined in the HL7 V2.5.1 standard.</p>
<b><u>Element Name</u></b>	<p>Descriptive name of the data element.</p>
<b><u>Description</u></b>	<p>Explanation of the use of the field/component/sub-component.</p>

### 2.3 MESSAGE HEADER (MSH) SEGMENT LEVEL PROFILE

The MSH Segment is used to define the intent, source, destination, and some specifics of the syntax of the message. This segment includes identification of message delimiters, sender, receiver, message type, timestamp, etc. The message header is required for the test result message.

**Formatted:** Left, Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

**TABLE 5-14. MESSAGE HEADER (MSH) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	1	ST	R	[1,1]		Field Separator	The HL7 field separator, shall contain the constant value ' ', ASCII (124).
2	5	ST	R	[1,1]		Encoding Characters	The HL7 encoding characters, shall contain the constant value '^~\&#'
3	227	HD	R	[1,1]		Sending Application	Field that may be used to uniquely identify the sending application for messaging purposes. If populated, it will contain an OID that represents the sending application instance. For this version of PHLIP, the sending application will be the PHIN namespace ID and OID of your LIMS
3.1	20	IS	RE	[1,1]		Namespace ID	Namespace ID of LIMS
3.2	199	ST	R			Universal ID	OID of LIMS
3.3	6	ID	R	[1,1]		Universal ID Type	Literal value: 'ISO'
4	227	HD	R	[1,1]		Sending Facility	Unique identifier of the facility that sends the message. The sending facility must be part of the PHIN OID registry. For this version of PHLIP, the sending facility will be the PHIN namespace ID and OID of your Lab
4.1	20	IS	RE	[1,1]		Namespace ID	The PHIN namespace ID of Lab
4.2	199	ST	R			Universal ID	OID of Lab
4.3	6	ID	R	[1,1]		Universal ID Type	Literal value: 'ISO'
5	227	HD	R	[1,1]		Receiving Application	Unique identifier of the receiving application for messaging purposes. If populated, it will contain an OID that represents the receiving application instance. For this version of PHLIP, the receiving application will always be the CDC application, as denoted in MSH-5.1 and MSH-5.2.
5.1	20	IS	RE	[1,1]		Namespace ID	Laboratory name. Literal value: "US WHO Collab LabSys"
5.2	199	ST	R	[1,1]		Universal ID	US WHO Collab LabSys OID Literal value: "2.16.840.1.114222.4.3.3.7"



INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-14. MESSAGE HEADER (MSH) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
12	973	VID	R	[1..1]		Version ID	The version of HL7 that this PHLIP message spec is based upon
12.1	5	ID	R	[1..1]		Version ID	Literal value: '2.5.1'
12.2	705	CE	O	[1..1]		Internationalization Code	
12.3	705	CE	O	[1..1]		International Version ID	
13	15	NM	O	[0..1]		Sequence Number	
14	180	ST	O	[0..1]		Continuation Pointer	
15	2	ID	C(R/RE)	[0..1]		Accept Acknowledgment Type	The PHLIP program does not send system level acknowledgements (ACKs) therefore the literal value of "NE" should always be used
16	2	ID	C(R/RE)	[0..1]		Application Acknowledgment Type	The PHLIP program does not send application level acknowledgements (ACKs) therefore the literal value of "NE" should always be used
17	3	ID	O	[0..1]		Country Code	
18	15	ID	O	[0..*]		Character Set	
19	483	CWE	O	[0..1]		Principal Language Of Message	
20	13	ID	O	[0..1]		Alternate Character Set Handling Scheme	
21[1]	427	EI	R	[1..*]		Message Profile Identifier	Information about the ELR message profile
21.1[1]	199	ST	R	[1..1]		Entity Identifier	Literal: 'PHLabReport-NoAck'
21.2[1]	20	IS	RE	[1..1]		Namespace ID	-
21.3[1]	199	ST	R	[1..1]		Universal ID	Literal: '2.16.840.1.113883.9.11'
21.4[1]	6	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'
21[2]	427	EI	R	[1..*]		Message Profile Identifier	Information about the PHLIP message profile
21.1[2]	199	ST	R	[1..1]		Entity Identifier	Literal: 'PHLIP_ELSM_251'
21.2[2]	20	IS	RE	[1..1]		Namespace ID	-
21.3[2]	199	ST	R	[1..1]		Universal ID	Literal: '2.16.840.1.113883.9.179'
21.4[2]	6	ID	R	[1..1]		Universal ID Type	Literal value: 'ISO'

## 2.4 SOFTWARE (SFT) SEGMENT LEVEL PROFILE

The SFT segment is used primarily for diagnostic purposes. The SFT segment is not required in the header group.

**Formatted:** Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

**TABLE 5-15. SOFTWARE (SFT) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	567	XON	R	[1,1]		Software Vendor Organization	Name of LIMS or Interface Engine Vendor
1.1	50	ST	C(R/RE)	[1,1]		Organization Name	
1.2	20	IS	RE	[1,1]	HL70204	Organization Name Type Code	Note: Not needed for PHLIP
1.4	4	NM	O	[1,1]		Check Digit	
1.5	3	ID	O	[1,1]	HL7061	Check Digit Scheme	
1.6	227	HD	C(R/X)	[1,1]		Assigning Authority	Note: Not needed for PHLIP
1.6.1	20	IS	RE	[1,1]		Namespace ID	Note: Not needed for PHLIP
1.6.2	199	ST	R			Universal ID	Note: Not needed for PHLIP
1.6.3	6	ID	R	[1,1]	HL70301	Universal ID Type	Note: Not needed for PHLIP
1.7	5	ID	C(R/X)	[1,1]	HL70203	Identifier Type Code	Note: Not needed for PHLIP
1.8	227	HD	O	[1,1]		Assigning Facility	
1.9	1	ID	O	[1,1]	HL70465	Name Representation Code	
1.9.1	20	IS	RE	[1,1]		Namespace ID	
1.9.2	199	ST	R			Universal ID	ELR-063:IF HD.3(Universal ID type) value is "ISO", SHALL be a valid ISO OID format.  ELR-062:IF HD.3(Universal ID type) value is "CLIA", SHALL be a valid CLIA identifier format
1.9.3	6	ID	R	[1,1]	HL70301	Universal ID Type	ELR-007:IF element is MSH-4.3 (Universal ID type) , then HD.3 (Universal ID type) SHALL contain the value "ISO" OR "CLIA", ELSE HD.3 (Universal ID type) SHALL contain the value "ISO"
1.10	20	ST	RE	[1,1]		Organization Identifier	Note: Not needed for PHLIP
2	15	ST	R	[1,1]		Software Certified Version or Release Number	Latest software version of LIMS or Interface Engine.
3	20	ST	R	[1,1]		Software Product Name	Name of the LIMS or Interface Engine that submitted the HL7 message



INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-16. SPECIMEN (SPM) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
2.2.1	199	ST	R	[1,1]		Entity Identifier	The unique Specimen number
2.2.2	20	IS	RE	[1,1]		Namespace ID	Namespace ID of LIMS
2.2.3	199	ST	R	[1,1]		Universal ID	OID of LIMS
2.2.4	6	ID	R	[1,1]	HL70301	Universal ID Type	Literal value: 'ISO'
3	855	EIP	O	[0,*]		Specimen Parent IDs	
4	705	CWE	R	[1,1]	Specimen Type Value Set	Specimen Type	Specimen type Recommend send both the Standard (SNOMED) and local code.
4.1	20	ST	RE	[1,1]		Identifier	Code for Specimen Type. Use SNOMED code or local code
4.2	199	ST	C(RE/X)	[1,1]		Text	Specimen Type Concept Name If using SNOMED code use fully specified concept name
4.3	12	ID	C(R/X)	[1,1]	HL70396	Name of Coding System	Code System for Specimen Type If SNOMED use 'SCT'. If local use 'L' or '99zzz' (where ZZ is any alphanumeric character - not constrained to 3).
4.4	20	ST	RE	[1,1]		Alternate Identifier	Code for Specimen Type
4.5	199	ST	C(RE/X)	[1,1]		Alternate Text	Specimen Type Concept Name If using SNOMED code use fully specified concept name
4.6	12	ID	C(R/X)	[1,1]	HL70396	Name of Alternate Coding System	Code System for Specimen Type If SNOMED use 'SCT'. If local use 'L' or '99zzz' (where zzz is any alphanumeric character - not constrained to 3).
4.7	10	ST	RE	[1,1]		Coding System Version ID	Version of code system identified in component 3
4.8	10	ST	RE	[1,1]		Alternate Coding System Version ID	Version of code system identified in component 6
4.9	199	ST	C(R/X)	[1,1]		Original Text	Original text for Specimen type
5	705	CWE	RE	[0,*]	PHVS Modifier Or Qualifier CDC	Specimen Type Modifier	Modifier term for Specimen type
5.1	20	ST	RE	[1,1]		Identifier	SNOMED Code for qualifier
5.2	199	ST	C(RE/X)	[1,1]		Text	SNOMED Concept Name

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-6. SPECIMEN (SPM) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">5.3</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Coding System</a>	<a href="#">Literal: 'SCT'</a> <a href="#">This will be SCT (for SNOMED) - can be hardcoded if always populate first triplet with SNOMED codes.</a> <a href="#">If you put a SNOMED specimen code in SPM4.1, you must put SCT in SPM4.3. If you leave SPM4.1 empty, you should also leave SPM4.3 empty</a>
<a href="#">5.4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Identifier</a>	
<a href="#">5.5</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Text</a>	
<a href="#">5.6</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Alternate Coding System</a>	
<a href="#">5.7</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Coding System Version ID</a>	<a href="#">SNOMED Version ID</a>
<a href="#">5.8</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Coding System Version ID</a>	
<a href="#">5.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Original Text</a>	
<a href="#">6</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">RE</a>	<a href="#">[0,*]</a>	<a href="#">HL70371</a>	<a href="#">Specimen Additives</a>	<a href="#">Uses HL7 table 371 for additives</a>
<a href="#">6.1</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Identifier</a>	
<a href="#">6.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Text</a>	
<a href="#">6.3</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Coding System</a>	
<a href="#">6.4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Identifier</a>	
<a href="#">6.5</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Text</a>	
<a href="#">6.6</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Alternate Coding System</a>	
<a href="#">6.7</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Coding System Version ID</a>	<a href="#">Note: Recommended if a coding system is identified in component 3</a>
<a href="#">6.8</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Coding System Version ID</a>	
<a href="#">6.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Original Text</a>	
<a href="#">7</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>	<a href="#">Specimen Collection Method Value Set</a>	<a href="#">Specimen Collection Method</a>	<a href="#">Uses HL7 table 488 or SNOMED CT from procedure hierarchy under specimen collection</a>
<a href="#">7.1</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Identifier</a>	
<a href="#">7.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Text</a>	
<a href="#">7.3</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Coding System</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-16. SPECIMEN (SPM) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
7.4	20	ST	RE	[1..1]		Alternate Identifier	
7.5	199	ST	C(RE/X)	[1..1]		Alternate Text	
7.6	12	ID	C(R/X)	[1..1]	HL70396	Name of Alternate Coding System	
7.7	10	ST	RE	[1..1]		Coding System Version ID	
7.8	10	ST	RE	[1..1]		Alternate Coding System Version ID	
7.9	199	ST	C(R/X)	[1..1]		Original Text	
8	705	CWE	RE	[0..1]	Body Site Value Set	Specimen Source Site	Specimen Source (body)Site
8.1	20	ST	RE	[1..1]		Identifier	Code for Specimen Type. Use SNOMED code or local code
8.2	199	ST	C(RE/X)	[1..1]		Text	Specimen Type Concept Name If using SNOMED code use fully specified concept name
8.3	12	ID	C(R/X)	[1..1]	HL70396	Name of Coding System	Code System for Specimen Type If SNOMED use 'SCT'. If local use 'L' or '99zzz' (where zzz is any alphanumeric character - not constrained to 3).
8.4	20	ST	RE	[1..1]		Alternate Identifier	Code for Specimen Type. Use SNOMED code or local code
8.5	199	ST	C(RE/X)	[1..1]		Alternate Text	Specimen Type Concept Name If using SNOMED code use fully specified concept name
8.6	12	ID	C(R/X)	[1..1]	HL70396	Name of Alternate Coding System	Code System for Specimen Type If SNOMED use 'SCT'. If local use 'L' or '99zzz' (where zzz is any alphanumeric character - not constrained to 3).
8.7	10	ST	RE	[1..1]		Coding System Version ID	Version of code system identified in component 3
8.8	10	ST	RE	[1..1]		Alternate Coding System Version ID	Version of code system identified in component 6
8.9	199	ST	C(R/X)	[1..1]		Original Text	Original text
9	705	CWE	RE	[0..*]	PHYS Modifier or Qualifier CDC	Specimen Source Site Modifier	
9.1	20	ST	RE	[1..1]		Identifier	SNOMED Code for qualifier

Formatted Table

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-16. SPECIMEN (SPM) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
9.2	199	ST	C(RE/X)	[1,1]		Text	SNOMED Concept Name
9.3	12	ID	C(R/X)	[1,1]	HL70396	Name of Coding System	Literal: 'SCT' This will be SCT (for SNOMED) - can be hardcoded if always populate first triplet with SNOMED codes. If you put a SNOMED specimen code in SPM4.1, you must put SCT in SPM4.3. If you leave SPM4.1 empty, you should also leave SPM4.3 empty
9.4	20	ST	RE	[1,1]		Alternate Identifier	
9.5	199	ST	C(RE/X)	[1,1]		Alternate Text	
9.6	12	ID	C(R/X)	[1,1]	HL70396	Name of Alternate Coding System	
9.7	10	ST	RE	[1,1]		Coding System Version ID	SNOMED Version ID
9.8	10	ST	RE	[1,1]		Alternate Coding System Version ID	
9.9	199	ST	C(R/X)	[1,1]		Original Text	
10	705	CWE	O	[0,1]	HL70543	Specimen Collection Site	
11	705	CWE	RE	[0,*]	HL70369	Specimen Role	For PHLIP, this element can be empty
11.1	20	ST	RE	[1,1]		Identifier	
11.2	199	ST	C(RE/X)	[1,1]		Text	
11.3	12	ID	C(R/X)	[1,1]	HL70396	Name of Coding System	
11.4	20	ST	RE	[1,1]		Alternate Identifier	
11.5	199	ST	C(RE/X)	[1,1]		Alternate Text	
11.6	12	ID	C(R/X)	[1,1]	HL70396	Name of Alternate Coding System	
11.7	10	ST	RE	[1,1]		Coding System Version ID	
11.8	10	ST	RE	[1,1]		Alternate Coding System Version ID	
11.9	199	ST	C(R/X)	[1,1]		Original Text	
12	500	CQ	RE	[0,1]	UCUM	Specimen Collection Amount	For PLHIP, this element can be empty
12.1	16	NM	R	[1,1]		Quantity	

Formatted Table

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-16. SPECIMEN (SPM) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
12.2	483	CE	RE	[1.1]		Units	
12.1	20	ST	RE	[1.1]		Identifier	
12.2	199	ST	C(RE/X)	[1.1]		Text	
12.3	12	ID	C(R/X)	[1.1]	HL70396	Name of Coding System	
12.4	20	ST	RE	[1.1]		Alternate Identifier	
12.5	199	ST	C(RE/X)	[1.1]		Alternate Text	
12.6	12	ID	C(R/X)	[1.1]	HL70396	Name of Alternate Coding System	
12.7	10	ST	RE	[1.1]		Coding System Version ID	
12.8	10	ST	RE	[1.1]		Alternate Coding System Version ID	
12.9	199	ST	C(R/X)	[1.1]		Original Text	
13	6	NM	O	[0.1]		Grouped Specimen Count	
14	250	ST	O	[0.*]		Specimen Description	
15	705	CWE	O	[0.*]	HL70376	Specimen Handling Code	
16	705	CWE	O	[0.*]	HL70489	Specimen Risk Code	
17	53	DR	R	[1.1]		Specimen Collection Date/Time	Specimen Collection Date/Time Range
17.1	26	TS	RE	[1.1]		Range Start Date/Time	Specimen Collection Date/Time
17.1.1	24	DTM	R	[1.1]		Time	Specimen Collection Date/Time
17.2	26	TS	RE	[1.1]		Range End Date/Time	
17.2.1	24	DTM	R	[1.1]		Time	
18	26	TS	R	[1.1]		Specimen Received Date/Time	Specimen Received Date/Time
18.1	24	DTM	R	[1.1]		Time	Specimen Received Date/Time Format: YYYYMMDD[HH[MM[SS[S[S[S[S]]]]]]][+/-ZZZZ]
19	26	TS	O	[0.1]		Specimen Expiration Date/Time	
20	1	ID	O	[0.1]	HL70136	Specimen Availability	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-16. SPECIMEN (SPM) SEGMENT PROFILE - ORU^R01 USAGE**

<b>Seq</b>	<b>Len</b>	<b>Dt</b>	<b>Usage</b>	<b>Cardinality</b>	<b>Value Set Name</b>	<b>Element Name</b>	<b>Description</b>
<a href="#">21</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">RE</a>	<a href="#">[0..*]</a>	<a href="#">HL70490</a>	<a href="#">Specimen Reject Reason</a>	<a href="#">Note: Not Needed for PHLIP</a>
<a href="#">21.1</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1..1]</a>		<a href="#">Identifier</a>	
<a href="#">21.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1..1]</a>		<a href="#">Text</a>	
<a href="#">21.3</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1..1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Coding System</a>	
<a href="#">21.4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1..1]</a>		<a href="#">Alternate Identifier</a>	
<a href="#">21.5</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1..1]</a>		<a href="#">Alternate Text</a>	
<a href="#">21.6</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1..1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Alternate Coding System</a>	
<a href="#">21.7</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1..1]</a>		<a href="#">Coding System Version ID</a>	
<a href="#">21.8</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1..1]</a>		<a href="#">Alternate Coding System Version ID</a>	
<a href="#">21.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1..1]</a>		<a href="#">Original Text</a>	
<a href="#">22</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL70491</a>	<a href="#">Specimen Quality</a>	
<a href="#">23</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL70492</a>	<a href="#">Specimen Appropriateness</a>	
<a href="#">24</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0..*]</a>	<a href="#">HL70493</a>	<a href="#">Specimen Condition</a>	
<a href="#">25</a>	<a href="#">500</a>	<a href="#">CQ</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">UCUM</a>	<a href="#">Specimen Current Quantity</a>	
<a href="#">26</a>	<a href="#">4</a>	<a href="#">NM</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Number of Specimen Containers</a>	
<a href="#">27</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Container Type</a>	
<a href="#">28</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL70544</a>	<a href="#">Container Condition</a>	
<a href="#">29</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL70494</a>	<a href="#">Specimen Child Role</a>	

## 2.6 NOTES AND COMMENTS (NTE) SEGMENT LEVEL PROFILE

The NTE Segment in the test result message can be used to carry comments for the SPM, PVI, OBR, and OBX segments. The NTE segment applies to the entity that immediately precedes it (e.g., order-related comments if it follows the OBR segment, observation-related comments if it follows the OBX segment).

**Formatted:** Left, Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

**TABLE 5-17. NOTES AND COMMENTS (NTE) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	4	SI	R	[1,1]		Set ID - NTE	
2	1	ID	RE	[0,1]	HL70105	Source of Comment	HL7 defined values from Table 0105 of where the comment originated ("L" = Filler, "P" = Placer, "O" = Other).
3	65536	FT	R	[1,*]		Comment	The comment Note: This field uses an FT rather than a TX data type. Since there is no difference between an FT data type without any embedded formatting commands, and a TX data type, this change is compatible with previous versions.
4	483	CWE	RE	[0,1]	HL70364	Comment Type	
4.1	20	ST	RE	[1,1]		Identifier	Code for Source of Comment
4.2	199	ST	C(RE/X)	[1,1]		Text	Source of Comment Concept Name
4.3	12	ID	C(R/X)	[1,1]	HL70396	Name of Coding System	Code System for Source of Comment
4.4	20	ST	RE	[1,1]		Alternate Identifier	Code for Source of Comment
4.5	199	ST	C(RE/X)	[1,1]		Alternate Text	Source of Comment Concept Name
4.6	12	ID	C(R/X)	[1,1]	HL70396	Name of Alternate Coding System	Code System for Source of Comment
4.7	10	ST	RE	[1,1]		Coding System Version ID	Version of code system identified in component 3
4.8	10	ST	RE	[1,1]		Alternate Coding System Version ID	Version of code system identified in component 6
4.9	199	ST	C(R/X)	[1,1]		Original Text	Original text

## 2.7 PATIENT IDENTIFICATION (PID) SEGMENT LEVEL PROFILE

The PID Segment is used as the primary means of communicating patient identification information. This segment contains pertinent patient identifying and demographic information. The PID Segment is required in the patient group. For PHLIP, the patient group is required. If the message sender has detailed patient information, and that information is needed/required by the message receiver, this patient group will be used. For the PHLIP influenza test result message, only one PID Segment is expected per message. If the message sender does not have sufficient information to construct a legal PID Segment, such as a patient name and patient ID, the message sender should send the default data as noted in the Description column, below.

**Formatted:** Left, Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

**TABLE 5-18. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	4	SI	R	[1,1]		Set ID - PID	Literal value: "1"
3	1913	CX	R	[1,*]		Patient Identifier List	This field contains the list of identifiers (one or more) used to uniquely identify a patient (e.g., medical record number, billing number, birth registry, national unique individual identifier, etc.)
3.1	15	ST	R	[1,1]		ID Number	The unique Patient ID number. Do NOT send social security numbers at all.  Note: If no Patient ID is available, the Specimen ID should be defaulted into this field. For PHLIP, the Specimen ID will be an observation sent in OBX-5 (Observation Value) with a data type of "CX." In the case where the Specimen ID is used in place of the Patient ID, it should also be a separate OBX.
3.2	4	ST	O	[1,1]		Check Digit	
3.3	3	ID	O	[1,1]	HL7061	Check Digit Scheme	
3.4	227	HD	R	[1,1]		Assigning Authority	Entity that assigned the patient identifier.
3.4.1	20	IS	RE	[1,1]		Namespace ID	Namespace ID of LIMS
3.4.2	199	ST	R			Universal ID	OID of your LIMS( assuming LIMS assigned the ID above)
3.4.3	6	ID	R	[1,1]	HL70301	Universal ID Type	Literal value: 'ISO'.
3.5	5	ID	R	[1,1]	HL70203	Identifier Type Code	Patient Identifier type
3.6	227	HD	RE	[1,1]		Assigning Facility	Facility that assigned the patient identifier.
3.6.1	20	IS	RE	[1,1]		Namespace ID	
3.6.2	199	ST	R			Universal ID	OID of your LIMS( assuming LIMS assigned the ID above)



INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-18. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">10.6</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Alternate Coding System</a>	<a href="#">Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.</a>
<a href="#">10.7</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Coding System Version ID</a>	<a href="#">Version of code system identified in component 3</a>
<a href="#">10.8</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Coding System Version ID</a>	<a href="#">Version of code system identified in component 6</a>
<a href="#">10.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Original Text</a>	<a href="#">Original text</a>
<a href="#">11</a>	<a href="#">578</a>	<a href="#">XAD</a>	<a href="#">RE</a>	<a href="#">[0,*]</a>		<a href="#">Patient Address</a>	<a href="#">Residence address of the patient. If multiple patient addresses are sent, the 1st repeat should contain the patient's primary address. Note: If the state is not sent in the message, the receiver should default the sending system's state in PID-11.4.</a>
<a href="#">11.1</a>	<a href="#">184</a>	<a href="#">SAD</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Street Address</a>	
<a href="#">11.1.1</a>	<a href="#">120</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Street or Mailing Address</a>	
<a href="#">11.1.2</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Street Name</a>	
<a href="#">11.1.3</a>	<a href="#">12</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Dwelling Number</a>	
<a href="#">11.2</a>	<a href="#">120</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Other Designation</a>	
<a href="#">11.3</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">City</a>	
<a href="#">11.4</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">State Value Set</a>	<a href="#">State or Province</a>	<a href="#">Reference the FIPS 5-2 alpha codes here, though this is not a coded field, so no coding system will be identified.</a>
<a href="#">11.5</a>	<a href="#">12</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">Postal Code Value Set</a>	<a href="#">Zip or Postal Code</a>	<a href="#">US Zip Codes, Zip+4 and Canadian Postal Codes will be supported.</a>
<a href="#">11.6</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">HL70399</a>	<a href="#">Country</a>	
<a href="#">11.7</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">HL70190</a>	<a href="#">Address Type</a>	
<a href="#">11.8</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Other Geographic Designation</a>	<a href="#">May be used for MSAs (Metropolitan and Micropolitan Statistical Areas). Source: <a href="http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf">http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf</a></a>

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-18. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">11.9</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">PHVS County FIPS 6-4</a>	<a href="#">County/Parish Code</a>	<a href="#">Map to FIPS 6-4 code</a>
<a href="#">11.10</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Census Tract</a>	
<a href="#">11.11</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Address Representation Code</a>	
<a href="#">11.13</a>	<a href="#">24</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Effective Date</a>	
<a href="#">11.14</a>	<a href="#">24</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Expiration Date</a>	
<a href="#">13</a>	<a href="#">651</a>	<a href="#">XTN</a>	<a href="#">RE</a>	<a href="#">[0,*]</a>		<a href="#">Phone Number - Home</a>	<a href="#">DO NOT send patient telephone information</a>
<a href="#">14</a>	<a href="#">651</a>	<a href="#">XTN</a>	<a href="#">RE</a>	<a href="#">[0,*]</a>		<a href="#">Phone Number - Business</a>	<a href="#">DO NOT send patient telephone information</a>
<a href="#">15</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,*]</a>	<a href="#">PHVS Language ISO 639-2 Alpha3</a>	<a href="#">Primary Language</a>	
<a href="#">16</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL702</a>	<a href="#">Marital Status</a>	
<a href="#">17</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL706</a>	<a href="#">Religion</a>	
<a href="#">18</a>	<a href="#">1913</a>	<a href="#">CX</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Patient Account Number</a>	
<a href="#">21</a>	<a href="#">1913</a>	<a href="#">CX</a>	<a href="#">O</a>	<a href="#">[0,*]</a>		<a href="#">Mother's Identifier</a>	
<a href="#">22</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">RE</a>	<a href="#">[0,*]</a>	<a href="#">HL70189</a>	<a href="#">Ethnic Group</a>	<a href="#">Patient's ethnicity defined as Hispanic, Non-Hispanic, or Unknown</a>
<a href="#">22.1</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Identifier</a>	<a href="#">Standardized code.</a> <a href="#">Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.</a>
<a href="#">22.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Text</a>	<a href="#">Standardized description.</a>
<a href="#">22.3</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Coding System</a>	<a href="#">HL7 identifier for Coding System (e.g. "LN" = LOINC).</a> <a href="#">Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.</a>
<a href="#">22.4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Identifier</a>	<a href="#">Local code.</a> <a href="#">Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.</a>

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-18. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">22.5</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Text</a>	<a href="#">Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is Coded. Rule of conditionality: Required if no standardized code or local code value passed.</a>
<a href="#">22.6</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Alternate Coding System</a>	<a href="#">Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.</a>
<a href="#">22.7</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Coding System Version ID</a>	<a href="#">Version of code system identified in component 3</a>
<a href="#">22.8</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Coding System Version ID</a>	<a href="#">Version of code system identified in component 6</a>
<a href="#">22.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Original Text</a>	<a href="#">Original text</a>
<a href="#">23</a>	<a href="#">250</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Birth Place</a>	
<a href="#">24</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL70136</a>	<a href="#">Multiple Birth Indicator</a>	
<a href="#">25</a>	<a href="#">2</a>	<a href="#">NM</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Birth Order</a>	
<a href="#">26</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,*]</a>	<a href="#">HL70171</a>	<a href="#">Citizenship</a>	
<a href="#">27</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL70172</a>	<a href="#">Veterans Military Status</a>	
<a href="#">29</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>		<a href="#">Patient Death Date and Time</a>	<a href="#">Date and time of patient's death, if the patient is known to be deceased at the time of the message.</a>
<a href="#">29.1</a>	<a href="#">24</a>	<a href="#">DTM</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Time</a>	
<a href="#">30</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>	<a href="#">HL70136</a>	<a href="#">Patient Death Indicator</a>	<a href="#">Indicator (Y) of patient's death, if the patient is known to be deceased at the time of the message. If unknown, this field should be empty (no value, no quotes).</a>
<a href="#">31</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL70136</a>	<a href="#">Identity Unknown Indicator</a>	
<a href="#">32</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0,*]</a>	<a href="#">HL70445</a>	<a href="#">Identity Reliability Code</a>	
<a href="#">33</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>		<a href="#">Last Update Date/Time</a>	<a href="#">When updating demographic information update this field to flag receiver of new information.</a>
<a href="#">33.1</a>	<a href="#">24</a>	<a href="#">DTM</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Time</a>	
<a href="#">34</a>	<a href="#">241</a>	<a href="#">HD</a>	<a href="#">C(R/X)</a>	<a href="#">[0,1]</a>		<a href="#">Last Update Facility</a>	<a href="#">The PHIN namespace ID and OID of your Lab</a>

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-18. PATIENT IDENTIFICATION (PID) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">34.1</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Namespace ID</a>	
<a href="#">34.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">R</a>			<a href="#">Universal ID</a>	
<a href="#">34.3</a>	<a href="#">6</a>	<a href="#">ID</a>	<a href="#">R</a>	<a href="#">[1,1]</a>	<a href="#">HL70301</a>	<a href="#">Universal ID Type</a>	
<a href="#">35</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>	<a href="#">PHVS Animal CDC</a>	<a href="#">Species Code</a>	<a href="#">Note: For PHLIP, this element can be empty</a>
<a href="#">35.1</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Identifier</a>	
<a href="#">35.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Text</a>	
<a href="#">35.3</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Coding System</a>	
<a href="#">35.4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Identifier</a>	
<a href="#">35.5</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Text</a>	
<a href="#">35.6</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Alternate Coding System</a>	
<a href="#">35.7</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Coding System Version ID</a>	
<a href="#">35.8</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Coding System Version ID</a>	
<a href="#">35.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Original Text</a>	
<a href="#">36</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Breed Code</a>	
<a href="#">37</a>	<a href="#">80</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Strain</a>	
<a href="#">38</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,2]</a>	<a href="#">HL70429</a>	<a href="#">Production Class Code</a>	
<a href="#">39</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,*]</a>	<a href="#">Tribal Citizenship Value Set</a>	<a href="#">Tribal Citizenship</a>	

**2.8 PATIENT VISIT (PVI) SEGMENT LEVEL PROFILE**

The PVI Segment contains information on patient visits at the visit- or account-level.

**TABLE 5-19. PATIENT VISIT (PVI) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">1</a>	<a href="#">4</a>	<a href="#">SI</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Set ID - PV1</a>	<a href="#">SHALL contain the constant value '1'</a>
<a href="#">1</a>	<a href="#">4</a>	<a href="#">SI</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Set ID - PV1</a>	<a href="#">SHALL contain the constant value '1'</a>

Formatted: Left, Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-19. PATIENT VISIT (PVI) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">2</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">R</a>	<a href="#">[1..1]</a>	<a href="#">HL70004</a>	<a href="#">Patient Class</a>	<a href="#">Kind of patient, should be indicated in EPI question LAB330 instead of in PV1 segment</a>
<a href="#">3</a>	<a href="#">1230</a>	<a href="#">PL</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Assigned Patient Location</a>	<a href="#">The patients initial assigned location or location where the patient is being moved at point of care</a>
<a href="#">4</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[0..1]</a>	<a href="#">HL70007</a>	<a href="#">Admission Type</a>	
<a href="#">5</a>	<a href="#">1913</a>	<a href="#">CX</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Preadmit Number</a>	
<a href="#">6</a>	<a href="#">1230</a>	<a href="#">PL</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Prior Patient Location</a>	
<a href="#">7</a>	<a href="#">2945</a>	<a href="#">XCN</a>	<a href="#">O</a>	<a href="#">[0..*]</a>		<a href="#">Attending Doctor</a>	
<a href="#">8</a>	<a href="#">2945</a>	<a href="#">XCN</a>	<a href="#">O</a>	<a href="#">[0..*]</a>		<a href="#">Referring Doctor</a>	
<a href="#">9</a>	<a href="#">2945</a>	<a href="#">XCN</a>	<a href="#">O</a>	<a href="#">[0..*]</a>		<a href="#">Consulting Doctor</a>	
<a href="#">10</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Hospital Service</a>	
<a href="#">11</a>	<a href="#">1230</a>	<a href="#">PL</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Temporary Location</a>	
<a href="#">12</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL7087</a>	<a href="#">Preadmit Test Indicator</a>	
<a href="#">14</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL7023</a>	<a href="#">Admit Source</a>	
<a href="#">17</a>	<a href="#">2945</a>	<a href="#">XCN</a>	<a href="#">O</a>	<a href="#">[0..*]</a>		<a href="#">Admitting Doctor</a>	
<a href="#">18</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL7018</a>	<a href="#">Patient Type</a>	
<a href="#">19</a>	<a href="#">1913</a>	<a href="#">CX</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Visit Number</a>	
<a href="#">20</a>	<a href="#">50</a>	<a href="#">FC</a>	<a href="#">O</a>	<a href="#">[0..*]</a>		<a href="#">Financial Class</a>	
<a href="#">30</a>	<a href="#">8</a>	<a href="#">DT</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Transfer to Bad Debt Date</a>	
<a href="#">31</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL7021</a>	<a href="#">Bad Debt Agency Code</a>	
<a href="#">32</a>	<a href="#">12</a>	<a href="#">NM</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Bad Debt Transfer Amount</a>	
<a href="#">33</a>	<a href="#">12</a>	<a href="#">NM</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Bad Debt Recovery Amount</a>	
<a href="#">34</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL70111</a>	<a href="#">Delete Account Indicator</a>	
<a href="#">35</a>	<a href="#">8</a>	<a href="#">DT</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Delete Account Date</a>	
<a href="#">36</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL70112</a>	<a href="#">Discharge Disposition</a>	
<a href="#">37</a>	<a href="#">47</a>	<a href="#">DLD</a>	<a href="#">O</a>	<a href="#">[0..1]</a>		<a href="#">Discharged to Location</a>	
<a href="#">38</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL70114</a>	<a href="#">Diet Type</a>	
<a href="#">39</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL70115</a>	<a href="#">Servicing Facility</a>	
<a href="#">41</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0..1]</a>	<a href="#">HL70117</a>	<a href="#">Account Status</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-19. PATIENT VISIT (PVI) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
42	1230	PL	O	[0,1]		Pending Location	
43	1230	PL	O	[0,1]		Prior Temporary Location	
44	26	TS	RE	[0,1]		Admit Date/Time	Admit Date/Time SHALL follow the format YYYY[MM][DD][HH][MM][SS].[S][S][S][S][M][M][M][M][+/-ZZZZ]
44.1	24	DTM	R	[1,1]		Time	
45	26	TS	RE	[1,1]		Discharge Date/Time	Discharge Date/Time SHALL follow the format YYYY[MM][DD][HH][MM][SS].[S][S][S][S][M][M][M][M][+/-ZZZZ]
45.1	24	DTM	R	[1,1]		Time	
46	12	NM	O	[0,1]		Current Patient Balance	
47	12	NM	O	[0,1]		Total Charges	
48	12	NM	O	[0,1]		Total Adjustments	
49	12	NM	O	[0,1]		Total Payments	
50	1913	CX	O	[0,1]		Alternate Visit ID	
51	20	IS	O	[0,1]	HL70326	Visit Indicator	
52	2945	XCN	O	[0,*]		Other Healthcare Provider	

**2.9 COMMON ORDER (ORC) SEGMENT LEVEL PROFILE**

The ORC Segment is used to transmit test order information. This segment includes identifiers for the order, who placed the order, when it was placed, etc. The ORC Segment is optional in the Test Result (ORU) message. Any information that could be included in either the ORC or the OBR must be included in the OBR on reporting.

Formatted: Left, Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

**TABLE 5-20. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	2	ID	R	[1,1]	HL70119	Order Control	HL7 Order Control Codes indicate the order action to be performed, i.e., the circumstances of the order that is contained in this message. For PHLIP messages the Order Control Code is RE (Observations/Performed Service to follow).

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-20. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">2</a>	<a href="#">427</a>	<a href="#">EI</a>	<a href="#">C(R/X)</a>	<a href="#">[0,1]</a>		<a href="#">Placer Order Number</a>	<a href="#">Unique identifying number assigned to the test request or order by the system that initiated the request for performance of the test.</a> <a href="#">Note: The same value is populated in ORC.2 and OBR.2.</a>
<a href="#">2.1</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Entity Identifier</a>	
<a href="#">2.2</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Namespace ID</a>	<a href="#">Assigning authority</a>
<a href="#">2.3</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Universal ID</a>	<a href="#">Field required to contain an assigning authority OID for the application/ organization responsible for creating the placer order number. The placer order number is expected to be unique within this assigning authority.</a>
<a href="#">2.4</a>	<a href="#">6</a>	<a href="#">ID</a>	<a href="#">R</a>	<a href="#">[1,1]</a>	<a href="#">HL70301</a>	<a href="#">Universal ID Type</a>	<a href="#">Literal value: 'ISO'</a>
<a href="#">3</a>	<a href="#">427</a>	<a href="#">EI</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Filler Order Number</a>	<a href="#">Order number associated with the filling application.</a> <a href="#">Note: The same value is populated in ORC.3 and OBR.3.</a>
<a href="#">3.1</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Entity Identifier</a>	
<a href="#">3.2</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Namespace ID</a>	<a href="#">Namespace ID of the application/organization responsible for creating the filler order number</a>
<a href="#">3.3</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Universal ID</a>	<a href="#">Field required to contain an assigning authority OID for the application/organization responsible for creating the filler order number. The filler order number is expected to be unique within this assigning authority.</a>
<a href="#">3.4</a>	<a href="#">6</a>	<a href="#">ID</a>	<a href="#">R</a>	<a href="#">[1,1]</a>	<a href="#">HL70301</a>	<a href="#">Universal ID Type</a>	<a href="#">Literal value: 'ISO'</a>
<a href="#">4</a>	<a href="#">427</a>	<a href="#">EI</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>		<a href="#">Placer Group Number</a>	<a href="#">Note: Not needed for PLHIP</a>
<a href="#">5</a>	<a href="#">2</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL7038</a>	<a href="#">Order Status</a>	<a href="#">Status of an order</a>
<a href="#">6</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL70121</a>	<a href="#">Response Flag</a>	
<a href="#">8</a>	<a href="#">855</a>	<a href="#">EIP</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Parent</a>	
<a href="#">9</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Date/Time of Transaction</a>	
<a href="#">10</a>	<a href="#">2945</a>	<a href="#">XCN</a>	<a href="#">O</a>	<a href="#">[0,*]</a>		<a href="#">Entered By</a>	
<a href="#">11</a>	<a href="#">2945</a>	<a href="#">XCN</a>	<a href="#">O</a>	<a href="#">[0,*]</a>		<a href="#">Verified By</a>	
<a href="#">12</a>	<a href="#">2945</a>	<a href="#">XCN</a>	<a href="#">C(R/X)</a>	<a href="#">[0,*]</a>		<a href="#">Ordering Provider</a>	<a href="#">Physician or other provider who ordered the test</a>
<a href="#">12.1</a>	<a href="#">15</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">ID Number</a>	<a href="#">Provider ID</a>
<a href="#">12.2</a>	<a href="#">194</a>	<a href="#">FN</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Family Name</a>	<a href="#">Ordering provider's last name</a>
<a href="#">12.2.1</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Surname</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-20. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
12.2.2	20	ST	O	[1,1]		<a href="#">Own Surname Prefix</a>	
12.2.3	50	ST	O	[1,1]		<a href="#">Own Surname</a>	
12.2.4	20	ST	O	[1,1]		<a href="#">Surname Prefix From Partner/Spouse</a>	
12.2.5	50	ST	O	[1,1]		<a href="#">Surname From Partner/Spouse</a>	
12.3	30	ST	RE	[1,1]		<a href="#">Given Name</a>	<a href="#">Ordering provider's last name</a>
12.4	30	ST	RE	[1,1]		<a href="#">Second and Further Given Names or Initials Thereof</a>	<a href="#">Ordering provider's middle Initial or middle name</a>
12.5	20	ST	RE	[1,1]		<a href="#">Suffix (e.g., JR or III)</a>	<a href="#">Ordering provider's name suffix</a>
12.6	20	ST	RE	[1,1]		<a href="#">Prefix (e.g., DR)</a>	<a href="#">Ordering provider's name prefix</a>
12.7	20	IS	O	[1,1]	<a href="#">HL70360</a>	<a href="#">Degree (e.g., MD)</a>	
12.8	20	IS	O	[1,1]	<a href="#">HL70297</a>	<a href="#">Source Table</a>	
12.9	227	HD	C(R/X)	[1,1]		<a href="#">Assigning Authority</a>	<a href="#">The assigning authority for the ordering provider's ID</a>
12.9.1	20	IS	RE	[1,1]		<a href="#">Namespace ID</a>	<a href="#">Namespace ID of entity (e.g. NPI, your LIMS, etc) that assigned the identifier above</a>
12.9.2	199	ST	R			<a href="#">Universal ID</a>	<a href="#">OID of entity (e.g. NPI, your LIMS, etc) that assignee the identifier above</a>
12.9.3	6	ID	R	[1,1]	<a href="#">HL70301</a>	<a href="#">Universal ID Type</a>	<a href="#">Literal value: 'ISO'</a>
12.10	5	ID	RE	[1,1]	<a href="#">HL70200</a>	<a href="#">Name Type Code</a>	
12.11	4	ST	O	[1,1]		<a href="#">Identifier Check Digit</a>	
12.12	3	ID	O	[1,1]	<a href="#">HL7061</a>	<a href="#">Check Digit Scheme</a>	
12.13	5	ID	C(R/X)	[1,1]	<a href="#">HL70203</a>	<a href="#">Identifier Type Code</a>	
12.14	227	HD	RE	[1,1]		<a href="#">Assigning Facility</a>	<a href="#">The Assigning Facility identifies the place or location that the ID Number was assigned for use. (Not needed in most states)</a>
12.14.1	20	IS	RE	[1,1]		<a href="#">Namespace ID</a>	
12.14.2	199	ST	R			<a href="#">Universal ID</a>	
12.14.3	6	ID	R	[1,1]	<a href="#">HL70301</a>	<a href="#">Universal ID Type</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-20. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
12.15	1	ID	O	[1,1]	HL70465	Name Representation Code	
12.16	483	CE	O	[1,1]	HL70448	Name Context	
12.18	1	ID	O	[1,1]	HL70444	Name Assembly Order	
12.19	8	TS	O	[1,1]		Effective Date	
12.20	8	TS	O	[1,1]		Expiration Date	
12.21	199	ST	RE	[1,1]	HL70360	Professional Suffix	Ordering provider's name suffix
12.22	705	CWE	O	[1,1]		Assigning Jurisdiction	
12.23	705	CWE	O	[1,1]		Assigning Agency or Department	
13	1230	PL	O	[0,1]		Enterer's Location	
14	651	XTN	C(R/X)	[0,2]		Call Back Phone Number	Submitter's contact info Notes: Not needed for PHLIP
15	26	TS	O	[0,1]		Order Effective Date/Time	
16	483	CWE	O	[0,1]		Order Control Code Reason	
17	483	CWE	O	[0,1]		Entering Organization	
18	483	CWE	O	[0,1]		Entering Device	
19	2945	XCN	O	[0,*]		Action By	
21	563	XON	R	[1,1]		Ordering Facility Name	Name and ID of the facility that placed the order
21.1	50	ST	C(R/RE)	[1,1]		Organization Name	Name of the organization
21.2	20	IS	RE	[1,1]	HL70204	Organization Name Type Code	Name type code of the organization
21.4	4	NM	O	[1,1]		Check Digit	
21.5	3	ID	O	[1,1]	HL7061	Check Digit Scheme	
21.6	227	HD	C(R/X)	[1,1]		Assigning Authority	The Assigning Authority component is used to identify the system, application, organization, etc. that assigned the ID in component 10.
21.6.1	20	IS	RE	[1,1]		Namespace ID	Namespace ID of entity (e.g. NPI, submitting public health lab LIMS, etc) that assigned the facility identified below
21.6.2	199	ST	R			Universal ID	OID of entity (e.g. NPI, submitting public health lab LIMS, etc) that assigned the identifier below

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-20. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
21.6.3	6	ID	R	[1,1]	HL70301	Universal ID Type	Literal value: 'ISO'
21.7	5	ID	C(R/X)	[1,1]	HL70203	Identifier Type Code	
21.8	227	HD	O	[1,1]		Assigning Facility	
21.9	1	ID	O	[1,1]	HL70465	Name Representation Code	
21.10	20	ST	RE	[1,1]		Organization Identifier	Ordering facility ID
22	578	XAD	R	[1,1]		Ordering Facility Address	Address of the facility that placed the order. If multiple addresses are sent, the 1st repeat should contain the ordering facility's primary address. Note: If the state is not sent in the message, the receiver should default the sending system's state in ORC-22.4.
22.1	184	SAD	RE	[1,1]		Street Address	Street Address
22.1.1	120	ST	R	[1,1]		Street or Mailing Address	
22.1.2	50	ST	O	[0,1]		Street Name	
22.1.3	12	ST	O	[0,1]		Dwelling Number	
22.2	120	ST	RE	[1,1]		Other Designation	Other Designation Note: This isn't needed for most addresses. It could be a district name, building name, floor number, etc
22.3	50	ST	RE	[1,1]		City	City
22.4	50	ST	RE	[1,1]	State Value Set	State or Province	State or Province Note: FIPS 5-2 alpha codes are supported
22.5	12	ST	RE	[1,1]	Postal Code Value Set	Zip or Postal Code	Zip or Postal Code Note: US Zip Codes, Zip+4 and Canadian Postal Codes are supported.
22.6	3	ID	RE	[1,1]	Country Value Set	Country	Country
22.7	3	ID	RE	[1,1]	HL70190	Address Type	Address Type code from HL7 Table 190
22.8	50	ST	O	[1,1]		Other Geographic Designation	May be used for MSAs (Metropolitan and Micropolitan Statistical Areas). Source: <a href="http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf">http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf</a>
22.9	20	IS	RE	[1,1]	PHVS County FIPS 6-4	County/Parish Code	County code from FIPS6 4 Note: This element can be empty in PHLIP
22.10	20	IS	O	[1,1]		Census Tract	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-20. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">22.11</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Address Representation Code</a>	
<a href="#">22.13</a>	<a href="#">24</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Effective Date</a>	
<a href="#">22.14</a>	<a href="#">24</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Expiration Date</a>	
<a href="#">23</a>	<a href="#">651</a>	<a href="#">XTN</a>	<a href="#">R</a>	<a href="#">[1,*]</a>		<a href="#">Ordering Facility Phone Number</a>	<a href="#">Telephone number of the facility placing the order. The receiver must minimally support the 1st repeat when populating this field. Email address, if sent, is a separate "repeat" with appropriate Telecommunication Use Code and Telecommunication Equipment Type.</a>
<a href="#">23.2</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">HL70201</a>	<a href="#">Telecommunication Use Code</a>	<a href="#">Ordering facility telecom use code from HL7 table 0201</a>
<a href="#">23.3</a>	<a href="#">8</a>	<a href="#">ID</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">HL70202</a>	<a href="#">Telecommunication Equipment Type</a>	<a href="#">Ordering facility telecom equipment type from HL7 table 0202</a>
<a href="#">23.4</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Email Address</a>	<a href="#">Ordering facility email address Example of email address format: x@x.x</a>
<a href="#">23.5</a>	<a href="#">3</a>	<a href="#">NM</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Country Code</a>	<a href="#">Ordering facility international dialing code</a>
<a href="#">23.6</a>	<a href="#">3</a>	<a href="#">NM</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Area/City Code</a>	<a href="#">Ordering facility area code</a>
<a href="#">23.7</a>	<a href="#">9</a>	<a href="#">NM</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Local Number</a>	<a href="#">Ordering facility phone number</a>
<a href="#">23.8</a>	<a href="#">5</a>	<a href="#">NM</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Extension</a>	<a href="#">Extension for phone number</a>
<a href="#">23.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Any Text</a>	<a href="#">Any text</a>
<a href="#">24</a>	<a href="#">578</a>	<a href="#">XAD</a>	<a href="#">RE</a>	<a href="#">[0,*]</a>		<a href="#">Ordering Provider Address</a>	<a href="#">The address of the ordering provider.</a>
<a href="#">24.1</a>	<a href="#">184</a>	<a href="#">SAD</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Street Address</a>	<a href="#">Street Address</a>
<a href="#">24.1.1</a>	<a href="#">120</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Street or Mailing Address</a>	
<a href="#">24.1.2</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Street Name</a>	
<a href="#">24.1.3</a>	<a href="#">12</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Dwelling Number</a>	
<a href="#">24.2</a>	<a href="#">120</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Other Designation</a>	<a href="#">Other Designation Note: This isn't needed for most addresses. It could be a district name, building name, floor number, etc</a>
<a href="#">24.3</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">City</a>	<a href="#">City</a>
<a href="#">24.4</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">State Value Set</a>	<a href="#">State or Province</a>	<a href="#">State or Province Note: FIPS 5-2 alpha codes are supported</a>

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-20. COMMON ORDER (ORC) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">24.5</a>	<a href="#">12</a>	<a href="#">ST</a>	<a href="#">RE</a>	[1,1]	<a href="#">Postal Code Value Set</a>	<a href="#">Zip or Postal Code</a>	<a href="#">Zip or Postal Code</a> Note: US Zip Codes, Zip+4 and Canadian Postal Codes are supported.
<a href="#">24.6</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">RE</a>	[1,1]	<a href="#">Country Value Set</a>	<a href="#">Country</a>	<a href="#">Country</a>
<a href="#">24.7</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">RE</a>	[1,1]	<a href="#">HL70190</a>	<a href="#">Address Type</a>	<a href="#">Address Type code from HL7 Table 190</a>
<a href="#">24.8</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">O</a>	[1,1]		<a href="#">Other Geographic Designation</a>	May be used for MSAs (Metropolitan and Micropolitan Statistical Areas). Source: <a href="http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf">http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf</a>
<a href="#">24.9</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	[1,1]	<a href="#">PHVS County FIPS 6-4</a>	<a href="#">County/Parish Code</a>	<a href="#">County code from FIPS6_4</a> Note: This element can be empty of PHLIP
<a href="#">24.10</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	[1,1]		<a href="#">Census Tract</a>	
<a href="#">24.11</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	[1,1]		<a href="#">Address Representation Code</a>	
<a href="#">24.13</a>	<a href="#">24</a>	<a href="#">TS</a>	<a href="#">O</a>	[1,1]		<a href="#">Effective Date</a>	
<a href="#">24.14</a>	<a href="#">24</a>	<a href="#">TS</a>	<a href="#">O</a>	[1,1]		<a href="#">Expiration Date</a>	
<a href="#">25</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	[0,1]		<a href="#">Order Status Modifier</a>	
<a href="#">27</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">O</a>	[0,1]		<a href="#">Filler's Expected Availability Date/Time</a>	
<a href="#">28</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	[0,1]	<a href="#">HL70177</a>	<a href="#">Confidentiality Code</a>	
<a href="#">29</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	[0,1]	<a href="#">HL70482</a>	<a href="#">Order Type</a>	
<a href="#">30</a>	<a href="#">705</a>	<a href="#">CNE</a>	<a href="#">O</a>	[0,1]	<a href="#">HL70483</a>	<a href="#">Enterer Authorization Mode</a>	
<a href="#">31</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	[0,1]	<a href="#">Laboratory Order Value Set</a>	<a href="#">Parent Universal Service Identifier</a>	

## 2.10 OBSERVATION REQUEST (OBR) SEGMENT LEVEL PROFILE

The OBR Segment in the Test Result Message (ORU) is used to capture information about one test being performed on the specimen or report information about patient and specimen.

Note: For PHLIP, only one specimen is allowed per ORU^R01 message.

Formatted: Left, Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

**TABLE 5-21. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	4	SI	R	[1,1]		Set ID - OBR	Sequence number of the OBR in relation to the Result message to which it refers. The sequence number should start at 1 and be incremented by 1 for each OBR in the result message.
2	427	EI	RE	[1,1]		Placer Order Number	Unique identifying number assigned to the test request or order by the system that initiated the request for performance of the test. Note: The same value is populated in ORC.2 and OBR.2.
2.1	199	ST	R	[1,1]		Entity Identifier	Placer order number
2.2	20	IS	RE	[1,1]		Namespace ID	Namespace ID of placer (e.g. EHR)
2.3	199	ST	R	[1,1]		Universal ID	Field required to contain an assigning authority OID for the application/ organization responsible for creating the placer order number. The placer order number is expected to be unique within this assigning authority.
2.4	6	ID	R	[1,1]	HL70301	Universal ID Type	Literal value: 'ISO'
3	427	EI	R	[1,1]		Filler Order Number	Order number associated with the filling application. Note: The same value is populated in ORC.3 and OBR.3.
3.1	199	ST	R	[1,1]		Entity Identifier	Lab order number Note: This filler number should be a system-generated number from the LIMS.
3.2	20	IS	RE	[1,1]		Namespace ID	Namespace ID of your LIMS
3.3	199	ST	R	[1,1]		Universal ID	Field required to contain an assigning authority OID for the application/organization responsible for creating the filler order number. The filler order number is expected to be unique within this assigning authority.
3.4	6	ID	R	[1,1]	HL70301	Universal ID Type	Literal value: 'ISO'

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-21. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seg	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
4	483	CWE	R	[1,1]	Laboratory Order Value Set	Universal Service Identifier	Identifier code for the test. This will be used to pass PHLIP orderable test codes.
4.1	20	ST	RE	[1,1]		Identifier	Standardized Ordered test code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
4.2	199	ST	C(RE/X)	[1,1]		Text	Standardized Ordered test name
4.3	12	ID	C(R/X)	[1,1]	HL70396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
4.4	20	ST	RE	[1,1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.
4.5	199	ST	C(RE/X)	[1,1]		Alternate Text	Local ordered test name. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
4.6	12	ID	C(R/X)	[1,1]	HL70396	Name of Alternate Coding System	Locally defined ordered test code system for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
4.7	10	ST	RE	[1,1]		Coding System Version ID	Version of code system identified in component 3
4.8	10	ST	RE	[1,1]		Alternate Coding System Version ID	Version of code system identified in component 6
4.9	199	ST	C(R/X)	[1,1]		Original Text	Original text

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-21. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

<b>Seq</b>	<b>Len</b>	<b>Dt</b>	<b>Usage</b>	<b>Cardinality</b>	<b>Value Set Name</b>	<b>Element Name</b>	<b>Description</b>
<a href="#">7</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Observation Date/Time</a>	<a href="#">The date and time the specimen was collected. A minimum of year, month and day must be provided when the actual date/time is known. For unknown collection date/time use "0000".</a>
<a href="#">7.1</a>	<a href="#">24</a>	<a href="#">DTM</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Time</a>	<a href="#">Date and time the specimen was collected Note: This field must contain the same value as the first component of SPM-17 and OBX.14 If you know the date and time, you must include at least the year, month and day. Format use: YYYYMMDD[HH[MM[SS].S[S[S[S]]]]][+/-ZZZ] Example: 20091124. If collection date and time is unknown use "0000".</a>
<a href="#">8</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">C(R/X)</a>	<a href="#">[0,1]</a>		<a href="#">Observation End Date/Time</a>	<a href="#">If specimen was collected over a period of time, include observation end date/time</a>
<a href="#">8.1</a>	<a href="#">24</a>	<a href="#">DTM</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Time</a>	<a href="#">End point Date and time the specimen was collected</a>
<a href="#">10</a>	<a href="#">2945</a>	<a href="#">XCN</a>	<a href="#">O</a>	<a href="#">[0,*]</a>		<a href="#">Collector Identifier</a>	<a href="#">This field will identify the person, department or facility that collected the specimen.</a>
<a href="#">11</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL7065</a>	<a href="#">Specimen Action Code</a>	<a href="#">Specimen action code for identifying</a>
<a href="#">12</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Danger Code</a>	
<a href="#">13</a>	<a href="#">300</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>		<a href="#">Relevant Clinical Information</a>	
<a href="#">16</a>	<a href="#">2945</a>	<a href="#">XCN</a>	<a href="#">RE</a>	<a href="#">[0,*]</a>		<a href="#">Ordering Provider</a>	<a href="#">Identifier of the provider who ordered the testing being performed. Note: Either this element is required or ORC.21 and ORC.22 This is the same as ORC.12 If all you have is a single field text name then populate OBR 16.2.1 with this value This element may repeat</a>
<a href="#">16.1</a>	<a href="#">15</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">ID Number</a>	<a href="#">Provider ID</a>
<a href="#">16.2</a>	<a href="#">194</a>	<a href="#">FN</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Family Name</a>	<a href="#">Ordering provider's last name</a>
<a href="#">16.2.1</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Surname</a>	
<a href="#">16.2.2</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Own Surname Prefix</a>	
<a href="#">16.2.3</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Own Surname</a>	
<a href="#">16.2.4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Surname Prefix From Partner/Spouse</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-21. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seg	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
16.2.5	50	ST	O	[1,1]		<a href="#">Surname From Partner/Spouse</a>	
16.3	30	ST	RE	[1,1]		<a href="#">Given Name</a>	<a href="#">Ordering provider's first name</a>
16.4	30	ST	RE	[1,1]		<a href="#">Second and Further Given Names or Initials Thereof</a>	<a href="#">Ordering provider's middle Initial or middle name</a>
16.5	20	ST	RE	[1,1]		<a href="#">Suffix (e.g., JR or III)</a>	<a href="#">Ordering provider's name suffix</a>
16.6	20	ST	RE	[1,1]		<a href="#">Prefix (e.g., DR)</a>	<a href="#">Ordering provider's name prefix</a>
16.7	20	IS	O	[1,1]	HL70360	<a href="#">Degree (e.g., MD)</a>	
16.8	20	IS	O	[1,1]	HL70297	<a href="#">Source Table</a>	
16.9	227	HD	C(R/X)	[1,1]		<a href="#">Assigning Authority</a>	<a href="#">The assigning authority for the ordering provider's ID</a>
16.9.1	20	IS	RE	[1,1]		<a href="#">Namespace ID</a>	<a href="#">Namespace ID of entity (e.g. NPI, your LIMS, etc) that assigned the identifier above</a>
16.9.2	199	ST	R			<a href="#">Universal ID</a>	<a href="#">OID of entity (e.g. NPI, your LIMS, etc) that assigned the identifier above</a>
16.9.3	6	ID	R	[1,1]	HL70301	<a href="#">Universal ID Type</a>	<a href="#">Literal value: 'ISO'</a>
16.10	5	ID	RE	[1,1]	HL70200	<a href="#">Name Type Code</a>	
16.11	4	ST	O	[1,1]		<a href="#">Identifier Check Digit</a>	
16.12	3	ID	O	[1,1]	HL7061	<a href="#">Check Digit Scheme</a>	
16.13	5	ID	C(R/X)	[1,1]	HL70203	<a href="#">Identifier Type Code</a>	
16.14	227	HD	RE	[1,1]		<a href="#">Assigning Facility</a>	<a href="#">The facility that assigned the patient identifier. (Not needed in most states)</a>
16.14.1	20	IS	RE	[1,1]		<a href="#">Namespace ID</a>	
16.14.2	199	ST	R			<a href="#">Universal ID</a>	
16.14.3	6	ID	R	[1,1]	HL70301	<a href="#">Universal ID Type</a>	
16.15	1	ID	O	[1,1]	HL70465	<a href="#">Name Representation Code</a>	
16.16	483	CE	O	[1,1]	HL70448	<a href="#">Name Context</a>	
16.18	1	ID	O	[1,1]	HL70444	<a href="#">Name Assembly Order</a>	
16.19	8	TS	O	[1,1]		<a href="#">Effective Date</a>	
16.20	8	TS	O	[1,1]		<a href="#">Expiration Date</a>	
16.21	199	ST	RE	[1,1]		<a href="#">Professional Suffix</a>	<a href="#">Ordering provider's name suffix</a>
16.22	705	CWE	O	[1,1]		<a href="#">Assigning Jurisdiction</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-21. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

<u>Seg</u>	<u>Len</u>	<u>Dt</u>	<u>Usage</u>	<u>Cardinality</u>	<u>Value Set Name</u>	<u>Element Name</u>	<u>Description</u>
<a href="#">16.23</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Assigning Agency or Department</a>	
<a href="#">17</a>	<a href="#">651</a>	<a href="#">XTN</a>	<a href="#">RE</a>	<a href="#">[0,2]</a>		<a href="#">Order Callback Phone Number</a>	<a href="#">Submitter's contact info</a> <a href="#">Note: Not needed for PHLIP</a>
<a href="#">18</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Placer Field 1</a>	
<a href="#">19</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Placer Field 2</a>	
<a href="#">20</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Filler Field 1</a>	
<a href="#">21</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Filler Field 2</a>	
<a href="#">22</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Results Rpt/Status Chng - Date/Time</a>	<a href="#">Date/time the results were reported.</a> <a href="#">Note: MUST always generate a new time each time a report is sent ( e.g. prelim, final, corrected, resend)</a>
<a href="#">22.1</a>	<a href="#">24</a>	<a href="#">DTM</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Time</a>	
<a href="#">23</a>	<a href="#">504</a>	<a href="#">MOC</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Charge to Practice</a>	
<a href="#">24</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL7074</a>	<a href="#">Diagnostic Serv Sect ID</a>	
<a href="#">25</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">R</a>	<a href="#">[1,1]</a>	<a href="#">HL70123</a>	<a href="#">Result Status</a>	<a href="#">Status of results for this order.</a> <a href="#">Corrected Results: A corrected result occurs when a previously final result report (i.e., an OBR and associated OBXs where OBR-25 was Final and all OBX-11s were Final) is being resent with a change to a value in one or more OBXs.</a> <a href="#">OBR-25 (Result Status): The status of the entire report is marked as "C-Corrected" in OBR-25.</a> <a href="#">OBX-11 (Observation Result Status): The status of each OBX is marked as either "Final" or "Corrected." Those OBX values being corrected should have an OBX-11 status of "C-Corrected." Those OBX values that remain unchanged should have an OBX-11 status of "F-Final." A minimum of one OBX must be marked as corrected.</a>
<a href="#">26</a>	<a href="#">755</a>	<a href="#">PRL</a>	<a href="#">CE</a>	<a href="#">[0,1]</a>		<a href="#">Parent Result</a>	<a href="#">The parent result</a> <a href="#">Field defined to make it available for linkages between the parent result and its children result. This important information, together with the information in OBR.29 Parent, uniquely identifies the OBX Segment of the parent result related to this order.</a>
<a href="#">26.1</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">R</a>	<a href="#">[1,1]</a>	<a href="#">Laboratory Observation Identifier Value Set</a>	<a href="#">Parent Observation Identifier</a>	<a href="#">The OBX3 of the parent result</a>

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-2I. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R0I USAGE**

<b>Seg</b>	<b>Len</b>	<b>Dt</b>	<b>Usage</b>	<b>Cardinality</b>	<b>Value Set Name</b>	<b>Element Name</b>	<b>Description</b>
26.1.1	20	ST	RE	[1,1]		Identifier	Standardized code. Rule of conditionality: The standard code sub-component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
26.1.2	199	ST	C(RE/X)	[1,1]		Text	Standardized description.
26.1.3	12	ID	C(R/X)	[1,1]	HL70396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
26.1.4	20	ST	RE	[1,1]		Alternate Identifier	Local code. Rule of conditionality: The local code sub-component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in sub-component 5.
26.1.5	199	ST	C(RE/X)	[1,1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
26.1.6	12	ID	C(R/X)	[1,1]	HL70396	Name of Alternate Coding System	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
26.1.7	10	ST	RE	[1,1]		Coding System Version ID	
26.1.8	10	ST	RE	[1,1]		Alternate Coding System Version ID	
26.1.9	199	ST	C(R/X)	[1,1]		Original Text	
26.1.10	20	ST	O	[1,1]		Second Alternate Identifier	
26.1.11	199	ST	O	[1,1]		Second Alternate Text	
26.1.12	12	ID	O	[1,1]	HL70396	Second Name of Alternate Coding System	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-21. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

Seg	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
26.1.13	10	ST	O	[1,1]		Second Alternate Coding System Version ID	
26.1.14	199	ST	O	[1,1]		Coding System OID	
26.2	20	ST	RE	[1,1]		Parent Observation Sub-identifier	OBX4 (Sub-ID) of the Parent Result
26.3	250	TX	RE	[1,1]		Parent Observation Value Descriptor	The description of the organism from OBX-5, which will have a data type of "ST" or "TX."
28	2945	XCN	O	[0,*]		Result Copies To	
29	855	EIP	CE	[0,1]		Parent	Parent ID number. Field that relates a child to its parent when a parent-child relationship exists. Note: OBR-29 is a complex field that contains both the Placer order number (OBR-2) and the Filler order number (OBR-3). OBR-29 is only needed if you need to reference a parent result.
29.1	427	EI	O	[1,1]		Placer Assigned Identifier	From ORC-2 (Placer Order Number) or OBR-2 (Placer Order Number) of parent.
29.1.1	199	ST	R	[1,1]		Entity Identifier	
29.1.2	20	IS	RE	[1,1]		Namespace ID	
29.1.3	199	ST	R	[1,1]		Universal ID	Field required to contain an assigning authority OID for the application/organization responsible for creating the placer order number. The placer order number is expected to be unique within this assigning authority.
29.1.4	6	ID	R	[1,1]	HL70301	Universal ID Type	Literal value: 'ISO'.
29.2	427	EI	R	[1,1]		Filler Assigned Identifier	From ORC-3 (Filler Order Number) or OBR-3 (Filler Order Number) of parent.
29.2.1	199	ST	R	[1,1]		Entity Identifier	
29.2.2	20	IS	RE	[1,1]		Namespace ID	
29.2.3	199	ST	R	[1,1]		Universal ID	Field required to contain an assigning authority OID for the application/organization responsible for creating the filler order number. The filler order number is expected to be unique within this assigning authority.
29.2.4	6	ID	R	[1,1]	HL70301	Universal ID Type	Literal value: 'ISO'.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-21. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

<b>Seg</b>	<b>Len</b>	<b>Dt</b>	<b>Usage</b>	<b>Cardinality</b>	<b>Value Set Name</b>	<b>Element Name</b>	<b>Description</b>
<a href="#">31</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">RE</a>	<a href="#">[0,*]</a>	<a href="#">Reason For Study Value Set</a>	<a href="#">Reason for Study</a>	
<a href="#">31.1</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Identifier</a>	<a href="#">Code for Reason for Study</a> <a href="#">Note: Use Standard code ( ICD-9, ICD-10, SNOMED, PHLIP ) or local code here.</a>
<a href="#">31.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Text</a>	<a href="#">Reason for Study Concept Name</a> <a href="#">Note: If SNOMED code, Use either SNOMED fully specified concept name or SNOMED Preferred concept name</a>
<a href="#">31.3</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Coding System</a>	<a href="#">Code System for Reason for Study</a> <a href="#">Note: This will be SCT (for SNOMED), I9CD ( ICD9), or "L" or "99zzz" (where zzz is any alphanumeric character - not constrained to 3) for local coding system.</a>
<a href="#">31.4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Identifier</a>	<a href="#">Code for Reason for Study</a> <a href="#">Note: Use Standard code ( ICD-9, ICD-10, SNOMED, PHLIP ) or local code here.</a>
<a href="#">31.5</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Text</a>	<a href="#">Reason for Study Concept Name</a> <a href="#">Note: If SNOMED code, Use either SNOMED fully specified concept name or SNOMED Preferred concept name</a>
<a href="#">31.6</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Alternate Coding System</a>	<a href="#">Code System for Reason for Study</a> <a href="#">Note: This will be SCT (for SNOMED), I9CD ( ICD9), or "L" or "99zzz" (where zzz is any alphanumeric character - not constrained to 3) for local coding system.</a>
<a href="#">31.7</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Coding System Version ID</a>	<a href="#">Version of code system identified in component 3</a>
<a href="#">31.8</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Coding System Version ID</a>	<a href="#">Version of code system identified in component 6</a>
<a href="#">31.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Original Text</a>	<a href="#">Original text</a>
<a href="#">32</a>	<a href="#">838</a>	<a href="#">NDL</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>		<a href="#">Principal Result Interpreter</a>	
<a href="#">32.1</a>	<a href="#">409</a>	<a href="#">CNN</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Name</a>	
<a href="#">32.1.1</a>	<a href="#">15</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">ID Number</a>	
<a href="#">32.1.2</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Family Name</a>	
<a href="#">32.1.3</a>	<a href="#">30</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Given Name</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-21. OBSERVATION REQUEST (OBR) SEGMENT PROFILE - ORU^R01 USAGE**

<u>Seq</u>	<u>Len</u>	<u>Dt</u>	<u>Usage</u>	<u>Cardinality</u>	<u>Value Set Name</u>	<u>Element Name</u>	<u>Description</u>
<a href="#">32.1.4</a>	<a href="#">30</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Second and Further Given Names or Initials Thereof</a>	
<a href="#">32.1.5</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Suffix (e.g., JR or III)</a>	
<a href="#">32.1.6</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Prefix (e.g., DR)</a>	
<a href="#">32.1.7</a>	<a href="#">5</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">HL70360</a>	<a href="#">Degree (e.g., MD)</a>	
<a href="#">32.1.9</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Assigning Authority - Namespace ID</a>	
<a href="#">32.1.10</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Assigning Authority - Universal ID</a>	
<a href="#">32.1.11</a>	<a href="#">6</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70301</a>	<a href="#">Assigning Authority - Universal ID Type</a>	
<a href="#">33</a>	<a href="#">838</a>	<a href="#">NDL</a>	<a href="#">O</a>	<a href="#">[0,*]</a>		<a href="#">Assistant Result Interpreter</a>	
<a href="#">34</a>	<a href="#">838</a>	<a href="#">NDL</a>	<a href="#">O</a>	<a href="#">[0,*]</a>		<a href="#">Technician</a>	
<a href="#">35</a>	<a href="#">838</a>	<a href="#">NDL</a>	<a href="#">O</a>	<a href="#">[0,*]</a>		<a href="#">Transcriptionist</a>	
<a href="#">36</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Scheduled Date/Time</a>	
<a href="#">39</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,*]</a>		<a href="#">Collector's Comment</a>	
<a href="#">44</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL7088</a>	<a href="#">Procedure Code</a>	
<a href="#">45</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,*]</a>	<a href="#">HL70340</a>	<a href="#">Procedure Code Modifier</a>	
<a href="#">46</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,*]</a>	<a href="#">HL70411</a>	<a href="#">Placer Supplemental Service Information</a>	
<a href="#">47</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,*]</a>	<a href="#">HL70411</a>	<a href="#">Filler Supplemental Service Information</a>	
<a href="#">48</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,*]</a>	<a href="#">HL70476</a>	<a href="#">Medically Necessary Duplicate Procedure Reason</a>	
<a href="#">49</a>	<a href="#">2</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL70507</a>	<a href="#">Result Handling</a>	
<a href="#">50</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">Laboratory Order Value Set</a>	<a href="#">Parent Universal Service Identifier</a>	

## 2.1.1 OBSERVATION/RESULT (OBX) SEGMENT LEVEL PROFILE

The OBX Segment in the Test Result (ORU) Message is used to transmit observations related to the test result and other information about patient and specimen, including test result, specimen-related information (such as specimen IDs from both the test order and the test filler), additional information passed by the test order, etc.

**Formatted:** Left, Outline numbered + Level: 2 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.1" + Indent at: 0.5"

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
1	4	SI	R	[1,1]		Set ID - OBX	Sequence number of the OBX in relation to the OBR Segment to which it refers. The sequence number should start at 1 and increment by 1 for each OBX in the Order Observation group.
2	3	ID	C(R/X)	[0,1]	HL70125	Value Type	The HL7 data type of the result in OBX-5. Field in which allowed values are "CE," "CX," "NM," "SN," "ST," "TS" and "TX." The CE data type is used primarily to convey epidemiologically important information and coded lab results like organism name. The CX data type is used primarily to convey additional specimen identifiers in OBXs. The NM data type is used to report a numeric value. The SN data type is used to report a numeric clinical value with qualifications. The ST data type is used to report a short string of text. The TS data type is used to convey the date/time of illness onset. The TX data type is used to carry a large text observation.
3	483	CWE	R	[1,1]	Laboratory Observation Identifier Value Set	Observation Identifier	Unique identifier for the observation. This field will be populated by either a resulted test identifier (i.e., LOINC or PLT) or an identifier for an observation related to patient or specimen information (EPI question).
3.1	20	ST	RE	[1,1]		Identifier	Standardized code (LOINC or PLR) Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard.
3.2	199	ST	C(RE/X)	[1,1]		Text	Standardized description. Note: If LOINC, use LOINC Short Name or LOINC Long Common Name

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">3.3</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Coding System</a>	<a href="#">HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.</a>
<a href="#">3.4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Identifier</a>	<a href="#">Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.</a>
<a href="#">3.5</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(RE/X)</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Text</a>	<a href="#">Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed. Not required but recommended to always send local codes.</a>
<a href="#">3.6</a>	<a href="#">12</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70396</a>	<a href="#">Name of Alternate Coding System</a>	<a href="#">Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.</a>
<a href="#">3.7</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Coding System Version ID</a>	<a href="#">Version of code system identified in component 3</a>
<a href="#">3.8</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Coding System Version ID</a>	<a href="#">Version of code system identified in component 6</a>
<a href="#">3.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Original Text</a>	<a href="#">Original text</a>
<a href="#">4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[0,1]</a>		<a href="#">Observation Sub-ID</a>	<a href="#">Conditionality Rule: Field required if there is more than one OBX with the same OBX.3 (Observation Identifier) associated with the same OBR. Normally, this field is populated with a number, but text values may also be used.</a>
<a href="#">5</a>	<a href="#">99999</a>	<a href="#">VARI ES</a>	<a href="#">C(RE/X)</a>	<a href="#">[0,1]</a>		<a href="#">Observation Value</a>	<a href="#">Actual observation associated with the test order. The data type in OBX.2 Value Type indicates the format of the observation. Note: Rule of conditionality: This data element is required unless OBX.11 = 'X' or 'N'. This data type transmits a code and the text associated with the code.</a>

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

<u>Seg</u>	<u>Len</u>	<u>Dt</u>	<u>Usage</u>	<u>Cardinality</u>	<u>Value Set Name</u>	<u>Element Name</u>	<u>Description</u>
<u>Begin OBX-5 Data Types</u>							
<u>CWE</u>							<u>coded results</u>
<u>5.1</u>	<u>20</u>	<u>ST</u>	<u>R</u>			<u>Identifier</u>	<u>coded result</u>
<u>5.2</u>	<u>199</u>	<u>ST</u>	<u>RE</u>			<u>Text</u>	<u>coded result text</u>
<u>5.3</u>	<u>12</u>	<u>ID</u>	<u>R</u>		<u>HL70396</u>	<u>Name of Coding System</u>	<u>code system for coded result in component 1</u>
<u>5.4</u>	<u>20</u>	<u>ST</u>	<u>RE</u>			<u>Alternate Identifier</u>	<u>coded result</u>
<u>5.5</u>	<u>199</u>	<u>ST</u>	<u>RE</u>			<u>Alternate Text</u>	<u>coded result text</u>
<u>5.6</u>	<u>12</u>	<u>ID</u>	<u>C(R/X)</u>		<u>HL70396</u>	<u>Name of Alternate Coding System</u>	<u>code system for coded result in component 1</u>
<u>5.7</u>	<u>10</u>	<u>ST</u>	<u>RE</u>			<u>Coding System Version ID</u>	<u>Version of code system identified in component 3</u>
<u>5.8</u>	<u>10</u>	<u>ST</u>	<u>RE</u>			<u>Alternate Coding System Version ID</u>	<u>Version of code system identified in component 6</u>
<u>5.9</u>	<u>199</u>	<u>ST</u>	<u>RE</u>			<u>Original Text</u>	<u>original text of result</u>
<u>SN</u>							
<u>5.1</u>	<u>2</u>	<u>ST</u>	<u>RE</u>	<u>[1,1]</u>		<u>Comparator</u>	
<u>5.2</u>	<u>65536</u>	<u>NM</u>	<u>RE</u>	<u>[1,1]</u>		<u>Num1</u>	
<u>5.3</u>	<u>1</u>	<u>ST</u>	<u>RE</u>	<u>[1,1]</u>		<u>Separator/Suffix</u>	
<u>5.4</u>	<u>65536</u>	<u>NM</u>	<u>RE</u>	<u>[1,1]</u>		<u>Num2</u>	
<u>ST</u>							
<u>5</u>	<u>99999</u>	<u>ST</u>	<u>C(RE/X)</u>	<u>[0,1]</u>		<u>Observation Value</u>	
<u>TX</u>							
<u>5</u>	<u>99999</u>	<u>ST, TX, or FT</u>	<u>C(RE/X)</u>	<u>[0,1]</u>		<u>Observation Value</u>	
<u>TX</u>							
<u>5.1</u>	<u>24</u>	<u>DTM</u>	<u>C(RE/X)</u>	<u>[0,1]</u>		<u>Date/Time</u>	
<u>NM</u>							
<u>5</u>	<u>99999</u>	<u>NM</u>	<u>C(RE/X)</u>	<u>[0,1]</u>		<u>Observation Value</u>	
<u>CX</u>							
<u>5</u>	<u>1913</u>	<u>CX</u>	<u>R</u>	<u>[1,*]</u>		<u>Identifier</u>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seg	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
5.1	15	ST	R	[1,1]		ID Number	
5.2	4	ST	O	[1,1]		Check Digit	
5.3	3	ID	O	[1,1]	HL7061	Check Digit Scheme	
5.4	227	HD	R	[1,1]		Assigning Authority	
5.4.1	20	IS	RE	[1,1]		Namespace ID	
5.4.2	199	ST	R			Universal ID	
5.4.3	6	ID	R	[1,1]	HL70301	Universal ID Type	
5.5	5	ID	R	[1,1]	HL70203	Identifier Type Code	
5.6	227	HD	RE	[1,1]		Assigning Facility	
5.6.1	20	IS	RE	[1,1]		Universal ID	
5.6.2	199	ST	R			Universal ID Type	
5.6.3	6	ID	R	[1,1]	HL70301	Identifier Type Code	
5.7	8	DT	O	[1,1]		Effective Date	
5.8	8	DT	O	[1,1]		Expiration Date	
5.9	705	CWE	O	[1,1]		Assigning Jurisdiction	
5.10	70	CWE	O	[1,1]		Assigning Agency or Department	
<u>End OBX-5 Data Types</u>							
6	483	CWE	C(R/X)	[0,1]	UCUM	Units	Field populated with units of measure if the data type identified in OBX.2 (and carried in OBX.5) is ""SN." If we use C, then need to explain to use "1" for any unitless value in OBX.5, for example a titer. Note: If the data type in OBX 2 is "NM" or "SN" and the OBX-11 observation result status is not 'X' then this field is Required.
6.1	20	ST	RE	[1,1]		Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
6.2	199	ST	C(RE/X)	[1,1]		Text	Standardized description.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
6.3	12	ID	C(R/X)	[1,1]	HL70396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
6.4	20	ST	RE	[1,1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.
6.5	199	ST	C(RE/X)	[1,1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
6.6	12	ID	C(R/X)	[1,1]	HL70396	Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
6.7	10	ST	RE	[1,1]		Coding System Version ID	Version of code system identified in component 3
6.8	10	ST	RE	[1,1]		Alternate Coding System Version ID	Version of code system identified in component 6
6.9	199	ST	C(R/X)	[1,1]		Original Text	Original text
7	60	ST	RE	[0,1]		References Range	Interpretation range that applies to the value reported in OBX-5. It should provide enough information to understand the abnormal flags reported in OBX.8.
8	20	CWE	C(RE/X)	[0,*]	HL7078	Abnormal Flags	Indicator of the normalcy of the result found in OBX.5.
8.1	20	ST	RE	[1,1]		Identifier	Interpretation code from HL7 table 0078
8.2	199	ST	C(RE/X)	[1,1]		Text	Interpretation code text from HL7 table 0078
8.3	12	ID	C(R/X)	[1,1]	HL70396	Name of Coding System	Literal: 'HL70078'
8.4	20	ST	RE	[1,1]		Alternate Identifier	Note: Can be empty in PHLIP
8.5	199	ST	C(RE/X)	[1,1]		Alternate Text	
8.6	12	ID	C(R/X)	[1,1]	HL70396	Name of Alternate Coding System	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">8.7</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Coding System Version ID</a>	<a href="#">Version of HL7 table 0078</a>
<a href="#">8.8</a>	<a href="#">10</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Alternate Coding System Version ID</a>	<a href="#">Recommended if a coding system is identified in component 6.</a>
<a href="#">8.9</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Original Text</a>	<a href="#">Original text</a>
<a href="#">9</a>	<a href="#">5</a>	<a href="#">NM</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Probability</a>	
<a href="#">10</a>	<a href="#">2</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[0,1]</a>	<a href="#">HL7080</a>	<a href="#">Nature of Abnormal Test</a>	
<a href="#">11</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">R</a>	<a href="#">[1,1]</a>	<a href="#">HL7085</a>	<a href="#">Observation Result Status</a>	<p><a href="#">Status of the observation result.</a></p> <p><a href="#">Corrected Results:</a> A corrected result occurs when a previously final result report (i.e., an OBR and associated OBXs where OBR-25 was "Final" and all OBX-11s were Final) is being resent with a change to a value in one or more OBXs.</p> <p><a href="#">OBR-25 (Result Status):</a> The status of the entire report is marked as "C-Corrected" in OBR-25.</p> <p><a href="#">OBX-11 (Observation Result Status):</a> The status of each OBX is marked as either "Final" or "Corrected." Those OBX values being corrected should have an OBX-11 status of "C-Corrected." Those OBX values that remain unchanged should have an OBX-11 status of "F-Final." A minimum of one OBX must be marked as corrected.</p> <p><a href="#">OBX-11 = "N" - Not asked;</a> used to affirmatively document that the observation identified in the OBX was not sought when the universal service ID in OBR-4 implies that it would be sought.</p> <p><a href="#">OBX-11 = "X" - Results cannot be obtained for this observation</a></p>
<a href="#">12</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Effective Date of Reference Range Values</a>	
<a href="#">13</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">User Defined Access Checks</a>	
<a href="#">14</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">CE</a>	<a href="#">[0,1]</a>		<a href="#">Date/Time of the Observation</a>	<a href="#">Specimen collection date and time. This is the same as OBR.7 and SPM.17</a>
<a href="#">14.1</a>	<a href="#">24</a>	<a href="#">DTM</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Time</a>	
<a href="#">15</a>	<a href="#">483</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Producer's ID</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seg	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
16	2945	XCN	O	[0..*]		Responsible Observer	
17	483	CWE	RE	[0..*]	HL7 V3 Observation Method	Observation Method	Additional details about the test method
17.1	20	ST	RE	[1..1]		Identifier	Standardized code. Rule of conditionality: The standard code component is mandatory unless there is no standard to match the local value passed by the application. An attempt will be made by the sender to map the local value to the standard. In the case that no standard code was found, this field may be blank.
17.2	199	ST	C(RE/X)	[1..1]		Text	Standardized description.
17.3	12	ID	C(R/X)	[1..1]	HL70396	Name of Coding System	HL7 identifier for Coding System (e.g. "LN" = LOINC). Rule of conditionality: The HL7 coding system identifier is always required if there is a value in component 1.
17.4	20	ST	RE	[1..1]		Alternate Identifier	Local code. Rule of conditionality: The local code component is mandatory if there is no standard to match the local value passed by the application AND there is no text present in component 5.
17.5	199	ST	C(RE/X)	[1..1]		Alternate Text	Local description. Note that if the field is collected as text in the application, this may be the only field populated if the data type is "Coded." Rule of conditionality: Required if no standardized code or local code value passed.
17.6	12	ID	C(R/X)	[1..1]	HL70396	Name of Alternate Coding System	Locally defined codes for purpose of sender or receiver. Local codes can be identified by "L" (for backward compatibility) or "99zzz" (where z is an alphanumeric character). Rule of conditionality: Required if an alternate identifier is present.
17.7	10	ST	RE	[1..1]		Coding System Version ID	Recommended if a coding system is identified in component 3.
17.8	10	ST	RE	[1..1]		Alternate Coding System Version ID	Recommended if a coding system is identified in component 6.
17.9	199	ST	C(R/X)	[1..1]		Original Text	Original text
18	427	EI	O	[0..*]		Equipment Instance Identifier	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">19</a>	<a href="#">26</a>	<a href="#">TS</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>		<a href="#">Date/Time of the Analysis</a>	<a href="#">Time at which the testing was performed</a> <a href="#">Note: Use this field instead of OBX.14 for date and time of testing. (CLIA requirement)</a>
<a href="#">19.1</a>	<a href="#">24</a>	<a href="#">DTM</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Time</a>	
<a href="#">23</a>	<a href="#">567</a>	<a href="#">XON</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Performing Organization Name</a>	<a href="#">Name and ID of the performing lab</a> <a href="#">Note: For producing laboratories that are CLIA-certified, the CLIA identifier should be used for the organization identifier (component 10).</a>
<a href="#">23.1</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">C(R/RE)</a>	<a href="#">[1,1]</a>		<a href="#">Organization Name</a>	<a href="#">Name of the performing lab</a>
<a href="#">23.2</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">HL70204</a>	<a href="#">Organization Name Type Code</a>	<a href="#">Name type code of the performing Lab</a>
<a href="#">23.4</a>	<a href="#">4</a>	<a href="#">NM</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Check Digit</a>	
<a href="#">23.5</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[1,1]</a>	<a href="#">HL7061</a>	<a href="#">Check Digit Scheme</a>	
<a href="#">23.6</a>	<a href="#">227</a>	<a href="#">HD</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Assigning Authority</a>	<a href="#">Organization that assigned LAB ID</a> <a href="#">Note: The assigning authority is CLIA for CLIA certified labs</a>
<a href="#">23.6.1</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Namespace ID</a>	<a href="#">Namespace ID of entity (e.g. CLIA) that assigned the facility identified below</a>
<a href="#">23.6.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">R</a>			<a href="#">Universal ID</a>	<a href="#">OID of entity (e.g. CLIA) that assigned the identifier</a> <a href="#">Note: If the ID is an NPI use: 2.16.840.1.113883.4.6.</a> <a href="#">If it's a CLIA number use: 2.16.840.1.113883.4.7</a>
<a href="#">23.6.3</a>	<a href="#">6</a>	<a href="#">ID</a>	<a href="#">R</a>	<a href="#">[1,1]</a>	<a href="#">HL70301</a>	<a href="#">Universal ID Type</a>	<a href="#">Literal value: 'ISO'</a>
<a href="#">23.7</a>	<a href="#">5</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70203</a>	<a href="#">Identifier Type Code</a>	
<a href="#">23.8</a>	<a href="#">227</a>	<a href="#">HD</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Assigning Facility</a>	
<a href="#">23.9</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[1,1]</a>	<a href="#">HL70465</a>	<a href="#">Name Representation Code</a>	
<a href="#">23.10</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Organization Identifier</a>	<a href="#">Public Health Lab CLIA ID</a>
<a href="#">24</a>	<a href="#">631</a>	<a href="#">XAD</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Performing Organization Address</a>	<a href="#">The Address of the laboratory that actually performed the test - whether or not is used as a reference laboratory.</a>
<a href="#">24.1</a>	<a href="#">184</a>	<a href="#">SAD</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Street Address</a>	
<a href="#">24.1.1</a>	<a href="#">120</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Street or Mailing Address</a>	
<a href="#">24.1.2</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Street Name</a>	
<a href="#">24.1.3</a>	<a href="#">12</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[0,1]</a>		<a href="#">Dwelling Number</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

Seq	Len	Dt	Usage	Cardinality	Value Set Name	Element Name	Description
<a href="#">24.2</a>	<a href="#">120</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Other Designation</a>	<a href="#">Other Designation</a> <a href="#">Note: This isn't needed for most addresses. It could be a district name, building name, floor number, etc</a>
<a href="#">24.3</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">City</a>	<a href="#">City</a>
<a href="#">24.4</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">State Value Set</a>	<a href="#">State or Province</a>	<a href="#">State or Province</a> <a href="#">Note: FIPS 5-2 alpha codes are supported</a>
<a href="#">24.5</a>	<a href="#">12</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">Postal Code Value Set</a>	<a href="#">Zip or Postal Code</a>	<a href="#">Zip or Postal Code</a> <a href="#">Note: US Zip Codes, Zip+4 and Canadian Postal Codes are supported.</a>
<a href="#">24.6</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">Country Value Set</a>	<a href="#">Country</a>	<a href="#">Country</a>
<a href="#">24.7</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">HL70190</a>	<a href="#">Address Type</a>	<a href="#">Address Type code from HL7 Table 190</a>
<a href="#">24.8</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Other Geographic Designation</a>	<a href="#">May be used for MSAs (Metropolitan and Micropolitan Statistical Areas). Source: <a href="http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf">http://www.whitehouse.gov/omb/bulletins/fy2007/b07-01.pdf</a></a>
<a href="#">24.9</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">PHYS County FIPS 6-4</a>	<a href="#">County/Parish Code</a>	<a href="#">County code from FIPS6_4</a> <a href="#">Note: This element can be empty of PHLIP</a>
<a href="#">24.10</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Census Tract</a>	
<a href="#">24.11</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Address Representation Code</a>	
<a href="#">24.13</a>	<a href="#">24</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Effective Date</a>	
<a href="#">24.14</a>	<a href="#">24</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Expiration Date</a>	
<a href="#">25</a>	<a href="#">3002</a>	<a href="#">XCN</a>	<a href="#">RE</a>	<a href="#">[0,1]</a>		<a href="#">Performing Organization Medical Director</a>	<a href="#">Public Health Lab Director</a>
<a href="#">25.1</a>	<a href="#">15</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">ID Number</a>	
<a href="#">25.2</a>	<a href="#">194</a>	<a href="#">FN</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Family Name</a>	
<a href="#">25.2.1</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">R</a>	<a href="#">[1,1]</a>		<a href="#">Surname</a>	
<a href="#">25.2.2</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Own Surname Prefix</a>	
<a href="#">25.2.3</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Own Surname</a>	
<a href="#">25.2.4</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Surname Prefix From Partner/Spouse</a>	
<a href="#">25.2.5</a>	<a href="#">50</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Surname From Partner/Spouse</a>	
<a href="#">25.3</a>	<a href="#">30</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Given Name</a>	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

**TABLE 5-22. OBSERVATION/RESULT SEGMENT (OBX) PROFILE - ORU^R01 USAGE**

<u>Seg</u>	<u>Len</u>	<u>Dt</u>	<u>Usage</u>	<u>Cardinality</u>	<u>Value Set Name</u>	<u>Element Name</u>	<u>Description</u>
<a href="#">25.4</a>	<a href="#">30</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Second and Further Given Names or Initials Thereof</a>	
<a href="#">25.5</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Suffix (e.g., JR or III)</a>	
<a href="#">25.6</a>	<a href="#">20</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Prefix (e.g., DR)</a>	
<a href="#">25.7</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>	<a href="#">HL70360</a>	<a href="#">Degree (e.g., MD)</a>	
<a href="#">25.8</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>	<a href="#">HL70297</a>	<a href="#">Source Table</a>	
<a href="#">25.9</a>	<a href="#">227</a>	<a href="#">HD</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>		<a href="#">Assigning Authority</a>	
<a href="#">25.6.1</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Namespace ID</a>	
<a href="#">25.6.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">R</a>			<a href="#">Universal ID</a>	
<a href="#">25.6.3</a>	<a href="#">6</a>	<a href="#">ID</a>	<a href="#">R</a>	<a href="#">[1,1]</a>	<a href="#">HL70301</a>	<a href="#">Universal ID Type</a>	
<a href="#">25.10</a>	<a href="#">5</a>	<a href="#">ID</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>	<a href="#">HL70200</a>	<a href="#">Name Type Code</a>	
<a href="#">25.11</a>	<a href="#">4</a>	<a href="#">ST</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Identifier Check Digit</a>	
<a href="#">25.12</a>	<a href="#">3</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[1,1]</a>	<a href="#">HL7061</a>	<a href="#">Check Digit Scheme</a>	
<a href="#">25.13</a>	<a href="#">5</a>	<a href="#">ID</a>	<a href="#">C(R/X)</a>	<a href="#">[1,1]</a>	<a href="#">HL70203</a>	<a href="#">Identifier Type Code</a>	
<a href="#">25.14</a>	<a href="#">227</a>	<a href="#">HD</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Assigning Facility</a>	
<a href="#">25.14.1</a>	<a href="#">20</a>	<a href="#">IS</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Namespace ID</a>	
<a href="#">25.14.2</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">R</a>			<a href="#">Universal ID</a>	
<a href="#">25.14.3</a>	<a href="#">6</a>	<a href="#">ID</a>	<a href="#">R</a>	<a href="#">[1,1]</a>	<a href="#">HL70301</a>	<a href="#">Universal ID Type</a>	
<a href="#">25.15</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[1,1]</a>	<a href="#">HL70465</a>	<a href="#">Name Representation Code</a>	
<a href="#">25.16</a>	<a href="#">483</a>	<a href="#">CE</a>	<a href="#">O</a>	<a href="#">[1,1]</a>	<a href="#">HL70448</a>	<a href="#">Name Context</a>	
<a href="#">25.18</a>	<a href="#">1</a>	<a href="#">ID</a>	<a href="#">O</a>	<a href="#">[1,1]</a>	<a href="#">HL70444</a>	<a href="#">Name Assembly Order</a>	
<a href="#">25.19</a>	<a href="#">8</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Effective Date</a>	
<a href="#">25.20</a>	<a href="#">8</a>	<a href="#">TS</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Expiration Date</a>	
<a href="#">25.21</a>	<a href="#">199</a>	<a href="#">ST</a>	<a href="#">RE</a>	<a href="#">[1,1]</a>		<a href="#">Professional Suffix</a>	
<a href="#">25.22</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Assigning Jurisdiction</a>	
<a href="#">25.23</a>	<a href="#">705</a>	<a href="#">CWE</a>	<a href="#">O</a>	<a href="#">[1,1]</a>		<a href="#">Assigning Agency or Department</a>	

2.1

Formatted: Right, Indent: Left: 0.5", No bullets or numbering

### 3 PHLIP DATA ELEMENTS OF INTEREST

#### 3.1 COLUMN DEFINITIONS FOR ELEMENTS OF INTEREST TABLE

Column	Description
<b>Program Variables Section</b>	
<b>PHIN Variable ID</b>	PHIN element UID drawn from the coding system PH_PHINQuestions_CDC
<b>Label</b>	Short name for the data element, which is passed in the message.
<b>Description</b>	Description of the data element.
<b>Data Type</b>	Data type for the variable response expected by the program area
<b>Prog. Req/Opt</b>	Indicator whether the program specifies the field as: <b>R</b> - Required - mandatory for sending the message <b>RE</b> – Required, but may be empty – sender must be able to process (collect/store, display/print etc) this data element and needs to send data, if information is available, but need not make up “null” values, if information is not available <b>O</b> - Optional - if the data is available it should be passed
<b>May Rpt</b>	Indicator whether the response to the data element may repeat. “Yes” in the field indicates that it may; otherwise, the field is not populated. Repeats require special processing.
<b>Value Set Name</b>	Name of the pre-coordinated value set from which the response is drawn. The value sets and coding systems are accessible via the Public Health Information Network Vocabulary Access and Distribution Services at <a href="http://phinvads.cdc.gov/vads/SearchVocab.action">http://phinvads.cdc.gov/vads/SearchVocab.action</a>
<b>Message Mapping Methodology Section</b>	
<b>Message Context</b>	Specific HL7 segment and field mapping for the element.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

<b>HL7 Data Type</b>	HL7 data type used by PHIN to express the variable.
<b>HL7 Usage</b>	Use of the field for PHIN. Indicates if the field is required, optional, or conditional in a segment. The only values that appear in the Message Mapping are: <ul style="list-style-type: none"> <li>• <b>R</b> – Required. Must always be populated</li> <li>• <b>O</b> – Optional. May optionally be populated.</li> </ul>
<b>HL7 Rpt</b>	Indicator whether the response to the data element may repeat. "Yes" in the field indicates that it may; otherwise, the field is not populated. Repeats require special processing.

### 3.2 DATA ELEMENTS OF INTEREST FOR UNSOLICITED RESULTS

The CDC Influenza Epidemiologists have defined the elements listed in the following table as Data Elements of Interest.

The PHLIP Data Elements of Interest are cross-referenced below to the HL7 context in which the element would be expressed in the unsolicited result message. Please note that all of the Data Elements of Interest for the unsolicited result are included, although each site may opt not to send a particular data element that is not a required data element.

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
DEM197	Local patient ID	The local ID of the patient/entity.	Text	R			PID-3 Patient Identifier List (Note that the variable ID and label do not appear in the message.)	CX	R	
DEM115	Birth Date	Reported date of birth of patient.	Date	RE			PID-7 Date/Time of Birth (Note that the variable ID and label do not appear in the message.)	TS	O	
DEM113	Patient's sex	Patient's current sex.	Code	O		Administrative Sex	PID-8 Administrative Sex (Note that the variable ID and label do not appear in the message.)	IS	O	
DEM162	Patient Address State	Patient's address state.	Code	RE		State	PID-11.4 Patient Address - State (Note that the variable ID and label do not appear in the message.)	ST	O	
DEM163	Patient Address Zip Code	Patient's address zip code.	Text	RE			PID-11.5 Patient Address - Postal Code (Note that the variable ID and label do not appear in the message.)	ST	O	
DEM165	Patient Address County	County of residence of the subject.	Code	RE		County	PID-11.9 Patient Address – County or OBX.5 Observation Value	IS	O	

Formatted Table

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
LAB505	Submitting Laboratory Name	Name of organization collecting specimen	Text	O			OBR-10 Collector Identifier (Note that the variable ID and label do not appear in the message.)	XCN	O	
LAB128	Submitting Physician Name	Ordering Provider	Text	O			OBR-16 Ordering Provider (Note that the variable ID and label do not appear in the message.)	XCN	O	
LAB143	Laboratory ID	Laboratory ID of the public health lab sending the result	OID	R			MSH-4.2 Sending Facility-Universal ID component (Note that the variable ID and label do not appear in the message.)  MSH-4.3 Universal ID Type. Literal value: 'ISO'	HD	R	
LAB163	Collection Date	Date clinical specimen was collected	Date	C			OBR-7 Observation Date/Time (Note that the variable ID and label do not appear in the message.)  Conditionality Rule: If Receive Date is not populated, Collection Date must be present.	TS	R	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
LAB334	Receive Date	Date specimen was received at public health laboratory	Date	C			OBR-14 Specimen Received Date/Time (Note that the variable ID and label do not appear in the message.)  Conditionality Rule: If Collection Date is not populated, Receive Date must be present	TS	O	
LAB165	Specimen Source	Source of Specimen	Code	R		Specimen Source (PHLIP)	OBR-15 Specimen Source (Note that the variable ID and label do not appear in the message.)	CM	O	
LAB101	Test Performed-Code	Test code as known by the laboratory	Code	R		Resulted Lab Test Name (PHLIP Flu) or PHLIP Questions (Flu)	OBX-3 Observation Identifier (Note that the variable ID and label do not appear in the message.)	2.3.1: CE 2.5.1: CWE	R	
LAB114	Numeric Result Value	Test result in numeric format	Nu-mer-ic	C			OBX-5 Observation Value	SN	O	
LAB192	Coded Result Value	Test result as coded value	Code	C		Lab Test Result (PHLIP Flu)	OBX-5 Observation Value	2.3.1: CE 2.5.1: CWE	O	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
LAB108	Test Date	Date specimen/ isolate was tested	Date	O			OBX-14 Date/Time of Observation (Note that the variable ID and label do not appear in the message.)  <i>Note: This is a deviation from HL7 2.3.1 where this field is the Collection Date/Time.</i>	TS	O	
LAB202	Specimen ID	Unique specimen/ accession/ aliquot ID assigned by laboratory-	Code	R			Observation/OBX Segment with this variable ID and label. OBX-2 = CX  OBX-3 = LAB202^Unique Specimen ID^PHINQUESTION  OBX-5 = Specimen ID^^Assigning Authority Name&Assigning Authority ID&Assigning Authority ID Type	CX	O	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
21612-7	Reported Patient Age	Patient's age as reported in an application at the source	Numeric with Units	RE			Observation/OBX Segment with this variable ID and label.  OBX-2 = SN  OBX-3 = 21612-7^ Age Patient Qn Reported^LN  OBX-5 = Age number  OBX-6 = Age units	SN	O	
FLU002	Vaccinated	Was the patient vaccinated for Influenza?	Code	O		Yes No Unknown (YNU)	Observation/OBX Segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = FLU002^ Was the patient vaccinated for influenza?^ PHINQUESTION  OBX-5 = Y/N Identifier^Text^HL70136 Or UNK^unknown^ NULLFL	2.3.1: CE  2.5.1: CWE	O	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
FLU001	Antiviral Medication	Was the patient receiving influenza antiviral medication?	Code	O		Yes No Unknown (YNU)	Observation/OBX Segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = FLU001^Was the patient receiving influenza antiviral medication? ^PHINQUESTION  OBX-5 = Y/N^Identifier^Text^HL70136 Or UNK^unknown^ NULLFL	2.3.1: CE	O	
LAB514	Outbreak Related	Was the specimen outbreak related?	Code	O		Yes No Unknown (YNU)	Observation/OBX Segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = LAB514^ Was this specimen related to an outbreak?^PHINQUESTION  OBX-5 = Y/N^Identifier^Text^HL70136 Or UNK^unknown^ NULLFL	2.3.1: CE	O	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
LAB330	Type of Facility	Did the specimen come from an outpatient, inpatient or long-term care facility?	Code	O		Patient Location Status at Specimen Collection	Observation/OBX Segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = LAB330^ Patient location status at specimen collection (e.g., outpatient, inpatient, long-term care).^PHINQUESTION  OBX-5 = I/O/ Identifier^Text^HL70004 Or 282E00000X^Long Term Care Hospital^ HCPT	2.3.1: CE  2.5.1: CWE	O	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
PHLIP01	Travel Outside the US	Did the patient travel outside the U.S. within 10 days of illness onset?	Code	O		Yes No Unknown (YNU)	Observation/OBX Segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = PHLIP01^Did the patient travel outside the U.S. within 10 days of illness onset?^PHINQUESTION  OBX-5 = Y/N^Identifier^Text^HL70136 Or UNK^unknown^ NULLFL	2.3.1: CE  2.5.1: CWE	O	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
TRAVEL05	Destination (s) Traveled To	International destination(s)	Code	O		Country	<p>Observation/OBX Segment with this variable ID and label</p> <p>2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE</p> <p>OBX-3 = TRAVEL05^ International destination(s) ^PHINQUESTION</p> <p>OBX-5 = Country Identifier^Text^ISO3166-1^Local Identifier^Local Text^Name of Coding System</p> <p>Business Rule: Only applicable if PHLIP01 was "Yes".</p>	2.3.1: CE  2.5.1: CWE	O	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
LAB515	Isolate Sent to CDC	Is Isolate being sent to CDC?	Code	O		Yes No Unknown (YNU)	Observation/OBX Segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = LAB515^Was isolate sent to CDC? ^PHINQUESTION  OBX-5 = Y/N^Identifier^Text^HL70136 Or UNK^unknown^ NULLFL	2.3.1: CE  2.5.1: CWE	O	
11368-8	Illness Onset Date	Date and time of illness onset	Date	O			Observation/OBX Segment with this variable ID and label  OBX-2 = TS  OBX-3 = 11368-8^ILLNESS/INJURY ONSET DATE/TIME^LN  OBX-5 = Date/time of illness onset = TS	TS	O	

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req/ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
LAB517	Isolate ID Sent to CDC	Laboratory ID assigned to the isolate sent to the CDC	Code	O			Observation/OBX Segment with this variable ID and label  OBX-2 = CX  OBX-3 = LAB517^Identifier assigned by laboratory to the isolate sent to CDC^PHINQUESTION  OBX-5 = Isolate ID^^Assigning Authority Name&Assigning Authority ID&Assigning Authority ID Type	CX	O	
PHLIP02	Passage History	History of Culture Medium	Text	O			Observation/OBX segment with this variable ID and label  OBX-2 = TX  OBX-3 = PHLIP02^History of culture medium ^PHINQUESTION  OBX-5 = Passage History Text Description	TX	O	

Formatted Table

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Reg./ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
95417-2	First Test	Is the patient's first test for the condition of interest	Code	O		Yes No Unknown (YNU)	Observation/OBX segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = 95417-2^First test for condition of interest^LN  OBX-5 OBX-5 can be one of: Y^Yes^HL70136 N^No^HL70136 UNK^Unknown^NULLFL	2.3.1: CE  2.5.1: CWE	O	
95418-0	Employed in Healthcare	Is the patient employed in a healthcare setting	Code	O		Yes No Unknown (YNU)	Observation/OBX segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = 95418-0^Employed in a healthcare setting^LN  OBX-5 OBX-5 can be one of: Y^Yes^HL70136 N^No^HL70136 UNK^Unknown^NULLFL	2.3.1: CE  2.5.1: CWE	O	

Formatted Table

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req./Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
95419-8	Symptomatic	Did the patient have symptoms related to condition of interest	Code	O		Yes No Unknown (YNU)	Observation/OBX segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = 95419-8^Has symptoms related to condition of interest^LN  OBX-5 OBX-5 can be one of: Y^Yes^HL70136 N^No^HL70136 UNK^Unknown^NULLFL	2.3.1: CE  2.5.1: CWE	O	
65222-2	Date of Symptom Onset	Date and time of symptom onset	Date	O		mm/dd/yy	Observation/OBX segment with this variable ID and label  OBX-2 = DT  OBX-3 = UPDATED LOINC 65222-2^Date and time of symptom onset^LN  OBX-5 = formatted as YYYYMMDD	DT or TS	O	

Formatted Table

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req./Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
75325-1	Symptoms	Symptoms the patient experienced	Code	O			Observation/OBX segment with this variable ID and label  OBX-2 = CWE  OBX-3 =75325-1^Symptom^LN  OBX-4 = if needed for more than one symptom (suggest to number sequentially starting with "1" for each occurrence)  OBX-5 can be one of: 49727002^Cough^SCT 426000000^Fever over 100.4 Fahrenheit^SCT 267036007^Shortness of Breath^SCT 84229001^Fatigue^SCT 25064002^Headache^SCT 62315008^Diarrhea^SCT 103001002^Feeling feverish^SCT 43724002^Chills^SCT 230145002^Difficulty breathing^SCT 68962001^Muscle pain^SCT 36955009^Loss of sense of taste^SCT 44169009^Loss of sense of smell^SCT 162397003^Sore throat^SCT 68235000^Nasal congestion^SCT 64531003^Nasal Discharge^SCT 422587007^Nausea^SCT 422400008^Vomiting^SCT	2.3.1: CE  2.5.1: CWE	O	

Formatted Table

Formatted: Font: 8.5 pt

Formatted: Font: 8 pt

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req./ Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
77974-4	Hospitalization	Patient hospitalization status due to condition	Code	O		Yes No Unknown (YNU)	Observation/OBX segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = 77974-4^Patient was hospitalized because of this condition^LN  OBX-5 can be one of: Y^Yes^HL70136 N^No^HL70136 UNK^Unknown^NULLFL	2.3.1: CE	O	
95420-6	ICU	Patient was admitted to intensive care unit for condition of interest	Code	O		Yes No Unknown (YNU)	Observation/OBX segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = 95420-6^Admitted to intensive care unit for condition of interest^LN  OBX-5 can be one of: Y^Yes^HL70136 N^No^HL70136 UNK^Unknown^NULLFL	2.3.1: CE	O	

Formatted Table

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Reg./Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
95421-4	Congregate Care	Did the patient reside in a congregate care setting	Code	O		Yes No Unknown (YNU)	Observation/OBX segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = 95421-4^Resides in a congregate care setting^LN  OBX-5 can be one of: Y^Yes^HL70136 N^No^HL70136 UNK^Unknown^NULLFL	2.3.1: CE  2.5.1: CWE	O	

Formatted Table

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req./Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
75617-1	Residence Type	The type of residence of the congregate care setting	Code	O			Observation/OBX segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = 75617-1^Residence type^LN  OBX-5 can be one of: 22232009^Hospital^SCT 2081004^Hospital ship^SCT 32074000^Long term care hospital^SCT 224929004^Secure hospital^SCT 42665001^Nursing home^SCT 30629002^Retirement home^SCT 74056004^Orphanage^SCT 722173008^Prison-based care site^SCT 20078004^Substance abuse treatment center^SCT 257573002^Boarding house^SCT 224683003^Military accommodation^SCT 284546000^Hospice^SCT 257628001^Hostel^SCT 310207003^Sheltered housing^SCT 257656006^Penal institution^SCT 285113009^Religious institutional residence^SCT	2.3.1: CE  2.5.1: CWE	O	

Formatted Table

Formatted: Font: 8.5 pt

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Program Specific Data Elements for Unsolicited Results							Mapping Methodology			
Variable ID	Label	Description	Data Type	Prog. Req./Opt	May Rpt	Value Set Name	Message Context	HL7 Data Type	HL7 Usage	HL7 Rpt
82810-3	Pregnant	Pregnancy status of patient	Code	O			Observation/OBX segment with this variable ID and label  2.3.1 OBX-2 = CE 2.5.1 OBX-2 = CWE  OBX-3 = 82810-3^Pregnancy status^LN  OBX-5 can be one of: 77386006^Patient currently pregnant^SCT 102874004^Possible pregnancy^SCT 60001007^Not pregnant^SCT UNK^Unknown^NULLFL	2.3.1: CE  2.5.1: CWE	O	
30525-0	Age	Patient Age	Numeric with Units	O			Observation/OBX segment with this variable ID and label  OBX-2 = NM (can be SN)  OBX-3 = 30525-0^Age^LN^^2.68  OBX-5 = numeric value  OBX-6 = age units in UCUM as applicable - expected as years => a^year^UCUM other options: months => mo^month^UCUM days => d^day^UCUM hours => h^hour^UCUM	NM or SN	O	

Formatted Table

## 4 SAMPLE HL7 MESSAGE

### 4.1 STORYBOARD

Dr. Marcus Welby, Jr., sees Jared Doe, Jr., a 30-year-old male, during an office visit. Jared Doe presents symptoms of fever, cough, sore throat and muscle aches, all consistent with a diagnosis of influenza or SARS-CoV-2. While examining the patient, Dr. Welby discovers that Mr. Doe has been traveling outside of the United States recently, specifically Italy, West Africa, and Bangkok. Dr. Welby decides to order an Influenza and SARS-CoV-2 Identification Test from his local public health department to determine the type of virus the patient has acquired.

A sputum sample is taken from the patient, and an electronic order for the testing is placed through Dr. Welby's EHR application, a Northeast Medical Center ordering application. The Northeast Medical Center ordering application transmits the order to the Virginia State STARLIMS application for processing. Dr. Welby sends the patient home, prescribing bed rest, plenty of fluids and an anti-inflammatory, such as ibuprofen or aspirin.

The Virginia State Public Health Laboratory tests the specimen collected from Mr. Doe and finds it to be positive for influenza A and negative for SARS-CoV-2. The laboratory tests the specimen further to determine the subtype of the influenza virus and finds the specimen is not positive for normally circulating influenza viruses. They further test the virus for influenza A/H5 and A/H7 based on Mr. Doe's travel history.

#### 4.1.1 Sample HL7 V2.3.1

```
MSH|^~\&|VA STARLIMS Stage^2.16.840.1.114222.4.3.3.2.2.1^ISO|VA PHL
Richmond^2.16.840.1.114222.4.1.9977^ISO|US WHO Collab LabSys^2.16.840.1.114222.4.3.3.7^ISO|CDC EPI Surv
Branch^2.16.840.1.114222.4.1.10416^ISO|200707071830||ORU^R01|200707070897|P|2.3.1 |||||
PHLIP_ORU_v1.0.2^PHIN_Profile_ID^2.16.840.1.114222.4.10.3^ISO<cr>

PID|1||105431122VA^^VA STARLIMS Stage&2.16.840.1.114222.4.3.3.2.2.1&ISO^MR^VA PHL
Richmond&2.16.840.1.114222.4.1.9977&ISO||Doe^Jared^Q^Jr^^BBA^L||19760909|M||2106-3^White^CDCREC~2028-
9^Asian^CDCREC|2166 Wells Dr^AptB^Richmond^51^23235^US^H|||||||2186-5^Not Hispanic or
Latino^CDCREC^N^Not Hispanic^L|||||||N<cr>

ORC|RE|NE5400123^NE Med System^2.16.840.1.114222.75.9.1.2.1^ISO|F67993405^VA STARLIMS
Stage^2.16.840.1.114222.4.3.3.2.2.1^ISO||CM|||||||Northeast Medical Center|1600 Hospital
Drive^Ste 350^Richmond^51^23235^US^M|^WPN^PH^^^804^6486154^320~^NET^X.400^jsmith@neastmed.com <cr>

OBR|1|NE5400123^NE Med System^2.16.840.1.114222.75.9.1.2.1^ISO|F67993405^VA STARLIMS
Stage^2.16.840.1.114222.4.3.3.2.2.1^ISO|PLT40^Epidemiologically Important Information -
Influenza^PLT|||200706270930|||||200706271530|SPT&Sputum& HL70070&SPU&Sputum&L|
^Welby^Marcus^J^Jr^Dr^MD|||||||F<cr>

OBX|1|SN|21612-7^Age Patient Qn Reported^LN||^30|a^year^UCUM|||||F<cr>

OBX|2|CE|FLU002^Was the patient vaccinated for Influenza?^PHINQUESTION||Y^Yes^HL70136|||||F<cr>
```

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

OBX|3|CE|FLU001^Was the patient receiving influenza antiviral medication?^PHINQUESTION||N^No^HL70136|||||F<cr>
OBX|4|CE|LAB514^Was this specimen related to an outbreak?^PHINQUESTION||Y^Yes^ HL70136|||||F<cr>
OBX|5|CE|LAB330^Patient location status at specimen collection (e.g., outpatient, inpatient, long-term care)^PHINQUESTION||O^Outpatient^HL70489|||||F<cr>
OBX|6|CE|PHLIP01^Did the patient travel outside the U.S. within 10 days of illness onset?^PHINQUESTION||Y^Yes^HL70136|||||F<cr>
OBX|7|CE|TRAVEL05^International destination(s)^PHINQUESTION||IT^Italy^ISO3166-1~^^WTAFA^West Africa^L~^^BANT^Bangkok^L|||||F<cr>
OBX|8|CE|LAB515^Is Isolate being sent to CDC?^PHINQUESTION||Y^Yes^ HL70136|||||F<cr>
OBX|9|TS|11368-8^ILLNESS/INJURY ONSET DATE/TIME^LN||20070622|||||F<cr>
OBX|10|CX|LAB517^Identifier assigned by laboratory to the isolate sent to CDC^PHINQUESTION||A16170^^VA STARLIMS\_Stage&2.16.840.1.114222.4.3.3.2.2.1&ISO|||||F<cr>
OBX|11|TX|PHLIP02^History of culture medium^PHINQUESTION||E1 One Time in Egg|||||F<cr>
OBX|12|IS|DEM165^Patient Address County^PHINQUESTION||Prince William|||||F<cr>
OBR|2|NE5400123^NE Med System^2.16.840.1.114222.75.9.1.2.1^ISO|F67993405^VA STARLIMS Stage^2.16.840.1.114222.4.3.3.2.2.1^ISO|PLT77^Influenza Virus Detection and Identification^PLT||| 200706270930|||||200706271530|SPT&Sputum&HL70070&CSW&Cheek Swab&L|^Welby^Marcus^J^Jr^Dr^MD|||||F<cr>
OBX|1|CX|LAB202^Unique Specimen ID^PHINQUESTION||VA12345^^VA STARLIMS Stage&2.16.840.1.114222.4.3.3.2.2.1&ISO|||||F<cr>
OBX|2|CE|22827-0^FluAV subtype XXX PCR^LN||PLR67^Influenza A H5 asian lineage detected^PLR|||A|||F||| 200707011422<cr

4.2.1 STORYBOARD

Arkansas Hospital sees Jared Doe, Jr., a 60-year-old male, during an office visit. Jared Doe presents symptoms of fever, cough, sore throat and muscle aches, all consistent with a diagnosis of influenza.

A nasal sinus sample is taken from the patient, and an electronic order for the testing is placed through Arkansas Hospital's ordering application. Arkansas Hospital's ordering application transmits the order to the Arkansas State STARLIMS application for processing. The attending physician sends the patient home, prescribing bed rest, plenty of fluids and an anti-inflammatory, such as ibuprofen or aspirin.

The Arkansas State Public Health Laboratory tests the specimen collected from Mr. Doe and finds it to be positive for influenza A/H3N2.

4.2.2 Sample HL7 V2.5.1

MSH|^~\&#|STARLIMS.AR.STAG^2.16.840.1.1142221422.4.3.3.2.5.2^ISO|AR.LittleRock.SPHL^2.16.840.1.113214222.4.1.29999 ^ISO|US WHO Collab LabSys^2.16.840.1.114222.4.3.3.7^ISO|CDC-EPI Surv

- Formatted: Font: 11 pt, Not Bold
Formatted: Indent: Left: 1.27", No bullets or numbering
Formatted: Font: 11 pt, Not Bold
Formatted: Font: 11 pt, Not Bold
Formatted: Outline numbered + Level: 3 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.77" + Indent at: 1.27"
Formatted: Left

INFLUENZA VIRUS (ELECTRONIC, YEAR ROUND), PHLIP\_HL7 MESSAGING DATA ELEMENTS

OMB NO. 0920-0004

Branch^2.16.840.1.114222.4.1.10416^ISO|20200207145629-  
0600||ORU^R01^ORU\_R01|40708|T|2.5.1|||NE|NE|USA|||PHLabReport-  
NoAck^ELR251R1 Rcvr Prof^2.16.840.1.1126323883.9.12991^ISO-PHLIP\_ELSM\_251^PHLIP\_Profile\_Flu^2.16.840.1.1132562883.  
9.17159^ISO

SFT|Abbott Laboratories|PH12.0.18|STARLIMS|11.5.6||20201008

PID|1||CZ234567^^^STARLIMS.AR.Prod&2.16.840.1.112254222.4.3.3.2.5.1&ISO^PI||Pid5~^^^^^S|^M|19620622|M|2054-  
5^Black or African American^CDCREC^^^^^Hispanic or Latino|^USA|||H^Hispanic or  
Latino^HL70189^^^HL7v2.5.1^Hispanic or Latino

ORC|RE|M00000594^AR.CCI.Stag^2.16.840.1.1122153154222.4.1.105.44.2^ISO|M00000594-  
230^STARLIMS.AR.Prod^2.16.840.1.125312254222.4.3.3.2.5.1^ISO||CM|^PRN^PH^1^555^5551234|||Arkansas  
Hospital|1234 Main St^Little Rock^AR^55555|^1^555^5551234

OBR|1|M00000594^AR.CCI.Stag^2.16.840.1.112254222.4.1.105.44.2^ISO|M00000594-  
230^STARLIMS.AR.Prod^2.16.840.1.112211454222.4.3.3.2.5.1^ISO|48509-4^FLUAV + FLUBV RNA XXX  
NAA+probe^LN^^^FluAB||202002051800-0600|||^PRN^PH^1^555^5551234|||20200206073248-0600|||F

OBX|1|CWE|48509-4^Influenza virus A and B RNA [Identifier] in Unspecified specimen by NAA with probe  
detection^^|446645007^Influenza A virus subtype H3^SCT^^^^^Influenza A virus subtype H3|||F||202002051800-  
0600|||^PCR||202002060715-0600|||Public Health Laboratory,  
AR^L^^^CLIA&2.16.840.1.113883.4.7&ISO^XX^^^04D1044168|1234 Main St^Little Rock^AR^55555^USA^B|^Doe^Director

SPM|1|^M00000594&STARLIMS.AR.PROD&2.16.840.1.112254222.4.3.3.2.5.1&ISO||430238007^Specimen from nasal sinus  
(specimen)^SCT|||202002051800-0600|202002060707-0600

Formatted: Indent: Left: 1.27"