#### PRA Disclosure Statement

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-0842**, Expiration date: XX-XX-XXXX. The time required to complete this information collection is estimated to average **1 hour and 47 minutes** per assessment, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850. \*\*\*CMS Disclaimer\*\*\*Please do not send applications, claims, payments, medical records or any documents containing sensitive information to the PRA Reports Clearance Office. Please note that any correspondence not pertaining to the information collection burden approved under the associated OMB control number listed on this form will not be reviewed, forwarded, or retained. If you have questions or concerns regarding where to submit your documents, please contact Ariel Cress at Ariel. Cress@cms.hhs.gov.

# INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT

	<b>Identification Information</b>				Medical Inform	ation	
1.	Facility Information	21.		Impairment Group*			
	A. Facility Name			•		Admission	Discharge
			ond	lition requiring admission	to rehabilitation;	code according	g to Appendix A.
				Etiologic Diagnosis			Α
				(Use ICD codes to indica			В
-				that led to the condition f receiving rehabilitation)	or which the pati	ent is	C
	B. Facility Medicare Provider Number	23.		Date of Onset of Impairm	ent	/_ M / DD / YYYY	
_	•				MN	M/DD/YYYY	Y
2.	Patient Medicare Number	24.		Comorbid Conditions			
3.	Patient Medicaid Number			Use ICD codes to enter co			
4.	Patient First Name			A	J		
5A.	Patient Last Name			B	K		
5B.	Patient Identification Number			C	L		
6.		/ / M / DD / YYYY		D E.	M N.		·
7.	Social Security Number			F	O		
8.	Gender (1 - Male; 2 - Female)			G	P		· <u>·                                    </u>
				Н.	Q		
10.	Marital Status (1 - Never Married; 2 - Married; 3 - Widowed;			I	R		
	4 - Separated; 5 - Divorced)			1.	π		
11.	Zip Code of Patient's Pre-Hospital Residence		٨	Are there any arthritis con	nditions recorded	in itama #21 #	+22 or #24 that most
12.	Admission Date	$\frac{/}{M/DD/YYYY}$		all of the regulatory requi	rements for IRF		
12	Assessment Reference Date	/ /		412.29(b)(2)(x), (xi), and	(X11))?	(0 - No	: 1 - Yes)
13.	Assessment Reference Date  MN	M / DD / YYYYY				(0 110,	1 100)
14.	Removed			leight and Weight			
1.5.4	41.55			While measuring if the nui ound up)	nber is X.1-X.4 r	ound down, X.5	i or greater
15A	. Admit From			Height on admission (in	nches)		
(01- Home (private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements); 02- Short-term		, o,		Troight on wumberon (m.			
	General Hospital; 03 - Skilled Nursing Facility (SNF);		26A. Weight on admission (in pounds)				
care; 06 - Home under care of organized home health service organization; 50 - Hospice (home); 51 - Hospice (medical facility); 61 -			Measure weight consistently, according to standard facility practice				
	Swing bed; 62 - Another Inpatient Rehabilitation Facil	lity;		(e.g., in a.m. after voiding	, with shoes off, e	etc.)	
	63 - Long-Term Care Hospital (LTCH); 64 - Medicaid 65 - Inpatient Psychiatric Facility; 66 - Critical Access						
	99 - Not Listed)	s Hospital (CAH),					
16A	. Pre-hospital Living Setting						
	Use codes from 15A. Admit From						
17.	Pre-hospital Living With	<del></del>					
	(Code only if item 16A is 01- Home: Code using 01 - Ale						
	02 - Family/Relatives; 03 - Friends; 04 - Attendant; 05	- Other)					
Ì							

<sup>\*</sup> The impairment codes incorporated or referenced herein are the property of U B Foundation Activities, Inc. ©1993, 2001 U B Foundation Activities, Inc.

	Discharg	ge Information	Therapy Information	
40.	Discharge Date	/	O0401. Week 1: Total Number of Minutes Provided	
	•	MM / DD / YYYY	O0401A: Physical Therapy	
41.	Patient discharged against medi-	cal advice?	a. Total minutes of individual therapy	
		(0 - No; 1 - Yes)	b. Total minutes of concurrent therapy	
42.	Program Interruption(s)		c. Total minutes of group therapy	
72.	rogram merupuon(s)	(0 - No; 1 - Yes)	d. Total minutes of co-treatment therapy	
43	Program Interruption Dates			
٦٥.	(Code only if item 42 is 1 - Yes)		O0401B: Occupational Therapy	
	A. 1st Interruption Date	B. 1st Return Date	a. Total minutes of individual therapy	
	A. I interruption Date	B. 1 Return Date	b. Total minutes of concurrent therapy	
	MM / DD / YYYY	MM / DD / YYYY	c. Total minutes of group therapy	
		MM/DD/1111	d. Total minutes of co-treatment therapy	
	C. 2 <sup>nd</sup> Interruption Date	D. 2 <sup>nd</sup> Return Date	004016 6 14 1	
			O0401C: Speech-Language Pathology	
	MM / DD / YYYY	MM / DD / YYYY	a. Total minutes of individual therapy	
	D. ardy	E ard D . D .	b. Total minutes of concurrent therapy     c. Total minutes of group therapy	
	E. 3 <sup>rd</sup> Interruption Date	F. 3 <sup>rd</sup> Return Date	d. Total minutes of group therapy	
			d. Total infinites of co-freatment therapy	
	MM / DD / YYYY	MM / DD / YYYY	O0402. Week 2: Total Number of Minutes Provided	
44C	C. Was the patient discharged alive	e?	O0402A: Physical Therapy	
	1	(0 - No; 1 - Yes)	a. Total minutes of individual therapy	
44D	D. Patient's discharge destination/l	living setting, using codes below: (answer	b. Total minutes of concurrent therapy	
	only if $44C = 1$ ; if $44C = 0$ , skip	to item 46)	c. Total minutes of group therapy	
	(0.1 / 1 / 1		d. Total minutes of co-treatment therapy	
		board/care, assisted living, group home, ntial care arrangements); 02- Short-term		_
		Nursing Facility (SNF); 04 - Intermediate	O0402B: Occupational Therapy	
	care; 06 - Home under care of o		a. Total minutes of individual therapy	
		ne); 51 - Hospice (medical facility); 61 - ent Rehabilitation Facility; 63 - Long-	b. Total minutes of concurrent therapy	
	Term Care Hospital (LTCH); 64	4 - Medicaid Nursing Facility; 65 -	c. Total minutes of group therapy	
		66 - Critical Access Hospital (CAH); 99 -	d. Total minutes of co-treatment therapy	
	Not Listed)			
45.	8		O0402C: Speech-Language Pathology	
	(Code only if item 44C is 1 - Yes Alone; 2 - Family / Relatives; 3	s and 44D is 01 - Home; Code using 1 -	a. Total minutes of individual therapy	
	5 - Other)	- Prienas, 4 - Allendani,	b. Total minutes of concurrent therapy	
16	Diagnosis for Interruption or De	andh	c. Total minutes of group therapy	
46.	(Code using ICD code)	<u></u>	d. Total minutes of co-treatment therapy	
	,			
47.	1 0	•		
	(Use ICD codes to specify up to began with this rehabilitation st			
	A	В		
	C	D		
	E	F		

# INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT QUALITY INDICATORS

Section	on A	Administrative Information			
	<b>Ethnicity</b> of Hispanic, Latino/a	ı, or Spanish origin?			
<b>↓</b> c	Check all that apply				
	A. No, not of Hisp	anic, Latino/a, or Spanish origin			
	B. Yes, Mexican, M	lexican American, Chicano/a			
	C. Yes, Puerto Rica	an			
	D. Yes, Cuban				
	E. Yes, another Hi	spanic, Latino, or Spanish origin			
	X. Patient unable	to respond			
	Y. Patient declines	s to respond			
A1010. I	Race your race?				
<b>*</b> C	Check all that apply  A. White				
H	B. Black or African	American			
	C. American India				
	D. Asian Indian	II OF AldSRU HULIVE			
H	E. Chinese				
H	F. Filipino				
	G. Japanese				
	H. Korean				
H	I. Vietnamese				
	J. Other Asian				
	K. Native Hawaiian	1			
	L. Guamanian or G				
	M. Samoan				
	N. Other Pacific Isla	ander			
	X. Patient unable t	to respond			
	Y. Patient declines	•			
	Z. None of the abo				
	I.				

Patient	Identifier		Date			
A1110.	10. Language					
	A. What is your preferred language?					
Enter Code	B. Do you need or want an interpreter to communicate with a doct 0. No 1. Yes 9. Unable to determine	or or health care staff?				
A1400. I	00. Payer Information					
1 0	Check all that apply					
	A. Medicare (traditional fee-for-service)					
	B. Medicare (managed care/Part C/Medicare Advantage)					
	C. Medicaid (traditional fee-for-services)					
	D. Medicaid (managed care)					
	E. Workers' compensation					
	F. Title programs (e.g., Title III, V, or XX)					
	G. Other government (e.g., TRICARE, VA, etc.)					
	H. Private insurance/Medigap					
	I. Private managed care					
	J. Self-pay					

K. No Payer source

X. Unknown
Y. Other

OMB No. 0938-0842

Patient Identifier Date

# **ADMISSION**

Sectio	n B	Hearing, Speech, and Vision				
B0200. H	learing					
Enter Code	Ability to hear (with hearing aid or hearing appliances if normally used)  0. Adequate - no difficulty in normal conversation, social interaction, listening to TV  1. Minimal difficulty - difficulty in some environments (e.g., when person speaks softly or setting is noisy)  2. Moderate difficulty - speaker has to increase volume and speak distinctly  3. Highly impaired - absence of useful hearing					
B1000. V	ision					
Enter Code	<ol> <li>Adequate - sees</li> <li>Impaired - sees la</li> <li>Moderately imp</li> <li>Highly impaired</li> </ol>	quate light (with glasses or other visual appliances) fine detail, such as regular print in newspapers/books arge print, but not regular print in newspapers/books aired - limited vision; not able to see newspaper headlines but can identify objects - object identification in question, but eyes appear to follow objects ed - no vision or sees only light, colors or shapes; eyes do not appear to follow objects				
	n do you need to hav	n Creative Commons©) ve someone help you when you read instructions, pamphlets, or other written material from your doctor				
Enter Code	<ol> <li>Never</li> <li>Rarely</li> <li>Sometimes</li> <li>Often</li> <li>Always</li> <li>Patient declines</li> <li>Patient unable t</li> </ol>					
The Single	Item Literacy Screener	is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.				
BB0700.	Expression of Ideas	and Wants (3-day assessment period)				
Enter Code	4. Expresses comple 3. Exhibits some dif 2. Frequently exhib	and wants (consider both verbal and non-verbal expression and excluding language barriers) ex messages without difficulty and with speech that is clear and easy to understand  fficulty with expressing needs and ideas (e.g., some words or finishing thoughts) or speech is not clear  bits difficulty with expressing needs and ideas  presses self or speech is very difficult to understand				
BB0800.	Understanding Ver	bal and Non-Verbal Content (3-day assessment period)				
Enter Code	Understands: Cl     Usually understa     understand	al and non-verbal content (with hearing aid or device, if used, and excluding language barriers) lear comprehension without cues or repetitions ands: Understands most conversations, but misses some part/intent of message. Requires cues at times to erstands: Understands only basic conversations or simple, direct phrases. Frequently requires cues to understand inderstands				

OMB No. 0938-0842 Date

Patient Identifier

# **ADMISSION**

Sectio	n C	Cognitive Patterns				
	CO100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted? (3-day assessment period)  Attempt to conduct interview with all patients.					
Enter Code	0. No (patient is rarely/never understood) → Skip to C0900, Memory/Recall Ability 1. Yes → Continue to C0200, Repetition of Three Words					
Brief Inte	rview for Mental S	tatus (BIMS)				
C0200. R	epetition of Three	Words				
	and bed. Now tell me					
Enter Code	Number of words re 3. Three	epeated after first attempt				
	2. <b>Two</b>					
	1. <b>One</b> 0. <b>None</b>					
		st attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may to two more times.				
C0300. Te	emporal Orientatio	n (orientation to year, month, and day)				
Enter Code	A. Able to report co 3. Correct 2. Missed by 1 y 1. Missed by 2 -	year				
	Ask patient: "What n	nonth are we in right now?"				
Enter Code						
	Ask patient: "What d	ay of the week is today?"				
Enter Code	1. Correct 0. Incorrect or n	no answer				
C0400. R	ecall					
Enter Code	cue (something to we A. Able to recall "so 2. Yes, no cue r	required eing ("something to wear")				
Enter Code	B. Able to recall "blu 2. Yes, no cue r 1. Yes, after cue 0. No - could no	equired eing ("a color")				
Enter Code	C. Able to recall "be 2. Yes, no cue r 1. Yes, after cue 0. No - could no	equired ing ("a piece of furniture")				

Patient Identifier Date

A F	<b>`</b> n <i>n</i>	ICCI		
ΑL	JIVI	ISSI	O	V

7.5						
Sectio	Section C Cognitive Patterns					
Brief Inte	Brief Interview for Mental Status (BIMS) – Continued					
С0500. В	IMS Summary Scor	re				
Enter Score	-	estions C0200-C0400 and fill in total score (00-15) cient was unable to complete the interview				
C0600. SI	hould the Staff As	sessment for Mental Status (C0900) be Conducted?				
Enter Code	1.5	as able to complete Brief Interview for Mental Status) $\longrightarrow$ Skip to C1310, Signs and Symptoms of Delirium as unable to complete Brief Interview for Mental Status) $\longrightarrow$ Continue to C0900, Memory/Recall Ability				
Staff Asse	essment for Menta	l Status				
Do not con	duct if Brief Interview	for Mental Status (C0200-C0500) was completed.				
C0900. M	emory/Recall Abili	ity (3-day assessment period)				
↓ Che	ck all that the patie	nt was normally able to recall				
	A. Current season					
B. Location of own room						
	C. Staff names and	d faces				
<u> </u>	E. That they are in	n a hospital/hospital unit				
	Z. None of the abo	ve were recalled				
C1310. Si	igns and Symptom	ns of Delirium (from CAM ©)				
Code after	completing Brief Inte	rview for Mental Status or Staff Assessment, and reviewing medical record.				
A. Acute	Onset Mental Stati	us Change				
Enter Code	Is there evidence of 0. No 1. Yes	f an acute change in mental status from the patient's baseline?				
Coding:		↓ Enter Code in Boxes				
1. Beha	havior not present havior continuously esent, does not ctuate navior present, ctuates (comes and es, changes in severity)	<b>B. Inattention</b> - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said?				
2. Beha fluct		C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?				
	-	D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria?  • vigilant - startled easily to any sound or touch  • lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch  • stuporous - very difficult to arouse and keep aroused for the interview  • comatose - could not be aroused				
Auupteujro	m. mouye sk, et al. Anr	n Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to				

be reproduced without permission.

OMB No. 0938-0842
Patient Identifier Date

<b>ADMI</b>	SSION
-------------	-------

Section D Moo	od		
D0150. Patient Mood Interview (PF	IQ-2 to 9) (from Pfizer Inc.©)		
D0150B1 as 9, No response, leave D015	understood verbally, in writing, or using another method. If rarely/never 0A2 and D0150B2 blank, end the PHQ-2 interview, and leave D0160, Total have you been bothered by any of the following problems?"	•	
, , , , , , , , , , , , , , , , , , , ,	umn 1, Symptom Presence. A <i>bout <b>how often</b> have you been bothered by this?"</i> e symptom frequency choices. Indicate response in column 2, Symptom Frequ	uency.	
1. Symptom Presence 0. No (enter 0 in column 2) 1. Yes (enter 0-3 in column 2)	2. Symptom Frequency 0. Never or 1 day 1. 2-6 days (several days)	1. Symptom Presence	2. Symptom Frequency

2. 7-11 days (half or more of the days)3. 12-14 days (nearly every day)

B. Feeling down, depressed, or nopeless								
If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.								
C. Trouble falling or staying asleep, or sleeping too much								
D. Feeling tired or having little energy								
E. Poor appetite or overeating								
F. Feeling bad about yourself – or that you are a failure or have let yourself or your family down								
G. Trouble concentrating on things, such as reading the newspaper or watching television								
H. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual								
Thoughts that you would be better off dead, or of hurting yourself in some way								

Copyright © Pfizer Inc. All rights reserved. Reproduced with permission.

#### **D0160. Total Severity Score**

9. No response (leave column 2 blank)

A. Little interest or pleasure in doing things

Enter Score

**Add scores for all frequency responses in column 2**, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)

#### **D0700. Social Isolation**

How often do you feel lonely or isolated from those around you?

Enter Code

- 0. Never
- 1. Rarely
- 2. Sometimes
- 3. Often
- 4. Always
- 7. Patient declines to respond
- 8. Patient unable to respond

↓ Enter Scores in Boxes ↓

		OMB No. 0938-0842		
Patient	Identifier	Date		

# **ADMISSION**

Section GG Functional Abilities					
<b>GG0100. Prior Functioning: Everyday Activities.</b> Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury.					
Coding:	↓ Enter Codes in Boxes				
Independent - Patient completed all the activities by themself, with or without an assistive device, with no assistance from a	A. Self-Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.				
helper.  2. Needed Some Help - Patient needed partial assistance from another person to complete any activities.	B. Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.				
Dependent - A helper completed all the activities for the patient.     Unknown	C. Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.				
9. Not Applicable	D. Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.				
GG0110. Prior Device Use. Indicate devices and	d aids used by the patient prior to the current illness, exacerbation, or injury.				
↓ Check all that apply					
A. Manual wheelchair					
B. Motorized wheelchair and/or scooter	B. Motorized wheelchair and/or scooter				
C. Mechanical lift	C. Mechanical lift				
D. Walker	D. Walker				
E. Orthotics/Prosthetics	E. Orthotics/Prosthetics				
7. None of the above					

OMB No. 0938-0842
Patient Identifier Date

#### **ADMISSION**

# Section GG Functional Abilities

GG0130. Self-Care (3-day assessment period)

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason.

#### Coding:

**Safety** and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

Admission Performance	
Enter Codes in Boxe	es <b>\</b>
	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
	<b>B. Oral hygiene:</b> The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
	C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair).  Does not include transferring in/out of tub/shower.
	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
	<b>G. Lower body dressing:</b> The ability to dress and undress below the waist, including fasteners; does not include footwear.
	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

#### **ADMISSION**

#### **Section GG**

#### **Functional Abilities**

#### GG0170. Mobility (3-day assessment period)

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason.

#### Coding:

**Safety** and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

Admission Performance				
Enter Codes in Box	es v			
	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.			
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.			
	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.			
	<b>D. Sit to stand:</b> The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.			
	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).			
	F. Toilet transfer: The ability to get on and off a toilet or commode.			
	<b>G. Car transfer:</b> The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.			
	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space.  If admission performance is coded 07, 09, 10, or 88→ Skip to GG0170M, 1 step (curb)			
	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.			
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.			

#### **ADMISSION**

# Section GG Functional Abilities

GG0170. Mobility (3-day assessment period) - Continued

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason.

#### Coding:

**Safety** and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

Admission Performance			
<b>↓</b> Enter Codes in Boxes <b>↓</b>			
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.		
	M. 1 step (curb): The ability to go up and down a curb or up and down one step. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object		
	N. 4 steps: The ability to go up and down four steps with or without a rail.  If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object		
	O. 12 steps: The ability to go up and down 12 steps with or without a rail.		
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.		
	Q1. Does the patient use a wheelchair and/or scooter?  0. No → Skip to H0350, Bladder Continence  1. Yes → Continue to GG0170R, Wheel 50 feet with two turns		
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.		
	RR1. Indicate the type of wheelchair or scooter used.  1. Manual 2. Motorized		
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.		
	SS1. Indicate the type of wheelchair or scooter used.  1. Manual 2. Motorized		

Patient Identifier Date

#### **ADMISSION**

Section	on H	Bladder and Bowel			
H0350.	Bladder Continence	e (3-day assessment period)			
Enter Code	O. Always contine Stress incontine Incontinent les Incontinent da Always incont No urine outpu	s than daily (e.g., once or twice during the 3-day assessment period) ily (at least once a day)			
H0400. E	Bowel Continence (3	B-day assessment period)			
Enter Code	Bowel continence - Select the one category that best describes the patient.  0. Always continent  1. Occasionally incontinent (one episode of bowel incontinence)  2. Frequently incontinent (2 or more episodes of bowel incontinence, but at least one continent bowel movement)  3. Always incontinent (no episodes of continent bowel movements)  9. Not rated, patient had an ostomy or did not have a bowel movement for the entire 3 days				
Section	Section I Active Diagnoses				
Comorb	idities and Co-exis	ting Conditions			
↓ Ch	↓ Check all that apply				

#### Section J Health Conditions

#### J0510. Pain Effect on Sleep

17900. None of the above

Enter Code

Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?"

- 0. Does not apply I have not had any pain or hurting in the past 5 days Skip to J1750, History of Falls
- 1. Rarely or not at all
- 2. Occasionally
- 3. Frequently
- 4. Almost constantly
- 8. Unable to answer

#### J0520. Pain Interference with Therapy Activities

Enter Code

Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?"

0. Does not apply – I have not received rehabilitation therapy in the past 5 days

10900. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)

12900. Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)

- 1. Rarely or not at all
- 2. Occasionally
- 3. Frequently
- 4. Almost constantly
- 8. Unable to answer

		OMB No. 0938-0842
Patient	Identifier	Date

Δ	D	M	ISS	IO	N
$\overline{}$	$\boldsymbol{-}$		133	-	11

Section J	Health Conditions			
J0530. Pain Interference	with Day-to-Day Activities			
Ask patient: "Over the past 5 days, how often have you limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?"  1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer				
J1750. History of Falls				
Enter Code Has the patient had 0. No 1. Yes 8. Unknown	I two or more falls in the past year or any fall with injury in the past year?			
J2000. Prior Surgery				
Enter Code Did the patient had 0. No 1. Yes 8. Unknown	0. No 1. Yes			
Section K	Swallowing/Nutritional Status			
<b>K0520. Nutritional Appro</b> Check all of the following in	aches utritional approaches that apply on admission.			
		1. On Admission Check all that apply		
A. Parenteral/IV feeding		<b>T</b>		
B. Feeding tube (e.g., nasoga	stric or abdominal (PEG))			
	- require change in texture of food or liquids (e.g., pureed food, thickened liquids)			
D. Therapeutic diet (e.g., lov	salt, diabetic, low cholesterol)			
Z. None of the above	Z. None of the above			
Section M Skin Conditions				
Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage				
M0210. Unhealed Pressu	M0210. Unhealed Pressure Ulcers/Injuries			
Enter Code Does this patient I  0. No -> Ski	Enter Code  Does this patient have one or more unhealed pressure ulcers/injuries?  0. No → Skip to N0415, High-Risk Drug Classes: Use and Indication  1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage			

# **ADMISSION**

Section M Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0300.	Cur	rent Number of Unhealed Pressure Ulcers/Injuries at Each Stage
Enter Number	A.	<b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.
		1. Number of Stage 1 pressure injuries
Enter Number	В.	<b>Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.
		1. Number of Stage 2 pressure ulcers
Enter Number	c.	<b>Stage 3:</b> Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.
		1. Number of Stage 3 pressure ulcers
Enter Number	D.	<b>Stage 4:</b> Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.
		1. Number of Stage 4 pressure ulcers
Enter Number	E.	Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device
		1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device
Enter Number	F.	Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar
		1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar
Enter Number	G.	Unstageable - Deep tissue injury
		1. Number of unstageable pressure injuries presenting as deep tissue injury

Patient	Identifier	Date

Λ		NЛ	ISS	Λ
$\overline{}$	u	v	133	

Section N	Medications				
N0415. High-Risk Drug Classes: Use and Indication					
Is taking     Check if the patient is taking in the following classes	2. Indication noted				
2. Indication noted If column 1 is checked, chec	Check all that apply				
A. Antipsychotic					
E. Anticoagulant					
F. Antibiotic					
H. Opioid					
I. Antiplatelet					
J. Hypoglycemic (including in	sulin)				
Z. None of the above					
N2001. Drug Regimen Rev	riew				
0. No - No issue 1. Yes - Issues f	ug regimen review identify potential clinically significant medicates found during review $\longrightarrow$ Skip to O0110, Special Treatments, Procedure ound during review $\longrightarrow$ Continue to N2003, Medication Follow-up ole - Patient is not taking any medications $\longrightarrow$ Skip to O0110, Special 7	es, and Programs	nd Programs		
N2003. Medication Follow-					
	recommended actions in response to the identified potential clinically significant medication issues?  0. No				
Section O	Special Treatments, Procedures, and Pro	grams			
-	ts, Procedures, and Programs reatments, procedures, and programs that apply on admission.				
			a. On Admission		
			Check all that apply		
			<u> </u>		
Cancer Treatments					
A1. Chemotherapy					
A2. IV					
A3. Oral  A10. Other					
B1. Radiation					
Respiratory Therapies					
C1. Oxygen Therapy					
C2. Continuous					
C3. Intermittent					
C4. High-concentration					

		OMB No. 0938-0842	
Patient	Identifier	Date	

#### **ADMISSION**

ADIVIISSION		
Section O	Special Treatments, Procedures, and	Programs
-	ments, Procedures, and Programs - Continued ring treatments, procedures, and programs that apply on admis	sion.
		a. On Admission Check all that apply
Respiratory Therapies (	continued)	
D1. Suctioning		
D2. Scheduled		
D3. As Needed		
E1. Tracheostomy care		
F1. Invasive Mechanica	l Ventilator (ventilator or respirator)	
G1. Non-Invasive Mech	nanical Ventilator	
G2. BiPAP		
G3. CPAP		
Other		
H1. IV Medications		
H2. Vasoactive me	dications	
H3. Antibiotics		
H4. Anticoagulation	n	
H10. Other		
I1. Transfusions		
J1. Dialysis		
J2. Hemodialysis		
J3. Peritoneal dial	ysis	
O1. IV Access		
O2. Peripheral		
O3. Midline		
O4. Central (e.g., PI	CC, tunneled, port)	
None of the Above		
Z1. None of the above		

#### **ADMISSION**

# Section R Health-Related Social Needs

# Enter Code What is your living situation today? 0. I have a steady place to live 1. I have a place to live today, but I am worried about losing it in the future 2. I do not have a steady place to live 7. Patient declines to respond 8. Patient unable to respond

Questions on transportation and housing have been derived from the national PRAPARE® social drivers of health assessment tool (2016), which was developed and is owned by the National Association of Community Health Centers (NACHC). This tool was developed in collaboration with the Association of Asian Pacific Community Health Organization (AAPCHO) and the Oregon Primary Care Association (OPCA). For additional information, please visit <a href="https://www.prapare.org">www.prapare.org</a>.

#### R0320. Food

Enter Code	A. Within the past 12 months, you worned that your lood would run out before you got money to buy more.
	0. Often true
	1. Sometimes true
	2. Never true
	7. Patient declines to respond
	8. Patient unable to respond
Enter Code	B. Within the past 12 months, you worried that your food would run out before you got money to buy more.
	0. Often true
	1. Sometimes true
	2. Never true
	7. Patient declines to respond
	8. Patient unable to respond
Hager E	R. Quiga A.M. Black M.M. et al. (2010). Development and Validity of a 2-Item Screen to Identify Eamilies at Rick for Food Insecurity.

Hager, E. R., Quigg, A. M., Black, M. M., et al. (2010). Development and Validity of a 2-Item Screen to Identify Families at Risk for Food Insecurity. Pediatrics, 126(1), 26-32. doi:10.1542/peds.2009-3146.

#### R0330. Utilities

Enter Code | |

In the past 12 months, has the electric, gas, oil, or water company threatened to shut off services in your home?

- 0. Yes
- 1. No
- 2. Already shut off
- 7. Patient declines to respond
- 8. Patient unable to respond

Cook, J. T., Frank, D. A., Casey, P. H., et al. (2008). A Brief Indicator of Household Energy Security: Associations with Food Security, Child Health, and Child Development in US Infants and Toddlers. Pediatrics, 122(4), 867-875. doi:10.1542/peds.2008-0286.

#### R0340. Transportation

Enter Code

In the past 12 months, has lack of reliable transportation kept you from medical appointments, meetings, work or from getting things needed for daily living?

- 0. Yes
- 1. No
- 7. Patient declines to respond
- 8. Patient unable to respond

Questions on transportation and housing have been derived from the national PRAPARE® social drivers of health assessment tool (2016), which was developed and is owned by the National Association of Community Health Centers (NACHC). This tool was developed in collaboration with the Association of Asian Pacific Community Health Organization (AAPCHO) and the Oregon Primary Care Association (OPCA). For additional information, please visit <a href="https://www.prapare.org">www.prapare.org</a>.

Patient		Identifier	Ol Date	MB No. 0938-0842
Section A	Administrative Info	ormation		
	ent Reconciled Medication L , 03, 04, 06, 50, 51, 61, 62, 63,	ist to Subsequent Provider a 64, 65, or 66	t Discharge	
At the time of discharge provider?	arge to another provider, did your	facility provide the patient's current	t reconciled medication list to	the subsequent
	conciled medication list not provider Patient at Discharge	ed to the subsequent provider →	Skip to A2123, Provision of Cu	rrent Reconciled
1. <b>Yes</b> – Current re	econciled medication list provided	I to the subsequent provider		
		Transmission to Subsequent iled medication list to the subsection		
Route of Transmission				Check all that apply
A. Electronic Health Record				
B. Health Information Exch	nange			
C. Verbal (e.g., in-person, te	lephone, video conferencing)			
D. Paper-based (e.g., fax, cop	ies, printouts)			
E. Other Methods (e.g., text	ing, email, CDs)			
<b>A2123. Provision of Curro</b> Complete only if 44D = 01	ent Reconciled Medication L or 99	ist to Patient at Discharge		
Enter Code At the time of discharge	arge, did your facility provide the p	atient's current reconciled medicat	ion list to the patient, family a	and/or caregiver?
0. <b>No</b> – Current re	econciled medication list not provi	ded to the patient, family and/or c	aregiver <del>→</del> Skip to B1300, He	ealth Literacy
1. Yes – Current r	econciled medication list provided	d to the patient, family and/or care	giver	
	Reconciled Medication List is smission of the current reconci	Transmission to Patient led medication list to the patien	t/family/caregiver.	
Route of Transmission				Check all that apply
A. Electronic Health Record (	e.g., electronic access to patient	portal)		
B. Health Information Excha	ange			
C. Verbal (e.g., in-person, tele	ephone, video conferencing)			
D. Paper-based (e.g., fax, copie	es, printouts)			

E. Other Methods (e.g., texting, email, CDs)

Patient Identifier Date

# **DISCHARGE**

# Section B Hearing, Speech, and Vision

#### B1300. Health Literacy (from Creative Commons©)

How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy?

Enter Code

- 0. Never
- 1. Rarely
- 2. Sometimes
- 3. Often
- 4. Always
- 7. Patient declines to respond
- 8. Patient unable to respond

The Single Item Literacy Screener is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

The Single	item Literacy Screener	is incerised under a creative commons Attribution-NonCommercial 4.0 international Electise.
Sectio	n C	Cognitive Patterns
	should Brief Intervio	ew for Mental Status (C0200-C0500) be Conducted? (3-day assessment period) ith all patients.
Enter Code		rarely/never understood) → Skip to C1310, Signs and Symptoms of Delirium nue to C0200, Repetition of Three Words
Brief Inte	erview for Mental S	Status (BIMS)
C0200. R	Repetition of Three	Words
	Ask patient: "I am go and bed. Now tell me	ing to say three words for you to remember. Please repeat the words after I have said all three. The words are: <b>sock, blue</b> the three words."
Enter Code	Number of words re 3. Three 2. Two 1. One 0. None	epeated after first attempt
	After the patient's fir repeat the words up	rst attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may to two more times.
C0300. To	emporal Orientation	on (orientation to year, month, and day)
Enter Code	A. Able to report co 3. Correct 2. Missed by 1 1. Missed by 2	year
Enter Code	B. Able to report co 2. Accurate wi 1. Missed by 6	
Enter Code		day of the week is today?"  orrect day of the week  no answer

Patient Identifier Date

# **DISCHARGE**

Sectio	n C	Cognitive Patterns	
C0400. R	C0400. Recall		
Enter Code	Ask patient: "Let's go back to an earlier question. What were those three words that I asked you to repeat?" If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word.  A. Able to recall "sock"  2. Yes, no cue required  1. Yes, after cueing ("something to wear")  0. No - could not recall		
Enter Code	B. Able to recall "blue 2. Yes, no cue in 1. Yes, after cu 0. No - could no	required eing ("a color")	
Enter Code	C. Able to recall "but 2. Yes, no cue in 1. Yes, after cue 0. No - could no	required eing ("a piece of furniture")	
C0500. B	IMS Summary Sco	re	
Enter Score		estions C0200-C0400 and fill in total score (00-15) cient was unable to complete the interview	
C1310. S	igns and Sympton	ns of Delirium (from CAM©)	
Code <b>afte</b>	r completing Brief Int	serview for Mental Status and reviewing medical record.	
A. Acute	Onset Mental State	us Change	
Enter Code	Is there evidence of an acute change in mental status from the patient's baseline?  0. No 1. Yes		
↓ Enter Code in Boxes			
Coding:  0. Behavior not present  1. Behavior continuously present, does not fluctuate  2. Behavior present, fluctuates (comes and goes, changes in severity)		<b>B. Inattention</b> - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said?	
		C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?	
		<ul> <li>D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria?         <ul> <li>vigilant - startled easily to any sound or touch</li> <li>lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch</li> <li>stuporous - very difficult to arouse and keep aroused for the interview</li> <li>comatose - could not be aroused</li> </ul> </li> </ul>	
Adapted from: Inouye SK, et al. Ann Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission.			

Date

Patient	Identifier

#### **DISCHARGE**

Section D	Mood
-----------	------

#### D0150. Patient Mood Interview (PHQ-2 to 9) (from Pfizer Inc.©)

Determine if the patient is rarely/never understood verbally, in writing, or using another method. If rarely/never understood, code D0150A1 and D0150B1 as 9, No response, leave D0150A2 and D0150B2 blank, end the PHQ-2 interview, and leave D0160, Total Severity Score blank. Otherwise, say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the patient: "About how often have you been bothered by this?"

Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence	2. Symptom Frequency		1.	2.
0. <b>No</b> (enter 0 in column 2)	0. Never or 1 day	S	ymptom	Symptom
1. Yes (enter 0-3 in column 2)	1. <b>2-6 days</b> (several days)	P	resence	Frequency
9. No response (leave column 2 blank)	2. <b>7-11 days</b> (half or more of the days)			
	3. 12-14 days (nearly every day)	1	Enter Scor	es in Boxes ↓
A. Little interest or pleasure in doing things				
B. Feeling down, depressed, or hopeless				
If both D0150A1 and D0150B1 are coded 9, OR b continue.	oth D0150A2 and D0150B2 are coded 0 or 1, END the F	HQ inte	rview; othe	rwise,
C. Trouble falling or staying asleep, or sleeping too	much			
D. Feeling tired or having little energy				
E. Poor appetite or overeating				
F. Feeling bad about yourself – or that you are a failure or have let yourself or your family down				
G. Trouble concentrating on things, such as reading	g the newspaper or watching television			
H. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual				
Thoughts that you would be better off dead, or of hurting yourself in some way				
Copyright © Pfizer Inc. All rights reserved. Reproduced	with permission.			

#### **D0160. Total Severity Score**

**Enter Score** 

Add scores for all frequency responses in column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)

#### D0700. Social Isolation

How often do you feel lonely or isolated from those around you?

**Enter Code** 

- 0. Never
- 1. Rarely
- 2. Sometimes
- 3. Often
- 4. Always
- 7. Patient declines to respond
- 8. Patient unable to respond

Patient Identifier

#### **DISCHARGE**

#### Section GG Functional Abilities

GG0130. Self-Care (3-day assessment period)

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0130 items.

#### Coding

**Safety** and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3.Discharge Performance	
Enter Codes in Boxes	
	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
	B. Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
	C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
	<b>G. Lower body dressing:</b> The ability to dress and undress below the waist, including fasteners; does not include footwear.
	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

Patient Identifier

#### **DISCHARGE**

#### Section GG Functional Abilities

#### GG0170. Mobility (3-day assessment period)

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.

#### Coding:

**Safety** and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3.Discharge Performance	
Enter Codes in Boxes	
	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.
	<b>D.</b> Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
	F. Toilet transfer: The ability to get on and off a toilet or commode.
	<b>G. Car transfer:</b> The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space.  If discharge performance is coded 07, 09, 10, or 88 → kip to GG0170M, 1 step (curb)
	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.

Patient Identifier

#### **DISCHARGE**

# Section GG Functional Abilities

GG0170. Mobility (3-day assessment period) - Continued

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.

#### Coding

**Safety** and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3.Discharge Performance	
Enter Codes in Boxes	
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
	M. 1 step (curb): The ability to go up and down a curb or up and down one step.  If discharge performance is coded 07, 09, 10, or 88→ Skip to GG0170P, Picking up object
	N. 4 steps: The ability to go up and down four steps with or without a rail.  If discharge performance is coded 07, 09, 10, or 88→ Skip to GG0170P, Picking up object
	O. 12 steps: The ability to go up and down 12 steps with or without a rail.
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
	Q3. Does the patient use a wheelchair and/or scooter?
	0. <b>No →</b> Skip to J0510, Pain Effect on Sleep
	1. Yes → Continue to GG0170R, Wheel 50 feet with two turns
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
	RR3. Indicate the type of wheelchair or scooter used.  1. Manual 2. Motorized
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
	SS3. Indicate the type of wheelchair or scooter used.  1. Manual 2. Motorized

Patient \_\_\_\_\_ Identifier\_\_\_\_\_ Date \_\_\_\_

**Health Conditions** 

<b>DISCHARG</b>	Е
-----------------	---

J0510. Pa	ain Effect on	Sleep			
Enter Code	Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?"  0. Does not apply – I have not had any pain or hurting in the past 5 days — Skip to J1800, Any Falls Since Admission  1. Rarely or not at all  2. Occasionally  3. Frequently  4. Almost constantly  8. Unable to answer				
J0520. Pa	ain Interferer	nce with Therapy Activities			
Enter Code	Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?"  0. Does not apply – I have not received rehabilitation therapy in the past 5 days  1. Rarely or not at all  2. Occasionally  3. Frequently  4. Almost constantly  8. Unable to answer				
J0530. Pa	ain Interferer	nce with Day-to-Day Activities			
Enter Code	Ask patient: "Over the past 5 days, how often have you limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?"  1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer				
J1800. A	ny Falls Since	Admission			
Enter Code	Has the patient had any falls since admission?  0. No → Skip to K0520, Nutritional Approaches  1. Yes → Continue to J1900, Number of Falls Since Admission				
J1900. N	J1900. Number of Falls Since Admission				
Coding:		↓ Enter Codes in Boxes			
0. None 1. One		A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall			
2. <b>Two o</b>	r more	<b>B. Injury (except major):</b> Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain			
		C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma			

**Section J** 

			_		
ᇻ	er	٠.	: £	: ~	

Date

# **DISCHARGE**

# Section K Swallowing/Nutritional Status

K0520. Nutritional Approaches				
<b>4. Last 7 Days</b> Check all of the nutritional approaches that were received in the last 7 days	4. Last 7 Days	5. At Discharge		
5. At Discharge Check all of the nutritional approaches that were being received at discharge	Check all that apply ↓	<b>↓</b>		
A. Parenteral/IV feeding				
B. Feeding tube (e.g., nasogastric or abdominal (PEG))				
C. Mechanically altered diet - require change in texture of food or liquids (e.g., pureed food, thickened liquids)				
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)				
Z. None of the above				

# Section M Skin Conditions

# Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0210. Unhealed Pressure Ulcers/Injuries					
Does this patient have one or more unhealed pressure ulcers/injuries?					
Litter code		0. No → Skip to N0415, High-Risk Drug Classes: Use and Indication			
		<ol> <li>Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage</li> </ol>			
M0300.	Curi	rent Number of Unhealed Pressure Ulcers/Injuries at Each Stage			
Enter Number	A.	<b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.			
		1. Number of Stage 1 pressure injuries			
		1. Number of Stage 1 pressure injuries			
	В.	<b>Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.			
Enter Number					
		1. Number of Stage 2 pressure ulcers  If 0 → Skip to M0300C, Stage 3			
Enter Number					
		<ol> <li>Number of these Stage 2 pressure ulcers that were present uponadmission - enter how many were noted at the time of admission</li> </ol>			
	C.	Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be			
Enter Number		present but does not obscure the depth of tissue loss. May include undermining and tunneling.			
		1. Number of Stage 3 pressure ulcers			
		If 0 → Skip to M0300D, Stage 4			
Enter Number		2. Number of these Stage 3 pressure ulcers that were present upon admission - enter how many were noted at the time of			
		admission			
	D.	Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the			
Enter Number		wound bed. Often includes undermining and tunneling.			
		1. Number of Stage 4 pressure ulcers			
Enter Number		If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device			
		2. Number of these Stage 4 pressure ulcers that were present upon admission - enter how many were noted at the time of			
		admission			

Patient Identifier

# **DISCHARGE**

# Section M Skin Conditions

# Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0300.	Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage - Continued
Enter Number	E. Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device
	<ol> <li>Number of unstageable pressure ulcers/injuries due to non-removable dressing/device</li> <li>If 0 → Skip to M0300F, Unstageable - Slough and/or eschar</li> </ol>
Enter Number	2. Number of <a href="mailto:thetae-unstageable-pressure-ulcers/injuries">that were present upon admission</a> - enter how many were noted at the time of admission
Enter Number	F. Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar
Enter Number	<ol> <li>Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar</li> <li>If 0 → Skip to M0300G, Unstageable - Deep tissue injury</li> </ol>
	2. Number of <a href="mailto:these">these</a> unstageable pressure ulcers that were present upon admission - enter how many were noted at the time of admission
Enter Number	G. Unstageable - Deep tissue injury
Enter Number	<ol> <li>Number of unstageable pressure injuries presenting as deep tissue injury</li> <li>If 0 → Skip to N0415, High-Risk Drug Classes: Use and Indication</li> </ol>
	2. Number of <a href="mailto:these-unstageable-pressure-injuries">these-unstageable-pressure-injuries</a> that were present upon admission - enter how many were noted at the time of admission

# Section N Medications

N0415. High-Risk Drug Classes: Use and Indication				
Is taking     Check if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes	1. Is taking	2. Indication noted		
Indication noted     If column 1 is checked, check if there is an indication noted for all medications in the drug class	Check all that apply	Check all that apply		
A. Antipsychotic				
E. Anticoagulant				
F. Antibiotic				
H. Opioid				
I. Antiplatelet				
J. Hypoglycemic (including insulin)				
Z. None of the above				
N2005. Medication Intervention				
Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission?  0. No 1. Yes 9. Not applicable - There were no potential clinically significant medication issues identified since admission or patient is not taking any medications.				

Date

# **DISCHARGE**

Se	ction O	Special Treatments, Procedures, and Programs			
	O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply at discharge.				
			c. At Discharge Check all that apply		
	cer Treatments				
A1.	Chemotherapy				
	A2. IV				
	A3. Oral				
D1	A10. Other Radiation				
	piratory Therapies				
	Oxygen Therapy		П		
	C2. Continuous				
	C3. Intermittent				
	C4. High-concentration				
D1.	Suctioning				
	D2. Scheduled				
	D3. As Needed				
E1.	Tracheostomy care				
F1.	Invasive Mechanical Ventil	lator (ventilator or respirator)			
G1.	Non-Invasive Mechanical	Ventilator			
	G2. BiPAP				
	G3. CPAP				
Oth	er				
H1.	IV Medications				
	H2. Vasoactive medication	ons			
	H3. Antibiotics				
	H4. Anticoagulation				
	H10. Other				
I1.	Transfusions				
J1.	Dialysis				
	J2. Hemodialysis				
	J3. Peritoneal dialysis				
01.	IV Access				
	O2. Peripheral				
	O3. Midline				
	O4. Central (e.g., PICC, tun	nneled, port)			

Patient \_\_\_\_\_ Identifier \_\_\_\_\_ Date \_\_\_\_

# **DISCHARGE**

Section	0	Special Treatments, Procedures, and Programs	
O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply at discharge.			
	C.		
			At Discharge
			Check all that apply
			↓
None of the Above			·
Z1. None o	Z1. None of the above		
O0350. Patient's COVID-19 vaccination is up to date.			
Enter Code	• No nationt is	and up to date	
	<b>0</b> . No, patient is r	•	
	<b>1.</b> Yes, patient is	up to date	

#### Section Z Assessment Administration

#### Item Z0400A. Signature of Persons Completing the Assessment

I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that patients receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information.

Signature	Title	Date Information is Provided	Time
A.			
В.			
C.			
D.			
E.			
F.			
G.			
H.			
I.			
J.			
K.			
L.			