

Respirable Coal Mine Dust Sampling
OMB Control Number: 1219-0011
OMB Expiration Date: 10/31/2025

Justification for Non-Substantive Changes

Department of Labor Mine Safety and Health Administration (MSHA)

Respirable Coal Mine Dust Sampling OMB Control Number 1219-0011

Non-substantive changes need to be made to the currently approved information collection request (ICR) under OMB Control Number 1219-0011, due to MSHA’s final rule titled “Lowering Miners’ Exposure to Respirable Crystalline Silica and Improving Respiratory Protection” (RIN 1219-AB36).

Background

In October 2022, MSHA received OMB approval for the 3-year renewal of the ICR titled “Respirable Coal Mine Dust Sampling” under OMB Control Number 1219-0011. This ICR includes the burden and costs associated with recordkeeping and reporting requirements coal mine operators must meet under 30 CFR parts 70, 71, and 90.

Under the existing regulations, coal mine operators are required to sample respirable coal mine dust quarterly and meet a reduced standard for respirable dust when quartz is present. Part 70 sets mandatory health standards for underground coal mines; part 71 sets mandatory health standards for surface coal mines and for the surface work areas of underground coal mines; and part 90 establishes the option for coal miners who have evidence of pneumoconiosis to work in an area of the mine with respirable dust concentrations at or below the applicable standard.

The existing ICR 1219-0011 Supporting Statement includes the recordkeeping burden and costs related to sampling, coal mine dust personal sampler unit (CMDPSU) sampling, continuous personal dust monitor (CPDM) sampling, recordkeeping or corrective actions, and abatement sampling.

Summary of Changes

In July 2023, MSHA published a notice of proposed rulemaking (NPRM) titled “Lowering Miners’ Exposure to Respirable Crystalline Silica and Improving Respiratory Protection” in the Federal Register (88 FR 44852). The NPRM (RIN 1219-AB36) proposed to amend MSHA’s existing standards and establish a new part 60 to better protect miners against occupational exposure to respirable crystalline silica. The proposed amendments included changes to existing 30 CFR parts 70, 71, and 90. Examples included: establishing a separate respirable crystalline silica standard for coal mines, under a new part, part 60; eliminating the existing reduced respirable dust standard when quartz is present in parts 70, 71, and 90; and replacing the term “quartz” with a new term, “respirable crystalline silica,” in parts 70, 71, and 90.

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

MSHA expects the final rule to require non-substantive changes to the existing information collection activities and burdens under OMB Control Number 1219-0011. In the NPRM, MSHA notified the public that existing ICR 1219-0011 Supporting Statement would be revised and sought public comments. MSHA received no comments related to the proposed ICR changes during the 60-day comment period.

Changes in Burden

The final rule retains the proposed changes to 30 CFR parts 70, 71, and 90. Since the final rule eliminates the reduced respirable dust standard when quartz is present and establishes a separate standard for respirable crystalline silica, the Supporting Statement is revised to remove references to the reduced respirable dust standard when quartz is present. The revised Supporting Statement updates the response to Question 8 to provide an explanation of the comments received on the NPRM.

These changes to the currently approved ICR 1219-0011 are non-substantive. They do not modify the authority, affected mine operators, or paperwork burden in this information collection request. As the table below shows, the information collection activities and burden estimates remain the same.

No other changes are made to existing ICR 1219-0011 Supporting Statement.

Table 1. Summary of Changes between Currently Approved ICR and Revised ICR

	Currently Approved ICR	Revised ICR	Difference
Number of Respondents	676	676	0
Number of Responses	995,102	995,102	0
Annual Time Burden	58,259	58,259	0
Annual Burden Costs	\$3,271,611	\$3,271,611	\$0
Annual Other Burden Costs	\$29,835	\$29,835	\$0

Respirable Coal Mine Dust Sampling
 OMB Control Number: 1219-0011
 OMB Expiration Date: 10/31/2025

March 1, 2024 DRAFT

**Supporting Statement for
 Respirable Coal Mine Dust Sampling
 Paperwork Reduction Act Submission**

This information collection request (ICR) seeks to revise an existing information collection.

OMB Control Number: 1219-0011

Information Collection Request Title: Respirable Coal Mine Dust Sampling

Type of OMB Review: Revision

Authority: See table below

30 CFR Section	CFR Title
70.201(b)(2), (e), (f), (g), (j); 71.201(a), (d), (e); (f); 90.201(f), (g), (j)	Sampling; general and technical requirements
70.205(b)(2); 71.205(b)(2)	Approved sampling devices; operation; air flowrate
70.208(e)(3), (h)(3), (i)(2)	Quarterly sampling; mechanized mining units
70.209(c)(3), (f)(3), (g)(2);	Quarterly sampling; designated areas
71.206(d), (e), (h)(3), (k)(3)	Quarterly sampling; designated work positions
90.207(c)(3), (f)(3)	Quarterly sampling
70.210(a), (c), (d), (f); 71.207(a), (c), (d), (f); 90.208(d), (f)	Respirable dust samples; transmission by operator
70.211(b), (c); 71.208(b), (c)	Respirable dust samples; report to operator; posting
90.209(b), (c);	Respirable dust samples; report to operator
70.212(a); 71.209(a); 90.210	Status change reports
71.300(a), (a)(1), (a)(3); 90.300(a)	Respirable dust control plan; filing requirements

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

71.301(d)(1), (d)(3), (e)	Respirable dust control plan; approval by District Manager and posting
90.301(d), (e)	Respirable dust control plan; approval by District Manager; copy to part 90 miner
75.370(a)(3)(i), (a)(3)(iii), (f)(1), (f)(3)	Mine ventilation plan; submission and approval

Collection Instrument(s): Mine Operator Dust Data Card

General Instructions

A Supporting Statement, including the text of the notice to the public required by 5 CFR 1320.5(a)(i)(iv) and its actual or estimated date of publication in the Federal Register, must accompany each request for approval of a collection of information. The Supporting Statement must be prepared in the format described below, and must contain the information specified in Section A below. If an item is not applicable, provide a brief explanation. When the question “Does this ICR contain surveys, censuses or employ statistical methods” is checked "Yes", Section B of the Supporting Statement must be completed. OMB reserves the right to require the submission of additional information with respect to any request for approval.

Specific Instructions

A. JUSTIFICATION

1. Explain the circumstances that make the collection of information necessary. Identify any legal or administrative requirements that necessitate the collection. Attach a copy of the appropriate section of each statute and regulation mandating or authorizing the collection of information.

Section 103(h) of the Federal Mine Safety and Health Act of 1977, as amended (Mine Act), 30 U.S.C. 813(h), authorizes the Mine Safety and Health Administration (MSHA) to collect information necessary to carry out its duty in protecting the safety and health of miners. Further, section 101(a) of the Mine Act, 30 U.S.C. 811(a), authorizes the Secretary of Labor (Secretary) to develop, promulgate, and revise, as may be appropriate, improved mandatory health or safety standards for the protection of life and prevention of injuries in coal, metal, and nonmetal mines.

Chronic exposure to respirable coal mine dust causes lung diseases, including coal workers' pneumoconiosis (CWP), emphysema, silicosis, and chronic bronchitis, known collectively as "black lung." These diseases are debilitating and can result in disability and premature death. While considerable progress has been made in lowering dust levels since 1970, severe cases of black lung continue to be identified. Information from the federally funded Coal Workers' Health Surveillance Program administered by the National Institute for Occupational Safety and Health (NIOSH) indicates that black lung remains an occupational health risk among coal miners. According to NIOSH, 933 or 3.7 percent of the 25,558 underground coal miners X-rayed between January 2003 and September 2011 were found to have CWP. Also, in FY 2011, over 28,600 former coal miners and the dependents of miners received \$417 million in "black lung" benefits. Since inception of the federal Black Lung Benefits Program in 1970, over \$45 billion in total benefits have been paid out to former miners and their dependents.

This information collection reflects requirements of MSHA's final rule titled "Lowering Miners' Exposure to Respirable Coal Mine Dust, Including Continuous Personal Dust Monitors" (79 FR 24814; May 1, 2014) related to respirable coal mine dust sampling in effect on February 1, 2016, and respirable dust standards in effect on August 1, 2016.

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

MSHA's standards in 30 CFR parts 70, 71, and 90 require each mine operator of an underground coal mine, surface coal mine, and surface work areas of an underground coal mine, and each coal mine operator who employs a part 90 miner, to protect miners from exposure to excessive respirable coal mine dust levels. Parts 70 and 71 require coal mine operators to continuously maintain the average concentration of respirable coal mine dust in the mine atmosphere where miners normally work or travel at or below 1.5 milligrams per cubic meter (mg/m^3). Parts 70 and 71 also require each coal mine operator to continuously maintain the average concentration of respirable dust in intake airways at underground mines at or below $0.5 \text{ mg}/\text{m}^3$.

If a part 90 miner is employed at the mine, the coal mine operator is required to continuously maintain the average concentration of respirable dust in the mine atmosphere during each shift to which the part 90 miner in the active workings of the mine is exposed at or below $0.5 \text{ mg}/\text{m}^3$.

MSHA's standards require that coal mine operators sample respirable coal mine dust quarterly and submit these samples to MSHA for analysis to determine if the mine is complying with the applicable dust standards. Underground coal mine operators must sample: the Designated Occupation (DO) and Other Designated Occupation (ODO) in each Mechanized Mining Unit (MMU) under 30 CFR 70.208 and each Designated Area (DA) at locations specified in the operator's approved mine ventilation plan under 30 CFR 70.209. In addition, Designated Work Positions (DWP) at surface coal mines and surface work areas of underground coal mines must be sampled under 30 CFR 71.206. Furthermore, each part 90 miner must be sampled under 30 CFR 90.207.

MSHA is promulgating a new final rule to address silica and that the rule includes a standalone silica PEL, which replaces the reduced respirable dust standard when quartz is present. The final rule "Lowering Miners' Exposure to Respirable Crystalline Silica and Improving Respiratory Protection" (RIN 1219-AB36) makes some conforming changes related to the current information collection. In 30 CFR 71.206(e) and 71.300(a), the references to "the applicable standard" are replaced with references to the respirable dust standard specified in 71.100. The revisions do not modify the authority, affected mine operators, or paperwork burden in this information collection request.

Sampling, General and Technical Requirements under Parts 70, 71, and 90

Section 70.201(b)(2) requires that DAs identified by the underground coal mine operator be sampled quarterly using an approved Coal Mine Dust Personal Sampling Unit (CMDPSU) unless the operator notifies the District Manager in writing that only an approved Continuous Personal Dust Monitor (CPDM) will be used for all DA sampling at the mine. With respect to DWP sampling, section 71.201(a) requires each mine operator of a surface coal mine and each mine operator of an underground coal mine with surface work areas who is sampling on the surface to sample with an approved CMDPSU. However, the operator may use an approved CPDM if the operator notifies the District Manager in writing that only an approved CPDM will be used for all DWP sampling at the mine. MSHA does not expect underground coal mine operators to use the CPDM to conduct DA sampling underground, or DWP sampling on the surface area of the

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

underground mine. Also, MSHA does not expect surface coal mine operators to use the CPDM to conduct DWP sampling. Thus, there are no notifications to the MSHA District Manager and therefore no burdens to operators for sections 70.201(b)(2) and 71.201(a).

Sections 70.201(e), 71.201(d), and 90.201(f) require coal mine operators to make records showing the length of: each production shift for each MMU; each normal work shift for each DWP; and each shift for each part 90 miner, respectively. These provisions also require that the records be retained for at least 6 months and made available for inspection by authorized representatives of the Secretary and, except in the case of part 90 miners, by the representative of miners. The records must also be submitted to the District Manager when requested in writing.

Section 70.211(c)(5) requires that when CPDMs are used for sampling, underground coal mine operators print, sign, and post a paper record (Dust Data Card) that includes the shift length. Under section 90.209(c)(5), when CPDMs are used for sampling, coal mine operators must print, sign, and provide a Dust Data Card that includes the shift length to each part 90 miner. Under sections 70.210(c) and 71.207(c), if using a CMDPSU, the operator must complete a Dust Data Card, which includes recording the shift length.

There are no separate burdens shown for recording shift lengths for sections 70.201(e) for underground coal mines and 90.201(f) related to part 90 miners when sampling is conducted because records of shift length are accounted for under sections 70.211(c)(5) and 90.209(c)(5) when a CPDM Dust Data Card is printed and signed. However, burdens for recording shift lengths when sampling is not conducted are shown under sections 70.201(e) and 90.201(f).

For surface work areas of underground coal mines and surface coal mines, there is no burden shown for section 71.201(d) when DWP sampling is conducted because records of shift length are accounted for under section 71.207(c) when a CMDPSU Dust Data Card is completed. However, the burden for recording shift length when sampling is not conducted is shown under section 71.201(d).

Sections 70.201(f), 71.201(e), and 90.201(g) require that, upon request from the District Manager, the operator must submit the date and time any respirable dust sampling required by parts 70, 71, or 90 will begin. The mine operator must submit this information to MSHA at least 48 hours prior to scheduled sampling. In addition, under section 71.201(f), a mine operator may submit a written request to the District Manager for a waiver from the rain restriction for a “normal work shift” as defined in section 71.2.

Unless the mine operator has identified, prior to the intended sampling shift and in writing to the District Manager, that a sample will be used for another purpose, sections 70.210(d), 71.207(d), and 90.208(d) require that all operator samples be considered applicable to the sampling requirements of parts 70, 71, and 90, respectively.

Section 70.201(g) requires that to establish a normal production shift, the operator must record the amount of run-of-mine material produced by each MMU during each shift to determine the average production for the most recent 30 production shifts or for all production shifts if fewer

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

than 30 shifts of production data are available. It also requires that the production records must be retained at least 6 months and be made available for inspection by authorized representatives of the Secretary and the representative of miners.

Sections 70.201(j) and 90.201(j) allow the mine operator of an anthracite mine that uses the full box, open breast, or slant breast mining method to use either a CPDM or a CMDPSU for respirable coal mine dust sampling required under part 70 or part 90. However, if the mine operator chooses not to use a CPDM, they must notify the District Manager of this decision, in writing. To estimate the full cost impact upon coal mine operators, MSHA assumed that these operators will use the CPDM for the required sampling. Therefore, no burden was estimated at this time for these operators to notify the District Manager of their choice not to use the CPDM. Operators may re-evaluate whether to use the CPDM. Therefore, future updates to this package may result in a burden for these provisions.

Sampling under Parts 70 and 71

Sections 70.205(b)(2) and 71.205(b)(2) require that if a CMDPSU is used to sample respirable coal mine dust, each approved sampling device must be examined each shift by a person certified in sampling during the last hour of operation to assure that the sampling device is operating properly and at the proper flowrate. If the proper flowrate is not maintained, the respirable dust sample must be transmitted to MSHA with a notation by the certified person on the back of the Dust Data Card stating that the proper flowrate was not maintained. Other events occurring during the collection of respirable coal mine dust samples that may affect the validity of the sample, such as dropping of the sampling head assembly onto the mine floor, must also be noted on the back of the Dust Data Card. The burdens for these requirements are included in the burdens estimated to complete the Dust Data Cards under sections 70.210(c) and 71.207(c).

Quarterly Sampling Requirements for Parts 70, 71, and 90

Quarterly sampling requirements are in section 70.208 for MMUs, section 70.209 for DAs, and section 90.207 for part 90 miners. Sections 70.208(e)(3), 70.209(c)(3), and 90.207(c)(3) require that when a valid representative sample meets or exceeds the Excessive Concentration Values (ECV) that corresponds to the applicable standard and particular sampling device used for either an MMU or DA, respectively – or that corresponds to the applicable standard and particular sampling device used for part 90 miner sampling – the operator must make, upon implementation of corrective actions, a record of the actions taken. The record must be certified by the mine foreman, or equivalent mine official, no later than the end of the mine foreman's or equivalent official's next regularly scheduled working shift. The record must be made in a secure book that is not susceptible to alteration or electronically in a computer system so as to be secure and not susceptible to alteration. Such records must be retained at a surface location at the mine for at least 1 year and be made available for inspection by authorized representatives of the Secretary and, except for part 90 miners, the representative of miners. Also, the records must be made available for inspection by the affected part 90 miner who was sampled.

Sections 70.208(h)(3), 70.209(f)(3), and 90.207(f)(3) require that mine operators, upon issuance

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

of a citation for violation of the applicable standard for either an MMU, DA, or part 90 miner, respectively, must make, upon implementation of the corrective actions, a record of the actions taken. The record must be certified by the mine foreman or equivalent mine official, no later than the end of the mine foreman's or equivalent official's next regularly scheduled working shift. The record must be made in a secure book that is not susceptible to alteration or electronically in a secure computer system not susceptible to alteration. Such records must be retained at a surface location at the mine for at least one year and be made available for inspection by authorized representatives of the Secretary and, except for part 90 miners, the representative of miners. Also, the records must be made available for inspection by the part 90 miner who was sampled.

DWPs at surface coal mines and surface work areas of underground coal mines must be sampled quarterly under section 71.206. Under section 71.206(d), operators with multiple work positions that are specified in section 71.206(c)(2) and (c)(3) must sample the DWP exposed to the greatest respirable dust concentration in each work position performing the same activity or task at the same location at the mine and exposed to the same dust generation source. Each operator must provide the District Manager with a list identifying the specific work positions where DWP samples will be collected for: active mines; new mines; and DWPs with a change in operational status that increases or reduces the number of active DWPs.

Section 71.206(e) requires that each DWP sample must be taken on a normal work shift. If a normal work shift is not achieved, the respirable dust sample must be transmitted to MSHA with a notation by the person certified in sampling on the back of the Dust Data Card stating that the sample was not taken on a normal work shift. Section 71.207(c) requires that a person certified in sampling properly complete the Dust Data Card provided by the manufacturer for each filter cassette. The card must have an identification number identical to that on the cassette used to take the sample and be submitted to MSHA with the sample. Each card must be signed by the certified person who performed the required examinations during the sampling shift and include that person's MSHA Individual Identification Number (MIIN). A separate burden has not been included for section 71.206(e) since MSHA assumed that any notations can be made at the same time that the Dust Data Card is completed under section 71.207(c).

Section 71.206(h)(3) requires that when a valid representative sample taken in accordance with this section meets or exceeds the ECV that corresponds to the applicable standard and particular sampling device used, the operator must make, upon implementation of the corrective actions, a record of the actions taken. The record must be certified by the mine foreman or equivalent mine official, no later than the end of the mine foreman's or equivalent official's next regularly scheduled working shift. The record must be made in a secure book that is not susceptible to alteration or in a secure electronic computer system that is not susceptible to alteration. Such records must be retained at a surface location at the mine for at least one year and be made available for inspection by authorized representatives of the Secretary and the representative of miners. There are no separate burden estimates projected for section 71.206(h)(3). MSHA assumed that surface samples that meet or exceed the applicable ECV will result in a citation, and this burden appears under section 71.206(k)(3).

Section 71.206(k)(3) requires that upon issuance of a citation for violation of the applicable

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

standard, the operator must make, upon implementation of the corrective actions, a record of the actions taken. The record must be certified by the mine foreman or equivalent mine official, no later than the end of the mine foreman's or equivalent official's next regularly scheduled working shift. The record must be made in a secure book that is not susceptible to alteration or stored electronically in a secure computer system that is not susceptible to alteration. Such records must be retained at a surface location at the mine for at least one year and be made available for inspection by authorized representatives of the Secretary and miners' representative.

Transmission of Respirable Coal Mine Dust Samples by the Operator under Parts 70, 71, and 90

Sections 70.210(a) and 71.207(a) require that if a CMDPSU is used to sample, the operator must transmit, within 24 hours after the end of the sampling shift, all samples collected to fulfill the requirements of part 70, 71, or 90 (including control filters) in containers provided by the manufacturer of the filter cassette to:

Respirable Dust Processing Laboratory
Pittsburgh Safety and Health Technology Center
Cochrans Mill Road, Building 38
P.O. Box 18179
Pittsburgh, Pennsylvania 15236-0179

or to any other address designated by the District Manager.

Sections 70.210(c) and 71.207(c) require that a person certified in sampling properly complete the Dust Data Card (Card or Data Card) that is provided by the manufacturer for each filter cassette. The card must have an identification number identical to that on the cassette used to take the sample and be submitted to MSHA with the sample. Each card must be signed by the certified person who performed the required examinations during the sampling shift and include that person's MIIN. Respirable dust samples with data cards not properly completed may be voided by MSHA.

Sections 70.210(f), 71.207(f), and 90.208(f) require that if a CPDM is used to sample, the person certified in sampling must validate, certify and transmit electronically to MSHA within 24 hours after the end of each sampling shift all sample data file information collected and stored in the CPDM, including the sampling status conditions encountered when sampling. All CPDM data files transmitted electronically to MSHA must be maintained by the operator for at least one year.

The burdens for sections 70.210(a), (c), and (f), 71.207(a) and (c), and 90.208(f) are included in the burdens for sections 70.210, 71.207, and 90.208. Section 71.207(f) pertains only to using the CPDM. However, operators of surface coal mines and operators of surface work areas of underground coal mines are only required to use the CPDM for part 90 miner sampling, and MSHA does not expect them to use the CPDM to conduct DWP sampling. Thus, the burden for

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

section 71.207(f) is accounted for in the burden for section 90.208(f).

Report to the Operator of Respirable Dust Samples; Post or Provide Results and Report under Parts 70, 71, and 90

Sections 70.211(b) and 71.208(b) require that upon receipt of the sampling report that contains sampling results from MSHA, the operator must post the data for at least 31 days on the mine bulletin board. Sections 70.211(c) and 71.208(c) require, if using a CPDM, the person certified in sampling must, within 12 hours after the end of each sampling shift, to print, sign, and post on the mine bulletin board a paper record (Dust Data Card) of each sample run. This hard-copy record must include the data entered when the sample run was first programmed and the following:

- the mine identification number;
- the locations within the mine, or the DWP at the mine, from which the samples were taken;
- the concentration of respirable dust, expressed as an equivalent concentration, reported and stored for each sample;
- the sampling status conditions encountered for each sample; and
- the shift length.

Section 71.208(c) requires that when CPDMs are used for DWP sampling, underground coal mine operators that have surface work areas and surface coal mine operators print, sign, and post a paper record (Dust Data Card) with the shift length and other information regarding sampling for each location sampled under part 71. MSHA does not expect that the CPDM will be used for DWP sampling by underground coal mine operators on the surface area of the underground mine, or by surface coal mine operators. Therefore, no burden was estimated at this time for Section 71.208(c).

Section 90.209(b) requires that upon receipt of the sampling report from MSHA, the operator must provide a copy to the part 90 miner only. Section 90.209(c) requires that if using a CPDM, the person certified in sampling must print, sign, and provide to each part 90 miner, a paper record (Dust Data Card) of the sample run within one hour after the start of the part 90 miner's next work shift. This hard copy record must include the data entered when the sample run was first programmed, and the following:

- the mine identification number;
- the location within the mine from which the sample was taken;
- the concentration of respirable dust, expressed as an equivalent concentration reported and stored for each sample;
- the sampling status conditions encountered for each sample; the shift length; and
- the part 90 miner's MIIN.

Operational Status Changes under Parts 70, 71, and 90

Sections 70.212(a), 71.209(a), and 90.210 require that if there is a change in operational status that affects the respirable dust sampling requirements of part 70, 71, or 90, respectively, the

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

operator must report the change in operational status of the mine, MMU, DA, DWP, or part 90 miner (such as the part 90 miner entering a terminated, injured or ill status, or returning to work) to the MSHA District Office or to any other MSHA office designated by the District Manager. Status changes must be reported in writing or electronically within three working days after the status change has occurred.

Revised Dust Control Parameters in the Mine Ventilation Plan in Response to Violations of the Applicable Standard under Part 70

Sections 70.208(i)(2) and 70.209(g)(2) provide that a citation for violation of the applicable standard shall be terminated by MSHA when the operator has submitted to the District Manager revised dust control parameters as part of the mine ventilation plan applicable to the MMU, or the DA, respectively. The citation and such changes must be approved by the District Manager. The revised parameters shall reflect the control measures used by the operator to abate the violation.

Dust Control Plan Provisions in Response to Violations of the Applicable Standard under Part 71

Section 71.300(a) requires that the operator must submit to the District Manager, for approval, a written respirable dust control plan applicable to the DWP identified in the citation within 15 calendar days after the termination date of a citation for violation of the applicable standard. The respirable dust control plan and revisions must be suitable to the conditions and the mining system of the coal mine and must be adequate to continuously maintain respirable dust within the applicable standard at the DWP identified in the citation.

Section 71.300(a)(1) requires that the mine operator must notify the miners' representative at least five days prior to submission to MSHA of a respirable dust control plan and any revision to a dust control plan. If requested, the mine operator must provide a copy to the miners' representative at the time of notification.

Section 71.300(a)(3) requires that a copy of the proposed respirable dust control plan, and a copy of any proposed revision, be submitted for MSHA approval and must be posted on the mine bulletin board at the time of submittal. The proposed plan or proposed revision must remain posted until it is approved, withdrawn, or denied.

Under section 71.301(d)(1), the approved respirable dust control plan, and any revisions, must be provided upon request to the miners' representative by the operator following notification of approval.

Under section 71.301(d)(3), the plan or revisions must be posted on the mine bulletin board within one working day following notification of approval and must remain posted for the period that the plan is in effect.

Under section 71.301(e), the operator may review respirable dust control plans and submit proposed revisions to such plans to the District Manager for approval.

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

Dust Control Plan Provisions in Response to Violations of the Applicable Standard under Part 90

Section 90.300(a) requires that if an operator abates a violation of the applicable standard by reducing the respirable dust level in the position of the part 90 miner, the operator must submit to the District Manager, for approval, a written respirable dust control plan for the part 90 miner in the position identified in the citation within 15 calendar days after the citation is terminated. The respirable dust control plan and revisions thereof must be suitable to the conditions and the mining system of the coal mine and be adequate to continuously maintain respirable dust within the applicable standard for that part 90 miner.

Section 90.301(d) requires the operator to provide a copy of the current respirable dust control plan to the part 90 miner.

Under section 90.301(e), the operator may review respirable dust control plans and submit proposed revisions to such plans to the District Manager for approval.

Mine Ventilation Plan Revisions, Notify Miners' Representatives, Provide Copy, and Posting

Section 75.370(a)(3)(i) requires underground coal mine operators to notify the miners' representative at least five days prior to submission of a mine ventilation plan and any revision. If requested, underground coal mine operators must provide a copy to the miners' representative at the time of notification. Section 75.370(a)(3)(iii) and (f)(3) require the operator to post a copy of the proposed plan and any proposed revision (including the MSHA-approved plan and any revisions) on the mine bulletin board. In addition, section 75.370(f)(1) requires the operator to provide a copy of the MSHA-approved plan and any revisions to the miners' representative, if requested.

2. Indicate how, by whom, and for what purpose the information is to be used. Except for a new collection, indicate the actual use the agency has made of the information received from the current collection.

The required records for respirable coal mine dust sampling assist mine operators, miners, and state and federal regulators in determining the adequacy of the respirable coal mine dust control measures used to meet MSHA's applicable dust standards. This information is used to protect miners from exposure to excessive levels of respirable coal mine dust.

The information provided by the mine operator is vital to the effective administration of a mine's respirable coal mine dust control program and allows the operator and MSHA to assess the programs' effectiveness. MSHA uses the information to determine which operators comply with required sampling requirements and dust standards, and which operators fail to protect miners from excessive dust concentrations and thus need to take appropriate measures to lower respirable dust levels in the mine atmosphere. After MSHA processes samples submitted by

operators, the Agency uses the collected information to report sample results to mine operators. Mine operators provide miners notification of sampling results when operators post them on the mine bulletin board or when operators provide part 90 miners with copies of the results. The samples' results enable the Agency to effectively evaluate the adequacy of a coal mine operator's respirable dust control measures; identify mine operators for targeted enforcement activities; and plan and undertake special health emphasis initiatives, such as the "Miner Health Matters" initiative.

In addition, mine operators must submit respirable dust control plans and revisions for MSHA approval and, after MSHA approval, must comply with such plans. The requirement to post the plan, or to provide a copy of the plan to the affected part 90 miner, allows affected miners to acquaint themselves with the types and locations of dust control measures that are required to be used and maintained to control respirable coal mine dust. MSHA inspectors use the plan to determine if the mine operator is complying with plan provisions and to assess the plan's continued effectiveness in maintaining compliance with the applicable respirable coal mine dust standards.

3. Describe whether, and to what extent, the collection of information involves the use of automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses, and the basis for the decision for adopting this means of collection. Also describe any consideration of using information technology to reduce burden.

Regarding mine operators using CMDPSU for respirable coal mine dust sampling, no feasible, improved information technology has been identified by MSHA that would reduce the burden associated with the completion of Dust Data Cards. This is because each operator-collected sample, when transmitted to MSHA for processing, must be physically attached to its properly completed, accompanying Dust Data Card. The information recorded on the Dust Data Card provides important details about the sample: when and where it was collected, production conditions in effect during sampling, and who was responsible for certifying that it was properly collected. Consequently, this particular information collection technique does not lend itself to electronic submission. However, mine operators submit a large percentage of sampling dates (sections 70.201(f), 71.201(e), and 90.201(g)), status change reports (sections 70.212(a), 71.209(a), and 90.210), and respirable dust control plans (sections 71.300 and 90.300) electronically.

Mine operators who use CPDMs for respirable coal mine dust sampling download their sampling data to a computer and transmit the data electronically to MSHA and print out the data for posting on the mine bulletin board for interested parties to review. Electronic transmission of the CPDM data reduces errors related to transcribing the data and ensures that the data have not been altered. In addition, a quick assessment of sample results from the CPDM provides operators and miners with real-time data that allows for immediate action to prevent miners from being overexposed to respirable coal mine dust. After downloading and transmitting the sampling data to MSHA, mine operators can store this information electronically.

4. Describe efforts to identify duplication. Show specifically why any similar information already available cannot be used or modified for use for the purposes described in Item 2 above.

A mine operator representative completes a Dust Data Card for each individual dust sample collected and submits it to MSHA to demonstrate that the mine is free of excessive dust concentrations and the operator is complying with mandatory exposure limits. Without these samples – and the accompanying specified information about each sample and the production conditions in effect during sampling – MSHA cannot ascertain if a mine operator is in compliance with the mandatory dust exposure limits.

While MSHA also conducts dust sampling periodically, its purpose is not only to supplement the operator's sampling program, but also to:

- 1) monitor the effectiveness of the operator's respirable dust control programs;
- 2) determine whether the occupation being sampled by the operator has been properly designated for sampling as the occupation at risk of being exposed to the highest dust concentrations; and
- 3) identify work positions at surface coal mines or surface work areas of underground coal mines that should be designated for routine quarterly monitoring by coal mine operators.

Since the purpose of MSHA and operator sampling have different primary objectives, there is no duplication of effort. MSHA is not aware of other federal, state, or local agency that collects similar information on dust samples required for compliance purposes, or that collects similar information on respirable dust control plans.

5. If the collection of information impacts small businesses or other small entities describe any methods used to minimize burden.

The information collection provisions apply to all coal mine operations, both large and small. Congress intended that the Secretary enforce the law at all mining operations within the Agency's jurisdiction regardless of size and that information collection and recordkeeping requirements be consistent with efficient and effective enforcement of the Mine Act. [See Rep. No. 181, 95th Cong., 1st Sess. 28 (1977)]. Section 103(e) of the Mine Act directs the Secretary not to impose an unreasonable burden on small businesses when obtaining any information under the Mine Act. MSHA considered the burden on small mines when developing the collection. However, MSHA judges that the burden on small mines cannot be reduced without adversely affecting MSHA's dust control enforcement efforts. Hence, MSHA believes that these information collection requirements are imposed on all coal mining operations and do not have a greater impact on small businesses or other small entities.

6. Describe the consequence to Federal program or policy activities if the collection is not conducted or is conducted less frequently, as well as any technical or legal obstacles to reducing burden.

With dynamic mining conditions, the air to which miners are exposed must be monitored on a routine basis to ensure that it is free of excessive dust levels to prevent development of “black lung” disease. Therefore, Mine Act and MSHA standards require specific occupations, miners, and work locations to be sampled by mine operators every 3 months (quarterly). Less frequent monitoring of the quality of the mine air that miners breathe would provide an inadequate indication of the dust conditions to which miners are normally exposed. This would increase the likelihood that excessive dust conditions would go undetected. Consequently, the health of miners would be adversely impacted if excessive dust concentrations could not be detected and reduced.

7. Explain any special circumstances that would cause an information collection to be conducted in a manner:

- **requiring respondents to report information to the agency more often than quarterly;**
- **requiring respondents to prepare a written response to a collection of information in fewer than 30 days after receipt of the request;**
- **requiring respondents to submit more than an original and two copies of any document;**
- **requiring respondents to retain records (other than health, medical, government contract, grant-in-aid, or tax records) for more than three years;**
- **in connection with a statistical survey, that is not designed to produce valid and reliable results that can be generalized to the universe of study;**
- **requiring the use of a statistical data classification that has not been approved by OMB;**
- **that includes a pledge of confidentiality that is not supported by authority established in statute or regulation, that is not supported by disclosure and data security policies that are consistent with the pledge, or which unnecessarily impedes sharing of data with other agencies for compatible confidential use; or**
- **requiring respondents to submit proprietary trade secrets, or other confidential information, unless the agency can demonstrate that it has instituted procedures to protect the information's confidentiality to the extent permitted by law.**

Sections 70.208, 70.209, 71.206, and 90.207 require coal mine operators to sample and submit sample information to MSHA on a quarterly basis. In addition, under sections 70.208(h)(4), 70.209(f)(4), 71.206(k)(4) and 90.207(f)(2)(i), each mine operator must submit abatement samples following issuance of a citation, to demonstrate that the mine is free of excessive dust concentrations and in compliance with mandatory dust exposure levels. Also, when a change occurs – in the operational status of a mine, MMU, DA, DWP, or part 90 miner – affecting the sampling requirements of 30 CFR parts 70, 71, and 90, this change must be reported in writing to the MSHA District Office within three working days after the status change has occurred, in accordance with sections 70.212(a), 71.209(a), and 90.210. Proper notification prevents MSHA from taking unnecessary enforcement actions against mine operators for failing to submit the required number of dust samples during a sampling period.

Once adopted by the mine operator, for the DWP or part 90 miner in the position identified in a

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

citation, a respirable dust control plan must remain in effect for the life of the surface coal mine or surface work area of an underground coal mine, for the time that the part 90 miner remains in the position, or until the MSHA District Manager determines that the plan is no longer necessary. MSHA-approved respirable dust control plans provide the basis for MSHA to determine if miners will be adequately protected from excessive dust concentrations during each shift.

The collection of information is otherwise consistent with the guidelines in 5 CFR 1320.5.

8. If applicable, provide a copy and identify the date and page number of publication in the Federal Register of the agency's notice, required by 5 CFR 1320.8(d), soliciting comments on the information collection prior to submission to OMB. Summarize public comments received in response to that notice and describe actions taken by the agency in response to these comments. Specifically address comments received on cost and hour burden.

Describe efforts to consult with parties outside the agency to obtain their views on the availability of data; the frequency of collection; clarity of instructions and recordkeeping, disclosure, or reporting format (if any); and the data elements to be recorded, disclosed, or reported.

Consultation with representatives – of those from whom information is to be obtained or those who must compile records – should occur at least once every three years, even if the information collection activity is the same as prior periods. There may be circumstances that may preclude consultation in a specific situation. These circumstances should be explained.

On July 13, 2023, MSHA published the proposed rule titled “Lowering Miners’ Exposure to Respirable Crystalline Silica and Improving Respiratory Protection” in the Federal Register (88 FR 44852). The publication of the proposed rule notified the public that the current information collection requirements under OMB Control Number 1219-0011 were being revised in accordance with the Paperwork Reduction Act of 1995, and provided 60 days for the public to submit comments.

MSHA solicited comments on whether to eliminate the reduced standard for total respirable dust when quartz is present at coal mines and received feedback from stakeholders generally agreeing with the Agency’s proposal to establish a standard for respirable crystalline silica that is independent from the respirable coal mine dust standard. For example, the National Mining Association, the Metallurgical Coal Producers Association, and the Pennsylvania Coal Alliance supported the removal of the respirable dust standards when quartz is present (i.e., sections 70.101 and 71.101, and 90.101), reasoning that they are no longer needed since the rule proposes a standalone standard for respirable crystalline silica.

Consistent with these comments, MSHA has concluded that establishing an independent and lower PEL for respirable crystalline silica for coal mines allows more effective control of respirable crystalline silica than the existing reduced standards because the separate standard is more transparent and protective. MSHA clarifies that the respirable coal mine dust standard is

not eliminated, only the sampling requirements for when silica is present under sections 70.101, 71.101, and 90.101. MSHA agrees with the commenters supporting the removal of sections 70.101, 71.101, and 90.101.

MSHA did not receive any comments on the proposed changes of removing the quartz definition in sections 70.2, 71.2, and 90.2, removing references to the reduced respirable coal mine dust standard due to the presence of quartz, replacing references to “the applicable standard” with references to the respirable dust standard specified in section 71.100, or other proposed change in parts 70, 71, or 90.

9. Explain any decision to provide any payment or gift to respondents, other than remuneration of contractors or grantees.

MSHA does not provide payments or gifts to respondents identified by this collection.

10. Describe any assurance of confidentiality provided to respondents and the basis for the assurance in statute, regulation, or agency policy.

MSHA provides no confidentiality assurances in connection with this collection, and as a practical matter, all records pertaining to part 90 miners are kept confidential and stored in locked cabinets at applicable District Offices and accessed only by authorized individuals. For the information collected under parts 70, 71, and 90 entered into the MSHA Standard Information System, only authorized persons have access to the information in this system. A request for MSHA records containing mine operator responses would be processed in accordance with the provisions of the Freedom of Information Act (5 U.S.C. 522) and its attendant DOL regulations, 29 CFR part 70.

In the event a mine operator should include proprietary information in the respirable dust control plan, such data will be kept confidential by MSHA consistent with the guidelines outlined in 5 U.S.C. 552(b)(4).

11. Provide additional justification for questions of a sensitive nature – such as sexual behavior and attitudes, religious beliefs, and other matters that are commonly considered private. This justification should include reasons why the agency considers the questions necessary, the specific uses to be made of the information, the explanation to be given to persons from whom the information is requested, and any steps to be taken to obtain their consent.

There are no questions of a sensitive nature.

12. Provide estimates of the hour burden of the collection of information. The statement should:

- **indicate the number of respondents, frequency of response, annual hour burden, and an explanation of how the burden was estimated. Unless directed, agencies should not conduct special surveys to obtain information estimating the base hour-**

burden. Consultation with a sample (fewer than 10) of potential respondents is preferable. If the hour-burden on respondents is expected to vary widely because of differences in activity, size, or complexity, show the range of estimated hour burden and explain the reasons for the variance. Generally, estimates should not include burden hours for customary and usual business practices.

- **provide separate hour burden estimates for each form and aggregate the hour burdens, if this request covers more than one form.**
- **provide annualized cost estimates to respondents for the burden hours associated with information collections, identifying and using appropriate wage rate categories.**

The cost of contracting out, or paying outside parties, for information collection activities should not be included here. Instead, this cost should be included in Item 13.

MSHA estimates that the number of responses for this submission is 966,273 from 676 unique respondents (mining operations).

Wage Rate Determinations¹

MSHA used data from the May 2020 Occupational Employment and Wage Statistics (OEWS) published by the Bureau of Labor Statistics (BLS) for hourly wage rates² and adjusted the rates for benefits³ and wage inflation.⁴

Table 12-A. Hourly Wage Rates

¹ For all wage rates, MSHA uses the relevant precision throughout the calculation to avoid compound rounding errors and rounds at the final rate value. Displayed intermediate calculation values are presented to explain the calculation and are representative, but the final rate value reflects the correct rounding and final estimate.

² To obtain OEWS data, follow BLS's directions in its Frequently Asked Questions: "E. How to get OEWS data. 4. What are the different ways to obtain OEWS estimates from this website?" at https://www.bls.gov/oes/oes_ques.htm.

³ The benefit multiplier comes from BLS Employer Costs for Employee Compensation accessed by menu at <http://data.bls.gov/cgi-bin/srgate> or directly at <http://download.bls.gov/pub/time.series/cm/cm.data.0.Current>. Insert the data series CMU2030000405000D and CMU2030000405000P, Private Industry Total benefits for Construction, extraction, farming, fishing, and forestry occupations, which is divided by 100 to convert to a decimal value. MSHA used the latest 4-quarter moving average to determine what percent of total loaded wages are benefits. MSHA computes the benefit multiplier with a number of detailed calculations, but it may be approximated with the formula $1 + (\text{benefit percentage}/(1-\text{benefit percentage}))$.

⁴ Wage inflation is the change in Series ID: CIS2020000405000I; Seasonally adjusted; Series Title: Wages and salaries for Private industry workers in Construction, extraction, farming, fishing, and forestry occupations, Index. (<https://data.bls.gov/cgi-bin/srgate> ; Inflation Multiplier = (Current Quarter Cost Index Value / OEWS Wage Base Quarter Index Value).

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

		A	B	C	A x B x C
Occupation	NAICS Code	Average Wage Rate	Benefits Multiplier	Inflation Multiplier	Loaded Wage Rate
Supervisor [a]	212100	\$47.92	1.49	1.058	\$75.54
Clerk [b]	212100	\$20.78	1.49	1.058	\$32.76
Certified Person [c]	212100	\$32.29	1.49	1.058	\$50.91
Miners [d]	212100	\$28.13	1.49	1.058	\$44.35

Notes: MSHA used the latest 4-quarter moving average 2021Qtr1 - 2021Qtr4 to determine that 32.8 percent of total loaded wages are benefits for private industry workers in construction, extraction, farming, fishing, and forestry occupations. The benefit multiplier is $1.490 = 1 + (0.328/(1-0.328))$. The inflation multiplier was determined by using the employment price index from the most current quarter data is available, 2021Q4, divided by the base year and quarter of the OEWS employment and wage statistics, 2020Q2, for private industry workers in construction, extraction, farming, fishing, and forestry occupations, current dollar index. The inflation multiplier is $1.058 = 147.3/139.2$.

[a] The Standard Occupation Codes (SOCs) used for this occupation is (47-1011, 49-1011, 51-1011, 53-1047).

[b] The SOCs used for this occupation is (43-3031, 43-6014, 43-9061).

[c] The SOCs used for this occupation is (47-5022, 47-5041, 47-5043, 47-5044, 47-5081, 49-3031, 49-9043, 49-9071, 51-9021, 53-7011).

[d] The SOCs used for this occupation is (47-5022, 47-5041, 47-5043, 47-5044, 47-5081, 49-9043, 49-9071, 51-9021, 53-7011).

Hour Burden

Part I. Sampling

Record of Shift Length, Sections 70.201(e) and (j), 71.201(a) and (d), and 90.201(f) and (j)

Sections 70.201(e), 71.201(d) and 90.201(f) require the operator to make a record showing the length of each production shift for each MMU, normal work shift for each DWP and each shift for each part 90 miner, respectively, to retain the records for at least six months, and to make the records available for inspection by authorized representatives of the Secretary and, except in the case of part 90 miners, by the miners' representative.

Underground Coal Mines

When CPDM sampling is conducted for MMUs and part 90 miners, sections 70.211(c) and 90.209(c) require coal mine operators to print, sign and post on the mine bulletin board for each MMU, or provide to each part 90 miner, respectively, the Dust Data Card that provides information required by paragraph (c), including shift length. Thus, the burden to record the shift length when sampling is being conducted is accounted for under sections 70.211(c) and 90.209(c). When sampling is not being conducted, the burden for recording shift length is accounted for here under sections 70.201(e) and 90.201(f).

Annually, MSHA estimates that approximately 0.3 percent of the total production shifts for 426 active producing MMUs are sampled with the CMDPSU. An estimated 450 production shifts, all in seven small anthracite coal mines with one MMU each and 1-19

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

employees, are sampled with the CMDPSU annually. All other MMU and Part 90 dust samples are taken with the CPDM.

When CMDPSU sampling is conducted for DWPs at surface areas of underground coal mines, section 71.207(c) requires operators to complete the Dust Data Card, which includes recording shift length. Thus, the burden to record the shift length when DWP sampling is being conducted is accounted for under section 71.207(c). When sampling is not being conducted, the burden for recording shift length for DWPs is accounted for under sections 71.201(d).

MSHA estimates that the number of DWPs are: 4 DWPs in mines with 1-19 employees; 76 DWPs in mines with 20-500 employees; and 19 DWPs in mines with 501+ employees. MSHA estimates that the number of shifts per day is 1 in mines with 1-19 employees, and 2 in mines with 20 or more employees. Also, MSHA estimates that the number of workdays per year is: 200 in mines with 1-19 employees and 300 in mines with 20-500 employees, 350 in mines with 501+ employees. MSHA estimates that approximately 99 percent of DWP shifts are not sampled annually or 59,103 DWP shifts (4 DWP X 1 shift per day X 200 workdays in mines with 1-19 employees, 76 DWP X 2 shifts per days X 300 workdays in mines with 20-500 employees, 19 DWP X 2 shifts per day X 350 workdays in mines with 501+ employees, a total of 59,700 shifts per year x 0.99 percent of unsampled).

Table 12-1A. Estimated Shifts at Underground Coal Mines

Mine Size	DWPs	Workdays per Year	Shifts per Day	Shifts Per Year	Percent Not Sampled	Shifts Not Sampled
1-19 Employees	4	200	1	800	99%	792
20-500 Employees	76	300	2	45,600	99%	45,144
501+ Employees	19	350	2	13,300	99%	13,167
Total				59,700		59,103

Thus, MSHA estimates that, annually, the number of shifts where underground coal mine operators will need to record shift length under sections 70.201(e), 90.201(f), and 71.201(d) when sampling does not occur are 60,150 shifts (450 MMU shifts at anthracite mines + 59,700 DWP shifts at underground coal mines). MSHA estimates that it takes a miner or a miner's representative one minute to record the shift length.

Surface Coal Mines

When CMDPSU sampling is conducted for DWPs at surface coal mines, section 71.207(c) requires operators to complete the Dust Data Card, which includes recording shift length. Thus, the burden to record the shift length when DWP sampling is being conducted is accounted for under section 71.207(c). When sampling is not being conducted, the burden for recording shift length for DWPs is accounted for here under sections 71.201(d).

MSHA estimates that the number of DWPs are: 420 DWPs in mines with 1-19 employees; 604 DWPs in mines with 20-500 employees; and 38 DWPs in mines with 501+ employees. MSHA estimates that the number of shifts per day is: 1 in mines with 1-19 employees and 2 in mines with 20 or more employees. Also, MSHA estimates that the number of workdays per year is: 250 in mines with 1-19 employees; 300 in mines with 20-500 employees, and 350 in mines with 501+ employees. MSHA estimates that approximately 99 percent of DWP shifts are not sampled annually or 489,060 DWP shifts (420 DWP X 1 shift per day X 250 workdays in mines with 1-19 employees, 640 DWP X 2 shifts per days X 300 workdays in mines with 20-500 employees, 38 DWP X 2 shifts per day X 350 workdays in mines with 501+ employees, a total of 494,000 shifts per year x 0.99 percent of unsampled).

Table 12-1B. Estimated Shifts at Surface Coal Mines

Mine Size	DWPs	Workdays per Year	Shifts per Day	Shifts Per Year	Percent Not Sampled	Shifts Not Sampled
1-19 Employees	420	250	1	105,000	99%	103,950
20-500 Employees	604	300	2	362,400	99%	358,776
501+ Employees	38	350	2	26,600	99%	26,334
Total				494,000		489,060

For surface coal mines, MSHA estimates that it takes a miner or a miner’s representative one minute to record shift length for a DWP.

MSHA estimates that the hourly wage rate for a miner or a miner’s representative is \$44.35⁵ per hour. The annual burden hours and costs for underground and surface coal mines are shown below.

Table 12-1. Estimated Annual Respondent Hour and Cost Burden, Records of Shift Length, 30 CFR 70.201(e) and (j), 71.201(a) and (d), and 90.201(f) and (j)

Type of Mine	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Shift Lengths)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Underground	58	1,019	59,103	0.02	985.05	\$44.35	\$43,682.18
Anthracite	7	64	450	0.02	7.50	\$44.35	\$332.59

⁵ For coal mines, the miners’ representative wage is the employment weighted average of mean hourly wages for mine extraction worker occupations from the BLS May 2020 OEWS data, using Standard Occupational Classification (SOC) major group code 47, 49, 51 and 53 in North American Industry Classification System (NAICS) code 212100, Coal Mining. The weighted average rate was adjusted for benefits and inflation to obtain a fully loaded rate of \$44.35 (\$28.13 x 1.49 benefit adjustment x 1.058 inflation adjustment). All subsequent uses of \$44.35 represent miners’ representative hours. For all wage rates, MSHA uses the relevant precision throughout the calculation to avoid compound rounding errors and rounds at the final rate value. Displayed intermediate calculation values are presented to explain the calculation and are representative but the final rate value reflects the correct rounding and final estimate.

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

Surface	611	800	4 89,060	0.02	8,151.00	\$44.35	\$361,457.24
Total (Rounded)	676		54 8,613		9,144		\$405,472

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Submission of Sampling Dates, Sections 70.201(f), 71.201(e) and (f), and 90.201(g)

Upon request from the District Manager, a mine operator must submit in advance the dates when sampling will be conducted under sections 70.201(f), 71.201(e), and 90.201(g). At surface work areas of underground coal mines and at surface coal mines, operators can also make a written request under section 71.201(f) asking the District Manager to waive the rain restriction for a normal work shift as defined section 71.2. The Agency anticipates requesting and receiving 360 sampling schedules per year from all coal mines. MSHA estimates that it will take a mine supervisor 20 minutes to prepare a quarterly sampling schedule, and a Clerk another 10 minutes to type and either mail, fax, or transmit electronically the schedule to the MSHA District Office. Composite hourly wage rates, that include both underground and surface wages, are \$75.54 for a supervisor and \$32.76 for a clerk. Annual burden hours and costs are shown below.

Table 12-2. Estimated Annual Respondent Hour and Cost Burden, Submission of Sampling Dates, 30 CFR 70.201(f), 71.201(e) and (f), and 90.201(g)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Sampling Dates)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Supervisor	676	0.53	360	0.33	120.00	\$75.54	\$9,065.34
Clerk	676	0.53	360	0.17	60.00	\$32.76	\$1,965.59
Total (Rounded)	676		7 20		180		\$11,031

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Providing Samples for Purposes Other than Compliance, Sections 70.210(d), 71.207(d), and 90.208(d)

Sections 70.210(d), 71.207(d), and 90.208(d) require that an operator sample that is submitted to MSHA is considered to be taken to fulfill the sampling requirements of parts 70, 71, and 90, respectively, unless the sample has been identified in writing by the operator to the District Manager that it is to be used for another purpose. It is very rare that an operator submits a sample for reasons other than compliance with parts 70, 71, and 90, for purposes of this collection. However, MSHA estimates that there will be one occurrence annually and that it will take a mine supervisor five minutes to notify the District Manager in writing of the intent to submit samples for reasons other than compliance. The composite hourly wage rate, which

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

includes both underground and surface wages, is \$75.54 for a supervisor. Annual burden hours and costs are shown below.

Table 12-3. Estimated Annual Respondent Hour and Cost Burden, Providing Samples for Purposes Other than Compliance, 30 CFR 70.210(d), 71.207(d), and 90.208(d)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Samples)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Supervisor	676	0.001	1	0.08	0.08	\$75.54	\$6.30
Total (Rounded)	676		1		0.08		\$6

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Change in Operational Status, Sections 70.212(a), 71.209(a), and 90.210

When a change occurs in the operational status of a mine, MMU, DA, DWP, or part 90 miner that affects the sampling requirements of 30 CFR parts 70, 71, and 90, the change must be reported in writing to the MSHA District Office within three working days after the status change has occurred in accordance with sections 70.212(a), 71.209(a), and 90.210. MSHA anticipates receiving 1,950 status changes annually. MSHA estimates that it will take a mine supervisor five minutes to prepare a status change report, and a Clerk 10 minutes to type and transmit by mail or electronically the report to MSHA. Composite hourly wage rates, that include both underground and surface wages, are \$75.54 per hour for a supervisor and \$32.76 per hour for a clerk. Annual burden hours and costs are shown below.

Table 12-4. Estimated Annual Respondent Hour and Cost Burden, Reporting Changes in Operational Status, 30 CFR 70.212(a), 71.209(a), and 90.210

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Status Changes)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Supervisor	676	2.88	1,950	0.08	162.50	\$75.54	\$12,275.98
Clerk	676	2.88	1,950	0.17	325.00	\$32.76	\$10,646.94
Total (Rounded)	676		3,900		488		\$22,923

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Record of Production in Underground Coal Mines, Section 70.201(g)

Section 70.201(g) requires the operator to record the amount of run-of-mine material produced by each MMU during each shift. Production data are used to determine the average production for the most recent 30 production shifts, or for all production shifts if fewer than 30 shifts of production data are available. The operator must retain production records at least six months and make them available for inspection by authorized representatives of the Secretary and the

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

miners' representative.

All underground mines are required to record the shift production when they transmit the CPDM samples or mail in the CMDPSU samples. Otherwise, the system automatically puts a PRO void on the sample as it is not 80 percent of the 30-day average. Since nearly all mines with 1-19 employees operate one shift per day, MSHA estimates that 22 MMUs in underground coal mines with 1-19 employees operate one shift per day (or 22 shifts per day). MSHA estimates that for 90 percent of these shifts, or approximately 20 shifts per day (22 shifts x 90 percent = 20 shifts per day), material produced is not recorded. In addition, MSHA estimates that 404 MMUs in underground coal mines with 20-500 employees operate 2 shifts per day (or 808 shifts per day). MSHA estimates that material produced is not recorded for 75 percent of these daily shifts, or 606 shifts (808 shifts x 75 percent = 606 shifts per day). Finally, all mines with 501+ employees are assumed to already record the amount of material produced. MSHA estimates that the annual number of workdays is 200 days in mines with 1-19 employees and 300 days in mines with 20-500 employees. The total number of unrecorded shifts is 185,800 (20 shifts per day x 200 days for underground coal mines with 1-19 employees + 606 shifts per day x 300 days for underground coal mines with 20-500 employees).

Table 12-5A. Estimated Production Shifts in Underground Mines

Mine Size	MMUs	Shifts Per Day	Shifts	Percent of Shifts Not Recorded	Working Days per Year	Shifts per Year
1-19 Employees	22	1	22	90%	200	4,000
20-500 Employees	404	2	808	75%	300	181,800
501+ Employees				0%		0
Total						185,800

MSHA assumes that a mine supervisor, earning \$75.54 per hour, takes 5 minutes to record the material produced each shift. Annual burden hours and hour burden costs are shown below.

Table 12-5. Estimated Annual Respondent Hour and Cost Burden, Production Record in Underground Coal Mines, 30 CFR 70.201(g)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Production Records)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Supervisor	58	3,203	185,800	0.08	15,483.33	\$75.54	\$1,169,680.10
Total (Rounded)	58		185,800		15,483.33		\$1,169,680

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Sending the List of DWPs to MSHA, Section 71.206(d)

Section 71.206(d) requires operators to provide the MSHA District Manager with a list

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

identifying the specific work positions where DWP samples are collected.

MSHA estimates that the number of underground coal mines with surface areas that have DWPs are 56 mines (4 mines with 1-19 employees, 45 mines with 20-500 employees, and 7 mines with 501+ employees). MSHA further estimates that surface coal mines with DWPs are 554 (309 mines with 1-19 employees, 241 mines with 20-500 employees, and 4 mines with 501+ employees).

MSHA assumes that 10 percent of these mines, or 61 mines (6 underground coal mines and 55 surface coal mines), will update their list annually.

Table 12-6A. Estimated DWPs in Underground Mines with Surface Areas and Surface Mines

Mine Size	Mines w/ DWPs			Percent of Mines Updating Annually	Total Mines Updating Annually
	Underground Mines with Surface Areas	Surface Mines	Mines w/ DWPs		
1-19 Employees	4	309	313	10%	31.3
20-500 Employees	45	241	286	10%	28.6
501+ Employees	7	4	11	10%	1.1
Total	56	554	610	10%	61

MSHA estimates that it takes a supervisor 12 minutes to prepare the list. A supervisor’s hourly wage rate is \$75.54 per hour. MSHA estimates that a clerk takes an additional 12 minutes to prepare and send it to MSHA. A clerk’s hourly wage rate is \$32.76 per hour. Annual burden hours and hour burden costs are shown below.

Table 12-6. Estimated Annual Respondent Hour and Cost Burden, Sending the List of DWPs to MSHA in Underground Coal Mines with Surface Areas and Surface Coal Mines, 30 CFR 71.206(d)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (DWP Lists)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Supervisor	61	1	61	0.20	12.20	\$75.54	\$921.64
Clerk	61	1	61	0.20	12.20	\$32.76	\$399.67
Total (Rounded)	61		61		24		\$1,321

Part II. CMDPSU Sampling

Complete and Sign Dust Data Card and Transmit Samples to MSHA, Sections 70.210(a) and (c) and 71.207(a) and (c)

Notations if Proper Flow Rate was not Maintained, Sections 70.205(b)(2) and 71.205(b)(2)

If Normal Work Shift was not Achieved, Section 71.206(e)

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

Under sections 70.210(a) and 71.207(a), if using a CMDPSU, the operator must transmit, within 24 hours after each sampling shift, all samples collected to fulfill the requirements of parts 70 and 71. Under sections 70.210(c) and 71.207(c), a person certified in sampling must properly complete and sign the Dust Data Card provided by the manufacturer for each filter cassette.

Under sections 70.205(b)(2) and 71.205(b)(2), if using the CMDPSU and the proper flow rate was not maintained during a sampled shift, the respirable dust sample must be transmitted to MSHA with a notation by the certified person on the back of the Dust Data Card stating that the proper flow rate was not maintained. Other events occurring during the collection of respirable dust samples that may affect the validity of the sample, such as dropping of the sampling head assembly onto the mine floor, must be noted on the back of the Dust Data Card.

Under section 71.206(e), if a normal work shift is not achieved on the sampled shift, the respirable dust sample must be transmitted to MSHA with a notation by the person certified in sampling on the back of the Dust Data Card stating that the sample was not taken on a normal work shift.

The burden for section 70.210(c) concerning completing the Dust Data Card includes the burden for section 70.205(b)(2) concerning notations on the Dust Data Card. MSHA assumes that any notations required to be made on the Dust Data card can be made at the time the Dust Data Card is completed. For this same reason, the burden for section 71.207(c) includes the burdens for sections 71.205(b)(2) and 71.206(e).

For underground coal mines, MSHA's annual estimate of 6,050 Dust Data Cards (5,830 related to outby DAs and 220 related to DWPs) is based on annualizing twelve months of data ending September 2018.

For surface coal mines, MSHA annualized data during the same period to obtain its annual estimate of 4,385 Dust Data Cards related to DWP sampling.

MSHA estimates that 60 percent of submissions are electronic, and 40 percent physical. Hence the number of e-submissions is 6,261 (6,050 underground mines x 60% + 4,385 surface mines x 60%), and the number of physical submissions is 4,174 (6,050 underground mines x 40% + 4,385 surface mines x 40%). Total submission is 10,435 = 6,261 + 4,174.

MSHA estimates that a certified person (normally the mine safety inspector or an equivalent person, such as a supervisor) takes 5 minutes 30 seconds (or 5.5 minutes) to prepare and send one physical sample with the Dust Data Card to MSHA electronically. MSHA estimates that a certified person takes 6 minutes to prepare and send one physical sample with the Dust Data Card to MSHA. Normally these tasks are performed by a certified person earning \$50.91 per hour.

After the Dust Data Card has been filled out, a certified person signs the card which includes that person's MIIN on the card. MSHA estimates that a certified person takes 1 minute 30 seconds (or 1.5 minutes) to complete and sign the physical Dust Data Card. MSHA also estimates that a supervisor's hourly wage rate is \$75.54 per hour.

Table 12-7. Estimated Annual Respondent Hour and Cost Burden, Submission of CMDPSU Sampling Data, 30 CFR 70.210(a) and (c), 71.207(a) and (c), 70.205(b)(2), 71.205(b)(2), and 71.206(e)

Activity (Occupation)	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Dust Data Cards)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Submission of Dust Data Cards (Certified Person)							
Electronic Submissions	406	15	6,261	0.09	573.93	\$50.91	\$29,215.91
Physical Submissions	270	15	4,174	0.10	417.40	\$50.91	\$21,247.94
Signing Physical Dust Data Cards (Supervisor)	270	15	4,174	0.03	104.35	\$75.54	\$7,883.06
Total (Rounded)	676		14,609		1,096		\$58,347

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Post MSHA Report, Sections 70.211(b) and 71.208(b)

After processing the CMDPSU samples, MSHA sends a report, containing the sampling data, to the operator. Sections 70.211(b) and 71.208(b) require operators to post the sampling data on the mine bulletin board upon receiving the report. MSHA estimates that a clerk takes 6 minutes to copy and post the data for 10,435 Dust Data Card submissions. The hourly wage rate for a clerk is \$32.76 per hour.

Table 12-8. Estimated Annual Respondent Hour and Cost Burden, Posting MSHA Reports of CMDPSU Samples, 30 CFR 70.211(b) and 71.208(b)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (CMDPSU Posts)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Clerk	676	15.4	10,435	0.10	1,043.50	\$32.76	\$34,184.86
Total (Rounded)	676		10,435		1,044		\$34,185

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Part III. CPDM Sampling at Underground Mines

Validate, Certify, and Transmit CPDM Sampling Data to MSHA, Sections 70.201(b)(2), 70.210(f), and 90.208(f)

Sections 70.210(f), 90.208(f) and 70.201(b)(2) apply when operators use CPDMs to sample at underground mines. These standards require that a certified person validate, certify, and electronically transmit to MSHA – within 24 hours after the end of each sampling shift – the sample information collected and stored in the CPDM.

MSHA estimates that 113,950 CPDM samples must be validated, certified, and transmitted by a certified person to MSHA within 24 hours after the end of each sampling shift. These samples must consist of DO and ODO sampling as required by section 70.208, part 90 miner sampling as required by section 90.207, and optional DA sampling with the CPDM when approved by the District Manager, section 70.201 (b)(2). MSHA estimates that it takes a certified person earning \$50.91 per hour six minutes to validate, certify, and upload the CPDM data to a computer, then transmit them electronically to MSHA.

Table 12-9. Estimated Annual Respondent Hour and Cost Burden, Submission of CPDM Sampling Data at Underground Mines, 30 CFR 70.201(b)(2), 70.210(f), and 90.208(f)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (CPDM Samples)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Certified Person	58	1,965	113,950	0.10	11,395.00	\$50.91	\$580,067.69
Total (Rounded)	58		113,950		11,395		\$580,068

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Post MSHA Report; Print, Sign and Post CPDM Paper Record, Section 70.211(b) and (c)
Post MSHA Report; Print, Sign and Post CPDM Paper Record to Part 90 Miners, Section 90.209(b) and (c)

Section 70.211(b) requires the operator to post sampling data from the MSHA report on the mine bulletin board. Section 90.209(b) requires the operator to provide copies of the MSHA report to part 90 miners.

Sections 70.211(c) and 90.209(c) apply to operators using CPDMs. Section 70.211(c) requires a person certified in sampling to print, sign, and post – on the mine bulletin

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

board within 12 hours after the end of each sampling shift – a paper record (Dust Data Card) of the sample run, also called the hard copy record. Section 90.209(c) requires a person certified in sampling to print, sign, and provide the paper record (Dust Data Card) of the sample run to each part 90 miner within one hour after the start of the part 90 miner's next work shift.

MSHA assumes that posting sampling data results from an MSHA report, under section 70.211(b), can be done concurrently as posting a paper record (Dust Data Card) from a different sample under section 70.211(c). Similarly, providing a part 90 miner with an MSHA report under section 90.209(b) can be done at the same time as providing the part 90 miner with a paper record (Dust Data Card) from a different sample run under section 90.209(c). MSHA estimates that it takes the same amount of time to provide a copy of the MSHA report and paper record (Dust Data Card) of the sample run to the part 90 miner as it does to post the MSHA report on the mine bulletin board.

Sections 70.211(c) and 90.209(c) state that the paper record (Dust Data Card) of the sample run must include the data entered when the sample run was first programmed and the following:

- 1) the mine identification number;
- 2) the location within the mine from which the sample was taken;
- 3) the concentration of respirable dust, expressed as an equivalent concentration, reported and stored for each sample;
- 4) sampling status conditions encountered for each sample;
- 5) the shift length; and
- 6) for the part 90 miner, the miner's MSHA Individual Identification number.

This information is included on the Dust Data Card that is printed from the CPDM. MSHA expects that a copy of the printout will be posted, or provided to the part 90 miner, to satisfy the requirements of those provisions.

As noted above, under sections 70.211(c) and 90.209(c), the shift length is included in the paper record (Dust Data Card) of the sample run. However, a record of the shift length for each production shift for each MMU under section 70.201(c) and each shift worked by a part 90 miner under section 90.201(f) is required. Records of shift length were developed earlier under sections 70.201(e) and 90.201(f) for shifts where sampling did not occur. The burden for recording the shift length on a sampled shift is accounted for here in developing the burden for section 70.211(c) and 90.209(c).

The estimates of the number of CPDM samples per year are used to derive the burden hours and costs to print, sign, and post the paper record (Dust Data Card) of the sampling data, and provide the sampling data to the part 90 miner. MSHA estimates that a certified person, earning \$50.91 per hour, takes 10 minutes to print, sign, and post the CPDM Dust Data Card or provide the sampling data to the part 90 miner. Annual burden hours and costs are shown below for 113,950 submissions from underground mines.

Table 12-10. Estimated Annual Respondent Hour and Cost Burden, Posting MSHA Report of CMDPSU Sampling and Providing to Part 90 Miners at Underground Mines, 30 CFR 70.211(b) and (c) and 90.209(b) and (c)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (CPDM Posts)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Certified Person	58	1,965	113,950	0.17	18,991.67	\$50.91	\$966,779.48
Total (Rounded)	58		113,950		18,992		\$966,779

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Part IV. Part 90 Miner CPDM Sampling at Surface Mines

Validate, Certify, and Transmit CPDM Sampling Data of Part 90 Miners to MSHA, Sections 71.207(f) and 90.208(f)

Sections 71.207(f) and 90.208(f) require that, within 24 hours after the end of each sampling shift, a person certified in sampling must validate, certify, and electronically transmit to MSHA the sampling information collected and stored in the CPDM. Surface coal mine operators are only required to use the CPDM for part 90 miner sampling, thus MSHA expects that all other sampling by these operators will be conducted with the CMDPSU.

The burden hours below are for surface coal mine operators using the CPDM for part 90 sampling. At this time, MSHA does not expect any burden related to using the CPDM for sampling under section 71.207(f). MSHA estimates that there will be 40 part 90 miner samples annually at surface coal mines.

MSHA estimates that validating, certifying, and uploading the CPDM data from a CPDM to a computer, and then transmitting it electronically to MSHA takes a certified person, earning \$50.91 per hour, six minutes per sample.

Table 12-11. Estimated Annual Respondent Hour and Cost Burden, Submission of CPDM Sampling Data of Part 90 Miners to MSHA at Surface Mines, 30 CFR 71.207(f) and 90.208(f)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Part 90 Samples)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Certified Person	611	0.1	40	0.10	4.00	\$50.91	\$203.62
Total (Rounded)	611		40		4		\$204

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Post/Provide MSHA Report and Print, Sign and Post/Provide CPDM Paper Record to Part 90 Miners, Section 90.209(b) and (c)

Section 90.209(b) requires the operator to provide a copy of the MSHA report of sampling data received by the operator under section 90.209(a) to part 90 miners. In addition, section 90.209(c) requires that, when using a CPDM, operators must print, sign, and provide each part 90 miner a paper record (Dust Data Card) of the sampling run, also called the hard copy record. The hard-copy record must include the data entered when the sample run was first programmed and the following:

- 1) the mine identification number;
- 2) the location within the mine from which the samples were taken;
- 3) the location within the mine from which the samples were taken;
- 4) the concentration of respirable dust, expressed as an equivalent concentration reported and stored for each sample;
- 5) the sampling status conditions encountered for each sample;
- 6) the shift length; and
- 7) the part 90 miner's MSHA Individual Identification Number (MIIN).

This information is included on the CPDM Dust Data Card. Providing the part 90 miner with an MSHA report under section 90.209(b) and the Dust Data Card from a different sample run under section 90.209(c) can be done at the same time.

As noted above, the shift length is included in the paper record (Dust Data Card) of the sample run under section 90.209(c). However, a record is also required of the shift length for each shift worked by a part 90 miner under section 90.201(f). Records of shift length were developed under section 90.201(f) for shifts where sampling did not occur. The burden for recording the shift length on a sampled shift is accounted for in developing the burden for section 90.209(c).

A new CPDM filter is used every time a CPDM is used to sample, and a Dust Data Card with the information noted above, except for the shift length, is generated after the sample is taken. Thus, MSHA estimates the number of times Dust Data Cards will be provided to part 90 miners is equal to the number of CPDM filters used. Sampling data under sections 90.209(b) and (c) can be provided to the part 90 miner simultaneously.

MSHA estimates that there will be 40 part 90 miner samples annually at surface coal mines. MSHA estimates that a certified person in a surface mine, earning \$50.91 per hour, takes three minutes to perform the functions described above and to make a copy of the sampling data.

Table 12-12. Estimated Annual Respondent Hour and Cost Burden, Posting and Providing MSHA Report and CPDM Paper Record to Part 90 Miners at Surface Mines, 30 CFR 90.209(b) and (c)

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Part 90 Posts)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Certified Person	611	0.1	40	0.05	2.00	\$50.91	\$101.81
Total (Rounded)	611		40		2		\$102

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Part V. Meeting or Exceeding the Excessive Concentration Value (ECV) When Conducting Compliance Sampling

Record and Certify Corrective Actions When Sampling, Sections 70.208(e)(3), 70.209(c)(3), 71.206(h)(3), and 90.207(c)(3)

For MMUs under section 70.208(e)(3), DAs under section 70.209(c)(3), DWPs under section 71.206(h)(3), and part 90 miners under section 90.207(c)(3), when a valid representative sample taken in accordance with part 70, 71, or 90 meets or exceeds the specified excessive concentration value (ECV), the operator must make a record of the corrective actions taken. The record must be certified by the mine foreman or equivalent mine official, no later than the end of the mine foreman’s or equivalent official’s next regularly scheduled working shift. Using 12 months of data ending October 2018, MSHA developed an annual estimate of 359 corrective action records at underground coal mines and 23 corrective action records at surface coal mines.

MSHA estimates that it takes 12 minutes to make a record of corrective actions and certify the record. MSHA assumes that a supervisory person, earning \$75.54 per hour, will make the record. In addition, MSHA assumes that a mine foreman, or equivalent mine official, certifying the record also earns a supervisory hourly wage rate.

Table 12-13. Estimated Annual Respondent Hour and Cost Burden, Recording and Certifying Corrective Actions When Sampling, 30 CFR 70.208(e)(3), 70.209(c)(3), 71.206(h)(3), and 90.207(c)(3)

Mine Type	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Corrective Actions)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Underground	58	6.19	359	0.20	71.80	\$75.54	\$5,424.09
Surface	611	0.04	23	0.20	4.60	\$75.54	\$347.50
Total (Rounded)	669		382		76		\$5,772

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Part VI. Abatement Sampling

Record and Certify Corrective Actions in Implementation, Sections 70.208(h)(3), 70.209(f)(3), 71.206(k)(3), and 90.207(f)(3)

On implementation of the corrective actions, a record of the corrective actions must be made and certified under sections 70.208(h)(3) and 70.209(f)(3) for underground coal mine operators; section 71.206(k)(3) for surface coal mine operators; and section 90.207(f)(3) for part 90 miners. Using 12 months of data ending October 2018, MSHA developed an annual estimate of 128 corrective action records at underground coal mines and 13 corrective action records at surface coal mines, a total of 141 corrective action records.

MSHA estimates that it takes 12 minutes to make a record of corrective actions and certify the record. MSHA assumes that a supervisory person, earning \$75.54 per hour, will make the record. In addition, MSHA assumes that a mine foreman, or equivalent mine official that certifies the record, also earns a supervisory hourly wage rate. Annual burden hours and costs are shown below.

Table 12-14. Estimated Annual Respondent Hour and Cost Burden, Recording and Certifying Corrective Actions in Implementation, 30 CFR 70.208(h)(3), 70.209(f)(3), 71.206(k)(3), and 90.207(f)(3)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Corrective Actions)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Underground	58	2.21	128	0.20	25.60	\$75.54	\$1,933.94
Surface	611	0.02	13	0.20	2.60	\$75.54	\$196.42
Total (Rounded)	669		141		28		\$2,130

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Complete and Sign Dust Data Card and Transmit Samples to MSHA, Sections 70.210(a) and (c) and 71.207(a) and (c)

Notations if Proper Flow Rate Not Maintained of CMDPSU Sampling, Sections 70.205(b)(2) and 71.205(b)(2)

If Normal Work Shift was Not Achieved, Section 71.206(e)

Validate, Certify, and Transmit Sampling Data to MSHA, Sections 70.210(f), 71.207(f), and 90.208(f)

Under sections 70.210(a) and 71.207(a), if using a CMDPSU, the operator shall transmit

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

all samples collected to fulfill the requirements of parts 70 and 71 within 24 hours after the end of the sampling shift. Under sections 70.210(c) and 71.207(c), a person certified in sampling shall properly complete the Dust Data Card provided by the manufacturer for each filter cassette. Under sections 70.210(f), 71.207(f), and 90.208(f), if using a CPDM, a person certified in sampling shall validate, certify, and electronically transmit to MSHA all sample data file information collected and stored in the CPDM within 24 hours after the end of each sampling shift.

Under sections 70.205(b)(2) and 71.205(b)(2), if using the CMDPSU and the proper flow rate was not maintained during a sampled shift, the respirable dust sample shall be transmitted to MSHA with a notation by a certified person on the back of the Dust Data Card stating that the proper flow rate was not maintained. Other events occurring during the collection of respirable dust samples that may affect the validity of the sample, such as dropping of the sampling head assembly onto the mine floor, shall be noted on the back of the Dust Data Card.

Under section 71.206(e), if a normal work shift is not achieved on the sampled shift, the respirable dust sample shall be transmitted to MSHA with a notation by a person certified in sampling on the back of the Dust Data Card stating that the sample was not taken on a normal work shift.

The burden for section 70.210(c) concerning Dust Data Card completion includes the burden for section 70.205(b)(2) concerning notations on the Dust Data Card. MSHA assumes that any notations required to be made on the Dust Data Card can be made at the time the Dust Data Card is completed. For the same reason, the burden for section 71.207(c) includes the burdens for sections 71.205(b)(2) and 71.206(e).

Underground coal mine operators must conduct DO and ODO abatement sampling using CPDMs. MSHA assumes that underground coal mine operators will conduct outby DA abatement sampling with CMDPSUs. Surface coal mine operators are assumed to conduct abatement sampling using CMDPSUs. MSHA estimates there are 204 Dust Data Card submissions from CMDPSU and 642 submissions from CPDM, a total of 846 submissions to MSHA.

When Using a CMDPSU

When abatement sampling is conducted with the CMDPSU, the sample, the control filter, and the completed Dust Data Card must be mailed to MSHA. MSHA estimates that the person completing the Dust Data Card is a certified person earning \$50.91 per hour. MSHA estimates that a certified person will take six minutes to complete and send the Dust Data Card with the sample to MSHA. MSHA estimates that a supervisory person, earning \$75.54 per hour, takes 1 minute 30 seconds (or 1.5 minutes) to review and sign the Dust Data Card, which includes that person's MSHA Individual Identification Number (MIIN).

When Using the CPDM

When conducting abatement sampling with the CPDM, the sampling information is

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

transmitted electronically and no mailing occurs. Surface coal mine operators are only required to use the CPDM for part 90 miner sampling. MSHA does not expect that surface coal mine operator will be issued a citation for a part 90 sample result and therefore part 90 abatement sampling will not occur for them. MSHA estimates that validating, certifying, and uploading the CPDM abatement sampling data to a computer and then transmitting the data electronically to MSHA takes a certified person, earning \$50.91 per hour, six minutes.

Hour Burden Summary

Annual burden hours and costs are shown below.

Table 12-15. Estimated Annual Respondent Hour and Cost Burden, Submission of CMDPSU and CPDM Abatement Sampling Data to MSHA, 30 CFR 70.210(a) and (c), and 71.207(a) and (c), 70.205(b)(2), 71.205(b)(2), 71.206(e), 70.210(f), 71.207(f), and 90.208(f)

Activity (Occupation)	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Abatement Samples)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
CMDPSU Sampling	676						
Submission of Dust Data Cards (Certified Person)	676	0.30	204	0.10	20.4	\$50.91	\$1,038.47
Signing Physical Dust Data Cards (Supervisor)	676	0.30	204	0.03	5.1	\$75.54	\$385.28
CPDM Sampling							
Submission of Dust Data Cards (Certified Person)	676	0.95	642	0.10	64.2	\$50.91	\$3,268.13
Total (Rounded)	676		846		90		\$4,692

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Post MSHA Report, Section 71.208(b) and (c)

Post MSHA Report and CPDM Paper Record, Section 70.211(b) and (c)

Post MSHA Report and CPDM Paper Record to Part 90 Miners – Section 90.209(b) and (c)

Sections 70.211(b) and 71.208(b) require the operator to post sampling data from the MSHA report on the mine bulletin board. Section 90.209(b) requires the operator to provide copies of the MSHA report to part 90 miners. Sections 70.211(c), 71.208(c), and 90.209(c) apply to operators using CPDMs. Sections 70.211(c) and 71.208(c) require a person certified in sampling to print, sign, and post a paper record (Dust Data Card) of the sample run, also called the hard copy record, on the mine bulletin board within 12 hours after the end of each sampling shift. Section 90.209(c) requires the person certified

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

in sampling to print, sign, and provide the paper record (Dust Data Card) of the sample run to each the part 90 miner within one hour after the start of the part 90 miner’s next work shift.

MSHA assumes that posting sampling data results from an MSHA report under sections 70.211(b) and 71.208(b) can be done at the same time as posting a paper record (Dust Data Card) from a different sample run under sections 70.211(c) and 71.208(c). Similarly, providing a part 90 miner with an MSHA report under section 90.209(b) can be done concurrently as providing a paper record (Dust Data Card) from a different sample run under section 90.209(c). MSHA estimates that it takes the same amount of time to provide a copy of the MSHA report and paper record (Dust Data Card) of the sample run to the part 90 miner as it does to post the MSHA report on the mine bulletin board.

MSHA estimates that a clerk, earning \$32.76 per hour, takes six minutes to copy and post the sampling data of 846 MSHA Dust Data Card submissions. MSHA’s current practice is to transmit the MSHA reports to the operator in a group, so the number of times to post or provide results to the part 90 miner equates to the number of citations issued.

Table 12-16. Estimated Annual Respondent Hour and Cost Burden, Posting MSHA Report, CPDM Paper Record, and Providing CPDM Paper Record to Part 90 Miners, 30 CFR 71.208(b) and (c), 70.211(b) and (c), 90.209(b) and (c)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Posts)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Clerk	676	1.25	846	0.10	84.60	\$32.76	\$2,771.48
Total (Rounded)	676		846		85		\$2,771

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Revisions to Mine Ventilation Plan or Develop or Revise Dust Control Plan, Sections 70.208(i)(2), 70.209(g)(2), 71.300(a), and 90.300(a)

Under section 70.208(i)(2), a citation for violation of the applicable standard shall be terminated by MSHA when:

- the operator has submitted the revised dust control parameters as part of the mine ventilation plan applicable to the MMU in the citation and
- the changes have been approved by the District Manager.

Under section 70.209(g)(2), a citation for violation of the applicable standard shall be terminated by MSHA when:

- the operator has submitted the revised dust control parameters as part of the mine ventilation plan applicable to the DA in the citation and

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

- the changes have been approved by the District Manager.

Under section 71.300(a), the operator shall submit a written respirable dust control plan applicable to the DWP identified in the citation to the District Manager for approval within 15 calendar days after the termination date of a citation for violation of the applicable standard.

Under section 90.300(a) if an operator abates a violation of the applicable standard by reducing the respirable dust level in the area of the part 90 miner, the operator shall submit to the District Manager, for approval, a written respirable dust control plan for the part 90 miner in the position identified in the citation within 15 calendar days after the citation is terminated.

MSHA estimates that it takes a supervisor, earning \$75.54 per hour, 15 minutes to make mine ventilation plan revisions, or develop or revise dust control plans. Also, MSHA estimates that it takes a clerk, earning \$32.76 per hour, another 15 minutes to prepare and send the material to MSHA. Annual burden hours and burden hour costs for 141 revisions are shown below.

Table 12-17. Estimated Annual Respondent Hour and Cost Burden, Revisions to Mine Ventilation Plan or Dust Control Plan, 30 CFR 70.208(i)(2), 70.209(g)(2), 71.300(a), and 90.300(a)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Revisions)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Supervisor	676	0.21	141	0.25	35.25	\$75.54	\$2,662.94
Clerk	676	0.21	141	0.25	35.25	\$32.76	\$1,154.78
Total (Rounded)	676		282		71		\$3,818

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Notify Miners’ Representative of Plan Revisions and Provide Copy, Section 75.370(a)(3)(i) and (f)(1), 71.300(a)(1), 71.301(d)(1) and (e), and 90.301(d), (e)

Operators are required to notify the miner’s representatives of mine ventilation plan revisions, or new or revised dust control plans and, if requested, provide the representative with a copy of the plan, and proposed and approved plan revisions (under sections 75.370(a)(3)(i) and (f)(1) for underground coal operators and sections 71.300(a)(1) and 71.301(d)(1) for surface coal operators). Under part 90.301(d) and (e), the operator must provide a copy of the current respirable dust control to the part 90 miner.

MSHA estimates that it takes a clerk 15 minutes to notify and provide a copy of the plan or plan revisions to the representative of miners or the part 90 miner. MSHA estimates

that a clerk earns \$32.76 per hour. The number of notifications is equal to the number of citations. Annual burden hours and costs for 141 revised plans are shown below.

Table 12-18. Estimated Annual Respondent Hour and Cost Burden, Notifying Miners' Representative of Plan Revision and Providing Copy, 30 CFR 75.370(a)(3)(i) and (f)(1), 71.300(a)(1), 71.301(d)(1) and (e), and 90.301(d), (e)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Notifications)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Clerk	676	0.21	141	0.21	35.25	\$32.76	\$1,154.78
Total (Rounded)	676		141		35		\$1,155

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Post Copy of Plan or Plan Revision, Sections 75.370(a)(3)(iii) and (f)(3), 71.300(a)(3) and 71.301(d)(3), (e)

Operators must post a copy of the proposed and approved mine ventilation plan or revisions under sections 75.370(a)(3)(iii) and (f)(3) for underground coal mines; and post a copy of the proposed dust control plan and any revisions under section 71.300(a)(3) and the approved plan and any revisions under section 71.301(d)(3) and (e) for surface coal mines. The number of postings equals the number of citations issued. MSHA estimates that a clerk, earning \$32.76 per hour, takes 15 minutes to copy and post. Annual burden hours and costs for 141 plans are shown below.

Table 12-19. Estimated Annual Respondent Hour and Cost Burden, Posting Plan or Plan Revision, 30 CFR 75.370(a)(3)(iii) and (f)(3), 71.300(a)(3) and 71.301(d)(3), (e)

Occupation	No. of Respondents (Mines)	No. of Responses per Respondent	Total Responses (Post Revisions)	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Clerk	676	0.21	141	0.21	35.25	\$32.76	\$1,154.78
Total (Rounded)	676		141		35		\$1,155

Note: The number of responses per respondent is calculated by dividing the number of responses by the number of respondents and rounded.

Hour Burden Summary

Table 12-20. Estimated Annualized Respondent Hour and Cost Burden

Table	Activity	No. of Respondents	No. of Responses per Respondent	Total Responses	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
Part I. Sampling								
12-1	Record of Shift Length	676		548,613		9,143.55		\$405,472.00
12-2	Submission of Sampling Dates	676		720		180.00		\$11,030.92
12-3	Samples for Purposes Other than Compliance	676		1		0.08		\$6.30
12-4	Changes in Operation Status	676		3,900		487.50		\$22,922.91
12-5	Production Records	58		185,800		15,483.33		\$1,169,680.10
12-6	Sending List of DWPs to MSHA	610		61		24.40		\$1,321.31
	Subtotal Part I	676		739,095		25,318.87		\$1,610,433.55
Part II. CMDPSU Sampling								
	Activity	No. of Respondents	No. of Responses per Respondent	Total Responses	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost
12-7	Submission of CMDPSU Sampling Data	676		14,609		1,095.68		\$58,346.92
12-8	Posting MSHA Reports of CMDPSU Samples	676		10,435		1,043.50		\$34,184.86
	Subtotal Part II	676		25,044		2,139.18		\$92,531.78
	Activity	No. of Respondents	No. of Responses per Respondent	Total Responses	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost

Respirable Coal Mine Dust Sampling
 OMB Control Number: 1219-0011
 OMB Expiration Date: 10/31/2025

		Respondent							
Part III. CPDM Sampling at Underground Mines									
12-9	Submission of CPDM Sampling Data	58		113,950		11,395.00		\$580,067.69	
12-10	Posting MSHA Reports of CMDPSU Samples and Providing to Part 90 Miners	58		113,950		18,991.67		\$966,779.48	
Subtotal Part III		58		227,900		30,386.67		\$1,546,847.18	
Part IV. Part 90 Miners CPDM Sampling at Surface Mines									
	Activity	No. of Respondents	No. of Responses per Respondent	Total Responses	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost	
12-11	Submission of CPDM Sampling Data of Part 90 Miners to MSHA	611		40		4.00		\$203.62	
12-12	Posting and Providing MSHA Report and CPDM Paper Record to Part 90 Miners	611		40		2.00		\$101.81	
Subtotal Part IV		611		80		6.00		\$305.43	
Part V. Meeting or Exceeding the Excessive Concentration Value (ECV) When Conducting Compliance Sampling									
	Activity	No. Of Respondents	Responses per Respondent	No. of Responses	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost	
12-13	Recording and Certifying Corrective Actions When Sampling	669		382		76.40		\$5,771.60	
Subtotal Part V		676		382		76.40		\$5,771.60	
Part VI. Abatement Sampling									
	Activity	No. of Respondents	No. of Responses per Respondent	Total Responses	Average Burden (Hours)	Total Burden (Hours)	Hourly Wage Rate	Total Burden Cost	
12-14	Recording and Certifying Corrective Actions in Implementation	669		141		28.20		\$2,130.35	

Respirable Coal Mine Dust Sampling
 OMB Control Number: 1219-0011
 OMB Expiration Date: 10/31/2025

12-15	Submission of CMDPSU and CPDM Abatement Sampling Data to MSHA	676	1,050	89.70	\$4,691.88
12-16	Posting MSHA Report, CPDM Paper Record, and Providing CPDM Paper Record to Part 90 Miners	676	846	84.60	\$2,771.48
12-17	Revisions to Mine Ventilation Plan or Dust Control Plan	676	282	70.50	\$3,817.73
12-18	Notifying Miners' Representative of Plan Revision and Providing Copy	676	141	35.25	\$1,154.78
12-19	Posting Plan or Plan Revision	676	141	35.25	\$1,154.78
	Subtotal Part VI	676	2,601	343.50	\$15,721.00
	Total (Rounded)	676	995,102	58,271	\$3,271,611

13. Provide an estimate for the total annual cost burden to respondents or record keepers resulting from the collection of information. (Do not include the cost of any hour burden already reflected on the burden worksheet).

*** The cost estimate should be split into two components: (a) a total capital and start-up cost component (annualized over its expected useful life) and (b) a total operation and maintenance and purchase of services component. The estimates should consider costs associated with generating, maintaining, and disclosing or providing the information. Include descriptions of methods used to estimate major cost factors including system and technology acquisition, expected useful life of capital equipment, the discount rate(s), and the time period over which costs will be incurred. Capital and start-up costs include, among other items, preparations for collecting information such as purchasing computers and software; monitoring, sampling, drilling and testing equipment; and record storage facilities.**

*** If cost estimates are expected to vary widely, agencies should present ranges of cost burdens and explain the reasons for the variance. The cost of purchasing or contracting out information collections services should be a part of this cost burden estimate. In developing cost burden estimates, agencies may consult with a sample of respondents (fewer than 10), utilize the 60-day pre-OMB submission public comment process and use existing economic or regulatory impact analysis associated with the rulemaking containing the information collection, as appropriate.**

*** Generally, estimates should not include purchases of equipment or services, or portions thereof, made: (1) prior to October 1, 1995, (2) to achieve regulatory compliance with requirements not associated with the information collection, (3) for reasons other than to provide information or keep records for the government, or (4) as part of customary and usual business or private practices.**

Costs to Mail Sampling Schedule, Sections 70.201(f), 71.201(e) and 90.201(g):

The average postage for the operator to mail a sampling schedule is \$0.45. Annually, MSHA estimates that 360 sampling schedules are submitted by underground and surface coal mine operators, of which 10 percent (36 sampling schedules) are submitted by mail. The remaining sampling schedules are submitted electronically. Annual mailing costs are shown below.

Table A. Costs to Mail Sampling Schedule

Sections	Schedules/Plans/Reports/ Mines	Mail Cost	Total Cost
70.201(f), 71.201(e),(f), 90.201(g)	36	\$0.45	\$16.20

Costs to Mail Operational Status Changes, Sections 70.212(a), 71.209(a), and 90.210

The average postage for the operator to report changes in the operational status is \$0.45. Annually, MSHA estimates that 2,540 status change reports are submitted by underground and

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

surface coal mine operators, of which 10 percent (254 status change reports) are submitted by mail. The remaining status change reports are submitted electronically. Annual mailing costs are shown below.

Table B. Costs to Mail Operational Status Changes

Sections	Schedules/Plans/Reports/ Mines	Mail Cost	Total Cost
70.212(a), 71.209(a), 90.210	254	\$0.45	\$114.30

Cost to Mail List of DWPs, Section 71.206(d)

Section 71.206(d) requires operators to provide the District Manager with a list identifying the specific work positions where DWP samples will be collected. MSHA estimates \$1 per mine to mail the list to MSHA.

MSHA estimates that the number of underground coal mines with surface areas that have DWPs are 56 mines (4 mines with 1-19 employees, 45 mines with 20-500 employees, and 7 mines with 501+ employees). MSHA estimates that the number of surface coal mines with DWPs are 554 (309 mines with 1-19 employees, 241 mines with 20-500 employees, and 4 mines with 501+ employees). MSHA assumes that 10 percent of these mines will update their lists annually (6 underground coal mines and 55 surface coal mines). Of these mines, 10 percent are assumed to update by mail (1 underground coal mine and 6 surface coal mines). Annual mailing costs are shown below.

Table C. Cost to Mail List of DWPs

Sections	Schedules/Plans/Reports/ Mines	Mail Cost	Total Cost
71.206(d))	7	\$1.00	\$7.00

Compliance Sampling with a CMDPSU

Costs to Transmit the Dust Data Card with CMDPSU Samples to MSHA, Sections 70.210(a) and (c), and 71.207(a) and (c)

Sections 70.210(a) and (c) and 71.207(a) and (c) require each CMDPSU sample to be transmitted to MSHA with a completed Dust Data Card. All 10,435 CMDPSU samples are submitted by mail. MSHA estimates \$1 per sample to mail for all mines. Annual mailing costs are shown below.

Surface and Underground Coal Mine Operators

Table D. Costs to Transmit the Dust Data Card with CMDPSU Samples to MSHA

Sections	Data Card	Mail	Total Cost
----------	-----------	------	------------

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

		Cost	
70.210(a),(c), 71.207(a), (c)	10,435	\$1.00	\$10,435.00

Copy Costs for Posting MSHA Report of CMDPSU Sampling Results – Sections 70.211(b) and 71.208(b)

After processing the CMDPSU samples, MSHA sends a report with the sampling data results to the operator. Upon receiving the report, sections 70.211(b) and 71.208(b) require operators to post the data on the mine bulletin board. MSHA estimates, for 10,435 CMDPSU samples, a one-page copy costs of \$0.15 per report. Annual costs for are shown below.

Surface and Underground Coal Mine Operators

Table E. Copy Costs for Posting MSHA Report of CMDPSU Sampling Results

Sections	Schedules/Plans/Reports/ Mines	Copy Cost	Total Cost
70.211(b), 71.208(b)	10,435	\$0.15	\$1,565.25

Compliance Sampling with a CPDM at Underground Mines

Copy Costs for Posting MSHA Reports and CPDM Paper Records, Sections 70.211(b) and (c)

Cost for Providing MSHA Reports and CPDM Paper Records to Part 90 Miners, Sections 90.209(b) and (c)

Section 70.211(b) requires the operator to post sampling data from the MSHA report on the mine bulletin board and section 90.209(b) requires the operator to provide copies of the MSHA report to part 90 miners. Sections 70.211(c) and 90.209(c) apply to operators who use a CPDM. Section 70.211(c) requires the person certified in sampling to print, sign, and post on the mine bulletin board within 12 hours after the end of each sampling shift a paper record (Dust Data Card) of the sampling run. Section 90.209(c) requires that the paper record (Dust Data Card) be provided to each part 90 miner. MSHA estimates the copy cost per report and paper record (Dust Data Card) is \$0.15. Annual copy costs for 113,950 CPDM samples at underground mines are shown below.

Underground Coal Mine Operators

Table F. Copy Costs for Posting MSHA Reports and CPDM Paper Records and MSHA Reports and CPDM Paper Records (Dust Data Cards) Provided to Part 90 Miners

Sections	Samples	Copy Cost	Total Cost
70.211(b) and (c) 90.209(b) and(c)	113,950	\$0.15	\$17,092.50

Part 90 Miner Compliance Sampling with a CPDM at Surface Coal Mines

Copy Cost for Providing MSHA Report and CPDM Paper Record to Part 90 Miners, Sections 90.209(b) and (c)

Section 90.209(b) requires the operator to provide a copy of the MSHA report of sampling data received by the operator under section 90.209(a) to part 90 miners. Section 90.209(c) requires operators to provide the CPDM paper record (Dust Data Card) to part 90 miners. MSHA estimates 40 part 90 miner samples annually, and that it costs \$0.15 to make a copy of each report and Dust Data Card. Annual costs are shown below.

Surface Coal Operators

Table G. Copy Costs to Provide MSHA Report and CPDM Paper Record (Dust Data Card) to Part 90 Miners

Sections	Data Card	Copy Cost	Total Cost
90.209(b) and (c)	40	\$0.15	\$6.00

Abatement Sampling

Cost for Transmitting Dust Data Card with CMDPSU Samples to MSHA, Sections 70.210(a) and (c), and 71.207(a) and (c)

Under section 70.210(a) and (c) for underground coal mines, and section 71.207(a) and (c) for surface coal mines and surface work areas of underground coal mines, operators must complete and sign Dust Data Cards and transmit the cards with the abatement samples to MSHA. In underground coal mines, MSHA expects abatement samples will be taken with the CPDM. CPDM samples are transmitted electronically and no mailing occurs. Thus, there are no mailing costs related to abatement sampling for underground coal operators.

Most dust sampling in surface coal mines will be conducted with the CMDPSU and when abatement sampling is conducted with the CMDPSU, the sample must be mailed with a completed Dust Data Card to MSHA. MSHA estimates that, for 204 data card submissions from CMDPSU, it will cost a mine \$1 to mail a set of samples to MSHA.

Surface Coal Mine Operators

Table H. Cost to Transmit Dust Data Card with CMDPSU Samples to MSHA

Sections	Data Card	Mail Cost	Total Cost
70.210(a),(c), 71.207(a),	20		
(c),	4	\$1.00	\$204.00

Copy Costs for Posting MSHA Report and Paper Record, Sections 70.211(b) and (c) and 71.208(b) and (c)

Cost for Providing MSHA Report and Paper Record to Part 90 Miner, Sections 90.209(b),(c)

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

Operators are required to post sampling data from the MSHA report and the paper record (Dust Data Card) of the sample run under section 70.211(b) and (c), respectively, at underground coal mines; and under section 71.208(b) and (c), respectively, at surface coal mines and surface work areas of underground coal mines. Under section 90.209(b), operators must provide the part 90 miner a copy of the MSHA report. Under section 90.209(c), the paper record (Dust Data Card) must be provided to the part 90 miner. MSHA estimates that it costs \$0.15 per copy for the MSHA report and CPDM Dust Data Card. Annual copy costs for 846 copies of posting sampling results are shown below.

Surface and Underground Coal Mine Operators

Table I. Copy Costs for Posting the MSHA Report and the Paper Record (Dust Data Card) and Providing to the Part 90 Miner the MSHA Report and the Paper Record (Dust Data Card)

Sections	Samples	Copy Cost	Total Cost
70.211(b), (c), 71.208(b), 90.209(b), (c)	846	\$0.15	\$126.90

Cost for Copying and Transmitting Mine Ventilation Plan Revisions or Dust Control Plan or Revisions, Sections 70.208(i)(2), 70.209(g)(2), 71.300(a), and 90.300(a)

To terminate a citation for a violation of the respirable dust standard at underground coal mines, the operator must have submitted revised dust control parameters as part of the mine ventilation plan, applicable to the MMU in the citation under section 70.208(i)(2), and applicable to the DA in the citation under section 70.209(g)(2). At surface work areas of underground coal mines and at surface coal mines, section 71.300(a) requires that within 15 calendar days after the termination date of a citation for violation of the applicable standard, the operator must submit to the District Manager for approval a written respirable dust control plan. Under section 90.300(a), if an operator abates a violation of the applicable standard by reducing the respirable dust level in the position of the part 90 miner, the operator must submit to the District Manager for approval a written respirable dust control plan for the part 90 miner in the position identified in the citation within 15 calendar days after the citation is terminated. MSHA estimates that a plan or plan revision will be two pages, copy costs are \$0.15 per page, and postage is \$1.00, for a total cost per revision of \$1.30. The number of revisions is equal to the number of citations that will result in new or revised plans at 141 corrective action records. Annual costs are shown below.

Table J. Copy and Transmission Costs for Mine Ventilation Plan Revisions or Dust Control Plan or Revisions

Sections	Schedules/Plans/ Reports/Mines	Copy Cost	Mail Cost	Total Cost
70.208(i)(2), 70.209(g)(2), 71.300(a), 90.300(a)	141	\$0.30	\$1.00 0	\$183.30

Copy Costs for Notifying Miners' Representative of Plan or Revision and Providing Copy of

Plan or Revision, Section 75.370(a)(3)(i) and (f)(1), 71.300(a)(1) and 71.301(d)(1)
 Cost for Providing Copy of Plan or Revision to Part 90 Miner, Section 90.301(d)

Under section 75.370(a)(3)(i), underground coal mine operators must notify the representative of miners at least five days prior to submission of a mine ventilation plan and any revisions and, if requested, provide a copy to the representative at the time of notification. Under section 75.370(f)(1), upon request, the operator must provide a copy of the approved mine ventilation plan and any revisions to the miners’ representative. Under section 71.300(a)(1), operators of underground coal mines with surface work areas, and operators of surface coal mines must notify the representative of miners at least five days prior to submission of a dust control plan and any revisions. Under section 71.301(d)(1), upon request, the operator must provide to the miners’ representative a copy of the approved dust control plan and any revisions. Under section 90.301(d) the operator must provide a copy of the current respirable dust control plan to the part 90 miner. MSHA estimates that a plan or plan revision will be, on average, two pages and copy costs are \$0.15 per page. MSHA assumes that all miners’ representatives will request a copy of the plan revisions. The number of notifications is equal to the number of citations that will result in new or revised plans at 141 corrective action records. Annual copy costs are shown below.

Table K. Copy Costs for Notifying Miners’ Representative of Plan or Revision and Providing Copy of Plan or Revision and Providing Copy of Plan or Revision to Part 90 Miner

Sections	Schedules/Plans/Reports/ Mines	Copy Cost	Total Cost
75.370(a)(3)(i), (f)(1); 71.300(a)(1), 71.301(d)(1), 90.301(d)	141	\$0.30	\$42.30

Copy Costs for Posting a Plan or Plan Revision, Section 75.370(a)(3)(iii) and (f)(3), and 71.300(a)(3) and 71.301(d)(3)

A proposed ventilation plan and any revisions under section 75.370(a)(3)(iii) and a proposed dust control plan and any revisions under section 71.300(a)(3) that are submitted for approval must be posted on the mine bulletin board at the time of submittal. The approved mine ventilation plan under section 75.370(f)(3) and the approved dust control plan under section 71.301(d) must be posted. The number of postings equals the number of citations that will result in a plan or plan revision at 141 corrective action records. MSHA estimates that a plan or revision will be two pages and copy costs are \$0.15 per page. Annual copy costs are shown below.

Surface and Underground Coal Mine Operators

Table L. Copy Costs for Posting a Plan or Plan Revision

Sections	Schedules/Plans Reports/Mines	Copy Cost	Total Cost
75.370(a)(3)(iii),(f)(3); 71.300(a)(3), 71.301(d)(3)	141	\$0.30	\$42.30

Annual Cost Burden to Respondents Or Record Keepers, Summary

Summary Table for Answers to Question 13		
Table	Sections	Burden Costs
A	70.201(f), 71.201(e), 90.201(g)	\$16.20
B	70.212(a), 71.209(a), 90.210	\$114.30
C	71.206(d)	\$7.00
Compliance Sampling with a CMDPSU		
D	70.210(a),(c), 71.207(a),(c)	\$10,435.00
E	70.211(b), 71.208(b)	\$1,565.25
Compliance Sampling with a CPDM at Underground Mines		
F	70.211(b),(c), 90.209(b),(c)	\$17,092.50
Part 90 Miner Sampling with a CPDM at Surface Mines		
G	90.209(b),(c)	\$6.00
Abatement Sampling		
H	70.210(a),(c), 71.207(a),(c)	\$204.00
I	70.211(b),(c), 71.208(b),(c), 90.209(b),(c)	\$126.90
J	70.208(i)(2), 70.209(g)(2), 71.300(a), 90.300(a)	\$183.30
K	75.370(a)(3)(i),(f)(1); 71.300(a)(1), 71.301(d)(1), 90.301(d)	\$42.30
L	75.370(a)(3)(iii),(f)(3); 71.300(a)(3), 71.301(d)(3)	\$42.30
Total		\$29,835 (rounded)

14. Provide estimates of annualized costs to the Federal government. Also, provide a description of the method used to estimate cost, which should include quantification of hours, operational expenses (such as equipment, overhead, printing, and support staff), and any other expense that would not have been incurred without this collection of information. Agencies may also aggregate cost estimates from Items 12, 13, and 14 in a single table.

MSHA incurs costs in processing operator samples submitted under sections 70.210, 71.207, and 90.208 in response to the operator sampling requirements in sections 70.208, 70.209, 71.206, and 90.207.

Sections 70.211(a), 71.208(a), and 90.209(a)

With respect to the CMDPSU, upon receiving the operator’s dust sample and the accompanying Dust Data Card, MSHA’s Respirable Dust Processing Laboratory in Pittsburgh, PA, weighs each received sample using a robotic weighing system employing micro-balances, records the results, and enters the information recorded on the data card into a personal computer for electronic transmission to MSHA’s Standardized Information System (MSIS) on the main computer in

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

Denver, CO, for processing. With respect to the CPDM, upon receiving operators’ electronic submissions of dust sampling data generated by the CPDM, MSHA’s Denver, CO, personnel maintain and process the data to MSIS.

For both the CMDPSU and CPDM, MSHA checks the received information for accuracy and completeness, performs required calculations of average concentration, and produces various computer-generated reports called data mailers. These data mailers, which contain specific information obtained from the dust sample and Dust Data Card, are mailed in accordance with sections 70.211(a), 71.208(a), and 90.209(a) for coal mine operators to communicate the disposition of each submitted dust sample and any required follow-up action. MSHA also incurs costs for maintaining equipment, computer software licenses, and supplies.

Table I. Sample processing and data transmission to MSIS for CMDPSU samples:

	Cost
MSHA personnel cost	\$322,924
Equipment and annual maintenance cost (vacuum pump, robotic weighing system, analytical balances, and PCs)	\$43,046
Misc. supplies (labels, paper, etc.)	\$2,500
Subtotal	\$368,470

Table II. Data processing and data transmission to MSIS for CPDM samples:

	Cost
MSHA personnel cost	\$141,053
Contractor Staff	\$100,000
Maintenance (Software licensing, PCs, printer, and supplies)	\$6,800
Subtotal	\$247,853

Table III. Data processing and reporting results to mine operators for coal respirable dust samples:

	Mailers	Mail Cost	Cost
Data Mailers	20,256	\$0.08	\$1,620
Postage	20,256	\$0.46	\$9,318
Data Storage	0	\$0.00	\$1,000
Total			\$11,938

Sections 70.201(f), 71.201(e) and (f), and 90.201(g)

Upon request from the District Manager, a mine operator must submit in advance of sampling the dates when sampling will be conducted under sections 70.201(f), 71.201(e), and 90.201(g). At surface work areas of underground coal mines and at surface coal mines, operators can also

make a written request under section 71.201(f) asking the District Manager to waive the rain restriction for a normal work shift as defined in section 71.2. MSHA anticipates requesting approximately 100 sampling schedules annually, and expects to receive approximately 360 responses from coal mine operators, as some mine operators submit schedules automatically. It will take an Agency clerk, earning \$36.52 per hour⁶ (GS-7), an average of 15 minutes to type and mail each request, and an average of 10 minutes to process each operator response; and an Agency health and safety specialist, earning \$75.00 per hour⁷ (GS-13), an average of 15 minutes to review and distribute each response to respective field offices for follow-up action.

Table IV. Sections 70.201(f), 71.201(e) and (f), and 90.201(g)

	Request	Response	Hours Per Request	Hours Per Response	Request Burden Hour	Response Burden Hour	Total Burden Hour	Wage Rate	Burden Hour Cost
Clerk	100	360	0.25	0.17	25	61.20	86.2	\$36.52	\$3,148
Health Specialist	0	360	0	0.25	0	90.00	90.0	\$75.00	\$6,750
Total							176.2		\$9,899

Sections 70.212(a), 71.209(a), and 90.210

When a change occurs in the operational status of a mine, MMU, DA, DWP, or part 90 miner that affects the sampling requirements of 30 CFR parts 70, 71, and 90, the change must be reported in writing to the MSHA District Office within 3 working days after the status change has occurred in accordance with sections 70.212(a), 71.209(a), and 90.210. MSHA expects to review and process approximately 2,540 status change reports annually. It will take an Agency clerk earning \$36.52 per hour an average of five minutes to review and process each status change report.

Table V. Sections 70.212(a), 71.209(a), and 90.210

	Number of Reports	Hours /Reports	Burden Hours	Wage Rate	Burden Cost
Status Change Reports	2,540	0.08	203.20	\$36.52	\$7,421

⁶The wage rates shown here come from the Office of Personnel Management (OPM) June 2021 FedScope data cube, <http://www.fedscope.opm.gov/>. Average salary was obtained for the appropriate grade and occupation for DOL-MSHA employees. In order to include the cost of benefits, this annual average salary was multiplied by a benefits scaler of 1.435 computed from MSHA's 2022 budget submission. The final hourly wage rate was derived by dividing the adjusted annual average salary by 2,087 hours (hourly rate = FedScope Salary x 1.400 ÷ 2,087); \$54,443 x 1.400 ÷ 2,087 = \$37.24.

⁷The wage rates shown here come from the Office of Personnel Management (OPM) June 2021 FedScope data cube, <http://www.fedscope.opm.gov/>. Average salary was obtained for the appropriate grade and occupation for DOL-MSHA employees. In order to include the cost of benefits, this annual average salary was multiplied by a benefits scaler of 1.435 computed from MSHA's 2022 budget submission. The final hourly wage rate was derived by dividing the adjusted annual average salary by 2,087 hours (hourly rate = FedScope Salary x 1.400 ÷ 2,087); \$111,811 x 1.400 ÷ 2,087 = \$75.00.

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

Sections 71.300(a) and 71.301(e)

Under Section 71.300(a), within 15 calendar days after the termination date of a citation for a violation of the respirable dust standard, the operator must submit to MSHA for approval a written respirable dust control plan. Under section 71.301(e), the operator may review respirable dust control plans and submit proposed revisions to such plans to the District Manager for approval. MSHA estimates that coal mine operators will submit eight new, and four revised dust control plans annually. It will take an Agency GS-13 health and safety specialist, earning \$75.00 per hour, 45 minutes to review the average plan (new) and 30 minutes per revision, and an Agency clerk, earning \$36.52 per hour, another 45 minutes to process a plan (new or revised).

Table VI. Sections 71.300(a) and 71.301(e)

	Number of Plans	Hours/Plan	Burden Hours	Wage Rate	Burden Cost
New Plans	8	0.75	6.00	\$75.00	\$450.03
Revised Plans	4	0.50	2.00	\$75.00	\$150.01
Subtotal			8		\$600.04
All Plans	12	0.75	9.00	\$36.52	\$328.69
Total			17		\$929

MSHA anticipates the submission of five new and one revised respirable dust control plans annually. MSHA estimates that it takes an Agency GS-13 health supervisor, earning \$75.00 per hour, 45 minutes to review the average new plan and 30 minutes per revision, and an Agency Clerk, earning \$36.52 per hour, another 45 minutes to process a part 90 miner dust control plan (new or revised).

Table VII. Submission of New and Revised Respirable Dust Control Plans

	Number of Plans	Hours/Plan	Burden Hours	Wage Rate	Burden Cost
New Plans	5	0.75	3.75	\$75.00	\$281.27
Revised Plans	1	0.50	0.50	\$75.00	\$27.50
Subtotal			4		\$318.77
All Plans	6	0.75	4.50	\$36.52	\$164.35
Total			9		\$483

Annualized Costs to The Federal Government, Summary

Table VIII. Summary Table for Question 14

Table	Detail	Costs
I	Sample Processing & Data Transmission to MSIS for CMDPSU Samples	\$368,470.00

II	Sample Processing & Data Transmission to MSIS for CPDM Samples	\$247,853.00
III	Data Processing & Reporting Results to Mine Operators for CMDPSU & CPDM Samples	\$11,938.24
IV	70.201(f), 71.201(e),(f), 90.201(g)	\$9,898.60
V	70.212(a), 71.209(a), 90.210	\$7,421.15
VI	71.300(a), 71.301(e)	\$928.73
VII	90.300(a), 90.301(e)	\$483.12
	Total	\$646,993

15. Explain the reasons for any program changes or adjustments on the burden worksheet.

Respondents: The estimated annual number of respondents remains at 676.

Responses: The estimated annual number of responses remains at 995,102.

Burden Hours: The estimated annual time burden remains at 58,259.

Burden Costs: The estimated annual burden costs remain at \$3,271,611.

Other Burden Costs: The estimated annual other burden costs remain at \$29,835.

Table 15-1. Summary of Changes

	Currently Approved ICR	Revised ICR	Difference
Number of Respondents	676	676	0
Number of Responses	995,102	995,102	0
Annual Time Burden	58,259	58,259	0
Annual Burden Costs	\$3,271,611	\$3,271,611	\$0
Annual Other Burden Costs	\$29,835	\$29,835	\$0

16. For information collections whose results will be published, outline plans for tabulation and publication and address any complex analytical techniques that will be used. Provide the time schedule for the entire project, including beginning and ending dates of the information collection, completion of report, publication dates, and other actions.

The transmittal and processing of samples, Dust Data Cards, and related information collection requirements under this ICR are not published. Results are reported to mine operators and the electronic database is used by MSHA to plan enforcement activities and evaluate programs. The database is also used by NIOSH to monitor effectiveness of dust controls, plan and undertake dust control research initiatives, and assess trends in disease prevention. The purpose of the respirable coal mine dust sampling program is to monitor compliance with mandatory limits to ensure healthful work environments.

Respirable Coal Mine Dust Sampling

OMB Control Number: 1219-0011

OMB Expiration Date: 10/31/2025

17. If seeking approval to not display the expiration date for OMB approval of the information collection, explain the reasons that display would be inappropriate.

MSHA is seeking approval to not display the expiration date for OMB approval of this information collection on the Dust Data Card. MSHA has no direct control over the production or distribution of the cassettes and Dust Data Cards. Dust sampling cassettes and the accompanying Dust Data Cards for CMDPSUs are produced and distributed by the CMDPSU manufacturer. Dust Data Cards associated with the CPDM are generated by the CPDM. The CPDM is produced and distributed by its manufacturer.

18. Explain each exception to the topics of the certification statement identified in "Certification for Paperwork Reduction Act Submissions."

There are no certification exceptions identified with this information collection.

B. COLLECTIONS OF INFORMATION EMPLOYING STATISTICAL METHODS

This information collection does not employ any statistical methods.