

SpecWriter Data

Form Version: 4/15/2022 12:53:39 PM
Report Type: Full Detail
Project Database: WESSQL300.MEPSFall2022
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

Full Detail Spec

<u>BOX_00</u>	<u>(AC1000)</u>	Item Type: Route	Type Class: If Then
----------------------	------------------------	-------------------------	----------------------------

Route Details:

01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60, BOX_70, BOX_80, BOX_90, BOX_100, BOX_110

02 Loop = LOOP_10, LOOP_20

03 End Loop = END_LP10, END_LP20

04 Single Select = AC10, AC20, AC30, AC40, AC50, AC60, AC70, AC80, AC90, AC100, AC120, AC140, AC150, AC160, AC170, AC180, AC190, AC200, AC210, AC230, AC240, AC250, AC270, AC290, AC310

08 Multiple Select = AC110

10 Multiple Select with Fill in Answer Text = AC220, AC260, AC280, AC300, AC320

20 OS Text Field = AC800S, AC900S

<u>BOX_10</u>	<u>(AC1005)</u>	Item Type: Route	Type Class: If Then
----------------------	------------------------	-------------------------	----------------------------

Route Details:

The AC section is only asked in RndCycle=Fall. If it is RndCycle=Spring continue to the next section.

<u>BOX_20</u>	<u>(AC1010)</u>	Item Type: Route	Type Class: If Then
----------------------	------------------------	-------------------------	----------------------------

Route Details:

Context header display instructions: SEE CONTEXT HEADER SPEC

Full Detail Spec

LOOP_10 **(AC1015)** **Item Type:** Route **Type Class:** Begin Loop

Route Details: For each element in the RU-members-roster, ask AC10 - END_LP10.

Loop definition: LOOP_10 collects the name of the usual source of care provider, if any, for each current RU member. This loop cycles on persons who meet the following conditions:

- Person is a current RU member (included in person array)
- Person is not deceased (PersRndStatus ≠ Deceased)
- Person is not institutionalized (PersRndStatus ≠ Institutionalized)

AC10	(AC1020)	BLAISE NAME: HaveUSC		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	THAVE_USC	Answers allowed: 1	ArrayMax:	Max value:

Help Available (USCHelp) Show Card () Look Up File ()

Context Header: {PERSON’S FIRST MIDDLE AND LAST NAME}

Question Text:

Is there a particular doctor's office, clinic, health center, or other place that {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health?

HELP: F1

Responses:	YES	1	AC30	(AC1030)
	NO	2	AC40	(AC1035)
	MORE THAN ONE PLACE	3	AC20	(AC1025)
	REFUSED	RF	END_LP10	(AC1120)
	DON'T KNOW	DK	END_LP10	(AC1120)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

Full Detail Spec

AC20

(AC1025)

BLAISE NAME: GoFirst

Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON’S FIRST MIDDLE AND LAST NAME}

Question Text:

Would {you/{PERSON}} go to one of these places first or most often if {you/he/she} {are/is} sick?

Responses:	YES	1	AC30	(AC1030)
	NO	2	AC40	(AC1035)
	REFUSED	RF	END_LP10	(AC1120)
	DON'T KNOW	DK	END_LP10	(AC1120)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

Full Detail Spec

AC30	(AC1030)	BLAISE NAME: USCLoctr		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TGroup	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON’S FIRST MIDDLE AND LAST NAME}

Question Text:

Does the medical provider {you/{PERSON}} usually {see/sees} have his or her own practice that is not part of a group practice, health center, clinic, or other facility?

Responses:	OWN PRACTICE, NOT PART OF GROUP/FACILITY	----- 1	BOX_30	(AC1036)
	PRACTICE IS ASSOCIATED WITH GROUP/FACILITY	----- 2	BOX_30	(AC1036)
	REFUSED	----- RF	BOX_30	(AC1036)
	DON'T KNOW	----- DK	BOX_30	(AC1036)

Display Instructions: Display 'see' if asking about the respondent. Otherwise, display 'sees'

For response 1 "OWN PRACTICE, NOT PART OF GROUP/FACILITY", display the word "NOT" with an underline.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

Full Detail Spec

AC40

(AC1035)

BLAISE NAME: WhyNoUSC

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TY_NO_USC **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (USCHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

What is the main reason {you/{PERSON}} {do/does} not have a usual source of health care?

HELP: F1

- Responses:**
- SELDOM OR NEVER GETS SICK 1 END_LP10 (AC1120)
 - RECENTLY MOVED INTO AREA 2 END_LP10 (AC1120)
 - JUST CHANGED INSURANCE PLANS 3 END_LP10 (AC1120)
 - NO HEALTH INSURANCE, OTHER 4 END_LP10 (AC1120)
 - INSURANCE RELATED REASON
 - DON'T KNOW WHERE TO GO FOR CARE 5 END_LP10 (AC1120)
 - USUAL SOURCE OF MEDICAL CARE IN 6 END_LP10 (AC1120)
 - THIS AREA IS NO LONGER AVAILABLE
 - LIKES TO GO TO DIFFERENT PLACES 7 END_LP10 (AC1120)
 - FOR DIFFERENT HEALTH NEEDS
 - DON'T USE DOCTORS/TREAT MYSELF 8 END_LP10 (AC1120)
 - COST OF MEDICAL CARE 9 END_LP10 (AC1120)
 - OTHER REASON 91 END_LP10 (AC1120)
 - REFUSED RF END_LP10 (AC1120)
 - DON'T KNOW DK END_LP10 (AC1120)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

BOX_30

(AC1036)

Item Type: Route

Type Class: If Then

Route Details: Ask the provider roster (PV) section.

At the completion of the provider roster (PV) section, continue with BOX_40.

BOX 40

(AC1055)

Item Type: Route

Type Class: If Then

Route Details:

If provider added or selected at PV30LU is a person provider, that person provider will be considered the 'USC (USUAL SOURCE OF CARE PROVIDER) PROVIDER' for this person for this round.

If provider added or selected at PV30LU is a facility provider and PV70=0, that facility provider will be considered the 'USC (USUAL SOURCE OF CARE PROVIDER) PROVIDER' for this person for this round.

If provider added or selected at PV30LU is a facility provider and PV70 ≠ 0 or empty, the entry at PV70, in conjunction with the facility provider at PV30LU, will be the 'USC (USUAL SOURCE OF CARE PROVIDER) PROVIDER' for this person for this round.

If the USC provider is a person provider, then the USC type is PERSON-TYPE PROVIDER.

If the USC provider is a facility provider and PV70=0, then the USC type is a FACILITY-TYPE PROVIDER.

If the USC provider is a facility provider and PV70≠0 or empty, then the USC type is a PERSON-IN-FACILITY-TYPE PROVIDER and the entry entered at PV70 will be considered the USC in conjunction with the facility provider selected or added at PV30LU.

If USC provider selected at PV30LU is a FACILITY-TYPE PROVIDER or a PERSON-IN-FACILITY-TYPE PROVIDER and AC50 was not already asked for this USC provider in an earlier loop or AC50 was not already asked in a previous Fall cycle (e.g. round 2 if round 4) or in a previous Fall cycle AC50 was asked but was coded as missing (RF, DK), go to AC50.

Otherwise, if USC provider selected at PV30LU is (a PERSON-TYPE PROVIDER) or (a FACILITY-TYPE PROVIDER or a PERSON IN FACILITY TYPE PROVIDER and AC50 has already been asked for this USC provider in an earlier loop, or in a previous Fall cycle (Preload.PlaceType)), go to AC60.

Full Detail Spec

<u>AC50</u>	<u>(AC1060)</u>	<u>BLAISE NAME:</u> PlaceType			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TPLACETYP	Answers allowed: 1	ArrayMax:	Max value:	

Help Available (PlaceTypeHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....}
{NAME OF FACILITY}

Question Text:

ASK IF NOT OBVIOUS.

{Is {PROVIDER}/Does {PROVIDER} work at} a clinic in a hospital, a hospital outpatient department, an emergency room at a hospital, or some other kind of place?

HELP: F1

Responses:	HOSPITAL CLINIC OR OUTPATIENT DEPARTMENT 1	AC60	(AC1065)
	HOSPITAL EMERGENCY ROOM 2	AC60	(AC1065)
	OTHER KIND OF PLACE 3	AC60	(AC1065)
	REFUSED RF	AC60	(AC1065)
	DON'T KNOW DK	AC60	(AC1065)

Programmer Instructions: Note: for questions AC50-AC120, the context header will always display the name of the USC provider entered at PV30LU for 'NAME OF FACILITY'. Display the entry entered at PV70 for 'NAME OF MEDICAL CARE PROVIDER' otherwise, use a null display.

Display

Instructions:

Display 'Is {PROVIDER}' if USC provider is a 'FACILITY-TYPE- PROVIDER'.

Display 'Does {PROVIDER} work at' if USC provider is a 'PERSON IN FACILITY-TYPE-PROVIDER' and display the entry selected or added at PV70 for 'PROVIDER'

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

Full Detail Spec

AC60

(AC1065)

BLAISE NAME: TimeProv

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TGETTOTAK **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}}

Question Text:

How long does it usually take {you/{PERSON}} to get to {PROVIDER}?

Responses:

LESS THAN 15 MINUTES	1	BOX_50	(AC1070)
16 TO 30 MINUTES	2	BOX_50	(AC1070)
31 TO 60 MINUTES (1 HOUR)	3	BOX_50	(AC1070)
61 TO 90 MINUTES	4	BOX_50	(AC1070)
91 TO 120 MINUTES (2 HOURS)	5	BOX_50	(AC1070)
MORE THAN 120 MINUTES (2 HOURS)	6	BOX_50	(AC1070)
REFUSED	RF	BOX_50	(AC1070)
DON'T KNOW	DK	BOX_50	(AC1070)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

Full Detail Spec

BOX_50

(AC1070)

Item Type: Route

Type Class: If Then

Route Details:

If this USC provider is a 'PERSON-TYPE-PROVIDER' OR 'PERSON IN FACILITY-TYPE-PROVIDER' **and**

- If (Round 2) and (AC70 was not asked for this USC provider in an earlier loop)
or
- If (Round<>2) and (AC70 was not asked in a previous Fall cycle for this USC provider [Preload.ProvDoc = empty]) and (AC70 was not asked for this USC provider in an earlier loop in the current round)
or
- If (Round<>2) and (AC70 was coded as refused or don't know for this USC provider in a previous Fall cycle [Preload.ProvDoc = RF, DK]) and (AC70 was not asked for this USC provider in an earlier loop in the current round)
or
- If (Round<>2) and (AC70 was coded '1' (YES) and AC90 was coded as refused or don't know for this USC provider in a previous Fall cycle [Preload.ProvDoc = Yes and Preload.ProvSpecIt=DK, RF]) and (AC70 was not asked for this USC provider in an earlier loop in the current round)
or
- If (Round<>2) and (AC70 was coded '2' (NO) and AC80 was coded as refused or don't know for this USC provider in a previous Fall cycle [Preload.ProvDoc = No and Preload.ProvOthType=DK, RF]) and (AC70 was not asked for this USC provider in an earlier loop in the current round), continue with AC70.

Otherwise, go to BOX_60.

AC70

(AC1075)

BLAISE NAME: ProvDoc

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TYESNO

Answers allowed: 1

ArrayMax:

Max value:

Help Available (MDDOTypes)

Show Card ()

Look Up File ()

Context Header:

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

Is {PROVIDER} a medical doctor?

HELP: F1

Responses:

YES	1	AC90	(AC1090)
NO	2	AC80	(AC1080)
REFUSED	RF	AC100	(AC1100)
DON'T KNOW	DK	AC100	(AC1100)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

AC80	(AC1080)	BLAISE NAME: ProvOthType		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TOTHTYPE	Answers allowed: 1	ArrayMax:	Max value:

Help Available (ProvOthTypeHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}}

Question Text:

Is {PROVIDER} a nurse, nurse practitioner, physician's assistant, midwife, or some other kind of person?

SELECT 'CHIROPRACTOR' IF CHIROPRACTOR VOLUNTEERED AS TYPE OF MEDICAL PERSON.

HELP: F1

Responses:	NURSE	1	BOX_60	(AC1096)
	NURSE PRACTITIONER	2	BOX_60	(AC1096)
	PHYSICIAN'S ASSISTANT	3	BOX_60	(AC1096)
	MIDWIFE	4	BOX_60	(AC1096)
	CHIROPRACTOR	5	BOX_60	(AC1096)
	OTHER	91	AC80OS	(AC1085)
	REFUSED	RF	BOX_60	(AC1096)
	DON'T KNOW	DK	BOX_60	(AC1096)

**Display
Instructions:** Display AC80 and AC80OS on the same form pane.

**Testing/Editing
Notes:** Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

Full Detail Spec

<u>AC800S</u>	<u>(AC1085)</u>	<u>BLAISE NAME:</u> ProvOthTypeOS		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 25		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available ()
 Show Card ()
 Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....}
{NAME OF FACILITY}

Question Text:
SPECIFY: OTHER TYPE

Responses:

.....	1	BOX_60	(AC1096)
REFUSED	RF	BOX_60	(AC1096)
DON'T KNOW	DK	BOX_60	(AC1096)

Display Instructions: Display AC80 and AC800S on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

Full Detail Spec

AC90	(AC1090)	BLAISE NAME: ProvSpeclt		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TMDSPECLT	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON’S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

What is {PROVIDER}'s specialty?

Responses:	GENERAL/FAMILY PRACTICE	1	BOX_60	(AC1096)
	INTERNAL MEDICINE	2	BOX_60	(AC1096)
	PEDIATRICS	3	BOX_60	(AC1096)
	OB/GYN	4	BOX_60	(AC1096)
	SURGERY	5	BOX_60	(AC1096)
	CHIROPRACTOR	6	BOX_60	(AC1096)
	CARDIOLOGIST	7	BOX_60	(AC1096)
	DOCTOR OF OSTEOPATHY	8	BOX_60	(AC1096)
	OTHER	91	AC90OS	(AC1095)
	REFUSED	RF	BOX_60	(AC1096)
	DON'T KNOW	DK	BOX_60	(AC1096)

Display Instructions: Display AC90 and AC90OS on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

Full Detail Spec

AC900S

(AC1095)

BLAISE NAME: ProvSpecltOS

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**

Type Class: String **Field Size:** 25

Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available ()

Show Card ()

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....}
{NAME OF FACILITY}

Question Text:

SPECIFY: OTHER SPECIALTY.

Responses:

.....	1	BOX_60	(AC1096)
REFUSED	RF	BOX_60	(AC1096)
DON'T KNOW	DK	BOX_60	(AC1096)

Display

Instructions:

Display AC90 and AC900S on the same form pane.

Testing/Editing
Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

BOX_60

(AC1096)

Item Type: Route

Type Class: If Then

Route Details:

If this USC provider is a 'PERSON-TYPE-PROVIDER' or 'PERSON IN FACILITY TYPE-PROVIDER' and [(AC100 not already answered this round for this same USC provider in an earlier cycle) or (if round<>2 and Preload.ProvHisplLat=DK, RF, or EMPTY (i.e., AC100 never asked in previous Fall cycles, DK, or RF) for this same USC provider)], go to AC100.

Otherwise, go to BOX_70.

Full Detail Spec

AC100

(AC1100)

BLAISE NAME: ProvHispLat

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TYESNO

Answers allowed: 1

ArrayMax:

Max value:

Help Available ()

Show Card ()

Look Up File ()

Context Header:

{PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....}
{NAME OF FACILITY}

Question Text:

Is {PROVIDER} Hispanic or Latino?

Responses:

YES	1	BOX_70	(AC1101)
NO	2	BOX_70	(AC1101)
REFUSED	RF	BOX_70	(AC1101)
DON'T KNOW	DK	BOX_70	(AC1101)

Display

Instructions:

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

BOX_70

(AC1101)

Item Type: Route

Type Class: If Then

Route Details:

If this USC provider is a 'PERSON-TYPE-PROVIDER' or 'PERSON IN FACILITY TYPE-PROVIDER' and [(AC110 not already answered this round for this same USC provider in an earlier cycle) or (if round<>2 and Preload.AskProvRace=1 (YES) (i.e., AC110 never asked, or RF, DK in previous Fall cycles) for this same USC provider)], go to AC110.

Otherwise, go to BOX_80.

Full Detail Spec

AC110	(AC1110)	BLAISE NAME: ProvRace		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	Tbw_AC19	Answers allowed: 6	ArrayMax:	Max value:

Help Available () Show Card (AC-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....}
{NAME OF FACILITY}

Question Text:

AC-1.

What is {PROVIDER}'s race?

ENTER ALL THAT APPLY.

- Responses:**
- WHITE 1 BOX 80 (AC1111)
 - BLACK/AFRICAN AMERICAN 2 BOX 80 (AC1111)
 - ASIAN 3 BOX 80 (AC1111)
 - INDIAN/NATIVE AMERICAN/ALASKA NATIVE 4 BOX 80 (AC1111)
 - OTHER PACIFIC ISLANDER 5 BOX 80 (AC1111)
 - SOME OTHER RACE 91 BOX 80 (AC1111)
 - REFUSED RF BOX 80 (AC1111)
 - DON'T KNOW DK BOX 80 (AC1111)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

BOX 80 (AC1111) Item Type: Route **Type Class:** If Then

Route Details: If this USC provider is a 'PERSON-TYPE-PROVIDER' or 'PERSON IN FACILITY TYPE-PROVIDER' and [(AC120 not already answered this round for this same USC provider in an earlier cycle) or (if round<>2 and Preload.ProvGender=DK, RF, or EMPTY (i.e., AC120 never asked in previous Fall cycles) for this same USC provider)], go to AC120.

Otherwise, go to END_LP10.

AC120	(AC1115)	BLAISE NAME: ProvGender
Item Type:	Question	Field kind: Datafield ArrayMin: Min value:
Type Class:	Enumerated	Field Size:
Answer Type:	TSMPSSEX	Answers allowed: 1 ArrayMax: Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....}}
 {NAME OF FACILITY}

Question Text:
 Is {PROVIDER} male or female?

Responses:	MALE -----	1	END_LP10	(AC1120)
	FEMALE -----	2	END_LP10	(AC1120)
	REFUSED -----	RF	END_LP10	(AC1120)
	DON'T KNOW -----	DK	END_LP10	(AC1120)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

END_LP10	(AC1120)	Item Type: Route	Type Class: End Loop
-----------------	-----------------	-------------------------	-----------------------------

Route Details: Cycle on next person in the RU-members-roster who meets the conditions stated in the loop definition.

 If no other persons meet the stated conditions, end LOOP_10 and continue with BOX_90.

BOX_90 **(AC1121)** **Item Type:** Route **Type Class:** If Then

Route Details: If at least one provider was selected or added as a ‘USC provider’ on the RU- medical-providers-roster, continue with LOOP_20.

Otherwise, go to AC210.

LOOP_20 **(AC1130)** **Item Type:** Route **Type Class:** Begin Loop

Route Details: For each element in the RU-medical-providers-roster, ask AC140 - END_LP20.

Loop definition: LOOP_20 collects detailed information on each unique usual source of care provider identified for this RU. This loop cycles on providers who meet the following condition:

-Provider was selected or added as ‘USC provider’ during the current round for a current RU member.

Note: if the USC provider being looped on is a 'PERSON IN FACILITY-TYPE-PROVIDER' the context header in LOOP_20 will display the name of facility selected or added at PV30LU. if the USC provider being looped on is a 'FACILITY- TYPE- PROVIDER', the context header in LOOP_20 will display the facility-provider name. If the USC provider being looped on is 'PERSON-TYPE PROVIDER' the context header in LOOP_20 will display the person-provider name.

For ‘PROVIDER’ in the question text, display the name of the facility if the USC type is a FACILITY TYPE PROVIDER, display the name of the person provider, if the USC type is a PERSON TYPE PROVIDER, and display the name entered at PV70, if the USC type is PERSON IN FACILITY TYPE PROVIDER.

Full Detail Spec

AC140

(AC1140)

BLAISE NAME: PhoneDfelt

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TAPPDIFF

Answers allowed: 1

ArrayMax:

Max value:

Help Available ()

Show Card (AC-2)

Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....}
{NAME OF FACILITY}

Question Text:

📖AC-2.

The next few questions ask about the experience {{PERSON 1}}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N}, {or their parents} {have had/has had} with {PROVIDER} . Please think about their overall experiences when answering the following questions.

How difficult is it to contact {a medical person at} {PROVIDER} during regular business hours over the telephone about a health problem?

Would you say it is very difficult, somewhat difficult, not too difficult, or not at all difficult?

Responses:

VERY DIFFICULT	1
SOMEWHAT DIFFICULT	2
NOT TOO DIFFICULT	3
NOT AT ALL DIFFICULT	4
REFUSED	RF
DON'T KNOW	DK

Programmer Instructions: If AC50 was coded '2' (HOSPITAL EMERGENCY ROOM) for this USC provider, go to AC160.

Otherwise, continue with AC150.

Display Instructions: Display 'a medical person at' if USC provider being looped on is a 'FACILITY-TYPE-PROVIDER'.

Otherwise, use a null display.

Display 'have had' if roster list displayed at the question text includes the respondent or includes more than 1 person. Otherwise, display 'has had'.

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName). Display "you" rather than the respondent's name, when respondent's name is included in the list. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

Full Detail Spec

AC150

(AC1145)

BLAISE NAME: OffHours

Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....}{NAME OF FACILITY}

Question Text:

Does {PROVIDER} have office hours at night or on weekends?

Responses:	YES	1	AC160	(AC1150)
	NO	2	AC160	(AC1150)
	REFUSED	RF	AC160	(AC1150)
	DON'T KNOW	DK	AC160	(AC1150)

Display

Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

Full Detail Spec

AC160	(AC1150)	BLAISE NAME: AfterHours		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TAPPDIFF	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (AC-2) Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

AC-2.

How difficult is it to contact {a medical person at} {PROVIDER} after their regular hours in case of urgent medical needs?

Would you say it is very difficult, somewhat difficult, not too difficult, or not at all difficult?

Responses:	VERY DIFFICULT	1	AC170	(AC1155)
	SOMEWHAT DIFFICULT	2	AC170	(AC1155)
	NOT TOO DIFFICULT	3	AC170	(AC1155)
	NOT AT ALL DIFFICULT	4	AC170	(AC1155)
	REFUSED	RF	AC170	(AC1155)
	DON'T KNOW	DK	AC170	(AC1155)

Display Instructions: Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'. Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

Full Detail Spec

AC170

(AC1155)

BLAISE NAME: OthTrtmt

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

Does {someone at} {PROVIDER} usually ask about prescription medications and treatments other doctors may give
 {{PERSON 1}}, {{PERSON 2}}, {{PERSON 3}}, {{PERSON 4}}, {{and} PERSON N}?

Responses: YES 1 AC180 (AC1160)
 NO 2 AC180 (AC1160)
 REFUSED RF AC180 (AC1160)
 DON'T KNOW DK AC180 (AC1160)

Display

Instructions:

Display 'someone at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'.
 Otherwise, use a null display.

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName).

Display "you" rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

Full Detail Spec

AC180

(AC1160)

BLAISE NAME: AskChoose

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TALUSUALY **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (AC-3) Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

 AC-3.

If there were a choice between treatments, how often would {a medical person at} {PROVIDER} ask {{PERSON 1},} {PERSON 2},} {PERSON 3},} {PERSON 4},} {PERSON N},} {or their parents} to help make the decision?

Would you say never, sometimes, usually, or always?

Responses:

NEVER	1	AC190	(AC1165)
SOMETIMES	2	AC190	(AC1165)
USUALLY	3	AC190	(AC1165)
ALWAYS	4	AC190	(AC1165)
REFUSED	RF	AC190	(AC1165)
DON'T KNOW	DK	AC190	(AC1165)

**Display
Instructions:**

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName).

Display "you" rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name, when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'. Otherwise, use a null display.

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

Full Detail Spec

AC190

(AC1165)

BLAISE NAME: ExplOpt

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TYESNO

Answers allowed: 1

ArrayMax:

Max value:

Help Available ()

Show Card ()

Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

Does {a medical person at} {PROVIDER} present and explain all options to {{PERSON 1},} {{PERSON 2},} {{PERSON 3},} {{PERSON 4},} {{and} PERSON N} {or their parents}?

Responses:

YES	1	BOX_100	(AC1166)
NO	2	BOX_100	(AC1166)
REFUSED	RF	BOX_100	(AC1166)
DON'T KNOW	DK	BOX_100	(AC1166)

**Display
Instructions:**

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName).

Display "you" rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name, when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE-PROVIDER'.

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

BOX 100

(AC1166)

Item Type: Route

Type Class: If Then

Route Details:

If at least one person who identified the USC provider currently being looped on as their USC provider AND RE1170_09 was coded '3' (NOT WELL) or '4' (NOT AT ALL) in any round for that person (preload.EngCompLevel), continue with AC200.

Otherwise, go to END_LP20.

Full Detail Spec

AC200

(AC1175)

BLAISE NAME: LangPref

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TYESNO

Answers allowed: 1

ArrayMax:

Max value:

Help Available ()

Show Card ()

Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

Does {someone at} {PROVIDER} speak the language {{PERSON 1},} {{PERSON 2},} {{PERSON 3},} {{PERSON 4},} {{and} PERSON N} {or their parents} prefer(s) or provide translator services?

Responses:

YES	1	END_LP20	(AC1180)
NO	2	END_LP20	(AC1180)
REFUSED	RF	END_LP20	(AC1180)
DON'T KNOW	DK	END_LP20	(AC1180)

**Display
Instructions:**

Display 'someone at' if USC provider being looped on is a 'FACILITY-TYPE- PROVIDER.'
Otherwise, use a null display.

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName). Display "you" rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name, when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who:

- Identified provider being asked about as person's USC provider for the current round and
- Coded RE1170_09 as '3' (NOT WELL) or '4' (NOT AT ALL) in any round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

END LP20

(AC1180)

Item Type: Route

Type Class: End Loop

Route Details:

Cycle on next provider in the RU-medical-providers-roster who meets the conditions stated in the loop definition.

If no other providers meet the stated conditions, end LOOP_20 and continue with AC210.

Full Detail Spec

AC210

(AC1185)

BLAISE NAME: DelayCare

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Question Text:

The following questions are about the use of health care. Do not include dental care or prescription medicines.

Please think about the last 12 months, that is, between {MONTH YEAR-1} and today. {{Have you/Has {PERSON}} delayed seeking medical care/Has medical care been delayed for anyone in the household} because of worry about the cost?

Responses: YES 1 AC220 (AC1186)
 NO 2 AC230 (AC1187)
 REFUSED RF AC230 (AC1187)
 DON'T KNOW DK AC230 (AC1187)

Programmer Instructions: If coded '1' (YES) and a MULTI-PERSON RU, continue with AC220.
 If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC220, and go to AC230.

Display Instructions: For 'MONTH YEAR-1' display the month of the current interview and the current interview year minus 1.
 Display '{Have you/Has {PERSON}} delayed seeking medical care' if SINGLE-PERSON RU. Otherwise, display 'Has medical care been delayed for anyone in the household'.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.DelayCare
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.DelayCare

Full Detail Spec

AC220	(AC1186)	BLAISE NAME: DelayWho		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TFIRSTMIDLASTNA	Answers allowed: 99	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

Who was that?

PROBE: Did anyone else delay seeking medical care because of worry about the cost?

ENTER ALL THAT APPLY.

Responses:

{FIRST NAME [MIDDLE NAME] LAST NAME}1 1

{FIRST NAME [MIDDLE NAME] LAST NAME}2 2

{FIRST NAME [MIDDLE NAME] LAST NAME}3 3

{FIRST NAME [MIDDLE NAME] LAST NAME}4 4

{FIRST NAME [MIDDLE NAME] LAST NAME}N 5

Programmer Instructions: Go to AC230.

Display Instructions: Roster 2 - no add/edit/delete

Roster definition:
This item displays RU members roster for selection. Display RU member's first, middle, and last name (Person.FullName).

Roster filter:
No filter; display all.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.DelayWho
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.DelayWho

Full Detail Spec

<u>AC230</u>	<u>(AC1187)</u>	<u>BLAISE NAME:</u> AffrdCare		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

In the last 12 months, was there any time when {{you/{PERSON}}}/anyone in the household} needed medical care, but did not get it because {{you/he/she}/they} couldn't afford it?

Responses:	YES	1	AC240	(AC1188)
	NO	2	AC250	(AC1189)
	REFUSED	RF	AC250	(AC1189)
	DON'T KNOW	DK	AC250	(AC1189)

Programmer Instructions: If coded '1' (YES) and a MULTI-PERSON RU, continue with AC240.
If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC240, and go to AC250.

Display Instructions: Display '{{you/{PERSON}}}' if SINGLE-PERSON RU. Otherwise, display 'anyone in the household'.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCare
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCare

Full Detail Spec

AC240	(AC1188)	BLAISE NAME: AffrdWho		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TFIRSTMIDLASTNA	Answers allowed: 99	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

Who was that?

PROBE: Did anyone else need medical care but did not get it because they couldn't afford it?

ENTER ALL THAT APPLY.

Responses:

{FIRST NAME [MIDDLE NAME] LAST NAME}1 1

{FIRST NAME [MIDDLE NAME] LAST NAME}2 2

{FIRST NAME [MIDDLE NAME] LAST NAME}3 3

{FIRST NAME [MIDDLE NAME] LAST NAME}4 4

{FIRST NAME [MIDDLE NAME] LAST NAME}N 5

Programmer Instructions: Go to AC250.

Display Instructions: Roster 2 - no add/edit/delete

Roster definition:
This item displays RU members roster for selection. Display RU member's first, middle, and last name (Person.FullName).

Roster filter:
No filter; display all.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdWho
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdWho

Full Detail Spec

AC250

(AC1189)

BLAISE NAME: DelayCareDN

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Question Text:

Now please think only about dental care. In the last 12 months [that is, between {MONTH YEAR-1} and today], {have you/has {PERSON}} delayed seeking dental care (including check-ups)/has dental care (including check-ups) been delayed for anyone in the household} because of worry about the cost?

Responses: YES 1
 NO 2 AC270 (AC1191)
 REFUSED RF AC270 (AC1191)
 DON'T KNOW DK AC270 (AC1191)

Programmer Instructions: If coded '1' (YES) and a MULTI-PERSON RU, continue with AC260.
 If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC260, and go to AC270.

Display Instructions: For 'MONTH YEAR-1' display the month of the current interview and the current interview year minus 1.
 Display '{have you/Has {PERSON}} delayed seeking dental care (including check-ups)' if SINGLE-PERSON RU. Otherwise, display 'has dental care been delayed (including check-ups) for anyone in the household'.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.DelayCareDN
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.DelayCareDN

AC260	(AC1190)	BLAISE NAME: DelayWhoDN		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TFIRSTMIDLASTNA	Answers allowed: 99	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

Who was that?

PROBE: Did anyone else delay seeking dental care (including check-ups) because of worry about the cost?

ENTER ALL THAT APPLY.

Responses:

{FIRST NAME [MIDDLE NAME] LAST NAME} 1 1

{FIRST NAME [MIDDLE NAME] LAST NAME} 2 2

{FIRST NAME [MIDDLE NAME] LAST NAME} 3 3

{FIRST NAME [MIDDLE NAME] LAST NAME} 4 4

{FIRST NAME [MIDDLE NAME] LAST NAME} N 5

Programmer Instructions: Go to AC270.

Display Instructions:

Roster 2 - no add/edit/delete

Roster definition:
 This item displays RU members roster for selection. Display RU member's first, middle, and last name
 (Person.FullName).

Roster filter:
 No filter; display all.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.DelayWhoDN
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.DelayWhoDN

Full Detail Spec

AC270

(AC1191)

BLAISE NAME: AffrdCareDN

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Question Text:

In the last 12 months, was there any time when {{you/{PERSON}}}/anyone in the household} needed dental care, but did not get it because {{you/he/she}/they} couldn't afford it?

Responses: YES 1
 NO 2 AC290 (AC1193)
 REFUSED RF AC290 (AC1193)
 DON'T KNOW DK AC290 (AC1193)

Programmer Instructions: If coded '1' (YES) and a MULTI-PERSON RU, continue with AC280.
 If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC280, and go to AC290.

Display Instructions: Display '{{you/{PERSON}}}' if SINGLE-PERSON RU. Otherwise, display 'anyone in the household'.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCareDN
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCareDN

Full Detail Spec

AC280	(AC1192)	BLAISE NAME: AffrdWhoDN		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TFIRSTMIDLASTNA	Answers allowed: 99	ArrayMax:	Max value:

Help Available ()

Show Card ()

Look Up File ()

Question Text:

Who was that?

PROBE: Did anyone else need dental care but did not get it because they couldn't afford it?

ENTER ALL THAT APPLY.

Responses:

{FIRST NAME [MIDDLE NAME] LAST NAME} 1 1

{FIRST NAME [MIDDLE NAME] LAST NAME} 2 2

{FIRST NAME [MIDDLE NAME] LAST NAME} 3 3

{FIRST NAME [MIDDLE NAME] LAST NAME} 4 4

{FIRST NAME [MIDDLE NAME] LAST NAME} N 5

Programmer Instructions: Go to AC290.

Display Instructions: Roster 2 - no add/edit/delete

Roster definition:
 This item displays RU members roster for selection. Display RU member's first, middle, and last name
 (Person.FullName).

Roster filter:
 No filter; display all.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdWhoDN
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdWhoDN

Full Detail Spec

AC290

(AC1193)

BLAISE NAME: DelayCarePM

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available ()

Show Card ()

Look Up File ()

Question Text:

Please think about the last 12 months, that is, between {MONTH YEAR-1} and today. {{Have you/Has {PERSON}} delayed getting prescription medicines/Have prescription medicines been delayed for anyone in the household} because of worry about the cost?

Responses: YES 1
 NO 2 AC310 (AC1195)
 REFUSED RF AC310 (AC1195)
 DON'T KNOW DK AC310 (AC1195)

Programmer Instructions: If coded '1' (YES) and a MULTI-PERSON RU, continue with AC300.
 If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC300, and go to AC310.

Display Instructions: For 'MONTH YEAR-1' display the month of the current interview and the current interview year minus 1.

Display "Have you/Has {PERSON}} delayed getting prescription medicines" if SINGLE-PERSON RU. Otherwise, display "Have prescription medicines been delayed for anyone in the household".

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.DelayCarePM
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.DelayCarePM

Full Detail Spec

AC300

(AC1194)

BLAISE NAME: DelayWhoPM

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TFIRSTMIDLASTNA **Answers allowed:** 99 **ArrayMax:** **Max value:**

Help Available ()

Show Card ()

Look Up File ()

Question Text:

Who was that?

PROBE: Did anyone else delay getting prescription medicines because of worry about the cost?

ENTER ALL THAT APPLY.

Responses:
 {FIRST NAME [MIDDLE NAME] LAST NAME} 1 1
 {FIRST NAME [MIDDLE NAME] LAST NAME} 2 2
 {FIRST NAME [MIDDLE NAME] LAST NAME} 3 3
 {FIRST NAME [MIDDLE NAME] LAST NAME} 4 4
 {FIRST NAME [MIDDLE NAME] LAST NAME} N 5

Programmer Instructions: Go to AC310.

Display Instructions: Roster 2 - no add/edit/delete

Roster definition:
This item displays RU members roster for selection. Display RU member's first, middle, and last name
(Person.FullName).

Roster filter:
No filter; display all.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.DelayWhoPM
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.DelayWhoPM

Full Detail Spec

AC310

(AC1195)

BLAISE NAME: AffrdCarePM

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Question Text:

In the last 12 months, was there any time when {{you/{PERSON}}/anyone in the household} needed prescription medicines, but did not get them because {{you/he/she}/they} couldn't afford it?

Responses: YES 1
 NO 2 BOX_110 (AC1215)
 REFUSED RF BOX_110 (AC1215)
 DON'T KNOW DK BOX_110 (AC1215)

Programmer Instructions: If coded '1' (YES) and a MULTI-PERSON RU, continue with AC320.
 If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC320 and go to BOX_110.

Display Instructions: Display '{{you/{PERSON}}}' if SINGLE-PERSON RU. Otherwise, display 'anyone in the household'.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCarePM
 Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCarePM

Full Detail Spec

AC320

(AC1196)

BLAISE NAME: AffrdWhoPM

Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TFIRSTMIDLASTNA	Answers allowed: 99	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

Who was that?

PROBE: Did anyone else need prescription medicines but did not get it because they couldn't afford it?

ENTER ALL THAT APPLY.

Responses:

{FIRST NAME [MIDDLE NAME] LAST NAME}1 1

{FIRST NAME [MIDDLE NAME] LAST NAME}2 2

{FIRST NAME [MIDDLE NAME] LAST NAME}3 3

{FIRST NAME [MIDDLE NAME] LAST NAME}4 4

{FIRST NAME [MIDDLE NAME] LAST NAME}N 5

Programmer Instructions: Go to BOX_110.

Display Instructions: Roster 2 - no add/edit/delete

Roster definition:
This item displays RU members roster for selection. Display RU member's first, middle, and last name
(Person.FullName).

Roster filter:
No filter; display all.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdWhoPM
Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdWhoPM

BOX_110

(AC1215)

Item Type: Route

Type Class: If Then

Route Details: Go to next questionnaire section.

[End of AC]