

# SpecWriter Data

**Form Version:** 7/10/2023 10:53:22 AM  
**Report Type:** Full Detail  
**Project Database:** WESSQL300.MEPSSpring2024  
**Language:** English  
**Spec Label:**

**This is the cover page. Additional contents currently project specific.**

Full Detail Spec

BOX\_00      (CA1000)      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**

01 Box = BOX\_00, BOX\_10, BOX\_15, BOX\_18, BOX\_20, BOX\_30, BOX\_40, BOX\_50

02 Loop = LOOP\_10, LOOP\_20, LOOP\_30

03 End Loop = END\_LP10, END\_LP20, END\_LP30

04 Single Select = CA10, CA20, CA43, CA46, CA60, CA90, CA100

05 Single Select with Roster Display = CA30\_01, CA30\_01A, CA30\_02, CA30\_03, CA30\_04, CA30\_05, CA30\_06, CA30\_07, CA80\_01

16 Date Picker = CA70

20 OS Text Field = CA30\_08

24 Information Screen = CA25, CA40, CA50

Grid 2 = CA30\_01, CA30\_01A, CA30\_02, CA30\_03, CA30\_04, CA30\_05, CA30\_06, CA30\_07, CA30\_08, CA80\_01

CA10      (CA1005)      **BLAISE NAME:** AnyRec

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** Enumerated      **Field Size:**

**Answer Type:** THASRECORDS      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

To answer the next set of questions, you will find it helpful to refer to records about the health care {you/{REFERENCE PERSON}}/{your/{REFERENCE PERSON}'s} household} received in person, by phone, or by video since {START OF REFERENCE PERIOD}. Records that identify the place or person that provided the health care, the dates of health care visits, and any charges for the care will help answer the questions.

Any records you refer to should cover health care {since {START DATE OF REFERENCE PERIOD}}/between {START DATE OF REFERENCE PERIOD} and {END DATE OF REFERENCE PERIOD}}.

Do you have any records you can use to help answer this next set of questions?

**Responses:**

HAS RECORD KEEPING MATERIALS	----- 1	CA25	(CA1011)
FOR AT LEAST 1 PERSON			
DOES NOT HAVE ANY RECORDS	----- 2		
WILL NOT USE RECORDS	----- 3		

**Programmer Instructions:** RF/DK disallowed

If current round is not the first round of the panel (RndType<>First) and CA10 is coded '2' (DOES NOT HAVE ANY RECORDS) or '3' (WILL NOT USE RECORDS) and CA30 was not asked in the prior round, go to CA40 (Preload.UseReclRnd=Empty).

If current round is not the first round of the panel (RndType<>First) and CA10 is coded '2' (DOES NOT HAVE ANY RECORDS) or '3' (WILL NOT USE RECORDS) and CA30 was asked in the prior round, go to CA20 (Preload.UseReclRnd=Yes).

Otherwise, go to CA40.

**Display Instructions:**

If a 1 person RU display 'you/{REFERENCE PERSON}'. Otherwise, display '{your/{REFERENCE PERSON}'s} household'.

Display 'you' if RU member respondent. Otherwise display '{REFERENCE PERSON}' substituting the name of the reference person.

Display 'your' if RU member respondent. Otherwise, display '{REFERENCE PERSON}'s' substituting the name of the reference person.

Display 'since {START DATE OF REFERENCE PERIOD}' if current round is not the final round of the panel (RndType<>Final), substituting the reference period start date. Otherwise, display 'between {START DATE OF REFERENCE PERIOD} and {END DATE OF REFERENCE PERIOD}' substituting the reference period start and end dates.

For "START DATE OF REFERENCE PERIOD", display the RU level reference period start date (typically-but not always Jan 1 if Round 1 (RndType=First) or the previous round interview date if current round is not the first round of the panel (RndType<>First).

For "END DATE OF REFERENCE PERIOD", display the RU level reference period end date (typically but not always current round interview date if current round is not the final round of the panel (RndType<>Final) or Dec 31 if current round is the final round of the panel (RndType=Final).

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main  
Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main

Full Detail Spec

<b>CA20</b>	<b>(CA1010)</b>	<b>BLAISE NAME:</b> LRndRec		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	THASRECORDS	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

During the last interview, we used {{a calendar}}, {{the MEPS Record Keeper}}, {{provider or insurance statements}}, {{patient portal information}}, {{payment records}}, {{medicine bottles, tubes, containers, or other prescription records}}, {CA30\_08 text string/OM90 text string} to help answer the next set of questions. Do you have any of these same records or any other records available that cover the health care each person in {your/this} household received in person, by phone, or by video {since {START DATE OF REFERENCE PERIOD}/between {START DATE OF REFERENCE PERIOD} and {END DATE OF REFERENCE PERIOD}}?

<b>Responses:</b>	HAS RECORD KEEPING MATERIALS FOR AT LEAST 1 PERSON	----- 1	CA25	(CA1011)
	DOES NOT HAVE ANY RECORDS	----- 2	CA40	(CA1055)
	WILL NOT USE RECORDS	----- 3	CA40	(CA1055)

**Display  
Instructions:**

If proxy respondent, display "this", otherwise, "your".

Display the following text when there was at least 1 YES response for this record type or it was selected at OM80 for at least one RU member in the previous round.

If CA30\_01 was coded '1' (Calendar with Health Care Entries) or OM80 was coded '1' for at least one RU member in the previous round, display "a calendar" (Preload.UseCalndrFlag=Yes). Otherwise, use a null display.

If CA30\_01A was coded '1' (MEPS Record Keeper) or OM80 was coded '9' for at least one RU member in the previous round, display "the MEPS Record Keeper" (Preload.UseRecKeepFlag=Yes). Otherwise, use a null display.

If CA30\_02 was coded '1' (Provider or Insurance Statements) or OM80 was coded '2' for at least one RU member in the previous round, display "provider or insurance statements" (Preload.ProvHinsstmtFlag=Yes). Otherwise, use a null display.

If CA30\_03 was coded '1' (Patient Portal) or OM80 was coded '3' for at least one RU member in the previous round, display "patient portal information" (Preload.PtntPortalFlag=Yes). Otherwise, use a null display.

If CA30\_04 was coded '1' (Payment Records) or OM80 was coded '4' for at least one RU member in the previous round, display "payment records" (Preload.PymtRecFlag=Yes). Otherwise, use a null display.

If CA30\_05 was coded '1' (RX Records/Bottles) or OM80 was coded '5' for at least one RU member in the previous round, display "medicine bottles, tubes, containers, or other prescription records" (Preload.RxRecBottleFlag=Yes). Otherwise, use a null display.

If CA30\_07 was coded '1' (Other record) or OM80 was coded '7' for at least one RU member in the previous round, display "{CA30\_08 text string/OM90 text string}" (Preload.OthRecFlag=Yes). Display only one, if both had values set in the prior round, CA30\_07 supersedes what was entered at OM90 (Use Preload.OthRecOSPrev). Otherwise, use a null display.

Display 'and' before the last record in the question text.  
Display the ',' in between multiple records, otherwise, if only one record displayed, do not display the comma.

Display 'and' if only two records are displayed. Do not display the comma.

For "START DATE OF REFERENCE PERIOD", display the RU level reference period start date (typically-but not always Jan 1 if Round 1 or the previous round interview date if current round is not the first round of the panel (RndType<>First).

For "END DATE OF REFERENCE PERIOD", display the RU level reference period end date (typically but not always current round interview date if current round is not the final round of the panel (RndType<>Final) or Dec 31 if current round is the final round of the panel (RndType=Final).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main  
Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main

<b>CA25</b>	<b>(CA1011)</b>	<b>BLAISE NAME:</b> CAIntro		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Thanks for keeping these records. Let's start by reviewing what records you have.

Starting with any record you'd like, please tell me who the record is for, and the type of record you're looking at, such as a calendar, the MEPS Record Keeper, a provider or insurance statement, patient portal information, payment records, prescription records such as medicine bottles, or something else.

PRESS 1 AND ENTER TO CONTINUE.

**Responses:** CONTINUE ..... 1 CA30\_01 (CA1015)

**Display Instructions:**

Full Detail Spec

**CA30\_01**

**(CA1015)**

**BLAISE NAME:** UseCalndr

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** THASCALDR      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

[Please tell me who the record is for, and the type of record you're looking at, such as a calendar, the MEPS Record Keeper, a provider or insurance statement, patient portal information, payment records, prescription records such as medicine bottles, tubes, or containers or something else.]

{Do/Does} {you/{PERSON}} have a calendar with health entries?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**      YES, HAS CALENDAR WITH HEALTH      ..... 1  
    CARE ENTRIES FOR {PERSON}  
    NO, DOES NOT HAVE CALENDAR WITH      ..... 2  
    HEALTH CARE ENTRIES FOR {PERSON}

**Programmer Instructions:** Preloaded Grid Type 2: flexible navigation, including CA30\_01, CA30\_01A, CA30\_02, CA30\_03, CA30\_04, CA30\_05, CA30\_06, CA30\_07, and CA30\_08

Allow empty.

RF/DK not allowed.

Enable movement on screen so interviewer can enter record types for all persons by row.

**Display Instructions:**

Roster Report 1

Display RU-Members-Roster

Col #1 Header: Records for RU member

Instructions: Display RU members' first, middle, and last names (FULLNAME)

Format response pane in columns with headers: Col#2 Header: CA30\_01 Calendar with health care entries, Col# 3 Header: CA30\_01A MEPS Record Keeper, Col# 4 Header: CA30\_02 Provider or Insurance Statements, Col# 5 Header: CA30\_03 Patient Portal, Col# 6 Header: CA30\_04 Payment Records, Col# 7 Header: CA30\_05 RX Records/Bottles, Col# 8 Header: CA30\_06 PR/MB Follow-Up, Col# 9 Header: CA30\_07 Other, Col# 10 Header: CA30\_08 Other Specify, Col#11 Header : CA30DONE

Roster filter:  
Display all RU members.

Display "Please tell me who the record is for..." text in grayed out lighter text and in brackets.

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]  
Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]



Full Detail Spec

**CA30\_01A**

**(CA1017)**

**BLAISE NAME:** RecKeep

**Item Type:** Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TRecKeep

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

[Please tell me who the record is for, and the type of record you're looking at, such as a calendar, the MEPS Record Keeper, a provider or insurance statement, patient portal information, payment records, prescription records such as medicine bottles, tubes, or containers or something else.]

{Do/Does} {you/{PERSON}} have the MEPS Record Keeper with health entries?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

YES, HAS MEPS RECORD KEEPER FOR {PERSON} ..... 1

NO, DOES NOT HAVE MEPS RECORD KEEPER FOR {PERSON} ..... 2

**Display**

**Instructions:**

**Display Instructions:**

Display "Please tell me who the record is for..." text in grayed out in lighter text and in brackets.

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

## Full Detail Spec

**CA30\_02****(CA1020)****BLAISE NAME:** ProvHinsStmt**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:****Type Class:** Enumerated **Field Size:****Answer Type:** THASPROVORINSS **Answers allowed:** 1 **ArrayMax:** **Max value:** Help Available ( ) Show Card ( ) Look Up File ( )**Question Text:**

[Please tell me who the record is for, and the type of record you're looking at, such as a calendar, the MEPS Record Keeper, a provider or insurance statement, patient portal information, payment records, prescription records such as medicine bottles, tubes, or containers or something else.]

{Do/Does} {you/{PERSON}} have provider or insurance statements?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:** YES, HAS PROVIDER OR INSURANCE ..... 1  
STATEMENT(S) FOR {PERSON}  
NO, DOES NOT HAVE PROVIDER OR ..... 2  
INSURANCE STATEMENTS FOR  
{PERSON}

**Display Instructions:**

Display "Please tell me who the record is for..." text in grayed out in lighter text and in brackets.

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]  
Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]



## Full Detail Spec

**CA30\_04****(CA1030)****BLAISE NAME:** PymtRec**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:****Type Class:** Enumerated **Field Size:****Answer Type:** THASPAYMTRECO **Answers allowed:** 1 **ArrayMax:** **Max value:** Help Available ( ) Show Card ( ) Look Up File ( )**Question Text:**

[Please tell me who the record is for, and the type of record you're looking at, such as a calendar, the MEPS Record Keeper, a provider or insurance statement, patient portal information, payment records, prescription records such as medicine bottles, tubes, or containers or something else.]

{Do/Does} {you/{PERSON}} have payment records?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:** YES, HAS PAYMENT RECORDS FOR ..... 1  
 {PERSON}  
 NO, DOES NOT HAVE PAYMENT ..... 2  
 RECORDS FOR {PERSON}

**Display Instructions:**

Display "Please tell me who the record is for..." text in grayed out in lighter text and in brackets.

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]  
 Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]

## Full Detail Spec

**CA30\_05****(CA1035)****BLAISE NAME:** RxRecBottle**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:****Type Class:** Enumerated **Field Size:****Answer Type:** THASPRESMEDBOT **Answers allowed:** 1 **ArrayMax:** **Max value:** Help Available ( ) Show Card ( ) Look Up File ( )**Question Text:**

[Please tell me who the record is for, and the type of record you're looking at, such as a calendar, the MEPS Record Keeper, a provider or insurance statement, patient portal information, payment records, prescription records such as medicine bottles, tubes, or containers or something else.]

{Do/Does} {you/{PERSON}} have prescription records such as medicine bottles, tubes, or containers?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:** YES, HAS PRESCRIPTION ..... 1  
 RECORDS/MEDICINE BOTTLES FOR  
 {PERSON}  
 NO, DOES NOT HAVE PRESCRIPTION ..... 2  
 RECORDS/MEDICINE BOTTLES FOR  
 {PERSON}

**Programmer Instructions:** If coded '1' (YES) for anyone in the RU, go to CA30\_06, otherwise, go to CA30\_07.

**Display Instructions:** Display "Please tell me who the record is for..." text in grayed out in lighter text and in brackets.  
 Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]  
 Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]

Full Detail Spec

<b>CA30_06</b>	<b>(CA1037)</b>	<b>BLAISE NAME:</b> RxRecBottleInfo		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TCABottle	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Does this prescription record/medicine bottle for {PERSON} contain information for a health care visit that occurred between {START DATE} and {END DATE}?

NAVIGATION: Complete the grid in order of respondent’s answers.

- Responses:**
- YES, PRESCRIPTION RECORD/MEDICINE BOTTLE CONTAINS HEALTH CARE VISIT INFORMATION FOR {PERSON} ..... 1
  - NO, PRESCRIPTION RECORD/MEDICINE BOTTLE DOES NOT CONTAIN HEALTH CARE VISIT INFORMATION FOR {PERSON} ..... 2

**Programmer Instructions:** Allow Empty. Display this cell as active only if RU member coded CA30\_05 ‘1’ (YES,HAS PRESCRIPTION RECORD/MEDICINE BOTTLES FOR {PERSON} ). Otherwise, display cell as inactive.

**Display Instructions:** For “START DATE”, display the person level reference period start date.  
 For “END DATE”, display the person level reference period end date.

Display the interviewer instruction ‘NAVIGATION: Complete the grid in order of respondent’s answers.’ in red text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]  
 Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]

Full Detail Spec

<b>CA30_07</b>	<b>(CA1040)</b>	<b>BLAISE NAME:</b> OthRec		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	THASOTHERRECOR	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )
  Show Card ( )
  Look Up File ( )

**Question Text:**

[Please tell me who the record is for, and the type of record you're looking at, such as a calendar, the MEPS Record Keeper, a provider or insurance statement, patient portal information, payment records, prescription records such as medicine bottles, tubes, or containers or something else.]

{Do/Does} {you/{PERSON}} have another type of record?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:** YES, HAS OTHER RECORD FOR {PERSON} .. 1  
 NO, DOES NOT HAVE OTHER RECORD FOR {PERSON} ..... 2

**Programmer Instructions:** If coded '1' (YES), go to CA30\_08, for each person in the grid, otherwise, go to BOX\_10. .

Hard check: at least one cell in grid (CA30\_01 through CA30\_07) should be coded '1' (YES, HAS RECORDS).

If not, display error message: AT {CA10 (AnyRec)/CA20 (LRndRec)} YOU INDICATED SOMEONE IN THIS HOUSEHOLD HAD RECORDS, GO BACK TO REVIEW GRID. IF NO ONE IN THIS HOUSEHOLD HAS RECORDS, BACK UP TO {CA10 (AnyRec)/CA20 (LRndRec)} AND CHANGE YOUR ANSWER TO CONTINUE.

Error message should display two options: to return to CA10 (AnyRec)/CA20 (LRndRec) or return to the last question in the grid answered NO.

If "AnyRec" selected, CAPI should go back to CA10 or CA20, whichever was answered.

Display the question that was answered either {CA10/CA20} in display error message and the response options. Go to BOX\_10.

**Display Instructions:** Display "Please tell me who the record is for..." text in grayed out in lighter text and in brackets.

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]  
Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main.CA30Grid.CA30Grid[1..25]



Full Detail Spec

<b>CA30_08</b>	<b>(CA1045)</b>	<b>BLAISE NAME:</b> OthRecOS		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

[Please tell me who the record is for, and the type of record you're looking at, such as a calendar, the MEPS Record Keeper, a provider or insurance statement, patient portal information, payment records, prescription records such as medicine bottles, tubes, or containers or something else.]

ENTER OTHER RECORD.

NOTE: BE AS SPECIFIC AS POSSIBLE BECAUSE YOU WILL BE REFERRING TO THIS TEXT IN THE NEXT ROUND.

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:** ..... 1

<b>Programmer Instructions:</b>	<p>RF/DK disallowed.</p> <p>Display this cell as active only if RU member coded CA30_07 '1' (YES, HAS OTHER RECORD FOR {PERSON}). Otherwise, display cell as inactive.</p> <p>Hard check: at least one cell in grid (CA30_01 through CA30_07) should be coded '1' (YES, HAS RECORDS).</p> <p>If not, display error message: AT {CA10 (AnyRec)/CA20 (LRndRec)} YOU INDICATED SOMEONE IN THIS HOUSEHOLD HAD RECORDS, GO BACK TO REVIEW GRID. IF NO ONE IN THIS HOUSEHOLD HAS RECORDS, BACK UP TO {CA10 (AnyRec)/CA20 (LRndRec)} AND CHANGE YOUR ANSWER TO CONTINUE.</p> <p>Error message should display two options: to return to CA10 (AnyRec)/CA20 (LRndRec) or return to the last question in the grid answered NO. If "AnyRec" or "LRndRec" selected, CAPI should go back to CA10 or CA20, whichever was answered.</p> <p>Display the question that was answered either {CA10 (AnyRec)/CA20 (LRndRec)} in display error message and the response options.</p>
<b>Display Instructions:</b>	<p>Display "Please tell me who the record is for..." text in grayed out in lighter text and in brackets.</p> <p>Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.</p>
<b>Testing/Editing Notes:</b>	<p>Variable collected at MEPS(Fall/Spring)YYYY.CA_Main.CA30Grid.CA30Grid[1..25] Variable stored at MEPS(Fall/Spring)YYYY.CA_Main.CA30Grid.CA30Grid[1..25]</p>

Full Detail Spec

<b>CA40</b>	<b>(CA1055)</b>	<b>BLAISE NAME:</b> GiveCalndr		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

GIVE RESPONDENT A MONTHLY PLANNER (CALENDAR). Through the rest of the interview, there are questions that will ask for dates. When you do not remember the date, we can refer to this calendar for help.

CIRCLE {TODAY'S DATE/12/31/{YEAR}} {AND DATE OF LAST INTERVIEW ({PREV RD INTV DT})}.

PRESS 1 AND ENTER TO CONTINUE.

**Responses:** CONTINUE ..... 1 BOX\_10 (CA1060)

**Display Instructions:**

Display "today's date" if current round is not the final round of the panel (RndType<>Final). Display "12/31/{YEAR}" if current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

Display "and date of last interview" if not round 1. Otherwise, use a null display.

For "(PREV RD INTV DT)", display the date of the previous round interview. Typically, but not always, the current round RU reference period start date.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main  
Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main

**BOX 10**                      **(CA1060)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:** (If current round is not the first round of the panel (RndType<>First)) and (if at least one open HS, IC, or HH event continue with LOOP\_10. Otherwise, go to BOX\_30

## Full Detail Spec

**LOOP\_10**      **(CA1065)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each element in the RU-Members-Roster, ask LOOP\_20-END\_LP10

Loop definition: LOOP\_10 cycles on persons who had an open HS, IC, or HH event in the previous round. This loop cycles on RU members who meet any of the following conditions (Preload.CaseID, Preload.EvntID, Preload.PersID, Preload.ProvID, Preload.EvntType, Preload.EvntEndDt, Preload.EvntEndM, Preload.EvntEndD, Preload.EvntEndY):

- Person had an HS event during the previous round and one of person's HS events had a discharge date coded '95' (STILL IN HOSPITAL).
- Person had at least one IC event during the previous round and one of person's IC events had a discharge date coded '95' (STILL IN INSTITUTION).
- Person had an HH event coded "1" (YES) during the previous round interview month.

Note: If the respondent is eligible for this loop, CAPI should cycle on the respondent first, followed by eligible RU members in PID order.

**LOOP\_20**      **(CA1070)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each element in person's-medical-events-roster, ask BOX\_15-END\_LP20

Loop definition: Loop\_10 closes out HS, IC, or HH event that were "OPEN" in the previous round. This loop cycles on this person's events that meet any of the following conditions:

- Event type is HS and event had a discharge date reported in the previous round as code '95' (STILL IN HOSPITAL).
- Event type is IC and event had a discharge date reported in the previous round as '95' (STILL IN INSTITUTION).
- Event type is HH and EV70 for the previous round interview month was coded '1' (YES).

**BOX\_15**      **(CA1071)**      **Item Type:** Route      **Type Class:** If Then

---

Full Detail Spec

Programmer Instructions: (If current round is not the first round of the panel (RndType<>First)) and if at least one open HS, or IC event and preload.providerID=empty for any RU member from the previous round, go to the Provider Roster (PV) section. At the completion of the PV section, continue with CA50.

(If current round is not the first round of the panel (RndType<>First)) and if at least one open HH event and preload.providerID=empty for any RU member from the previous round, go to CA43. Otherwise, continue with CA50.

Table with 5 columns: Item Type, Type Class, Answer Type, Field kind, ArrayMin, Field Size, ArrayMax, Min value, Max value. Row 1: CA43, (CA1072), BLAISE NAME: CA43, Question, Enumerated, THHTYPE, Datafield, 1, Min value, Max value.

Help Available (HHEvtTpHelp) Show Card ( ) Look Up File ( )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

{Before we discuss the health care events for each household member since {PREV RD INTV DT }/Next} I need to update the information for {you/{PERSON}} {who was receiving care at home/when you were receiving care at home} at the time of the last interview on {PREV RD INTV DT}. Thinking about the health care {you/{PERSON}} received at home, was the person who provided the care a friend or neighbor, a relative, a volunteer, or some type of provider who was paid? Please do not include health care received from friends or relatives living here.

PROBE: Do you have a brochure, folder, binder of papers, telephone listing, or anything which might help?

NOTE: SELECT ONLY ONE TYPE OF PROVIDER AT THIS TIME.

HELP: F1

Table with 5 columns: Responses, Provider Type, Count, ID, Code. Rows: FRIEND/NEIGHBOR 1 CA80\_01 (CA1095), RELATIVE 2 CA80\_01 (CA1095), VOLUNTEER 3 CA80\_01 (CA1095), OTHER - PAID 4 CA46 (CA1073), VOLUNTEER: MEAL DELIVERY SERVICE 5 END\_LP20 (CA1115)

<b>Programmer Instructions:</b>	<p>If coded '1' (FRIEND/NEIGHBOR): -Add 'FRIEND(S) OR NEIGHBOR(S)' to the RU-medical-providers-roster, person-type-provider name column. No address information is necessary.</p> <p>If coded '2' (RELATIVE): -Add 'RELATIVE(S)' to the RU-medical-providers-roster, person-type-provider name column. No address information is necessary.</p> <p>If coded '3' (VOLUNTEER): -Add 'VOLUNTEER(S)' to the RU-medical-providers-roster, person-type-provider name column. No address information is necessary.</p> <p>If coded '5' (VOLUNTEERED: MEAL DELIVERY SERVICE), create an event record with HH as the event type and the only attribute for this record is VOLUNTEERED: MEAL DELIVERY SERVICE. No other information is necessary.</p> <p>If CA43 is coded '1' (FRIEND/NEIGHBOR), '2' (RELATIVE), or '3' (VOLUNTEER), flag provider as 'INFORMAL' for PROV.HHTYPE (this will have to be replaced when we know what variable it is being stored as).</p>
<b>Display Instructions:</b>	<p>Display 'Before we discuss the health care events...' if it's the first open HH event with preload.providerID=empty being cycled on. Otherwise, if it's not the first open HH event with preload.providerID=empty being cycled on, display 'Next'.</p> <p>Display "who was receiving care at home" if the person being looped on is not the respondent. Otherwise, display "when you were receiving care at home".</p>
<b>Testing/Editing Notes:</b>	<p>Variable collected at MEPS(Fall/Spring)YYYY.CA_Main.CA_Loop10[1..25].CA_Loop20 Variable stored at MEPS(Fall/Spring)YYYY_Event.CA_Loop20</p>

Full Detail Spec

<b>CA46</b>	<b>(CA1073)</b>	<b>BLAISE NAME:</b> CA46		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TSELFAGEN	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Did this person work for a home health agency, hospital, or nursing home or did they work for themselves?  
 PROBE: Do you have a brochure, folder, binder of papers, telephone listing, or anything which might help?

**Responses:**

WORKED FOR AGENCY, HOSPITAL, OR NURSING HOME	..... 1	BOX_18	(CA1074)
WORKED FOR SELF	..... 2	BOX_18	(CA1074)
REFUSED	..... RF	BOX_18	(CA1074)
DON'T KNOW	..... DK	BOX_18	(CA1074)

**Display Instructions:**

**Testing/Editing Notes:**    Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA\_Loop10[1..25].CA\_Loop20  
 Variable stored at MEPS(Fall/Spring)YYYY\_Event.CA\_Loop20

**BOX\_18**                      **(CA1074)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**    Ask Provider Roster (PV) section for this event.

If CA46 is coded '1' (WORKED FOR AGENCY, HOSPITAL, OR NURSING HOME), flag provider just collected in PV section as 'AGENCY' for PROVHHMPTp.

If CA46 is coded '2' (WORKED FOR SELF), 'RF' (REFUSED), or 'DK' (DON'T KNOW), flag provider just collected in PV section as 'PAID INDEPENDENT' for PROVHHMPTp.

(After flagging, continue with BOX\_20.)

Full Detail Spec

**CA50**

**(CA1075)**

**BLAISE NAME:** ContinEvtnt

**Item Type:**

Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:**

Enumerated

**Field Size:**

**Answer Type:**

TContinue

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{Before we discuss the health care events for each household member since {PREV RD INTV DT}/Next}, I need to update the information for {your/{PERSON}'s} {stay in the hospital/stay at a residential care facility/care received at home} at the time of the last interview on {PREV RD INTV DT}. {Please refer to any of the records that you might have for {yourself/{PERSON}}.}

{I have a few more questions to ask about the {hospital stay/stay at a residential care facility/home health care} recorded for {you/{PERSON}} at the time of the last interview on {PREV RD INTV DT} {Please refer to any of the records you have for {yourself/{PERSON}}.}

**Responses:**

CONTINUE .....

1 BOX\_20

(CA1080)



**Display  
Instructions:**

Display instructions for the first paragraph:

First cycle of LOOP\_10 and not coming from the PV section display: ‘Before we discuss the health care events for each household member since {PREV RD INTV DT}’ Otherwise, if it’s not the first cycle and not coming from the PV section, display “Next”. Do not display the second paragraph if not coming from the PV section, “I have a few more questions to ask about the...”

If cycling on open HS event: “stay in the hospital”

If cycling on open IC event: “stay at a residential care facility”

If cycling on open HH event: “care received at home”

If at least one code ‘1’ (YES, HAS RECORD TYPE) at CA30\_01 through CA30\_06 for anyone in the household, display: “Please refer to any of the records that you might have for {yourself/{PERSON}}. Display the name of the person who has the open event being looped upon.

Otherwise, use a null display.

For "PREV RD INTV DT", display the date of the previous round interview. Typically, but not always, the current round RU reference period start date if current round is not the first round of the panel (RndType<>First) and Jan 1 if Round 1.

Display instructions for the second paragraph:

Display "I have a few more questions to ask about the..." if coming from the PV section, and do not display the first paragraph "{Before we discuss the health care events for each household member since..."

If at least one code ‘1’ (YES, HAS RECORD TYPE) at CA30\_01 through CA30\_06 for this household, display: "Please refer to any of the records that you might have for {you/PERSON}." Display the name of the person who has the open event being looped upon. Otherwise, use a null display.

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA\_Loop10[1..25].CA\_Loop20  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.CA\_Loop20

Full Detail Spec

BOX\_20      (CA1080)      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If cycling on an open HS or IC event and the respondent is not the person this event is for, continue with CA60. Otherwise, go to CA70.  
  
If cycling on an open HH event, go to CA80\_01.

CA60      (CA1085)      BLAISE NAME: StillHSIC  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYES\_NO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON’S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER....}

**Question Text:**

Last time, we recorded that {PERSON} entered {PROVIDER} on {DAY OF WEEK, MONTH, DAY, YEAR OF ADMIT DATE}. Was {he/she} discharged from {PROVIDER}?

**Responses:**      YES      ..... 1      CA70      (CA1090)  
NO      ..... 2      END\_LP20      (CA1115)

**Programmer Instructions:**      If coded '2' (NO), set this event to '95' (STILL IN HOSPITAL/IC FACILITY).

**Display Instructions:**      Display the admit date for this event for {DAY OF WEEK, MONTH, DAY, YEAR OF ADMIT DATE}.

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA\_Loop10[1..25].CA\_Loop20  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.CA\_Loop20

Full Detail Spec

<b>CA70</b>	<b>(CA1090)</b>	<b>BLAISE NAME:</b> DischDate		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Date	<b>Field Size:</b>		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER....}

**Question Text:**

On what date {were/was} {you/he/she} discharged from {PROVIDER}?

**Responses:**                      ----- 1    END\_LP20                      (CA1115)

**Programmer Instructions:** CAPI should record this date to the event array as the hospital end date for this now closed event.

Hard check:

If open event was created in round 1, admit date allowed to be 1 year prior to the start of the person's reference period. The discharge date must be between the admit date and the person's reference period end date (EndRefM, EndRefD, EndRefY). If a date outside of this range is entered, display the following message: "DATE MUST BE AFTER ADMITTANCE DATE AND BEFORE THE PERSON'S REFERENCE PERIOD END DATE. VERIFY WITH RESPONDENT AND REENTER."

If open event was created in a round which is not the first round of the panel (RndType<>First), date entered must be between the person's reference period begin date (BegRefM, BegRefD, BegRefY) and the person's reference period end date (EndRefM, EndRefD, EndRefY). If a date outside of this range is entered, display the following message: "DATE CANNOT BE AFTER PERSON'S REFERENCE PERIOD END DATE OR BEFORE PERSON'S REFERENCE PERIOD BEGIN DATE. VERIFY WITH RESPONDENT AND REENTER."

IF DISCHARGED FROM HOSPITAL/FACILITY BEFORE THE REFERENCE PERIOD START DATE, ENTER THE FIRST DAY OF THE REFERENCE PERIOD AND LEAVE A COMMENT."

Soft check: Beginning in Spring 2019, MEPS does not allow the entry of a zero night stay for any HS or IC event. Only stays of at least one night are allowed. If the discharge date entered is the same date as the admission date (EvtntEndDate/HSEndDate=EvntBegDate/HSBegDate), display the following message: "You have entered a stay with the same admit and discharge date. MEPS defines hospital and institutional stays as requiring at least one night in the facility. Verify dates with respondent."

If the person stayed in the hospital/facility overnight, correct the discharge date.

If the person was seen on this day for outpatient treatment or did not stay at least one night, re-enter the discharge date and leave a comment explaining that the correct event type for this visit should be hospital outpatient department (OP).

If the person's admit date is wrong, re-enter the discharge date and leave a comment with the

Full Detail Spec

correct admit date for the hospital stay."

**Display Instructions:** Display the empty date field for entry.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA\_Loop10[1..25].CA\_Loop20  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.CA\_Loop20

<b>CA80_01</b>	<b>(CA1095)</b>	<b>BLAISE NAME:</b> EvpvBegMM		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER....}

**Question Text:**

On {PREV ROUND INTV DATE}, we recorded that {you/{PERSON}} received care at home from {someone from} {PROVIDER} during some part of {PREV ROUND INTERVIEW MONTH}.

Did {you/{PERSON}} continue to receive care at home from {someone from} {PROVIDER} into {MONTH AFTER PREV ROUND INTV MONTH}?

PROBE: How about in {MONTH}?

**Responses:**

YES	.....	1
NO	.....	2
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** Preloaded grid type 1: forced navigation including CA80\_01, CA80\_02, CA80\_03, CA80\_04, CA80\_N.

The CA80 grid has to accommodate at least 12 months.

**Display Instructions:**

Roster 1- Report  
Col #1 Header: Month  
Instructions: Display months in person's reference period in the form pane

Roster Filter:  
Grid displays all the months of the person's reference period excluding the previous round interview month.

Display 'someone from' if provider is a facility. Otherwise, use a null display.

Display the months of the person's reference period excluding the current month, as that was asked about in the last round. For example, for a round 2 interview the person's reference period is March 5-August 15, CAPI would display months 'APRIL', 'MAY', 'JUNE', 'JULY', and 'AUGUST'.

RF (REFUSED) and DK (DON'T KNOW) are allowed for CA80\_01, CA80\_02, CA80\_03, CA80\_04, CA80\_N but will be treated as a 'NO' when creating events.

If current interview month is coded '1' (YES), display the following message: "HOME HEALTH UTILIZATION SEC FOR {INT MONTH} WILL NOT BE ASKED UNTIL NEXT ROUND."

Variable question text display for each of the question in the grid: CA80\_02: "...during the month of {MONTH\_2}?"  
CA80\_03: "How about during the month of {MONTH\_3}?" CA80\_04: "...during the month of {MONTH\_4}?" CA80\_N: "...during the month of {MONTH\_N}?"  
Repeat question text from CA80\_02-CA80\_N for months displayed beyond.  
Display "on {PREV ROUND INTV DATE}..." in bold black text every fourth month displayed, otherwise, display in lighter grayed out text.

"PREV ROUND INTV DATE", display the date of the previous round interview. Typically, but not always, the current round RU reference period start date.

For "PREV ROUND INTERVIEW MONTH", display the full month name of previous round interview month for this HH event that is being carried forward for this person-provider pair (Preload.EvntEndDt, Preload.EvntEndM).

For "MONTH AFTER PREV ROUND INTV MONTH", display the first full month of the person's current reference period to be asked about for this round.

**Full Detail Spec****Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)  
 YYYY.CA\_Main.CA\_Loop10[1..25].CA\_Loop20.CA80.CA80Grid[1..12]  
 Variable stored at MEPS(Fall/Spring)YYYY\_Event.CA\_Loop20.CA80.CA80Grid[1..12]

---

**END\_LP20**      **(CA1115)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:**      Cycle on next event for this person being looped on that meets the conditions stated in the loop definition.

                                 If no more events meet the stated conditions, end LOOP\_20 and continue with END\_LP10.

---

**END\_LP10**      **(CA1120)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:**      Cycle on next person in RU-Members-Roster that meets the conditions stated in the loop definition.

                                 If no more persons meet the stated conditions, end LOOP\_10 and continue with BOX\_30.

---

**BOX\_30**      **(CA1125)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If coded 1 'YES, HAS RECORD' for at least one RU member at either CA30\_01, CA30\_01A, CA30\_02, CA30\_03, CA30\_04, or CA30\_07 continue with LOOP\_30. Otherwise, go to BOX\_50.

                                 If CA30\_05 is the only item in the CA30 grid that is coded and it is coded '1' (YES), check to see if CA30\_06 is coded '1' (YES) and continue with LOOP\_30, otherwise (if CA30\_05 is coded '1' (YES) and CA30\_06 is coded '2' (NO), go to BOX\_50.

Full Detail Spec

LOOP\_30      (CA1130)      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each of the following:

- Record 1
- Record 2
- Record 3
- Record 4

Ask BOX\_40-END\_LP30.

Loop definition: LOOP\_30 enumerates events from records. The response to CA90 or CA100 determines if the loop cycles again. If CA90 or CA100 is coded '1' (YES), the loop cycles to collect the next even from records. When both CA90 and CA100 are coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), the loop ends.

BOX\_40      (CA1135)      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      Ask the Event Roster (EV) Section for record collection.

At completion of the EV section, continue with CA90.

<u>CA90</u>	<u>(CA1140)</u>	<u>BLAISE NAME:</u> AnotherEvtnt		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYES_NO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

CODE 'YES' IF THE RECORD YOU ARE LOOKING AT HAS ANOTHER HEALTH CARE EVENT NOT YET ENTERED INTO CAPI. THE HEALTH CARE EVENT CAN BE FOR ANY PERSON.  
IF UNSURE, ASK: Is there another health care visit covered in that record?

<b>Responses:</b>	YES	.....	1	END LP30	(CA1150)
	NO	.....	2	CA100	(CA1145)



**Programmer Instructions:** RF and DK disallowed.

**Display Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA\_Loop30[1..2]  
Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main.CA\_Loop30[1..2]

<b>CA100</b>	<b>(CA1145)</b>	<b>BLAISE NAME:</b> AnotherRec		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYES_NO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

CODE 'YES' IF YOU HAVE ANOTHER RECORD NOT YET REVIEWED WHICH CONTAINS HEALTH CARE EVENT INFORMATION. THE RECORD CAN BE FOR ANY PERSON.  
IF UNSURE, ASK: Do you have another record for any person in the household?

**Responses:** YES ..... 1 END\_LP30 (CA1150)  
NO ..... 2 END\_LP30 (CA1150)

**Programmer Instructions:** RF and DK disallowed.

Soft Check: If coded '2' (NO), check that every person who has a record reported at CA30 grid has at least one health care event recorded through the EV section. If at least one person who reported a record at CA30 grid, does not have a health care event recorded through the EV section, display the following message: "You mentioned earlier that {you/{PERSON 1, }} {PERSON 2, } {PERSON 3, } {PERSON 4, } {PERSON N} had a record to help them report their health care, but you didn't report any health care events for them yet. TO ADD A HEALTH CARE EVENT, SELECT YES AT THIS QUESTION."  
Display the names of the RU members that have records reported in the CA30 grid, but do not have at least one event recorded for them.

**Display Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.CA\_Main.CA\_Loop30[1..2]  
Variable stored at MEPS(Fall/Spring)YYYY.CA\_Main.CA\_Loop30[1..2]

---

**END\_LP30**      **(CA1150)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:** If CA90 or CA100 is coded '1' (YES), cycle to collect next event from records.  
If both CA90 and CA100 are coded '2' (NO), end LOOP\_30 and continue with BOX\_50.

---

**BOX\_50**      **(CA1155)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** Go to next questionnaire section, Provider Probes (PP) section.

[End of CA]