

# SpecWriter Data

**Form Version:** 11/10/2023 1:23:31 PM  
**Report Type:** Full Detail  
**Project Database:** WESSQL300.MEPSSpring2024  
**Language:** English  
**Spec Label:**

**This is the cover page. Additional contents currently project specific.**

Full Detail Spec

<b><u>BOX_00</u></b>	<b><u>(CM1000)</u></b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
----------------------	------------------------	-------------------------	----------------------------

---

**Route Details:**

01 Box = BOX\_00, BOX\_10, BOX\_20, BOX\_30, BOX\_40, BOX\_50, BOX\_60, BOX\_70, BOX\_80, BOX\_90, BOX\_100, BOX\_110, BOX\_120, BOX\_130, BOX\_140, BOX\_150, BOX\_160

02 Loop = LOOP\_10  
 03 End Loop = END\_LP10  
 04 Single Select = CM30, CM45, CM50, CM55\_02, CM60\_01, CM60\_03, CM60\_05, CM70, CM80, CM100, CM110, CM130, CM160, CM170, CM190, CM200, CM220, CM250

06 Single Select with Fill in answer text = CM140

10 Multiple Select with Fill in answer text = CM230, CM260

12 Address - Newly Collected = CM40\_01, CM40\_02, CM40\_03, CM40\_04, CM40\_05, CM240\_01, CM240\_02., CM240\_03, CM240\_04, CM240\_05, CM240\_06

13 Address-Preloaded = CM120\_03, CM120\_04, CM120\_05, CM120\_06, CM120\_07, CM120\_08, CM120\_09, CM150\_03, CM150\_04, CM150\_05, CM150\_06, CM150\_07, CM150\_08, CM150\_09, CM180\_01, CM180\_02, CM180\_03, CM180\_04, CM180\_05, CM210\_01, CM210\_02, CM210\_03, CM210\_04, CM210\_05, CM210\_06

23 Text Field = CM20, CM47, CM55\_01, CM55\_03, CM60\_02, CM60\_04, CM60\_06, CM90\_01, CM90\_02, CM120\_01, CM120\_02, CM150\_01, CM150\_02,

24 Information Screen = CM10

Grid 2 = CM60\_01, CM60\_02, CM60\_03, CM60\_04, CM60\_05, CM60\_06

<b><u>BOX_10</u></b>	<b><u>(CM1010)</u></b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
----------------------	------------------------	-------------------------	----------------------------

---

**Route Details:** Context header display instructions: SEE CONTEXT HEADER SPEC

---

<b>CM10</b>	<b>(CM1015)</b>	<b>BLAISE NAME:</b> ContactIntro
<b>Item Type:</b>	Instruction	<b>Field kind:</b> Datafield
<b>Type Class:</b>	Enumerated	
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{I'd like to collect some contact information for {you} {and} {{you/{REFERENCE PERSON}}/{your/{REFERENCE PERSON}'s} household}. The contact information will only be used for study purposes, such as scheduling your next MEPS interview or other necessary follow-up./Let me quickly review and update the contact information for {you} {and} {{you/{REFERENCE PERSON}}/{your/{REFERENCE PERSON}'s} household} that was collected during the last interview.}

PRESS 1 AND ENTER TO CONTINUE.

**Responses:** CONTINUE ..... 1

**Programmer Instructions:** If current round is not the final round of the panel (RndType<>Final), continue with CM20. Otherwise (i.e., if RndType=Final), go to BOX\_20.

**Display Instructions:** Display 'Let me quickly review and update the contact information for {you} {and} {{you/{REFERENCE PERSON}}/{your/{REFERENCE PERSON}'s} household} that was collected during the last interview.' if current round is not the first round of the panel (RndType<>First) AND [respondent is RU member OR existing proxy respondent (Proxy\_Person.Preload=1)].

Otherwise, [RndType=First or new proxy respondent (Proxy\_Person.Preload=empty)] display 'I'd like to collect some contact information for {you} {and} {{you/{REFERENCE PERSON}}/{your/{REFERENCE PERSON}'s} household}. The contact information will only be used for study purposes, such as scheduling your next MEPS interview or other necessary follow-up.'

Display '{you}' if proxy respondent. Otherwise, use null display.

Display '{and}' if proxy respondent and at least one of the existing RU members are not deceased or institutionalized. Otherwise, use null display.

Display '{{you/{REFERENCE PERSON}}/{your/{REFERENCE PERSON}'s} household}' if at least one existing RU member is not deceased or institutionalized. Otherwise, use null display.

If a 1 person RU display 'you/{REFERENCE PERSON}'. Otherwise, display '{your/{REFERENCE PERSON}'s} household'.

Display 'you' if RU member respondent. Otherwise display '{REFERENCE PERSON}' substituting the name of the reference person.

Display 'your' if RU member respondent. Otherwise, display '{REFERENCE PERSON}'s' substituting the name of the reference person.

Full Detail Spec

<b>CM20</b>	<b>(CM1020)</b>	<b>BLAISE NAME:</b> BestTimeDay		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 180		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Question Text:**

What is the best time of day and day of the week to get in touch with you?

ENTER BEST TIME TO CONTACT {RESPONDENT/PROXY}.  
RECORD VERBATIM.

**Responses:** ..... 1 BOX\_20 (CM1030)

**Programmer Instructions:** Display the entry field as 45 characters across and 4 lines high. For the 45 characters across, be sure that the custom width allows you to see all 45 characters.

Link the best time recorded with the current respondent PID or proxy ID (selected/added at ST50 or ST60 or confirmed at ST20) for this interviewing session.

**Display Instructions:** For ‘{RESPONDENT/PROXY}’, display the name of the current round RU member respondent PID or proxy ID (selected/added at ST50 or ST60 or confirmed at ST20) for this interviewing session.

<b>BOX_20</b>	<b>(CM1030)</b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
---------------	-----------------	-------------------------	----------------------------

---

**Route Details:** If respondent for this interviewing session is a proxy, continue with BOX\_30.  
Otherwise, go to BOX\_60.

Full Detail Spec

BOX\_30

(CM1040)

Item Type: Route

Type Class: If Then

---

**Route Details:**

If there is a preloaded address linked to the proxy ID for this interviewing session, continue with CM30. (Use Proxy\_Person.ProxyStrt1, Proxy\_Person.ProxyStrt2, Proxy\_Person.ProxyCity, Proxy\_Person.ProxyState, Proxy\_Person.ProxyZip)

Otherwise, go to CM40\_01.

CM30

(CM1050)

BLAISE NAME: SameProxyAddr

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TPROXYADDRESS\_ Answers allowed: 1

ArrayMax:

Max value:

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

Is {LINKED PROXY ADDRESS} still your address?

**Responses:**

YES .....	1	BOX_40	(CM1120)
NO, EDIT PROXY ADDRESS .....	2	CM40_01	(CM1060)
REFUSED .....	RF	BOX_40	(CM1120)
DON'T KNOW .....	DK	BOX_40	(CM1120)

**Display Instructions:**

For "PROXY FIRST MIDDLE LAST NAME", display the first, middle, and last name of the proxy for this interviewing session.

For "LINKED PROXY ADDRESS", display the Proxy\_Person address linked to the proxy ID for this interviewing session. Display as "Street 1 Street 2, City, State Zip". (Use Proxy\_Person.ProxyStrt1, Proxy\_Person.ProxyStrt2, Proxy\_Person.ProxyCity, Proxy\_Person.ProxyState, Proxy\_Person.ProxyZip)

Full Detail Spec

<b>CM40_01</b>	<b>(CM1060)</b>	<b>BLAISE NAME:</b> ProxyStrt1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**    PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**

{EDIT PROXY ADDRESS AS NEEDED./May I please have your address?}

{Is your street address:/What is your street address?}

{STREET ADDRESS1}

{STREET ADDRESS2}

{CITY}, {STATE} {ZIP CODE}

**Responses:**

.....	1	CM40_02	(CM1070)
REFUSED .....	RF	CM40_02	(CM1070)
DON'T KNOW .....	DK	CM40_02	(CM1070)

**Programmer Instructions:** General programming instructions for CM40\_01 to CM40\_05: If CM30 is coded '2' (NO, EDIT PROXY ADDRESS), prefill each address field in the response pane entry fields with the proxy address information linked to the proxy ID for this interviewing session and displayed at CM30. Use Proxy\_Person.ProxyStrt1, Proxy\_Person.ProxyStrt2, Proxy\_Person.ProxyCity, Proxy\_Person.ProxyState, and Proxy\_Person.ProxyZip.

General programming instructions for CM40\_01 to CM40\_05: If CM30 was not asked (no address information is linked to the current round proxy ID), leave the response pane entry fields empty for completion.

General programming instructions for CM40\_01 to CM40\_05: in the Proxy\_Person array set the current round proxy address entered for the proxy ID for this interviewing session.

**Display Instructions:**

Display CM40\_01 through CM40\_05 vertically on the same form pane.

For "PROXY FIRST MIDDLE LAST NAME", display the first, middle, and last name of the proxy for this interviewing session.

Display "EDIT PROXY ADDRESS AS NEEDED." if CM30 is coded '2' (NO, EDIT PROXY ADDRESS). Otherwise, display "May I please have your address?"

Display "Is your street address:" if CM30 is coded '2' (NO, EDIT PROXY ADDRESS) and Proxy\_Person.ProxyStrt1 <> empty, RF or DK. Otherwise, display, "What is your street address?"

Display address fields in the info pane with most recent proxy address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.

Display {STREET ADDRESS1} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.



Full Detail Spec

**CM40\_02**

**(CM1070)**

**BLAISE NAME:** ProxyStrt2

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 40  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**

{EDIT PROXY ADDRESS AS NEEDED./May I please have your address?}

{EDIT/ENTER} APARTMENT OR UNIT NUMBER, IF AVAILABLE. IF NONE, PRESS ENTER TO CONTINUE.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}

**Responses:**

-----	1	CM40_03	(CM1080)
EMPTY	-----	Empty	CM40_03 (CM1080)
REFUSED	-----	RF	CM40_03 (CM1080)
DON'T KNOW	-----	DK	CM40_03 (CM1080)

**Programmer Instructions:** See general programming instructions at CM40\_01.

**Display Instructions:** Display CM40\_01 through CM40\_05 vertically on the same form pane.

For “PROXY FIRST MIDDLE LAST NAME”, display the first, middle, and last name of the proxy for this interviewing session.

Display “EDIT PROXY ADDRESS AS NEEDED.” if CM30 is coded ‘2’ (NO, EDIT PROXY ADDRESS). Otherwise, display “May I please have your address?”

Display “EDIT PROXY ADDRESS...” or “May I please...” in brackets and lighter “grayed-out” text when on CM40\_02 through CM40\_05.

Display “EDIT” if CM30 is coded ‘2’ (NO, EDIT PROXY ADDRESS) and Proxy\_Person.ProxyStrt2 <> empty, RF or DK. Otherwise, display, “ENTER”.

Display address fields in the info pane with most recent proxy address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.

Display {STREET ADDRESS2} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

<b>CM40_03</b>	<b>(CM1080)</b>	<b>BLAISE NAME:</b> ProxyCity		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 35		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**  
{EDIT PROXY ADDRESS AS NEEDED./May I please have your address?}  
  
{Is your city:/What is your city?}  
  
{STREET ADDRESS1}  
{STREET ADDRESS2}  
{CITY}, {STATE} {ZIP CODE}

**Responses:**

.....	1	CM40_04	(CM1090)
REFUSED	.....	RF	CM40_04 (CM1090)
DON'T KNOW	.....	DK	CM40_04 (CM1090)

**Programmer Instructions:** See general programming instructions at CM40\_01.

**Display Instructions:**

Display CM40\_01 through CM40\_05 vertically on the same form pane.

For “PROXY FIRST MIDDLE LAST NAME”, display the first, middle, and last name of the proxy for this interviewing session.

Display “EDIT PROXY ADDRESS AS NEEDED.” if CM30 is coded ‘2’ (NO, EDIT PROXY ADDRESS). Otherwise, display “May I please have your address?”

Display “EDIT PROXY ADDRESS...” or “May I please...” in brackets and lighter “grayed-out” text when on CM40\_02 through CM40\_05.

Display “Is your city:” if CM30 is coded ‘2’ (NO, EDIT PROXY ADDRESS) and Proxy\_Person.ProxyCity <> empty, RF or DK. Otherwise, display, “What is your city?”

Display address fields in the info pane with most recent proxy address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.

Display {CITY} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM40_04</b>	<b>(CM1090)</b>	<b>BLAISE NAME:</b> ProxyState		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**    PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**

{EDIT PROXY ADDRESS AS NEEDED./May I please have your address?}

{Is your state:/What is your state?}

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}

**Responses:**

.....	1	CM40_05	(CM1100)
REFUSED .....	RF	CM40_05	(CM1100)
DON'T KNOW .....	DK	CM40_05	(CM1100)

**Programmer Instructions:** See general programming instructions at CM40\_01.  
Use the state lookup file.  
Note: The entry Foreign Country (FC) is allowed.

**Display Instructions:** Display CM40\_01 through CM40\_05 vertically on the same form pane.  
For “PROXY FIRST MIDDLE LAST NAME”, display the first, middle, and last name of the proxy for this interviewing session.  
Display “EDIT PROXY ADDRESS AS NEEDED.” if CM30 is coded ‘2’ (NO, EDIT PROXY ADDRESS). Otherwise, display “May I please have your address?”  
Display “EDIT PROXY ADDRESS...” or “May I please...” in brackets and lighter “grayed-out” text when on CM40\_02 through CM40\_05.  
Display “Is your state:” if CM30 is coded ‘2’ (NO, EDIT PROXY ADDRESS) and Proxy\_Person.ProxyState <> empty, RF or DK. Otherwise, display, “What is your state?”  
Display address fields in the info pane with most recent proxy address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.  
Display {STATE} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

**CM40\_05**

**(CM1100)**

**BLAISE NAME:** ProxyZip

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** String      **Field Size:** 5

**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:**      PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**

{EDIT PROXY ADDRESS AS NEEDED./May I please have your address?}

{Is your zip code:/What is your zip code?}

{STREET ADDRESS1}

{STREET ADDRESS2}

{CITY}, {STATE} {ZIP CODE}

**Responses:**

.....	1	BOX_40	(CM1120)
REFUSED .....	RF	BOX_40	(CM1120)
DON'T KNOW .....	DK	BOX_40	(CM1120)

**Programmer Instructions:** See general programming instructions at CM40\_01.

Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:** Display CM40\_01 through CM40\_05 vertically on the same form pane.

For "PROXY FIRST MIDDLE LAST NAME", display the first, middle, and last name of the proxy for this interviewing session.

Display "EDIT PROXY ADDRESS AS NEEDED." if CM30 is coded '2' (NO, EDIT PROXY ADDRESS). Otherwise, display "May I please have your address?"

Display "EDIT PROXY ADDRESS..." or "May I please..." in brackets and lighter "grayed-out" text when on CM40\_02 through CM40\_05.

Display "Is your zip code:" if CM30 is coded is coded '2' (NO, EDIT PROXY ADDRESS) and Proxy\_Person.ProxyZip <> empty, RF or DK. Otherwise, display, "What is your zip code?"

Display address fields in the info pane with most recent proxy address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.

Display {ZIP CODE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

---

**BOX 40**

**(CM1120)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:** If there is a preloaded email address linked to the proxy ID for this interviewing session, continue with CM45. (Use CM\_Main.PrxyPersOrigEmail[I] where I is the Proxy\_Person array index for the current proxy)

Otherwise, go to CM47.

Full Detail Spec

<b>CM45</b>	<b>(CM1130)</b>	<b>BLAISE NAME:</b> CMStillProxEmail		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TEMAIL	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**

We have {LINKED PROXY EMAIL} as your email address. Is this still the best email for you?

<b>Responses:</b>	YES .....	1	BOX_50	(CM1150)
	NO, EDIT EMAIL ADDRESS .....	2	CM47	(CM1140)
	NO, DELETE EMAIL ADDRESS .....	3	BOX_50	(CM1150)
	REFUSED .....	RF	BOX_50	(CM1150)
	DON'T KNOW .....	DK	BOX_50	(CM1150)

**Programmer Instructions:**     If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the current round proxy email address for the proxy ID for this interviewing session to the preloaded proxy email address for the same proxyID. (Proxy\_Person.EmailAddr)

If coded '2' (NO, EDIT EMAIL ADDRESS), the proxy email address for the proxy ID for this interviewing session will be updated/set at CM47.

If coded '3' (NO, DELETE EMAIL ADDRESS), delete the proxy email address for the proxy ID (at Proxy\_Person.EmailAddr) for this interviewing session. There will be no email address linked to this proxy for the next round.

**Display Instructions:**     Display CM45 to CM47 vertically on the same form pane.

For "PROXY FIRST MIDDLE LAST NAME", display the first, middle, and last name of the proxy for this interviewing session.

For "LINKED PROXY EMAIL", display the email address linked to this respondent PID or proxy ID for this interviewing session. (Use CM\_Main.PrxyPersOrigEmail[I] where I is the Proxy\_Person array index for the current proxy)



Full Detail Spec

<b>CM47</b>	<b>(CM1140)</b>	<b>BLAISE NAME:</b> CMProxEmail		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 1000		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

- Help Available ( )
- Show Card ( )
- Look Up File ( )

**Context Header:** PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**

{What is your new email address?/ We'd like to contact you by email {to schedule the next interview or} for other necessary follow-up. May I have your email address?}

ENTER COMPLETE EMAIL ADDRESS. CONFIRM SPELLING.

CODE DON'T KNOW (F5) IF R VOLUNTEERS PROXY DOESN'T HAVE EMAIL.

**Responses:**

..... 1	BOX_50	(CM1150)
REFUSED .....	RF BOX_50	(CM1150)
DON'T KNOW .....	DK BOX_50	(CM1150)

**Programmer Instructions:** If CM47<> RF or DK, write the email address recorded at CM47 to Proxy\_Person.EmailAddr. If CM47=RF or DK, leave Proxy\_Person.EmailAddr empty.

Hard Checks:

1. Email address must contain an '@' symbol. If entry does not include this symbol, display the following message: "EMAIL ADDRESS MUST CONTAIN AN '@' SYMBOL. USE FORMAT SIMILAR TO: 'NAME@EXAMPLE.COM'. VERIFY AND RE-ENTER."

2. Email address must not contain spaces. If entry includes a space, display the following message: "EMAIL ADDRESS CANNOT CONTAIN BLANK SPACES. VERIFY AND RE-ENTER."

3. Email address must contain a '.' (period character) later in the string sometime after the '@' symbol. If entry does not include '.', display the following message: "INVALID EMAIL ADDRESS. USE FORMAT SIMILAR TO: 'NAME@EXAMPLE.COM'. VERIFY AND RE-ENTER."

Soft Check:

If any of the following text strings is found in CM47 (e.g. none@gmail.com):

- refused
- none
- noemail
- donot
- dontknow
- doesnot

Display the message "IS THIS A REAL EMAIL ADDRESS? IF PROXY HAS NO EMAIL ADDRESS OR EMAIL ADDRESS NOT KNOWN, CODE DON'T KNOW (F5). IF VALID EMAIL ADDRESS, CLICK SUPPRESS".

**Display Instructions:**

Display CM45 to CM47 vertically on the same form pane.

Display 'What is your new email address?' if CM45 is coded '2' (NO, EDIT EMAIL ADDRESS). Otherwise, display 'We'd like to contact .... May I have your email address?'

Display 'to schedule the next interview or' if RndType<>Final. Otherwise, use null display.

Full Detail Spec

**BOX\_50**      **(CM1150)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If there is a preloaded cell phone linked to the proxy ID for this interviewing session, continue with CM50. (Use CM\_Main.PrxyPersOrigCell[I] where I is the Proxy\_Person array index for the current proxy)  
  
Otherwise, go to CM55\_01.

**CM50**      **(CM1160)**      **BLAISE NAME:** CMStillProxCell  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TPROXCELL      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**  
Is {LINKED PROXY CELL PHONE} still your cell phone number?

**Responses:**      YES ..... 1      CM55\_02      (CM1180)  
NO, EDIT CELL PHONE NUMBER ..... 2      CM55\_01      (CM1170)  
NO, DELETE CELL PHONE NUMBER ..... 3      BOX\_60      (CM1200)  
REFUSED ..... RF      BOX\_60      (CM1200)  
DON'T KNOW ..... DK      BOX\_60      (CM1200)

**Programmer Instructions:** If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the current round proxy cell phone for the proxy ID for this interviewing session to the preloaded proxy cell phone. (Proxy\_Person.ProxyCell)

NOTE: When CM50 is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW) note that CAPI goes to Box 60 so CAPI then skips questions CM55\_02 (CMProxText) and CM55\_03 (CMProxCellRule) for this proxy. If this proxy also has preloaded data for okay to text and contact rules, then automatically set these data respectively to this proxy's Proxy\_Person.ProxyText and ProxyCellRule when CM50 is coded RF' (REFUSED), or 'DK' (DON'T KNOW).

If coded '2' (NO, EDIT CELL PHONE NUMBER), the proxy cell phone number for the proxy ID for this interviewing session will be updated/set at CM55\_01.

If coded '3' (NO, DELETE CELL PHONE NUMBER), delete the proxy cell number for the proxy ID (at Proxy\_Person.ProxyCell) for this interviewing session. There will be no cell phone number linked to this proxy for the next round.

**Display Instructions:** For "PROXY FIRST MIDDLE LAST NAME", display the first, middle, and last name of the proxy for this interviewing session.

For "LINKED PROXY CELL PHONE", display the preloaded cell phone linked to the proxy ID for this interviewing session. Display as "(xxx)xxx-xxxx". (Use CM\_Main.PrxyPersOrigCell[I] where I is the Proxy\_Person array index for the current proxy)

<b>CM55_01</b>	<b>(CM1170)</b>	<b>BLAISE NAME:</b> CMProxCell		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 20		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**

{What is your new cell phone number?/May I have your cell phone number?}

IF NO CELL PHONE, ENTER DON'T KNOW.

<b>Responses:</b>	.....	1	CM55_02	(CM1180)
	REFUSED	.....	RF BOX_60	(CM1200)
	DON'T KNOW	.....	DK BOX_60	(CM1200)

**Programmer Instructions:** If CM55\_01<> RF or DK, write the cell phone recorded at CM55\_01 to Proxy\_Person.ProxyCell. If CM55\_01=RF or DK, leave Proxy\_Person.ProxyCell empty. 10-digit entry required; use number input mask (xxx-xxx-xxxx) in response field.

Hard checks:

1. Exactly 10 digit numeric entry required. If less than 10 numeric digits entered or any characters entered that are not numeric, display the following message: "PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."
  
2. The 10 digit numeric entry must not contain the same number (E.g. 1111111111). If the same number is entered for all 10 digits, display the following message: "PHONE ENTRY CANNOT BE ALL THE SAME NUMBER. IF PERSON HAS NO CELL PHONE OR CELL PHONE NUMBER NOT KNOWN, ENTER F5 (DON'T KNOW)."
  
3. The 10 digit numeric entry must not start with a '0' number. If it starts with a '0', display the following message: "PHONE ENTRY CANNOT START WITH '0'. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

**Display Instructions:** Display CM55\_01 through CM55\_03 vertically on the same form pane.

Display 'What is your new cell phone number?' if CM50 is coded '2' (NO, EDIT CELL PHONE NUMBER). Otherwise, display 'May I have your cell phone number?'

<b>CM55_02</b>	<b>(CM1180)</b>	<b>BLAISE NAME:</b> CMProxText		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**

{Is it okay to send text messages to your cell phone?/[Last time, you responded it was okay to send text messages to your cell phone.] Is it still okay to send you text messages?}

<b>Responses:</b>	YES	.....	1	CM55_03	(CM1190)
	NO	.....	2	CM55_03	(CM1190)
	REFUSED	.....	RF	CM55_03	(CM1190)
	DON'T KNOW	.....	DK	CM55_03	(CM1190)

**Programmer Instructions:** Write value entered at CM55\_02 to Proxy\_Person.ProxyText.

**Display Instructions:** Display CM55\_01 through CM55\_03 vertically on the same form pane.  
For “PROXY FIRST MIDDLE LAST NAME”, display the first, middle, and last name of the proxy for this interviewing session.  
Display ‘Is it okay to send text messages to your cell phone?’ if CM\_Main.PrxyPersOrigCellText[I] where I is the Proxy\_Person array index for the current proxy =No, DK, Refused or Empty. Otherwise, display “[Last time, you responded it is okay to send text messages to your cell phone.] Is it still okay to send you text messages?’

<b>CM55_03</b>	<b>(CM1190)</b>	<b>BLAISE NAME:</b> CMProxCellRule		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 1000		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** PROXY: {PROXY FIRST MIDDLE LAST NAME}

**Question Text:**

Are there any special rules for using this number, such as best times to call?

{RECORD /VERIFY} ANY SPECIAL INSTRUCTIONS OR RESTRICTIONS FOR CALLING THE PROXY CELL PHONE NUMBER.

FOR EXAMPLE, CALL ONLY IN EMERGENCY; DO NOT CALL DURING BUSINESS HOURS; CALL BEFORE 9 PM; ALWAYS LEAVE MESSAGE/VOICE MAIL, ETC.

**Responses:**

.....	1	BOX_60	(CM1200)
REFUSED .....	RF	BOX_60	(CM1200)
DON'T KNOW .....	DK	BOX_60	(CM1200)

**Programmer Instructions:** Prefill CM55\_03 response pane entry field using CM\_Main.PrxyPersOrigCellRule[I] where I is the Proxy\_Person array index for the current proxy if PrxyPersOrigCellRule[I] <>empty, DK or RF. Otherwise, leave response entry field empty.

Write value entered at CM55\_03 to Proxy\_Person.ProxyCellRule.

**Display Instructions:**

Display CM55\_01 through CM55\_03 vertically on the same form pane.

Allow empty for CM55\_03.

For “PROXY FIRST MIDDLE LAST NAME”, display the first, middle, and last name of the proxy for this interviewing session.

For the display instruction, display ‘RECORD’ if CM\_Main.PrxyPersOrigCellRule[I] where I is the Proxy\_Person array index for the current proxy =empty, DK, RF. Otherwise, display “VERIFY”.

**BOX 60**

**(CM1200)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If at least one adult RU member (Person is = or > 18 or in age categories 4-9) who is not deceased or institutionalized, continue with CM60\_01.

Otherwise, go to BOX\_160.

Full Detail Spec

<b>CM60_01</b>	<b>(CM1210)</b>	<b>BLAISE NAME:</b> StillEmail		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TEMAIL	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Is {PL\_Person.EmailAddr} still the best email address to use for contacting {you/{PERSON}}?

NAVIGATION: Complete the grid in order of respondent's answers.

<b>Responses:</b>	YES .....	1
	NO, EDIT EMAIL ADDRESS .....	2
	NO, DELETE EMAIL ADDRESS .....	3
	REFUSED .....	RF
	DON'T KNOW .....	DK



**Programmer Instructions:** Preloaded grid type-flexible navigation including question CM60\_01, CM60\_02, CM60\_03, CM60\_04, CM60\_05, CM60\_06, and BOX\_70.

Display CM60\_01 as an active cell for RU member only if RU member has preloaded email address. Otherwise, display cell as inactive.

Enable movement on screen so interviewer can enter responses for all persons by row.

If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the current round email address for the PID of the current RU member to the preloaded email address for the same PID.

If coded '2' (NO, EDIT EMAIL ADDRESS), the email address for the current RU member will be updated/set at CM60\_02.

If coded '3' (NO, DELETE EMAIL ADDRESS), delete the email address for the current RU member. There will be no email address linked to this RU member for the next round.

**Display Instructions:**

Roster Report 1

Display RU-Members-Roster

Roster definition: This item displays adult RU-members roster (i.e., not including deceased or institutionalized) for entry of email address, cell phone number, texting and contacting rules in the form pane grid.

Col #1 Header: RU member

Instructions: Display RU members' first, middle, and last names (Person.FullName).

Format response pane in columns with headers: Col #1 Header: RU Member Col#2 Header: Same Email, Col #3 Header: Email Address, Col. #4 Header: Same Cell, Col #5 Header: Cell Phone Number, Col #6 Header: Talk Now, Col #7 Header: Okay to text?, Col #8 Header: Contacting Rules

Roster filter:

Display RU-members who meet the following conditions:

- Person is = or > 18 or in age categories 4-9
- Person is not deceased or institutionalized

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

**CM60\_02**      **(CM1220)**      **BLAISE NAME:** EmailAddr  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 1000  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{What is {your/{PERSON}'s} new email address?/ MEPS requests contact information for every adult in case we need to follow-up between interviews. This contact information will only be used for study purposes.

May I have {your/{PERSON}'s} email address?}

ENTER COMPLETE EMAIL ADDRESS. CONFIRM SPELLING.

CODE DON'T KNOW (F5) IF R VOLUNTEERS RU MEMBER DOESN'T HAVE EMAIL.

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**      ..... 1  
REFUSED      ..... RF  
DON'T KNOW      ..... DK

**Programmer Instructions:** Display CM60\_02 as an active cell for RU member only if RU member has no preloaded email address or if RU member has preloaded email address and CM60\_01 is coded '2' (NO, EDIT EMAIL ADDRESS). Otherwise, display cell as inactive.

If CM60\_02 <> RF or DK, write the email address recorded at CM60\_02 to Person.EmailAddr. If CM60\_02=RF or DK, leave Person.EmailAddr empty.

Hard Checks:

1. Email address must contain an '@' symbol. If entry does not include this symbol, display the following message: "EMAIL ADDRESS MUST CONTAIN AN '@' SYMBOL. USE FORMAT SIMILAR TO: 'NAME@EXAMPLE.COM'. VERIFY AND RE-ENTER."

2. Email address must not contain spaces. If entry includes a space, display the following message: "EMAIL ADDRESS CANNOT CONTAIN BLANK SPACES. VERIFY AND RE-ENTER."

3. Email address must contain a '.' (period character) later in the string sometime after the '@' symbol. If entry does not include '.', display the following message: "INVALID EMAIL ADDRESS. USE FORMAT SIMILAR TO: 'NAME@EXAMPLE.COM'. VERIFY AND RE-ENTER."

Soft Check:

If any of the following text strings is found in CM60\_02 (e.g. none@gmail.com):

- refused
- none
- noemail
- donot
- dontknow
- doesnot

Display the message "IS THIS A REAL EMAIL ADDRESS? IF PERSON HAS NO EMAIL ADDRESS OR EMAIL ADDRESS NOT KNOWN, CODE DON'T KNOW (F5). IF VALID EMAIL ADDRESS, CLICK SUPPRESS".

**Display Instructions:**

Display 'What is {your/{PERSON}'s} new email address?' if CM60\_01 is coded '2' (NO, EDIT EMAIL ADDRESS). Otherwise, display 'MEPS requests contact information...May I have {your/{PERSON}'s} email address?' Display the first two sentences in gray text: 'MEPS requests contact information for every adult in case we need to follow-up between interviews. This contact information will only be used for study purposes.' Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

**CM60\_03**      **(CM1230)**      **BLAISE NAME:** CMStillCell  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TPROXCELL      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Is {PL\_Person.Cellphone} still {your/{PERSON}'s} cell phone number?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

YES	.....	1		
NO, EDIT CELL PHONE NUMBER	.....	2	CM60_04	(CM1240)
NO, DELETE CELL PHONE NUMBER	.....	3	BOX_70	(CM1270)
REFUSED	.....		RF	
DON'T KNOW	.....		DK	

**Programmer Instructions:** If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the current round cell phone number for the PID of the current RU member to the preloaded cell phone number for the same PID (Person.CellPhone). If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and PL\_Person.CPText=Yes, set Person.CMTextCell to Yes.

If RU member is the respondent and CM60\_03 is coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW) AND PL\_Person.CPText<>Yes, go to CM60\_05. Else, go to CM60\_06.

Background Assignment: For RU members that are not the respondent, if CM60\_03 is coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), check whether that person's Person.Cellphone is the same as the respondent's Person.Cellphone. If the same, then automatically code the RU member's Person.CMTextCell to be the same as the respondent's Person.CMTextCell (NOTE: CM60\_05 will display as an inactive cell for that RU member).

If RU member is not the respondent and CM60\_03 is coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW) AND that RU member's Person.Cellphone is not the same as respondent's Person.Cellphone AND PL\_Person.CPText<>Yes, go to CM60\_05. Else, go to BOX\_70.

If coded '2' (NO, EDIT CELL PHONE NUMBER), the cell phone number for current RU member will be updated/set at CM60\_04.

If coded '3' (NO, DELETE CELL PHONE NUMBER), delete the cell phone number linked to the current RU member (at Person.CellPhone). There will be no cell phone number linked to this RU member for the next round.

**Display Instructions:** For "PL\_Person.Cellphone", display the preloaded cell phone linked to the RU member. Display as "(xxx)xxx-xxxx".

Display CM60\_03 as an active cell for RU member only if RU member has preloaded cell phone number. Otherwise, display cell as inactive.

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

Full Detail Spec

**CM60\_04**

**(CM1240)**

**BLAISE NAME:** CMCellNum

<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 1000		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{What is {your/{PERSON}'s} new cell phone number? /MEPS requests contact information for every adult in case we need to follow-up between interviews. This contact information will only be used for study purposes.

May I have {your/{PERSON}'s} cell phone number? }

IF NO CELL PHONE, ENTER DON'T KNOW.

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

	.....	1
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** Display CM60\_04 as an active cell for RU member only if RU member has no preloaded cell phone number (PL\_Person.Cellphone=empty) or if RU member has preloaded cell phone number (PL\_Person.Cellphone<>empty) and CM60\_03 for this RU member is coded '2' (NO, EDIT CELL PHONE NUMBER). Otherwise, display cell as inactive.

If CM60\_04<> RF or DK, write the cell phone number recorded at CM60\_04 to Person.CellPhone. If CM60\_04=RF or DK, leave Person.Cellphone empty.

If CM60\_04<> RF or DK and RU member is the respondent  
or  
if CM60\_04<> RF or DK and RU member is not the respondent AND that RU member's Person.Cellphone is not the same as respondent's Person.Cellphone, go to CM60\_05.  
Otherwise, go to Box 70.

Background Assignment: If the RU member is not the respondent and CM60\_04<>RF or DK, check whether that person's Person.Cellphone is same as the respondent's Person.Cellphone. If the same, then automatically code the RU member's Person.CMTextCell to be the same as the respondent's Person.CMTextCell (NOTE: CM60\_05 will display as an inactive cell for that RU member).

10-digit entry required; use number input mask (xxx-xxx-xxxx) in response field.

Hard checks:

1. Exactly 10 digit numeric entry required. If less than 10 numeric digits entered or any characters entered that are not numeric, display the following message: "PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

2. The 10 digit numeric entry must not contain the same number (E.g. 1111111111). If the same number is entered for all 10 digits, display the following message: "PHONE ENTRY CANNOT BE ALL THE SAME NUMBER. IF PERSON HAS NO CELL PHONE OR CELL PHONE NUMBER NOT KNOWN, ENTER F5 (DON'T KNOW)."

3. The 10 digit numeric entry must not start with a '0' number. If it starts with a '0', display the following message: "PHONE ENTRY CANNOT START WITH '0'. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

**Display Instructions:**

Display 'What is {your/{PERSON}'s} new cell phone number?' if CM60\_03 is coded '2' (NO, EDIT CELL PHONE NUMBER). Otherwise, display 'MEPS requests contact information...May I have {your/{PERSON}'s} cell phone number?' Display the first two sentences in gray text: 'MEPS requests contact information for every adult in case we need to follow-up between interviews. This contact information will only be used for study purposes.'

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

<b><u>CM60_05</u></b>	<b><u>(CM1250)</u></b>	<b><u>BLAISE NAME:</u></b> CMTTextCell		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYES_NOP	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Is it okay to send text messages to {your/{PERSON}'s} cellphone?

NAVIGATION: Complete the grid in order of respondent's answers.

<b>Responses:</b>	YES	.....	1
	NO	.....	2



**Programmer Instructions:** Write value entered at CM60\_05 to Person.CMTextCell.

DK and RF disallowed.

**Display Instructions:** Display CM60\_05 as an active cell if:  
• RU member is the respondent and CM60\_03 is coded '2' (NO, EDIT CELL PHONE NUMBER) and CM60\_04<>RF or DK

OR

• RU member is the respondent and CM60\_03 is coded '1' (YES) and PL\_Person.CPText<>Yes

OR

• RU member is the respondent and PL\_Person.Cellphone=empty and Person.Cellphone<>empty

OR

• RU member is not the respondent AND Person.Cellphone is not the same as the respondent's Person.Cellphone AND CM60\_03 is coded '1'(YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and PL\_Person.CPText<>Yes

OR

• RU member is not the respondent and Person.Cellphone is not the same as the respondent's Person.Cellphone and CM60\_04<>empty, RF, or DK

Otherwise, display CM60\_05 as an inactive cell.

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

<b>CM60_06</b>	<b>(CM1260)</b>	<b>BLAISE NAME:</b> CMCellRule		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 1000		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Are there any special rules for using this number, such as best times to call?

{RECORD /VERIFY} ANY SPECIAL INSTRUCTIONS OR RESTRICTIONS FOR CALLING THIS CELL PHONE NUMBER.

FOR EXAMPLE, CALL ONLY IN EMERGENCY; DO NOT CALL DURING BUSINESS HOURS; CALL BEFORE 9 PM; ALWAYS LEAVE MESSAGE/VOICE MAIL, ETC.

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

.....	1	BOX_70	(CM1270)
REFUSED .....	RF	BOX_70	(CM1270)
DON'T KNOW .....	DK	BOX_70	(CM1270)

**Programmer Instructions:** Display CM60\_06 as an active cell only if RU member is the respondent and Person.Cellphone<>empty. Otherwise, display cell as inactive.

Prefill CM60\_06 response pane entry field using PL\_Person.CPRules if PL\_Person.CPRules <>empty, DK or RF. Otherwise, leave response entry field empty.

Write value entered at CM60\_06 to Person.CMCellRule.

**Display Instructions:** Allow empty for CM60\_06.

For the display instruction, display 'RECORD' if PL\_Person.CPRules =empty, DK, RF. Otherwise, display "VERIFY".

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' in red text.

---

**BOX 70**                      **(CM1270)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**                      Go to BOX\_80

**Programmer Instructions:** Before leaving the grid, CAPI should verify that all eligible fields per row of the grid have a valid answer entered (NOTE: Allow empty for CM60\_06).If not, display error message "ONE OR MORE QUESTIONS HAVE NOT BEEN ANSWERED. PRESS <OK> TO GO TO THE FIRST UNANSWERED QUESTION: {Question Tag} FOR {PERSON'S FIRST, MIDDLE AND LAST NAME}". CAPI will move to the first unanswered item/field, starting from the top left of the grid and moving to the next unanswered item, left to right by row, until all are complete.

---

**BOX 80**                      **(CM1280)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**                      If there is a preloaded alternate phone number linked to this RU in the previous round, continue with CM70. (Use stgAltPhone.AltPhoneNum)

Otherwise, go to CM80.

Full Detail Spec

<b>CM70</b>	<b>(CM1290)</b>	<b>BLAISE NAME:</b> CMStillAltPhone		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TALTPHONE	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Is {ALT PHONE LABEL} {ALT PHONE} still a number where this household can be reached?

<b>Responses:</b>	YES .....	1	BOX_90	(CM1330)
	NO, EDIT ALTERNATE PHONE NUMBER .....	2	CM90_01	(CM1310)
	NO, DELETE ALTERNATE PHONE NUMBER .....	3	BOX_90	(CM1330)
	REFUSED .....	RF	BOX_90	(CM1330)
	DON'T KNOW .....	DK	BOX_90	(CM1330)

**Programmer Instructions:** If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the RU's current round alternate phone to the preloaded alternate phone of the RU.

If coded '2' (NO, EDIT ALTERNATE PHONE NUMBER), the alternate phone number will be updated/set at CM90\_01.

If coded '3' (NO, DELETE ALTERNATE PHONE NUMBER), delete the alternate phone number linked to the RU. There will be no alternate phone number linked to this RU for the next round.

**Display Instructions:** Display CM70 through CM90\_02 vertically on the same form pane.

For 'ALT PHONE LABEL' display the preloaded alternate phone label. Use StgAltPhone.AltPhoneLabel.

For 'ALT PHONE', display the preloaded alternate phone number linked to this RU. Display as "(xxx)xxx-xxxx". Use StgAltPhone.AltPhoneNum.

Full Detail Spec

<b>CM80</b>	<b>(CM1300)</b>	<b>BLAISE NAME:</b> CMAltPhone		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{I have recorded {RE40\_07 PHONE} as the phone number for the household.} Aside from {the household's number and} the cell phone number(s) already collected, is there an alternate number {you {or someone in your household}/{REFERENCE PERSON}'s household} can be reached at, such as a landline, cell phone, or a work number?

<b>Responses:</b>	YES	.....	1	CM90_01	(CM1310)
	NO	.....	2	BOX_90	(CM1330)
	REFUSED	.....	RF	BOX_90	(CM1330)
	DON'T KNOW	.....	DK	BOX_90	(CM1330)

**Display Instructions:**

Display CM70 through CM90\_02 vertically on the same form pane.

Display "I have recorded {RE40\_07 PHONE} as the phone number for the household." and "the household's number and" if CurrPhone<>Empty, RF or DK. Otherwise, use a null display. For {RE40\_07 PHONE} display the entry at RE40\_07 (CurrPhone) as (xxx)xxx-xxxx.

Display "you {or someone in your household}" if respondent for this interviewing session is an RU member. Otherwise (respondent is a proxy), display "{REFERENCE PERSON}'s household" (substituting the full name (Person.FullName) of the current round reference person).

Display "or someone in your household" if a multi-person RU. Otherwise, use a null display.

Full Detail Spec

<b>CM90_01</b>	<b>(CM1310)</b>	<b>BLAISE NAME:</b> AltPhoneNum		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 1000		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{EDIT ALTERNATE PHONE, AS NEEDED./May I please have that number?}

{Is the number:/What is that number?}

{ALTERNATE PHONE}

{ALTERNATE PHONE LABEL}

**Responses:** ..... 1 CM90\_02 (CM1320)

**Programmer Instructions:** General programming instructions for CM90\_01 to CM90\_02. If CM70 is coded '2' (NO, EDIT ALTERNATE PHONE NUMBER) prefill each variable related to alternate phone fields in the response entry fields with information from the previous round linked to the alternate phone number verified at CM70. Use StgAltPhone.AltPhoneNum, StgAltPhone.AltPhoneLabel,

General programming instructions for CM90\_01 to CM90\_02: If CM70 was not asked (no alternate phone number is linked to this RU), leave the response pane entry fields empty for completion.

DK and RF disallowed.

10-digit entry required; use number input mask (xxx-xxx-xxxx) in response field.

Hard check: Exactly 10 digit numeric entry required. If less than 10 numeric digits entered or any characters entered that are not numeric, display the following message: "PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER."

**Display Instructions:** Display CM70 through CM90\_02 vertically on the same form pane.

Display "EDIT ALTERNATE PHONE, AS NEEDED." if CM70 is coded '2' (NO, EDIT ALTERNATE PHONE NUMBER). Otherwise, display "May I please have that number?"

Display "Is the number:" if CM70 is coded '2' (NO, EDIT ALTERNATE PHONE NUMBER) and StgAltPhone.AltPhoneNum <> empty, RF or DK. Otherwise, display, "What is that number?"

Display alternate phone number fields ('ALTERNATE PHONE' and 'ALTERNATE PHONE LABEL') in the info pane with most recent alternate phone information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'ALT PHONE', display as "(xxx)xxx-xxxx".

Display {ALTERNATE PHONE} in the info pane in bold, black, but display {ALTERNATE PHONE LABEL} field in lighter "grayed-out" text.

Full Detail Spec

<b>CM90_02</b>	<b>(CM1320)</b>	<b>BLAISE NAME:</b> CMAltPhoneNumLab		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 1000		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{EDIT ALTERNATE PHONE, AS NEEDED./May I please have that number?}  
 {EDIT/ENTER} ALTERNATE PHONE LABEL (E.G., JOHN’S WORK PHONE, HH LANDLINE).  
 {ALTERNATE PHONE}  
 {ALTERNATE PHONE LABEL}

**Responses:**

.....	1	BOX_90	(CM1330)
REFUSED .....	RF	BOX_90	(CM1330)
DON'T KNOW .....	DK	BOX_90	(CM1330)

**Programmer Instructions:** See general programming instructions at CM90\_01.

**Display Instructions:**

Display CM70 through CM90\_02 vertically on the same form pane.

Display “EDIT ALTERNATE PHONE, AS NEEDED.” if CM70 is coded ‘2’ (NO, EDIT ALTERNATE PHONE NUMBER). Otherwise, display “May I please have that number?”

Display “EDIT ALTERNATE PHONE, AS NEEDED” or “May I please have that number?” in brackets and lighter “grayed-out” text.

Display “EDIT” if CM70 is coded is coded ‘2’ (NO, EDIT ALTERNATE PHONE NUMBER) and StgAltPhone.AltPhoneLabel, <> empty, RF or DK. Otherwise, display, “ENTER”.

Display alternate phone number fields (‘ALTERNATE PHONE’ and ‘ALTERNATE PHONE LABEL’) in the info pane with most recent alternate phone information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘ALT PHONE’, display as “(xxx)xxx-xxxx”.

Display {ALTERNATE PHONE LABEL} in the info pane in bold, black, but display {ALTERNATE PHONE} in lighter “grayed-out” text.



Full Detail Spec

BOX\_90 (CM1330) Item Type: Route Type Class: If Then

---

**Route Details:** If current round is not the final round of the panel (RndType<>Final), continue with BOX\_100. If current round is the final round of the panel (RndType=Final) , go to BOX\_130.

BOX\_100 (CM1340) Item Type: Route Type Class: If Then

---

**Route Details:** If there is a preloaded contact person linked to this RU in the previous round, continue with CM100. (Use Preload.ContPersPID, Preload.ContPersFName and Preload.ContPersLName).  
  
Otherwise, go to CM110.

CM100 (CM1350) **BLAISE NAME:** StillContact  
**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**  
**Type Class:** Enumerated **Field Size:**  
**Answer Type:** TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

---

Help Available ( )  Show Card ( )  Look Up File ( )

**Question Text:**

Is {CONTACT PERSON} still the person, who does not live here, who will always know how to get in touch with {your household/{REFERENCE PERSON}'s household}?

**Responses:** YES ..... 1 CM120\_03 (CM1390)  
NO ..... 2 CM110 (CM1360)  
REFUSED ..... RF BOX\_110 (CM1460)  
DON'T KNOW ..... DK BOX\_110 (CM1460)

**Programmer Instructions:** If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the current round contact person first and last name to the preloaded contact person first and last name.

If coded 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the current round contact person address, telephone, and relationship to the preloaded contact person address, telephone, and relationship.

**Display Instructions:** For "CONTACT PERSON", display the preloaded first and last name of the contact person for this RU from the previous round. Use Preload.ContPersFName and Preload.ContPersLName.

Display "your household" if respondent for this interviewing session is an RU member. Otherwise (respondent is a proxy), display "{REFERENCE PERSON}'s household" substituting the full name (Person.FullName) of the current round reference person.

<b>CM110</b>	<b>(CM1360)</b>	<b>BLAISE NAME:</b> HaveContact		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**  
{Do you have/Other than you, is there} a friend or relative who does not live here who will always know how to get in touch with {your household/{REFERENCE PERSON}'s household}?

<b>Responses:</b>	YES	.....	1	CM120_01	(CM1370)
	NO	.....	2	BOX_110	(CM1460)
	REFUSED	.....	RF	BOX_110	(CM1460)
	DON'T KNOW	.....	DK	BOX_110	(CM1460)

**Display Instructions:** Display "Do you have" if respondent for this interviewing session is an RU member. Otherwise (respondent is a proxy), display "Other than you, is there".

Display "your household" if respondent for this interviewing session is an RU member. Otherwise (respondent is a proxy), display "{REFERENCE PERSON}'s household" substituting the full name (Person.FullName) of the current round reference person.

Full Detail Spec

**CM120\_01**      **(CM1370)**      **BLAISE NAME:** ContPersFName  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 20  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

What is that person's first name?

**Responses:** ..... 1 CM120\_02 (CM1380)

**Programmer Instructions:** Refused and Don't Know disallowed.

If CM100 was coded '1' (YES), CM120\_01 is not on path, but the response entry field for CM120\_01 should be prefilled with ContPersFName. CM120\_01 will be display only and the field should be uneditable.

If CM100 was coded '2' (NO) and CM110 was coded '1' (YES), CM120\_01 will be on path, but should display as empty, ready for completion.

**Display Instructions:** Display CM120\_01 through CM120\_09 vertically on the same form pane.

**CM120\_02**      **(CM1380)**      **BLAISE NAME:** ContPersLName  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 25  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

What is that person's last name?

**Responses:** ..... 1 CM120\_03 (CM1390)

**Programmer Instructions:** Refused and Don't Know disallowed.

If CM100 was coded '1' (YES), CM120\_02 is not on path, the response entry field for CM120\_02 should be prefilled with ContPersLName. CM120\_02 will be display only and the field should be uneditable.

If CM100 was coded '2' (NO) and CM110 was coded '1' (YES), CM120\_02 will be on path, but should display as empty, ready for completion.

When CM110 is coded '1' (YES), set a three-byte contact person identifier (C01, C02, etc.) for the contact person entered at CM120\_01 and CM120\_02. There can be a maximum of 5 contact persons per RU. (ContPersPID)

**Display Instructions:** Display CM120\_01 through CM120\_09 vertically on the same form pane.

<b>CM120_03</b>	<b>(CM1390)</b>	<b>BLAISE NAME:</b> ContPersStrt1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{VERIFY {CONTACT PERSON}'s ADDRESS AND TELEPHONE./What is {CONTACT PERSON}'s address and telephone number?}

{Is the street address:/What is the street address?}

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM120_04	(CM1400)
REFUSED	RF	CM120_04	(CM1400)
DON'T KNOW	DK	CM120_04	(CM1400)

**Programmer Instructions:** General programming instructions for CM120\_03 to CM120\_08: If CM100 is coded '1' (YES), prefill each available address field in the response pane entry fields with information from the previous round linked to the contact person verified at CM100. Use Preload.ContPersStrt1, Preload.ContPersStrt2, Preload.ContPersCity, Preload.ContPersState, Preload.ContPersZip, and Preload.ContPersPhone.

General programming instructions for CM120\_03 to CM120\_08: If CM110 is coded '1' (YES), leave the response pane entry fields empty for completion. NOTE: The response pane entry fields should also display empty in instances when CM100 is coded '2' (NO) and CM110 is coded '1' (YES).

**Display Instructions:**

Display CM120\_01 through CM120\_09 vertically on the same form pane.

Display "VERIFY {CONTACT PERSON}'s ADDRESS AND TELEPHONE." if CM100 is coded '1' (YES). Otherwise, display "What is {CONTACT PERSON}'s address and telephone number?"

For "CONTACT PERSON", display the first and last name of the current round contact person (ContPersFName, ContPersLName).

Display "Is the street address:" if CM100 is coded '1' (YES) and Preload.ContPersStrt1 <> empty, RF or DK. Otherwise, display, "What is the street address?"

Display address fields in the info pane with most recent contact person address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {STREET ADDRESS1} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

**CM120\_04**      **(CM1400)**      **BLAISE NAME:** ContPersStrt2  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 40  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Question Text:**

{VERIFY {CONTACT PERSON}'s ADDRESS AND TELEPHONE./What is {CONTACT PERSON}'s address and telephone number?}

{VERIFY/ENTER} APARTMENT OR UNIT NUMBER, IF AVAILABLE. IF NONE, PRESS ENTER TO CONTINUE.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM120_05	(CM1410)
EMPTY	.....	Empty	CM120_05 (CM1410)
REFUSED	.....	RF	CM120_05 (CM1410)
DON'T KNOW	.....	DK	CM120_05 (CM1410)

**Programmer Instructions:** See general programming instructions at CM120\_03.

**Display Instructions:**

Display CM120\_01 through CM120\_09 vertically on the same form pane.

Display “VERIFY {CONTACT PERSON}’s ADDRESS AND TELEPHONE.” if CM100 is coded ‘1’ (YES). Otherwise, display “What is {CONTACT PERSON}’s address and telephone number?”.

For “CONTACT PERSON”, display the first and last name of the current round contact person (ContPersFName, ContPersLName).

Display “VERIFY {CONTACT PERSON}’s...” or “What is {CONTACT PERSON}’s...” in brackets and lighter “grayed-out” text when on CM120\_04 through CM120\_08.

Display “VERIFY” if CM100 is coded ‘1’ (YES) and Preload.ContPersStrt2 <> empty, RF or DK. Otherwise, display, “ENTER”

Display address fields in the info pane with most recent contact person address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {STREET ADDRESS2} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM120_05</b>	<b>(CM1410)</b>	<b>BLAISE NAME:</b> ContPersCity		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 35		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{VERIFY {CONTACT PERSON}'s ADDRESS AND TELEPHONE./What is {CONTACT PERSON}'s address and telephone number?}

{Is the city:/What is the city?}

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM120_06	(CM1420)
REFUSED	.....	RF	CM120_06 (CM1420)
DON'T KNOW	.....	DK	CM120_06 (CM1420)



**Programmer Instructions:** See general programming instructions at CM120\_03.

**Display Instructions:**

Display CM120\_01 through CM120\_09 vertically on the same form pane.

Display “VERIFY {CONTACT PERSON}’s ADDRESS AND TELEPHONE.” if CM100 is coded ‘1’ (YES). Otherwise, display “What is {CONTACT PERSON}’s address and telephone number?”

For “CONTACT PERSON”, display the first and last name of the current round contact person (ContPersFName, ContPersLName).

Display “VERIFY {CONTACT PERSON}’s...” or “What is {CONTACT PERSON}’s...” in brackets and lighter “grayed-out” text when on CM120\_04 through CM120\_08.

Display “Is the city:” if CM100 is coded ‘1’ (YES) and Preload.ContPersCity <> empty, RF or DK. Otherwise, display, “What is the city?”

Display address fields in the info pane with most recent contact person address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {CITY} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM120_06</b>	<b>(CM1420)</b>	<b>BLAISE NAME:</b> ContPersState		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{VERIFY {CONTACT PERSON}'s ADDRESS AND TELEPHONE./What is {CONTACT PERSON}'s address and telephone number?}

{Is the state:/What is the state?}

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM120_07	(CM1430)
REFUSED .....	RF	CM120_07	(CM1430)
DON'T KNOW .....	DK	CM120_07	(CM1430)

**Programmer Instructions:** See general programming instructions at CM120\_03.

Use the state lookup file.

Note: The entry Foreign Country (FC) is allowed.

**Display Instructions:**

Display CM120\_01 through CM120\_09 vertically on the same form pane.

Display “VERIFY {CONTACT PERSON}’s ADDRESS AND TELEPHONE.” state:” if CM100 is coded ‘1’ (YES). Otherwise, display “What is {CONTACT PERSON}’s address and telephone number?”

For “CONTACT PERSON”, display the first and last name of the current round contact person (ContPersFName, ContPersLName).

Display “VERIFY {CONTACT PERSON}’s...” or “What is {CONTACT PERSON}’s...” in brackets and lighter “grayed-out” text when on CM120\_04 through CM120\_08.

Display “Is the state:” if CM100 is coded ‘1’ (YES) and Preload.ContPersState <> empty, RF or DK. Otherwise, display, “What is the state?”

Display address fields in the info pane with most recent contact person address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {STATE} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM120_07</b>	<b>(CM1430)</b>	<b>BLAISE NAME:</b> ContPersZip		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 5		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{VERIFY {CONTACT PERSON}'s ADDRESS AND TELEPHONE./What is {CONTACT PERSON}'s address and telephone number?}

{Is the zip code:/What is the zip code?}

{STREET ADDRESS1}

{STREET ADDRESS2}

{CITY}, {STATE} {ZIP CODE}

{TELEPHONE NUMBER}

**Responses:**

.....	1	CM120_08	(CM1440)
REFUSED	.....	RF	CM120_08 (CM1440)
DON'T KNOW	.....	DK	CM120_08 (CM1440)

**Programmer  
Instructions:**

See general programming instructions at CM120\_03.

Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display  
Instructions:**

Display CM120\_01 through CM120\_09 vertically on the same form pane.

Display "VERIFY {CONTACT PERSON}'s ADDRESS AND TELEPHONE." if CM100 is coded '1' (YES). Otherwise, display "What is {CONTACT PERSON}'s address and telephone number?"

For "CONTACT PERSON", display the first and last name of the current round contact person (ContPersFName, ContPersLName).

Display "VERIFY {CONTACT PERSON}'s..." or "What is {CONTACT PERSON}'s..." in brackets and lighter "grayed-out" text when on CM120\_04 through CM120\_08.

Display "Is the zip code:" if CM100 is coded '1' (YES) and Preload.ContPersZip <> empty, RF or DK. Otherwise, display, "What is the zip code?"

Display address fields in the info pane with most recent contact person address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {ZIP CODE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

<b>CM120_08</b>	<b>(CM1440)</b>	<b>BLAISE NAME:</b> ContPersPhone		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 10		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{VERIFY {CONTACT PERSON}'s ADDRESS AND TELEPHONE./What is {CONTACT PERSON}'s address and telephone number?}

{Is the telephone number:/What is the telephone number?}

IF NO TELEPHONE, ENTER DON'T KNOW.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM120_09	(CM1450)
REFUSED .....	RF	CM120_09	(CM1450)
DON'T KNOW .....	DK	CM120_09	(CM1450)

**Programmer  
Instructions:**

See general programming instructions at CM120\_03.

10-digit entry required; use number input mask (xxx-xxx-xxxx) in response field.

Hard check: Exactly 10 digit numeric entry required. If less than 10 numeric digits entered or any characters entered that are not numeric, display the following message: "PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

**Display  
Instructions:**

Display CM120\_01 through CM120\_09 vertically on the same form pane.

Display "VERIFY {CONTACT PERSON}'s ADDRESS AND TELEPHONE." if CM100 is coded '1' (YES). Otherwise, display "What is {CONTACT PERSON}'s address and telephone number?"

For "CONTACT PERSON", display the first and last name of the current round contact person (ContPersFName, ContPersLName).

Display "VERIFY {CONTACT PERSON}'s..." or "What is {CONTACT PERSON}'s..." in brackets and lighter "grayed-out" text when on CM120\_04 through CM120\_08.

Display "Is the telephone number:" if CM100 is coded '1' (YES) and Preload.ContPersPhone <> empty, RF or DK. Otherwise, display, "What is the telephone number?"

Display address fields in the info pane with most recent contact person address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {TELEPHONE NUMBER} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

<b>CM120_09</b>	<b>(CM1450)</b>	<b>BLAISE NAME:</b> ContPersRel		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 45		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{I have that {CONTACT PERSON} is {your/{REFERENCE PERSON}'s} {RELATIONSHIP}. Is that correct?/What is {CONTACT PERSON}'s relationship to {you/{REFERENCE PERSON}}??}

{EDIT RELATIONSHIP AS NEEDED. IF RELATIONSHIP IS CORRECT, PRESS ENTER TO CONTINUE WITHOUT MAKING EDITS.}

**Responses:** ..... 1 BOX\_110 (CM1460)



**Programmer Instructions:** Refused and Don't Know disallowed.

If CM100 is coded '1' (YES), prefill relationship field in the response pane entry fields with information from the previous round linked to the contact person verified at CM100. Use Preload.ContPersRel.

If CM110 is coded '1' (YES), leave the response pane entry fields empty for completion.

**Display Instructions:** Display CM120\_01 through CM120\_09 vertically on the same form pane.

Display "I have that {CONTACT PERSON} is {your/{REFERENCE PERSON}'s} {RELATIONSHIP}. Is that correct?" if CM100 is coded '1' (YES) and Preload. ContPersRel <> empty, RF or DK. Otherwise, display "What is {CONTACT PERSON}'s relationship to {you/{REFERENCE PERSON}}?"

For "CONTACT PERSON", display the first and last name of the current round contact person (ContPersFName, ContPersLName).

Display "your" or "you" if RU member respondent for current interviewing session is the same as the current round reference person. Otherwise, display "{REFERENCE PERSON}" substituting the full name (Person.FullName) of the current round reference person.

For "RELATIONSHIP", display the preloaded relationship linked to the contact person verified at CM100. Use Preload.ContPersRel.

Display "EDIT RELATIONSHIP AS NEEDED. IF RELATIONSHIP IS CORRECT, PRESS ENTER TO CONTINUE WITHOUT MAKING EDITS." If CM100 is coded '1' (YES). Otherwise, use a null display.

---

<b><u>BOX 110</u></b>	<b><u>(CM1460)</u></b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
-----------------------	------------------------	-------------------------	----------------------------

---

**Route Details:** If respondent for this interviewing session is a proxy, go to BOX\_130.

If there is no prior round preloaded alternate respondent linked to this RU (Preload.AltRespPID=Empty) or if the prior round preloaded alternate respondent is the same as the current round respondent (Preload.AltRespPID=RespondentPersPID) or if the prior round preloaded alternate respondent was the same as the contact person (Preload.AltRespPID=903), go to CM140.

Otherwise (there is a prior round alternate respondent linked to this RU, but that person is not the same as the current round respondent, Preload.AltRespPID<>RespondentPersPID), continue with CM130.

<b>CM130</b>	<b>(CM1470)</b>	<b>BLAISE NAME:</b> StillAltResp		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Is {ALTERNATE RESPONDENT} still the best person to provide information about {{you/your household}/{REFERENCE PERSON}'s household} for the next interview if you are not available?

<b>Responses:</b>	YES	.....	1	BOX_120	(CM1480)
	NO	.....	2	CM140	(CM1490)
	REFUSED	.....	RF	BOX_130	(CM1590)
	DON'T KNOW	.....	DK	BOX_130	(CM1590)

**Programmer Instructions:** If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the current round alternate respondent to the preloaded alternate respondent (AltRespPID=Preload.AltRespPID). If the previous round alternate respondent was not a DU member, set the current round alternate respondent first and last name to the preloaded alternate respondent first and last name.

If coded 'RF' (REFUSED), or 'DK' (DON'T KNOW) and if the preloaded alternate respondent was not a DU member, set the current round alternate respondent address, telephone, and relationship to the preloaded alternate respondent address, telephone, and relationship.

**Display Instructions:**

For "ALTERNATE RESPONDENT", display the preloaded first, (middle) and last name of the alternate respondent (Preload.AltRespPID) for this RU from the previous round. (This is the first and last name linked to the Preload.AltRespPID, which may be Person.FullName or Preload.AltRespFName and Peload.AltRespLName.)

Display "{you/your household}" if respondent for this interviewing session is an RU member. Display 'you' if single person household. Display 'your household' if multiple RU member household. Otherwise (respondent is a proxy), display "{REFERENCE PERSON}'s household" (substituting the full name (Person.FullName) of the current round reference person).

Full Detail Spec

**BOX\_120**      **(CM1480)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If the prior round preloaded alternate respondent was an RU or DU member, go to BOX\_130 (no address information collected or verified for RU or DU member alternate respondents).  
  
Otherwise, go to CM150\_03.

**CM140**      **(CM1490)**      **BLAISE NAME:** AltResp  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TPERSONTOCONTA      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

{If you are not available for the next interview, who/Who} would be the best person to provide information about {{you/your household}/{REFERENCE PERSON}'s household} for the next interview {(if you are not available)}?

{ENTER '97-ALTERNATE RESPONDENT SAME AS CONTACT PERSON.' IF RESPONDENT NAMES {CONTACT PERSON},}

ENTER '98-SOMEONE NOT LISTED' TO ADD AN ALTERNATE RESPONDENT OUTSIDE OF THE RU.

**Responses:**

{FIRST NAME,[MIDDLE NAME], LAST NAME}1	----- 1	BOX_130	(CM1590)
{FIRST NAME,[MIDDLE NAME], LAST NAME}2	----- 2	BOX_130	(CM1590)
{FIRST NAME,[MIDDLE NAME], LAST NAME}3	----- 3	BOX_130	(CM1590)
{FIRST NAME,[MIDDLE NAME], LAST NAME}4	----- 4	BOX_130	(CM1590)
{FIRST NAME,[MIDDLE NAME], LAST NAME}N	----- 5	BOX_130	(CM1590)
{ALTERNATE RESPONDENT SAME AS CONTACT PERSON}	----- 97	BOX_130	(CM1590)
SOMEONE NOT LISTED	----- 98	CM150_01	(CM1500)
NO ALTERNATE RESPONDENT	----- 99	BOX_130	(CM1590)

**Programmer  
Instructions:**

Roster Behavior:

1. Single select allowed. Roster 2- No Add/Edit/Delete Roster Definition:

This item displays DU-members-roster for selection. Roster Filter:

Display all persons on the DU members roster EXCEPT:

1. Current respondent
2. RU or DU members that are under the age of 18 on the date of the interview
3. RU or DU members with RE\_Person.AgeRng=1, 2, 3
4. RU or DU members with RE\_Person.AgeGuess=1, 2, 3
5. RU or DU members with a delete flag that = YES
6. RU or DU members who are deceased (PerRndStatus=41 or CtrlTrackSumm= 1)
7. RU or DU members who are marked as incorrectly listed (CtrlTrackSumm= 3), Whereabouts Unknown (CtrlTrackSumm=13), Nonkey and Away (CtrlTrackSumm=15), Unrelated and Key (CtrlTrackSumm=16), or Foster Child (CtrlTrackSumm=17)

Refused and Don't Know disallowed.

If a DU member is selected, set the DU member PID to the current round AltRespPID. If 'ALTERNATE RESPONDENT SAME AS CONTACT PERSON' selected, set the AltRespPID=903 (ALTERNATE RESPONDENT SAME AS CONTACT PERSON). This will be the display in the Face Sheet so FI knows to look at contact person information for the alternate respondent name.

If 'NO ALTERNATE RESPONDENT' selected, there is no current round alternate respondent.

**Display  
Instructions:**

Display "If you are not available for the next interview, who" if no prior round alternate respondent linked to this RU (Preload.AltRespPID=Empty) or if prior round alternate respondent is the same as the current round respondent (Preload.AltRespPID=RespondentPersPID) or if the prior round alternate respondent was the same as the contact person (Preload.AltRespPID=903). Otherwise, display "Who".

Display "(if you are not available)" if there is a prior round alternate respondent linked to this RU, but that person is not the same as the current round respondent (Preload.AltRespPID<> RespondentPersPID). Otherwise, use a null display.

Display "{you/your household}" if respondent for this interviewing session is an RU member. Display 'you' if single person household. Display 'your household' if multiple RU member household. Otherwise (respondent is a proxy), display "{REFERENCE PERSON}'s household" (substituting the full name (Person.FullName) of the current round reference person).

Display "ENTER '97-ALTERNATE RESPONDENT SAME AS CONTACT PERSON.' IF RESPONDENT NAMES {CONTACT PERSON}." if there is a current round contact person for this RU (ContPersPID< > empty). Otherwise, use a null display.

For "CONTACT PERSON", display the first and last name of the current round contact person for this RU. Use ContPersFName and ContPersResplName.

Display response option '97' (ALTERNATE RESPONDENT SAME AS CONTACT PERSON) if there is a current round contact person for this RU. Otherwise, use a null display.

---

<b>CM150_01</b>	<b>(CM1500)</b>	<b>BLAISE NAME:</b> AltRespFName		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 20		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

What is that person's first name?

**Responses:** ..... 1 CM150\_02 (CM1510)

**Programmer Instructions:** Refused and Don't Know disallowed.

If CM130 was coded '1' (YES), CM150\_01 is not on path, but the response entry field for CM150\_01 should be prefilled with AltRespFName. CM150\_01 will be display only and the field should be uneditable.

If CM130 was coded '2' (NO) and CM140 was coded '98' (SOMEONE NOT LISTED), CM150\_01 will be on path, but should display as empty, ready for completion.

**Display Instructions:** Display CM150\_01 through CM150\_09 vertically on the same form pane.

---

<b>CM150_02</b>	<b>(CM1510)</b>	<b>BLAISE NAME:</b> AltRespLName		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 25		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

What is that person's last name?

**Responses:** ..... 1 CM150\_03 (CM1520)

**Programmer Instructions:** Refused and Don't Know disallowed.

If CM130 was coded '1' (YES), CM150\_02 is not on path, but the response entry field for CM150\_02 should be prefilled with AltRespLName. CM150\_02 will be display only and the field should be uneditable.

If CM130 was coded '2' (NO) and CM140 was coded '98' (SOMEONE NOT LISTED), CM150\_02 will be on path, but should display as empty, ready for completion.

When CM140 is coded '98' (SOMEONE NOT LISTED), set a three-byte alternate respondent identifier (beginning with 904 etc.) for the alternate respondent entered at CM150\_01 and CM150\_02. There can be a maximum of 5 alternate respondents per RU. (AltRespPID)

**Display Instructions:** Display CM150\_01 through CM150\_09 vertically on the same form pane.

<b>CM150_03</b>	<b>(CM1520)</b>	<b>BLAISE NAME:</b> AltRespStr1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{VERIFY {ALTERNATE RESPONDENT}'s ADDRESS AND TELEPHONE./What is {ALTERNATE RESPONDENT}'s address and telephone number?}

{Is the street address:/What is the street address?}

{STREET ADDRESS1}  
{STREET ADDRESS2}  
{CITY}, {STATE} {ZIP CODE}  
{TELEPHONE NUMBER}

**Responses:**

.....	1	CM150_04	(CM1530)
REFUSED	.....	RF CM150_04	(CM1530)
DON'T KNOW	.....	DK CM150_04	(CM1530)

**Programmer Instructions:** General programming instructions for CM150\_03 to CM150\_08: If CM130 is coded '1' (YES), prefill each available address field in the response pane entry fields with information from the previous round linked to the alternate respondent verified at CM130. Use Preload.AltRespStrt1, Preload.AltRespStrt2, Preload.AltRespCity, Preload.AltRespState, Preload.AltRespZip, and Preload.AltRespPhone.

General programming instructions for CM150\_03 to CM150\_08: If CM140 is coded '98' (SOMEONE NOT LISTED), leave the response pane entry fields empty for completion. NOTE: The response pane entry fields should also display empty in instances when CM130 was coded '2' (NO) and CM140 is coded '98' (SOMEONE NOT LISTED).

**Display Instructions:**

Display CM150\_01 through CM150\_09 vertically on the same form pane.

Display "VERIFY {ALTERNATE RESPONDENT}'s ADDRESS AND TELEPHONE." if CM130 is coded '1' (YES). Otherwise, display "What is {ALTERNATE RESPONDENT}'s address and telephone number?"

For "ALTERNATE RESPONDENT", display the first and last name of the current round alternate respondent (AltRespFName, AltRespLName).

Display "Is the street address:" if CM130 is coded '1' (YES) and Preload.AltRespStrt1 <> empty, RF or DK. Otherwise, display, "What is the street address?"

Display address fields in the info pane with most recent alternate respondent address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {STREET ADDRESS1} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

**CM150\_04**      **(CM1530)**      **BLAISE NAME:** AltRespStrt2  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 40  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

{VERIFY {ALTERNATE RESPONDENT}'s ADDRESS AND TELEPHONE./What is {ALTERNATE RESPONDENT}'s address and telephone number?}

{VERIFY/ENTER} APARTMENT OR UNIT NUMBER, IF AVAILABLE. IF NONE, PRESS ENTER TO CONTINUE.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM150_05	(CM1540)
EMPTY .....	Empty	CM150_05	(CM1540)
REFUSED .....	RF	CM150_05	(CM1540)
DON'T KNOW .....	DK	CM150_05	(CM1540)



**Programmer Instructions:** See general programming instructions at CM150\_03.

**Display Instructions:**

Display CM150\_01 through CM150\_09 vertically on the same form pane.

Display “VERIFY {ALTERNATE RESPONDENT}’s ADDRESS AND TELEPHONE.” if CM130 is coded ‘1’ (YES). Otherwise, display “What is {ALTERNATE RESPONDENT}’s address and telephone number?”

For “ALTERNATE RESPONDENT”, display the first and last name of the current round alternate respondent (AltRespFName, AltRespLName).

Display “VERIFY {ALTERNATE RESPONDENT}’s...” or “What is {ALTERNATE RESPONDENT}’s...” in brackets and lighter “grayed-out” text when on CM150\_04 through CM150\_08.

Display “VERIFY” if CM130 is coded ‘1’ (YES) and Preload.AltRespStrt2 <> empty, RF or DK. Otherwise, display, “ENTER”

Display address fields in the info pane with most recent alternate respondent address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {STREET ADDRESS2} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM150_05</b>	<b>(CM1540)</b>	<b>BLAISE NAME:</b> AltRespCity		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 35		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )
  Show Card ( )
  Look Up File ( )

**Question Text:**

{VERIFY {ALTERNATE RESPONDENT}'s ADDRESS AND TELEPHONE./What is {ALTERNATE RESPONDENT}'s address and telephone number?}

{Is the city:/What is the city?}

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM150_06	(CM1550)
REFUSED .....	RF	CM150_06	(CM1550)
DON'T KNOW .....	DK	CM150_06	(CM1550)

**Programmer Instructions:** See general programming instructions at CM150\_03.

**Display Instructions:**

Display CM150\_01 through CM150\_09 vertically on the same form pane.

Display “VERIFY {ALTERNATE RESPONDENT}’s ADDRESS AND TELEPHONE.” if CM130 is coded ‘1’ (YES). Otherwise, display “What is {ALTERNATE RESPONDENT}’s address and telephone number?”

For “ALTERNATE RESPONDENT”, display the first and last name of the current round alternate respondent (AltRespFName, AltRespLName).

Display “VERIFY {ALTERNATE RESPONDENT}’s...” or “What is {ALTERNATE RESPONDENT}’s...” in brackets and lighter “grayed-out” text when on CM150\_04 through CM150\_08.

Display “Is the city:” if CM130 is coded ‘1’ (YES) and Preload.AltRespCity <> empty, RF or DK. Otherwise, display, “What is the city?”

Display address fields in the info pane with most recent alternate respondent address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {CITY} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM150_06</b>	<b>(CM1550)</b>	<b>BLAISE NAME:</b> AltRespState		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{VERIFY {ALTERNATE RESPONDENT}'s ADDRESS AND TELEPHONE./What is {ALTERNATE RESPONDENT}'s address and telephone number?}

{Is the state:/What is the state?}

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM150_07	(CM1560)
REFUSED .....	RF	CM150_07	(CM1560)
DON'T KNOW .....	DK	CM150_07	(CM1560)

**Programmer Instructions:** See general programming instructions at CM150\_03.

Use the state lookup file.

Note: The entry Foreign Country (FC) is allowed.

**Display Instructions:**

Display CM150\_01 through CM150\_09 vertically on the same form pane.

Display “VERIFY {ALTERNATE RESPONDENT}’s ADDRESS AND TELEPHONE.” if CM130 is coded ‘1’ (YES). Otherwise, display “What is {ALTERNATE RESPONDENT}’s address and telephone number?”

For “ALTERNATE RESPONDENT”, display the first and last name of the current round alternate respondent (AltRespFName, AltRespLName).

Display “VERIFY {ALTERNATE RESPONDENT}’s...” or “What is {ALTERNATE RESPONDENT}’s...” in brackets and lighter “grayed-out” text when on CM150\_04 through CM150\_08.

Display “Is the state:” if CM130 is coded ‘1’ (YES) and Preload.AltRespState <> empty, RF or DK. Otherwise, display, “What is the state?”

Display address fields in the info pane with most recent alternate respondent address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {STATE} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM150_07</b>	<b>(CM1560)</b>	<b>BLAISE NAME:</b> AltRespZip		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 5		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{VERIFY {ALTERNATE RESPONDENT}'s ADDRESS AND TELEPHONE./What is {ALTERNATE RESPONDENT}'s address and telephone number?}

{Is the zip code:/What is the zip code?}

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM150_08	(CM1570)
REFUSED .....	RF	CM150_08	(CM1570)
DON'T KNOW .....	DK	CM150_08	(CM1570)

**Programmer Instructions:** See general programming instructions at CM150\_03.

Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:**

Display CM150\_01 through CM150\_09 vertically on the same form pane.

Display "VERIFY {ALTERNATE RESPONDENT}'s ADDRESS AND TELEPHONE." if CM130 is coded '1' (YES). Otherwise, display "What is {ALTERNATE RESPONDENT}'s address and telephone number?"

For "ALTERNATE RESPONDENT", display the first and last name of the current round alternate respondent (AltRespFName, AltRespLName).

Display "VERIFY {ALTERNATE RESPONDENT}'s..." or "What is {ALTERNATE RESPONDENT}'s..." in brackets and lighter "grayed-out" text when on CM150\_04 through CM150\_08.

Display "Is the zip code:" if CM130 is coded '1' (YES) and Preload.AltRespZip <> empty, RF or DK. Otherwise, display, "What is the zip code?"

Display address fields in the info pane with most recent alternate respondent address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {ZIP CODE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

<b>CM150_08</b>	<b>(CM1570)</b>	<b>BLAISE NAME:</b> AltRespPhone		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 10		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Question Text:**

{VERIFY {ALTERNATE RESPONDENT}'s ADDRESS AND TELEPHONE./What is {ALTERNATE RESPONDENT}'s address and telephone number?}

{Is the telephone number:/What is the telephone number?}

IF NO TELEPHONE, ENTER DON'T KNOW.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM150_09	(CM1580)
REFUSED .....	RF	CM150_09	(CM1580)
DON'T KNOW .....	DK	CM150_09	(CM1580)



**Programmer  
Instructions:**

See general programming instructions at CM150\_03.

10-digit entry required; use number input mask (xxx-xxx-xxxx) in response field.

Hard check: Exactly 10 digit numeric entry required. If less than 10 numeric digits entered or any characters entered that are not numeric, display the following message: "PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DONT KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

**Display  
Instructions:**

Display CM150\_01 through CM150\_09 vertically on the same form pane.

Display "VERIFY {ALTERNATE RESPONDENT}'s ADDRESS AND TELEPHONE." if CM130 is coded '1' (YES). Otherwise, display "What is {ALTERNATE RESPONDENT}'s address and telephone number?"

For "ALTERNATE RESPONDENT", display the first and last name of the current round alternate respondent (AltRespFName, AltRespLName).

Display "VERIFY {ALTERNATE RESPONDENT}'s..." or "What is {ALTERNATE RESPONDENT}'s..." in brackets and lighter "grayed-out" text when on CM150\_04 through CM150\_08.

Display "Is the telephone number:" if CM130 is coded '1' (YES) and Preload.AltRespPhone <> empty, RF or DK. Otherwise, display, "What is the telephone number?"

Display address fields in the info pane with most recent alternate respondent address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {TELEPHONE NUMBER} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

<b>CM150_09</b>	<b>(CM1580)</b>	<b>BLAISE NAME:</b> AltRespRel		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 45		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{I have that {ALTERNATE RESPONDENT} is {your/{REFERENCE PERSON}'s} {RELATIONSHIP}. Is that correct?/What is {ALTERNATE RESPONDENT}'s relationship to {you/{REFERENCE PERSON}}??}

{EDIT RELATIONSHIP AS NEEDED. IF RELATIONSHIP IS CORRECT, PRESS ENTER TO CONTINUE WITHOUT MAKING EDITS.}

**Responses:** ..... 1 BOX\_130 (CM1590)

**Programmer Instructions:** Refused and Don't Know disallowed.

If CM130 is coded '1' (YES), prefill relationship field in the response pane entry fields with information from the previous round linked to the alternate respondent verified at CM130. Use Preload.AltRespRel.

If CM140 is coded '98' (SOMEONE NOT LISTED), leave the relationship field in the response pane entry fields empty for completion.

**Display Instructions:**

Display CM150\_01 through CM150\_09 vertically on the same form pane.

Display "I have that {ALTERNATE RESPONDENT} is {your/{REFERENCE PERSON}'s} {RELATIONSHIP}. Is that correct?" if CM130 is coded '1' (YES) and Preload.AltRespRel <> empty, RF or DK. Otherwise, display "What is {ALTERNATE RESPONDENT}'s relationship to {you/{REFERENCE PERSON}}?"

For "ALTERNATE RESPONDENT", display the first and last name of the current round alternate respondent (AltRespFName, AltRespLName).

Display "your" or "you" if RU member respondent for current interviewing session is the same as the current round reference person. Otherwise, display "{REFERENCE PERSON}" substituting the full name (Person.FullName) of the current round reference person.

For "RELATIONSHIP", display the preloaded relationship linked to the alternate respondent verified at CM130. Use Preload.AltRespRel.

Display "EDIT RELATIONSHIP AS NEEDED. IF RELATIONSHIP IS CORRECT, PRESS ENTER TO CONTINUE WITHOUT MAKING EDITS." if CM130 is coded '1' (YES). Otherwise, use a null display.

**BOX 130**

**(CM1590)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If there is a preloaded mailing address linked to this RU in the previous round, continue with CM160. (Use Preload.MailStrt1, Preload.MailStrt2, Preload.MailCity, Preload.MailState, Preload.MailZip)

Otherwise, go to CM170.

Full Detail Spec

<b>CM160</b>	<b>(CM1600)</b>	<b>BLAISE NAME:</b> StillMailAddr		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TMAILINGADDRESS	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Is {MAILING ADDRESS} still the address where {you receive your/{REFERENCE PERSON}'s household receives} mail that is different from {your/their} home address?

<b>Responses:</b>	YES .....	1	BOX_140	(CM1670)
	NO, EDIT MAILING ADDRESS .....	2	CM180_01	(CM1620)
	NO, DELETE MAILING ADDRESS .....	3	BOX_140	(CM1670)
	REFUSED .....	RF	BOX_140	(CM1670)
	DON'T KNOW .....	DK	BOX_140	(CM1670)

**Programmer Instructions:** If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the current round mailing address to the preloaded mailing address.

If coded '2' (NO, EDIT MAILING ADDRESS), the mailing address for the current round will be updated/set at CM180.

If coded '3' (NO, DELETE MAILING ADDRESS), leave the fields for mailing address for the current round empty. There will be no mailing address linked to this RU for the current round.

**Display Instructions:** For "MAILING ADDRESS", display the preloaded mailing address linked to this RU in the previous round. Display as "Street 1 Street 2, City, State Zip". (Use Preload.MailStrt1, Preload.MailStrt2, Preload.MailCity, Preload.MailState, Preload.MailZip)

Display "you receive your" and "your" if respondent for this interviewing session is an RU member. Otherwise (respondent is a proxy), display "{REFERENCE PERSON}'s household receives" (substituting the full name (Person.FullName) of the current round reference person) and "their".

Full Detail Spec

**CM170**

**(CM1610)**

**BLAISE NAME:** HaveMailAddr

**Item Type:**

Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:**

Enumerated

**Field Size:**

**Answer Type:**

TYESNO

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{Do you/Does {REFERENCE PERSON}'s household} receive {your} mail at an address different from {your/their} home address, such as a P.O. Box?

**Responses:**

YES	.....	1	CM180_01	(CM1620)
NO	.....	2	BOX_140	(CM1670)
REFUSED	.....	RF	BOX_140	(CM1670)
DON'T KNOW	.....	DK	BOX_140	(CM1670)

**Display Instructions:**

Display "Do you" and "your" if respondent for this interviewing session is an RU member. Otherwise (respondent is a proxy), display "Does {REFERENCE PERSON}'s household" (substituting the full name (Person.FullName) of the current round reference person) and "their".

Display "your" if respondent for this interviewing session is an RU member. Otherwise (respondent is a proxy), use a null display.

Full Detail Spec

**CM180\_01**      **(CM1620)**      **BLAISE NAME:** MailStrt1  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 40  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

{EDIT MAILING ADDRESS, AS NEEDED./May I please have that mailing address?}

{Is the street address:/What is the street address?}

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}

**Responses:**

.....	1	CM180_02	(CM1630)
REFUSED	RF	CM180_02	(CM1630)
DON'T KNOW	DK	CM180_02	(CM1630)

**Programmer Instructions:** General programming instructions for CM180\_01 to CM180\_05: If CM160 is coded '2' (NO, EDIT MAILING ADDRESS), prefill each address field in the response pane entry fields with the mailing address information from the previous round displayed at CM160. Use Preload.MailStrt1, Preload.MailStrt2, Preload.MailCity, Preload.MailState, and Preload.MailZip.

General programming instructions for CM180\_01 to CM180\_05: If CM170 is coded '1' (YES), leave the response pane entry fields empty for completion.

**Display Instructions:**

Display CM180\_01 through CM180\_05 vertically on the same form pane.

Display "EDIT MAILING ADDRESS, AS NEEDED." if CM160 is coded '2' (NO, EDIT MAILING ADDRESS). Otherwise, display "May I please have that mailing address?"

Display "Is the street address:" if CM160 is coded '2' (NO, EDIT MAILING ADDRESS) and Preload.MailStrt1 <> empty, RF or DK. Otherwise, display, "What is the street address?"

Display address fields in the info pane with most recent mailing address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.

Display {STREET ADDRESS1} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

**CM180\_02**      **(CM1630)**      **BLAISE NAME:** MailStrt2  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 40  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Question Text:**

{EDIT MAILING ADDRESS, AS NEEDED./May I please have that mailing address?}

{EDIT/ENTER} APARTMENT OR UNIT NUMBER, IF AVAILABLE. IF NONE, PRESS ENTER TO CONTINUE.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}

**Responses:**

-----	1	CM180_03	(CM1640)
EMPTY	Empty	CM180_03	(CM1640)
REFUSED	RF	CM180_03	(CM1640)
DON'T KNOW	DK	CM180_03	(CM1640)

**Programmer Instructions:** See general programming instructions at CM180\_01.

**Display Instructions:**

Display CM180\_01 through CM180\_05 vertically on the same form pane.

Display "EDIT MAILING ADDRESS, AS NEEDED." if CM160 is coded '2' (NO, EDIT MAILING ADDRESS). Otherwise, display "May I please have that mailing address?"

Display "EDIT MAILING ADDRESS..." or "May I please..." in brackets and lighter "grayed-out" text when on CM180\_02 through CM180\_05.

Display "EDIT" if CM160 is coded '2' (NO, EDIT MAILING ADDRESS) and Preload.MailStrt2 <> empty, RF or DK. Otherwise, display, "ENTER".

Display address fields in the info pane with most recent mailing address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.

Display {STREET ADDRESS2} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

**CM180\_03**      **(CM1640)**      **BLAISE NAME:** MailCity  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 35  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

{EDIT MAILING ADDRESS, AS NEEDED./May I please have that mailing address?}

{Is the city:/What is the city?}

{STREET ADDRESS1}

{STREET ADDRESS2}

{CITY}, {STATE} {ZIP CODE}

**Responses:**

.....	1	CM180_04	(CM1650)
REFUSED .....	RF	CM180_04	(CM1650)
DON'T KNOW .....	DK	CM180_04	(CM1650)

**Programmer Instructions:** See general programming instructions at CM180\_01.

**Display Instructions:**

Display CM180\_01 through CM180\_05 vertically on the same form pane.

Display “EDIT MAILING ADDRESS, AS NEEDED.” if CM160 is coded ‘2’ (NO, EDIT MAILING ADDRESS). Otherwise, display “May I please have that mailing address?”

Display “EDIT MAILING ADDRESS...” or “May I please...” in brackets and lighter “grayed-out” text when on CM180\_02 through CM180\_05.

Display “Is the city:” if CM160 is coded ‘2’ (NO, EDIT MAILING ADDRESS) and Preload.MailCity <> empty, RF or DK. Otherwise, display, “What is the city?”

Display address fields in the info pane with most recent mailing address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.

Display {CITY} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.



Full Detail Spec

<b>CM180_04</b>	<b>(CM1650)</b>	<b>BLAISE NAME:</b> MailState		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{EDIT MAILING ADDRESS, AS NEEDED./May I please have that mailing address?}

{Is the state:/What is the state?}

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}

**Responses:**

.....	1	CM180_05	(CM1660)
REFUSED .....	RF	CM180_05	(CM1660)
DON'T KNOW .....	DK	CM180_05	(CM1660)

**Programmer Instructions:** See general programming instructions at CM180\_01.  
Use the state lookup file.  
Note: The entry Foreign Country (FC) is allowed.

**Display Instructions:** Display CM180\_01 through CM180\_05 vertically on the same form pane.  
Display "EDIT MAILING ADDRESS, AS NEEDED." if CM160 is coded '2' (NO, EDIT MAILING ADDRESS). Otherwise, display "May I please have that mailing address?"  
Display "EDIT MAILING ADDRESS..." or "May I please..." in brackets and lighter "grayed-out" text when on CM180\_02 through CM180\_05.  
Display "Is the state:" if CM160 is coded '2' (NO, EDIT MAILING ADDRESS) and Preload.MailState <> empty, RF or DK. Otherwise, display, "What is the state?"  
Display address fields in the info pane with most recent mailing address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.  
Display {STATE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

<b>CM180_05</b>	<b>{CM1660}</b>	<b>BLAISE NAME:</b> MailZip		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 5		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**  
{EDIT MAILING ADDRESS, AS NEEDED./May I please have that mailing address?}  
{Is the zip code:/What is the zip code?}  
  
{STREET ADDRESS1}  
{STREET ADDRESS2}  
{CITY}, {STATE} {ZIP CODE}

**Responses:**  
..... 1 BOX\_140 (CM1670)  
REFUSED ..... RF BOX\_140 (CM1670)  
DON'T KNOW ..... DK BOX\_140 (CM1670)

**Programmer Instructions:** See general programming instructions at CM180\_01.

Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:**

Display CM180\_01 through CM180\_05 vertically on the same form pane.

Display "EDIT MAILING ADDRESS, AS NEEDED." if CM160 is coded '2' (NO, EDIT MAILING ADDRESS). Otherwise, display "May I please have that mailing address?"

Display "EDIT MAILING ADDRESS..." or "May I please..." in brackets and lighter "grayed-out" text when on CM180\_02 through CM180\_05.

Display "Is the zip code:" if CM160 is coded '2' (NO, EDIT MAILING ADDRESS) and Preload.MailZip <> empty, RF or DK. Otherwise, display, "What is the zip code?"

Display address fields in the info pane with most recent mailing address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated.

Display {ZIP CODE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

---

**BOX 140**      **(CM1670)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If current round is not the final round of the panel (RndType<>Final), continue with BOX\_150. If current round is the final round of the panel (RndType=Final), go to Box\_160.

---

**BOX 150**      **(CM1680)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If respondent for this interviewing session is a proxy, go to CM220.

If there is a preloaded second home address linked to this RU in the previous round, continue with CM190. (Use Preload.SecnHomeStrt1, Preload.SecnHomeStrt2, Preload.SecnHomeCity, Preload.SecnHomeState, Preload.SecnHomeZip)

Otherwise, go to CM200.

**CM190**                      **(CM1690)**                      **BLAISE NAME:** StillSecnHome  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      TSECONDHOMEAD                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Is {SECOND HOME ADDRESS} {, with telephone number {SECOND HOME PHONE}} still a second home where we could contact you if you are not available at your usual address?

**Responses:**                      YES                      ..... 1                      CM220                      (CM1770)  
    NO, EDIT SECOND HOME ADDRESS                      ..... 2                      CM210\_01                      (CM1710)  
    NO, DELETE SECOND HOME ADDRESS                      ..... 3                      CM220                      (CM1770)  
    REFUSED                      ..... RF                      CM220                      (CM1770)  
    DON'T KNOW                      ..... DK                      CM220                      (CM1770)

**Programmer Instructions:**                      If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set the current round second home address and phone to the preloaded second home address and phone.

   If coded '2' (NO, EDIT SECOND HOME ADDRESS), the second home address and phone for the current round will be updated/set at CM210.

   If coded '3' (NO, DELETE SECOND HOME ADDRESS), leave the fields for second home address and phone for the current round empty. There will be no second home address linked to this RU for the current round.

**Display Instructions:**                      For "SECOND HOME ADDRESS", display the preloaded second home address linked to this RU in the previous round. Display as "Street 1 Street 2, City, State Zip". (Use Preload.SecnHomeStrt1, Preload.SecnHomeStrt2, Preload.SecnHomeCity, Preload.SecnHomeState, Preload.SecnHomeZip)

   Display ", with telephone number {SECOND HOME PHONE}" if there is a valid second home phone number linked to this RU in the previous round (Preload.SecnHomePhone < > empty, RF, or DK). Otherwise, use a null display.

   For "SECOND HOME PHONE", display the preloaded second home phone number linked to

Full Detail Spec

**CM200**

**(CM1700)**

**BLAISE NAME:** HaveSecnHome

**Item Type:** Question

**Field kind:** Datafield    **ArrayMin:**    **Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TYESNO

**Answers allowed:** 1    **ArrayMax:**    **Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

Do you have a second home, such as a vacation home, where we could contact you if you are not available at your usual address?

<b>Responses:</b>	YES .....	1	CM210_01	(CM1710)
	NO .....	2	CM220	(CM1770)
	REFUSED .....	RF	CM220	(CM1770)
	DON'T KNOW .....	DK	CM220	(CM1770)

**Display Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.CL\_Main  
Variable stored at MEPS(Fall/Spring)YYYY.CL\_Main

Full Detail Spec

<b>CM210_01</b>	<b>(CM1710)</b>	<b>BLAISE NAME:</b> SecnHomeStrt1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED./May I please have the address of that (second) home?}

{Is the street address:/What is the street address?}

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM210_02	(CM1720)
REFUSED	.....	RF	CM210_02 (CM1720)
DON'T KNOW	.....	DK	CM210_02 (CM1720)

**Programmer Instructions:** General programming instructions for CM210\_01 to CM210\_06: If CM190 is coded '2' (NO, EDIT SECOND HOME ADDRESS), prefill each address field in the response pane entry fields with the second home address information from the previous round displayed at CM190. Use Preload.SecnHomeStrt1, Preload.SecnHomeStrt2, Preload.SecnHomeCity, Preload.SecnHomeState, Preload.SecnHomeZip, and Preload.SecnHomePhone.

General programming instructions for CM210\_01 to CM210\_06: If CM200 is coded '1' (YES), leave the response pane entry fields empty for completion.

**Display Instructions:**

Display CM210\_01 through CM210\_06 vertically on the same form pane.

Display "EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED." if CM190 is coded '2' (NO, EDIT SECOND HOME ADDRESS). Otherwise, display "May I please have the address of that (second) home?"

Display "Is the street address:" if CM190 is coded '2' (NO, EDIT SECOND HOME ADDRESS) and Preload.SecnHomeStrt1 <> empty, RF or DK. Otherwise, display, "What is the street address?"

Display address fields in the info pane with most recent second home address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {STREET ADDRESS1} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

**CM210\_02**      **(CM1720)**      **BLAISE NAME:** SecnHomeStrt2  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 40  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

{EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED./May I please have the address of that (second) home?}

{EDIT/ENTER} APARTMENT OR UNIT NUMBER, IF AVAILABLE. IF NONE, PRESS ENTER TO CONTINUE.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM210_03	(CM1730)
EMPTY .....	Empty	CM210_03	(CM1730)
REFUSED .....	RF	CM210_03	(CM1730)
DON'T KNOW .....	DK	CM210_03	(CM1730)

**Programmer Instructions:**      See general programming instructions at CM210\_01.

**Display Instructions:**

Display CM210\_01 through CM210\_06 vertically on the same form pane.

Display “EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED.” if CM190 is coded ‘2’ (NO, EDIT SECOND HOME ADDRESS). Otherwise, display “May I please have the address of that (second) home?”

Display “EDIT SECOND HOME ADDRESS...” or “May I please...” in brackets and lighter “grayed-out” text when on CM210\_02 through CM210\_06.

Display “EDIT” if CM190 is coded ‘2’ (NO, EDIT SECOND HOME ADDRESS) and Preload.SecnHomeStrt2 <> empty, RF or DK. Otherwise, display, “ENTER”.

Display address fields in the info pane with most recent second home address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {STREET ADDRESS2} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.



Full Detail Spec

<b>CM210_03</b>	<b>(CM1730)</b>	<b>BLAISE NAME:</b> SecnHomeCity		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 35		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED./May I please have the address of that (second) home?}

{Is the city:/What is the city?}

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM210_04	(CM1740)
REFUSED .....	RF	CM210_04	(CM1740)
DON'T KNOW .....	DK	CM210_04	(CM1740)

**Programmer Instructions:** See general programming instructions at CM210\_01.

**Display Instructions:** Display CM210\_01 through CM210\_06 vertically on the same form pane.

Display “EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED.” if CM190 is coded ‘2’ (NO, EDIT SECOND HOME ADDRESS). Otherwise, display “May I please have the address of that (second) home?”

Display “EDIT SECOND HOME ADDRESS...” or “May I please...” in brackets and lighter “grayed-out” text when on CM210\_02 through CM210\_06.

Display “Is the city:” if CM190 is coded ‘2’ (NO, EDIT SECOND HOME ADDRESS) and Preload.SecnHomeCity <> empty, RF or DK. Otherwise, display, “What is the city?”

Display address fields in the info pane with most recent second home address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {CITY} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM210_04</b>	<b>(CM1740)</b>	<b>BLAISE NAME:</b> SecnHomeState		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED./May I please have the address of that (second) home?}

{Is the state:/What is the state?}

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM210_05	(CM1750)
REFUSED .....	RF	CM210_05	(CM1750)
DON'T KNOW .....	DK	CM210_05	(CM1750)

**Programmer Instructions:** See general programming instructions at CM210\_01.

Use the state lookup file.

Note: The entry Foreign Country (FC) is allowed.

**Display Instructions:**

Display CM210\_01 through CM210\_06 vertically on the same form pane.

Display "EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED."  
if CM190 is coded '2' (NO, EDIT SECOND HOME ADDRESS). Otherwise, display "May I please have the address of that (second) home?"

Display "EDIT SECOND HOME ADDRESS..." or "May I please..." in brackets and lighter "grayed-out" text when on CM210\_02 through CM210\_06.

Display "Is the state:" if CM190 is coded '2' (NO, EDIT SECOND HOME ADDRESS) and Preload.SecnHomeState <> empty, RF or DK. Otherwise, display, "What is the state?"

Display address fields in the info pane with most recent second home address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {STATE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

**CM210\_05**      **(CM1750)**      **BLAISE NAME:** SecnHomeZip  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 5  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

{EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED./May I please have the address of that (second) home?}

{Is the zip code:/What is the zip code?}

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**      ..... 1 CM210\_06      (CM1760)  
 REFUSED      ..... RF CM210\_06      (CM1760)  
 DON'T KNOW      ..... DK CM210\_06      (CM1760)

**Programmer Instructions:** See general programming instructions at CM210\_01.

Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:**

Display CM210\_01 through CM210\_06 vertically on the same form pane.

Display "EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED."  
if CM190 is coded '2' (NO, EDIT SECOND HOME ADDRESS). Otherwise, display "May I please have the address of that (second) home?"

Display "EDIT SECOND HOME ADDRESS..." or "May I please..." in brackets and lighter "grayed-out" text when on CM210\_02 through CM210\_06.

Display "Is the zip code:" if CM190 is coded '2' (NO, EDIT SECOND HOME ADDRESS) and Preload.SecnHomeZip <> empty, RF or DK. Otherwise, display, "What is the zip code?"

Display address fields in the info pane with most recent second home address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {ZIP CODE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

<b>CM210_06</b>	<b>(CM1760)</b>	<b>BLAISE NAME:</b> SecnHomePhone		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 10		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED./May I please have the address of that (second) home?}

{Is the telephone number:/What is that telephone number?}

IF NO TELEPHONE, ENTER DON'T KNOW.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM220	(CM1770)
REFUSED .....	RF	CM220	(CM1770)
DON'T KNOW .....	DK	CM220	(CM1770)

**Programmer Instructions:** See general programming instructions at CM210\_01.

10-digit entry required; use number input mask (xxx-xxx-xxxx) in response field.

Hard check: Exactly 10 digit numeric entry required. If less than 10 numeric digits entered or any characters entered that are not numeric, display the following message: "PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

**Display Instructions:** Display CM210\_01 through CM210\_06 vertically on the same form pane.

Display "EDIT SECOND HOME ADDRESS AND TELEPHONE, AS NEEDED." if CM190 is coded '2' (NO, EDIT SECOND HOME ADDRESS). Otherwise, display "May I please have the address of that (second) home?"

Display "EDIT SECOND HOME ADDRESS..." or "May I please..." in brackets and lighter "grayed-out" text when on CM210\_02 through CM210\_06.

Display "Is the telephone number:" if CM190 is coded '2' (NO, EDIT SECOND HOME ADDRESS) and Preload.SecnHomePhone <> empty, RF or DK. Otherwise, display, "What is the telephone number?"

Display address fields in the info pane with most recent second home address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {TELEPHONE NUMBER} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

<b>CM220</b>	<b>(CM1770)</b>	<b>BLAISE NAME:</b> FutuMvr3Mon		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{Are you/Is anyone in this household} planning to move within the next 3 months?

**Responses:**

YES	.....	1		
NO	.....	2	BOX_160	(CM1890)
REFUSED	.....	RF	BOX_160	(CM1890)
DON'T KNOW	.....	DK	BOX_160	(CM1890)

**Programmer Instructions:** If coded '1' (YES) and a single person RU, automatically code person at CM230 by CAPI and then go to LOOP\_10.

If coded '1' (YES) and a multi-person RU, continue with CM230.

**Display Instructions:** Display 'Are you' if a single person RU and the respondent is an RU member. Otherwise, display 'Is anyone in this household'.

<b>CM230</b>	<b>(CM1780)</b>	<b>BLAISE NAME:</b> WhoFutuMvrRoster		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFIRSTMIDLASTNA	<b>Answers allowed:</b> 99	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

Who is that?

PROBE: Anyone else?

<b>Responses:</b>	{FIRST NAME [MIDDLE NAME] LAST NAME}1	..... 1	LOOP_10	(CM1790)
	{FIRST NAME [MIDDLE NAME] LAST NAME}2	..... 2	LOOP_10	(CM1790)
	{FIRST NAME [MIDDLE NAME] LAST NAME}3	..... 3	LOOP_10	(CM1790)
	{FIRST NAME [MIDDLE NAME] LAST NAME}4	..... 4	LOOP_10	(CM1790)
	{FIRST NAME [MIDDLE NAME] LAST NAME}N	..... 5	LOOP_10	(CM1790)



**Programmer Instructions:** Roster Behavior:  
1. Multiple Select Allowed.

**Display Instructions:** Roster 2 – no add/edit/delete

Roster definition:  
Display the RU-MEMBERS-ROSTER for selection. Display RU member's first, middle, and last names (Person.FullName)

Roster filter:  
Display only persons present in the household on the interview date. This excludes all persons with a PersRndStatus = Deceased, Institutionalized, Living Outside U.S., or Living Military Base.

---

**LOOP\_10**      **(CM1790)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:** For each element on the RU-MEMBERS-ROSTER, ask CM240\_01 – END\_LP10.

Loop definition: LOOP\_10 collects address information for potential future movers. This loop cycles on persons on the RU-MEMBERS-ROSTER who meet the following conditions:

- Person selected as a future mover (i.e., selected at CM230)
- ProcessedFutureMover=Empty for person (i.e., person has not yet been processed through this loop or selected at CM260)

Full Detail Spec

**CM240\_01**      **(CM1800)**      **BLAISE NAME:** FutuMvrStrt1  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 40  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the address and telephone number of the place where {you/{PERSON}} {are/is} planning to move.

What is the street address?

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**      ..... 1      CM240\_02      (CM1810)  
 REFUSED      ..... RF      CM240\_02      (CM1810)  
 DON'T KNOW      ..... DK      CM240\_02      (CM1810)

**Display Instructions:**

Display CM240\_01 through CM240\_06 vertically on the same form pane.

Display address fields in the info pane with most recent future mover address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {STREET ADDRESS1} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

**CM240\_02**      **(CM1810)**      **BLAISE NAME:** FutuMvrStrt2  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 40  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the address and telephone number of the place where {you/{PERSON}} {are/is} planning to move.

ENTER APARTMENT OR UNIT NUMBER, IF AVAILABLE. IF NONE, PRESS ENTER TO CONTINUE.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**                                      ..... 1      CM240\_03      (CM1820)  
 EMPTY                                      ..... Empty      CM240\_03      (CM1820)  
 REFUSED                                      ..... RF      CM240\_03      (CM1820)  
 DON'T KNOW                                      ..... DK      CM240\_03      (CM1820)

**Display Instructions:**

Display CM240\_01 through CM240\_06 vertically on the same form pane.

Display “Please give me the address...” in brackets and lighter “grayed-out” text when on CM240\_02 through CM240\_06.

Display address fields in the info pane with most recent future mover address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {STREET ADDRESS2} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

**CM240\_03**      **(CM1820)**      **BLAISE NAME:** FutuMvrCity  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 35  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the address and telephone number of the place where {you/{PERSON}} {are/is} planning to move.

What is the city?

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**      ..... 1 CM240\_04      (CM1830)  
 REFUSED ..... RF CM240\_04      (CM1830)  
 DON'T KNOW ..... DK CM240\_04      (CM1830)

**Display Instructions:**

Display CM240\_01 through CM240\_06 vertically on the same form pane.

Display “Please give me the address...” in brackets and lighter “grayed-out” text when on CM240\_02 through CM240\_06.

Display address fields in the info pane with most recent future mover address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {CITY} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM240_04</b>	<b>(CM1830)</b>	<b>BLAISE NAME:</b> FutuMvrState		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the address and telephone number of the place where {you/{PERSON}} {are/is} planning to move.

What is the state?

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	CM240_05	(CM1840)
REFUSED .....	RF	CM240_05	(CM1840)
DON'T KNOW .....	DK	CM240_05	(CM1840)

**Programmer Instructions:**     Use the state lookup file.

Note: The entry Foreign Country (FC) is allowed.

**Display Instructions:**     Display CM240\_01 through CM240\_06 vertically on the same form pane.

Display “Please give me the address...” in brackets and lighter “grayed-out” text when on CM240\_02 through CM240\_06.

Display address fields in the info pane with most recent future mover address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For ‘TELEPHONE NUMBER’, display as “(xxx)xxx-xxxx”.

Display {STATE} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Full Detail Spec

<b>CM240_05</b>	<b>(CM1840)</b>	<b>BLAISE NAME:</b> FutuMvrZip		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 5		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the address and telephone number of the place where {you/{PERSON}} {are/is} planning to move.

What is the zip code?

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**                      ----- 1    CM240\_06                      (CM1850)  
 REFUSED                      -----    RF    CM240\_06                      (CM1850)  
 DON'T KNOW                      -----    DK    CM240\_06                      (CM1850)

**Programmer Instructions:**    Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:**    Display CM240\_01 through CM240\_06 vertically on the same form pane.

Display "Please give me the address..." in brackets and lighter "grayed-out" text when on CM240\_02 through CM240\_06.

Display address fields in the info pane with most recent future mover address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {ZIP CODE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Full Detail Spec

<b>CM240_06</b>	<b>(CM1850)</b>	<b>BLAISE NAME:</b> FutuMvrPhone		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 10		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the address and telephone number of the place where {you/{PERSON}} {are/is} planning to move.

What is that telephone number?

IF NO TELEPHONE, ENTER DON’T KNOW.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {TELEPHONE NUMBER}

**Responses:**                                      .....

	1
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer  
Instructions:**

Set ProcessedFutureMover=YES for person being looped on.

If all persons eligible to be looped on in LOOP\_10 are set to ProcessedFutureMover=YES, go to END\_LP10.

Otherwise, (at least one mover not processed), continue with CM250.

10-digit entry required; use number input mask (xxx-xxx-xxxx) in response field.

Hard check: Exactly 10 digit numeric entry required. If less than 10 numeric digits entered or any characters entered that are not numeric, display the following message: "PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

**Display  
Instructions:**

Display CM240\_01 through CM240\_06 vertically on the same form pane.

Display "Please give me the address..." in brackets and lighter "grayed-out" text when on CM240\_02 through CM240\_06.

Display address fields in the info pane with most recent future mover address information. Use a null display if response entry fields are empty. As entries are updated in the current round, the display in the info pane should also be updated. For 'TELEPHONE NUMBER', display as "(xxx)xxx-xxxx".

Display {TELEPHONE NUMBER} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.



Full Detail Spec

**CM250**

**(CM1860)**

**BLAISE NAME:** WithMvr

**Item Type:**

Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:**

Enumerated

**Field Size:**

**Answer Type:**

TYESNO

**Answers allowed:** 99

**ArrayMax:**

**Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

IF KNOWN, CODE WITHOUT ASKING.

{Are/Is} {you/{PERSON}} planning to move with anyone in the family?

**Responses:**

YES	.....	1	CM260	(CM1870)
NO	.....	2	END_LP10	(CM1880)
REFUSED	.....	RF	END_LP10	(CM1880)
DON'T KNOW	.....	DK	END_LP10	(CM1880)

**Display**

**Instructions:**

Full Detail Spec

**CM260**

**(CM1870)**

**BLAISE NAME:** WhoWithMvr

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TFIRSTMIDLASTNA      **Answers allowed:** 99      **ArrayMax:**      **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

IF KNOWN, CODE WITHOUT ASKING.

Who {are/is} {you/{PERSON}} planning to move with?

ENTER ALL THAT APPLY.

- Responses:**
- {FIRST NAME [MIDDLE NAME] LAST NAME}1      ----- 1      END\_LP10      (CM1880)
  - {FIRST NAME [MIDDLE NAME] LAST NAME}2      ----- 2      END\_LP10      (CM1880)
  - {FIRST NAME [MIDDLE NAME] LAST NAME}3      ----- 3      END\_LP10      (CM1880)
  - {FIRST NAME [MIDDLE NAME] LAST NAME}4      ----- 4      END\_LP10      (CM1880)
  - {FIRST NAME [MIDDLE NAME] LAST NAME}N      ----- 5      END\_LP10      (CM1880)

**Programmer Instructions:** Set ProcessedFutureMover=YES for all persons selected at CM260.

Roster behavior:  
1. Multiple select allowed.

**Display Instructions:**

Roster 2 – No add/edit/delete

Roster definition:  
Display persons on the RU-MEMBERS-ROSTER for selection. Display RU member's first, middle, and last names (Person.FullName)

Roster filter:  
Display all persons in the RU-MEMBERS-ROSTER who meet the following conditions:

- Person selected as a future mover (i.e., selected at CM230)
- ProcessedFutureMover=Empty for person

---

**END LP10**      **(CM1880)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:** Cycle on next person on the RU-MEMBERS-ROSTER who meets the conditions stated in the loop definition.

If no other persons meet the stated conditions, end LOOP\_10 and continue with BOX\_160.

---

**BOX 160**      **(CM1890)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** Continue to RF Intro.

[End of CM]