

SpecWriter Data

Form Version: 4/15/2022 3:11:25 PM
Report Type: Full Detail
Project Database: WESSQL300.MEPSFall2022
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

BOX_00 **(CS1000)** **Item Type:** Route **Type Class:** If Then

Route Details: 01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60, BOX_70, BOX_80, BOX_90, BOX_100, BOX_110, BOX_120, BOX_130, BOX_140

04 Single Select = CS10, CS20, CS30, CS40, CS50, CS60, CS70, CS80, CS90, CS100, CS110, CS120, CS130, CS140, CS190, CS200, CS210, CS220, CS230, CS240, CS250, CS260, CS270, CS290, CS300, CS310, CS320, CS340, CS350, CS370, CS380, CS390, CS400, CS410, CS420, CS430, CS440, CS450, CS460, CS470, CS480, CS490, CS500, CS510, CS520

19 Numeric Field = CS280, CS330_01, CS330_02, CS360

22 Stem and Leaf = CS150A, CS150B, CS150C, CS150D, CS160A, CS160B, CS160C, CS170A, CS170B, CS170C, CS180A, CS180B, CS180C

BOX_10 **(CS1001)** **Item Type:** Route **Type Class:** If Then

Route Details: This CS section is only asked if RndCycle=Fall. If it is RndCycle=Spring continue to the next section in the questionnaire.

AHRQ will determine what subsections will be asked during each round. CAPI will need to be programmed to be configurable to this administration.

The CS section includes four subsections:

1. LWIM (CS10 – CS140)
2. CIS (CS150A - CS180C)
3. CAHPS (CS190-CS300)
4. Prevention (CS310 – CS520)

CAPI will administer the LWIM series every R2/R4/R6/R8 (include R6 and R8 if these Rounds are fielded for a Panel) administration

CAPI will administer the CAHPS and CIS series in R2 and R6 (include R6 if Panel is extended) for Panels whose R1 collection occurred in an odd year (FirstPanYear=odd), and R4 and R8 (include R8 if Panel is extended) for Panels whose R1 collection occurred in an even year (FirstPanYear=even).

CAPI will administer the Prevention series in R2 and R6 (include R6 if Panel is extended) for Panels whose R1 collection occurred in an even year (FirstPanYear=even), and R4 and R8 (include R8 if Panel is extended) for Panels whose R1 collection occurred in an odd year (FirstPanYear=odd).

Context header display instruction: SEE CONTEXT HEADER SPEC

BOX_20 **(CS1005)** **Item Type:** Route **Type Class:** If Then

Route Details: If RU member being asked about is deceased, go to BOX_140. Otherwise (RU member is a current RU member or institutionalized), continue with BOX_30.

BOX_30 **(CS1010)** **Item Type:** Route **Type Class:** If Then

Route Details: If RU member being asked about is < or = 17 years of age or in age categories 1 through 4, continue with BOX_40.

Otherwise, go to BOX_140.

BOX_40 **(CS1030)** **Item Type:** Route **Type Class:** If Then

Route Details: Subsection 1: The first subsection is Living with Illness measures (CS10-CS140). This subsection is asked every R2/R4/R6/R8 (include R6 and R8 if these Rounds are fielded for a Panel) administration.

Continue with CS10.

Full Detail Spec

CS10	(CS1065)	BLAISE NAME: NeedRxMed		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (MEDPRESHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

The next questions are about {your/{PERSON}'s} health needs and whether {you/he/she} {have/has} a health condition. A health condition can be physical, mental or behavioral. Health conditions may affect a child's development, daily functioning or need for services.

{Do/Does} {you/{PERSON}} currently need or use medicine prescribed by a doctor, other than vitamins?

HELP: F1

Responses:	YES	1	CS20	(CS1070)
	NO	2	CS40	(CS1080)
	REFUSED	RF	CS40	(CS1080)
	DON'T KNOW	DK	CS40	(CS1080)

Display Instructions: Display CS10, CS20, and CS30 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS20	(CS1070)	BLAISE NAME: RxMedCond			
Item Type:	Question	Field kind:	Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed:	1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Is this because of any medical, behavioral or other health condition?

Responses:	YES	1	CS30	(CS1075)
	NO	2	CS40	(CS1080)
	REFUSED	RF	CS40	(CS1080)
	DON'T KNOW	DK	CS40	(CS1080)

Display Instructions: Display CS10, CS20, and CS30 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS30	(CS1075)	BLAISE NAME: RxCond12Mon			
Item Type:	Question	Field kind:	Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed:	1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Is this a condition that has lasted or is expected to last for at least 12 months?

Responses:	YES	1	CS40	(CS1080)
	NO	2	CS40	(CS1080)
	REFUSED	RF	CS40	(CS1080)
	DON'T KNOW	DK	CS40	(CS1080)

Display Instructions: Display CS10, CS20, and CS30 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS40	(CS1080)	BLAISE NAME: MoreMedical		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

{Do/Does} {you/{PERSON}} need or use more medical care, mental health or educational services than is usual for most children of the same age?

Responses:	YES	1	CS50	(CS1085)
	NO	2	CS70	(CS1095)
	REFUSED	RF	CS70	(CS1095)
	DON'T KNOW	DK	CS70	(CS1095)

Display Instructions: Display CS40, CS50, and CS60 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS50 **(CS1085)** **BLAISE NAME:** MoreMedCond
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Is this because of any medical, behavioral or other health condition?

Responses: YES 1 CS60 (CS1090)
 NO 2 CS70 (CS1095)
 REFUSED RF CS70 (CS1095)
 DON'T KNOW DK CS70 (CS1095)

Display Instructions: Display CS40, CS50, and CS60 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS60 **(CS1090)** **BLAISE NAME:** MoreMedCond12Mon
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Is this a condition that has lasted or is expected to last for at least 12 months?

Responses: YES 1 CS70 (CS1095)
 NO 2 CS70 (CS1095)
 REFUSED RF CS70 (CS1095)
 DON'T KNOW DK CS70 (CS1095)

Display Instructions: Display CS40, CS50, and CS60 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS70	(CS1095)	BLAISE NAME: LmtAbility		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

{Are/Is} {you/{PERSON}} limited or prevented in any way in {your/his/her} ability to do the things most children of the same age can do?

Responses:	YES	1	CS80	(CS1100)
	NO	2	CS100	(CS1110)
	REFUSED	RF	CS100	(CS1110)
	DON'T KNOW	DK	CS100	(CS1110)

Display Instructions: Display CS70, CS80, and CS90 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS80 **(CS1100)** **BLAISE NAME:** LmtAbilityCond
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Is this because of any medical, behavioral or other health condition?

Responses: YES 1 CS90 (CS1105)
 NO 2 CS100 (CS1110)
 REFUSED RF CS100 (CS1110)
 DON'T KNOW DK CS100 (CS1110)

Display Instructions: Display CS70, CS80, and CS90 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS90 **(CS1105)** **BLAISE NAME:** LmtAbilityCond12Mon
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Is this a condition that has lasted or is expected to last for at least 12 months?

Responses: YES 1 CS100 (CS1110)
 NO 2 CS100 (CS1110)
 REFUSED RF CS100 (CS1110)
 DON'T KNOW DK CS100 (CS1110)

Display Instructions: Display CS70, CS80, and CS90 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS100	(CS1110)	BLAISE NAME: SpecIThrpy		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

{Do/Does} {you/{PERSON}} need or get special therapy such as physical, occupational or speech therapy?

Responses:	YES	1	CS110	(CS1115)
	NO	2	CS130	(CS1125)
	REFUSED	RF	CS130	(CS1125)
	DON'T KNOW	DK	CS130	(CS1125)

Display Instructions: Display CS100, CS110, and CS120 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

<u>CS110</u>	<u>(CS1115)</u>	<u>BLAISE NAME:</u> SpecIThrpyCond		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Is this because of any medical, behavioral or other health condition?

Responses:	YES	1	CS120	(CS1120)
	NO	2	CS130	(CS1125)
	REFUSED	RF	CS130	(CS1125)
	DON'T KNOW	DK	CS130	(CS1125)

Display Instructions: Display CS100, CS110, and CS120 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

<u>CS120</u>	<u>(CS1120)</u>	<u>BLAISE NAME:</u> SpecIThrpyCond12Mon		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Is this a condition that has lasted or is expected to last for at least 12 months?

Responses:	YES	1	CS130	(CS1125)
	NO	2	CS130	(CS1125)
	REFUSED	RF	CS130	(CS1125)
	DON'T KNOW	DK	CS130	(CS1125)

Display Instructions: Display CS100, CS110, and CS120 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS130	(CS1125)	BLAISE NAME: ProbTrtmt		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

{Do/Does} {you/{PERSON}} have any kind of emotional, developmental or behavioral problem for which {you/he/she} need{s} or get{s} treatment or counseling?

Responses:	YES	1	CS140	(CS1130)
	NO	2	BOX_50	(CS1135)
	REFUSED	RF	BOX_50	(CS1135)
	DON'T KNOW	DK	BOX_50	(CS1135)

Display Instructions: Display CS130 and CS140 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS140 **(CS1130)** **BLAISE NAME:** ProbTrtmt12Mon
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Is this a condition that has lasted or is expected to last for at least 12 months?

Responses: YES 1 BOX_50 (CS1135)
 NO 2 BOX_50 (CS1135)
 REFUSED RF BOX_50 (CS1135)
 DON'T KNOW DK BOX_50 (CS1135)

Display Instructions: Display CS130 and CS140 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

BOX_50 **(CS1135)** **Item Type:** Route **Type Class:** If Then

Route Details: Subsection 2: The second subsection is the Columbia Impairment Scale (CS150A-
 CS180C) will be administered in round 2 and R6 (include R6 if Panel is extended) if
 calendar year of CAPI administration is an odd year (FirstPanYear=odd) and this
 subsection will be administered in round 4 and R8 (include R8 if Panel is extended) if the
 calendar year of CAPI administration is an even year (FirstPanYear=even).

If RU member being asked about is aged 5-17 years, inclusive, or in age categories 3 or 4
 and subsection is on route for inclusion in this round, continue with CS150A.

Otherwise, go to BOX_60.

CS150A **(CS1145)** **BLAISE NAME:** ProbTrouble
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-1.

{The following questions are about some aspects of {your/{PERSON}'s} health.}

{In this series of questions, please/Please rate {yourself/him/her} on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.}

In general, how much of a problem do you think {you/{PERSON}} {have/has} with:

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

a. Getting into trouble?

Responses: 1 CS150B (CS1150)
REFUSED RF CS150B (CS1150)
DON'T KNOW DK CS150B (CS1150)

Programmer Instructions:	<p>Range check: The values for TROUBLE should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."</p>
Display Instructions:	<p>The CS150 question series represent a stem and leaf question format. Each leaf in this stem and leaf series (CS150A – CS150D) should display on the same form pane. Use the same question stem display.</p> <p>Display "{The following questions are about some aspects of {your/{PERSON}'s} health.}" only when presenting the first (stem) question for this person. Otherwise, use a null display.</p> <p>Display "{In this series of questions, please...}" only when presenting the first (stem) question for this person in bold, black standard text. Otherwise, display "Please rate {yourself/him/her} on a scale of 0 to 4..." in grayed-out text for each subsequent (leaf) question in this series.</p> <p>Display "In general, how much of a problem do you think {you/{PERSON}} {have/has} with: " in bold black standard text for the first question (stem) for this person. Otherwise, display it in brackets and "grayed-out" text for each subsequent (leaf) question in this series.</p> <p>Display each leaf in bold black standard text when its entry field is active. Otherwise, always display in "grayed-out" text.</p>
Testing/Editing Notes:	<p>Variable collected at MEPS(Fall/Spring)YYYY.CS_Main Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main</p>

Full Detail Spec

CS150B

(CS1150)

BLAISE NAME: ProbMother

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-1.

[Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.]

[In general, how much of a problem do you think {you/{PERSON}} {have/has} with:]

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

b. Getting along with {your/his/her} mother?

Responses:

.....	1	CS150C	(CS1155)
REFUSED	RF	CS150C	(CS1155)
DON'T KNOW	DK	CS150C	(CS1155)

Programmer Instructions: Range check:
 The values for MOTHPROB should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: See CS150A for display instructions.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS150C **(CS1155)** **BLAISE NAME:** ProbFather
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-1.

[Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.]

[In general, how much of a problem do you think {you/{PERSON}} {have/has} with:]

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

c. Getting along with {your/his/her} father?

Responses: 1 CS150D (CS1160)
 REFUSED RF CS150D (CS1160)
 DON'T KNOW DK CS150D (CS1160)

Programmer Instructions: Range check:
 The values for FATHPROB should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: See CS150A for display instructions.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS150D **(CS1160)** **BLAISE NAME:** ProbSad
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-1.

[Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.]

[In general, how much of a problem do you think {you/{PERSON}} {have/has} with:]

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

d. Feeling unhappy or sad?

Responses: 1 CS160A (CS1165)
 REFUSED RF CS160A (CS1165)
 DON'T KNOW DK CS160A (CS1165)

Programmer Instructions: Range check:
 The values for UNHAPSAD should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: See CS150A for display instructions.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS160A **(CS1165)** **BLAISE NAME:** ProbSchBehav
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-1.

Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.

How much of a problem would you say {you/{PERSON}} {have/has}:

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

e. With {your/his/her} behavior at school?

Responses: 1 CS160B (CS1170)
REFUSED RF CS160B (CS1170)
DON'T KNOW DK CS160B (CS1170)

Programmer Instructions:	Range check: The values for should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."
Display Instructions:	<p>The CS160 question series represent a stem and leaf question format. Each leaf in this stem and leaf series (CS160A – CS160C) should display on the same form pane. Use the same question stem display.</p> <p>Display "Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem" in bold black text for the first question (stem) in this series, otherwise, display this text in brackets and grayed-out text for each subsequent (leaf) question in this series.</p> <p>Display "How much of a problem would you say {you/{PERSON}} {have/has}:" in bold black standard text for the first (stem) question. Otherwise, display it in brackets and grayed out text for each subsequent (leaf) question in this series.</p> <p>Display each leaf in bold black standard text when its entry field is active. Otherwise, always display in "grayed-out" text.</p>
Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY_CS_Main Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

Full Detail Spec

CS160B

(CS1170)

BLAISE NAME: ProbHaveFun

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-1.

[Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.]

[How much of a problem would you say {you/{PERSON}} {have/has}:]

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

f. With having fun?

Responses: 1 CS160C (CS1175)
REFUSED RF CS160C (CS1175)
DON'T KNOW DK CS160C (CS1175)

Programmer Instructions: Range check:
The values for HAVFUNPR should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: See CS160A for display instructions.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS160C

(CS1175)

BLAISE NAME: ProbAdults

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-1.

[Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.]

[How much of a problem would you say {you/{PERSON}} {have/has}:]

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

g. Getting along with adults other than {your/his/her} mother/father?

Responses:

.....	1	CS170A	(CS1180)
REFUSED	RF	CS170A	(CS1180)
DON'T KNOW	DK	CS170A	(CS1180)

Programmer Instructions: Range check:
 The values for ADULPROB should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: See CS160A for display instructions.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS170A **(CS1180)** **BLAISE NAME:** ProbFearful
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-1.

Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.

How much of a problem {do/does} {you/{PERSON}} have:

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

h. With feeling nervous or afraid?

Responses: 1 CS170B (CS1185)
REFUSED RF CS170B (CS1185)
DON'T KNOW DK CS170B (CS1185)

Programmer Instructions: Range check:
The values for NERVAFRD should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: The CS170 question series represent a stem and leaf question format. Each leaf in this stem and leaf series (CS170A – CS170C) should display on the same form pane. Use the same question stem display.

Display "Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem." In bold black text for the first question (stem) in this series, otherwise, display in brackets and grayed-out text for each subsequent (leaf) question in the series.

Display "How much of a problem {do/does} {you/{PERSON}} have:" in bold black standard text for the first (stem) question. Otherwise, display it in brackets and grayed out text for each subsequent (leaf) question in the series.

Display each leaf in bold black standard text when its entry field is active. Otherwise, always display in "grayed-out" text.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS170B

(CS1185)

BLAISE NAME: ProbSiblings

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-1.

[Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.]

[How much of a problem {do/does} {you/{PERSON}} have:]

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

i. Getting along with {your/his/her} brothers and sisters?

Responses: 1 CS170C (CS1190)
REFUSED RF CS170C (CS1190)
DON'T KNOW DK CS170C (CS1190)

Programmer Instructions: Range check:
The values for SIBSPROB should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: See CS170A for display instructions.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

Full Detail Spec

CS170C

(CS1190)

BLAISE NAME: ProbOthCh

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-1.

[Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.]

[How much of a problem {do/does} {you/{PERSON}} have:]

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

j. Getting along with other kids {your/his/her} age?

Responses: 1 CS180A (CS1195)
REFUSED RF CS180A (CS1195)
DON'T KNOW DK CS180A (CS1195)

Programmer Instructions: Range check:
The values for KIDSPROB should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: See CS170A for display instructions.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS180A **(CS1195)** **BLAISE NAME:** ProbSportHobby
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-1.

Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.

How much of a problem would you say {you/{PERSON}} {have/has}:

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

k. Getting involved in activities like sports or hobbies?

Responses: 1 CS180B (CS1200)
REFUSED RF CS180B (CS1200)
DON'T KNOW DK CS180B (CS1200)

Programmer Instructions:	<p>Range check: The values for SPORHOB should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."</p>
Display Instructions:	<p>The CS180 question series represent a stem and leaf question format. Each leaf in this stem and leaf series (CS180A – CS180C) should display on the same form pane. Use the same question stem display.</p> <p>Display "Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem." In bold black standard text for the first question (stem) in this series, otherwise, display in brackets and grayed-out text for each subsequent (leaf) question in this series.</p> <p>Display "How much of a problem would you say {you/{PERSON}} {have/has}:" in bold black standard text for the first (stem) question. Otherwise, display it in brackets and grayed out text for each subsequent (leaf) question in this series.</p> <p>Display each leaf in bold black standard when its entry field is active. Otherwise, always display in "grayed-out" text.</p>
Testing/Editing Notes:	<p>Variable collected at MEPS(Fall/Spring)YYYY_CS_Main Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main</p>

Full Detail Spec

CS180B

(CS1200)

BLAISE NAME: ProbSchWork

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-1.

[Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem.]

[How much of a problem would you say {you/{PERSON}} {have/has}:]

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

1. With {your/his/her} school work {or doing {your/his/her} job}}?

Responses: 1 CS180C (CS1205)
 REFUSED RF CS180C (CS1205)
 DON'T KNOW DK CS180C (CS1205)

Programmer Instructions: Range check:
 The values for SCHLWORK should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: See CS180A for display instructions.
 Display 'or doing {your/his/her}job}}' if RU member is = or > 16 years old (or in age category 4). Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

Full Detail Spec

CS180C

(CS1205)

BLAISE NAME: ProbHomeBehav

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**

Type Class: String **Field Size:** 2

Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available ()

Show Card (CS-1)

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-1.

[Please rate on a scale of 0 to 4 where 0 indicates no problem and 4 indicates a very big problem]

[How much of a problem would you say {you/{PERSON}} {have/has}:]

CODE 99 IF RESPONDENT INDICATES THE QUESTION IS INAPPLICABLE.

m. With {your/his/her} behavior at home?

Responses:

.....	1	BOX_60	(CS1206)
REFUSED	RF	BOX_60	(CS1206)
DON'T KNOW	DK	BOX_60	(CS1206)

Programmer Instructions: Range check:
The values for BEHVHOME should be between 0 and 4 and should also include 99. A check should be conducted to ensure that any values outside of these defined produce an error and prohibit the interviewer from continuing until corrected. If a value entered is outside the allowable range, display the following hard error message: "VALUE MUST BE BETWEEN 0 AND 4 OR 99 TO INDICATE INAPPLICABLE QUESTION. VERIFY AND CORRECT."

Display Instructions: See CS180A for display instructions.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

BOX_60

(CS1206)

Item Type: Route

Type Class: If Then

Route Details:

Subsection 3: The third subsection is CAHPS unmet need, provider satisfaction measures (CS190-CS300) will be administered in round 2 and R6 (include R6 if Panel is extended)- if calendar year of CAPI administration is an odd year (FirstPanYear=odd) and this subsection will be administered in round 4 and R8 (include R8 if Panel is extended) if calendar year of CAPI administration is an even year (FirstPanYear=even).

If subsection is on route for inclusion in this round, continue with CS190.

Otherwise, go to BOX_70.

CS190

(CS1210)

BLAISE NAME: AcuteIll12Mon

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TYESNO

Answers allowed: 1

ArrayMax:

Max value:

Help Available ()

Show Card ()

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

In the last 12 months, did {you/{PERSON}} have an illness, injury or condition that needed care right away in a clinic, emergency room, or doctor's office?

Responses:

YES	1	CS200	(CS1215)
NO	2	CS210	(CS1220)
REFUSED	RF	CS210	(CS1220)
DON'T KNOW	DK	CS210	(CS1220)

Display

Instructions:

Display CS190 and CS200 on the same form pane.

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS200

(CS1215)

BLAISE NAME: AcuteCare12Mon

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**

Type Class: Enumerated **Field Size:**

Answer Type: TNUSALWAY **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available ()

Show Card (CS-2)

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-2.

Looking at card CS-2, in the last 12 months, when {you/{PERSON}} needed care right away, how often did {you/he/she} get care as soon as {you/he/she} needed?

Responses:	NEVER	1	CS210	(CS1220)
	SOMETIMES	2	CS210	(CS1220)
	USUALLY	3	CS210	(CS1220)
	ALWAYS	4	CS210	(CS1220)
	REFUSED	RF	CS210	(CS1220)
	DON'T KNOW	DK	CS210	(CS1220)

Display Instructions: Display CS190 and CS200 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS210	(CS1220)	BLAISE NAME: RoutnAppt12Mon		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

In the last 12 months, did you make any appointments for a check-up or routine care for {yourself/{PERSON}} at a doctor's office or clinic?

Responses:	YES	1	CS220	(CS1225)
	NO	2	CS230	(CS1230)
	REFUSED	RF	CS230	(CS1230)
	DON'T KNOW	DK	CS230	(CS1230)

Display Instructions: Display CS210 and CS220 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

Full Detail Spec

CS220	(CS1225)	BLAISE NAME: OfRoutnAppt12Mon		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TNUSALWAY	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (CS-2) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-2.

Looking at card CS-2, in the last 12 months, how often did you get an appointment for a check-up or routine care for {yourself/{PERSON}} at a doctor's office or clinic as soon as {you/he/she} needed?

Responses:	NEVER	1	CS230	(CS1230)
	SOMETIMES	2	CS230	(CS1230)
	USUALLY	3	CS230	(CS1230)
	ALWAYS	4	CS230	(CS1230)
	REFUSED	RF	CS230	(CS1230)
	DON'T KNOW	DK	CS230	(CS1230)

Display Instructions: Display CS210 and CS220 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

Full Detail Spec

CS230

(CS1230)

BLAISE NAME: SeeProv12Mon

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TMORETIME **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-3) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-3.

Looking at card CS-3, in the last 12 months, not counting times {you/{PERSON}} went to an emergency room, how many times did {you/he/she} go to a doctor's office or clinic to get health care?

Responses:

NONE	0	CS290	(CS1270)
1 TIME	1	CS240	(CS1245)
2 TIMES	2	CS240	(CS1245)
3 TIMES	3	CS240	(CS1245)
4 TIMES	4	CS240	(CS1245)
5 TO 9 TIMES	5	CS240	(CS1245)
10 OR MORE TIMES	6	CS240	(CS1245)
REFUSED	RF	CS290	(CS1270)
DON'T KNOW	DK	CS290	(CS1270)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS240 **(CS1245)** **BLAISE NAME:** ProvExplain12Mon
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TNUSALWAY **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-2) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-2.

Looking at card CS-2, in the last 12 months, how often did {your/{PERSON}'s} doctors or other health professionals explain things about {your/his/her} health in a way that was easy to understand?

Responses:	NEVER	-----	1	CS250	(CS1250)
	SOMETIMES	-----	2	CS250	(CS1250)
	USUALLY	-----	3	CS250	(CS1250)
	ALWAYS	-----	4	CS250	(CS1250)
	REFUSED	-----	RF	CS250	(CS1250)
	DON'T KNOW	-----	DK	CS250	(CS1250)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

Full Detail Spec

CS250	(CS1250)	BLAISE NAME: ProvListen12Mon		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TNUSALWAY	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (CS-2) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-2.

Looking at card CS-2, in the last 12 months, how often did {your/{PERSON}'s} doctors or other health professionals listen carefully to you?

Responses:	NEVER	1	CS260	(CS1255)
	SOMETIMES	2	CS260	(CS1255)
	USUALLY	3	CS260	(CS1255)
	ALWAYS	4	CS260	(CS1255)
	REFUSED	RF	CS260	(CS1255)
	DON'T KNOW	DK	CS260	(CS1255)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS260

(CS1255)

BLAISE NAME: ProvRespect12Mon

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TNUSALWAY **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card (CS-2) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-2.

Looking at card CS-2, in the last 12 months, how often did {your/{PERSON}'s} doctors or other health professionals show respect for what you had to say?

Responses:

NEVER	1	CS270	(CS1260)
SOMETIMES	2	CS270	(CS1260)
USUALLY	3	CS270	(CS1260)
ALWAYS	4	CS270	(CS1260)
REFUSED	RF	CS270	(CS1260)
DON'T KNOW	DK	CS270	(CS1260)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS270	(CS1260)	BLAISE NAME: ProvTime12Mon		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TNUSALWAY	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (CS-2) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-2.

Looking at card CS-2, in the last 12 months, how often did {your/{PERSON}'s} doctors or other health professionals spend enough time with {you/him/her}?

Responses:	NEVER	1	CS280	(CS1265)
	SOMETIMES	2	CS280	(CS1265)
	USUALLY	3	CS280	(CS1265)
	ALWAYS	4	CS280	(CS1265)
	REFUSED	RF	CS280	(CS1265)
	DON'T KNOW	DK	CS280	(CS1265)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS280	(CS1265)	BLAISE NAME: RateHCare12Mon		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 0
Type Class:	Integer	Field Size: 2		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 10

Help Available () Show Card (CS-4) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

 CS-4.

Please look at card CS-4. Using any number from 0 to 10, where 0 is the worst health care possible, and 10 is the best health care possible, what number would you use to rate all {your/{PERSON}'s} health care in the last 12 months?

ENTER RATING:

Responses:	1	CS290	(CS1270)
	REFUSED	RF	CS290
	DON'T KNOW	DK	CS290
				(CS1270)

**Display
Instructions:**

Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
	Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

Full Detail Spec

CS290

(CS1270)

BLAISE NAME: Spec1Appt12Mon

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

When you answer the next questions, do not include dental visits or care {you/{PERSON}} got when {you/he/she} stayed overnight in a hospital.

Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care.

In the last 12 months, did you make any appointments for yourself/{PERSON} to see a specialist?

Responses: YES 1 CS300 (CS1275)
 NO 2 BOX_70 (CS1276)
 REFUSED RF BOX_70 (CS1276)
 DON'T KNOW DK BOX_70 (CS1276)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

<u>CS300</u>	<u>(CS1275)</u>	<u>BLAISE NAME:</u> OftSpeclAppt12Mon		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TNUSALWAY	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (CS-2) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

CS-2.

Looking at card CS-2, in the last 12 months, how often did you get appointments for {yourself/{PERSON}} to see a specialist as soon as {you/he/she} needed?

Responses:

NEVER	1	BOX_70	(CS1276)
SOMETIMES	2	BOX_70	(CS1276)
USUALLY	3	BOX_70	(CS1276)
ALWAYS	4	BOX_70	(CS1276)
REFUSED	RF	BOX_70	(CS1276)
DON'T KNOW	DK	BOX_70	(CS1276)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

<u>BOX_70</u>	<u>(CS1276)</u>	Item Type: Route	Type Class: If Then
----------------------	------------------------	-------------------------	----------------------------

Programmer Instructions: Subsection 4: The fourth subsection is the MEPS historical series on preventive care (CS310-CS520).

If the calendar year of CAPI administration is an even year, this subsection will be administered in round 2 and R6 (include R6 if Panel is extended) (FirstPanYear=even),. If the calendar year of CAPI administration is an odd year (FirstPanYear=odd), this subsection will be administered in round 4 and R8 (include R8 if Panel is extended).

If subsection is on route for inclusion in this round, continue with CS310. Otherwise, go to BOX_140.

CS310	(CS1280)	BLAISE NAME: ProvMeasrHeight		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Has a doctor or other health provider ever measured {your/{PERSON}'s} height?

Responses:	YES	1	CS320	(CS1285)
	NO	2		
	REFUSED	RF		
	DON'T KNOW	DK		

Programmer Instructions: If coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and RU member is < or =5 years old (or in age categories 1 or 2), go to CS340. Otherwise, if coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and RU member is > or = 6 years old (or in age categories 3 or 4), go to CS330_01.

Display Instructions: Display CS310 and CS320 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS320	(CS1285)	BLAISE NAME: WhenMeasrHeight		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHENWAS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:
When was that?

Responses:

WITHIN PAST YEAR	1
WITHIN PAST 2 YEARS	2
MORE THAN 2 YEARS	3
REFUSED	RF
DON'T KNOW	DK

Programmer Instructions: If RU member is < or = 5 years old (or in age categories 1 or 2), go to CS340. Otherwise, continue with CS330_01.

Display Instructions: Display CS310 and CS320 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS330_01	(CS1295)	BLAISE NAME: HeightFeet		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 0
Type Class:	Integer	Field Size: 1		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 8

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:
About how tall {are/is} {you/{PERSON}} without shoes?

ENTER FEET
PROBE FOR INCHES IF NOT REPORTED.

Responses:

.....	1	CS330_02	(CS1300)
REFUSED	RF	CS340	(CS1305)
DON'T KNOW	DK	CS340	(CS1305)

Programmer Instructions: Soft check: If amount is above 7, display the following message: "VALUE IS HIGHER THAN USUAL. VERIFY AND CORRECT IF NEEDED."

Soft check: If amount is below 2, display the following message: "VALUE IS LOWER THAN USUAL. VERIFY AND CORRECT IF NEEDED."

Display Instructions: Display CS330_01 and CS330_02 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

<u>CS330_02</u>	<u>(CS1300)</u>	<u>BLAISE NAME:</u> HeightInch		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 0
Type Class:	Integer	Field Size: 2		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 30

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

[About how tall {are/is} {you/{PERSON}} without shoes?]

ENTER INCHES

[PROBE FOR INCHES IF NOT REPORTED.]

Responses:	1	CS340	(CS1305)
	REFUSED	RF	CS340
	DON'T KNOW	DK	CS340
				(CS1305)

Programmer Instructions: Soft check:
If amount is above 11 when feet (CS330_01) > 0, display the following message: "VALUE IS HIGHER THAN USUAL. VERIFY AND CORRECT IF NEEDED."
If feet (CS330_01) = 0, inches (CS330_02) must be 1-30. If feet (CS330_01) > 0, inches (CS330_02) must be 0-11.

Display Instructions: Display CS330_01 and CS330_02 on the same form pane.
Display question text: "About how tall {are/is} {you/{PERSON}} without shoes?" in brackets and grayed out text.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS340	(CS1305)	BLAISE NAME: ProvMeasrWeight		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:
Has a doctor or other health provider ever measured {your/{PERSON}'s} weight?

Responses:	YES	1	CS350	(CS1310)
	NO	2		
	REFUSED	RF		
	DON'T KNOW	DK		

Programmer Instructions: If coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and RU member is < or = 5 years old (or in age categories 1 or 2), go to BOX_80. Otherwise, if coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and RU member is > or = 6 years old (or in age categories 3 or 4), go to CS360.

Display Instructions: Display CS340 and CS350 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS350	(CS1310)	BLAISE NAME: WhenMeasrWeight		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHENWAS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:
When was that?

Responses:

WITHIN PAST YEAR	1
WITHIN PAST 2 YEARS	2
MORE THAN 2 YEARS	3
REFUSED	RF
DON'T KNOW	DK

Programmer Instructions: If RU member is < or = 5 years old (or in age categories 1 or 2), go to BOX_80. Otherwise, go to CS360.

Display Instructions: Display CS340 and CS350 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS360	(CS1320)	BLAISE NAME: WeightPound		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 1
Type Class:	Integer	Field Size: 3		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 500

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

About how much {do/does} {you/{PERSON}} weigh without shoes?

ENTER POUNDS

Responses:

.....	1	BOX_80	(CS1330)
REFUSED	RF	BOX_80	(CS1330)
DON'T KNOW	DK	BOX_80	(CS1330)

Programmer Instructions: Soft check:
If amount is above 300, display the following message: "VALUE IS HIGHER THAN USUAL. VERIFY AND CORRECT IF NEEDED."
If amount is below 30, display the following message: "VALUE IS LOWER THAN USUAL. VERIFY AND CORRECT IF NEEDED."

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

BOX_80 **(CS1330)** **Item Type:** Route **Type Class:** If Then

Route Details: If RU member being asked about is aged 3-6 years, inclusive, or in age categories 2 or 3, continue with CS370.
Otherwise, go to BOX_90.

CS370 **(CS1335)** **BLAISE NAME:** ProvCheckVision
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TBLDPRSCK **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Has a doctor or other health provider ever checked {your/{PERSON}'s} vision?

Responses: YES 1 BOX_90 (CS1340)
 NO 2 BOX_90 (CS1340)
 TRIED, BUT {YOU/HE/SHE} 3 BOX_90 (CS1340)
 {WERE/WAS} UNCOOPERATIVE
 REFUSED RF BOX_90 (CS1340)
 DON'T KNOW DK BOX_90 (CS1340)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

BOX_90 **(CS1340)** **Item Type:** Route **Type Class:** If Then

Route Details: If RU member being asked about is > or = 2 years of age or in age categories 2 through 4, continue with CS380.
 Otherwise, go to BOX_100.

CS380

(CS1365)

BLAISE NAME: AdvHlthFood

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (ADVCEYOUHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Has a doctor or other health provider ever given you {or {PERSON}} advice about {him/her} eating healthy?

HELP: F1

Responses: YES 1 CS390 (CS1370)
 NO 2 CS400 (CS1375)
 REFUSED RF CS400 (CS1375)
 DON'T KNOW DK CS400 (CS1375)

Display

Instructions:

Display 'or {PERSON}' and '{him/her}' if RU member being asked about is **not** selected as the respondent. Otherwise, (RU member being asked about is selected as the respondent), use a null display.

Display CS380 and CS390 on the same form pane.

Testing/Editing
Notes:

Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS390	(CS1370)	BLAISE NAME: WhenAdvHlthFood		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHENWAS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

When was that?

Responses:	WITHIN PAST YEAR	1	CS400	(CS1375)
	WITHIN PAST 2 YEARS	2	CS400	(CS1375)
	MORE THAN 2 YEARS	3	CS400	(CS1375)
	REFUSED	RF	CS400	(CS1375)
	DON'T KNOW	DK	CS400	(CS1375)

Display Instructions: Display CS380 and CS390 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS400

(CS1375)

BLAISE NAME: AdvExer

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (ADVCEYOUHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Has a doctor or other health provider ever given you {or {PERSON}} advice about the amount and kind of exercise, sports, or physically active hobbies {you/he/she} should have?

HELP: F1

Responses: YES 1 CS410 (CS1380)
 NO 2 BOX_100 (CS1385)
 REFUSED RF BOX_100 (CS1385)
 DON'T KNOW DK BOX_100 (CS1385)

Display Instructions:

Display CS400 and CS410 on the same form pane.
 Display 'or {PERSON}' if RU member being asked about is NOT selected as the respondent.
 Otherwise, (RU member being asked about is selected as the respondent), use a null display.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

Full Detail Spec

CS410	(CS1380)	BLAISE NAME: WhenAdvExer		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHENWAS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

When was that?

Responses:

WITHIN PAST YEAR	1	BOX_100	(CS1385)
WITHIN PAST 2 YEARS	2	BOX_100	(CS1385)
MORE THAN 2 YEARS	3	BOX_100	(CS1385)
REFUSED	RF	BOX_100	(CS1385)
DON'T KNOW	DK	BOX_100	(CS1385)

Display Instructions: Display CS400 and CS410 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

BOX_100 **(CS1385)** **Item Type:** Route **Type Class:** If Then

Route Details:

If RU member being asked about:
 [- (Has a weight at CS360 < or = 40) or
 -[(If CS360 is empty) and (person < or = 4 years of age (or in age categories 1 or 2))],
 continue with CS420.]

If RU member being asked about:
 [- (Has a weight at CS360 > 40 and < or = 80 pounds) or
 -[(If CS360 is coded 'RF' or 'DK' or empty) and (person > 4 and < or = 9 years of age (or in age category 3))], go to CS440.]

If RU member being asked about:
 [- (Has a weight at CS360 > 80 pounds,) or
 -[(If CS360 is coded 'RF' or 'DK') and (Person > 9 years of age (or in age category 4))], go to CS460.]

CS420	(CS1390)	BLAISE NAME: AdvSafetySeat		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (ADVCEYOUHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Has a doctor or other health provider ever given you advice about {him/her} using a child safety seat while riding in the car?

HELP: F1

Responses:	YES	1	CS430	(CS1395)
	NO	2	BOX_120	(CS1425)
	REFUSED	RF	BOX_120	(CS1425)
	DON'T KNOW	DK	BOX_120	(CS1425)

Display Instructions: Display CS420 and CS430 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS430	(CS1395)	BLAISE NAME: WhenAdvSafetySeat		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHENWAS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

When was that?

Responses:

WITHIN PAST YEAR	1	BOX_120	(CS1425)
WITHIN PAST 2 YEARS	2	BOX_120	(CS1425)
MORE THAN 2 YEARS	3	BOX_120	(CS1425)
REFUSED	RF	BOX_120	(CS1425)
DON'T KNOW	DK	BOX_120	(CS1425)

Display Instructions: Display CS420 and CS430 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS440	(CS1400)	BLAISE NAME: AdvBooster		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (ADVCEYOUHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Has a doctor or other health provider ever given you advice about {him/her} using a booster seat when riding in the car?

HELP: F1

Responses:	YES	1	CS450	(CS1405)
	NO	2	BOX_110	(CS1410)
	REFUSED	RF	BOX_110	(CS1410)
	DON'T KNOW	DK	BOX_110	(CS1410)

Display Instructions: Display CS440 and CS450 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

Full Detail Spec

CS450	(CS1405)	BLAISE NAME: WhenAdvBooster		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHENWAS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

When was that?

Responses:

WITHIN PAST YEAR	1	BOX_110	(CS1410)
WITHIN PAST 2 YEARS	2	BOX_110	(CS1410)
MORE THAN 2 YEARS	3	BOX_110	(CS1410)
REFUSED	RF	BOX_110	(CS1410)
DON'T KNOW	DK	BOX_110	(CS1410)

Display Instructions: Display CS440 and CS450 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

<u>BOX_110</u>	<u>(CS1410)</u>	Item Type: Route	Type Class: If Then
-----------------------	------------------------	-------------------------	----------------------------

Route Details: If CS360 is coded 'RF' or 'DK' for RU member being asked about and person is in age category 3 (age is unknown), continue with CS460.

 Otherwise, go to BOX_120.

Full Detail Spec

CS460

(CS1415)

BLAISE NAME: AdvBelts

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (ADVCEYOUHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Has a doctor or other health provider ever given you {or {PERSON}} advice about {{him/her}} using lap and shoulder belts when driving or riding in a car?

HELP: F1

Responses: YES 1 CS470 (CS1420)
 NO 2 BOX_120 (CS1425)
 REFUSED RF BOX_120 (CS1425)
 DON'T KNOW DK BOX_120 (CS1425)

Display

Instructions:

Display 'or {PERSON}' and '{him/her}' if RU member being asked about is not selected as the respondent. Otherwise, (RU member being asked about is selected as the respondent), use a null display.

Display CS460 and CS470 on the same form pane.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS470	(CS1420)	BLAISE NAME: WhenAdvBelts		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHENWAS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

When was that?

Responses:

WITHIN PAST YEAR	1	BOX_120	(CS1425)
WITHIN PAST 2 YEARS	2	BOX_120	(CS1425)
MORE THAN 2 YEARS	3	BOX_120	(CS1425)
REFUSED	RF	BOX_120	(CS1425)
DON'T KNOW	DK	BOX_120	(CS1425)

Display Instructions: Display CS460 and CS470 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

<u>BOX_120</u>	<u>(CS1425)</u>	Item Type: Route	Type Class: If Then
-----------------------	------------------------	-------------------------	----------------------------

Route Details: If RU member being asked about is > or = 2 years of age or in age categories 2 through 4, continue with CS480.

Otherwise, go to CS500.

Full Detail Spec

CS480

(CS1430)

BLAISE NAME: AdvHelmet

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**

Type Class: Enumerated **Field Size:**

Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (ADVICEHELMHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Has a doctor or other health provider ever given you {or {PERSON}} advice about {{him/her}} using a helmet when riding a bicycle or motorcycle?

HELP: F1

Responses:	YES	1	CS490	(CS1435)
	NO	2	CS500	(CS1440)
	REFUSED	RF	CS500	(CS1440)
	DON'T KNOW	DK	CS500	(CS1440)

Display

Instructions: Display 'or {PERSON}' and '{him/her}' if RU member being asked about is not selected as the respondent. Otherwise, (RU member being asked about is selected as the respondent), use a null display.

Display CS480 and CS490 on the same form pane.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS490	(CS1435)	BLAISE NAME: WhenAdvHelmet		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHENWAS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

When was that?

Responses:	WITHIN PAST YEAR	1	CS500	(CS1440)
	WITHIN PAST 2 YEARS	2	CS500	(CS1440)
	MORE THAN 2 YEARS	3	CS500	(CS1440)
	REFUSED	RF	CS500	(CS1440)
	DON'T KNOW	DK	CS500	(CS1440)

Display Instructions: Display CS480 and CS490 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

CS500	(CS1440)	BLAISE NAME: AdvSmoking		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (ADVCEYOUHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

Has a doctor or other health provider ever given you advice about how smoking in the house can be bad for
{your/{PERSON}'s} health?

HELP: F1

Responses:	YES	1	CS510	(CS1445)
	NO	2	BOX_130	(CS1450)
	REFUSED	RF	BOX_130	(CS1450)
	DON'T KNOW	DK	BOX_130	(CS1450)

Display Instructions: Display CS500 and CS510 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect_CS_Main

CS510	(CS1445)	BLAISE NAME: WhenAdvSmoking		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHENWAS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

When was that?

Responses:

WITHIN PAST YEAR	1	BOX_130	(CS1450)
WITHIN PAST 2 YEARS	2	BOX_130	(CS1450)
MORE THAN 2 YEARS	3	BOX_130	(CS1450)
REFUSED	RF	BOX_130	(CS1450)
DON'T KNOW	DK	BOX_130	(CS1450)

Display Instructions: Display CS500 and CS510 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

BOX_130 **(CS1450)** **Item Type:** Route **Type Class:** If Then

Route Details: If RU member being asked about is > or = 12 years of age or in age category 4, continue with CS520.

Otherwise, go to BOX_140.

Full Detail Spec

CS520	(CS1455)	BLAISE NAME: ProvAlone		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

The last time {you/{PERSON}} had a health care visit, did a doctor or other health provider spend any time alone with {you/him/her} without a parent, relative or guardian in the room?

Responses:	YES	1	BOX_140	(CS1465)
	NO	2	BOX_140	(CS1465)
	REFUSED	RF	BOX_140	(CS1465)
	DON'T KNOW	DK	BOX_140	(CS1465)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.CS_Main
 Variable stored at MEPS(Fall/Spring)YYYY_PersSect.CS_Main

BOX_140 **(CS1465)** **Item Type:** Route **Type Class:** If Then

Route Details: Go to next questionnaire section.

[End of CS]