

SpecWriter Data

Form Version: 1/18/2023 4:13:48 PM
Report Type: Full Detail
Project Database: WESSQL300.MEPSFall2023
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

BOX_00

(HP1000)

Item Type: Route

Type Class: If Then

Route Details:

01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60, BOX_70, BOX_80, BOX_90, BOX_110, BOX_120, BOX_130, BOX_140, BOX_150

02 Loop = LOOP_10

03 End Loop = END_LP10

04 Single Select = HP30, HP50, HP70, HP120, HP130, HP140, HP160, HP180, HP190

05 Single Select with Display Roster = HP80

06 Single Select with Fill in Answer Text = HP40, HP90

07 Single Select with Add/Edit/Delete = HP60

10 Multiple Select with Fill in Answer Text = HP170 20 OS Text Field = HP40OS, HP120OS

23 Text Field = HP100, HP110

BOX 10

(HP1005)

Item Type: Route

Type Class: If Then

Route Details:

Context Header Display Instructions: SEE CONTEXT HEADER SPEC

General Display Instructions for Question Text:

For '{START DATE}', display the RU level reference period start date (typically-but not always Jan 1 if Round 1 or the previous round interview date if not Round 1). Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variable BegRefDt.

For '{END DATE}', display the RU level reference period end date (typically but not always current round interview date if current round is not the final round of the panel [RndType<>Final] or Dec 31 if current round is the final round of the panel [RndType=Final]). Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variable EndRefDt.

For '{PERSON'S START DATE}', display the person level reference period start date. Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variables BegRefM, BegRefD, BegRefY.

For '{PERSON'S END DATE}', display the person level reference period end date. Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variables EndRefM, EndRefD, EndRefY.

BOX 20

(HP1015)

Item Type: Route

Type Class: If Then

Route Details:

If looping on any insurance associated with an employer or union from the Employment (EM) section that provides health insurance (Insurance.HISrc=Employer or Union), go to LOOP_10.

Otherwise, go to HP30.

HP30	(HP1030)	BLAISE NAME: DirectPurchDisavow		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TDirPurchDis	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

I'd like to talk about the insurance which is from {DIRECT PURCHASE TYPE}, that is, the health insurance {you/someone in the household} purchased or obtained directly from that source.

ENTER 'CONTINUE' UNLESS RESPONDENT VOLUNTEERS INSURANCE REPORTED IN ERROR.

Responses: CONTINUE 1 LOOP_10 (HP1035)
 INSURANCE REPORTED IN ERROR 2 BOX_150 (HP1220)

Programmer Instructions: If coded '2' (INSURANCE REPORTED IN ERROR), flag item for source clean-up.
A permanent variable should be created at this item to track the use of this option.

Display Instructions: Display 'you' if single person RU and the respondent is an RU member. Otherwise, display 'someone in the household'.

Display the following for 'DIRECT PURCHASE TYPE':

- 'an employer or union' if coded '1' at HX200 or HX300 (looping on Insurance.DirectPurchTp= CurrPrevEmployerUnion) or if looping because HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED) (looping on Insurance.DirectPurchTp= CurrPrevEmployerUnion).
- '{STATE EXCHANGE NAME-A} OR FEDERAL MARKETPLACE' if coded '2' at HX200 or HX300 (looping on Insurance.DirectPurchTp= ExchangeMarketplace).
- 'an insurance company or agent or broker' if coded '3' at HX200 or HX300 (looping on Insurance.DirectPurchTp= InsuranceCoAgentBroker).
- 'a group or association' if coded '4' at HX200 or HX300 (looping on Insurance.DirectPurchTp= GroupAssociation).
- 'the plan of someone not living here' if coded '5' at HX200 or HX300 (looping on Insurance.DirectPurchTp= SomeoneNotLivingHere).
- 'the {OTHER SPECIFY TEXT}' if coded '91' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Other).
- 'a source that provided directly purchased insurance' if coded 'RF' or 'DK' at HX200 or HX300 (looping on Insurance.DirectPurchTp=RF or DK).

For 'STATE EXCHANGE NAME-A', display exchange name 'A' associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

For 'OTHER SPECIFY TEXT' display the text entered at HX200OS or HX300OS.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main

Variable collected at MEPS(Fall/Spring)
YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8]

Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main

Variable stored at MEPS(Fall/Spring)
YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8]

LOOP 10

(HP1035)

Item Type: Route

Type Class: Begin Loop

Route Details:

Ask BOX_30-END_LP10.

Loop definition: LOOP_10 collects detailed information about insurance provided through an employer or union or the insurance source names of the direct purchase insurance source created in the HX section during the current round.

If looping on insurance provided through an insurance source created in the HX section during the current round (i.e., source selected at HX200 or HX300 or HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED)) (Insurance.HISrc=Direct Purchase), the first loop cycle collects the main insurance source name of the insurance. Subsequent cycles, if any, are determined by the response to HP190. If HP190 is coded '1' (YES), the loop cycles again to collect the next insurance source name with the same direct purchase type. If HP190 is not asked or is coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), the loop ends for that direct purchase type.

When looping through the HP section on any insurance associated with an employer or union from the Employment (EM) section that provides health insurance (Insurance.HISrc=Employer or Union), LOOP_10 will cycle only one time.

BOX 30

(HP1036)

Item Type: Route

Type Class: If Then

Route Details:

If looping on any insurance associated with an employer from the Employment (EM) section that provides health insurance and is self-employed, firm size = 1 (Insurance.HISrc=Employer and Job.SELFEMP=SelfEmpl and Job.EmpEstm= 1), continue with HP40.

If looping insurance associated with an employer or union from the Employment (EM) section that provides health insurance and is not self-employed, firm size=1 [(Insurance.HISrc= Union) or (Insurance.HISrc=Employer and not (Job.SELFEMP=SelfEmpl and Job.EmpEstm=1))], go to HP70.

Otherwise, go to BOX_40.

HP40 **(HP1037)** **BLAISE NAME:** HIPurchCat
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TPURCHTYP2 **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (HIPurchCatHelp) Show Card (HX-7) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

 HX-7.

You mentioned that {you/{PERSON}} {{are/is}/{were/was}} self-employed and had health insurance through that business. Which category on card HX-7 comes closest to the main way {you/{PERSON}} {purchase/purchases} this insurance?

HELP: F1

Responses:

FROM A PROFESSIONAL ASSOCIATION	----- 1	HP50	(HP1062)
FROM A SMALL BUSINESS GROUP	----- 2	HP50	(HP1062)
DIRECTLY FROM AN INSURANCE COMPANY OR AGENT/BROKER	----- 3	HP50	(HP1062)
DIRECTLY FROM {STATE EXCHANGE NAME-A} OR FEDERAL MARKETPLACE	----- 4	HP70	(HP1080)
EMPLOYER OR UNION (THROUGH ANYONE'S CURRENT OR PREVIOUS JOB)	----- 5	HP70	(HP1080)
OTHER	----- 91	HP40OS	(HP1038)
REFUSED	----- RF	HP70	(HP1080)
DON'T KNOW	----- DK	HP70	(HP1080)

Display Instructions:

Display ‘{are/is}’ if current round is not the final round of the panel (RndType<>Final) and employer is a current job (Job.JobTp=CURRENT MAIN or CURRENT MISC). Otherwise, display ‘{were/was}’.

For 'STATE EXCHANGE NAME' display the exchange name 'A' associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

Display HP40 and HP40OS on the same form pane.

For ‘{PERSON}’”, display the full name (Person.FullName) of the jobholder that came into HP from HX LOOP_10.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]
Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

HP40OS

(HP1038)

BLAISE NAME: HIPurchCatOS

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 30
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

SPECIFY: OTHER

Responses:
..... 1 HP50 (HP1062)
REFUSED RF HP50 (HP1062)
DON'T KNOW DK HP50 (HP1062)

Display Instructions: Display HP40 and HP40OS on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]
Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

BOX 40 **(HP1040)** **Item Type:** Route **Type Class:** If Then

Route Details: If looping on '2' (STATE EXCHANGE OR FEDERAL MARKETPLACE) at HX200 or HX300 (Insurance.DirectPurchTp=ExchangeMarketplace), automatically code HP50 as 'YES' and add the insurance source name '{STATE EXCHANGE NAME-A}' to the HP60 roster. [Set Insurance.HISrcName='{STATE EXCHANGE NAME-A}']. Then go to BOX_50.
If looping on code '4' (FROM A GROUP OR ASSOCIATION), '3' (DIRECTLY FROM AN INSURANCE COMPANY OR AGENT/BROKER), or '91' (OTHER SOURCE) at HX200 or HX300 (Insurance.DirectPurchTp=Group, Insurance Co or Agent/Broker, or Other), continue with HP50.

Otherwise, go to HP60.

HP50	(HP1062)	BLAISE NAME: StExCovg		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:
Is this coverage through {STATE EXCHANGE NAME-A} { , [which may also be known as {ALIAS B} {or {ALIAS C}}]}?}

Responses:
YES 1
NO 2
REFUSED RF
DON'T KNOW DK

Programmer Instructions: If looping on any insurance associated with an employer from the Employment (EM) section that provides health insurance and is self-employed, firm size = 1 (Insurance.HISrc=Employer and Job.SELFEMP=SelfEmpl and Job.EmpEstm= 1), go to HP70.

Otherwise, continue with HP60.

Display Instructions: Display ', [which may also be known as {ALIAS B} {or {ALIAS C}}]' if there is more than one exchange name associated with the state in which interview is being conducted.

Display 'or {ALIAS C}' if there are three exchange names associated with the state in which interview is being conducted.

For 'STATE EXCHANGE NAME-A', 'ALIAS B', and 'ALIAS C', display the exchange name(s) associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

Full Detail Spec

HP60

(HP1065)

BLAISE NAME: PrivHIRoster

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TESTABLSHMENT **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Question Text:

{Please give me the name of the {insurance company (for the insurance purchased from an agent)/employer or union/group or association/{OTHER SPECIFY TEXT}/source} from which {you/someone in the family} {purchased/obtained} this insurance. / You mentioned that {you/someone in the family} {receive/receives} health insurance from the plan of someone not living here. How {do/does} {you/that policyholder} get this insurance?}

VERIFY WITH RESPONDENT AND SELECT (INSURANCE SOURCE) BELOW:

CTRL-A: ADD
CTRL-E: EDIT
CTRL-D: DELETE

Responses: {Organization Name}1 1 BOX_50 (HP1075)
 {Organization Name}2 2 BOX_50 (HP1075)
 {Organization Name}3 3 BOX_50 (HP1075)
 {Organization Name}4 4 BOX_50 (HP1075)
 {Organization Name}N 5 BOX_50 (HP1075)

**Programmer
Instructions:**

Roster Behavior:

1. Single select or single add allowed.
2. Limited delete allowed. Interviewer may delete only newly added insurance source names at this item until HP LOOP_10 is completed. Once LOOP_10 is completed, the insurance source name cannot be deleted.
3. Limited edit allowed. Interviewer may edit only newly added insurance source names at this item until HP LOOP_10 is completed. Once LOOP_10 is completed, the insurance source name cannot be edited.

If a new organization is added, create a new record on the DeDupOrg array [set DeDupOrgID, DeDupOrgName, OrigRnd, CreateQ, MostRecentRU, and DeDupOrgTp].

Regardless of whether organization is selected or added, set Insurance.DeDupOrgID = DedupOrg.DedupOrgID and Insurance.HISrcName = DedupOrg.DeDupOrgName

If a new organization is created at HP60, set DeDupOrgID, DeDupOrgName, OrigRnd, CreateQ, MostRecentRU, and DeDupOrgTp. If Insurance.DirectPurchTp= 1 then DeDupOrgTp = DirectPurchase_Employer_Union. If Insurance.DirectPurchaseTp = 2, 3, 4, 5, 91, DK, RF then DeDupOrgTp = DirectPurchase_Other.

Allow 40 characters for DeDupOrgName roster entries.

**Display
Instructions:**

Roster 3-Add/Edit/Delete Allowed.

Roster Definition:

This item displays jobs, unions, or sources of direct purchase insurance that are linked to this RU (DeDupOrgName).

Roster Filter:

Display jobs, unions, or sources of direct purchase insurance that are linked to this RU (DeDupOrgName where MostRecentRU=this RU), but excludes organization names that were added in error or flagged for clean-up.

When CTRL-A is selected, display the following customized question wording in the pop-up:

If looping on code '5' (UNDER PLAN OF SOMEONE NOT LIVING HERE) at HX200 or HX300 (Insurance.DirectPurchTp= SomeoneNotLivingHere), display:

You mentioned that {you/someone in the family} {receive/receives} health insurance from the plan of someone not living here. How {do/does} {you/that policyholder} get this insurance?

INTERVIEWER: RECORD INSURANCE SOURCE NAME BELOW, SUCH AS EMPLOYER OR UNION NAME OR NAME OF DIRECT PURCHASE ORGANIZATION.

Otherwise, display:
INSURANCE SOURCE: {DIRECT PURCHASE TYPE}

Display 'you', 'receive', 'do' and 'you' if single person RU and the respondent is an RU member.

Otherwise, display 'someone in the family', 'receives,' 'does', and 'that policyholder'.

RECORD SOURCE NAME WHERE PERSON PURCHASED/OBTAINED INSURANCE.

Display the following for 'DIRECT PURCHASE TYPE' on pop-up:

- 'EMPLOYER OR UNION' if coded '1' at HX200 or HX300 (looping on Insurance.DirectPurchTp= CurrPrevEmployerUnion) or if looping because HX225 was coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) (looping on Insurance.DirectPurchTp= CurrPrevEmployerUnion).
- 'INSURANCE COMPANY OR AGENT/BROKER' if coded '3' at HX200 or HX300 (looping on Insurance.DirectPurchTp= InsuranceCoAgentBroker)
- 'GROUP OR ASSOCIATION' if coded '4' at HX200 or HX300 (looping on Insurance.DirectPurchTp=GroupAssociation)
- 'PLAN OF SOMEONE NOT LIVING HERE' if coded '5' at HX200 or HX300 (looping on Insurance.DirectPurchTp=SomeoneNotLivingHere)
- '{OTHER SPECIFY TEXT}' if coded '91' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Other)
- 'SOURCE THAT PROVIDED DIRECTLY PURCHASED INSURANCE' if coded 'RF' or 'DK' at HX200 or HX300 (looping on Insurance.DirectPurchTp=RF or DK)

Display 'Please give... this insurance.' if Insurance.DirectPurchTp<> SomeoneNotLivingHere.

Otherwise, display 'You mentioned... this insurance?'

- Display 'group or association' if Insurance.DirectPurchTp=GroupAssociation.
- Display 'insurance company (for the insurance purchased from an agent) if Insurance.DirectPurchTp= InsuranceCoAgentBroker
- Display 'employer or union' if Insurance.DirectPurchTp=CurrPrevEmployerUnion.
- Display '{OTHER SPECIFY TEXT}' if Insurance.DirectPurchTp=Other. For 'OTHER SPECIFY TEXT' display the text entered at HX200OS or HX300OS.
- Display 'source' if Insurance.DirectPurchTp=RF or DK.

Display 'you' if single person RU and respondent is RU member. Otherwise, display 'someone in the family'.

Display 'purchased' if Insurance.DirectPurchTp=GroupAssociation, InsuranceCoAgentBroker, CurrPrevEmployerUnion, RF, DK. Otherwise, display 'obtained'.

Full Detail Spec

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

BOX 50

(HP1075)

Item Type: Route

Type Class: If Then

Route Details:

If looping on a direct purchase type (i.e., category selected at HX200 or HX300 or code '2', 'DK', or 'RF' at HX225) (Insurance.HISrc=Direct Purchase), go to HP90. Otherwise, continue with HP70.

HP70

(HP1080)

BLAISE NAME: Pclyhdr

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TYESNO

Answers allowed: 1

ArrayMax:

Max value:

Help Available (PclyhdrHelp)

Show Card ()

Look Up File ()

Context Header:

{PERSON'S FIRST MIDDLE AND LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

{{Are/Is}/As of {END DATE}, {were/was}} {you/{PERSON}} the primary insured person or policyholder of this health coverage through {INSURANCE SOURCE NAME}?

HELP: F1

Responses:

YES	1	BOX_60	(HP1110)
NO	2	HP80	(HP1085)
REFUSED	RF	HP80	(HP1085)
DON'T KNOW	DK	HP80	(HP1085)

Programmer Instructions: Person refers to jobholder.

If coded '1' (YES), set jobholder as 'POLICYHOLDER'. [Set Insurance.Plcyhdr=Jobs.PersID]

Display Instructions: Display '{Are/Is}' if current round is not the final round of the panel (RndType<>Final). Display 'As of {END DATE}', {were/was}' if current round is the final round of the panel (RndType=Final).

For '{PERSON}', display the full name (Person.FullName) of the jobholder that came into HP from HX LOOP_10.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]
Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

HP80	(HP1085)	BLAISE NAME: JobEmpList		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TOnList	Answers allowed: 1	ArrayMax:	Max value:

Help Available (PlcyhdrHelp) Show Card () Look Up File ()

Context Header: {NAME OF INSURANCE SOURCE}

Question Text:

Who {is/was} the primary insured person or policyholder of this health coverage through {INSURANCE SOURCE NAME} {on {END DATE}}?

{JOBHOLDER/EMPLOYER-PAIR 1}
{JOBHOLDER/EMPLOYER-PAIR 2}
{JOBHOLDER/EMPLOYER-PAIR 3}
{JOBHOLDER/EMPLOYER-PAIR 4}
{JOBHOLDER/EMPLOYER-PAIR N}

HELP: F1

Responses: JOBHOLDER/EMPLOYER IS LISTED 1 END_LP10 (HP1215)
 JOBHOLDER/EMPLOYER IS NOT LISTED 2 END_LP10 (HP1215)
 REFUSED RF END_LP10 (HP1215)
 DON'T KNOW DK END_LP10 (HP1215)

**Programmer
Instructions:**

Roster Behavior:
1. Display only.

Flag insurance being looped on where jobholder is not policyholder (HP70=2, RF, DK) for cleanup.

**Display
Instructions:**

Roster 2: No Add/Edit/Delete

Roster Definition:

This item displays employer/jobholder pairs. [Display Person.FullName and Job.JobsEstbName where PersID=Job.PersID]

Roster Filter:

Display all pairs that meet the following condition:

1. Job 'PROVIDES HEALTH INSURANCE' [Job.EmpHi=Yes]

Display 'is' if current round is not the final round of the panel (RndType<>Final). Display 'was' if current round is the final round of the panel (RndType=Final). Display 'on {END DATE}' if current round is the final round of the panel (RndType=Final). Otherwise, use null display.

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]
Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

Full Detail Spec

HP90

(HP1090)

BLAISE NAME: PlcyhldrRoster

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**

Type Class: Enumerated **Field Size:**

Answer Type: TPRIMARYPOLICYH **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (PlcyhldrHelp)

Show Card ()

Look Up File ()

Context Header: {NAME OF INSURANCE SOURCE}

Question Text:

Who {is/was} the primary insured person or policyholder of this health coverage through {INSURANCE SOURCE NAME} {on {END DATE}}?

CAPI WILL PROMPT SEPARATELY FOR ANOTHER POLICYHOLDER WITH A PLAN FROM {DIRECT PURCHASE TYPE}.

HELP:F1

- Responses:**
- {FIRST NAME,[MIDDLE NAME], LAST NAME}1 1
 - {FIRST NAME,[MIDDLE NAME], LAST NAME}2 2
 - {FIRST NAME,[MIDDLE NAME], LAST NAME}3 3
 - {FIRST NAME,[MIDDLE NAME], LAST NAME}4 4
 - {FIRST NAME,[MIDDLE NAME], LAST NAME}N 5
 - POLICYHOLDER NOT LISTED IN DU 98
 - POLICYHOLDER DECEASED 99

Programmer Instructions: Roster Behavior:
1. Single select allowed.

If 'POLICYHOLDER DECEASED' selected, go to HP110.

If 'POLICYHOLDER NOT LISTED IN DU' selected, continue with HP100. Otherwise, go to BOX_60.

Set Insurance.Plcylhdr=PersID if DU member selected or set to 901 if 'Policyholder Deceased' selected or set to 902 if 'Policyholder Not in DU' selected.

Set Insurance.HIPubPriv=Private and Insurance.HISrc=Direct Purchase and Insurance.DirectPurchTp=DirPType being looped on. Set Create Q and OrigRnd.

Hard Check:

If looping on code '2' (DIRECTLY FROM {STATE EXCHANGE NAME-A} OR FEDERAL MARKETPLACE) at HX200 or HX300, an RU member cannot be selected if he/she is already listed as a current policyholder for insurance coverage 'DIRECTLY FROM {STATE EXCHANGE NAME-A} OR FEDERAL MARKETPLACE' [looping on Insurance.DirectPurchTp= ExchangeMarketplace and array has a person where [PersID=Insurance.Plcylhdr where Insurance.DirectPurchTp= ExchangeMarketplace]. If so, display the following message: "{PERSON} ALREADY HAS COVERAGE THROUGH {STATE EXCHANGE NAME} OR FEDERAL MARKETPLACE. SELECT ANOTHER PERSON AS THE POLICYHOLDER OR BACK-UP TO REVIEW RESPONSES."

Display Instructions:

Roster 2- No Add/Edit/Delete

Roster Definition:
This item displays DU-members-roster for selection.

Roster Filter:

No filter; display all DU members. This can include DU members where PriorRndInelig=YES or EMPTY, but should exclude RU members where RemovedAtRE330=YES. This setting will exclude RU members who were deceased in a prior round as well as any RU members marked as non-key living away, unrelated 1 person RU and incorrectly listed but continues to show persons who could eventually rejoin the RU such as those who are in jail or outside the country.

If looping on code '2' (DIRECTLY FROM {STATE EXCHANGE NAME-A} OR FEDERAL MARKETPLACE) at HX200 or HX300, display any RU member who is already listed as a current policyholder for insurance coverage that is 'DIRECTLY FROM {STATE EXCHANGE NAME-A} OR FEDERAL MARKETPLACE' as grayed-out text [looping on Insurance.DirectPurchTp=ExchangeMarketplace and array has a person where [PersID=Insurance.Plcylhdr where Insurance.DirectPurchTp=ExchangeMarketplace].

Display 'is' if current round is not the final round of the panel (RndType<>Final). Display 'was' if current round is the final round of the panel (RndType=Final).

Display 'on' {END DATE} if current round is the final round of the panel (RndType=Final). Otherwise, use null display.

Display the following for 'DIRECT PURCHASE TYPE':

- 'EMPLOYER OR UNION' if coded '1' at HX200 or HX300 (looping on Insurance.DirectPurchTp= CurrPrevEmployerUnion) or if looping because HX225 was coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) (looping on Insurance.DirectPurchTp= CurrPrevEmployerUnion).
- 'INSURANCE COMPANY OR AGENT/BROKER' if coded '3' at HX200 or HX300 (looping on Insurance.DirectPurchTp= InsuranceCoAgentBroker)
- 'GROUP OR ASSOCIATION' if coded '4' at HX200 or HX300 (looping on Insurance.DirectPurchTp= GroupAssociation)
- 'SOMEONE NOT LIVING HERE' if coded '5' at HX200 or HX300 (looping on Insurance.DirectPurchTp= SomeoneNotLivingHere).
- '{STATE EXCHANGE NAME-A} OR FEDERAL MARKETPLACE' if coded '2' at HX200 or HX300 (looping on Insurance.DirectPurchTp= ExchangeMarketplace).
- '{OTHER SPECIFY TEXT}' if coded '91' at HX200 or HX300 (looping on Insurance.DirectPurchTp= Other).
- 'A SOURCE THAT PROVIDED DIRECTLY PURCHASED INSURANCE' if coded 'RF' or 'DK' at HX200 or HX300 (looping on Insurance.DirectPurchTp= RF or DK).

For 'STATE EXCHANGE NAME-A', display exchange name 'A' associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

For 'OTHER SPECIFY TEXT' display the text entered at HX200OS or HX300OS.

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

Full Detail Spec

HP100	(HP1095)	BLAISE NAME: PlcyhldrNotDUName		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available (PlcyhldrHelp) Show Card () Look Up File ()

Context Header: {NAME OF INSURANCE SOURCE}

Question Text:

INTERVIEWER: ENTER NAME OR DESCRIPTION OF POLICYHOLDER WHO IS NOT IN THE DU:

HELP:F1

Responses: 1 BOX_60 (HP1110)

Programmer Instructions: If Insurance.Plcyhldr = 902, set the display for Insurance.Plcyhldr = PLCYHLDR NOT IN DU-followed by the first 15 characters entered at HP100

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

BOX_70 **(HP1115)** **Item Type:** Route **Type Class:** If Then

Route Details: If looping on code '1' (EMPLOYER OR UNION (THROUGH ANYONE'S CURRENT OR PREVIOUS JOB)) at HX200 or HX300 or if looping because HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED) (Insurance.DirectPurchTp= CurrPrevEmployerUnion), continue with BOX_80.

Otherwise, go to BOX_90.

BOX_80 **(HP1120)** **Item Type:** Route **Type Class:** If Then

Route Details: If policyholder currently being cycled on is deceased [(Insurance.Plcyhldr = 901) or (Insurance.Plcyhldr=PersID where Person.PersRndStatus=DeadEligPt)], auto-code HP120 as '4' (DECEASED) and go to BOX_90.

If policyholder is not a current RU member [(Insurance.Plcyhldr=902) or (Insurance.Plcyhldr=PersID where Person.MostRecentRU<>RUUnit)], go to BOX_90.

Otherwise, continue with HP120.

HP120	(HP1125)	BLAISE NAME: PlcyhldrEmpStat		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TEMPLSTAT	Answers allowed: 1	ArrayMax:	Max value:

Help Available (PlcyhldrEmpStatHelp) Show Card () Look Up File ()

Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

{Are/Is} {you/ {POLICYHOLDER}} currently employed at this job, retired from this job, previously employed at this job, or is it some other situation?

HELP: F1

Responses:	CURRENTLY EMPLOYED	1	BOX_90	(HP1135)
	RETIRED	2	BOX_90	(HP1135)
	PREVIOUSLY EMPLOYED	3	BOX_90	(HP1135)
	DECEASED	4	BOX_90	(HP1135)
	OTHER	91	HP120OS	(HP1130)
	REFUSED	RF	BOX_90	(HP1135)
	DON'T KNOW	DK	BOX_90	(HP1135)

Programmer Instructions: Do not display response code '4' (DECEASED) as a response option when HP120 is presented on path. It remains only as an option for when it is auto-coded via BOX_80.

Display Instructions: Display HP120 and HP120OS on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at MEPS(Fall/Spring) YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring) YYYY_PrivHI.HP_DirectPurch_Loop10.HP_DirectPurch_Loop20[1..32]

Full Detail Spec

HP1200S

(HP1130)

BLAISE NAME: PlcyhldrEmpStatOS

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**

Type Class: String **Field Size:** 25

Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

SPECIFY:

Responses:

.....	1	BOX_90	(HP1135)
REFUSED	RF	BOX_90	(HP1135)
DON'T KNOW	DK	BOX_90	(HP1135)

Display Instructions: Display HP120 and HP1200S on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at MEPS(Fall/Spring) YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring) YYYY_PrivHI.HP_DirectPurch_Loop10.HP_DirectPurch_Loop20[1..32]

BOX 90

(HP1135)

Item Type: Route

Type Class: If Then

Route Details:

If looping on code '5' (UNDER PLAN OF SOMEONE NOT LIVING HERE) at HX200 or HX300 (Insurance.DirectPurchTp= SomeoneNotLivingHere), continue with HP130.

If [HP120 is not coded '1' (CURRENTLY EMPLOYED)] and [looping on code '1' (EMPLOYER OR UNION (THROUGH ANYONE'S CURRENT OR PREVIOUS JOB) or code '91' (OTHER SOURCE) at HX200 or HX300 (Insurance.DirectPurchTp=CurrPrevEmployerUnion or Other) or if looping because HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED) (Insurance.DirectPurchTp= CurrPrevEmployerUnion)], go to HP140.

If looping on insurance associated with an employer from the Employment (EM) section that provides health insurance and job type is 'FORMER MAIN', 'FORMER MISCELLANEOUS' or 'LAST JOB OUTSIDE REFERENCE PERIOD' and job is 'NOT RETIRED FROM' [Insurance.HISrc=Employer and (JobTp=FORMER MAIN or FORMER MISC or LAST JOB OUTSIDE REFERENCE PERIOD) and (Job.RetireJob<> Yes)], go to HP140.

Otherwise, go to BOX_110.

HP130	(HP1140)	BLAISE NAME: HIThroughEmp		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

Is the {INSURANCE SOURCE NAME} health coverage {POLICYHOLDER} has through an employer or previous employer?

Responses:	YES	1	HP140	(HP1145)
	NO	2	BOX_110	(HP1160)
	REFUSED	RF	HP140	(HP1145)
	DON'T KNOW	DK	HP140	(HP1145)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

HP140 **(HP1145)** **BLAISE NAME:** COBRAPlan
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (COBRAHelp) Show Card () Look Up File ()

Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

Some employer insurance can be continued after leaving the company by continuing to pay the premium. This is sometimes referred to as a COBRA plan.

{Is/Was} {your/{POLICYHOLDER}'s} {INSURANCE SOURCE NAME} insurance like that {on {END DATE}}?

HELP: F1

Responses: YES 1 BOX_110 (HP1160)
 NO 2 BOX_110 (HP1160)
 REFUSED RF BOX_110 (HP1160)
 DON'T KNOW DK BOX_110 (HP1160)

Display Instructions: Display 'Is' if current round is not the final round of the panel (RndType<>Final). Display 'Was' if current round is the final round of the panel (RndType=Final). Display 'on (END DATE)' if current round is the final round of the panel (RndType=Final).

Otherwise, use null display.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]
 Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10
 Variable collected at HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10
 Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]
 Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

Programmer Instructions: Soft Check: If coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and if the policyholder selected at HP90 is not a current RU member or code '99' (POLICYHOLDER DECEASED) or code '98' (POLICYHOLDER NOT LISTED IN DU) [(Insurance.Plychldr = 901 or 902) or (PolicyHolder=PersID where Person.MostRecentRU > RUUnit)], display the following message: "UNLIKELY RESPONSE. NO ONE IN THE RU IS COVERED AS A DEPENDENT AND THE POLICYHOLDER IS NOT AN RU MEMBER. REVIEW ENTRIES FOR POLICYHOLDER (HP90 (PlychldrRoster)) AND WHETHER ANYONE IN RU COVERED (HP160 (CovdDepend)). IF CHANGES ARE NOT MADE, INSURANCE WILL BE DELETED." If the soft check is suppressed without corrections being made, that is no current RU members are in the covered person array, the insurance will need to be flagged for clean-up. If insurance is flagged for clean-up, remaining follow-up items in HP are not asked for this instance of LOOP_10. Exit LOOP_10 and go to BOX_150.

Display Instructions: Display 'living here' if looping on code '5' (UNDER PLAN OF SOMEONE NOT LIVING HERE) at HX200 or HX300 (Insurance.DirectPurchTp= SomeoneNotLivingHere).

Display 'since {PERSON'S START DATE}/{START DATE}' if current round is not the final round of the panel (RndType<>Final).

Display 'between {PERSON'S START DATE}/{START DATE} and {PERSON'S END DATE}/{END DATE}' if current round is the final round of the panel (RndType=Final).

For '{PERSON'S START DATE}', display the person level reference period start date. Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variables BegRefM, BegRefD, BegRefY.

For '{PERSON'S END DATE}', display the person level reference period end date. Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variables EndRefM, EndRefD, EndRefY.

Display '{PERSON'S START DATE}' and '{PERSON'S END DATE}' if the policyholder is part of the current RU (PolicyHolder=PersID where Person.MostRecentRU=RUUnit). Otherwise, display '{START DATE}' AND '{END DATE}'. See BOX_10 for variables to use for dates.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

Full Detail Spec

HP170 **(HP1170)** **BLAISE NAME:** DependRoster
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TPOLICYDEPDENT **Answers allowed:** 99 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

Who is that?

PROBE: Was anyone else covered as a dependent {since {PERSON'S START DATE}/{START DATE}}/between {PERSON'S START DATE}/{START DATE}} and {PERSON'S END DATE}/END DATE}}? ENTER ALL THAT APPLY.

Responses:

{First Name, [Middle Name], Last Name }1	- 1	BOX_120	(HP1180)
{First Name, [Middle Name], Last Name }2	- 2	BOX_120	(HP1180)
{First Name, [Middle Name], Last Name }3	- 3	BOX_120	(HP1180)
{First Name, [Middle Name], Last Name }4	- 4	BOX_120	(HP1180)
{First Name, [Middle Name], Last Name }N	5	BOX_120	(HP1180)
PERSON NOT LISTED IN RU	99	BOX_120	(HP1180)

**Programmer
Instructions:**

Roster Behavior:
1. Multiple select allowed.

Add all selected RU members to the Covered Person array.

If coded '99' (PERSON NOT LISTED IN RU), set Insurance.CovPersOutRU=Yes.

Display 'since {PERSON'S START DATE}/{START DATE}' if current round is not the final round of the panel (RndType<>Final).

Display 'between {PERSON'S START DATE}/{START DATE} and {PERSON'S END DATE}/{END DATE}' if current round is the final round of the panel (RndType=Final).

Display '{PERSON'S START DATE}' and '{PERSON'S END DATE}' if the policyholder is part of the current RU (PolicyHolder=PersID where Person.MostRecentRU=RUUnit). Otherwise, display '{START DATE}' AND '{END DATE}'. See BOX_10 for variables to use for dates.

Soft Check: If code '99' (PERSON NOT LISTED IN RU) selected alone at HP170 and if the policyholder selected at HP90 (and currently being cycled on) is not a current RU member or code '99' (POLICYHOLDER DECEASED) or code '98' (POLICYHOLDER NOT LISTED IN DU) or [(Insurance.Plyhldr = 901 or 902) or (PolicyHolder=PersID where Person.MostRecentRU<>RUUnit)], display the following message: "UNLIKELY RESPONSE. NO ONE IN THE RU IS COVERED AS A DEPENDENT AND THE POLICYHOLDER IS NOT AN RU MEMBER. REVIEW ENTRIES FOR POLICYHOLDER (HP90 (PlyhldrRoster)) AND DEPENDENTS (HP170 (DependRoster)). IF CHANGES ARE NOT MADE, INSURANCE WILL BE DELETED." If the soft check is suppressed without corrections being made, that is no current RU members are in the covered person array, the insurance will need to be flagged for clean-up. If insurance is flagged for clean-up, remaining follow-up items in HP are not asked for this instance of LOOP_10. Exit LOOP_10 and go to BOX_150.

**Display
Instructions:**

Roster 2 - No Add/Edit/Delete

Roster Definition:
This item displays RU-members-roster (Person.FullName) for selection of RU-members.

Roster Filter:
Display all persons on the RU-members-roster excluding the person who is the policyholder for this insurance being looped on.

Display 'since {START DATE}' if current round is not the final round of the panel (RndType<>Final).
Display 'between {START DATE} and {END DATE}' if current round is the final round of the panel (RndType=Final).

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at

HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

HP180	(HP1175)	BLAISE NAME: CovPersOutRU		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (CovdDependHelp) Show Card () Look Up File ()

Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

{Does/Between {PERSON'S START DATE}/{START DATE}} and {PERSON'S END DATE}/{END DATE}}, did {your/ {POLICYHOLDER}'s} health coverage through {INSURANCE SOURCE NAME} cover as dependents any persons who do not live here?

HELP: F1

Responses:	YES	1	BOX_120	(HP1180)
	NO	2	BOX_120	(HP1180)
	REFUSED	RF	BOX_120	(HP1180)
	DON'T KNOW	DK	BOX_120	(HP1180)

**Programmer
Instructions:**

If coded '1' (YES), set Insurance.CovPersOutRU=Yes.

**Display
Instructions:**

Display 'Does' if current round is not the final round of the panel (RndType<>Final). Display 'Between {START DATE} and {END DATE}, did ' if current round is the final round of the panel (RndType=Final).

Display 'Between {PERSON'S START DATE}/{START DATE}' if current round is not the final round of the panel (RndType<>Final).

Display '{PERSON'S START DATE}' and '{PERSON'S END DATE}' if the policyholder is part of the current RU (PolicyHolder=PersID where Person.MostRecentRU=RUUnit). Otherwise, display '{START DATE}' AND '{END DATE}'. See BOX_10 for variables to use for dates.

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_10[1..75].HP_EmpUnion_Loop10[1..2]

Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

BOX_120

(HP1180)

Item Type: Route

Type Class: If Then

Route Details:

If at least one RU member is listed as the policyholder or as a covered person, continue with BOX_130.

Otherwise, go to BOX_140.

BOX 130 **(HP1190)** **Item Type:** Route **Type Class:** If Then

Route Details: Ask the time period covered detail (HQ) section.

This instance of the HQ section collects time period coverage detail for all current RU members that are covered as either the policyholder or a dependent through this insurance being looped on. The grid for the HQ section should be preloaded with all persons in the covered person array for this insurance.

Note: The persons in the covered persons array include the following:

- Person is a current RU member and is flagged as the policyholder for this pair (HP70 is coded '1' (YES) (Jobholder=Policyholder) or a current RU member is selected at HP90) or
- Person was selected at as dependent at HP170 for this pair (do not include selections of code '99' (PERSON NOT LISTED IN RU) at HP170

At completion of time period covered detail (HQ) section, continue with BOX_140.

BOX 140 **(HP1205)** **Item Type:** Route **Type Class:** If Then

Route Details: If looping on insurance associated with an employer or union from the Employment (EM) section that provides health insurance (Insurance.HISrc=Employer or Union), go to END_LP10.

Otherwise, continue with HP190.

Full Detail Spec

HP190	(HP1210)	BLAISE NAME: AnotherDirectPurch		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {POLICYHOLDER FIRST MIDDLE LAST NAME} INSURANCE THROUGH {NAME OF INSURANCE SOURCE}

Question Text:

Aside from {your/{POLICYHOLDER}'s} {INSURANCE SOURCE NAME} insurance, is there another health insurance plan that {you/anyone in the family} {obtain/obtains} {directly} from {DIRECT PURCHASE TYPE}?

Responses:

YES	1	END_LP10	(HP1215)
NO	2	END_LP10	(HP1215)
REFUSED	RF	END_LP10	(HP1215)
DON'T KNOW	DK	END_LP10	(HP1215)

Programmer Instructions: If coded '1' (YES), create direct purchase insurance with the same type that is currently being looped on [set Insurance.HIPubPriv=Private and Insurance.HISrc=Direct Purchase and Insurance.DirectPurchTp=DirPType being looped on] [set Create Q and OrigRnd]. NOTE: While the insurance is being created at HP190, for the purposes of the specifications, it will be treated as if was created at HX200 or HX300, wherever the original direct purchase insurance was created.

Display Instructions: Display 'your', 'you', and 'obtain' if respondent is the policyholder being looped on. Otherwise, display '{POLICYHOLDER}', 'anyone in the family' and 'obtains'.

Display 'directly' if looping on code '11' (DIRECTLY FROM {STATE EXCHANGE NAME-A}) at HX200 or HX300 (Insurance.DirectPurchTp=Exchange). Otherwise, use a null display.

Display the following for 'DIRECT PURCHASE TYPE':

- 'an employer or union' if coded '1' at HX200 or HX300 (looping on Insurance.DirectPurchTp= CurrPrevEmployerUnion) or if looping because HX225 is coded '2' (NO), 'DK' (DON'T KNOW), or 'RF' (REFUSED) (looping on Insurance.DirectPurchTp= CurrPrevEmployerUnion).
- '{STATE EXCHANGE NAME-A} OR FEDERAL MARKETPLACE' if coded '2' at HX200 or HX300 (looping on Insurance.DirectPurchTp= ExchangeMarketplace).
- 'an insurance company or agent or broker' if coded '3' at HX200 or HX300 (looping on Insurance.DirectPurchTp= InsuranceCoAgentBroker).
- 'a group or association' if coded '4' at HX200 or HX300 (looping on Insurance.DirectPurchTp= GroupAssociation).
- 'the plan of someone not living here' if coded '5' at HX200 or HX300 (looping on Insurance.DirectPurchTp= SomeoneNotLivingHere).
- 'the {OTHER SPECIFY TEXT}' if coded '91' at HX200 or HX300 (looping on Insurance.DirectPurchTp=Other).
- 'a source that provided directly purchased insurance' if coded 'RF' or 'DK' at HX200 or HX300 (looping on Insurance.DirectPurchTp=RF or DK).

For 'STATE EXCHANGE NAME-A', display exchange name 'A' associated with the state in which interview is being conducted. For the specific name to use by state, see the plan fill file.

For 'OTHER SPECIFY TEXT' display the text entered at HX200OS or HX300OS.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.HX_Main.HXLoop_40[1..25].HP_DirectPurch_Main.HP_DirectPurch_Loop10

Variable collected at MEPS(Fall/Spring) YYYY.HX_Main.HXOthHICovg.HP_DirectPurch_Main[1..8].HP_DirectPurch_Loop10

Variable stored at MEPS(Fall/Spring)YYYY_PrivHI.HP_DirectPurch_Loop10

END_LP10 **(HP1215)** **Item Type:** Route **Type Class:** End Loop

Route Details: If HP190 is coded '1' (YES), cycle to collect next insurance source name for this same direct purchase type.

 If HP190 is not asked or is coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), end LOOP_10 and continue with BOX_150.

BOX_150 **(HP1220)** **Item Type:** Route **Type Class:** If Then

Route Details: Return to the health insurance (HX) section.

[End of HP]