SpecWriter Data

Form Version:	6/22/2023 2:44:26 PM
Report Type:	Full Detail
Project Database:	WESSQL300.MEPSSpring2024
Language:	English
Spec Label:	

This is the cover page. Additional contents currently project specific.

BOX_00	(MV1000)	**Item Type:** Route	**Type Class:** If Then

Route Details: 01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60

04 Single Select = MV10, MV20, MV30, MV40, MV60, MV80, MV100, MV110

05 Single Select with Display Roster = MV130

06 Single Select with Fill in Answer Text = MV50

08 Multiple Select = MV90

11 Multiple Select with Add/Edit/Delete = MV70, MV120

23 Text Field = MV150

28 Trigram Lookup = MV20LU

30 Multiple Select with Fill in Answer Text and Display Roster = MV140

Roster 2 = MV140

Roster 3 = MV70, MV120

BOX_10	(MV1001)	**Item Type:** Route	**Type Class:** If Then

Route Details: Context Header Display Instructions:
SEE CONTEXT HEADER SPEC

If provider is flagged as facility provider, also display doctor or department linked to this facility provider for this event (if available).

If a provider is flagged as a person-provider and MV10 has already been asked for this person-provider in this round (for any RU member), auto-code MV10 with the response that was coded when it was first looped on and go to BOX 20.

Otherwise, continue with MV10.

MV10	**(MV1015)**	**BLAISE NAME:** MVSeeDoc		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TYESNO	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☑ Help Available (MDDOTypes) ☐ Show Card (   ) ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

Question Text:

{Is {PROVIDER} a medical doctor?/Did {you/{PERSON}} see a medical doctor during this particular visit?}

HELP: F1

Responses:

YES	---	1
NO	---	2
REFUSED	---	RF
DON'T KNOW	------------------------------------	DK

Programmer Instructions: If MV10 is coded '1' (YES) and provider associated with event is a facility-provider, go to MV20.
If MV10 is coded '2' (NO), 'RF' or 'DK' and provider associated with event is a facility-provider, go to MV30.
Otherwise, continue with BOX_20.

Display Instructions: Display 'Is {PROVIDER} a medical doctor?' if Provider linked to this event is flagged as a 'person-provider'. Otherwise, display 'Did {you/{PERSON}} see a medical doctor during this particular visit?'

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

<u>**BOX_20**</u>	<u>**(MV1017)**</u>	**Item Type:** Route	**Type Class:** If Then

Route Details: If MV10 is coded '1' (YES) and provider associated with event is a person-provider, and person-provider already has MV20/20LU (specialty) recorded this round (for any RU member) or in a previous round (for any RU member) (preload.MVDocSpecFlag), **OR**

If MV10 is coded '2' (NO), 'DK', or 'RF' and provider associated with event is a person-provider, and person-provider already has MV30 (provider type) recorded this round (for any RU member) or in a previous round (for any RU member) (preload.MVMedTypeFlag),

Go to BOX_30.

If MV10 is coded '1' (YES) and provider associated with event is a person-provider, and person-provider does **NOT** already have MV20/20LU (specialty) recorded this round (for any RU member) or in a previous round (for any RU member), go to MV20 (preload.MVDocSpecFlag).

If MV10 is coded '2' (NO), 'DK', or 'RF' and provider associated with event is a person-provider, and person-provider does **NOT** already have MV30 (provider type) recorded this round (for any RU member) or in a previous round (for any RU member), go to MV30 (preload.MVMedTypeFlag).

MV20	**(MV1020)**	**BLAISE NAME:** MVDocSpeclty	
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TDRSPLTY_MV_RE	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☐ Help Available (   )   ☑ Show Card (MV-1)   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE
PROVIDER}-{DOC OR DEPT} {EVN-DT}

Question Text:

📖MV-1.

Looking at card MV-1, what was the doctor's specialty?

IF TALKED TO MORE THAN ONE DOCTOR, PROBE FOR MAIN PROVIDER.

Responses:				
	ALLERGY/IMMUNOLOGY	1	BOX_30	(MV1030)
	CARDIOLOGY (HEART)	3	BOX_30	(MV1030)
	DERMATOLOGY (SKIN)	4	BOX_30	(MV1030)
	ENDOCRINOLOGY/METABOLISM (DIABETES, THYROID)	5	BOX_30	(MV1030)
	FAMILY PRACTICE	6	BOX_30	(MV1030)
	GASTROENTEROLOGY	7	BOX_30	(MV1030)
	GENERAL PRACTICE	8	BOX_30	(MV1030)
	GENERAL SURGERY	9	BOX_30	(MV1030)
	GYNECOLOGY/OBSTETRICS	11	BOX_30	(MV1030)
	INTERNAL MEDICINE (INTERNIST)	14	BOX_30	(MV1030)
	NEPHROLOGY (KIDNEYS)	15	BOX_30	(MV1030)
	NEUROLOGY	16	BOX_30	(MV1030)
	ONCOLOGY (TUMORS, CANCER)	18	BOX_30	(MV1030)
	OPHTHALMOLOGY (EYES)	19	BOX_30	(MV1030)
	ORTHOPEDICS	20	BOX_30	(MV1030)
	OTORHINOLARYNGOLOGY (EAR, NOSE, THROAT)	22	BOX_30	(MV1030)
	PEDIATRICIAN	24	BOX_30	(MV1030)
	PSYCHIATRY/PSYCHIATRIST	28	BOX_30	(MV1030)
	UROLOGY	33	BOX_30	(MV1030)
	OTHER DR SPECIALTY	91	MV20LU	(MV1023)
	REFUSED	RF	BOX_30	(MV1030)
	DON'T KNOW	DK	BOX_30	(MV1030)

**Display
Instructions:**

**Testing/Editing   Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
Notes:**   Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV20LU	**(MV1023)**	**BLAISE NAME:** MVDocSpecltyLU

Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TDRSPLTY	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☐ Help Available (   )   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

Question Text:

ENTER OTHER DOCTOR SPECIALTY.

TYPE THE FIRST 3 LETTERS OF THE SPECIALTY, THEN USE ARROW KEYS IF NEEDED TO LOCATE SPECIALTY, AND PRESS ENTER TO SELECT.

Responses:	
ALLERGY/IMMUNOLOGY	1
ANESTHESIOLOGY	2
CARDIOLOGY (HEART)	3
DERMATOLOGY (SKIN)	4
ENDOCRINOLOGY/METABOLISM (DIABETES, THYROID)	5
FAMILY PRACTICE	6
GASTROENTEROLOGY	7
GENERAL PRACTICE	8
GENERAL SURGERY	9
GERIATRICS (ELDERLY)	10
GYNECOLOGY/OBSTETRICS	11
HEMATOLOGY (BLOOD)	12
HOSPITAL RESIDENCE	13
INTERNAL MEDICINE (INTERNIST)	14
NEPHROLOGY (KIDNEYS)	15
NEUROLOGY	16
NUCLEAR MEDICINE	17
ONCOLOGY (TUMORS, CANCER)	18
OPHTHALMOLOGY (EYES)	19
ORTHOPEDICS	20
OSTEOPATHY (DO)	21
OTORHINOLARYNGOLOGY (EAR, NOSE, THROAT)	22
PATHOLOGY	23
PEDIATRICIAN	24
PHYSICAL MEDICINE/REHAB	25
PLASTIC SURGERY	26
PROCTOLOGY	27
PSYCHIATRY/PSYCHIATRIST	28
PULMONARY	29

RADIOLOGY	--	30
RHEUMATOLOGY (ARTHRITIS)	------------------	31
THORACIC SURGERY (CHEST)	------------------	32
UROLOGY	--	33
OTHER DR SPECIALTY	----------------------------	91
REFUSED	--	RF
DON'T KNOW	--	DK

Programmer Instructions:

Go to BOX_30.

Responses listed are part of the provider specialty look-up file that works similar to a trigram search.

Browser window should be labeled "SELECT SPECIALTY".

Response code numbers should be stored behind the scenes and not visible in the look-up window.

Display Instructions:

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV30	**(MV1025)**	**BLAISE NAME:** MVMPTp		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TMVMEDPER	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☑ Help Available (MPTpHelp)   ☑ Show Card (MV-2)   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT} {EVN-DT}

Question Text:

📖MV-2.

Looking at card MV-2, what type of medical person did {you/{PERSON}} talk to on {VISIT DATE}?

IF TALKED TO MORE THAN ONE MEDICAL PERSON, PROBE FOR MAIN PROVIDER.

HELP: F1

Responses:

ACUPUNCTURIST	1	BOX_30	(MV1030)
CHIROPRACTOR	2	BOX_30	(MV1030)
DENTIST/DENTAL CARE PERSON	3	BOX_30	(MV1030)
HOMEOPATHIC/NATUROPATHIC/HERBA LIST/OTHER ALTERNATIVE/COMPLEMENTARY CARE PROVIDER	4	BOX_30	(MV1030)
MASSAGE THERAPIST	5	BOX_30	(MV1030)
MENTAL HEALTH COUNSELOR/MARITAL OR FAMILY THERAPIST	6	BOX_30	(MV1030)
MIDWIFE	7	BOX_30	(MV1030)
NURSE/NURSE PRACTITIONER	8	BOX_30	(MV1030)
OPTOMETRIST	9	BOX_30	(MV1030)
PHYSICAL/OCCUPATIONAL THERAPIST	10	BOX_30	(MV1030)
PHYSICIAN ASSISTANT	11	BOX_30	(MV1030)
PODIATRIST	12	BOX_30	(MV1030)
PSYCHOLOGIST	13	BOX_30	(MV1030)
SOCIAL WORKER	14	BOX_30	(MV1030)
TECHNICIAN	15	BOX_30	(MV1030)
OTHER	91	BOX_30	(MV1030)
REFUSED	RF	BOX_30	(MV1030)
DON'T KNOW	DK	BOX_30	(MV1030)

Display Instructions:

Testing/Editing Notes:
Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

BOX_30   **(MV1030)**   **Item Type:** Route   **Type Class:** If Then

---

Route Details: IF MV10 IS CODED '1' (YES), GO TO MV50.

If MV10 is coded '2' (NO), 'RF' or 'DK' and (MV10 was coded '1' (YES) or MV40 was coded '1' (YES) for this provider in this round for any RU member), auto code MV40 for this event as '1' (YES) and go to MV50.

If MV10 is coded '2' (NO), 'RF' or 'DK' and MV40 was coded '2' (NO), 'RF' OR 'DK' for this provider in this round for any RU member, auto code MV40 for this event with the same response (NO, RF, DK) and go to MV50.

OTHERWISE, CONTINUE WITH MV40.

MV40	**(MV1035)**	**BLAISE NAME:** MVDocLoctn			
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**	
Type Class:	Enumerated	**Field Size:**			
Answer Type:	TYESNO	**Answers allowed:** 1	**ArrayMax:**	**Max value:**	

☑ Help Available (MDDOTypes)   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT} {EVN-DT}

Question Text:

TYPE OF PERSON HAD CONTACT: {MEDICAL PERSON TYPE FROM MV30}

CODE WITHOUT ASKING IF OBVIOUS. OTHERWISE, ASK:

Do any medical doctors work at {the same location as {PROVIDER}/{PROVIDER}}?

HELP: F1

Responses:	YES	-- 1	MV50	(MV1040)
	NO	-- 2	MV50	(MV1040)
	REFUSED	-- RF	MV50	(MV1040)
	DON'T KNOW	-------------------------------------- DK	MV50	(MV1040)

Display Instructions:	Display 'the same location as {PROVIDER}' if provider is flagged as 'PERSON-TYPE-PROVIDER'. Display '{PROVIDER}' if provider is flagged as 'FACILITY-PROVIDER'.

For 'MEDICAL PERSON TYPE FROM MV30', display the following text for each code selected at MV30 (regardless if MV30 was collected for this RU member or in a previous round) (Provider[I]. MVMPTp):

Code '1'= ACUPUNCTURIST
Code '2' = CHIROPRACTOR
Code '3' = DENTIST/DENTAL CARE PERSON
Code '4'= HOMEOPATHIC/NATUROPATHIC/HERBALIST/ OTHER ALTERNATIVE/COMPLEMENTARY CARE PROVIDER
Code '5'= MASSAGE THERAPIST
Code '6'= MENTAL HEALTH COUNSELOR/MARITAL OR FAMILY THERAPIST
Code '7' = MIDWIFE
Code '8' = NURSE/NURSE PRACTITIONER
Code '9' = OPTOMETRIST
Code '10' = PHYSICAL/ OCCUPATIONAL THERAPIST
Code '11' = PHYSICIAN ASSISTANT
Code '12' = PODIATRIST
Code '13'= PSYCHOLOGIST
Code '14'= SOCIAL WORKER
Code '15'= TECHNICIAN
Code '91'= OTHER
Code 'RF'= REFUSED PROVIDER TYPE
Code 'DK'= DON'T KNOW PROVIDER TYPE

Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.MV_Main Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV50	**(MV1040)**	**BLAISE NAME:** MVVstCat		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TVSTCTGRY	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☑ Help Available (VSTCTGRYHelp)   ☑ Show Card (MV-3)   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT} {EVN-DT}

Question Text:

📖MV-3.

Please look at card MV-3 and tell me which category <u>best</u> describes the care {you/{PERSON}} received during the visit to { {DOC OR DEPT} at} {PROVIDER} on {VISIT DATE}.

HELP: F1

Responses:				
	GENERAL CHECKUP	1	MV60	(MV1045)
	DIAGNOSIS OR TREATMENT	2	MV60	(MV1045)
	EMERGENCY (E.G., ACCIDENT OR INJURY)	3	MV60	(MV1045)
	PSYCHOTHERAPY OR MENTAL HEALTH COUNSELING	4	MV60	(MV1045)
	FOLLOW-UP OR POST-OPERATIVE VISIT	5	MV60	(MV1045)
	IMMUNIZATIONS OR SHOTS	6	MV60	(MV1045)
	VISION EXAM	7	MV60	(MV1045)
	{PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND DELIVERY)}	8	MV60	(MV1045)
	{WELL CHILD EXAM}	9	MV60	(MV1045)
	LASER EYE SURGERY	10	MV60	(MV1045)
	OTHER	91	MV60	(MV1045)
	REFUSED	RF	MV60	(MV1045)
	DON'T KNOW	DK	MV60	(MV1045)

Display Instructions:	Display response option '8' (PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND DELIVERY)) if person is female and age 15 to 55 inclusive (or age categories 3 to 8). Otherwise, use a null display.
	Display response option '9' (WELL CHILD EXAM) if PERSON IS < 7 YEARS OLD (OR AGE CATEGORIES 1 THROUGH 3). Otherwise, use a null display.
	Display '{DOC OR DEPT} at' if PROVIDER linked to this event is flagged as a facility provider and there a doctor or department linked to this specific event. Otherwise, use a null display.

Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
	Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV60	**(MV1045)**	**BLAISE NAME:** MVSpecCond		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TYESNO	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☑ Help Available (CondHelp)   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT} {EVN-DT}

Question Text:

{Other than {your/his/her} {general checkup/well child exam}, was/Was} this visit related to any specific health condition or were any conditions discovered during this visit?

HELP:F1

Responses:	YES	---	1	MV70	(MV1050)
	NO	---	2	MV80	(MV1055)
	REFUSED	---	RF	MV80	(MV1055)
	DON'T KNOW	---	DK	MV80	(MV1055)

Display Instructions:	Display 'Other than {your/his/her} {general checkup/well child exam}, was' if MV50 was coded '1' (GENERAL CHECKUP) OR '9' (WELL CHILD EXAM). Otherwise, display 'Was'.
	Display 'general checkup' if MV50 was coded '1' (GENERAL CHECKUP). Display 'well child exam' if MV50 was coded '9' (WELL CHILD EXAM).

Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
	Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV70	**(MV1050)**	**BLAISE NAME:** MVCondRoster		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TCONDITION	**Answers allowed:** 99	**ArrayMax:**	**Max value:**

☑ Help Available (CondHelp)   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT} {EVN-DT}

Question Text:

What conditions were discovered or led {you/ {PERSON}} to make this visit?

PROBE: Any other condition?

ENTER ALL THAT APPLY.

<div align="right">

CTRL-A: ADD
CTRL-E: EDIT
CTRL-D: DELETE

HELP:F1

</div>

Responses:	{MEDICAL CONDITION} 1	----------------------	1	MV80	(MV1055)
	{MEDICAL CONDITION} 2	----------------------	2	MV80	(MV1055)
	{MEDICAL CONDITION} 3	----------------------	3	MV80	(MV1055)
	{MEDICAL CONDITION} 4	----------------------	4	MV80	(MV1055)
	{MEDICAL CONDITION}N	----------------------	5	MV80	(MV1055)

Programmer Instructions:	Roster behavior: 1. Multiple select allowed. 2. Multiple add allowed. 3. Limited delete allowed. Interviewer may delete a condition added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete. 4. Display the following message if interviewer tries to delete a condition after link is created: "DELETE ALLOWED ONLY WHEN CONDITION IS FIRST ENTERED." 5. Limited edit allowed. Interviewer may edit a condition name newly added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete. **CONDITION LOOKUP SPECIFICATIONS** For complete Condition Lookup specifications, refer to the Global (GL) Specifications.
Display Instructions:	Roster 3-add/edit/delete allowed. Roster definition: Display the Person-Medical-Conditions-Roster for selection and addition of one or many medical condition (s) associated with this event. Display name of medical condition (COND.CONDNAM) Roster filter: Display all conditions on person's roster; no filter.
Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.MV_Main Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV80	**(MV1055)**	**BLAISE NAME:** MVSurgProc		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TYESNO	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☑ Help Available (SurgProcHelp)   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE
PROVIDER} - {DOC OR DEPT} {EVN-DT}

Question Text:

Was a surgical procedure performed on {you/{PERSON}} during this visit?

HELP: F1

Responses:

YES	--	1	MV90	(MV1070)
NO	--	2	MV90	(MV1070)
REFUSED	---	RF	MV90	(MV1070)
DON'T KNOW	--	DK	MV90	(MV1070)

**Display
Instructions:**

**Testing/Editing
Notes:**
Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV90	**(MV1070)**	**BLAISE NAME:** MVSvcTp	
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**	
Answer Type:	TMEDSVCTYPE	**Answers allowed:** 7	**ArrayMax:**	**Max value:**

☑ Help Available (MedServHelp)   ☑ Show Card (MV-4)   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}   {NAME OF MEDICAL CARE
PROVIDER} - {DOC OR DEPT   {EVN-DT}

Question Text:

📖MV-4.

Looking at card MV-4, which of these services, if any, did {you/{PERSON}} have during this visit?
ENTER ALL THAT APPLY.

HELP: F1

Responses:

LABORATORY TESTS	1	MV100	(MV1075)
SONOGRAM OR ULTRASOUND	2	MV110	(MV1080)
X-RAYS	3	MV110	(MV1080)
MAMMOGRAM	4	MV110	(MV1080)
MRI OR CATSCAN	5	MV110	(MV1080)
EKG, ECG, OR EEG	6	MV110	(MV1080)
VACCINATION	7	MV110	(MV1080)
NONE OF THESE SERVICES RECEIVED	95	MV110	(MV1080)
REFUSED	RF	MV110	(MV1080)
DON'T KNOW	DK	MV110	(MV1080)

Programmer Instructions:	Soft check:
	If MV90 (MVSvcTp) is coded '4' (MAMMOGRAM{MAMOGRAMA/MAMOGRAFÍA}) and person being asked about is male or is female and < or = 17 years of age (or age categories 1-3), display the following message: "UNLIKELY RESPONSE FOR {MALES/CHILDREN 17 AND YOUNGER}. VERIFY AND RE-ENTER."
	Display 'MALES' in error message if person being asked about is a male > 17 years of age (or age categories 4 through 9). Display 'CHILDREN 17 AND YOUNGER' in the error message if person being asked about is male or female and < or = 17 years of age (or age categories 1-3).
	Allow code '95' (NONE OF THESE SERVICES RECEIVED), 'RF' (REFUSED) and 'DK' (DON'T KNOW) alone only. These responses may not be selected with any other response.
	'NONE OF THESE SERVICES RECEIVED' is not displayed on show card.
	Hard check:
	Edit: If MV90 (MVSvcTp) is coded '95' (NONE OF THESE SERVICES RECEIVED), no other treatment categories can be coded. If interviewer selects another code with 'NONE OF THESE SERVICES', display the following message: "NONE OF THESE SERVICES RECEIVED CANNOT BE SELECTED WITH OTHER OPTIONS. VERIFY AND RE-ENTER."
Display Instructions:	
Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
	Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV100	**(MV1075)**	**BLAISE NAME:** WhereLabTest		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TPLACERCVLABTE	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☐ Help Available (   )   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT}   {EVN-DT}

Question Text:

Did {you/{PERSON}} receive the lab tests at {{PROVIDER/{PROVIDER}'s office}} or somewhere else?

Responses:

THIS PROVIDER	1	MV110	(MV1080)
SOMEWHERE ELSE	2	MV110	(MV1080)
REFUSED	RF	MV110	(MV1080)
DON'T KNOW	DK	MV110	(MV1080)

Programmer Instructions: NOTE: CAPI will present a follow-up question to determine whether the separate lab event has already been recorded whenever MV100 is coded '2' (SOMEWHERE ELSE).

Display Instructions: Display '{PROVIDER}' if provider associated with this event is a facility provider. Otherwise, display '{PROVIDER}'s office.'

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV110	**(MV1080)**	**BLAISE NAME:** MVPmed		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TYESNO	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☑ Help Available (MEDPRESHelp)   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT} {EVN-DT}

Question Text:

During this visit, were any medicines prescribed for {you/{PERSON}}? Please include only prescriptions which were filled.

HELP: F1

Responses:

YES	--	1	MV120	(MV1085)
NO	--	2	BOX_40	(MV1095)
REFUSED	--	RF	BOX_40	(MV1095)
DON'T KNOW	--	DK	BOX_40	(MV1095)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV120	**(MV1085)**	**BLAISE NAME:** MVPmedRoster	
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**	
Answer Type:	TPRESCRIBEDMEDS **Answers allowed:** 99	**ArrayMax:**	**Max value:**

☐ Help Available (   )   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT} {EVN-DT}

Question Text:

Please tell me the names of the prescriptions from this visit that were filled.

PROBE: Any other prescribed medicines from this visit that were filled?

ENTER ALL THAT APPLY.

CTRL-A: ADD
CTRL-E: EDIT
CTRL-D: DELETE

Responses: {PRESCRIBED MEDICINE}1 --------------------- 1   BOX_40   (MV1095)
{PRESCRIBED MEDICINE}2 --------------------- 2   BOX_40   (MV1095)
{PRESCRIBED MEDICINE}3 --------------------- 3   BOX_40   (MV1095)
{PRESCRIBED MEDICINE}4 --------------------- 4   BOX_40   (MV1095)
{PRESCRIBED MEDICINE}N --------------------- 5   BOX_40   (MV1095)

Programmer Instructions:	Roster behavior:

Programmer Instructions:

Roster behavior:

1. Multiple select allowed.

2. Multiple add allowed.

3. Limited delete allowed. Interviewer may delete a medicine added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

4. Limited edit allowed. Interviewer may edit medicines added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

Soft Check:

If 2 or more of the same following text strings are found in a single medicine entry (e.g. DROXIA 200MG CAPMAXALT 10MG) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

• MG

• ML

• CAP

• MCG

• TAB

• GM

• %

Or if the following text combinations strings are found in a single medicine entry (e.g. aspirin 5mg triamcinolone acetonide .5% ointment) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

• MG and %

• MCG and MG

Display a separate pop-up below the field that triggered the soft check with the message: "Verify only one medicine per field is entered. If entry is a compound medicine (medicine label lists two or more different medicines) select 'Suppress'. If entry error was made, select 'GoTo' and re-enter each medicine in a separate field. Press 'TAB' between each separate entry."

At the top of the pop-up above the message, display the medicine that triggered the soft check. With the text string that triggered the check displayed in bold.

Prescribed Medicine Soft Check Flag (PMedSoftChk):

The purpose of this flag is to ensure that once the soft check is triggered, that particular entry row will not trigger the soft check again, even when the text entry of the field has changed. The flag records whether the interviewer selected "Suppress" or "GoTo". Suppressing the soft check may not indicate that the medicine is a compound drug as a medicine name could have the targeted text string in both the form/strength and drug name, such as "captopril capsule". When the interviewer selects 'GoTo' to return to the field to make a correction, the soft check will not run again to check the entry.

Pressing 'tab' then selecting 'Suppress' or 'GoTo' closes the soft check pop-up and moves the cursor to the next empty field.

Pressing 'enter' then selecting 'Suppress' closes the soft check pop-up and moves the focus back to the prescribed medicine roster. Or if 'GoTo' is selected moves the cursor back to the entry field that triggered the soft check.

PMED LOOKUP SPECIFICATIONS
For complete PMed Lookup specifications, refer to the Global (GL) Specifications.

Display Instructions:	Roster 3- Add/Edit/Delete Allowed
	Roster definition: This item displays the Person's-Prescription-Medicines-Roster for selection. Display name of prescribed medicine (DRUG.DRUGNAME)
	Roster filter: Display all medicines in person's roster; no filter.
Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.MV_Main Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

---

BOX_40   **(MV1095)**   **Item Type:** Route   **Type Class:** If Then

---

Route Details: If no condition is associated with this visit to this provider for this person, go to BOX_60.

Otherwise, continue with BOX_50.

BOX_50   **(MV1100)**   **Item Type:** Route   **Type Class:** If Then

---

Route Details: If 1 or more visits to this provider for this person have not completed the medical provider visits utilization module and if this event is not part of a flat fee group, continue with MV130. Note: If provider is a facility provider, check all events to the same facility provider regardless of the doctor or department linked to the specific events)

Otherwise, go to BOX_60.

MV130	**(MV1105)**	**BLAISE NAME:** MVOthSameCond		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TYESNO	**Answers allowed:** 1	**ArrayMax:**	**Max value:**

☐ Help Available (   )   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

Question Text:

Earlier I recorded that {you/{PERSON}} had some other visits to {PROVIDER}. {Were any of these visits related to {your/his/her} {PERSON'S MV MEDICAL CONDITION}?/Were any of the other visits also for {your/his/her} {PERSON'S MV MEDICAL CONDITION} or {PERSON'S MV MEDICAL CONDITION} {or {PERSON'S MV MEDICAL CONDITION}}?/ Were any of the other visits also for one of these conditions (READ CONDITIONS BELOW):}

{**CONDITIONS**
{PERSON'S MV MEDICAL CONDITION}1
{PERSON'S MV MEDICAL CONDITION}2
{PERSON'S MV MEDICAL CONDITION}3
{PERSON'S MV MEDICAL CONDITION}4
{PERSON'S MV MEDICAL CONDITION}N}

Responses:	YES	--	1	MV140	(MV1115)
	NO	--	2	BOX_60	(MV1125)
	REFUSED	--	RF	BOX_60	(MV1125)
	DON'T KNOW	--	DK	BOX_60	(MV1125)

Display Instructions:	{DOC OR DEPT} should not display in context header.
	Display 'Were any of these visits related to {your/his/her} {PERSON'S MV MEDICAL CONDITION}?' if only one condition selected or added to Person's-Medical-Conditions-Roster at MV70. Display 'Were any of the other visits also for {your/his/her} {PERSON'S MV MEDICAL CONDITION} or {PERSON'S MV MEDICAL CONDITION} {or {PERSON'S MV MEDICAL CONDITION}}?' if exactly 2 or 3 conditions selected or added to Person's-Medical-Conditions-Roster at MV70. Otherwise, display 'Were any of the other visits also for one of these conditions (READ CONDITIONS BELOW):"
	Display 'or {PERSON'S MV MEDICAL CONDITION' if exactly 3 conditions selected or added to Person's-Medical-Conditions-Roster at MV70. Otherwise, use a null display.
	For 'PERSON'S MV MEDICAL CONDITION' display the condition selected from or added to Person's-Medical-Conditions-Roster at MV70.
	Display the header 'CONDITIONS' and the list of conditions if more than three conditions selected or added to Person's-Medical-Conditions-Roster at MV70. Otherwise, use a null display. For 'PERSON'S MV MEDICAL CONDITION', display all conditions selected from or added to Person's-Medical-Conditions-Roster at MV70.
Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.MV_Main Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

MV140	**(MV1115)**	**BLAISE NAME:** MVRepVstRoster		
Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	Enumerated	**Field Size:**		
Answer Type:	TMONTHDAYYEAR	**Answers allowed:** 99	**ArrayMax:**	**Max value:**

☐ Help Available (　)　　　　☐ Show Card (　)　　　　☐ Look Up File (　　)

Context Header:　{PERSON'S FIRST MIDDLE AND LAST NAME}　{NAME OF MEDICAL CARE PROVIDER}　{EVN-DT}

Question Text:

{Which of the following visits were also for {your/{PERSON}'s} {PERSON'S MV MEDICAL CONDITION} {{or {your/his/her}/,} {PERSON'S MV MEDICAL CONDITION}} {or {your/his/her} {PERSON'S MV MEDICAL CONDITION}}?/ Which of the following visits were also for one of these conditions (READ CONDITIONS BELOW) ?}

PROBE: Any other visits for the same condition?

ENTER ALL THAT APPLY.

{CONDITIONS
{PERSON'S MV MEDICAL CONDITION}1
{PERSON'S MV MEDICAL CONDITION}2
{PERSON'S MV MEDICAL CONDITION}3
{PERSON'S MV MEDICAL CONDITION}4
{PERSON'S MV MEDICAL CONDITION}N

Responses:	{SELECT ALL EVENTS}	-----------------------------	0	MV150	(MV1120)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}1	------	1	MV150	(MV1120)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}2	------	2	MV150	(MV1120)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}3	------	3	MV150	(MV1120)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}4	------	4	MV150	(MV1120)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}N	------	5	MV150	(MV1120)

Programmer Instructions:	If coded '0' SELECT ALL EVENTS, CAPI should automatically select all of the events displayed on the roster and flag as being part of the repeat visit group.
	Flag each visit selected at MV140 as a repeat visit related to the event being asked about. (NOTE: The event being cycled on through this MV section administration is the "stem" repeat visit. The events selected at MV140 are the "leaves". The event driver (ED) section will not serve these repeat visits for the MV section.)
	Assign next repeat visit number at the household level. (NOTE: Each repeat visit grouping, whether OP, MV, or HH is assigned this number at a household level. The number will start over every round.)
	Roster behavior: 1. Multiple select allowed.
Display Instructions:	{DOC OR DEPT} should not display in context header.
	Roster 2- No Add/Edit/Delete Roster definition: This item displays all medical events (dates) on person's medical- events-roster for selection. Display event begin date (EVNT.EVNTBEGM,EVNT.EVNTBEGD,EVNT.EVNTBEGY)
	Roster filter: Display only those event with the following characteristics. 1. Event was created this round. 2. Event has not been processed in utilization. 3. Event has event type 'MV'. 4. Event is associated with the same provider as the event being asked about (regardless of the doctor or department linked to the specific event if provider is a facility provider). 5. Event is not already flagged as part of a flat fee bundle.
	Next to each event date, display the doctor or department linked to that specific visit date.
	Display 'Which of the following visits were also for {your/{PERSON}'s} {PERSON'S MV MEDICAL CONDITION} {{or {your/his/her}/,} {PERSON'S MV MEDICAL CONDITION}} {or {your/his/her} {PERSON'S MV MEDICAL CONDITION}}?' if three or less conditions selected or added to Person's-Medical-Conditions-Roster at MV70. Otherwise display, 'Which of the following visits were also for one of these conditions (READ CONDITIONS BELOW)?'
	Display '{or {your/his/her}/,} {PERSON'S MV MEDICAL CONDITION}' if two or three conditions selected or added to Person's-Medical-Conditions-Roster at MV70. Otherwise, use a null display.
	Display "or {your/his/her}" if exactly two conditions selected or added to Person's-Medical-Conditions-Roster at MV70. Otherwise, display ','.
	Display 'or {your/his/her} {PERSON'S MV MEDICAL CONDITION}' if exactly three conditions selected or added to Person's-Medical-Conditions-Roster at MV70. Otherwise, use a null display.
	For 'PERSON'S MV MEDICAL CONDITION' display the condition selected from or added to Person's-Medical-Conditions-Roster AT MV70.
	Display the header 'CONDITIONS' and the list of conditions if more than three conditions selected or added to Person's-Medical-Conditions-Roster at MV70. Otherwise, use a null display. For 'PERSON'S MV MEDICAL CONDITION', display all conditions selected from or added to Person's-Medical-Conditions-Roster at MV70.
	For "MONTH,DAY,YEAR" in the response option area, display visit dates as "MON DD, YYYY". Abbreviate the month name as three letters.

Display the response option '0' SELECT ALL EVENTS when there is more than one event to display on the roster, otherwise use a null display.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
                               Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

---

MV150   **(MV1120)**   **BLAISE NAME:** MVEvntVstGrp

Item Type:	Question	**Field kind:** Datafield	**ArrayMin:**	**Min value:**
Type Class:	String	**Field Size:** 30		
Answer Type:	{Continuous Answer.} **Answers allowed:** 1	**ArrayMax:**	**Max value:**

☐ Help Available (   )   ☐ Show Card (   )   ☐ Look Up File (   )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

Question Text:

INTERVIEWER: RECORD 'NAME OF REPEAT VISIT GROUP' FOR EVENTS SELECTED IN PREVIOUS QUESTION:

Responses: -- 1   BOX_60   (MV1125)

Programmer Instructions: 'RF/DK not allowed'

Display Instructions: {DOC OR DEPT} should not display in context header.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.MV_Main
                               Variable stored at MEPS(Fall/Spring)YYYY_Event.MV_Main

<u>BOX_60</u>	<u>(MV1125)</u>	**Item Type:** Route	**Type Class:** If Then

Route Details: Go to the Charge/Payment (CP) section if it needs to be asked for this event, i.e. its status wasn't set to 'Completed' because it was part of a Flat Fee situation where the charges were collected in the CP section for another event in that Flat Fee group.

If the Charge/Payment (CP) section is completed for this Medical Provider Visit (MV) event and MV100 is coded '2' (SOMEWHERE ELSE) go to EF section.

Otherwise, go to the Event Driver (ED) section.

[End of MV]