SpecWriter Data

Form Version: 10/25/2023 11:58:39 AM

Report Type: Full Detail

Project Database: WESSQL300.MEPSSpring2024

Language: English

Spec Label:

This is the cover page. Additional contents currently project specific.

BOX 00 (OM1005) Item Type: Route Type Class: If Then

Route Details: 01 Box = BOX_00, BOX_10, BOX_30, BOX_40, BOX_50, BOX_60, BOX_70

 $02 \text{ Loop} = \text{LOOP}_10$

03 End Loop = END_LP10

04 Single Select = OM10, OM30, OM40, OM50, OM60, OM70

10 Multiple Select with Fill in Answer Text = OM80

23 Text Field = OM90

24 Information Screen = OM20

Grid Type 1 = OM80

<u>BOX_10</u> (OM1010) Item Type: Route Type Class: If Then

Route Details: Context header display instructions:

SEE CONTEXT HEADER SPEC

If PRND dates are missing, use RU dates:

RUBEGMM, RUBEGDD, RUENDMM, RUENDDD

Full Detail Spec BLAISE NAME: Glasses **OM10** (OM1020)**Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ☐ Show Card (☐ Look Up File () ☐ Help Available () {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} **Context Header:** {END-DT} **Question Text:** {Earlier we talked about obtaining eyeglasses or contact lenses. Just to verify, did {you/{PERSON}} purchase eyeglasses or contact lenses {since {START DATE}/between {START DATE} and {END DATE}}? / Did {you/{PERSON}} purchase eyeglasses or contact lenses {since {START DATE}/between {START DATE} and {END DATE}}?} **Responses:** _____1 YES BOX 30 (OM1025) NO BOX 30 (OM1025) ----- RF BOX_30 REFUSED (OM1025) DK BOX 30 DON'T KNOW (OM1025) If OM10 coded '1' (YES), create a record as OM-record for 'GLASSES OR CONTACT **Programmer** LENSES', go to BOX_30. **Instructions: Display** Display "Earlier we talked about obtaining eyeglasses or contact lenses. Just to verify, did **Instructions:** {you/{PERSON}} purchase eyeglasses or contact lenses {since {START DATE}/between {START DATE} and {END DATE}}?" If a person level variable was stored at EV20, where EV20=8 (GLASSES OR CONTACTS) or if a person level variable was stored at either EE40 or EE50. Otherwise, display "Did {you/{PERSON} purchase eyeglasses or contact lenses {since {START DATE}/between {START DATE} and {END DATE}? Display 'since {START DATE}' if current round is not the final round of the panel (RndType<>Final). Display 'between {START DATE} and {END DATE}' if current round is the final round of the panel (RndType=Final).

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OM_Main Variable stored at MEPS(Fall/Spring)YYYY_PersSect.OM_Main

BOX 30	(OM1025)	Item Type: Route	Type Class:	: If Then
Route Details:	If Darson EV	25 is coded '1' (YES) go to OM	420	
Route Details:	II Person.EV	23 is coded 1 (1E3) go to Or	V12U.	
	Otherwise, go	o to OM30.		
OM20	(OM1030)	BLAISE NAME: HCare	Rec	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available	e()	☐ Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S	FIRST MIDDLE AND LAST	NAME} {STR-	DT} {END-DT}
Question Text:				
	you mentioned {you	{you/{PERSON}}. Please look at u/{PERSON}} had medical purch		
PRESS 1 AND ENT	ER TO CONTINU	E.		
Responses:	CONTINUE		1 OM	(OM1035)
Display Instructions:	and this persor	th records were reported for" if On is selected at EV10 and a person ly looping on. Otherwise, use a nu	level variable was	N has at least 1 record for this person previously set at EV25 for the
Testing/Editing Notes:		ected at MEPS(Fall/Spring)YY ed at MEPS(Fall/Spring)YYYY		.Main

<u>OM30</u>	(OM1035)	BLAISE NAME: Ambula	ance		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 3	ArrayMax:	Max value:	
✓ Help Available	(OMTpHelp)	☐ Show Car	d ()	☐ Look Up F	ïle ()
Context Header:	{PERSON'S FI	IRST MIDDLE AND LAST I	NAME} {STR-D	OT} {END-DT}	
Question Text:					
{Since {START DAT services?	TE}/Between {STAF	RT DATE} and {END DATE}},	{have/has} {you/	[PERSON]} used any amb	bulance
				ı	HELP:F1
Responses:	YES		1		
	NO		2		
	DON'T KNOW	<i>I</i>	DK		
Programmer Instructions:	If coded '1', (Y	(ES) create OM-record for "A	MBULANCE S	ERVICES".	
Display Instructions:		START DATE}' if current rounce In {START DATE} and {END D I).			
Testing/Editing Notes:		ted at MEPS(Fall/Spring)YY l at MEPS(Fall/Spring)YYYY		Main	

<u>OM40</u>	(OM1040)	BLAISE NAME: Disposit	Supplies		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	
☐ Help Available (()	✓ Show Card (OM	I-1)	☐ Look Up File ()	
Context Header:	{PERSON'S FII {END-DT}	RST MIDDLE AND LAST I	NAME} {STR-D	T}	
Question Text:					
□ OM-1					
		ART DATE}/between {STA osable supplies{, other than a			
Responses:	YES		1		
	NO		2		
	REFUSED -		RF		
	DON'T KNOW		DK		
Programmer Instructions:	If coded '1' (YE	ES), create OM-record for "D	SISPOSABLE SU	JPPLIES".	
Display Instructions:	Display 'since {START DATE}' if current round is not the final round of the panel (RndType<>Final). Display 'between {START DATE} and {END DATE}' if current round is the final round of the panel (RndType=Final).				
	of PM20 or PM40 is coded '1' e a null display.				
Testing/Editing Notes:		ed at MEPS(Fall/Spring)YY at MEPS(Fall/Spring)YYYY		Main	

BLAISE NAME: MedEquip **OM50** (OM1045)**Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 Max value: **ArrayMax:** ☐ Help Available () ✓ Show Card (OM-2) ☐ Look Up File () {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} **Context Header:** {END-DT} **Question Text:** □ OM-2 Please look at card OM-2, {since {START DATE}/between {START DATE} and {END DATE}}, {have/has} {you/{PERSON}} purchased or rented any long term medical equipment{, other than any diabetes supplies already reported}? **Responses:** YES 1 BOX 40 (OM1050) NO (OM1050) RF BOX 40 REFUSED (OM1050) DK BOX_40 DON'T KNOW (OM1050) If OM50 coded '1' (YES), create OM-record for "LONG-TERM MEDICAL EQUIPMENT", **Programmer Instructions:** go to BOX_40. **Display** Display 'since {START DATE}' if current round is not the final round of the panel **Instructions:** (RndType<>Final). Display 'between {START DATE} and {END DATE}' if current round is the final round of the panel (RndType=Final). Display ', other than any diabetes supplies already reported' if PM20 or PM40 is coded '1' (YES) for this person during the current round. Otherwise, use a null display. **Testing/Editing** Variable collected at MEPS(Fall/Spring)YYYY.OM_Main Variable stored at MEPS(Fall/Spring)YYYY PersSect.OM Main **Notes:**

BOX 40 (OM1050) Item Type: Route Type Class: If Then

Route Details: If at least one OM-record has been reported for this person (GLASSES/CONTACT

LENSES record created at EE40, EE50 or OM10 or OM30=1 'AMBULANCE SERVICES', OM40=1 'DISPOSABLE SUPPLIES', or OM50=1 'LONG-TERM

MEDICAL EQUIPMENT'), go to LOOP_10.

Otherwise, go to OM80.

<u>LOOP 10</u> (OM1055) Item Type: Route Type Class: Begin Loop

Route Details: For each OM- record reported, ask BOX_50-END_LP10.

Loop definition: LOOP_10 collects information on if glasses/contacts, ambulance services, disposable supplies, or long-term medical equipment were obtained at all during panel year 1 or 2, and collects charge payment information. This loop cycles on OM-record who meet the following condition:

-RU member reported any OM record type at OM30= '1' (AMBULANCE SERVICES),

OM40='1' (DISPOS ABLE SUPPLIES), OM50='3' (LONG-TERM MEDICAL EQUIPMENT) OR RU member has an OM-record for 'GLASSES/CONTACTS' created

at EE40, EE50, or OM10.

Loop by OM-record type in the following order: GLASSES OR CONTACT LENSES, AMBULANCE SERVICES, DISPOSABLE SUPPLIES, THEN LONG-TERM MEDICAL EQUIPMENT.

BOX 50 (OM1060) Item Type: Route Type Class: If Then

Route Details: If current round is a round that crosses two calendar years (RndType=Cross) and person's

reference period crosses between two calendar years, continue with OM60. Otherwise, go

to BOX_60.

run Detan Spec					
<u>OM60</u>	(OM1065)	BLAISE NAME: OMEY	ear1		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	x: Max value:	
☐ Help Available	()	\square Show Card ()	☐ Look Up File ()	
Context Header:	Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {OME ITEM GROUP}				
equipment/disposable	supplies} in {PANEI	•			
Responses:	125		1	OM70 $(OM1070)$	
			_	OM70 (OM1070)	
			RF	OM70 (OM1070)	
	DON'T KNOW		DK	OM70 (OM1070)	
Display Instructions:	lenses'. If PERSON's curr If PERSON's curr	ent OM-record being looped or ent OM-record being looped or ent OM-record being looped or	n is ambuland n is disposab	ontacts, display 'eyeglasses or contact ce services, display 'ambulance services'. le supplies, display 'disposable supplies'. n medical equipment, display 'long-term	
If PERSON's current OM-record being looped on is ambulance services, display 'use'. Otherwise, display 'obtain'.					
	If Rd. 3 for 'PANE	EL YEAR 1' display the first ca	alendar year o	of the panel (FirstPanYear).	
	If Rd. 5 for 'PANE	EL YEAR 1' display the second	l calendar ye	ar of the panel (SecondPanYear).	
	If Rd. 7 for 'PANE	EL YEAR 1' display the third c	alendar year	of the panel (ThirdPanYear).	
Testing/Editing Notes:		ed at MEPS(Fall/Spring)YY at MEPS(Fall/Spring)YYYY		ain.OM_LOOP10[14] OM_Main.OM_LOOP10[14]	

BLAISE NAME: OMEYear2 **OM70** (OM1070)**Item Type:** Field kind: Datafield ArrayMin: Min value: Question Type Class: Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 **ArrayMax:** Max value: ☐ Show Card (☐ Help Available () ☐ Look Up File () {PERSON'S FIRST MIDDLE AND LAST NAME} {OME ITEM GROUP} **Context Header: Question Text:** Did {you/{PERSON}} {obtain/use} {eyeglasses or contact lenses/ambulance services/long-term medical equipment/disposable supplies} in {PANEL YEAR 2}? **Responses:** YES BOX 60 (OM1075) NO BOX 60 (OM1075) ----- RF BOX 60 REFUSED (OM1075) DON'T KNOW DK BOX 60 (OM1075) Soft check: If coded '2' (NO) and OM60 is also coded '2' (NO), display the following **Programmer** message: "UNLIKELY RESPONSE. REPORTED {PERSON} {OBTAINED/USED} **Instructions:** {AMBULANCE SERVICES/DISPOSABLE SUPPLIES/LONG-TERM MEDICAL EQUIPMENT DURING THE REFERENCE PERIOD BUT NOT IN {YEAR 1} OR {YEAR 2}. PLEASE REVIEW AND RE-ENTER RESPONSES." **Display** If PERSON's current OM-record being looped on is glasses/contacts, display 'eyeglasses or contact **Instructions:** If PERSON's current OM-record being looped on is ambulance services, display 'ambulance services'. If PERSON's current OM-record being looped on is disposable supplies, display 'disposable supplies'. If PERSON's current OM-record being looped on is long-term medical equipment, display 'long-term medical equipment'. If PERSON's current OM-record being looped on is ambulance services, display 'use'. Otherwise, display 'obtain'. If Rd. 3 for 'PANEL YEAR 2' display the second calendar year of the panel (SecondPanYear). If Rd. 5 for 'PANEL YEAR 2' display the third calendar year of the panel (ThirdPanYear). If Rd. 7 for 'PANEL YEAR 2' display the fourth calendar year of the panel (FourthPanYear). **Testing/Editing** Variable collected at MEPS(Fall/Spring)YYYY.OM_Main.OM_LOOP10[1..4] Variable stored at MEPS(Fall/Spring)YYYY PersSect.OM Main.OM LOOP10[1..4] Notes:

Item Type: Route Type Class: If Then **BOX 60** (OM1075)**Route Details:** Go to the Charge Payment section for this person-OM record pair. When the Charge Payment section is complete, go to END LP10. END_LP10 (OM1080) **Item Type:** Route Type Class: End Loop If there are more OM records to loop on for this person, return to LOOP 10. **Route Details:** Otherwise, if there are no more OM records to loop on for this person, go to OM80. **OM80** (OM1085)**BLAISE NAME:** CodeAllOMRec **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Field Size: Enumerated **Answer Type: TOMRecords Answers allowed:** 6 ArrayMax: Max value: ☐ Look Up File () ☐ Help Available () \square Show Card () **Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT} **Question Text:** PLEASE INDICATE ANY {ADDITIONAL} RECORDS USED FOR {PERSON} DURING UTILIZATION, CHARGE/PAYMENT, PRESCRIBED MEDICINES, AND OTHER MEDICAL EXPENSES. ENTER ALL THAT APPLY. **Responses:** CALENDAR WITH HEALTH CARE 1 BOX 70 (OM1091) ENTRIES FOR {PERSON} PROVIDER/INSURANCE STATEMENT 2 BOX 70 (OM1091) PATIENT PORTAL 3 BOX 70 (OM1091) PAYMENT RECORDS 4 BOX 70 (OM1091) PRESCRIPTION MEDICINE BOTTLES, ---- 5 BOX 70 (OM1091) TUBES, CONTAINERS, ETC OTHER TYPE OF RECORD 7 OM90 (OM1090) NO OTHER RECORDS USED8 BOX 70 (OM1091) MEPS RECORD KEEPER 9 BOX 70 (OM1091) RF BOX_70 REFUSED (OM1091) DON'T KNOW DK BOX 70 (OM1091)

MEPSSpring2024 Full Detail Spec

Other Medical Expenses (OM) Section

Programmer Instructions:

Preloaded grid type 1

Display "ADDITIONAL" if CA30_01= 1, CA30_01A=1, CA30_02=1, CA30_03=1, CA30_04=1, CA30_05=1, or CA_30_07=1. Otherwise, use a null display.

Display Instructions:

Col #1 Header: CA30 Responses

Instructions: Display the responses entered at the records grid CA30_01, CA30_01A, CA30_02, CA30_03, CA30_04, CA30_05, and CA30_07. Do not display CA30_06. Display these previously recorded responses as prefilled values but not editable. Display the number associated with the event type: if CA30_01= 1, display "1", if CA30_01A=1, display "9", if CA30_02=1, display "2", if CA30_03=1, display "3", if CA30_04=1, display "4", if CA30_05=1, display "5", if CA_30_07=1, display "7", if no records coded at CA30_01-CA30_07, use a null display. Display these numbers with a hyphen

separating them for example: 1-3-5.

Col#2 Header: Additional Records

Instructions: Display the responses entered at OM80 (CodeAllOMRec).

Hard checks:

Cannot code OM80 (CodeAllOMRec) as 8 (NO OTHER RECORDS USED) in combination with any other codes. Display the following error message: "CANNOT CHOOSE "NO OTHER RECORDS USED" IN COMBINATION WITH OTHER RESPONSES. REVIEW YOUR RESPONSES AND

MAKE ANOTHER SELECTION."

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)

YYYY.OM_Main.OM_RecordsTable.OM_Records[1..1]

Variable stored at MEPS(Fall/Spring)

 $YYYY_PersSect.OM_Main.OM_RecordsTable.OM_Records[1..1]$

OM90 Item Type: Type Class:	(OM1090) Question String	BLAISE NAME: OthOM Field kind: Datafield Field Size: 40	Rec ArrayMin:	Min value:
Answer Type:	{Continuous Answe	er.} Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available (Context Header:		☐ Show Card (ST MIDDLE AND LAST N)	□ Look Up File ()
Context Header:	{END-DT}	OI MIDDLE AND LAST I	MINIE; (STR-D)	1 }
Question Text: ENTER OTHER REC	ORD.			
NOTE: BE AS SPECI	FIC AS POSSIBLE.			
Responses:			RF BOX	(OM1091)
Display Instructions:				
Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.OM_Main Variable stored at MEPS(Fall/Spring)YYYY_PersSect.OM_Main			
BOX_70	(<u>OM1091)</u> 1	Item Type: Route	Type Class:	If Then
Route Details:	Go to next section	of the questionnaire.		

[End of OM]