SpecWriter Data

Form Version: 4/15/2022 12:53:39 PM

Report Type: Full Detail

Project Database: WESSQL300.MEPSFall2022

Language: English

Spec Label:

This is the cover page. Additional contents currently project specific.

MEPSFall2022 Full Detail Spec

BOX 00 (AC1000) Item Type: Route Type Class: If Then

Route Details: 01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60, BOX_70, BOX_80,

BOX_90, BOX_100, BOX_110

02 Loop = LOOP_10, LOOP_20

03 End Loop = END LP10, END LP20

04 Single Select = AC10, AC20, AC30, AC40, AC50, AC60, AC70, AC80, AC90, AC100, AC120,

AC140, AC150, AC160, AC170, AC180, AC190, AC200, AC210, AC230, AC240, AC250,

AC270, AC290, AC310

08 Multiple Select = AC110

10 Multiple Select with Fill in Answer Text = AC220, AC260, AC280, AC300, AC320

20 OS Text Field = AC80OS, AC90OS

BOX 10 (AC1005) Item Type: Route Type Class: If Then

Route Details: The AC section is only asked in RndCycle=Fall. If it is RndCycle=Spring continue to the

next section.

BOX 20 (AC1010) Item Type: Route Type Class: If Then

Route Details: Context header display instructions: SEE CONTEXT HEADER SPEC

Notes:

Item Type: Route Type Class: Begin Loop LOOP 10 (AC1015)**Route Details:** For each element in the RU-members-roster, ask AC10 - END LP10. Loop definition: LOOP 10 collects the name of the usual source of care provider, if any, for each current RU member. This loop cycles on persons who meet the following conditions: -Person is a current RU member (included in person array) -Person is not deceased (PersRndStatus ≠Deceased) -Person is not institutionalized (PersRndStatus ≠ Institutionalized) AC10 (AC1020)**BLAISE NAME:** HaveUSC Item Type: **Question** Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type:** THAVE USC Answers allowed: 1 ArrayMax: Max value: ✓ Help Available (USCHelp) ☐ Show Card () □ Look Up File () Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} **Question Text:** Is there a particular doctor's office, clinic, health center, or other place that {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health? HELP: F1 YES 1 AC30 **Responses:** (AC1030) NO 2 AC40 (AC1035) MORE THAN ONE PLACE 3 AC20 (AC1025) REFUSED RF END LP10 (AC1120) DK END LP10 DON'T KNOW (AC1120) **Display Instructions:** Variable collected at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25] Testing/Editing

Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25]

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec AC20** (AC1025) **BLAISE NAME:** GoFirst Item Type: Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () {PERSON'S FIRST MIDDLE AND LAST NAME} **Context Header: Question Text:** Would {you/{PERSON}} go to one of these places first or most often if {you/he/she} {are/is} sick? **Responses:** YES AC30 (AC1030) NO 2 AC40 (AC1035) (AC1120) **REFUSED** END LP10 DK END LP10 DON'T KNOW (AC1120) Display **Instructions: Testing/Editing** Variable collected at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25] **Notes:** Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25]

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec AC30** (AC1030) **BLAISE NAME: USCLoctn Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TGroup** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card (□ Look Up File () **Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} **Question Text:** Does the medical provider {you/{PERSON}} usually {see/sees} have his or her own practice that is not part of a group practice, health center, clinic, or other facility? OWN PRACTICE, NOT PART OF 1 BOX 30 (AC1036) **Responses:** GROUP/FACILITY PRACTICE IS ASSOCIATED WITH 2 BOX 30 (AC1036) GROUP/FACILITY **REFUSED** RF BOX 30 (AC1036) DON'T KNOW DK BOX 30 (AC1036) **Display** Display 'see' if asking about the respondent. Otherwise, display 'sees' **Instructions:** For response 1 "OWN PRACTICE, NOT PART OF GROUP/FACILITY", display the word "NOT" with an underline.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

Item Type: Question Field kind: Datafield ArrayMin: Min value:

Type Class: Enumerated Field Size:

Answer Type: TY_NO_USC Answers allowed: 1 ArrayMax: Max value:

✓ Help Available (USCHelp) ☐ Show Card () ☐ Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

What is the main reason {you/{PERSON}} {do/does} not have a usual source of health care?

HELP: F1

Responses: SELDOM OR NEVER GETS SICK 1 END_LP10 (AC1120)

RECENTLY MOVED INTO AREA 2 END_LP10 (AC1120)

JUST CHANGED INSURANCE PLANS 3 END_LP10 (AC1120)

NO HEALTH INSURANCE, OTHER 4 END_LP10 (AC1120)

INSURANCE RELATED REASON

DON'T KNOW WHERE TO GO FOR CARE 5 END_LP10 (AC1120)
USUAL SOURCE OF MEDICAL CARE IN 6 END_LP10 (AC1120)
THIS AREA IS NO LONGER AVAILABLE
LIKES TO GO TO DIFFERENT PLACES 7 END_LP10 (AC1120)
FOR DIFFERENT HEALTH NEEDS

DON'T USE DOCTORS/TREAT MYSELF 8 END LP10 (AC1120) COST OF MEDICAL CARE END LP10 (AC1120) OTHER REASON 91 END LP10 (AC1120) ----- RF REFUSED END LP10 (AC1120) DK END LP10 DON'T KNOW (AC1120)

Display Instructions:

Testing/Editing Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]
Notes: Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25]

BOX 30 (AC1036) Item Type: Route Type Class: If Then

Route Details: Ask the provider roster (PV) section.

At the completion of the provider roster (PV) section, continue with BOX 40.

AC - Page 6 of 42

BOX 40 (AC1055) Item Type: Route Type Class: If Then

Route Details:

If provider added or selected at PV30LU is a person provider, that person provider will be considered the 'USC (USUAL SOURCE OF CARE PROVIDER) PROVIDER' for this person for this round.

If provider added or selected at PV30LU is a facility provider and PV70=0, that facility provider will be considered the 'USC (USUAL SOURCE OF CARE PROVIDER) PROVIDER' for this person for this round.

If provider added or selected at PV30LU is a facility provider and PV70 ≠ 0 or empty, the entry at PV70, in conjunction with the facility provider at PV30LU, will be the 'USC (USUAL SOURCE OF CARE PROVIDER) PROVIDER' for this person for this round.

If the USC provider is a person provider, then the USC type is PERSON-TYPE PROVIDER. If the USC provider is a facility provider and PV70=0, then the USC type is a FACILITY-TYPE PROVIDER.

If the USC provider is a facility provider and PV70≠0 or empty, then the USC type is a PERSON-IN-FACILITY-TYPE PROVIDER and the entry entered at PV70 will be considered the USC in conjunction with the facility provider selected or added at PV30LU.

If USC provider selected at PV30LU is a FACILITY-TYPE PROVIDER or a PERSON-IN-FACILITY-TYPE PROVIDER and AC50 was not already asked for this USC provider in an earlier loop or AC50 was not already asked in a previous Fall cycle (e.g. round 2 if round 4) or in a previous Fall cycle AC50 was asked but was coded as missing (RF, DK), go to AC50.

Otherwise, if USC provider selected at PV30LU is (a PERSON-TYPE PROVIDER) or (a FACILITY-TYPE PROVIDER or a PERSON IN FACILITY TYPE PROVIDER and AC50 has already been asked for this USC provider in an earlier loop, or in a previous Fall cycle (Preload.PlaceType)), go to AC60.

MEPSFall2022
Full Detail Spec

Access to Care (AC) Section

BLAISE NAME: PlaceType AC50 (AC1060)**Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TPLACETYP** Answers allowed: 1 Max value: ArrayMax: ✓ Help Available (PlaceTypeHelp) ☐ Show Card () ☐ Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER......}

{NAME OF FACILITY}

Question Text:

ASK IF NOT OBVIOUS.

{Is {PROVIDER}/Does {PROVIDER} work at} a clinic in a hospital, a hospital outpatient department, an emergency room at a hospital, or some other kind of place?

HELP: F1

Responses:	HOSPITAL CLINIC OR OUTPATIENT 1 DEPARTMENT	AC60	(AC1065)
	HOSPITAL EMERGENCY ROOM 2	AC60	(AC1065)
	OTHER KIND OF PLACE 3	AC60	(AC1065)
	REFUSED RF	AC60	(AC1065)
	DON'T KNOW DK	AC60	(AC1065)

Programmer Instructions:

Note: for questions AC50-AC120, the context header will always display the name of the USC provider entered at PV30LU for 'NAME OF FACILITY'. Display the entry entered at PV70 for

'NAME OF MEDICAL CARE PROVIDER" otherwise, use a null display.

Display Instructions:

Display 'Is {PROVIDER}' if USC provider is a 'FACILITY-TYPE- PROVIDER'.

Display 'Does {PROVIDER} work at' if USC provider is a 'PERSON IN FACILITY-TYPE-PROVIDER'

and display the entry selected or added at PV70 for 'PROVIDER'

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25]

Display Instructions:

DON'T KNOW

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

DK BOX 50

(AC1070)

BOX_50 (AC1070) Item Type: Route Type Class: If Then

Route Details: If this USC provider is a 'PERSON-TYPE-PROVIDER' OR 'PERSON IN FACILITY-TYPE-PROVIDER' and

- If (Round 2) and (AC70 was not asked for this USC provider in an earlier loop) or
- If (Round>2) and (AC70 was not asked in a previous Fall cycle for this USC provider [Preload.ProvDoc = empty]) and (AC70 was not asked for this USC provider in an earlier loop in the current round)

01

• If (Round>2) and (AC70 was coded as refused or don't know for this USC provider in a previous Fall cycle [Preload.ProvDoc = RF, DK]) and (AC70 was not asked for this USC provider in an earlier loop in the current round)

or

• If (Round<>2) and (AC70 was coded '1' (YES) and AC90 was coded as refused or don't know for this USC provider in a previous Fall cycle [Preload.ProvDoc = Yes and Preload.ProvSpecIt=DK, RF]) and (AC70 was not asked for this USC provider in an earlier loop in the current round)

01

• If (Round<>2) and (AC70 was coded '2' (NO) and AC80 was coded as refused or don't know for this USC provider in a previous Fall cycle [Preload.ProvDoc = No and Preload.ProvOthType=DK, RF]) and (AC70 was not asked for this USC provider in an earlier loop in the current round), continue with AC70.

Otherwise, go to BOX 60.

AC70 Item Type: Type Class: Answer Type:	(AC1075) Question Enumerated TYESNO	BLAISE NAME: ProvI Field kind: Datafield Field Size: Answers allowed: 1	ArrayMin		
✓ Help Available	(MDDOTypes)		Card ()		Look Up File ()
Context Header:		RST MIDDLE AND LAST {NAME OF FACILITY		AME OF MEI	DICAL CARE
Question Text: Is {PROVIDER} a m	edical doctor?				HELP: F1
Responses:	NO		2	AC90 AC80 AC100 AC100	(AC1090) (AC1080) (AC1100) (AC1100)

MEPSFall2022				Access to Care (AC) Section			
Full Detail Spec							
Display Instructions:							
Testing/Editing Notes:		ted at MEPS(Fall/Spring at MEPS(Fall/Spring)Y					
<u>AC80</u> Item Type: Type Class:	(AC1080) Question Enumerated	BLAISE NAME: Pr Field kind: Datafic Field Size:		Min:	Min value:		
Answer Type:	ТОТНТҮРЕ	Answers allowed	d: 1 Array	Max:	Max value:		
✓ Help Available	(ProvOthTypeHelp	p)	Show Card ()		Up File ()	
Context Header:		TIRST MIDDLE AND L {NAME OF FACILI		{{NAME (OF MEDICAL	CARE	
Question Text:			1 :0	4 1 1	6 0		
	•	er, physician's assistant, mi			-		
SELECT CHIROPK	ACTOR IF CHIROF	PRACTOR VOLUNTEER	ED AS TYPE O	F MEDICA	L PERSON.	HELP: F1	
Responses:	PHYSICIAN'S MIDWIFE	TITIONER ASSISTANT OR	9 R	2 BOX 3 BOX 4 BOX 5 BOX 01 AC800	60 (A 60 (A 60 (A 60 (A OS (A 60 (A	AC1096) AC1096) AC1096) AC1096) AC1096) AC1085) AC1096)	
Display Instructions:	Display AC80 ar	nd AC80OS on the same	form pane.				

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec AC80OS** (AC1085) BLAISE NAME: ProvOthTypeOS **Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** String Field Size: 25 **Answer Type:** {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER......} {NAME OF FACILITY} **Question Text:** SPECIFY: OTHER TYPE **Responses:** BOX 60 (AC1096) REFUSED BOX 60 (AC1096) DON'T KNOW DK BOX 60 (AC1096) **Display** Display AC80 and AC80OS on the same form pane. **Instructions: Testing/Editing** Variable collected at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25] **Notes:** Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25]

Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min va	lue:
Type Class:	Enumerated	Field Size:			
Answer Type:	TMDSPECLT	Answers allowed: 1	ArrayMa	ax: Max v	alue:
☐ Help Available (()	\Box Show Card ()		☐ Look Up File (
Context Header:		ST MIDDLE AND LAST {NAME OF FACILITY}	NAME}{{N	IAME OF MEI	DICAL CARE
Question Text:					
What is {PROVIDER	s specialty?				
Responses:	GENERAL/FAM	IILY PRACTICE		BOX_60 BOX_60	(AC1096) (AC1096)
	PEDIATRICS	DICINE	_	BOX_60	(AC1096)
			3	BOX_60	(AC1096)
			•	BOX 60	(AC1096)
	CHIROPRACTO	OR	6	BOX 60	(AC1096)
	CARDIOLOGIS	T		BOX 60	(AC1096)
	DOCTOR OF OS	STEOPATHY	8	BOX 60	(AC1096)
	OTHER		91	AC90OS	(AC1095)
	REFUSED		RF	BOX_60	(AC1096)
	DON'T KNOW		DK	BOX_60	(AC1096)
Display Instructions:	Display AC90 and	AC90OS on the same form	pane.		
Testing/Editing Notes:		d at MEPS(Fall/Spring)YY t MEPS(Fall/Spring)YYYY			

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** AC90OS **BLAISE NAME: ProvSpecItOS** (AC1095)**Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: String Field Size: 25 **Answer Type:** {Continuous Answer.} Answers allowed: 1 Max value: ArrayMax: ☐ Help Available () ☐ Show Card (☐ Look Up File () **Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER......} {NAME OF FACILITY} **Question Text:** SPECIFY: OTHER SPECIALTY. **Responses:** BOX 60 (AC1096) REFUSED BOX 60 (AC1096) DON'T KNOW DK BOX 60 (AC1096) **Display** Display AC90 and AC90OS on the same form pane. **Instructions:** Variable collected at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25] Testing/Editing Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25] **Notes:** Item Type: Route Type Class: If Then **BOX 60** (AC1096)

Route Details:

If this USC provider is a 'PERSON-TYPE-PROVIDER' or 'PERSON IN FACILITY TYPE-PROVIDER' and [(AC100 not already answered this round for this same USC provider in an earlier cycle) or (if round<>2 and Preload.ProvHispLat=DK, RF, or EMPTY (i.e., AC100 never asked in previous Fall cycles, DK, or RF) for this same USC provider)], go to AC100.

Otherwise, go to BOX_70.

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec BLAISE NAME:** ProvHispLat AC100 (AC1100)**Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 Max value: ArrayMax: ☐ Help Available () ☐ Show Card (☐ Look Up File () **Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER......} {NAME OF FACILITY} **Question Text:** Is {PROVIDER} Hispanic or Latino? **Responses:** YES BOX 70 (AC1101) NO BOX 70 (AC1101) **REFUSED** BOX 70 (AC1101) DK BOX 70 DON'T KNOW (AC1101) **Display Instructions:** Variable collected at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25] Testing/Editing Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop10[1..25] Notes: **BOX 70** (AC1101)Item Type: Route Type Class: If Then

Route Details: If this USC provider is a 'PERSON-TYPE-PROVIDER' or 'PERSON IN FACILITY TYPE-PROVIDER'

> and [(AC110 not already answered this round for this same USC provider in an earlier cycle) or (if round<>2 and Preload.AskProvRace=1 (YES) (i.e., AC110 never asked, or RF, DK

in previous Fall cycles) for this same USC provider)], go to AC110.

Otherwise, go to BOX 80.

MEPSFall2022 Access to Care (AC) Section

Full Detail Spec

AC110 (AC1110) BLAISE NAME: ProvRace

Item Type: Question Field kind: Datafield ArrayMin: Min value:

Type Class: Enumerated Field Size:

Answer Type: Tbw AC19 Answers allowed: 6 ArrayMax: Max value:

☐ Help Available () ☐ Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER......}

{NAME OF FACILITY}

Question Text:

□ AC-1.

What is {PROVIDER}'s race?

ENTER ALL THAT APPLY.

Responses: WHITE 1 BOX_80 (AC1111)

 BLACK/AFRICAN AMERICAN
 2 BOX_80 (AC1111)

 ASIAN
 3 BOX_80 (AC1111)

 INDIAN/NATIVE AMERICAN/ALASKA
 4 BOX_80 (AC1111)

 NATIVE
 0THER PACIFIC ISLANDER
 5 BOX_80 (AC1111)

 OTHER PACIFIC ISLANDER
 5 BOX_80
 (AC1111)

 SOME OTHER RACE
 91 BOX_80
 (AC1111)

 REFUSED
 RF BOX_80
 (AC1111)

 DON'T KNOW
 DK BOX_80
 (AC1111)

Display Instructions:

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[1..25]

BOX_80 (AC1111) Item Type: Route Type Class: If Then

Route Details: If this USC provider is a 'PERSON-TYPE-PROVIDER' or 'PERSON IN FACILITY TYPE-PROVIDER'

and [(AC120 not already answered this round for this same USC provider in an earlier cycle) or (if round<>2 and Preload.ProvGender=DK, RF, or EMPTY (i.e., AC120 never asked

in previous Fall cycles) for this same USC provider)], go to AC120.

Otherwise, go to END_LP10.

AC120 Item Type: Type Class:	(AC1115) Question Enumerated	BLAISE NAME: ProvGo Field kind: Datafield Field Size:	ArrayMin:	Min value		
Answer Type:	TSMPSEXR	Answers allowed: 1	ArrayMax:	Max value	e:	
☐ Help Available (()	☐ Show Card ()		ook Up File ()
Context Header:	{PERSON'S FIRS {NAME OF FAC	ST MIDDLE AND LAST NAME}{ ILITY}	{NAME OF MED	DICAL CARE PRO	OVIDER}	
Question Text:						
Is {PROVIDER} mal	e or female?					
Responses:		7	2 Eî	ND_LP10 ND_LP10 ND_LP10 ND_LP10	(AC1120) (AC1120) (AC1120) (AC1120)	
Display Instructions:						
Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[125] Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop10[125]					
END LP10	(AC1120)	Item Type: Route	Type Class	s: End Loop		
Route Details:	definition.	person in the RU-members-ro				p
	If no other pers	ons meet the stated condition	s, end LOOP_1	0 and continue	with BOX_90.	

BOX 90 (AC1121) Item Type: Route Type Class: If Then

Route Details:

If at least one provider was selected or added as a 'USC provider' on the RU-medical-providers-roster, continue with LOOP 20.

Otherwise, go to AC210.

LOOP 20 (AC1130) Item Type: Route Type Class: Begin Loop

Route Details: For each element in the RU-medical-providers-roster, ask AC140 - END LP20.

Loop definition: LOOP_20 collects detailed information on each unique usual source of care provider identified for this RU. This loop cycles on providers who meet the following condition:

-Provider was selected or added as 'USC provider' during the current round for a current RU member.

Note: if the USC provider being looped on is a 'PERSON IN FACILITY-TYPE-PROVIDER' the context header in LOOP 20 will

display the name of facility selected or added at PV30LU. If the USC provider being looped on is a 'FACILITY- TYPE- PROVIDER', the context header in LOOP_20 will display the facility-provider name. If the USC provider being looped on is 'PERSON-TYPE PROVIDER' the context header in LOOP_20 will display the person-provider name.

For 'PROVIDER' in the question text, display the name of the facility if the USC type is a FACILITY TYPE PROVIDER, display the name of the person provider, if the USC type is a PERSON TYPE PROVIDER, and display the name entered at PV70, if the USC type is PERSON IN FACILITY TYPE PROVIDER.

MEPSFall2022				Access to Care (AC) Section
Full Detail Spec AC140	(AC1140)	BLAISE NAME: PhoneI	Ofclt	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TAPPDIFF	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available (()	✓ Show Card (AC	C-2)	☐ Look Up File ()
Context Header:	{NAME OF M {NAME OF F	MEDICAL CARE PROVIDER ACILITY}	}	
Question Text:				
□AC-2.				
	} {have had/has ha			N 3},} {PERSON 4},} {PERSON erall experiences when answering
How difficult is it to c health problem?	ontact {a medical p	person at} {PROVIDER} during	regular business ho	ours over the telephone about a
Would you say it is	very difficult, son	newhat difficult, not too diffic	ult, or not at all o	difficult?
Responses:	VERY DIFFIC	CULT	1	
	SOMEWHAT	DIFFICULT	2	
	NOT TOO DI	FFICULT	3	
	NOT AT ALL	DIFFICULT	4	
	REFUSED		RF	
	DON'T KNOV	V	DK	

Programmer Instructions:

If AC50 was coded '2' (HOSPITAL EMERGENCY ROOM) for this USC provider, go to AC160.

Otherwise, continue with AC150.

Display Instructions:

Display 'a medical person at' if USC provider being looped on is a 'FACILITY-TYPE-PROVIDER'.

Otherwise, use a null display.

Display 'have had' if roster list displayed at the question text includes the respondent or includes more than 1 person. Otherwise, display 'has had'.

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName). Display "you" rather than the respondent's name, when respondent's name is included in the list. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** AC150 (AC1145) **BLAISE NAME: OffHours Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () {NAME OF MEDICAL CARE PROVIDER......} {NAME OF FACILITY} **Context Header: Question Text:** Does {PROVIDER} have office hours at night or on weekends? **Responses:** YES AC160 (AC1150) NO 2 AC160 (AC1150) AC160 (AC1150) **REFUSED** DK AC160 DON'T KNOW (AC1150) Display **Instructions: Testing/Editing** Variable collected at MEPS(Fall/Spring)YYYY.AC Main.AC Loop20[1..25] **Notes:** Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop20[1..25]

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec BLAISE NAME:** AfterHours AC160 (AC1150) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TAPPDIFF** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ✓ Show Card (AC-2) ☐ Look Up File () {NAME OF MEDICAL CARE PROVIDER......} {NAME OF FACILITY} **Context Header: Question Text: □**AC-2. How difficult is it to contact {a medical person at} {PROVIDER} after their regular hours in case of urgent medical needs? Would you say it is very difficult, somewhat difficult, not too difficult, or not at all difficult? Responses: VERY DIFFICULT 1 AC170 (AC1155) SOMEWHAT DIFFICULT 2 AC170 (AC1155) 3 NOT TOO DIFFICULT AC170 (AC1155) NOT AT ALL DIFFICULT 4 AC170 (AC1155) **REFUSED** RF AC170 (AC1155) DON'T KNOW DK AC170 (AC1155) **Display** Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE-**Instructions:** PROVIDER'. Otherwise, use a null display.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

Full Detail Spec AC170 **BLAISE NAME: OthTrtmt** (AC1155)**Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card (☐ Look Up File () **Context Header:** {NAME OF MEDICAL CARE PROVIDER......} {NAME OF FACILITY} **Question Text:** Does {someone at} {PROVIDER} usually ask about prescription medications and treatments other doctors may give {{PERSON 1},} {{PERSON 2},} {{PERSON 3},} {{PERSON 4},}{{and} PERSON N}? YES AC180 (AC1160) **Responses:** NO 2 AC180 (AC1160) REFUSED AC180 (AC1160) DON'T KNOW DK AC180 (AC1160) **Display** Display 'someone at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'. **Instructions:** Otherwise, use a null display. Roster definition: Roster 1 - Report This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName). Display "you" rather than the respondent's name, when respondent's name is included in the list. Display reference person's name when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and". Roster filter: Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round. Testing/Editing Variable collected at MEPS(Fall/Spring)YYYY.AC Main.AC Loop20[1..25] **Notes:** Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop20[1..25]

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec BLAISE NAME:** AskChoose AC180 (AC1160) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TALUSUALY** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ✓ Show Card (AC-3) □ Look Up File () **Context Header:** {NAME OF MEDICAL CARE PROVIDER......} {NAME OF FACILITY} **Question Text:** □ AC-3. If there were a choice between treatments, how often would {a medical person at} {PROVIDER} ask {{PERSON 1},} {PERSON 2},} {PERSON 3},} {PERSON 4},} {PERSON N},} {or their parents} to help make the decision? Would you say never, sometimes, usually, or always? **Responses: NEVER** AC190 (AC1165) **SOMETIMES** 2 AC190 (AC1165) USUALLY AC190 (AC1165) **ALWAYS** AC190 (AC1165)

REFUSED

DON'T KNOW

AC190

DK AC190

(AC1165)

(AC1165)

MEPSFall2022 Access to Care (AC) Section

Full Detail Spec

Display Instructions:

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and

last names (Person.FullName).

Display "you" rather than the respondent's name, when respondent's name is included in

the list.

Display reference person's name, when the respondent is a proxy. Separate each name with

a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as

person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old

(or age category 1-3), otherwise, use a null display.

Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE-

PROVIDER'. Otherwise, use a null display.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop20[1..25]

MEPSFall2022 Full Detail Spec				Access	to Care (AC) Section	n
AC190	(AC1165)	BLAISE NAME: ExplO	ot			
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min val	lue:	
Type Class:	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	ix: Max va	llue:	
☐ Help Available	()	☐ Show Card ()		Look Up File ()
Context Header:	{NAME OF M	MEDICAL CARE PROVIDER	} {NAM	IE OF FACILITY}		
Question Text:						
		R} present and explain all options N} {or their parents}?	to {{PERSC	ON 1},} {{PERSO	ON 2},} {{PERSON	
Responses:	YES		1	BOX_100	(AC1166)	
	NO		2	BOX_100	(AC1166)	
	REFUSED		RF	BOX_100	(AC1166)	
	DON'T KNOV	V	DK	BOX_100	(AC1166)	

MEPSFall2022 Full Detail Spec

Display Instructions:

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName).

Display "you" rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name, when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE-PROVIDER'.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25]

BOX 100 (AC1166) Item Type: Route Type Class: If Then

Route Details:

If at least one person who identified the USC provider currently being looped on as their USC provider AND RE1170_09 was coded '3' (NOT WELL) or '4' (NOT AT ALL) in any round for that person (preload.EngCompLevel), continue with AC200.

Otherwise, go to END_LP20.

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec AC200** (AC1175) **BLAISE NAME:** LangPref Item Type: Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TYESNO Answers allowed:** 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () {NAME OF MEDICAL CARE PROVIDER......} {NAME OF FACILITY} **Context Header: Question Text:** Does {someone at} {PROVIDER} speak the language {{PERSON 1},} {{PERSON 2},} {{PERSON 3},} {{PERSON 4},} {{and} PERSON N} {or their parents} prefer(s) or provide translator services? **Responses:** YES 1 END LP20 (AC1180) NO 2 END LP20 (AC1180) **REFUSED** (AC1180) RFEND LP20

DK END LP20

(AC1180)

DON'T KNOW

MEPSFall2022 Access to Care (AC) Section

Full Detail Spec

Display Instructions:

Display 'someone at' if USC provider being looped on is a 'FACILITY-TYPE- PROVIDER.'

Otherwise, use a null display.

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and

last names (Person.FullName). Display "you"

rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name, when the respondent is a proxy. Separate each name with

a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who:

- Identified provider being asked about as person's USC provider for the current round and

-Coded RE1170_09 as '3' (NOT WELL) or '4' (NOT AT ALL) in any round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or

age category 1-3), otherwise, use a null display.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AC_Loop20[1..25] Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AC Loop20[1..25]

END LP20 (AC1180) Item Type: Route Type Class: End Loop

Route Details: Cycle on next provider in the RU-medical-providers-roster who meets the conditions

stated in the loop definition.

If no other providers meet the stated conditions, end LOOP 20 and continue with

AC210.

Full Detail Spec AC210 BLAISE NAME: DelayCare (AC1185)**Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 Max value: ArrayMax: ☐ Help Available () ☐ Show Card () ☐ Look Up File () **Question Text:** The following questions are about the use of health care. Do not include dental care or prescription medicines. Please think about the last 12 months, that is, between {MONTH YEAR-1} and today. {{Have you/Has {PERSON}} delayed seeking medical care/Has medical care been delayed for anyone in the household} because of worry about the cost? **Responses:** YES 1 AC220 (AC1186) NO 2 AC230 (AC1187) RF REFUSED AC230 (AC1187) DON'T KNOW DK AC230 (AC1187) Programmer If coded '1' (YES) and a MULTI-PERSON RU, continue with AC220. **Instructions:** If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC220, and go to AC230. **Display** For 'MONTH YEAR-1' display the month of the current interview and the current interview **Instructions:** year minus 1. Display '{Have you/Has {PERSON}} delayed seeking medical care' if SINGLE-PERSON RU. Otherwise, display 'Has medical care been delayed for anyone in the household'. Testing/Editing Variable collected at MEPS(Fall/Spring)YYYY.AC Main.DelayCare **Notes:** Variable stored at MEPS(Fall/Spring)YYYY.AC Main.DelayCare

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** BLAISE NAME: DelayWho AC220 (AC1186) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type:** TFIRSTMIDLASTNA Answers allowed: 99 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Question Text:** Who was that? PROBE: Did anyone else delay seeking medical care because of worry about the cost? ENTER ALL THAT APPLY. 1 **Responses:** {FIRST NAME [MIDDLE NAME] LAST NAME}1 {FIRST NAME [MIDDLE NAME] LAST ---- 2 NAME}2 {FIRST NAME [MIDDLE NAME] LAST 3 NAME}3 {FIRST NAME [MIDDLE NAME] LAST NAME}4 {FIRST NAME [MIDDLE NAME] LAST

Programmer Instructions:

Go to AC230.

NAME}N

Display Instructions:

Roster 2 - no add/edit/delete

Roster definition:

This item displays RU members roster for selection. Display RU member's first, middle, and

last name (Person.FullName).

Roster filter:

No filter; display all.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.DelayWho

Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.DelayWho

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** AC230 BLAISE NAME: AffrdCare (AC1187) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Question Text:** In the last 12 months, was there any time when {{you/{PERSON}}/anyone in the household} needed medical care, but did not get it because {{you/he/she}/they} couldn't afford it? **Responses:** YES 1 AC240 (AC1188) NO AC250 (AC1189) RF REFUSED AC250 (AC1189) DON'T KNOW DK AC250 (AC1189) Programmer If coded '1' (YES) and a MULTI-PERSON RU, continue with AC240. **Instructions:** If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC240, and go to AC250. **Display** Display '{you/{PERSON}}' if SINGLE-PERSON RU. Otherwise, display 'anyone in the **Instructions:** household'.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCare Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCare

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** BLAISE NAME: AffrdWho AC240 (AC1188) Item Type: Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type:** TFIRSTMIDLASTNA Answers allowed: 99 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Question Text:** Who was that? PROBE: Did anyone else need medical care but did not get it because they couldn't afford it? ENTER ALL THAT APPLY. 1 **Responses:** {FIRST NAME [MIDDLE NAME] LAST NAME}1 {FIRST NAME [MIDDLE NAME] LAST ---- 2 NAME}2 {FIRST NAME [MIDDLE NAME] LAST 3 NAME}3 {FIRST NAME [MIDDLE NAME] LAST NAME}4 {FIRST NAME [MIDDLE NAME] LAST NAME}N Programmer Go to AC250. **Instructions: Display** Roster 2 - no add/edit/delete **Instructions:**

Roster definition:

This item displays RU members roster for selection. Display RU member's first, middle, and

last name (Person.FullName).

Roster filter:

No filter; display all.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdWho Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AffrdWho

☐ Show Card ()

☐ Look Up File ()

Question Text:

☐ Help Available ()

Now please think only about dental care. In the last 12 months [that is, between {MONTH YEAR-1} and today], {have you/has {PERSON}} delayed seeking dental care (including check-ups)/has dental care (including check-ups) been delayed for anyone in the household} because of worry about the cost?

Responses: YES

 NO
 2
 AC270
 (AC1191)

 REFUSED
 RF
 AC270
 (AC1191)

 DON'T KNOW
 DK
 AC270
 (AC1191)

Programmer

If coded '1' (YES) and a MULTI-PERSON RU, continue with AC260.

Instructions: If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC260, and go to

AC270.

Display Instructions:

For 'MONTH YEAR-1' display the month of the current interview and the current interview

year minus 1.

Display '{have you/Has {PERSON}} delayed seeking dental care (including check-ups)' if SINGLE-PERSON RU. Otherwise, display 'has dental care been delayed (including check-ups)

for anyone in the household'.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.DelayCareDN Variable stored at MEPS(Fall/Spring)YYYY.AC Main.DelayCareDN

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** AC260 **BLAISE NAME:** DelayWhoDN (AC1190) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type:** TFIRSTMIDLASTNA Answers allowed: 99 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Question Text:** Who was that? PROBE: Did anyone else delay seeking dental care (including check-ups) because of worry about the cost? ENTER ALL THAT APPLY. 1 **Responses:** {FIRST NAME [MIDDLE NAME] LAST NAME}1 {FIRST NAME [MIDDLE NAME] LAST ---- 2 NAME}2 {FIRST NAME [MIDDLE NAME] LAST 3 NAME}3 {FIRST NAME [MIDDLE NAME] LAST NAME}4 {FIRST NAME [MIDDLE NAME] LAST NAME}N Programmer Go to AC270. **Instructions: Display** Roster 2 - no add/edit/delete **Instructions:**

Roster definition:

This item displays RU members roster for selection. Display RU member's first, middle, and

last name

(Person.FullName).

Roster filter:

No filter; display all.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.DelayWhoDN Variable stored at MEPS(Fall/Spring)YYYY.AC Main.DelayWhoDN

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** BLAISE NAME: AffrdCareDN AC270 (AC1191) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Question Text:** In the last 12 months, was there any time when {{you/{PERSON}}/anyone in the household} needed dental care, but did not get it because {{you/he/she}/they} couldn't afford it? YES **Responses:** NO 2 AC290 (AC1193) RF REFUSED AC290 (AC1193) DON'T KNOW DK AC290 (AC1193) Programmer If coded '1' (YES) and a MULTI-PERSON RU, continue with AC280. **Instructions:** If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC280, and go to AC290. **Display** Display '{you/{PERSON}}' if SINGLE-PERSON RU. Otherwise, display 'anyone in the **Instructions:** household'.

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCareDN Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCareDN

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** AC280 BLAISE NAME: AffrdWhoDN (AC1192) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type:** TFIRSTMIDLASTNA Answers allowed: 99 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Question Text:** Who was that? PROBE: Did anyone else need dental care but did not get it because they couldn't afford it? ENTER ALL THAT APPLY. 1 **Responses:** {FIRST NAME [MIDDLE NAME] LAST NAME}1 {FIRST NAME [MIDDLE NAME] LAST ---- 2 NAME}2 {FIRST NAME [MIDDLE NAME] LAST 3 NAME}3 {FIRST NAME [MIDDLE NAME] LAST NAME}4 {FIRST NAME [MIDDLE NAME] LAST NAME}N Programmer Go to AC290. **Instructions: Display** Roster 2 - no add/edit/delete **Instructions:** Roster definition: This item displays RU members roster for selection. Display RU member's first, middle, and last name

(Person.FullName).

Roster filter:

No filter; display all.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdWhoDN Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdWhoDN

Question Text:

Please think about the last 12 months, that is, between {MONTH YEAR-1} and today. {{Have you/Has {PERSON}} delayed getting prescription medicines/Have prescription medicines been delayed for anyone in the household} because of worry about the cost?

Responses: YES

NO 2 AC310 (AC1195) ----- RF REFUSED AC310 (AC1195) DK AC310 DON'T KNOW (AC1195)

Programmer

If coded '1' (YES) and a MULTI-PERSON RU, continue with AC300.

Instructions: If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC300, and go to

AC310.

Display Instructions:

For 'MONTH YEAR-1' display the month of the current interview and the current interview

year minus 1.

Display "Have you/Has {PERSON}} delayed getting prescription medicines" if SINGLE-PERSON

RU. Otherwise, display 'Have prescription medicines been delayed for anyone in the

household".

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC Main.DelayCarePM Variable stored at MEPS(Fall/Spring)YYYY.AC Main.DelayCarePM

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** AC300 BLAISE NAME: DelayWhoPM (AC1194) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type:** TFIRSTMIDLASTNA Answers allowed: 99 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Question Text:** Who was that? PROBE: Did anyone else delay getting prescription medicines because of worry about the cost? ENTER ALL THAT APPLY. 1 **Responses:** {FIRST NAME [MIDDLE NAME] LAST NAME}1 {FIRST NAME [MIDDLE NAME] LAST ---- 2 NAME}2 {FIRST NAME [MIDDLE NAME] LAST 3 NAME}3 {FIRST NAME [MIDDLE NAME] LAST NAME}4 {FIRST NAME [MIDDLE NAME] LAST NAME}N Programmer Go to AC310.

Instructions:

Display Instructions:

Roster 2 - no add/edit/delete

Roster definition:

This item displays RU members roster for selection. Display RU member's first, middle, and

last name

(Person.FullName).

Roster filter:

No filter; display all.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC Main.DelayWhoPM Variable stored at MEPS(Fall/Spring)YYYY.AC Main.DelayWhoPM

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** AC310 BLAISE NAME: AffrdCarePM (AC1195) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Question Text:** In the last 12 months, was there any time when {{you/{PERSON}}/anyone in the household} needed prescription medicines, but did not get them because {{you/he/she}/they} couldn't afford it? **Responses:** YES NO 2 BOX 110 (AC1215) RF REFUSED BOX 110 (AC1215) DON'T KNOW DK BOX 110 (AC1215) Programmer If coded '1' (YES) and a MULTI-PERSON RU, continue with AC320. **Instructions:** If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC320 and go to BOX 110. **Display** Display '{you/{PERSON}}' if SINGLE-PERSON RU. Otherwise, display 'anyone in the **Instructions:** household'.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCarePM Variable stored at MEPS(Fall/Spring)YYYY.AC_Main.AffrdCarePM

MEPSFall2022 Access to Care (AC) Section **Full Detail Spec** BLAISE NAME: AffrdWhoPM AC320 (AC1196) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type:** TFIRSTMIDLASTNA Answers allowed: 99 ArrayMax: Max value: ☐ Help Available () ☐ Show Card () □ Look Up File () **Question Text:** Who was that? PROBE: Did anyone else need prescription medicines but did not get it because they couldn't afford it? ENTER ALL THAT APPLY. 1 **Responses:** {FIRST NAME [MIDDLE NAME] LAST NAME}1 {FIRST NAME [MIDDLE NAME] LAST ---- 2 NAME}2 {FIRST NAME [MIDDLE NAME] LAST 3 NAME}3 {FIRST NAME [MIDDLE NAME] LAST NAME}4 {FIRST NAME [MIDDLE NAME] LAST NAME}N Programmer Go to BOX 110. **Instructions: Display** Roster 2 - no add/edit/delete **Instructions:** Roster definition:

This item displays RU members roster for selection. Display RU member's first, middle, and

last name

(Person.FullName).

Roster filter:

No filter; display all.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.AC Main.AffrdWhoPM Variable stored at MEPS(Fall/Spring)YYYY.AC Main.AffrdWhoPM

MEPSFall2022 Access to Care (AC) Section Full Detail Spec

BOX_110 (AC1215) Item Type: Route Type Class: If Then

Route Details: Go to next questionnaire section.

[End of AC]