

SpecWriter Data

Form Version: 6/26/2023 11:01:41 AM
Report Type: Full Detail
Project Database: WESSQL300.MEPSSpring2024
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

Full Detail Spec

BOX 00 **(FF1000)** **Item Type:** Route **Type Class:** If Then

Route Details: 01 BOX = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60
04 Single Select = FF40, FF60, FF90, FF100, FF120, FF130, FF160, FF190
06 Single Select with Fill in Answer Text = FF10
11 Multiple Select with Add/Edit/Delete = FF170
18 Dollar Items Not Allowing Cents = FF140, FF150, FF180
19 Numeric Field = FF50, FF70
23 Text Field = FF30, FF110
24 Information Screen = FF80
30 Multiple Select with Fill in Answer Text and Display Roster = FF20

Roster 2 = FF10, FF20

Roster 3 = FF170

Grid 2 = FF180

BOX 10 **(FF1001)** **Item Type:** Route **Type Class:** If Then

Route Details: Throughout the Flat Fee (FF) section, entry of all dollar amounts will include only whole dollars. Entry of cents will be disallowed.

Context Header Display Instructions: SEE CONTEXT HEADER SPEC

For '{STR-DT}' display the person's reference period start date.

BOX 20 **(FF1005)** **Item Type:** Route **Type Class:** If Then

Route Details: If no flat fee groups already on PERSONS-FLAT-FEE-GROUPS-ROSTER, go to FF20.

Otherwise, continue with FF10.

Full Detail Spec

FF10	(FF1015)	BLAISE NAME: FFeeGrp		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TFlatFee	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER.} {EV} {EVN-DT}

Question Text:

Let me review the groups of health care events I have recorded for {you/{PERSON}}. Please tell me if any of these groups include the charge that covered {this hospital stay/this visit}/the services received at home}.

REVIEW FLAT FEE GROUPS WITH RESPONDENT.
 SELECT FLAT FEE GROUP COVERED BY SAME CHARGE AS EVENT BEING ASKED ABOUT.

Responses:	ADD GROUP	0	FF20	(FF1020)
	{FLAT FEE GROUP} 1	1	BOX_60	(FF1160)
	{FLAT FEE GROUP} 2	2	BOX_60	(FF1160)
	{FLAT FEE GROUP} 3	3	BOX_60	(FF1160)
	{FLAT FEE GROUP} 4	4	BOX_60	(FF1160)
	{FLAT FEE GROUP} N	5	BOX_60	(FF1160)

Programmer Instructions: Since this roster will include all flat fee groups, current round single events can be added to any flat fee group created during the current round or a previous round (FlatFeeGroup[I].FFeeName).

Roster Behavior:

1. Only single select allowed.

Display Instructions:

Roster 2- No Add/Edit/Delete

Roster Definition:

Display the person's-flat-fee-groups-roster (FFEE, FFEENAME) for selection.

Roster Filter:

No filter; display all.

Display 'this hospital stay' if event type is HS.

Display 'this visit' if event type is ER, OP, MV, TH, or DN.

Display 'the services received at home' if event type is HH.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY_FF_Main

Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main

Full Detail Spec

FF20

(FF1020)

BLAISE NAME: FFeeRoster

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**

Type Class: Enumerated **Field Size:**

Answer Type: {User Defined.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available ()

Show Card ()

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER.} {EV} {EVN-DT}

Question Text:

Let me review the list of health care events I have recorded for {you/{PERSON}}. Please tell me which of these were included in the same charge that covered {this hospital stay/this visit/the services received at home}.

REVIEW EVENTS WITH RESPONDENT.
SELECT EVENTS COVERED BY SAME CHARGE AS EVENT BEING ASKED ABOUT.

ENTER ALL THAT APPLY.

MEDICAL PROVIDER	DOCTOR OR DEPARTMENT NAME	EVENT TYPE	ADMIT DATE	DISCHARGE DATE
EVENT OUTSIDE REFERENCE PERIOD 0				
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}1
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}2
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}3
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}4
{MEDICAL PROVIDER}	{DOC OR DEPT}	{EVENT TYPE}	{ADMIT DATE}	{DISCHARGE DATE}N

Responses:

Programmer Instructions: RF/DK not allowed.

Display Instructions: Display the roster in nonproportional text.

Roster 1 - Report

Roster Definition:

This item displays all medical events on person's-medical-events- roster for selection in the info pane. The 5 columns to be displayed are: MEDICAL PROVIDER, DOCTOR OR DEPARTMENT NAME, EVENT TYPE, ADMIT DATE, DISCHARGE DATE. For MEDICAL PROVIDER, display the name of provider associated with this event (EVNT.LORPNAME), if PV70 has a value, display the doctor or department associated with this event, display the two- letter event abbreviation (EVNT.EVNTTPYE) for EVENT TYPE, for Admit date display the month, day, and year of medical events (EVNT.EVNTBEGM, EVNT, EVNTBEGD, EVNT, EVNTBEGY), and the discharge date for HS events (EVNT.EVNTENDM, EVNT.EVNTENDD, EVNT.EVNTENDY). For MV, ER, OP, or DN, events display the visit date for { ADMIT DATE } and use a null display for { DISCHARGE DATE }.

For HS events display the hospital stay admit date for { ADMIT DATE } and the hospital stay discharge date for the { DISCHARGE DATE }.

Roster Filter:

Display events that meet the following conditions:

1. Event is not the event currently looping on.
2. Event has CP status of 'PROCESSED' or 'UNPROCESSED' (display event regardless of CP status).
3. Event is not already included in a flat fee group or a repeat visit group.
4. Event is not already coded (VERIFIED) as a copayment.
5. Event type is not IC.
6. Event is not an HS event with a discharge date coded '95' (STILL IN HOSPITAL).
7. Event is not an HH event with event date = interview month.
8. Event is not an HH event type 'INFORMAL' or 'VOLUNTEERED: MEAL DELIVERY SERVICE.'
9. Event is not an OM event.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_FF_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main

Full Detail Spec

FF50

(FF1050)

BLAISE NAME: FFeeVisBef

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1

Type Class: Integer **Field Size:** 2

Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 99

Help Available ()

Show Card ()

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP..}

Question Text:

How many visits did {you/{PERSON}} have before {START DATE}?

ENTER NUMBER OF VISITS:

Responses:	1	FF80	(FF1080)
	REFUSED	RF	FF80	(FF1080)
	DON'T KNOW	DK	FF80	(FF1080)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_FF_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main

Full Detail Spec

FF60	(FF1070)	BLAISE NAME: FFeeVisAft		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP}

Question Text:

Will the charge which includes the services for {FLAT FEE GROUP} cover any visits after December 31, {YEAR}?

Responses:	YES	1	FF70	(FF1075)
	NO	2	FF80	(FF1080)
	REFUSED	RF	FF80	(FF1080)
	DON'T KNOW	DK	FF80	(FF1080)

Display Instructions: For {FLAT FEE GROUP}, display the name of the flat fee group selected at FF10 or entered at FF30.
(For specifications purposes only; CAPI handles automatically): for 'YEAR' in question text, display the second year of the panel.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_FF_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main

Full Detail Spec

FF70

(FF1075)

BLAISE NAME: FFeeNumVisAft

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1

Type Class: Integer **Field Size:** 2

Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 99

Help Available ()

Show Card ()

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP..}

Question Text:

Approximately, how many visits will {you/ {PERSON}} have after December 31, {YEAR}?

NUMBER OF VISITS:

Responses: 1 FF80 (FF1080)
REFUSED RF FF80 (FF1080)
DON'T KNOW DK FF80 (FF1080)

Programmer Instructions: Hard Range: TBD

Display Instructions: (For specifications purposes only; CAPI handles automatically): for 'YEAR' in question text, display the second year of the panel.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_FF_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main

Full Detail Spec

FF80	(FF1080)	BLAISE NAME: FFeeIntro		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:

Help Available (CPayIntroHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:
 {NAME OF FLAT FEE EVENT GROUP}

Question Text:

Now I'd like to ask you about the charges for the services for {FLAT FEE GROUP} for {you/{PERSON}}.

PRESS 1 AND ENTER TO CONTINUE.

HELP:F1

Responses: CONTINUE 1 FF90 (FF1085)

Display Instructions: For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered at FF30.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.FF_Main
 Variable stored at MEPS(Fall/Spring)YYYY_Event.FF_Main

Full Detail Spec

FF90

(FF1085)

BLAISE NAME: FFeeRcvBill

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TYESNO4

Answers allowed: 1

ArrayMax:

Max value:

Help Available (RcvBillHelp)

Show Card ()

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:
{NAME OF FLAT FEE EVENT GROUP}

Question Text:

{Have/Has} {you/{PERSON}} (or anyone in the family) received anything in writing, such as a bill, receipt, or statement, for the services for {FLAT FEE GROUP}?

HELP:F1

Responses:	YES, AND DOCUMENTATION AVAILABLE	----	1	BOX_30	(FF1105)
	YES, BUT DOCUMENTATION NOT AVAILABLE	-----	2	BOX_30	(FF1105)
	NO	-----	3	FF100	(FF1090)
	REFUSED	-----	RF	FF100	(FF1090)
	DON'T KNOW	-----	DK	FF100	(FF1090)

Display

Instructions:

For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered at FF30.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY_FF_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main

Full Detail Spec

FF100

(FF1090)

BLAISE NAME: FFeeYNoBill

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TNotReceivedWriting **Answers allowed:** 1 **ArrayMax:** **Max value:**

- Help Available (YNoBillHelp) Show Card (CP-1) Look Up File ()

Context Header:

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:
 {NAME OF FLAT FEE EVENT GROUP}

Question Text:

 CP-1.

Please look at card CP-1. Why {have/has} {you/{PERSON}} (or anyone in the family) not received anything in writing?

HELP:F1

Responses:

PAID AT TIME OF VISIT	1	BOX_30	(FF1105)
MADE A COPAYMENT	2	BOX_30	(FF1105)
BILL SENT DIRECTLY TO OTHER SOURCE	3	FF110	(FF1095)
BILL HAS NOT ARRIVED	4	BOX_30	(FF1105)
NO BILL SENT: HMO PLAN	5	BOX_30	(FF1105)
NO BILL SENT: VA (VETERANS ADMINISTRATION)/CHAMPVA	6	BOX_30	(FF1105)
NO BILL SENT: MILITARY FACILITY.....	7	BOX_30	(FF1105)
NO BILL SENT: PUBLIC ASSISTANCE/MEDICAID/SCHIP	8	BOX_30	(FF1105)
NO BILL SENT: INDIAN HEALTH SERVICE (IHS)	9	BOX_30	(FF1105)
NO BILL SENT: WORKER'S COMPENSATION	10	BOX_30	(FF1105)
NO BILL SENT: PRIVATE HEALTH CENTER/CLINIC	11	BOX_30	(FF1105)
NO BILL SENT: PUBLIC CLINIC/HEALTH CENTER OR PRIVATE CHARITY	12	BOX_30	(FF1105)
NO CHARGE: TELEPHONE CALL	13	BOX_60	(FF1160)
FREE FROM PROVIDER	14	BOX_60	(FF1160)
GOVERNMENT-FINANCED RESEARCH AND CLINICAL TRIALS	15	BOX_60	(FF1160)
REFUSED	RF	BOX_30	(FF1105)
DON'T KNOW	DK	BOX_30	(FF1105)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPS(Fall/Spring)YYYY.FF_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event.FF_Main

FF110	(FF1095)	BLAISE NAME: FFeeWhereBill		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 45		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:
{NAME OF FLAT FEE EVENT GROUP}

Question Text:

To whom was the bill sent?

RECORD VERBATIM.

Responses:

.....	1	FF120	(FF1100)
REFUSED	RF	FF120	(FF1100)
DON'T KNOW	DK	FF120	(FF1100)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPS(Fall/Spring)YYYY.FF_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event.FF_Main

Full Detail Spec

FF120	(FF1100)	BLAISE NAME: FfeeWhereBillTp		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHOBILLC	Answers allowed: 1	ArrayMax:	Max value:

Help Available (WhereBillTpHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:
 {NAME OF FLAT FEE EVENT GROUP}

Question Text:

INTERVIEWER: SELECT TYPE OF ORGANIZATION TO WHOM BILL WAS SENT:

HELP: F1

Responses:	HMO	1	BOX_30	(FF1105)
	VA (VETERANS AFFAIRS)/CHAMPVA	2	BOX_30	(FF1105)
	TRICARE	3	BOX_30	(FF1105)
	OTHER MILITARY	4	BOX_30	(FF1105)
	PUBLIC ASSISTANCE/MEDICAID/SCHIP	5	BOX_30	(FF1105)
	WORKER'S COMPENSATION	6	BOX_30	(FF1105)
	PRIVATE INSURANCE COMPANY	7	BOX_30	(FF1105)
	INDIAN HEALTH SERVICE (IHS)	8	BOX_30	(FF1105)
	OTHER	91	BOX_30	(FF1105)
	REFUSED	RF	BOX_30	(FF1105)
	DON'T KNOW	DK	BOX_30	(FF1105)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.FF_Main
 Variable stored at MEPS(Fall/Spring)YYYY_Event.FF_Main

Full Detail Spec

BOX 30

(FF1105)

Item Type: Route

Type Class: If Then

Route Details: If FF90 is coded '1' (YES, AND DOCUMENTATION AVAILABLE) or '2' (YES, BUT DOCUMENTATION NOT AVAILABLE);
 or
 If FF100 is coded '1' (PAID AT TIME OF VISIT), '2' (MADE A COPAYMENT), '4' (BILL HAS NOT ARRIVED), 'DK' (DON'T KNOW), or 'RF' (REFUSED);
 or
 If FF120 is coded '3' (TRICARE), '91' (OTHER), 'DK' (DON'T KNOW), or 'RF' (REFUSED);
 Go to FF130.

Otherwise, go to FF150

FF130

(FF1110)

BLAISE NAME: FFeeKnowTotal

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TYESNO

Answers allowed: 1

ArrayMax:

Max value:

Help Available (EvpvChrgHelp)

Show Card ()

Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:
{NAME OF FLAT FEE EVENT GROUP}

Question Text:

Do you know the total charge for the services for {FLAT FEE GROUP}?

HELP: F1

Responses:

YES	1	FF140	(FF1115)
NO	2	FF150	(FF1120)
REFUSED	RF	FF150	(FF1120)
DON'T KNOW	DK	FF150	(FF1120)

Display

Instructions:

For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered at FF30.

Testing/Editing

Notes:

Variable collected at MEPS(Fall/Spring)YYYY.FF_Main

Variable stored at MEPS(Fall/Spring)YYYY_Event.FF_Main

Full Detail Spec

FF160	(FF1125)	BLAISE NAME: FFeeAnySrcPay		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (AnySrcPayHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:
 {NAME OF FLAT FEE EVENT GROUP}

Question Text:

Has any private insurance company, HMO, Medicare, Medicaid, or any other source made any payments for the services for {FLAT FEE GROUP}?

HELP: F1

Responses:	YES	1	FF170	(FF1130)
	NO	2	BOX_40	(FF1145)
	REFUSED	RF	BOX_40	(FF1145)
	DON'T KNOW	DK	BOX_40	(FF1145)

Display Instructions: For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered at FF30.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_FF_Main
 Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main

**Programmer
Instructions:**

Roster behavior:

1. Multiple select allowed.

2. Multiple add allowed.

3. Pressing CTRL-A displays a pop-up with a blank text entry field and a selectable pick list of 15 common sources of payment. (See below for a detailed list). The interviewer can type a new source or select one from the list. Upon return to FF170, the added source will appear on the roster as selected.

GOVERNMENT SOURCES:

- 'Medicare'

- 'Medicaid{/STATE NAME FOR MEDICAID}'

- 'CHIP/{STATE NAME FOR CHIP}'

- 'VA (VETERAN'S ADMINISTRATION)/CHAMPVA'

- 'Tricare'

- 'Military Facility'

- 'Indian Health Service'

- 'Worker's Compensation'

PRIVATE SOURCES:

- 'AARP'

- 'Aetna'

- 'Blue Cross/Blue Shield'

- 'Cigna'

- 'Delta Dental'

- 'Kaiser/Kaiser Permanente'

- 'United Healthcare'

- Other Source not listed

4. Limited delete allowed. If interviewer adds a source of payment, delete is possible for that source only, as long as the interviewer has not left the screen. If delete is attempted when it is not allowed, CAPI displays the following error message: 'DELETE ALLOWED ONLY WHEN SOURCE IS FIRST ENTERED.'

If 'Other Source not listed' is selected, CAPI should display a text box for entry.

Write sources selected to the Event's-Sources-of- Payment-roster

If at least one source is added or selected during the current round, the flag SOPFlag should be set to YES.

**Display
Instructions:**

Roster 3- add/edit/delete allowed.

Roster definition:

Display the RU-Sources-Of-Payment-roster for selection. Display payment source name (SRCS.SRCNAME)

Roster filter:

Display all sources of payment except PERSON/FAMILY

Display '/STATE NAME FOR MEDICAID' (substituting the real state name for program) if the state in which interview being conducted does not use the name 'Medicaid'. Otherwise, use a null display. For the specific name to use by state, see the plan fill file.

Display 'STATE NAME FOR CHIP' under all conditions (substituting the real state name for program).

For the specific name to use by state, see the plan fill file.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_FF_Main
Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main

FF180	(FF1135)	BLAISE NAME: PayFAmtPaid		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: -99999
Type Class:	Integer	Field Size: 6		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 999999

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:
 {NAME OF FLAT FEE EVENT GROUP}

Question Text:

How much did {SOURCE} pay?

ENTER AMOUNT.

TOTAL CHARGE: \${TOTAL CHARGE}

Responses:

	1
REFUSED	RF
DON'T KNOW	DK

Programmer Instructions:	<p>Preloaded Grid Type 2- including FF180</p> <p>Soft check: If amount entered is > \$10,000, display the following message: "VALUE IS HIGHER THAN USUAL. VERIFY AND CORRECT IF NEEDED."</p> <p>Flag all sources and associated amounts as 'payment'.</p> <ol style="list-style-type: none">1. Interviewer enters a dollar amount for each source displayed. Amounts can be changed as many times as necessary before the interviewer leaves the screen.2. The PERSON/FAMILY amount paid cell is protected and prefilled with the family out-of-pocket payment amount entered at FF150; no changes are allowed to this amount. <p>Soft Check: If any source coded '\$0', display the following message:</p> <p>"IF {SOURCE} DID NOT PAY ANY PART OF THE TOTAL CHARGE, CORRECT THE SOURCES THAT MADE DIRECT PAYMENTS TO THIS PROVIDER AT FF160 (FFeeAnySrcPay) OR FF170 (FFeeSOPRoster).</p> <p>IF {SOURCE} IS THE ONLY SOURCE OF DIRECT PAYMENT, GO TO FF160 (FFeeAnySrcPay) AND CODE '2' (NO).</p> <p>IF THERE ARE OTHER SOURCES OF PAYMENT, GO TO FF170 (FFeeSOPRoster) AND DELETE {SOURCE} FROM THE LIST OF SOURCES OF DIRECT PAYMENT.</p> <p>IF RESPONDENT DOES NOT KNOW HOW MUCH{SOURCE} PAID, CODE "DK" AT FF180 (PayFAmtPaid)."</p> <p>CAPi displays FF160 (FFeeAnySrcPay), FF170 (FFeeSOPRoster), and FF180 (PayFAmtPaid) as options to return to. Testing note: CAPi may display additional items as well. This is a function of Blaise.</p>
Display Instructions:	<p>Roster 1- Report</p> <p>Roster definition: Display the Event's-Sources-of-Payment-roster for entry of payment amount in the form pane. Display payment source name.</p> <p>Roster Filter: Display all sources selected at FF170 for this event-provider pair and the 'PERSON/FAMILY' record.</p> <p>For TOTAL CHARGE, display amount entered at FF140, otherwise, display "N/A" if FF140 =empty, DK, RF.</p>
Testing/Editing Notes:	<p>Variable collected at MEPS(Fall/Spring)YYYY_FF_Main_FF180Grid_FF180Grid[1..25] Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main_FF180Grid_FF180Grid[1..25]</p>

BOX 40 **(FF1145)** **Item Type:** Route **Type Class:** If Then

Route Details: If FF140 (TOTAL CHARGE) or 'AMOUNT PAID' by any source of direct payment (all payments sources, including PERSON/FAMILY entered or displayed at FF180) is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW), go to BOX_60.

Otherwise, continue with BOX_50.

BOX 50 **(FF1150)** **Item Type:** Route **Type Class:** If Then

Route Details: Determine if there is an underpayment. Subtract the total payment (PERSON/FAMILY entered at FF150 plus all payments sources entered at FF180) from the total charge entered at FF140.

Determine what 3% of the total charge is. Compare that value with \$5 and determine which of these two values is greater. CAPI will use the greater value to compare against the remainder.

If the value of the remainder is > 3% OR \$5 (whichever is higher) of the total charge, continue with FF190.

Otherwise, go to BOX_60.

NOTE: Negative values (overpayments) are not eligible for FF190.

Full Detail Spec

FF190	(FF1155)	BLAISE NAME: FFeeElsePay		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP:
 {NAME OF FLAT FEE EVENT GROUP}

Question Text:

{Do/Does} {you/{PERSON}} or anyone in the family or any other source expect to make additional payments for the services for {FLAT FEE GROUP}?

Responses:

YES	1	BOX_60	(FF1160)
NO	2	BOX_60	(FF1160)
REFUSED	RF	BOX_60	(FF1160)
DON'T KNOW	DK	BOX_60	(FF1160)

Display Instructions: Display 'Do' and 'you' if the person being looped on is the respondent. Otherwise, display 'Does' and '{PERSON}'.

For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered at FF30.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY_FF_Main
 Variable stored at MEPS(Fall/Spring)YYYY_Event_FF_Main

BOX_60 **(FF1160)** **Item Type:** Route **Type Class:** If Then

Route Details: If the event provider pair that launched the flat fee section represents a HS event and HS50 is coded '4' (GIVE BIRTH TO A BABY) or '5' (TO BE BORN) OR a MV event and MV100 is coded '2' (SOMEWHERE ELSE) OR a TH event and TH120 is coded '1' (YES), go to the EF section.

Otherwise, return to the Event Driver for this Event-Provider Pair. Flag the status of CP as 'Processed' for all event-provider pairs in the flat fee group.

[End of FF]