

SpecWriter Data

Form Version: 10/13/2023 1:23:47 PM
Report Type: Full Detail
Project Database: WESSQL300.MEPSSpring2024
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

Full Detail Spec

<u>BOX_00</u>	<u>(OF1000)</u>	Item Type: Route	Type Class: If Then
----------------------	------------------------	-------------------------	----------------------------

Route Details:

- 01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40
- 04 Single Select = OF10, OF90, OF120, OF130, OF150, OF160, OF170, OF180, OF190, OF210, OF220, OF230
- 05 Single Select with Display Roster = OF20, OF30, OF40, OF50, OF60
- 06 Single Select with Fill in Answer Text = OF70
- 12 Address – Newly Collected = OF200_02, OF200_03, OF200_04, OF200_05, OF200_06
- 14 Regular date entry = OF100_01, OF100_02, OF100_03, OF140_01, OF140_02, OF140_03
- 19 Numeric Field = OF110
- 23 Text Field = OF80_01, OF80_02, OF80_03, OF200_01
- 24 Information Screen = OF240, OF250, OF260

<u>BOX_10</u>	<u>(OF1005)</u>	Item Type: Route	Type Class: If Then
----------------------	------------------------	-------------------------	----------------------------

Route Details: Continue with OF10.

**Programmer
Instructions:**

The OF section is a combination of Manipula pop-up boxes and Blaise screens with a green background (i.e., “green path”). The OF section is accessed with the F2 hot key or selection of “Review/Add” from the menu and runs “parallel” to the main interview.

Items OF10-OF60 are all Manipula pop-up boxes with the blue background. Items OF70-OF260 are traditional Blaise screens with a green (instead of beige) background. The color of the green background is: rgb(153, 255, 153).

If the FI doesn't complete the entire OF section, no data is saved for added person or added event(s).

The options available via the F2 function will be customized based on which section of the CAPI interview you are in.

The F2 function is disabled in the following sections:

Reenumeration (RE)

Off Path Navigation (OF)

Otherwise, F2 is enabled in all sections, but with limited functionality as described below and at applicable items in the OF section.

- ST80 (only - F2 disabled at other items in ST) - F2 available for:
 - PERSONS (review only)
 - EVENTS (review only)
 - MEDICINES (review only)
 - JOBS (review only)
 - INSURANCE (review only)
- PE,HE – F2 available for:
 - PERSONS (can review or add)
- CA, PP, EE, EV, PV, ED, HS, ER, OP, MV, TH, DN, HH, IC, CP, FF, EF – F2 available for:
 - PERSONS (can review or add)
 - EVENTS (review only; add is grayed out)
- PM, OM, AH, CS – F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (review only; add is grayed out)
- AC, FS – F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (can review or add in comments)
- EM, RJ, EW – F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (can review or add in comments)
 - JOBS (review only; add is grayed out)
- HX, HP, HQ, MC, OE, PR – F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (can review or add in comments)

- JOBS (can review or add in comments)
- INSURANCE (review only; add is grayed out)
- IN, AS, CM, RF, QS, CL – F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (can review or add in comments)
 - JOBS (can review or add in comments)
 - INSURANCE (can review or add in comments)

OF10	(OF1010)	BLAISE NAME: AddRosterItem		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TREVADD2	Answers allowed: 1	ArrayMax:	Max value:

Help Available ()
 Show Card ()
 Look Up File ()

Question Text:

WHAT WOULD YOU LIKE TO REVIEW?

Responses:	PERSONS	1	OF20	(OF1015)
	EVENTS	2	OF30	(OF1020)
	MEDICINES	3	OF40	(OF1025)
	JOBS	4	OF50	(OF1030)
	INSURANCE	5	OF60	(OF1035)

Programmer Instructions: This is a Manipula pop-up box that allows FIs to choose what they would like to review. It is called whenever the F2 hotkey is pressed or when Review/Add is selected from the menu.

The response options listed should be radio-buttons with two larger buttons at the bottom of the box labeled "OK" and "CANCEL".

If "OK" is selected, go to the item specified next to the response. If "CANCEL" is selected, go to BOX_40.

Display Instructions: Customize the response options listed in the pop-up based on the section F2 is called.

- PE, HE – Display only response option ‘1’ (PERSONS)
- CA, PP, EE, EV, PV, ED, HS, ER, OP, MV, TH, DN, HH, IC, CP, FF, EF – Display response options ‘1’ (PERSONS) and ‘2’ (EVENTS)
- PM, OM, AH, CS, AC, FS – Display response options ‘1’ (PERSONS), ‘2’ (EVENTS), and ‘3’ (MEDICINES)
- EM, RJ, EW – Display response options ‘1’ (PERSONS), ‘2’ (EVENTS), ‘3’ (MEDICINES), and ‘4’ (JOBS)
- HX, HP, HQ, MC, OE, PR, IN, AS, CM, RF, QS, CL – Display response options ‘1’ (PERSONS), ‘2’ (EVENTS), ‘3’ (MEDICINES), ‘4’ (JOBS), and ‘5’ (INSURANCE)

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable not stored

OF20	(OF1015)	BLAISE NAME: AddPers		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TADDPERSON	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

Person	Sex	Age	Keyness	Ref	Period	Start	Date	Ref	Period	End	Date	Status
{Text}	{M/F}	{XXX}	{Yes/No}	{Text}						{Text}		{Text}
{Text}	{M/F}	{XXX}	{Yes/No}	{Text}						{Text}		{Text}
{Text}	{M/F}	{XXX}	{Yes/No}	{Text}						{Text}		{Text}

Responses:

EDIT PERSON INFORMATION	1		
ADD NEW PERSON TO RU	2		
CLOSE	3	BOX_40	(OF1205)

**Programmer
Instructions:**

This is a Manipula pop-up box.

Display a list of all DU members (RE_Person.PERSID), including DU members from a multi-RU DU and including those with PriorRndInelig flag=YES and those who were just added off path via OF80_01-OF80_03. Display a blank line between RU members on the current Person array and other DU members.

Display grid as a Manipula look-up with three larger buttons at the bottom of the box labeled "EDIT PERSON INFORMATION", "ADD NEW PERSON TO RU" and "CLOSE".

The pop-up should be scrollable.

The "EDIT PERSON INFORMATION" and "ADD NEW PERSON TO RU" buttons are always active when F2 is accessible.

If "EDIT PERSON INFORMATION" option is selected, go to the comments type box (where you select the topic for the comment) and auto select 'RU/RU Member' and then go to the comment area to record text. When routing to the comment type box – link the comment to the item where F2 was called from. When the comment box is closed, go to BOX_40.

If "ADD PERSON" is selected and only current RU members are listed in this pop-up, go to OF80_01. Otherwise (when "ADD PERSON" is selected), go to OF70.

**Display
Instructions:**

The following fields should be displayed in the DU Members Overview screen.

Format Columns headers: Person, Sex, Age, Keyness, Ref Period Start Date, Ref Period End Date, Status.

Col #1: Person
Display DU members' full name

Col #2: Sex
Display the sex of the DU member. Display "M" for male and "F" for female.

Col #3: Age
Display the age or age category of the DU member.

Col #4: Keyness
Display only for current RU members on the person array. Leave empty for all other DU members. Display "Yes" if CtrlPersKey=Yes. Display "No" if CtrlPersKey=No.

Col #5: Ref Period Start Date
Display only for current RU members on the person array. Leave empty for all other DU members. Display the person's reference period start date using BegRefM, BegRefD, BegRefY. Display as "Mon DD, YYYY" (3 letter month abbreviation in mixed case, then the day, then the year).

Col #6: Ref Period End Date
Display only for current RU members on the person array. Leave empty for all other DU members. Display the person's reference period end date using EndRefM, EndRefD, EndRefY. Display as "Mon DD, YYYY" (3 letter month abbreviation in mixed case, then the day, then the year).

Col #7: Status

Display a customized status for each person listed.

- Display “Current RU Member” for all persons on the person array (anyone part of this RU).
- For all other persons who are part of the DU, but not the RU, use the following status labels.
 - If person is already part of another RU within the DU (never merged into this RU), display their status as their RU letter. For example, “RU-B”, “RUC”, etc.
 - Display “Mover” if CtrlTrackSumm=7, 10 or 11 for this person.
 - Display “Student Mover” if CtrlNewStudent = YES for this person.
 - Display “Incorrectly Listed” if RemovedAtRE330=Yes for this person.
 - Display “Still Institutionalized” if RemovedatRE180=Yes for this person.
 - Display “Not Eligible” if MoverAtLoop10=No or MoverAtLoop20=No or MoverAtLoop30=NO or MoverAtRE940=NO or StudentMoverAtLoop80 =NO or RemoveAtBOX_350=YES or RemoveAtBOX_400=YES for this person or PriorRndInelig flag=YES for this person
 - Display “Added Off Path” if person added via OF80_01-OF80_03 during the current round.

**Testing/Editing
Notes:**

Variable not collected
Variable not stored

Full Detail Spec

OF30

(OF1020)

BLAISE NAME: AddEvt

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TADEVENT

Answers allowed: 1

ArrayMax:

Max value:

Help Available ()

Show Card ()

Look Up File ()

Question Text:

Person: _____ Sort Field: _____

RU Member	Event Type	Provider	Doctor/ Dept (Admit/ Visit)	Date Discharge	Date Repeat	Visit Util	Status C/P	Status
{Text}	{XX}	{Text}	{Text}	{MM/DD/YYYY}	{MM/DD/YYYY}	{XX}	{Text}	{Text}
{Text}	{XX}	{Text}	{Text}	{MM/DD/YYYY}	{MM/DD/YYYY}	{XX}	{Text}	{Text}
{Text}	{XX}	{Text}	{Text}	{MM/DD/YYYY}	{MM/DD/YYYY}	{XX}	{Text}	{Text}

Responses:

ADD EVENT	1	OF250	(OF1185)
CLOSE	2	BOX_40	(OF1205)

**Programmer
Instructions:**

This is a Manipula pop-up box.

Display the events by person i.e., all events for one person listed in order (as described below), followed by the events for the next person, etc. Each person will be separated by a blank row.

Display grid as a Manipula look-up with two larger buttons at the bottom of the box labelled “ADD EVENT” and “CLOSE”.

You should be able to sort by person and the column headers should be sortable and the pop-up should be scrollable.

The “ADD EVENT” button is:

- **INACTIVE** (grayed-out) during: CA, PP, EE, EV, PV, ED, HS, ER, OP, MV, TH, DN, HH, IC, CP, FF, EF
- **ACTIVE** during: PM, OM, AH, CS, AC, FS, EM sections, HX sections, IN, AS, CM, RF, QS, CL

**Display
Instructions:**

The following fields should be displayed in the RU Event Overview screen:

Format Columns headers: RU member, Event Type, Provider, Doctor/Dept, Date, Repeat Visit, Util Status, C/P Status.

Col #1: RU member
Display RU members’ full name

Col#2: Event Type
Display the abbreviation for the event type associated with the event.

Col#3: Provider
Display the provider for the event

Col#4: Doctor/Dept
Display the doctor or department that was selected or added at PV70, if PV70 has a value other than 0.

Col#5: (Admit/Visit) Date
Display the date the event took place. For HS and IC events, display the admit date. For HH events, display the Month (3 letter abbreviation) the care took place. Dates should display as MM/DD/YYYY.

Col# 5a: Discharge Date
For HS and IC events, display the discharge date of the event. Leave this field empty if event type is not HS or IC.

Col# 6: Repeat Visit
Display the letter associated with the repeat visit group. Allow empty.

Col#7: Util Status
Display the status of the corresponding utilization section (Not Started, Started, Done, N/A)

Col# 8: C/P Status

Full Detail Spec

Display the status of the C/P status. If applicable, display the status of the EF section (Not Started, Started, Done, N/A).

Display the rows on this pop-up in ascending event ID order within each RU member.

Display the RU members by ascending PID order.

Testing/Editing Notes: Variable not collected
Variable not stored

OF40 **(OF1025)** **BLAISE NAME:** AddPM
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TADDMEDCOM **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Question Text:

Person: _____▼

RU Member	Medicine	Number of times obtained during ref period
{Text}	{Text}	{XXX}
{Text}	{Text}	{XXX}
{Text}	{Text}	{XXX}

Responses: ADD/EDIT MEDICINE IN COMMENT 1
CLOSE 2 BOX_40 (OF1205)

Programmer Instructions: This is a Manipula pop-up box.

Display all current round medicines by person i.e., all medicines for one person listed in order, followed by the medicines for the next person, etc. Each person will be separated by a blank row. If there are no medicines for this person, display their name with a blank entry next to it.

Display grid as a Manipula look-up with two larger buttons at the bottom of the box labelled “ADD/EDIT MEDICINE IN COMMENT” and “CLOSE”.

You should be able to sort by person and the pop-up should be scrollable.

The “ADD/EDIT MEDICINE IN COMMENT” button is:

- INACTIVE (grayed-out) during: PM, OM, AH, CS
- ACTIVE during: AC, FS, EM sections, HX sections, IN, AS, CM, RF, QS, CL

If “ADD/EDIT MEDICINE IN COMMENT” option is selected when it is active, go to the comments type box (where you select the topic for the comment) and then go to the comment area to record text. When routing to the comment type box – link the comment to the item where F2 was called from. When the comment box is closed, go to BOX_40.

Display Instructions: The following fields should be displayed in the RU Medicines Overview screen.

Format Columns headers: RU member, Medicine, Number of times obtained during ref period.

Col #1: RU member
Display RU members’ full name

Col #2: Medicine
Display the name of each medicine for this person that is flagged as selected this round.
Display the full length of the allowable characters for a medicine = 60 characters.

Col #3: Number of times obtained during ref period
Display the value of PM140 for this medicine. Leave cell empty if PM140 not yet collected.
Display the RU members by ascending PID order.

Testing/Editing Notes: Variable not collected
Variable not stored

OF50	(OF1030)	BLAISE NAME: AddJob		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TADDJOB COM	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

Person: _____▼

RU Member	Age	Job	Job Start	Job End
{Text}	{XXX}	{Text}	{Text}	{Text}
{Text}	{XXX}	{Text}	{Text}	{Text}

Responses: ADD/EDIT JOB IN COMMENT 1
 CLOSE 2 BOX_40 (OF1205)

**Programmer
Instructions:**

This is a Manipula pop-up box.

Display all jobs by person who is = or > 16 years of age (or age categories 4-9), i.e., all jobs for one person listed in order, followed by the jobs for the next person, etc. Each person will be separated by a blank row. If there are no jobs for this person who is = or > 16 years of age (or age categories 4-9), display their name with a blank entry next to it.

Display grid as a Manipula look-up with two larger buttons at the bottom of the box labelled "ADD/EDIT JOB IN COMMENT" and "CLOSE".

You should be able to sort by person and the pop-up should be scrollable.

The "ADD/EDIT JOB IN COMMENT" button is:

- INACTIVE (grayed-out) during: EM sections
- ACTIVE during: HX sections, IN, AS, CM, RF, QS, CL

If "ADD/EDIT JOB IN COMMENT" option is selected when it is active, go to the comments type box (where you select the topic for the comment) and then go to the comment area to record text. When routing to the comment type box – link the comment to the item where F2 was called from. When the comment box is closed, go to BOX_40.

**Display
Instructions:**

The following fields should be displayed in the RU Jobs Overview screen.

Format Columns headers: RU member, Age, Job, Job Start, and Job End.

Col #1: RU member

Display RU members' full name. Display only RU members = or >16 years of age or in age categories (4-9).

Col #2: Age

Display the age or age category of the RU member.

Col #3: Job

Display all jobs on the jobs array for this person. No filter.

Col #3: Job Start

Display the Job start date using JobStartMM/DD/YYYY. Display as the "Mon DD, YYYY" (3 letter month abbreviation in mixed case, then the day, then the year). If MM or DD is missing for JobStart, display that piece as empty.

Col #4: Job End

Display the Job end date using JobStopMM/DD/YYYY. Display as the "Mon DD, YYYY" (3 letter month abbreviation in mixed case, then the day, then the year). If MM or DD is

Full Detail Spec

missing for JobTp, display that piece as empty. If JobTp=CurrMainJob or CurrMiscJob then the Job End column should display 'CURRENT'.

Display the RU members by ascending PID order.

Testing/Editing Notes: Variable not collected
Variable not stored

OF60	(OF1035)	BLAISE NAME: AddIns		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TADDINSCOM	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

Policyholder	Insurance Source	Plan	Covered RU Members
{Text}	{Text}	{Text}	{Text}
{Text}	{Text}	{Text}	{Text}

Responses: YES, HAS MEPS RECORD KEEPER FOR {PERSON} 1

NO, DOES NOT HAVE MEPS RECORD KEEPER FOR {PERSON} 2 BOX_40 (OF1205)

**Programmer
Instructions:**

This is a Manipula pop-up box.

Display insurance in the insurance array. Display all insurance that is public insurance first, then all insurance that is private insurance. Separate public from private insurance with a blank row. Display insurance that is “active” and covers at least one person during the current round (at least one RU member is in the covered person array for this insurance).

Display grid as a Manipula look-up with two larger buttons at the bottom of the box labelled “ADD/EDIT INSURANCE IN COMMENT” and “CLOSE”.

The pop-up should be scrollable.

The “ADD/EDIT INSURANCE IN COMMENT” button is:

- INACTIVE (grayed-out) during: HX sections
- ACTIVE during: IN, AS, CM, RF, QS, CL

If “ADD/EDIT INSURANCE IN COMMENT” option is selected when it is active, go to the comments type box (where you select the topic for the comment) and then go to the comment area to record text. When routing to the comment type box – link the comment to the item where F2 was called from. When the comment box is closed, go to BOX_40.

**Display
Instructions:**

The following fields should be displayed in the RU Insurance Overview screen.

Format Columns headers: Policyholder, Insurance Source, Plan, Covered RU Members.

Column Header #1: Policyholder

Display the first 35 characters of the full name (Person.FullName) of policyholder for this insurance source (Insurance.Plcyhldr). This includes the full name of any RU or DU member selected as the policyholder. If the policyholder is outside of the DU, display the policyholder name as ‘PLCYHLDR NOT IN DU-’ followed by the first 15 characters of the entry at HP100. If the policyholder is deceased, display the policyholder name as ‘PLCYHLDR DECEASED-’ followed by the first 15 characters of the entry at HP110.

Column Header #2: Insurance Source

Display the first 30 characters of the name of the insurance source name (Insurance.HISrcName)

Column Header #3: Plan

Display the first 25 characters of the plan name of the insurance source (Insurance.Insurer). Leave cell blank if plan name is empty.

Column Header #4: Covered RU Members

Display the first 11 characters of the first names (Pers.FName) of all current RU members

Full Detail Spec

listed in the covered person array for this insurance source (Pers.PersID =CovdPers.Depend). Separate each name with a comma. Do not substitute “you” for respondent. Allow up to 95 characters for this column (which would allow for the first 8 covered persons if each first name is truncated to 11 characters).

Testing/Editing Notes: Variable not collected
Variable not stored

OF70	(OF1040)	BLAISE NAME: SelectPers		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TADDPERROS	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

IF PERSON RESPONDENT INDICATED SHOULD BE PART OF THE HOUSEHOLD IS ALREADY LISTED, SELECT THAT PERSON BELOW.

OTHERWISE, SELECT '0' TO ADD A PERSON.

Responses:	ADD A PERSON	0	OF80_01	(OF1045)
	{FIRST NAME, [MIDDLE NAME], LAST NAME}1 1	OF240	(OF1180)
	{FIRST NAME, [MIDDLE NAME], LAST NAME}2 2	OF240	(OF1180)
	{FIRST NAME, [MIDDLE NAME], LAST NAME}3 3	OF240	(OF1180)
	{FIRST NAME, [MIDDLE NAME], LAST NAME}4 4	OF240	(OF1180)
	{FIRST NAME, [MIDDLE NAME], LAST NAME}N 5	OF240	(OF1180)

Programmer Instructions: Roster behavior:
1. Only single select allowed.

Display Instructions: Roster 2 – no add/edit/delete

Roster definition:
Display the DU-Members-Roster for selection.

Roster filter:
Display all DU members (RE_Person.PERSID), including those with the flag PriorRndInelig flag=YES, but exclude any person marked as a current RU member (i.e., any person on the current person array)

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable not stored

OF80_01	(OF1045)	BLAISE NAME: AddPersFName		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:
I'm going to pause the questions I was asking and make sure I have all the needed information about this person.

What is their first name?

VERIFY SPELLING.

Responses: ----- 1 OF80_02 (OF1050)

Display Instructions: Display OF80_01, OF80_02, and OF80_03 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

Full Detail Spec

OF80_02	(OF1050)	BLAISE NAME: AddPersMName		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available ()
 Show Card ()
 Look Up File ()

Question Text:

What is {{FIRST NAME}'s/their} middle name or initial?

IF NO MIDDLE NAME, LEAVE FIELD BLANK.

Responses: 1 OF80_03 (OF1055)
 EMPTY Empty OF80_03 (OF1055)

Display Instructions:

For "FIRST NAME", display the text entry from OF80_01.
 Display OF80_01, OF80_02, and OF80_03 on the same form pane.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
 Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF80_03	(OF1055)	BLAISE NAME: AddPersLName		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available ()
 Show Card ()
 Look Up File ()

Question Text:

What is {{FIRST NAME}'s/their} last name?

Responses: 1 OF90 (OF1060)

Display Instructions: For "FIRST NAME", display the text entry from OF80_01.
Display OF80_01, OF80_02, and OF80_03 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF90	(OF1060)	BLAISE NAME: SexC			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TSEXDKRF	Answers allowed: 1	ArrayMax:	Max value:	

Help Available () Show Card () Look Up File ()

Question Text:
What is {PERSON}'s sex?

Responses:	MALE	1	OF100_01	(OF1065)
	FEMALE	2	OF100_01	(OF1065)
	REFUSED	RF	OF100_01	(OF1065)
	DON'T KNOW	DK	OF100_01	(OF1065)

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

Full Detail Spec

OF100_01 (OF1065) BLAISE NAME: DOBMMC
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1
Type Class: Integer **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 12

Help Available () Show Card () Look Up File ()

Question Text:

What is {PERSON}'s date of birth?

ENTER MONTH.

Responses: 1 OF100_02 (OF1070)
REFUSED RF OF100_02 (OF1070)
DON'T KNOW DK OF100_02 (OF1070)

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.
Display OF100_01, OF100_02, and OF100_03 on the same form pane.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF100_02 (OF1070) BLAISE NAME: DOBDCC
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1
Type Class: Integer **Field Size:** 2
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 31

Help Available () Show Card () Look Up File ()

Question Text:

[What is {PERSON}'s date of birth?]

ENTER DAY.

Responses: 1 OF100_03 (OF1075)
REFUSED RF OF100_03 (OF1075)
DON'T KNOW DK OF100_03 (OF1075)

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.
Display OF100_01, OF100_02, and OF100_03 on the same form pane.
Display question text in brackets and lighter "grayed-out" text.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF100_03	(OF1075)	BLAISE NAME: DOBYYYC		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 1900
Type Class:	Integer	Field Size: 4		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 2100

Help Available () Show Card () Look Up File ()

Question Text:
[What is {PERSON}'s date of birth?]
ENTER 4- DIGIT YEAR.

Responses:

.....	1	OF110	(OF1080)
REFUSED	RF	OF110
DON'T KNOW	DK	OF110

**Programmer
Instructions:**

Hard check:

1. Date entered must be between {YEAR} - 120 years where 'YEAR' is the current year and RU level reference period end date/interview date (RUEndM, RUEndD, RUEndY). If a date outside of this range is entered, display the following message: "UNLIKELY RESPONSE. DATE CANNOT BE AFTER TODAY'S DATE OR BEFORE {YEAR-120}. VERIFY WITH RESPONDENT AND RE-ENTER."

Soft check:

1. Check if the first and last name entered matches the first and last name of an existing DU member. Check the OF80_01 value entered against the 'First name' value (RE_Person.FName) and the OF80_03 value against the 'Last name' value (RE_Person.LName) of all persons in the DU. For the name value, do not consider case of characters, middle name (RE_Person.MName) or non-alpha characters as differences.

2. Check the OF90 value entered against the 'Sex' value (RE_Person.Sex).

3. Check if the date of birth entered matches the date of birth of an existing RU member. Check the OF100_01 value entered against the 'Month' value (RE_Person.DOBM), the OF100_02 value against the 'Day' value (RE_Person.DOBD) and the OF100_03 value against the 'Year' value (RE_Person.DOBY) of all persons in the DU.

For all checks, include the use of 'DK' (Don't Know) and 'RF' (Refused) as values.

If each of the name, sex, and date of birth values (FName, LName, Sex, DOBM, DOBD, DOBY) match the information of an existing DU member, display the following message: "The information you have entered is the same as an existing DU member. Please verify the name, sex, and date of birth. If you need to correct an existing DU member's information, please back up to OF20 and select 'EDIT PERSON INFORMATION'."

Control Variables Impacted during MHOP: CtrlCurrHere

**Display
Instructions:**

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Display OF100_01, OF100_02, and OF100_03 on the same form pane.

Display question text in brackets and lighter "grayed-out" text.

**Testing/Editing
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main

Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

Full Detail Spec

OF110	(OF1080)	BLAISE NAME: AgeRndC		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 0
Type Class:	Integer	Field Size: 3		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 120

Help Available () Show Card () Look Up File ()

Question Text:

{VERIFY {PERSON}'s AGE - IF AGE IS INCORRECT, RE-ENTER DATE OF BIRTH.
IF DATE OF BIRTH UNKNOWN, ASK:} How old is {PERSON}?

Responses:

.....	1	OF140_01	(OF1095)
REFUSED	RF	OF120	(OF1085)
DON'T KNOW	DK	OF120	(OF1085)

Programmer Instructions: If the current round is the final round of the panel (RndType=Final), AGE is calculated as of DECEMBER 31, {YEAR}, where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

If the interviewer enters an AGE that contradicts the DOB, CAPI will still calculate AGE (See GL spec) based on DOB when the interviewer leaves the screen. No error message is displayed.

Display Instructions:

Prefill OF110 with RU member's age as calculated from responses entered at OF100_01-OF100_03 if age can be calculated. If age cannot be calculated, do not prefill an age.

Display "VERIFY {PERSON}'s AGE - IF AGE IS INCORRECT, RE-ENTER DATE OF BIRTH. IF DATE OF BIRTH UNKNOWN, ASK:" if age can be calculated from responses entered at OF100_01-OF100_03. Otherwise, use a null display.

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

Full Detail Spec

OF120	(OF1085)	BLAISE NAME: AgeRngC		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TAGERANG2	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

PROBE FOR RESPONDENT'S BEST ESTIMATE OF AGE.

Is {PERSON} less than 1 year old, 1-4, 5-15, 16-23, 24-34, 35-44, 45-54, 55-64, or 65 years or older?

Responses:	LESS THAN 1 YEAR OLD	1	OF140_01	(OF1095)
	1 - 4	2	OF140_01	(OF1095)
	5 - 15	3	OF140_01	(OF1095)
	16 - 23	4	OF140_01	(OF1095)
	24 - 34	5	OF140_01	(OF1095)
	35 - 44	6	OF140_01	(OF1095)
	45 - 54	7	OF140_01	(OF1095)
	55 - 64	8	OF140_01	(OF1095)
	65 YEARS OR OLDER	9	OF140_01	(OF1095)
	REFUSED	RF	OF130	(OF1090)
	DON'T KNOW	DK	OF130	(OF1090)

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

Full Detail Spec

OF130	(OF1090)	BLAISE NAME: AgeGuessC		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TAgeGuess	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

ENTER YOUR BEST GUESS FOR {PERSON}'S AGE.

Responses:	LESS THAN 1 YEAR OLD	1	OF140_01	(OF1095)
	1 - 4	2	OF140_01	(OF1095)
	5 - 15	3	OF140_01	(OF1095)
	16 - 23	4	OF140_01	(OF1095)
	24 - 34	5	OF140_01	(OF1095)
	35 - 44	6	OF140_01	(OF1095)
	45 - 54	7	OF140_01	(OF1095)
	55 - 64	8	OF140_01	(OF1095)
	65 YEARS OR OLDER	9	OF140_01	(OF1095)

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF140_01	(OF1095)	BLAISE NAME: LiveFamStartMM		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 1
Type Class:	Integer	Field Size: 2		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 12

Help Available () Show Card () Look Up File ()

Question Text:

On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1 ,{First Name,[Middle Name],Last Name}2 ,{First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N}?

ENTER MONTH.

Responses:	1	OF140_02	(OF1100)
-------------------	-------	---	----------	----------

Programmer Instructions: DK and RF disallowed for month.

Display Instructions: Roster definition: Roster 1 – Report
This item displays current NHIS/previous round roster. Display RU member's first, middle, and last names.(PL_Person.FullName)

Roster filter:
If round 1, display all RU members on the original NHIS roster.
If round <> 1, display all RU members on the previous rounds roster (i.e. if round 2 display the roster from round 1.)
(RE_Person.PreloadRU = RUUnit)

Display OF140_01, OF140_02 and OF140_03 on the same form pane.

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF140_02	(OF1100)	BLAISE NAME: LiveFamStartDD		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 1
Type Class:	Integer	Field Size: 2		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 31

Help Available () Show Card () Look Up File ()

Question Text:

[On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1 ,{First Name,[Middle Name],Last Name}2 ,{First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N}?)

ENTER DAY.

Responses:

.....	1	OF140_03	(OF1105)
REFUSED	RF	OF140_03 (OF1105)
DON'T KNOW	DK	OF140_03 (OF1105)

Display Instructions:

Roster definition:

Roster 1 – Report

This item displays current NHIS/previous round roster. Display RU member's first, middle, and last names.(PL_Person.FullName)

Roster filter:

If round 1, display all RU members on the original NHIS roster.

If round <> 1, display all RU members on the previous rounds roster (i.e. if round 2 display the roster from round 1.)

(RE_Person.PreloadRU = RUUnit)

Display OF140_01, OF140_02 and OF140_03 on the same form pane.

Display question text in brackets and lighter “grayed-out” text.

For ‘{PERSON}’ display the first, middle, and last name entered at OF80_01-OF80_03.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main

Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF140_03

(OF1105)

BLAISE NAME: LiveFamStartYYYY

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value: 1900

Type Class:

Integer

Field Size: 4

Answer Type:

{Continuous Answer.}

Answers allowed: 1

ArrayMax:

Max value: 2100

Help Available ()

Show Card ()

Look Up File ()

Question Text:

[On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1 ,{First Name,[Middle Name],Last Name}2 ,{First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N}?)

ENTER 4-DIGIT YEAR.

Responses:

----- 1

Programmer Instructions: If Round 1 and date entered is [on or before NHIS date (NHISDt)] or if [(month is equal to NHIS month) and (day is RF or DK) and (year entered is equal to NHIS year)], go to OF150.

If Round <> 1 and date entered is [on or before NHIS date (NHISDt)] or if [month is equal to NHIS month) and (day is RF or DK) and (year entered is equal to NHIS year), autocode OF150 as '1' (YES) and go to OF240.

Otherwise, go to OF160.

DK and RF disallowed for year.

Hard Check:

1. (if the current round is the final round of the panel (RndType=Final)): Date entered must be on or before 12/31/{YEAR}, where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). If a date after 12/31/{YEAR} is entered, display the following message: "DATE MUST BE ON OR BEFORE 12/31/{YEAR}. VERIFY DATE ENTERED. ONLY PERSONS JOINING RU BEFORE 12/31/{YEAR} SHOULD BE ADDED. IF PERSON JOINED RU AFTER 12/31/{YEAR}, CANCEL OUT OF OFF- PATH AND DO NOT ADD THIS PERSON TO THE RU."

2. Hard Check: Date entered must be between Person's DOB (DOBD, DOBM, DOBY) and the RU reference period end date/interview date (RUEndM, RUEndD, RUEndY). If a date outside of this range is entered, display the following message: DATE CANNOT BE AFTER {REFERENCE PERIOD END DATE} OR BEFORE PERSON'S DATE OF BIRTH. VERIFY WITH RESPONDENT AND RE-ENTER."

Control Variables Impacted during MHOP: BegRefM, BegRefD, and BegRefY

Display Instructions:

Roster definition:

Roster 1 – Report

This item displays current NHIS/previous round roster. Display RU member's first, middle, and last names. (PL_Person.FullName)

Roster filter:

If round 1, display all RU members on the original NHIS roster.

If round <>1, display all RU members on the previous rounds roster (i.e. if round 2 display the roster from round 1.)

(RE_Person.PreloadRU = RUUnit)

Display OF140_01, OF140_02 and OF140_03 on the same form pane.

Display question text in brackets and lighter "grayed-out" text.

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main

Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF150	(OF1110)	BLAISE NAME: VerfBegDate		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

I have recorded that {PERSON} began living at {NHIS ADDRESS} on {OF140_[1-3] DATE}. Is that correct?

IF NECESSARY SAY: We're trying to establish if {PERSON} was living with this household when they participated in the previous interview on {DATE OF NHIS INTERVIEW}.

Responses:	YES	1	OF240	(OF1180)
	NO	2		
	REFUSED	RF	OF160	(OF1115)
	DON'T KNOW	DK	OF160	(OF1115)

Programmer Instructions: Hard Check:
If coded '2' (NO), display message: 'BACKUP AND CORRECT DATE PERSON JOINED RU AT PREVIOUS SCREEN.'

Control Variables Impacted during MHOP: CtrlPersKey, CtrlSampNHIS

Display Instructions:

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

For 'NHIS ADDRESS' display the NHIS full address, including city and state but not zip code. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState. Separate address components with a comma, for example: "123 Main Street, Apt. 101, Rockville, MD".

For 'OF140_[1-3] DATE', display date entered at OF140_[01-03].

For 'DATE OF NHIS INTERVIEW', display date of NHIS interview. Use NHISDt.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

Full Detail Spec

OF160	(OF1115)	BLAISE NAME: Jan1Abroad		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TIN_OUT	Answers allowed: 1	ArrayMax:	Max value:

Help Available (LIVEUSHelp) Show Card () Look Up File ()

Question Text:

Was {PERSON} living within the U.S. or outside the U.S. on {MONTH, DAY, YEAR OF NHIS INTERVIEW/January 1, {YEAR}}?

HELP: F1

Responses:	WITHIN U.S.	1		
	OUTSIDE U.S.	2	OF240	(OF1180)
	REFUSED	RF		
	DON'T KNOW	DK		

Programmer Instructions: If coded '1' (WITHIN US), 'RF' (REFUSED), or 'DK' (DON'T KNOW), and person is 18 years old or older or in age categories 4-9 (use age variables collected at OF100 through OF130), continue with OF170. Otherwise, go to OF180.

Control Variables Impacted during MHOP: CtrlPersKey, CtrlSampNHIS

Display Instructions:

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt.

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
 Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

Full Detail Spec

OF170	(OF1120)	BLAISE NAME: Jan1Milit		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (ACTDUTYHelp) Show Card () Look Up File ()

Question Text:

Was {PERSON} serving on full-time active duty with the Armed Forces of the United States on {{MONTH, DAY, YEAR OF NHIS INTERVIEW}/January 1, {YEAR}}?

HELP: F1

Responses:	YES	1	OF180	(OF1125)
	NO	2	OF180	(OF1125)
	REFUSED	RF	OF180	(OF1125)
	DON'T KNOW	DK	OF180	(OF1125)

Display Instructions:

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.
 Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt.
 Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
 Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

Full Detail Spec

OF180	(OF1125)	BLAISE NAME: WherePersJan1		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TWHERJAN1	Answers allowed: 1	ArrayMax:	Max value:

Help Available (WhereJan1) Show Card () Look Up File ()

Question Text:

{ Was {PERSON} living away at school, living on a military facility, institutionalized, or living at a private residence when {{First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}2, {First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N } participated in the National Health Interview Survey on {NHIS INTERVIEW DATE} at {NHIS ADDRESS}? / On January 1, {YEAR}, was {PERSON} living away at school, living on a military facility, institutionalized, or living at a private residence? }

HELP: F1

Responses:	LIVING AWAY AT SCHOOL	1		
	LIVING ON A MILITARY FACILITY.....	2	OF240	(OF1180)
	INSTITUTIONALIZED IN A FACILITY.....	3	OF190	(OF1130)
	IN A PRIVATE RESIDENCE/HOUSEHOLD	4	OF240	(OF1180)
	IF VOLUNTEERED: BORN AFTER {DATE}	5	OF240	(OF1180)
	REFUSED	RF	OF240	(OF1180)
	DON'T KNOW	DK	OF240	(OF1180)

**Programmer
Instructions:**

If coded '1' (LIVING AWAY AT SCHOOL) and Round 1, calculate the age from NHIS interview date (NHISDt). If Round \neq 1, calculate age from January 1, {YEAR} where year is the first calendar year of panel for 'YEAR'. This calculation is using the age-at-NHIS (or age-at-1/1/First Panel Year) rather than the age calculation described in the GL spec. Therefore, age categories cannot be included in the check.

If calculated age at NHIS or 1/1/{YEAR} is \leq 23 , go to OF220.

If calculated age at NHIS or 1/1/{YEAR} is unknown or cannot be calculated, go to OF210.

Control Variables Impacted during MHOP: CtrlPersKey, CtrlSampNHIS

HARD CHECK: If coded '1' (LIVING AWAY AT SCHOOL) and calculated age at NHIS or 1/1/{YEAR} $>$ 23, display the following message: "For the purposes of this survey, students older than 23 are considered living in a private household. INTERVIEWER: PLEASE CHANGE OF180 (WherePersJan1) TO CODE 4 (IN A PRIVATE RESIDENCE/HOUSEHOLD)."

**Display
Instructions:**

Roster 1 – Report Roster definition:

This item displays the current NHIS roster. Display RU member's first, middle, and last names (PL_Person.FullName).

Roster filter:

Display all RU members on the current NHIS roster. (RE_Person.PreloadRU = RUUnit). Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display response category '5' (IF VOLUNTEERED: BORN AFTER {DATE}) if the person's date of birth year is on or after NHIS year (PersonDOBY=>NHISDt (year)) or if DOB is unknown and person is age category 1 (Person.AgeRng=1 or Person.AgeGuess=1).

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

For "DATE" in the response category display, display NHISDt (as month DD, YYYY) if Round 1 or "JANUARY 1, {YEAR}" where "YEAR" is the first panel year if Round \neq 1.

If round 1, display "Was {PERSON} living away at school, living on a military facility, institutionalized, or living at a private residence when { {First Name,[Middle Name],Last Name }1, {First Name,[Middle Name],Last Name }2, {First Name,[Middle Name],Last Name }3, {First Name,[Middle Name],Last Name }4, {First Name,[Middle Name],Last Name }N } participated in the National Health Interview Survey on {NHIS INTERVIEW DATE} at {NHIS ADDRESS}?"

- For '{NHIS ADDRESS}', display the NHIS full address, including city and state, but not zip code. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity,

Preload.CurrState. Separate address components with a

comma, for example: "123 Main Street, Apt. 101, Rockville, MD".

- For "{NHIS INTERVIEW DATE}", display the date of the NHIS interview. Use NHISDt.

If round <> 1, display "On January 1, {YEAR}, was {PERSON} living away at school, living on a military facility, institutionalized, or living at a private residence?" Display the first calendar year of panel for 'YEAR'.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF190

(OF1130)

BLAISE NAME: Jan1InstTp

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

Enumerated

Field Size:

Answer Type:

TYESNO

Answers allowed: 1

ArrayMax:

Max value:

Help Available (InstTypeHelp)

Show Card ()

Look Up File ()

Question Text:

Was {PERSON} living in a nursing home or any other long-term care institution that provides 24 hour skilled nursing care on {{MONTH, DAY, YEAR OF NHIS INTERVIEW}/January 1, {YEAR}}?

HELP: F1

Responses:

YES	1	OF200_01	(OF1135)
NO	2	OF240	(OF1180)
REFUSED	RF	OF200_01	(OF1135)
DON'T KNOW	DK	OF200_01	(OF1135)

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.
Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt.
Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF200_01	(OF1135)	BLAISE NAME: BefFamPlaceName		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?

What is the name?

Responses:

.....	1	OF200_02	(OF1140)
REFUSED	RF	OF200_02	(OF1140)
DON'T KNOW	DK	OF200_02	(OF1140)

Display Instructions:

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Display 'living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}' if Round 1. Use NHISDt

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the same form pane.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF200_02	(OF1140)	BLAISE NAME: BefFamStrt1		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

[Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the address?

Responses:

.....	1	OF200_03	(OF1145)
REFUSED	RF	OF200_03	(OF1145)
DON'T KNOW	DK	OF200_03	(OF1145)

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03. Display 'living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}' if Round 1. Use NHISDt

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the same form pane.

Display question text "Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in brackets and lighter "grayed out" text.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF200_03	(OF1145)	BLAISE NAME: BefFamStrt2		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

[Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the second address?

IF NONE, PRESS ENTER TO CONTINUE.

Responses:

.....	1	OF200_04	(OF1150)
EMPTY	Empty	OF200_04	(OF1150)
REFUSED	RF	OF200_04	(OF1150)
DON'T KNOW	DK	OF200_04	(OF1150)

Programmer Instructions: Allow empty.

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.
 Display 'living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}' if Round 1. Use NHISDt
 Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.
 Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the same form pane.
 Display question text "Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in brackets and lighter "grayed out" text.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
 Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF200_04 (OF1150) BLAISE NAME: BefFamCity
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: String **Field Size:** 25
Answer Type: {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Question Text:

[Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the city?

Responses:
 1 OF200_05 (OF1155)
 REFUSED RF OF200_05 (OF1155)
 DON'T KNOW DK OF200_05 (OF1155)

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Display 'living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}' if Round 1. Use NHISDt

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the same form pane.

Display question text "Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in brackets and lighter "grayed out" text.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF200_05	(OF1155)	BLAISE NAME: BefFamSt			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	String	Field Size: 2			
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:	

Help Available () Show Card () Look Up File ()

Question Text:

[Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the state?

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

Responses:

.....	1	OF200_06	(OF1160)
REFUSED	RF	OF200_06 (OF1160)
DON'T KNOW	DK	OF200_06 (OF1160)

Programmer Instructions: Use state lookup file.
Note: The entry Foreign country (FC) is allowed.

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.
Display 'living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}' if Round 1. Use NHISDt
Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.
Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the same form pane.
Display question text "Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in brackets and lighter "grayed out" text.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF200_06	(OF1160)	BLAISE NAME: BefFamZip		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 0
Type Class:	Integer	Field Size: 5		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value: 99999

Help Available () Show Card () Look Up File ()

Question Text:
[Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the zip code?

Responses:

.....	1	OF240	(OF1180)
REFUSED	RF	OF240
DON'T KNOW	DK	OF240
			(OF1180)

Programmer Instructions: Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Display 'living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}' if Round 1. Use NHISDt

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the same form pane.

Display question text "Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in brackets and lighter "grayed out" text.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF210	(OF1165)	BLAISE NAME: Age23orYounger		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:
At that time, was {PERSON} 23 or younger?

Responses:	YES	1	OF220	(OF1170)
	NO	2		
	REFUSED	RF	OF220	(OF1170)
	DON'T KNOW	DK	OF220	(OF1170)

Programmer Instructions: Control Variables Impacted during MHOP: CtrlPersKey, CtrlSampNHIS

HARD CHECK: If coded '2' (NO), display the following message: "For the purposes of this survey, students older than 23 are considered living in a private household. INTERVIEWER: PLEASE BACK-UP TO OF180 (WherePersJan1) AND USE CODE 4 (IN A PRIVATE RESIDENCE/HOUSEHOLD)." Code '2' (NO) is disallowed as a final response option.

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF220	(OF1170)	BLAISE NAME: SchlTpB		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TSCHLLEVEL2	Answers allowed: 1	ArrayMax:	Max value:

Help Available (SchlTpHelp) Show Card () Look Up File ()

Question Text:

What grade or level of school was {PERSON} attending on {{MONTH, DAY, YEAR OF NHIS INTERVIEW}/January 1, {YEAR}}?

HELP: F1

Responses:	1st - 12th GRADE	1	OF240	(OF1180)
	VOCATIONAL, COLLEGE, GRADUATE, PROFESSIONAL	2	OF230	(OF1175)
	REFUSED	RF	OF230	(OF1175)
	DON'T KNOW	DK	OF230	(OF1175)

Programmer Instructions: Control Variables Impacted during MHOP: CtrlPersKey, CtrlSampNHIS

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.
Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt.
Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF230	(OF1175)	BLAISE NAME: Jan1ParentHh		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:
{ At the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW} / On January 1, {YEAR}}, were either of {PERSON}'s parents living {at {NHIS ADDRESS}/in this household}?

Responses:	YES	1	OF240	(OF1180)
	NO	2	OF240	(OF1180)
	REFUSED	RF	OF240	(OF1180)
	DON'T KNOW	DK	OF240	(OF1180)

Programmer Instructions: Control Variables Impacted during MHOP: CtrlPersKey, CtrlSampNHIS

Display Instructions: Display 'On January 1, {YEAR}' and 'in this household', if Round <> 1. Display the first calendar year of panel for 'YEAR'.

Display 'At the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}' and 'at {NHIS ADDRESS}' if Round 1. Use NHISDt for 'MONTH, DAY, YEAR OF NHIS INTERVIEW'.

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

For 'NHIS ADDRESS' display the NHIS full address, including city and state but not zip code. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState. Separate address components with a comma, for example: "123 Main Street, Apt. 101, Rockville, MD".

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF240	(OF1180)	BLAISE NAME: AddPersConf		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

{PERSON} ADDED. HOWEVER, NO DATA WILL BE COLLECTED ABOUT {HIM/HER} DURING THE CURRENT INTERVIEW. {WE WILL FOLLOW-UP ON {HIM/HER} NEXT TIME.}

PRESS 1 AND ENTER TO RETURN TO MAIN INTERVIEW.

Responses: CONTINUE 1 BOX_40 (OF1205)

Programmer Instructions: During MHOP review/processing, set PersAddedBetweenRnds=YES for eligible persons added.

Display Instructions: For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03 if '0' (ADD A PERSON) selected at OF70. Otherwise, display the name of the person selected at OF70.

Display 'HIM' if OF90 is coded '1' (MALE). Otherwise, display 'HER'.
Display 'WE WILL FOLLOW-UP ON {HIM/HER} NEXT TIME.' if RndType<>Final. Otherwise, use null display.

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable not stored

OF250	(OF1185)	BLAISE NAME: AddEvtCont		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Question Text:

Thank you. This information is very helpful. I'm going to pause the questions I was asking and make sure I have all the needed information about this health care visit.

PRESS 1 AND ENTER TO CONTINUE.

Responses: CONTINUE 1 BOX_20 (OF1190)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Variable not stored

BOX_20 **(OF1190)** **Item Type:** Route **Type Class:** If Then

Route Details: Ask the Event Roster (EV) section.

At completion of EV section, continue with BOX_30.

Programmer Instructions: The EV section, as well as all sections called within EV should present the traditional Blaise items with a green context header "OFF-PATH" located to the far left of the screen before any other information is presented. Any Manipula or other special items within these sections can remain the original color scheme.

For each event created in the EV section via OF30 and BOX_20, set the CreateQ for that event as OF30.

BOX_30 **(OF1195)** **Item Type:** Route **Type Class:** If Then

Route Details: Ask the Event Driver (ED) section for added events.

At completion of ED section, continue with OF260.

Programmer Instructions: The ED section, as well as all sections called within ED should present the traditional Blaise items with a green context header "OFF-PATH" located to the far left of the screen before any other information is presented. Any Manipula or other special items within these sections can remain the original color scheme.

OF260 **(OF1200)** **BLAISE NAME:** AddEvtConf
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TContinue **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Question Text:
EVENT INFORMATION SUCCESSFULLY ADDED.
PRESS 1 AND ENTER TO RETURN TO MAIN INTERVIEW.

Responses: CONTINUE 1 BOX_40 (OF1205)

Display
Instructions:

Testing/Editing Variable collected at MEPS(Fall/Spring)YYYY.OF_Main
Notes: Variable not stored

BOX 40 **(OF1205)** **Item Type:** Route **Type Class:** If Then

Route Details: Return to the main interview item where the F2 was pressed (OF Section was launched).

[End of OF]