

# SpecWriter Data

**Form Version:** 6/17/2021 11:19:00 AM  
**Report Type:** Full Detail  
**Project Database:** WESSQL300.MEPSSpring2022  
**Language:** English  
**Spec Label:**

**This is the cover page. Additional contents currently project specific.**

## Full Detail Spec

**BOX\_00**      **(OP1000)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**

- 01 Box = BOX\_00, BOX\_10 , BOX\_20, BOX\_30, BOX\_40, BOX\_50
- 04 Single Select = OP10, OP20, OP30, OP50, OP70, OP90
- 05 Single Select with Display Roster = OP110
- 06 Single Select with Fill in Answer Text = OP40
- 08 Multiple Select = OP80
- 30\_Multiple Select with Fill in Answer Text and Display Roster = OP120
- 11 Multiple Select with Add/Edit/Delete = OP60, OP100
- 23 Text Field = OP130
- 28 Trigram Lookup = OP20LU
- Roster 2 = OP120
- Roster 3 = OP60, OP100

**BOX\_10**      **(OP1001)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**

Context header display instructions:  
SEE CONTEXT HEADER SPEC

If provider is flagged as facility provider, also display doctor or department linked to this facility provider for this event (if available).

Full Detail Spec

<b>OP10</b>	<b>(OP1010)</b>	<b>BLAISE NAME:</b> OPSeeDoc		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (MDDOTypes)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**

Did {you/{PERSON}} see a medical doctor during this particular visit?

HELP: F1

<b>Responses:</b>	YES	.....	1	OP20	(OP1015)
	NO	.....	2	OP30	(OP1020)
	REFUSED	.....	RF	OP30	(OP1020)
	DON'T KNOW	.....	DK	OP30	(OP1020)

**Display Instructions:**

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

Full Detail Spec

**OP20**                      **(OP1015)**                      **BLAISE NAME:** OPDocSpeclty  
**Item Type:**              Question                      **Field kind:** Datafield    **ArrayMin:**              **Min value:**  
**Type Class:**            Enumerated                      **Field Size:**  
**Answer Type:**        TDRSPLTY\_OP\_REV **Answers allowed:** 1    **ArrayMax:**              **Max value:**

---

Help Available ( )                       Show Card (OP-1)                       Look Up File ( )

**Context Header:**        {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**

OP-1.

Looking at card OP-1, what was the doctor's specialty?

IF TALKED TO MORE THAN ONE DOCTOR, PROBE FOR MAIN PROVIDER.

**Responses:**

CARDIOLOGY (HEART) .....	1		
ENDOCRINOLOGY/METABOLISM (DIABETES, THYROID) .....	5	OP40	(OP1030)
FAMILY PRACTICE .....	6	OP40	(OP1030)
GASTROENTEROLOGY .....	7	OP40	(OP1030)
GENERAL PRACTICE .....	8	OP40	(OP1030)
GENERAL SURGERY .....	9	OP40	(OP1030)
GYNECOLOGY/OBSTETRICS .....	11	OP40	(OP1030)
INTERNAL MEDICINE (INTERNIST) .....	14	OP40	(OP1030)
NEPHROLOGY (KIDNEYS) .....	15	OP40	(OP1030)
NEUROLOGY .....	16	OP40	(OP1030)
ONCOLOGY (TUMORS, CANCER) .....	18	OP40	(OP1030)
OPHTHALMOLOGY (EYES) .....	19	OP40	(OP1030)
ORTHOPEDICS .....	20	OP40	(OP1030)
OTORHINOLARYNGOLOGY (EAR, NOSE, THROAT) .....	22	OP40	(OP1030)
PEDIATRICIAN .....	24	OP40	(OP1030)
PHYSICAL MEDICINE/REHAB .....	25	OP40	(OP1030)
PSYCHIATRY/PSYCHIATRIST .....	28	OP40	(OP1030)
RADIOLOGY .....	30	OP40	(OP1030)
UROLOGY .....	33	OP40	(OP1030)
OTHER DR SPECIALTY .....	91	OP20LU	(OP1017)
REFUSED .....	RF	OP40	(OP1030)
DON'T KNOW .....	DK	OP40	(OP1030)

**Display Instructions:** Display OP20 and OP20LU on the same form pane.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

Full Detail Spec

<b>OP20LU</b>	<b>(OP1017)</b>	<b>BLAISE NAME:</b> OPDocSpecltyLU		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TDRSPLTY	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**

ENTER OTHER DOCTOR SPECIALTY.

TYPE THE FIRST 3 LETTERS OF THE SPECIALTY, THEN USE ARROW KEYS IF NEEDED TO LOCATE SPECIALTY, AND PRESS ENTER TO SELECT.

**Responses:**

ALLERGY/IMMUNOLOGY	.....	1
ANESTHESIOLOGY	.....	2
CARDIOLOGY (HEART)	.....	3
DERMATOLOGY (SKIN)	.....	4
ENDOCRINOLOGY/METABOLISM (DIABETES, THYROID)	.....	5
FAMILY PRACTICE	.....	6
GASTROENTEROLOGY	.....	7
GENERAL PRACTICE	.....	8
GENERAL SURGERY	.....	9
GERIATRICS (ELDERLY)	.....	10
GYNECOLOGY/OBSTETRICS	.....	11
HEMATOLOGY (BLOOD)	.....	12
HOSPITAL RESIDENCE	.....	13
INTERNAL MEDICINE (INTERNIST)	.....	14
NEPHROLOGY (KIDNEYS)	.....	15
NEUROLOGY	.....	16
NUCLEAR MEDICINE	.....	17
ONCOLOGY (TUMORS, CANCER)	.....	18
OPHTHALMOLOGY (EYES)	.....	19
ORTHOPEDECS	.....	20
OSTEOPATHY (DO)	.....	21
OTORHINOLARYNGOLOGY (EAR, NOSE, THROAT)	.....	22
PATHOLOGY	.....	23
PEDIATRICIAN	.....	24
PHYSICAL MEDICINE/REHAB	.....	25
PLASTIC SURGERY	.....	26
PROCTOLOGY	.....	27
PSYCHIATRY/PSYCHIATRIST	.....	28

Full Detail Spec

PULMONARY .....	29
RADIOLOGY .....	30
RHEUMATOLOGY (ARTHRITIS) .....	31
THORACIC SURGERY (CHEST) .....	32
UROLOGY .....	33
OTHER DR SPECIALTY .....	91
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer  
Instructions:**

Go to OP40.

Responses listed are part of the provider specialty look-up file that works similar to a trigram search.

Browser window should be labeled "SELECT SPECIALTY".

Response code numbers should be stored behind the scenes and not visible in the look-up window.

**Display  
Instructions:**

Display OP20 and OP20LU on the same form pane.

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

Full Detail Spec

**OP30**                      **(OP1020)**                      **BLAISE NAME:** OPMPTp  
**Item Type:**              Question                      **Field kind:** Datafield    **ArrayMin:**              **Min value:**  
**Type Class:**            Enumerated                      **Field Size:**  
**Answer Type:**          TOPMEDPER                      **Answers allowed:** 1    **ArrayMax:**              **Max value:**

---

Help Available (MPTpHelp)                       Show Card (OP-2)                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**

OP-2.

Looking at card OP-2, what type of medical person did {you/{PERSON}} talk to on {VISIT DATE}?

IF TALKED TO MORE THAN ONE MEDICAL PERSON, PROBE FOR MAIN PROVIDER.

HELP: F1

**Responses:**

ACUPUNCTURIST .....	1	OP40	(OP1030)
CHIROPRACTOR .....	2	OP40	(OP1030)
DENTIST/DENTAL CARE PERSON .....	3	OP40	(OP1030)
HOMEOPATHIC/NATUROPATHIC/HERBA .....	4	OP40	(OP1030)
LIST/OTHER ALTERNATIVE/COMPLEMENTARY CARE PROVIDER			
MASSAGE THERAPIST .....	5	OP40	(OP1030)
MENTAL HEALTH .....	6	OP40	(OP1030)
COUNSELOR/MARITAL OR FAMILY THERAPIST			
MIDWIFE .....	7	OP40	(OP1030)
NURSE/NURSE PRACTITIONER .....	8	OP40	(OP1030)
OPTOMETRIST .....	9	OP40	(OP1030)
PHYSICAL/OCCUPATIONAL THERAPIST .....	10	OP40	(OP1030)
PHYSICIAN ASSISTANT .....	11	OP40	(OP1030)
PODIATRIST .....	12	OP40	(OP1030)
PSYCHOLOGIST .....	13	OP40	(OP1030)
SOCIAL WORKER .....	14	OP40	(OP1030)
TECHNICIAN .....	15	OP40	(OP1030)
OTHER .....	91	OP40	(OP1030)
REFUSED .....	RF	OP40	(OP1030)
DON'T KNOW .....	DK	OP40	(OP1030)



**Display  
Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

<b>OP40</b>	<b>(OP1030)</b>	<b>BLAISE NAME:</b> OPVstCat		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TVSTCTGRY	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (VSTCTGRYHelp)                       Show Card (OP-3)                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**

OP-3.

Please look at card OP-3 and tell me which category best describes the care {you/{PERSON}} received during the visit to {{DOC OR DEPT}/the outpatient department} at {PROVIDER} on {VISIT DATE}.

HELP: F1

<b>Responses:</b>	GENERAL CHECKUP .....	1	OP50	(OP1035)
	DIAGNOSIS OR TREATMENT .....	2	OP50	(OP1035)
	EMERGENCY (E.G., ACCIDENT OR INJURY)	3	OP50	(OP1035)
	PSYCHOTHERAPY OR MENTAL HEALTH COUNSELING .....	4	OP50	(OP1035)
	FOLLOW-UP OR POST-OPERATIVE VISIT .....	5	OP50	(OP1035)
	IMMUNIZATIONS OR SHOTS .....	6	OP50	(OP1035)
	VISION EXAM .....	7	OP50	(OP1035)
	{PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND DELIVERY)}	8	OP50	(OP1035)
	{WELL CHILD EXAM} .....	9	OP50	(OP1035)
	LASER EYE SURGERY .....	10	OP50	(OP1035)
	OTHER .....	91	OP50	(OP1035)
	REFUSED .....	RF	OP50	(OP1035)
	DON'T KNOW .....	DK	OP50	(OP1035)

**Display Instructions:** Display '{DOC OR DEPT}' if PROVIDER linked to this event is flagged as a facility provider and there a doctor or department linked to this specific event. Otherwise, display 'the outpatient department'.

Display OP40 (OPVstCat) response option '8' (PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND DELIVERY)) if person is female and aged 15-55 inclusive (or age categories 3 to 8). Otherwise, use a null display.

Display OP40 (OPVstCat) response option '9' (WELL CHILD EXAM) if PERSON IS <7 YEARS OLD (OR AGE CATEGORIES 1 TO 3). Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

<b>OP50</b>	<b>(OP1035)</b>	<b>BLAISE NAME:</b> OPSpecCond		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (CondHelp)  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**  
{Other than {your/his/her} {general checkup/well child exam}, was/Was} this visit related to any specific health condition or were any conditions discovered during this visit?

HELP: F1

<b>Responses:</b>	YES	.....	1	OP60	(OP1040)
	NO	.....	2	OP70	(OP1050)
	REFUSED	.....	RF	OP70	(OP1050)
	DON'T KNOW	.....	DK	OP70	(OP1050)

**Display Instructions:** Display 'Other than {your/his/her} {general checkup/well child exam}, was' if OP40 (OPVstCat) was coded '1' (GENERAL CHECKUP) OR '9' (WELL CHILD EXAM). Otherwise, display 'Was'.

Display 'general checkup' if OP40 (OPVstCat) was coded '1' (GENERAL CHECKUP). Display 'well child exam' if OP40 (OPVstCat) was coded '9' (WELL CHILD EXAM).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

**OP60**                      **(OP1040)**                      **BLAISE NAME:** OPCondRoster

**Item Type:** Question                      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** Enumerated                      **Field Size:**

**Answer Type:** TCONDITION                      **Answers allowed:** 99      **ArrayMax:**      **Max value:**

---

Help Available (CondHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**  
What conditions were discovered or led {you/ {PERSON}} to make this visit?

PROBE: Any other condition?

ENTER ALL THAT APPLY

CRTL-A:ADD  
CRTL-E:EDIT  
CRTL-D:DELETE

HELP: F1

**Responses:**      {MEDICAL CONDITION} 1 ..... 1 OP70                      (OP1050)  
                         {MEDICAL CONDITION} 2 ..... 2 OP70                      (OP1050)  
                         {MEDICAL CONDITION} 3 ..... 3 OP70                      (OP1050)  
                         {MEDICAL CONDITION} 4 ..... 4 OP70                      (OP1050)  
                         {MEDICAL CONDITION}N ..... 5 OP70                      (OP1050)

**Programmer Instructions:** Roster behavior:  
1. Multiple select allowed.  
2. Multiple add allowed.  
3. Limited delete allowed. Interviewer may delete a condition added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.  
4. Limited edit allowed. Interviewer may edit a condition name newly added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

**CONDITION LOOKUP SPECIFICATIONS**

For complete Condition Lookup specifications, refer to the Global (GL) Specifications.

**Display Instructions:** Roster 3- Add/Edit/Delete Allow  
  
Roster definition:  
Display the Person-Medical-Conditions-Roster for selection and addition of one or many medical condition(s) associated with this event. Display name of medical condition (COND.CONDNAM).  
  
Roster filter:  
Display all conditions on person's roster; no filter.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

Full Detail Spec

**OP70**

**(OP1050)**

**BLAISE NAME:** OPSurgProc

**Item Type:**

Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:**

Enumerated

**Field Size:**

**Answer Type:**

TYESNO

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available (SurgProcHelp)

Show Card ( )

Look Up File ( )

**Context Header:**

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**

Was a surgical procedure performed on {you/{PERSON}} during this visit?

HELP: F1

**Responses:**

YES .....	1	OP80	(OP1060)
NO .....	2	OP80	(OP1060)
REFUSED .....	RF	OP80	(OP1060)
DON'T KNOW .....	DK	OP80	(OP1060)

**Display Instructions:**

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

Full Detail Spec

**OP80**                      **(OP1060)**                      **BLAISE NAME:** CodeAllOPSvc  
**Item Type:**              Question                      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**            Enumerated                      **Field Size:**  
**Answer Type:**          TMEDSVCTYPE              **Answers allowed:** 7      **ArrayMax:**      **Max value:**

---

Help Available (MedServHelp)                       Show Card (OP-4)                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**

📖 OP-4.

Looking at card OP-4, which of these services, if any, did {you/ {PERSON}} have during this visit?

ENTER ALL THAT APPLY

HELP: F1

- Responses:**
- LABORATORY TESTS ..... 1 OP90 (OP1070)
  - SONOGRAM OR ULTRASOUND ..... 2 OP90 (OP1070)
  - X-RAYS ..... 3 OP90 (OP1070)
  - MAMMOGRAM ..... 4 OP90 (OP1070)
  - MRI OR CATSCAN ..... 5 OP90 (OP1070)
  - EKG, ECG, OR EEG ..... 6 OP90 (OP1070)
  - VACCINATION ..... 7 OP90 (OP1070)
  - NONE OF THESE SERVICES RECEIVED ..... 95 OP90 (OP1070)
  - REFUSED ..... RF OP90 (OP1070)
  - DON'T KNOW ..... DK OP90 (OP1070)

**Programmer  
Instructions:**

Soft check:

If OP80 (CodeAllOPSvc) is coded '4' {MAMOGRAMA/MAMOGRAFÍA} and person being asked about is male or is female and < or = 17 years of age (or age categories 1-3), display the following message: "UNLIKELY RESPONSE FOR {MALE/CHILDREN 17 AND YOUNGER}. VERIFY AND RE-ENTER."

Display 'MALES' in error message if person being asked about is a male > 17 years of age (or age categories 4 through 9). Display 'CHILDREN 17 AND YOUNGER' in the error message if person being asked about is male or female and < or = 17 years of age (or age categories 1-3).

Allow OP80 (CodeAllOPSvc) code '95' (NONE OF THESE SERVICES RECEIVED), 'RF' (REFUSED), and 'DK' (DON'T KNOW) alone only. These responses may not be selected with any other response.

'NONE OF THESE SERVICES RECEIVED' is not displayed on show card.

Hard check:

Edit: If OP80 (CodeAllOPSvc) is coded '95' (NONE OF THESE SERVICES RECEIVED), no other treatment categories can be coded. If interviewer selects another code with 'NONE OF THESE SERVICES', display the following message: "NONE OF THESE SERVICES RECEIVED CANNOT BE SELECTED WITH OTHER OPTIONS. VERIFY AND RE-ENTER."

**Display  
Instructions:**

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

Full Detail Spec

**OP90**

**(OP1070)**

**BLAISE NAME:** OPPmed

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

---

Help Available (MEDPRESHelp)  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**

During this visit, were any medicines prescribed for {you/{PERSON}}? Please include only prescriptions which were filled.

HELP: F1

<b>Responses:</b>	YES .....	1	OP100	(OP1075)
	NO .....	2	BOX_20	(OP1085)
	REFUSED .....	RF	BOX_20	(OP1085)
	DON'T KNOW .....	DK	BOX_20	(OP1085)

**Display Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main



Full Detail Spec

**OP100**

**(OP1075)**

**BLAISE NAME:** OPPmedRoster

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TPRESCRIBEDMED **Answers allowed:** 99 **ArrayMax:** **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

**Question Text:**

Please tell me the names of the prescriptions from this visit that were filled.

PROBE: Any other prescribed medicines from this visit that were filled?

ENTER ALL THAT APPLY

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

<b>Responses:</b>	{PRESCRIBED MEDICINE}1 .....	1	BOX_20	(OP1085)
	{PRESCRIBED MEDICINE}2 .....	2	BOX_20	(OP1085)
	{PRESCRIBED MEDICINE}3 .....	3	BOX_20	(OP1085)
	{PRESCRIBED MEDICINE}4 .....	4	BOX_20	(OP1085)
	{PRESCRIBED MEDICINE}N .....	5	BOX_20	(OP1085)

**Programmer  
Instructions:**

Roster behavior:

1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a medicine added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.
4. Limited edit allowed. Interviewer may edit medicines added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

Soft Check:

If 2 or more of the same following text strings are found in a single medicine entry (e.g. DROXIA 200MG CAPMAXALT 10MG) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG
- ML
- CAP
- MCG
- TAB
- GM
- %

Or if the following text combinations strings are found in a single medicine entry (e.g. aspirin 5mg triamcinolone acetone .5% ointment) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG and %
- MCG and MG

Display a separate pop-up below the field that triggered the soft check with the message: "Verify only one medicine per field is entered. If entry is a compound medicine (medicine label lists two or more different medicines) select 'Suppress'. If entry error was made, select 'GoTo' and re-enter each medicine in a separate field. Press 'TAB' between each separate entry."

At the top of the pop-up above the message, display the medicine that triggered the soft check. With the text string that triggered the check displayed in bold.

Prescribed Medicine Soft Check Flag (PMedSoftChk):

The purpose of this flag is to ensure that once the soft check is triggered, that particular entry row will not trigger the soft check again, even when the text entry of the field has changed. The flag records whether the interviewer selected "Suppress" or "GoTo". Suppressing the soft check may not indicate that the medicine is a compound drug as a medicine name could have the targeted text string in both the form/strength and drug name, such as "captopril capsule". When the interviewer selects 'GoTo' to return to the field to make a correction, the soft check will not run again to check the entry.

Pressing 'tab' then selecting 'Suppress' or 'GoTo' closes the soft check pop-up and moves the cursor to the next empty field.

Pressing 'enter' then selecting 'Suppress' closes the soft check pop-up and moves the focus back to the prescribed medicine roster. Or if 'GoTo' is selected moves the cursor back to the entry field that triggered the soft check.

**PMED LOOKUP SPECIFICATIONS**

For complete PMed Lookup specifications, refer to the Global (GL) Specifications.

**Display  
Instructions:**

Roster 3- Add/Edit/Delete Allowed.

Roster definition:

This item displays the Person's-Prescription-Medicines-Roster for selection and addition of prescribed medicines. Display name of prescribed medicine (DRUG.DRUGMANE)

Roster filter:

Display all medicines on person's roster; no filter.

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main

Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

**BOX 20**

**(OP1085)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If no condition is associated with this visit to this provider for this person, go to BOX\_50.  
Otherwise, continue with BOX\_30.

**BOX 30**

**(OP1090)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If 1 or more visits to this provider for this person have not completed the Outpatient Department (OP) Utilization section, continue with BOX\_40.

Note: If provider is a facility provider, check all events to the same facility provider regardless of the doctor or department linked to the specific events).

Otherwise, go to BOX\_50.

**BOX 40**

**(OP1095)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If this event is not part of a flat fee group, continue with OP110.

Otherwise, go to BOX\_50.

<b>OP110</b>	<b>(OP1100)</b>	<b>BLAISE NAME:</b> OPOthSameCond		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

**Question Text:**

Earlier I recorded that {you/{PERSON}} had some other visits to an outpatient department at {PROVIDER}. {Were any of these visits related to {your/his/her} {PERSON'S OP MEDICAL CONDITION}?/Were any of the other visits also for {your/his/her} {PERSON'S OP MEDICAL CONDITION} or {PERSON'S OP MEDICAL CONDITION} {or {PERSON'S OP MEDICAL CONDITION}}?/Were any of the other visits also for one of these conditions (READ CONDITIONS BELOW):}

**{CONDITIONS}**  
 {PERSON'S OP MEDICAL CONDITION}1  
 {PERSON'S OP MEDICAL CONDITION}2  
 {PERSON'S OP MEDICAL CONDITION}3  
 {PERSON'S OP MEDICAL CONDITION}4  
 {PERSON'S OP MEDICAL CONDITION}N}

**Responses:**

YES	-----	1	OP120	(OP1110)
NO	-----	2	BOX_50	(OP1120)
REFUSED	-----	RF	BOX_50	(OP1120)
DON'T KNOW	-----	DK	BOX_50	(OP1120)

**Display  
Instructions:**

{DOC OR DEPT} should not display in context header.

Display 'Were any of these visits related to {your/his/her} {PERSON'S OP MEDICAL CONDITION}?' if only one condition selected or added to Person's-Medical-Conditions-Roster at OP60. Display 'Were any of the other visits also for {your/his/her} {PERSON'S OP MEDICAL CONDITION} or {PERSON'S OP MEDICAL CONDITION} {or {PERSON'S OP MEDICAL CONDITION}}?' if exactly 2 or 3 conditions selected or added to Person's-Medical-Conditions-Roster at OP60. Otherwise, display 'Were any of the other visits also for one of these conditions (READ CONDITIONS BELOW):'

Display 'or {PERSON'S OP MEDICAL CONDITION}' if exactly 3 conditions selected or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster) Otherwise, use a null display.

For 'PERSON'S OP MEDICAL CONDITION' display the condition selected from or added to PERSON'S-MEDICAL-CONDITIONS-ROSTER AT OP60 (PCondRoster).

Display the header 'CONDITIONS' and the list of conditions if more than three conditions selected or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster). Otherwise, use a null display. FOR 'PERSON'S OP MEDICAL CONDITION', DISPLAY ALL CONDITIONS SELECTED FROM OR ADDED TO PERSON'S-MEDICAL-CONDITIONS-ROSTER AT OP60 (PCondRoster).

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

Full Detail Spec

**OP120**                      **(OP1110)**                      **BLAISE NAME:** OPRepVstRoster  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      TMONTHDAYYEAR **Answers allowed:** 99                      **ArrayMax:**                      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON’S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

**Question Text:**

{Which of the following visits were also for {your/{PERSON}’s} {PERSON’S OP MEDICAL CONDITION} {{or {your/his/her}/,} {PERSON’S OP MEDICAL CONDITION}} {or {your/his/her} {PERSON’S OP MEDICAL CONDITION}}?/ Which of the following visits were also for one of these conditions (READ CONDITIONS BELOW)?}

PROBE: Any other visits for the same condition?

ENTER ALL THAT APPLY

**{CONDITIONS**

{PERSON'S OP MEDICAL CONDITION}1  
 {PERSON'S OP MEDICAL CONDITION}2  
 {PERSON'S OP MEDICAL CONDITION}3  
 {PERSON'S OP MEDICAL CONDITION}4  
 {PERSON'S OP MEDICAL CONDITION}N}

**Responses:**                      {SELECT ALL EVENTS} ..... 0    OP130                      (OP1115)  
    {MONTH,DAY,YEAR} - {DOC OR DEPT}1 ..... 1    OP130                      (OP1115)  
    {MONTH,DAY,YEAR} - {DOC OR DEPT}2 ..... 2    OP130                      (OP1115)  
    {MONTH,DAY,YEAR} - {DOC OR DEPT}3 ..... 3    OP130                      (OP1115)  
    {MONTH,DAY,YEAR} - {DOC OR DEPT}4 ..... 4    OP130                      (OP1115)  
    {MONTH,DAY,YEAR} - {DOC OR DEPT}N ..... 5    OP130                      (OP1115)

**Programmer Instructions:** If coded '0' SELECT ALL EVENTS, CAPI should automatically select all of the events displayed on the roster and flag as being part of the repeat visit group.

Flag each visit selected at OP120 as a repeat visit related to the event being asked about. (NOTE: The event being cycled on through this OP section administration is the “stem” repeat visit. The events selected at OP120 are the “leaves”. The event driver (ED) section will not serve these repeat visits for the OP section.)

Assign next repeat visit number at the household level. (NOTE: Each repeat visit grouping, whether OP, MV, or HH is assigned this number at a household level. The number will start over every round.)

Roster behavior:

1. Multiple select allowed.

**Display Instructions:** {DOC OR DEPT} should not display in context header.

Roster 2-no add/edit/delete

Roster filter:  
Display only those event with the following characteristics.

1. Event was created this round.
2. Event has not been processed in utilization.
3. Event has event type 'OP'.
4. Event is associated with the same provider as the event being asked about (regardless of the doctor or department linked to the specific event if provider is a facility provider).
5. Event is not already flagged as part of a flat fee bundle.

Next to each event date, display the doctor or department linked to that specific visit date.

Display 'Which of the following visits were also for {your/{PERSON}'s} {PERSON'S OP MEDICAL CONDITION} {{or {your/his/her}/,} {PERSON'S OP MEDICAL CONDITION}} {or {your/his/her} {PERSON'S OP MEDICAL CONDITION}}?' if three or less conditions selected or added to Person's-Medical-Conditions-Roster at OP60. Otherwise display, 'Which of the following visits were also for one of these conditions (READ CONDITIONS BELOW)?'

Display '{or {your/his/her}/,} {PERSON'S OP MEDICAL CONDITION}' if two or three conditions selected or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster). Otherwise, use a null display.

Display “or {your/his/her}” if exactly two conditions selected or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster). Otherwise, display ‘,’.

Display ‘or {your/his/her} {PERSON'S OP MEDICAL CONDITION}’ if exactly three conditions selected or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster). Otherwise, use a null display.

For ‘PERSON'S OP MEDICAL CONDITION’ display the condition selected from or added to Person's-Medical-Conditions-Roster AT OP60 (PCondRoster).

Display the header ‘CONDITIONS’ and the list of conditions if more than three conditions selected or added to Person's-Medical-Conditions-Roster at OP60. Otherwise, use a null display. For ‘PERSON'S OP MEDICAL CONDITION’, display all conditions selected from or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster).

For "MONTH,DAY,YEAR" in the response option area, display visit dates as "MON DD, YYYY". Abbreviate the month name as three letters.

Display the response option '0' SELECT ALL EVENTS when there is more than one event to display

on the roster, otherwise use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

<b>OP130</b>	<b>(OP1115)</b>	<b>BLAISE NAME:</b> OPEvntVstGrp		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 30		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}

**Question Text:**

INTERVIEWER: RECORD 'NAME OF REPEAT VISIT GROUP' FOR EVENTS SELECTED IN PREVIOUS QUESTION:

**Responses:** ----- 1 BOX\_50 (OP1120)

**Display Instructions:** {DOC OR DEPT} should not display in context header.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.OP\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_Event.OP\_Main

<b><u>BOX_50</u></b>	<b><u>(OP1120)</u></b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
----------------------	------------------------	-------------------------	----------------------------

---

**Route Details:** Go to the Charge/Payment (CP) section if it needs to be asked for this outpatient event, i.e. its status wasn't set to 'Completed' because it was part of a Flat Fee situation where the charges were collected in the CP section for another event in that Flat Fee group.

Otherwise, go to Event Driver (ED) section.



[End of OP]