

# SpecWriter Data

**Form Version:** 6/20/2023 4:22:14 PM  
**Report Type:** Full Detail  
**Project Database:** WESSQL300.MEPSSpring2024  
**Language:** English  
**Spec Label:**

**This is the cover page. Additional contents currently project specific.**

## Full Detail Spec

BOX\_00(PM1000)

Item Type: Route

Type Class: If Then

**Route Details:**

01 Box = BOX\_00, BOX\_05, BOX\_10, BOX\_20, BOX\_30, BOX\_40, BOX\_50, BOX\_60, BOX\_70, BOX\_80, BOX\_90, BOX\_100, BOX\_110

02 Loop = LOOP\_10

03 End Loop = END\_LP 10

04 Single Select = PM20, PM40, PM50, PM70, PM90, PM110, PM190

05 Single Select with Display Roster = PM180

06 Single Select with Fill in Answer Text = PM10

07 Single Select with Add/Edit/Delete = PM200

11 Multiple Select with Add/Edit/Delete = PM30, PM60, PM80, PM100, PM120

12 Address - Newly Collected = PM170\_01, PM170\_02, PM170\_03, PM170\_04, PM170\_05, PM170\_06, PM170\_07

15 Regular Date Entry with Skips = PM130\_01, PM130\_02

19 Numeric Field = PM140, PM150

24 Information Screen = PMIntro

28 Trigram Lookup = PM160LU

Roster 3 = PM30, PM60, PM80, PM100, PM120, PM160LU, PM200

Full Detail Spec

**BOX\_05**      **(PM1005)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** All sections starting with and including PM that precede Employment in Spring Cycle rounds (RndCycle=Spring) or precede Access in Fall Cycle rounds (RndCycle=Fall), function as a single person level loop (e.g., ask PM, OM, AH, and CS, for person 1, then loop through those sections for person 2, then person 3, and person N.) CAPI will allow the interviewer to select CTRL-S at any time during the person loop, and select another RU member to loop on (including starting with someone other than the respondent/reference person).

For sections PM, OM, and AH, all current RU members, including those who are deceased and institutionalized should be asked these sections.

For the CS section, all RU members < or = 17 years of age including those who are institutionalized, but excluding those RU members that are deceased.

The order of these sections follows the same ones specified in the GL section; respondent/reference person if the respondent is a proxy followed by RU members in PID order.

<b><u>PMIntro</u></b>	<b><u>(PM1006)</u></b>	<b><u>BLAISE NAME:</u></b> PMIntro		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Question Text:**

PRESCRIBED MEDICINES (PM), OTHER MEDICAL (OM), {AND} ADDITIONAL HEALTHCARE (AH){, AND CHILD HEALTH (CS)} SECTIONS – ASKED FOR EACH RU MEMBER AS A LOOP.

CTRL-S: SWITCH TO A DIFFERENT RU MEMBER.

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**                      CONTINUE                      ..... 1      BOX\_10                      (PM1010)

**Programmer Instructions:** This item is presented only for the first person that goes through the PM, OM, AH and CS loop. Skip PMIntroduction for all other RU members.

**Display Instructions:** Display “AND” if current round is in the Spring cycle (RndCycle=Spring). Otherwise, use a null display.  
  
Display “, AND CHILD HEALTH (CS)” if current round is in the Fall cycle (RndCycle=Fall). Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

---

**BOX 10**                      **(PM1010)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:** Context header display instructions:  
SEE CONTEXT HEADER SPEC  
  
Continue with PM10 (even if PM10 is prefilled with a response).



**Programmer Instructions:** Refused and Don't Know are disallowed.

If CA30\_05 is coded '1' (YES, HAS PRESCRIPTION RECORDS/MEDICINE BOTTLES FOR {PERSON}), prefill the response entry field with '1' (HAS PRESCRIPTION MEDICINE BOTTLES/RECORDS) as selected, but the field should be editable.

**Display Instructions:**

Display 'We're now going to refer to the prescription records you mentioned having. PRESS ENTER TO CONFIRM THAT PERSON HAS RECORDS OR UPDATE RESPONSE IF RECORDS UNAVAILABLE.' if CA30\_5 is coded '1' (YES, HAS PRESCRIPTION RECORDS/MEDICINE BOTTLES FOR {PERSON}).

Otherwise, display 'Do you have any prescription medicine bottles or records for {you/him/her}? IF NEEDED, SAY: Prescription medicine records may include bottles, containers, tubes, bags, a pharmacy print out, or patient portal information.'

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

**BOX 20**

**(PM1030)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If person has 'DIABETES' on Persons-Medical-Conditions-Roster, created in PE in any round, continue with PM20.

Otherwise, go to BOX\_30.

Full Detail Spec

**PM20**

**(PM1040)**

**BLAISE NAME:** PmedDiab

<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (PmedDiabHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
                                  {END-DT}

**Question Text:**

{Since {START DATE}/Between {START DATE} and {END DATE}}, {have/has} {you/{PERSON}} obtained insulin or any other prescribed medicines related to {your/his/her} diabetes?

HELP:F1

<b>Responses:</b>	YES	.....	1	PM30	(PM1050)
	NO	.....	2	PM40	(PM1060)
	REFUSED	.....	RF	PM40	(PM1060)
	DON'T KNOW	.....	DK	PM40	(PM1060)

**Programmer Instructions:**

**Display Instructions:**     Display 'since {START DATE}' if current round is not the final round of the panel (RndType<>Final).  
                                  Display 'between {START DATE} and {END DATE}' if current round is the final round of the panel (RndType=Final).

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
                                  Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

Full Detail Spec

**PM30**

**(PM1050)**

**BLAISE NAME:** PmedDiabRoster

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TPRESCRIBEDMEDS **Answers allowed:** 110 **ArrayMax:** **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

**Question Text:**

What are the names of these medicines related to {your/his/her} diabetes?

PROBE: Any other medicines related to {your/his/her} diabetes?

ENTER ALL THAT APPLY.

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

<b>Responses:</b>	{PRESCRIBED MEDICINE}1 .....	1	PM40	(PM1060)
	{PRESCRIBED MEDICINE}2 .....	2	PM40	(PM1060)
	{PRESCRIBED MEDICINE}3 .....	3	PM40	(PM1060)
	{PRESCRIBED MEDICINE}4 .....	4	PM40	(PM1060)
	{PRESCRIBED MEDICINE}N .....	5	PM40	(PM1060)



**Programmer  
Instructions:**

Roster Behavior:

1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a medicine added at this item as long as CAPI has not created a link between this medicine and an event. If a medicine, added in PMed section, is never linked to an event, that medicine can be deleted until the end of interview.
4. Limited edit allowed. Interviewer may edit medicines added at this item at this item as long as CAPI has not created a link between this medicine and an event. If a medicine, added in PMed section, is never linked to an event, that medicine can be edited until the end of interview.

Soft Check:

If 2 or more of the same following text strings are found in a single medicine entry (e.g. DROXIA 200MG CAPMAXALT 10MG) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG
- ML
- CAP
- MCG
- TAB
- GM
- %

Or if the following text combinations strings are found in a single medicine entry (e.g. aspirin 5mg triamcinolone acetoneide .5% ointment) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG and %
- MCG and MG

Display a separate pop-up below the field that triggered the soft check with the message: "Verify only one medicine per field is entered. If entry is a compound medicine (medicine label lists two or more different medicines) select 'Suppress'. If entry error was made, select 'GoTo' and re-enter each medicine in a separate field. Press 'TAB' between each separate entry."

At the top of the pop-up above the message, display the medicine that triggered the soft check. With the text string that triggered the check displayed in bold.

Prescribed Medicine Soft Check Flag (PMedSoftChk):

The purpose of this flag is to ensure that once the soft check is triggered, that particular entry row will not trigger the soft check again, even when the text entry of the field has changed. The flag records whether the interviewer selected "Suppress" or "GoTo". Suppressing the soft check may not indicate that the medicine is a compound drug as a medicine name could have the targeted text string in both the form/strength and drug name, such as "captopril capsule". When the interviewer selects 'GoTo' to return to the field to make a correction, the soft check will not run again to check the entry.

Pressing 'tab' then selecting 'Suppress' or 'GoTo' closes the soft check pop-up and moves the cursor to the next empty field.

Pressing 'enter' then selecting 'Suppress' closes the soft check pop-up and moves the focus

back to the prescribed medicine roster. Or if 'GoTo' is selected moves the cursor back to the entry field that triggered the soft check.

**PMED LOOKUP SPECIFICATIONS**

For complete PMed Lookup specifications, refer to the Global (GL) Specifications.

**Display Instructions:**

Roster 3- Add/Edit/Delete Allowed.

Roster Definition:

This item displays the person's-prescribed-medicines-roster for selection/addition. Display name of prescribed medicine (DRUG.DRUGNAME).

Roster Filter:

Display all; no filter.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

<b>PM40</b>	<b>(PM1060)</b>	<b>BLAISE NAME:</b> DiabEquip		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
                                  {END-DT}

**Question Text:**

{Other than what we just listed, did/Did} {you/{PERSON}} obtain any other diabetic equipment or supplies, typically prescribed by a physician; for example, syringes, a blood glucose monitor machine, glucose meter, insulin pumps, lancets, alcohol swabs or control solution {since {START DATE}/between {START DATE} and {END DATE}}?

<b>Responses:</b>	YES .....	1	BOX_30	(PM1070)
	NO .....	2	BOX_30	(PM1070)
	REFUSED .....	RF	BOX_30	(PM1070)
	DON'T KNOW .....	DK	BOX_30	(PM1070)

**Programmer Instructions:** If PM40 is coded '1' (YES), automatically select the entry 'OTHER DIABETIC EQUIPMENT/SUPPLIES' on person's-prescribed-medicines-roster. If 'OTHER DIABETIC EQUIPMENT/SUPPLIES' is not already on roster, create the entry and select it.

General flag rules for medicines:  
- Round medicine first created (by definition a medicine is selected the same time it is created)  
- Question number medicine first created  
- Round medicine selected

**Display Instructions:** Display 'Other than what we just listed, did' if PM20 was coded '1' (YES). Otherwise, display 'Did'.  
Display 'since {START DATE}' if current round is not the final round of the panel (RndType<>Final).  
Display 'between {START DATE} and {END DATE}' if current round is the final round of the panel (RndType=Final).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

---

**BOX 30**      **(PM1070)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If person has 'ASTHMA' on Persons-Medical-Conditions-Roster, created in PE in any round, continue with PM50.  
  
Otherwise, go to PM70.

Full Detail Spec

**PM50**

**(PM1080)**

**BLAISE NAME:** PmedAsthma

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**  
**Type Class:** Enumerated **Field Size:**  
**Answer Type:** TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (MEDPRESHelp)  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
 {END-DT}

**Question Text:**

Including any medicines for quick relief of asthma symptoms, such as inhalers, and those that prevent symptoms over the long term, {have/has} {you/{PERSON}} obtained any prescribed medicines related to {your/his/her} asthma {since {START DATE}/between {START DATE} and {END DATE}}?

HELP:F1

**Responses:**

YES	.....	1	PM60	(PM1090)
NO	.....	2	PM70	(PM1100)
REFUSED	.....	RF	PM70	(PM1100)
DON'T KNOW	.....	DK	PM70	(PM1100)

**Display Instructions:** Display 'since {START DATE}' if current round is not the final round of the panel (RndType<>Final).  
 Display 'between {START DATE} and {END DATE}' if current round is the final round of the panel (RndType=Final).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
 Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

Full Detail Spec

**PM60**

**(PM1090)**

**BLAISE NAME:** PmedAsthmaRoster

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TPRESCRIBEDMEDS **Answers allowed:** 110 **ArrayMax:** **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

**Question Text:**

What are the names of these medicines related to {your/his/her} asthma?

PROBE: Any other medicines related to {your/his/her} asthma?

ENTER ALL THAT APPLY

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

<b>Responses:</b>	{PRESCRIBED MEDICINE}1 .....	1	PM70	(PM1100)
	{PRESCRIBED MEDICINE}2 .....	2	PM70	(PM1100)
	{PRESCRIBED MEDICINE}3 .....	3	PM70	(PM1100)
	{PRESCRIBED MEDICINE}4 .....	4	PM70	(PM1100)
	{PRESCRIBED MEDICINE}N .....	5	PM70	(PM1100)

**Programmer  
Instructions:**

Roster Behavior:

1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a medicine added at this item as long as CAPI has not created a link between this medicine and an event. If a medicine, added in PMed section, is never linked to an event, that medicine can be deleted until the end of interview.
4. Limited edit allowed. Interviewer may edit medicines added at this item at this item as long as CAPI has not created a link between this medicine and an event. If a medicine, added in PMed section, is never linked to an event, that medicine can be edited until the end of interview.

Soft Check:

If 2 or more of the same following text strings are found in a single medicine entry (e.g. DROXIA 200MG CAPMAXALT 10MG) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG
- ML
- CAP
- MCG
- TAB
- GM
- %

Or if the following text combinations strings are found in a single medicine entry (e.g. aspirin 5mg triamcinolone acetonide .5% ointment) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG and %
- MCG and MG

Display a separate pop-up below the field that triggered the soft check with the message: "Verify only one medicine per field is entered. If entry is a compound medicine (medicine label lists two or more different medicines) select 'Suppress'. If entry error was made, select 'GoTo' and re-enter each medicine in a separate field. Press 'TAB' between each separate entry."

At the top of the pop-up above the message, display the medicine that triggered the soft check. With the text string that triggered the check displayed in bold.

Prescribed Medicine Soft Check Flag (PMedSoftChk):

The purpose of this flag is to ensure that once the soft check is triggered, that particular entry row will not trigger the soft check again, even when the text entry of the field has changed. The flag records whether the interviewer selected "Suppress" or "GoTo". Suppressing the soft check may not indicate that the medicine is a compound drug as a medicine name could have the targeted text string in both the form/strength and drug name, such as "captopril capsule". When the interviewer selects 'GoTo' to return to the field to make a correction, the soft check will not run again to check the entry.

Pressing 'tab' then selecting 'Suppress' or 'GoTo' closes the soft check pop-up and moves the cursor to the next empty field.

Pressing 'enter' then selecting 'Suppress' closes the soft check pop-up and moves the focus back to the prescribed medicine roster. Or if 'GoTo' is selected moves the cursor back to the

entry field that triggered the soft check.

**PMED LOOKUP SPECIFICATIONS**

For complete PMed Lookup specifications, refer to the Global (GL) Specifications.

**Display Instructions:**

Roster 3- Add/Edit/Delete Allowed.

Roster Definition:

This item displays the person's-prescribed-medicines-roster for selection/addition. Display name of prescribed medicine (DRUG.DRUGNAME).

Roster Filter:

Display all; no filter.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

**PM70**

**(PM1100)**

**BLAISE NAME: NewMeds**

<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (PmedAsNeeded)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
                                  {END-DT}

**Question Text:**

In answering the next couple of questions, remember to think about prescriptions obtained at any pharmacy, including mail-order or on-line. {Since {START DATE}/Between {START DATE} and {END DATE}}, {have/has} {you/{PERSON}} obtained any new prescription medicines or any refills {we have not yet talked about}?

HELP: F1

<b>Responses:</b>	YES	.....	1	PM80	(PM1110)
	NO	.....	2	PM90	(PM1120)
	REFUSED	.....	RF	PM90	(PM1120)
	DON'T KNOW	.....	DK	PM90	(PM1120)

**Display Instructions:** DISPLAY 'Since {START DATE}' IF current round is not the final round of the panel (RndType<>Final). DISPLAY 'Between {START DATE} and {END DATE}' IF current round is the final round of the panel (RndType=Final).

Display "we have not yet talked about" if 1 or more medicines have been selected during this round. Otherwise use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

**PM80 (PM1110) BLAISE NAME:** NewMedsRoster  
**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**  
**Type Class:** Enumerated **Field Size:**  
**Answer Type:** TPRESCRIBEDMEDS **Answers allowed:** 110 **ArrayMax:** **Max value:**

Help Available ( )  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

**Question Text:**  
 What were the names of these medicines?  
 PROBE: Any other medicines?  
 ENTER ALL THAT APPLY

CTRL-A: ADD  
 CTRL-E: EDIT  
 CTRL-D: DELETE

**Responses:** {PRESCRIBED MEDICINE}1 ..... 1 PM90 (PM1120)  
 {PRESCRIBED MEDICINE}2 ..... 2 PM90 (PM1120)  
 {PRESCRIBED MEDICINE}3 ..... 3 PM90 (PM1120)  
 {PRESCRIBED MEDICINE}4 ..... 4 PM90 (PM1120)  
 {PRESCRIBED MEDICINE}N ..... 5 PM90 (PM1120)



**Programmer  
Instructions:**

Roster Behavior:

1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a medicine added at this item as long as CAPI has not created a link between this medicine and an event. If a medicine, added in PMed section, is never linked to an event, that medicine can be deleted until the end of interview.
4. Limited edit allowed. Interviewer may edit medicines added at this item at this item as long as CAPI has not created a link between this medicine and an event. If a medicine, added in PMed section, is never linked to an event, that medicine can be edited until the end of interview.

Soft Check:

If 2 or more of the same following text strings are found in a single medicine entry (e.g. DROXIA 200MG CAPMAXALT 10MG) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG
- ML
- CAP
- MCG
- TAB
- GM
- %

Or if the following text combinations strings are found in a single medicine entry (e.g. aspirin 5mg triamcinolone acetoneide .5% ointment) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG and %
- MCG and MG

Display a separate pop-up below the field that triggered the soft check with the message:

“Verify only one medicine per field is entered. If entry is a compound medicine (medicine label lists two or more different medicines) select 'Suppress'. If entry error was made, select 'GoTo' and re-enter each medicine in a separate field. Press 'TAB' between each separate entry.”

At the top of the pop-up above the message, display the medicine that triggered the soft check. With the text string that triggered the check displayed in bold.

Prescribed Medicine Soft Check Flag (PMedSoftChk):

The purpose of this flag is to ensure that once the soft check is triggered, that particular entry row will not trigger the soft check again, even when the text entry of the field has changed. The flag records whether the interviewer selected 'Suppress' or 'GoTo'. Suppressing the soft check may not indicate that the medicine is a compound drug as a medicine name could have the targeted text string in both the form/strength and drug name, such as “captopril capsule”. When the interviewer selects 'GoTo' to return to the field to make a correction, the soft check will not run again to check the entry.

Pressing 'tab' then selecting 'Suppress' or 'GoTo' closes the soft check pop-up and moves the cursor to the next empty field.

Pressing 'enter' then selecting 'Suppress' closes the soft check pop-up and moves the focus back to the prescribed medicine roster. Or if 'GoTo' is selected moves the cursor back to the entry field that triggered the soft check.

**PMED LOOKUP SPECIFICATIONS**

For complete PMed Lookup specifications, refer to the Global (GL) Specifications.

**Display Instructions:**

Roster 3- Add/Edit/Delete Allowed.

**Roster Definition:**

This item displays the person's-prescribed-medicines-roster for selection/addition. Display name of prescribed medicine (DRUG.DRUGNAME).

**Roster Filter:**

Display all; no filter.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

**PM90**

**(PM1120)**

**BLAISE NAME:** PmedAsNeeded

<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (MEDPRESHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**        {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
                                  {END-DT}

**Question Text:**

{Since {START DATE}/Between {START DATE} and {END DATE}}, did {you/{PERSON}} obtain any {other} prescriptions, even if {you/{PERSON}} {are/is} no longer taking the medicine or only {take/takes} it as-needed?

HELP: F1

<b>Responses:</b>	YES	.....	1	PM100	(PM1130)
	NO	.....	2	BOX_40	(PM1140)
	REFUSED	.....	RF	BOX_40	(PM1140)
	DON'T KNOW	.....	DK	BOX_40	(PM1140)

**Display Instructions:** Display 'Since {START DATE}' if current round is not the final round of the panel (RndType<>Final). Display 'Between {START DATE} and {END DATE}' if current round is the final round of the panel (RndType=Final).

Display 'other' if at least one medicine is flagged as selected for the current round (that is, at least one medicine was selected at HS100, ER70, OP100, MV120, TH110, PM30, PM60, or PM80 in the current round or PM40 was coded '1' (YES) in the current round). Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

**PM100 (PM1130) BLAISE NAME:** PmedAsNeededRoster  
**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**  
**Type Class:** Enumerated **Field Size:**  
**Answer Type:** TPRESCRIBEDMEDS **Answers allowed:** 110 **ArrayMax:** **Max value:**

Help Available ( )  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

**Question Text:**

What were the names of these medicines?

PROBE: Any other medicines?

ENTER ALL THAT APPLY.

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

**Responses:** {PRESCRIBED MEDICINE}1 ..... 1 BOX\_40 (PM1140)  
{PRESCRIBED MEDICINE}2 ..... 2 BOX\_40 (PM1140)  
{PRESCRIBED MEDICINE}3 ..... 3 BOX\_40 (PM1140)  
{PRESCRIBED MEDICINE}4 ..... 4 BOX\_40 (PM1140)  
{PRESCRIBED MEDICINE}N ..... 5 BOX\_40 (PM1140)

**Programmer  
Instructions:**

Roster Behavior:

1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a medicine added at this item as long as CAPI has not created a link between this medicine and an event. If a medicine, added in PMed section, is never linked to an event, that medicine can be deleted until the end of interview.
4. Limited edit allowed. Interviewer may edit medicines added at this item at this item as long as CAPI has not created a link between this medicine and an event. If a medicine, added in PMed section, is never linked to an event, that medicine can be edited until the end of interview.

Soft Check:

If 2 or more of the same following text strings are found in a single medicine entry (e.g. DROXIA 200MG CAPMAXALT 10MG) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG
- ML
- CAP
- MCG
- TAB
- GM
- %

Or if the following text combinations strings are found in a single medicine entry (e.g. aspirin 5mg triamcinolone acetonide .5% ointment) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG and %
- MCG and MG

Display a separate pop-up below the field that triggered the soft check with the message: "Verify only one medicine per field is entered. If entry is a compound medicine (medicine label lists two or more different medicines) select 'Suppress'. If entry error was made, select 'GoTo' and re-enter each medicine in a separate field. Press 'TAB' between each separate entry."

At the top of the pop-up above the message, display the medicine that triggered the soft check. With the text string that triggered the check displayed in bold.

Prescribed Medicine Soft Check Flag (PMedSoftChk):

The purpose of this flag is to ensure that once the soft check is triggered, that particular entry row will not trigger the soft check again, even when the text entry of the field has changed. The flag records whether the interviewer selected "Suppress" or "GoTo". Suppressing the soft check may not indicate that the medicine is a compound drug as a medicine name could have the targeted text string in both the form/strength and drug name, such as "captopril capsule". When the interviewer selects 'GoTo' to return to the field to make a correction, the soft check will not run again to check the entry.

Pressing 'tab' then selecting 'Suppress' or 'GoTo' closes the soft check pop-up and moves the cursor to the next empty field.

Pressing 'enter' then selecting 'Suppress' closes the soft check pop-up and moves the focus back to the prescribed medicine roster. Or if 'GoTo' is selected moves the cursor back to the

entry field that triggered the soft check.

**PMED LOOKUP SPECIFICATIONS**

For complete PMed Lookup specifications, refer to the Global (GL) Specifications.

**Display  
Instructions:**

Roster 3- Add/Edit/Delete Allowed.

Roster Definition:

This item displays the person's-prescribed-medicines-roster for selection/addition. Display name of prescribed medicine (DRUG.DRUGNAME).

Roster Filter:

Display all; no filter.

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main

Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

**BOX\_40**

**(PM1140)**

**Item Type:** Route

**Type Class:** If Then

---

**Context Header:**

**Route Details:**

Check person's-prescribed-medicines-roster for selections. If at least one medicine is flagged as selected for the current round (that is, at least one medicine was selected at HS100, ER70, OP100, MV120, TH110, PM30, PM60, PM80 or PM100 in the current round or PM40 was coded '1' (YES) in the current round), continue with LOOP\_10.

Otherwise, go to BOX\_110.

## Full Detail Spec

LOOP\_10(PM1150)

Item Type: Route

Type Class: Begin Loop

**Context Header:**

**Route Details:** For each element in person's-prescribed-medicines-roster flagged as selected, ask BOX\_50 -END\_LP10.

Loop Definition: LOOP\_10 collects information about each prescribed medicine selected during the current round. This loop cycles on prescribed medicines that meet one of the following conditions:

- Prescribed medicine was selected at HS 100, ER70, OP 100, MV120, TH110, PM30, PM60, PM80 or PM100 in the current round for this person
- or
- PM40 is coded '1' (YES) and 'OTHER DIABETIC EQUIPMENT/SUPPLIES' is flagged as selected for the current round

BOX\_50(PM1180)

Item Type: Route

Type Class: If Then

**Route Details:** If medicine being looped on was linked to a condition in a prior round (preload.PrescribedMed.PMedSpecCondFlag=Yes), go to BOX\_60.

If medicine being looped on was selected at PM30 in the current round, autocode PM110 to '1' (YES) and autocode 'DIABETES' at PM120 and then go to BOX\_60.

If looping on 'OTHER DIABETIC EQUIPMENT/SUPPLIES', autocode PM110 to '1' (YES) and autocode 'DIABETES' at PM120 and then go to PM140.

If medicine being looped on was selected at PM60 in the current round autocode PM110 to '1' (YES) and autocode 'ASTHMA' at PM120 and then go to BOX\_60.

Otherwise (medicine created this round and related to neither diabetes nor asthma), continue with PM110.

Full Detail Spec

**PM110**

**(PM1190)**

**BLAISE NAME:** PmedSpecCond

**Item Type:** Question

**Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TYESNO

**Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION  
MEDICINE.} {STR-DT}  
{END-DT}

**Question Text:**

Now, let's talk about {MEDICINE}.

Is {MEDICINE} used for a specific health problem?

<b>Responses:</b>	YES .....	1	PM120	(PM1200)
	NO .....	2	BOX_60	(PM1210)
	REFUSED .....	RF	BOX_60	(PM1210)
	DON'T KNOW .....	DK	BOX_60	(PM1210)

**Display Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main.PM\_Loop10[1..110]  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main.PM\_Loop10[1..110]

Full Detail Spec

**PM120**

**(PM1200)**

**BLAISE NAME:** PmedCondRoster

**Item Type:** Question

**Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TCONDITION

**Answers allowed:** 110 **ArrayMax:** **Max value:**

Help Available (SpecCondHelp)

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION  
MEDICINE.} {STR-DT}  
{END-DT}

**Question Text:**

{Now, let's talk about {MEDICINE}.}

What health problem is {MEDICINE} prescribed for?  
PROBE: Any other health problems?

ENTER ALL THAT APPLY

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

HELP:F1

<b>Responses:</b>	{MEDICAL CONDITION} 1	.....	1	BOX_60	(PM1210)
	{MEDICAL CONDITION} 2	.....	2	BOX_60	(PM1210)
	{MEDICAL CONDITION} 3	.....	3	BOX_60	(PM1210)
	{MEDICAL CONDITION} 4	.....	4	BOX_60	(PM1210)
	{MEDICAL CONDITION} N	.....	5	BOX_60	(PM1210)



**Programmer  
Instructions:**

Roster Behavior:

1. Multiple select allowed. Selection should not impact the round flag of the condition.
2. Multiple add allowed. Interviewer should record condition name.
3. Limited delete allowed. Interviewer may delete a condition added at this item as long as CAPI has not created a link between this condition and an event. If a condition, added in PMed section, is never linked to an event, that condition can be deleted until a link is made between the condition and the medicine. The link between condition and the medicine is created at END\_LP10 (the end of the cycle for the medicine being asked about).
4. Limited edit allowed. Interviewer may edit a condition name added at this item as long as CAPI has not created a link between this condition and an event. If a condition, added in PMed section, is never linked to an event, that condition can be edited until a link is made between the condition and the medicine. The link between the condition and the medicine is created at END\_LP10 (the end of the cycle for the medicine being asked about).

Soft Check:

If 2 or more of the same following text strings are found in a single medicine entry (e.g. DROXIA 200MG CAPMAXALT 10MG) upon leaving the single entry field by pressing 'TAB' or 'ENTER':

- MG
- ML
- CAP
- MCG
- TAB
- GM
- % or PERCENT

Display a separate pop-up below the field that triggered the soft check with the message:

“Verify only one medicine per field is entered. If entry is a compound medicine (medicine label lists two or more different medicines) select 'Suppress'. If entry error was made, select 'GoTo' and re-enter each medicine in a separate field. Press 'TAB' between each separate entry.”

If the interviewer selects, 'Suppress' via keyboard or mouse, set a compound medicine flag for the medicine that triggered the soft check.

If the interviewer selects 'GoTo' via keyboard or mouse, reset the flag and return the cursor to the medicine entry field that needs revision.

Pressing 'Suppress' closes the soft check pop-up and moves the cursor to the next empty field.

If all fields contain data, return the interviewer to the prescribed medicine roster.

**CONDITION LOOKUP SPECIFICATIONS**

For complete Condition Lookup specifications, refer to the Global (GL) Specifications.

**Display  
Instructions:**

Roster 3- Add/Edit/Delete allowed.

Roster Definition:

Display the person-medical-conditions-roster for the selection and addition of one or many medical condition(s) associated with this medicine.

Roster Filter:  
Display all conditions on person's roster; no filter.

Display 'Now let's talk about {MEDICINE}.' if this is the first question presented in LOOP\_10, otherwise, use a null display.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main.PM\_Loop10[1..110]  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main.PM\_Loop10[1..110]

**BOX 60**

**(PM1210)**

**Item Type:** Route

**Type Class:** If Then

---

**Context Header:**

**Route Details:**

If medicine being asked about is flagged as 'CREATED' during the current round, continue with PM130\_01.

Otherwise, go to PM140.

Full Detail Spec

**PM130\_01**

**(PM1220)**

**BLAISE NAME:** PMedStartYYYY

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** String      **Field Size:** 4

**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION  
MEDICINE.} {STR-DT}  
{END-DT}

**Question Text:**

{Now, let's talk about {MEDICINE}.}

In what year did {you/{PERSON} first use {MEDICINE}}?

ENTER 'XXXX' IF PERSON HAS NOT YET TAKEN/USED MEDICINE.

ENTER 4- DIGIT YEAR

**Responses:**

.....	1		
REFUSED .....	RF	PM140	(PM1240)
DON'T KNOW .....	DK	PM140	(PM1240)

<b>Programmer Instructions:</b>	<p>If 'XXXX' (HAS NOT YET TAKEN/USED) entered, go to PM140.</p> <p>If Rounds 1-3 and year entered is equal to or greater than person's begin reference period year or FirstPanYear minus 1, continue with PM130_02.</p> <p>If Rounds 4-5 and year entered is equal to or greater than person's begin reference period year or SecondPanYear minus 1, continue with PM130_02.</p> <p>If Rounds 6-7 and year entered is equal to or greater than person's begin reference period year or ThirdPanYear minus 1, continue with PM130_02.</p> <p>If Rounds 8-9 and year entered is equal to or greater than person's begin reference period year or FourthPanYear minus 1, continue with PM130_02 .</p> <p>Otherwise, go to PM140.</p> <p>Range Check: Year = 1900 - 2100.</p> <p>Date entered at PM130_01 must be = or &gt; than Person.DOBM, Person.DOB, Person.DOBY. If date is outside of this range display this message: "THE DATE ENTERED CANNOT BE BEFORE THE RU MEMBER WAS BORN."</p> <p>If person's DOB is not available, then date must be &lt; or = the reference period end date for this person. If date is outside of this range display this message: "THE DATE CANNOT BE AFTER THE REFERENCE PERIOD END DATE FOR THIS PERSON."</p> <p>If less than four numbers are entered, display the following message: "YOU MUST ENTER A 4-DIGIT YEAR OR 'XXXX' IF PERSON HAS NOT YET TAKEN/USED MEDICINE."</p>
<b>Display Instructions:</b>	<p>Display 'Now let's talk about {MEDICINE}.' if this is the first question presented in LOOP_10, otherwise, use a null display.</p> <p>Display the interviewer instruction 'ENTER 4- DIGIT YEAR' in bold, red text.</p> <p>Display PM130_01 and PM130_02 on a single form pane, separate from other items.</p>
<b>Testing/Editing Notes:</b>	<p>Variable collected at MEPS(Fall/Spring)YYYY.PM_Main.PM_Loop10[1..110] Variable stored at MEPS(Fall/Spring)YYYY_PersSect.PM_Main.PM_Loop10[1..110]</p>

Full Detail Spec

**PM130\_02**

**(PM1230)**

**BLAISE NAME:** PMedStartMM

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1

**Type Class:** Integer **Field Size:** 2

**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 12

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
 {END-DT} {NAME OF PRESCRIPTION MEDICINE.}

**Question Text:**

[In what year did {you/{PERSON} first use {MEDICINE}}?  
 What month did {you/he/she} first use {MEDICINE}?

ENTER MONTH

**Responses:** ..... 1 PM140 (PM1240)  
 REFUSED ..... RF PM140 (PM1240)  
 DON'T KNOW ..... DK PM140 (PM1240)

**Programmer Instructions:** For specifications purposes only (CAPI handles automatically): allowable values for month are 1-12.

The complete date cannot be before the person's date of birth or after the reference period end date for this person.

**Display**

**Instructions:**

Display bracketed question text in lighter "grayed-out" text.

Display the interviewer instruction 'ENTER MONTH.' in bold, red text.

Display PM130\_01 and PM130\_02 on a single form pane, separate from other items.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main.PM\_Loop10[1..110]  
 Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main.PM\_Loop10[1..110]

Full Detail Spec

**PM140**

**(PM1240)**

**BLAISE NAME:** PmedXFill

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1

**Type Class:** Integer **Field Size:** 2

**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 99

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION  
MEDICINE.} {STR-DT}  
{END-DT}

**Question Text:**

{Now, let's talk about {MEDICINE}.}

How many times was {MEDICINE} obtained or purchased for {you/{PERSON}} {since {START DATE} /between  
{START DATE} and {END DATE}}?

ENTER NUMBER OF TIMES

**Responses:**

.....	1	BOX_70	(PM1250)
REFUSED .....	RF	BOX_70	(PM1250)
DON'T KNOW .....	DK	BOX_70	(PM1250)

**Programmer Instructions:** Soft Check:  
If PM140 =>9, display the following message: “Unlikely response. Verify the number of times {MEDICINE} was **obtained or purchased** within the reference period.”

**Display Instructions:** DISPLAY 'since {START DATE}' if current round is not the final round of the panel (RndType< Final).  
DISPLAY 'between {START DATE} and {END DATE}' if current round is the final round of the panel (RndType=Final) .

Display ‘Now let’s talk about {MEDICINE}.’ if this is the first question presented in LOOP\_10, otherwise, use a null display.

Display the interviewer instruction ‘ENTER NUMBER OF TIMES’ in bold, red text.

Display PM140 and PM150 on a single form pane, separate from other items.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main.PM\_Loop10[1..110]  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main.PM\_Loop10[1..110]

---

**BOX\_70**      **(PM1250)**      **Item Type:** Route      **Type Class:** If Then

---

**Context Header:**

**Route Details:** If current round is a round that crosses two calendar years (RndType=Cross) and PM140 is not RF or DK, continue with BOX\_80.

Otherwise, go to END\_LP10.

## Full Detail Spec

BOX 80(PM1260)

Item Type: Route

Type Class: If Then

---

**Route Details:**

If Rd.3 and person being looped on has a **begin** reference period date of **second calendar year of the panel (SecondPanYear)**, auto-code P M150 with '0' and then go to END\_LP10.

If Rd.5 and person being looped on has a **begin** reference period date of **third calendar year of the panel (ThirdPanYear)**, auto-code PM150 with '0' and then go to END\_LP10.

If Rd.7 and person being looped on has a **begin** reference period date of **fourth calendar year of the panel (FourthPanYear)**, auto-code PM150 with '0' and then go to END\_LP10.

If Rd.3 and person being looped on has an **end** reference period date of **first calendar year of the panel (FirstPanYear)**, auto-code PM150 with the response entered at PM140 and then go to END\_LP10.

If Rd.5 and person being looped on has an **end** reference period date of **second calendar year of the panel (SecondPanYear)**, auto-code PM150 with the response entered at PM140 and then go to END\_LP10.

If Rd.7 and person being looped on has an **end** reference period date of **third calendar year of the panel (ThirdPanYear)**, auto-code PM150 with the response entered at PM140 and then go to END\_LP10.

Otherwise (e.g., person's reference period includes both calendar years), continue with PM150.



Full Detail Spec

**PM150**

**(PM1270)**

**BLAISE NAME:** PmedXFillLYr

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:** -99

**Type Class:** Integer **Field Size:** 3

**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 999

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION MEDICINE.} {STR-DT} {END-DT}

**Question Text:**

NUMBER OF TIMES OBTAINED/PURCHASED SINCE {START DATE}: {NUMBER OF TIMES}

Of these times, how many were in {YEAR}?

ENTER NUMBER OF TIMES

**Responses:**

----- 1 END\_LP10 (PM1280)  
 REFUSED ----- RF END\_LP10 (PM1280)  
 DON'T KNOW ----- DK END\_LP10 (PM1280)

**Programmer Instructions:**

If current round is round 3, for 'YEAR' display the first calendar year of the panel.  
 If current round is round 5, for 'YEAR' display the second calendar year of the panel (SecondPanYear).  
 If current round is round 7, for 'YEAR' display the third calendar year of the panel (ThirdPanYear).  
 Hard Check: Number of times must be <= number of times obtained/purchased at PM140 (PmedXFill).

**Display Instructions:**

For 'NUMBER OF TIMES,' display the number entered at PM140 (PmedXFill).  
 Display the interviewer instruction 'ENTER NUMBER OF TIMES' in bold, red text.  
 Display PM140 and PM150 on a single form pane, separate from other items

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main.PM\_Loop10[1..110]  
 Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main.PM\_Loop10[1..110]

Full Detail Spec

END\_LP10 (PM1280) Item Type: Route Type Class: End Loop

Context Header:

Route Details: Cycle on next medicine in person’s-prescribed-medicines-roster that meets the conditions stated in the loop definition. If no other medicines meet the stated conditions, end LOOP\_10 and continue with PM160LU.

PM160LU (PM1290) BLAISE NAME: PharmRoster
Item Type: Question Field kind: Datafield ArrayMin: Min value:
Type Class: Enumerated Field Size:
Answer Type: TP Answers allowed: 110 ArrayMax: Max value:

- Help Available (PharmRosterHelp) Show Card ( ) Look Up File ( )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

Question Text:

Please tell me the name of the pharmacy or pharmacies that filled the prescription(s) for {you/{PERSON}} {since {START DATE}/between {START DATE} and {END DATE}}

PROBE: Any other pharmacy?

PRESS ENTER WHEN DONE SELECTING OR ADDING PHARMACIES.

CTRL-A: ADD
CTRL-E: EDIT
CTRL-D: DELETE

HELP:F1

Responses: {{PHARMACY}, {STREET ADDRESS}, {CITY}, {ST}}1 ..... 1 BOX\_90 (PM1300)
{{PHARMACY}, {STREET ADDRESS}, {CITY}, {ST}}2 ..... 2 BOX\_90 (PM1300)
{{PHARMACY}, {STREET ADDRESS}, {CITY}, {ST}}3 ..... 3 BOX\_90 (PM1300)
{{PHARMACY}, {STREET ADDRESS}, {CITY}, {ST}}4 ..... 4 BOX\_90 (PM1300)
{{PHARMACY}, {STREET ADDRESS}, {CITY}, {ST}}N ..... 5 BOX\_90 (PM1300)
PHARMACY NOT IN LOOKUP ..... 91 BOX\_90 (PM1300)

**Programmer  
Instructions:**

Roster behavior:

1. Multiple select allowed.
2. Multiple add allowed. Interviewer adds one pharmacy at a time; interviewer uses CTRL-A to begin the add process for the each new pharmacy.
3. Limited delete allowed.
4. Limited edit allowed.

CTRL-A launches the pharmacy look-up. The following fields should be displayed in the look-up: PharmName 1, PharmName 2, Address1, Address2, City, State, Zip, Phone Number.

The look-up should have three buttons at the bottom, from left to right: "Select", "No Match", and "Cancel".

Choosing "Select" when a pharmacy is highlighted in the look-up should work identically to pressing "Enter". After the FI picks a pharmacy and presses "Select", the pharmacy will appear at the bottom of the grid with a check mark prefilled. FI's must press ENTER to confirm their selection.

When "No Match" is selected in the look-up, "PHARMACY NOT IN LOOKUP" will appear at the bottom of the grid with a check mark prefilled. FI's must press ENTER to confirm their selection, then will go to BOX\_90 to start the collection of provider information using PM170\_01-PM170\_07. After the completion of these questions, the pharmacy will be added to the roster and the interview should route back to PM160LU. At PM160LU, the provider that was just added will replace "PHARMACY NOT IN LOOKUP" at the bottom of the grid.

The following search rules should appear at the bottom of the pop-up: “SEARCH TIPS:

- Type as much of the pharmacy name and address as known – the more you type the better the possible matches
- If have a phone number, do not type hyphens
- Review the DETAILS line at the top to verify correct selection”

When CTRL-E is used, only pharmacies added at “No Match” during this round will be eligible for editing. PM170\_01-PM170\_07 will be used to edit the pharmacy information. After PM170\_07, update the pharmacy roster entry and return to PM160LU.

When CTRL-D is used, only pharmacies added at the current question will be eligible for deletion. A verification screen will appear to confirm that the interviewer wants to delete the specific pharmacy.

Whether a pharmacy is added through the look- up or via PM170, CAPI will return to PM160LU to allow the interviewer to add or select another pharmacy.

If the interview adds a pharmacy already on the roster (NPIID is an exact match), CAPI will not add a duplicate entry to the roster. CAPI will return to PM160LU and autocode the original roster entry of the pharmacy.

General flag rules for pharmacies:

- Round pharmacy first created (by definition a pharmacy is selected the same time it is created)
- Round pharmacy selected for this RU member

- RU member pharmacy is linked to (however, this is known by virtue that the medicine was selected at PM160 for this person).

NOTE: The round flag and which RU member the pharmacy is linked to, also known as a person-pharmacy-pair, is key for the collection of pharmacy authorization forms.

**Display  
Instructions:**

Roster 3- add/edit/delete allowed.

Roster Definition:

This item displays the RU-pharmacies-roster for selection/addition. Display pharmacy name (PHAR.PHARNAME), street address, city, and state.

Roster Filter:

Display all; no filter.

Display the roster in non-proportional text.

The allowable characters for each field should be as follow before truncation:

Pharmacy: 40 characters

Street Address: 35 characters

City: 23 characters

State: 2 characters

Phone: 10 characters - stored with pharmacy info but not displayed at PM160LU.

NOTE: When a pharmacy is selected from the lookup, the name of the pharmacy saved to the pharmacy array and will display on this roster under the 'Pharmacy' column header be pulled from the PharmName1 column in the NPI database.

DISPLAY 'since {START DATE}' if not Round 5.

DISPLAY 'between {START DATE} and {END DATE}' if Round 5.

Display only one column of pharmacy response option categories. Each response category should have pharmacy name, address, city, and state separated by commas.

Upon return to PM160LU, after CTRL-A has been launched at least once, display the question text "Please tell me the name of the pharmacy or pharmacies that filled the prescription(s) for {you/{PERSON}} {since {START DATE}/between {START DATE} and {END DATE}} in brackets and "grayed out" text. The instruction "PROBE: Any other pharmacy?" remains in bold black text.

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main

Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

Full Detail Spec

BOX\_90

(PM1300)

Item Type: Route

Type Class: If Then

---

**Route Details:**

If 'PHARMACY NOT IN LOOKUP' selected, continue with PM170\_01.

If a pharmacy is selected from the look-up, add that pharmacy to the roster at PM160LU and select it. Return to PM160LU for interviewer to continue to select pharmacies.

Otherwise, go to BOX\_100.

PM170\_01

(PM1310)

BLAISE NAME: PharmName

Item Type:

Question

Field kind: Datafield

ArrayMin:

Min value:

Type Class:

String

Field Size: 70

Answer Type:

{Continuous Answer.}

Answers allowed: 1

ArrayMax:

Max value:

---

Help Available (PharmRosterHelp)

Show Card ( )

Look Up File ( )

**Context Header:**

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

**Question Text:**

What is the name and address of the pharmacy that filled the prescription(s) for {you/{PERSON}}?

ENTER COMPLETE NAME AND ADDRESS AND VERIFY SPELLING. IF PHARMACY HAS MORE THAN ONE LOCATION, RECORD LOCATION WHERE PERSON HAD PRESCRIPTION FILLED.

ENTER WEB ADDRESS ON STREET ADDRESS LINE(S).

[What is the pharmacy name?]

HELP:F1

**Responses:**

----- 1 PM170\_02 (PM1320)

**Programmer Instructions:** Refused and Don't Know are disallowed.

**Display Instructions:** Display PM170\_01, PM170\_02, PM170\_03, PM170\_04, PM170\_05, PM170\_06 and PM170\_07 on the same form pane.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

**PM170\_02 (PM1320) BLAISE NAME:** PharmStrt1  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 40  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

**Question Text:**

[What is the name and address of the pharmacy that filled the prescription(s) for {you/{PERSON}}?]

ENTER COMPLETE NAME AND ADDRESS AND VERIFY SPELLING. IF PHARMACY HAS MORE THAN ONE LOCATION, RECORD LOCATION WHERE PERSON HAD PRESCRIPTION FILLED.

ENTER WEB ADDRESS ON STREET ADDRESS LINE(S).

What is the address?

**Responses:**      ..... 1 PM170\_03 (PM1330)  
REFUSED ..... RF PM170\_03 (PM1330)  
DON'T KNOW ..... DK PM170\_03 (PM1330)

**Display Instructions:** Display PM170\_01, PM170\_02, PM170\_03, PM170\_04, PM170\_05, PM170\_06 and PM170\_07 on the same form pane.

Display question text "[What is the name...{you/{PERSON}}?]" and interviewer instruction "ENTER COMPLETE NAME AND ADDRESS AND VERIFY SPELLING. IF PHARMACY HAS MORE THAN ONE LOCATION, RECORD LOCATION WHERE PERSON HAD PRESCRIPTION FILLED." in lighter "grayed-out" text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

**PM170\_03 (PM1330) BLAISE NAME:** PharmStrt2  
**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**  
**Type Class:** String **Field Size:** 40  
**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available ( )  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

**Question Text:**

[What is the name and address of the pharmacy that filled the prescription(s) for {you/{PERSON}}?]

ENTER COMPLETE NAME AND ADDRESS AND VERIFY SPELLING. IF PHARMACY HAS MORE THAN ONE LOCATION, RECORD LOCATION WHERE PERSON HAD PRESCRIPTION FILLED.

ENTER WEB ADDRESS ON STREET ADDRESS LINE(S).

ENTER SECOND STREET ADDRESS, IF AVAILABLE. IF NONE, PRESS ENTER TO CONTINUE.

**Responses:**

.....	1	PM170_04	(PM1340)
EMPTY .....	Empty	PM170_04	(PM1340)
REFUSED .....	RF	PM170_04	(PM1340)
DON'T KNOW .....	DK	PM170_04	(PM1340)



**Programmer Instructions:** Allow empty.

**Display Instructions:** Display question text "[What is the name...{you/{PERSON}}?]" and interviewer instruction "ENTER COMPLETE NAME AND ADDRESS AND VERIFY SPELLING. IF PHARMACY HAS MORE THAN ONE LOCATION, RECORD LOCATION WHERE PERSON HAD PRESCRIPTION FILLED." in lighter "grayed-out" text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

---

**PM170\_04 (PM1340) BLAISE NAME:** PharmCity  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 35  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

**Question Text:**

[What is the name and address of the pharmacy that filled the prescription(s) for {you/{PERSON}}?]

What is the city?

**Responses:**

.....	1	PM170_05	(PM1350)
REFUSED .....	RF	PM170_05	(PM1350)
DON'T KNOW .....	DK	PM170_05	(PM1350)

**Display Instructions:** Display PM170\_01, PM170\_02, PM170\_03, PM170\_04, PM170\_05, PM170\_06 and PM170\_07 on the same form pane.

Display question text "[What is the name...{you/{PERSON}}?]" in lighter "grayed-out" text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

Full Detail Spec

**PM170\_05**      **(PM1350)**      **BLAISE NAME:** PharmSt  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 2  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

**Question Text:**

[What is the name and address of the pharmacy that filled the prescription(s) for {you/{PERSON}}?]

What is the state?

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

**Responses:**                                      ..... 1 PM170\_06                                      (PM1360)  
REFUSED                                      ..... RF PM170\_06                                      (PM1360)  
DON'T KNOW                                      ..... DK PM170\_06                                      (PM1360)

**Programmer Instructions:**                                      Use state look-up file.

NOTE: The entry Foreign Country (FC) is allowed.

**Display Instructions:**                                      Display PM170\_01, PM170\_02, PM170\_03, PM170\_04, PM170\_05, PM170\_06 and PM170\_07 on the same form pane.

Display question text "[What is the name... {you/{PERSON}}?]" in lighter "grayed-out" text.

**Testing/Editing Notes:**                                      Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

Full Detail Spec

**PM170\_06**      **(PM1360)**      **BLAISE NAME:** PharmZip  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** String      **Field Size:** 5  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

**Question Text:**

[What is the name and address of the pharmacy that filled the prescription(s) for {you/{PERSON}}?]

What is the zip code?

**Responses:**      ..... 1 PM170\_07      (PM1370)  
REFUSED ..... RF PM170\_07      (PM1370)  
DON'T KNOW ..... DK PM170\_07      (PM1370)

**Programmer Instructions:**      Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered in PM170\_06 (PharmZip) or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:**      Display PM170\_01, PM170\_02, PM170\_03, PM170\_04, PM170\_05, PM170\_06 and PM170\_07 on the same form pane.  
Display question text "[What is the name...{you/{PERSON}}?]" in lighter "grayed-out" text.

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

Full Detail Spec

**PM170\_07**                      **(PM1370)**                      **BLAISE NAME:** PharmPhone  
**Item Type:** Question                      **Field kind:** Datafield    **ArrayMin:**                      **Min value:** 0000000000  
**Type Class:** Integer                      **Field Size:** 10  
**Answer Type:** {Continuous Answer.} **Answers allowed:** 1    **ArrayMax:**                      **Max value:** 9999999999

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

**Question Text:**

[What is the name and address of the pharmacy that filled the prescription(s) for {you/{PERSON}}?]

What is the telephone number?

IF NO TELEPHONE, ENTER DK.

**Responses:**

..... 1  
REFUSED ..... RF  
DON'T KNOW ..... DK

**Programmer Instructions:**

Ten digit entry required for this field.

Display hard check if less than 10 digits are entered in PM170\_07 (PharmPhone) : "PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

Use number input mask (XXX-XXX-XXXX) in the response field.

Add the pharmacy created at PM170\_01 through PM170\_07 to the roster at PM160LU and select it. Return to PM160LU for interviewer to continue to select pharmacies.

**Display Instructions:**

Display PM170\_01, PM170\_02, PM170\_03, PM170\_04, PM170\_05, PM170\_06 and PM170\_07 on the same form pane.

Display question text "[What is the name...{you/{PERSON}}?]" in lighter "grayed-out" text.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

Full Detail Spec

**BOX 100**

**(PM1380)**

**Item Type:** Route

**Type Class:** If Then

---

**Context Header:**

**Route Details:** If at least one pharmacy selected at PM160LU for this person where PharmTp is missing [(Preload.PharmTp=RF, DK, or Empty) and (PharmTp=Empty for the current round)], continue with PM180.  
  
Otherwise, go to PM190.

**PM180**

**(PM1390)**

**BLAISE NAME:** PharmTp

**Item Type:**

Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:**

Enumerated

**Field Size:**

**Answer Type:**

TPHARTYPE

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

---

Help Available (PharmTpHelp)

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {PHARMACY NAME} {STR-DT}  
{END-DT}

**Question Text:**

What type of pharmacy is {PHARMACY}? Is it a mail-order pharmacy; a pharmacy located in another store such as a grocery or department store; a pharmacy located in an HMO, clinic, or hospital; a drug store that is not located within another facility; or is it an on-line pharmacy?

HELP: F1

**Responses:**

MAIL-ORDER .....	1
IN ANOTHER STORE .....	2
IN HMO/CLINIC/HOSPITAL .....	3
DRUG STORE .....	4
ON-LINE .....	5
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer Instructions:** Preloaded Grid Type 1 including question PM180.  
Continue with PM190 once grid is complete.

**Display Instructions:** Roster 1 – Report

Roster Definition:  
This item displays the RU-pharmacies-roster as the first two columns of the grid. Display only pharmacy name and first street address in these columns. These columns are protected and cannot be changed.

Roster Filter:  
Display only pharmacies that are newly added to the roster (do not have a pharmacy type associated with them).

When on grid rows, 2-n, display the text “Is it a mail-order...on-line pharmacy?” in grayed out text. The question “What type of pharmacy is {PHARMACY}?” will stay in bold black when on every row of the grid. Display the actual pharmacy name for the row the cursor is on for “PHARMACY”.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

Full Detail Spec

**PM190**

**(PM1400)**

**BLAISE NAME:** PMed3Part

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

Help Available (PMed3PartHelp)       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

**Question Text:**

Now I'd like to ask you about the charges for {your/{PERSON}'s} prescription medicine(s).

Has {your/{PERSON}'s} health insurance or another source of coverage helped pay for any of {your/his/her} prescription medications {since {START DATE}/between {START DATE} and {END DATE}}?

SELECT 'NO' IF PERSON REPORTS NO HEALTH INSURANCE OR ANOTHER SOURCE OF COVERAGE.

HELP: F1

**Responses:**

YES	.....	1	PM200	(PM1410)
NO	.....	2	BOX_110	(PM1420)
REFUSED	.....	RF	BOX_110	(PM1420)
DON'T KNOW	.....	DK	BOX_110	(PM1420)

**Display Instructions:**

Display Instructions:

DISPLAY 'since {START DATE}' If current round is not the final round of the panel (RndType<>Final)  
 DISPLAY 'between {START DATE} and {END DATE}' If current round is the final round of the panel (RndType=Final)

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
 Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

Full Detail Spec

**PM200**

**(PM1410)**

**BLAISE NAME:** PMed3Roster

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TNAMSRCEDIRPAY **Answers allowed:** 1 **ArrayMax:** **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

**Question Text:**

Who usually helps pay?

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

<b>Responses:</b>	{NAME OF SOURCE OF DIRECT PAYMENT}1	.1	BOX_110	(PM1420)
	{NAME OF SOURCE OF DIRECT PAYMENT}2	.2	BOX_110	(PM1420)
	{NAME OF SOURCE OF DIRECT PAYMENT}3	.3	BOX_110	(PM1420)
	{NAME OF SOURCE OF DIRECT PAYMENT}4	.4	BOX_110	(PM1420)
	{NAME OF SOURCE OF DIRECT PAYMENT}N	.5	BOX_110	(PM1420)



**Programmer Instructions:** Write sources selected to the sources-of-payment roster.

If at least one source is added or selected during the current round, the flag SOPFlag should be set to YES.

Roster Behavior:

1. Add one only or select one only.
2. Add allowed. Selecting CTRL-A displays a pop-up with a text entry field and a selectable list of 15 common sources of payment. (See BOX\_20 in the Charge/Payment (CP) Section Specifications for a detailed list). The interviewer can type a new source or select one from the list. Upon return to PM200, the added source will appear on the roster as selected.
3. Limited delete allowed. If interviewer adds a source of payment, delete is possible for that source only, as long as the interviewer has not left the screen. If delete is attempted when it is not allowed, CAPI displays the following error message: 'Delete Allowed only when source of payment is first entered.'
4. Limited edit allowed. If interviewer adds a source of payment, editing is possible for that source only, as long as the interviewer has not left the screen. If edit is attempted when it is not allowed, CAPI displays the following error message: 'Edit allowed only when source of payment first entered.'

**Display Instructions:** Roster 3 – Add/Edit/Delete allowed

Roster Definition:  
Display the RU-Sources-Of-Payment-Roster for selection.

Roster Filter:  
Display all sources of payment that are not "PERSON/FAMILY".

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.PM\_Main  
Variable stored at MEPS(Fall/Spring)YYYY\_PersSect.PM\_Main

---

**BOX\_110**      **(PM1420)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** Go to next questionnaire section.

[End of PM]