SpecWriter Data

Form Version: 11/1/2023 9:53:07 AM

Report Type: Full Detail

Project Database: WESSQL300.MEPSSpring2024

Language: English

Spec Label:

This is the cover page. Additional contents currently project specific.

BOX 00 (PP1000) Item Type: Route Type Class: If Then

Route Details:

01 Box = BOX_00, BOX_05, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60, BOX_63, BOX_65, BOX_70, BOX_80, BOX_90, BOX_110, BOX_130, BOX_140, BOX_150, BOX_160, BOX_170, BOX_180, BOX_190, BOX_370

05 Single Select with Display Roster = PP10, PP20, PP30, PP40, PP50, PP53, PP55, PP60, PP70, PP80, PP100, PP120, PP130, PP140, PP150, PP160, 01

Grid 1 = PP10, PP20, PP30, PP40, PP50, PP53, PP55, PP60, PP70, PP80, PP100, PP120, PP130, PP140, PP150, PP160_01

BOX 05 (PP1001) Item Type: Route Type Class: If Then

Route Details:

For the members of the household, loop on all persons and check to see if there are any RU members with different reference periods. If there are different person level reference periods within the household, use the earliest person-level start date of any of the RU members in the household to populate the START DATE. Use the latest person-level end date to populate the END DATE throughout the PP section.

BOX 10 (PP1005) Item Type: Route Type Class: If Then

Route Details:

NOTE: BEGINNING IN THE SPRING 2023 DATA COLLECTION CYCLE (P28R1, P27R3, P26R5, P24R9), the family and non-family subunit will continue to be identified, but the non-family subunit will not go through a separate set of probes. All RU members will be combined into the family set of provider probes and are considered the "family subunit" for the purposes of the specifications.

The following definitions of family and non-family subunit are specified and created in RE930.

The family subunit consists only of respondent, respondent's spouse/partner(RE900= '7' HUSBAND/WIFE/SPOUSE or '8' UNMARRIED PARTNER), respondent's dependent children under age 21 (RE900 = 5 DAUGHTER/ADOPTED DAUGHTER, '6' SON/ADOPTED SON, '17' STEPDAUGHTER, or '18' STEPSON), children of partner under age 21 (RE900 = '30' DAUGHTER OF {PERSON LOOPING ON}'s PARTNER, '31' SON OF {PERSON LOOPING ON}'s PARTNER), and children under age 18 in a legal guardian relationship with the respondent (Respondent was selected as the legal guardian for child at RE920). If respondent is a proxy, Family Subunit is the reference person and the reference person's spouse/partner (RE900= '7' HUSBAND/WIFE/SPOUSE or '8' UNMARRIED PARTNER), reference person's dependent children under age 21 (RE900 = 5 DAUGHTER/ADOPTED DAUGHTER, '6' SON/ADOPTED SON, '17' STEPDAUGHTER, or '18' STEPSON), reference person's partners children under age 21 (RE900 = '30' DAUGHTER OF {PERSON LOOPING ON}'s PARTNER, '31' SON OF {PERSON LOOPING ON}'s PARTNER), and children under age 18 in a legal guardian relationship with the reference person (Reference person was selected as the legal guardian for child at RE920).

- For all other situations that are not inclusive of the above definition for family subunit, they would be considered a non-Family Subunit- all other household members, not part of Family Subunit
- For the Family Subunit ask PP10-PP165, which is to be administered with a forced choice format for each person on the household roster who is part of the Family Subunit. There will always be at least one person in the family subunit- the respondent at the very least.

MEPSSpring2024 Full Detail Spec				Provider Probes (PP) Section
PP10	(PP1010)	BLAISE NAME: ProbeH	losp	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available ()	✓ Show Card (PP	-1)	☐ Look Up File ()
Question Text:				
□ PP-1				
here/you}/{ask about l 1} {DISPLAY NAME	nealth care receive 2} {DISPLAY N.	re we haven't missed any additionated by {the people living here}/{you AME 3} {and DISPLAY NAME 1 on during these next series of questions.	u}. {Earlier you m N} had some healt	entioned that {DISPLAY NAME
	eived in person o	e corresponding show cards and the or in real-time telehealth interaction		
		rd PP-1, {since {START DATE}/bit mitted to the hospital for any perion		
{VARIABLE QUEST	ON TEXT}			
Responses:	YES		1	
			_	
	REFUSED	***7		
	DON'T KNO	W	DK	

Programmer Instructions:

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 20.

Otherwise, go to PP20.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane.

Col #1- RU Members Display RU members' First, Middle, Last Names Roster Filter: Display all RU members' part of the family subunit as defined in BOX_10.

Display ', other than what we already talked about' if a HS event is on the event array for at least one person in the family subunit. Otherwise, use a null display.

Display "since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and {END DATE}".

Display 'was' if the respondent is a proxy and there is only 1 RU member in the family subunit, otherwise, display 'were'.

Display "'help make sure we haven't missed any additional health care..." if at least one event record has already been created for any RU member. (e.g., EV20 in (1-7))

Display 'for you' if a single person RU and the respondent is RU member. Otherwise, display 'for any of the people living here'.

Display "ask about health care received by..." if no event records exist for any RU member (e.g., EV20 not set)

Display 'you' if a single person RU and the respondent is RU member. Otherwise, display 'the people living here'.

Display "any additional" if there are events enumerated on the roster for anyone. Display 'you' if a single person RU and the respondent is RU member. Otherwise, display 'each person living here'.

Display "I'll ask you to provide a 'yes' or 'no' response for each person." If more than 1 RU member in the family subunit. Otherwise, use a null display.

Display "were you" if the respondent is RU member. Otherwise, display "was {REFERENCE PERSON}" substituting the reference person's name.

Display "Earlier you mentioned..." if EV15 has a value set for it for any person in the family subunit. For DISPLAY NAMES within that sentence, display only the first, middle, and last names of the

persons within the FAMILY SUBUNIT for which EV15 value is set.

For the fill 'VARIABLE QUESTION TEXT' Display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE}/between [{START DATE} and {END DATE}] has {he/she} been admitted to the hospital for any period of time?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Display the first three paragraphs in brackets and grayed out text after displaying the question for PERSON 1.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP Main.PP1

BOX 20 (PP1015) Item Type: Route Type Class: If Then

Route Details: Ask the EE section.

At the completion of the EE section, continue with PP20.

PP20	(PP1020)	BLAISE NAME: ProbeE			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	
☐ Help Availabl	e ()	✓ Show Card (PP	7-2)	☐ Look Up File	()
Question Text:					
□PP-2					
and {END DATE}}		ms. Looking at card PP-2, [{since EFERENCE PERSON}} received ready talked about}?	,	, ,	
{VARIABLE QUE	STION TEXT}				
Responses:	YES		1		
	1,0		_		
	REFUSED				
	DON'T KNOV	V	DK		

Programmer Instructions:

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 30.

Otherwise, go to PP30.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX 10.

Display ', other than what we already talked about' if an ER event is on the event array for at least one person in the family subunit. Otherwise, use a null display.

Display "since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and

{END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE}/between {START DATE} and {END DATE}] has {he/she} received any type of care in a hospital emergency room? 'when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Provider Probes (PP) Section

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Display the first paragraph in brackets and grayed out text after displaying the question for PERSON 1.

Testing/Editing	
Notes:	

Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1

BOX 30	(PP1025)	Item Type: Route	Type Class:	If Then
Route Details:	Ask the EE se	ction.	oue with DD20	
	At the comple	tion of the EE section, contin	ide widi FF30.	
PP30 Item Type: Type Class:	(PP1030) Question Enumerated	BLAISE NAME: ProbeC Field kind: Datafield Field Size:	oP ArrayMin:	Min value:
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available	()	✓ Show Card (PP	-3)	☐ Look Up File ()
Question Text:				
	SON}} received an	DATE}/between {START DATE} y type of care in person or by tele		
{VARIABLE QUEST	ΓΙΟΝ TEXT}			
Responses:	125		2	

DON'T KNOW

DK

Programmer Instructions:

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 40.

Otherwise, go to PP40.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX_10.

Display "since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and

{END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if an OP or TH event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE} between {START DATE} and {END DATE}] has {he/she} received any type of care in person or by telehealth from a hospital outpatient department?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Provider Probes (PP) Section

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Display the first paragraph in brackets and grayed out text after displaying the question for PERSON 1.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1

BOX_40 (PP1035) Item Type: Route Type Class: If Then

Route Details: Ask the EE section.

At the completion of the EE section, continue with PP40.

MEPSSpring202	24			Provider Probes (PP) Section
Full Detail Spec				
PP40	(PP1040)	BLAISE NAME: ProbeC	βP	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Availab	le ()	✓ Show Card (PF	?-4)	☐ Look Up File ()
Question Text:				
PP-4				
{you/you and your		kinds of medical doctors and hea ENCE PERSON}/{REFERENCE o.		
{REFERENCE PE	RSON}} received car	DATE}/between {START DATE} re from a <u>primary care doctor</u> such that we already talked about}?		
{VARIABLE QUE	ESTION TEXT}			
				HELP: F1
Responses:	YES		1	
-			_	
	REFUSED		RF	
	DON'T KNOV	W	DK	

Programme	r
Instructions	•

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 50.

Otherwise, go to PP50.

Display Instructions:

Roster type 1- Report Roster Definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX 10.

Display "Since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and

{END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display "you/you and your household" if an RU member is the respondent. Otherwise, display "{REFERENCE PERSON}/{REFERENCE PERSON}'s household".

Display "you" if respondent is the only RU member. Otherwise, display "you and your household".

Display "{REFERENCE PERSON}" if the reference person is the only RU member. Otherwise, display "{REFERENCE PERSON}'s household.

Display ', other than what we already talked about' if a MV, OP, TH event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Provider Probes (PP) Section

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE} between {START DATE} and {END DATE}] has {he/she} received care from a primary care doctor?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Display the first two paragraphs in brackets and grayed out text after displaying the question for PERSON 1.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1

BOX 50 (PP1045) Item Type: Route Type Class: If Then

Route Details: Ask the EE section.

At the completion of the EE section, continue with PP50.

MEPSSpring202 Full Detail Spec				Provider Probes (PP) Section	
PP50	(PP1050)	BLAISE NAME: Probes	SpecIt		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	
☐ Help Availab	le ()	✓ Show Card (Pl	P-5)	☐ Look Up File ()	
Question Text:					
PP-5					
{VARIABLE QUI		ergist or any other type of special	ist _i , other than wi	iat we already talked about;	
Responses:	122		•		
	1.0		_		
	REFUSED	X 7	DK		

Programmer Instructions:

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 60.

Otherwise, go to PP53.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX_10.

Display "since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and {END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if a MV, OP, TH, HS, or ER event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE} / between {START DATE} and {END DATE}] has {he/she} received care from any type of specialist?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Testing/Editing Notes:		ed at MEPS(Fall/Spring)YYY at MEPS(Fall/Spring)YYYY		
BOX_60	(PP1055)	Item Type: Route	Type Class:	If Then
Route Details:	Ask the EE sec	tion. on of the EE section, contin	ue with PP53.	
PP53 Item Type: Type Class: Answer Type:	(PP1056) Question Enumerated TYESNO	BLAISE NAME: ProbeD Field kind: Datafield Field Size: Answers allowed: 1	N ArrayMin: ArrayMax:	Min value: Max value:
☐ Help Available	()	✓ Show Card (PP-	-6)	□ Look Up File ()
Question Text: PP-6				
	ON}} received care	ATE}/between {START DATE} from any type of dental care proveready talked about}?		
{VARIABLE QUEST	TION TEXT}			
Responses:	NO		2 RF	

Programmer

Preloaded Grid Type 1: Forced navigation

Instructions:

If at least one person in the grid coded '1' (YES), continue with BOX_63. Otherwise, go to PP55.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX 10.

Display "since {START DATE}" if current round is not the final round of the panel (RndType >Final), otherwise display "between {START DATE} and

{END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if a DN event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE}/between {START DATE} and {END DATE}] has {he/she} received care from any type of dental care provider?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Testing/Editing Notes:					
BOX_63	(PP1057)	Item Type: Route	Type Class:	: If Then	
Route Details:	Ask the EE se	ction.			
	At the comple	tion of the EE section, continu	e with PP55.		
PP55	(PP1058)	BLAISE NAME: Probe	Mental Hith		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:	1111uj::1111	Trim value.	
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	
☐ Help Available	()	✓ Show Card (PF	2- 7)	☐ Look Up File ()	
Question Text:					
□ PP-7					
{REFERENCE PERS	SON}} received can chologist, a licensed	DATE}/between {START DATE} re in person, by phone, or by video d clinical social worker or any othe }?	o from any type of	mental health professional such	
{VARIABLE QUES	TION TEXT}				
Responses:	YES		1		
	110		2		
	REFUSED				
	DON'T KNO'	W	DK		

Programmer Instructions:

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 65.

Otherwise, go to PP60.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX 10.

Display "since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and {END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if a MV, OP, or TH event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE} between {START DATE} and {END DATE}] has {he/she} received care in person, by phone, or by video from any type of mental health professional?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above.

Display first names only in the variable question text display.

Testing/Editing Notes:	Variable collected at MEPSSpring2018.PP_Main.PP1 Variable stored at MEPSSpring2018.PP_Main.PP1				
BOX_65	(PP1059)	Item Type: Route	Type Class:	If Then	
Route Details: Ask the EE section. At the completion of the EE section, continue with PP60.					
PP60 Item Type: Type Class: Answer Type:	(PP1060) Question Enumerated TYESNO	BLAISE NAME: ProbeNo Field kind: Datafield Field Size: Answers allowed: 1	urse ArrayMin: ArrayMax:	Min value: Max value:	
☐ Help Available	()	✓ Show Card (PP-	8)	☐ Look Up File ()	
Question Text: PP-8					
{REFERENCE PERS	SON}} received car	DATE}/between {START DATE} e from any other type of medical p midwife{, other than what we alre	rofessional such a	s a nurse, nurse practitioner or	
{VARIABLE QUEST	TION TEXT}				
Responses:	125	N	2 RF		

Provider Probes (PP) Section

Programmer Instructions:

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 70.

Otherwise, go to PP70.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX_10.

Display "since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and {END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if a MV, OP, or TH event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE} / between {START DATE} and {END DATE}] has {he/she} received care from any other type of medical professional?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1				
BOX_70	(PP1065)	Item Type: Route	Type Class:	If Then	
Route Details:	Ask the EE so	ection. ction of the EE section, contir	nue with PP70.		
PP70 Item Type: Type Class: Answer Type:	(PP1070) Question Enumerated TYESNO	BLAISE NAME: ProbeC Field kind: Datafield Field Size: Answers allowed: 1	Clinic ArrayMin: ArrayMax:	Min value: Max value:	
☐ Help Available	()	✓ Show Card (PP	2-9)	☐ Look Up File ()	
Question Text: PP-9					
{REFERENCE PERS	SON}} received car	DATE}/between {START DATE} re from any type of health clinic, so ning center or a clinic at a college	uch as a walk-in ui	gent care, a retail clinic at a	
{VARIABLE QUES	ΓΙΟΝ TEXT}				
Responses:	110		2 RF		

Programmer Instructions:

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 80.

Otherwise, go to PP80.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX_10.

Display "since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and {END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if a MV or OP event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always display null.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE} / between {START DATE} and {END DATE}] has {he/she} received care at <u>any type of health clinic</u>?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Provider Probes (PP) Section

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Display the first paragraph in brackets and grayed out text after displaying the question for PERSON 1.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1

BOX 80 (PP1075) Item Type: Route Type Class: If Then

Route Details: Ask the EE section.

At the completion of the EE section, continue with PP80.

MEPSSpring2024				Provider Probes (PP) Section	
Full Detail Spec					
PP80	(PP1080)	BLAISE NAME: ProbeL	ab		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	
☐ Help Availabl	e ()	✓ Show Card (PP-	-10)	☐ Look Up File ()	
Question Text:					
PP-10					
	RSON}} been to any	DATE}/between {START DATE medical lab_or testing facility for			
{VARIABLE QUE	STION TEXT}				
Responses:	122		-		
	110				
	REFUSED	**			
	DON'T KNOV	V	DK		

Programmer Instructions:

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 90.

Otherwise, go to PP100.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX 10.

Display "since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and {END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if a MV or OP event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE} / between {START DATE} and {END DATE}] has {he/she} been to any medical lab or testing facility?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1			
BOX_90	(PP1085)	Item Type: Route	Type Class: 1	If Then
Route Details:	Ask the EE sec	tion. on of the EE section, contin	ue with PP100.	
PP100 Item Type: Type Class: Answer Type:	(PP1100) Question Enumerated TYESNO	BLAISE NAME: ProbeTh Field kind: Datafield Field Size: Answers allowed: 1	nerap ArrayMin: ArrayMax:	Min value: Max value:
☐ Help Available	()	✓ Show Card (PP-	11)	☐ Look Up File ()
Question Text:				
{REFERENCE PERS	SON}} had any in-pe	PATE}/between {START DATE} PATES or chiropractor {,	e or video with any	other type of therapist such as a
{VARIABLE QUEST	TION TEXT}			
Responses:	NO		2 RF	

Programmer Instructions:

Preloaded Grid Type 1: Forced navigation

If at least one person in the grid coded '1' (YES), continue with BOX 110.

Otherwise, go to PP120.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX 10.

Display "since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and {END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if a MV, OP, or TH event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Replace the fill for PERSON 1 and display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? Since [{START DATE}/between {START DATE} and {END DATE}] has {he/she} had any visits to any other type of therapist?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1				
BOX_110	(PP1105)	Item Type: Route	Type Class:	: If Then	
Route Details:	Ask the EE section. At the completion of the EE section, continue with PP120.				
PP120 Item Type: Type Class: Answer Type:	(PP1120) Question Enumerated TYESNO	BLAISE NAME: Probe\ Field kind: Datafield Field Size: Answers allowed: 1	Vision ArrayMin: ArrayMax:	Min value: Max value:	
☐ Help Available	()	✓ Show Card (PP-	-12)	☐ Look Up File ()
Question Text:					
{REFERENCE PERS	SON}} received car	T DATE}/between {START DATE re from any type of vision or eye counter than what we already talked a	are provider such		
{VARIABLE QUEST	ΓΙΟΝ TEXT}				
Responses:		W	2 RF		

Programmer

Preloaded Grid Type 1: Forced navigation

Instructions:

If at least one person in the grid coded '1' (YES), continue with BOX 130.

Otherwise, go to PP130.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX 10.

Display "Since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "Between {START DATE} and {END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if a MV or OP event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE} / between {START DATE} and {END DATE}] has {he/she} received care from any type of vision or eye care provider?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Provider Probes (PP) Section

Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1			
BOX_130	(PP1125)	Item Type: Route	Type Class:	If Then
Route Details:	Ask the EE s At the comple	ection. etion of the EE section, contin	nue with PP130.	
PP130 Item Type:	(PP1130) Question	BLAISE NAME: ProbeA Field kind: Datafield	altCare ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:	maynin.	will value.
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available	()	✓ Show Card (PP-	-13)	□ Look Up File ()
Question Text:				
{REFERENCE PERS	ON}} received an	DATE}/between {START DATE} y care from someone who practice r treatments {, other than what we	s alternative care s	such as acupuncture, homeopathic
{VARIABLE QUEST	TION TEXT}			
Responses:	122		2	

..... DK

DON'T KNOW

Programmer

Preloaded Grid Type 1: Forced navigation

Instructions: If at least one person in the grid coded '1' (YES), continue with BOX_140.

Otherwise, go to PP140.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX 10.

Display "Since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and {END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display ', other than what we already talked about' if a MV event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE}/between {START DATE} and {END DATE}] has {he/she} received care from someone who practices alternative care?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Provider Probes (PP) Section

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1

BOX 140 (PP1135) Item Type: Route Type Class: If Then

Route Details: Ask the EE section.

At the completion of the EE section, continue with PP140.

MEPSSpring201 Full Detail Spec				Provider Probes (PP) Sect	ion
PP140	(PP1140)	BLAISE NAME: Probel	ΗΗ		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:	·		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	
☐ Help Availab	ole ()	✓ Show Card (PP	-14)	☐ Look Up File ()
Question Text:					
□PP-14					
PERSON}'s house because/	ehold}} may have rece of a health problem, [{	{you/you and your household}/ ived at home. Please look at card (since {START DATE}/between cived any type of care from some	PP-14. {Other that {START DATE} a	an what we already talked about, and {END DATE}}], {have	
care from a hon	ne care nurse or any typ	pe of therapist or social worker?			
care from some help with cooki		thing, dressing, or taking medica	tion?		
or companionsh					
{VARIABLE QUI	ESTION TEXT}				
Responses:	YES		1		
10-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0			2		
	REFUSED		RF		
	DON'T KNOV	V	DK		

Programmer

Preloaded Grid Type 1: Forced navigation

Instructions: If at least one person in the grid coded '1' (YES), continue with BOX_150.

Otherwise, go to PP150.

Display Instructions:

Roster type 1- Report Roster definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members

Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX_10.

Display "you/you and your household" if an RU member is the respondent. Otherwise, display "{REFERENCE PERSON}/{REFERENCE PERSON}'s household".

Display 'you" if respondent is the only RU member. Otherwise, display "you and your household".

Display "{REFERENCE PERSON}" if the reference person is the only RU member. Otherwise, display "{REFERENCE PERSON}'s household".

Display 'Other than what we already talked about because,' if a HH event is on the event array for at least one person in the family subunit. Otherwise, display 'Because'.

Display "Since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "Between {START DATE} and {END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE}/between {START DATE} and {END DATE}] has {he/she} received any type of care at home?' when the cursor is on the fourth person in the grid.

Provider Probes (PP) Section

Replace the fill for PERSON 4 and display 'What about $\{PERSON N\}$?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Display the first paragraph in brackets and grayed out text after displaying the question for PERSON 1.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP_Main.PP1

BOX 150 (PP1145) Item Type: Route Type Class: If Then

Route Details: Ask the EE section.

At the completion of the EE section, continue with PP150.

MEPSSpring202	24			Provider Probes (PP) Section
Full Detail Spec				
PP150	(PP1150)	BLAISE NAME: Probel	C	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Availabl	le ()	✓ Show Card (PP-	-15)	☐ Look Up File ()
Question Text:				
□PP-15				
Looking at card PP- {REFERENCE PE		DATE}/between {START DATE	E) and {END DAT	ΓΕ}}], {have you/has
received any type o	f care in a <u>residential</u>	rehabilitation or treatment facility nt for drug, alcohol or other addic		
{VARIABLE QUE	STION TEXT}			
Responses:	YES		1	
	1.0		_	
	REFUSED			
	DON'T KNOV	<i>W</i>	DK	

Programmer

Preloaded Grid Type 1: Forced navigation

Instructions: If at least one person in the grid coded '1' (YES), continue with BOX_160.

Otherwise, go to BOX 170.

Display Instructions:

Roster 1- Report Roster Definition:

Display the RU-Members-Roster in the form pane. Col #1- RU Members Display RU members' First, Middle, Last Names

Roster Filter:

Display all RU members' part of the family subunit as defined in BOX 10.

Display "Since {START DATE}" if current round is not the final round of the panel (RndType Final), otherwise display "between {START DATE} and

{END DATE}".

Display "have you" if the respondent is RU member. Otherwise, display "has {REFERENCE PERSON}" substituting the reference person's name.

Display "Earlier we discussed that {DISPLAY NAMES FROM RE350 WITH VISIT OF LESS THAN 100 DAYS} {was/were} institutionalized in a facility for less than 100 days. If {he/she/they} received care in a residential health care facility, I can record that care now." if RE350 was coded '1' (100 DAYS OR LESS) for at least one RU member in this family subunit in the current round, otherwise use null display.

For {DISPLAY NAMES FROM RE350 WITH VISIT OF LESS THAN 100 DAYS} display

the first and last names of all RU members, separated by a comma, in this subfamily where the person that was coded '1' (100 DAYS OR LESS) at RE350 in the current round. Before the last person's name, if displaying more than one person, use the word 'and.'

Display 'was' if only one name is displayed in the fill for 'DISPLAY NAMES FROM RE350...", otherwise, display 'were'.

Display ', other than what we already talked about' if an IC event is on the event array for at least one person in the family subunit. Otherwise, use null display.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

Provider Probes (PP) Section

Display 'What about {PERSON 2}?' in brackets when the cursor is on the second person in the grid.

Replace the fill for PERSON 2 and display 'What about {PERSON 3}?' in brackets when the cursor is on the third person in the grid.

Replace the fill for PERSON 3 and display 'What about {PERSON 4}? [Since {START DATE}/between {START DATE} and {END DATE}] has {he/she} received any type of care in a residential rehabilitation or treatment facility?' when the cursor is on the fourth person in the grid.

Replace the fill for PERSON 4 and display 'What about {PERSON N}?' in brackets when the cursor is on the Nth person in the grid.

Repeat the variable text display for persons beyond that in the order specified above. Display first names only in the variable question text display.

Display the first two paragraphs in brackets and grayed out text after displaying the question for PERSON 1.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP Main.PP1

BOX 160 (PP1155) Item Type: Route Type Class: If Then

Route Details: Ask the EE section.

At the completion of the EE section, continue with BOX 170.

BOX 170 (PP1160) Item Type: Route Type Class: If Then

Route Details: Check to see if any RU members reported no events during this round. If one or more RU

members reported 0 events continue to PP160_01.

Otherwise, go to BOX 190.

PP160 01	(PP1165)	BLAISE NAME: AnyCa			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	
☐ Help Availabl	e()	✓ Show Card (PP-	-16)	☐ Look Up Fil	e ()
Question Text:					
PP-16					
		ecorded for {DISPLAY NAMES at card PP-16 and make sure that			Ю
Did {you/{DISPLA	Y NAME 1}} receive	any care like that listed on the ca	rd, or any other ki	nd of care?	
{VARIABLE QUES	STION TEXT}				
Responses:	YES		1		
	1,0		-		
	REFUSED				
	DON'T KNOW	V	DK		

Provider Probes (PP) Section

Programmer Instructions:

Preloaded grid type 1: forced navigation including PP160_01, PP165_01, PP160_02, PP165_02, PP160_03, PP165_03, PP160_04, PP165_04,...,PP160_N, PP165_N on the same form pane..

If PP160 is coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and RU member is not the respondent, go to PP165 for that person. Otherwise, go to PP160 for next person in the grid. At the completion of the grid, if at least 1 person coded '1' (YES) at PP160 go to BOX_180. Otherwise (if no one coded '1' (YES) at PP160) go to BOX_190.

Display Instructions:

Roster Definition:

Display names of RU members within the family subunit that have not reported any heath care events during the current round.

Display the following columns formatted in the response pane:

Col #1 Header: RU Member

Display First, Middle, and Last name of RU members. Col #2 Header: Any Care? Instructions: Item PP160 01 – PP160 N. Col #3 Header: Lets You Know?

Instructions: Item PP165_01 – PP165_N. Display as an active cell if PP160 for the RU member is coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and RU member is not the respondent.

For the fill 'VARIABLE QUESTION TEXT' display the following:

For PERSON 1, always use a null display.

For PP160_02, display 'How about {DISPLAY NAME 2}?' in brackets when the cursor is on the second person in the grid.

For PP160_03, replace the fill for DISPLAY NAME 2 and display 'How about {DISPLAY NAME 3}?' in brackets when the cursor is on the third person in the grid.

For PP160_04, replace the fill for DISPLAY NAME 3 and display 'How about {DISPLAY NAME 4}? Did {you/he/she} receive any health care like those listed on the card, or any other kind of care?' when the cursor is on the fourth person in the grid.

For PP160_N, replace the fill for DISPLAY NAME 4 and display 'How about {DISPLAY NAME N}?' in brackets when the cursor is on the N person in the grid.

Repeat the variable text display for persons beyond that in the order specified above, starting with PP160 02. Display first names only in the variable question text display.

For {DISPLAY NAMES OF FAMILY SUBUNIT MEMBERS WITH NO HEALTHCARE 1-N}, display all RU members in the family subunit that have not reported any healthcare during this interview.

Display the first two paragraphs in brackets and grayed out text when displaying the variable text PP160 02-PP160N.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.PP_Main.PP1 Variable stored at MEPS(Fall/Spring)YYYY.PP Main.PP1

MEPSSpring2024 Full Detail Spec				Provider Probes (PP) Section		
PP165_01	<u>(PP1167)</u>	BLAISE NAME: RespK	nowsCare1			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:		
☐ Help Available (()	☐ Show Card ()	☐ Look Up File ()		
Question Text:						
In general, would yo {he/she}} visits any		now when {DISPLAY NAMI e provider?	E}/{DISPLAY N	IAME} lets you know when		
Responses:	YES		1			
	NO		2			
	REFUSED		RF			
	DON'T KNOW		DK			
Programmer Instructions:	Display PP165 as an active cell when PP160_01-PP160_N is '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and RU member is not the respondent.					
	Go to PP160 for coded '1' (YES go to BOX_190		he completion of Otherwise (if no	f the grid, if at least 1 person one coded '1' (YES) at PP160)		
Display Instructions:						
Testing/Editing Notes:						
BOX 180	(PP1170)	Item Type: Route	Type Class:	: If Then		
Route Details:	Ask the EE sec	etion.				

At the completion of the EE section, continue with BOX_190.

Provider Probes (PP) Section

BOX_190 (PP1175) Item Type: Route Type Class: If Then

Route Details: Go to BOX_370.

BOX 370 (PP1345) Item Type: Route Type Class: If Then

Route Details: End of section. Go to the next section of the questionnaire.

[End of PP]