

# SpecWriter Data

**Form Version:** 6/27/2023 11:25:17 AM  
**Report Type:** Full Detail  
**Project Database:** WESSQL300.MEPSSpring2024  
**Language:** English  
**Spec Label:**

**This is the cover page. Additional contents currently project specific.**

## Full Detail Spec

**BOX\_00****(REA1000)****Item Type:** Route**Type Class:** If Then**Route Details:**

01 Box = BOX\_00, BOX\_05, BOX\_10, BOX\_20, BOX\_30, BOX\_50, BOX\_60, BOX\_70, BOX\_80, BOX\_90, BOX\_100, BOX\_110, BOX\_120, BOX\_130, BOX\_140, BOX\_150, BOX\_160, BOX\_170, BOX\_200, BOX\_210, BOX\_215, BOX\_220, BOX\_225, BOX\_230, BOX\_240, BOX\_250

02 Loop = LOOP\_10, LOOP\_20, LOOP\_30, LOOP\_40

03 End Loop = END\_LP 10, END\_LP 20, END\_LP 30, END\_LP 40

04 Single Select = RE50, RE85, RE90, RE100, RE110, RE111, RE114, RE180, RE190, RE250, RE260, RE270, RE280, RE290, RE320DONE, RE330, RE340, RE350, RE360, RE370, RE380, RE410, RE420, RE425, RE440, RE480, RE520, RE540, RE560, RE580, RE590, RE600, RE610, RE620, RE630, RE650\_06, RE650\_07, RE680\_06, RE680\_07, RE720, RE740, RE760, RE770, RE790, RE800, RE810, RE830, RE850, RE860, RE870

05 Single Select with Display Roster = RE310, RE320, RE390, RE510

06 Single Select with Fill in Answer Text = RE490

07 Single Select with Add/Edit/Delete = RE500

08 Multiple Select = RE113

10 Multiple Select with Fill in Answer Text = RE400

11 Multiple Select with Add/Edit/Delete = RE530, RE550, RE570

12 Address - Newly Collected = RE450\_01, RE450\_02, RE450\_03, RE450\_04, RE450\_05, RE450\_06, RE840\_01, RE840\_02, RE840\_03, RE840\_04, RE840\_05, RE840\_06

13 Address-Preloaded = RE40\_01, RE40\_02, RE40\_03, RE40\_04, RE40\_05, RE40\_06, RE40\_07

14 Regular Date Entry = RE120\_01, RE120\_02, RE120\_03, RE200\_01, RE200\_02, RE200\_03, RE210\_01, RE210\_02, RE210\_03, RE220\_01, RE220\_02, RE220\_03, RE230\_01, RE230\_02, RE230\_03, RE240\_01, RE240\_02, RE240\_03, RE300\_01, RE300\_02, RE300\_03, RE430\_01, RE430\_02, RE430\_03, RE730\_01, RE730\_02, RE730\_03, RE780\_01, RE780\_02, RE780\_03

19 Numeric Field = RE750

23 Text Field = RE710\_01, RE710\_02, RE710\_03

24 Information Screen = RE10, RE20, RE30, RE30A, RE130, RE140, RE150, RE460, RE640

25 Single Select - Preloaded = RE60, RE650\_01, RE680\_01

26 Regular Date Entry - Preloaded = RE70\_01, RE70\_02, RE70\_03, RE650\_02, RE650\_03, RE650\_04, RE680\_02, RE680\_03, RE680\_04

27 Numeric Field - Preloaded = RE80, RE650\_05, RE680\_05

29 Single Select with Fill in Answer Text and Display Roster = RE820

Grid 1 = RE710\_[1-3], RE720, RE730\_[1-3], RE740, RE750, RE760, RE770.

Grid 2 = RE320, RE650\_01, RE650\_02, RE650\_03, RE650\_04, RE650\_05, RE650\_06,  
RE650\_07, RE680\_01, RE680\_02, RE680\_03, RE680\_04, RE680\_05, RE680\_06, RE680  
\_07

Roster 2 = RE400, RE490

Roster 3 = RE500, RE530, RE550, RE570

## Full Detail Spec

BOX\_05(REA1002)

Item Type: Route

Type Class: If Then

**Route Details:**

Date definitions

Birth Date:

Begin: RU reference period end date - 120 years

End: RU Reference Period End Date/Interview Date (RUEndM, RUEndD, RUEndY)

Items: RE70\_01, RE70\_02, RE70\_03, RE650\_02, RE650\_03, RE650\_04, RE680\_02, RE680\_03, RE680\_04, RE730\_01, RE730\_02, RE730\_03

Hard Check: Date entered must be between {YEAR}-120 years where 'YEAR' is the current year and today's date. If a date outside of this range is entered, display the following message: "UNLIKELY RESPONSE. DATE CANNOT BE AFTER REFERENCE PERIOD END DATE OR BEFORE {YEAR-120}. VERIFY WITH RESPONDENT AND RE-ENTER."

Life Span:

Begin: Person's DOB (DOBD, DOBM, DOBY)

End: Person's reference period end date (EndRefM, EndRefD, EndRefY)

Items: RE120\_01, RE120\_02, RE120\_03, RE1110\_01, RE1110\_02, RE1110\_03

Hard Check: Date entered must be between Person's DOB (DOBD, DOBM, DOBY) and Person's reference period end date (EndRefM, EndRefD, EndRefY). If a date outside of this range is entered, display the following message: DATE CANNOT BE AFTER PERSON'S REFERENCE PERIOD END DATE OR BEFORE PERSON'S DATE OF BIRTH. VERIFY WITH RESPONDENT AND RE-ENTER."

RU Life Span:

Begin: Person's DOB (DOBD, DOBM, DOBY)

End: RU Reference Period End Date/Interview Date (RUEndM, RUEndD, RUEndY)

Hard Check: Date entered must be between Person's DOB (DOBD, DOBM, DOBY) and the RU reference period end date/interview date (RUEndM, RUEndD, RUEndY). If a date outside of this range is entered, display the following message: DATE CANNOT BE AFTER REFERENCE PERIOD END DATE OR BEFORE PERSON'S DATE OF BIRTH. VERIFY WITH RESPONDENT AND RE-ENTER."

RU Reference Period:

Begin: RU reference period begin date

End: RU reference period end date/ Interview Date (RUEndM, RUEndD, RUEndY)

Items: RE200\_01, RE200\_02, RE200\_03, RE220\_01, RE220\_02, RE220\_03, RE240\_01, RE240\_02, RE240\_03, RE1090\_01, RE1090\_02, RE1090\_03

Hard Check: Date entered must be between the RU reference period begin date and the RU reference period end date. If a date outside of this range is entered, display the following message: DATE CANNOT BE AFTER REFERENCE PERIOD END DATE OR BEFORE REFERENCE PERIOD BEGIN DATE. VERIFY WITH RESPONDENT AND RE-ENTER."

Person's Reference Period:

Begin: Person's reference period begin date (BegRefM, BegRefD, BegRefY)

End: Person's reference period end date (EndRefM, EndRefD, EndRefY)

Items: None

Hard Check: Date entered must be between the person's reference period begin date (BegRefM, BegRefD, BegRefY) and the person's reference period end date (EndRefM, EndRefD, EndRefY). If a date outside of this range is entered, display the following message: DATE CANNOT BE AFTER PERSON'S REFERENCE PERIOD END DATE OR BEFORE PERSON'S REFERENCE PERIOD BEGIN DATE. VERIFY WITH RESPONDENT AND RE-ENTER."

**BOX 10**                    **(REA1003)**                    **Item Type:** Route                    **Type Class:** If Then

---

**Route Details:**                    Context Header Display Instructions: SEE CONTEXT HEADER SPEC

**BOX 20**                    **(REA1005)**                    **Item Type:** Route                    **Type Class:** If Then

---

**Route Details:**                    If Round 1 and RUType = Standard RU, go to RE10.  
If Round 1 and RUType = New Standard RU, go to RE20.  
If Round 1 and RUType = New Student RU, go to RE30.  
If Panel 98, Round 4, go to RE30A.  
Otherwise, go to RE40\_01.

**RE10**                    **(REA1020)**                    **BLAISE NAME:** R1REStartStandard  
**Item Type:**                    Instruction                    **Field kind:** Datafield  
**Type Class:**                    Enumerated  
**Answer Type:**                    TContinue                    **Answers allowed:** 1

---

Help Available ( )                     Show Card ( )                     Look Up File ( )

**Context Header:**                    {REFERENCE PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

(As I mentioned earlier,) {your family/{PERSON}'s household} took part in the National Health Interview Survey on {MONTH DAY, YEAR OF NHIS INTERVIEW} and, at that time, the Census Bureau interviewer mentioned that {you/{his/her} family} might be contacted again for another health related survey.

IF NEEDED, READ ALL OR PART OF THE FOLLOWING:

This survey, the Medical Expenditure Panel Survey, is also for the Department of Health and Human Services [specifically, the Agency for Healthcare Research and Quality]. The information you provide will be kept completely confidential and private as required by law.

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**                    CONTINUE                    ..... 1 RE40\_01                    (REA1080)

**Programmer Instructions:** In Round 1, the name in the context header is the full name of the NHIS reference person for the current RU being interviewed.  
(Preload.NewRefPersPID)

**Display Instructions:** Display 'your family' and 'you' if current respondent is an RU member (ST.Respondent=RespRUMem).  
Display '{PERSON}'s household' and 'his/her family' if current respondent is a proxy (ST.Respondent=RespProxy).

Display the date of NHIS interview (Preload.NHISDt) for {MONTH DAY, YEAR OF NHIS INTERVIEW}.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

<b>RE20</b>	<b>(REA1025)</b>	<b>BLAISE NAME:</b> R1REStartNewRU
<b>Item Type:</b>	Instruction	<b>Field kind:</b> Datafield
<b>Type Class:</b>	Enumerated	
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {REFERENCE PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

(As I mentioned earlier,) {you/{PERSON}} {were/was} a member of a household that took part in the National Health Interview Survey on {MONTH DAY, YEAR OF NHIS INTERVIEW} and, at that time, the Census Bureau interviewer mentioned that members of that household might be contacted again for another health related survey. Since {you/he/she} {are/is} no longer living with that household, we will interview this new household separately.

IF NEEDED, READ ALL OR PART OF THE FOLLOWING:

This survey, the Medical Expenditure Panel Survey, is also for the Department of Human Services [specifically, the Agency for Healthcare Research and Quality]. The information you provide will be kept completely confidential and private as required by law.

PRESS 1 AND ENTER TO CONTINUE.

**Responses:** CONTINUE ..... 1 RE40\_01 (REA1080)

**Programmer Instructions:** The name of the reference person displayed in Context header is the full name of the oldest RU member for the current RU being interviewed. (This may or may not be the respondent. This can be an RU member newly merged to this brand new RU.)

**Display Instructions:** Display the date of NHIS interview (Preload.NHISDt) for {MONTH, DAY, YEAR OF NHIS INTERVIEW}.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

<b>RE30</b>	<b>(REA1030)</b>	<b>BLAISE NAME:</b> R1REStartStuRU
<b>Item Type:</b>	Instruction	<b>Field kind:</b> Datafield
<b>Type Class:</b>	Enumerated	
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {REFERENCE PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

(As I mentioned earlier,) my records show that {you/{PERSON}} were a member of a household that took part in the National Health Interview Survey on {MONTH DAY, YEAR OF NHIS INTERVIEW} and, at that time, the Census Bureau interviewer mentioned that {you/{PERSON}} might be contacted again for another health related survey. Since {you/{PERSON}} are now a student and no longer living with that household, we will interview {you/{PERSON}} separately.

IF NEEDED, READ ALL OR PART OF THE FOLLOWING:

This survey, the Medical Expenditure Panel Survey, is also for the Department of Health and Human Services [specifically, the Agency for Healthcare Research and Quality]. The information you provide will be kept completely confidential and private as required by law.

PRESS 1 AND ENTER TO CONTINUE.

**Responses:** CONTINUE ..... 1 RE40\_01 (REA1080)

**Programmer Instructions:** Note: the name of the reference person displayed in the Context header is the full name of the student for the current RU being interviewed.

**Display Instructions:** Display the date of NHIS interview (Preload.NHISDt) for {MONTH, DAY, YEAR OF NHIS INTERVIEW}.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

<b><u>RE30A</u></b>	<b><u>(REA1035)</u></b>	<b><u>BLAISE NAME:</u></b> IntroCovid
<b>Item Type:</b>	Instruction	<b>Field kind:</b> Datafield
<b>Type Class:</b>	Enumerated	
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {REFERENCE PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Due to the COVID-19 crisis, we did not interview as many new households as usual this spring. Thank you for extending your participation in MEPS to help maintain the value of this important study. Now more than ever, researchers and government agencies need accurate data on health care in our country and the impact of the COVID-19 crisis on households like yours.

When we interviewed {you/your household/{PERSON}'s household} last time on {ROUND 5 INTERVIEW DATE}, we asked about health care and related information through December 31, 2019. For this interview, we'd like you to tell us about {your/your household's/this household's} health care, jobs, and health insurance between January 1, 2020 and today.

PRESS 1 AND ENTER TO CONTINUE.

**Responses:** CONTINUE ..... 1 RE40\_01 (REA1080)



**Display Instructions:** For the first sentence, display 'you' if single person household. Display 'your household' if multi-RU member household and respondent is an RU member. Otherwise, display '{PERSON}'s household'.

For the last sentence, display 'your' if single person household. Display 'your household's' if multi-RU member household and respondent is an RU member. Otherwise, display 'this household's'.

<b>RE40_01</b>	<b>(REA1080)</b>	<b>BLAISE NAME:</b> CurrStrt1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

VERIFY LOCATING ADDRESS, COUNTY, AND PHONE NUMBER WITH RESPONDENT.

{Is the street address:/What is the street address?}

{STREET ADDRESS1}  
{STREET ADDRESS2}  
{CITY}, {STATE} {ZIP CODE}  
{COUNTY}  
{TELEPHONE NUMBER}

**Responses:**

.....	1	RE40_02	(REA1081)
REFUSED .....	RF	RE40_02	(REA1081)
DON'T KNOW .....	DK	RE40_02	(REA1081)

**Programmer Instructions:** Prefill each available address field in the response pane entry fields with information from the NHIS or the previous round. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState, Preload.CurrZip, Preload.CurrCnty, Preload.CurrPhone.

**Display Instructions:** Display RE40\_01 through RE40\_07 vertically on the same form pane.

Display address fields in the info pane with most recent address information. As entries are updated in the current round, the display in the info pane should also be updated.

Display {STREET ADDRESS1} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Display "Is the street address:" if previous round or NHIS street address 1 information available. Otherwise, display "What is the street address?"

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

**RE40\_02 (REA1081) BLAISE NAME:** CurrStrt2  
**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**  
**Type Class:** String **Field Size:** 40  
**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available ( )  Show Card ( )  Look Up File ( )

**Question Text:**

[VERIFY LOCATING ADDRESS, COUNTY, AND PHONE NUMBER WITH RESPONDENT.]

{VERIFY/ENTER} APARTMENT OR UNIT NUMBER, IF AVAILABLE. IF NONE, PRESS ENTER TO CONTINUE.

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {COUNTY}  
 {TELEPHONE NUMBER}

**Responses:**

.....	1	RE40_03	(REA1082)
EMPTY .....	Empty	RE40_03	(REA1082)
REFUSED .....	RF	RE40_03	(REA1082)
DON'T KNOW .....	DK	RE40_03	(REA1082)

**Programmer Instructions:** Prefill each available address field in the response pane entry fields with information from the NHIS or the previous round. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState, Preload.CurrZip, Preload.CurrCnty, Preload.CurrPhone.

**Display Instructions:**

Display RE40\_01 through RE40\_07 vertically on the same form pane.

Display “VERIFY LOCATING...” instruction in brackets and lighter “grayed-out” text.

Display address fields in the info pane with most recent address information. As entries are updated in the current round, the display in the info pane should also be updated.

Display {STREET ADDRESS2} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.

Display “VERIFY:” if previous round or NHIS street address 2 information available. Otherwise, display “ENTER”.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

<b>RE40_03</b>	<b>(REA1082)</b>	<b>BLAISE NAME:</b> CurrCity		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 35		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

[VERIFY LOCATING ADDRESS, COUNTY, AND PHONE NUMBER WITH RESPONDENT.]

{Is the city:/What is the city?}

{STREET ADDRESS1}  
{STREET ADDRESS2}  
{CITY}, {STATE} {ZIP CODE}  
{COUNTY}  
{TELEPHONE NUMBER}

**Responses:**

.....	1	RE40_04	(REA1083)
REFUSED	RF	RE40_04	(REA1083)
DON'T KNOW	DK	RE40_04	(REA1083)

**Programmer Instructions:** Prefill each available address field in the response pane entry fields with information from the NHIS or the previous round. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState, Preload.CurrZip, Preload.CurrCnty, Preload.CurrPhone.

**Display Instructions:**

- Display RE40\_01 through RE40\_07 vertically on the same form pane.
- Display “VERIFY LOCATING...” instruction in brackets and lighter “grayed-out” text.
- Display address fields in the info pane with most recent address information. As entries are updated in the current round, the display in the info pane should also be updated.
- Display {CITY} in the info pane in bold, black, but all other address display fields in lighter “grayed-out” text.
- Display “Is the city:” if previous round or NHIS city address information available. Otherwise, display “What is the city?”.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

<b>RE40_04</b>	<b>(REA1083)</b>	<b>BLAISE NAME:</b> CurrSt		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

[VERIFY LOCATING ADDRESS, COUNTY, AND PHONE NUMBER WITH RESPONDENT.]

{Is the state:/What is the state?}

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

{STREET ADDRESS1}  
{STREET ADDRESS2}  
{CITY}, {STATE} {ZIP CODE}  
{COUNTY}  
{TELEPHONE NUMBER}

**Responses:** ----- 1 RE40\_05 (REA1084)

**Programmer Instructions:** Refused and don't know disallowed for state.

Prefill each available address field in the response pane entry fields with information from the NHIS or the previous round. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState, Preload.CurrZip, Preload.CurrCnty, Preload.CurrPhone.

Use the state lookup file.

**Display Instructions:**

Display RE40\_01 through RE40\_07 vertically on the same form pane.

Display "VERIFY LOCATING..." instruction in brackets and lighter "grayed-out" text.

Display address fields in the info pane with most recent address information. As entries are updated in the current round, the display in the info pane should also be updated.

Display {STATE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Display "Is the state:" if previous round or NHIS state address information available. Otherwise, display "What is the state?".

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

<b>RE40_05</b>	<b>(REA1084)</b>	<b>BLAISE NAME:</b> CurrZip		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 5		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

[VERIFY LOCATING ADDRESS, COUNTY, AND PHONE NUMBER WITH RESPONDENT.]

{Is the zip code:/What is the zip code?}

{STREET ADDRESS1}  
{STREET ADDRESS2}  
{CITY}, {STATE} {ZIP CODE}  
{COUNTY}  
{TELEPHONE NUMBER}

<b>Responses:</b>	-----	1	RE40_06	(REA1085)	
	REFUSED	-----	RF	RE40_06	(REA1085)
	DON'T KNOW	-----	DK	RE40_06	(REA1085)

**Programmer Instructions:** Prefill each available address field in the response pane entry fields with information from the NHIS or the previous round. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState, Preload.CurrZip, Preload.CurrCnty, Preload.CurrPhone.

Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:**

- Display RE40\_01 through RE40\_07 vertically on the same form pane.
- Display "VERIFY LOCATING..." instruction in brackets and lighter "grayed-out" text.
- Display address fields in the info pane with most recent address information. As entries are updated in the current round, the display in the info pane should also be updated.
- Display {ZIP CODE} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.
- Display "Is the zip code:" if previous round or NHIS zip code address information available. Otherwise, display "What is the zip code?".

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

Full Detail Spec

**RE40\_06**                      **(REA1085)**                      **BLAISE NAME:** CurrCnty  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      String                      **Field Size:** 30  
**Answer Type:**                      {Continuous Answer.}                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

[VERIFY LOCATING ADDRESS, COUNTY, AND PHONE NUMBER WITH RESPONDENT.]

{Is the county:/What is the county?}

{STREET ADDRESS1}  
 {STREET ADDRESS2}  
 {CITY}, {STATE} {ZIP CODE}  
 {COUNTY}  
 {TELEPHONE NUMBER}

**Responses:**                      ..... 1 RE40\_07                      (REA1086)  
 REFUSED                      ..... RF RE40\_07                      (REA1086)  
 DON'T KNOW                      ..... DK RE40\_07                      (REA1086)

**Programmer Instructions:**                      Prefill each available address field in the response pane entry fields with information from the NHIS or the previous round. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState, Preload.CurrZip, Preload.CurrCnty, Preload.CurrPhone.

**Display Instructions:**                      Display RE40\_01 through RE40\_07 vertically on the same form pane.  
 Display "VERIFY LOCATING..." instruction in brackets and lighter "grayed-out" text.  
 Display address fields in the info pane with most recent address information. As entries are updated in the current round, the display in the info pane should also be updated.  
 Display {COUNTY} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.  
 Display "Is the county:" if previous round or NHIS county information available. Otherwise, display "What is the county?".

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

Full Detail Spec

**RE40\_07**                      **(REA1086)**                      **BLAISE NAME:** CurrPhone  
**Item Type:**                      Question                      **Field kind:** Datafield    **ArrayMin:**                      **Min value:**  
**Type Class:**                      String                      **Field Size:** 10  
**Answer Type:**                      {Continuous Answer.} **Answers allowed:** 1    **ArrayMax:**                      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

[VERIFY LOCATING ADDRESS, COUNTY, AND PHONE NUMBER WITH RESPONDENT.]

{Is the telephone number:/What is the telephone number?}  
IF NO TELEPHONE, ENTER DON'T KNOW.

{STREET ADDRESS1}  
{STREET ADDRESS2}  
{CITY}, {STATE} {ZIP CODE}  
{COUNTY}  
{TELEPHONE NUMBER}

**Responses:**                      ----- 1 BOX\_30                      (REA1125)  
REFUSED                      ----- RF BOX\_30                      (REA1125)  
DON'T KNOW                      ----- DK BOX\_30                      (REA1125)



**Programmer Instructions:** Prefill each available address field in the response pane entry fields with information from the NHIS or the previous round. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState, Preload.CurrZip, Preload.CurrCnty, Preload.CurrPhone.

10-digit entry require; use number input mask (xxx-xxx-xxxx) in response field.

Hard check:

"PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

**Display Instructions:**

Display RE40\_01 through RE40\_07 vertically on the same form pane.

Display "VERIFY LOCATING..." instruction in brackets and lighter "grayed-out" text.

Display address fields in the info pane with most recent address information. As entries are updated in the current round, the display in the info pane should also be updated.

Display {TELEPHONE NUMBER} in the info pane in bold, black, but all other address display fields in lighter "grayed-out" text.

Display "Is the telephone number:" if previous round or NHIS phone number available. Otherwise, display "What is the telephone number?".

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RespAndAddr

Full Detail Spec

**BOX\_30**      **(REA1125)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If Round 1 and [RUType=Standard RU] and PreloadRUNum = 1 (single person RU) and current respondent is an RU member (ST.Respondent=RespRUMem), go to RE480.

                                 If Round 1 and [RUType=New Standard RU] and Preload RU Num = 1 (single person RU) and current respondent is an RU member (ST.Respondent=RespRUMem), go to BOX\_160.

                                 If Round 1 and [RUType=Standard RU or New Standard RU] and PreloadRUNum = 1 (single person RU and current respondent is a proxy (ST.Respondent=RespProxy), go to RE310.

                                 If Round 1 and [RUType=Standard RU or New Standard RU] and PreloadRUNum > 1 (multi-person RU), go to RE310.

                                 If Round <>1 and [RUType=Standard RU or New Standard RU], go to BOX\_90.

                                 Otherwise (RUType=Student RU or New Student RU), continue with RE50.

**RE50**      **(REA1135)**      **BLAISE NAME:** StuFullTime

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** Enumerated      **Field Size:**

**Answer Type:** TSTUDTIME      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (AttendSchHelp)       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

My records show that {you/{PERSON}} {are/is} a student at post-secondary school. {Are/Is} {you/he/she} attending school full-time or part-time?

HELP: F1

**Responses:**

FULL-TIME	.....	1	RE60	(REA1150)
PART-TIME	.....	2	RE60	(REA1150)
NOT ATTENDING SCHOOL	.....	3	BOX_50	(REA1145)
REFUSED	.....	RF	RE60	(REA1150)
DON'T KNOW	.....	DK	RE60	(REA1150)

**Display  
Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

**BOX 50**      **(REA1145)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** Set RUType=Standard RU. RU classification changes from student RU to standard RU since person is no longer attending school.  
  
Go to RE520.

**RE60**      **(REA1150)**      **BLAISE NAME:** Sex  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TSEXDKRF      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**  
VERIFY {PERSON} IS {SEX}.

What is {your/{PERSON}'s} sex?

**Responses:**      MALE      ..... 1      RE70\_01      (REA1153)  
                     FEMALE      ..... 2      RE70\_01      (REA1153)  
                     REFUSED      ..... RF      RE70\_01      (REA1153)  
                     DON'T KNOW      ..... DK      RE70\_01      (REA1153)

**Programmer Instructions:** Prefill entry field with PL\_Person.Sex from previous round.  
Compare entry with preloaded data. Replacing 'real' data with RF or DK is disallowed. If the interviewer tries to do so, display the message "DO NOT REPLACE EXISTING INFORMATION WITH REFUSED OR DON'T KNOW."  
SOFT CHECK  
If person's sex changes compared to preloaded sex, display the message: "ARE YOU SURE YOU WANT TO CHANGE THIS PERSON'S SEX? IF YES, CLICK SUPPRESS. IF NO, MAKE THE NECESSARY CORRECTION."

**Display Instructions:** For 'SEX', display sex from previous round. If preload has 'DK' (DON'T KNOW) or 'RF' (REFUSED), show that as empty.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

<b>RE70_01</b>	<b>(REA1153)</b>	<b>BLAISE NAME: DOBMM</b>		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 12

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**  
[{{VERIFY {PERSON}'s DATE OF BIRTH IS {MONTH, DAY, YEAR}. CORRECT IF NECESSARY./What is {your/{PERSON}'s} date of birth?}]

ENTER MONTH.

**Responses:**

.....	1	RE70_02	(REA1154)
REFUSED	.....	RF RE70_02	(REA1154)
DON'T KNOW	.....	DK RE70_02	(REA1154)

**Programmer Instructions:** Prefill entry field with RU members' month of birth (PL\_Person.DOBM) when available. If preload has 'DK' (DON'T KNOW) or 'RF' (REFUSED), show that as empty

Compare entry with preloaded data. Replacing 'real' data with RF or DK is disallowed. If the interviewer tries to do so, display the message "DO NOT REPLACE EXISTING INFORMATION WITH REFUSED OR DON'T KNOW."

**Display Instructions:** RE70\_01, RE70\_02, and RE70\_03 must appear on the same form pane.

Display "VERIFY {PERSON}'s DATE OF BIRTH IS {MONTH, DAY, YEAR}. CORRECT IF NECESSARY." if any part of the student's DOB is not 'RF' (REFUSED), 'DK' (DON'T KNOW), or missing. Otherwise (e.g., all parts of DOB are RF, DK, or missing), display "What is {your/{PERSON}'s} date of birth?".

For "MONTH, DAY, YEAR" display the student's DOB as recorded in the previous round. Use PL\_Person.DOBM, PL\_Person.DOB, PL\_Person.DOBY. Spell out the month name.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

<b>RE70_02</b>	<b>(REA1154)</b>	<b>BLAISE NAME: DOBDD</b>		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 31

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

[{VERIFY {PERSON}'s DATE OF BIRTH IS {MONTH, DAY, YEAR}. CORRECT IF NECESSARY./What is {your/{PERSON}'s} date of birth?}]

ENTER DAY.

**Responses:**

.....	1	RE70_03	(REA1155)
REFUSED	.....	RF	RE70_03 (REA1155)
DON'T KNOW	.....	DK	RE70_03 (REA1155)

**Programmer**

**Instructions:** Prefill with RU members' day of birth (PL\_Person.DOB) when available. If preload has 'DK' (DON'T KNOW) or 'RF' (REFUSED), show that as empty.

Compare entry with preloaded data. Replacing 'real' data with RF or DK is disallowed. If the interviewer tries to do so, display the message "DO NOT REPLACE EXISTING INFORMATION WITH REFUSED OR DON'T KNOW."

**Display**

**Instructions:** RE70\_01, RE70\_02, and RE70\_03 must appear on the same form pane.

Display "[VERIFY {PERSON}'s DATE OF BIRTH IS {MONTH, DAY, YEAR}. CORRECT IF NECESSARY.]" if any part of the student's DOB is not 'RF' (REFUSED), 'DK' (DON'T KNOW), or missing. Otherwise (e.g., all parts of DOB are RF, DK, or missing), display "[What is {your/{PERSON}'s} date of birth?]" . Display in brackets and lighter "grayed-out" text.

For "MONTH, DAY, YEAR" display the student's DOB as recorded in the previous round. Use PL\_Person.DOBM, PL\_Person.DOB, PL\_Person.DOBY. Spell out the month name.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

**RE70\_03**

**(REA1155)**

**BLAISE NAME: DOBYYYY**

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1900

**Type Class:** Integer **Field Size:** 4

**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 2100

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

[{VERIFY {PERSON}'s DATE OF BIRTH IS {MONTH, DAY, YEAR}. CORRECT IF NECESSARY./What is {your/{PERSON}'s} date of birth?]

ENTER 4-DIGIT YEAR.

**Responses:**

..... 1  
REFUSED ..... RF  
DON'T KNOW ..... DK

**Programmer Instructions:** If RE70\_03 is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW), go to RE80.  
 If age can be calculated (see GL specs) from DOB or partial DOB, go to RE85  
 Prefill entry field with RU members' year of birth (PL\_Person.DOBY) when available. If preload has 'DK' (DON'T KNOW) or 'RF' (REFUSED), show that as empty.  
 Compare entry with preloaded data. Replacing 'real' data with RF or DK is disallowed. If the interviewer tries to do so, display the message "DO NOT REPLACE EXISTING INFORMATION WITH REFUSED OR DON'T KNOW."  
 Hard check:  
 Date entered must be between {YEAR}-120 years where 'YEAR' is the current year and today's date. If a date outside of this range is entered, display the following message: "UNLIKELY RESPONSE. DATE CANNOT BE AFTER TODAY'S DATE OR BEFORE {YEAR-120}. VERIFY WITH RESPONDENT AND RE-ENTER."

**Display Instructions:** RE70\_01, RE70\_02, and RE70\_03 must appear on the same form pane.  
 Display "[VERIFY {PERSON}'s DATE OF BIRTH IS {MONTH, DAY, YEAR}. CORRECT IF NECESSARY.]" if any part of the student's DOB is not 'RF' (REFUSED), 'DK' (DON'T KNOW), or missing. Otherwise (e.g., all parts of DOB are RF, DK, or missing), display "[What is {your/{PERSON}'s} date of birth?]", Display in brackets and lighter "grayed-out" text.  
 For "MONTH, DAY, YEAR" display the student's DOB as recorded in the previous round. Use PL\_Person.DOBM, PL\_Person.DOB, PL\_Person.DOBY. Spell out the month name.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

<b><u>RE80</u></b>	<b><u>(REA1156)</u></b>	<b><u>BLAISE NAME:</u></b> AgeRnd		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 0
<b>Type Class:</b>	Integer	<b>Field Size:</b> 3		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 120

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**  
 What is {your/{PERSON}'s} age?

**Responses:**

.....	1	BOX_60	(REA1170)
REFUSED	.....	RF	BOX_60 (REA1170)
DON'T KNOW	.....	DK	BOX_60 (REA1170)

**Programmer Instructions:** Prefill entry field with RU members' age (PL\_Person.AgeRnd) when available if age cannot be calculated. If preload has 'DK' (DON'T KNOW) or 'RF' (REFUSED), show that as empty.

Compare entry with preloaded data. Replacing 'real' data with RF or DK is disallowed. If the interviewer tries to do so, display the message "DO NOT REPLACE EXISTING INFORMATION WITH REFUSED OR DON'T KNOW."

**Display Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

<b>RE85</b>	<b>(REA1157)</b>	<b>BLAISE NAME:</b> ConfAge		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYES_NO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

So {you/{PERSON}} {are/is} {AGE CALCULATED FROM DATE OF BIRTH AT RE70\_ [01-03]} years old.  
Is that correct?

{NOTE FOR ROUND {X}, AGE IS CALCULATED AS OF DECEMBER, 31{YEAR}.}

**Responses:** YES ..... 1 BOX\_60 (REA1170)  
NO ..... 2



**Programmer Instructions:** If coded '2' (NO), display message: "IF AGE INCORRECT, BACKUP AND CORRECT DATE OF BIRTH AT PREVIOUS SCREEN."

If current round is the final round of the panel (RndType=Final), age is calculated as of December 31, {YEAR}, where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). All age skips (throughout the questionnaire) will be based on this age.

**Display Instructions:** Display 'NOTE: FOR ROUND {X}, AGE IS CALCULATED AS OF DEC 31, {YEAR}' if current round is the final round of the panel (RndType=Final), where 'X' is the current round number and 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

---

**BOX 60**                      **(REA1170)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:** If RUType=Student RU or New Student RU and age at RE80 (AgeRnd) > 23 or preloaded age categories (PL\_Person.AgeRng or PL\_Person.AgeGuess) = 5 - 9, continue with BOX\_70.  
  
Otherwise, go to RE90.

---

**BOX 70**                      **(REA1175)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:** Set RUType=Standard RU. RU classification changes from student RU to standard RU since student is outside of designated student RU age range.  
  
Go to RE520.

Full Detail Spec

<b>RE90</b>	<b>(REA1180)</b>	<b>BLAISE NAME:</b> NvrMarried		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

My records show that {as of December 31, {YEAR}} {you/{PERSON}} {{have/has}/had} never been married.

Is that correct?

<b>Responses:</b>	YES	.....	1	RE110	(REA1195)
	NO	.....	2	RE100	(REA1185)
	REFUSED	.....	RF	RE110	(REA1195)
	DON'T KNOW	.....	DK	RE110	(REA1195)

**Display Instructions:**

Display 'as of December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

Display '{have/has}' if current round is not the final round of the Panel (RndType<>Final). If current round is the final round of the panel (RndType=Final), display 'had'.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

Full Detail Spec

**RE100**                      **(REA1185)**                      **BLAISE NAME:** MaritalStatRnd  
**Item Type:** Question                      **Field kind:** Datafield    **ArrayMin:**                      **Min value:**  
**Type Class:** Enumerated                      **Field Size:**  
**Answer Type:** TMARISTAT1                      **Answers allowed:** 1    **ArrayMax:**                      **Max value:**

---

Help Available (MaritalStatHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{{Are/Is}/On December 31, {YEAR}, {were/was}} {you/{PERSON}} {now} married, widowed, divorced, or separated?

HELP: F1

**Responses:**

MARRIED	.....	1	BOX_80	(REA1190)
WIDOWED	.....	2	BOX_80	(REA1190)
DIVORCED	.....	3	BOX_80	(REA1190)
SEPARATED	.....	4	BOX_80	(REA1190)
REFUSED	.....	RF	BOX_80	(REA1190)
DON'T KNOW	.....	DK	BOX_80	(REA1190)

**Display**

**Instructions:**

Display '{Are/Is}' if current round is not the final round of the Panel (RndType<>Final). Display 'On December 31, {YEAR}, {were/was}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Display 'now' if current round is not the final round of the Panel (RndType<>Final). Otherwise (if RndType=Final), use a null display.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

**BOX 80**                      **(REA1190)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**

If RUType = New Student RU, continue with RE110.

Otherwise, (if RUType = Student RU), set RUType=Standard RU. RU classification changes from student RU to standard RU since student's marital status has changed to a status other than 'NEVER MARRIED'. Then go to RE520.

Full Detail Spec

**RE110**

**(REA1195)**

**BLAISE NAME:** ServeADuty

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (ACTDUTYHelp)     
  Show Card ( )     
  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Excluding training for the Reserves or National Guard, {have you/has {PERSON}} ever served on active duty in the U.S. Armed Forces, Reserves, or National Guard? Include activation for the Reserves or National Guard for example, for the Persian Gulf War.

HELP: F1

**Responses:**      YES ..... 1 RE111      (REA1196)  
                      NO ..... 2 BOX\_250      (REA2050)  
                      REFUSED ..... RF BOX\_250      (REA2050)  
                      DON'T KNOW ..... DK BOX\_250      (REA2050)

**Display Instructions:**

Full Detail Spec

**RE111**

**(REA1196)**

**BLAISE NAME:** ADutyMilit

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TActiveDutyYN      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (ACTDUTYHelp)     
  Show Card ( )     
  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{{Are/Is}/{Were/Was}} {you/{PERSON}} currently serving on full-time active duty in the in the U.S. Armed Forces {on December 31, {YEAR}}?

HELP: F1

**Responses:** YES, CURRENTLY ON ACTIVE DUTY ..... 1 RE120\_01 (REA1200)  
 NO, WAS ON ACTIVE DUTY IN THE ..... 2 RE113 (REA1197)  
 PAST, BUT NOT NOW  
 REFUSED ..... RF RE113 (REA1197)  
 DON'T KNOW ..... DK RE113 (REA1197)

**Programmer  
Instructions:**

Control Variables Impacted: CtrlCurrHere, CtrlPersEligible

If coded '2' (NO, WAS ON ACTIVE DUTY IN THE PAST, BUT NOT NOW), 'RF' (REFUSED) or 'DK' (DON'T KNOW), person is eligible for VA SAQ in the Spring 2019 rounds.

If coded '1' (YES, CURRENTLY ON ACTIVE DUTY), go to RE120\_01.

If coded '2' (NO, WAS ON ACTIVE DUTY IN THE PAST, BUT NOT NOW), 'RF' (REFUSED) or 'DK' (DON'T KNOW), continue with RE113.

**Display  
Instructions:**

Display '{Is/Are}' if not current round is not the final round of the Panel (RndType<>Final).

Display '{Was/Were}' if current round is the final round of the panel (RndType=Final).

Display 'on December 31, {YEAR}', if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

Full Detail Spec

**RE113**

**(RE1197)**

**BLAISE NAME:** PeriodADuty

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TPeriodActiveDuty      **Answers allowed:** 9      **ArrayMax:**      **Max value:**

Help Available ( )       Show Card (RE-1)       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

 RE-1

Using card RE-1, please tell me each period in which {you/{PERSON}} served on active duty, even if it was just for part of the period.

ENTER ALL THAT APPLY.

- Responses:**
- SEPTEMBER 2001 OR LATER ..... 1 RE114 (RE1198)
  - AUGUST 1990 TO AUGUST 2001, ..... 2 RE114 (RE1198)
  - INCLUDING THE PERSIAN GULF WAR
  - MAY 1975 TO JULY 1990 ..... 3 RE114 (RE1198)
  - VIETNAM ERA, AUGUST 1964 TO APRIL ..... 4 RE114 (RE1198)
  - 1975
  - FEBRUARY 1955 TO JULY 1964 ..... 5 RE114 (RE1198)
  - KOREAN WAR, JULY 1950 TO JANUARY ..... 6 RE114 (RE1198)
  - 1955
  - JANUARY 1947 TO JUNE 1950 ..... 7 RE114 (RE1198)
  - WORLD WAR II, DECEMBER 1941 TO ..... 8 RE114 (RE1198)
  - DECEMBER 1946
  - NOVEMBER 1941 OR EARLIER ..... 9 RE114 (RE1198)
  - REFUSED ..... RF RE114 (RE1198)
  - DON'T KNOW ..... DK RE114 (RE1198)

**Display Instructions:** Display {THE PERSIAN GULF WAR}, {THE VIETNAM ERA}, {KOREAN WAR}, AND {WORLD WAR II} in the answer list pane in bold, black, but all other text in the answer list pane in unbolded, black text.





**Display Instructions:** Display RE120\_01, RE120\_02, and RE120\_03 on the same form pane.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

**RE120\_02**      **(REA1201)**      **BLAISE NAME:** FTADutyBegDD  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:** Integer      **Field Size:** 2  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 31

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} enter full-time active duty service in the U.S. Armed Forces?]

ENTER DAY.

HELP: F1

**Responses:**

.....	1	RE120_03	(REA1202)
REFUSED .....	RF	RE120_03	(REA1202)
DON'T KNOW .....	DK	RE120_03	(REA1202)

**Display Instructions:** Display RE120\_01, RE120\_02, and RE120\_03 on the same form pane.

Display question text in brackets and lighter "grayed-out" text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

Full Detail Spec

<b>RE120_03</b>	<b>(REA1202)</b>	<b>BLAISE NAME:</b> FTADutyBegYYYY		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1900
<b>Type Class:</b>	Integer	<b>Field Size:</b> 4		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 2100

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} enter full-time active duty service in the U.S. Armed Forces?]

ENTER 4-DIGIT YEAR.

HELP: F1

**Responses:**                      ..... 1 RE130                      (REA1205)  
REFUSED                      ..... RF RE130                      (REA1205)  
DON'T KNOW                      ..... DK RE130                      (REA1205)

**Programmer Instructions:**                      Control Variables Impacted: CtrlPersEligible

Note: Student becomes full-time military. This person is not currently here, they may have some period of eligibility, but for the purposes of this data collection effort we are choosing not to pursue them and calling them out-of-scope. The RE section will NOT collect locating information for this person; person will not be included in the rest of the interview and will not be followed.

**Display Instructions:**                      Display RE120\_01, RE120\_02, and RE120\_03 on the same form pane.

Display question text in brackets and lighter “grayed-out” text.

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

Full Detail Spec

**RE130**                      **(REA1205)**                      **BLAISE NAME:** EndFTADuty  
**Item Type:**                      Instruction                      **Field kind:** Datafield  
**Type Class:**                      Enumerated  
**Answer Type:**                      TContinue                      **Answers allowed:** 1

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

At this time, we are only collecting information about persons who are not on full-time active duty with the U.S. Armed Forces. Therefore, that is all the information we need.

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**                      CONTINUE                      ..... 1 RE140                      (REA1210)

**Display Instructions:**

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

**RE140**                      **(REA1210)**                      **BLAISE NAME:** ThankYouFTADuty  
**Item Type:**                      Instruction                      **Field kind:** Datafield  
**Type Class:**                      Enumerated  
**Answer Type:**                      TContinue                      **Answers allowed:** 1

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Thank you for your participation in this important study.

PRESS 1 ENTER TO CONTINUE.

**Responses:**                      CONTINUE                      ..... 1 RE150                      (REA1215)

**Display  
Instructions:**

**Testing/Editing  
Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

<b>RE150</b>	<b>(REA1215)</b>	<b>BLAISE NAME:</b> REEndInterviewFTADuty
<b>Item Type:</b>	Instruction	<b>Field kind:</b> Datafield
<b>Type Class:</b>	Enumerated	
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

INTERVIEWER: THERE ARE NO ELIGIBLE INDIVIDUALS REMAINING IN THIS RU. PLEASE REPORT THIS SITUATION TO YOUR SUPERVISOR.

PRESS 1 ENTER TO END THE INTERVIEW.

**Responses:** CONTINUE ..... 1 BOX\_250 (REA2050)

**Display  
Instructions:**

**Testing/Editing  
Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.StudentRU

## Full Detail Spec

**BOX\_90****(REA1235)****Item Type:** Route**Type Class:** If Then**Route Details:**

If on date of previous round interview at least one Key RU member (CtrlPersKey=Yes) was coded as INSTITUTIONALIZED IN A HEALTH CARE FACILITY (InstAtTimeOfPrevint=YES), continue with LOOP\_10.

Else if [RUType=Standard RU] and RUNum = 1 (single person RU), and current respondent is an RU member (ST.Respondent=RespRUMem), go to RE520.

Else if [RUType= New Standard RU] and RUNum = 1 (single person RU), and current respondent is an RU member (ST.Respondent=RespRUMem), go to BOX\_160.

Otherwise, go to RE310.

**LOOP\_10****(REA1240)****Item Type:** Route**Type Class:** Begin Loop**Route Details:**

For each person in the RU-Members-Roster who has CtrlPersKey =Yes and InstAtTimeOfPrevInt=Yes, ask BOX\_100 to END\_LP10.

Loop definition: LOOP\_10 collects information to determine the location and eligibility of key RU members who were institutionalized at a health care facility on the date of the previous round interview. This loop cycles on RU members who meet all of the following conditions:

-Person is key

-Person was institutionalized at a health care facility on the date of the previous round interview [RE440 = '1' (YES) or RE180 = '1' (YES)].

**BOX\_100****(REA1245)****Item Type:** Route**Type Class:** If Then**Route Details:**

If person being asked about is an RU member respondent (RU Roster Number = RespondentPersID), auto code '2' (NO) at RE180, then go to BOX\_110.

Otherwise, continue with RE180.



<b>RE190</b>	<b>(REA1260)</b>	<b>BLAISE NAME:</b> PersWithFamNow		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TPNOWHERE	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (PersWithFamNowHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

IF RESPONDENT VOLUNTEERS THAT PERSON IS DECEASED, SELECT 'DECEASED' WITHOUT ASKING.

{Is/On December 31, {YEAR}, was} {PERSON} {now} living here with this family, or {does/did} {he/she} have a usual place of residence somewhere else?

HELP: F1

<b>Responses:</b>	LIVING WITH THIS FAMILY .....	1	RE200_01	(REA1265)
	USUAL PLACE OF RESIDENCE .....	2	RE240_01	(REA1285)
	SOMEWHERE ELSE			
	DECEASED .....	3	RE220_01	(REA1275)
	REFUSED .....	RF	RE240_01	(REA1285)
	DON'T KNOW .....	DK	RE240_01	(REA1285)

**Programmer Instructions:**     Control Variables Impacted: CtrlTrackSumm and/or CtrlCurrHere

**Display Instructions:**     Display 'Is' and 'does' if current round is not the final round of the Panel (RndType<>Final). Display 'On December 31, {YEAR}, was' and 'did' if if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Display 'now' if current round is not the final round of the Panel (RndType<>Final). Otherwise, use a null display.

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Full Detail Spec

**RE200\_01**      **(REA1265)**      **BLAISE NAME:** LeftInstMMFam  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:**      Integer      **Field Size:** 2  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 12

---

Help Available (LVHCFACHelp)       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

On what date did {you/{PERSON}} leave the health care facility?

ENTER MONTH.

HELP: F1

**Responses:**      ..... 1 RE200\_02      (REA1266)

**Programmer Instructions:**      DK and RF disallowed for month.

**Display Instructions:**      Display RE200\_01, RE200\_02, and RE200\_03 on the same form pane.

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]



Full Detail Spec

<b>RE200_02</b>	<b>(REA1266)</b>	<b>BLAISE NAME:</b> LeftInstDDFam		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 31

---

Help Available (LVHCFACHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} leave the health care facility?]

ENTER DAY.

HELP: F1

**Responses:**

.....	1	RE200_03	(REA1267)
REFUSED .....	RF	RE200_03	(REA1267)
DON'T KNOW .....	DK	RE200_03	(REA1267)

**Display Instructions:**

Display RE200\_01, RE200\_02, and RE200\_03 on the same form pane.

Display question text in brackets and lighter “grayed-out” text.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Full Detail Spec

<b>RE200_03</b>	<b>(REA1267)</b>	<b>BLAISE NAME:</b> LeftInstYYYYFam		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1900
<b>Type Class:</b>	Integer	<b>Field Size:</b> 4		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 2100

---

Help Available (LVHCFACHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} leave the health care facility?]

ENTER 4-DIGIT YEAR.

HELP: F1

**Responses:**                      ..... 1 RE210\_01                      (REA1270)

**Programmer Instructions:**                      Control Variables Impacted: BegRefM, BegRefD, and BegRefY

DK and RF disallowed for year.

Hard check:

Edit (if the current round is the final round of the panel (RndType=Final): date entered must be on or before 12/31/{YEAR}, where ‘YEAR’ is the calendar year of the final round of the panel (InterviewDate Year -1). If a date after 12/31/{YEAR} is entered, display the following message: "DATE MUST BE ON OR BEFORE 12/31/{YEAR}. IF LEFT INSTITUTION AFTER 12/31/{YEAR}, BACK-UP AND RE-CODE RE180 (CurrInstd) TO '1' (YES)."

**Display Instructions:**                      Display RE200\_01, RE200\_02, and RE200\_03 on the same form pane.

Display question text in brackets and lighter “grayed-out” text.

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]







Full Detail Spec

<b>RE220_01</b>	<b>(REA1275)</b>	<b>BLAISE NAME:</b> LeftInstMMDecd		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 12

---

Help Available (LVHCFACHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

On what date did {PERSON} leave the health care facility?

ENTER MONTH.

HELP: F1

**Responses:**                      ----- 1 RE220\_02                      (REA1276)

**Programmer Instructions:**                      DK and RF disallowed for month.

**Display Instructions:**                      Display RE220\_01, RE220\_02, and RE220\_03 on the same form pane.

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Full Detail Spec

**RE220\_02**                      **(REA1276)**                      **BLAISE NAME:** LeftInstDDDecd  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:** 1  
**Type Class:**                      Integer                      **Field Size:** 2  
**Answer Type:**                      {Continuous Answer.}                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:** 12

---

Help Available (LVHCFACHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {PERSON} leave the health care facility?]

ENTER DAY.

HELP: F1

**Responses:**                      ..... 1 RE220\_03                      (REA1277)  
REFUSED ..... RF RE220\_03                      (REA1277)  
DON'T KNOW ..... DK RE220\_03                      (REA1277)

**Display Instructions:**                      Display RE220\_01, RE220\_02, and RE220\_03 on the same form pane.

Display question text in brackets and lighter “grayed-out” text.

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Full Detail Spec

<b>RE220_03</b>	<b>(REA1277)</b>	<b>BLAISE NAME:</b> LeftInstYYYYDecd		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1900
<b>Type Class:</b>	Integer	<b>Field Size:</b> 4		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 2100

---

Help Available (LVHCFACHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {PERSON} leave the health care facility?]

ENTER 4-DIGIT YEAR.

HELP: F1

**Responses:**                      ----- 1 RE230\_01                      (REA1280)

**Programmer Instructions:**                      Control Variables Impacted: BegRefM, BegRefD, and BegRefY

DK and RF disallowed for year.

Hard check:

Edit (if the current round is the final round of the panel (RndType=Final)): date entered must be on or before 12/31/{YEAR}, where ‘YEAR’ is the calendar year of the final round of the panel (InterviewDate Year -1). If a date after 12/31/{YEAR} is entered, display the following message: "DATE MUST BE ON OR BEFORE 12/31/{YEAR}. IF LEFT INSTITUTION AFTER 12/31/{YEAR}, BACK-UP AND RE-CODE RE180 (CurrInstd) TO '1' (YES)."

**Display Instructions:**                      Display RE220\_01, RE220\_02, and RE220\_03 on the same form pane.

Display question text in brackets and lighter “grayed-out” text.

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]





Full Detail Spec

**RE230\_02**      **(REA1281)**      **BLAISE NAME:** MmbEndDDDced  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:**      Integer      **Field Size:** 2  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 31

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {PERSON} die?]

ENTER DAY.

**Responses:**                                      ----- 1 RE230\_03                                      (REA1282)  
REFUSED                                      ----- RF RE230\_03                                      (REA1282)  
DON'T KNOW                                      ----- DK RE230\_03                                      (REA1282)

**Display Instructions:**      Display RE230\_01, RE230\_02, and RE230\_03 on the same form pane.

Display question text in brackets and lighter "grayed-out" text.

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]



Full Detail Spec

<b>RE240_01</b>	<b>(REA1285)</b>	<b>BLAISE NAME:</b> LeftInstMMOth		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 12

---

Help Available (LVHCFACHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

On what date did {PERSON} leave the health care facility?

ENTER MONTH.

HELP: F1

**Responses:**                      ----- 1 RE240\_02                      (REA1286)

**Programmer Instructions:**                      DK and RF disallowed for month.

**Display Instructions:**                      Display RE240\_01, RE240\_02, and RE240\_03 on the same form pane.

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Full Detail Spec

<b>RE240_02</b>	<b>(REA1286)</b>	<b>BLAISE NAME:</b> LeftInstDDOth		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 31

---

Help Available (LVHCFACHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {PERSON} leave the health care facility?]

ENTER DAY.

HELP: F1

**Responses:**

.....	1	RE240_03	(REA1287)
REFUSED .....	RF	RE240_03	(REA1287)
DON'T KNOW .....	DK	RE240_03	(REA1287)

**Display Instructions:**     Display RE240\_01, RE240\_02, and RE240\_03 on the same form pane.

Display question text in brackets and lighter “grayed-out” text.

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Full Detail Spec

<b>RE240_03</b>	<b>(REA1287)</b>	<b>BLAISE NAME:</b> LeftInstYYYYOth		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1900
<b>Type Class:</b>	Integer	<b>Field Size:</b> 4		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 2100

---

Help Available (LVHCFACHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {PERSON} leave the health care facility?]

ENTER 4-DIGIT YEAR.

HELP: F1

**Responses:**                      ----- 1 RE250                      (REA1290)

**Programmer Instructions:**     Control Variables Impacted: BegRefM, BegRefD, and BegRefY

DK and RF disallowed for year.

Hard check:

Edit (if the current round is the final round of the panel (RndType=Final): date entered must be on or before 12/31/{YEAR}, where ‘YEAR’ is the calendar year of the final round of the panel (InterviewDate Year -1). If a date after 12/31/{YEAR} is entered, display the following message: "DATE MUST BE ON OR BEFORE 12/31/{YEAR}. IF LEFT INSTITUTION AFTER 12/31/{YEAR}, BACK-UP AND RE-CODE RE180 (CurrInstd) TO '1' (YES)."

**Display Instructions:**     Display RE240\_01, RE240\_02, and RE240\_03 on the same form pane.

Display question text in brackets and lighter “grayed-out” text.

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Full Detail Spec

**RE250**                      **(REA1290)**                      **BLAISE NAME:** PersLoctnNow  
**Item Type:**                      Question                      **Field kind:** Datafield    **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      TPLOCATED                      **Answers allowed:** 1    **ArrayMax:**                      **Max value:**

---

Help Available (PersLoctnNowHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Where {is {PERSON} now/was {PERSON} on December 31, {YEAR}}?

HELP: F1

**Responses:**                      INSTITUTIONALIZED IN A HEALTH CARE FACILITY                      ----- 1  
    INSTITUTIONALIZED IN A NON-HEALTH CARE FACILITY                      ----- 2    RE300\_01                      (REA1315)  
    STUDENT UNDER 24 LIVING AWAY AT SCHOOL IN GRADES 1-12                      ----- 3    RE300\_01                      (REA1315)  
    STUDENT UNDER 24 LIVING AWAY AT POST-SECONDARY SCHOOL                      ----- 4    RE260                      (REA1295)  
    ANOTHER HOUSEHOLD - CURRENTLY NOT FULL-TIME MILITARY                      ----- 5    RE260                      (REA1295)  
    ANOTHER HOUSEHOLD/MILITARY FACILITY - CURRENTLY FULL-TIME MILITARY                      ----- 6    RE280                      (REA1305)  
    REFUSED                      -----    RF    RE260                      (REA1295)  
    DON'T KNOW                      -----    DK    RE260                      (REA1295)





**Programmer Instructions:** If person coded '4' (STUDENT UNDER 24 LIVING AWAY AT POST-SECONDARY SCHOOL AT RE250), continue with RE270. Otherwise, go to RE300\_01.

Control Variables Impacted: CtrlTrackSumm, CtrlPersEligible, and/or CtrlCurrHere

**Display Instructions:** Display 'Is' if current round is not the final round of the Panel (RndType<>Final). Display 'Was' if current round is the final round of the panel (RndType=Final). Display 'on December 31, {YEAR}', if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

<b>RE270</b>	<b>(REA1300)</b>	<b>BLAISE NAME:</b> SchLevel		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TSCHLLEVL	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (SCHOOLLEVELHelp)       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Is/On December 31, {YEAR}, was} {PERSON} attending grades 1-12, a college or university, or some other training school after high school?

HELP: F1

<b>Responses:</b>	GRADES 1-12	.....	1		
	A COLLEGE OR UNIVERSITY	.....	2	RE300_01	(REA1315)
	SOME OTHER TRAINING SCHOOL	.....	3	RE300_01	(REA1315)
	AFTER HIGH SCHOOL				
	REFUSED	.....	RF	RE300_01	(REA1315)
	DON'T KNOW	.....	DK	RE300_01	(REA1315)

**Programmer Instructions:** Hard check:  
Disallow final entry of code '1' (GRADES 1-12). If interviewer enters code '1', display the following message: 'BACK UP TO CORRECT RE250 (PersLoctnNow) TO '3' (STUDENT UNDER 24 LIVING AWAY AT SCHOOL IN GRADES 1-12).'

**Display Instructions:** Display 'Is' if current round is not the final round of the Panel (RndType<>Final). Display 'On December 31, {YEAR}, was' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

<b>RE280</b>	<b>(REA1305)</b>	<b>BLAISE NAME:</b> InOthHhMilitFac
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield <b>ArrayMin:</b> <b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>
<b>Answer Type:</b>	THHORMFAC	<b>Answers allowed:</b> 1 <b>ArrayMax:</b> <b>Max value:</b>

---

Help Available (InOthHhMilitFacHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Is/Was} {PERSON} living in another household or in a military facility {on December 31, {YEAR}}?

HELP: F1

<b>Responses:</b>	ANOTHER HOUSEHOLD .....	1	RE290	(REA1310)
	MILITARY FACILITY .....	2	RE300_01	(REA1315)
	REFUSED .....	RF	RE290	(REA1310)
	DON'T KNOW .....	DK	RE290	(REA1310)

**Programmer Instructions:** Control Variables Impacted: CtrlTrackSumm and/or CtrlCurrHere

**Display Instructions:** Display 'Is' if current round is not the final round of the Panel (RndType<>Final). Display 'Was' if current round is the final round of the panel (RndType=Final). Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

<b>RE290</b>	<b>(REA1310)</b>	<b>BLAISE NAME:</b> LeftInstPersInOutUSFTADuty
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield <b>ArrayMin:</b> <b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>
<b>Answer Type:</b>	TIN_OUT	<b>Answers allowed:</b> 1 <b>ArrayMax:</b> <b>Max value:</b>

Help Available (LIVEUSHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
{Is/Was} {PERSON} living within the U.S. or outside the U.S. {on December 31, {YEAR}}?

HELP: F1

<b>Responses:</b>	WITHIN U.S. ....	1	RE300_01	(REA1315)
	OUTSIDE U.S. ....	2	RE300_01	(REA1315)
	REFUSED .....	RF	RE300_01	(REA1315)
	DON'T KNOW .....	DK	RE300_01	(REA1315)

**Programmer Instructions:** Control Variables Impacted: CtrlTrackSumm and/or CtrlCurrHere

**Display Instructions:** Display 'Is' if current round is not the final round of the Panel (RndType<>Final). Display 'Was' if current round is the final round of the panel (RndType=Final). Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

**RE300\_01 (REA1315) BLAISE NAME: MmbEndMMOth**  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:** Integer      **Field Size:** 2  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 12

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

On what date did {PERSON} {enter the non-health care facility/start living away at school/start living in another household/start living at a military facility/leave the United States}?

ENTER MONTH.

**Responses:**

.....	1	RE300_02	(REA1316)
REFUSED .....	RF	RE300_02	(REA1316)
DON'T KNOW .....	DK	RE300_02	(REA1316)

**Display  
Instructions:**

Display RE300\_01, RE300\_02, and RE300\_03 on the same form pane.

Display 'enter the non-health care facility' if RE250 coded '2' (INSTITUTIONALIZED IN NON-HEALTH CARE FACILITY).

Display 'start living away at school' if RE250 coded '3' (STUDENT UNDER 24 LIVING AWAY AT SCHOOL IN GRADES 1-12) or if RE250 coded '4' (STUDENT UNDER 24 LIVING AWAY AT POST-SECONDARY SCHOOL) and RE260 coded '1' (WITHIN U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW).

Display 'start living in another household' if [RE250 coded '5' (ANOTHER HOUSEHOLD - CURRENTLY NOT FULL-TIME MILITARY) and RE260 coded '1' (WITHIN U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW)] or [RE250 CODED '6' (ANOTHER HOUSEHOLD/MILITARY FACILITY - CURRENTLY FULL-TIME MILITARY) and RE280 coded '1' (ANOTHER HOUSEHOLD), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and RE290 coded '1' (WITHIN U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW)] or [RE250 coded 'RF' (REFUSED) or 'DK' (DON'T KNOW)].

Display 'start living at a military facility' if RE250 coded '6' (ANOTHER HOUSEHOLD/MILITARY FACILITY - CURRENTLY FULL-TIME MILITARY) and RE280 coded '2' (MILITARY FACILITY).

Display 'leave the United States' if [RE250 coded '4' (STUDENT UNDER 24 LIVING AWAY AT POST-SECONDARY SCHOOL) and RE260 coded '2' (OUTSIDE U.S.)] or if [RE250 coded '5' (ANOTHER HOUSEHOLD - CURRENTLY NOT FULL-TIME MILITARY) and RE260 coded '2' (OUTSIDE U.S.)] or if [RE250 coded '6' (ANOTHER HOUSEHOLD/MILITARY FACILITY - CURRENTLY FULL-TIME MILITARY) and RE280 is coded '1' (ANOTHER HOUSEHOLD), 'RF' (REFUSED), 'DK' (DON'T KNOW) and RE290 coded '2' (OUTSIDE U.S.)].

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]

Full Detail Spec

**RE300\_02**      **(REA1316)**      **BLAISE NAME:** MmbEndDDOth  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:**      Integer      **Field Size:** 2  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 31

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {PERSON} {enter the non-health care facility/start living away at school/start living in another household/start living at a military facility/leave the United States}?]

ENTER DAY.

**Responses:**                                      ----- 1 RE300\_03                                      (REA1317)  
REFUSED                                      ----- RF RE300\_03                                      (REA1317)  
DON'T KNOW                                      ----- DK RE300\_03                                      (REA1317)

**Display Instructions:**      Display RE300\_01, RE300\_02, and RE300\_03 on the same form pane.  
Display question text in brackets and lighter “grayed-out” text.  
Use same display instructions as RE300\_01.

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.InstRUMember[1..30]



Full Detail Spec

END\_LP10

(REA1320)

Item Type: Route

Type Class: End Loop

---

**Route Details:**

Cycle on next person in the RU-members-roster that meets the conditions stated in the loop definition.

If no more persons meet the stated conditions, end LOOP\_10 and continue with BOX\_120.



**Programmer  
Instructions:**

Set RemovedAtLoop10=YES and RemovedAtRE180=YES if:

- Institutionalized (CtrlTrackSumm= 2): RE180 is coded '1' (YES) or 'RF' (REFUSED), or 'DK' (DON'T KNOW)

Note: Person is still institutionalized and out-of-scope for the entire round. The RE section will NOT collect locating information for this person; person will not be included in the rest of the interview, but we will follow up on this person in the next round to determine if person has rejoined the community

Set RemovedAtLoop10=YES and MoverAtLoop10=YES if:

- Moved Inside U.S.; Not FT military; private residence (CtrlTrackSumm=10): [RE250 is coded '5' (ANOTHER HOUSEHOLD - CURRENTLY NOT FULL-TIME MILITARY) **and** RE260 is coded '1' (WITHIN U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW)] or [RE250 is coded '4' (STUDENT UNDER 24 LIVING AWAY AT POST-SECONDARY SCHOOL) **and** RE260 is coded '1' (WITHIN U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW)]  
OR
- Moved Inside U.S.; Not FT military; private residence (CtrlTrackSumm=10): [RE250 is coded '4' (STUDENT UNDER 24 LIVING AWAY AT POST-SECONDARY SCHOOL) **and** RE260 is coded '1' (WITHIN U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW)]

Note: This person is not currently here, but is in-scope and eligible to be interviewed as part of another RU from the time they left the institution until that new interview date. The RE section will collect locating information for this person, but person will not be included in this interview after the RE section. Information for person will be collected as part of another RU.

Set RemovedAtLoop10=YES and MoverAtLoop10=NO if:

- Deceased and died the same day left institution: RE190 is coded '3' (DECEASED) **and** RE230 date (deceased) is on or before RE220 date (left institution)  
OR
- FT Military Outside U.S.; private residence (CtrlTrackSumm=4): RE250 is coded '6' (ANOTHER HOUSEHOLD/MILITARY FACILITY-CURRENTLY FULL-TIME MILITARY) **and** RE280 is coded '1' (ANOTHER HOUSEHOLD), 'RF' (REFUSED), or 'DK' (DON'T KNOW) **and** RE290 is coded '2' (OUTSIDE U.S.)  
OR
- FT Military in U.S.; Not on military facility (CtrlTrackSumm=5): RE250 is coded '6' (ANOTHER HOUSEHOLD/MILITARY FACILITY - CURRENTLY FULL-TIME MILITARY) **and** RE280 is coded '1' (ANOTHER HOUSEHOLD), 'RF' (REFUSED), or 'DK' (DON'T KNOW) **and** RE290 is coded '1' (WITHIN U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW)  
OR
- FT Military Living at a Military Facility Alone (CtrlTrackSumm=6): RE250 is coded '6' (ANOTHER HOUSEHOLD/MILITARY FACILITY-CURRENTLY FULL-TIME MILITARY) **and** RE280 is coded '2' (MILITARY FACILITY)  
OR
- Moved Outside U.S.; Not FT Military; Private Residence (CtrlTrackSumm=8): RE250 is

coded '5' (ANOTHER HOUSEHOLD-CURRENTLY NOT FULL-TIME MILITARY) and RE260 is coded '2' (OUTSIDE U.S.)

OR

- Student Outside U.S. (CtrlTrackSumm=12): RE250 is coded '4' (STUDENT UNDER 24 LIVING AWAY AT POST-SECONDARY SCHOOL) and RE260 is coded '2' (OUTSIDE U.S.)

OR

- Whereabouts are Unknown (CtrlTrackSumm=13): RE250 is coded '2' (INSTITUTIONALIZED IN A NON-HEALTH CARE FACILITY) or 'RF' (REFUSED), or 'DK' (DON'T KNOW)

Note: This person is not currently here, they may have some period of eligibility, but for the purposes of this data collection effort we are choosing not to pursue them and calling them out-of-scope. The RE section will NOT collect locating information for this person; person will not be included in the rest of the interview and will not be followed.

Note: Any person with any period of partial eligibility is considered currently here and is eligible and in-scope for data collection as part of this RU. They do NOT have a RemovedAtLoop10 set. This includes persons who returned to this RU or are deceased or are students in grades 1-12 living away.

**BOX 120**

**(REA1325)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If RUType=Standard RU or New Standard RU and PreloadRUNum = 1 (single person RU) and current respondent is an RU member (ST.Respondent=RespRUMem) and that preloaded person is selected as the current respondent (RespondentPersID=PID of only preloaded RU member), go to RE520.

If the current respondent is an original RU member [an RU member was selected at ST30, that is RespondentPersID=PID of preloaded RU member] and [RE\_Person[].PreloadOrd <> EMPTY AND RE\_Person[].PreloadRU = RUUnit AND RE\_Person[].MostRecentRU = RUUnit for PersID=RespondentPersID] AND all other preloaded persons have a value set at RE180, auto-code RE310 as '1' (YES) and go to BOX\_ 160.

If the current respondent is a proxy (ST.Respondent=RespProxy) and all preloaded RU members have RemovedAtLoop10=YES and RemovedAtRE180=YES, go to BOX\_150.

Otherwise, continue with RE310.

Full Detail Spec

**RE310**

**(REA1330)**

**BLAISE NAME:** VerfRoster

**Item Type:** Question

**Field kind:** Datafield    **ArrayMin:**    **Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TYESNO

**Answers allowed:** 1    **ArrayMax:**    **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{INTERVIEWER: IF ALL RU MEMBERS DEAD OR INSTITUTIONALIZED, CODE NO WITHOUT ASKING.}

{Think about the people living here on December 31, {YEAR}, regardless of whether they are living here now.} {{Are/Were}  
(READ NAMES BELOW) still living together as a family/{Is/Was} (READ NAMES BELOW) still living here} {on  
December 31, {YEAR}}?

- {1. First Name,[Middle Name],Last Name}1
- {2. First Name,[Middle Name],Last Name}2
- {3. First Name,[Middle Name],Last Name}3
- {4. First Name,[Middle Name],Last Name}4

**Responses:**

YES	.....	1		
NO	.....	2	RE320	(REA1335)
REFUSED	.....	RF		
DON'T KNOW	.....	DK		

**Programmer Instructions:** If RE310 coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW), code RE320 as '1' (YES, IN RU) for all RU members automatically by CAPI, and go to BOX\_160.

**Display Instructions:** Roster 1 - Report Roster definition:  
This item displays RU-members-roster. Display RU member's First, Middle, and Last names (RE\_Person.FullName)

Roster filter:

Display original RU roster minus persons institutionalized in the previous round:  
RE\_Person Array where MostRecentRU=RUUnit and  
RE\_Person.MostRecentRU=PL\_Person.MostRecentRU, including persons where  
PersAddedBetweenRnds = YES, then exclude persons where InstAtTimeOfPrevint=YES.

Display Interviewer Instruction 'INTERVIEWER: IF ALL RU MEMBERS...' if respondent is a proxy (ST.Respondent=RespProxy) during current interviewing session. Otherwise, use null display.

Display 'Think about ... here now.' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

Display '{Are/Were} (READ NAMES BELOW) still living together as a family' if PreloadRUNum > 1 (multi person RU). Otherwise, display '{Is/Was} (READ NAMES BELOW) still living here' Display 'Are' or 'Is' if current round is not the final round of the panel (RndType<>Final). Display 'Were' or 'Was' if current round is the final round of the panel (RndType=Final).

Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).. Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf

Full Detail Spec

<b><u>RE320</u></b>	<b><u>(REA1335)</u></b>	<b><u>BLAISE NAME:</u></b> InRUStat		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TRUSTATUS	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (InRUStatHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

{Thinking about the people living here on December 31, {YEAR}, regardless of where they live now, was/Is} {PERSON}  
 {still} living here?

CHANGE RU STATUS AS NECESSARY TO: "YES, IN RU" OR "NO, NOT IN RU"

HELP: F1

**Responses:**            YES, IN RU            ..... 1    RE320DONE            (REA1337)  
                               NO, NOT IN RU            ..... 2    RE320DONE            (REA1337)

**Programmer Instructions:** Preloaded Grid Type 2 including RE320, and RE320DONE.

Hard check:

If respondent is coded as 2 , display the following error message: "THE RESPONDENT CANNOT BE MARKED HERE AS HAVING LEFT THE RU."

Grid behavior:

1. The RU members column is protected; no changes are allowed.
2. The keyness column is protected. no changes are allowed.
3. The date of birth column is protected. no changes are allowed.
4. The age column is protected. no changes are allowed.
5. Each row initially has RU status set to '1'.
6. Select, add, edit, and delete of persons disallowed.

**Display Instructions:** Roster 1 - Report

Roster definition:

Col # 1 Header: DONE

Col # 2 Header: RU member

Instructions: display RU members' First, Middle, and Last names (RE\_Person.FullName)

Col # 3 Header: Keyness

Instructions: display the RU member's keyness as either 'key' or 'non-key' (CtrlPersKey)

Col # 4 Header: Date of Birth

Instructions: display the RU member's date of birth (RE\_Person.DOBM, RE\_Person.DOB, RE\_Person.DOBY)

Col # 5 Header: Age

Instructions: display the RU member's age (RE\_Person.AgeRnd)

Col # 6 Header: Status

Instructions: Each row initially has RU status set to '1' (YES, IN RU). Interviewer is able to update this entry.

Display the RU-members-roster for entry.

Roster filter:

Display original RU roster minus persons institutionalized in the previous round:

RE\_Person Array where MostRecentRU=RUnit and

RE\_Person.MostRecentRU=PL\_Person.MostRecentRU, including persons where

PersAddedBetweenRnds = YES, then exclude persons where InstAtTimeOfPrevint=YES

Display 'still' if person was recorded as living in the RU in the previous round or on NHIS date. Otherwise, use a null display.

Display 'Thinking about the people living here on December 31, {YEAR}, regardless of where they live now, was', if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, display 'Is'.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.InRUStatGrid.RUMember[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.InRUStatGrid.RUMember[1..30]

**RE320DONE (REA1337) BLAISE NAME:** InRUStatGridDone  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYES\_NO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

DO ALL FIELDS IN THE GRID HAVE AN ANSWER ENTERED?

**Responses:** YES ..... 1 LOOP\_20 (REA1350)  
NO ..... 2 LOOP\_20 (REA1350)

**Programmer Instructions:** If '1' (YES), CAPI should verify that all eligible fields per row of the grid have a valid answer entered. If not, display error message: "ONE OR MORE QUESTIONS HAVE NOT BEEN ANSWERED. PRESS <ENTER> TO GO TO THE FIRST UNANSWERED QUESTION." CAPI will move to the first unanswered item/field, starting from the top left of the grid and moving to the next unanswered item, left to right by row, until all are complete.

If '2' (NO), CAPI should return to the first unanswered item/field, starting from the top left of the grid and moving to the next unanswered item, left to right by row, until all are complete.

Interviewers should not be allowed to leave the screen if no person's RU status is updated from '1' (YES). If the interviewer attempts to leave the screen without making any updates, display the message: "IF EVERYONE IS STILL IN RU, BACKUP TO RE310 AND CORRECT."

**Display Instructions:** Display as an interviewer instruction.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.InRUStatGrid.RUMember[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.InRUStatGrid.RUMember[1..30]

Full Detail Spec

**LOOP\_20**      **(REA1350)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each element in the RU-members-roster, ask BOX\_130-END\_LP20.

Loop definition: LOOP\_20 determines the location of RU members who have left the RU and the date such persons left. This information is used to determine whether such persons are eligible for this interview (that is, remain on the RU-members-roster) and to define the reference period, if any, for such persons. This loop cycles on RU members who meet the following condition:  
 - Person left RU (RE320 coded '2')

**BOX\_130**      **(REA1352)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If Round 1, continue with RE330.

If Round < 1, go to RE340.

**RE330**      **(REA1354)**      **BLAISE NAME:** NHISInHH  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

To the best of your knowledge, on {NHIS DATE} was {PERSON} living at {NHIS ADDRESS}?

**Responses:**

YES	.....	1	RE340	(REA1355)
NO	.....	2	END_LP20	(REA1425)
REFUSED	.....	RF	RE340	(REA1355)
DON'T KNOW	.....	DK	RE340	(REA1355)



**Programmer Instructions:** Control Variables Impacted: CtrlTrackSumm, CtrlPersKey, CrlPersEligible, and/or CtrlCurrHere.

**Display Instructions:** For "NHIS DATE" (Preload.NHISDt) , display the date of the NHIS interview. For "NHIS ADDRESS", display the NHIS full address, including city and state, but not zip code. (Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState)

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring) YYYY.RE\_Main.RUMemberConf.DeportedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DeportedRU[1..30]

<b>RE340</b>	<b>(REA1355)</b>	<b>BLAISE NAME:</b> WherePersNow		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TWHERE NOW	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (WherePersHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{On December 31, {YEAR}, was/Is} {PERSON} {currently} living away at school, living on a military facility, institutionalized, or living at another private residence?

HELP: F1

<b>Responses:</b>	LIVING AWAY AT SCHOOL .....	1	RE360	(REA1365)
	LIVING ON A MILITARY FACILITY .....	2		
	INSTITUTIONALIZED IN A FACILITY .....	3	RE350	(REA1360)
	IN A PRIVATE RESIDENCE/HOUSEHOLD .....	4		
	IF VOLUNTEERED: DECEASED .....	5		
	REFUSED .....	RF		
	DON'T KNOW .....	DK		

**Programmer  
Instructions:**

Control Variables Impacted: CtrlTrackSumm and/or CtrlPersEligible

Soft check:

If coded '1' (LIVING AWAY AT SCHOOL), and person is age 24 or older or in age categories 5-9 (using Preload.PL\_Person age variables including: DOBD/M/Y, AgeRnd, AgeRng, AgeGuess), display the message: "CODE '1' (LIVING AWAY AT SCHOOL) RESERVED FOR PERSONS 24 OR YOUNGER. {PERSON'S FIRST MIDDLE AND LAST NAME} IS OVER 24 YEARS OF AGE. VERIFY THAT {HE/SHE} IS 24 OR YOUNGER OR CHANGE RESPONSE TO '4' (IN A PRIVATE RESIDENCE/HOUSEHOLD)."

If round 1 and coded '5' (DECEASED), 'RF' (REFUSED) or 'DK' (DON'T KNOW), go to RE420.

If round <>1 and coded '5' (DECEASED), 'RF' (REFUSED) or 'DK' (DON'T KNOW), go to RE430\_01.

If coded '2' (LIVING ON A MILITARY FACILITY) OR '4' (IN A PRIVATE RESIDENCE/HOUSEHOLD), and person being asked about is less than 16 years of age or in age categories 1-3 (using Preload.PL\_Person age variables including: DOBD/M/Y, AgeRnd, AgeRng, AgeGuess), go to RE410.

Otherwise, [i.e., If coded '2' (LIVING ON A MILITARY FACILITY) OR '4' (IN A PRIVATE RESIDENCE/HOUSEHOLD), and person being asked about is 16 years of age or older or in age categories 4-9 (using Preload.PL\_Person age variables including: DOBD/M/Y, AgeRnd, AgeRng, AgeGuess) or age is unknown], go to RE380.

**Display  
Instructions:**

Display 'is' and 'currently' if current round is not the final round of the Panel (RndType<>Final).  
Display 'was' if current round is the final round of the panel (RndType=Final). Display 'on December 31, {YEAR}, was' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

<b>RE350</b>	<b>(REA1360)</b>	<b>BLAISE NAME:</b> GTLT100DInst		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TInstDays	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Is {PERSON} expected to stay in the institution 100 days or less, or more than 100 days?

<b>Responses:</b>	100 DAYS OR LESS .....	1	END_LP20	(REA1425)
	MORE THAN 100 DAYS .....	2		
	REFUSED .....	RF	END_LP20	(REA1425)
	DON'T KNOW .....	DK	END_LP20	(REA1425)

**Programmer Instructions:**     Control Variables Impacted: CtrlTrackSumm, CrlPersEligible, and/or CtrlCurrHere.

If coded '1' (100 DAYS OR LESS), 'RF' (REFUSED), or 'DK' (DON'T KNOW), display the following message: "{PERSON'S FIRST MIDDLE AND LAST NAME} WILL BE CONSIDERED "IN RU" AND INCLUDED AS PART OF THIS INTERVIEW FOR ENTIRE REFERENCE PERIOD. PRESS SUPPRESS TO CONTINUE."

If coded '2' (MORE THAN 100 DAYS) and round 1, go to RE420

If coded '2' (MORE THAN 100 DAYS) and round<>1, go to RE430\_01.

**Display Instructions:**

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DeportedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DeportedRU[1..30]

Full Detail Spec

<b>RE360</b>	<b>(REA1365)</b>	<b>BLAISE NAME:</b> SchlTpA		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TSCHLLEVEL2	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (SchlTpHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

What grade or level of school {is {PERSON} attending?/was {PERSON} attending on December 31, {YEAR}? }

HELP: F1

**Responses:**

1st - 12th GRADE	.....	1	END_LP20	(REA1425)
VOCATIONAL, COLLEGE, GRADUATE, PROFESSIONAL		2	RE370	(REA1370)
REFUSED	.....	RF	RE370	(REA1370)
DON'T KNOW	.....	DK	RE370	(REA1370)

**Programmer Instructions:** Control Variables Impacted: CtrlTrackSumm, CtrlPersKey, CrIPersEligible, and/or CtrlCurrHere.

**Display Instructions:** Display 'is {PERSON} attending?' if current round is not the final round of the Panel (RndType<>Final). Display 'was {PERSON} attending on December 31, {YEAR}?' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.DeportedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DeportedRU[1..30]

Full Detail Spec

<b>RE370</b>	<b>(REA1370)</b>	<b>BLAISE NAME:</b> PersInOutUSSchl		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TIN_OUT	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (LIVEUSHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Is {PERSON} attending a school within the U.S. or outside of the U.S.? / Was {PERSON} attending a school within the U.S. or outside of the U.S. on December 31, {YEAR}??}

HELP: F1

**Responses:**

WITHIN U.S.	.....	1
OUTSIDE U.S.	.....	2
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:**     Control Variables Impacted: CtrlTrackSumm, CtrlCurrHere and/or CtrlNewStudent

If coded '2' (OUTSIDE THE U.S.) and Round 1, go to RE420.  
 If coded '2' (OUTSIDE THE U.S.) and Round <>1, go to RE430\_01.

If coded '1' (WITHIN THE U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and current round does not cross two calendar years (RndType<>Cross), go to END\_LP20.  
 If coded '1' (WITHIN THE U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and current round crosses two calendar years (RndType=Cross), go to RE425.

**Display Instructions:**

Display 'Is {PERSON} attending a school within the U.S. or outside of the U.S.?' if current round is not the final round of the Panel (RndType<>Final). Display 'Was {PERSON} attending a school within the U.S. or outside of the U.S. on December 31, {YEAR}?' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

**RE380**

**(REA1375)**

**BLAISE NAME:** LeftRUFTADuty

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

Help Available (ACTDUTYHelp)       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Is/Was} {PERSON} serving on full-time active duty with the U.S. Armed Forces {on December 31, {YEAR}}?

HELP: F1

**Responses:**

YES	.....	1		
NO	.....	2	RE410	(REA1380)
REFUSED	.....	RF	RE410	(REA1380)
DON'T KNOW	.....	DK	RE410	(REA1380)

**Programmer Instructions:**      Control Variables Impacted: CtrlTrackSumm

If coded '1' (YES) and at least one other person in the RU has [RE320 coded '2' (NO, NOT IN RU)], continue with RE390.

Otherwise, (if coded '1' (YES)), then autocode RE390 '2' as (NO) for this person, then go to (RE420 if Round 1) or go to (RE430\_01 if Round<>1).

**Display Instructions:**      Display 'Is' if current round is not the final round of the Panel (RndType<>Final). Display 'Was' if current round is the final round of the panel (RndType=Final). Display 'on December 31, {YEAR}', if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

**RE390**

**(REA1377)**

**BLAISE NAME:** MilitFacOthRUMmb

**Item Type:** Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TYESNO

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Is/Was} {PERSON} living at {the military facility/that private residence} with at least one of these other household members - {{First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}2, {First Name,[Middle Name],Last Name}3,{First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N} {on December 31, {YEAR}}?

**Responses:**

YES ..... 1 RE400

(REA1378)

NO ..... 2

REFUSED ..... RF

DON'T KNOW ..... DK

**Programmer** Control Variables Impacted: CtrlTrackSumm

**Instructions:**

If coded '2' (NO), 'RF', or 'DK' and Round 1, go to RE420.

If coded '2' (NO), 'RF', or 'DK' and Round<>1, go to RE430\_01.

**Display**

**Instructions:**

Roster Definition:

Roster 1 – Report

This item displays RU-members-roster. Display RU member's first, middle, and last names (RE\_Person.FullName)

Roster filter:

Display persons marked as '2' (NO, NOT IN RU) at RE320. Display 'Is' if current round is not the final round of the Panel (RndType<>Final). Display 'Was' if current round is the final round of the panel (RndType=Final)

Display 'the military facility' if RE340 is coded '2' (LIVING ON A MILITARY FACILITY) for the person being looped on. Display 'that private residence' if RE340 is coded '4' (IN A PRIVATE RESIDENCE/HOUSEHOLD) for the person being looped on.

Display 'on December 31, {YEAR}', if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

**Testing/Editing**  
**Notes:**

Variable collected at MEPS(Fall/Spring)

YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]



## Full Detail Spec

**RE400****(REA1378)****BLAISE NAME:** RUMmbMilitFac

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TFIRSTMIDLASTNA      **Answers allowed:** 99      **ArrayMax:**      **Max value:**

 Help Available ( ) Show Card ( ) Look Up File ( )**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}**Question Text:**

Which household member(s) {is/was} {PERSON} living with at the military facility {on December 31, {YEAR}}?

ENTER ALL THAT APPLY.

**Responses:**

{FIRST NAME [MIDDLE NAME] LAST NAME}1	----- 1	RE430_01	(REA1395)
{FIRST NAME [MIDDLE NAME] LAST NAME}2	----- 2	RE430_01	(REA1395)
{FIRST NAME [MIDDLE NAME] LAST NAME}3	----- 3	RE430_01	(REA1395)
{FIRST NAME [MIDDLE NAME] LAST NAME}4	----- 4	RE430_01	(REA1395)
{FIRST NAME [MIDDLE NAME] LAST NAME}N	----- 5	RE430_01	(REA1395)

**Programmer Instructions:** Roster Behavior:  
1. Multiple select allowed.

**Display Instructions:** Roster 2 – no add/edit/delete  
  
Roster Definition:  
Display the RU-members-roster for selection. (RE\_Person.FullName)

Roster Filter:  
Display persons marked as '2' (NO, NOT IN RU) at RE320.

Display 'is' if current round is not the final round of the Panel (RndType<>Final). Display 'was' if current round is the final round of the panel (RndType=Final). Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.DeportedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DeportedRU[1..30]

<b><u>RE410</u></b>	<b><u>(REA1380)</u></b>	<b><u>BLAISE NAME:</u></b> PersInOutUSNotFTADuty
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield <b>ArrayMin:</b> <b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>
<b>Answer Type:</b>	TIN_OUT	<b>Answers allowed:</b> 1 <b>ArrayMax:</b> <b>Max value:</b>

Help Available (LIVEUSHelp)  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Is/Was} {PERSON} living {in another private residence/at a military facility} that {is/was} within the U.S. or outside of the U.S. {on December 31, {YEAR}}?

HELP: F1

<b>Responses:</b>	WITHIN U.S. ....	1
	OUTSIDE U.S. ....	2
	REFUSED .....	RF
	DON'T KNOW .....	DK

**Programmer Instructions:**

If coded '2' (OUTSIDE THE U.S.) and Round 1, go to RE420.

If coded '2' (OUTSIDE THE U.S.) and Round <> 1, go to RE430\_01.

If coded '1' (WITHIN THE U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and current round does not cross two calendar years (RndType<>Cross), go to END\_LP20.

If coded '1' (WITHIN THE U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW) and current round crosses two calendar years (RndTyp=Cross), go to RE425.

**Display Instructions:**

Display 'Is' if current round is not the final round of the Panel (RndType<>Final). Display 'Was' if current round is the final round of the panel (RndType=Final). Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

Display "in another private residence" if RE340 is coded '4' (IN A PRIVATE RESIDENCE/HOUSEHOLD). Display "at a military facility" if RE340 is coded '2' (LIVING ON A MILITARY FACILITY).

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

<b>RE420</b>	<b>(REA1391)</b>	<b>BLAISE NAME:</b> StopLivingNHISHH		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Was {PERSON} institutionalized/Did {PERSON} {pass away/stop living with {your/ {NHIS REFERENCE PERSON}'s} household}} before January 1, {YEAR}?

<b>Responses:</b>	YES	.....	1	END_LP20	(REA1425)
	NO	.....	2	RE430_01	(REA1395)
	REFUSED	.....	RF	RE430_01	(REA1395)
	DON'T KNOW	.....	DK	RE430_01	(REA1395)

**Display Instructions:** Display 'Was {PERSON} institutionalized' if RE340 is coded '3' (INSTITUTIONALIZED IN A FACILITY). Otherwise, display 'Did {PERSON} {{pass away/stop living with {NHIS REFERENCE PERSON}'s} household}'.  
 Display 'pass away' if RE340 is coded '5' (IF VOLUNTEERED: DECEASED). Otherwise, display 'stop living with {your/{NHIS REFERENCE PERSON}'s} household'.  
 Display 'your' if the NHIS reference person is the same as the current round respondent. (RespondentPersID=Preload.NewRefPersPID) Otherwise, display '{NHIS REFERENCE PERSON}'s household'.  
 For 'NHIS REFERENCE PERSON', display the name of the NHIS reference person (Preload.NewRefPersPID).  
 For 'YEAR', display the first calendar year of the panel.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

<b><u>RE425</u></b>	<b><u>(REA1392)</u></b>	<b><u>BLAISE NAME:</u></b> LeftHhBefDec31		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
 Did {PERSON} stop living with {your/{REFERENCE PERSON}'s} household before December 31, {YEAR}?

**Responses:**

YES	.....	1	END_LP20	(REA1425)
NO	.....	2	END_LP20	(REA1425)
REFUSED	.....	RF	END_LP20	(REA1425)
DON'T KNOW	.....	DK	END_LP20	(REA1425)

**Display Instructions:** Display 'your' if the preloaded current round reference person is the same as the current round respondent. (RespondentPersID=Preload.NewRefPersPID). Otherwise, display '{REFERENCE PERSON}'s'.

For 'REFERENCE PERSON', display the name of the current round preloaded reference person (Preload.NewRefPersPID).

If Round 3, display the first calendar year of the panel for 'YEAR.'  
If Round 5, display the second calendar year of the panel for 'YEAR.'  
If Round 7, display the third calendar year of the panel for 'YEAR.'

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

<b>RE430_01</b>	<b>(REA1395)</b>	<b>BLAISE NAME:</b> MmbEndMMAdd		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 12

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

On what date {was {PERSON} institutionalized/ did {PERSON} {pass away/stop living with {your/{NHIS REFERENCE PERSON}/ {REFERENCE PERSON}}'s} household}?

ENTER MONTH.

**Responses:** ----- 1 RE430\_02 (REA1396)

**Programmer Instructions:** DK and RF disallowed for month.

**Display Instructions:** Display RE430\_01, RE430\_02, and RE430\_03 on the same form pane.

Display 'was {PERSON} institutionalized' if RE340 is coded '3' (INSTITUTIONALIZED IN A FACILITY). Otherwise, display 'did {PERSON} {pass away/stop living with {your/ {{NHIS REFERENCE PERSON}}/{REFERENCE PERSON}}'s} household'.

Display 'pass away' if RE340 is coded '5' (IF VOLUNTEERED: DECEASED).

Otherwise, display 'stop living with {your/ {{NHIS REFERENCE PERSON}}/{REFERENCE PERSON}}'s} household'.

Display 'your' if the preloaded reference person (NHIS reference person if Round 1, preloaded current round reference person if Round<>1) is the same as the current round respondent. (RespondentPersID=Preload.NewRefPersPID)  
Otherwise, display '{{NHIS REFERENCE PERSON/REFERENCE PERSON}} household'.

Display 'NHIS REFERENCE PERSON'/'REFERENCE PERSON', inserting the name of the NHIS or current round preloaded reference person (Preload.NewRefPersPID).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

**RE430\_02**      **(REA1396)**      **BLAISE NAME:** MmbEndDDAdd  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:**      Integer      **Field Size:** 2  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 31

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date {was {PERSON} institutionalized/ did {PERSON} {pass away/stop living with {your/{ {NHIS REFERENCE PERSON}/ REFERENCE PERSON}}'s} household }?]

ENTER DAY.

**Responses:**      ----- 1 RE430\_03      (REA1397)  
REFUSED      ----- RF RE430\_03      (REA1397)  
DON'T KNOW      ----- DK RE430\_03      (REA1397)

**Display Instructions:**      Display RE430\_01, RE430\_02, and RE430\_03 on the same form pane.  
Use same display instructions as RE430\_01.  
Display question text in brackets and lighter "grayed-out" text.

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

<b>RE430_03</b>	<b>(REA1397)</b>	<b>BLAISE NAME:</b> MmbEndYYYYAdd		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1900
<b>Type Class:</b>	Integer	<b>Field Size:</b> 4		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 2100

---

Help Available ( )
  Show Card ( )
  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date {was {PERSON} institutionalized/ did {PERSON} {pass away/stop living with {your/{(NHIS REFERENCE PERSON}/ REFERENCE PERSON}}'s} household }?]

ENTER 4-DIGIT YEAR.

**Responses:** ..... 1



**Programmer Instructions:** If date is = or after 01/01/{YEAR} and RE340 is coded '3' (INSTITUTIONALIZED IN A FACILITY) for person, continue with RE440. Otherwise, go to END\_LP20.

Disallow RF/DK for year.

Hard check:

Edit (if the current round is the final round of the panel (RndType=Final)): date entered must be on or before 12/31/{YEAR} where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). If a date after 12/31/{YEAR} is entered, display the following message: "DATE MUST BE ON OR BEFORE 12/31/{YEAR}. IF LEFT RU AFTER 12/31/{YEAR}, BACK- UP AND RE-CODE RE320 (InRUStat)."

Hard check:

Edit: date entered must be on or before EndRefDt (Interview date). If date entered at RE430\_01, RE430\_02, and RE430\_03 is > EndRefDt (Interview date), display the following message: "UNLIKELY RESPONSE. DATE CANNOT BE AFTER TODAY'S DATE OR BEFORE 1893. VERIFY WITH RESPONDENT AND RE-ENTER."

Soft check (for Rounds <>1): Date entered must be on or after RU reference period begin date (BegRefDt). If a date prior to reference period begin date is entered, display the following message: "UNLIKELY RESPONSE. DATE CANNOT BE BEFORE REFERENCE PERIOD BEGIN DATE. VERIFY WITH RESPONDENT AND RE-ENTER."

**Display Instructions:**

Display RE430\_01, RE430\_02, and RE430\_03 on the same form pane.

Use same display instructions as RE430\_01.

Display question text in brackets and lighter "grayed-out" text.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

<b>RE440</b>	<b>(REA1400)</b>	<b>BLAISE NAME:</b> InstPrvd24HrCare		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (InstTypeHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Is/Was} {PERSON} {now} living in a nursing home or any other long-term care institution that provides 24 hour skilled nursing care {on December 31, {YEAR}}?

HELP: F1

<b>Responses:</b>	YES	.....	1	RE450_01	(REA1401)
	NO	.....	2	END_LP20	(REA1425)
	REFUSED	.....	RF	RE450_01	(REA1401)
	DON'T KNOW	.....	DK	RE450_01	(REA1401)

**Programmer Instructions:**     Ctrl Variables Impacted: CtrlTrackSumm

Note: Key persons coded as institutionalized in a place that provides 24 hour skilled nursing care will be followed in the next round.

**Display Instructions:**

Display 'Is' if current round is not the final round of the Panel (RndType<>Final). DISPLAY 'Was' if current round is the final round of the panel (RndType=Final). Display 'now' if current round is not the final round of the Panel (RndType<>Final). Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

**RE450\_01**

**(REA1401)**

**BLAISE NAME:** InstName

**Item Type:** Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:** String

**Field Size:** 40

**Answer Type:** {Continuous Answer.}

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the name and address of the nursing home or long term care facility where {PERSON} {is/was} living {now/on December 31, {YEAR}}.

What is the name?

ENTER NAME.

**Responses:**

.....	1	RE450_02	(REA1402)
REFUSED .....	RF	RE450_02	(REA1402)
DON'T KNOW .....	DK	RE450_02	(REA1402)

**Programmer Instructions:**

**Display Instructions:**

Display RE450\_01, RE450\_02, RE450\_03, RE450\_04, RE450\_05, and RE450\_6 on the same form pane.

Display 'is' if current round is not the final round of the Panel (RndType<>Final). Display 'was' if current round is the final round of the panel (RndType=Final). Display 'now' if current round is not the final round of the Panel (RndType<>Final). Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

<b>RE450_02</b>	<b>(REA1402)</b>	<b>BLAISE NAME:</b> InstStrtAddr1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                                   Show Card ( )                                   Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the name and address of the nursing home or long term care facility where {PERSON} {is/was} living {now/on December 31, {YEAR}}.]

ENTER STREET ADDRESS.

**Responses:**

.....	1	RE450_03	(REA1403)
REFUSED	RF	RE450_03	(REA1403)
DON'T KNOW	DK	RE450_03	(REA1403)

**Display Instructions:**    Display RE450\_01, RE450\_02, RE450\_03, RE450\_04, RE450\_05, and RE450\_6 on the same form pane.

Use same display instructions as RE450\_01.

Display question text "Please give me...December 31, {YEAR})," in brackets and "grayed-out" text.

**Testing/Editing Notes:**    Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

**RE450\_03**      **(REA1403)**      **BLAISE NAME:** InstStrtAddr2  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 40  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the name and address of the nursing home or long term care facility where {PERSON} {is/was} living {now/on December 31, {YEAR}}.]

ENTER BUILDING OR ADDITIONAL ADDRESS INFORMATION, AS NECESSARY. IF NONE, PRESS ENTER.

**Responses:**                                      ..... 1 RE450\_04                                      (REA1404)  
 EMPTY                                      ..... Empty RE450\_04                                      (REA1404)  
 REFUSED                                      ..... RF RE450\_04                                      (REA1404)  
 DON'T KNOW                                      ..... DK RE450\_04                                      (REA1404)

**Programmer Instructions:**      Allow EMPTY.

**Display Instructions:**      Display RE450\_01, RE450\_02, RE450\_03, RE450\_04, RE450\_05, and RE450\_6 on the same form pane.

Use same display instructions as RE450\_01.

Display question text "Please give me...December 31, {YEAR}}." in brackets and "grayed-out" text.

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

<b>RE450_04</b>	<b>(REA1404)</b>	<b>BLAISE NAME:</b> InstCity		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 35		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the name and address of the nursing home or long term care facility where {PERSON} {is/was} living {now/on December 31, {YEAR}}.]

ENTER CITY.

**Responses:**

-----	1	RE450_05	(REA1405)
REFUSED	RF	RE450_05	(REA1405)
DON'T KNOW	DK	RE450_05	(REA1405)

**Display Instructions:**     Display RE450\_01, RE450\_02, RE450\_03, RE450\_04, RE450\_05, and RE450\_6 on the same form pane.

Use same display instructions as RE450\_01.

Display question text "Please give me...December 31, {YEAR}." in brackets and "grayed-out" text.

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

<b>RE450_05</b>	<b>(REA1405)</b>	<b>BLAISE NAME:</b> InstSt		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the name and address of the nursing home or long term care facility where {PERSON} {is/was} living {now/on December 31, {YEAR}}.]

ENTER STATE.

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

**Responses:**

.....	1	RE450_06	(REA1406)
REFUSED .....	RF	RE450_06	(REA1406)
DON'T KNOW .....	DK	RE450_06	(REA1406)

**Programmer Instructions:**     Use the state lookup file.

Note: The entry Foreign Country (FC) is allowed.

**Display Instructions:**     Display RE450\_01, RE450\_02, RE450\_03, RE450\_04, RE450\_05, and RE450\_6 on the same form pane.

Use same display instructions as RE450\_01.

Display question text "Please give me...December 31, {YEAR}}." in brackets and "grayed-out" text.

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]

Full Detail Spec

<b>RE450_06</b>	<b>(REA1406)</b>	<b>BLAISE NAME:</b> InstZip		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 5		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the name and address of the nursing home or long term care facility where {PERSON} {is/was} living {now/on December 31, {YEAR}}.]

ENTER ZIP CODE.

**Responses:**

.....	1	END_LP20	(REA1425)
REFUSED .....	RF	END_LP20	(REA1425)
DON'T KNOW .....	DK	END_LP20	(REA1425)

**Programmer Instructions:**     Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:**     Display RE450\_01, RE450\_02, RE450\_03, RE450\_04, RE450\_05, and RE450\_6 on the same form pane.  
 Use same display instructions as RE450\_01.  
 Display question text "Please give me...December 31, {YEAR}." in brackets and "grayed-out" text.

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]  
 Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.RUMemberConf.DepartedRU[1..30]



Full Detail Spec

END\_LP20

(REA1425)

Item Type: Route

Type Class: End Loop

---

**Route Details:**

Cycle on next person in the RU-members-roster who meets the conditions stated in the loop definition.

If no more persons meet the stated conditions, end LOOP\_20 and continue with BOX\_140.

**Programmer  
Instructions:**

Control Variables Impacted: CtrlPersKey, CtrlPersEligible, CtrlTrakSumm, CtrlNewStudent, CtrlCurrHere

Set RemovedATLoop20=YES and RemovedAtRE330=YES (Incorrectly Listed) if:

- RE330 coded '2' (NO)

Note: This person is not currently here, and was not here at NHIS. They are not key, ineligible and out-of-scope for the entire reference period. The RE section will NOT collect locating information for this person; person will not be included in the rest of the interview and will not be followed.

SetRemovedAtLoop20=YES and StudentMoverALoop20=YES (New Student) if:

- If RE340 coded '1' (LIVING AWAY AT SCHOOL) and RE360 is coded '2' (VOCATIONAL, COLLEGE, GRADUATE, PROFESSIONAL), 'RF' (REFUSED) or 'DK' (DON'T KNOW) and RE370 coded '1' (WITHIN U.S.), 'RF' (REFUSED), or 'DK' (DON'T KNOW)

Note: This person is not currently here, but at this point in the interview the student is eligible and in-scope for data collection in a student RU. The RE section will later determine if locating information for this student is necessary. Students are included for some items in RE but not the rest of the interview.

If [RE420 is coded '1' (YES)] or if [date at RE430\_01 – RE430\_03 is prior to 1/1/{YEAR}, where {YEAR} is the first calendar year of the panel (FirstPanYear) if Round 1] or if [date at RE430\_01-RE430\_03 is prior to date of previous RU interview date (RUEndM, RUEndD, RUEndY) if Round <>1], set RemovedATLoop20=YES and MoverAtLoop20=NO (out of scope) if:

- RE340 is coded '4' (IN A PRIVATE RESIDENCE/HOUSEHOLD) and RE380 is coded '2' (NO), 'RF', 'DK' or EMPTY AND RE410 is coded '2' (OUTSIDE THE U.S.) (Moved outside the U.S., NOT FT MILITARY; PRIVATE RESIDENCE) (CtrlTrackSumm=8)  
OR
- RE340 is coded '2' (LIVING ON A MILITARY FACILITY) and RE380 is coded '2' (NO), 'RF', 'DK' or EMPTY AND RE410 is coded '2' (OUTSIDE THE U.S.), (MOVED OUTSIDE U.S.; NOT FT MILITARY; AT MILITARY FACILITY) (CtrlTrackSumm=9).  
OR
- RE340 is coded '3' (INSTITUTIONALIZED IN A FACILITY), '5' (IF VOLUNTEERED: DECEASED), 'RF' (REFUSED), or 'DK' (DON'T KNOW)  
OR
- RE380 is coded '1' (YES) and RE390 is coded '2' (NO), 'RF', 'DK'  
OR
- RE340 is '1' (LIVING AWAY AT SCHOOL) and RE360 is coded '2' (VOCATIONAL, COLLEGE, GRADUATE, PROFESSIONAL), 'RF', or 'DK', and RE370 is coded '2' (OUTSIDE THE U.S.)

Note: This person is not currently here, has no period of eligibility and is out-of-scope. The RE section will NOT collect locating information for this person; person will not be included in the rest of the interview and will not be followed.

Set RemovedATLoop20=YES and MoverAtLoop20=YES (MOVERS)

- If RE340 is coded '4' (IN A PRIVATE RESIDENCE/HOUSEHOLD) AND RE380 is coded '2' (NO), 'RF', 'DK', or EMPTY and RE410 is coded '1' (WITHIN THE U.S.),

'RF' or 'DK' (MOVED INSIDE THE U.S.; NOT FT MILITARY; PRIVATE RESIDENCE  
(CtrlTrackSumm=10)

OR

- If RE340 is coded '2' (LIVING ON A MILITARY FACILITY) AND RE380 is coded '2' (NO), 'RF', 'DK' or EMPTY AND RE410 is coded '1' (WITHIN THE U.S.), 'RF' or 'DK' (MOVED INSIDE U.S.; NOT FT MILITARY; AT MILITARY FACILITY (CtrlTrackSumm=11)

Note: This person is not currently here, but is in-scope and eligible to be interviewed as part of another RU from the date of their previous interview until that new interview date. The RE section will collect locating information for this person, but person will not be included in this interview after the RE section. Information for person will be collected as part of another RU

Evaluated after looping through everyone:

- Person is full-time military but is not living with an RU member who is key, civilian, and living in the U.S. (will need to be determined later after all looping-see BOX\_140).

Note: Any person with any period of partial or full eligibility is considered currently here and is eligible and in-scope for data collection as part of this RU. They do NOT have a RemovedAtLoop20 set. This includes persons leaving the RU after January 1, including those who are deceased, institutionalized, or who have moved outside the U.S. or are now full-time military living alone.

Note: IF RE350 is coded '1' (100 DAYS OR LESS), 'RF' (REFUSED), or 'DK' (DON'T KNOW), this person has a status of "in-scope, eligible, entire reference period." Person is treated as a current RU member.

Note: If RE360 coded '1' (1st-12th GRADE), this person has a status of "in-scope, eligible, entire reference period." Person is treated as a current RU member

## Full Detail Spec

**BOX\_140****(REA1427)****Item Type:** Route**Type Class:** If Then**Route Details:**

Control Variables Impacted: CtrlPersTrackSumm, CtrlPersEligible

Check RE390 response for all RU members. For each RU member with RE390 = 1 (YES), evaluate status of other RU members who moved with this person (RU members selected at RE400).

If at least one person selected at RE400 for this person is marked as key and has a status of 'NON-MILITARY MOVER IN THE U.S.' or 'NON-MILITARY MOVER IN U.S. AT A MILITARY FACILITY' [at least one person selected at RE400 for this RU member has a status of (CtrlPersKeyatEnd\_LP20 = Yes) and (CtrlTrackSummatEnd\_LP20=10 or 11)], then RU member with RE390 = 1 is "FT MILITARY ON MILITARY FACILITY WITH OTHERS" (CtrlTrackSumm = 7). Set RemovedAtLoop20=YES and MoverAtLoop20=YES.

Note: Persons who are full-time military, regardless of location or date entered at RE430, who have moved with other key civilians will not be included in the interview after the RE section. They will be treated as regular movers and information for this person will be collected as part of another RU.

Otherwise, if **no one** selected at RE400 as moving with this person is marked as key and has a status of 'NON-MILITARY MOVER IN THE U.S.' or 'NON-MILITARY MOVER IN U.S. AT A MILITARY FACILITY' [no one selected at RE400 for this RU member has a status of (CtrlPersKeyatEnd\_LP20=YES) and (CtrlTrackSummatEnd\_LP20=10 or 11)] then RU member with RE390 = 1 is "FT MILITARY ON MILITARY FACILITY ALONE." (CtrlTrackSumm = 6)

Then, evaluate date entered at RE430 for individuals where CtrlTrackSumm was just set to 6.

- If [date at RE430\_01 – RE430\_03 is prior to 1/1/{YEAR} where {YEAR} is the first calendar year of the panel (FirstPanYear) if Round 1] or if [date at RE430\_01-RE430\_03 is prior to date of previous RU interview date (RUEndM, RUEndD, RUEndY) if Round <>1], then set RemovedATLoop20=YES and MoverAtLoop20=NO (out of scope).
- If [date at RE430\_01 – RE430\_03 is on or after 1/1/{YEAR} where {YEAR} is the first calendar year of the panel (FirstPanYear) if Round 1] or if [date at RE430\_01-RE430\_03 is on or after date of previous RU interview date (RUEndM, RUEndD, RUEndY) if Round <>1] keep RemovedatLoop20=Empty.

Note: Persons who are full-time military, regardless of location, who have not moved with other key civilians are eligible depending on the date they moved.

If the person moved prior to the reference period start date, this person is not currently here, has no period of eligibility and is out-of-scope. The RE section will NOT collect locating information for this person; person will not be included in the rest of the interview and will not be followed.

If the person moved on or after the reference period start date, person is in scope and partially eligible for data collection until the date left the RU.

Continue with BOX\_150.

**BOX 150**      **(REA1430)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If all RU members left the RU and are not eligible for the study as part of any RU (therefore, locating information is not required); that is:  
Everyone is (RemovedAtLoop10=YES or RemovedAtLoop20=YES)  
and  
[(MoverAtLoop10=NO or RemovedAtRE180=YES)  
OR  
(MoverAtLoop20=NO or RemovedAtRE330=Yes)]  
Continue with RE460.

Otherwise if at least one RU member is currently living in the RU (that is, if at least one person on the RE\_Person array where CtrlTrackSummAtEnd\_LP20 is empty and CtrlNewStudentAtEnd\_LP20 is empty) go BOX\_160.

Otherwise, go to BOX\_210.

**RE460**      **(REA1435)**      **BLAISE NAME:** EndNoElg  
**Item Type:** Instruction      **Field kind:** Datafield  
**Type Class:** Enumerated  
**Answer Type:** TContinue      **Answers allowed:** 1

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**  
INTERVIEWER: THERE ARE NO ELIGIBLE INDIVIDUALS REMAINING IN THIS RU. PLEASE REPORT THIS SITUATION TO YOUR SUPERVISOR.  
  
PRESS ENTER TO END THE INTERVIEW.

**Responses:**      CONTINUE ..... 1      BOX\_250      (REA2050)

**Display Instructions:**

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main

Full Detail Spec

**BOX\_160**      **(REA1445)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If [RU Type = New Standard RU] or [RU Type = Standard RU and Round=1], continue with RE480.

If [RU Type <> New Standard RU] and [Round<> 1] and [if previous round reference person is still in RU on date of interview (or as of December 31, {YEAR} if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1)), that is if previous round reference person meets all of the following conditions:

- Person = > 16 years old or age category 4-9 AND
- CtrlTrackSummAtEnd\_LP20 is empty and
- CtrlNewStudentAtEnd\_LP20 is empty]

Then flag previous round reference person (or NHIS reference person if Round 1) as current round reference person (set RefPersPID = Preloaded RefPersPID) and go to BOX\_170.

Otherwise, continue with RE480.

**RE480**      **(REA1450)**      **BLAISE NAME:** OwnRentHome  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (OwnsRentHelp)       Show Card ( )       Look Up File ( )

**Question Text:**

Of all the people who {currently live/lived} here {on December 31, {YEAR}}, {does/did} anyone own or rent this home?

HELP: F1

**Responses:**

YES	.....	1	RE490	(REA1455)
NO	.....	2	RE500	(REA1465)
REFUSED	.....	RF	RE500	(REA1465)
DON'T KNOW	.....	DK	RE500	(REA1465)

**Display Instructions:** Display 'currently live' if current round is not the final round of the Panel (RndType<>Final). Display 'lived' if current round is the final round of the panel (RndType=Final). Display 'does' if current round is not the final round of the Panel (RndType<>Final). Display 'did' if current round is the final round of the panel (RndType=Final).  
Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.AddRUMembers.HeadOfHousehold  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers.HeadOfHousehold

<b>RE490</b>	<b>(REA1455)</b>	<b>BLAISE NAME:</b> NewRefPersPID		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TRE43_PERSON	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (OwnsRentHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

Of the people in this family, 16 and older, who {currently live/lived} here {now /on December 31, {YEAR}}, who {owns/owned} or {rents/rented} this home?}

IF MORE THAN ONE PERSON 'OWNS OR RENTS' THE HOME, ASK THE RESPONDENT TO CHOOSE ONE PERSON. THIS PERSON IS THE REFERENCE PERSON FOR THE REMAINDER OF THE INTERVIEW.

IF NAME GIVEN NOT LISTED, PROBE TO DETERMINE IF NEW RU MEMBER (I.E., RELATED AND LIVING HERE NOW) OR PERSON NOT IN RU.

**Responses:**

PERSON NOT IN RU	.....	0	RE500	(REA1465)
{FIRST NAME [MIDDLE NAME] LAST NAME} 1	.....	1	BOX_170	(REA1475)
{FIRST NAME [MIDDLE NAME] LAST NAME} 2	.....	2	BOX_170	(REA1475)
{FIRST NAME [MIDDLE NAME] LAST NAME} 3	.....	3	BOX_170	(REA1475)
{FIRST NAME [MIDDLE NAME] LAST NAME} 4	.....	4	BOX_170	(REA1475)
{FIRST NAME [MIDDLE NAME] LAST NAME} N	.....	5	BOX_170	(REA1475)

**Programmer Instructions:** Set RefPersPID=PID selected at RE490

- Roster behavior:
1. Select allowed.
  2. Multiple select, add, delete, and edit disallowed.

**Display Instructions:** Roster 2 – no add/edit/delete

Roster definition:  
This item displays the RU-members-roster for selection of the person who owns or rents the home. (RE\_Person.FullName). Persons who are new students or have left the RU are excluded.

Roster filter:  
Display RE\_Person Array where MostRecentRU=RUUnit where CtrlTrackSummAtEnd\_LP20 is empty and CtrlNewStudentAtEnd\_LP20 is empty

Display 'currently live' and 'now' and 'owns' and 'rents' if current round is not the final round of the Panel (RndType<>Final). Display 'lived' and 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1) and 'owned' and 'rented' if current round is the final round of the panel (RndType=Final).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.AddRUMembers.HeadOfHousehold  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers.HeadOfHousehold



Full Detail Spec

**RE500**      **(REA1465)**      **BLAISE NAME:** NewRefPersPIDAdded  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      Enumerated      **Field Size:**  
**Answer Type:**      TNEWNUMEMBER      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (HeadofHhHelp)       Show Card ( )       Look Up File ( )

**Question Text:**

Of all the people in this family who {live/lived} here {now/on December 31, {YEAR}}, who {is/was} considered the head of household?

TO ADD A NEW RU MEMBER AS HEAD OF HOUSEHOLD, PRESS CTRL-A. HEAD OF HOUSEHOLD MUST BE RELATED AND LIVING HERE NOW.

ANY PERSON ADDED HERE IS INCLUDED IN THE ENTIRE INTERVIEW AS AN RU MEMBER.

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

HELP: F1

**Responses:**

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}1 ..... 1 BOX\_170 (REA1475)

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}2 ..... 2 BOX\_170 (REA1475)

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}3 ..... 3 BOX\_170 (REA1475)

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}4 ..... 4 BOX\_170 (REA1475)

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}N ..... 5 BOX\_170 (REA1475)

**Programmer  
Instructions:**

Control Variables Impacted: CtrlCurrHere

Set RefPersPID = PID selected at RE500

If person from another RU selected and verified as the head of household, add person to RU-Members-Roster.

Roster behavior:

1. Only single select or single add allowed.

Soft checks:

1. If a person from another RU selected (RE\_Person.MostRecentRU does not equal RUUnit), display the message: "PERSON IS MEMBER OF ANOTHER RU. VERIFY THAT PERSON JOINED THIS RU OR CORRECT SELECTION."

2. If the preload age is not empty and the person selected as the head of household is under 16 or in age categories 1-3, (PL\_Person.AgeRnd < 16 or PL\_Person.AgeRng in (1-3) or PL\_Person.AgeGuess in (1-3)) display message: "HEAD OF HOUSEHOLD < 16. S/HE MUST BE APPROVED BY SUPERVISOR. RESELECT TO VERIFY."

Hard checks:

1. If person who has left the RU selected (where CtrlTrackSummAtEnd\_LP20 is not empty or CtrlNewStudentAtEnd\_LP20 is not empty), display the message: "SELECTION IS INAPPROPRIATE. YOU MUST SELECT SOMEONE CURRENTLY LIVING IN RU."

2. If a person(s) was/were added at RE500 [CREATEQ=RE500 and OrigRnd=Current Round and DeleteFlg=empty], but not any of these newly added persons was selected when interviewer leaves the screen, display the following message: "YOU HAVE ADDED {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} AND DID NOT SELECT ANY OF THEM AS THE HEAD OF THE HOUSEHOLD. IF ANY OF THESE NEWLY ADDED PERSON (S) IS NOT THE HEAD OF THE HOUSEHOLD, USE CTRL-D TO DELETE THE PERSON (S) AND THEN SELECT THE CORRECT HOUSEHOLD HEAD."

**Display  
Instructions:**

Roster 3 – add/edit/delete allowed

Roster definition:

Display the DU-Members-Roster for selection of head of household.

Roster filter:

None. Display all DU members (RE\_Person.PERSID)

Display any RU members marked as having left the RU (where CtrlTrackSummAtEnd\_LP20 is not empty or CtrlNewStudentAtEnd\_LP20 is not empty) as grayed out text.

For "AGE", display person's age calculated according to age calculation specifications in the GL section.

For "SEX", display person's sex as collected during previous interview (RE\_Person.Sex).

For "RUID", display the RUID (RE\_Person.MostRecentRU) associated with this person.

When CTRL-A selected, display the following customized question wording in the pop-up:

ENTER NAME OF NEW RU MEMBER WHO OWNS OR RENTS HOME OR IS HEAD OF HOUSEHOLD.

May I have your full name? VERIFY SPELLING.

IF NO MIDDLE NAME OR INITIAL, LEAVE FIELD BLANK.

Display first interviewer instruction and question text in lighter "grayed-out" text when cursor in middle name or last name entry field. Display the second interviewer instruction when cursor in middle name entry field.

Display 'live' and 'now' and 'is' if current round is not the final round of the Panel (RndType<>Final). Display 'lived' and 'on December 31, {YEAR}', where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1), and 'was' if the current round is the final round of the panel (RndType=Final).

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)

YYYY.RE\_Main.AddRUMembers.HeadOfHousehold

Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers.HeadOfHousehold

**BOX 170**

**(REA1475)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If Round 1 and [RUType=New Standard RU] and Preload RU Num = 1 (single person RU) and current respondent is an RU member (ST.Respondent=RespRUMem), go to RE520.

If Round<>1 and if [RUType=New Standard RU] and RUNum = 1 (single person RU), and current respondent is an RU member (ST.Respondent=RespRUMem), go to RE520.

Else, if at least one person is an original RU member who is still living in the RU at the time of the current interview (RE\_Person.PreloadRU = RUUnit where CtrlTrackSummAtEnd\_LP20 is empty or CtrlNewStudentAtEnd\_LP20 is empty) then continue with RE510.

Otherwise, go to BOX\_210.

Full Detail Spec

<b>RE510</b>	<b>(REA1480)</b>	<b>BLAISE NAME:</b> AddPersNotNew		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (MarriedHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

{Please think about the people living here as of December 31, {YEAR} for the next few questions.} Other than {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N}, {is/was} there anyone who {is/was} living here {now/on December 31, {YEAR}} related to {you/{REFERENCE PERSON}} by blood, marriage, living together as married, or adoption? Do not include anyone {who was} staying here temporarily who usually {lives/lived} somewhere else.

HELP: F1

<b>Responses:</b>	YES	.....	1	RE530	(REA1490)
	NO	.....	2	RE540	(REA1535)
	REFUSED	.....	RF	RE540	(REA1535)
	DON'T KNOW	.....	DK	RE540	(REA1535)

**Programmer  
Instructions:**

Hard check:

1. If answer to RE510 was changed from '1' (YES) to '2' (No) upon back-up and only one person was added at RE530 [CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty], display the following message as a Manipula pop-up when the interviewer leaves the screen: "CHANGING ANSWER TO "NO" WILL DELETE {PERSON} AS PART OF THE RU. ARE YOU SURE YOU STILL WANT TO CHANGE THE ANSWER TO "NO"?" CAPI provides the options: YES, DELETE {PERSON} or NO, KEEP {PERSON}. If "YES, DELETE {PERSON}" is selected, set RE510 to '2' (No) and then set a delete flag to that one person with a CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty. Then put FI back to the RE510 entry field (which is still coded '2' (NO)). If "NO, KEEP {PERSON}" is selected, set RE510 back to '1' (YES). Auto-select person at RE530 and put FI at the RE530 entry field with person already selected by CAPI.

2. If answer to RE510 was changed from '1' (YES) to '2' (No) upon back-up and more than one person was added at RE530 [>1 person with a CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty], display the following message as a Manipula pop-up when the interviewer leaves the screen: "CHANGING ANSWER TO "NO" WILL DELETE {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} AS PART OF THE RU. DO YOU WANT TO DELETE ALL OF THEM?" CAPI provides the options:

- YES, DELETE ALL OF THEM
- NO, I WILL DELETE SELECT PERSON(S)
- NO, KEEP ALL OF THEM

If "YES, DELETE ALL OF THEM" is selected, set RE510 to '2' (No) and then set a delete flag to all the persons with a CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty. Then put FI back to the RE510 entry field (which is still coded '2' (NO)).

If "NO, I WILL DELETE SELECT PERSON(S)" is selected, set RE510 back to '1' (Yes) and display a second Manipula pop-up message: "INTERVIEWER: AT THE NEXT SCREEN, USE CTRL-D TO DELETE THE PERSON(S) YOU WANT REMOVED FROM THE RU". After the FI presses OK to clear this message, auto-select all the persons with CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty at RE530 and then put FI at the RE530 entry field with persons already selected by CAPI.

If "NO, KEEP ALL OF THEM" is selected, set RE510 back to "1" (YES). Auto-select all the persons with CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty at RE530 and then put FI at the RE530 entry field with persons already selected by CAPI.

**Display  
Instructions:**

Display RU members' first, middle, and last names (Person.FullName) in question text. Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Roster 1 - Report

Roster definition:

This item displays RU-Members-Roster. Display RU member's First, Middle, and Last names (RE\_Person.FullName)

Roster filter:

Display persons currently living here including new persons (except people who are students or who have moved or are now out of scope) RE\_Person Array where MostRecentRU=RUnit except for persons where RemovedAtLoop10=YES or RemovedAtLoop20=Yes

Display 'Please .. questions.' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

Display 'is' and 'is' and 'now' if current round is not the final round of the Panel (RndType<>Final). Display 'was' and 'was' and 'on December 31, {YEAR}', if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

Display 'who was' if current round is the final round of the panel (RndType=Final). Otherwise, use a null display. Display 'lives' if current round is not the final round of the panel (RndType<>Final). Display 'lived' if current round is the final round of the panel (RndType=Final).

Display 'you' if the current round reference person is the same as the current round respondent. (RespondentPersID= RefPersPID) Otherwise, display '{REFERENCE PERSON}' substituting the full name of the current round reference person (RefPersPID).

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers

Full Detail Spec

**RE520**

**(REA1485)**

**BLAISE NAME:** AddPersAny

**Item Type:**

Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:**

Enumerated

**Field Size:**

**Answer Type:**

TYESNO

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available (MarriedHelp)

Show Card ( )

Look Up File ( )

**Question Text:**

We would like to include the other members of {you/{REFERENCE PERSON}'s} household who are related to {you/him/her} in this interview.

{Is/Was} there anyone else who {is/was} living here {now/on December 31, {YEAR}} related to {you/{REFERENCE PERSON}} by blood, marriage, living together as married, or adoption? Do not include anyone staying here temporarily who usually lives somewhere else.

HELP: F1

**Responses:**

YES .....	1	RE530	(REA1490)
NO .....	2	RE540	(REA1535)
REFUSED .....	RF	RE540	(REA1535)
DON'T KNOW .....	DK	RE540	(REA1535)

**Programmer  
Instructions:**

Hard-check:

1. If answer to RE520 was changed from '1' (YES) to '2' (No) upon back-up and only one person was added at RE530 [CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty], display the following message as a Manipula pop-up when the interviewer leaves the screen: "CHANGING ANSWER TO "NO" WILL DELETE {PERSON} AS PART OF THE RU. ARE YOU SURE YOU STILL WANT TO CHANGE THE ANSWER TO "NO"?" CAPI provides the options: YES, DELETE {PERSON} or NO, KEEP {PERSON}. If "YES, DELETE {PERSON}" is selected, set RE520 to '2' (No) and then set a delete flag to that one person with a CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty. Then put FI back to the RE520 entry field (which is still coded '2' (NO)). If "NO, KEEP {PERSON}" is selected, set RE520 back to '1' (YES). Auto-select person at RE530 and put FI at the RE530 entry field with person already selected by CAPI.

2. If answer to RE520 was changed from '1' (YES) to '2' (No) upon back-up and more than one person was added at RE530 [>1 person with a CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty], display the following message as a Manipula pop-up when the interviewer leaves the screen: "CHANGING ANSWER TO "NO" WILL DELETE {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} AS PART OF THE RU. DO YOU WANT TO DELETE ALL OF THEM?" CAPI provides the options:

- YES, DELETE ALL OF THEM
- NO, I WILL DELETE SELECT PERSON(S)
- NO, KEEP ALL OF THEM

If "YES, DELETE ALL OF THEM" is selected, set RE520 to '2' (No) and then set a delete flag to all the persons with a CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty. Then put FI back to the RE520 entry field (which is still coded '2' (NO)).

If "NO, I WILL DELETE SELECT PERSON(S)" is selected, set RE520 back to '1' (Yes) and display a second Manipula pop-up message: "INTERVIEWER: AT THE NEXT SCREEN, USE CTRL-D TO DELETE THE PERSON(S) YOU WANT REMOVED FROM THE RU". After the FI presses OK to clear this message, auto-select all the persons with CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty at RE530 and then put FI at the RE530 entry field with persons already selected by CAPI.

If "NO, KEEP ALL OF THEM" is selected, set RE520 back to "1" (YES). Auto-select all the persons with CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty at RE530 and then put FI at the RE530 entry field with persons already selected by CAPI.

**Display  
Instructions:**

Display 'Is' if current round is not the final round of the Panel (RndType<>Final). Display 'Was' if current round is the final round of the panel (RndType=Final). Display 'now' if current round is not the final round of the Panel (RndType<>Final). Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

Display 'you' if the current round reference person is the same as the current round respondent. (RespondentPersID= RefPersPID) Otherwise, display '{REFERENCE PERSON}' substituting the full name of the current round reference person (RefPersPID).



Full Detail Spec

Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers

RE530 (REA1490) BLAISE NAME: AddPersRoster
Item Type: Question Field kind: Datafield ArrayMin: Min value:
Type Class: Enumerated Field Size:
Answer Type: TNEWNUMEMBER Answers allowed: 1 ArrayMax: Max value:

Help Available ( ) Show Card ( ) Look Up File ( )

Question Text:

{INTERVIEWER: IF ALL PERSONS WHO HAVE JOINED THE RU ARE ALREADY SELECTED, BACKUP AND CHANGE PREVIOUS SCREEN TO 'NO'.}

Who else living here {now/on December 31, {YEAR}} {is/was} related to {you/{REFERENCE PERSON}}?

PROBE: Anyone else?

TO ADD A NEW RU MEMBER, PRESS CTRL-A.

IF NO NEW PERSON HAS JOINED THE RU, BACKUP TO CORRECT PREVIOUS SCREEN(S).

ENTER ALL THAT APPLY.

CTRL-A: ADD
CTRL-E: EDIT
CTRL-D: DELETE

Responses: {FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}1
{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}2
{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}3
{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}4
{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}N

**Programmer  
Instructions:**

If a person from another RU verified, add that person to the RU-Members-Roster.

Control Variables Impacted: CtrlCurrHere

Roster behavior:

1. Multiple select and multiple add allowed.
2. Limited edit and delete allowed. RU members that have been “preloaded” for this case (RU members that are from the NHIS or the previous round) cannot be edited or deleted at any person roster. Only newly added RU members that have been added at this screen during the current interviewing session can be edited or deleted. FIs may back up and return to this screen to use edit or delete functionality, but may not edit or delete an RU member added at this screen at any other person roster.

Soft check:

1. If a person from another RU selected (RE\_Person.MostRecentRU does not equal RUUnit), display the message: "PERSON IS MEMBER OF ANOTHER RU. VERIFY THAT PERSON JOINED OR CORRECT SELECTION."

Hard checks:

1. If person is marked as a current RU member [where (CtrlTrackSummAtEnd\_LP20 is empty or CtrlNewStudentAtEnd\_LP20 is empty) and (RE\_Person.MostRecentRU=RUUnit)], display message: "PERSON CANNOT BE SELECTED. S/HE HAS ALREADY BEEN IDENTIFIED AS PART OF THIS RU."
2. If person who has left the RU selected (where CtrlTrackSummAtEnd\_LP20 is not empty or CtrlNewStudentAtEnd\_LP20 is not empty), display the message: "SELECTION IS INAPPROPRIATE. YOU MUST SELECT SOMEONE CURRENTLY LIVING IN RU."
3. If a person was added at RE530 [CREATEQ=RE530 and OrigRnd=Current Round and DeleteFlg=empty], but that same person was not selected when interviewer leaves the screen, display the following message: "NEWLY ADDED PERSONS MUST BE SELECTED. YOU HAVE ADDED {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} AND DID NOT SELECT THEM. IF NEWLY ADDED PERSON(S) (IS/ARE) NOT PART OF THE RU, USE CTRL-D TO DELETE THEM."

**Display  
Instructions:**

Roster 3 - add/edit/delete allowed

Roster definition:

Display the DU-Members-Roster for selection of new RU members.

Roster filter:

None. Display all DU members. (RE\_Person.PERSID)

Display any current RU members [where (CtrlTrackSummAtEnd\_LP20 is empty or CtrlNewStudentAtEnd\_LP20 is empty) and (RE\_Person.MostRecentRU=RUUnit)] and any RU members marked as having left the RU (where CtrlTrackSummAtEnd\_LP20 is not empty or CtrlNewStudentAtEnd\_LP20 is not empty) as grayed out text.

For “AGE”, display person's age calculated according to age calculation specifications in the

GL section.

For "SEX", display person's sex as collected during previous interview (RE\_Person.Sex) .

For "RUID", display the RU letter associated with this person (RE\_Person.MostRecentRU).

When CTRL-A selected, display the following customized question wording in the pop-up:

ENTER NAME OF NEW RU MEMBER WHO IS RELATED AND LIVING WITH THIS HOUSEHOLD.  
May I have their full name? VERIFY SPELLING.  
IF NO MIDDLE NAME OR INITIAL, LEAVE FIELD BLANK.

Display first interviewer instruction and question text in lighter "grayed-out" text when cursor in middle name or last name entry field. Display the second interviewer instruction when cursor in middle name entry field.

Display 'is' if current round is not the final round of the Panel (RndType<>Final). Display 'was' if current round is the final round of the panel (RndType=Final). Display 'now' if current round is not the final round of the Panel (RndType<>Final).

Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

Display 'INTERVIEWER...' if not Round 1. Otherwise, use null display.

Display 'you' if the current round reference person is the same as the current round respondent. (RespondentPersID=RefPersPID) Otherwise, display '{REFERENCE PERSON}' substituting the full name of the current round reference person (RefPersPID).

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.AddrUMembers  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddrUMembers

Full Detail Spec

**RE540**

**(REA1535)**

**BLAISE NAME:** MissedPers

**Item Type:** Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TYESNO

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

Have we missed anyone? For example, babies born or adopted {since/between} {DATE OF PREVIOUS ROUND INTERVIEW} {and December 31, {YEAR}}, anyone related who usually {lives/lived} here but {is/was} traveling, away on business, or in the hospital?

**Responses:**

YES ..... 1 RE550

(REA1540)

NO ..... 2

REFUSED ..... RF

DON'T KNOW ..... DK

**Programmer  
Instructions:**

If Round 1 and RE540 coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), go to RE560.

If not Round 1 and RE540 coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), go to BOX\_210.

Otherwise (RE540 coded '1' (YES)), continue with RE550.

Hard Check:

1. If answer to RE540 was changed from '1' (YES) to '2' (No) upon back-up and only one person was added at RE550 [CREATEQ=RE550 and OrigRnd=Current Round and DeleteFlg=empty], display the following message as a Manipula pop-up when the interviewer leaves the screen: "CHANGING ANSWER TO "NO" WILL DELETE {PERSON} AS PART OF THE RU. ARE YOU SURE YOU STILL WANT TO CHANGE THE ANSWER TO "NO"?" CAPI provides the options: YES, DELETE {PERSON} or NO, KEEP {PERSON}. If "YES, DELETE {PERSON}" is selected, set RE540 to '2' (No) and then set a delete flag to that one person with a CREATEQ=RE550 and OrigRnd=Current Round and DeleteFlg=empty. Then put FI back to the RE540 entry field (which is still coded '2' (NO)). If "NO, KEEP {PERSON}" is selected, set RE540 back to '1' (YES). Auto-select person at RE550 and put FI at the RE550 entry field with person already selected by CAPI.

2. If answer to RE540 was changed from '1' (YES) to '2' (No) upon back-up and more than one person was added at RE550 [>1 person with a CREATEQ=RE550 and OrigRnd=Current Round and DeleteFlg=empty], display the following message as a Manipula pop-up when the interviewer leaves the screen: "CHANGING ANSWER TO "NO" WILL DELETE {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} AS PART OF THE RU. DO YOU WANT TO DELETE ALL OF THEM?" CAPI provides the options:

- YES, DELETE ALL OF THEM
- NO, I WILL DELETE SELECT PERSON(S)
- NO, KEEP ALL OF THEM

If "YES, DELETE ALL OF THEM" is selected, set RE540 to '2' (No) and then set a delete flag to all the persons with a CREATEQ=RE550 and OrigRnd=Current Round and DeleteFlg=empty. Then put FI back to the RE540 entry field (which is still coded '2' (NO)).

If "NO, I WILL DELETE SELECT PERSON(S)" is selected, set RE540 back to '1' (Yes) and display a second Manipula pop-up message: "INTERVIEWER: AT THE NEXT SCREEN, USE CTRL-D TO DELETE THE PERSON(S) YOU WANT REMOVED FROM THE RU". After the FI presses OK to clear this message, auto-select all the persons with CREATEQ=RE550 and OrigRnd=Current Round and DeleteFlg=empty at RE550 and then put FI at the RE550 entry field with persons already selected by CAPI.

If "NO, KEEP ALL OF THEM" is selected, set RE540 back to "1" (YES). Auto-select all the persons with CREATEQ=RE550 and OrigRnd=Current Round and DeleteFlg=empty at RE550 and then put FI at the RE550 entry field with persons already selected by CAPI.

**Display  
Instructions:**

Display 'since' and 'lives' and 'is' if current round is not the final round of the Panel (RndType<>Final). Display 'between' and 'lived' and 'was' if current round is the final round of the panel (RndType=Final).

For '{DATE OF PREVIOUS ROUND INTERVIEW}' display date of NHIS interview (Preload.

**Full Detail Spec**

NHISDt) if Round 1. Otherwise, display date of previous round MEPS interview (Preload.RUEndM, RUEndD, RUEndY).

Display 'and December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers

Full Detail Spec

<b>RE550</b>	<b>(REA1540)</b>	<b>BLAISE NAME:</b> MissedPersRoster		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TNEWNUMEMBER	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Who else {is/was} related and living here {now/on December 31, {YEAR}}?

PROBE: Anyone else?

TO ADD A NEW RU MEMBER, PRESS CTRL-A.

IF NO NEW PERSON HAS JOINED THE RU, BACKUP TO CORRECT PREVIOUS SCREEN(S).

ENTER ALL THAT APPLY.

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

**Responses:**

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}1 ..... 1

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}2 ..... 2

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}3 ..... 3

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}4 ..... 4

{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}N ..... 5

**Programmer  
Instructions:**

If round 1, go to RE560. Otherwise, go to BOX\_210.

If a person from another RU verified, add that person to the RU-Members-Roster.

Control Variables Impacted: CtrlCurrHere

Roster behavior:

1. Multiple select and multiple add allowed.

2. Limited edit and delete allowed. RU members that have been “preloaded” for this case (RU members that are from the NHIS, any RU members added to RU during interround processing (PersAddedBetweenRnds=YES), or during the previous round) cannot be edited or deleted at any person roster. Only newly added RU members that have been added at this screen during the current interviewing session can be edited or deleted. FIs may back up and return to this screen to use edit or delete functionality, but may not edit or delete an RU member added at this screen at any other person roster.

Hard checks:

1. If person is marked as a current RU member [where (CtrlTrackSummAtEnd\_LP20 is empty or CtrlNewStudentAtEnd\_LP20 is empty) and (RE\_Person.MostRecentRU=RUUnit)], display message: "PERSON CANNOT BE SELECTED. S/HE HAS ALREADY BEEN IDENTIFIED AS PART OF THIS RU."

2. If person is marked as having left the RU (where CtrlTrackSummAtEnd\_LP20 is not empty or CtrlNewStudentAtEnd\_LP20 is not empty), display message: "PERSON CANNOT BE SELECTED. S/HE HAS ALREADY BEEN IDENTIFIED AS HAVING LEFT THE RU."

3. If a person was added at RE550 [CREATEQ=RE550 and OrigRnd=Current Round and DeleteFlg=empty], but that same person was not selected when interviewer leaves the screen, display the following message: "NEWLY ADDED PERSONS MUST BE SELECTED. YOU HAVE ADDED {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} AND DID NOT SELECT THEM. IF NEWLY ADDED PERSON(S) (IS/ARE) NOT PART OF THE RU, USE CTRL-D TO DELETE THEM."

Soft check:

1. If a person from another RU selected (RE\_Person.MostRecentRU does not equal RUUnit), display the message: "PERSON IS MEMBER OF ANOTHER RU. VERIFY THAT PERSON JOINED OR CORRECT SELECTION."

**Display  
Instructions:**

Roster 3 - add/edit/delete allowed

Roster definition:

Display the DU-Members-Roster for selection of new RU members.

Roster filter:

None. Display all DU members. (RE\_Person.PERSID)

Display any current RU members [where (CtrlTrackSummAtEnd\_LP20 is empty or CtrlNewStudentAtEnd\_LP20 is empty) and (RE\_Person.MostRecentRU=RUUnit)] and any RU



members marked as having left the RU (where CtrlTrackSummAtEnd\_LP20 is not empty or CtrlNewStudentAtEnd\_LP20 is not empty) as grayed out text.

For "AGE", display person's age calculated according to age calculation specifications in the GL section. If age has not been collected, display '-'

For "SEX", display person's sex as collected during previous interview (RE\_Person.Sex). If sex has not been collected, display '-'

For "RUID", display the RUID associated with this person (RE\_Person.MostRecentRU).

When CTRL-A selected, display the following customized question wording in the pop-up:

ENTER NAME OF NEW RU MEMBER WHO IS RELATED AND LIVING WITH THIS HOUSEHOLD.  
May I have their full name? VERIFY SPELLING.

IF NO MIDDLE NAME OR INITIAL, LEAVE FIELD BLANK.

Display first interviewer instruction and question text in lighter "grayed-out" text when cursor in middle name or last name entry field. Display the second interviewer instruction when cursor in middle name entry field.

Display 'is' if current round is not the final round of the Panel (RndType<>Final). Display 'was' if current round is the final round of the panel (RndType=Final). Display 'now' if current round is not the final round of the Panel (RndType<>Final). Display 'on December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers

Full Detail Spec

**RE560**

**(REA1585)**

**BLAISE NAME:** StuLiveAway

**Item Type:** Question  
**Type Class:** Enumerated  
**Answer Type:** TYESNO

**Field kind:** Datafield    **ArrayMin:**    **Min value:**  
**Field Size:**  
**Answers allowed:** 1    **ArrayMax:**    **Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

Are there any children or young people under 24 years of age related to {you/{REFERENCE PERSON}} and who usually live here but are currently living away from home in the U.S., never married, going to school? Please include any new member you may have just mentioned (who is under 24, never married, and living away from home going to school in the U.S.)

<b>Responses:</b>	YES	.....	1	RE570	(REA1590)
	NO	.....	2	BOX_220	(REA1735)
	REFUSED	.....	RF	BOX_220	(REA1735)
	DON'T KNOW	.....	DK	BOX_220	(REA1735)

**Programmer  
Instructions:**

Hard-check:

1. If answer to RE560 was changed from '1' (YES) to '2' (No) upon back-up and only one person was added at RE570 [CREATEQ=RE570 and OrigRnd=Current Round and DeleteFlg=empty], display the following message as a Manipula pop-up when the interviewer leaves the screen: "CHANGING ANSWER TO "NO" WILL DELETE {PERSON} AS PART OF THE RU. ARE YOU SURE YOU STILL WANT TO CHANGE THE ANSWER TO "NO"?" CAPI provides the options: YES, DELETE {PERSON} or NO, KEEP {PERSON}. If "YES, DELETE {PERSON}" is selected, set RE560 to '2' (No) and then set a delete flag to that one person with a CREATEQ=RE570 and OrigRnd=Current Round and DeleteFlg=empty. Then put FI back to the RE560 entry field (which is still coded '2' (NO)). If "NO, KEEP {PERSON}" is selected, set RE560 back to '1' (YES). Auto-select person at RE570 and put FI at the RE570 entry field with person already selected by CAPI.

2. If answer to RE560 was changed from '1' (YES) to '2' (No) upon back-up and more than one person was added at RE570 [>1 person with a CREATEQ=RE570 and OrigRnd=Current Round and DeleteFlg=empty], display the following message as a Manipula pop-up when the interviewer leaves the screen: "CHANGING ANSWER TO "NO" WILL DELETE {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} AS PART OF THE RU. DO YOU WANT TO DELETE ALL OF THEM?" CAPI provides the options:

- YES, DELETE ALL OF THEM
- NO, I WILL DELETE SELECT PERSON(S)
- NO, KEEP ALL OF THEM

If "YES, DELETE ALL OF THEM" is selected, set RE560 to '2' (No) and then set a delete flag to all the persons with a CREATEQ=RE570 and OrigRnd=Current Round and DeleteFlg=empty. Then put FI back to the RE560 entry field (which is still coded '2' (NO)).

If "NO, I WILL DELETE SELECT PERSON(S)" is selected, set RE560 back to '1' (Yes) and display a second Manipula pop-up message: "INTERVIEWER: AT THE NEXT SCREEN, USE CTRL-D TO DELETE THE PERSON(S) YOU WANT REMOVED FROM THE RU". After the FI presses OK to clear this message, auto-select all the persons with CREATEQ=RE570 and OrigRnd=Current Round and DeleteFlg=empty at RE570 and then put FI at the RE570 entry field with persons already selected by CAPI.

If "NO, KEEP ALL OF THEM" is selected, set RE560 back to "1" (YES). Auto-select all the persons with CREATEQ=RE570 and OrigRnd=Current Round and DeleteFlg=empty at RE570 and then put FI at the RE570 entry field with persons already selected by CAPI.

**Display  
Instructions:**

Display 'you' if the current round reference person is the same as the current round respondent. (RespondentPersID= RefPersPID) Otherwise, display '{REFERENCE PERSON}' substituting the full name of the current round reference person (RefPersPID).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers

**RE570**            **(REA1590)**            **BLAISE NAME:** StuLiveAwayRoster  
**Item Type:** Question            **Field kind:** Datafield    **ArrayMin:**            **Min value:**  
**Type Class:** Enumerated        **Field Size:**  
**Answer Type:** TNEWNUMEMBER    **Answers allowed:** 1    **ArrayMax:**            **Max value:**

Help Available ( )     Show Card ( )     Look Up File ( )

**Question Text:**

Who is under 24, never married, and living away at school in the U.S.?

PROBE: Anyone else?

TO ADD A NEW RU MEMBER, PRESS CTRL-A.

IF NO NEW PERSON HAS JOINED THE RU, BACKUP TO CORRECT PREVIOUS SCREEN(S).

ENTER ALL THAT APPLY.

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

**Responses:**

<p>{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}1</p> <p>{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}2</p> <p>{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}3</p> <p>{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}4</p> <p>{FIRST NAME [MIDDLE NAME] LAST NAME} is a {AGE}-year-old {SEX} part of {RUID}N</p>	<p>..... 1    BOX_180</p> <p>..... 2    BOX_180</p> <p>..... 3    BOX_180</p> <p>..... 4    BOX_180</p> <p>..... 5    BOX_180</p>	<p>(REA1635)</p> <p>(REA1635)</p> <p>(REA1635)</p> <p>(REA1635)</p> <p>(REA1635)</p>
---	---	--

**Programmer  
Instructions:**

If a person from another RU verified, add that person to the RU-Members-Roster. Control Variables Impacted: CtrlCurrHere  
Add each successfully selected (or added) person set AddAtRE570=YES.

Roster Behavior:

1. Multiple select and multiple add allowed.
2. Limited edit and delete allowed. RU members that have been “preloaded” for this case (RU members that are from the NHIS or the previous round) cannot be edited or deleted at any person roster. Only newly added RU members that have been added at this screen during the current interviewing session can be edited or deleted. FIs may back up and return to this screen to use edit or delete functionality, but may not edit or delete an RU member added at this screen at any other person roster.

Hard checks:

1. If a person was added at RE570 [CREATEQ=RE570 and OrigRnd=Current Round and DeleteFlg=empty], but that same person was not selected when interviewer leaves the screen, display the following message: “NEWLY ADDED PERSONS MUST BE SELECTED. YOU HAVE ADDED {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} AND DID NOT SELECT THEM. IF NEWLY ADDED PERSON(S) (IS/ARE) NOT PART OF THE RU, USE CTRL-D TO DELETE THEM.”

Soft check:

If a person from another RU selected (RE\_Person.MostRecentRU does not equal RUUnit), display the message: "PERSON IS MEMBER OF ANOTHER RU. VERIFY THAT PERSON JOINED OR CORRECT SELECTION."

**Display  
Instructions:**

Roster 3 - add/edit/delete allowed

Roster definition:

Display the DU-Members-Roster for selection of students under 24 living away at school.

Roster filter:

None. Display all DU members. (RE\_Person.PERSID)

Display any preloaded RU members and any newly added respondent as grayed out text.

For “AGE”, display person's age calculated according to age calculation specifications in the GL section. If age has not been collected, display '-'

For “SEX”, display person's sex as collected during previous interview (RE\_Person.Sex). If sex has not been collected, display '-'

For “RUID”, display the RUID letter associated with this person (RE\_Person.MostRecentRU).

When CTRL-A selected, display the following customized question wording in the pop-up:

ENTER NAME OF NEW RU MEMBER WHO IS RELATED AND IS A STUDENT, UNDER 24, NEVER MARRIED, AND LIVING AWAY AT SCHOOL.

May I have their full name? VERIFY SPELLING.  
IF NO MIDDLE NAME OR INITIAL, LEAVE FIELD BLANK.

Display first interviewer instruction and question text in lighter "grayed-out" text when cursor in middle name or last name entry field. Display the second interviewer instruction when cursor in middle name entry field.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers  
Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers

---

**BOX\_180**      **(REA1635)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If at least one person added to the RU-members-roster at RE570 (RE560 is coded '1' (YES)), continue with LOOP\_30. Otherwise, go to BOX\_220.

---

**LOOP\_30**      **(REA1640)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:** For each element in the RU-members-roster, ask RE580-END\_LP30.

Loop definition: LOOP\_30 collects information that CAPI requires to determine the keyness and eligibility of persons identified as under 24 living away at school. LOOP\_30 cycles on RU members selected at RE570 (AddAtRE570=YES).

Full Detail Spec

<b>RE580</b>	<b>(REA1645)</b>	<b>BLAISE NAME:</b> SchLevelAddedPers		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TSCHLLEVL	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (SCHOOLLEVELHelp)       Show Card ( )       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAMES}

**Question Text:**

{Are/Is} {you/{PERSON}} attending grades 1-12, a college or university, or some other training school after high school?

HELP: F1

<b>Responses:</b>	GRADES 1-12 .....	1		
	A COLLEGE OR UNIVERSITY .....	2	RE590	(REA1647)
	SOME OTHER TRAINING SCHOOL .....	3	RE590	(REA1647)
	AFTER HIGH SCHOOL			
	REFUSED .....	RF	RE590	(REA1647)
	DON'T KNOW .....	DK	RE590	(REA1647)

**Programmer Instructions:**     If coded ‘1’ (Grades 1-12), autocode RE610 to ‘5’ (VOLUNTEERED LEFT OFF THE ROSTER AT NHIS) and then go to END\_LP30.

Control variables impacted: CtrlCurrHere, CtrlTrackSumm

**Display Instructions:**

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.AddrUMembers.RE570RUMem[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.AddrUMembers.RE570RUMem[1..30]

Full Detail Spec

<b>RE590</b>	<b>(REA1647)</b>	<b>BLAISE NAME:</b> PersInOutUSAdded		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TIN_OUT	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (LIVEUSHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAMES}

**Question Text:**

{Were/Was} {you/{PERSON}} living within the U.S. or outside of the U.S. on {MONTH, DAY, YEAR OF NHIS INTERVIEW}?

HELP: F1

<b>Responses:</b>	WITHIN U.S.     .....	1	RE600	(REA1648)
	OUTSIDE U.S.   .....	2	END_LP30	(REA1670)
	REFUSED       .....	RF	RE600	(REA1648)
	DON'T KNOW   .....	DK	RE600	(REA1648)

**Programmer Instructions:**     Control variables impacted: CtrlCurrHere, CtrlTrackSumm, CtrlNewStudent, CtrlSampNHIS

**Display Instructions:**        Display the date of the NHIS interview (Preload.NHISDt) for {MONTH DAY, YEAR OF NHIS INTERVIEW}.

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.AddRUMembers.RE570RUMem[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.AddRUMembers.RE570RUMem[1..30]



Full Detail Spec

<b>RE600</b>	<b>(REA1648)</b>	<b>BLAISE NAME:</b> FTADutyAddedPers		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (ACTDUTYHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAMES}

**Question Text:**

{Were/Was} {you/{PERSON}} serving on full-time active duty with the U.S. Armed Forces on {MONTH, DAY, YEAR OF NHIS INTERVIEW}?

HELP: F1

<b>Responses:</b>	YES	.....	1	RE610	(REA1650)
	NO	.....	2	RE610	(REA1650)
	REFUSED	.....	RF	RE610	(REA1650)
	DON'T KNOW	.....	DK	RE610	(REA1650)

**Programmer Instructions:**     Control variables impacted: CtrlPersEligible

**Display Instructions:**     Display the date of the NHIS interview (Preload.NHISDt) for {MONTH, DAY, YEAR OF NHIS INTERVIEW}.

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.AddrUMembers.RE570RUMem[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.AddrUMembers.RE570RUMem[1..30]

Full Detail Spec

<b>RE610</b>	<b>(REA1650)</b>	<b>BLAISE NAME:</b> WhereStuNHIS		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TWHERSTUDX	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (WhereStuNHIS)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAMES}

**Question Text:**

When this household participated in the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}, {were/was} {you/{PERSON}} living away at school, living on a military facility, institutionalized, or living at another private residence?

HELP: F1

<b>Responses:</b>	LIVING AWAY AT SCHOOL .....	1	RE620	(REA1655)
	LIVING ON A MILITARY FACILITY .....	2		
	INSTITUTIONALIZED IN A FACILITY .....	3	END_LP30	(REA1670)
	IN ANOTHER PRIVATE RESIDENCE/HOUSEHOLD .....	4	RE620	(REA1655)
	VOLUNTEERED LEFT OFF THE ROSTER AT NHIS .....	5	END_LP30	(REA1670)
	REFUSED .....	RF	RE620	(REA1655)
	DON'T KNOW .....	DK	RE620	(REA1655)

**Programmer Instructions:** Control variables impacted: CtrlTrackSumm, CtrlNewStudent, CtrlSampNHIS, CtrlPersKey, CtrlPersEligible, CtrlCurrHere

If coded '2' (LIVING ON A MILITARY FACILITY) and RE600 is coded '1' (YES), go to END\_LP30.

If coded '2' (LIVING ON A MILITARY FACILITY) and RE600 is coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), go to RE620.

**Display Instructions:** For {MONTH ...}, display the NHIS interview date (Preload.NHISDt).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.AddRUMembers.RE570RUMem[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.AddRUMembers.RE570RUMem[1..30]

<b>RE620</b>	<b>(REA1655)</b>	<b>BLAISE NAME:</b> NHISAge		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

At the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}, {were/was} {you/{PERSON}} 17 to 23 years old?

**Responses:**

YES	.....	1		
NO	.....	2	END_LP30	(REA1670)
REFUSED	.....	RF	END_LP30	(REA1670)
DON'T KNOW	.....	DK	END_LP30	(REA1670)

**Programmer Instructions:** Control variables affected: CtrlTrackSumm, CtrlPersEligible  
 If coded '1' (YES) AND RE610 coded '1' (LIVING AWAY AT SCHOOL), continue with RE630.  
 If coded '1' (YES) AND RE610 not coded '1' (LIVING AWAY AT SCHOOL), go to END\_LP30.

**Display Instructions:** For {MONTH ...}, display the NHIS interview date (Preload.NHISDt).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.AddRUMembers.RE570RUMem[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.AddRUMembers.RE570RUMem[1..30]

<b>RE630</b>	<b>(REA1660)</b>	<b>BLAISE NAME:</b> NHISParentRU		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

At the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW} were either of {your/{PERSON}'s} parents living at {NHIS ADDRESS}?

**Responses:**  
 YES ..... 1 END\_LP30 (REA1670)  
 NO ..... 2 END\_LP30 (REA1670)  
 REFUSED ..... RF END\_LP30 (REA1670)  
 DON'T KNOW ..... DK END\_LP30 (REA1670)

**Programmer Instructions:** Control variables impacted: CtrlNewStudent, CtrlTrackSumm, CtrlPersKey, CtrlCurrHere

**Display Instructions:** For {MONTH DAY, YEAR OF NHIS INTERVIEW}, display the NHIS interview date (Preload.NHISDt).  
For {NHIS ADDRESS} display the NHIS full address, including city and state but not zip code.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.AddRUMembers.RE570RUMem[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.AddRUMembers.RE570RUMem[1..30]

---

**END LP30**      **(REA1670)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:** Cycle on next person in the RU-members-roster who meets the conditions stated in the loop definition. If no more persons meet the stated conditions, continue with BOX\_200.

**Programmer  
Instructions:**

Control Variables Impacted: CtrlSampNHIS, CtrlNewStudent

Keep RemovedAtLoop30 = Empty if:

- RE580 is coded '1' (GRADES 1-12).

Note: Person remains a current member of this RU. This person is currently here, in-scope, and eligible for the entire reference period.

Set RemovedAtLoop30 = YES and MoverAtLoop30=YES if:

- RE580 is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW) **and** RE610 is coded '2' (LIVING ON A MILITARY FACILITY), '3' (INSTITUTIONALIZED IN A FACILITY), or '5' (VOLUNTEERED LEFT OFF THE ROSTER AT NHIS)  
OR
- RE580 is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW) **and** RE590 is coded '2' (OUTSIDE U.S.)

Note: Persons did not have a chance of selection at NHIS and are not students now, so they will be followed as movers. This person is not currently here, but is in-scope and eligible to be interviewed as part of another RU from January 1 until that new interview date. The RE section will collect locating information for this person, but person will not be included in this interview after the RE section. Information for person will be collected as part of another RU.

Set RemovedAtLoop30 = YES and StudentMoverAtLoop30=YES if:

- If RE580 is coded is coded '2' (A COLLEGE OR UNIVERSITY) or '3' (SOME OTHER TRAINING SCHOOL AFTER HIGH SCHOOL) **and** RE610 is coded '2' (LIVING ON A MILITARY FACILITY), '3' (INSTITUTIONALIZED IN A FACILITY), or '5' (VOLUNTEERED LEFT OFF THE ROSTER AT NHIS)  
OR
- If RE580 is coded '2' (A COLLEGE OR UNIVERSITY) or '3' (SOME OTHER TRAINING SCHOOL AFTER HIGH SCHOOL) **and** RE590 is coded '2' (OUTSIDE U.S.)  
OR
- If RE630 is coded '1' (YES)

Note: Persons did not have a chance of selection at NHIS (left off roster) and are students now, so they will be followed as student movers. This person is not currently here, but at this point in the interview the student is eligible and in-scope for data collection in a student RU. The RE section will later determine if locating information for this student is necessary. Students are included for some items in RE but not the rest of the interview.

Set RemovedAtLoop30 = YES and MoverAtLoop30=NO if:

- If RE620 is coded '2' (NO), 'RF' (REFUSED) or 'DK' (DON'T KNOW)  
OR
- If RE630 is coded '2' (NO), 'RF' (REFUSED) or 'DK' (DON'T KNOW)  
OR
- If RE610 is coded '4' (PRIVATE RESIDENCE), 'RF' (REFUSED) or 'DK' (DON'T KNOW)

Note: Persons did have a chance of selection at NHIS so they are out of scope and will not have data collected during this interview and will not be followed. This person is not currently here, they have no period of eligibility and are out-of-scope. The RE section will NOT collect locating information for this person; person will not be included in the rest of

the interview and will not be followed.

**BOX\_200**      **(REA1675)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If at at least one person where RemovedAtLoop30 = YES and MoverAtLoop30=NO,  
continue with RE640.  
Otherwise, go to BOX\_220.

**RE640**      **(REA1680)**      **BLAISE NAME:** NoQuexForStu  
**Item Type:** Instruction      **Field kind:** Datafield  
**Type Class:** Enumerated  
**Answer Type:** TContinue      **Answers allowed:** 1

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

At the time we are only collecting information about some of the students you just now identified. Therefore, the remaining questions will not be asked about (READ NAMES BELOW).

- [1. [First Name],[Middle Name],Last Name]1
- [2. [First Name],[Middle Name],Last Name]2
- [3. [First Name],[Middle Name],Last Name]3
- [4. [First Name],[Middle Name],Last Name]4
- [5. [First Name],[Middle Name],Last Name]N

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**      CONTINUE ..... 1 BOX\_220      (REA1735)

**Display  
Instructions:**

Roster 1 - Report

Roster definition:

This item displays RU-members-roster. Display RU member's first, middle, and last names (RE\_Person.FullName)

Roster filter:

Display all persons where RemovedAtLoop30 = YES and MoverAtLoop30=NO

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers

Variable stored at MEPS(Fall/Spring)YYYY.RE\_Main.AddRUMembers

**BOX 210**

**(REA1685)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If Round 1, go to BOX\_230.

Otherwise (Round <> 1), continue with RE650\_01.



Full Detail Spec

<b><u>RE650_01</u></b>	<b><u>(REA1690)</u></b>	<b><u>BLAISE NAME:</u></b> SexB		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TSEXDKRF	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

VERIFY DISPLAYED INFORMATION.  
 ASK QUESTION FOR EACH BLANK FIELD.

What is {your/{PERSON}'s} sex?

**Responses:**            MALE            ..... 1  
                               FEMALE        ..... 2  
                               REFUSED       ..... RF  
                               DON'T KNOW   ..... DK

**Programmer Instructions:** Preloaded Grid Type 2 including RE650\_01, RE650\_02, RE650\_03, RE650\_04, RE650\_05, RE650\_06, RE650\_07, and BOX\_215.

Roster behavior:

1. RE650\_01, RE650\_02, RE650\_03, RE650\_04, and RE650\_05 uses preloaded data in the form pane. When that data has a value of RF or DK, display the entry field as empty. Interviewer will be required to enter another response even if that response is RF or DK again.
2. Enable movement on screen so that interviewer can enter/update sex, date of birth and age for all persons by row.
3. SEX, DATE OF BIRTH, and AGE (when age is not calculated by CAPI) can be edited.
4. Replacing 'real' data with RF or DK is disallowed. If the interviewer tries to do so, display the message: "DO NOT REPLACE EXISTING INFORMATION WITH REFUSED OR DON'T KNOW".

If DATE OF BIRTH is changed, CAPI will calculate the new age automatically and display in the AGE column. See the Global Spec for how to calculate age.

SOFT CHECK

If person's sex changes compared to preloaded sex, display the message: "ARE YOU SURE YOU WANT TO CHANGE THIS PERSON'S SEX? IF YES, CLICK SUPPRESS. IF NO, MAKE THE NECESSARY CORRECTION."

**Display Instructions:**

Roster 1 - Report

Roster definition:

Display the RU-members-roster for verification and correction. This will include all original RU members not removed, persons added between rounds (not removed this round), persons merged from the DU, and persons who may have been ineligible in a prior round but were merged back into this RU. Format response pane in columns with headers: RU Member, Sex, Month of Birth, Day of Birth, Year of Birth, Age, Estimated Age, Age Guess.

For RU MEMBER display RU members' first, middle, and last names (RE\_Person.FullName)

Roster filter:

Display all persons in RE\_Person Array where MostRecentRU=RUnit excluding persons where RemovedatRE180=YES, MoverAtLoop10=YES or NO, RemovedatRE330=YES, MoverAtLoop20= YES or NO, or MoverAtLoop30=YES or NO.

Prefill with RU members' sex (PL\_Person.Sex) when available.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]



Full Detail Spec

<b>RE650_03</b>	<b>(REA1692)</b>	<b>BLAISE NAME: DOBDD</b>		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 31

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

VERIFY DISPLAYED INFORMATION.  
ASK QUESTION FOR EACH BLANK FIELD.

[What is {your/{PERSON}'s} date of birth?]

ENTER DAY.

**Responses:**                      ..... 1  
REFUSED                      ..... RF  
DON'T KNOW                      ..... DK

**Display Instructions:**                      Prefill with RU member’s day of birth (PL\_Person.DOBDD) when available. Display question text in brackets and lighter “grayed-out” text.

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]

Full Detail Spec

**RE650\_04**

**(REA1693)**

**BLAISE NAME: DOBYYYYB**

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1900

**Type Class:** Integer      **Field Size:** 4

**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 2100

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

VERIFY DISPLAYED INFORMATION.  
ASK QUESTION FOR EACH BLANK FIELD.

[What is {your/{PERSON}'s} date of birth?]

ENTER 4- DIGIT YEAR.

**Responses:**

.....	1
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer  
Instructions:**

Hard check:

Date entered must be between {YEAR} - 120 years where 'YEAR' is the current year and today's date. If a date outside of this range is entered, display the following message:  
"UNLIKELY RESPONSE. DATE CANNOT BE AFTER TODAY'S DATE OR BEFORE

{YEAR-120}. VERIFY WITH RESPONDENT AND RE-ENTER."

Set RE\_Person.NewBorn=Yes if:

- RU member was added to the RU this round (RE\_Person.PreloadOrd=Empty AND RE\_Person.MostRecentRU=RUnit) AND
- Complete DOB was provided at RE650\_02, RE650\_03, and RE650\_04 (DOBD, DOBM, and DOBY <> 'RF' (REFUSED) or 'DK' (DON'T KNOW); AND
- DOBD, DOBM, DOBY is between 1/1/FirstPanYear and the current round interview date (InterviewDate).

Control Variables Impacted: CtrlCurrHere

**Display  
Instructions:**

Prefill with RU member's year of birth (PL\_Person.DOBY) when available. Display question text in brackets and lighter "grayed-out" text.

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]

Full Detail Spec

**RE650\_05**      **(REA1694)**      **BLAISE NAME:** AgeRndB  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 0  
**Type Class:**      Integer      **Field Size:** 3  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 120

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

VERIFY DISPLAYED INFORMATION.  
 ASK QUESTION FOR EACH BLANK FIELD.

VERIFY {PERSON}'s AGE - IF AGE IS INCORRECT, RE-ENTER DATE OF BIRTH.  
 IF DATE OF BIRTH UNKNOWN, PROBE FOR AGE AND ENTER IF KNOWN.

**Responses:**      ..... 1  
 REFUSED ..... RF  
 DON'T KNOW ..... DK

**Programmer Instructions:**      For current round is the final round of the panel (RndType=Final), AGE is calculated as of DECEMBER 31, {YEAR}, where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

If the interviewer enters an age that contradicts the DOB, CAPI will still calculate age (See GL specs for age calculation instructions) based on DOB when the interviewer leaves the screen. No error message is displayed.

**Display Instructions:**      Prefill with RU member's age (PL\_Person.AGERND) when available if age cannot be calculated.

Note: if the current round is the final round of the panel (RndType=Final), age is calculated as of December 31, {YEAR}, where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).  
 Otherwise, use a null display.

**Testing/Editing Notes:**      Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]

Full Detail Spec

<b>RE650_06</b>	<b>(REA1695)</b>	<b>BLAISE NAME:</b> AgeRngB		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TAGERANG2	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

PROBE FOR RESPONDENT'S BEST ESTIMATE OF AGE.

{{Are/Is}/As of December 31, {YEAR}, were/was}} {you/{PERSON}} less than 1 year old, 1-4, 5-15, 16-23, 24-34, 35-44, 45-54, 55-64, or 65 years or older?

**Responses:**

LESS THAN 1 YEAR OLD	-----	1
1 - 4	-----	2
5 - 15	-----	3
16 - 23	-----	4
24 - 34	-----	5
35 - 44	-----	6
45 - 54	-----	7
55 - 64	-----	8
65 YEARS OR OLDER	-----	9
REFUSED	-----	RF
DON'T KNOW	-----	DK

**Programmer Instructions:**     Display RE650\_06 as an active cell for RU members if RE650\_05=DK or RF. Otherwise, RE650\_06 is an inactive cell for RU member.

**Display Instructions:**     Display '(Are/Is)' if current round is not the final round of the Panel (RndType<>Final). Display 'As of December 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]



Full Detail Spec

**RE650\_07**                      **(REA1696)**                      **BLAISE NAME:** AgeGuessB  
**Item Type:** Question                      **Field kind:** Datafield    **ArrayMin:**                      **Min value:**  
**Type Class:** Enumerated                      **Field Size:**  
**Answer Type:** TPR                      **Answers allowed:** 1    **ArrayMax:**                      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

ENTER YOUR BEST GUESS FOR {PERSON}'S AGE {AS OF DECEMBER 31, {YEAR}}.

**Responses:**

LESS THAN 1 YEAR OLD	-----	1	BOX_215	(REA1700)
1 - 4	-----	2	BOX_215	(REA1700)
5 - 15	-----	3	BOX_215	(REA1700)
16 - 23	-----	4	BOX_215	(REA1700)
24 - 34	-----	5	BOX_215	(REA1700)
35 - 44	-----	6	BOX_215	(REA1700)
45 - 54	-----	7	BOX_215	(REA1700)
55 - 64	-----	8	BOX_215	(REA1700)
65 YEARS OR OLDER	-----	9	BOX_215	(REA1700)

**Programmer Instructions:**                      Refused and Don't Know disallowed.  
  
 Display RE650\_07 as an active cell for RU members if RE650\_06 = RF or DK. Otherwise, RE650\_07 is an inactive cell for RU member.

**Display Instructions:**                      Display 'AS OF DECEMBER 31, {YEAR}' if the current round is the final round of the panel (RndType=Final), where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). Otherwise, use a null display.

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurrMemGrid.CurMem[1..30]

**BOX 215**                      **(REA1700)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**                      Go to BOX\_240.

**Programmer Instructions:** Before leaving the grid, CAPI should verify that all eligible fields per row of the grid have a valid answer entered. If not, display error message: "ONE OR MORE QUESTIONS HAVE NOT BEEN ANSWERED. PRESS <OK> TO GO TO THE FIRST UNANSWERED QUESTION: {Question Tag} FOR {PERSON'S FIRST, MIDDLE AND LAST NAME}". CAPI will move to the first unanswered item/field, starting from the top left of the grid and moving to the next unanswered item, left to right by row, until all are complete.

**BOX 220**      **(REA1735)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If at least one person in the RU-members-roster meets all of the following conditions:  
- Added to the RU this round (RE\_Person[].PreloadOrd = EMPTY AND RE\_Person[].MostRecentRU = RUUnit)  
AND  
- Not a DU member at the time of NHIS, that is, a new RU member not selected from the DU-members-roster (RE\_Person.PERSID not equal to any PL\_Person.PERSID), AND  
- Not newly added out-of-scope student (not [RemovedAtLoop30=YES and MoverAtLoop=NO])  
  
Continue with RE680\_01.  
  
Otherwise, go to BOX\_230.

Full Detail Spec

<b><u>RE680_01</u></b>	<b><u>(REA1740)</u></b>	<b><u>BLAISE NAME:</u></b> SexC		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TSEXDKRF	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

ASK QUESTION FOR EACH BLANK FIELD.

SELECT SEX.

What is {PERSON}'s sex?

**Responses:**

MALE	.....	1
FEMALE	.....	2
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** Preloaded Grid Type 2 including RE680\_01, RE680\_02, RE680\_03, RE680\_04, RE680\_05, RE680\_06, RE680\_07, and BOX\_225.

Roster behavior:

1. RE680\_01, RE680\_02, RE680\_03, RE680\_04, and RE680\_05 uses preloaded data in the form pane. When that data has a value of RF or DK, display the entry field as empty. Interviewer will be required to enter another response even if that response is RF or DK again.
2. Enable movement on screen so that interviewer can enter/update SEX, DATE OF BIRTH and AGE for all persons by row.
3. SEX, DATE OF BIRTH, and AGE (when AGE is not calculated by CAPI) can be edited.
4. Replacing 'real' data with RF or DK is disallowed. If the interviewer tries to do so, display the message: "DO NOT REPLACE EXISTING INFORMATION WITH REFUSED OR DON'T KNOW."
5. If DATE OF BIRTH is changed, CAPI will calculate the new AGE automatically and display the AGE in the AGE column. See GL spec on how to calculate age.
6. Select, Add, and Delete disallowed in all columns.

SOFT CHECK

If person sex changes compared to preloaded sex display the message: "ARE YOU SURE YOU WANT TO CHANGE THIS PERSON'S SEX?"

**Display Instructions:**

Roster 1 - Report

Roster definition:

Display the RU-members-roster for verification and correction. Format response pane in columns with headers: RU Member, Sex, Month of Birth, Day of Birth, Year of Birth, Age, Estimated Age, Age Guess.

For RU MEMBER display RU members' first, middle, and last names (RE\_Person.FullName)

Roster filter:

Display persons who meet the following conditions:

- Added to the RU this round (RE\_Person[].PreloadOrd = EMPTY AND RE\_Person[].MostRecentRU = RUUnit)  
AND

- Not a DU member at the time of NHIS, that is, a new RU member not selected from the DU-members-roster (RE\_Person.PERSID not equal to any PL\_Person.PERSID)

Of the persons who meet the above conditions, exclude any persons where  
-[RemovedAtLoop30=YES and MoverAtLoop=NO]

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]

Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]

<b><u>RE680_02</u></b>	<b><u>(REA1741)</u></b>	<b><u>BLAISE NAME:</u></b> DOBMMC		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 12

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

VERIFY DISPLAYED INFORMATION.  
ASK QUESTION FOR EACH BLANK FIELD.

What is {PERSON}'s date of birth?

ENTER MONTH.

**Responses:**                      ----- 1

REFUSED                      ----- RF

DON'T KNOW                      ----- DK

**Display Instructions:**     Prefill with RU member's month of birth (RE\_Person.DOBM) when available.

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]

Full Detail Spec

<b>RE680_03</b>	<b>(REA1742)</b>	<b>BLAISE NAME:</b> DOBDDC		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 31

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

VERIFY DISPLAYED INFORMATION.  
ASK QUESTION FOR EACH BLANK FIELD.

[What is {PERSON}'s date of birth?]

ENTER DAY.

**Responses:**                      ..... 1  
REFUSED                      ..... RF  
DON'T KNOW                      ..... DK

**Display Instructions:**                      Prefill with RU member’s day of birth (RE\_Person.DOBDD) when available. Display question text in brackets and lighter “grayed-out” text.

**Testing/Editing Notes:**                      Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]

Full Detail Spec

**RE680\_04**

**(REA1743)**

**BLAISE NAME: DOBYYYYC**

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1900

**Type Class:** Integer      **Field Size:** 4

**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 2100

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

VERIFY DISPLAYED INFORMATION.  
ASK QUESTION FOR EACH BLANK FIELD.

[What is {PERSON}'s date of birth?]

ENTER 4- DIGIT YEAR.

**Responses:**

.....	1
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer  
Instructions:**

Hard check:

Date entered must be between {YEAR} - 120 years where 'YEAR' is the current year and today's date. If a date outside of this range is entered, display the following message:  
"UNLIKELY RESPONSE. DATE CANNOT BE AFTER TODAY'S DATE OR BEFORE {YEAR-120}. VERIFY WITH RESPONDENT AND RE-ENTER."

Control Variables Impacted: CtrlCurrHere

Set RE\_Person.NewBorn=Yes if:

- RU member was added to the RU this round (RE\_Person.PreloadOrd=Empty AND RE\_Person.MostRecentRU=RUnit) AND
- Complete DOB was provided at RE680\_02, RE680\_03, and RE680\_04 (DOBD, DOBM, and DOBY <> 'RF' (REFUSED) or 'DK' (DON'T KNOW); AND
- DOBD, DOBM, DOBY is between NHIS interview date (NHISDt) and the current round interview date (InterviewDate).

**Display  
Instructions:**

Prefill with RU member's year of birth (RE\_Person.DOBY) when available. Display question text in brackets and lighter "grayed-out" text.

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]



## Full Detail Spec

**RE680\_05****(REA1744)****BLAISE NAME:** AgeRndC**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 0**Type Class:** Integer      **Field Size:** 3**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 120 Help Available ( ) Show Card ( ) Look Up File ( )**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}**Question Text:**

VERIFY DISPLAYED INFORMATION.  
 ASK QUESTION FOR EACH BLANK FIELD.

VERIFY {PERSON}'s AGE - IF AGE IS INCORRECT, RE-ENTER DATE OF BIRTH.

**Responses:**

----- 1  
 REFUSED ----- RF  
 DON'T KNOW ----- DK

**Programmer Instructions:**

If the current round is the final round of the panel (RndType=Final), AGE is calculated as of DECEMBER 31, {YEAR}, where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

If the interviewer enters an AGE that contradicts the DOB, CAPI will still calculate AGE (See GL spec) based on DOB when the interviewer leaves the screen. No error message is displayed.

**Display Instructions:**

Prefill with RU member's age (RE\_Person. AGERND) when available if age cannot be calculated.

Note: If the current round is the final round of the panel (RndType=Final), AGE is calculated as of DECEMBER 31, {YEAR}, where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1).

Otherwise, use a null display.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]

Full Detail Spec

<b>RE680_06</b>	<b>(REA1745)</b>	<b>BLAISE NAME:</b> AgeRngC		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TAGERANG2	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

PROBE FOR RESPONDENT'S BEST ESTIMATE OF AGE.

{Are/Is} {you/{PERSON}} less than 1 year old, 1-4, 5-15, 16-23, 24-34, 35-44, 45-54, 55-64, or 65 years or older?

**Responses:**

LESS THAN 1 YEAR OLD	.....	1
1 - 4	.....	2
5 - 15	.....	3
16 - 23	.....	4
24 - 34	.....	5
35 - 44	.....	6
45 - 54	.....	7
55 - 64	.....	8
65 YEARS OR OLDER	.....	9
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:**     Display RE680\_06 as an active cell for RU member if RE680\_05=DK or RF. Otherwise RE680\_06 is an inactive cell for RU member.

**Display Instructions:**

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]

Full Detail Spec

**RE680\_07**      **(REA1746)**      **BLAISE NAME:** AgeGuessC  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TPR      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

ENTER YOUR BEST GUESS FOR {PERSON}'S AGE.

**Responses:**

LESS THAN 1 YEAR OLD	.....	1	BOX_225	(REA1750)
1 - 4	.....	2	BOX_225	(REA1750)
5 - 15	.....	3	BOX_225	(REA1750)
16 - 23	.....	4	BOX_225	(REA1750)
24 - 34	.....	5	BOX_225	(REA1750)
35 - 44	.....	6	BOX_225	(REA1750)
45 - 54	.....	7	BOX_225	(REA1750)
55 - 64	.....	8	BOX_225	(REA1750)
65 YEARS OR OLDER	.....	9	BOX_225	(REA1750)

**Programmer Instructions:**    Display RE680\_07 as an active cell for RU member if RE680\_06= DK or RF. Otherwise RE680\_07 is an inactive cell for RU member.

**Display Instructions:**

**Testing/Editing Notes:**    Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.NewAddNotAtNHISGrid.NewAddNotAtNHIS[1..30]

**BOX\_225**      **(REA1750)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**    Go to BOX\_230.

**Programmer Instructions:** Before leaving the grid, CAPI should verify that all eligible fields per row of the grid have a valid answer entered. If not, display error message: "ONE OR MORE QUESTIONS HAVE NOT BEEN ANSWERED. PRESS <OK> TO GO TO THE FIRST UNANSWERED QUESTION: {Question Tag} FOR {PERSON'S FIRST, MIDDLE AND LAST NAME}." CAPI will move to the first unanswered item/field, starting from the top left of the grid and moving to the next unanswered item, left to right by row, until all are complete.

---

**BOX\_230**      **(REA1785)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If Round 1

and

At least one person on RE\_Person Array where MostRecentRU=RUnit meets the following conditions:

- Was an NHIS RU member (RE\_Person.PERSID = PL\_Person.PERSID)

And

- Was not removed from the RU or is a student ([RemovedAtLoop10=empty and RemovedAtLoop20=Empty and RemovedAtLoop30=Empty] OR [StudentMoverAtLoop20=YES or StudentMoverAtLoop30=YES])

Continue with RE710\_01.

Otherwise, go to BOX\_240.

Full Detail Spec

**RE710\_01**      **(REA1795)**      **BLAISE NAME:** FName  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 40  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Let's review some information about {you/{PERSON}}, starting with {your/his/her} name. Is {NHIS FIRST NAME} {NHIS MIDDLE NAME} {NHIS LAST NAME} spelled correctly?

VERIFY FULL NAME AND SPELLING. MAKE CORRECTIONS AS NECESSARY.

**Responses:**                                      ----- 1 RE710\_02                                      (REA1796)  
REFUSED                                      ----- RF RE710\_02                                      (REA1796)  
DON'T KNOW                                      ----- DK RE710\_02                                      (REA1796)

**Programmer Instructions:** Preloaded Grid Type 1 including question RE710\_[1-3], RE720, RE730\_[1-3], RE740, RE750, RE760, and RE770.

Refused and Don't Know allowed. Hard Check. Do not allow interviewer to change 'real data' to 'RF' (REFUSED) or 'DK' (DON'T KNOW). If attempted, display the following message: "CHANGING NHIS DATA TO REFUSED OR DON'T KNOW IS NOT ALLOWED."

As the interviewer makes an update to grid entry field, the corresponding display in the info pane is also updated.

**Display Instructions:** Roster 1 – Report

Roster definition:  
Displays RU members who were part of the original RU or DU and are part of the current RU and includes any RU members who are 'NEW STUDENTS' for entry/verification of NAME, SEX, DOB, and AGE (as collected during the NHIS) in the form pane. Format response pane in columns with headers: RU Member, First Name, Middle Name, Last Name, Sex, Month of Birth, Day of Birth, Year of Birth, Age Calculation, Self Report Age, Estimated Age, Age Guess.

Roster filter:  
Display all persons on RE\_Person Array where MostRecentRU=RUUnit who meet the following conditions::

- RE\_Person.PERSID = PL\_Person.PERSID

And

- ([RemovedAtLoop10=empty and RemovedAtLoop20=Empty and RemovedAtLoop30=Empty] OR [StudentMoverAtLoop20=YES or StudentMoverAtLoop30=YES])

For '{NHIS FIRST NAME}', '{NHIS MIDDLE NAME}', and '{NHIS LAST NAME}', display the person's name as recorded in the NHIS. Use PL\_Person.FName, PL\_Person.MName, and PL\_Person.LName.

Prefill RE710\_01 response entry field in the grid with person's first name as recorded in the NHIS when available (PL\_Person.FName).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

Full Detail Spec

**RE710\_02**

**(REA1796)**

**BLAISE NAME:** MName

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** String      **Field Size:** 40

**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Let's review some information about {you/{PERSON}}, starting with the name. Is {NHIS FIRST NAME} {NHIS MIDDLE NAME} {NHIS LAST NAME} spelled correctly?]

{What is {your/{NHIS FIRST NAME}'s} middle name or initial?}

VERIFY FULL NAME AND SPELLING. MAKE CORRECTIONS AS NECESSARY.

IF NO MIDDLE NAME, LEAVE FIELD BLANK.

**Responses:**

.....	1	RE710_03	(REA1797)
EMPTY .....	Empty	RE710_03	(REA1797)
REFUSED .....	RF	RE710_03	(REA1797)
DON'T KNOW .....	DK	RE710_03	(REA1797)

**Programmer  
Instructions:**

Refused and Don't Know allowed. Hard Check. Do not allow interviewer to change 'real data' to 'RF' (REFUSED) or 'DK' (DON'T KNOW). If attempted, display the following message: "CHANGING NHIS DATA TO REFUSED OR DON'T KNOW IS NOT ALLOWED."

As the interviewer makes an update to grid entry field, the corresponding display in the info pane is also updated.

**Display  
Instructions:**

Display the question text "Let's review...spelled correctly?" in brackets and lighter "grayed out" text.

For '{NHIS FIRST NAME}', '{NHIS MIDDLE NAME}', and '{NHIS LAST NAME}', display the person's name as recorded in the NHIS. Use PL\_Person.FName, PL\_Person.MName, and PL\_Person.LName.

Display "What is {your/{NHIS FIRST NAME}'s} middle name or initial?" if PL\_Person.MName = Empty. Otherwise, use a null display.

Prefill RE710\_02 response entry field in the grid with person's middle name as recorded in the NHIS when available (PL\_Person.MName).

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]



Full Detail Spec

<b>RE710_03</b>	<b>(REA1797)</b>	<b><u>BLAISE NAME:</u> LName</b>		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Let's review some information about {you/{PERSON}}, starting with the name. Is {NHIS FIRST NAME} {NHIS MIDDLE NAME} {NHIS LAST NAME} spelled correctly?]

VERIFY FULL NAME AND SPELLING. MAKE CORRECTIONS AS NECESSARY.

<b>Responses:</b>	.....	1	RE720	(REA1815)	
	REFUSED	.....	RF	RE720	(REA1815)
	DON'T KNOW	.....	DK	RE720	(REA1815)

**Programmer Instructions:** Refused and Don't Know allowed. Hard Check. Do not allow interviewer to change 'real data' to 'RF' (REFUSED) or 'DK' (DON'T KNOW). If attempted, display the following message: "CHANGING NHIS DATA TO REFUSED OR DON'T KNOW IS NOT ALLOWED."

As the interviewer makes an update to grid entry field, the corresponding display in the info pane is also updated.

**Display Instructions:** Display the question text in brackets and lighter "grayed out" text.

For '{NHIS FIRST NAME}', '{NHIS MIDDLE NAME}', and '{NHIS LAST NAME}', display the person's name as recorded in the NHIS. Use PL\_Person.FName, PL\_Person.MName, and PL\_Person.LName.

Prefill RE710\_03 response entry field in the grid with person's last name as recorded in the NHIS when available (PL\_Person.LName).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

Full Detail Spec

<b><u>RE720</u></b>	<b><u>(REA1815)</u></b>	<b><u>BLAISE NAME:</u></b> SexD		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TSEXCNV	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

So {you/{PERSON}} {are/is} {NHIS SEX}. Is that correct?

MAKE CORRECTIONS TO SEX BELOW AS NECESSARY.

<b>Responses:</b>	MALE	.....	1	RE730_01	(REA1820)
	FEMALE	.....	2	RE730_01	(REA1820)
	REFUSED	.....	RF	RE730_01	(REA1820)
	DON'T KNOW	.....	DK	RE730_01	(REA1820)

**Programmer Instructions:** Refused and Don't Know allowed. Hard Check. Do not allow interviewer to change 'real data' to 'RF' (REFUSED) or 'DK' (DON'T KNOW). If attempted, display the following message: "CHANGING NHIS DATA TO REFUSED OR DON'T KNOW IS NOT ALLOWED."

As the interviewer makes an update to grid entry field, the corresponding display in the info pane is also updated.

**SOFT CHECK**

If person's sex changes compared to preloaded sex, display the message: "ARE YOU SURE YOU WANT TO CHANGE THIS PERSON'S SEX? IF YES, CLICK SUPPRESS. IF NO, MAKE THE NECESSARY CORRECTION."

**Display Instructions:** For '{NHIS SEX}' display the person's sex as recorded in the NHIS. Use PL\_Person.Sex. Prefill RE720 response entry field in the grid with DU members' sex (PL\_Person.Sex).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

Full Detail Spec

RE730\_01

(REA1820)

BLAISE NAME: DOBMMD

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1

**Type Class:** Integer      **Field Size:** 2

**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 12

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

I have recorded that {you/{PERSON}} {were/was} born on {NHIS DATE OF BIRTH}. Is that correct?

MAKE CORRECTIONS TO BIRTHDATE AS NECESSARY.

ENTER MONTH.

**Responses:**

.....	1	RE730_02	(REA1821)
REFUSED .....	RF	RE730_02	(REA1821)
DON'T KNOW .....	DK	RE730_02	(REA1821)

**Programmer Instructions:** If current info is not available, entry for DATE OF BIRTH is required. (RF and DK are allowed.) Refused and Don’t Know allowed. Hard Check. Do not allow interviewer to change ‘real data’ to ‘RF’ (REFUSED) or ‘DK’ (DON’T KNOW). If attempted, display the following message: "CHANGING NHIS DATA TO REFUSED OR DON'T KNOW IS NOT ALLOWED."

As the interviewer makes an update to grid entry field, the corresponding display in the info pane is also updated.

**Display Instructions:** For '{NHIS DATE OF BIRTH}' display the person's date of birth as recorded in the NHIS. Use PL\_Person.DOBM, PL\_Person.DOB, and PL\_Person.DOBY  
 Prefill RE730\_01 response entry field in the grid with person’s DOB month as recorded in the NHIS when available (PL\_Person.DOBM).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

Full Detail Spec

<b>RE730_02</b>	<b>(REA1821)</b>	<b>BLAISE NAME:</b> DOBDDD		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 31

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[I have recorded that {you/{PERSON}} {were/was} born on {NHIS DATE OF BIRTH}. Is that correct?

MAKE CORRECTIONS TO BIRTHDATE AS NECESSARY.]

ENTER DAY.

**Responses:**

.....	1	RE730_03	(REA1822)
REFUSED .....	RF	RE730_03	(REA1822)
DON'T KNOW .....	DK	RE730_03	(REA1822)

**Programmer Instructions:** If current info is not available, entry for DATE OF BIRTH is required. (RF and DK are allowed.) Refused and Don’t Know allowed. Hard Check. Do not allow interviewer to change ‘real data’ to ‘RF’ (REFUSED) or ‘DK’ (DON’T KNOW). If attempted, display the following message: "CHANGING NHIS DATA TO REFUSED OR DON'T KNOW IS NOT ALLOWED."

As the interviewer makes an update to grid entry field, the corresponding display in the info pane is also updated.

**Display Instructions:** Display question text in brackets and lighter “grayed- out” text.  
 For '{NHIS DATE OF BIRTH}' display the person's date of birth as recorded in the NHIS. Use PL\_Person.DOBM, PL\_Person.DOB, and PL\_Person.DOBY.  
 Prefill RE730\_02 response entry field in the grid with person’s DOB day as recorded in the NHIS when available (PL\_Person.DOB).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

Full Detail Spec

**RE730\_03**

**(REA1822)**

**BLAISE NAME: DOBYYYYD**

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1900

**Type Class:** Integer **Field Size:** 4

**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 2100

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[I have recorded that {you/{PERSON}} {were/was} born on {NHIS DATE OF BIRTH}. Is that correct?

MAKE CORRECTIONS TO BIRTHDATE AS NECESSARY.]

ENTER 4-DIGIT YEAR.

**Responses:**

	.....	1
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** If RE730\_03 coded 'RF' (REFUSED) or 'DK' (DON'T KNOW), go to RE750. "Gray-out" and don't allow edits to the RE740 cell for this person.

If age can be calculated (see GL specs) from DOB or partial DOB, continue with RE740.

Set RE\_Person.NewBorn=Yes if:

- RU member was added to the RU this round (RE\_Person.PreloadOrd=Empty AND RE\_Person.MostRecentRU=RUnit) AND
- Complete DOB was provided at RE730\_01, RE730\_02, and RE730\_03 (DOBD, DOBM, and DOBY <> 'RF' (REFUSED) or 'DK' (DON'T KNOW)); AND
- DOBD, DOBM, DOBY is between NHIS interview date (NHISDate) and the current round interview date (InterviewDate).

If current info is not available, entry for DATE OF BIRTH is required. (RF and DK are allowed.) . Hard Check. Do not allow interviewer to change 'real data' to 'RF' (REFUSED) or 'DK' (DON'T KNOW). If attempted, display the following message: "CHANGING NHIS DATA TO REFUSED OR DON'T KNOW IS NOT ALLOWED."

As the interviewer makes an update to grid entry field, the corresponding display in the info pane is also updated.

Hard Check:

Date entered from RE730\_[01-03] must be between {YEAR} - 120 years where 'YEAR' is the current year and today's date. If a date outside of this range is entered, display the following message: "UNLIKELY RESPONSE. DATE CANNOT BE AFTER TODAY'S DATE OR BEFORE {YEAR-120}. VERIFY WITH RESPONDENT AND RE-ENTER."

**Display Instructions:** Display question text in brackets and lighter "grayed-out" text.

For '{NHIS DATE OF BIRTH}' display the person's date of birth as recorded in the NHIS. Use PL\_Person.DOBM, PL\_Person.DOBD, and PL\_Person.DOBY.  
Prefill RE730\_03 response entry field in the grid with person's DOB year as recorded in the NHIS when available (PL\_Person.DOBY).

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
Variable stored at MEPS(Fall/Spring)



YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

<b>RE740</b>	<b>(REA1825)</b>	<b>BLAISE NAME:</b> CalcAgeRnd		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYES_NO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

So {you/{PERSON}} {are/is} {AGE CALCULATED FROM DATE OF BIRTH AT RE730\_ [1-3]} years old. Is that correct?

<b>Responses:</b>	YES	.....	1	BOX_240	(REA1850)
	NO	.....	2		

**Programmer Instructions:**     If coded '2' (NO), display message: "IF AGE INCORRECT, BACKUP AND CORRECT DATE OF BIRTH AT PREVIOUS SCREEN."

If RE740 is coded '1' (YES), “gray-out” RE750, RE760, and RE770 cells for this person. RE750 can show the person’s calculated age, but is not available for edits. RE760 and RE770 should be shown as not on path.

**Display Instructions:**

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

Full Detail Spec

**RE750**

**(REA1830)**

**BLAISE NAME:** AgeRndD

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:** 0

**Type Class:** Integer **Field Size:** 3

**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 120

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

How old {are/is} {you/{PERSON}}?

ENTER AGE.

<b>Responses:</b>	.....	1	BOX_240	(REA1850)	
	REFUSED	.....	RF	RE760	(REA1835)
	DON'T KNOW	.....	DK	RE760	(REA1835)

**Programmer Instructions:** If RE740 is coded '1' (YES), show the person's calculated age, but the cell is not available for edits. If RE730\_03 is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW), RE750 is an active field.

Refused and Don't Know allowed. Hard Check. Do not allow interviewer to change 'real data' to 'RF' (REFUSED) or 'DK' (DON'T KNOW). If attempted, display the following message: "CHANGING NHIS DATA TO REFUSED OR DON'T KNOW IS NOT ALLOWED."

**Display Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

Full Detail Spec

<b>RE760</b>	<b>(REA1835)</b>	<b>BLAISE NAME:</b> AgeRngD		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TAGERANG2	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

PROBE FOR RESPONDENT’S BEST ESTIMATE OF AGE.

{Are/Is} {you/{PERSON}} less than 1 year old, 1-4, 5-15, 16-23, 24-34, 35-44, 45-54, 55-64, or 65 years or older?

<b>Responses:</b>	LESS THAN 1 YEAR OLD .....	1	BOX_240	(REA1850)
	1 - 4 .....	2	BOX_240	(REA1850)
	5 - 15 .....	3	BOX_240	(REA1850)
	16 - 23 .....	4	BOX_240	(REA1850)
	24 - 34 .....	5	BOX_240	(REA1850)
	35 - 44 .....	6	BOX_240	(REA1850)
	45 - 54 .....	7	BOX_240	(REA1850)
	55 - 64 .....	8	BOX_240	(REA1850)
	65 YEARS OR OLDER .....	9	BOX_240	(REA1850)
	REFUSED .....	RF	RE770	(REA1840)
	DON'T KNOW .....	DK	RE770	(REA1840)

**Programmer Instructions:**     If RE750 is coded ‘RF’ (REFUSED) or ‘DK’ (DON’T KNOW), display RE760 as an active field. Otherwise, RE760 is an inactive field.

**Display Instructions:**

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

Full Detail Spec

<b>RE770</b>	<b>(REA1840)</b>	<b>BLAISE NAME:</b> AgeGuessD		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TPR	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

ENTER YOUR BEST GUESS FOR {PERSON}'S AGE.

<b>Responses:</b>	LESS THAN 1 YEAR OLD	.....	1	BOX_240	(REA1850)
	1 - 4	.....	2	BOX_240	(REA1850)
	5 - 15	.....	3	BOX_240	(REA1850)
	16 - 23	.....	4	BOX_240	(REA1850)
	24 - 34	.....	5	BOX_240	(REA1850)
	35 - 44	.....	6	BOX_240	(REA1850)
	45 - 54	.....	7	BOX_240	(REA1850)
	55 - 64	.....	8	BOX_240	(REA1850)
	65 YEARS OR OLDER	.....	9	BOX_240	(REA1850)

**Programmer Instructions:**     If RE760 is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW), display RE770 as an active field. Otherwise, RE770 is an inactive field.

**Display Instructions:**

**Testing/Editing Notes:**     Variable collected at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]  
 Variable stored at MEPS(Fall/Spring)  
 YYYY.RE\_Main.RUMemberDetail.CurRUandRUNewStudentGrid.CurRUandRUNewStudent[1..30]

## Full Detail Spec

**BOX\_240****(REA1850)****Item Type:** Route**Type Class:** If Then

---

**Route Details:**

If at least one person meets all the following conditions:

- Added to the RU this round (RE\_Person[.].PreloadOrd = EMPTY AND RE\_Person[.].MostRecentRU = RUUnit) and
- Not a DU member at the time of NHIS, that is, a new RU member not selected from the DU-members-roster, (RE\_Person.PERSID not equal to any PL\_Person.PERSID) and
- Not a newborn (RE\_Person.NewBorn=empty) and
- RemovedAtLoop\_30 <> YES  
go to LOOP\_40.

Otherwise, go to BOX\_250.

Note: RE\_Person.NewBorn is set at RE650\_04, RE680\_04, or RE730\_03. Please see programmer instructions at these items. Newborns generally include persons born between the NHIS interview date (or 1/1/FirstPanYear) and the current round interview date. However, if DOB reported at these items is incomplete (has DK or RF values), RE\_Person.NewBorn will be empty.

Full Detail Spec

**LOOP\_40**      **(REA1855)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each element in the RU-members-roster, ask RE780\_01- END\_LP40.

Loop definition: LOOP\_40 cycles on persons who meet the following conditions:  
- Added to the RU this round (RE\_Person[].PreloadOrd = EMPTY AND RE\_Person[].MostRecentRU = RUUnit) and  
- Not a DU member at the time of NHIS, that is, a new RU member not selected from the DU-members-roster, (RE\_Person.PERSID not equal to any PL\_Person.PERSID) and  
[- If Round 1 and Not a newborn (Person's DOBD, DOBM, DOBY is not between NHISDt and InterviewDate), or  
- If Round <>1 and not a newborn (Person's DOBD, DOBM, DOBY is not between 1/1/FirstPanYear and InterviewDate)]

Loop 40 also cycles on persons who meet the following condition:  
- Former RU members out of scope in a previous round and now back in the RU:  
RE\_Person[].PreloadOrd <> EMPTY AND RE\_Person[].PreloadRU = EMPTY AND RE\_Person[].MostRecentRU = RUUnit AND PriorRndInelig=Yes

Note: In Round 1 LOOP\_40 collects information on the location at the time of NHIS of new RU members who are not newborn to determine their keyness and eligibility.  
Note: In Round <>1 LOOP\_40 collects information on the location of new RU members (or RU members who were merged into the RU after being ineligible in some previous round for a reason other than being in a health care institution) on 1/1/{YEAR}, where 'YEAR' is the first calendar year of the panel, to determine their keyness and eligibility.

Note: If DOB has missing data and newborn status cannot be calculated, assume person is not a newborn and is eligible for LOOP\_40.

**RE780\_01**      **(REA1860)**      **BLAISE NAME:** LiveFamStartMM  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:** Integer      **Field Size:** 2  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 12

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

On what date did {you/{PERSON}} start living with {{First Name,[Middle Name],Last Name}1 ,{First Name,[Middle Name],Last Name}2 ,{First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N} {before leaving to live at school}?

ENTER MONTH.

**Responses:**      ..... 1 RE780\_02      (REA1861)

---

**Programmer Instructions:** DK and RF disallowed for month.

**Display Instructions:** Roster definition: Roster 1 – Report  
This item displays current NHIS/previous round roster. Display RU member's first, middle, and last names.(PL\_Person.FullName)  
  
Roster filter:  
If round 1 display all RU members on the original NHIS roster.  
If round <>1 display all RU members on the previous rounds roster (i.e. if round 2 display the roster from round 1.)  
(RE\_Person.PreloadRU = RUUnit)  
  
Display RE780\_01, RE780\_02, RE780\_03 on the same form pane.  
  
Display {before leaving to live at school} if the person being looped where StudentMoverAtLoop30=YES.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

**RE780\_02 (REA1861) BLAISE NAME:** LiveFamStartDD  
**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:** 1  
**Type Class:** Integer **Field Size:** 2  
**Answer Type:** {Continuous Answer.} **Answers allowed:** 1 **ArrayMax:** **Max value:** 31

Help Available ( )  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} start living with {{First Name,[Middle Name],Last Name}1 ,{First Name,[Middle Name],Last Name}2 ,{First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N} {before leaving to live at school}?)

ENTER DAY.

**Responses:** ..... 1 RE780\_03 (REA1862)  
REFUSED ..... RF RE780\_03 (REA1862)  
DON'T KNOW ..... DK RE780\_03 (REA1862)

**Display Instructions:**

Roster definition:

Roster 1 – Report

This item displays current NHIS/previous round roster. Display RU member's first, middle, and last names.(PL\_Person.FullName)

Roster filter:

If round 1 display all RU members on the original NHIS roster.

If round <>1 display all RU members on the previous rounds roster (i.e. if round 2 display the roster from round 1.)

(RE\_Person.PreloadRU = RUUnit)

Display RE780\_01, RE780\_02, RE780\_03 on the same form pane.

Display question text in brackets and lighter “grayed-out” text.

Display {before leaving to live at school} if the person being looped where StudentMoverAtLoop30=YES.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)

YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

Variable stored at MEPS(Fall/Spring)

YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b><u>RE780_03</u></b>	<b><u>(REA1862)</u></b>	<b><u>BLAISE NAME:</u></b> LiveFamStartYYYY		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1900
<b>Type Class:</b>	Integer	<b>Field Size:</b> 4		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 2100

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} start living with {{First Name,[Middle Name],Last Name}1 ,{First Name,[Middle Name],Last Name}2 ,{First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N} {before leaving to live at school}?)

ENTER 4-DIGIT YEAR.

**Responses:** ----- 1



<b>Programmer Instructions:</b>	<p>If Round 1 date entered is [on or before NHIS date (NHISDt)] or if [(month is equal to NHIS month) and (day is RF or DK) and (year entered is equal to NHIS year)], go to RE790.</p> <p>If Round &lt;&gt;1 and Former RU members out of scope in a previous round and now back in the RU (RE_Person[].PreloadOrd &lt;&gt; EMPTY AND RE_Person[].PreloadRU = EMPTY AND RE_Person[].MostRecentRU = RUUnit AND PriorRndInelig=Yes), go to END_LP40.</p> <p>If Round &lt;&gt;1 and date entered is [on or before NHIS date (NHISDt)] or if [month is equal to NHIS month) and (day is RF or DK) and (year entered is equal to NHIS year), autocode RE790 as '1' (YES) and go to END_LP40.</p> <p>Otherwise, go to RE800.</p> <p>DK and RF disallowed for year.</p> <p>Hard check: Edit (if the current round is the final round of the panel (RndType=Final)): Date entered must be on or before 12/31/{YEAR}, where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year - 1). If a date after 12/31/{YEAR} is entered, display the following message: "DATE MUST BE ON OR BEFORE 12/31/{YEAR}. VERIFY DATE ENTERED. IF PERSON JOINED RU AFTER 12/31/{YEAR}, BACKUP TO WHERE PERSON WAS FIRST ADDED AND REVIEW ENTRIES. ONLY PERSONS JOINING RU BEFORE 12/31/{YEAR} SHOULD BE ADDED."</p> <p>Control Variables Impacted: BegRefM, BegRefD, and BegRefY</p> <p>Note: If Round &lt;&gt;1 AND if date is on or before reference period start date. If the month and day entered are within the reference period and the day is DK or RF, the person's begin date is "MONTH ENTERED/1/reference period start date.</p>
<b>Display Instructions:</b>	<p>Roster definition:</p> <p>Roster 1 – Report This item displays current NHIS/previous round roster. Display RU member's first, middle, and last names. (PL_Person.FullName)</p> <p>Roster filter: If round 1 display all RU members on the original NHIS roster. If round &lt;&gt;1 display all RU members on the previous rounds roster (i.e. if round 2 display the roster from round 1.) (RE_Person.PreloadRU = RUUnit)</p> <p>Display RE780_01, RE780_02, RE780_03 on the same form pane. Display question text in brackets and lighter "grayed-out" text. Display {before leaving to live at school} if the person being looped on where StudentMoverAtLoop30=YES.</p>
<b>Testing/Editing Notes:</b>	<p>Variable collected at MEPS(Fall/Spring) YYYY.RE_Main.RUMemberDetail.NewMemLocCal[1..30] Variable stored at MEPS(Fall/Spring)</p>

YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE790</b>	<b>(REA1865)</b>	<b>BLAISE NAME:</b> VerfBegDate			
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>	
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>			
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>	

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

I have recorded that {you/{PERSON}} began living at {NHIS ADDRESS} on {RE780\_[1-3] DATE}. Is that correct?

IF NECESSARY SAY: We're trying to establish if {you/{PERSON}} {were/was} living with this household when they participated in the previous interview on {DATE OF NHIS INTERVIEW}.

<b>Responses:</b>	YES .....	1	END LP40	(REA1955)
	NO .....	2		
	REFUSED .....	RF	RE800	(REA1880)
	DON'T KNOW .....	DK	RE800	(REA1880)

**Programmer Instructions:** Hard Check:  
If coded '2' (NO), display message: 'BACKUP AND CORRECT DATE PERSON JOINED RU AT PREVIOUS SCREEN.'

Control Variables Impacted: CtrlPersKey, CtrlSampNHIS

Note: If coded '1' (YES), person is treated as if he/she was left off the roster at the NHIS and becomes key and eligible.

**Display Instructions:** For 'NHIS ADDRESS' display the NHIS full address, including city and state but not zip code. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState. Separate address components with a comma, for example: "123 Main Street, Apt. 101, Rockville, MD".

For 'RE780\_[1-3] DATE', display date entered at RE780\_[01-03].

For 'DATE OF NHIS INTERVIEW', display date of NHIS interview. Use NHISDt.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b><u>RE800</u></b>	<b><u>(REA1880)</u></b>	<b><u>BLAISE NAME:</u></b> Jan1Abroad		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TIN_OUT	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (LIVEUSHelp)  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Were/Was} {you/{PERSON}} living within the U.S. or outside the U.S. on {MONTH, DAY, YEAR OF NHIS INTERVIEW/January 1, {YEAR}}?

HELP: F1

**Responses:**

WITHIN U.S.	.....	1		
OUTSIDE U.S.	.....	2	END_LP40	(REA1955)
REFUSED	.....	RF		
DON'T KNOW	.....	DK		

**Programmer Instructions:** If coded '1' (WITHIN US), 'RF' (REFUSED), or 'DK' (DON'T KNOW), and person is 18 years old or older or in age categories 4-9, go to RE810. Otherwise, go to RE820.

Control Variables Impacted: CtrlPersKey, CtrlSampNHIS

Note: If coded '2' (OUTSIDE US) person did not have a chance for selection at NHIS and may become key and eligible.

**Display Instructions:** Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt.  
Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE810</b>	<b>(REA1885)</b>	<b>BLAISE NAME:</b> Jan1Milit		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (ACTDUTYHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Were/Was} {you/{PERSON}} serving on full-time active duty with the U.S. Armed Forces on {{MONTH, DAY, YEAR OF NHIS INTERVIEW}/January 1, {YEAR}}?

<b>Responses:</b>	YES	.....	1	RE820	(REA1890)
	NO	.....	2	RE820	(REA1890)
	REFUSED	.....	RF	RE820	(REA1890)
	DON'T KNOW	.....	DK	RE820	(REA1890)

**Display Instructions:** Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt.  
Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE820</b>	<b>(REA1890)</b>	<b>BLAISE NAME:</b> WherePersJan1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TWHERJAN1	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (WhereJan1)                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Were/Was {you/PERSON}} living away at school, living on a military facility, institutinoalized, or living at a private residence {when {{First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}2, {First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N } participated in the National Health Interview Survey on {NHIS INTERVIEW DATE} at {NHIS ADDRESS}? / On January 1, {YEAR}, {were/was} {you/{PERSON}} living away at school, living on a military facility, institutionalized, or living at a private residence?}

HELP: F1

**Responses:**

LIVING AWAY AT SCHOOL .....	1		
LIVING ON A MILITARY FACILITY .....	2	END_LP40	(REA1955)
INSTITUTIONALIZED IN A FACILITY .....	3	RE830	(REA1900)
IN A PRIVATE RESIDENCE/HOUSEHOLD .....	4	END_LP40	(REA1955)
IF VOLUNTEERED: BORN AFTER {DATE} .....	5	END_LP40	(REA1955)
REFUSED .....	RF	END_LP40	(REA1955)
DON'T KNOW .....	DK	END_LP40	(REA1955)

**Programmer  
Instructions:**

If coded '1' (LIVING AWAY AT SCHOOL) and Round 1, calculate the age from NHIS interview date (NHISDt). If Round<>1, calculate age from January 1, {YEAR} where year is the first calendar year of panel for 'YEAR'. This calculation is using the age-at-NHIS (or age-at-1/1/First Panel Year) rather than the age calculation described in the GL spec. Therefore, age categories cannot be included in the check.

If calculated age at NHIS or 1/1/{YEAR} is <= 23 , go to RE860.

If calculated age at NHIS or 1/1/{YEAR} is unknown or cannot be calculated, go to RE850.

Control Variables Impacted: CtrlPersKey, CtrlSampNHIS

HARD CHECK: If coded '1' (LIVING AWAY AT SCHOOL) and calculated age at NHIS or 1/1/{YEAR} > 23, display the following message: "For the purposes of this survey, students older than 23 are considered living in a private household. INTERVIEWER: PLEASE CHANGE RE820 (WherePersJan1) TO CODE 4 (IN A PRIVATE RESIDENCE/HOUSEHOLD)."

Note: If coded '2' (LIVING ON A MILITARY FACILITY), '3' (INSTITUTIONALIZED IN A FACILITY), or '5' (IF VOLUNTEERED: BORN AFTER {DATE}), person did not have a chance for selection at NHIS and may become key and eligible from the date entered at RE780\_[01-03] until the interview date. If coded '1' (LIVING AWAY AT SCHOOL) and person is older than 23 or coded '4' (IN A PRIVATE RESIDENCE/HOUSEHOLD), 'RF' (Refused) or 'DK' (Don't Know), person did have a chance for selection at the NHIS and may become not-key and eligible from the date entered at RE780\_[01-03] until the interview date.

**Display  
Instructions:**

Roster 1 – Report Roster definition:

This item displays the current NHIS roster. Display RU member's first, middle, and last names.(PL\_Person.FullName)

Roster filter:

Display all RU members on the current NHIS roster. (RE\_Person.PreloadRU = RUUnit). Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display response category '5' (IF VOLUNTEERED: BORN AFTER {DATE}) if the person's date of birth year is on or after NHIS year (PersonDOBY=>NHISDt (year)) or if DOB is unknown and person is age category 1 (Person.AgeRng=1 or Person.AgeGuess=1) or if DOB is unknown and age is 0 (PersonDOBY=DK or RF and AgeRnd=0).

NOTE: As of Spring 2021, CAPI is also currently displaying response category '5' (IF VOLUNTEERED: BORN AFTER {DATE}) for any RU member(s) added with age recorded as a category.

For "DATE" in the response category display, display NHISDt (as a 3 character month DD, YYYY) if Round 1 or "Jan 1, {YEAR}" where "YEAR" is the first panel year if Round<>1.

If round 1, display “{Were/Was} {PERSON} living away at school, living on a military facility, institutionalized, or living at a private residence when {{First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}2, {First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N } participated in the National Health Interview Survey on {NHIS INTERVIEW DATE} at {NHIS ADDRESS}?”

- For “{NHIS ADDRESS}”, display the NHIS full address, including city and state, but not zip code. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState. Separate address components with a comma, for example: “123 Main Street, Apt. 101, Rockville, MD”.
- For “{NHIS INTERVIEW DATE}”, display the date of the NHIS interview. Use NHISDt.

If round<>1, display “On January 1, {YEAR}, {were/was} {you/{PERSON}} living away at school, living on a military facility, institutionalized, or living at a private residence?” Display the first calendar year of panel for 'YEAR'.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE830</b>	<b>(REA1900)</b>	<b>BLAISE NAME:</b> Jan1 InstTp		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (InstTypeHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Were/Was} {you/{PERSON}} living in a nursing home or any other long-term care institution that provides 24 hour skilled nursing care on {{MONTH, DAY, YEAR OF NHIS INTERVIEW}/January 1, {YEAR}}?

HELP: F1

<b>Responses:</b>	YES	.....	1	RE840_01	(REA1905)
	NO	.....	2	END_LP40	(REA1955)
	REFUSED	.....	RF	RE840_01	(REA1905)
	DON'T KNOW	.....	DK	RE840_01	(REA1905)

**Display Instructions:** Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt.  
Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE840_01</b>	<b>(REA1905)</b>	<b>BLAISE NAME:</b> BefFamPlaceName		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?

What is the name?

**Responses:**

.....	1	RE840_02	(REA1906)
REFUSED	.....	RF RE840_02	(REA1906)
DON'T KNOW	.....	DK RE840_02	(REA1906)



**Display Instructions:** Display "living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}" if Round 1. Use NHISDt

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Display RE840\_01, RE840\_02, RE840\_03, RE840\_04, RE840\_05, and RE840\_06 on the same form pane.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE840_02</b>	<b>(REA1906)</b>	<b>BLAISE NAME:</b> BefFamStrt1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
[Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the address?

**Responses:**

.....	1	RE840_03	(REA1907)
REFUSED	.....	RF	RE840_03 (REA1907)
DON'T KNOW	.....	DK	RE840_03 (REA1907)

**Display Instructions:** Display “living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}” if Round 1. Use NHISDt

Otherwise, display ‘January 1, {YEAR}’ with 'YEAR' as the first calendar year of the panel.

Display RE840\_01, RE840\_02, RE840\_03, RE840\_04, RE840\_05, and RE840\_06 on the same form pane.

Display question text “Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?” in brackets and lighter “grayed out” text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

**RE840\_03**      **(REA1907)**      **BLAISE NAME:** BefFamStrt2

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** String      **Field Size:** 40

**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the second address?

IF NONE, PRESS ENTER TO CONTINUE.

**Responses:**

-----	1	RE840_04	(REA1908)
EMPTY	-----	Empty	RE840_04 (REA1908)
REFUSED	-----	RF	RE840_04 (REA1908)
DON'T KNOW	-----	DK	RE840_04 (REA1908)

**Programmer Instructions:** Allow empty.

**Display Instructions:** Display “living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}” if Round 1. Use NHISDt

Otherwise, display ‘January 1, {YEAR}’ with ‘YEAR’ as the first calendar year of the panel.

Display RE840\_01, RE840\_02, RE840\_03, RE840\_04, RE840\_05, and RE840\_06 on the same form pane.

Display question text “Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?” in brackets and lighter “grayed out” text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

**RE840\_04 (REA1908) BLAISE NAME:** BefFamCity

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** String      **Field Size:** 35

**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
[Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the city?

**Responses:**

.....	1	RE840_05	(REA1909)
REFUSED	RF	RE840_05	(REA1909)
DON'T KNOW	DK	RE840_05	(REA1909)

**Display Instructions:** Display “living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}” if Round 1. Use NHISDt

Otherwise, display ‘January 1, {YEAR}’ with ‘YEAR’ as the first calendar year of the panel.

Display RE840\_01, RE840\_02, RE840\_03, RE840\_04, RE840\_05, and RE840\_06 on the same form pane.

Display question text “Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?” in brackets and lighter “grayed out” text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE840_05</b>	<b>(REA1909)</b>	<b>BLAISE NAME:</b> BefFamSt			
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>	
<b>Type Class:</b>	String	<b>Field Size:</b> 2			
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>	

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
[Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the state?

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

**Responses:**

.....	1	RE840_06	(REA1910)
REFUSED .....	RF	RE840_06	(REA1910)
DON'T KNOW .....	DK	RE840_06	(REA1910)

**Programmer Instructions:** Use state lookup file.  
Note: The entry Foreign Country (FC) is allowed.

**Display Instructions:** Display "living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}" if Round 1. Use NHISDt  
Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.  
Display RE840\_01, RE840\_02, RE840\_03, RE840\_04, RE840\_05, and RE840\_06 on the same form pane.  
Display question text "Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in brackets and lighter "grayed out" text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE840_06</b>	<b>(REA1910)</b>	<b>BLAISE NAME:</b> BefFamZip		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 5		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
[Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the zip code?

**Responses:**

.....	1	END_LP40	(REA1955)
REFUSED	.....	RF	END_LP40 (REA1955)
DON'T KNOW	.....	DK	END_LP40 (REA1955)

**Programmer Instructions:** Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:** Display "living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}" if Round 1. Use NHISDt

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Display RE840\_01, RE840\_02, RE840\_03, RE840\_04, RE840\_05, and RE840\_06 on the same form pane.

Display question text "Please give me the name and address of the nursing home or long term care facility where {you/{PERSON}} {were/was} {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in brackets and lighter "grayed out" text.

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE850</b>	<b>(REA1935)</b>	<b>BLAISE NAME:</b> Age23orYounger		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
At that time, {were/was} {you/PERSON}} 23 or younger?

<b>Responses:</b>	YES	.....	1	RE860	(REA1940)
	NO	.....	2		
	REFUSED	.....	RF	RE860	(REA1940)
	DON'T KNOW	.....	DK	RE860	(REA1940)

**Programmer Instructions:** Control Variables Impacted: CtrlPersKey, CtrlSampNHIS

HARD CHECK: If coded '2' (NO), display the following message: "For the purposes of this survey, students older than 23 are considered living in a private household. INTERVIEWER: PLEASE BACK-UP TO RE820 (WherePersJan1) AND USE CODE 4 (IN A PRIVATE RESIDENCE/HOUSEHOLD)." Code '2' (NO) is disallowed as a final response option.

Note: If coded '2' (NO), person was coded as living away at school but over 23 years of age, so person did have a chance for selection at the NHIS and may become not-key and eligible from the date entered at RE780\_[01-03] until the interview date.

**Display Instructions:**

**Testing/Editing Notes:** Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

<b>RE860</b>	<b>(REA1940)</b>	<b>BLAISE NAME:</b> SchlTpB		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TSCHLLEVL2	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (SchlTpHelp)  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

What grade or level of school {were/was} {you/{PERSON}} attending on {{MONTH, DAY, YEAR OF NHIS INTERVIEW}/January 1, {YEAR}}?

<b>Responses:</b>	1st - 12th GRADE .....	1	END_LP40	(REA1955)
	VOCATIONAL, COLLEGE, GRADUATE, PROFESSIONAL .....	2	RE870	(REA1945)
	REFUSED .....	RF	RE870	(REA1945)
	DON'T KNOW .....	DK	RE870	(REA1945)

**Programmer**

**Instructions:** Control Variables Impacted: CtrlPersKey, CtrlSampNHIS

Note: If coded '1' (1st – 12th GRADE), person did not have a chance for selection at NHIS and may become key and eligible from the date entered at RE780\_[01-03] until the interview date.

**Display**

**Instructions:** Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt.

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

**Testing/Editing Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

**RE870**

**(REA1945)**

**BLAISE NAME:** Jan1ParentHh

<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

At the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW / On January 1, {YEAR}, were either of {your/{PERSON}'s} parents living {at {NHIS ADDRESS}/in this household}?

<b>Responses:</b>	YES .....	1	END_LP40	(REA1955)
	NO .....	2	END_LP40	(REA1955)
	REFUSED .....	RF	END_LP40	(REA1955)
	DON'T KNOW .....	DK	END_LP40	(REA1955)



**Programmer  
Instructions:**

Control Variables Impacted: CtrlPersKey, CtrlSampNHIS

Note: If coded '1' (YES), person did not have a chance for selection at NHIS and may become key and eligible from the date entered at RE780\_[01-03] until the interview date. If coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), person did have a chance for selection at the NHIS and may become not-key and eligible from the date entered at RE780\_[01-03] until the interview date.

**Display  
Instructions:**

Display 'On January 1, {YEAR}' and 'in this household', if Round<>1. Display the first calendar year of panel for 'YEAR'.

Display 'At the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}' and 'at {NHIS ADDRESS}' if Round 1. Use NHISDt for 'MONTH, DAY, YEAR OF NHIS INTERVIEW'.

For 'NHIS ADDRESS' display the NHIS full address, including city and state but not zip code. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity, Preload.CurrState. Separate address components with a comma, for example: "123 Main Street, Apt. 101, Rockville, MD".

**Testing/Editing  
Notes:**

Variable collected at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]  
Variable stored at MEPS(Fall/Spring)  
YYYY.RE\_Main.RUMemberDetail.NewMemLocCal[1..30]

---

**END\_LP40**      **(REA1955)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:**      Cycle on next person that meets the conditions stated in the loop definition.  
  
If no more persons meet the stated conditions, end LOOP\_40 and go to BOX\_250.

---

**BOX\_250**      **(REA2050)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      Continue with REENUMERATION-B (RE-B) subsection.

[End of REA]