

# SpecWriter Data

**Form Version:** 6/26/2023 10:45:45 AM  
**Report Type:** Full Detail  
**Project Database:** WESSQL300.MEPSSpring2024  
**Language:** English  
**Spec Label:**

**This is the cover page. Additional contents currently project specific.**

Full Detail Spec

<b><u>BOX_00</u></b>	<b><u>(TH1000)</u></b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
----------------------	------------------------	-------------------------	----------------------------

---

**Route Details:**

- 01 Box = BOX\_00, BOX\_10, BOX\_20, BOX\_30, BOX\_40, BOX\_50, BOX\_60, BOX\_70, BOX\_80
- 04 Single Select = TH10, TH20, TH30, TH40, TH50, TH60, TH70, TH80, TH100, TH120
- 05 Single Select with Display Roster = TH130
- 11 Multiple Select with Add/Edit/Delete = TH90, TH110
- 20 OS Text Field = TH10OS
- 23 Text Field = TH150
- 28 Trigram Lookup = TH30LU
- 30 Multiple Select with Fill in Answer Text and Display Roster = TH140
- Roster 2 = TH140
- Roster 3 = TH90, TH110

<b><u>BOX_10</u></b>	<b><u>(TH1005)</u></b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
----------------------	------------------------	-------------------------	----------------------------

---

**Context Header:** Context Header Display Instructions:  
SEE CONTEXT HEADER SPEC

**Route Details:** If provider is flagged as facility provider, also display doctor or department linked to this facility provider for this event (if available).

Continue with TH10.

Full Detail Spec

**TH10**                      **(TH1010)**                      **BLAISE NAME:** VisitType  
**Item Type:**              Question                      **Field kind:** Datafield    **ArrayMin:**              **Min value:**  
**Type Class:**            Enumerated                      **Field Size:**  
**Answer Type:**          TVisitType                      **Answers allowed:** 1    **ArrayMax:**              **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT}

**Question Text:**

Was {your/{PERSON}'s} visit to {PROVIDER} over the phone, through real-time video, or some other way?

**Responses:**              PHONE ..... 1 BOX\_20 (TH1020)  
                                  VIDEO ..... 2 BOX\_20 (TH1020)  
                                  SOME OTHER WAY ..... 3 TH100S (TH1015)  
                                  REFUSED ..... RF BOX\_20 (TH1020)  
                                  DON'T KNOW ..... DK BOX\_20 (TH1020)

**Display Instructions:**

**TH100S**                      **(TH1015)**                      **BLAISE NAME:** VisitTypeOS  
**Item Type:**              Question                      **Field kind:** Datafield    **ArrayMin:**              **Min value:**  
**Type Class:**            String                              **Field Size:** 1000  
**Answer Type:**          {Continuous Answer.} **Answers allowed:** 1    **ArrayMax:**              **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT}

**Question Text:**

SPECIFY:

**Responses:**              ..... 1 BOX\_20 (TH1020)  
                                  REFUSED ..... RF BOX\_20 (TH1020)  
                                  DON'T KNOW ..... DK BOX\_20 (TH1020)

**Programmer Instructions:** Go to Box\_20.

**Display Instructions:**

**BOX\_20**      **(TH1020)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If a provider is flagged as a person-provider and TH20 has already been asked for this person-provider in this round (for any RU member), auto-code TH20 with the response that was coded when it was first looped on and go to BOX\_30.

Otherwise, continue with TH20.

**TH20**      **(TH1025)**      **BLAISE NAME:** THSeeDoc

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** Enumerated      **Field Size:**

**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (MDDOTypes)       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT}

**Question Text:**

{Is {PROVIDER} a medical doctor?/Did {you/{PERSON}} {talk to/have contact with}a medical doctor during this particular visit?}

HELP: F1

**Responses:**

YES ..... 1

NO ..... 2

REFUSED ..... RF

DON'T KNOW ..... DK

**Programmer Instructions:** If TH20 is coded '1' (YES) and provider associated with event is a facility-provider, go to TH30.  
If TH20 is coded '2' (NO), 'RF' or 'DK' and provider associated with event is a facility-provider, go to TH40.  
Otherwise, continue with BOX\_30.

**Display Instructions:** Display 'Is {PROVIDER} a medical doctor?' if provider linked to this event is flagged as a 'person-provider'. Otherwise, display 'Did {you/{PERSON}} {talk to/have contact with} a medical doctor during this particular visit?'  
  
Display 'talk to' if TH10 is coded '1' (PHONE) or '2' (VIDEO). Otherwise, display 'have contact with'.

---

**BOX 30**                      **(TH1030)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:** If TH20 is coded '1' (YES) and provider associated with event is a person-provider, and person-provider already has TH30/30LU (specialty) recorded this round (for any RU member) or in a previous round (for any RU member) (set THDocSpecFlag), OR  
  
If TH20 is coded '2' (NO), 'DK', or 'RF' and provider associated with event is a person-provider, and person-provider already has TH40 (provider type) recorded this round (for any RU member) or in a previous round (for any RU member) (set THMedType Flag), go to BOX\_40.  
  
If TH20 is coded '1' (YES) and provider associated with event is a person-provider, and person-provider does NOT already have TH30/30LU (specialty) recorded this round (for any RU member) or in a previous round (for any RU member), go to TH30 (set THDocSpecFlag).  
  
If TH20 is coded '2' (NO), 'DK', or 'RF' and provider associated with event is a person-provider, and person-provider does NOT already have TH40 (provider type) recorded this round (for any RU member) or in a previous round (for any RU member), go to TH40 (set THMedTypeFlag).

Full Detail Spec

<b>TH30</b>	<b>(TH1035)</b>	<b>BLAISE NAME:</b> THDocSpeclty		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TDRSPLTY_TH_RE	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card (TH-1)                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT}

**Question Text:**

 TH-1

Looking at card TH-1, what was the doctor's specialty?

IF TALKED TO MORE THAN ONE DOCTOR, PROBE FOR MAIN PROVIDER.

**Responses:**

ALLERGY/IMMUNOLOGY	.....	1
CARDIOLOGY (HEART)	.....	3
DERMATOLOGY (SKIN)	.....	4
ENDOCRINOLOGY/METABOLISM (DIABETES, THYROID)	.....	5
FAMILY PRACTICE	.....	6
GASTROENTEROLOGY	.....	7
GENERAL PRACTICE	.....	8
GENERAL SURGERY	.....	9
GYNECOLOGY/OBSTETRICS	.....	11
INTERNAL MEDICINE (INTERNIST)	.....	14
NEPHROLOGY (KIDNEYS)	.....	15
NEUROLOGY	.....	16
ONCOLOGY (TUMORS, CANCER)	.....	18
OPHTHALMOLOGY (EYES)	.....	19
ORTHOPEDICS	.....	20
OTORHINOLARYNGOLOGY (EAR, NOSE, THROAT)	.....	22
PEDIATRICIAN	.....	24
PSYCHIATRY/PSYCHIATRIST	.....	28
UROLOGY	.....	33
OTHER DR SPECIALTY	.....	91
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer** If coded '91' (OTHER DR SPECIALTY), go to TH30LU.  
**Instructions:** Otherwise, go to BOX\_40.

**Display**  
**Instructions:**

Full Detail Spec

<b>TH30LU</b>	<b>(TH1040)</b>	<b>BLAISE NAME:</b> THDocSpecltyLU		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TDRSPLTY	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT}

**Question Text:**

ENTER OTHER DOCTOR SPECIALTY.

TYPE THE FIRST 3 LETTERS OF THE SPECIALTY, THEN USE ARROW KEYS IF NEEDED TO LOCATE SPECIALTY, AND PRESS ENTER TO SELECT.

- Responses:**
- ALLERGY/IMMUNOLOGY ..... 1
  - ANESTHESIOLOGY ..... 2
  - CARDIOLOGY (HEART) ..... 3
  - DERMATOLOGY (SKIN) ..... 4
  - ENDOCRINOLOGY/METABOLISM ..... 5
  - (DIABETES, THYROID)
  - FAMILY PRACTICE ..... 6
  - GASTROENTEROLOGY ..... 7
  - GENERAL PRACTICE ..... 8
  - GENERAL SURGERY ..... 9
  - GERIATRICS (ELDERLY) ..... 10
  - GYNECOLOGY/OBSTETRICS ..... 11
  - HEMATOLOGY (BLOOD) ..... 12
  - HOSPITAL RESIDENCE ..... 13
  - INTERNAL MEDICINE (INTERNIST) ..... 14
  - NEPHROLOGY (KIDNEYS) ..... 15
  - NEUROLOGY ..... 16
  - NUCLEAR MEDICINE ..... 17
  - ONCOLOGY (TUMORS, CANCER) ..... 18
  - OPHTHALMOLOGY (EYES) ..... 19
  - ORTHOPEDICS ..... 20
  - OSTEOPATHY (DO) ..... 21
  - OTORHINOLARYNGOLOGY (EAR, NOSE, THROAT) ..... 22
  - PATHOLOGY ..... 23
  - PEDIATRICIAN ..... 24
  - PHYSICAL MEDICINE/REHAB ..... 25
  - PLASTIC SURGERY ..... 26
  - PROCTOLOGY ..... 27
  - PSYCHIATRY/PSYCHIATRIST ..... 28
  - PULMONARY ..... 29



**Full Detail Spec**

RADIOLOGY .....	30
RHEUMATOLOGY (ARTHRITIS) .....	31
THORACIC SURGERY (CHEST) .....	32
UROLOGY .....	33
OTHER DR SPECIALTY .....	91
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer  
Instructions:**

Go to BOX\_40.

Responses listed are part of the provider specialty look-up file that works similar to a trigram search.

Browser window should be labeled "SELECT SPECIALTY".

Response code numbers should be stored behind the scenes and not visible in the look-up window.

**Display  
Instructions:**

Full Detail Spec

<b>TH40</b>	<b>(TH1045)</b>	<b>BLAISE NAME:</b> THMPTp		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TTHMEDPER	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

- Help Available (MPTpHelp)
  Show Card (TH-2)
  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT}

**Question Text:**

 TH-2

Looking at card TH-2, what type of medical person did {you/{PERSON}} {talk to/have contact with} on {VISIT DATE}?

IF TALKED TO MORE THAN ONE MEDICAL PERSON, PROBE FOR MAIN PROVIDER.

HELP: F1

**Responses:**

ACUPUNCTURIST .....	1
CHIROPRACTOR .....	2
DENTIST/DENTAL CARE PERSON .....	3
HOMEOPATHIC/NATUROPATHIC/HERBA .....	4
LIST/OTHER ALTERNATIVE/COMPLEMENTARY CARE PROVIDER	
MASSAGE THERAPIST .....	5
MENTAL HEALTH .....	6
COUNSELOR/MARITAL OR FAMILY THERAPIST	
MIDWIFE .....	7
NURSE/NURSE PRACTITIONER .....	8
OPTOMETRIST .....	9
PHYSICAL/OCCUPATIONAL THERAPIST .....	10
PHYSICIAN ASSISTANT .....	11
PODIATRIST .....	12
PSYCHOLOGIST .....	13
SOCIAL WORKER .....	14
TECHNICIAN .....	15
OTHER .....	91
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer Instructions:** Go to BOX\_40.

**Display Instructions:** Display 'talk to' if TH10 is coded '1' (PHONE) or '2' (VIDEO).  
Otherwise, display 'have contact with'.

---

**BOX 40**                      **(TH1050)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:** IF TH20 IS CODED '1' (YES), GO TO BOX\_50.

If TH20 is coded '2' (NO), 'RF' or 'DK' and (TH20 was coded '1' (YES) or TH50 was coded '1' (YES) for this provider in this round for any RU member), auto code TH50 for this event as '1' (YES) and go to BOX\_50.

If TH20 is coded '2' (NO), 'RF' or 'DK' and TH50 was coded '2' (NO), 'RF' OR 'DK' for this provider in this round for any RU member, auto code TH50 for this event with the same response (NO, RF, DK) and go to BOX\_50.

OTHERWISE, CONTINUE WITH TH50.

Full Detail Spec

**TH50**

**(TH1055)**

**BLAISE NAME:** THDocLoctn

**Item Type:** Question

**Field kind:** Datafield    **ArrayMin:**    **Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TYESNO

**Answers allowed:** 1    **ArrayMax:**    **Max value:**

Help Available (MDDOTypes)

Show Card ( )

Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT}

**Question Text:**

TYPE OF PERSON HAD CONTACT: {MEDICAL PERSON TYPE FROM TH40}  
CODE WITHOUT ASKING IF OBVIOUS. OTHERWISE, ASK:

Do any medical doctors work at {the same location as {PROVIDER}/{PROVIDER}}?

HELP: F1

<b>Responses:</b>	YES .....	1	BOX_50	(TH1060)
	NO .....	2	BOX_50	(TH1060)
	REFUSED .....	RF	BOX_50	(TH1060)
	DON'T KNOW .....	DK	BOX_50	(TH1060)

**Programmer Instructions:** Go to BOX\_50.

**Display Instructions:** Display 'the same location as {PROVIDER}' if provider is flagged as 'PERSON-TYPE-PROVIDER'. Display '{PROVIDER}' if provider is flagged as 'FACILITY- PROVIDER'.

For 'MEDICAL PERSON TYPE FROM TH40', display the following text for each code selected at TH40 (regardless if TH40 was collected for this RU member or in a previous round) (Provider.MPTp):

- Code '1' = ACUPUNCTURIST
- Code '2' = CHIROPRACTOR
- Code '3' = DENTIST/DENTAL CARE PERSON
- Code '4' = HOMEOPATHIC/NATUROPATHIC/HERBALIST/ OTHER ALTERNATIVE/COMPLEMENTARY CARE PROVIDER
- Code '5' = MASSAGE THERAPIST
- Code '6' = MENTAL HEALTH COUNSELOR/MARITAL OR FAMILY THERAPIST
- Code '7' = MIDWIFE
- Code '8' = NURSE/NURSE PRACTITIONER
- Code '9' = OPTOMETRIST
- Code '10' = PHYSICAL/OCCUPATIONAL THERAPIST
- Code '11' = PHYSICIAN ASSISTANT
- Code '12' = PODIATRIST
- Code '13' = PSYCHOLOGIST
- Code '14' = SOCIAL WORKER
- Code '15' = TECHNICIAN
- Code '91' = OTHER
- Code 'RF' = REFUSED PROVIDER TYPE
- Code 'DK' = DON'T KNOW PROVIDER TYPE

---

**BOX 50**      **(TH1060)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If TH60 has already been asked for this provider in this round (for any RU member), auto-code TH60 with the response that was coded when it was first looped on and go to TH70.

Note: If provider is a facility provider, check all events to the same facility provider regardless of the doctor or department linked to the specific events.

Otherwise, continue with TH60.

Full Detail Spec

**TH60**

**(TH1065)**

**BLAISE NAME:** HospOprtd

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (MDDOTypes)                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON’S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT}

**Question Text:**

Is {the place where} {PROVIDER} {works} owned or operated by a hospital?

HELP: F1

**Responses:**      YES ..... 1 TH70      (TH1070)  
                      NO ..... 2 TH70      (TH1070)  
                      REFUSED ..... RF TH70      (TH1070)  
                      DON'T KNOW ..... DK TH70      (TH1070)

**Programmer Instructions:**      Go to TH70.

**Display Instructions:**      Display ‘the place where’ and ‘works’ if provider is flagged as a person-provider. Otherwise, use a null display.

Full Detail Spec

**TH70**

**(TH1070)**

**BLAISE NAME:** THVstCat

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TVSTCTGRY      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

Help Available (VSTCTGRYHelp)       Show Card (TH-3)       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT}

**Question Text:**

 TH-3

Please look at card TH-3 and tell me which category best describes the care {you/{PERSON}} received on {VISIT DATE}.

HELP: F1

<b>Responses:</b>	GENERAL CHECKUP .....	1	TH80	(TH1075)
	DIAGNOSIS OR TREATMENT .....	2	TH80	(TH1075)
	EMERGENCY (E.G., ACCIDENT OR INJURY) .....	3	TH80	(TH1075)
	PSYCHOTHERAPY OR MENTAL HEALTH COUNSELING .....	4	TH80	(TH1075)
	FOLLOW-UP OR POST-OPERATIVE VISIT .....	5	TH80	(TH1075)
	IMMUNIZATIONS OR SHOTS .....	6	TH80	(TH1075)
	VISION EXAM .....	7	TH80	(TH1075)
	{PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND DELIVERY)} .....	8	TH80	(TH1075)
	{WELL CHILD EXAM} .....	9	TH80	(TH1075)
	LASER EYE SURGERY .....	10	TH80	(TH1075)
	OTHER .....	91	TH80	(TH1075)
	REFUSED .....	RF	TH80	(TH1075)
	DON'T KNOW .....	DK	TH80	(TH1075)

**Display**

**Instructions:**      Display response option '8' (PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND DELIVERY)) if person is female and age 15 to 55 inclusive (or age categories 3 to 8). Otherwise, use a null display.

Display response option '9' (WELL CHILD EXAM) if PERSON IS < 7 YEARS OLD (OR AGE CATEGORIES 1 THROUGH 3). Otherwise, use a null display.





Full Detail Spec

**TH90**

**(TH1080)**

**BLAISE NAME:** THCondRoster

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TCONDITION      **Answers allowed:** 99      **ArrayMax:**      **Max value:**

---

Help Available (CondHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT}

**Question Text:**

What conditions were discovered or led {you/{PERSON}} to make this {call/contact}?

PROBE: Any other condition?

ENTER ALL THAT APPLY.

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

HELP:F1

**Responses:**      {MEDICAL CONDITION} 1 ..... 1  
                          {MEDICAL CONDITION} 2 ..... 2  
                          {MEDICAL CONDITION} 3 ..... 3  
                          {MEDICAL CONDITION} 4 ..... 4  
                          {MEDICAL CONDITION}N ..... 5

**Programmer Instructions:** Go to TH100.

Roster behavior:

1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a condition added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.
4. Display the following message if interviewer tries to delete a condition after link is created: "DELETE ALLOWED ONLY WHEN CONDITION IS FIRST ENTERED."
5. Limited edit allowed. Interviewer may edit a condition name newly added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

#### **CONDITION LOOKUP SPECIFICATIONS**

For complete Condition Lookup specifications, refer to the Global (GL) Specifications.

**Display Instructions:**

Display 'call' if TH10 is coded '1' (PHONE). Otherwise, display 'contact'.

Roster 3-add/edit/delete allowed. Roster definition:

Display the Person-Medical-Conditions-Roster for selection and addition of one or many medical condition (s) associated with this event. Display name of medical condition (COND.CONDNAM)

Roster filter:

Display all conditions on person's roster; no filter.

Full Detail Spec

<b>TH100</b>	<b>(TH1085)</b>	<b>BLAISE NAME:</b> THPmed		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (MEDPRESHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT}

**Question Text:**

During this {call/contact}, were any medicines prescribed for {you/{PERSON}}? Please include only prescriptions which were filled.

HELP:F1

<b>Responses:</b>	YES	.....	1	TH110	(TH1090)
	NO	.....	2	TH120	(TH1095)
	REFUSED	.....	RF	TH120	(TH1095)
	DON'T KNOW	.....	DK	TH120	(TH1095)

**Display Instructions:**     Display ‘call’ if TH10 is coded ‘1’ (PHONE). Otherwise, display ‘contact’.

Full Detail Spec

**TH110**

**(TH1090)**

**BLAISE NAME:** THPmedRoster

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TPRESCRIBEDMEDS **Answers allowed:** 99 **ArrayMax:** **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT}

**Question Text:**

Please tell me the names of the prescriptions from this {call/contact} that were filled.

PROBE: Any other prescribed medicines from this {call/contact} that were filled?

ENTER ALL THAT APPLY.

CTRL-A: ADD  
CTRL-E: EDIT  
CTRL-D: DELETE

<b>Responses:</b>	{PRESCRIBED MEDICINE}1	.....	1	TH120	(TH1095)
	{PRESCRIBED MEDICINE}2	.....	2	TH120	(TH1095)
	{PRESCRIBED MEDICINE}3	.....	3	TH120	(TH1095)
	{PRESCRIBED MEDICINE}4	.....	4	TH120	(TH1095)
	{PRESCRIBED MEDICINE}N	.....	5	TH120	(TH1095)

**Programmer  
Instructions:**

Roster behavior:

1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a medicine added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.
4. Limited edit allowed. Interviewer may edit medicines added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

Soft Check:

If 2 or more of the same following text strings are found in a single medicine entry (e.g. DROXIA 200MG CAPMAXALT 10MG) upon leaving the single entry field by pressing 'TAB' or 'ENTER:

- MG
- ML
- CAP
- MCG
- TAB
- GM
- %

Or if the following text combinations strings are found in a single medicine entry (e.g. aspirin 5mg triamcinolone acetone .5% ointment) upon leaving the single entry field by pressing 'TAB' or 'ENTER:

- MG and %
- MCG and MG

Display a separate pop-up below the field that triggered the soft check with the message: "Verify only one medicine per field is entered. If entry is a compound medicine (medicine label lists two or more different medicines) select 'Suppress'. If entry error was made, select 'GoTo' and re-enter each medicine in a separate field. Press 'TAB' between each separate entry."

At the top of the pop-up above the message, display the medicine that triggered the soft check. With the text string that triggered the check displayed in bold.

Prescribed Medicine Soft Check Flag (PMedSoftChk):

The purpose of this flag is to ensure that once the soft check is triggered, that particular entry row will not trigger the soft check again, even when the text entry of the field has changed. The flag records whether the interviewer selected "Suppress" or "GoTo". Suppressing the soft check may not indicate that the medicine is a compound drug as a medicine name could have the targeted text string in both the form/strength and drug name, such as "captopril capsule". When the interviewer selects 'GoTo' to return to the field to make a correction, the soft check will not run again to check the entry.

Pressing 'tab' then selecting 'Suppress' or 'GoTo' closes the soft check pop-up and moves the cursor to the next empty field.

Pressing 'enter' then selecting 'Suppress' closes the soft check pop-up and moves the focus back to the prescribed medicine roster. Or if 'GoTo' is selected moves the cursor back to the entry field that triggered the soft check

**PMED LOOKUP SPECIFICATIONS**

For complete PMed Lookup specifications, refer to the Global (GL) Specifications.

**Display Instructions:** Display 'call' if TH10 is coded '1' (PHONE). Otherwise, display 'contact'.

Roster 3- Add/Edit/Delete Allowed Roster definition:  
This item displays the Person's-Prescription-Medicines-Roster for selection. Display name of prescribed medicine (DRUG.DRUGNAME)

Roster filter:  
Display all medicines in person's roster; no filter.

<b>TH120</b>	<b>(TH1095)</b>	<b>BLAISE NAME:</b> RefLabTst		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER} - {DOC OR DEPT}

**Question Text:**

During this {call/contact}, did {someone at} {PROVIDER} refer {you/{PERSON}} for lab tests? Please include only lab tests {you/he/she} obtained between {START DATE} and {END DATE}.

**Responses:**

YES	.....	1	BOX_60	(TH1100)
NO	.....	2	BOX_60	(TH1100)
REFUSED	.....	RF	BOX_60	(TH1100)
DON'T KNOW	.....	DK	BOX_60	(TH1100)

**Display Instructions:** Display 'call' if TH10 is coded '1' (PHONE). Otherwise, display 'contact'.

Display '{someone at}' if provider associated with this event is a facility provider. Otherwise, use a null display.

Full Detail Spec

**BOX\_60**      **(TH1100)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If no condition is associated with this visit to this provider for this person, go to BOX\_80. Otherwise, continue with BOX\_70.

**BOX\_70**      **(TH1105)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If 1 or more visits to this provider for this person have not completed the telehealth utilization module and if this event is not part of a flat fee group, continue with TH130. Note: If provider is a facility provider, check all events to the same facility provider regardless of the doctor or department linked to the specific events. Otherwise, go to BOX\_80.

**TH130**      **(TH1110)**      **BLAISE NAME:** TH0thSameCond  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON’S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER}

**Question Text:**

Earlier I recorded that {you/{PERSON}} had some other {calls to/contacts with} {PROVIDER}. {Were any of these for {your/his/her} {PERSON’S TH MEDICAL CONDITION}?/Were any of the other {calls/contacts} also for {your/his/her} {PERSON’S TH MEDICAL CONDITION} or {PERSON’S TH MEDICAL CONDITION} {or {PERSON’S TH MEDICAL CONDITION}}?/ Were any of the other {calls/contacts} also for one of these conditions (READ CONDITIONS BELOW):}

{CONDITIONS  
{PERSON'S TH MEDICAL CONDITION}1  
{PERSON'S TH MEDICAL CONDITION}2  
{PERSON'S TH MEDICAL CONDITION}3  
{PERSON'S TH MEDICAL CONDITION}4  
{PERSON'S TH MEDICAL CONDITION}N}

**Responses:**      YES ..... 1 TH140 (TH1115)  
NO ..... 2 BOX\_80 (TH1125)  
REFUSED ..... RF BOX\_80 (TH1125)  
DON'T KNOW ..... DK BOX\_80 (TH1125)

---

<b>Programmer Instructions:</b>	<p>{DOC OR DEPT} should not display in context header.</p> <p>Display ‘Were any of these for {your/his/her} {PERSON’S TH MEDICAL CONDITION}?’ if only one condition selected or added to Person’s-Medical-Conditions-Roster at TH90.</p> <p>Display ‘Were any of the other {calls/contacts} also for {your/his/her} {PERSON’S TH MEDICAL CONDITION} or {PERSON’S TH MEDICAL CONDITION} {or {PERSON’S TH MEDICAL CONDITION}}?’ if exactly 2 or 3 conditions selected or added to Person’s-Medical-Conditions-Roster at TH90. Otherwise, display ‘Were any of the other {calls/contacts} also for one of these conditions (READ CONDITIONS BELOW):’</p> <p>Display ‘or {PERSON’S TH MEDICAL CONDITION}’ if exactly 3 conditions selected or added to Person’s-Medical-Conditions-Roster at TH90. Otherwise, use a null display.</p> <p>For ‘PERSON’S TH MEDICAL CONDITION’ display the condition selected from or added to Person’s-Medical-Conditions-Roster at TH90.</p> <p>Display the header ‘CONDITIONS’ and the list of conditions if more than three conditions selected or added to Person’s-Medical-Conditions-Roster at TH90. Otherwise, use a null display. For ‘PERSON’S TH MEDICAL CONDITION’, display all conditions selected from or added to Person’s- Medical-Conditions-Roster at TH90.</p>
<b>Display Instructions:</b>	<p>Display ‘calls to’ and ‘calls’ if TH10 is coded ‘1’ (PHONE). Otherwise, display ‘contacts with’ and ‘contacts’.</p>



Full Detail Spec

**TH140**

**(TH1115)**

**BLAISE NAME:** THRepVstRoster

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TMONTHDAYYEAR **Answers allowed:** 99 **ArrayMax:** **Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {EVN-DT} {NAME OF MEDICAL CARE PROVIDER}

**Question Text:**

{Which of the following {calls/contacts} were also for {your/{PERSON}'s} {PERSON'S TH MEDICAL CONDITION} {{or {your/his/her}/,} {PERSON'S TH MEDICAL CONDITION}} {or {your/his/her} {PERSON'S TH MEDICAL CONDITION}}?/ Which of the following {calls/contacts} were also for one of these conditions (READ CONDITIONS BELOW)?}

PROBE: Any other {calls/contacts} for the same condition?

ENTER ALL THAT APPLY.

{CONDITIONS

{PERSON'S TH MEDICAL CONDITION}1

{PERSON'S TH MEDICAL CONDITION}2

{PERSON'S TH MEDICAL CONDITION}3

{PERSON'S TH MEDICAL CONDITION}4

{PERSON'S TH MEDICAL CONDITION}N}

- Responses:**
- {SELECT ALL EVENTS} ..... 0
  - {MONTH, DAY, YEAR} {PROVIDER} 1 ..... 1
  - {MONTH, DAY, YEAR} {PROVIDER} 2 ..... 2
  - {MONTH, DAY, YEAR} {PROVIDER} 3 ..... 3
  - {MONTH, DAY, YEAR} {PROVIDER} 4 ..... 4
  - {MONTH, DAY, YEAR} {PROVIDER} N ..... 5

**Programmer  
Instructions:**

Go to TH150.

If coded '0' SELECT ALL EVENTS, CAPI should automatically select all of the events displayed on the roster and flag as being part of the repeat visit group.

Flag each visit selected at TH140 as a repeat visit related to the event being asked about. (NOTE: The event being cycled on through this TH section administration is the "stem" repeat visit. The events selected at TH140 are the "leaves". The event driver (ED) section will not serve these repeat visits for the TH section.)

Assign next repeat visit number at the household level. (NOTE: Each repeat visit grouping, whether OP, MV, TH, or HH is assigned this number at a household level. The number will start over every round.)

Roster behavior:

1. Multiple select allowed.

**Display  
Instructions:**

{DOC OR DEPT} should not display in context header.

Roster 2- No Add/Edit/Delete

Roster definition:

This item displays all medical events (dates) on person's medical- events-roster for selection. Display event begin date (EVNT.EVNTBEGM, EVNT.EVNTBEGD, EVNT.EVNTBEGY)

Roster filter:

Display only those event with the following characteristics.

1. Event was created this round.
2. Event has not been processed in utilization.
3. Event has event type 'TH'.
4. Event is associated with the same provider as the event being asked about (regardless of the doctor or department linked to the specific event if provider is a facility provider).
5. Event is not already flagged as part of a flat fee bundle.

Next to each event date, display the doctor or department linked to that specific visit date.

Display 'Which of the following {calls/contact} were also for {your/{PERSON}'s} {PERSON'S TH MEDICAL CONDITION} {{or {your/his/her}/,} {PERSON'S TH MEDICAL CONDITION}} {or {your/his/her} {PERSON'S TH MEDICAL CONDITION}}?' if three or less conditions selected or added to Person's-Medical-Conditions-Roster at TH90. Otherwise display, 'Which of the following {calls/contact} were also for one of these conditions (READ CONDITIONS BELOW)?'

Display '{or {your/his/her}/,} {PERSON'S TH MEDICAL CONDITION}' if two or three conditions selected or added to Person's-Medical-Conditions-Roster at TH90. Otherwise, use a null display.

Display "or {your/his/her}" if exactly two conditions selected or added to Person's-Medical-Conditions-Roster at TH90. Otherwise, display ';

Display 'or {your/his/her} {PERSON'S TH MEDICAL CONDITION}' if exactly three conditions selected or added to Person's-Medical-Conditions-Roster at TH90. Otherwise, use a null display.

For 'PERSON'S TH MEDICAL CONDITION' display the condition selected from or added to Person's-Medical-Conditions-Roster AT TH90.



## Full Detail Spec

BOX\_80(TH1125)

Item Type: Route

Type Class: If Then

---

**Route Details:**

Go to the Charge/Payment (CP) section if it needs to be asked for this event, i.e. its status wasn't set to 'Completed' because it was part of a Flat Fee situation where the charges were collected in the CP section for another event in that Flat Fee group.

If the Charge/Payment (CP) section is completed for this Telehealth (TH) event and TH120 is coded '1' (YES) go to EF section.

Otherwise, go to the Event Driver (ED) section.

[End of TH]