#### **PRA Disclosure Statement**

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-1163 (Expiration Date: XX/XX/XXXX)**). The time required to complete this information collection is estimated to average **1 hour and 26 minutes** per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850. **\*\*\*\*\*CMS Disclaimer\*\*\*\*\*Please do not send applications, claims, payments, medical records, or any documents containing sensitive information to the PRA Reports Clearance Office. Please note that any correspondence not pertaining to the information collection burden approved under the associated OMB control number listed on this form will not** be reviewed, forwarded, or retained. If you have questions or concerns regarding where to submit your documents, please contact Ariel Cress at <u>Ariel.Cress@cms.hhs.gov</u> and Lorraine Wickiser at Lorraine.Wickser@cms.hhs.gov.

## LONG-TERM CARE HOSPITAL (LTCH) CONTINUITY ASSESSMENT **RECORD & EVALUATION (CARE) DATA SET - Version 5.2** PATIENT ASSESSMENT FORM - UNPLANNED DISCHARGE

Section A	Administrative Information			
A0050. Type of Record				
2. Modify existing	Enter Code 1. Add new assessment/record 2. Modify existing record 3. Inactivate existing record			
A0100. Facility Provider Nu	mbers. Enter Code in boxes provided.			
A. National Provid	on Number (CCN):			
A0200. Type of Provider				
Enter Code 3. Long-Term Care	e Hospital			
A0210. Assessment Referen	nce Date			
Observation end dat	te: - Year			
A0220. Admission Date				
Month Day	Year			
A0250. Reason for Assessment				
	10. Planned discharge         11. Unplanned discharge			
A0270. Discharge Date				
Month Day	- Year			

Identifier

Section A	Administrative Information			
Patient Demographic Information				
A0500. Legal Name of Patie	ent			
A. First name:				
B. Middle initial:				
C. Last name:				
D. Suffix:				
A0600. Social Security and	Medicare Numbers			
A. Social Security	Number:			
B. Medicare numbe	r (or comparable railroad insurance number):			
A0700. Medicaid Number -	Enter "+" if pending, "N" if not a Medicaid recipient			
A0800. Gender				
Enter Code 2. Female				
A0900. Birth Date				
Month Day	- Year			

Sectio	n A	Administrative Information			
A1400. Payer Information					
↓ Check all that apply					
	A. Medicare (traditional fee-for-service)				
	B. Medicare (manag	ged care/Part C/Medicare Advantage)			
	C. Medicaid (tradition	onal fee-for-service)			
	D. Medicaid (manag	ged care)			
	E. Workers' compe	nsation			
	F. Title programs (e	.g., Title III, V, or XX)			
	G. Other governmen	nt (e.g., TRICARE, VA, etc.)			
	H. Private insuranc	e/Medigap			
	I. Private manage	d care			
	J. Self-pay				
	K. No payer source				
	X. Unknown				
	Y. Other				
A1990. P	Patient Discharged	Against Medical Advice?			
Enter Code	0. <b>No</b>				
	1. <b>Yes</b>				
A2105. C	Discharge Location				
Enter Code	arrangements) 2. Nursing Home (H 3. Skilled Nursing I 4. Short-Term Gen 5. Long-Term Care 6. Inpatient Rehab 7. Inpatient Psychi 8. Intermediate Ca 9. Hospice (home/ 10. Hospice (institut 11. Critical Access H	ilitation Facility (IRF, free standing facility or unit) atric Facility (psychiatric hospital or unit) ire Facility (ID/DD facility) non-institutional) ional facility)			

Sectio	Section A Administrative Information				
<b>A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge</b> At the time of discharge to another provider, did your facility provide the patient's current reconciled medication list to the subsequent provider?					
Enter Code	Medication List to P	nciled medication list not provided to the subsequent provider> Skip to A2123, Provision of Cu atient at Discharge onciled medication list provided to the subsequent provider	ırrent Reconciled		
A2122 E		econciled Medication List Transmission to Subsequent Provider			
		nission of the current reconciled medication list to the subsequent provider.			
Route of	Route of Transmission Check all that apply				
A. Electr	onic Health Record				
B. Healt	h Information Excha	nge			
C. Verba	l (e.g., in-person, teler	ohone, video conferencing)			
D. Paper-	<b>based</b> (e.g., fax, copies	s, printouts)			
E. Other	Methods (e.g., texting	g, email, CDs)			
		It Reconciled Medication List to Patient at Discharge your facility provide the patient's current reconciled medication list to the patient, fami	ily and/or caregiver?		
Enter Code	0. <b>No</b> – Current recor Delirium (from CAM©	nciled medication list not provided to the patient, family and/or caregiver $\rightarrow$ Skip to C1310, Signs	and Symptoms of		
	1. Yes – Current reco	nciled medication list provided to the patient, family and/or caregiver			
A2124. Route of Current Reconciled Medication List Transmission to Patient Indicate the route(s) of transmission of the current reconciled medication list to the patient/family/caregiver.					
Route of <sup>-</sup>	Route of Transmission Check all that apply				
A. Electro	A. Electronic Health Record (e.g., electronic access to patient portal)				
B. Health	B. Health Information Exchange				
C. Verbal (e.g., in-person, telephone, video conferencing)					
D. Paper-	D. Paper-based (e.g., fax, copies, printouts)				
E. Other Methods (e.g., texting, email, CDs)					

Identifier

Section C Cognitive Patterns				
C1310. Signs and Symptoms	s of Delirium (from CAM©)			
Code <b>after</b> reviewing medical rec	cord.			
A. Acute Onset Mental Status	s Change			
Enter Code Is there evidence of a 0. No 1. Yes	an acute change in mental status from the patient's baseline?			
	↓ Enter Code in Boxes			
Coding: 0. Behavior not present 1. Behavior continuously	<b>B. Inattention</b> - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said?			
<ul> <li>present, does not fluctuate</li> <li>2. Behavior present, fluctuates (comes and goes, changes in severity)</li> </ul>	<b>C. Disorganized thinking</b> - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?			
	<b>D.</b> Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria?			
	<ul> <li>vigilant - startled easily to any sound or touch</li> </ul>			
	lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch			
	<ul> <li>stuporous - very difficult to arouse and keep aroused for the interview</li> </ul>			
	comatose - could not be aroused			

Adapted from: Inouye SK, et al. Ann Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission.

Identifier

# Section J Health Conditions

## J1800. Any Falls Since Admission

#### Enter Code Has the patient had any falls since admission?

- 0. No -> Skip to K0520, Nutritional Approaches

#### J1900. Number of Falls Since Admission

Coding: 0. None 1. One 2. Two or more	↓ Enter Codes in Boxes
	<b>A. No injury:</b> No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall.
	<b>B. Injury (except major):</b> Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain.
	C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma.

Section K	Swallowing/Nutritional Status			
K0520. Nutritional Approaches				
<ol> <li>Last 7 Days</li> <li>Check all of the nutritional approaches that were received in the last 7 days</li> </ol>		4. Last 7 Days	5. At Discharge	
5. At Discharge Check all of the nutritional approaches that were being received at discharge		Check all that apply ↓	Check all that apply ↓	
A. Parenteral/IV feeding				
<b>B. Feeding tube</b> (e.g., na	sogastric or abdominal (PEG))			
C. Mechanically altered diet - require change in texture of food or liquids (e.g., pureed food, thickened liquids)				
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)				
Z. None of the above				

### Section M Skin Conditions

#### Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage. M0210. Unhealed Pressure Ulcers/Injuries Enter Code Does this patient have one or more unhealed pressure ulcers/injuries? 1. Yes - Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues. Enter Number 1. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. Enter Number Enter Number 2. Number of these Stage 2 pressure ulcers that were present upon admission - enter how many were noted at the time of admission C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. Enter Number 1. Number of Stage 3 pressure ulcers - If 0 -> Skip to M0300D, Stage 4 Enter Number 2. Number of these Stage 3 pressure ulcers that were present upon admission - enter how many were noted at the time of admission D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. Enter Number Enter Number 2. Number of these Stage 4 pressure ulcers that were present upon admission - enter how many were noted at the time of admission E. Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device Enter Number 1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable - Slough and/or eschar Enter Number 2. Number of these unstageable pressure ulcers/injuries that were present upon admission - enter how many were noted at the time of admission F. Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar Enter Number 1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 -> Skip to M0300G, Unstageable - Deep tissue injury Enter Number 2. Number of these unstageable pressure ulcers that were present upon admission - enter how many were noted at the time ofadmission G. Unstageable - Deep tissue injury Enter Number 1. Number of unstageable pressure injuries presenting as deep tissue injury - If 0 -> Skip to N0415, High-Risk Drug Classes: Use and Indication Enter Number 2. Number of these unstageable pressure injuries that were present upon admission - enter how many were noted at the time of admission

Sectior	n N	Medications		
N0415. High-Risk Drug Classes: Use and Indication				
<ol> <li>Is taking Check if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes</li> <li>Indication noted</li> </ol>		1. Is taking	2. Indication noted	
		if there is an indication noted for all medications in the drug class	Check all that apply ↓	Check all that apply ↓
A. Antipsy	chotic			
E. Anticoa	gulant			
F. Antibiotic				
H. Opioid				
I. Antiplatelet				
J. Hypoglycemic (including insulin)				
Z. None of	the above			
N2005. M	edication Interven	tion		
<ul> <li>Enter Code</li> <li>Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission?</li> <li>0. No</li> <li>1. Yes</li> <li>9. Not applicable - There were no potential clinically significant medication issues identified since admission or patient is not taking any medications</li> </ul>				

Section O	Special Treatments, Procedures, and Programs		
<b>O0110. Special Treatments, Procedures, and Programs</b> Check all of the following treatments, procedures, and programs that apply at discharge.			
		c. At Discharge Check all that apply	
Cancer Treatments		•	
A1. Chemotherapy			
A2. IV			
A3. Oral			
A10. Other			
B1. Radiation			
Respiratory Therapies			
C1. Oxygen Therapy			
C2. Continuous			
C3. Intermittent			
C4. High-concentration			
D1. Suctioning			
D2. Scheduled			
D3. As Needed			
E1. Tracheostomy care			
F1. Invasive Mechanical Vent	lator (ventilator or respirator)		
G1. Non-Invasive Mechanica	Ventilator		
G2. BIPAP			
G3. CPAP			
Other			
H1. IV Medications			
H2. Vasoactive medicati	ons		
H3. Antibiotics			
H4. Anticoagulation			
H10. Other			
I1. Transfusions			
J1. Dialysis			
J2. Hemodialysis			
J3. Peritoneal dialysis			
O1. IV Access			
O2. Peripheral			
O3. Midline			
O4. Central (e.g., PICC, tur	nneled, port)		
None of the Above			
Z1. None of the above			

Sectio	n O Special Treatments, Procedures, and Programs
00200. V	entilator Liberation Rate (Note: 2 calendar days prior to discharge = 2 calendar days + day of discharge)
Enter Code	<ul> <li>A. Invasive Mechanical Ventilator: Liberation Status at Discharge</li> <li>0. Not fully liberated at discharge (i.e., patient required partial or full invasive mechanical ventilation support within 2 calendar days prior to discharge)</li> <li>1. Fully liberated at discharge (i.e., patient did not require any invasive mechanical ventilation support for at least 2 consecutive calendar days immediately prior to discharge)</li> <li>9. Not applicable (code only if the patient was not on invasive mechanical ventilator support upon admission [O0150A = 0] or the patient was determined to be non-weaning upon admission [O0150A2 = 0])</li> </ul>
O0350. Pa	atient's COVID-19 vaccination is up to date.
Enter Code	0. No, patient is not up to date 1. Yes, patient is up to date

## Section Z Assessment Administration

#### **Z0400.** Signature of Persons Completing the Assessment

I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that submitting false information may subject my organization to a 2% reduction in the Fiscal Year payment determination. I also certify that I am authorized to submit this information by this facility on its behalf.

Signature	Title	Sections	Date Section Completed
А.			
В.			
С.			
D.			
Ε.			
F.			
G.			
Н.			
l.			
J.			
К.			
L.			
500. Signature of Person Verifying Assessment Co	mpletion		
A. Signature:		CH CARE Data Set Completio	on Date:
	I	— — — Month Day	Year