## **Attachment 16**

## Source of the Data and Accuracy of the Estimates for the November 2022 Current Population Survey Microdata File on Voting and Registration

## **Table of Contents**

SOURCE OF THE DATA	1
Basic CPS	
November 2022 Supplement	2
Estimation Procedure	
ACCURACY OF THE ESTIMATES	3
Sampling Error	3
Nonsampling Error	
Nonresponse	
Undercoverage	
Comparability of Data	
A Nonsampling Error Warning	
Standard Errors and Their Use	
Estimating Standard Errors	7
Generalized Variance Parameters	
Standard Errors of Estimated Numbers	9
Standard Errors of Estimated Percentages	10
Standard Errors of Estimated Differences	11
Accuracy of State Estimates	12
Standard Errors of State, Division, and Region Estimates	12
Standard Errors of Quarterly or Yearly Averages	13
Technical Assistance	
REFERENCES	19

# **Tables**

Table 1.	Current Population Survey Coverage Ratios: November 2022	5
	Estimation Groups of Interest and Generalized Variance Parameters	
Table 3.	Illustration of Standard Errors of Estimated Numbers	10
Table 4.	Illustration of Standard Errors of Estimated Percentages	11
Table 5.	Illustration of Standard Errors of Estimated Differences	12
Table 6.	Illustration of Standard Errors of State Estimates	13
Table 7.	Parameters for Computation of Standard Errors for Labor Force	
	Characteristics: November 2022	14
Table 8.	Parameters for Computation of Standard Errors for Voting and Registration	
	Characteristics: November 2022	15
Table 9.	Parameters for Computation of State Standard Errors for Voting and	
	Registration Characteristics of Total Population: November 2022	16
Table 10	Parameters for Computation of Division Standard Errors for Voting and	
	Registration Characteristics of Total Population: November 2022	18
Table 11	Parameters for Computation of Region Standard Errors for Voting and	
	Registration Characteristics of Total Population: November 2022	18

# Source of the Data and Accuracy of the Estimates for the November 2022 Current Population Survey Microdata File on Voting and Registration

#### SOURCE OF THE DATA

The data in this microdata file are from the November 2022 Current Population Survey (CPS). The U.S. Census Bureau conducts the CPS every month, although this file has only November data. The November survey uses two sets of questions, the basic CPS and a set of supplemental questions. The CPS, sponsored jointly by the Census Bureau and the U.S. Bureau of Labor Statistics, is the country's primary source of labor force statistics for the civilian noninstitutionalized population. The Social, Economic, and Housing Statistics Division of the Census Bureau sponsors the supplemental questions for November.

<u>Basic CPS</u>. The monthly CPS collects primarily labor force data about the civilian noninstitutionalized population living in the United States. The institutionalized population, which is excluded from the universe, consists primarily of the population in correctional institutions and nursing homes (98 percent of the 4.0 million institutionalized people in the 2010 Census). Starting in August 2017, college and university dormitories were also excluded from the universe because most of the residents had usual residences elsewhere. Interviewers ask questions concerning labor force participation of each member 15 years old and older in sample households. Typically, the week containing the nineteenth of the month is the interview week. The week containing the twelfth is the reference week (i.e., the week about which the labor force questions are asked).

The CPS uses a multistage probability sample based on the results of the decennial census, with coverage in all 50 states and the District of Columbia. The sample is continually updated to account for new residential construction. When files from the most recent decennial census become available, the Census Bureau gradually introduces a new sample design for the CPS.

Every ten years, the CPS first-stage sample is redesigned¹ reflecting changes based on the most recent decennial census. In the first stage of the sampling process, primary sampling units (PSUs)² were selected for sample. In the 2010 sample design, the United States was divided into 1,987 PSUs. These PSUs were then grouped into 852 strata. Within each stratum, a single PSU was chosen for the sample, with its probability of selection proportional to its population as of the most recent decennial census. In the case of strata consisting of only one PSU, the PSU was chosen with certainty.

For detailed information on the 2010 sample redesign, please reference Bureau of Labor Statistics (2014).

The PSUs correspond to substate areas (i.e., counties or groups of counties) that are geographically contiguous.

Approximately 68,500 sampled addresses were selected from the sampling frame in November. Based on eligibility criteria, eight percent of these sampled addresses were sent directly to computer-assisted telephone interviewing (CATI). The remaining sampled addresses were assigned to interviewers for computer-assisted personal interviewing (CAPI).<sup>3</sup> Of all addresses in sample, about 59,000 were determined to be eligible for interview. Interviewers obtained interviews at about 42,000 of the housing units at these addresses. Noninterviews occur when the occupants are not found at home after repeated calls or are unavailable for some other reason.<sup>4</sup>

**November 2022 Supplement**. In November 2022, in addition to the basic CPS questions, interviewers asked supplementary questions of all persons 18 years of age and older on voting and registration.

**Estimation Procedure**. This survey's estimation procedure adjusts weighted sample results to agree with independently derived population controls of the civilian noninstitutionalized population of the United States, each state, and the District of Columbia. These population controls<sup>5</sup> are prepared monthly as part of the Census Bureau's Population Estimates Program.

The population controls for the nation are distributed by demographic characteristics in two ways:

- Age, sex, and race (White alone, Black alone, and all other groups combined).
- Age, sex, and Hispanic origin.

The population controls for the states are distributed by:

- Race (Black alone and all other race groups combined).
- Age (0-15, 16-44, and 45 and over).
- Sex.

The independent estimates by age, sex, race, and Hispanic origin, and for states by selected age groups and broad race categories, are developed using the basic demographic

For further information on CATI and CAPI and the eligibility criteria, please reference U.S. Census Bureau (2019).

<sup>&</sup>lt;sup>4</sup> Counts and estimates throughout this source and accuracy statement are rounded according to Disclosure Review Board rounding rules.

For additional information on population controls, including details on the demographic characteristics used and net international components, please refer to Chapters 1-3 and Appendix: History of the Current Population Survey of U.S. Census Bureau (2019).

accounting formula whereby the population from the 2020 Census data<sup>6</sup> is updated using data on the components of population change (births, deaths, and net international migration) with net internal migration as an additional component in the state population controls.

The net international migration component of the population controls includes:

- Net international migration of the foreign born;
- Net migration between the United States and Puerto Rico;
- Net migration of natives to and from the United States; and
- Net movement of the Armed Forces population to and from the United States.

Because the latest available information on these components lags behind the survey date, it is necessary to make short-term projections of these components to develop the estimate for the survey date.

#### **ACCURACY OF THE ESTIMATES**

A sample survey estimate has two types of error: sampling and nonsampling. The accuracy of an estimate depends on both types of error. The nature of the sampling error is known given the survey design; the full extent of the nonsampling error is unknown.

**Sampling Error**. Since the CPS estimates come from a sample, they may differ from figures from an enumeration of the entire population using the same questionnaires, instructions, and enumerators. For a given estimator, the difference between an estimate based on a sample and the estimate that would result if the sample were to include the entire population is known as sampling error. Standard errors, as calculated by methods described in "Standard Errors and Their Use," are primarily measures of the magnitude of sampling error. However, the estimation of standard errors may include some nonsampling error.

**Nonsampling Error**. For a given estimator, the difference between the estimate that would result if the sample were to include the entire population and the true population value being estimated is known as nonsampling error. There are several sources of nonsampling error that may occur during the development or execution of the survey. It can occur because of circumstances created by the interviewer, the respondent, the survey instrument, or the way the data are collected and processed. Some nonsampling errors, and examples of each, include:

\_

In recent decades, the decennial census has usually provided all the data necessary to produce the population base used in the population controls. However, changes in disclosure avoidance practices and delays in the 2020 Census necessitated changes to the data sources that produce the base population for the Vintage 2021 population estimates. The updated population controls use a Blended Base that draws on the 2020 Census, 2020 Demographic Analysis Estimates, and Vintage 2020 Postcensal Population Estimates. More information on this methodology can be found at U.S. Census Bureau (2021).

- Measurement error: The interviewer records the wrong answer, the respondent provides incorrect information, the respondent estimates the requested information, or an unclear survey question is misunderstood by the respondent.
- Coverage error: Some individuals who should have been included in the survey frame were missed.
- Nonresponse error: Responses are not collected from all those in the sample or the respondent is unwilling to provide information.
- Imputation error: Values are estimated imprecisely for missing data.
- Processing error: Forms may be lost, data may be incorrectly keyed, coded, or recoded, etc.

To minimize these errors, the Census Bureau applies quality control procedures during all stages of the production process including the design of the survey, the wording of questions, the review of the work of interviewers and coders, and the statistical review of reports.

Two types of nonsampling error that can be examined to a limited extent are nonresponse and undercoverage.

**Nonresponse**. The effect of nonresponse cannot be measured directly, but one indication of its potential effect is the nonresponse rate. For the November 2022 basic CPS, the household-level unweighted nonresponse rate was 28.7 percent. The person-level unweighted nonresponse rate for the Voting and Registration supplement was an additional 8.0 percent. Since the basic CPS nonresponse rate is a household-level rate and the Voting and Registration supplement nonresponse rate is a person-level rate, we cannot combine these rates to derive an overall nonresponse rate. Nonresponding households may have more or fewer persons than interviewed ones, so combining these rates may lead to an under- or overestimate of the true overall nonresponse rate for persons for the Voting and Registration supplement.

Responses are made up of complete interviews and sufficient partial interviews. A sufficient partial interview is an incomplete interview in which the household or person answered enough of the questionnaire for the supplement sponsor to consider the interview complete. The remaining supplement questions may have been edited or imputed to fill in missing values. Insufficient partial interviews are considered to be nonrespondents. Refer to the supplement overview attachment in the technical documentation for the specific questions deemed critical by the sponsor as necessary to answer in order to be considered a sufficient partial interview.

As a result of sufficient partial interviews being considered responses, individual items/questions have their own response and refusal rates. As part of the nonsampling error analysis, the item response rates, item refusal rates, and edits are reviewed. For the Voting and Registration supplement, the unweighted item refusal rates range from 0.1 percent to 4.7 percent. The unweighted item nonresponse rates range from 0.5 percent to 17.7 percent.

<u>Undercoverage</u>. The concept of coverage with a survey sampling process is defined as the extent to which the total population that could be selected for sample "covers" the survey's target population. Missed housing units and missed people within sample households create undercoverage in the CPS. Overall CPS undercoverage for November 2022 is estimated to be about nine percent. CPS coverage varies with age, sex, and race. Generally, coverage is higher for females than for males and higher for non-Blacks than for Blacks. This differential coverage is a general problem for most household-based surveys.

The CPS weighting procedure mitigates bias from undercoverage, but biases may still be present when people who are missed by the survey differ from those interviewed in ways other than age, race, sex, Hispanic origin, and state of residence. How this weighting procedure affects other variables in the survey is not precisely known. All of these considerations affect comparisons across different surveys or data sources.

A common measure of survey coverage is the coverage ratio, calculated as the estimated population before poststratification divided by the independent population control. Table 1 shows November 2022 CPS coverage ratios by age and sex for certain race and Hispanic groups. The CPS coverage ratios can exhibit some variability from month to month.

**Table 1. Current Population Survey Coverage Ratios: November 2022** 

		<u>Total</u>		White	e alone	Black	<u> alone</u>	Residu	ial race <sup>A</sup>	<u>Hisp</u>	anic <sup>B</sup>
Age group	All people	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
0-15	0.85	0.85	0.85	0.90	0.90	0.68	0.69	0.80	0.82	0.83	0.84
16-19	0.81	0.83	0.80	0.85	0.85	0.71	0.65	0.83	0.73	0.83	0.88
20-24	0.79	0.82	0.76	0.85	0.78	0.68	0.66	0.78	0.76	0.82	0.82
25-34	0.83	0.82	0.83	0.88	0.87	0.60	0.66	0.76	0.79	0.84	0.88
35-44	0.88	0.86	0.91	0.90	0.93	0.71	0.79	0.75	0.93	0.82	0.95
45-54	0.90	0.88	0.92	0.90	0.94	0.74	0.80	0.89	0.90	0.80	0.88
55-64	0.93	0.91	0.95	0.91	0.97	0.86	0.83	0.91	0.99	0.87	0.90
65+	1.05	1.03	1.06	1.04	1.08	1.03	1.04	0.91	0.91	0.93	0.93
15+	0.91	0.89	0.92	0.92	0.95	0.76	0.79	0.83	0.87	0.84	0.89
0+	0.90	0.88	0.91	0.92	0.94	0.74	0.77	0.82	0.86	0.84	0.88

Source: U.S. Census Bureau, Current Population Survey, November 2022.

Note: For a more detailed discussion on the use of parameters for race and ethnicity, please refer to the "Generalized Variance Parameters" section.

<u>Comparability of Data</u>. Data obtained from the CPS and other sources are not entirely comparable. This is due to differences in interviewer training and experience and in differing survey processes.<sup>7</sup> These differences are examples of nonsampling variability not

A The Residual race group includes cases indicating a single race other than White or Black, and cases indicating two or more races.

B Hispanics may be any race.

Survey processes include, but are not limited to, question wording, universe, sampling frame, interview modes, and weighting.

reflected in the standard errors. Therefore, caution should be used when comparing results from different sources.

Data users should be careful when comparing the data from this microdata file, which reflects 2020 Census-based controls<sup>8</sup>, with microdata files which reflect 2010 Census-based controls. Ideally, the same population controls should be used when comparing any estimates. In reality, the use of the same population controls is not practical when comparing trend data over a period of 10 to 20 years. Thus, when it is necessary to combine or compare data based on different controls or different designs, data users should be aware that changes in weighting controls or weighting procedures can create small differences between estimates. The discussion following includes information on comparing estimates derived from different populations or different sample designs.

Microdata files from previous years reflect the latest available census-based controls. Although the most recent change in population controls had relatively little impact on summary measures such as averages, medians, and percentage distributions, it did have a significant impact on levels. For example, use of 2020 Census-based controls results in about a 0.7 percent increase from the 2010 Census-based controls in the civilian noninstitutionalized population. Thus, estimates of levels for data collected in 2012 and later years will differ from those for earlier years by more than what could be attributed to actual changes in the population. These differences could be disproportionately greater for certain population subgroups than for the total population.

Users should also exercise caution because of changes caused by the phase-in of the 2010 Census files (refer to "Basic CPS"). During this time period, CPS data were collected from sample designs based on different censuses. Two features of the new CPS design have the potential of affecting estimates: (1) the temporary disruption of the rotation pattern from August 2014 through June 2015 for a comparatively small portion of the sample and (2) the change in sample areas. Most of the known effect on estimates during and after the sample redesign will be the result of changing from 2000 to 2010 geographic definitions. Research has shown that the national-level estimates of the metropolitan and nonmetropolitan populations should not change appreciably because of the new sample design. However, users should still exercise caution when comparing metropolitan and nonmetropolitan estimates across years with a design change, especially at the state level.

Caution should also be used when comparing Hispanic estimates over time. No independent population control totals for people of Hispanic origin were used before 1985.

\_

In recent decades, the decennial census has usually provided all the data necessary to produce the population base used in the population controls. However, changes in disclosure avoidance practices and delays in the 2020 Census necessitated changes to the data sources that produce the base population for the Vintage 2021 population estimates. The updated population controls use a Blended Base that draws on the 2020 Census, 2020 Demographic Analysis Estimates, and Vintage 2020 Postcensal Population Estimates. More information on this methodology can be found at <a href="https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2021/methods-statement-v2021.pdf">https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2021/methods-statement-v2021.pdf</a>.

The phase-in process using the 2010 Census files began April 2014.

A Nonsampling Error Warning. Since the full extent of the nonsampling error is unknown, one should be particularly careful when interpreting results based on small differences between estimates. The Census Bureau recommends that data users incorporate information about nonsampling errors into their analyses, as nonsampling error could impact the conclusions drawn from the results. Caution should also be used when interpreting results based on a relatively small number of cases. Summary measures (such as medians and percentage distributions) probably do not reveal useful information when computed on a subpopulation smaller than 75,000.

For additional information on nonsampling error, including the possible impact on CPS data, when known, refer to U.S. Census Bureau (2019) and Brooks & Bailar (1978).

**Standard Errors and Their Use**. A sample estimate and its standard error enable one to construct a confidence interval. A confidence interval is a range about a given estimate that has a specified probability of containing the average result of all possible samples. For example, if all possible samples were surveyed under essentially the same general conditions and using the same sample design, and if an estimate and its standard error were calculated from each sample, then approximately 90 percent of the intervals from 1.645 standard errors below the estimate to 1.645 standard errors above the estimate would include the average result of all possible samples.

A particular confidence interval may or may not contain the average estimate derived from all possible samples, but one can say with the specified confidence that the interval includes the average estimate calculated from all possible samples.

Standard errors may also be used to perform hypothesis testing, a procedure for distinguishing between population parameters using sample estimates. The most common type of hypothesis is that the population parameters are different. An example of this would be comparing the percentage of men who were part-time workers to the percentage of women who were part-time workers.

Tests may be performed at various levels of significance. A significance level is the probability of concluding that the characteristics are different when, in fact, they are the same. For example, to conclude that two characteristics are different at the 0.10 level of significance, the absolute value of the estimated difference between characteristics must be greater than or equal to 1.645 times the standard error of the difference.

The Census Bureau uses 90-percent confidence intervals and 0.10 levels of significance to determine statistical validity. Consult standard statistical textbooks for alternative criteria.

**Estimating Standard Errors**. The Census Bureau uses replication methods to estimate the standard errors of CPS estimates. These methods primarily measure the magnitude of sampling error. However, they do measure some effects of nonsampling error as well. They do not measure systematic biases in the data associated with nonsampling error. Bias is the

average over all possible samples of the differences between the sample estimates and the true value.

Generalized Variance Parameters. While it is possible to estimate the standard error based on the survey data for each estimate in a report, there are a number of reasons why this is not done. A presentation of the individual standard errors would be of limited use, since one could not possibly predict all of the combinations of results that may be of interest to data users. Additionally, data users have access to CPS microdata files, and it is impossible to compute in advance the standard error for every estimate one might obtain from those data sets. Moreover, variance estimates are based on sample data and have variances of their own. Therefore, some methods of stabilizing these estimates of variance, for example, by generalizing or averaging over time, may be used to improve their reliability.

Experience has shown that certain groups of estimates have similar relationships between their variances and expected values. Modeling or generalizing may provide more stable variance estimates by taking advantage of these similarities. The generalized variance function (GVF) is a simple model that expresses the variance as a function of the expected value of the survey estimate. The parameters of the GVF are estimated using direct replicate variances. These GVF parameters provide a relatively easy method to obtain approximate standard errors for numerous characteristics.

In this source and accuracy statement:

- Tables 3 through 6 provide illustrations for calculating standard errors;
- Table 7 provides the GVF parameters for labor force estimates;
- Table 8 provides the GVF parameters for voting and registration characteristics from the November 2022 supplement; and
- Tables 9 through 11 provide GVF parameters for voting and registration characteristics for Total by U.S. states, divisions, and regions.

The basic CPS questionnaire records the race and ethnicity of each respondent. With respect to race, a respondent can be White, Black, Asian, American Indian and Alaskan Native (AIAN), Native Hawaiian and Other Pacific Islander (NHOPI), or combinations of two or more of the preceding. A respondent's ethnicity can be Hispanic or non-Hispanic, regardless of race.

The GVF parameters to use in computing standard errors are dependent upon the race/ethnicity group of interest. Table 2 summarizes the relationship between the race/ethnicity group of interest and the GVF parameters to use in standard error calculations.

Table 2. Estimation Groups of Interest and Generalized Variance Parameters

Race/ethnicity group of interest	Generalized variance parameters to use in standard error calculations
Total population <sup>A</sup>	Total
White alone, White alone or in combination (AOIC), or White non-Hispanic population <sup>A</sup>	White
Black alone, Black AOIC, or Black non-Hispanic population	Black
Asian alone, Asian AOIC, or Asian non-Hispanic population	Asian, American Indian and Alaska Native (AIAN), Native Hawaiian and Other Pacific Islander (NHOPI)
AIAN alone, AIAN AOIC, or AIAN non-Hispanic population	Asian, AIAN, NHOPI
NHOPI alone, NHOPI AOIC, or NHOPI non-Hispanic population	Asian, AIAN, NHOPI
Populations from other race groups	Asian, AIAN, NHOPI
Hispanic <sup>B</sup> population	Hispanic <sup>B</sup>
Two or more races <sup>c</sup> – employment/unemployment and educational attainment characteristics	Black
Two or more races <sup>c</sup> – all other characteristics	Asian, AIAN, NHOPI

Source: U.S. Census Bureau, Current Population Survey, internal data files.

- A For standard error calculations using parameters from the CPS GVF table (Table 7), 'Total or White' should be used.
- B Hispanics may be any race.
- <sup>c</sup> Two or more races refers to the group of cases self-classified as having two or more races.

When calculating standard errors for an estimate of interest from cross-tabulations involving different characteristics, use the set of GVF parameters for the characteristic that will give the largest standard error. If the estimate of interest is strictly from basic CPS data, the GVF parameters will come from the CPS GVF table (Table 7). If the estimate is using Voting and Registration supplement data, the GVF parameters will come from the Voting and Registration supplement GVF tables (Tables 8 through 11).

**Standard Errors of Estimated Numbers**. The approximate standard error,  $s_x$ , of an estimated number from this microdata file can be obtained by using the formula:

$$s_x = \sqrt{ax^2 + bx} \tag{1}$$

Here *x* is the size of the estimate, and *a* and *b* are the parameters in Table 7 through Table 11 associated with the particular type of characteristic.

#### Illustration 1

Suppose there were 2,986,000 unemployed men (ages 16 and up) in the civilian labor force. Table 3 shows how to use the appropriate parameters from Table 7 and Formula (1) to estimate the standard error and confidence interval.

**Table 3. Illustration of Standard Errors of Estimated Numbers** 

Number of unemployed males in the civilian labor force (x)	2,986,000
a-parameter (a)	-0.000031
b-parameter (b)	2,947
Standard error	92,000
90-percent confidence interval	2,835,000 to 3,137,000

Source: U.S. Census Bureau, Current Population Survey, November 2022.

The standard error is calculated as

$$s_x = \sqrt{-0.000031 \times 2,986,000^2 + 2,947 \times 2,986,000}$$

which, rounded to the nearest thousand, is 92,000. The 90-percent confidence interval is calculated as  $2,986,000 \pm 1.645 \times 92,000$ .

A conclusion that the average estimate derived from all possible samples lies within a range computed in this way would be correct for roughly 90 percent of all possible samples.

**Standard Errors of Estimated Percentages**. The reliability of an estimated percentage, computed using sample data for both numerator and denominator, depends on both the size of the percentage and its base. Estimated percentages are relatively more reliable than the corresponding estimates of the numerators of the percentages, particularly if the percentages are 50 percent or more. When the numerator and denominator of the percentage are in different categories, use the parameter from Table 7 through Table 11 as indicated by the numerator.

The approximate standard error,  $s_{y,p}$ , of an estimated percentage can be obtained by using the formula:

$$s_{y,p} = \sqrt{\frac{b}{y}p(100 - p)}$$
 (2)

Here y is the total number of people, families, households, or unrelated individuals in the base or denominator of the percentage, p is the percentage 100\*x/y ( $0 \le p \le 100$ ), and b is the parameter in Table 7 through Table 11 associated with the characteristic in the numerator of the percentage.

#### Illustration 2

In November 2022, out of 254,700,000 people with at least an elementary school education, 47.8 percent reported voting. Table 4 shows how to use the appropriate parameter from Table 8 and Formula (2) to estimate the standard error and confidence interval.

**Table 4. Illustration of Standard Errors of Estimated Percentages** 

Percentage of people with at least elementary education that reported voting ( <i>p</i> )	47.8
Base (y)	254,700,000
b-parameter (b)	5,949
Standard error	0.24
90-percent confidence interval	47.4 to 48.2

Source: U.S. Census Bureau, Current Population Survey, Voting and Registration, November 2022.

The standard error is calculated as

$$s_{y,p} = \sqrt{\frac{5,949}{254,700,000} \times 47.8 \times (100.0 - 47.8)} = 0.24$$

and the 90-percent confidence interval for the estimated percentage of people with at least an elementary school education who reported voting is from 47.4 to 48.2 percent (i.e., 47.8  $\pm$  1.645  $\times$  0.24).

**Standard Errors of Estimated Differences**. The standard error of the difference between two sample estimates is approximately equal to

$$s_{|x_1-x_2|} = \sqrt{(s_{x_1})^2 + (s_{x_2})^2}$$
 (3)

where  $s_{x_1}$  and  $s_{x_2}$  are the standard errors of the estimates,  $s_1$  and  $s_2$ . The estimates can be numbers, percentages, ratios, etc. This will result in accurate estimates of the standard error of the same characteristic in two different areas or for the difference between separate and uncorrelated characteristics in the same area. However, if there is a high positive (negative) correlation between the two characteristics, the formula will overestimate (underestimate) the true standard error.

#### **Illustration 3**

The November 2022 supplement showed that out of 124,000,000 men who had at least an elementary school education, 57,940,000, or 46.7 percent, had voted, and of the 130,700,000 women who had at least an elementary school education, 63,910,000, or 48.9 percent, had voted. Table 5 shows how to use the appropriate parameters from Table 8 and Formulas (2) and (3) to estimate the standard error and confidence interval.

Difference Men  $(x_1)$ Women  $(x_2)$ Percentage with at least elementary 2.2 46.7 48.9 education that voted (p) Base (y)124,000,000 130,700,000 b-parameter (b) 5,949 5.949 Standard error 0.35 0.34 0.4990-percent confidence interval 46.1 to 47.3 48.3 to 49.5 1.4 to 3.0

**Table 5. Illustration of Standard Errors of Estimated Differences** 

Source: U.S. Census Bureau, Current Population Survey, Voting and Registration, November 2022.

The standard error of the difference is calculated as

$$s_{x_1 - x_2} = \sqrt{0.35^2 + 0.34^2} = 0.49$$

and the 90-percent confidence interval around the difference is calculated as  $2.2 \pm 1.645 \times 0.49$ . Since this interval does not include zero, we can conclude with 90-percent confidence that the percentage of women with at least an elementary school education who voted is greater than the percentage of men with at least an elementary school education who voted.

Accuracy of State Estimates. The redesign of the CPS following the 1980 census provided an opportunity to increase efficiency and accuracy of state data. All strata are now defined within state boundaries. The sample is allocated among the states to produce state and national estimates with the required accuracy while keeping total sample size to a minimum.

Since the CPS is designed to produce both state and national estimates, the proportion of the total population sampled and the sampling rates differ among the states. In general, the smaller the population of the state, the larger the sampling proportion. For example, in Vermont, approximately 1 in every 250 households is selected each month. In New York, the sample is about 1 in every 2,000 households. Nevertheless, the size of the sample in New York is four times larger than in Vermont because New York has a larger population.

**Standard Errors of State, Division, and Region Estimates**. Standard errors for state, division, and region estimates may be obtained by using the state, division, and region parameters. The state, division, and region parameters for Total population voting and registration estimates are included in Tables 9, 10, and 11.

#### Illustration 4

In November 2022, about 6,068,000 people (39.8 percent) had completed at least a bachelor's degree out of about 15,240,000 people aged 18 and over living in New York state. Table 6 shows how to use Formula (2) and the appropriate parameter from Table 9 to estimate the standard error and confidence interval.

**Table 6. Illustration of Standard Errors of State Estimates** 

Percentage of people in New York that completed at least a bachelor's degree (p)	39.8
Base $(y)$	15,240,000
New York State b parameter ( $b_{state}$ )	8,490
Standard error	1.16
90-percent confidence interval	37.9 to 41.7

Source: U.S. Census Bureau, Current Population Survey, Voting and Registration, November 2022.

The standard error of the estimate of the percentage of people living in New York that completed at least a bachelor's degree can be found by using Formula (2) and the state-level b-parameter, 8,490. The standard error is calculated as

$$s_{y,p} = \sqrt{\frac{8,490}{15,240,000} \times 39.8 \times (100.0 - 39.8)} = 1.16$$

And the 90-percent confidence interval is calculated as  $39.8 \pm 1.645 \times 1.16$ .

<u>Standard Errors of Quarterly or Yearly Averages</u>. For information on calculating standard errors for labor force data from the CPS which involve quarterly or yearly averages, please reference Bureau of Labor Statistics (2006).

<u>Technical Assistance</u>. If you require assistance or additional information, please contact the Demographic Statistical Methods Division via e-mail at <a href="mailto:dsmd.source.and.accuracy@census.gov">dsmd.source.and.accuracy@census.gov</a>.

Table 7. Parameters for Computation of Standard Errors for Labor Force Characteristics: November 2022

Characteristic	а	b
Total or White		
Civilian labor force, employed	-0.000013	2,481
Unemployed	-0.000013	3,244
Not in labor force	-0.000017	2,432
Not in labor force	-0.000013	2,432
Civilian labor force, employed, not in labor force, and unemployed		
Men	-0.000031	2,947
Women	-0.000028	2,788
Both sexes, 16 to 19 years	-0.000261	3,244
Black		
Civilian labor force, employed, not in labor force, and unemployed		
Total	-0.000117	3,601
Men	-0.000249	3,465
Women	-0.000191	3,191
Both sexes, 16 to 19 years	-0.001425	3,601
Asian, American Indian and Alaska Native (AIAN), Native		
Hawaiian and Other Pacific Islander (NHOPI)		
Civilian labor force, employed, not in labor force, and unemployed		
Total	-0.000245	3,311
Men	-0.000537	3,397
Women	-0.000399	2,874
Both sexes, 16 to 19 years	-0.004078	3,311
Hispanic, may be of any race		
Civilian labor force, employed, not in labor force, and unemployed		
Total	-0.000087	3,316
Men	-0.000172	3,276
Women	-0.000158	3,001
Both sexes, 16 to 19 years	-0.000909	3,316
,,,,,,,	0.00000	5,523

Source: U.S. Census Bureau, Internal Current Population Survey data files for the 2010 Design.

Notes: These parameters are to be applied to basic CPS monthly labor force estimates. The Total or White, Black, and Asian, AIAN, NHOPI parameters are to be used for both alone and in combination race group estimates. For nonmetropolitan characteristics, multiply the a- and b-parameters by 1.5. If the characteristic of interest is total state population, not subtotaled by race or ethnicity, the a- and b-parameters are zero. For foreign-born and noncitizen characteristics for Total and White, the a- and b-parameters should be multiplied by 1.3. No adjustment is necessary for foreign-born and noncitizen characteristics for Black, Hispanic, and Asian, AIAN, NHOPI parameters. For the groups self-classified as having two or more races, use the Asian, AIAN, NHOPI parameters for all employment characteristics.

Table 8. Parameters for Computation of Standard Errors for Voting and Registration Characteristics: November 2022

Chavastavistias	Total	l	White		Black		Asian, AIAN, NHOPI <sup>A</sup>		Hispanic <sup>B</sup>	
Characteristics	а	b	а	b	а	b	а	b	а	b
Voting, registration, reasons for not voting or registering (includes breakdowns by: Citizenship, Household relationship, Family householder by presence of children, Marital status, Duration of residence, Tenure, Education level, Family income of persons, Occupation group)	-0.000022	5,949	-0.000026	5,949	-0.000097	5,949	-0.000222	5,949	-0.000128	5,949
CHARACTERISTICS OF ALL PERSONS, V	OTING AND N	ONVOTI	NG							
Marital Status	-0.000022	5,762	-0.000025	5,762	-0.000094	5,762	-0.000215	5,762	-0.000124	5,762
Education of Persons	-0.000022	5,762	-0.000025	5,762	-0.000094	5,762	-0.000215	5,762	-0.000124	5,762
Persons by Family Income	-0.000022	5,762	-0.000025	5,762	-0.000094	5,762	-0.000215	5,762	-0.000124	5,762
Duration of Residence	-0.000022	5,762	-0.000025	5,762	-0.000094	5,762	-0.000215	5,762	-0.000124	5,762
HOUSEHOLD RELATIONSHIPS, VOTING AND NONVOTING										
Householder, Spouse of householder	-0.000020	5,305	-0.000023	5,305	-0.000087	5,305	-0.000198	5,305	-0.000114	5,305
Nonrelative or Other Relative of Householder	-0.000020	5,305	-0.000023	5,305	-0.000087	5,305	-0.000198	5,305	-0.000114	5,305

Source: U.S. Census Bureau, Current Population Survey, Internal data from the Voting and Registration Supplement, November 2022.

Notes: These parameters are to be applied to the Voting and Registration Supplement data. The White, Black, and Asian, AIAN, NHOPI parameters are to be used for both alone and in combination race group estimates. For nonmetropolitan characteristics, multiply the a- and b-parameters by 1.5. If the characteristic of interest is total state population, not subtotaled by race or ethnicity, the a- and b-parameters are zero. For foreign-born and noncitizen characteristics for Total and White, the a- and b-parameters should be multiplied by 1.3. No adjustment is necessary for foreign-born and noncitizen characteristics for Black, Asian, AIAN, NHOPI, and Hispanic parameters. For the group self-classified as having two or more races, use the Asian, AIAN, NHOPI parameters for all characteristics except employment, unemployment, and educational attainment, in which case use Black parameters. For a more detailed discussion on the use of parameters for race and ethnicity, please see the "Generalized Variance Parameters" section.

A AIAN is American Indian and Alaska Native, and NHOPI is Native Hawaiian and Other Pacific Islander.

B Hispanics may be any race.

Table 9. Parameters for Computation of State Standard Errors for Voting and Registration Characteristics of Total Population: November 2022

Registration Characteristics of Total Population: November 20					
State	а	b			
Alabama	-0.001086	4,363			
Alaska	-0.001590	874			
Arizona	-0.001261	7,471			
Arkansas	-0.001229	2,937			
California	-0.000256	7,912			
Colorado	-0.001542	7,243			
Connecticut	-0.001855	5,475			
Delaware	-0.002253	1,858			
District of Columbia	-0.001185	620			
Florida	-0.000431	7,780			
Georgia	-0.001216	10,380			
Hawaii	-0.001440	1,602			
Idaho	-0.001260	1,941			
Illinois	-0.000827	8,258			
Indiana	-0.001352	7,263			
Iowa	-0.001635	4,135			
Kansas	-0.001821	4,137			
Kentucky	-0.002192	7,809			
Louisiana	-0.001035	3,698			
Maine	-0.001896	2,198			
Maryland	-0.001629	7,965			
Massachusetts	-0.000992	5,674			
Michigan	-0.000909	7,363			
Minnesota	-0.001490	6,741			
Mississippi	-0.001018	2,332			
Missouri	-0.001391	6,816			
Montana	-0.001213	1,105			
Nebraska	-0.001903	2,899			
Nevada	-0.001492	3,795			
New Hampshire	-0.001599	1,875			
New Jersey	-0.001218	9,037			
New Mexico	-0.001548	2,600			
New York	-0.000540	8,490			
North Carolina	-0.000888	7,544			

Source: U.S. Census Bureau, Current Population Survey, Internal data from the Voting and Registration Supplement, November 2022.

Notes: These parameters are for use with state-level voting and registration estimates for the Total population. Total state b-parameters were calculated by modeling all races, however a-parameters were calculated using the total population controls.

Table 9, cont. Parameters for Computation of State Standard Errors for Voting and Registration Characteristics of Total Population: November 2022

State	а	b
North Dakota	-0.001346	798
Ohio	-0.000817	7,655
Oklahoma	-0.001358	4,222
Oregon	-0.001218	4,244
Pennsylvania	-0.000764	7,991
Rhode Island	-0.002229	2,014
South Carolina	-0.001134	4,783
South Dakota	-0.001730	1,207
Tennessee	-0.001075	6,034
Texas	-0.000373	8,573
Utah	-0.001331	3,418
Vermont	-0.001360	742
Virginia	-0.001204	8,234
Washington	-0.001156	7,187
West Virginia	-0.001302	1,881
Wisconsin	-0.001539	7,312
Wyoming	-0.001365	627

Source: U.S. Census Bureau, Current Population Survey, Internal data from the Voting and Registration Supplement, November 2022.

Notes: These parameters are for use with state-level voting and registration estimates for the Total population. Total state b-parameters were calculated by modeling all races, however a-parameters were calculated using the total population controls.

Table 10. Parameters for Computation of Division Standard Errors for Voting and Registration Characteristics of Total Population: November 2022

Division	а	b
New England	-0.000369	4,597
Middle Atlantic	-0.000247	8,313
East North Central	-0.000198	7,435
West North Central	-0.000310	5,275
South Atlantic	-0.000142	7,659
East South Central	-0.000355	5,503
West South Central	-0.000231	7,418
Mountain	-0.000255	5,177
Pacific	-0.000169	7,158

Source: U.S. Census Bureau, Current Population Survey, Internal data from the Voting and Registration Supplement, November 2022.

Notes: These parameters are for use with census division-level voting and registration estimates for the Total population. Total division b-parameters were calculated by modeling all races, however aparameters were calculated using the total population controls.

Table 11. Parameters for Computation of Region Standard Errors for Voting and Registration Characteristics of Total Population: November 2022

Region	а	b
Northeast	-0.000156	7,182
Midwest	-0.000119	6,504
South	-0.000069	6,968
West	-0.000104	6,512
All Except South	-0.000038	6,260

Source: U.S. Census Bureau, Current Population Survey, Internal data from the Voting and Registration Supplement, November 2022.

Notes: These parameters are for use with census region-level voting and registration estimates for the Total population. Total region b-parameters were calculated by modeling all races, however a-parameters were calculated using the total population controls.

#### REFERENCES

- Brooks, C.A., & Bailar, B.A. (1978). Statistical Policy Working Paper 3 An Error Profile:

  Employment as Measured by the Current Population Survey. Subcommittee on Nonsampling Errors, Federal Committee on Statistical Methodology, U.S. Department of Commerce, Washington, DC.

  <a href="https://s3.amazonaws.com/sitesusa/wp-content/uploads/sites/242/2014/04/spwp3.pdf">https://s3.amazonaws.com/sitesusa/wp-content/uploads/sites/242/2014/04/spwp3.pdf</a>
- Bureau of Labor Statistics. (2006). *Household Data ("A" tables, monthly; "D" tables, quarterly)*. <a href="https://www.bls.gov/cps/eetech methods.pdf">https://www.bls.gov/cps/eetech methods.pdf</a>
- Bureau of Labor Statistics. (2014). *Redesign of the Sample for the Current Population Survey*. <a href="http://www.bls.gov/cps/sample-redesign-2014.pdf">http://www.bls.gov/cps/sample-redesign-2014.pdf</a>
- U.S. Census Bureau. (2012). Estimating Current Population Survey (CPS) Person Level Supplement Variances Using Replicate Weights Part I: Instructions for Using CPS Person Level Supplement Replicate Weights to Calculate Variances.

  <a href="https://www2.census.gov/programs-surveys/cps/datasets/2018/supp/PERSON-level Use of the Public Use Replicate Weight File.doc">https://www2.census.gov/programs-surveys/cps/datasets/2018/supp/PERSON-level Use of the Public Use Replicate Weight File.doc</a>
- U.S. Census Bureau. (2018). Estimating Current Population Survey (CPS) Household-level Supplement Variances Using Replicate Weights Part I: Instructions for Using CPS Household-level Supplement Replicate Weights to Calculate Variances.

  <a href="https://www2.census.gov/programs-surveys/cps/datasets/2018/supp/HH-level-Use-of-the-Public Use Replicate Weight File.doc">https://www2.census.gov/programs-surveys/cps/datasets/2018/supp/HH-level-Use-of-the-Public Use Replicate Weight File.doc</a>
- U.S. Census Bureau. (2019). *Current Population Survey: Design and Methodology*. Technical Paper 77. Washington, DC: Government Printing Office. <a href="https://www2.census.gov/programs-surveys/cps/methodology/CPS-Tech-Paper-77.pdf">https://www2.census.gov/programs-surveys/cps/methodology/CPS-Tech-Paper-77.pdf</a>
- U.S. Census Bureau. (2021). *METHODOLOGY FOR THE UNITED STATES POPULATION ESTIMATES: VINTAGE 2021 Nation, States, Counties, and Puerto Rico April 1, 2020 to July 1, 2021.* <a href="https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2021/methods-statement-v2021.pdf">https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2021/methods-statement-v2021.pdf</a>

All online references accessed 4/3/2023.