OMB Number: 0920-1108

Expiration Date: 09/30/2024



# Coverdell Program

## Data Elements Manual Edition 2.0

Public reporting burden of this collection of information for data elements is estimated to average 72 hours per program (46 hours per program for pre-hospital data and 26 hours per program for in-hospital data) including the time for reviewing instructions, searching existing data sources, gathering, maintaining, and transmitting the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information, unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports, Clearance Officer, 1600 Clifton Road NE, MS D-74, Atlanta, GA 30333. Attn: PRA (0920-0612). Do not send the completed form to this address.

#### Contents

Data Elements Manual	1
INTRODUCTION	9
PRE-HOSPITAL DATA ELEMENTS	11
Administrative Data	12
Item Pre-1a: SCNARRD	13
Item Pre-1b: SCNARRT	14
Item Pre-2a: SCNDPTD	15
Item Pre-2b: SCNDPTT	16
Item Pre-3a: PREAGE	17
Item Pre-4a: PREGEND	18
Item Pre-5a: STKSCN	19
Item Pre-5b: EMSGLU	20
IN-HOSPITAL DATA ELEMENTS	21
Administrative Data	22
Item IN-0A: STFIPS	23
Item IN-0B: PATID	24
Item IN-0C: ZIP	25
Item IN-0D: HOSPID	26
Demographic Data	27
Item IN-1a: AGE	28
Item IN-1b: GENDER	29
Item IN-1c: RACEW	30
Item IN-1d: RACEAA	31
Item IN-1e: RACEAS	32
Item IN-1f: RACEHPI	33
Item IN-1g: RACEAIAN	34
Item IN-1h: RACEUNK	35
Item IN-1i: HISP	36
Item IN-1j: HLTHINSM	37
Item IN-1k: HLTHINSC	38
Item IN-1I: HLTHINSP	39
Item IN-1m: HLTHINSN	40

Item IN-1n: HLTHINND	41
Pre-Hospital/Emergency Medical System (EMS) Data	42
Item IN-2a: PLCOCCUR	43
Item IN-2b: ARRMODE	44
Item IN-2c: EMSNOTE	45
Date and Time of Arrival at your Hospital	46
Item IN-3a: EDTRIAGD	47
Item IN-3b: EDTRIAGT	48
Patient Not Admitted	49
Item IN-4a: NOTADMIT	50
Comfort Measures	51
Item IN-5a: CMODOC	52
Medications Currently Taking Prior to Admission	53
Item IN-6a: LIPADMYN	54
Documented Past Medical History	55
Item IN-7a: MEDHISDM	56
Item IN-7b: MEDHISST	57
Item IN-7c: MEDHISTI	58
Item IN-7d: MEDHISCS	59
Item IN-7e: MEDHISMI	60
Item IN-7f: MEDHISPA	61
Item IN-7g: MEDHISVP	62
Item IN-7h: MEDHISHF	63
Item IN-7i: MEDHISSS	64
Item IN-7j: MEDHISPG	65
Item IN-7k: MEDHISAF	66
Item IN-7I: MEDHISSM	67
Item IN-7m: MEDHISEC	68
Item IN-7n: MEDHISDL	69
Item IN-7o: MEDHISHT	70
Item IN-7p: MEDHISDT	71
Item IN-7q: MH_EID	72
Item IN-7r: MH COV1	73

Item IN-7s: MH_COV2	74
Item IN-7t: MH_MERS	75
Item IN-7u: MH_OTH	76
Hospital Admission Data	77
Item IN-8a: HOSPADD	78
Item IN-8b: AMBSTATA	79
Item IN-8c: SXRESOLV	80
Telestroke	81
Item IN-9a: TELEYN	82
Imaging	83
Item IN-10a: IMAGEYN	84
Item IN-10b: IMAGEYCT	85
Item IN-10c: IMAGEYMR	86
Item IN-10d: IMAGED	87
Item IN-10e: IMAGET	88
Item IN-10f: IMAGERES	89
Item IN-11a: IMAGEVAS	90
Date and Time the Patient was Last Known to be Well Prior to the Beginning of the C Stroke or Stroke-like Symptoms	
Item IN-12a: LKWD	92
Item IN-12b: LKWT	93
Date and Time the Patient First Discovered to Have the Current Stroke or Stroke-like Symptoms	
Item IN-13a: DISCD	95
Item IN-13b: DISCT	96
NIH Stroke Scale Score	97
Item IN-14a: NIHSSYN	98
Item IN-14b: NIHSTRKS	99
Stroke Treatment	100
Item IN-15a: TRMIVM	101
Item IN-15b: TRMIVMD	102
Item IN-15c: TRMIVMT	103
Item IN-15d: TRMALT	104
Item IN-15e: TRMALDS	105

Item IN-15f: TRMTNK	106
Item IN-15g: TRMTNDS	107
Item IN-15h: TRMTNRSN	108
Item IN-15i: TRMEXTND	109
Item IN-15j: TRMIVT	110
Item IN-15k: TRMIVTAT	111
Item IN-15I: CATHTX	112
Item IN-15m: CATHTXD	113
Item IN-15n: CATHTXT	114
Item IN-16a: THRMCMP	115
Item IN-16b: THRMCMPT	116
Item IN-17a: TPANC	117
Item IN-18a: TPA4NC	118
Item IN-19a: TPADELAY	119
Item IN-19b: TPADEL45	120
Item IN-19c: DELAYRSN	121
Item IN-20a: ATHR2DAY	122
Item IN-21a: VTELDUH	123
Item IN-21b: VTELMWH	124
Item IN-21c: VTEIPC	125
Item IN-21d: VTEGCS	126
Item IN-21e: VTEXAI	127
Item IN-21f: VTEWAR	128
Item IN-21g: VTEVFP	129
Item IN-21h: VTEOXAI	130
Item IN-21i: VTEASPRN	131
Item IN-21j: VTEND	132
Item IN-21k: VTEDATE	133
Item IN-21I: NOVTEDOC	134
Item IN-21m: OFXAVTE	135
Item IN-22a: LDUHIV	136
Item IN-22b: DABIGAT	137
Item IN-22c: ARGATRO	138

	tem IN-22d: DESIRUD	. 139
	tem IN-22e: ORALXAI	. 140
	tem IN-22f: LEPIRUD	. 141
	tem IN-22g: OTHACOAG	. 142
	tem IN-23a: NPO	. 143
	tem IN-23b: DYSPHAYN	. 144
	tem IN-23c: DYSPHAPF	. 145
Эt	her Complications	. 146
	tem IN-24a: PNEUMYN	. 147
	tem IN-25a: DVTDOCYN	. 148
40	tive Bacterial or Viral Infection at Admission or During Hospitalization	149
	tem IN-26a: INF_COLD	. 150
	tem IN-26b: INF_FLU	. 151
	tem IN-26c: INF_BAC	. 152
	tem IN-26d: INF_OTH	. 153
	tem IN-26e: INF_EMID	154
	tem IN-26f: INF_COV1	. 155
	tem IN-26g: INF_COV2	. 156
	tem IN-26h: INF_MERS	. 157
	tem IN-26i: INF_OEID	. 158
	tem IN-26j: INF_NONE	. 159
Da	nte of discharge from hospital	. 160
	tem IN-27a: DSCHRGD	. 161
P <sub>r</sub>	incipal discharge ICD-10-CM diagnosis	. 162
	tem IN-28a: ICD10DX	. 163
CI	inical diagnosis related to stroke that was ultimately responsible for this admission	164
	tem IN-29a: ADMDXSH	. 165
	tem IN-29b: ADMDXIH	. 166
	tem IN-29c: ADMDXIS	. 167
	tem IN-29d: ADMDXTIA	. 168
	tem IN-29e: ADMDXSNS	. 169
	tem IN-29f: ADMDXNOS	. 170
	tem IN-29a: ADMCE	. 171

Item IN-29h: CLNTRIAL	172
Discharge disposition	173
Item IN-30a: DSCHDISP	174
Item IN-30b: OHFTYPE	175
Functional Status at Discharge	176
Item IN-31a: MRSSCORE	177
Item IN-31b: AMBSTATD	178
Antihypertensive Treatment at Discharge	179
Item IN-32a: HBPTREAT	180
Lipid Treatment	181
Item IN-33a: LIPNONE	182
Item IN-33b: LIPSTATN	183
Item IN-33c: LIPOTHNC	184
Item IN-33d: LIPFIBRT	185
Item IN-33e: LIPOTHRX	186
Item IN-33f: LIPNIACN	187
Item IN-33g: LIPABSIN	188
Item IN-33h: LIPPCSK	189
Item IN-33i: STATNNC	190
Item IN-33j: STATNINT	191
Item IN-33k: STATNWHY	192
Atrial Fibrillation	193
Item IN-34a: AFIBYN	194
Item IN-34b: AFIBRX	195
Antithrombotics at Discharge	196
Item IN-35a: ATHDSCYN	197
Item IN-35b: DC_PLT	198
Item IN-35c: DC_COAG	199
Smoking Counseling	200
Item IN-36a: SMKCESYN	201
Stroke Education	202
Item IN-37a: EDUCRF	203
Item IN-37h: FDI ICSSX	204

Item IN-37c: EDUCEMS	205
Item IN-37d: EDUCCC	206
Item IN-37e: EDUCMEDS	207
Rehabilitation	208
Item IN-38a: REHAPLAN	209
APPENDIX	210
Appendix A: Data Elements Submission Timeline	211
Appendix B: Technical Assistance Resources	212
Appendix C: Data Element Tables	215
Appendix D: Data Submission Instructions	223

### INTRODUCTION

This Coverdell Data Elements Manual was written to provide guidance on the collection and submission of data elements (DEs) for the Paul Coverdell National Acute Stroke Program (PCNASP). The Program currently funds 13 recipients of the cooperative agreement ("recipients") across the United States. Recipients are required to collect and report DEs as part of standardized data reporting for the Coverdell Program. DEs are used by the CDC and its recipients to describe, monitor, and assess progress and performance of the program.

The DEs in this manual (Edition 2) received approval in September 2021 from the Federal Office of Management and Budget. This manual pertains to the cooperative agreement DP21-2102. Data for the 163 DEs can be separated into two sections: *Pre-Hospital* and *In-Hospital*. There are 4 additional administrative DEs that will precede the *In-Hospital* data section. These 4 administrative DE variables, bring the total number of DEs to 167.

The DE manual includes information about technical specifications for the DE variables included in each of the categories, guidance for their submission, and conventions for processing the data. Specifications for each DE include variable name, prompt, format, source of data, denominator population, acceptable values, description, and use for data analysis. *Please note that the format provided is relevant for data submitted by recipients for a four-month reporting period, which corresponds to three submissions per year.* Variables are reported for each patient. The values for each patient establish a record for their hospital visit. The manual is organized as follows:

**Pre-Hospital.** This section includes 8 DE variables. It includes data about the *Pre-Hospital* aspect within the stroke continuum of care. It includes Emergency Medical System (EMS) arrival, EMS departure, patient age and gender, as well as the performance of a stroke screen and glucose level.

**In-Hospital.** This section contains 155 DE variables. It includes data about the *In-Hospital* aspect within the stroke continuum of care. It includes demographic information that includes age, gender, race, ethnicity, and insurance status. Additional information includes EMS information, data and time of hospital arrival, hospital admission status, comfort measures, medications taken prior to admission, medical history, admission data, telestroke, imaging, patient last known to be well, first discovery of stroke-like symptoms, NIH Stroke Scale score, stroke treatment, other complications, active bacterial or viral infection at admission or during hospitalization, date of discharge from hospital, principal discharge ICD-10-CM diagnosis, clinical diagnosis related to stroke that was ultimately responsible for this admission, discharge disposition, functional status at discharge, antihypertensive treatment at discharge, lipid treatment, atrial fibrillation, antithrombotics at discharge, smoking counseling, stroke education, and rehabilitation.

**Administrative.** This section contains 4 DE variables. These DE variables are integrated into the *In-Hospital* section. Collection is necessary for analytical utility, data quality, and monitoring program fidelity, where the expectation is to serve participants disproportionately impacted by high prevalence of risk factors for stroke events, as well as stroke outcomes. These DE variables are State FIPS, unique patient identifier, residential zip code, and unique hospital identifier.

This manual is a living document that will be updated occasionally. When modifications are necessary, CDC will notify recipients that the updated manual is available on the Awards Management Platform (AMP).

	PF	:_HC	)SPI	ΤΔΙ	$D\Delta T$	$\Delta = 1$		ΛEΝ	STL
Г		:-n\	JOLI	IAL	DAI	$\mathcal{A} \subset \mathcal{A}$	$-\Box$ $\cup$ $\cup$		<b>VII O</b>

Administrative Data

Item Pre-1a: SCNARRD	Scene Arrival Date This variable indicates the scene arrival date			
FORMAT	Type:	Date		
	Item Length:	8		
	Leading Zeros:	Yes		
	Valid Range:	Valid date		
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes all patients			
VALUES AND DESCRIPTION				
	Valid date in SAS M	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)		
	MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)			

Item Pre-1b: SCNARRT	Scene Arrival Time This variable indicates the scene arrival time			
FORMAT	Type:	Time		
	Item Length:	4		
	Leading Zeros:	Yes		
	Valid Range:	Valid time		
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes all patients			
VALUES AND DESCRIPTION				
	Valid time in SAS TIME8. format (HH:MM)			
	Time must be record	ded in military time. HH=Hour (00-23) and MM=Minutes (00-59)		

Item Pre-2a: SCNDPTD	Scene Departure Date This variable indicates the scene departure date			
FORMAT	Type:	Date		
	Item Length:	8		
	Leading Zeros:	Yes		
	Valid Range:	Valid date		
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients		
VALUES AND DESCRIPTION				
	Valid date in SAS M	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)		
	MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)			

Scene Departure Time This variable indicates the scene departure time		
Туре:	Time	
Item Length:	4	
Leading Zeros:	Yes	
Valid Range:	Valid time	
Not applicable; COVERDELL-specific variable		
The denominator includes all patients		
Valid time in SAS TIME8. format (HH:MM)		
Time must be record	ded in military time. HH=Hour (00-23) and MM=Minutes (00-59)	
	This variable indicat  Type: Item Length: Leading Zeros: Valid Range: Not applicable; COV The denominator indicated the control of the contro	

Item Pre-3a: PREAGE	Age This variable indicates the patient's age	
FORMAT	Type: Item Length: Leading Zeros:	Numeric 3 No
SOURCE	Valid Range: 0-125; values cannot be blank  Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		

Item Pre-4a: PREGEND	Gender	Gender	
	This variable indicate	This variable indicates the patient's gender	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	1 Male		
	2 Female		
	3 Unknown		

Item Pre-5a: STKSCN	Did EMS perform a	Did EMS perform a pre-hospital stroke screen?	
	This variable indicat	This variable indicates whether EMS performed a pre-hospital stroke screen	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	1 Yes		
	2 No		
	3 Not Documented		

Item Pre-5b: EMSGLU	Glucose level This variable indicates the patient's glucose level	
FORMAT	Type:	Numeric
	Item Length:	3
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	Valid glucose value	

### **IN-HOSPITAL DATA ELEMENTS**

Administrative Data

Item IN-0A: STFIPS	State FIPS Code		
	State FIPS Code		
FORMAT	Type:	Character	
	Item Length:	2	
	Leading Zeros:	Yes	
	Valid Range:	Specific Values	
SOURCE	National FIPS Code	e ID List	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	05 Arkansas		
	12 Florida		
	13 Georgia		
	15 Hawaii		
	21 Kentucky		
	25 Massachusetts		
	26 Michigan		
	27 Minnesota		
	36 New York		
	37 North Carolina		
	39 Ohio		
	51 Virginia		
	55 Wisconsin		

Item IN-0B: PATID	Unique Participant ID Number Unique Participant ID Number	
FORMAT	Type: Item Length: Leading Zeros: Valid Range:	Character 15 Yes Unique Coded Values
SOURCE	Not applicable; State-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		

Item IN-0C: ZIP	Residence Zip Code Zip Code of Residence	
FORMAT	Type: Item Length:	Character 5
	Leading Zeros:	Yes
	Valid Range:	Valid Zip Code
SOURCE	National ZIP Code I	D List
DENOMINATOR POPULATION	The denominator inc	cludes all patients
VALUES AND DESCRIPTION		
	Valid Zip Code	

Item IN-0D: HOSPID	= =	Assigned by State er generated by State. State Keeps Key	
FORMAT	Type:	Alphanumeric	
	Item Length:	5	
	Leading Zeros:	Yes	
	Valid Range:	Unique Coded Values	
SOURCE	Not applicable; State	Not applicable; State-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION	Confidential Value Assigned by State		
OTHER INFORMATION	Historically, Coverdell funded recipients have used a "unique hospital identifier", which was a random 5-digit code generated by state health departments and the key was retained at the state level. For the purposes of this data manual, this practice will be continued. These randomized hospital identifiers will be submitted in the data file.		

Demographic Data

Item IN-1a: AGE	Age This variable indicates the patient's age	
FORMAT	Type: Item Length:	Numeric 3
	Leading Zeros: Valid Range:	No 0-125; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		

Item IN-1b: GENDER	Gender	
	This variable indicates the patient's gender	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	1 Male	
	2 Female	
	3 Unknown	

Item IN-1c: RACEW	White		
	This variable indicates the patient identifies White as a race (select all response options that apply)		
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-1d: RACEAA	This variable indicat	Black or African American This variable indicates the patient identifies Black or African American as a race (select all response options that apply)	
FORMAT	Туре:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-1e: RACEAS	Asian This variable indicates the patient identifies Asian as a race (select all response options that apply)	
FORMAT	Type: Item Length:	Numeric 1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-1f: RACEHPI	Native Hawaiian or Other Pacific Islander This variable indicates the patient identifies Native Hawaiian or Other Pacific Islander as a race (select all response options that apply)		
FORMAT	Type: Item Length: Leading Zeros:	Numeric 1 No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-1g: RACEAIAN	American Indian or Alaskan Native  This variable indicates the patient identifies American Indian or Alaskan Native as a race (select all response options that apply)	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-1h: RACEUNK	Unknown or unable to determine  This variable indicates the patient identifies Unknown or Unable to Determine as a race (select all response options that apply)	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-1i: HISP	Hispanic or Latino Ethnicity This variable indicates whether the participant is of Hispanic or Latino origin	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION	O Not Hispanic or Latino, or unknown Hispanic or Latino	

Item IN-1j: HLTHINSM	Medicare/Medicare Advantage This variable indicates Medicare/Medicare Advantage as their health insurance		
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-1k: HLTHINSC	Medicaid	Medicaid	
	This variable indicat	This variable indicates Medicaid as their health insurance	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-1I: HLTHINSP	-	Private/VA/Champus/Other This variable indicates Private/VA/Champus/Other as their health insurance	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-1m: HLTHINSN	Self-Pay/No Insura	Self-Pay/No Insurance	
	This variable indicate	es Self-Pay/No Insurance as their health insurance	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-1n: HLTHINND	Not Documented This variable indicates Not Documented as their health insurance		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Pre-Hospital/Emergency Medical System (EMS) Data

Item IN-2a: PLCOCCUR	Where was the patient when stroke was detected or when symptoms were discovered? In the case of a patient transferred to your hospital where they were an inpatient, ED patient, or NH/long-term care resident, from where was the patient transferred?		
	This variable indicate	es the location of the patient when the stroke was detected	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	1 Not in a healthcare setting		
	2 Another acute car	2 Another acute care facility	
	3 Chronic health ca	3 Chronic health care facility	
	4 Stroke occurred v	4 Stroke occurred while patient was an inpatient in your hospital	
	5 Outpatient health	care setting	
	9 Not documented	or cannot be determined	

Item IN-2b: ARRMODE	How did the patien	t get to your hospital for treatment of their stroke?	
	This variable indicat stroke	es the means of transportation to get to the hospital for treatment of their	
FORMAT	Type:	Numeric	
	Item Length:	2	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	/ERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	1 EMS from home or scene		
	2 Private transporta	2 Private transportation/taxi/other	
	3 Transfer from an	3 Transfer from another hospital	
	9 Not documented	9 Not documented or unknown	
	10 Mobile Stroke U	Jnit Thirt T	

Item IN-2c: EMSNOTE	Advance notification by EMS  This variable indicates whether there was an advance notification by EMS		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVI	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No/Not document	ed	
	1 Yes	1 Yes	
	9 Not applicable		

Date and Time of Arrival at your Hospital

Item IN-3a: EDTRIAGD	Date of arrival at your hospital This variable indicates the date of arrival at the hospital		
FORMAT	Type:	Date	
	Item Length:	8	
	Leading Zeros:	Yes	
	Valid Range:	Valid date	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	Valid date in SAS M	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)	
	MM= Month (01-12)	MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)	

Item IN-3b: EDTRIAGT	1	Time of arrival at your hospital This variable indicates the time of arrival at the hospital	
FORMAT	Type:	Time	
	Item Length:	4	
	Leading Zeros:	Yes	
	Valid Range:	Valid time	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	Valid time in SAS TI	Valid time in SAS TIME8. format (HH:MM)	
	Time must be record	ded in military time. HH=Hour (00-23) and MM=Minutes (00-59)	

Patient Not Admitted

Item IN-4a: NOTADMIT	Was the patient not admitted?  This variable indicates whether the patient was not admitted to the hospital		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION	No, patient admi     Not admitted	tted as inpatient	

Comfort Measures

Item IN-5a: CMODOC		When is the earliest time that the physician, advanced practice nurse, or PA documented that patient was on comfort measures only?	
		This variable indicates the earliest time the physician, advanced practice nurse, or PA documented that patient was on comfort measures only	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	1 Day of arrival or first day after arrival		
	2 2nd day after arri	2 2nd day after arrival or later	
	3 Timing unclear	3 Timing unclear	
	4 Not documented	/Unable to determine	

## Medications Currently Taking Prior to Admission

Item IN-6a: LIPADMYN	Statin or other cholesterol reducer medication  This variable indicates whether a statin or other cholesterol reducer medication is currently being taken prior to admission		
FORMAT	Type: Item Length:	••	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	0 No/Not documented 1 Yes		

Documented Past Medical History

Item IN-7a: MEDHISDM	Is there a history of Diabetes Mellitus (DM)? This variable indicates whether the patient has a medical history of Diabetes Mellitus (DM)	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No/Not document	ted
	1 Yes	

Item IN-7b: MEDHISST	Is there a history of prior Stroke? This variable indicates whether the patient has a medical history of prior Stroke	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No/Not document	ted
	1 Yes	

Item IN-7c: MEDHISTI	Is there a history of TIA/Transient ischemic attack/VBI?  This variable indicates whether the patient has a medical history of TIA/Transient ischemic attack/VBI		
FORMAT	Type: Item Length: Leading Zeros:	Numeric 1 No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	0 No/Not documented 1 Yes		

Item IN-7d: MEDHISCS	Is there a history of carotid stenosis? This variable indicates whether the patient has a medical history of carotid stenosis	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	No/Not document     Yes	ted

Item IN-7e: MEDHISMI	Is there a history of myocardial infarction (MI) or coronary artery disease (CAD)?  This variable indicates whether the patient has a medical history of myocardial infarction (MI) or coronary artery disease (CAD)		
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No/Not documer	0 No/Not documented	
	1 Yes		

Item IN-7f: MEDHISPA	<u> </u>	Is there a history of peripheral arterial disease (PAD)?  This variable indicates whether the patient has a medical history of peripheral arterial disease (PAD)	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No/Not documer	0 No/Not documented	
	1 Yes		

Item IN-7g: MEDHISVP	Does the patient have a valve prosthesis (heart valve)?  This variable indicates whether the patient has a valve prosthesis (heart valve)		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	No/Not document     Yes	ited	

Item IN-7h: MEDHISHF	Is there a history of Heart Failure (CHF)?  This variable indicates whether the patient has a medical history of Heart Failure (CHF)	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	No/Not document     Yes	ited

Item IN-7i: MEDHISSS	-	Does the patient have a history of sickle cell disease (sickle cell anemia)?  This variable indicates whether the patient has a medical history of sickle cell disease (sickle cell anemia)	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	No/Not documented     Yes		
	1 100		

Item IN-7j: MEDHISPG	Did this event occi of pregnancy?	Did this event occur during pregnancy or within 6 weeks after a delivery or termination of pregnancy?	
		This variable indicates whether this event occurred during pregnancy or within 6 weeks after a delivery or termination of pregnancy	
FORMAT	Туре:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator in	cludes only patients that were admitted	
VALUES AND DESCRIPTION			
	0 No/Not documen	0 No/Not documented	
	1 Yes		

Item IN-7k: MEDHISAF	Is there documentation in the patient's medical history of atrial fibrillation/flutter?  This variable indicates whether the patient has a medical history of atrial fibrillation/flutter	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No/Not document	ted
	1 Yes	

Item IN-7I: MEDHISSM	Is there documented past medical history of Smoking (at least one cigarette during the year prior to hospital arrival)?		
	This variable indicat	This variable indicates whether the patient has a history of smoking within the past year	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No/Not documented		
	1 Yes		

Item IN-7m: MEDHISEC	Is there history of E-Cigarette Use (Vaping)? (Use of electronic nicotine delivery system or electronic cigarettes (e-cigarettes))		
	This variable indicates whether the patient has medical history of e-Cigarette Use (Vaping) (Use of electronic nicotine delivery system or electronic cigarettes (e-cigarettes))		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No/Not documented		
	1 Yes		

Item IN-7n: MEDHISDL	Is there a medical history of Dyslipidemia? This variable indicates whether the patient has a medical history of Dyslipidemia	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	0 No/Not documented 1 Yes	

Item IN-70: MEDHISHT	Is there a documented past medical history of hypertension? This variable indicates whether the patient has a medical history of hypertension	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	0 No/Not documented 1 Yes	

Item IN-7p: MEDHISDT	Is there a history of dementia?  This variable indicates whether the patient has a medical history of dementia	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	0 No/Not documented 1 Yes	

Item IN-7q: MH_EID	Is there a history of Emerging Infectious Disease?  This variable indicates whether the patient has a medical history of Emerging Infectious Disease	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No/Not documented	
	1 Yes	

Item IN-7r: MH_COV1	_	Is there a history of SARS-COV-1? This variable indicates whether the patient has a medical history of SARS-COV-1	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	No/Not documen     Yes	nted	

Item IN-7s: MH_COV2	_	Is there a history of SARS-COV-2 (COVID-19)? This variable indicates whether the patient has a medical history of SARS-COV-2 (COVID-19)	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	0 No/Not documer 1 Yes	nted	

Item IN-7t: MH_MERS	_	Is there a history of MERS? This variable indicates whether the patient has a medical history of MERS	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	0 No/Not documer 1 Yes	nted	
	1 Yes		

Item IN-7u: MH_OTH	_	Is there a history of other infectious respiratory pathogen? This variable indicates whether the patient has a medical history of other infectious respiratory pathogen	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	0 No/Not documer 1 Yes		

Hospital Admission Data

Item IN-8a: HOSPADD	- I	Date of hospital admission This variable indicates the date of hospital admission	
FORMAT	Type:	Date	
	Item Length:	8	
	Leading Zeros:	Yes	
	Valid Range:	Valid date	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION			
	Valid date in SAS M	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)	
	MM= Month (01-12)	MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)	

Item IN-8b: AMBSTATA	Was patient ambulatory prior to the current stroke/TIA?  This variable indicates whether the patient was ambulatory prior to the current stroke/TIA		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	1 Able to ambulate	independently with or without device	
	2 Yes, but with assistance from another person		
	3 Unable to ambula	3 Unable to ambulate	
	9 Not documented		

Item IN-8c: SXRESOLV	Did symptoms completely resolve prior to presentation?		
	This variable indicate	This variable indicates whether the symptoms completely resolve prior to presentation	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		
	9 Not documented		

Telestroke

Item IN-9a: TELEYN	Was telestroke cons	sultation performed?
	This variable indicates whether a telestroke consultation was performed	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVI	ERDELL-specific variable
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	Yes, the patient received telestroke consultation from my hospital staff when the patient was located at another hospital	
	2 Yes, the patient received telestroke consultation from someone other than my staff when the patient was located at another hospital	
	3 Yes, the patient received telestroke consultation from a remotely located expert when the patient was located at my hospital	
	4 No telestroke cons	sult performed
	9 Not documented	

*Imaging* 

Item IN-10a: IMAGEYN		Was brain imaging performed at your hospital after arrival as part of the initial evaluation for this episode of care or this event?	
		es whether a brain imaging was performed at the hospital after arrival as lluation for this episode of care or this event	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No/Not documented		
	1 Yes		
	9 Not collected		

Item IN-10b: IMAGEYCT	If brain imaging performed, was it a CT scan? This variable indicates whether the brain imaging performed was a CT scan		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with a brain imaging performed at the hospital after arrival as part of the initial evaluation for this episode of care		
VALUES AND DESCRIPTION	No/Not documen     Yes	ted	

Item IN-10c: IMAGEYMR	If brain imaging performed, was it an MRI? This variable indicates whether the brain imaging performed was an MRI		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with a brain imaging performed at the hospital after arrival as part of the initial evaluation for this episode of care		
VALUES AND DESCRIPTION	No/Not documen     Yes	ted	

Item IN-10d: IMAGED	Date brain imaging first initiated at your hospital  This variable indicates the date brain imaging first initiated at the hospital		
FORMAT	Type:	Date	
	Item Length:	8	
	Leading Zeros:	Yes	
	Valid Range:	Valid date	
SOURCE	Not applicable; COVI	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with a brain imaging performed at the hospital after arrival as part of the initial evaluation for this episode of care		
VALUES AND DESCRIPTION			
	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)		
	MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)		

Item IN-10e: IMAGET	Time brain imaging first initiated at your hospital  This variable indicates the time brain imaging first initiated at the hospital		
FORMAT	Type:	Time	
	Item Length:	4	
	Leading Zeros:	Yes	
	Valid Range:	Valid time	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with a brain imaging performed at the hospital after arrival as part of the initial evaluation for this episode of care		
VALUES AND DESCRIPTION			
	Valid time in SAS TIME8. format (HH:MM)		
	Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)		

Item IN-10f: IMAGERES	What were the initia	What were the initial brain imaging findings?	
	This variable indicates the initial brain imaging findings		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes patients with a brain imaging performed at the hospital after arrival as part of the initial evaluation for this episode of care		
VALUES AND DESCRIPTION			
	0 No acute hemorrhage		
	1 Acute hemorrhage		
	9 Not documented or not available		

Item IN-11a: IMAGEVAS	Was acute vascular or perfusion imaging (e.g., CTA, MRA, DSA) performed at your hospital?		
	This variable indicates whether acute vascular or perfusion imaging (e.g., CTA, MRA, DSA) was performed at the hospital		
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No/Not documented		
	1 Yes		

Date and Time the Patient was Last Known to be Well Prior to the Beginning of the Current Stroke or Stroke-like Symptoms

What date was the patient last known to be well, i.e., in their usual state of health or at their baseline, prior to the beginning of the current stroke or stroke-like symptoms? (recording within 15 minutes of exact time is acceptable)  This variable indicates the date the patient was last known to be well	
Туре:	Date
Item Length:	8
Leading Zeros:	Yes
Valid Range:	Valid date
Not applicable; COVERDELL-specific variable	
The denominator includes all patients	
Valid date in SAS MMDDYY10. format (MM/DD/YYYY)	
MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)	
	their baseline, price (recording within 1) This variable indicated Type: Item Length: Leading Zeros: Valid Range: Not applicable; CON The denominator in

Item IN-12b: LKWT	What time was the patient last known to be well, i.e., in their usual state of health or at their baseline, prior to the beginning of the current stroke or stroke-like symptoms? (recording within 15 minutes of exact time is acceptable)  This variable indicates the time the patient was last known to be well		
FORMAT	Type:	Type: Time	
	Item Length:	4	
	Leading Zeros:	Yes	
	Valid Range:	Valid time	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	Valid time in SAS TIME8. format (HH:MM)		
	Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)		

Date and Time the Patient First Discovered to Have the Current Stroke or Stroke-like Symptoms

Item IN-13a: DISCD		What date was the patient first discovered to have the current stroke or stroke-like symptoms? (recording within 15 minutes of exact time of discovery is acceptable)	
	This variable indication	This variable indicates the date the patient first discovered to have the current stroke or stroke-like symptoms	
FORMAT	Туре:	Type: Date	
	Item Length:	8	
	Leading Zeros:	Yes	
	Valid Range:	Valid date	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	Valid date in SAS M	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)	
	MM= Month (01-12)	MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)	

Item IN-13b: DISCT	What time was the patient first discovered to have the current stroke or stroke-like symptoms? (recording within 15 minutes of exact time of discovery is acceptable)  This variable indicates the time the patient first discovered to have the current stroke or stroke-like symptoms	
FORMAT	Type: Time	
	Item Length:	4
	Leading Zeros:	Yes
	Valid Range:	Valid time
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	Valid time in SAS TIME8. format (HH:MM)	
	Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)	

NIH Stroke Scale Score

Item IN-14a: NIHSSYN	Was NIH Stroke Scale score performed as part of the initial evaluation of the patient?  This variable indicates whether a NIH Stroke Scale score was performed as part of the initial evaluation of the patient		
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-14b: NIHSTRKS	If performed, what is the first NIH Stroke Scale total score recorded by hospital personnel?  This variable indicates the first NIH Stroke Scale total score recorded by hospital personnel	
FORMAT	Type: Numeric Item Length: 2	
	Item Length: Leading Zeros:	No No
	Valid Range:	0-42; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with a NIH Stroke Scale performed as part of the initial evaluation of the patient	
VALUES AND DESCRIPTION	Valid NIH Stroke Scale Score	

Stroke Treatment

Item IN-15a: TRMIVM		Was IV thrombolytic initiated for this patient at this hospital?  This variable indicates whether the IV thrombolytic therapy was initiated for this patient at this hospital	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-15b: TRMIVMD	What date was IV thrombolytic initiated for this patient at this hospital?  This variable indicates the date the IV thrombolytic therapy was initiated for this patient at this hospital		
FORMAT	Type:	Date	
	Item Length:	8	
	Leading Zeros:	Yes	
	Valid Range:	Valid date	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with IV thrombolytic therapy initiated at this hospital		
VALUES AND DESCRIPTION	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)  MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)		

Item IN-15c: TRMIVMT	What time was IV thrombolytic initiated for this patient at this hospital?  This variable indicates the time the IV thrombolytic therapy was initiated for this patient at this hospital		
FORMAT	Type:	Time	
	Item Length:	4	
	Leading Zeros:	Yes	
	Valid Range:	Valid time	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with IV thrombolytic therapy initiated at this hospital		
VALUES AND DESCRIPTION	Valid time in SAS TIME8. format (HH:MM)  Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)		

Item IN-15d: TRMALT	Thrombolytic used: Alteplase (Class 1 evidence) This variable indicates whether the thrombolytic Alteplase (Class 1 evidence) therapy was initiated for this patient at this hospital		
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes patients with IV thrombolytic therapy initiated at this hospital	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-15e: TRMALDS	Alteplase, total dose (mg) This variable indicates the total Alteplase dose in milligrams (mg)	
FORMAT	Type:	Numeric
	Item Length:	4
	Leading Zeros:	No
	Valid Range:	Valid dosage
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with thrombolytic alteplase (Class 1 evidence) initiated at this hospital	
VALUES AND DESCRIPTION		
	(up to 1 decimal place)	

Item IN-15f: TRMTNK	This variable indica	Thrombolytic used: Tenecteplase (Class 2b evidence)  This variable indicates whether the thrombolytic Tenecteplase (Class 2b evidence) therapy was initiated for this patient at this hospital	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes patients with IV thrombolytic therapy initiated at this hospital	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-15g: TRMTNDS	Tenecteplase, total dose (mg) This variable indicates the total Tenecteplase dose in milligrams (mg)	
FORMAT	Туре:	Numeric
	Item Length:	4
	Leading Zeros:	No
	Valid Range:	Valid dosage
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with thrombolytic tenecteplase (Class 2b evidence) initiated at this hospital	
VALUES AND DESCRIPTION		
	(up to 1 decimal place)	

Item IN-15h: TRMTNRSN	Reason for selecting tenecteplase instead of alteplase  This variable indicates the reason for selecting tenecteplase instead of alteplase	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with thrombolytic tenecteplase (Class 2b evidence) initiated at this hospital	
VALUES AND DESCRIPTION		
	1 Large Vessel Occlusion (LVO) with potential thrombectomy	
	2 Mild stroke	
	3 Other	

Item IN-15i: TRMEXTND	If IV thrombolytic administered beyond 4.5-hour, was imaging used to identify eligibility?  This variable indicates whether imaging was used to identify eligibility for patients to whom IV thrombolytic was administered beyond 4.5-hour		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes patients with IV thrombolytic therapy initiated at this hospital beyond 4.5 hours		
VALUES AND DESCRIPTION			
	1 Yes, Diffusion-FLAIR mismatch		
	2 Yes, Core-Perfusion mismatch		
	3 None	3 None	
	4 Other		

Item IN-15j: TRMIVT	IV thrombolytic at an outside hospital or EMS / mobile stroke unit?  This variable indicates whether IV thrombolytic was initiated at an outside hospital or EMS/mobile stroke unit		
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes patients with IV thrombolytic therapy initiated at this hospital		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-15k: TRMIVTAT	If yes, select thrombolytic administered at outside hospital or Mobile Stroke Unit This variable indicates the thrombolytic treatment administered to patients to whom the treatment was administered outside the hospital or Mobile Stroke Unit		
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator ind Mobile Stroke Unit	The denominator includes patients with IV thrombolytic therapy initiated at outside hospital or Mobile Stroke Unit	
VALUES AND DESCRIPTION			
	1 Alteplase		
	2 Tenecteplase		

Item IN-15I: CATHTX	Was catheter-based treatment administered at this hospital?  This variable indicates whether a catheter-based treatment was administered at this hospital	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-15m: CATHTXD	Date of IA alteplase or MER initiation at this hospital  This variable indicates the date of IA alteplase or MER initiation at this hospital		
FORMAT	Type:	Type: Date	
	Item Length:	8	
	Leading Zeros:	Yes	
	Valid Range:	Valid date	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes patients with catheter-based treatment administered at the hospital		
VALUES AND DESCRIPTION			
	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)		
	MM= Month (01-12),	DD=Day (01-31) and YYYY = Year (20XX)	

Item IN-15n: CATHTXT	Time of IA alteplase or MER initiation at this hospital This variable indicates the time of IA alteplase or MER initiation at this hospital		
FORMAT	Type:	Type: Time	
	Item Length:	4	
	Leading Zeros:	Yes	
	Valid Range:	Valid time	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes patients with catheter-based treatment administered at the hospital		
VALUES AND DESCRIPTION			
	Valid time in SAS TIME8. format (HH:MM)		
	Time must be record	led in military time. HH=Hour (00-23) and MM=Minutes (00-59)	

Item IN-16a: THRMCMP	Complication of rep	Complication of reperfusion therapy (Thrombolytic or MER)	
	This variable indicate	This variable indicates the complications of reperfusion therapy (Thrombolytic or MER)	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes patients with thrombolytic or MER therapy initiated at this hospital		
VALUES AND DESCRIPTION			
	0 None		
	1 Symptomatic ICH	within 36 hours (< 36 hours) of tPA	
	2 Life threatening, s	serious systemic hemorrhage within 36 hours of tPA	
	3 Other serious con	nplications	
	9 Unknown/Unable	to Determine	

Item IN-16b: THRMCMPT	Were there bleeding complications in a patient transferred after IV tPA (alteplase)?  This variable indicates whether there were bleeding complications in a patient transferred after IV tPA (alteplase)		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes patients with IV tPA (alteplase) initiated at this hospital		
VALUES AND DESCRIPTION			
	1 Yes and detected prior to transfer		
	2 Yes but detected after transfer		
	3 Unable to determi	3 Unable to determine	
	9 Not applicable		

Item IN-17a: TPANC		Documented exclusions or relative exclusions (contraindications or warnings) were recorded for not initiating IV thrombolytic in the 0-3 hour treatment window	
		This variable indicates whether exclusions or relative exclusions (contraindications or warnings) were documented for not initiating IV thrombolytic in the 0-3 hour treatment window	
FORMAT	Туре:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-18a: TPA4NC		Documented exclusions or relative exclusions (contraindications or warnings) were recorded for not initiating IV thrombolytic in the 3-4.5 hour treatment window	
		This variable indicates whether exclusions or relative exclusions (contraindications or warnings) were documented for not initiating IV thrombolytic in the 3-4.5 hour treatment window	
FORMAT	Туре:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-19a: TPADELAY	If IV thrombolytic was initiated greater than 60 minutes after hospital arrival, were eligibility or medical reasons documented as the cause for delay?  This variable indicates whether there were eligibility or medical reasons documented as the cause for delay for patients to whom IV thrombolytic was initiated greater than 60 minutes after hospital arrival	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients to whom IV thrombolytic was initiated greater than 60 minutes after hospital arrival	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-19b: TPADEL45	If IV thrombolytic was initiated greater than 45 minutes after hospital arrival, were eligibility or medical response documented as the cause for delay?	
	This variable indicates whether there were eligibility or medical response documented as the cause for delay for patients to whom IV thrombolytic was initiated greater than 45 minutes after hospital arrival	
FORMAT	Type: Numeric	
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients to whom IV thrombolytic was initiated greater than 45 minutes after hospital arrival	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-19c: DELAYRSN	Eligibility or Medical reason(s) were documented as the cause for delay in thrombolytic administration: Need for additional PPE for suspected/ confirmed infectious disease		
		This variable indicates whether the eligibility or medical reason(s) were documented as the cause for delay in thrombolytic administration.	
FORMAT	Type: Numeric		
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	/ERDELL-specific variable	
DENOMINATOR POPULATION	The denominator inc	cludes patients to whom thrombolytic therapy was delayed	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-20a: ATHR2DAY	Was antithrombotic therapy received by the end of hospital day 2?  This variable indicates whether antithrombotic therapy was received by the end of hospital day 2	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	
	2 Not collected	

Item IN-21a: VTELDUH	VTE Prophylaxis. Low dose unfractionated heparin (LDUH) This variable indicates low dose unfractionated heparin (LDUH) as the type of VTE Prophylaxis	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-21b: VTELMWH	VTE Prophylaxis. Low molecular weight heparin (LMWH)  This variable indicates low molecular weight heparin (LMWH) as the type of VTE Prophylaxis	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-21c: VTEIPC	VTE Prophylaxis. Intermittent pneumatic compression devices  This variable indicates intermittent pneumatic compression devices as the type of VTE Prophylaxis		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-21d: VTEGCS	VTE Prophylaxis. Graduated compression stockings (GCS) This variable indicates graduated compression stockings (GCS) as the type of VTE Prophylaxis		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-21e: VTEXAI		VTE Prophylaxis. Factor Xa Inhibitor This variable indicates factor Xa Inhibitor as the type of VTE Prophylaxis	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-21f: VTEWAR	· ·	VTE Prophylaxis. Warfarin This variable indicates Warfarin as the type of VTE Prophylaxis	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-21g: VTEVFP	VTE Prophylaxis. Venous foot pumps This variable indicates Venous foot pumps as the type of VTE Prophylaxis	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-21h: VTEOXAI		VTE Prophylaxis. Oral Factor Xa Inhibitor This variable indicates Oral Factor Xa Inhibitor as the type of VTE Prophylaxis	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-21i: VTEASPRN	VTE Prophylaxis. A	VTE Prophylaxis. Aspirin	
	This variable indicate	es Aspirin as the type of VTE Prophylaxis	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-21j: VTEND	VTE Prophylaxis. Not Documented or none of the above This variable indicates Not documented or none of the above as the type of VTE Prophylaxis	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-21k: VTEDATE	What date was the initial VTE prophylaxis administered? This variable indicates the date the initial VTE prophylaxis was administered	
FORMAT	Туре:	Date
	Item Length:	8
	Leading Zeros:	Yes
	Valid Range:	Valid date
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)	
	MM= Month (01-12),	DD=Day (01-31) and YYYY = Year (20XX)

Item IN-21I: NOVTEDOC	If not documented or none of the above types of prophylaxis apply, is there documentation why prophylaxis was not administered at hospital admission?		
		This variable indicates whether there is documentation on why prophylaxis was not administered at hospital admission	
FORMAT	Type: Numeric		
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	/ERDELL-specific variable	
DENOMINATOR POPULATION	The denominator incadmission	cludes patients to whom prophylaxis was not administered at hospital	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-21m: OFXAVTE	Is there a documented reason for using Oral Factor Xa Inhibitor for VTE?  This variable indicates whether there is a documented reason for using Oral Factor Xa Inhibitor for VTE		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-22a: LDUHIV	Other Therapeutic Anticoagulation. Unfractionated heparin IV This variable indicates Unfractionated heparin IV as other therapeutic anticoagulation	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-22b: DABIGAT	Other Therapeutic Anticoagulation. Dabigatran (Pradaxa)  This variable indicates Dabigatran (Pradaxa) as other therapeutic anticoagulation	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-22c: ARGATRO	Other Therapeutic Anticoagulation. Argatroban This variable indicates Argatroban as other therapeutic anticoagulation		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-22d: DESIRUD		Other Therapeutic Anticoagulation. Desirudin (Iprivask)  This variable indicates Desirudin (Iprivask) as other therapeutic anticoagulation	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-22e: ORALXAI	-	Other Therapeutic Anticoagulation. Oral Factor Xa Inhibitors (e.g., rivaroxaban/Xarelto)  This variable indicates Oral Factor Xa Inhibitors (e.g., rivaroxaban/Xarelto) as other therapeutic anticoagulation	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-22f: LEPIRUD	Other Therapeutic Anticoagulation. Lepirudin (Refludan) This variable indicates Lepirudin (Refludan) as other therapeutic anticoagulation	
FORMAT	Туре:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-22g: OTHACOAG	Other Therapeutic Anticoagulation. Other Anticoagulant This variable indicates other coagulants as other therapeutic anticoagulation	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes all patients	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-23a: NPO	received food, fluid	Was the patient NPO throughout the entire hospital stay? (That is, this patient never received food, fluids, or medication by mouth at any time. This includes any medications delivered in the Emergency Room phase of care.)  This variable indicates whether the patient was NPO throughout the entire hospital stay, meaning the patient never received food, fluids, or medication by mouth at any time, including any medications delivered in the Emergency Room phase of care	
	meaning the patient		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	/ERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	The denominator includes all patients	
VALUES AND DESCRIPTION			
	0 No/Not documer	0 No/Not documented	
	1 Yes		

Was patient screened for dysphagia prior to any oral intake, including food, fluids or medications?	
This variable indicates whether the patient was screened for dysphagia prior to any oral intake, including food, fluids or medications	
Type:	Numeric
Item Length:	1
Leading Zeros:	No
Valid Range:	See values; cannot be blank
Not applicable; COVERDELL-specific variable	
The denominator includes all patients	
0 No or Not documented	
1 Yes	
2 NC - a document	red reason for not screening exists in the medical record
	medications? This variable indicat including food, fluids  Type: Item Length: Leading Zeros: Valid Range: Not applicable; COV The denominator income.  O No or Not document of Yes

Item IN-23c: DYSPHAPF	If patient was screened for dysphagia, what were the results of the most recent screen prior to oral intake?	
	This variable indicat patients	es the results of the most recent dysphagia screening prior to oral intake for
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients that were screened for dysphagia	
VALUES AND DESCRIPTION		
	1 Pass	
	2 Fail	
	9 Not documented	

Other Complications

Item IN-24a: PNEUMYN		Was there documentation that the patient was treated for hospital acquired pneumonia (pneumonia not present at admission) during this admission?	
		This variable indicates whether there was documentation that the patient was treated for hospital acquired pneumonia (pneumonia not present at admission) during this admission	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No or Not documented		
	1 Yes	1 Yes	
	2 NC - a documer	nted reason for not screening exists in the medical record	

Item IN-25a: DVTDOCYN	Did patient experience a DVT or pulmonary embolus (PE) during this admission?  This variable indicates whether the patient experienced a DVT or pulmonary embolus (PE) during this admission	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	0 No/Not documented 1 Yes	

Active Bacterial or Viral Infection at Admission or During Hospitalization

Item IN-26a: INF_COLD	Active bacterial or viral infection at admission or during hospitalization. Seasonal cold or flu	
	This variable indicat during hospitalization	es whether the patient contracted seasonal cold or flu at admission or n
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; CO\	/ERDELL-specific variable
DENOMINATOR POPULATION	The denominator inc	cludes only patients that were admitted
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-26b: INF_FLU		Active bacterial or viral infection at admission or during hospitalization. Influenza  This variable indicates whether the patient contracted influenza at admission or during hospitalization	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-26c: INF_BAC	Active bacterial or infection	Active bacterial or viral infection at admission or during hospitalization. Bacterial infection	
		This variable indicates whether the patient contracted a bacterial infection at admission or during hospitalization	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	VERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	cludes only patients that were admitted	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-26d: INF_OTH	Active bacterial or infection	Active bacterial or viral infection at admission or during hospitalization. Other viral infection	
	This variable indicated during hospitalization	tes whether the patient contracted another viral infection at admission or on	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	/ERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	cludes only patients that were admitted	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-26e: INF_EMID	Active bacterial or viral infection at admission or during hospitalization. Emerging Infectious Disease	
	This variable indicat admission or during	tes whether the patient contracted an emerging infectious disease at hospitalization
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; CO\	/ERDELL-specific variable
DENOMINATOR POPULATION	The denominator in	cludes only patients that were admitted
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-26f: INF_COV1		Active bacterial or viral infection at admission or during hospitalization. SARS-COV-1 This variable indicates whether the patient contracted SARS-COV-1 at admission or during hospitalization	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-26g: INF_COV2	Active bacterial or viral infection at admission or during hospitalization. SARS-COV-2 (COVID-19)	
	This variable indicate or during hospitalizate	tes whether the patient contracted SARS-COV-2 (COVID-19) at admission ation
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; CO\	/ERDELL-specific variable
DENOMINATOR POPULATION	The denominator in	cludes only patients that were admitted
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-26h: INF_MERS	Active bacterial or viral infection at admission or during hospitalization. MERS  This variable indicates whether the patient contracted MERS at admission or during hospitalization		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-26i: INF_OEID		Active bacterial or viral infection at admission or during hospitalization. Other Emerging Infectious Disease	
	This variable indicate admission or during	tes whether the patient contracted another emerging infectious disease at hospitalization	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	/ERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	cludes only patients that were admitted	
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-26j: INF_NONE	Active bacterial or viral infection at admission or during hospitalization. None/Not documented	
	This variable indicates whether the patient had not contracted an active bacterial or viral infection or was not documented at admission or during hospitalization	
FORMAT	Type: Numeric	
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Date of discharge from hospital

Item IN-27a: DSCHRGD	What date was the patient discharged from hospital?  This variable indicates the date the patient was discharged from hospital		
FORMAT	Type:	Type: Date	
	Item Length:	8	
	Leading Zeros:	Yes	
	Valid Range:	Valid date	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	Valid date in SAS M	Valid date in SAS MMDDYY10. format (MM/DD/YYYY)	
	MM= Month (01-12)	MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)	

Principal discharge ICD-10-CM diagnosis

Item IN-28a: ICD10DX	Principal discharge ICD-10-CM code This variable indicates the principal discharge ICD-10-CM code		
FORMAT	Type:	Type: Character	
	Item Length:	8	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	Alphanumeric, 3 before	ore decimal, 4 after decimal	

Clinical diagnosis related to stroke that was ultimately responsible for this admission

Item IN-29a: ADMDXSH	Clinical diagnosis related to stroke that was ultimately responsible for this admission. Subarachnoid hemorrhage	
	This variable indicates subarachnoid hemorrhage as the clinical diagnosis related to the stroke that was ultimately responsible for this admission	
FORMAT	Type: Numeric	
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-29b: ADMDXIH		Clinical diagnosis related to stroke that was ultimately responsible for this admission. Intracerebral hemorrhage	
		This variable indicates intracerebral hemorrhage as the clinical diagnosis related to the stroke that was ultimately responsible for this admission	
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-29c: ADMDXIS	Clinical diagnosis related to stroke that was ultimately responsible for this admission. Ischemic stroke		
		This variable indicates ischemic stroke as the clinical diagnosis related to the stroke that was ultimately responsible for this admission	
FORMAT	Туре:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-29d: ADMDXTIA	Clinical diagnosis related to stroke that was ultimately responsible for this admission.  Transient ischemic attack	
	This variable indicates transient ischemic attack as the clinical diagnosis related to the stroke that was ultimately responsible for this admission	
FORMAT	Type: Numeric	
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-29e: ADMDXSNS	Clinical diagnosis related to stroke that was ultimately responsible for this admission. Stroke not otherwise specified	
	This variable indicates stroke not otherwise specified as the clinical diagnosis related to the stroke that was ultimately responsible for this admission	
FORMAT	Type: Numeric	
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

Item IN-29f: ADMDXNOS		Clinical diagnosis related to stroke that was ultimately responsible for this admission.  No stroke related diagnosis	
	This variable indicate	This variable indicates whether there was no stroke related diagnosis	
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No		
	1 Yes		

Item IN-29g: ADMCE	This variable indicat	Was patient admitted for the sole purpose of performance of a carotid intervention?  This variable indicates whether the patient was admitted for the sole purpose of performance of a carotid intervention	
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	O No or Unable to determine Yes		

Item IN-29h: CLNTRIAL	Was the patient enrolled in a stroke clinical trial?  This variable indicates whether the patient was enrolled in a stroke clinical trial		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	O No or Unable to one of the second of the	determine	

Discharge disposition

Item IN-30a: DSCHDISP	Discharge disposition	
	This variable indicate	es the discharge disposition
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVI	ERDELL-specific variable
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	Discharged to home or self-care (routine discharge), with or without home health, discharged to jail or law enforcement, or to assisted living facility	
	2 Discharged to home hospice	
	3 Discharged to hospice in a health care facility	
	4 Discharged to an acute care facility (includes critical access hospitals, cancer and children's hospitals, VA, and DOD hospitals	
	5 Discharged to another healthcare facility	
	6 Expired	
	7 Left against medic	cal advice or discontinued care
	8 Not documented of	or unable to determine

Item IN-30b: OHFTYPE	If discharged to another healthcare facility above (option 5), what type of facility was it?  This variable indicates the type of healthcare facility the patient was discharged to		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes all patients that were discharged to another healthcare facility		
VALUES AND DESCRIPTION			
	1 Skilled nursing facility		
	2 Inpatient rehabilitation		
	3 Long-term care facility, or hospital		
	4 Intermediate care facility		
	5 Other		

Functional Status at Discharge

Item IN-31a: MRSSCORE	Modified Rankin Scale Score		
	This variable indicates the modified Rankin Scale Score for the patient		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No symptoms		
	1 No significant disability despite symptoms		
	2 Slight disability		
	3 Moderate disability, can walk without assistance		
	4 Moderate to severe disability, needs assistance to walk		
	5 Severe disability, bedridden		
	6 Death		

Item IN-31b: AMBSTATD	Ambulatory status at discharge		
	This variable indicates the ambulatory status at discharge		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	1 Able to ambulate independently with or without device		
	2 With assistance from another person		
	3 Unable to ambulate		
	9 Not documented		

Antihypertensive Treatment at Discharge

Item IN-32a: HBPTREAT	Is there documentation that antihypertensive medication was prescribed at discharge?  This variable indicates whether there was documentation that antihypertensive medication was prescribed at discharge		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No/Not documented		
	1 Yes		
	2 A documented reason for not screening exists in the medical record		

Lipid Treatment

Item IN-33a: LIPNONE	No cholesterol reducing treatment prescribed at discharge This variable indicates whether no cholesterol reducing treatment was prescribed at discharge	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No/Not documented	
	1 Yes	

Item IN-33b: LIPSTATN	Was a statin medication prescribed at discharge? This variable indicates whether statin medication was prescribed at discharge		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	No/Not documen     Yes	nted	

Item IN-33c: LIPOTHNC	If other lipid lowering medications not prescribed, was there a documented contraindication to other lipid lowering medication?		
		es whether there was a documented contraindication to other lipid lowering ner lipid lowering medications were not prescribed	
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	/ERDELL-specific variable	
DENOMINATOR POPULATION	The denominator inc	cludes patients to whom lipid lowering medications was not prescribed	
VALUES AND DESCRIPTION			
	0 No/Not documen	0 No/Not documented	
	1 Yes		

Item IN-33d: LIPFIBRT	Cholesterol reducing treatment prescribed. Fibrate This variable indicates whether Fibrate was prescribed as a cholesterol reducing treatment	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients to whom a cholesterol reducing treatment was prescribed	
VALUES AND DESCRIPTION	0 No/Not document 1 Yes	ed

Item IN-33e: LIPOTHRX	Other cholesterol reducing medication This variable indicates whether other cholesterol reducing medication was prescribed	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients to whom a cholesterol reducing treatment was prescribed	
VALUES AND DESCRIPTION	0 No/Not document 1 Yes	ed

Item IN-33f: LIPNIACN	Cholesterol reducing treatment prescribed. Niacin This variable indicates whether Niacin was prescribed as a cholesterol reducing treatment		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients to whom a cholesterol reducing treatment was prescribed		
VALUES AND DESCRIPTION	No/Not documen     Yes	ted	

Item IN-33g: LIPABSIN		Cholesterol reducing treatment prescribed. Absorption inhibitor  This variable indicates whether an absorption inhibitor was prescribed as a cholesterol reducing treatment	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients to whom a cholesterol reducing treatment was prescribed		
VALUES AND DESCRIPTION	No/Not documen     Yes		

Item IN-33h: LIPPCSK		Cholesterol reducing treatment prescribed. PCSK9 inhibitor  This variable indicates whether PCSK9 inhibitor was prescribed as a cholesterol reducing treatment	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator incorprescribed	The denominator includes only patients to whom a cholesterol reducing treatment was prescribed	
VALUES AND DESCRIPTION	0 No/Not documen 1 Yes		

Item IN-33i: STATNNC	If statin not prescribed, was there a documented contraindication to statins?  This variable indicates whether there was a documented contraindication to statins for patients to whom statin was not prescribed		
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients to whom statin was not prescribed		
VALUES AND DESCRIPTION			
	0 No/Not documen	0 No/Not documented	
	1 Yes		

Item IN-33j: STATNINT	What intensity was	the statin that was prescribed at discharge?	
	This variable indicate	es the intensity of the statin prescribed at discharge	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients to whom statin was prescribed		
VALUES AND DESCRIPTION			
	1 High-intensity sta	tin	
	2 Moderate-intensit	y statin	
	3 Low-intensity stat	in	
	9 Unknown		

Item IN-33k: STATNWHY	Was there a documented reason for not prescribing the guideline recommended statin dose?		
	This variable indicates whether there was a documented reason for not prescribing the guideline recommended statin dose		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVI	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients that were not prescribed the guideline recommended statin dose		
VALUES AND DESCRIPTION			
	1 Intolerant to moderate (>75 years) or high (<=75 years) intensity statin		
	2 No evidence of atherosclerosis (cerebral, coronary, or peripheral vascular disease)		
	3 Other documented reason		
	9 Unknown		

Atrial Fibrillation

Item IN-34a: AFIBYN		Was atrial fibrillation/flutter or paroxysmal atrial fibrillation (PAF), documented during this episode of care?	
		tes whether atrial fibrillation/flutter or paroxysmal atrial fibrillation (PAF) was this episode of care	
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	/ERDELL-specific variable	
DENOMINATOR POPULATION	The denominator in	cludes only patients that were admitted	
VALUES AND DESCRIPTION			
	0 No/Not documer	0 No/Not documented	
	1 Yes		

Item IN-34b: AFIBRX	the patient experie	If a history of atrial fibrillation/flutter or PAF is documented in the medical history or if the patient experienced atrial fibrillation/flutter or PAF during this episode of care, was patient prescribed anticoagulation medication upon discharge?	
		This variable indicates whether the patient was prescribed anticoagulation medication upon discharge atrial fibrillation/flutter or PAF during this episode of care	
FORMAT	Type:	Type: Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COV	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients with a history of atrial fibrillation/flutter or PAF or patients that experienced atrial fibrillation/flutter or PAF during this episode of care		
VALUES AND DESCRIPTION			
	0 No/Not documented		
	1 Yes		
	2 A documented rea	ason for not screening exists in the medical record	

Antithrombotics at Discharge

Item IN-35a: ATHDSCYN	Was antithrombotic (antiplatelet or anticoagulant) medication prescribed at discharge?  This variable indicates whether antithrombotic (antiplatelet or anticoagulant) medication was prescribed at discharge		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION			
	0 No/Not documented		
	1 Yes		
	2 A documented reason for not screening exists in the medical record		

If patient was discharged on an antithrombotic medication, was it an antiplatelet?  This variable indicates whether the patient was discharged with an antiplatelet medication	
Type:	Numeric
Item Length:	1
Leading Zeros:	No
Valid Range:	See values; cannot be blank
Not applicable; COVERDELL-specific variable	
The denominator includes patients discharged on antithrombotic medication	
0 No/Not documented	
1 Yes	
	This variable indicate  Type: Item Length: Leading Zeros: Valid Range: Not applicable; COV The denominator inco  0 No/Not document

Item IN-35c: DC_COAG	If patient was discharged on an antithrombotic medication, was it an anticoagulant?  This variable indicates whether the patient was discharged with an anticoagulant medication	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes patients discharged on antithrombotic medication	
VALUES AND DESCRIPTION	O. Na (Nat. da sum anta d	
	0 No/Not documented	
	1 Yes	

Smoking Counseling

Item IN-36a: SMKCESYN	If past medical history of smoking is checked as yes, was the adult patient or their caregiver given smoking cessation advice or counseling during the hospital stay?		
	This variable indicates whether the adult patient or their caregiver was given smoking cessation advice or counseling during the hospital stay		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; COVERDELL-specific variable		
DENOMINATOR POPULATION	The denominator includes patients with past medical history of smoking		
VALUES AND DESCRIPTION			
	0 No or not documented in the medical record		
	1 Yes		
	2 A documented reason exists for not performing counseling		

Stroke Education

Item IN-37a: EDUCRF	Stroke Education. Risk factors for stroke  This variable indicates whether the patient received education regarding risk factors for stroke	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No/Not documented	
	1 Yes	

Item IN-37b: EDUCSSX	Stroke Education. Stroke Warning Signs and Symptoms  This variable indicates whether the patient received education regarding stroke warning signs and symptoms		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	0 No/Not documented		
	1 Yes		

Item IN-37c: EDUCEMS	Stroke Education. How to activate EMS for stroke  This variable indicates whether the patient received education regarding how to activate EMS for stroke		
FORMAT	Type:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	0 No/Not documented 1 Yes		

Item IN-37d: EDUCCC		Stroke Education. Need for follow-up after discharge  This variable indicates whether the patient received education regarding need for follow-up after discharge	
FORMAT	Туре:	Numeric	
	Item Length:	1	
	Leading Zeros:	No	
	Valid Range:	See values; cannot be blank	
SOURCE	Not applicable; CO\	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted		
VALUES AND DESCRIPTION	No/Not documented		
	1 Yes	·····	

Item IN-37e: EDUCMEDS	Stroke Education. Medications prescribed at discharge  This variable indicates whether the patient received education regarding medications prescribed at discharge	
FORMAT	Type:	Numeric
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION	No/Not documented	
	1 Yes	

Rehabilitation

Item IN-38a: REHAPLAN	Is there documentation in the record that the patient was assessed for or received rehabilitation services?	
	This variable indicates whether there is documentation that the patient was assessed for or received rehabilitation services	
FORMAT	Type: Numeric	
	Item Length:	1
	Leading Zeros:	No
	Valid Range:	See values; cannot be blank
SOURCE	Not applicable; COVERDELL-specific variable	
DENOMINATOR POPULATION	The denominator includes only patients that were admitted	
VALUES AND DESCRIPTION		
	0 No	
	1 Yes	

## **APPENDIX**

## Appendix A

### Data Elements Submission\* Timeline

February 15, 2022

Data collected from: October 2021 to December 2021

June 15, 2022

Data collected from: January 2022 to April 2022

October 17, 2022#

Data collected from: May 2022 to August 2022

February 15, 2023

Data collected from: September 2022 to December 2022

June 15, 2023

Data collected from: January 2023 to April 2023

October 16, 2023#

Data collected from: May 2023 to August 2023

February 15, 2024

Data collected from: September 2023 to December 2023

June 17, 2024#

Data collected from: January 2024 to April 2024

July 29, 2024

Cooperative Agreement Closeout Data Submission

\*All Data Elements files submitted to CDC are expected to be cumulative files from the beginning of the current cooperative agreement.

# As the 15th falls on a weekend, the date has been adjusted to reflect the next regularly occurring weekday.

## Appendix B

### TECHNICAL ASSISTANCE RESOURCES

CDC has developed several strategies and tools to provide technical assistance and support in collecting and submitting data. This appendix describes the various types of technical assistance available to Coverdell recipients

### **Types of Data Technical Assistance Available**

Technical assistance available to recipients can be broadly categorized as individualized technical assistance, group technical assistance, and tools. Below, specific types of technical assistance/tools within these categories are described. The table at the end of this subsection summarizes the types of technical assistance/tools by category, provider, and timeline.

#### Individualized Technical Assistance

- Data Review Calls. After each data element submission, data reports are generated and may be reviewed with recipients during a data review call. As needed, data quality reports and other materials may also be reviewed.
- Helpdesk Requests. Recipients can request individualized technical assistance through the Helpdesk (coverdell@rti.org). A health scientist from the CDC data team will collaborate with the data contractor to respond to technical assistance requests. This type of assistance is tailored to the recipient and the request. More information is provided in the following subsections of this appendix, "Requesting Individualized Technical Assistance" and "Helpdesk for Technical Assistance Requests."

Group Technical Assistance

 Ad Hoc Data Calls and Trainings. Throughout the course of the year, data issues affecting a majority of or all recipients may be identified, either through individualized technical assistance or as a result of changes to the data elements submission process and specifications (e.g., modification of data elements specifications, added data elements variables). As a result, trainings or group communications may be needed, which can be fulfilled by holding ad hoc data calls and/or training seminars.

#### Tools

 Coverdell Data Manual. This manual is a technical assistance tool for recipients. It provides detailed guidance on the data element submission process and data element specifications, and it will be updated as necessary to stay current with the data submission and collection requirements. Recipients can access the current edition in the Awards Management Platform (AMP).

Summary of Types of Technical Assistance and Tools Available

TA Type	Provider	Timeline
Individual		
Data review calls	Project officers and/or data contractor	Tri-annually, after data element submission and release of data reports
Helpdesk requests	Data contractor	As needed
Group		
Ad hoc data calls and trainings	Data contractor	As needed
Tools		
Coverdell Data Manual	Data contractor	Ongoing

### Helpdesk for Individualized Data Technical Assistance Requests

Technical assistance may be requested by emailing the data contractor at <a href="mailto:coverdell@rti.org">coverdell@rti.org</a>. Once a request for technical assistance related to a data element is received, Helpdesk will automatically confirm receipt of the request and collaborate with the Health Scientists to resolve the request. For more complex requests or those requiring project officer input, responses may take more than 24 hours. All requests are tracked by Helpdesk staff and the health scientists to ensure that follow-up is completed for all requests and that responses are satisfactory to the requester. In addition, project officers will be kept abreast of the technical

assistance needs of their programs. The tracking of technical assistance requests by the Helpdesk, health scientists, and project officers allows CDC to identify common issues to inform Program-wide technical assistance.

# Appendix C

## DATA ELEMENT TABLES

Item No.	Variable Name	Question Prompt	Туре	Values
Pre-1a	SCNARRD	Scene Arrival Date	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
Pre-1b	SCNARRT	Scene Arrival Time	Time	Valid time in SAS TIME8. format (HH:MM). Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)
Pre-2a	SCNDPTD	Scene Departure Date	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
Pre-2b	SCNDPTT	Scene Departure Time	Time	Valid time in SAS TIME8. format (HH:MM). Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)
Pre-3a	PREAGE	Age	Numeric	0-125
Pre-4a	PREGEND	Gender	Numeric	1 Male;2 Female;3 Unknown
Pre-5a	STKSCN	Did EMS perform a pre-hospital stroke screen?	Numeric	1 Yes;2 No;3 Not Documented
Pre-5b	EMSGLU	Glucose level	Numeric	Valid glucose value
IN-0A	STFIPS	State FIPS Code	Character	05 Arkansas; 12 Florida; 13 Georgia;15 Hawaii; 21 Kentucky; 25 Massachusetts; 26 Michigan; 27 Minnesota; 36 New York; 37 North Carolina; 39 Ohio; 51 Virginia; 55 Wisconsin
IN-0B	PATID	Unique Participant ID Number	Character	State Assigns Unique Identifier up to 15 characters
IN-0C	ZIP	Residence Zip Code	Character	Valid Zip Code
IN-0D	HOSPID	Unique Hospital ID Assigned by State	Alphanumeric	Confidential Value Assigned by State
IN-1a	AGE	Age	Numeric	0-125
IN-1b	GENDER	Gender	Numeric	1 Male;2 Female;3 Unknown
IN-1c	RACEW	White	Numeric	1 Yes;0 No
IN-1d	RACEAA	Black or African American	Numeric	1 Yes;0 No
IN-1e	RACEAS	Asian	Numeric	1 Yes;0 No
IN-1f	RACEHPI	Native Hawaiian or Other Pacific Islander	Numeric	1 Yes;0 No
IN-1g	RACEAIAN	American Indian or Alaskan Native	Numeric	1 Yes;0 No
IN-1h	RACEUNK	Unknown or unable to determine	Numeric	1 Yes;0 No
IN-1i	HISP	Hispanic or Latino Ethnicity	Numeric	Hispanic or Latino;     Not Hispanic or Latino,     or unknown
IN-1j	HLTHINSM	Medicare/Medicare Advantage	Numeric	1 Yes;0 No
IN-1k	HLTHINSC	Medicaid	Numeric	1 Yes;0 No
IN-1I	HLTHINSP	Private/VA/Champus/Other	Numeric	1 Yes;0 No
IN-1m	HLTHINSN	Self-Pay/No Insurance	Numeric	1 Yes;0 No
IN-1n	HLTHINND	Not Documented	Numeric	1 Yes;0 No

Item No.	Variable Name	Question Prompt	Туре	Values
IN-2a	PLCOCCUR	Where was the patient when stroke was detected or when symptoms were discovered? In the case of a patient transferred to your hospital where they were an inpatient, ED patient, or NH/long-term care resident, from where was the patient transferred?	Numeric	Not in a healthcare setting;2 Another acute care facility;3 Chronic health care facility;4 Stroke occurred while patient was an inpatient in your hospital;5 Outpatient healthcare setting;9 Not documented or cannot be determined
IN-2b	ARRMODE	How did the patient get to your hospital for treatment of their stroke?	Numeric	EMS from home or scene;2 Private transportation/taxi/other;3 Transfer from another hospital;10 Mobile Stroke Unit;9 Not documented or unknown
IN-2c	EMSNOTE	Advance notification by EMS	Numeric	1 Yes;0 No/Not documented;9 Not applicable
IN-3a	EDTRIAGD	Date of arrival at your hospital	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
IN-3b	EDTRIAGT	Time of arrival at your hospital	Time	Valid time in SAS TIME8. format (HH:MM). Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)
IN-4a	NOTADMIT	Was the patient not admitted?	Numeric	Not admitted;0 No, patient admitted as inpatient
IN-5a	CMODOC	When is the earliest time that the physician, advanced practice nurse, or PA documented that patient was on comfort measures only?	Numeric	Day of arrival or first day after arrival ;2 2nd day after arrival or later;3 Timing unclear;4 Not documented/Unable to determine
IN-6a	LIPADMYN	Statin or other cholesterol reducer medication	Numeric	1 Yes;0 No/Not documented
IN-7a	MEDHISDM	Is there a history of Diabetes Mellitus (DM)?	Numeric	1 Yes;0 No/Not documented
IN-7b	MEDHISST	Is there a history of prior Stroke?	Numeric	1 Yes;0 No/Not documented
IN-7c	MEDHISTI	Is there a history of TIA/Transient ischemic attack/VBI?	Numeric	1 Yes;0 No/Not documented
IN-7d	MEDHISCS	Is there a history of carotid stenosis?	Numeric	1 Yes;0 No/Not documented
IN-7e	MEDHISMI	Is there a history of myocardial infarction (MI) or coronary artery disease (CAD)?	Numeric	1 Yes;0 No/Not documented
IN-7f	MEDHISPA	Is there a history of peripheral arterial disease (PAD)?	Numeric	1 Yes;0 No/Not documented
IN-7g	MEDHISVP	Does the patient have a valve prosthesis (heart valve)?	Numeric	1 Yes;0 No/Not documented
IN-7h	MEDHISHF	Is there a history of Heart Failure (CHF)?	Numeric	1 Yes;0 No/Not documented
IN-7i	MEDHISSS	Does the patient have a history of sickle cell disease (sickle cell anemia)?	Numeric	1 Yes;0 No/Not documented
IN-7j	MEDHISPG	Did this event occur during pregnancy or within 6 weeks after a delivery or termination of pregnancy?	Numeric	1 Yes;0 No/Not documented
IN-7k	MEDHISAF	Is there documentation in the patient's medical history of atrial fibrillation/flutter?	Numeric	1 Yes;0 No/Not documented
IN-7I	MEDHISSM	Is there documented past medical history of Smoking (at least one cigarette during the year prior to hospital arrival)?	Numeric	1 Yes;0 No/Not documented
IN-7m	MEDHISEC	Is there history of E-Cigarette Use (Vaping)? (Use of electronic nicotine delivery system or electronic cigarettes (e-cigarettes))	Numeric	1 Yes;0 No/Not documented
IN-7n	MEDHISDL	Is there a medical history of Dyslipidemia?	Numeric	1 Yes;0 No/Not documented
IN-7o	MEDHISHT	Is there a documented past medical history of hypertension?	Numeric	1 Yes;0 No/Not documented
IN-7p	MEDHISDT	Is there a history of dementia?	Numeric	1 Yes;0 No/Not documented
IN-7q	MH_EID	Is there a history of Emerging Infectious Disease?	Numeric	1 Yes;0 No/Not documented

Item No.	Variable Name	Question Prompt	Туре	Values
IN-7r	MH_COV1	Is there a history of SARS-COV-1?	Numeric	1 Yes;0 No/Not documented
IN-7s	MH_COV2	Is there a history of SARS-COV-2 (COVID-19)?	Numeric	1 Yes;0 No/Not documented
IN-7t	MH_MERS	Is there a history of MERS?	Numeric	1 Yes;0 No/Not documented
IN-7u	MH_OTH	Is there a history of other infectious respiratory pathogen?	Numeric	1 Yes;0 No/Not documented
IN-8a	HOSPADD	Date of hospital admission	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
IN-8b	AMBSTATA	Was patient ambulatory prior to the current stroke/TIA?	Numeric	Able to ambulate independently with or without device;     Yes, but with assistance from another person;     Unable to ambulate;     Not documented
IN-8c	SXRESOLV	Did symptoms completely resolve prior to presentation?	Numeric	1 Yes;0 No;9 Not documented
IN-9a	TELEYN	Was telestroke consultation performed?	Numeric	1 Yes, the patient received telestroke consultation from my hospital staff when the patient was located at another hospital;2 Yes, the patient received telestroke consultation from someone other than my staff when the patient was located at another hospital;3 Yes, the patient received telestroke consultation from a remotely located expert when the patient was located at my hospital;4 No telestroke consult performed;9 Not documented
IN-10a	IMAGEYN	Was brain imaging performed at your hospital after arrival as part of the initial evaluation for this episode of care or this event?	Numeric	1 Yes;0 No/Not documented;9 Not collected
IN-10b	IMAGEYCT	If brain imaging performed, was it a CT scan?	Numeric	1 Yes;0 No/Not documented
IN-10c	IMAGEYMR	If brain imaging performed, was it an MRI?	Numeric	1 Yes;0 No/Not documented
IN-10d	IMAGED	Date brain imaging first initiated at your hospital	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
IN-10e	IMAGET	Time brain imaging first initiated at your hospital	Time	Valid time in SAS TIME8. format (HH:MM). Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)
IN-10f	IMAGERES	What were the initial brain imaging findings?	Numeric	1 Acute hemorrhage;0 No acute hemorrhage;9 Not documented or not available
IN-11a	IMAGEVAS	Was acute vascular or perfusion imaging (e.g., CTA, MRA, DSA) performed at your hospital?	Numeric	1 Yes;0 No/Not documented
IN-12a	LKWD	What date was the patient last known to be well, i.e., in their usual state of health or at their baseline, prior to the beginning of the current stroke or stroke-like symptoms? (recording within 15 minutes of exact time is acceptable)	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
IN-12b	LKWT	What time was the patient last known to be well, i.e., in their usual state of health or at their baseline, prior to the beginning of the current stroke or stroke-like symptoms? (recording within 15 minutes of exact time is acceptable)	Time	Valid time in SAS TIME8. format (HH:MM). Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)
IN-13a	DISCD	What date was the patient first discovered to have the current stroke or stroke-like symptoms? (recording within 15 minutes of exact time of discovery is acceptable)	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)

Item No.	Variable Name	Question Prompt	Туре	Values
IN-13b	DISCT	What time was the patient first discovered to have the current stroke or stroke-like symptoms? (recording within 15 minutes of exact time of discovery is acceptable)	Time	Valid time in SAS TIME8. format (HH:MM). Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)
IN-14a	NIHSSYN	Was NIH Stroke Scale score performed as part of the initial evaluation of the patient?	Numeric	1 Yes;0 No
IN-14b	NIHSTRKS	If performed, what is the first NIH Stroke Scale total score recorded by hospital personnel?	Numeric	0-42
IN-15a	TRMIVM	Was IV thrombolytic initiated for this patient at this hospital?	Numeric	1 Yes;0 No
IN-15b	TRMIVMD	What date was IV thrombolytic initiated for this patient at this hospital?	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
IN-15c	TRMIVMT	What time was IV thrombolytic initiated for this patient at this hospital?	Time	Valid time in SAS TIME8. format (HH:MM). Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)
IN-15d	TRMALT	Thrombolytic used: Alteplase (Class 1 evidence)	Numeric	1 Yes;0 No
IN-15e	TRMALDS	Alteplase, total dose (mg)	Numeric	(up to 1 decimal place)
IN-15f	TRMTNK	Thrombolytic used: Tenecteplase (Class 2b evidence)	Numeric	1 Yes;0 No
IN-15g	TRMTNDS	Tenecteplase, total dose (mg)	Numeric	(up to 1 decimal place)
IN-15h	TRMTNRSN	Reason for selecting tenecteplase instead of alteplase	Numeric	1 Large Vessel Occlusion (LVO) with potential thrombectomy;2 Mild stroke;3 Other
IN-15i	TRMEXTND	If IV thrombolytic administered beyond 4.5-hour, was imaging used to identify eligibility?	Numeric	1 Yes, Diffusion-FLAIR mismatch;2 Yes, Core- Perfusion mismatch;3 None;4 Other
IN-15j	TRMIVT	IV thrombolytic at an outside hospital or EMS / mobile stroke unit?	Numeric	1 Yes;0 No
IN-15k	TRMIVTAT	If yes, select thrombolytic administered at outside hospital or Mobile Stroke Unit	Numeric	1 Alteplase;2 Tenecteplase
IN-15I	CATHTX	Was catheter-based treatment administered at this hospital?	Numeric	1 Yes;0 No
IN- 15m	CATHTXD	Date of IA alteplase or MER initiation at this hospital	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
IN-15n	CATHTXT	Time of IA alteplase or MER initiation at this hospital	Time	Valid time in SAS TIME8. format (HH:MM). Time must be recorded in military time. HH=Hour (00-23) and MM=Minutes (00-59)
IN-16a	THRMCMP	Complication of reperfusion therapy (Thrombolytic or MER)	Numeric	0 None;1 Symptomatic ICH within 36 hours (< 36 hours) of tPA;2 Life threatening, serious systemic hemorrhage within 36 hours of tPA;3 Other serious complications;9 Unknown/Unable to Determine
IN-16b	THRMCMPT	Were there bleeding complications in a patient transferred after IV tPA (alteplase)?	Numeric	1 Yes and detected prior to transfer;2 Yes but detected after transfer;3 Unable to determine;9 Not applicable
IN-17a	TPANC	Documented exclusions or relative exclusions (contraindications or warnings) were recorded for not initiating IV thrombolytic in the 0-3 hour treatment window	Numeric	1 Yes;0 No
IN-18a	TPA4NC	Documented exclusions or relative exclusions (contraindications or warnings) were recorded for not initiating IV thrombolytic in the 3-4.5 hour treatment window	Numeric	1 Yes;0 No

Item No.	Variable Name	Question Prompt	Туре	Values
IN-19a	TPADELAY	If IV thrombolytic was initiated greater than 60 minutes after hospital arrival, were eligibility or medical reasons documented as the cause for delay?	Numeric	1 Yes;0 No
IN-19b	TPADEL45	If IV thrombolytic was initiated greater than 45 minutes after hospital arrival, were eligibility or medical response documented as the cause for delay?	Numeric	1 Yes;0 No
IN-19c	DELAYRSN	Eligibility or Medical reason(s) were documented as the cause for delay in thrombolytic administration: Need for additional PPE for suspected/ confirmed infectious disease	Numeric	1 Yes;0 No
IN-20a	ATHR2DAY	Was antithrombotic therapy received by the end of hospital day 2?	Numeric	1 Yes;0 No;2 Not collected
IN-21a	VTELDUH	VTE Prophylaxis. Low dose unfractionated heparin (LDUH)	Numeric	1 Yes;0 No
IN-21b	VTELMWH	VTE Prophylaxis. Low molecular weight heparin (LMWH)	Numeric	1 Yes;0 No
IN-21c	VTEIPC	VTE Prophylaxis. Intermittent pneumatic compression devices	Numeric	1 Yes;0 No
IN-21d	VTEGCS	VTE Prophylaxis. Graduated compression stockings (GCS)	Numeric	1 Yes;0 No
IN-21e	VTEXAI	VTE Prophylaxis. Factor Xa Inhibitor	Numeric	1 Yes;0 No
IN-21f	VTEWAR	VTE Prophylaxis. Warfarin	Numeric	1 Yes;0 No
IN-21g	VTEVFP	VTE Prophylaxis. Venous foot pumps	Numeric	1 Yes;0 No
IN-21h	VTEOXAI	VTE Prophylaxis. Oral Factor Xa Inhibitor	Numeric	1 Yes;0 No
IN-21i	VTEASPRN	VTE Prophylaxis. Aspirin	Numeric	1 Yes;0 No
IN-21j	VTEND	VTE Prophylaxis. Not Documented or none of the above	Numeric	1 Yes;0 No
IN-21k	VTEDATE	What date was the initial VTE prophylaxis administered?	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
IN-21I	NOVTEDOC	If not documented or none of the above types of prophylaxis apply, is there documentation why prophylaxis was not administered at hospital admission?	Numeric	1 Yes;0 No
IN- 21m	OFXAVTE	Is there a documented reason for using Oral Factor Xa Inhibitor for VTE?	Numeric	1 Yes;0 No
IN-22a	LDUHIV	Other Therapeutic Anticoagulation. Unfractionated heparin IV	Numeric	1 Yes;0 No
IN-22b	DABIGAT	Other Therapeutic Anticoagulation. Dabigatran (Pradaxa)	Numeric	1 Yes;0 No
IN-22c	ARGATRO	Other Therapeutic Anticoagulation. Argatroban	Numeric	1 Yes;0 No
IN-22d	DESIRUD	Other Therapeutic Anticoagulation. Desirudin (Iprivask)	Numeric	1 Yes;0 No
IN-22e	ORALXAI	Other Therapeutic Anticoagulation. Oral Factor Xa Inhibitors (e.g., rivaroxaban/Xarelto)	Numeric	1 Yes;0 No
IN-22f	LEPIRUD	Other Therapeutic Anticoagulation. Lepirudin (Refludan)	Numeric	1 Yes;0 No
IN-22g	OTHACOAG	Other Therapeutic Anticoagulation. Other Anticoagulant	Numeric	1 Yes;0 No

Item No.	Variable Name	Question Prompt	Туре	Values
IN-23a	NPO	Was the patient NPO throughout the entire hospital stay? (That is, this patient never received food, fluids, or medication by mouth at any time. This includes any medications delivered in the Emergency Room phase of care.)	Numeric	1 Yes;0 No/Not documented
IN-23b	DYSPHAYN	Was patient screened for dysphagia prior to any oral intake, including food, fluids or medications?	Numeric	1 Yes;0 No or Not documented;2 NC - a documented reason for not screening exists in the medical record
IN-23c	DYSPHAPF	If patient was screened for dysphagia, what were the results of the most recent screen prior to oral intake?	Numeric	1 Pass;2 Fail;9 Not documented
IN-24a	PNEUMYN	Was there documentation that the patient was treated for hospital acquired pneumonia (pneumonia not present at admission) during this admission?	Numeric	Yes;0 No or Not documented;2 NC - a documented reason for not screening exists in the medical record
IN-25a	DVTDOCYN	Did patient experience a DVT or pulmonary embolus (PE) during this admission?	Numeric	1 Yes;0 No/Not documented
IN-26a	INF_COLD	Active bacterial or viral infection at admission or during hospitalization. Seasonal cold or flu	Numeric	1 Yes;0 No
IN-26b	INF_FLU	Active bacterial or viral infection at admission or during hospitalization. Influenza	Numeric	1 Yes;0 No
IN-26c	INF_BAC	Active bacterial or viral infection at admission or during hospitalization. Bacterial infection	Numeric	1 Yes;0 No
IN-26d	INF_OTH	Active bacterial or viral infection at admission or during hospitalization. Other viral infection	Numeric	1 Yes;0 No
IN-26e	INF_EMID	Active bacterial or viral infection at admission or during hospitalization. Emerging Infectious Disease	Numeric	1 Yes;0 No
IN-26f	INF_COV1	Active bacterial or viral infection at admission or during hospitalization. SARS-COV-1	Numeric	1 Yes;0 No
IN-26g	INF_COV2	Active bacterial or viral infection at admission or during hospitalization. SARS-COV-2 (COVID-19)	Numeric	1 Yes;0 No
IN-26h	INF_MERS	Active bacterial or viral infection at admission or during hospitalization. MERS	Numeric	1 Yes;0 No
IN-26i	INF_OEID	Active bacterial or viral infection at admission or during hospitalization. Other Emerging Infectious Disease	Numeric	1 Yes;0 No
IN-26j	INF_NONE	Active bacterial or viral infection at admission or during hospitalization. None/Not documented	Numeric	1 Yes;0 No
IN-27a	DSCHRGD	What date was the patient discharged from hospital?	Date	Valid date in SAS MMDDYY10. format (MM/DD/YYYY). MM= Month (01-12), DD=Day (01-31) and YYYY = Year (20XX)
IN-28a	ICD10DX	Principal discharge ICD-10-CM code	Character	Alphanumeric, 3 before decimal, 4 after decimal
IN-29a	ADMDXSH	Clinical diagnosis related to stroke that was ultimately responsible for this admission. Subarachnoid hemorrhage	Numeric	1 Yes;0 No
IN-29b	ADMDXIH	Clinical diagnosis related to stroke that was ultimately responsible for this admission. Intracerebral hemorrhage	Numeric	1 Yes;0 No
IN-29c	ADMDXIS	Clinical diagnosis related to stroke that was ultimately responsible for this admission. Ischemic stroke	Numeric	1 Yes;0 No

Item No.	Variable Name	Question Prompt	Туре	Values
IN-29d	ADMDXTIA	Clinical diagnosis related to stroke that was ultimately responsible for this admission. Transient ischemic attack	Numeric	1 Yes;0 No
IN-29e	ADMDXSNS	Clinical diagnosis related to stroke that was ultimately responsible for this admission. Stroke not otherwise specified	Numeric	1 Yes;0 No
IN-29f	ADMDXNOS	Clinical diagnosis related to stroke that was ultimately responsible for this admission. No stroke related diagnosis	Numeric	1 Yes;0 No
IN-29g	ADMCE	Was patient admitted for the sole purpose of performance of a carotid intervention?	Numeric	1 Yes; 0 No or Unable to determine
IN-29h	CLNTRIAL	Was the patient enrolled in a stroke clinical trial?	Numeric	1 Yes; 0 No or Unable to determine
IN-30a	DSCHDISP	Discharge disposition	Numeric	1 Discharged to home or self-care (routine discharge), with or without home health, discharged to jail or law enforcement, or to assisted living facility; 2 Discharged to home hospice; 3 Discharged to hospice in a health care facility; 4 Discharged to an acute care facility (includes critical access hospitals, cancer and children's hospitals, VA, and DOD hospitals; 5 Discharged to another healthcare facility; 6 Expired; 7 Left against medical advice or discontinued care; 8 Not documented or unable to determine
IN-30b	OHFTYPE	If discharged to another healthcare facility above (option 5), what type of facility was it?	Numeric	Skilled nursing facility;2 Inpatient rehabilitation;3 Long-term care facility, or hospital;4 Intermediate care facility;5 Other
IN-31a	MRSSCORE	Modified Rankin Scale Score	Numeric	0 No symptoms;1 No significant disability despite symptoms;2 Slight disability;3 Moderate disability, can walk without assistance;4 Moderate to severe disability, needs assistance to walk;5 Severe disability, bedridden;6 Death
IN-31b	AMBSTATD	Ambulatory status at discharge	Numeric	Able to ambulate independently with or without device;     With assistance from another person;     Unable to ambulate;     Not documented
IN-32a	HBPTREAT	Is there documentation that antihypertensive medication was prescribed at discharge?	Numeric	1 Yes;0 No/Not documented;2 A documented reason for not screening exists in the medical record
IN-33a	LIPNONE	No cholesterol reducing treatment prescribed at discharge	Numeric	1 Yes;0 No/Not documented
IN-33b	LIPSTATN	Was a statin medication prescribed at discharge?	Numeric	1 Yes;0 No/Not documented
IN-33c	LIPOTHNC	If other lipid lowering medications not prescribed, was there a documented contraindication to other lipid lowering medication?	Numeric	1 Yes;0 No/Not documented
IN-33d	LIPFIBRT	Cholesterol reducing treatment prescribed. Fibrate	Numeric	1 Yes;0 No/Not documented
IN-33e	LIPOTHRX	Other cholesterol reducing medication	Numeric	1 Yes;0 No/Not documented
IN-33f	LIPNIACN	Cholesterol reducing treatment prescribed. Niacin	Numeric	1 Yes;0 No/Not documented
IN-33g	LIPABSIN	Cholesterol reducing treatment prescribed. Absorption inhibitor	Numeric	1 Yes;0 No/Not documented
IN-33h	LIPPCSK	Cholesterol reducing treatment prescribed. PCSK9 inhibitor	Numeric	1 Yes;0 No/Not documented


Item No.	Variable Name	Question Prompt	Туре	Values
IN-33i	STATNNC	If statin not prescribed, was there a documented contraindication to statins?	Numeric	1 Yes;0 No/Not documented
IN-33j	STATNINT	What intensity was the statin that was prescribed at discharge?	Numeric	High-intensity statin;2 Moderate-intensity statin;3 Low-intensity statin;9 Unknown
IN-33k	STATNWHY	Was there a documented reason for not prescribing the guideline recommended statin dose?	Numeric	1 Intolerant to moderate (>75 years) or high (<=75 years) intensity statin;2 No evidence of atherosclerosis (cerebral, coronary, or peripheral vascular disease);3 Other documented reason;9 Unknown
IN-34a	AFIBYN	Was atrial fibrillation/flutter or paroxysmal atrial fibrillation (PAF), documented during this episode of care?	Numeric	1 Yes;0 No/Not documented
IN-34b	AFIBRX	If a history of atrial fibrillation/flutter or PAF is documented in the medical history or if the patient experienced atrial fibrillation/flutter or PAF during this episode of care, was patient prescribed anticoagulation medication upon discharge?	Numeric	1 Yes;0 No/Not documented;2 A documented reason for not screening exists in the medical record
IN-35a	ATHDSCYN	Was antithrombotic (antiplatelet or anticoagulant) medication prescribed at discharge?	Numeric	1 Yes;0 No/Not documented;2 A documented reason for not screening exists in the medical record
IN-35b	DC_PLT	If patient was discharged on an antithrombotic medication, was it an antiplatelet?	Numeric	1 Yes;0 No/Not documented
IN-35c	DC_COAG	If patient was discharged on an antithrombotic medication, was it an anticoagulant?	Numeric	1 Yes;0 No/Not documented
IN-36a	SMKCESYN	If past medical history of smoking is checked as yes, was the adult patient or their caregiver given smoking cessation advice or counseling during the hospital stay?	Numeric	Yes;0 No or not documented in the medical record;2 A documented reason exists for not performing counseling
IN-37a	EDUCRF	Stroke Education. Risk factors for stroke	Numeric	1 Yes;0 No/Not documented
IN-37b	EDUCSSX	Stroke Education. Stroke Warning Signs and Symptoms	Numeric	1 Yes;0 No/Not documented
IN-37c	EDUCEMS	Stroke Education. How to activate EMS for stroke	Numeric	1 Yes;0 No/Not documented
IN-37d	EDUCCC	Stroke Education. Need for follow-up after discharge	Numeric	1 Yes;0 No/Not documented
IN-37e	EDUCMEDS	Stroke Education. Medications prescribed at discharge	Numeric	1 Yes;0 No/Not documented
IN-38a	REHAPLAN	Is there documentation in the record that the patient was assessed for or received rehabilitation services?	Numeric	1 Yes;0 No

## Appendix D

## DATA SUBMISSION INSTRUCTIONS


This document contains the instructions for the submission of the Data Elements (DEs):

- The DE submission is due by 11:59pm Eastern Standard Time on the submission deadlines in Appendix A.
- Data files will be submitted to the Secure Access Data Management Services (SAMS) System located at https://sams.cdc.gov




Step 1 - Log into the system with your SAMS Username and Password

#### Choose a login option




SAMS User Guide / Frequently Asked Questions / Identity Verification Overview

Step 2: Click on either of the two blue "Coverdell Data Portal" links under the "Paul Coverdell National Acute Stroke Registry" header in the "My Applications" section.



Step 3: Click the "Upload" icon and choose Upload files.



- Submit ALL data for all cases. It is important to account for all Coverdell services provided throughout the continuum of stroke care.
  - If your Coverdell Program does not have a DE file to submit, please notify your CDC project officer and data team immediately.
- For each submission, submit one SAS dataset that contains both pre-hospital and in-hospital records that took place within the date range indicated in Appendix A.
- Upload the submission to the SAMS system as a SAS dataset (sas7bdat). File should be named using the following format:
  - Two-character state abbreviation followed by an underscore
  - o Date of submission in the form of 4-digit year, 2-digit month, 2-digit day
  - For example, Washington State uploaded file will be named: WA 20221015.sas7bdat.
- Ensure the data are complete and accurate prior to the submission date. The Coverdell TA team will contact recipients about any errors or inconsistencies identified in the submitted data. Recipients will be asked to update their data, at a later date, to address these issues. Then recipients will upload their data again into SAMS. The Data TA team may follow-up about additional issues such as duplicate records, missing data, incomplete records, and out-of-range, invalid, or discordant values.
- For purposes of DE data reporting and analysis, CDC considers records to be "final" after a 12-month period (three four-month time periods) has elapsed starting from the initial time period associated with the record. For example, a DE record submitted on October 15, 2022, could be updated until and including October 15, 2023.
- If you need technical assistance, please e-mail <u>coverdell@rti.org</u>. Do not utilize the SAMS e-mail feature to communicate on Coverdell data portal issues.
- For questions or concerns about submissions please reach out the Coverdell TA team at <u>coverdell@rti.org and copy</u> your project officer and CDC data team (<u>eblum@cdc.gov</u> and <u>isam.vaid@cdc.hhs.gov</u>)

#### Helpful resources:

DE Manual: This manual specifies each of the data elements, including the description, formatting, and how the item is used. Appendices contain guidance on data validation, submission, and data quality. The Coverdell Data Elements Manual is posted to AMP and can be found under the Resources Tab in Data.

### Timeline for DE Submission and Corrections

Date	Activities conducted

By the submission deadline	Submit the data file including pre- and in-hospital data elements.
~ 2 weeks after the submission deadline	The Data TA team contacts data managers with questions about potential data quality issues noted above.
	Recipients have 1 – 2 weeks to respond to inquiries about their DE file
~ 2 weeks after receiving the data edit report.	Recipients may be asked to upload corrected files, if required.