OMB Control Number: 1910-1400 (Expiration Date: XXXXXX XX, XXXX) DOE F 220.93

Product Type: Uninterruptible Power Supplies

Click here for instructions for completing this form

Each Importer and U.S. Manufacturer is legally required to <u>certify</u> the compliance of the products it imports, produce This certification may be <u>submitted</u> by the Importer or U.S. manufacturer or by a Third Party Repr

<u>Certifier - Party Leg</u>	Submitter -								
The party responsible for <u>ce</u>	The party <u>submi</u>								
🔿 a U.S. Manufacturer			O the Certifier (C Contact Inform						
🔾 an Importer	Please enter required data		O a Third Party R Authorization f						
Certifier Contact In	Certifier Contact Information								
Full Legal Name of Individual		Please enter required data	Full Legal Name c						
Full Legal Name of Company		Please enter required data	Full Legal Name o						
Complete Company Mailing Address		Please enter required data	Complete Company Mail						
Phone Number		Please enter required data	Pho						
Email Address		Please enter required data	Em						

Compliance Statement

Select one of the options for 'Submitter - Party Submitting This Report' above

Submitter Signature (Type your Full Legal Name) Please enter required data

Date (MM

OMB Control Number: 1910-1400 (Expiration Date: XXXXXX XX, XXXX)

Paperwork Reduction Act Statement

OMB Burden Disclosure Statement

This data is being collected for manufacturers to certify compliance to DOE's energy conservation, water conservation, c monitor compliance with the energy conservation, water conservation, and design standards and testing requirements fc mandated by the Energy Policy and Conservation Act, as amended.

Public reporting burden for this collection of information is estimated to average 35 hours per response, including the tim maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this including suggestions for reducing this burden, to Office of the Chief Information Officer, Records Management Division, Energy, 1000 Independence Ave SW, Washington, DC, 20585-1290; and to the Office of Management and Budget (OM 20503.

Notwithstanding any other provision of the law, no person is required to respond to, nor shall any person be subject to a requirements of the Paperwork Reduction Act unless that collection of information displays a currently valid OMB control

Submission of this data is mandatory.

Version 5.2

Status of This Certification Sheet	No Data
Overall Status of Template	No Data

s, assembles or manufactures. This party is the "<u>Certifier</u>" on this form. esentative. This party is the "<u>Submitter</u>" on this form.

Party Submitting This Report			
tting this report is (select one only):			
do not complete the Third Party Representative nation below)		Please enter	
epresentative (you must have valid Third Party forms on file with the Department of Energy)	required data		
Representative Contact Informatio	n, if A	pplicable	
of Individual		Please enter	

of Individual	Please enter required data
of Company	Please enter required data
ing Address	Please enter required data
ne Number	Please enter required data
ail Address	Please enter required data
ail Address	

/DD/YYYY)	Please enter required data

r design standards. The data you supply will be used by the Department to r the consumer products and commercial and industrial equipment

le for reviewing instructions, searching existing data sources, gathering and
 burden estimate or any other aspect of this collection of information,
 IM-23, Paperwork Reduction Project (1910-1400), U.S. Department of
 B), OIRA, Paperwork Reduction Project (1910-1400), Washington, DC

penalty for failure to comply with a collection of information subject to the $\ensuremath{\,\mid}$ number.

50	erruptible Pow nus of This input Shee ation Report	No Data	Overall Status Templa	or No Dat	Version 5.	2	Please order your o Click on the colum Colls highlighted is some with the ortry. If the "Status" for a	tata in the colum n heading for inn n yellow indicate a row is "Error," y	nns shaded in gray below, structions on how to compi an "Kroc". "Since" means you can see an explanation	ting a secarat te cells in tha that information in the column	a line for each model column, is missing or there is an s to the far right.																				
											Per paragraph (a) of sec represents the highest poss certifying multi-mode UB supported insut decender	ion 4.2.1. of Appendix Y to Su ible input dependency, follows 'S basic models, this hierarchy cy modes should not be repe	part B of Part 438, "VFD d by VI and then VFP". When should be followed and and in the columns below.]		Complete	the Cells Relo	w for All UPS I Below Shou	Rasic Models. I Ad Reflect the L	or Multi-Made I covert input De	UPS Rasic Mor pendency Mor	wis, the informati e.	ion Entered	For Multi-Mu	ode Uninterrupt	ble Power Sug	plies ONLY, Co Mode. Otherwis	omplete the Cel	is ikelow for th	e Highest input i	Dependency
Line		Brand Name(4)		r Number Covered by Rasic Model	Action	Sample Size (Number of Units Tested)	Is the Certification for this Basic Mode Based on a Waiver of DOE's Yest Procedure Requirements?	Date of Test Procedure	Is the Certification based upon any Exception Relief from an Applicable Standard by DOE's Office of Hearing and Appeals?	Date of Exception Rolar, 2 Applicable	Supported input Dependency Mode (Lowest if Multi-Mode)		Third Supported Input Dependency Mode, if Applicable	Rated input Voltage (Volta)	Rated Output Voltage (Volta)	Product Group Code	Active Power (Watts)	Apparent Power in Volt- Amperes (VA)	Efficiency at 100% of the Reference Test Load	Efficiency at 75% of the Reference Text Load	Efficiency at 50% of the Reference Test Load	Efficiency at 25% of the Reference Test Load, if Applicable	Average Load Adjusted Efficiency	Product Group Code	Active Power (Watts)	Apparent Power in Volt- Amperes (VA)	Efficiency at 100% of the Reference Test Load	Efficiency at 75% of the Reference Test Load	Efficiency at 50% of the	Efficiency at 25% of the Reference Test Load, if Applicable	Average Load Adjusted Efficiency
Line Status	ALC: UN	and standing		Rasic Model	ALIAN	Units Tested)	of DOE's Test Procedure Requirements?	Waiver, 2 Applicable	itandard by DOE's Office of Hearing and Appeals?	Rollet, 2 Applicable	Mode (Lowest if Multi-Mode)	Applicable	Applicable	(Valk)	(Volte)	Code	(MATS)	Amperes (VA)	Reference Test Load	Reference Test Load	Raferance Test Load	Load, 2 Applicable	Efficiency	Group Code	(Marx)	Amperes (VA)	Reference Test Load	Reference Test Load	Reference TestLoad	Load, if Applicable	Efficiency
2																															
4						-																									
6																															
8																															
11																															
12																															
15																															
17																															
29 20																															
21 22																															
23																															
25																															
22																															
20																															
1 1 2 2 3 2 4 2 5 2 6 3 7 3 8 3 9 3 10 3 10 3 10 3 11 3 12 3 13 3 14 3 15 3 16 3 17 3 18 3 19 3 10 3 10 3 11 3 12 3 13 3 14 3 15 3 16 3 17 3 18 3 19 3 10 3 10 3 11 3 12																															
34 25																															
36 37																															
28																															
41																															
43																															
45 45																															
47 48																															
49 50																															
51 52																															
54 55																															
56 57																															
58 59																															
60 61																															
62																															
64 65																															
47 63																															
69 70																															
71 72																															
73 74																															
75																															
72																															
80																															
82																															
84 85																															
85 87																															
88 89																															
90																															
92 92 94																															
55 95																															
97 98																															
99 100																															

The following is a description of each product group code:

Product Group Code	UPS Type	Rated Output Power (also referred to as "Active Power")
1	VFD Uninterruptible Power Supplies	0 W < P <= 300 W
2	VFD Uninterruptible Power Supplies	300 W < P <= 700 W
3	VFD Uninterruptible Power Supplies	P > 700 W
4	VI Uninterruptible Power Supplies	0 W < P <= 300 W
5	VI Uninterruptible Power Supplies	300 W < P <= 700 W
6	VI Uninterruptible Power Supplies	P > 700 W
7	VFI Uninterruptible Power Supplies	0 W < P <= 300 W
8	VFI Uninterruptible Power Supplies	300 W < P <= 700 W
9	VFI Uninterruptible Power Supplies	P > 700 W