

Product Type: Residential Clothes Washers

[Click here for instructions for completing this form](#)

Each Importer and U.S. Manufacturer is legally required to **certify** the compliance of the products it imports, produces or distributes in the United States.  
This certification may be **submitted** by the Importer or U.S. manufacturer or by a Third Party Representative.

**Certifier - Party Legally Obligated to Certify Compliance**

The party responsible for **certification** is (select one only):

- ☐ a U.S. Manufacturer
- ☐ an Importer

Please enter required data

**Certifier Contact Information**

Full Legal Name of Individual

Full Legal Name of Company

Complete Company Mailing Address

Phone Number

Email Address

Please enter  
required data

Please enter  
required data

Please enter  
required data

Please enter  
required data

Please enter  
required data

**Submitter - Party Submitting This Report**

The party **submitting** this report is:

- ☐ the Certifier (or its representative) is submitting this report
- ☐ a Third Party Representative is submitting this report on file with the Certifier

**Third Party Representative**

Full Legal Name of Third Party Representative

Full Legal Name of Company

Complete Company Mailing Address

Phone Number

Email Address

**Compliance Statement**

Select one of the options for 'Submitter - Party Submitting This Report' above

Submitter Signature (Type your Full Legal Name)

Please enter  
required data

Date (MM/DD/YYYY)

**Paperwork Reduction Act Statement**

**OMB Burden Disclosure Statement**

This data is being collected for manufacturers to certify compliance to DOE's energy conservation, water conservation, and monitor compliance with the energy conservation, water conservation, and design standards and testing requirements for mandated by the Energy Policy and Conservation Act, as amended.

Public reporting burden for this collection of information is estimated to average 35 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Office of the Chief Information Officer, Records Management Division, Energy, 1000 Independence Ave SW, Washington, DC, 20585-1290; and to the Office of Management and Budget (OMB), Paperwork Reduction Project (20503).

Notwithstanding any other provision of the law, no person is required to respond to, nor shall any person be subject to a penalty for failure to comply with, any collection of information that does not display a currently valid OMB control number.

Submission of this data is mandatory.

**OMB Control Number: 3084-0069 (Expiration Date: April 30, 2027)**

**Paperwork Reduction Act Statement**

**OMB Burden Disclosure Statement**

This data is being collected for manufacturers to report required information to the Federal Trade Commission. This information is used for comparison shop for energy-efficiency household products.

Public reporting burden for this collection of information is estimated to average from 2 minutes per year per basic product, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information, including suggestions for reducing this burden, to Director, Office of Management and Budget, Paperwork Reduction Project (20580), 600 Pennsylvania Avenue NW, Washington, DC 20503; and to the Office of Management and Budget (OMB), Paperwork Reduction Project (20503), Attn: Desk Officer for the Federal Trade Commission.

Notwithstanding any other provision of the law, no person is required to respond to, nor shall any person be subject to a penalty for failure to comply with, any collection of information that does not display a currently valid OMB control number.

Submission of this data is required by the Federal Trade Commission; submission through CCMS is optional.

Status of This Certification Sheet

No Data

Overall Status of Template

No Data

s, assembles or manufactures. This party is the "**Certifier**" on this form.  
esentative. This party is the "**Submitter**" on this form.

**Party Submitting This Report**

**Submitting** this report is (select one only):

do not complete the Third Party Representative Contact  
Information (below)

Third Party Representative (you must have valid Third Party Authorization  
from the Department of Energy)

Please enter  
required data

**Representative Contact Information, if Applicable**

Is Individual

Please enter  
required data

Is Company

Please enter  
required data

Physical Address

Please enter  
required data

Phone Number

Please enter  
required data

Email Address

Please enter  
required data

Report Date (MM/DD/YYYY)

Please enter  
required data

or design standards. The data you supply will be used by the Department to  
or the consumer products and commercial and industrial equipment

e for reviewing instructions, searching existing data sources, gathering and  
s burden estimate or any other aspect of this collection of information,  
IM-23, Paperwork Reduction Project (1910-1400), U.S. Department of  
B), OIRA, Paperwork Reduction Project (1910-1400), Washington, DC

penalty for failure to comply with a collection of information subject to the  
number.

mation is shared with the public for the purpose of encouraging consumers

ct model to 15 hours per year per manufacturer, including the time for  
reviewing the collection of information. Send comments regarding this  
division of Enforcement, Bureau of Consumer Protection, Federal Trade  
IB), OIRA, New Executive Office Building, Docket Library Room 10102, 725

penalty for failure to comply with a collection of information subject to the  
number.

Residential Clothes Washers Appendix J2 - v5.x

Column Headers:	Status	Manufacturer	Brand Names(s)
-----------------	--------	--------------	----------------

Pop-Up Headers	Status	Manufacturer	Brand Names(s)
----------------	--------	--------------	----------------

Pop-Up Contents	<p>The cells below show whether there are any issues with the data on that line. If the status is "ok," there are no issues. If the status is "Error," there are issues with the data. See columns to the right for an indication of the issues with the data.</p>	Enter the Manufacturer name in the cells below.	Enter the Brand Name(s) in the cells below.
-----------------	--	---	---

Basic Model Number	Individual Model Covered by Basic Model	Action	Product Group Code
--------------------	---	--------	--------------------

Basic Model Number	Individual Model Number	Action	Product Group Code
--------------------	-------------------------	--------	--------------------

<p>Enter the Basic Model Number in the cells below.</p>	<p>Enter the Individual Model Number covered by the Basic Model in the cells below.</p>	<p>Enter one of following in cells below:</p> <p>N new model  D discontinued model  C correction to previous CCMS submission  E submit report on existing (carryover) model  F failed Industry Certification Program</p>	<p>Enter an integer between 1 and 4 in the cells below.</p> <p>See the Product Group Code worksheet for details on product group codes.</p>
---	---	--	---

<b>Sample Size (Number of Units Tested)</b>	<b>Is the Certification for this Basic Model Based on a Waiver of DOE's Test Procedure Requirements?</b>	<b>Date of Test Procedure Waiver, if Applicable</b>	<b>Is the Certification Based upon any Exception Relief from an Applicable Standard by DOE's Office of Hearing and Appeals?</b>
---	--	---	---

<b>Sample Size</b>	<b>Certification Based on Waiver?</b>	<b>Date of Waiver, if Applicable</b>	<b>Cert. Based on Exception Relief?</b>
--------------------	---------------------------------------	--------------------------------------	---

<p>Enter the sample size (number of units tested) in the cells below. This should be an integer greater than zero.</p>	<p>Answer whether the certification for the basic model was based on a waiver of DOE's test procedure requirements in the cells below.</p> <p>An affirmative answer can be either 'yes' or 'y' and a negative answer can be either 'no' or 'n'.</p>	<p>If you enter 'yes' under "Is the certification for this basic model based on a waiver of DOE's test procedure requirements?", enter the date of the waiver in the cells below. The entry should be in the M/D/YYYY format.</p>	<p>Answer whether the certification was based upon any exception relief from an applicable standard by DOE's Office of Hearing and Appeals in the cells below.</p> <p>An affirmative answer can be either 'yes' or 'y' and a negative answer can be either 'no' or 'n'.</p>
--	---	---	---

<b>Date of Exception Relief, if Applicable</b>	<b>Integrated Modified Energy Factor (cubic feet per kilowatt hour per cycle)</b>	<b>Clothes Container Capacity (cubic feet)</b>	<b>Integrated Water Factor (gallons per cycle per cubic foot)</b>
--	---	--	---

<b>Date of Relief, if Applicable</b>	<b>Integrated Modified Energy Fact.</b>	<b>Clothes Container Capacity</b>	<b>Integrated Water Factor</b>
--------------------------------------	---	-----------------------------------	--------------------------------

<p>If you enter 'yes' under "Is the certification based upon any exception relief from an applicable standard by DOE's Office of Hearing and Appeals?", enter the date of the exception relief in the cells below. The entry should be in the M/D/YYYY format.</p>	<p>Enter the Integrated Modified Energy Factor in cubic feet per kilowatt hour per cycle in the cells below. This should be a decimal number greater than zero.</p>	<p>Enter the Clothes Container Capacity in cubic feet in the cells below. This should be a decimal number greater than zero.</p>	<p>Enter the Integrated Water Factor in gallons per cycle per cubic foot in the cells below. This should be a decimal number greater than zero.</p>
--	---	--	---

Corrected Remaining Moisture Content (%)	Type of Loading		
		Cold/Cold	Warm/Cold #1

Corr'd Remain'g Moisture Content	Type of Loading	Cold/Cold-	Warm/Cold #1
-------------------------------------	-----------------	------------	--------------

<p>Enter the Corrected Remaining Moisture Content expressed as a percentage in the cells below. This should be a percentage greater than 0 and less than or equal to 100.</p>	<p>Enter the the type of loading ('top-loading' or 'front-loading') in the cells below.</p>	<p>If the Cold/Cold cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</p>	<p>If the Warm/Cold #1-cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</p>
---	---	--	---

In the cells below, enter the name of the Cycle and the Temperature Setting

Warm/Cold #2	Warm/Cold #3	Warm/Cold #4	Warm/Warm #1
Warm/Cold #2	Warm/Cold #3	Warm/Cold #4	Warm/Warm #1
<div>If the Warm/Cold #2 cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>	<div>If the Warm/Cold #3 cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>	<div>If the Warm/Cold #4 cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>	<div>If the Warm/Warm #1 cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>

; corresponding to each of the applicable cycle selections used for the Energy Test. For each row, an e

Warm/Warm #2	Warm/Warm #3	Warm/Warm #4	Hot/Cold
Warm/Warm #2	Warm/Warm #3	Warm/Warm #4	Hot/Cold
<div>If the Warm/Warm #2 cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>	<div>If the Warm/Warm #3 cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>	<div>If the Warm/Warm #4 cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>	<div>If the Hot/Cold cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>

entry must be made in at least one of the columns.

Extra Hot/Cold	Remaining Moisture Content #1	Remaining Moisture Content #2	Remaining Moisture Content #3
Extra Hot/Cold	Remaining Moisture Content #1-	Remaining Moisture Content #2-	Remaining Moisture Content #3-
<div>If the Extra Hot/Cold cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>	<div>Enter the name of the Cycle and the Temperature Setting for Remaining Moisture Content #1 cycle in the cells below.</div>	<div>If a second Remaining Moisture Content cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>	<div>If a third Remaining Moisture Content cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</div>

	Test Cloth Lot Number	Link to EnergyGuide Label Website (Enter link or, if submitting link later, enter 'By annual report date')
Remaining Moisture Content #4		

Remaining Moisture Content #4-	Test Cloth Lot Number	Link to EnergyGuide Label
--------------------------------	-----------------------	---------------------------

<p>If a fourth Remaining Moisture Content cycle is used for the Energy Test, enter the name of the Cycle and the Temperature Setting in the cells below.</p>	<p>Enter the Test Cloth Lot Number used for certification testing in the cells below.</p>	<p>Per 16CFR305, enter URL for EnergyGuide label. May be URL for label, link to PDF download, or link to database with label. Entry must begin with http://, https://, ftp:// or sftp:// or if URL will be submitted later, enter 'By annual report date'.</p>
--	---	--

The follow

Product Group Code
1
2
3
4

ing is a description of each product group code:

---

**Product Group Code Description**

Top-loading, compact (less than 1.6 ft3 capacity)

Top-loading, standard (1.6 ft3 or greater capacity)

Front-loading, compact (less than 1.6 ft3 capacity)

Front-loading, standard (1.6 ft3 or greater capacity)

---