

Code:

Form Approved OMB No. 0920-0666 Exp. Date: 12/31/2026 www.cdc.gov/nhsn

Hemovigilance Module Adverse Reaction Transfusion Associated Circulatory Overload

*Required for saving *Facility ID#: _____ NHSN Adverse Reaction #: **Patient Information** *Gender: M *Date of Birth: ____/___ *Patient ID: Other Gender Identity (Specify): Sex at Birth: M F Male Female Male-to-female transgender Female-to-male transgender Identifies as non-conforming Other Asked but unknown Social Security #: _____ Secondary ID: _____ Medicare #: ____ First Name: _____ Middle Name: _____ Last Name: Ethnicity (Specify): Race (Specify): Hispanic or Latino (Select all that apply): American Indian or Alaska Native Not Hispanic or Latino Unknown Asian Declined to respond Black or African American Middle Eastern or North African Native Hawaiian or Pacific Islander White Unknown Declined to respond Interpreter Needed: Yes No Preferred Language (Specify): Declined to Respond Unknown Blood type not done *Blood Group: O+Transitional ABO / Transitional Transitional ABO / Rh -Transitional ABO / Rh + Group A/Transitional Group B/Transitional Rh Group O/Transitional Rh Group AB/Transitional Rh Rh **Patient Medical History** List the patient's admitting diagnosis. (Use ICD-10 Diagnostic codes/descriptions) Description: _____ Code: _____ Description: Code: Code: Description: List the patient's underlying indication for transfusion. (Use ICD-10 Diagnostic codes/descriptions)

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). CDC 57.318 Rev. 3, v9.2

Description:

Public reporting burden of this collection of information is estimated to average 21 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering, and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).



Code:	Description:	
Code:		
·	bid conditions at the time of the transfusion related Diagnostic codes/descriptions)	to the adverse UNKNOWN NONE
Code:	Description:	
Code:		
Code:	Description:	
	nt medical procedure including past procedures and urrent hospital or outpatient stay. (Use ICD-10 Proc	
Code:	Description:	
Code:	Description:	
Code:	Description:	
Additional Information		
Transfusion History		
Blood Product: Date of Transfusion: Was the patient's adv If yes, provide inform Type of transfusion a	d a previous transfusion? WB RBC Platelet Plasma	YES NO DHTR DSTR FNHTR TRALI UNKNOWN
Reaction Details		
	/ *Time reaction occurred::	Time unknown
*Facility location where		
Is this reaction associated		Yes, Incident #:
Investigation Results		
* Transfusion asso	ciated circulatory overload (TACO)	
Acute respirator Elevated brain of Elevated central Evidence of left	ed within 12 hours of cessation of transfusion (new y distress (dyspnea, orthopnea, cough) natriuretic peptide (BNP) I venous pressure (CVP) heart failure sitive fluid balance	v onset or exacerbation):



Radiographic evidence of pulmonary edema						
Other signs and symptoms: (check all that apply)						
Generalized:	Chills/rigors					
Cardiovascular:	Blood pressure decrease Shock					
Cutaneous:	Edema Flushing Jaundice					
	Other rash Pruritus (itching) Urticaria (hives)					
Hemolysis/Hemorrhage:	Disseminated intravascular coagulation Hemoglobinemia					
	Positive antibody screen					
Pain:	Abdominal pain Back pain Flank pain pain					
Renal:	Hematuria Hemoglobinuria Oliguria					
	Bilateral infiltrates on chest x-ray Bronchospasm Cough					
Respiratory:	Hypoxemia Shortness of breath					
Other: (specify)						
*Severity						
Did the patient receive or	experience any of the following?					
No treatment required Symptomatic treatment only						
Hospitalization, inlo	cuding prolonged hospitalization Life-threatening reaction					
Disability and/or incapacitation Congenital anomaly or birth defect(s) of the fetus						
Other medically im	portant conditions Death Unknown or not stated					
*Imputability Which best describes the relationship between the transfusion and the reaction? No other explanations for circulatory overload are possible. Transfusion is a likely contributor to circulatory overload The patient has a history of a pre-existing condition(s) that most likely explains circulatory overload. Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded. There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion. The relationship between the adverse reaction and the transfusion is unknown or not stated. Did the transfusion occur at your facility? YES NO Does the patient have a history of cardiac insufficiency? Yes, the patient has a history of cardiac insufficiency that could explain the circulatory overload, but transfusion is just as likely to have caused the circulatory overload. Yes, the patient has a history of pre-existing cardiac insufficiency that most likely explains circulatory overload. No, the patient does not have a history of cardiac insufficiency. Did the patient received other fluids in addition to the transfusion? YES NO						
Module-generated Designations						
NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN application based on responses in the corresponding investigation results section above.						
*Do you agree with the \underline{c}	case definition designation?					



^Please inc	dicate your designati	on						
	gree with the <u>severi</u> dicate your designati		?	Y	ES	NO		
	gree with the <u>imput</u> dicate your designati				ES	NO		
Patient Treat	tment							
If yes, selec	nt receive treatment of treatment of treatment(s): cation (Select the type Antipyretics Antipyretics Antipyretics Antipyretics	e of medication tihistamines			NO onchodila	UNKNO	Diuretics	
	Antithymocyte globu	lin Cyclo	osporin (Other				
Volun	ne resuscitation (Intr	avenous colloid	s or crystalloids)					
Resp	Respiratory support (Select the type of support) Mechanical ventilation Noninvasive ventilation Oxygen							
Rena	l replacement therap Hemodialysis	y (S <i>elect the ty_l</i> Peritoneal		no-Venous Hemo	filtration			
Phleb	ootomy Specify:							
Outcome	эреспу							
*Outcome:	Death M	ajor or long-tern	n seguelae	Minor or no sec	uelae [Not dete	rmined	
Date of D		/]				
^If recipient died, relationship of transfusion to death:								
Definite Probable Possible Doubtful Ruled Out Not determined								
Cause of death:								
Was an autopsy performed? Yes No								
Component I								
*Was a particureaction?	ılar unit implicated	l ın (ı.e., respo	onsible for) the a	dverse	Yes	☐ No	N/A	
Transfusion Start and End *	Component code (check system used)	Amount transfused at reaction onset	^Unit number (Required for Infection and TRALI)	*Unit expiration Date/Time	*Blood of unit	group	Implic ated Unit?	
^IMPLICATED U	INIT							
	ISBT-128 Codabar	Entire unit Partial unitmL		<u> </u>	A- B+ _	A+ B-	Y	



<u>:</u>				0-	O+	N/A	
	ISBT-128 Codabar	Entire unit Partial unitmL	 	 A- B+	A+ AB- O+	B- AB+ N/A	N
Custom Field	ds						
Label			Label				
		'/		 	/	/	
Comments							