

## Hemovigilance Module Adverse Reaction Transfusion Associated Circulatory Overload

**\*Required for saving**

\*Facility ID#: \_\_\_\_\_ NHSN Adverse Reaction #: \_\_\_\_\_

### Patient Information

*Patient ID: _____		*Gender: <input type="checkbox"/> M <input type="checkbox"/> F <input type="checkbox"/> Other	*Date of Birth: ____/____/____
Sex at Birth: <input type="checkbox"/> M <input type="checkbox"/> F <input type="checkbox"/> Unknown		Gender Identity (Specify): Male Female Male-to-female transgender Female-to-male transgender Identifies as non-conforming Other Asked but unknown _____	
Social Security #: _____	Secondary ID: _____	Medicare #: _____	
Last Name: _____	First Name: _____	Middle Name: _____	
Ethnicity (Specify): Hispanic or Latino Not Hispanic or Latino Unknown Declined to respond	Race (Specify): (Select all that apply): American Indian or Alaska Native Asian Black or African American Middle Eastern or North African Native Hawaiian or Pacific Islander White Unknown Declined to respond		
Preferred Language (Specify): _____		Interpreter Needed: <input type="checkbox"/> Yes <input type="checkbox"/> No Declined to Respond <input type="checkbox"/> Unknown	
*Blood Group: <input type="checkbox"/> A- <input type="checkbox"/> A+ <input type="checkbox"/> B- <input type="checkbox"/> B+ <input type="checkbox"/> AB- <input type="checkbox"/> AB+ <input type="checkbox"/> O- <input type="checkbox"/> O+ <input type="checkbox"/> Blood type not done			
<input type="checkbox"/> Transitional ABO / Rh + <input type="checkbox"/> Transitional ABO / Rh - <input type="checkbox"/> Transitional ABO / Transitional Rh			
<input type="checkbox"/> Group A/Transitional Rh	<input type="checkbox"/> Group B/Transitional Rh	<input type="checkbox"/> Group O/Transitional Rh	<input type="checkbox"/> Group AB/Transitional Rh

### Patient Medical History

List the patient's admitting diagnosis. *(Use ICD-10 Diagnostic codes/descriptions)*

Code: _____	Description: _____
Code: _____	Description: _____
Code: _____	Description: _____

List the patient's underlying indication for transfusion. *(Use ICD-10 Diagnostic codes/descriptions)*

Code: _____	Description: _____
-------------	--------------------

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). CDC 57.318 Rev. 3, v9.2

Public reporting burden of this collection of information is estimated to average 21 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering, and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).

Code: \_\_\_\_\_ Description: \_\_\_\_\_

Code: \_\_\_\_\_ Description: \_\_\_\_\_

List the patient's comorbid conditions at the time of the transfusion related to the adverse reaction. (Use ICD-10 Diagnostic codes/descriptions)  UNKNOWN  
 NONE

Code: \_\_\_\_\_ Description: \_\_\_\_\_

Code: \_\_\_\_\_ Description: \_\_\_\_\_

Code: \_\_\_\_\_ Description: \_\_\_\_\_

List the patient's relevant medical procedure including past procedures and procedures to be performed during the current hospital or outpatient stay. (Use ICD-10 Procedure codes/descriptions)  UNKNOWN  
 NONE

Code: \_\_\_\_\_ Description: \_\_\_\_\_

Code: \_\_\_\_\_ Description: \_\_\_\_\_

Code: \_\_\_\_\_ Description: \_\_\_\_\_

Additional Information \_\_\_\_\_

### Transfusion History

Has the patient received a previous transfusion?  YES  NO  UNKNOWN

Blood Product:  WB  RBC  Platelet  Plasma  Cryoprecipitate  Granulocyte

Date of Transfusion: \_\_\_\_/\_\_\_\_/\_\_\_\_  UNKNOWN

Was the patient's adverse reaction transfusion-related?  YES  NO

If yes, provide information about the transfusion adverse reaction.

Type of transfusion adverse reaction:  Allergic  AHTR  DHTR  DSTTR  FNHTR

HTR  TTI  PTP  TACO  TAD  TA-GVHD  TRALI  UNKNOWN

OTHER Specify \_\_\_\_\_

### Reaction Details

\*Date reaction occurred: \_\_\_\_/\_\_\_\_/\_\_\_\_ \*Time reaction occurred: \_\_\_\_:\_\_\_\_  Time unknown

\*Facility location where patient was transfused: \_\_\_\_\_

Is this reaction associated with an incident?  Yes  No If Yes, Incident #: \_\_\_\_\_

### Investigation Results

\* **Transfusion associated circulatory overload (TACO)**

#### \*Case Definition

**Check all that occurred within 12 hours** of cessation of transfusion (new onset or exacerbation):

Acute respiratory distress (dyspnea, orthopnea, cough)

Elevated brain natriuretic peptide (BNP)

Elevated central venous pressure (CVP)

Evidence of left heart failure

Evidence of positive fluid balance

Radiographic evidence of pulmonary edema

Other signs and symptoms: (check all that apply)

Generalized:	<input type="checkbox"/> Chills/rigors	<input type="checkbox"/> Fever	<input type="checkbox"/> Nausea/vomiting
Cardiovascular:	<input type="checkbox"/> Blood pressure decrease	<input type="checkbox"/> Shock	
Cutaneous:	<input type="checkbox"/> Edema	<input type="checkbox"/> Flushing	<input type="checkbox"/> Jaundice
	<input type="checkbox"/> Other rash	<input type="checkbox"/> Pruritus (itching)	<input type="checkbox"/> Urticaria (hives)
Hemolysis/Hemorrhage:	<input type="checkbox"/> Disseminated intravascular coagulation	<input type="checkbox"/> Hemoglobinemia	
	<input type="checkbox"/> Positive antibody screen		
Pain:	<input type="checkbox"/> Abdominal pain	<input type="checkbox"/> Back pain	<input type="checkbox"/> Flank pain
			<input type="checkbox"/> Infusion site pain
Renal:	<input type="checkbox"/> Hematuria	<input type="checkbox"/> Hemoglobinuria	<input type="checkbox"/> Oliguria
Respiratory:	<input type="checkbox"/> Bilateral infiltrates on chest x-ray	<input type="checkbox"/> Bronchospasm	<input type="checkbox"/> Cough
	<input type="checkbox"/> Hypoxemia	<input type="checkbox"/> Shortness of breath	

Other: (specify) \_\_\_\_\_

**\*Severity**

Did the patient receive or experience any of the following?

- |   |   |
|---|---|
| <input type="checkbox"/> No treatment required                                | <input type="checkbox"/> Symptomatic treatment only                         |
| <input type="checkbox"/> Hospitalization, including prolonged hospitalization | <input type="checkbox"/> Life-threatening reaction                          |
| <input type="checkbox"/> Disability and/or incapacitation                     | <input type="checkbox"/> Congenital anomaly or birth defect(s) of the fetus |
| <input type="checkbox"/> Other medically important conditions                 | <input type="checkbox"/> Death  |
|   | <input type="checkbox"/> Unknown or not stated                              |

**\*Imputability**

Which best describes the relationship between the transfusion and the reaction?

- No other explanations for circulatory overload are possible.
- Transfusion is a likely contributor to circulatory overload
- The patient has a history of a pre-existing condition(s) that most likely explains circulatory overload.
- Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded.
- There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion.
- The relationship between the adverse reaction and the transfusion is unknown or not stated.

Did the transfusion occur at your facility?  YES  NO

Does the patient have a history of cardiac insufficiency?

- Yes, the patient has a history of cardiac insufficiency that could explain the circulatory overload, but transfusion is just as likely to have caused the circulatory overload.
- Yes, the patient has a history of pre-existing cardiac insufficiency that most likely explains circulatory overload.
- No, the patient does not have a history of cardiac insufficiency.

Did the patient received other fluids in addition to the transfusion?  YES  NO

**Module-generated Designations**

*NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN application based on responses in the corresponding investigation results section above.*

**\*Do you agree with the case definition designation?**  YES  NO

^Please indicate your designation \_\_\_\_\_

**\*Do you agree with the *severity* designation?**  YES  NO

^Please indicate your designation \_\_\_\_\_

**\*Do you agree with the *imputability* designation?**  YES  NO

^Please indicate your designation \_\_\_\_\_

### Patient Treatment

Did the patient receive treatment for the transfusion reaction?  YES  NO  UNKNOWN

If yes, select treatment(s):

Medication (*Select the type of medication*)

Antipyretics  Antihistamines  Inotropes/Vasopressors  Bronchodilator  Diuretics

Intravenous

Immunoglobulin  Intravenous steroids  Corticosteroids  Antibiotics

Antithymocyte globulin  Cyclosporin  Other

Volume resuscitation (Intravenous colloids or crystalloids)

Respiratory support (*Select the type of support*)

Mechanical ventilation  Noninvasive ventilation  Oxygen

Renal replacement therapy (*Select the type of therapy*)

Hemodialysis  Peritoneal  Continuous Veno-Venous Hemofiltration

Phlebotomy

Other Specify: \_\_\_\_\_

### Outcome

**\*Outcome:**  Death  Major or long-term sequelae  Minor or no sequelae  Not determined

Date of Death: \_\_\_\_/\_\_\_\_/\_\_\_\_

^If recipient died, relationship of transfusion to death:

Definite  Probable  Possible  Doubtful  Ruled Out  Not determined

Cause of death: \_\_\_\_\_

Was an autopsy performed?  Yes  No

### Component Details

**\*Was a particular unit implicated in (i.e., responsible for) the adverse reaction?**  Yes  No  N/A

Transfusion Start and End Date/Time	*Component code (check system used)	Amount transfused at reaction onset	^Unit number (Required for Infection and TRALI)	*Unit expiration Date/Time	*Blood group of unit	Implicated Unit?
____/____/____ ____:____:____ ____/____/____	<input type="checkbox"/> ISBT-128 <input type="checkbox"/> Codabar _____	<input type="checkbox"/> Entire unit <input type="checkbox"/> Partial unit mL _____	_____ _____ _____	____/____/____ ____:____:____	<input type="checkbox"/> A- <input type="checkbox"/> A+ <input type="checkbox"/> B- <input type="checkbox"/> B+ <input type="checkbox"/> AB- <input type="checkbox"/> AB+	Y

:					<input type="checkbox"/> O-	<input type="checkbox"/> O+	<input type="checkbox"/> N/A	
_/_/_	<input type="checkbox"/> ISBT-128	<input type="checkbox"/> Entire unit <input type="checkbox"/> Partial unit mL	_ _ _ _ _	_ / _ / _	<input type="checkbox"/> A-	<input type="checkbox"/> A+	<input type="checkbox"/> B-	N
_ : _	<input type="checkbox"/> Codabar		_ _ _	_ : _	<input type="checkbox"/> B+	<input type="checkbox"/> AB-	<input type="checkbox"/> AB+	
_/_/_	_ _ _ _ _		_ _ _ _ _	_ : _	<input type="checkbox"/> O-	<input type="checkbox"/> O+	<input type="checkbox"/> N/A	
<b>Custom Fields</b>								
Label				Label				
_ _ _ _ _	_ / _ / _			_ _ _ _ _	_ / _ / _			
_ _ _ _ _	_ _ _ _ _			_ _ _ _ _	_ _ _ _ _			
<b>Comments</b>								