

PRAMS Marijuana Use Supplemental Module

PRAMS Marijuana Use Supplemental Module – English Web

The screenshot shows a web browser window with the URL <https://prams-stg.cdc.gov>. The page header features the CDC logo and the text "Department of Health and Human Services Centers for Disease Control and Prevention". On the right side of the header, there are icons for email, phone, and a share link. The main content area displays "South Carolina" and "MomID: 2022TT333001" in blue text. To the right of this text is a blue progress bar labeled "62%". Below this, a gray box contains the text "The next questions are about marijuana." At the bottom of the main content area, there are two blue buttons labeled "Back" and "Next". The footer of the page includes the CDC address: "Centers for Disease Control and Prevention, 1600 Clifton Rd, Atlanta, GA 30333, U.S.A." and a link to the "Department of Health and Human Services Vulnerability Disclosure Policy | Español".

Prarms Web Survey Module Port x +

← → ↻ 🏠 🔒 <https://prams-stg.cdc.gov> 🔍 ⚙️ ⭐️ 🗖️ 👤 ⋮

Department of Health and Human Services
Centers for Disease Control and Prevention

✉️ 📞 ➦

South Carolina
MomID: 2022TT333001

62%

The next questions are about marijuana.

Back Next

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A.

Department of Health and Human Services
[Vulnerability Disclosure Policy](#) | [Español](#)

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prams Web Survey Module Portals

https://prams-stg.cdc.gov

 Department of Health and Human Services
Centers for Disease Control and Prevention

  

South Carolina
MomID: 2022TT333001

62%

MJS1. At any time during the 3 months *before* you got pregnant OR *during* your most recent pregnancy, did you use marijuana or hash in any form?

☐ No

☐ Yes

[Back](#) [Next](#)

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 Department of Health and Human Services
[Vulnerability Disclosure Policy](#) | [Español](#)

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prams Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

63%

MJS2. During the 3 months before you got pregnant, about how often did you use marijuana products in an average month?

☐ Daily

☐ 2-6 days a week

☐ 1 day a week

☐ 2-3 days a month

☐ 1 day a month or less

☐ I did not use marijuana then

Back

Next

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
[Vulnerability Disclosure Policy](#) | [Español](#)

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prams Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

63%

MJS3. During *your most recent* pregnancy, about how often did you use marijuana products in an average month?

☐ Daily

☐ 2-6 days a week

☐ 1 day a week

☐ 2-3 days a month

☐ 1 day a month or less

☐ I did not use marijuana then

Back

Next

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
[Vulnerability Disclosure Policy](#) | [Español](#)

Prms Web Survey Module Ports

https://prams-stg.cdc.gov

 **Department of Health and Human Services**
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

64%

MJS4. During *your most recent* pregnancy, how did you use marijuana?

	No	Yes
Smoked it	☐	☐
Ate it	☐	☐
Drank it	☐	☐
Vaporized it	☐	☐
Dabbed it	☐	☐
Other	☐	☒

Please tell us:

Back

Next

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 [Department of Health and Human Services](#)
[Vulnerability Disclosure Policy](#) | [Español](#)

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prams Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

65%

MJS5. Why did you use marijuana products during pregnancy? For each item, check **No** if it was not a reason for you or **Yes** if it was.

	No	Yes
To relieve nausea	☐	☐
To relieve vomiting	☐	☐
To relieve stress or anxiety	☐	☐
To relieve symptoms of a chronic condition	☐	☐
To relieve pain	☐	☐
For fun or to relax	☐	☐
Some other reason	☐	☒

Please tell us:

Back

Next

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
[Vulnerability Disclosure Policy](#) | [Español](#)

Prams Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

65%

MJS6. During any of your prenatal care visits, did a doctor, nurse, or other health care worker do any of the following things?
Please include if they asked you on a written form or in a conversation. For each item, check **No** if they did not do this or **Yes** if they did.

	No	Yes
Ask me if I was using marijuana	☐	☐
Recommend that I use marijuana for any reason	☐	☐
Advise me not to use marijuana	☐	☐
Advise me not to breastfeed my baby if I was using marijuana	☐	☐

Back

Next

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prms Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

66%

MJS7. During any of your prenatal care visits, did a doctor, nurse, or other health care worker refer you to treatment because of drug use (prescribed or non-prescribed drugs)?

☐ No

☐ Yes

☐ I did not use any drugs (or only used over-the-counter pain relievers) during my pregnancy

Back

Next

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prims Web Survey Module Ports x +

https://prams-stg.cdc.gov

 Department of Health and Human Services
Centers for Disease Control and Prevention

  

South Carolina
MomID: 2022TT333001

67%

MJS8. Since your new baby was born, have you used marijuana or hash in any form?

☐ No

☐ Yes

[Back](#) [Next](#)

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prims Web Survey Module Ports x +

https://prams-stg.cdc.gov

 Department of Health and Human Services
Centers for Disease Control and Prevention

  

South Carolina
MomID: 2022TT333001

68%

MJS9. How long do you think it is necessary for a woman to wait after using marijuana to breastfeed her baby?

Check ONE answer

☐ I don't think she needs to wait at all

☐ I think it is best to wait until she is no longer high

☐ I think it is best to wait at least 2-3 hours after she is no longer high

☐ I don't think it is safe for breastfeeding women to use marijuana at all

[Back](#) [Next](#)

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prims Web Survey Module Ports x +

https://prams-stg.cdc.gov

 Department of Health and Human Services
Centers for Disease Control and Prevention

  

South Carolina
MomID: 2022TT333001

 68%

The next questions are about prescription drugs.

[Back](#) [Next](#)

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prams Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

68%

MJS10. During *your most recent* pregnancy, did you take prescription antidepressants or selective serotonin reuptake inhibitors (SSRIs) such as Prozac, Zoloft, or Lexapro?

☐ No

☐ Yes

Back

Next

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prams Web Survey Module Portals

https://prams-stg.cdc.gov

 Department of Health and Human Services
Centers for Disease Control and Prevention

  

South Carolina
MomID: 2022TT333001

69%

MJS11. During *your most recent* pregnancy, did you use prescription pain relievers such as hydrocodone (Vicodin®), oxycodone (Percocet®), or codeine?

☐ No

☐ Yes

[Back](#) [Next](#)

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 Department of Health and Human Services
[Vulnerability Disclosure Policy](#) | [Español](#)

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prms Web Survey Module Port

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

70%

MJS12. How would you describe the way you got the prescription pain relievers that you used during your most recent pregnancy?

	No	Yes
I had a current prescription	☐	☐
I had pain relievers left over from an old prescription	☐	☐
I got the pain relievers without a prescription	☐	☐

Back

Next

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

PRAMS Marijuana Use Supplemental Module – Spanish Web

Prms Web Survey Module Port x +

← → ↻ 🏠 📄 https://prams-stg.cdc.gov 🔍 ⚙️ ⭐ 📄 👤 ⋮

 **Department of Health and Human Services**
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

63%

Las siguientes preguntas son acerca de la marihuana.

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 [Department of Health and Human Services](#)
[Vulnerability Disclosure Policy](#) | [Español](#)

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prims Web Survey Module Port... x +

https://prams-stg.cdc.gov

 Department of Health and Human Services
Centers for Disease Control and Prevention

  

South Carolina
MomID: 2022TT333001

63%

MJS1. En algún momento durante los 3 meses antes de quedar embarazada O durante su embarazo más reciente, usó la marihuana o hachis en cualquier forma?

☐ No

☐ Sí

[Anterior](#) [Siguiente](#)

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prms Web Survey Module Port

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

64%

MJS2. En los 3 meses antes de quedar embarazada, más o menos, ¿con qué frecuencia usó productos de marihuana en un mes promedio?

☐ Diariamente

☐ 2-6 días a la semana

☐ 1 día a la semana

☐ 2-3 días al mes

☐ 1 día al mes o menos

☐ No la usaba la marihuana en ese entonces

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prams Web Survey Module Port

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

65%

MJS3. Durante su embarazo más reciente, más o menos, ¿con qué frecuencia usó productos de marihuana en un mes promedio?

☐ Diariamente

☐ 2-6 días a la semana

☐ 1 día a la semana

☐ 2-3 días al mes

☐ 1 día al mes o menos

☐ No la usaba la marihuana en ese entonces

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prms Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

65%

MJS4. Durante su *embarazo más reciente*, ¿cómo usó la marihuana?

	No	Si
La fumé	☐	☐
La comí	☐	☐
La bebí	☐	☐
La vaporicé	☐	☐
La usé en concentrado o "dabbing"	☐	☐
Otra manera	☐	☒

Por favor, díganos:

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prams Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

66%

MJS5. ¿Por qué usó productos de marihuana durante su embarazo? Para cada una, marque **No** si no fue una razón para usted, o **Si**, si fue una razón.

	No	Si
Para aliviar las náuseas	☐	☐
Para aliviar los vómitos	☐	☐
Para aliviar el estrés o la ansiedad	☐	☐
Para aliviar una afección crónica	☐	☐
Para aliviar el dolor	☐	☐
Para divertirme o relajarme	☐	☐
Otra razón	☐	☒

Por favor, díganos:

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prims Web Survey Module Ports x +

https://prams-stg.cdc.gov

 Department of Health and Human Services
Centers for Disease Control and Prevention

South Carolina
MomID: 2022TT333001

67%

MJS6. Durante cualquiera de sus consultas de cuidado prenatal, ¿un doctor, enfermera u otro profesional de salud hizo algo de lo siguiente? Por favor, incluya si le preguntaron en un formulario por escrito o durante una conversación. Para cada uno, marque **No**, si no lo hicieron, o **Sí**, si lo hicieron.

	No	Sí
Preguntarme si estaba usando marihuana	☐	☐
Recomendarme que usara marihuana por alguna razón	☐	☐
Aconsejarme que no usara marihuana	☐	☐
Aconsejarme que no diera pecho a mi bebé si estaba usando marihuana	☐	☐

Anterior Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A

 Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prims Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

68%

MJS7. Durante cualquiera de sus consultas de cuidado prenatal, ¿un doctor, enfermera u otro profesional de salud la refirió a tratamiento por abuso de drogas (medicamentos recetados o no recetados)?

☐ No

☐ Sí

☐ No usé ninguna droga (o solamente usé analgésicos que se venden sin receta médica) durante mi embarazo

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prims Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

68%

MJS8. Desde que nació su nuevo bebé, ¿ha usado la marihuana o hachis en cualquier forma?

☐ No

☐ Sí

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prims Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

69%

MJS9. ¿Cuánto tiempo cree que una mujer debe esperar para dar pecho a su bebé después de usar marihuana?

Marque UNA respuesta

☐ No creo que tiene que esperar

☐ Creo que es mejor esperar hasta que se le quite el efecto de estar drogada

☐ Creo que es mejor esperar 2-3 horas después de que se le quite el efecto de estar drogada

☐ No creo que es seguro usar la marihuana en ningún momento si una mujer está dando pecho

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Attachment 11j - PRAMS Marijuana Use Supplement_English and Spanish Web

Prams Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

70%

Las siguientes preguntas son acerca de los medicamentos recetados.

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prims Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

70%

MJS10. Durante su embarazo *más reciente*, ¿usó antidepresivos o inhibidores selectivos de la recaptación de serotonina (ISRS o SSRI, por sus siglas en inglés) como Prozac, Zoloft o Lexapro?

☐ No

☐ Sí

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prims Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

71%

MJS11. Durante su embarazo *más reciente*, ¿usó medicamentos recetados para aliviar el dolor (analgésicos) como hidrocodona (Vicodin®), oxycodona (Percocet®) o codeína?

☐ No

☐ Sí

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español

Prms Web Survey Module Ports

https://prams-stg.cdc.gov



Department of Health and Human Services
Centers for Disease Control and Prevention



South Carolina
MomID: 2022TT333001

71%

MJS12. ¿Cómo describiría la forma en que consiguió los medicamentos recetados para aliviar el dolor que utilizó durante su embarazo más reciente?

	No	Sí
Yo tenía una receta actual	☐	☐
Yo tenía medicamentos que me sobraron de una receta vieja	☐	☐
Yo conseguí los medicamentos sin receta	☐	☐

Anterior

Siguiente

Centers for Disease Control and Prevention
1600 Clifton Rd, Atlanta, GA 30333, U.S.A



Department of Health and Human Services
Vulnerability Disclosure Policy | Español