## 63.6016(k) Notification of Compliance and §63.6017(g) Semiannual Compliance Report (Spreadsheet Template) 63.6016(k) and 63.6017(g) Final ICR Draft 8/28/2024

OMB Control Number: 2060-0449 Form 5900-659

For further Paperwork Reduction Act information see: https://www.epa.gov/electronic-reporting-air-emissions/paperwork-reduction-act-pra-cedri-and-ert

#### 40 CFR Part 63, Subpart XXXX National Emission Standards for Hazardous Air Pollutants: Rubber <sup>-</sup> Notification of Compliance Status and §63.6017(g) Semiannual Compliance Report Spreadsheet T

#### Welcome and Instructions

Purpose:

This spreadsheet template was designed by the U.S. EPA to facilitate the Notification of Compliance Status and Compliance rep subpart XXXX. The Notification of Compliance Status (NOCS) is a one time notification that is required for new or reconstructed days following the end of the initial 12 month compliance period. The compliance report is a report that is required for existing months, unless the facility qualifies for annual reporting (§63.6017(f)). The EPA's Compliance and Emissions Data Reporting (Co Exchange (https://cdx.epa.gov)

#### **Electronic reporting:**

Electronic submission of Compliance reports through CEDRI is required under §63.6017.

A completed spreadsheet template should be uploaded to CEDRI to fulfill the electronic reporting requirements under §63.60

Do not submit information you claim as confidential business information (CBI) to EPA via CEDRI. EPA will make all the information submit without further notice to you. Anything submitted using CEDRI cannot later be claimed to be CBI. Furthermore, under CAA section 114(c) e and requires EPA to make emissions data available to the public. Thus, emissions data will not be protected as CBI and will be made public.

Although we do not expect persons to assert a claim of CBI, if persons wish to assert a CBI claim, you must submit the report via CEDRI wit any information claimed to be CBI, to EPA on a compact disc, flash drive, or other commonly used electronic storage media via U.S. postal storage media as CBI and then identify electronically within the digital storage media the specific information that is claimed as CBI. Mail t regulation. If no address is specified, mail the media to:

U.S. EPA/OAQPS/CORE CBI Office Attention: Group Leader, Measurement Policy Group MD C404-02 4930 Old Page Rd Durham, North Carolina 27703

IMPORTANT: The spreadsheet must be uploaded into CEDRI as a single ZIP file, which must include this Excel workbook and a the workbook (i.e., additional information file found in the "Company\_Information" worksheet).

Note: If you are uploading file attachments for your report, the uploaded files may be in any format (e.g., zip, docx, PDF). If yo attachment, you must first zip the excel file(s) into a separate ZIP file and include within the master ZIP file that will be upload

Once all data have been entered into the worksheets, combine this completed Excel workbook and all attachment files (incluc applicable) into a single ZIP file for upload to CEDRI.

<u>Gray worksheets</u>: The gray worksheets labeled Company\_Information and Compliance\_Options contain general information Compliance Status and the Compliance Report and <u>should be completed first</u>. After completing the gray worksheets, the spra to use in subsequent reports to limit subsequent data entry. Selecting "No" or "Yes" in the "Is this report a Notification of Cor Company\_Information worksheet) will hide or make visible the worksheets associated with the NOCS. The information in the reporting period to the next. <u>NOTE: Some dropdowns on a given worksheet are dependent on data from a preceding colum</u> <u>first glance.</u>

<u>Orange worksheets</u>: The orange worksheets (NoticeOfComplianceStatus, NOCS\_TireProduction, NOCS\_TireCordProd, NOCS\_F required if the submission is a Notification of Compliance Status. These worksheets will be hidden if "No" is selected in colum answer to "Is this report a Notification of Compliance Status (NOCS)?" question. The first three or four columns in each NOCS entered in the 'Compliance\_Options' worksheet.

<u>Green worksheets</u>: In addition to the gray worksheets, complete the green worksheet(s) (Compliance Rpt - Tire Prod, Compliance Seal, and Compliance Rpt - Deviations), that represents the actual compliance option used for each reporting period. The first will be prefilled based on information entered in the 'Compliance\_Options' worksheet.

The Compliance Rpt - Certification worksheet must be completed for every compliance report. The NOCS Certification worksh

Within the worksheets, examples are provided (or will be provided in Final template) and example rows are colored light red hidden)) are colored green. These rows are locked and cannot be used for data entry.

Certification:

Complete the NOCS\_Certification worksheet to complete the NOCS certification statement in accordance with §63.9(h)(2)(i)(C

Complete the Compliance Rpt - Certification worksheet to complete the certification statements required by §63.6017(c)(5), (

#### 40 CFR Part 63, Subpart XXXX National Emission Standards for Hazardous

<u>Note</u>: If submitting NOCS for any Facility listed in the table below, scroll to  $\mathfrak{c}$ 

Company Record No. (Field value will automatically generate when Company Name entered in Column C.)	Company Name (§63.6017(c)(1))
RecordId	CompanyName
e.g.: 1	e.g.: EPA Tire & Rubber Co
1	CompanyName

Air Pollutants: Rubber Tire Manufacturing - §63.6016(k) Notification of Compliance Status and §63.6017(g) Ser column Q and select Yes. New NOCS specific worksheets will display.

	SITE INFORMATION
Address (§63.6017(c)(1))	Address 2
AddressLine1	AddressLine2
e.g.: 123 Main Street	e.g.: Suite 100

City (§63.6017(c)(1))	County	State Abbreviation (§63.6017(c)(1))	(§63.6017(c)(1))
CityName	CountyName	StateName	ZIPCode
e.g.: Brooklyn	e.g.: Kings	e.g.: NY	e.g.: 11221

			REPORTING PERIOD
Responsible Agency Facility ID (State Facility Identifier)	Is this an Existing or New or Reconstructed Effective Source (Select from dropdown)	Date of Report (§63.6017(c)(3))	Beginning Date of Reporting Period (§63.6017(c)(3))
StateFacID	EffectiveSource	ReportDate	PeriodStartDate
e.g.: 9145555555	e.g.: New or Reconstructed Source	e.g.: 7/2/2017	e.g.: 1/1/2017

	ADDITIONAL IN
Ending Date of Reporting Period (§63.6017(c)(3))	Please enter any additional information.
PeriodEndDate	AddInfo
e.g.: 6/30/2017	e.g.: Provide any additional information here.

FORMATION	
Enter associated file name reference.	Is this report a Notification of Compliance Status (NOCS)? (Select from dropdown)
AddFile	NocsFlag
e.g.: addlinfo.zip	e.g.:Yes

# 40 CFR Part 63, Subpart XXXX National Emission Standards for Hazardous Air Pollutants: Rubber 63.6016(k) Notification of Compliance and §63.6017(g) Semiannual Compliance Report (Spreads

Note: Company Record No. selections appear once Company(s) are added to Company\_Informatio

dropdown)	Rubber Tire Manufacturing Affected Source or Facility as stated in §63.6017(c) (7) if applicable. (§63.9(h))	Rubber Tire Manufacturing Subcategory (Select from dropdown)
RecordId		Subcategory
e.g.: 2	e.g.: EPA Tire & Rubber Co	e.g.: Tire Production

I	

### <sup>•</sup> Tire Manufacturing sheet Template)

n worksheet. Fill out table moving left to right, as dropdowns are dependent on previous s

COMPLIA	ANCE OPTIONS
Identification of the Compliance Option (Appendices - Table 1, 2, 3, 4, 15 or 16 To Subpart XXXX of Part 63) (Select from dropdown) ComplianceOptions e.g.: Option 1—HAP constituent option	Identification of the Compliance Alternative (Appendices - Table 1, 2, 3, 4, 15 or 16 To Subpart XXXX of Part 63) (Select from dropdown) ComplianceOptionAlt e.g.: Purchase alternative


elections.

Select corresponding emissions or operating limit
(Appendices - Table 1, 2, 3, 4, 15 or 16 To Subpart XXXX of Part 63)
(Select from dropdown)
EmissionLimit
EmissionLimit
e.g.: a. Emissions of each HAP in Table 16 to this subpart must not exceed
1,000 grams HAP per megagram (2 pounds per ton) of total cements and
solvents used at the tire production affected source, and b. Emissions of
each HAP not in Table 16 to this subpart must not exceed 10,000 grams
HAP per megagram (20 pounds per ton) of total cements and solvents
used at the tire production affected source.
used at the the production anceted source.

#### 40 CFR Part 63, Subpart XXXX National Emission Standards for Hazardous Air Pollutants: Rubber

<u>Note</u>: Columns B through D will be autofilled based on responses provided in the Compliance\_Opties **63.6017(g) Semiannual Compliance Report** 

63.601/(g) Semiannual Compliance Report		
Company Record No. (Autofilled)	(Autofilled)	Rubber Tire Manufacturing Subcategory (Autofilled)
RecordId	OperationName	Subcategory
e.g.: 1	e.g.: CuringPress1	e.g.: Tire Production

### Tire Manufacturing -

ons worksheet.

For each tire production affected source, provide the emission limit option in §63.5984 that you have chosen to meet (§63.6017(c)(7)) (Autofilled) EmissionLimitOption e.g.: HAP constituent option	For each tire production affected source, provide the compliance alternative in §63.5985 that you have chosen to meet (§63.6017(c)(7)) (Autofilled) ComplianceAlternative e.g.: Purchase alternative

For each tire production affected source complying with the purchase compliance alternative in §63.5985(a), not listed in NOCS in §63.6016(g), provide updated list of all cements and solvents used, as purchased at affected source (§63.6017(c)(8)) CementsAndSolventsUsed	Certify that each cement or solvent, as purchased, used at the affected source during the reporting period met the HAP constituent limits (option 1) in Table 1 to this subpart. (§63.6017(c)(8)) HAPConstituentLimits
e.g.: cementX	e.g.: Yes
	e.g.: res



#### 40 CFR Part 63, Subpart XXXX National Emission Standards for Hazardous Air Pollutants: Rubber

<u>Note</u>: Columns B through D will be autofilled based on responses provided in the Compliance\_Optie 63.6017(g) Semiannual Compliance Report


o3.o01/(g) Semiannual Compliance Report		
Company Record No. (Autofilled)	(Autofilled)	Rubber Tire Manufacturing Subcategory (Autofilled)
RecordId	OperationName	Subcategory
		e.g.: Tire Cord Production
Ŭ		ő

ons worksheet.

For each tire cord production affected source, provide the emission limit option in §63.5986 that you have chosen to meet (§63.6017(c)(9)) (Autofilled)
EmissionLimitOption
e.g.: Option 1.a (production-based option)—Existing



For each tire cord production affected source, provide the
compliance alternative in §63.5987 that you have chosen to meet
(\$63.6017(c)(9))
(Autofilled)
ComplianceAlternative
e.g.: Monthly average alternative, using an add-on control device
· · ·




#### 40 CFR Part 63, Subpart XXXX National Emission Standards for Hazardous Air Pollutants: Rubber Tire Ma

<u>Note</u>: Columns B through D will be autofilled based on responses provided in the Compliance\_Options worl 63.6017(g) Semiannual Compliance Report


63.601/(g) Semiannual Compliance Report		
Company Record No. (Autofilled)	Name of Rubber Tire Manufacturing Affected Source (§63.9(h)) (Autofilled)	Rubber Tire Manufacturing Subcategory (Autofilled)
RecordId	OperationName	Subcategory
		e.g.: Puncture Sealant Application
e.g.: 1	e.g.: tire 3	e.g.: Puncture Sealant Application

ksheet.

For each puncture sealant application affected source, provide the emission limit option in §63.5988 that you have chosen to meet (§63.6017(c)(10)) (Autofilled) EmissionLimitOption e.g.: Option 1.a (percent reduction option)—Existing



For each puncture sealant application affected source, provide the compliance alternative in §63.5989 that you have chosen to meet (§63.6017(c)(10)) (Autofilled)		
ComplianceAlternative		
e.g.: Overall control efficiency alternative		



#### 40 CFR Part 63, Subpart XXXX National Emission Standards

<u>Note</u>: Columns B through C will be autofilled based on respo 63.6017(g) Semiannual Compliance Report


Company Record No. (Autofilled) RecordId	Name of Rubber Tire Manufacturing Affected Source (§63.9(h)) (Autofilled) OperationName
e.g.: 1	e.g.: tire 3

#### for Hazardous Air Pollutants: Rubber Tire Manufacturing -

nses provided in the Compliance\_Options worksheet.

For each rubber processing affected source, provide the emission limit option in §63.6010(b) that you have chosen to meet - either metal HAP emission limit or PM emission limit (§63.6017(c)(11)) (Autofilled)

EmissionLimitOption e.g.: Option 1.a (percent reduction option)—Existing



## 40 CFR Part 63, Subpart XXXX National Emission Standards

Name of Rubber Tire Manufacturing Affected Source (§63.9(h)) (Autofilled) Company Record No. (Autofilled) RecordId OperationName e.g.: 1 e.g.: tire 3

<u>Note</u>: Columns B through C will be autofilled based on respo 63.6017(k) 15 -day Rolling Average Report

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: style s	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: style s	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the second sec	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Sector of the sector	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of	

Image: style s	
Image: state interpretation of the state i	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: style s	
Image: state of the state of	
Image: Section of the section of th	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state interpretation of the state i	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: style s	
Image: state of the state of	
Image: Section of the section of th	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state interpretation of the state i	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Sector of the sector	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: style s	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: style s	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: style s	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: style s	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: style s	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: state of the state of	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: style s	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Sector of the sector	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	

Image: style s	
Image: state in the state in	
Image: style s	
Image: Antipage: Antitage: Antipage: Antipage: Antipage: Antipage: Antipage: A	
Image: style s	
Image: style s	
Image: state of the state of	
Image: style s	
Image: A state of the state	
Image: style s	
Image: style s	
Image: set of the	
Image: state in the state in	
Image: style s	
Image: state of the state of	
Image: state in the state in	
Image: set of the	
Image: Constraint of the sector of	
Image:	
Image: Section of the section of th	
Image: Constraint of the second se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Constraint of the second of the se	
Image: Section of the section of th	
Image: Constraint of the second of the se	
Image: Sector	
Image: Constraint of the second of the se	
Image: Constraint of the second of	











## for Hazardous Air Pollutants: Rubber Tire Manufacturing -


\_

nses provided in the Compliance\_Options worksheet.

For each rubber processing affected source, provide the THC 15-day rolling average values (g/Mg of Rubber Processed) (§63.6017(k))
15DayRollingAverage
e.g.: 0.20







**40 CFR Part 63, Subpart XXXX National Emission Standards for Hazardous Air Pollutants: Rubber Tire** <u>Note</u>: Start by using dropdown in Column E to select affected source. Columns B through D will be auto **63.6017(g) Semiannual Compliance Report - Deviations from an emission limitation (emission limit o** 

ı.

Company Record No. (Autofilled)	Name of Rubber Tire Manufacturing Affected Source (§63.9(h)) (Autofilled)	Rubber Tire Manufacturing Subcategory (Autofilled)
RecordId		Subcategory
e.g.: 1	e.g.: CuringPress1	e.g.: Tire Production


# Manufacturing -

filled based on responses provided in the Compliance\_Options worksheet. **r operating limit)** 

Company Record No., Name of Rubber Tire Manufacturing Affected Source, and
Subcategory
(§63.9(h))
(Select from dropdown)

RecordSourceSubcategory

e.g.: 1 CuringPress1 Tire Production






Cement or solvent that deviated from the emission limit (§63.6017(d))	Date of each deviation (§63.6017(d)(1))	Time of each deviation (§63.6017(d)(1))	Duration (hours) each deviatior (§63.6017(d)(1
CoatingName	UseStartDate	UseStartTime	UseDuration
e.g.: solventx	e.g.: 2/1/2017	e.g.: 13:05	e.g.: 36.25
			-
			-
			<u> </u>
			†
			+
			+



Estimate of the Quantity Emitted Over Emission Limit (§63.6017(d)(2))	(§63.6017(d)(2))
EmissionsQuantity	EstimationMethod
e.g.: 2.5	e.g.: Mass balance
	1
	ļ

	Cause of dev (§63.6017(c	iation I)(2))	
DeviationCause	· · ·		
e.g.: leak			
-			



## Corrective Action(s) Taken (§63.6017(d)(3))

CorrectiveAction





40 CFR Part 63, Subpart XXXX National Emission Standards for Hazardous Air Pollutants: Rubl Complete this form when you have completed the semiannual compliance report. 63.6017(g) Semiannual Compliance Report

Company Record No. (Autofilled)	There were no deviations from any emission limitations (emission limit or operating limit) during the reporting period. (§63.6017(c)(5)) (Select from dropdown)
RecordId	PeriodDeviationFlag
e.g.: 1	e.g.: No
1	

ber Tire Manufacturing - §63.6017(g) Semiannual Compliance

There were no periods during which the operating parameter monitoring systems or CPMS were out-of-control during the reporting period. (§63.6017(c)(6)) (Select from dropdown) CPMSAddonComplianceFlag

e.g.: Yes

For each tire production affected source complying with the purchase compliance alternative in §63.5985(a), I certify that each cement and solvent, as purchased, that was used at the affected source during the reporting period met the HAP constituent limits (Option 1) in Table 1 to this subpart. (§63.6017(c)(8)) (Select from dropdown)

HAPConstituentFlag e.g.: Yes

### 40 CFR Part 63, Subpart XXXX Natio §63.6017(g) Semiannual Complianc

so3.ou1/(g) Semiannual Complianc		
<b>Revision Number</b>		Date
	1.00	6/5/2020
	1.02	6/16/2020
	1.03	4/9/2024
Final ICR Draft		8/28/2024

### nal Emission Standards for Hazardous Air Pollutants: Rubber Tire Manufacturing -

#### e Report Spreadsheet Template

Revisions

Finalized Release Version

Unlocked Column F on NOCS\_PunctureSealantApp, Columns F-M on Compliance Rpt - Deviations, and entry cells on Complian Rpt - Certification tabs

Updated Welcome tab

Update regulatory citations throughout to reflect revised regulatory text, updated formatting, removed "\*", added "e.g.:" to a blank example rows; Revisions: Header added; Compliance\_Options: updated examples, updated dropdown to reflect new compliance options, updated header to reflect Tables 15 and 16; NoticeOfComplianceStatus: updated header to reflect Tables and 16; Add tab Compliance Rpt - metHAP or PM;